GIS REGISTRY INFORMATION

SITE NAME: Classic Cleaners Corp

BRRTS #: 02-52-000903 **FID # (if appropriate):** 252096570

COMMERCE # (if appropriate):

CLOSURE DATE: October 31, 2005

STREET ADDRESS: October 20, 2005

CITY: 2400 Rapids Drive

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): Racine

X= 699226 Y= 255251

CONTAMINATED MEDIA: Groundwater ☐ Soil ☐ Both ☒

OFF-SOURCE GW CONTAMINATION >ES: ☒ Yes ☐ No

IF YES, STREET ADDRESS 1: 2211 Loraine Avenue

GPS COORDINATES (meters in WTM91 projection): X= 699185 Y= 255267

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): ☐ Yes ☒ No

IF YES, STREET ADDRESS 1:

GPS COORDINATES (meters in WTM91 projection): X= Y=

CONTAMINATION IN RIGHT OF WAY: ☒ Yes ☐ No

DOCUMENTS NEEDED:

Closure Letter, and any conditional closure letter or denial letter issued	X
Copy of most recent deed, including legal description, for all affected properties	X
Certified survey map or relevant portion of the recorded plat map *(if referenced in the legal description)* **for all affected properties**	X
County Parcel ID number, *if used for county*, for all affected properties	X
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.	X
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.	X
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)	X
Tables of Latest Soil Analytical Results (no shading or cross-hatching)	X
Isoconcentration map(s), *if required for site investigation (SI)* (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. **If not available, include the latest extent of contaminant plume map.**	X
GW: Table of water level elevations, with sampling dates, and free product noted if present	X
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)	X
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour	X
Geologic cross-sections, *if required for SI.* (8.5x14' if paper copy)	X
RP certified statement that legal descriptions are complete and accurate	X
Copies of off-source notification letters (if applicable)	X
Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)	X
Copy of (soil or land use) deed restriction(s) or deed notice *if any required as a condition of closure*	X
Copy of any maintenance plan referenced in the deed restriction.	X

WISCONSIN
DEPT. OF NATURAL RESOURCES

State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters
2300 N. Dr. Martin Luther King, Jr. Drive
PO Box 12436
Milwaukee, Wisconsin 53212-0436
FAX 414-263-8606
Telephone 414-263-8500
TTY Access via relay - 711

October 20, 2005

Mr. Gary Kaufman
NDC, LLC
6312 South 27th Street
Oak Creek, WI 53154

Subject: Conditional Closure Decision with Requirements to Achieve Final Closure
Classic Cleaners, 2400 Rapids Drive, Racine, Wisconsin
WDNR BRRTS Activity # 02-52-000903
WDNR FID# 252096570

Dear Mr. Kaufman:

On October 20, 2005, the The Wisconsin Department of Natural Resources(WDNR) Closure Committee reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the chlorinated solvents contamination on the site from the former dry cleaning operations appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELL ABANDONMENT

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Shanna Laube Anderson on Form 3300-5B found at www.dnr.state.wi.us/org/water/dwg/gw/ or provided by the Department of Natural Resources.

When the above conditions have been satisfied, please submit a letter to let me know that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit http://maps.dnr.state.wi.us/brrts.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact Shanna Laube Anderson at 262-884-2341.

Sincerely,

Michelle Williams

Michelle Williams
Hydrogeologist
Bureau for Remediation & Redevelopment

Enclosure

cc: Larry Raether, PSI
Shanna Laube Anderson(electronic)
SER File

State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters
2300 N. Dr. Martin Luther King, Jr. Drive
PO Box 12436
Milwaukee, Wisconsin 53212-0436
FAX 414-263-8606
Telephone 414-263-8500
TTY Access via relay - 711

October 31, 2005

Mr. Gary Kaufman
NDC, LLC
6312 South 27th Street
Oak Creek, WI 53154

Subject: Approval of Final Closure
Classic Cleaners, 2400 Rapids Drive, Racine, Wisconsin
WDNR BRRTS Activity # 02-52-000903
WDNR FID# 252096570

Dear Mr. Kaufman:

On October 20, 2005, the Southeast Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On October 20, 2005, you were notified that the Closure Committee had granted conditional closure to this case.

On October 31, 2005 the Department received the well abandonment forms indicating that you have complied with the requirements of closure. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

FUTURE EXCAVATION OF RESIDUAL CONTAMINATED SOIL

Residual soil contamination remains at under the building as indicated in the deed restriction submitted to the Department of Natural Resources. If soil in these specific locations is excavated in the future, the property owner at the time of excavation will be required to sample and analyze the excavated soil to determine whether the contamination still remains. If contamination remains, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard at the time of excavation. **Special precautions may need to be taken during excavation activities to prevent a direct contact health threat to humans**. Based upon the results of sample analysis, the current owner will also have to properly store, treat, or dispose of any excavated materials, in accordance with state and federal laws.

In addition, depending on site-specific conditions, construction over contaminated materials may result in vapor migration into enclosed structures or migration along newly placed underground utility lines. The potential for vapor inhalation and mitigation should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit http://dnr.wi.gov/org/aw/rr/gis/index.htm. If your property is listed on the GIS Registry and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf or at the web address listed above for the GIS Registry.

Your site was closed with the requirement that a deed restriction for residual contaminated soil be recorded at the county Register of Deeds office. A copy of the deed restriction and the referenced maintenance plan can be found in the Department's regional files, or they can be viewed on the GIS Registry for this site, at http://dnr.wi.gov/org/aw/rr/gis/index.htm.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site.

Sincerely,

Michelle Williams

Michelle Williams, Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Larry Raether, PSI
SER file

WARRANTY DEED

DOCUMENT NO.

THIS SPACE RESERVED FOR RECORDING DATA

NAME AND RETURN ADDRESS
NDC, Inc.
150 W. Holt Avenue
Milwaukee, WI 53207

20419-28
PARCEL IDENTIFICATION NUMBER

Rapids Plaza limited Partnership, also known as Rapids Plaza, Ltd., a Colorado limited partnership, whose address is 1720 South Bellaire Street, Suite 1209, Denver, Colorado 80222 (Grantor), conveys and warrants to NDC, Inc., a Wisconsin corporation, whose address is 150 W. Holt Avenue, Milwaukee, Wisconsin 53207 (Grantee), the following described real estate in the City of Racine, County of Racine, State of Wisconsin:

Parcel 1 of Certified Survey Map No. 1409 recorded in the Office of the Register of Deeds for Racine County, Wisconsin, on May 1, 1989 in Volume 4 of Certified Survey Maps, at Page 379, as Document No. 1281740, being a Resubdivision of Lots 1 and 28, Block 16, Rapids Drive Subdivision No. 3, a recorded Subdivision in the Southeast 1/4 of the Northwest 1/4 and the Northeast 1/4 of the Southwest 1/4 of Section 5, Township 3 North, Range 23 East.

Tax Key No.: 20419-28

Also known as 2300 Rapids Drive, Racine, Wisconsin

This is not homestead property:

Grantor warrants that the title is good, indefeasible, in fee simple and free and clear of encumbrances except those matters listed on the attached Exhibit A, which is incorporated herein by this reference, and will warrant and defend the same.

Dated this 2nd day of June, 19 98.

Rapids Plaza limited Partnership, also known as Rapids Plaza, Ltd.,
a Colorado limited partnership,

By: _____ (SEAL)
Alan L. Roeder as Attorney-in-Fact for
Martin H. Herzog
General Partner

THIS INSTRUMENT WAS DRAFTED BY
Amy L. Durfee, Esq.
Berenbaum, Weinshienk & Eason, P.C.
370 17th Street, Suite 2600
Denver, Colorado 80202

ACKNOWLEDGMENT

State of Colorado,)
)ss.
City and County of Denver.)

Personally came before me this 2nd day of June, 1998, the above named Alan L. Roeder, as attorney-in-fact for Martin H. Herzog, to me known to be the person who executed the foregoing instrument and acknowledged the same.

_____
Notary Public, Denver County, Colo.
My commission expires:

_____

MARLA HOLMES
NOTARY PUBLIC
STATE OF COLORADO
My Commission Expires Jan. 23, 1999

EXHIBIT A

EXCEPTIONS TO WARRANTY

1. General taxes for the year 1998.

2. Memorandum of Lease entered into by and between Rapids Plaza, Ltd., a Colorado Limited Partnership, and Family Dollar Stores of Wisconsin, Inc., dated July 22, 1988 and recorded in the office of the Register of Deeds for Racine County, Wisconsin on October 11, 1988 in Volume 1934 of Records, at page 227, as Document No. 1267772, as amended by Memorandum of Lease dated January 16, 1995 and recorded in the office of the Register of Deeds for Racine County, Wisconsin on February 17, 1995 in Volume 2429 of Records, at page 499, as Document No. 1492807.

3. Agreement entered into by and between Rapids Drive Shopping Center and Pilgrim Theatre Corporation and Fergus Realty Corporation, dated September 27, 1974 and recorded in the office of the Register of Deeds for Racine County, Wisconsin on September 30, 1974 in Volume 1240 of Records, at page 245, as Document No. 946470,- which agreement was assigned by Fergus Realty Corporation to B & G Realty, Inc., dated July 2, 1990 and recorded in the office of the Register of Deeds for Racine County, Wisconsin on July 25, 1990 in Volume 2025 of Records, at page 20, as Document No. 1316155, which agreement was also assigned by Pilgrim Theatre Corporation to B & G Realty, Inc., dated June 18, 1990 and recorded in the office of the Register of Deeds for Racine County, Wisconsin on July 25, 1990 in Volume 2025 of Records, at page 26, as Document No. 1316156.

4. Party Wall and Access Agreement entered into by and between Rapids Plaza, Ltd. and Frank P. Crivello, dated May 1, 1989 and recorded in the office of the Register of Deeds for Racine County, Wisconsin on May 2, 1989 in Volume 1960 of Records, at page 427, as Document No. 1281940.

5. Easement granted by Fergus Realty Corporation, a Wisconsin corporation to Wisconsin Electric Power Company by an instrument dated April 23, 1962, and recorded in the office of the Register of Deeds for Racine County, Wisconsin on April 24, 1962, in Volume 738 of Records, at page 59, as Document No. 734908.

6. Easement as contained in Plat of Rapids Drive Subdivision No. 3, as recorded in the office of the Register of Deeds for Racine County, Wisconsin on June 2, 1960, in Volume Y of Plats, at page 33, as Document No. 705832, wherein the Southerly 20 feet of Lot 28 is reserved for buffer strip and a 5 foot public utility easement are shown.

7. Easement granted by Rapids Plaza, Ltd., also known as Rapids Plaza Limited Partnership to Wisconsin Electric Power Company by an instrument dated November 21, 1989, and recorded in the office of the Register of Deeds for Racine County, Wisconsin on December 14, 1989, in Volume 1993 of Records, at page 50, as Document No. 1299179.

8. Easement granted by Fergus Realty Corporation to Rapids Drive Shopping Center by an instrument dated April 23, 1962, and recorded in the office of the Register of Deeds for Racine County, Wisconsin on April 25, 1962, in Volume 738 of Records, at page 134, as Document No. 734953.

9. Security interest of Racine County Economic Development Corporation, 4701 Washington Avenue, Suite 215, Racine, WI 53406, secured party, as disclosed by Financing Statement filed in the office of the Register of Deeds for Racine County, Wisconsin on September 6, 1996 as No. 292384 executed by Brothers Investment Corp., doing business as Flex Fitness Center, 2400 Rapids Drive, Racine, WI 53404, debtor.

10. Security interest of M&I Bank of Racine, 441 Main Street, Racine, WI 53403, secured party, as disclosed by Financing Statement filed in the office of the Register of Deeds for Racine County, Wisconsin on September 6, 1996 as No. 292385 executed by Brothers Investment Corp., 2400 Rapids Drive, Racine, WI 53404, debtor.

11. Existing leases and tenancies.



Disclaimer: The information and depictions herein have been produced using data available through photogrametric means by Racine County. The information and depictions herein are for informational purposes and Racine County specifically disclaims accuracy in this production and specifically admonishes and advises that any and all depiction, measurements, distances depicted herein and as to which specific or precise accuracy is required should be determined by procurement of certified maps, surveys, plats, Flood Insurance Studies, or other official means.

Racine County

Wisconsin

Since 1836

Parcel Detail

Search Again

Owner Data

Owners Name	**NDC, LLC**
Mail to Name	**NDC, LLC**
Mail to Address 1	**NDC, LLC**
Mail to Address 2	**6312 S 27TH ST**
Mail to Address 3	
Mail to City	**OAK CREEK**
Mail to State	**WI**
Mail to Zip Code	**53154-0000**

Property Data

Assessed Land	Assessed Improv.	Assessed Value	Avg. Assmt Ratio
$48,000	**$477,000**	**$525,000**	**0.9694**
			Est. Fair Mrkt. Value
			$541,572.11

Parcel Id	**276 000020419028**
Physical Address	**2400 RAPIDS DR**
Physical City	**n\a**
Physical State	**n\a**
Physical Zip	**n\a**

Year **2004**

Tax Year					Lottery Credit	Amt Paid	Tax Balance
2004	**$10,607.78**	**$6,409.58**	**$4,198.2**	**$17,017.36**	**$0**	**$0**	**$17,017.36**

Recording Date			
04/05/2000	**1722850**	**3017**	**828**

2400 RAPIDS DRIVE

3017-828 BLK 16 RAPIDS DRIVE SUB NO 3 RESUB LOTS 1 + 28 PCL 1 CSM NO 1409 DESC VOL 4 CSM PG 379 5.4770 AC MOL

**** Last Sale Price $3,200,000 ****

*** This is an abbreviated legal description only and is NOT valid for use on recordable documents. ***
*** If the sale price is zero the sale price either predates computer records or was not disclosed. ***



FIGURE 1

SITE LOCATION MAP

Rapids Plaza Shopping Center
2400 Rapids Drive
Racine, Wisconsin 53404

MONITORING WELL EXHIBIT

KNOWN AS 2300 AND 2210 RAPIDS DRIVE, CITY OF RACINE, RACINE COUNTY, WISCONSIN

OCTOBER 1, 2004 NDC LLC DRAWING NO. 160934-GRB



STARTING BENCHMARK=648.084
CAST IRON MONUMENT WITH BRASS CAP
SE COR. OF THE NW 1/4
SEC. 5, T 3 N, R 23 E.

National Survey & Engineering
A Division of R.A. Smith & Associates, Inc.
262-781-1000
Fax 262-797-7373
16745 W. Bluemound Road
Suite 200
Brookfield, WI 53005-5938
www.nsac.com

S:\5160934\DWG\EX101B40.dwg:EX101B40

SHEET 1 OF 1

DRAWING SCALE: 1 INCH = 40 FEET

MW-1
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/3/1996[1]	6/4/1998[2]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)					
Benzene	ug/L	ND	<0.27	5	0.5
Chloroform	ug/L	ND	<0.35	6	0.6
Chloromethane	ug/L	ND	<0.61	-	-
1,2-Dibromoethane	ug/L	ND	<0.39	0.2	0.02
Dibromomethane	ug/L	ND	<0.53	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.34	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.34	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.30	75	15
Dichlorodifluoromethane	ug/L	ND	<0.47	1,000	200
1,1-Dichloroethane	ug/L	ND	<0.35	850	85
1,2-Dichloroethane	ug/L	ND	<0.37	5	0.5
1,1-Dichloroethene	ug/L	ND	<0.43	70	0.7
cis-1,2-Dichloroethene	ug/L	***68***	<0.28	70	7
trans-1,2-Dichloroethene	ug/L	ND	<0.79	100	20
1,2-Dichloropropane	ug/L	ND	<0.35	5	0.5
Ethylbenzene	ug/L	ND	<0.32	700	140
Methylene chloride	ug/L	ND	<0.36	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.32	60	12
Naphthalene	ug/L	ND	<0.35	40	8
Tetrachloroethene	ug/L	**800**	<0.43	5	0.5
Toluene	ug/L	ND	<0.27	1,000	100
Trichloroethene	ug/L	**49**	<0.37	5	0.5
Total Trimethylbenzenes	ug/L	ND	<0.49	480	96
Vinyl chloride	ug/L	**8**	<0.20	0.2	0.02
Total Xylenes	ug/L	ND	<0.67	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg -micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-2
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/3/1996[1]	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	3/27/1999[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	8/2/2001[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)												
Benzene	ug/L	ND	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.48	5	0.5
Chloroform	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.75	6	0.6
Chloromethane	ug/L	ND	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.62	-	-
1,2-Dibromoethane	ug/L	ND	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.91	0.2	0.02
Dibromomethane	ug/L	ND	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.67	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.67	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.54	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.39	75	15
Dichlorodifluoromethane	ug/L	ND	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.68	1,000	200
1,1-Dichloroethane	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.85	850	85
1,2-Dichloroethane	ug/L	ND	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.47	5	0.5
1,1-Dichloroethene	ug/L	ND	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.85	70	0.7
cis-1,2-Dichloroethene	ug/L	ND	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.73	70	7
trans-1,2-Dichloroethene	ug/L	ND	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.53	5	0.5
Ethylbenzene	ug/L	ND	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.43	700	140
Fluorotrichloromethane	ug/L	NA	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.52	3,490	698
Methylene chloride	ug/L	ND	<0.36	0.41** Q	***0.60** Q***	<0.36	<0.36	<0.36	***0.83** Q***	<0.85	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.67	60	12
Naphthalene	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.59	40	8
Tetrachloroethene	ug/L	ND	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.57	5	0.5
Toluene	ug/L	ND	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	0.94	<0.47	1,000	100
Trichloroethene	ug/L	ND	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.89	5	0.5
Total Trimethylbenzenes	ug/L	ND	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<1.03	480	96
Vinyl chloride	ug/L	ND	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.18	0.2	0.02
Total Xylenes	ug/L	ND	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<1.94	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-3
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/3/1996[1]	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	3/27/1999[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	8/2/2001[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)												
Benzene	ug/L	ND	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.48	5	0.5
Chloroform	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.75	6	0.6
Chloromethane	ug/L	ND	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.62	-	-
1,2-Dibromoethane	ug/L	ND	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.91	0.2	0.02
Dibromomethane	ug/L	ND	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.67	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.67	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.54	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.39	75	15
Dichlorodifluoromethane	ug/L	ND	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.68	1,000	200
1,1-Dichloroethane	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.85	850	85
1,2-Dichloroethane	ug/L	ND	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.47	5	0.5
1,1-Dichloroethene	ug/L	ND	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.85	70	0.7
cis-1,2-Dichloroethene	ug/L	ND	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.73	70	7
trans-1,2-Dichloroethene	ug/L	ND	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.53	5	0.5
Ethylbenzene	ug/L	ND	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.43	700	140
Fluorotrichloromethane	ug/L	NA	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.52	3,490	698
Methylene chloride	ug/L	ND	<0.36	0.41** Q	<0.36	<0.36 Q	0.41	<0.36	***0.65** Q*	<0.85	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.67	60	12
Naphthalene	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.59	40	8
Tetrachloroethene	ug/L	ND	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.57	5	0.5
Toluene	ug/L	ND	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	0.96	<0.47	1,000	100
Trichloroethene	ug/L	ND	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.89	5	0.5
Total Trimethylbenzenes	ug/L	ND	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<1.03	480	96
Vinyl chloride	ug/L	ND	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.18	0.2	0.02
Total Xylenes	ug/L	ND	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<1.94	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-4

Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/3/1996[1]	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	3/27/1999[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	8/2/2001[3]	10/18/2004[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)													
Benzene	ug/L	ND	<0.68	<1.4	<1.4	<0.54	<0.27	<1.4	<0.54	<0.48	<0.20	5	0.5
Chloroform	ug/L	ND	<0.87	<1.7	<1.7	<0.70	<0.35	<1.7	<0.70	<0.75	<0.20	6	0.6
Chloromethane	ug/L	ND	<1.4	<2.7	<2.7	<1.2	<0.61	<3.0	<1.2	<0.62	<0.20	-	-
1,2-Dibromoethane	ug/L	ND	<0.97	<1.9	<1.9	<0.78	<0.39	<1.9	<0.78	<0.91	<0.20	0.2	0.02
Dibromomethane	ug/L	ND	<1.3	<2.6	<2.6	<1.1	<0.53	<2.6	<1.1	<0.67	<0.20	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.62	<1.2	<1.2	<0.50	<0.34	<1.2	<0.50	<0.67	<0.20	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.85	<1.7	<1.7	<0.68	<0.34	<1.7	<0.68	<0.54	<0.20	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.75	<1.5	<1.5	<0.60	<0.30	<1.5	<0.60	<0.39	<0.20	75	15
Dichlorodifluoromethane	ug/L	ND	<1.2	<2.3	<2.3	<0.94	<0.47	<2.3	<0.94	<0.68	<0.50	1,000	200
1,1-Dichloroethane	ug/L	ND	<1.1	<2.1	<1.7	<0.86	<0.35	<2.1	<0.86	<0.85	<0.50	850	85
1,2-Dichloroethane	ug/L	ND	<0.92	<1.8	<1.8	<0.74	<0.37	<1.8	<0.70	<0.47	<0.50	5	0.5
1,1-Dichloroethene	ug/L	ND	<1.1	<2.1	<2.1	<0.86	<0.43	<2.1	<0.86	<0.85	<0.50	70	0.7
cis-1,2-Dichloroethene	ug/L	**490**	**430**	**530**	**530**	**260**	<0.28	**530**	**220**	***46***	**180**	70	.7
trans-1,2-Dichloroethene	ug/L	***23***	***21***	***26***	***26***	14	<0.79	***32***	13	2.6	13	100	20
1,2-Dichloropropane	ug/L	ND	<0.87	<1.7	<1.7	<1.6	<0.35	<1.7	<0.70	<0.53	<0.50	5	0.5
Ethylbenzene	ug/L	ND	<0.80	<1.6	<1.6	<0.64	<0.32	<1.6	<0.64	<0.43	<0.50	700	140
Methylene chloride	ug/L	ND	<0.90	<1.8	<1.8	<0.72	0.41**	<1.8	<0.72	<0.85	<1.0	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.80	<1.6	<1.6	<0.64	<0.32	<1.6	<0.64	<0.67	<0.50	60	12
Naphthalene	ug/L	ND	<0.87	<1.7	<1.7	<0.70	<0.35	<1.7	<0.70	<0.59	<0.25	40	8
Tetrachloroethene	ug/L	ND	<1.1	<2.1	<2.1	<0.86	<0.43	<2.1	***0.94 Q***	<0.57	<0.50	5	0.5
Toluene	ug/L	ND	<0.68	<1.4	<1.4	<0.54	<0.27	<1.4	0.74 Q	<0.47	<0.20	1,000	100
Trichloroethene	ug/L	ND	***1.3 Q***	***2.8 Q***	***2.7 Q***	***1.7 Q***	<0.37	***5.0 Q***	***2.1 Q***	<0.89	***1.2***	5	0.5
Total Trimethylbenzenes	ug/L	ND	<1.23	<2.5	<2.5	<0.98	<0.49	<2.5	<0.98	<1.03	<0.40	480	96
Vinyl Chloride	ug/L	**6.6**	**6.5**	**8.9**	**6.3**	**3**	<0.20	**5.6**	**1.1 Q**	**0.38 Q**	**38**	0.2	0.02
Total Xylenes	ug/L	ND	<1.70	<3.3	<1.34	<1.34	<0.67	<3.3	<1.34	<1.94	<0.50	10,000	1,000

Notes:

< - number following the '<' symbol is the method detection limit

- - no value has been established

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-5
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/3/1996[1]	9/29/1998[2]	12/12/1998[2]	3/27/1999[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	8/2/2001[3]	10/18/2004[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)												
Benzene	ug/L	ND	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.48	<0.20	5	0.5
Chloroform	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.75	<0.20	6	0.6
Chloromethane	ug/L	ND	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.62	<0.20	-	-
1,2-Dibromoethane	ug/L	ND	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.91	<0.20	0.2	0.02
Dibromomethane	ug/L	ND	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.67	<0.20	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.25	<0.25	<0.25	<0.34	<0.25	<0.25	<0.67	<0.20	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.54	<0.20	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.39	<0.20	75	15
Dichlorodifluoromethane	ug/L	ND	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.68	<0.50	1,000	200
1,1-Dichloroethane	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.85	<0.50	850	85
1,2-Dichloroethane	ug/L	ND	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.47	<0.50	5	0.5
1,1-Dichloroethene	ug/L	ND	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.85	<0.50	70	0.7
cis-1,2-Dichloroethene	ug/L	ND	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.73	<0.50	70	7
trans-1,2-Dichloroethene	ug/L	ND	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.50	100	20
1,2-Dichloropropane	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.53	<0.50	5	0.5
Ethylbenzene	ug/L	ND	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.43	<0.50	700	140
Methylene chloride	ug/L	ND	***0.74** Q***	0.47** Q	***0.53** Q***	<0.36	<0.36	***0.67** Q***	<0.85	<1.0	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.67	<0.50	60	12
Naphthalene	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.59	<0.25	40	8
Tetrachloroethene	ug/L	ND	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.57	<0.50	5	0.5
Toluene	ug/L	ND	<0.27	<0.27	<0.27	<0.27	0.40 Q	1.3	<0.47	<0.20	1,000	100
Trichloroethene	ug/L	ND	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<1.40	<0.70	5	0.5
Total Trimethylbenzenes	ug/L	ND	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.51	<0.20	480	96
Vinyl chloride	ug/L	ND	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.18	<0.20	0.2	0.02
Total Xylenes	ug/L	ND	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<1.94	<0.50	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt

- no value has been established

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification.
The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-6

Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/3/1996[1]	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	3/27/1999[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	8/2/2001[3]	10/18/2004[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)													
Benzene	ug/L	ND	<0.27	<0.27	<0.27	<0.27	<0.27	<0.54	<0.27	<0.48	<0.20	5	0.5
Chloroform	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.70	<0.35	<0.75	<0.20	6	0.6
Chloromethane	ug/L	ND	<0.61	<0.61	<0.61	<0.61	<0.61	<1.2	<0.61	<0.62	<0.20	-	-
1,2-Dibromoethane	ug/L	ND	<0.39	<0.39	<0.39	<0.39	<0.39	<0.78	<0.39	<0.91	<0.20	0.2	0.02
Dibromomethane	ug/L	ND	<0.53	<0.53	<0.53	<0.53	<0.53	<1.1	<0.53	<0.67	<0.20	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.25	<0.25	<0.25	<0.25	<0.34	<0.50	<0.25	<0.67	<0.20	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	<0.34	<0.34	<0.68	<0.34	<0.54	<0.20	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.30	<0.30	<0.30	<0.30	<0.30	<0.60	<0.30	<0.39	<0.20	75	15
Dichlorodifluoromethane	ug/L	ND	<0.47	<0.47	<0.47	<0.47	<0.47	<0.94	<0.47	<0.68	<0.50	1,000	200
1,1-Dichloroethane	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.70	<0.35	<0.85	<0.50	850	85
1,2-Dichloroethane	ug/L	ND	<0.37	<0.37	<0.37	<0.37	<0.37	<0.74	<0.37	<0.47	<0.50	5	0.5
1,1-Dichloroethene	ug/L	ND	<0.43	<0.43	<0.43	<0.43	<0.43	<0.86	<0.43	<0.85	<0.50	70	0.7
cis-1,2-Dichloroethene	ug/L	ND	0.51	0.49 Q	0.90	2.7	3.5	0.74 Q	0.65 Q	2.5	2.1	70	7
trans-1,2-Dichloroethene	ug/L	ND	<0.79	<0.79	<0.79	<0.79	<0.79	<1.6	<0.79	<0.79	<0.50	100	20
1,2-Dichloropropane	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.70	<0.35	<0.53	<0.50	5	0.5
Ethylbenzene	ug/L	ND	<0.32	<0.32	<0.32	<0.32	<0.32	<0.64	<0.32	<0.43	<0.50	700	140
Methylene chloride	ug/L	ND	<0.36	<0.36	***0.57** Q***	<0.36	<0.36	<0.72	***0.80** Q***	<0.85	<1.0	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.32	<0.32	<0.32	<0.32	<0.32	<0.64	<0.32	<0.67	<0.50	60	12
Naphthalene	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.70	<0.35	<0.59	<0.25	40	8
Tetrachloroethene	ug/L	**99**	**68**	**42**	**80**	**66**	**130**	**250**	**110**	**69**	**23**	5	0.5
Toluene	ug/L	ND	<0.27	<0.27	<0.27	<0.27	<0.27	<0.54	0.94	<0.47	<0.20	1,000	100
Trichloroethene	ug/L	***1.9***	***1.7***	***1.3***	***2.3***	***3.5***	**6.3**	***4.9***	<0.37	***2.6***	***0.93***	5	0.5
Total Trimethylbenzenes	ug/L	ND	<0.49	<0.49	<0.49	<0.49	<0.49	<0.98	<0.49	<1.03	<0.40	480	96
Vinyl chloride	ug/L	ND	<0.20	<0.20	<0.20	<0.20	<0.20	<0.40	<0.20	<0.18	<0.20	0.2	0.02
Total Xylenes	ug/L	ND	<0.67	<0.67	<0.67	<0.67	<0.67	<1.34	<0.67	<1.94	<0.50	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limit

- no value has been established.

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification.
The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-9

Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/7/1996[1]	6/4/1998[2]	6/26/1999[2]	12/18/1999[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)							
Benzene	ug/L	ND	<0.27	<0.27	<0.27	5	0.5
Chloroform	ug/L	ND	<0.35	<0.35	<0.35	6	0.6
Chloromethane	ug/L	ND	<0.61	<0.61	<0.61	-	-
1,2-Dibromoethane	ug/L	ND	<0.39	<0.39	<0.39	0.2	0.02
Dibromomethane	ug/L	ND	<0.53	<0.53	<0.53	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.30	<0.30	<0.30	75	15
Dichlorodifluoromethane	ug/L	ND	<0.47	<0.47	<0.47	1,000	200
1,1-Dichloroethane	ug/L	ND	<0.35	<0.35	<0.35	850	85
1,2-Dichloroethane	ug/L	ND	<0.37	<0.37	<0.37	5	0.5
1,1-Dichloroethene	ug/L	ND	<0.43	<0.43	<0.43	70	0.7
cis-1,2-Dichloroethene	ug/L	ND	5.1	***11***	4.0	70	7
trans-1,2-Dichloroethene	ug/L	ND	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	ND	<0.35	<0.35	<0.35	5	0.5
Ethylbenzene	ug/L	ND	<0.32	<0.32	<0.32	700	140
Methylene chloride	ug/L	ND	<0.36	<0.36	***1.3***	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.32	<0.32	<0.32	60	12
Naphthalene	ug/L	ND	<0.35	<0.35	<0.35	40	8
Tetrachloroethene	ug/L	**28**	**22**	***4.3***	**22**	5	0.5
Toluene	ug/L	26	<0.27	<0.27	2.7	1,000	100
Trichloroethene	ug/L	***1.1***	***2.1***	**11**	***2.2***	5	0.5
Total Trimethylbenzenes	ug/L	ND	<0.49	<0.49	<0.49	480	96
Vinyl chloride	ug/L	ND	<0.20	<0.20	<0.20	0.2	0.02
Total Xylenes	ug/L	ND	<0.67	<0.67	<0.67	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification.
The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-10

Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/7/1996[1]	6/26/1999[2]	10/7/1999[2]	12/18/1999[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)							
Benzene	ug/L	ND	<0.27	<0.27	<0.27	5	0.5
Chloroform	ug/L	ND	<0.35	<0.35	<0.35	6	0.6
Chloromethane	ug/L	ND	<0.61	<0.61	<0.61	-	-
1,2-Dibromoethane	ug/L	ND	<0.39	<0.39	<0.39	0.2	0.02
Dibromomethane	ug/L	ND	<0.53	<0.53	<0.53	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.30	<0.30	<0.30	75	15
Dichlorodifluoromethane	ug/L	ND	<0.47	<0.47	<0.47	1,000	200
1,1-Dichloroethane	ug/L	ND	<0.35	<0.35	<0.35	850	85
1,2-Dichloroethane	ug/L	ND	<0.37	<0.37	<0.37	5	0.5
1,1-Dichloroethene	ug/L	ND	<0.43	<0.43	<0.43	70	0.7
cis-1,2-Dichloroethene	ug/L	ND	<0.28	<0.28	<0.28	70	7
trans-1,2-Dichloroethene	ug/L	ND	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	ND	<0.35	<0.35	<0.35	5	0.5
Ethylbenzene	ug/L	ND	<0.32	<0.32	<0.32	700	140
Methylene chloride	ug/L	ND	<0.36	<0.36	***0.97* Q***	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.32	<0.32	<0.32	60	12
Naphthalene	ug/L	ND	<0.35	<0.35	<0.35	40	8
Tetrachloroethene	ug/L	ND	<0.43	<0.43	<0.43	5	0.5
Toluene	ug/L	32	<0.27	<0.27	1.5	1,000	100
Trichloroethene	ug/L	ND	<0.37	<0.37	<0.37	5	0.5
Total Trimethylbenzenes	ug/L	ND	<0.49	<0.49	<0.49	480	96
Vinyl chloride	ug/L	ND	<0.20	<0.20	<0.20	0.2	0.02
Total Xylenes	ug/L	ND	<0.67	<0.67	<0.67	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-11

Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/7/1996[1]	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	8/2/2001[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)											
Benzene	ug/L	ND	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.48	5	0.5
Chloroform	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.75	6	0.6
Chloromethane	ug/L	ND	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.62	-	-
1,2-Dibromoethane	ug/L	ND	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.91	0.2	0.02
Dibromomethane	ug/L	ND	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.67	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.67	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.54	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.39	75	15
Dichlorodifluoromethane	ug/L	ND	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.68	1,000	200
1,1-Dichloroethane	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.85	850	85
1,2-Dichloroethane	ug/L	ND	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.47	5	0.5
1,1-Dichloroethene	ug/L	ND	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.85	70	0.7
cis-1,2-Dichloroethene	ug/L	2.4	<0.28	<0.28	0.84 Q	0.67* Q	<0.28	<0.28	<0.73	70	7
trans-1,2-Dichloroethene	ug/L	ND	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.53	5	0.5
Ethylbenzene	ug/L	ND	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.43	700	140
Methylene chloride	ug/L	ND	<0.36	***0.61*Q***	***0.95*Q***	<0.36	<0.36	***0.86* Q***	<0.85	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.67	60	12
Naphthalene	ug/L	ND	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.59	40	8
Tetrachloroethene	ug/L	ND	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.57	5	0.5
Toluene	ug/L	ND	<0.27	0.30 Q	<0.27	<0.27	<0.27	1.4	<0.47	1,000	100
Trichloroethene	ug/L	ND	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.89	5	0.5
Total Trimethylbenzenes	ug/L	ND	<0.49	0.22 Q	<0.49	<0.49	<0.49	<0.49	<1.03	480	96
Vinyl chloride	ug/L	ND	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.18	0.2	0.02
Total Xylenes	ug/L	ND	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<1.94	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-12
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/3/1996[1]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)				
Benzene	ug/L	ND	5	0.5
Chloroform	ug/L	ND	6	0.6
Chloromethane	ug/L	ND	-	-
Dibromomethane	ug/L	ND	-	-
1,2-Dichlorobenzene	ug/L	ND	600	60
1,3-Dichlorobenzene	ug/L	ND	1,250	125
1,4-Dichlorobenzene	ug/L	ND	75	15
Dichlorodifluoromethane	ug/L	ND	1,000	200
1,1-Dichloroethane	ug/L	ND	850	85
1,2-Dichloroethane	ug/L	ND	5	0.5
1,1-Dichloroethene	ug/L	ND	70	0.7
cis-1,2-Dichloroethene	ug/L	ND	70	7
trans-1,2-Dichloroethene	ug/L	ND	100	20
1,2-Dichloropropane	ug/L	ND	5	0.5
Ethylbenzene	ug/L	ND	700	140
Methylene chloride	ug/L	ND	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	60	12
Naphthalene	ug/L	ND	40	8
Toluene	ug/L	5.2	1,000	100
Trichloroethene	ug/L	ND	5	0.5
Total Trimethylbenzenes	ug/L	ND	480	96
Vinyl chloride	ug/L	ND	0.2	0.02
Total Xylenes	ug/L	ND	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(1) - Samples collected during Pre-Remedial activities

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-13
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998(2)	12/12/1998(2)	3/27/1999(2)	6/26/1999(2)	10/1/1999(2)	12/18/1999(3)	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)									
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	5	0.5
Chloroform	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	-	-
1,2-Dibromoethane	ug/L	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	-	-
1,2-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	1,250	125
1,4-Dichlorobenzene	ug/L	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	1,000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	70	0.7
cis-1,2-Dichloroethene	ug/L	***10***	***11***	2.5	***10***	***6.7***	***7.4***	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	0.80 Q	<0.79	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	5	0.5
Ethylbenzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	700	140
Methylene chloride	ug/L	<0.36	***0.69* Q***	***0.58* Q***	<0.36	<0.36	***0.86* Q***	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	60	12
Naphthalene	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	40	8
Tetrachloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	5	0.5
Toluene	ug/L	<0.27	<0.27	<0.27	<0.27	0.34 Q	1.1	1,000	100
Trichloroethene	ug/L	***0.99 Q***	***0.79 Q***	***1.1 Q***	***2.1 Q***	***2.5***	***1.8***	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	480	96
Vinyl chloride	ug/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	0.2	0.02
Total Xylenes	ug/L	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-14
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998(2)	12/12/1998(2)	3/27/1999(2)	6/26/1999(2)	10/1/1999(2)	12/18/1999(3)	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)									
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	5	0.5
Chloroform	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	-	-
1,2-Dibromoethane	ug/L	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	-	-
1,2-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	1,250	125
1,4-Dichlorobenzene	ug/L	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	1,000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	70	0.7
cis-1,2-Dichloroethene	ug/L	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	5	0.5
Ethylbenzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	700	140
Methylene chloride	ug/L	***0.55* Q***	***0.53* Q***	<0.36	<0.36	<0.36	***0.99* Q***	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	60	12
Naphthalene	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	40	8
Tetrachloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	5	0.5
Toluene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	1.1	1,000	100
Trichloroethene	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	480	96
Vinyl chloride	ug/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	0.2	0.02
Total Xylenes	ug/L	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

290

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification.
The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-15
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/3/1996[1]	6/4/1998[2]	12/18/1999[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)						
Benzene	ug/L	ND	<0.27	<0.27	5	0.5
Chloroform	ug/L	ND	<0.35	<0.35	6	0.6
Chloromethane	ug/L	ND	<0.61	<0.61	-	-
1,2-Dibromoethane	ug/L	ND	<0.39	<0.39	0.2	0.02
Dibromomethane	ug/L	ND	<0.53	<0.53	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.34	<0.34	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.34	<0.34	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.30	<0.30	75	15
Dichlorodifluoromethane	ug/L	ND	<0.47	<0.47	1,000	200
1,1-Dichloroethane	ug/L	ND	<0.35	<0.35	850	85
1,2-Dichloroethane	ug/L	ND	<0.37	<0.37	5	0.5
1,1-Dichloroethene	ug/L	ND	<0.43	<0.43	70	0.7
cis-1,2-Dichloroethene	ug/L	ND	<0.28	<0.28	70	7
trans-1,2-Dichloroethene	ug/L	ND	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	ND	<0.35	<0.35	5	0.5
Ethylbenzene	ug/L	ND	<0.32	<0.32	700	140
Methylene chloride	ug/L	ND	***0.50 *Q***	***1.2***	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.32	<0.32	60	12
Naphthalene	ug/L	ND	<0.35	<0.35	40	8
Tetrachloroethene	ug/L	ND	<0.43	<0.43	5	0.5
Toluene	ug/L	21	<0.27	1.5	1,000	100
Trichloroethene	ug/L	ND	<0.37	<0.37	5	0.5
Total Trimethylbenzenes	ug/L	ND	<0.49	<0.49	480	96
Vinyl chloride	ug/L	ND	<0.20	<0.20	0.2	0.02
Total Xylenes	ug/L	ND	<0.67	<0.67	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt

- no value has been established.

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-16
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/3/1996(1)	6/4/1998(2)	12/12/1998(2)	3/27/1999(2)	6/26/1999(2)	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)								
Benzene	ug/L	ND	<0.27	<0.27	<0.27	<0.27	5	0.5
Chloroform	ug/L	ND	<0.35	<0.35	<0.35	<0.35	6	0.6
Chloromethane	ug/L	ND	<0.61	<0.61	<0.61	<0.61	-	-
1,2-Dibromoethane	ug/L	ND	<0.39	<0.39	<0.39	<0.39	0.2	0.02
Dibromomethane	ug/L	ND	<0.53	<0.53	<0.53	<0.53	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	<0.34	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.34	<0.34	<0.34	<0.34	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.30	<0.30	<0.30	<0.30	75	15
Dichlorodifluoromethane	ug/L	ND	<0.47	<0.47	<0.47	<0.47	1,000	200
1,1-Dichloroethane	ug/L	ND	<0.35	<0.35	<0.35	<0.35	850	85
1,2-Dichloroethane	ug/L	ND	<0.37	<0.37	<0.37	<0.37	5	0.5
1,1-Dichloroethene	ug/L	ND	<0.43	<0.43	<0.43	<0.43	70	0.7
cis-1,2-Dichloroethene	ug/L	ND	<0.28	<0.28	<0.28	<0.28	70	7
trans-1,2-Dichloroethene	ug/L	ND	<0.79	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	ND	<0.35	<0.35	<0.35	<0.35	5	0.5
Ethylbenzene	ug/L	ND	<0.32	<0.32	<0.32	<0.32	700	140
Methylene chloride	ug/L	ND	***0.54 *Q***	***1.1***	***0.76* Q***	<0.36	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.32	<0.32	<0.32	<0.32	60	12
Naphthalene	ug/L	ND	<0.35	<0.35	<0.35	<0.35	40	8
Tetrachloroethene	ug/L	ND	<0.43	<0.43	<0.43	<0.43	5	0.5
Toluene	ug/L	27	<0.27	0.39 Q	<0.27	<0.27	1,000	100
Trichloroethene	ug/L	ND	<0.37	<0.37	<0.37	<0.37	5	0.5
Total Trimethylbenzenes	ug/L	ND	<0.49	<0.49	<0.49	<0.49	480	96
Vinyl chloride	ug/L	ND	<0.20	<0.20	<0.20	<0.20	0.2	0.02
Total Xylenes	ug/L	ND	<0.67	<0.67	<0.67	<0.67	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt

- no value has been established

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-17
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/3/1996(1)	6/4/1998(2)	3/27/1999(2)	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)						
Benzene	ug/L	ND	<0.27	<0.27	5	0.5
Chloroform	ug/L	ND	<0.35	<0.35	6	0.6
Chloromethane	ug/L	ND	<0.61	<0.61	-	-
1,2-Dibromoethane	ug/L	ND	<0.39	<0.39	0.2	0.02
Dibromomethane	ug/L	ND	<0.53	<0.53	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.34	<0.34	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.34	<0.34	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.30	<0.30	75	15
Dichlorodifluoromethane	ug/L	ND	<0.47	<0.47	1,000	200
1,1-Dichloroethane	ug/L	ND	<0.35	<0.35	850	85
1,2-Dichloroethane	ug/L	ND	<0.37	<0.37	5	0.5
1,1-Dichloroethene	ug/L	ND	<0.43	<0.43	70	0.7
cis-1,2-Dichloroethene	ug/L	ND	<0.28	<0.28	70	7
trans-1,2-Dichloroethene	ug/L	ND	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	ND	<0.35	<0.35	5	0.5
Ethylbenzene	ug/L	ND	<0.32	<0.32	700	140
Methylene chloride	ug/L	ND	***0.55* Q***	<0.36	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.32	<0.32	60	12
Naphthalene	ug/L	ND	<0.35	<0.35	40	8
Tetrachloroethene	ug/L	ND	<0.43	<0.43	5	0.5
Toluene	ug/L	1.9	<0.27	0.29 Q	1,000	100
Trichloroethene	ug/L	ND	<0.37	<0.37	5	0.5
Total Trimethylbenzenes	ug/L	ND	<0.49	<0.49	480	96
Vinyl chloride	ug/L	ND	<0.20	<0.20	0.2	0.02
Total Xylenes	ug/L	ND	<0.67	<0.67	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

MW-18
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/7/1996[1]	6/12/1998[2]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)					
Benzene	ug/L	ND	<0.27	5	0.5
Chloroform	ug/L	ND	<0.35	6	0.6
Chloromethane	ug/L	ND	<0.61	-	-
1,2-Dibromoethane	ug/L	ND	<0.39	0.2	0.02
Dibromomethane	ug/L	ND	<0.53	-	-
1,2-Dichlorobenzene	ug/L	ND	<0.34	600	60
1,3-Dichlorobenzene	ug/L	ND	<0.34	1,250	125
1,4-Dichlorobenzene	ug/L	ND	<0.30	75	15
Dichlorodifluoromethane	ug/L	ND	<0.47	1,000	200
1,1-Dichloroethane	ug/L	ND	<0.35	850	85
1,2-Dichloroethane	ug/L	ND	<0.37	5	0.5
1,1-Dichloroethene	ug/L	ND	<0.43	70	0.7
cis-1,2-Dichloroethene	ug/L	ND	<0.28	70	7
trans-1,2-Dichloroethene	ug/L	ND	<0.79	100	20
1,2-Dichloropropane	ug/L	ND	<0.35	5	0.5
Ethylbenzene	ug/L	ND	<0.32	700	140
Methylene chloride	ug/L	ND	<0.36	5	0.5
Methyl-tert-butyl-ether	ug/L	ND	<0.32	60	12
Naphthalene	ug/L	ND	<0.35	40	8
Toluene	ug/L	21	<0.27	1,000	100
Trichloroethene	ug/L	ND	<0.37	5	0.5
Total Trimethylbenzenes	ug/L	ND	<0.49	480	96
Vinyl chloride	ug/L	ND	<0.20	0.2	0.02
Total Xylenes	ug/L	ND	<0.67	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(1) - Samples collected during Pre-Remedial activities

(2) - Samples collected during Remedial activities

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

RW-1
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	3/27/1999[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	8/2/2001[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)											
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.48	5	0.5
Bromodichloromethane	ug/L	<0.30	<0.30	<0.30	**3.4**	**2.8**	**4.4**	**1.2**	<0.61	0.6	0.06
Choroethane	ug/L	<0.54	<0.54	<0.54	1.5	1.3	2.2	<0.54	<0.57	-	-
Chloroform	ug/L	***1.3***	0.44 Q	<0.35	**6.4**	***5.8***	**11**	***3.5***	<0.75	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.62	-	-
1,2-Dibromoethane	ug/L	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.91	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.67	-	-
1,2-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.67	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.54	1,250	125
1,4-Dichlorobenzene	ug/L	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.39	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.68	1,000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.85	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.47	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.85	70	0.7
cis-1,2-Dichloroethene	ug/L	3	4.4	2.2	<0.28	<0.28	<0.28	<0.28	2.7	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.53	5	0.5
Ethylbenzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.43	700	140
Methylene chloride	ug/L	***0.64* Q***	0.48* Q	***0.75* Q***	***0.58* Q***	<0.36	<0.36	***1.1***	<0.85	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.67	60	12
Naphthalene	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.59	40	8
Tetrachloroethene	ug/L	**19**	**30**	**17**	<0.43	***0.86 Q***	***0.51 Q***	***2.0***	**6.3**	5	0.5
Toluene	ug/L	<0.27	<0.27	<0.27	<0.27	0.31 Q	<0.27	0.65 Q	<0.47	1,000	100
Trichloroethene	ug/L	***3.9***	**7.8**	***4.3***	<0.37	<0.37	<0.37	<0.37	***1.3***	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<1.03	480	96
Vinyl chloride	ug/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.18	0.2	0.02
Total Xylenes	ug/L	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<1.94	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

RW-2
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998(2)	9/29/1998(2)	12/12/1998(2)	3/27/1999(2)	6/26/1999(2)	10/1/1999(2)	12/18/1999(3)	8/2/2001(3)	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)											
Benzene	ug/L	<0.27	<0.27	<1.4	<0.54	<0.54	<0.27	<0.27	<0.48	5	0.5
Chloroform	ug/L	<0.35	<0.35	<1.7	<0.70	<0.70	<0.35	<0.35	<0.75	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<3.0	<1.2	<1.2	<0.61	<0.61	<0.62	-	-
1,2-Dibromethane	ug/L	<0.39	<0.39	<1.9	<0.78	<0.78	<0.39	<0.39	<0.91	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<2.6	<1.1	<1.1	<0.53	<0.53	<0.67	-	-
1,2-Dichlorobenzene	ug/L	<0.34	<0.34	<1.2	<0.50	<0.50	<0.34	<0.34	<0.67	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<1.7	<0.68	<0.68	<0.34	<0.34	<0.54	1250	125
1,4-Dichlorobenzene	ug/L	<0.30	<0.30	<1.5	<0.60	<0.60	<0.30	<0.30	<0.39	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<2.3	<0.94	<0.94	<0.47	<0.47	<0.68	1000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<1.7	<0.86	<0.86	<0.35	<0.35	<0.85	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<1.8	<0.74	<0.74	<0.37	<0.37	<0.47	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<2.1	<0.86	<0.86	<0.43	<0.43	<0.85	70	0.7
cis-1,2-Dichloroethene	ug/L	**110**	**160**	**570**	**270**	**260**	**110**	**130**	***49***	70	7
trans-1,2-Dichloroethene	ug/L	3.3	6.2	***26***	15	13	6.0	7.3	3	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<1.7	<1.6	<1.6	<0.35	<0.35	<0.53	5	0.5
Ethylbenzene	ug/L	<0.32	<0.32	<1.6	<0.64	<0.64	<0.32	<0.32	<0.43	700	140
Methylene chloride	ug/L	<0.36	***0.55* Q***	**5.0* Q**	***0.86* Q***	<0.72	<0.36	***0.86* Q***	***0.94***	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<1.6	<0.64	<0.64	<0.32	<0.32	<0.67	60	12
Naphthalene	ug/L	<0.35	<0.35	<1.7	<0.70	<0.70	<0.35	<0.35	<0.59	40	8
Tetrachloroethene	ug/L	**120**	**130**	**99**	**69**	**83**	**83**	**74**	**31**	5	0.5
Toluene	ug/L	<0.27	<0.27	<1.4	<0.54	<0.54	<0.27	0.86	<0.47	1000	100
Trichloroethene	ug/L	**9.2**	**9.5**	**38**	**29**	**31**	**18**	**25**	**13**	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	<0.49	<2.5	<0.98	<0.98	<0.49	<0.49	<1.03	480	96
Vinyl chloride	ug/L	<0.20	<0.20	<1.0	<0.40	<0.40	<0.20	<0.20	<0.18	0.2	0.02
Total Xylenes	ug/L	<0.67	<0.67	<3.3	<1.34	<1.34	<0.67	<0.67	<1.94	10000	1000

Notes:

< number following the '<' symbol is the method detection limt

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification.
The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

RW-3
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	3/27/1999[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	8/2/2001[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)											
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.48	5	0.5
Chloroform	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.75	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.62	-	-
1,2-Dibromethane	ug/L	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.91	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.67	-	-
1,2-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.67	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.54	1,250	125
1,4-Dichlorobenzene	ug/L	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.39	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.68	1,000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.85	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.47	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.85	70	0.7
cis-1,2-Dichloroethene	ug/L	***19***	***20***	***9.8***	2.3	**110**	**94**	***10***	3.7	70	7
trans-1,2-Dichloroethene	ug/L	1.3 Q	1.2 Q	<0.79	<0.79	9.2	5.3	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.53	5	0.5
Ethyl Benzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.43	700	140
Methylene chloride	ug/L	<0.36	<0.36	0.39* Q	<0.36	<0.36	<0.36	***0.53* Q***	<0.85	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.67	60	12
Naphthalene	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.59	40	8
Tetrachloroethene	ug/L	***1.6***	***1.7***	***1.2 Q***	<0.43	***3.1***	***2.1***	***1.4***	***1.6 Q***	5	0.5
Toluene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	0.68 Q	<0.47	1,000	100
Trichloroethene	ug/L	<0.37	***0.78 Q***	***0.97 Q***	<0.37	**6.9**	**12**	***2.2***	<0.89	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<1.03	480	96
Vinyl chloride	ug/L	<0.20	<0.20	<0.20	<0.20	**0.44 Q**	<0.20	<0.20	<0.18	0.2	0.02
Total Xylenes	ug/L	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<1.94	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

RW-4
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	3/27/1999[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	8/2/2001[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)											
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.48	5	0.5
Chloroform	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.75	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.62	-	-
1,2-Dibromethane	ug/L	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.91	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.67	-	-
1,2-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.67	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.54	1250	125
1,4-Dichlorobenzene	ug/L	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.39	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.68	1000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.85	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.47	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.85	70	0.7
cis-1,2-Dichloroethene	ug/L	<0.28	1.3	<0.28	0.79 Q	<0.28	1.6	<0.28	<0.73	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.53	5	0.5
Ethyl Benzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.43	700	140
Methylene chloride	ug/L	<0.36	***0.54* Q***	0.49* Q	<0.36	<0.36	<0.36	***0.87* Q***	<0.85	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.67	60	12
Naphthalene	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.59	40	8
Tetrachloroethene	ug/L	***1.5***	***0.92 Q***	***0.69 Q***	***0.52 Q***	***0.58 Q***	<0.43	<0.43	<0.57	5	0.5
Toluene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	0.97	<0.47	1000	100
Trichloroethene	ug/L	<0.37	***0.94 Q***	<0.37	0.45 Q	<0.37	***0.72 Q***	<0.37	<0.89	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<1.03	480	96
Vinyl chloride	ug/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.18	0.2	0.02
Total Xylenes	ug/L	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<1.94	10000	1000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification.
The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

RW-5

Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	3/27/1999[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	8/2/2001[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)											
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.48	5	0.5
Chloroform	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	0.36 Q	<0.35	<0.75	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.62	-	-
1,2-Dibromethane	ug/L	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.91	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.67	-	-
1,2-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.67	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.54	1250	125
1,4-Dichlorobenzene	ug/L	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.39	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.68	1000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.85	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.47	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.85	70	0.7
cis-1,2-Dichloroethene	ug/L	<0.28	0.42 Q	<0.28	<0.28	0.57 Q	<0.28	<0.28	<0.73	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.53	5	0.5
Ethylbenzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.43	700	140
Methylene chloride	ug/L	***0.73* Q***	0.36* Q	0.48* Q	<0.36	<0.36	<0.36	***0.84* Q***	<0.85	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.67	60	12
Naphthalene	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.59	40	8
Tetrachloroethene	ug/L	**54**	**110**	**88**	***0.54***	***0.66***	**8.1**	**72**	**49**	5	0.5
Toluene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	0.95	<0.47	1000	100
Trichloroethene	ug/L	***1.4***	***2.2***	***1.6***	<0.37	***1.7***	<0.37	***1.0 Q***	***0.92 Q***	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<1.03	480	96
Vinyl chloride	ug/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.18	0.2	0.02
Total Xylenes	ug/L	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<1.94	10000	1000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methy lene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

RW-6

Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998(2)	9/29/1998(2)	12/12/1998(2)	3/27/1999(2)	6/26/1999(2)	10/1/1999(2)	12/18/1999(3)	8/2/2001(3)	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)											
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.48	5	0.5
Chloroform	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	0.89 Q	<0.35	<0.75	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.62	-	-
1,2-Dibromethane	ug/L	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.91	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.67	-	-
1,2-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.67	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.54	1,250	125
1,4-Dichlorobenzene	ug/L	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.39	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.68	1,000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.85	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.47	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.85	70	0.7
cis-1,2-Dichloroethene	ug/L	1.5	1.5	0.71 Q	0.63 Q	0.64 Q	1.6	1.0	4.4	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.53	5	0.5
Ethylbenzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.43	700	140
Methylene chloride	ug/L	<0.36	***0.71* Q***	***0.66* Q***	***0.52* Q***	<0.36	<0.36	<0.36	<0.85	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.67	60	12
Naphthalene	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.59	40	8
Tetrachloroethene	ug/L	**35**	**25**	**20**	**12**	**10**	**15**	**9**	**32**	5	0.5
Toluene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	1.8	<0.47	1,000	100
Trichloroethene	ug/L	***2.3***	***2.2***	***1.4***	***1.1 Q***	***1.1 Q***	***2.4***	***1.0 Q***	**5.6**	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<1.03	480	96
Vinyl chloride	ug/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.18	0.2	0.02
Total Xylenes	ug/L	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<1.94	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

RW-7
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998(2)	9/29/1998(2)	12/12/1998(2)	3/27/1999(2)	6/26/1999(2)	10/1/1999(2)	12/18/1999(3)	8/2/2001(3)	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)											
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.48	5	0.5
Chloroform	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.75	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.62	-	-
1,2-Dibromethane	ug/L	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.91	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.67	-	-
1,2-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.67	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.54	1,250	125
1,4-Dichlorobenzene	ug/L	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.39	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.68	1,000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.85	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.47	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.85	70	0.7
cis-1,2-Dichloroethene	ug/L	6.6	***12***	***13***	***4.2***	***14***	***15***	0.70 Q	***23***	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.53	5	0.5
Ethyl Benzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.43	700	140
Methylene chloride	ug/L	***0.64* Q***	***0.68* Q***	***0.56* Q***	***0.61* Q***	<0.36	<0.36	***1.1***	<0.85	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.67	60	12
Naphthalene	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.59	40	8
Tetrachloroethene	ug/L	**190**	**99**	**47**	**22**	**41**	**15**	***0.52 Q***	***1.2 Q***	5	0.5
Toluene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	0.82 Q	<0.47	1,000	100
Trichloroethene	ug/L	**8.1**	**13**	**10**	**2.9**	**7.4**	**5.2**	***0.85 Q***	***2.3 Q***	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<1.03	480	96
Vinyl chloride	ug/L	**0.66**	**1.2**	**0.88**	<0.20	**1.5**	**1.1**	<0.20	**5.5**	0.2	0.02
Total Xylenes	ug/L	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<1.94	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification.
The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

NA - Not Analyzed

ND - No Detect

Cluster 1-Shallow
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	6/26/1999[2]	8/2/2001[3]	10/18/2004[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)									
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.48	Dry	5	0.5
Bromodichloromethane	ug/L	<0.30	<0.30	<0.30	**1.9**	<0.61	Dry	0.6	0.06
Chloroform	ug/L	<0.35	<0.35	<0.35	***4.5***	<0.75	Dry	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.62	Dry	-	-
1,2-Dibromoethane	ug/L	<0.39	<0.39	<0.39	<0.39	<0.91	Dry	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.67	Dry	-	-
1,2-Dichlorobenzene	ug/L	<0.25	<0.25	<0.25	<0.34	<0.67	Dry	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.54	Dry	1,250	125
1,4-Dichlorobenzene	ug/L	<0.30	<0.30	<0.30	<0.30	<0.39	Dry	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.68	Dry	1,000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.85	Dry	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.47	Dry	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.85	Dry	70	0.7
cis-1,2-Dichloroethene	ug/L	<0.28	<0.28	<0.28	<0.28	<0.73	Dry	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	<0.79	<0.79	<0.79	<0.79	Dry	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.53	Dry	5	0.5
Ethylbenzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.43	Dry	700	140
Methylene chloride	ug/L	<0.36	0.44** Q	0.46** Q	<0.36	<0.85	Dry	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.67	Dry	60	12
Naphthalene	ug/L	<0.35	<0.35	<0.35	<0.35	<0.59	Dry	40	8
Tetrachloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.57	Dry	5	0.5
Toluene	ug/L	<0.27	0.34 Q	0.36 Q	<0.27	<0.47	Dry	1,000	100
Trichloroethene	ug/L	<0.37	<0.37	<0.37	<0.37	<0.89	Dry	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	<0.49	<0.49	<0.49	<1.30	Dry	480	96
Vinyl chloride	ug/L	<0.20	<0.20	<0.20	<0.20	<0.18	Dry	0.2	0.02
Total Xylenes	ug/L	<0.67	<0.67	<0.67	<0.67	<1.94	Dry	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification.
The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

Cluster 1-Intermediate
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	3/27/1999[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	10/18/2004[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)											
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	0.21	5	0.5
Chloroform	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.20	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.20	-	-
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.20	-	-
1,2-Dichlorobenzene	ug/L	<0.25	<0.25	<0.25	<0.25	<0.34	<0.34	<0.25	<0.20	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.20	1,250	125
1,4-Dichlorobenzene	ug/L	<0.30	0.40 Q	<0.30	<0.30	<0.30	<0.30	<0.30	<0.20	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.50	1,000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.50	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.50	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.50	70	0.7
cis-1,2-Dichloroethene	ug/L	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.50	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.50	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.50	5	0.5
Ethylbenzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.50	700	140
Fluorotrichloromethane	ug/L	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	NA	3,490	698
Methylene chloride	ug/L	<0.36	0.47** Q	***0.85** Q***	<0.36	<0.36	<0.36	***0.90** Q***	<1.0	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.50	60	12
Naphthalene	ug/L	<0.35	0.42 Q	<0.35	<0.35	<0.35	<0.35	<0.35	<0.25	40	8
Tetrachloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.50	5	0.5
Toluene	ug/L	<0.27	0.61 Q	0.50 Q	0.37 Q	<0.27	0.31 Q	1.2	0.3	1,000	100
Trichloroethene	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.20	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	0.48 Q	<0.49	<0.49	<0.49	<0.49	<0.49	<0.40	480	96
Vinyl chloride	ug/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	0.2	0.02
Total Xylenes	ug/L	<0.67	0.54 Q	<0.67	<0.67	<0.67	<0.67	<0.67	<0.50	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification.
The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

Cluster 1-Deep
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	3/27/1999[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	10/18/2004[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)											
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.20	5	0.5
Chloroform	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.20	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.20	-	-
1,2-Dibromoethane	ug/L	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.20	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.20	-	-
1,2-Dichlorobenzene	ug/L	<0.25	<0.25	<0.25	<0.25	<0.34	<0.34	<0.25	<0.20	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.20	1,250	125
1,4-Dichlorobenzene	ug/L	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.20	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.50	1,000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.50	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.50	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.50	70	0.7
cis-1,2-Dichloroethene	ug/L	<0.28	0.49 Q	<0.28	<0.28	<0.28	<0.28	<0.28	<0.50	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.50	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.50	5	0.5
Ethylbenzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.50	700	140
Methylene chloride	ug/L	<0.36	***0.67** Q***	0.46** Q	***0.58** Q***	<0.36	<0.36	***0.75** Q***	<1.0	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.50	60	12
Naphthalene	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.25	40	8
Tetrachloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.50	5	0.5
Toluene	ug/L	<0.27	0.33 Q	<0.27	<0.27	<0.27	0.27 Q	0.85 Q	<0.20	1,000	100
Trichloroethene	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.20	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.40	480	96
Vinyl chloride	ug/L	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	0.2	0.02
Total Xylenes	ug/L	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.50	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

Cluster 2-Shallow
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/26/1999(2)	10/1/1999(2)	12/18/1999(3)	8/2/2001(3)	10/18/2004(3)	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)								
Benzene	ug/L	<0.27	<0.27	<0.27	<0.48	Dry	5	0.5
Chlorodibromomethane	ug/L	0.72 Q	<0.42	<0.42	<0.43	Dry	-	-
Chloroform	ug/L	<0.35	<0.35	<0.35	<0.75	Dry	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.62	Dry	-	-
1,2-Dibromoethane	ug/L	<0.39	<0.39	<0.39	<0.91	Dry	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.67	Dry	-	-
1,2-Dichlorobenzene	ug/L	<0.34	<0.34	<0.25	<0.67	Dry	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.54	Dry	1,250	125
1,4-Dichlorobenzene	ug/L	<0.30	<0.30	<0.30	<0.39	Dry	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.68	Dry	1,000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.85	Dry	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.47	Dry	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.85	Dry	70	0.7
cis-1,2-Dichloroethene	ug/L	2.1	***18***	0.39 Q	1.2 Q	Dry	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	<0.79	<0.79	<0.79	Dry	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.53	Dry	5	0.5
Ethylbenzene	ug/L	<0.32	<0.32	<0.32	<0.43	Dry	700	140
Methylene chloride	ug/L	<0.36	<0.36	***0.86** Q***	<0.85	Dry	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.67	Dry	60	12
Naphthalene	ug/L	<0.35	<0.35	<0.35	<0.59	Dry	40	8
Tetrachloroethene	ug/L	**5.1**	**8.4**	<0.43	**30**	Dry	5	0.5
Toluene	ug/L	<0.27	<0.27	1.5	<0.47	Dry	1,000	100
Trichloroethene	ug/L	***1.6***	***3.3***	<0.37	***1.5 Q***	Dry	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	<0.49	<0.49	<1.30	Dry	480	96
Vinyl chloride	ug/L	<0.20	<0.20	<0.20	<0.18	Dry	0.2	0.02
Total Xylenes	ug/L	<0.67	<0.67	<0.67	<1.94	Dry	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activi

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

Cluster 2-Intermediate
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998[2]	9/29/1998[2]	12/12/1998[2]	6/26/1999[2]	10/1/1999[2]	12/18/1999[3]	10/18/2004[3]	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)										
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.20	5	0.5
Chloroform	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.20	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.20	-	-
1,2-Dibromoethane	ug/L	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.20	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.20	-	-
1,2-Dichlorobenzene	ug/L	<0.25	<0.25	<0.25	<0.34	<0.34	<0.25	<0.20	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.20	1,250	125
1,4-Dichlorobenzene	ug/L	<0.30	0.59 Q	<0.30	<0.30	<0.30	<0.30	<0.20	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.50	1,000	200
1,1-Dichloroethane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.50	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.50	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.50	70	0.7
cis-1,2-Dichloroethene	ug/L	1.0	1.1	0.57 Q	0.57 Q	0.94	3.6	<0.50	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.50	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.50	5	0.5
Ethylbenzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.50	700	140
Methylene chloride	ug/L	<0.36	***0.77** Q***	***0.56** Q***	<0.36	<0.36	***1.2****	<1.0	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.50	60	12
Naphthalene	ug/L	<0.35	0.83 Q	<0.35	<0.35	<0.35	<0.35	<0.25	40	8
Tetrachloroethene	ug/L	***0.60 Q***	<0.43	<0.43	<0.43	***1.1 Q***	**6.3**	<0.50	5	0.5
Toluene	ug/L	<0.27	1.2	0.35 Q	<0.27	0.32 Q	1.7	<0.20	1,000	100
Trichloroethene	ug/L	<0.37	0.48 Q	<0.37	<0.37	<0.37	***2.2***	<0.20	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	0.73	<0.49	<0.49	<0.49	<0.49	<0.40	480	96
Vinyl chloride	ug/L	**0.22 Q**	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	0.2	0.02
Total Xylenes	ug/L	<0.67	1.23 Q	<0.67	<0.67	<0.67	<0.67	<0.50	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

**Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

Cluster 2-Deep
Groundwater Analytical Data

Classic Cleaners Corp.-Rapids Plaza Shopping Center
Racine, Wisconsin

PARAMETER	UNITS	6/4/1998(2)	9/29/1998(2)	12/12/1998(2)	3/27/1999(2)	6/26/1999(2)	10/1/1999(2)	10/18/2004(3)	Wisconsin ES	Wisconsin PAL
Volatile Organic Compounds (VOCs)										
Benzene	ug/L	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.20	5	0.5
Bromomethane	ug/L	<0.70	<0.70	<0.70	<0.70	<0.70	<0.70	0.59	-	-
Chloroform	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.20	6	0.6
Chloromethane	ug/L	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.20	-	-
1,2-Dibromoethane	ug/L	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.20	0.2	0.02
Dibromomethane	ug/L	<0.53	<0.53	<0.53	<0.53	<0.53	<0.53	<0.20	-	-
1,2-Dichlorobenzene	ug/L	<0.25	<0.25	<0.25	<0.25	<0.34	<0.34	<0.20	600	60
1,3-Dichlorobenzene	ug/L	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.20	1,250	125
1,4-Dichlorobenzene	ug/L	<0.30	0.40 Q	<0.30	<0.30	<0.30	<0.30	<0.20	75	15
Dichlorodifluoromethane	ug/L	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<0.50	1,000	200
1,1-Dichloroethane	ug/L	0.57 Q	0.94 Q	0.80 Q	<0.35	0.44 Q	0.54 Q	<0.50	850	85
1,2-Dichloroethane	ug/L	<0.37	<0.37	<0.37	<0.37	<0.37	<0.37	<0.50	5	0.5
1,1-Dichloroethene	ug/L	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.50	70	0.7
cis-1,2-Dichloroethene	ug/L	***8.8***	***14***	***11***	3.1	5.3	4.6	1	70	7
trans-1,2-Dichloroethene	ug/L	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.50	100	20
1,2-Dichloropropane	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.50	5	0.5
Ethylbenzene	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.50	700	140
Methylene chloride	ug/L	<0.36	***0.67** Q***	0.40** Q	***0.80 Q***	<0.36	<0.36	<1.0	5	0.5
Methyl-tert-butyl-ether	ug/L	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.50	60	12
Naphthalene	ug/L	<0.35	<0.35	<0.35	<0.35	<0.35	<0.35	<0.25	40	8
Tetrachloroethene	ug/L	***3.7***	***2.5***	***2.1***	***1.3***	***1.5***	***1.8***	**23**	5	0.5
Toluene	ug/L	<0.27	0.42 Q	0.47 Q	<0.27	<0.27	<0.27	0.3	1,000	100
Trichloroethene	ug/L	***2***	***1.6***	***1.7***	***0.56***	***0.82 Q***	***0.74 Q***	***1.7***	5	0.5
Total Trimethylbenzenes	ug/L	<0.49	0.36 Q	<0.49	<0.49	<0.49	<0.49	0.42	480	96
Vinyl chloride	ug/L	**0.46 Q**	**2.0**	1.8	<0.20	<0.20	<0.20	<0.20	0.2	0.02
Total Xylenes	ug/L	<0.67	0.54 Q	<0.67	<0.67	<0.67	<0.67	<0.50	10,000	1,000

Notes:

< number following the '<' symbol is the method detection limt.

- no value has been established.

(2) - Samples collected during Remedial activities

(3) - Samples collected during Post-Remedial activities

880 = WAC Chapter NR 140.14 ES Exceedence

290 = WAC Chapter NR 140.14 PAL Exceedence

*Bold Text Indicates a Laboratory Detection Above the Laboratory's Limit of Quantification

Q - The analyte has been detected between the limit of detection and limit of quantification. The results are qualified due to the uncertainty of analyte concentrations within this range.

**Methylene chloride is present in the laboratory environment. Detects should be considered suspect.

ES - Enforcement Standard per Wisconsin Administrative Code (WAC) Chapter NR 140.14

PAL - Preventative Action Limit per WAC Chapter NR 140.14

ug/kg - micrograms per kilogram, parts per billion (ppb)

TABLE 2

RAPIDS PLAZA - RACINE WISCONSIN

SOIL SAMPLING ANALYTICAL RESULTS

May 1993 - August 2001

Sample ID	HA1 S2	HA2 S1	B-1 (S-2)	B-2 (S-3)	B-3 (S-3)	P-1	P-1	P-1
Sample Date	5/10/93	5/10/93	10/14/93	10/14/93	10/14/93	5/3/95	5/3/95	5/3/95
Sample Depth			8'-10'	13'-15'	13'-15'	1'-3'	5'-7'	13'-15'
Method	8010/8020	8010/8020	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	8260+-S	8260+-S	8260+-S
Units	ng/g	ng/g	ug/Kg	ug/Kg	ug/Kg	ug/kg	ug/kg	ug/kg
Target Parameters								
Acetone	NA	NA	ND	ND	ND	NA	NA	NA
Acrolein	NA	NA	ND	ND	ND	NA	NA	NA
Acrylonitrile	NA	NA	ND	ND	ND	NA	NA	NA
Benzene	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	NA	NA	NA	NA	NA	ND	ND	ND
Bromochloromethane	NA	NA	NA	NA	NA	ND	ND	ND
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	ND	ND	ND	ND	ND	ND	ND	ND
Bromoethane	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone (MEK)	NA	NA	ND	ND	ND	NA	NA	NA
n-Butylbenzene	NA	NA	NA	NA	NA	ND	ND	ND
sec-Butylbenzene	NA	NA	NA	NA	NA	ND	ND	ND
tert-Butylbenzene	NA	NA	NA	NA	NA	ND	ND	ND
Carbon Disulfide	NA	NA	ND	ND	ND	NA	NA	NA
Carbon Tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND
Chlorodibromomethane	ND	ND	NA	NA	NA	NA	NA	NA
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform	NA	NA	ND	ND	ND	ND	ND	ND
Chloromethane	NA	NA	ND	ND	ND	ND	ND	ND
2-Chlorotoluene	NA	NA	NA	NA	NA	ND	ND	ND
4-Chlorotoluene	NA	NA	NA	NA	NA	ND	ND	ND
Dibromochloromethane	NA	NA	ND	ND	ND	NA	NA	NA
1,2-Dibromo-3-chloropropane	NA	NA	NA	NA	NA	ND	ND	ND
1,2-Dibromethane	NA	NA	NA	NA	NA	ND	ND	ND
Dibromomethane	NA	NA	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	ND	NA	NA	NA	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	NA	NA	NA	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	NA	NA	NA	ND	ND	ND
Dichlorodi fluoromethane	ND	ND	NA	NA	NA	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND
t-1,2-Dichloroethene	NA	NA	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	ND	ND	ND	ND	ND	NA	NA	NA
cis-1,2-Dichloroethene	24.5	6.1	NA	NA	NA	ND	ND	ND
trans-1,2-Dichloroethene	ND	ND	NA	NA	NA	10.0	50	ND
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichloropropane	NA	NA	NA	NA	NA	ND	ND	ND
c-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND
t-1,3-Dichloropropene	ND	ND	ND	ND	ND	NA	NA	NA
2,2-Dichloropropane	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloropropene	NA	NA	NA	NA	NA	ND	ND	ND
Difluorodichloromethane	NA	NA	ND	ND	ND	ND	ND	ND
						NA	NA	NA

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2

RAPIDS PLAZA - RACINE WISCONSIN

SOIL SAMPLING ANALYTICAL RESULTS

May 1993 - August 2001

Sample ID	HA1 S2	HA2 S1	B-1 (S-2)	B-2 (S-3)	B-3 (S-3)	P-1	P-1	P-1
Sample Date	5/10/93	5/10/93	10/14/93	10/14/93	10/14/93	5/3/95	5/3/95	5/3/95
Sample Depth			8'-10'	13'-15'	13'-15'	1'-3'	5'-7'	13'-15'
Method	8010/8020	8010/8020	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	8260+-S	8260+-S	8260+-S
Units	ng/g	ng/g	ug/Kg	ug/Kg	ug/Kg	ug/kg	ug/kg	ug/kg
Target Parameters								
Di-isopropyl ether	NA	NA	NA	NA	NA	ND	ND	ND
Ethyl Benzene	ND	ND	ND	ND	ND	ND	ND	ND
Hexschlorobutadiene	NA	NA	NA	NA	NA	ND	ND	ND
2-Hexanone	NA	NA	ND	ND	ND	NA	NA	NA
Isopropylbenzene	NA	NA	NA	NA	NA	ND	ND	ND
p-Isopropyltoulene	NA	NA	NA	NA	NA	ND	ND	ND
Methylene chloride	ND	ND	ND	ND	ND	4.4	ND	ND
Methyl-tert-butyl-ether	NA	NA	NA	NA	NA	ND	ND	ND
2-Methyl-2-Pentanone (MIBK)	NA	NA	ND	ND	ND	NA	NA	NA
Naphthalene	NA	NA	NA	NA	NA	ND	ND	ND
n-Propylbenzene	NA	NA	NA	NA	NA	ND	ND	ND
1,1,1-2Tetrachloroethane	NA	NA	ND	ND	ND	ND	ND	ND
1,1,2-2Tetrachloroethane	ND	ND	ND	ND	ND	NA	NA	NA
1,1,1-2Tetrachloroethene	NA	NA	NA	NA	NA	ND	ND	ND
Styrene	NA	NA	ND	ND	ND	ND	ND	ND
Tetrachloroethene	328	25,090	230	ND	ND	380	450	ND
Toulene	11.4	21.9	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	NA	NA	NA	NA	NA	ND	ND	ND
1,2,4-Trichlorobenzene	NA	NA	NA	NA	NA	ND	ND	ND
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	15.5	58.1	13	ND	ND	59	83	ND
Trichlorofluoromethane	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	NA	NA	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	NA	NA	NA	NA	NA	ND	ND	ND
1,3,5-Trimethylbenzene	NA	NA	NA	NA	NA	ND	ND	ND
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes, m&p	ND	ND	ND	ND	ND	ND	2.0	ND
Xylenes, o	ND	ND	ND	ND	ND	ND	ND	ND

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2
RAPIDS PLAZA - RACINE WISCONSIN
SOIL SAMPLING ANALYTICAL RESULTS
May 1993 - August 2001

Sample ID	P-2	P-2	P-3	P-3	P-4	P-4	P-5	P-5	P-6	P-6
Sample Date	5/3/95	5/3/95	5/3/95	5/3/95	5/3/95	5/3/95	5/3/95	5/3/95	5/3/95	5/3/95
Sample Depth	1'-3'	11'-13'	1'-3'	7'-9'	5'-7'	13'-15'	1'-3'	13'-15'	1'-3'	7'-9'
Method	8260+-S	8260+-S	8260+-S	8260+-S	8260+-S	8260+-S	8260+-S	8260+-S	8260+-S	8260+-S
Units	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
Target Parameters										
Acetone	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acrolein	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acrylonitrile	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone (MEK)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sec-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon Disulfide	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorodibromomethane	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodi fluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
t-1,2-Dichloroethene	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	8.1	ND	ND	ND	3.7	ND	ND	ND	12	7.6
trans-1,2-Dichloroethene	ND	NO DATA	ND	ND	ND	ND	ND	ND	0.8	0.5
1,2-Dichloropropane	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichloropropane	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
c-1,3-Dichloropropene	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
t-1,3-Dichloropropene	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2,2-Dichloropropane	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
Difluorodichloromethane	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2

RAPIDS PLAZA - RACINE WISCONSIN

SOIL SAMPLING ANALYTICAL RESULTS

May 1993 - August 2001

Sample ID	P-2	P-2	P-3	P-3	P-4	P-4	P-5	P-5	P-6	P-6
Sample Date	5/3/95	5/3/95	5/3/95	5/3/95	5/3/95	5/3/95	5/3/95	5/3/95	5/3/95	5/3/95
Sample Depth	1'-3'	11'-13'	1'-3'	7'-9'	5'-7'	13'-15'	1'-3'	13'-15'	1'-3'	7'-9'
Method	8260+-S	8260+-S	8260+-S	8260+-S	8260+-S	8260+-S	8260+-S	8260+-S	8260+-S	8260+-S
Units	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
Target Parameters										
Di-isopropyl ether	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
Ethyl Benzene	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
Hexschlorobutadiene	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
p-Isopropyltoulene	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
Methylene chloride	ND	NO DATA	ND	ND	ND	1.2	0.9	ND	ND	ND
Methyl-tert-butyl-ether	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
2-Methyl-2-Pentanone (MIBK)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	ND	NO DATA	ND	ND	ND	ND	2.4	ND	ND	ND
n-Propylbenzene	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-2Tetrachloroethane	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-2Tetrachloroethane	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-2Tetrachloroethene	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	48	NO DATA	0.8	ND	70	ND	ND	ND	15	37
Toulene	ND	NO DATA	0.6	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	2.1	NO DATA	ND	ND	5.9	ND	ND	ND	6.1	5.6
Trichlorofluoromethane	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	ND	NO DATA	ND	ND	ND	ND	0.8	ND	ND	ND
1,3,5-Trimethylbenzene	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	ND	NO DATA	ND	ND	ND	ND	ND	ND	0.7	ND
Xylenes, m&p	ND	NO DATA	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes, o	ND	NO DATA	ND	ND	ND	ND	ND	NO DATA	ND	ND

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2
RAPIDS PLAZA - RACINE WISCONSIN
SOIL SAMPLING ANALYTICAL RESULTS
May 1993 - August 2001

Sample ID	P-7	P-7	B-14	B-14	B-15	B-15	B-16	B-16
Sample Date	5/3/95	5/3/95	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995
Sample Depth	3'-5'	11'-13'	4'-6'	10'-12'	6'-8'	10'-12'	6'-8'	10'-12'
Method	8260+-S	8260+-S	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260
Units	ug/kg	ug/kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Target Parameters								
Acetone	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Acrolein	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Acrylonitrile	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Benzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Bromobenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Bromochloromethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Bromodichloromethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Bromoform	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Bromoethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
2-Butanone (MEK)	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
n-Butylbenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
sec-Butylbenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
tert-Butylbenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Carbon Disulfide	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Carbon Tetrachloride	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Chlorobenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Chlorodibromomethane	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Chloromethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Chloroform	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Chloromethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
2-Chlorotoluene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
4-Chlorotoluene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Dibromochloromethane	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2-Dibromo-3-chloropropane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2-Dibromethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Dibromomethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2-Dichlorobenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,3-Dichlorobenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,4-Dichlorobenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Dichlorodi fluoromethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1-Dichloroethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2-Dichloroethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
t-1,2-Dichloroethene	NA	NA	ND	ND	ND	ND	6	ND
1,1-Dichloroethene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
cis-1,2-Dichloroethene	ND	ND	ND	ND	9	5.5	68	ND
trans-1,2-Dichloroethene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2-Dichloropropane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,3-Dichloropropane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
c-1,3-Dichloropropene	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
t-1,3-Dichloropropene	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
2,2-Dichloropropane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1-Dichloropropene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Difluorodichloromethane	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2

RAPIDS PLAZA - RACINE WISCONSIN

SOIL SAMPLING ANALYTICAL RESULTS

May 1993 - August 2001

Sample ID	P-7	P-7	B-14	B-14	B-15	B-15	B-16	B-16
Sample Date	5/3/95	5/3/95	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995
Sample Depth	3'-5'	11'-13'	4'-6'	10'-12'	6'-8'	10'-12'	6'-8'	10'-12'
Method	8260+-S	8260+-S	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260
Units	ug/kg	ug/kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Target Parameters								
Di-isopropyl ether	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Ethyl Benzene	ND	ND	ND	ND	ND	ND	ND	ND
Hexschlorobutadiene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
2-Hexanone	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Isopropylbenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
p-Isopropyltoulene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Methylene chloride	0.8	1.8	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Methyl-tert-butyl-ether	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
2-Methyl-2-Pentanone (MIBK)	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Naphthalene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
n-Propylbenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1,1-2Tetrachloroethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1,2-2Tetrachloroethane	NA	NA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1,1-2Tetrachloroethene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Styrene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Tetrachloroethene	ND	ND	1	1.1	3	0.8	ND	ND
Toulene	ND	1.4	0.6	0.6	ND	ND	ND	ND
1,2,3-Trichlorobenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2,4-Trichlorobenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1,1-Trichloroethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1,2-Trichloroethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Trichloroethene	ND	ND	ND	ND	7	ND	ND	ND
Trichlorofluoromethane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2,3-Trichloropropane	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2,4-Trichlorobenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,3,5-Trimethylbenzene	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Vinyl Chloride	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Xylenes, m&p	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes, o	ND	ND	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA

BOLD - Denotes above cleanup standards

ND - Indicates no detectable analyte at or above the listed detection limit.

NA - Not analyzed.

NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2
RAPIDS PLAZA - RACINE WISCONSIN
SOIL SAMPLING ANALYTICAL RESULTS
May 1993 - August 2001

Sample ID	B-17	B-17	B-18	B-18	B-19	B-19	B-20	B-20
Sample Date	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995
Sample Depth	6'-8'	10'-12'	4'-6'	10'-12'	6'-8'	10'-12'	6'-8'	10'-12'
Method	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260
Units	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Target Parameters								
Acetone	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Acrolein	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Acrylonitrile	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Benzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Bromobenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Bromochloromethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Bromodichloromethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Bromoform	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Bromoethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
2-Butanone (MEK)	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
n-Butylbenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
sec-Butylbenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
tert-Butylbenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Carbon Disulfide	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Carbon Tetrachloride	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Chlorobenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Chlorodibromomethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Chloromethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Chloroform	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Chloromethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
2-Chlorotoluene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
4-Chlorotoluene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Dibromochloromethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2-Dibromo-3-chloropropane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2-Dibromethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Dibromomethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2-Dichlorobenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,3-Dichlorobenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,4-Dichlorobenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Dichlorodi fluoromethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1-Dichloroethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2-Dichloroethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
t-1,2-Dichloroethene	4	ND	7	16	ND	ND	7	ND
1,1-Dichloroethene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
cis-1,2-Dichloroethene	110	ND	400	180	ND	ND	53	0.6
trans-1,2-Dichloroethene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2-Dichloropropane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,3-Dichloropropane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
c-1,3-Dichloropropene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
t-1,3-Dichloropropene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
2,2-Dichloropropane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1-Dichloropropene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Difluorodichloromethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2

RAPIDS PLAZA - RACINE WISCONSIN

SOIL SAMPLING ANALYTICAL RESULTS

May 1993 - August 2001

Sample ID	B-17	B-17	B-18	B-18	B-19	B-19	B-20	B-20
Sample Date	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995	8/23-25/1995
Sample Depth	6'-8'	10'-12'	4'-6'	10'-12'	6'-8'	10'-12'	6'-8'	10'-12'
Method	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260	EPA 8240/8260
Units	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Target Parameters								
Di-isopropyl ether	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Ethyl Benzene	ND	ND	ND	ND	ND	ND	ND	0.6
Hexschlorobutadiene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
2-Hexanone	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Isopropylbenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
p-Isopropyltoulene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Methylene chloride	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Methyl-tert-butyl-ether	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
2-Methyl-2-Pentanone (MIBK)	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Naphthalene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
n-Propylbenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1,1-2Tetrachloroethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1,2-2Tetrachloroethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1,1-2Tetrachloroethene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Styrene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Tetrachloroethene	530	ND	280	40	2.0	ND	5.0	1.7
Toulene	ND	ND	ND	ND	ND	ND	ND	4.7
1,2,3-Trichlorobenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2,4-Trichlorobenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1,1-Trichloroethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,1,2-Trichloroethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Trichloroethene	15	ND	75	3.5	5.0	ND	12	ND
Trichlorofluoromethane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2,3-Trichloropropane	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,2,4-Trichlorobenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
1,3,5-Trimethylbenzene	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Vinyl Chloride	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA
Xylenes, m&p	ND	ND	ND	ND	ND	ND	ND	2.5
Xylenes, o	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA	NO DATA

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2
RAPIDS PLAZA - RACINE WISCONSIN
SOIL SAMPLING ANALYTICAL RESULTS
May 1993 - August 2001

Sample ID	B-21	B-21	SB-1	SB-2	SB-3	SB-4	SB-5	SB-6	SB-7
Sample Date	8/23-25/1995	8/23-25/1995	6/4/96	6/4/96	6/4/96	6/4/96	6/4/96	6/4/96	6/4/96
Sample Depth	4'-6'	10'-12'	4-6'	6-8'	4-6'	4-6'	4-6'	4-6'	4-6'
Method	EPA 8240/8260	EPA 8240/8260	8260	8260	8260	8260	8260	8260	8260
Units	ug/Kg	ug/Kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
Target Parameters									
Acetone	NO DATA	NO DATA	NA	NA	NA	NA	NA	NA	NA
Acrolein	NO DATA	NO DATA	NA	NA	NA	NA	NA	NA	NA
Acrylonitrile	NO DATA	NO DATA	NA	NA	NA	NA	NA	NA	NA
Benzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Bromoform	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Bromoethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
2-Butanone (MEK)	NO DATA	NO DATA	NA	NA	NA	NA	NA	NA	NA
n-Butylbenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
sec-Butylbenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Carbon Disulfide	NO DATA	NO DATA	NA	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Chlorodibromomethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Chloromethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Chloroform	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Chloromethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
2-Chlorotoluene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
4-Chlorotoluene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	NO DATA	NO DATA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Dichlorodi fluoromethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
t-1,2-Dichloroethene	4.1	ND	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	110	3.0	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,3-Dichloropropane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
c-1,3-Dichloropropene	NO DATA	NO DATA	NA	NA	NA	NA	NA	NA	NA
t-1,3-Dichloropropene	NO DATA	NO DATA	NA	NA	NA	NA	NA	NA	NA
2,2-Dichloropropane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Difluorodichloromethane	NO DATA	NO DATA	NA	NA	NA	NA	NA	NA	NA

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2

RAPIDS PLAZA - RACINE WISCONSIN

SOIL SAMPLING ANALYTICAL RESULTS

May 1993 - August 2001

Sample ID	B-21	B-21	SB-1	SB-2	SB-3	SB-4	SB-5	SB-6	SB-7
Sample Date	8/23-25/1995	8/23-25/1995	6/4/96	6/4/96	6/4/96	6/4/96	6/4/96	6/4/96	6/4/96
Sample Depth	4'-6'	10'-12'	4-6'	6-8'	4-6'	4-6'	4-6'	4-6'	4-6'
Method	EPA 8240/8260	EPA 8240/8260	8260	8260	8260	8260	8260	8260	8260
Units	ug/Kg	ug/Kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
Target Parameters									
Di-isopropyl ether	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Ethyl Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexschlorobutadiene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	NO DATA	NO DATA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
p-Isopropyltoulene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Methylene chloride	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Methyl-tert-butyl-ether	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
2-Methyl-2-Pentanone (MIBK)	NO DATA	NO DATA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,1,1-2Tetrachloroethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,1,2-2Tetrachloroethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,1,1-2Tetrachloroethene	NO DATA	NO DATA	NA	NA	NA	NA	NA	NA	NA
Styrene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	1100	ND	ND	46	2700	ND	ND	ND	ND
Toulene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	96	ND	ND	ND	ND	ND	ND	ND	ND
Trichlorofluoromethane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND
Xylenes, m&p	ND	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes, o	NO DATA	NO DATA	ND	ND	ND	ND	ND	ND	ND

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2
RAPIDS PLAZA - RACINE WISCONSIN
SOIL SAMPLING ANALYTICAL RESULTS
May 1993 - August 2001

Sample ID	SB-8	SB-10	SB-10	SB-11	SB-11	SB-12	SB-15	SB-16	SB-17
Sample Date	6/4/96	6/4/96	6/5/96	6/4/96	6/5/96	6/5/96	6/5/96	6/5/96	6/6/96
Sample Depth	4-6'	4-6'	6-7'	4-6'	4-6'	4-6'	4-6'	5-7'	4-6'
Method	8260	8260	8260	8260	8260	8260	8260	8260	8260
Units	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
Target Parameters									
Acetone	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acrolein	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acrylonitrile	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone (MEK)	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
sec-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon Disulfide	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorodibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodi fluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
t-1,2-Dichloroethene	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND
c-1,3-Dichloropropene	NA	NA	NA	NA	NA	NA	NA	NA	NA
t-1,3-Dichloropropene	NA	NA	NA	NA	NA	NA	NA	NA	NA
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Difluorodichloromethane	NA	NA	NA	NA	NA	NA	NA	NA	NA

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2

RAPIDS PLAZA - RACINE WISCONSIN

SOIL SAMPLING ANALYTICAL RESULTS

May 1993 - August 2001

Sample ID	SB-8	SB-10	SB-10	SB-11	SB-11	SB-12	SB-15	SB-16	SB-17
Sample Date	6/4/96	6/4/96	6/5/96	6/4/96	6/5/96	6/5/96	6/5/96	6/5/96	6/6/96
Sample Depth	4-6'	4-6'	6-7'	4-6'	4-6'	4-6'	4-6'	5-7'	4-6'
Method	8260	8260	8260	8260	8260	8260	8260	8260	8260
Units	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
Target Parameters									
Di-isopropyl ether	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethyl Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexschlorobutadiene	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Isopropyltoulene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene chloride	ND	ND	ND	ND	ND	ND	ND	ND	37
Methyl-tert-butyl-ether	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Methyl-2-Pentanone (MIBK)	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-2Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-2Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-2Tetrachloroethene	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toulene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichlorofluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes, m&p	ND	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes, o	ND	ND	ND	ND	ND	ND	ND	ND	ND

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2
RAPIDS PLAZA - RACINE WISCONSIN
SOIL SAMPLING ANALYTICAL RESULTS
May 1993 - August 2001

Sample ID	SB-18	PR-1	PR-1	PR-2	PR-2	PR-3	PR-3	PR-4	PR-4
Sample Date	6/6/96	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01
Sample Depth	4-6'	5-8'	7-8'	5-6'	7-8'	5-6'	7-8'	5-6'	7-8'
Method	8260	8260	8260	8260	8260	8260	8260	8260	8260
Units	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
Target Parameters									
Acetone	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acrolein	NA	NA	NA	NA	NA	NA	NA	NA	NA
Acrylonitrile	NA	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone (MEK)	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
sec-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon Disulfide	NA	NA	NA	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorodibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodi fluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
t-1,2-Dichloroethene	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	ND	ND	61	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND
c-1,3-Dichloropropene	NA	ND	ND	ND	ND	ND	ND	ND	ND
t-1,3-Dichloropropene	NA	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Difluorodichloromethane	NA	NA	NA	NA	NA	NA	NA	NA	NA

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2
RAPIDS PLAZA - RACINE WISCONSIN
SOIL SAMPLING ANALYTICAL RESULTS
May 1993 - August 2001

Sample ID	SB-18	PR-1	PR-1	PR-2	PR-2	PR-3	PR-3	PR-4	PR-4
Sample Date	6/6/96	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01
Sample Depth	4-6'	5-8'	7-8'	5-6'	7-8'	5-6'	7-8'	5-6'	7-8'
Method	8260	8260	8260	8260	8260	8260	8260	8260	8260
Units	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
Target Parameters									
Di-isopropyl ether	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethyl Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexschlorobutadiene	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Isopropyltoulene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl-tert-butyl-ether	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Methyl-2-Pentanone (MIBK)	NA	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-2Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-2Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-2Tetrachloroethene	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	ND	ND	3700	43	ND	77	ND	ND	ND
Toulene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	ND	ND	55	ND	ND	ND	ND	ND	ND
Trichlorofluoromethane	ND	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes, m&p	ND	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes, o	ND	ND	ND	ND	ND	ND	ND	ND	ND

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2
RAPIDS PLAZA - RACINE WISCONSIN
SOIL SAMPLING ANALYTICAL RESULTS
May 1993 - August 2001

Sample ID	PR-5	PR-5	PR-6	PR-6	PR-7	PR-7	PR-8	PR-8
Sample Date	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01
Sample Depth	5-6'	7-8'	5-6'	7-8'	5-6'	7-8'	5-6'	7-8'
Method	8260	8260	8260	8260	8260	8260	8260	8260
Units	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
Target Parameters								
Acetone	NA	NA	NA	NA	NA	NA	NA	NA
Acrolein	NA	NA	NA	NA	NA	NA	NA	NA
Acrylonitrile	NA	NA	NA	NA	NA	NA	NA	NA
Benzene	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	ND	ND	ND	ND	ND	ND	ND	ND
Bromoethane	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone (MEK)	NA	NA	NA	NA	NA	NA	NA	NA
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND
sec-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND
Carbon Disulfide	NA	NA	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND
Chlorodibromomethane	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromethane	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodi fluoromethane	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND
t-1,2-Dichloroethene	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	ND	ND	ND	34	ND	ND	ND	ND
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND
c-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND
t-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND
Difluorodichloromethane	NA	NA	NA	NA	NA	NA	NA	NA

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.

TABLE 2

RAPIDS PLAZA - RACINE WISCONSIN

SOIL SAMPLING ANALYTICAL RESULTS

May 1993 - August 2001

Sample ID	PR-5	PR-5	PR-6	PR-6	PR-7	PR-7	PR-8	PR-8
Sample Date	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01	8/2/01
Sample Depth	5-6'	7-8'	5-6'	7-8'	5-6'	7-8'	5-6'	7-8'
Method	8260	8260	8260	8260	8260	8260	8260	8260
Units	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
Target Parameters								
Di-isopropyl ether	ND	ND	ND	ND	ND	ND	ND	ND
Ethyl Benzene	ND	ND	ND	ND	ND	ND	ND	ND
Hexschlorobutadiene	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene	ND	ND	ND	ND	ND	ND	ND	ND
p-Isopropyltoulene	ND	ND	ND	ND	ND	ND	ND	ND
Methylene chloride	ND	ND	ND	ND	ND	ND	ND	ND
Methyl-tert-butyl-ether	ND	ND	ND	ND	ND	ND	ND	ND
2-Methyl-2-Pentanone (MIBK)	NA	NA	NA	NA	NA	NA	NA	NA
Naphthalene	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-2Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-2Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-2Tetrachloroethene	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	91	2000	240	1800	280	110	ND	ND
Toulene	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	ND	120	ND	91	ND	ND	70	ND
Trichlorofluoromethane	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes, m&p	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes, o	ND	ND	ND	ND	ND	ND	ND	ND

BOLD - Denotes above cleanup standards
ND - Indicates no detectable analyte at or above the listed detection limit.
NA - Not analyzed.
NO DATA - Data was not available for data results other than what was posted on the figure supplied by the consultant.



Extent of PCE Contamination
Above Enforcement Standard
Classic Cleaners Corp.
Rapids Drive
Racine, WI

psi Information To Build On
Engineering • Consulting • Testing

Professional Service Industries, Inc.
W228 N727 Westmound Drive Suite A
Waukesha, WI 53186
Phone (262) 970-9622 Fax (262) 970-9623
www.psiusa.com

PROJECT NO	DRAWN BY	SCALE	DATE	REVISION	ORDER NO	APPROVED BY	DATE
054-40010		1"=40'	4/25/05				



Extent of PCE Contamination Above Enforcement Standard
Classic Cleaners Corp.
Rapids Drive
Racine, WI

psi Information To Build On
Engineering • Consulting • Testing

Professional Service Industries, Inc.
W228 N727 Westmound Drive, Suite A
Waukesha, WI 53186
Phone (262) 970-9022, Fax (262) 970-9...
www.psiusa.com

PROJECT NO	DRAWN BY	SCALE	DATE	REVISION	ORDER NO	APPROVED & DATE
054-40010		1"=40'	4/25/05			



Extent of CIS-1 2-DCE Contamination
Above Enforcement Standard
Classic Cleaners Corp.
Rapids Drive
Racine, WI

psi Information To Build On
Engineering • Consulting • Testing

Professional Service Industries, Inc.
W228 N727 Westmound Drive, Suite
Waukesha, WI 53186
Phone (262) 970-9022
www.psiusa.com

PROJECT NO	DRAWN BY	SCALE	DATE	REVISION	ORDER NO	APPROVED	DATE
054-46010		1" = 40'	4/25/05				



Extent of Vinyl Chloride Contamination
Above Enforcement Standard
Classic Cleaners Corp.
Rapids Drive
Racine WI

psi Information To Build On
Engineering • Consulting • Testing

Professional Service Industries, Inc.
W228 N727 Westmound Drive Suite A
Waukesha, WI 53186
Phone (262) 970-9022 Fax (262) 970-9030
www.psiusa.com

PROJECT NO	DRAWN BY	SCALE	DATE	REVISION	ORDER NO	APPROVED BY	DATE
054-4C010		1" = 40'	4/25/05				

Table 1
Groundwater Elevations

Classic Cleaners Corp. - Rapids Plaza Shopping Center
Racine, Wisconsin

Well No.	Well Diam. (inches)	Top of Screen (feet bgs)	Bottom of Screen (feet bgs)	Sample Date	TOC Elevation (feet)	Depth to GW (feet)	GW Elevation (feet)
MW-2	2	9.0	17.5	10/14/2004	651.98	10.32	641.66
MW-3	2	9.0	18.4	10/14/2004	651.55	10.01	641.54
MW-4	2	5.0	15.0	10/14/2004	651.48	6.45	645.03
MW-5	2	9.0	19.0	10/14/2004	652.61	13.00	639.61
MW-6	2	3.5	13.5	10/14/2004	651.79	5.60	646.19
MW-9	1	1.0	6.0	10/14/2004	653.37	Dry	---
MW-10	1	5.5	10.0	10/14/2004	651.25	Dry	---
RW-1	4	3.2	8.2	10/14/2004	652.25	4.91	647.34
RW-3	4	4.0	9.0	10/14/2004	650.92	5.50	645.42
RW-4	4	5.0	10.0	10/14/2004	650.39	4.50	645.89
RW-5	4	3.0	10.0	10/14/2004	650.47	4.39	646.08
RW-7 (Former MW-1)	2	3.0	12.8	10/14/2004	651.16	3.85	647.31
Cluster 1 Shallow	1	4.7	7.0	10/14/2004	651.38	Dry	---
Cluster 1 Intermediate	1	8.8	11.0	10/14/2004	651.41	6.20	645.21
Cluster 1 Deep	1	16.7	20.0	10/14/2004	651.39	9.71	641.68
Cluster 2 Shallow	1	4.1	7.0	10/14/2004	652.31	Water at top	---
Cluster 2 Intermediate	1	11.96	14.0	10/14/2004	652.31	4.21	648.10
Cluster 2 Deep	1	17.36	20.0	10/14/2004	652.40	10.30	642.10

TOC - Top of PVC column
Elevations based on an arbitrary benchmark with an elevation of 100.00 feet



Groundwater Elevation Contour Map
Classic Cleaners Corp.
Rapids Drive
Racine, WI

psi Information To Build On
Engineering • Consulting • Testing

Professional Service Industries, Inc.
W228 N727 Westmound Drive, Suite A
Waukesha, WI 53186
Phone: 262-970-9022 Fax: [illegible]
www.psiusa.com

PROJECT NO	DRAWN BY	SCALE	DATE	REVISION	CHECKED	APPROVED BY	DATE
054-46010		1"=40'	4/25/05				



FIGURE 3

ESTIMATED IMPACTED SOIL AREA

RAPIDS PLAZA
RACINE, WISCONSIN





GEOLOGIC CROSS-SECTION LOCATION MAP

LEGEND

- ASPHALT
- CLAYEY SILT
- GRAVEL
- SILTY CLAY
- HARDPAN
- SAND
- MONITORING WELL
- SCREENED INTERVAL
- 41.3 CONCENTRATION (ug/L)
- ND NOT DETECTED

HORIZONTAL SCALE: 1" = 20'

20 10 0 20 FEET

VERTICAL SCALE: 1" = 5'
EXAGGERATION = 4X

5 2.5 0 5 FEET

FIGURE 6

PRE-REMEDIAL GEOLOGIC CROSS-SECTION
A-A'

RAPIDS PLAZA
RACINE, WISCONSIN

July 25, 2005

Wisconsin Department of Natural Resources
Southeast Region Headquarters
2300 North Dr. Martin Luther King, Jr. Drive
Post Office Box 10448
Milwaukee, Wisconsin 53212

Attn: Program Assistant

Re: Geographic Information System Registry
Classic Cleaners Corp. – Rapids Plaza Shopping Mall
2400 Rapids Drive
Racine, Wisconsin 53404
Racine County Parcel ID #: 20419-028
WDNR BRRTS #: 02-52-000903

To Whom It May Concern:

I, Gary Kaufman, President of NDC, LLC, do hereby declare to the best of my knowledge that the attached legal property description represents completely and accurately the above referenced property for which I am requesting listing on the Wisconsin Department of Natural Resource's Geographic Information System Registry of Closed Remediation Sites.

Please find attached a copy of the property deed for the above referenced property.

Signed: Gary Kaufman Date: 7-26-05

Gary Kaufman
NDC, LLC

NDC LLC
6312 South 27th Street • Oak Creek, WI 53154 • Phone: (414) 761-2040 • Fax: (414) 423-2280

February 9, 2005

Valencia Thornton
2211 Loraine Avenue
Racine, WI 53404-1709

Dear Valencia,

Groundwater contamination that appears to have originated on the property located at 2400 Rapids Drive, Racine, Wisconsin has migrated onto your property at 2211 Loraine Avenue, Racine, Wisconsin. The levels of dry cleaning solvent contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, the environmental consultants who have investigated this contamination have informed us that this groundwater contaminant plume is stable or receding and will naturally degrade over time. We believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726, Wisconsin Administrative Code, and I will be requesting that the Department of Natural Resources accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination.

The Department of Natural Resources will not review our closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Natural Resources that is relevant to this closure request, you should mail that information to:

Michelle C. Williams
Wisconsin Department of Natural Resources
2300 N. Dr. Martin Luther King, Jr. Drive
Milwaukee, WI 53212

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry will be available to the general public on the Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the Department makes a decision on our closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from us, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy

of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at 6312 S. 27th Street, Oak Creek, WI 53154, 414-761-2040 or you may contact Michelle L. Williams at Wisconsin Department of Natural Resources, 2300 N. Dr. Martin Luther King, Jr. Drive, Milwaukee, WI 53212, 414-263-8564.

Sincerely,

NDC LLC

Gary Kaufman
President

GK:jr

psi Information To Build On
Engineering • Consulting • Testing

July 25, 2005

City of Racine
Department of Public Works
Street Maintenance Division
800 South Marquette Street
Racine, Wisconsin 53403

Attn: Joe Golden

Re: Notification of Contamination Within Right-of-Way
Classic Cleaners Corp. – Rapids Plaza Shopping Mall
2400 Rapids Drive
Racine, Wisconsin 53404
WDNR BRRTS #: 02-52-000903

Dear Mr. Golden:

The purpose of this letter is to notify the City of Racine of residual groundwater contamination within the Rapids Drive right-of-way (ROW) adjacent to the above referenced site. This notification has been prepared pursuant to Chapter NR 726 of the Wisconsin Administrative Code to meet case closure requirements for the site. Professional Service Industries, Inc. has prepared this letter on behalf of NDC, LLC.

One monitoring well (MW-4) was installed adjacent to the Rapids Drive ROW in conjunction with an investigation of chlorinated volatile organic compounds to the soil and groundwater on the Classic Cleaners Corp. property. The monitoring well location is depicted on the attached figure. Groundwater sample analytical results indicated that residual concentrations of trichloroethene, cis-1,2-dichloroethene and vinyl chloride were detected at MW-4 during the most recent sampling event (October 18, 2004) at concentrations exceeding applicable NR 140 enforcement standards. The groundwater sample analytical results are summarized in the attached table.

Please call if you have any questions.

Respectfully submitted,

PROFESSIONAL SERVICE INDUSTRIES, INC.

Kristopher King
Project Scientist

S.054-2004\2004-rpts\4G010\ROW Letter.doc

Enclosures as noted

cc: Mr. Gary Kaufman, NDC, LLC

Document Number | DEED RESTRICTION

Declaration of Restrictions

Parcel 1 of Certified Survey Map No. 1409 recorded In the Office of the Register of Deeds for Racine County, Wisconsin, on May 1, 1989 in Volume 4 of Certified Survey Maps, at Page 379, as Document No. 1281740, being a Resubdivision of Lots 1 and 28, Block 16, Rapids Drive Subdivision No. 3, a recorded Subdivision in the Southeast 1/4 of the Northwest 1/4 and the Northeast 1/4 of the Southwest 1/4 of Section 5, Township 3 North, Range 23 East.

The Wisconsin Transverse Mercator coordinates are 699226,255251

Recording Area

Name and Return Address
NDC LLC
c/o Gary Kaufman
6312 S. 27th Street
Oak Creek, WI 53154

Tax Key No.: 20419-28
Parcel Identification Number

STATE OF WISCONSIN)
) ss
COUNTY OF RACINE)

WHEREAS, NDC LLC is the owner of the above-described property.

WHEREAS, one or more dry cleaning solvent discharges have occurred on this property, and as of August 2, 2001 when soil samples were collected on this property, dry cleaning solvents contaminated soil remained on this property at the following location: Soil contamination remains in the subsurface of the property at the soil/water interface in an area extending from the approximate northwest corner of the building to the southeast corner of the building. The highest concentration of total volatile organic compounds (VOCs) remains in the area just north of the northwest corner of the building. Refer to the attached figure that includes soil sample locations with post remedial total VOC concentrations. (Per attached Exhibit I)

WHEREAS, it is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct further soil remediation activities on the property at the present time.

NOW THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

The pavement or building foundation that existed on the above-described property in the location shown on the attached map, labeled Exhibit A on the date that this restriction was signed shall be maintained in compliance with the Pavement Cover and Building Barrier Maintenance Plan dated September 2, 2005 that was submitted to the Wisconsin Department of Natural Resources by NDC LLC, as required by section NR 724.13 (2), Wis. Adm. Code (October 1999). A copy of the maintenance plan can be found at 6312 South 27th Street, Oak Creek, Wisconsin. This pavement or other impervious cap must be maintained in order to minimize the infiltration of water and prevent additional groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis. Adm. Code, and to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. If soil that remains on the property in the location or locations described above where there is residual contamination is excavated in the future, the soil must be sampled and analyzed, may be considered solid or hazardous waste if residual contamination remains and must be stored, treated and disposed in compliance with applicable statutes and rules.

In addition, the following activities are prohibited on any portion of the above-described property where pavement or a building foundation is required, as shown on Exhibit A unless prior written approval has been obtained from the Wisconsin Department of Natural Resources or its successor or assign: (1) Replacement with another barrier; (2) Excavating or grading of the land surface; (3) Filling on capped or paved areas; (4) Plowing for agricultural cultivation; and (5) Construction or placement of a building or other structure in an area where pavement or a building foundation is required.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction inures to the benefit of and is enforceable by the Wisconsin Department of Natural Resources, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that one or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, attached to a copy of the Department's written determination, may be recorded by the property owner or other interested party to give notice that this deed restriction, or portions of this deed restriction, are no longer binding.

By signing this document, Gary Kaufman asserts that he is duly authorized to sign this document on behalf of NDC LLC.

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this 2nd day of September, 2005.

Printed Name: Gary Kaufman, President

Subscribed and sworn to before me
this 2nd day of September, 2005.

Scott D Gerardin
Notary Public, State of Wisconsin
My commission is permanent

This document was drafted by Attorney Scott D. Gerardin based on a model deed restriction provided by the Wisconsin Department of Natural Resources.

Recording Fee Receipt	James A. Ladwig **Register of Deeds** 730 Wisconsin Avenue, 1st Floor Racine, WI 53403 262-636-3208	Date: 10/19/05 $ 23 — Transfer Fee $
Received from		
For: ☐ QC / WD / Condo / PR / Trustee ☐ TJT ☐ CSM ☐ Mtg. ☐ Satisfaction ☐ Stipulation/Compliance ☐ Plat ☐ Affidavit of Correction ☐ Lis Pendens / Rel. LP ☒ Other: DEED RESTRICTION		
Check/Money Order #	☒ Cash	[redacted]
Authorized Staff J. Ladwig		ROD-17; Rev 0905

JAMES A. LADWIG
REGISTER OF DEEDS
RACINE COUNTY

Phone (262) 636-3709
Fax (262) 636-3851
James.Ladwig@GORacine.org
730 Wisconsin Ave
Racine, WI 53403-1274
GORacine.org

EXHIBIT 1



FIGURE 3

ESTIMATED IMPACTED SOIL AREA

RAPIDS PLAZA
RACINE, WISCONSIN

MEA INC.

DWG: MEA1231 10/28/03

MONITORING WELL EXHIBIT

KNOWN AS 2300 AND 2210 RAPIDS DRIVE, CITY OF RACINE, RACINE COUNTY, WISCONSIN

OCTOBER 1, 2004 NDC LLC DRAWING NO. 160934-GRB

EXHIBIT A



STARTING BENCHMARK=648.084
CAST IRON MONUMENT WITH BRASS CAP
SE COR. OF THE NW 1/4
SEC. 5, T 3 N, R 23 E.

National Survey & Engineering
A Division of R.A. Smith & Associates, Inc.
262-781-1000
Fax 262-797-7373
16745 W. Bluemound Road
Suite 200
Brookfield, WI 53005-5938
www.nsae.com

S:\5160934\DWG\EX101B40.dwg\EX101B40

SHEET 1 OF 1

DRAWING SCALE 1 INCH = 40 FEET

National Survey & Engineering

PAVEMENT COVER AN D BUILDING BARRIER MAINTENANCE PLAN

September 2, 2005

Property Located at:

2400 Rapids Drive
Racine, Wisconsin 53404

WDNR FID # 252096570, WDNR BRRTS # 02-52-000903

Parcel 1 of Certified Survey Map No. 1409 recorded in the Office of the Register of Deeds for Racine County, Wisconsin, on May 1, 1989 in Volume 4 of Certified Survey Maps, at Page 379, as Document No. 1281740, being a Resubdivision of Lots 1 and 28, Block 16, Rapids Drive Subdivision No. 3, a recorded Subdivision in the Southeast ¼ of the Northwest ¼ and the Northeast ¼ of the Southwest ¼ of Section 5, Township 3 North, Range 23 East.

TAX # 20419-28

Introduction

This document is the Maintenance Plan for a pavement cover and building barrier at the above-referenced property in accordance with the requirements of s. NR 724.13(2), Wisconsin Administrative Code. The maintenance activities relate to the existing slab on grade building and other paved surfaces occupying the area over the contaminated groundwater plume or soil on-site. The contaminated soil is impacted by tetrachloroethene, trichloroethene and cis-1,2-dichloroethene. The location of the paved surfaces and building to be maintained in accordance with this Maintenance Plan, as well as the impacted soil are identified in the attached map (Exhibit A).

Cover and Building Barrier Purpose

The paved surfaces and the building foundation over the contaminated soil serve as a barrier to prevent direct human contact with residual soil contamination that might otherwise pose a threat to human health. These paved surfaces and building foundation also act as a partial infiltration barrier to minimize future soil-to-groundwater contamination migration that would violate the groundwater standards in ch. NR 140, Wisconsin Administrative Code. Based on the current and future use of the property, the barrier should function as intended unless disturbed.

Annual Inspection

The paved surfaces and building foundation overlying the soil and as depicted in Exhibit A will be inspected once a year, normally in the spring after all snow and ice is gone, for deterioration, cracks and other potential problems that can cause additional infiltration into or exposure to underlying soils. The inspections will be performed to evaluate damage due to settling, exposure to the weather, wear from traffic, increasing age and other factors. Any area where soils have become or are likely to become exposed will be documented. A log of the inspections and any repairs will be maintained by the property owner and is included as Exhibit B, Cap Inspection Log. The log will include recommendations for necessary repair of any areas where underlying soils are exposed. Once repairs are completed, they will be documented in the inspection log. A copy of the inspection log will be sent to the Wisconsin Department of Natural Resources ("WDNR") at least annually after every inspection.

Maintenance Activities

If problems are noted during the annual inspections or at any other time during the year, repairs will be scheduled as soon as practical. Repairs can include patching and filling operations or they can include larger resurfacing or construction operations. In the event that necessary maintenance activities expose the underlying soil, the owner must inform maintenance workers of the direct contact exposure hazard and provide them with appropriate personal protection equipment ("PPE"). The owner must also sample any soil that is excavated from the site prior to disposal to ascertain if contamination remains. The soil must be treated, stored and disposed of by the owner in accordance with applicable local, state and federal law.

In the event the paved surfaces and/or the building overlying the contaminated soil are removed or replaced, the replacement barrier must be equally impervious. Any replacement barrier will be subject to the same maintenance and inspection guidelines as outlined in this Maintenance Plan unless indicated otherwise by the WDNR or its successor.

The property owner, in order to maintain the integrity of the paved surfaces and/or the building, will maintain a copy of this Maintenance Plan on-site and make it available to all interested parties (i.e. on-site employees, contractors, future property owners, etc.) for viewing.

Amendment or Withdrawal of Maintenance Plan

This Maintenance Plan can be amended or withdrawn by the property owner and its successors with the written approval of WDNR.

Contact Information
September 2005

Site Owner and Operator:	NDC, LLC 6312 South 27th Street Oak Creek, Wisconsin 53154 (414) 761-2040
Consultant:	Professional Service Industries, Inc. W228 N727 Westmound Drive, Suite A Waukesha, Wisconsin 53186 (262) 970-9022
WDNR:	Michelle L. Williams Wisconsin Department of Natural Resources 2300 North Dr. Martin Luther King, Jr. Drive Milwaukee, Wisconsin 53212 (414) 263-8564