



TETRA TECH GEO

175 North Corporate Drive
Suite 100
Brookfield, WI 53045
262-792-1282 FAX 262-792-1310

STATUS REPORT FOR JULY 2011 SAMPLING EVENT

**FF/NN LANDFILL
RIPON, WISCONSIN**

September 2, 2011

Received

SEP 9 2011

Waste & Materials Management

Prepared For:

FF/NN Landfill PRP Group

Prepared By:

Tetra Tech GEO
175 N. Corporate Drive, Suite 100
Brookfield, Wisconsin 53045

Project No. 117-2202.040

Michael R. Noel, P.G.
Vice-President, Principal Hydrogeologist

Kevin F. Lincicum, P.G.
Senior Project Hydrogeologist

STATUS REPORT FOR JULY 2011 SAMPLING EVENT

TABLE OF CONTENTS

	Page No.
FIELD ACTIVITIES THIS REPORTING PERIOD	2
RESULTS OF FIELD ACTIVITIES	3
Groundwater Monitoring Event - Groundwater Elevations.....	3
Groundwater Monitoring Event - Monitoring Well Sampling	4
Interim Landfill Gas Extraction System Performance Monitoring.....	6
UPCOMING ACTIVITIES PLANNED	7
PERSONNEL	7

TABLE OF CONTENTS (Continued)

FIGURES

- Figure 1 Groundwater Elevations – Layer 1 Wells, July 2011
- Figure 2 Groundwater Elevations – Layer 2 Wells, July 2011
- Figure 3 Groundwater Elevations – Layer 3 Wells, July 2011
- Figure 4 Groundwater Elevations – Layer 4 Wells, July 2011

CHARTS

- Chart 1 Layer 1 Historic Water Level Data
- Chart 2 Layer 2 Historic Water Level Data
- Chart 3 Layer 3 Historic Water Level Data
- Chart 4 Layer 4 Historic Water Level Data
- Chart 5 Landfill Gas Concentration, GV-1, Extraction System
- Chart 6 Landfill Gas Concentration, GV-4, Extraction System
- Chart 7 Landfill Gas Concentration, GV-6, Extraction System
- Chart 8 Landfill Gas Concentration, GV-7, Extraction System
- Chart 9 Landfill Gas Concentration, GV-9, Extraction System
- Chart 10 Landfill Gas Concentration, GV-12, Extraction System
- Chart 11 Landfill Gas Concentration, LC-1, Extraction System
- Chart 12 Landfill Gas Concentration, LC-2, Extraction System
- Chart 13 Landfill Gas Concentration, LC-3, Extraction System
- Chart 14 Landfill Gas Concentration, Exhaust, Extraction System
- Chart 15 Landfill Gas Concentration, GP-1, Perimeter Monitoring Point
- Chart 16 Landfill Gas Concentration, GP-2, Perimeter Monitoring Point
- Chart 17 Landfill Gas Concentration, GP-3, Perimeter Monitoring Point
- Chart 18 Landfill Gas Concentration, GP-4, Perimeter Monitoring Point
- Chart 19 Landfill Gas Concentration, GP-5, Perimeter Monitoring Point
- Chart 20 Landfill Gas Concentration, GP-6, Perimeter Monitoring Point
- Chart 21 Landfill Gas Concentration, GP-7, Perimeter Monitoring Point
- Chart 22 Landfill Gas Concentration, GP-8, Perimeter Monitoring Point
- Chart 23 Landfill Gas Concentration, GP-10, Perimeter Monitoring Point
- Chart 24 Landfill Gas Concentration, GP-11, Perimeter Monitoring Point
- Chart 25 Landfill Gas Concentration, GP-12, Perimeter Monitoring Point
- Chart 26 Landfill Gas Concentration, MW-101, Perimeter Monitoring Point
- Chart 27 Landfill Gas Concentration, MW-102, Perimeter Monitoring Point
- Chart 28 Landfill Gas Concentration, MW-103, Perimeter Monitoring Point
- Chart 29 Landfill Gas Concentration, MW-104, Perimeter Monitoring Point
- Chart 30 Barometric Pressure Readings
- Chart 31 Landfill Gas VOC Concentration, LC-1, Extraction System
- Chart 32 Landfill Gas VOC Concentration, LC-2, Extraction System
- Chart 33 Landfill Gas VOC Concentration, LC-3, Extraction System
- Chart 34 Landfill Gas VOC Concentration, GV-6, Extraction System

TABLE OF CONTENTS (Continued)

Chart 35	Landfill Gas VOC Concentration, GP-3, Perimeter Monitoring Point
Chart 36	Monitoring Well VOC Concentration, MW-101, Layer 1
Chart 37	Monitoring Well VOC Concentration, MW-102, Layer 1
Chart 38	Monitoring Well VOC Concentration, MW-103, Layer 1
Chart 39	Monitoring Well VOC Concentration, MW-104, Layer 1
Chart 40	Monitoring Well VOC Concentration, MW-106, Layer 1
Chart 41	Monitoring Well VOC Concentration, MW-107, Layer 1
Chart 42	Monitoring Well VOC Concentration, MW-108, Layer 1
Chart 43	Monitoring Well VOC Concentration, MW-111, Layer 1
Chart 44	Monitoring Well VOC Concentration, MW-112, Layer 1
Chart 45	Monitoring Well VOC Concentration, P-101, Layer 2
Chart 46	Monitoring Well VOC Concentration, P-102, Layer 2
Chart 47	Monitoring Well VOC Concentration, P-103, Layer 2
Chart 48	Monitoring Well VOC Concentration, P-104, Layer 2
Chart 49	Monitoring Well VOC Concentration, P-106, Layer 2
Chart 50	Monitoring Well VOC Concentration, P-107, Layer 2
Chart 51	Monitoring Well VOC Concentration, P-108, Layer 2
Chart 52	Monitoring Well VOC Concentration, P-111, Layer 2
Chart 53	Monitoring Well VOC Concentration, P-103D, Layer 3
Chart 54	Monitoring Well VOC Concentration, P-111D, Layer 3
Chart 55	Monitoring Well VOC Concentration, MW-3B, Layer 3
Chart 56	Monitoring Well VOC Concentration, P-113B, Layer 3
Chart 57	Monitoring Well VOC Concentration, P-114, Layer 3
Chart 58	Monitoring Well VOC Concentration, P-115, Layer 3
Chart 59	Monitoring Well VOC Concentration, P-116, Layer 3
Chart 60	Monitoring Well VOC Concentration, MW-3A, Layer 4
Chart 61	Monitoring Well VOC Concentration, P-107D, Layer 4
Chart 62	Monitoring Well VOC Concentration, P-113A, Layer 4

TABLES

Table 1	Groundwater Elevations
Table 2	Groundwater VOC Analytical Results for Monitoring Wells
Table 3	Groundwater Natural Attenuation Results for Wells
Table 4	Groundwater VOC Analytical Results for Private Drinking Water Wells
Table 5	Leachate VOC Analytical Results for Leachate Wells
Table 6a	Landfill Gas Field Parameter Monitoring Results for Active Extraction Wells
Table 6b	Landfill Gas Field Parameter Monitoring Results for Closed Extraction Wells
Table 6c	Landfill Gas Field Parameter Monitoring Results for Gas Probes and Monitoring Wells
Table 7	Landfill Gas VOC Analytical Results

TABLE OF CONTENTS (Continued)

ATTACHMENTS

Attachment A	Stratigraphic Layers of Wells
Attachment B	Laboratory Analytical Results
Attachment C	Groundwater Sampling Field Forms
Attachment D	Landfill Gas Extraction System Monitoring Field Forms

CONTRACT SF-92-01
STATUS REPORT FOR JULY 2011 SAMPLING EVENT

SITE NAME/ACTIVITY:

FF/NN Landfill
Ripon, Wisconsin
Groundwater Monitoring and Corrective Action

WDNR File Ref. No.: 02-20-000915

PREPARED BY:

Mr. Michael R. Noel and Mr. Kevin F. Lincicum Tetra Tech GEO Ref No.:117-2202.040
Tetra Tech GEO
175 N. Corporate Drive, Suite 100
Brookfield, Wisconsin 53045

PREPARED FOR:

Ms. Christine Lilek
Wisconsin Department of Natural Resources
1155 Pilgrim Road
Plymouth, WI 53073

Mr. Gary Edelstein, P.E.
Wisconsin Department of Natural Resources
P.O. Box 7921
Madison, WI 53707

Mr. Bernard Schorle
U S Environmental Protection Agency
SR-6J
77 West Jackson Boulevard
Chicago, Illinois 60604

DATE:

September 2, 2011

FIELD ACTIVITIES THIS REPORTING PERIOD

- Groundwater elevations were measured at 27 monitoring wells in July 2011. Water levels in Layer 4 wells were measured consecutively to avoid any effects from municipal pumping.
- A total of 13 monitoring wells were sampled for VOCs during the July 2011 event. One duplicate sample was collected for quality control. The revised groundwater monitoring program as outlined in an April 8, 2011 letter from WDNR was followed for this sampling event.
- Landfill gas monitoring in the gas probes and monitoring wells was conducted on July 13, 2011 by Jack Wendler from the City of Ripon. Jack Wendler has conducted biweekly gas monitoring of the extraction system vents and wells. Gas samples for VOC analysis were taken on July 13, 2011 by Jack Wendler.

RESULTS OF FIELD ACTIVITIES

Groundwater Monitoring Event - Groundwater Elevations

The groundwater monitoring wells located at the FF/NN Landfill are grouped into four layers based on well screen elevations to better evaluate groundwater quality at discrete depth intervals. Attachment A contains a table showing the wells for each of the four layers.

For the July 2011 sampling event, groundwater elevations were measured in all 27 monitoring wells by Ashley Weimer from Tetra Tech. Water levels in Layer 4 wells were measured consecutively to avoid any effects from municipal pumping. These elevations are provided in Table 1 and shown on Figures 1 through 4. Each layer is discussed separately below.

Layer 1 Wells

Layer 1 contains nine wells with screen elevations ranging from 812 feet to 821 feet MSL. All of these well screens intersect the water table. The groundwater elevations are displayed on Figure 1 and Chart 1. Compared to the event in April 2011, the water levels have continued to increase in all nine wells. The water table elevations increased an average of 0.9 feet and the increases ranged from 0.6 feet in MW-102 to 1.3 feet in MW-107.

Historically, the groundwater flow direction in this layer has been to the southwest. The July 2011 groundwater flow direction is consistent with the historical results.

Layer 2 Wells

Layer 2 contains eight wells with screen elevations ranging from 774 feet to 792 feet MSL. The groundwater potentiometric surface for this layer is displayed on Figure 2 and Chart 2. Compared to the event in April 2011, the water levels have continued to increase in all eight wells. The water levels increased an average of 0.9 feet and the increases ranged from 0.6 feet in P-102 to 1.3 feet in P-107.

Historically, the groundwater flow direction in this layer has been to the south-southwest. The July 2011 groundwater flow direction is consistent with the historical results.

Layer 3 Wells

Layer 3 contains seven wells with screen elevations ranging from 634 feet to 704 feet MSL. The groundwater potentiometric surface for this layer is displayed on Figure 3 and Chart 3. Compared to the event in April 2011, the water levels have increased in two wells (P-103D and P-111D) and decreased in the remaining five wells. The increases in water levels averaged 0.2 feet while the decreases averaged 0.2 feet as well.

Historically, the groundwater flow direction in this layer has been to the southwest with a slight turn to the west further downgradient. The July 2011 groundwater flow direction is consistent with the historical results.

Layer 4 Wells

Layer 4 contains three wells with screen elevations ranging from 508 feet to 570 feet MSL. The three wells in this grouping are located 375 to 2300 feet downgradient of the landfill. The groundwater potentiometric surface for this layer is displayed on Figure 4 and Chart 4. Compared to the event in April 2011, the water levels decreased in all three wells. The water levels decreased an average of 0.7 feet. The decrease ranged from 0.6 feet in P-107D to 0.9 feet in P-113A.

When pumping at the City of Ripon Municipal Well # 9 was terminated in May 2007, the flow direction shifted from the southeast to the west. The City brought Well # 9 back on line in April 2010. The groundwater flow direction in July 2011 is to the south-southeast reflecting the change due to pumping at Well # 9.

Groundwater Monitoring Event - Monitoring Well Sampling

The revised groundwater monitoring program as outlined in an April 8, 2011 letter from WDNR was followed for this sampling event. The groundwater samples were analyzed for volatile organic compounds (VOCs) using EPA Method 8260B. Analytical results and field forms are provided in Attachments B and C, respectively. The VOC analytical results for the monitoring wells are tabulated in Table 2. The temporal trend of chlorinated compound concentrations in all wells is provided in Charts 36 through 62.

Natural attenuation parameters were taken on selected wells during the July 2011 sampling event. The DO and ORP along with temperature, pH and conductivity were measured using a QED MP20 MicroPurge Flow Cell Meter. The iron II was measured in the field using CHEMetrics analyte-specific Vacu-vials® for photometric analysis using a CHEMetrics Model V-2000 LED photometer.

Following is a summary of the July 2011 VOC analytical results as they relate to groundwater standards for each well that was sampled. To better track impacts at various depths, the results are organized according to the four stratigraphic groupings of wells discussed previously.

During the July sampling, methylene chloride was detected in 11 samples out of the 14 samples submitted to the laboratory (13 samples plus 1 duplicate). Methylene chloride was also detected in the trip blank. It is believed that methylene chloride is a lab introduced compound and therefore will not be discussed further.

Layer 1 Wells

MW-103	No compounds exceeded NR 140 Enforcement Standards (ES). Vinyl chloride (VC) has not been detected since October 2007. Trichloroethene (TCE) exceeded its preventive action limit (PAL) with a concentration of 2.3 ppb. Cis-1,2-dichloroethene (DCE) was detected below NR 140 standards.
--------	--

MW-112 VC was detected above the ES (0.2 ug/L) but below the LOQ (1.0 ug/L) with an estimated concentration of 0.27 ppb. VC has been detected intermittently since April 2009. TCE exceeded its PAL with a concentration of 1.5 ppb. DCE was detected at 5.3 ppb which is below the PAL for this compound.

Layer 2 Wells

P-103 No detection of any VOC. VC was last detected in April 2011.

Layer 3 Wells

MW-3B No detection of any VOC.

P-103D VC was detected above the ES but below the LOQ with an estimated concentration of 0.78 ppb. This concentration is similar to recent results which have been stable to declining.

P-111D VC exceeded its ES at 5.3 ppb. DCE was detected at a concentration below NR 140 standards. The results are similar to past results.

P-113B No detection of any VOC.

P-114 VC exceeded its ES at 5.6 ppb (5.8 ppb duplicate). This result is lower than last sampling round but is similar to past results. DCE was detected at a concentration below NR 140 standards.

P-115 VC was detected above the ES but below the LOQ with an estimated concentration of 0.99 ppb. This result is similar to those found in the past.

P-116 No detection of any VOC.

Layer 4 Wells

MW-3A No detection of any VOC.

P-107D VC exceeded its ES at 5.3 ppb. This concentration is similar to results prior to May 2007. DCE was detected at a concentration below NR 140 standards.

P-113A No detection of any VOC.

Natural Attenuation Parameters

Because VC is the sole remaining contaminant of concern and because VC reduction is most commonly an aerobic process via direct oxidation, MNA parameters that can demonstrate oxidative conditions were taken. Based on EPA (1998) guidance, iron II was taken as indirect evidence of natural attenuation. The results of the MNA sampling are shown on Table 3 and continue to indicate that the aquifer is marginally aerobic.

Interim Landfill Gas Extraction System Performance Monitoring

Results of the gas monitoring are presented in Tables 3 and 4 and Charts 5-30.

Current extraction is from shallow vent GV-6 and the three deep leachate wells (LC-1, LC-2 and LC-3). The other vents have remained closed to prevent oxygen levels from increasing above 5%. There were several modifications to the system during this reporting period. The modifications in the run time of the blower were in response to methane gas concentrations above the lower explosive limit (LEL) in gas probe GP-1. The modifications are listed below:

- 6/06/2011 – run time increased to 8 hours on/16 hours off
- 6/15/2011 – run time increased to 10 hours on/14 hours off
- 7/05/2011 – run time increased to 12 hours on/12 hours off
- 7/26/2011 – run time increased to 16.75 hours on/7.25 hours off
- 7/27/2011 – run time increased to 23.5 hours on/0.5 hours off

Gas samples for VOC analysis were collected on July 13, 2011. The results are summarized on Table 7 and the lab report is included in Attachment B. The VOCs are generally lower than in the previous round of sampling. The historical data shows that VOC concentrations in the landfill gas have been reduced by over 95% since startup of the extraction system.

Historically, methane has increased in GP-1 during the summer months. In the past, the increased methane has been countered by increased operation of the gas extraction system. Based on these past results, it is believed that the current methane levels will drop below the LEL with the increased operation of the extraction system. The methane levels will be continued to be monitored to evaluate if the gas extraction system needs further modifications.

UPCOMING ACTIVITIES PLANNED

Quarterly groundwater sampling, water level measurements and landfill gas extraction point sampling will be conducted in October 2011.

Landfill gas monitoring will be conducted periodically by Jack Wendler from the City of Ripon.


The gas extraction system will continue to be monitored for effectiveness throughout this quarter.

Preparation and submittal of Focused Feasibility Study Report

PERSONNEL

Mr. Michael Noel is the Project Manager and Principal Hydrogeologist. Mr. Kevin Lincicum is the Project Hydrogeologist who oversaw the field activities of Staff Geologist Ashley Weimer. The laboratory analyses for July 2011 groundwater samples were completed by Pace Analytical Services, Inc. in Green Bay, Wisconsin. The laboratory analyses for the air samples was completed by Pace Analytical Services, Inc. located in Minneapolis, Minnesota.

FIGURES



EXPLANATION


- P-104 MONITOR WELL, PIEZOMETER
 MW-104 LOCATION, DESIGNATION
 LC-2 LEACHATE HEAD WELL
 LOCATION, DESIGNATION
 OUTLINE OF CLOSED LANDFILL
 ● GP-1 GAS PROBE LOCATION
 AND DESIGNATION
 ● GV-1 GAS VENT LOCATION
 AND DESIGNATION
 (824.38) GROUNDWATER ELEVATION


SCALE 500
Feet

BASEMAP FROM FOND DU LAC COUNTY PLANNING DIVISION, SPRING 2000.
 FF/NN LANDFILL
 RIPON, WISCONSIN
 DATE: 7/19/11
 DESIGNED: HJW
 CHECKED: MRN
 APPROVED: MRN
 DRAWN: HJW
 PROJ.: 117-202040



Figure 2





EXPLANATION

P-104 MONITOR WELL, PIEZOMETER LOCATION, DESIGNATION
 MW-104 LEACHATE HEAD WELL LOCATION, DESIGNATION
 LC-2 OUTLINE OF CLOSED LANDFILL
 P-108

GP-1 GAS PROBE LOCATION AND DESIGNATION
 GV-1 GAS VENT LOCATION AND DESIGNATION
 (819.73) GROUNDWATER ELEVATION

(819.73) GROUNDWATER ELEVATION
 GP-2
 GP-3
 GP-4
 GP-5
 GP-6
 GP-7
 GP-8
 GP-9
 GP-10
 GP-11
 GP-12
 GP-13
 GP-14
 GP-15
 GP-16
 GP-17
 GP-18
 GP-19
 GP-20
 GP-21
 GP-22
 GP-23
 GP-24
 GP-25
 GP-26
 GP-27
 GP-28
 GP-29
 GP-30
 GP-31
 GP-32
 GP-33
 GP-34
 GP-35
 GP-36
 GP-37
 GP-38
 GP-39
 GP-40
 GP-41
 GP-42
 GP-43
 GP-44
 GP-45
 GP-46
 GP-47
 GP-48
 GP-49
 GP-50
 GP-51
 GP-52
 GP-53
 GP-54
 GP-55
 GP-56
 GP-57
 GP-58
 GP-59
 GP-60
 GP-61
 GP-62
 GP-63
 GP-64
 GP-65
 GP-66
 GP-67
 GP-68
 GP-69
 GP-70
 GP-71
 GP-72
 GP-73
 GP-74
 GP-75
 GP-76
 GP-77
 GP-78
 GP-79
 GP-80
 GP-81
 GP-82
 GP-83
 GP-84
 GP-85
 GP-86
 GP-87
 GP-88
 GP-89
 GP-90
 GP-91
 GP-92
 GP-93
 GP-94
 GP-95
 GP-96
 GP-97
 GP-98
 GP-99
 GP-100
 GP-101
 GP-102
 GP-103
 GP-104
 GP-105
 GP-106
 GP-107
 GP-108
 GP-109
 GP-110
 GP-111
 GP-112
 GP-113
 GP-114
 GP-115
 GP-116
 GP-117
 GP-118
 GP-119
 GP-120
 GP-121
 GP-122
 GP-123
 GP-124
 GP-125
 GP-126
 GP-127
 GP-128
 GP-129
 GP-130
 GP-131
 GP-132
 GP-133
 GP-134
 GP-135
 GP-136
 GP-137
 GP-138
 GP-139
 GP-140
 GP-141
 GP-142
 GP-143
 GP-144
 GP-145
 GP-146
 GP-147
 GP-148
 GP-149
 GP-150
 GP-151
 GP-152
 GP-153
 GP-154
 GP-155
 GP-156
 GP-157
 GP-158
 GP-159
 GP-160
 GP-161
 GP-162
 GP-163
 GP-164
 GP-165
 GP-166
 GP-167
 GP-168
 GP-169
 GP-170
 GP-171
 GP-172
 GP-173
 GP-174
 GP-175
 GP-176
 GP-177
 GP-178
 GP-179
 GP-180
 GP-181
 GP-182
 GP-183
 GP-184
 GP-185
 GP-186
 GP-187
 GP-188
 GP-189
 GP-190
 GP-191
 GP-192
 GP-193
 GP-194
 GP-195
 GP-196
 GP-197
 GP-198
 GP-199
 GP-200
 GP-201
 GP-202
 GP-203
 GP-204
 GP-205
 GP-206
 GP-207
 GP-208
 GP-209
 GP-210
 GP-211
 GP-212
 GP-213
 GP-214
 GP-215
 GP-216
 GP-217
 GP-218
 GP-219
 GP-220
 GP-221
 GP-222
 GP-223
 GP-224
 GP-225
 GP-226
 GP-227
 GP-228
 GP-229
 GP-230
 GP-231
 GP-232
 GP-233
 GP-234
 GP-235
 GP-236
 GP-237
 GP-238
 GP-239
 GP-240
 GP-241
 GP-242
 GP-243
 GP-244
 GP-245
 GP-246
 GP-247
 GP-248
 GP-249
 GP-250
 GP-251
 GP-252
 GP-253
 GP-254
 GP-255
 GP-256
 GP-257
 GP-258
 GP-259
 GP-260
 GP-261
 GP-262
 GP-263
 GP-264
 GP-265
 GP-266
 GP-267
 GP-268
 GP-269
 GP-270
 GP-271
 GP-272
 GP-273
 GP-274
 GP-275
 GP-276
 GP-277
 GP-278
 GP-279
 GP-280
 GP-281
 GP-282
 GP-283
 GP-284
 GP-285
 GP-286
 GP-287
 GP-288
 GP-289
 GP-290
 GP-291
 GP-292
 GP-293
 GP-294
 GP-295
 GP-296
 GP-297
 GP-298
 GP-299
 GP-300
 GP-301
 GP-302
 GP-303
 GP-304
 GP-305
 GP-306
 GP-307
 GP-308
 GP-309
 GP-310
 GP-311
 GP-312
 GP-313
 GP-314
 GP-315
 GP-316
 GP-317
 GP-318
 GP-319
 GP-320
 GP-321
 GP-322
 GP-323
 GP-324
 GP-325
 GP-326
 GP-327
 GP-328
 GP-329
 GP-330
 GP-331
 GP-332
 GP-333
 GP-334
 GP-335
 GP-336
 GP-337
 GP-338
 GP-339
 GP-340
 GP-341
 GP-342
 GP-343
 GP-344
 GP-345
 GP-346
 GP-347
 GP-348
 GP-349
 GP-350
 GP-351
 GP-352
 GP-353
 GP-354
 GP-355
 GP-356
 GP-357
 GP-358
 GP-359
 GP-360
 GP-361
 GP-362
 GP-363
 GP-364
 GP-365
 GP-366
 GP-367
 GP-368
 GP-369
 GP-370
 GP-371
 GP-372
 GP-373
 GP-374
 GP-375
 GP-376
 GP-377
 GP-378
 GP-379
 GP-380
 GP-381
 GP-382
 GP-383
 GP-384
 GP-385
 GP-386
 GP-387
 GP-388
 GP-389
 GP-390
 GP-391
 GP-392
 GP-393
 GP-394
 GP-395
 GP-396
 GP-397
 GP-398
 GP-399
 GP-400
 GP-401
 GP-402
 GP-403
 GP-404
 GP-405
 GP-406
 GP-407
 GP-408
 GP-409
 GP-410
 GP-411
 GP-412
 GP-413
 GP-414
 GP-415
 GP-416
 GP-417
 GP-418
 GP-419
 GP-420
 GP-421
 GP-422
 GP-423
 GP-424
 GP-425
 GP-426
 GP-427
 GP-428
 GP-429
 GP-430
 GP-431
 GP-432
 GP-433
 GP-434
 GP-435
 GP-436
 GP-437
 GP-438
 GP-439
 GP-440
 GP-441
 GP-442
 GP-443
 GP-444
 GP-445
 GP-446
 GP-447
 GP-448
 GP-449
 GP-450
 GP-451
 GP-452
 GP-453
 GP-454
 GP-455
 GP-456
 GP-457
 GP-458
 GP-459
 GP-460
 GP-461
 GP-462
 GP-463
 GP-464
 GP-465
 GP-466
 GP-467
 GP-468
 GP-469
 GP-470
 GP-471
 GP-472
 GP-473
 GP-474
 GP-475
 GP-476
 GP-477
 GP-478
 GP-479
 GP-480
 GP-481
 GP-482
 GP-483
 GP-484
 GP-485
 GP-486
 GP-487
 GP-488
 GP-489
 GP-490
 GP-491
 GP-492
 GP-493
 GP-494
 GP-495
 GP-496
 GP-497
 GP-498
 GP-499
 GP-500
 GP-501
 GP-502
 GP-503
 GP-504
 GP-505
 GP-506
 GP-507
 GP-508
 GP-509
 GP-510
 GP-511
 GP-512
 GP-513
 GP-514
 GP-515
 GP-516
 GP-517
 GP-518
 GP-519
 GP-520
 GP-521
 GP-522
 GP-523
 GP-524
 GP-525
 GP-526
 GP-527
 GP-528
 GP-529
 GP-530
 GP-531
 GP-532
 GP-533
 GP-534
 GP-535
 GP-536
 GP-537
 GP-538
 GP-539
 GP-540
 GP-541
 GP-542
 GP-543
 GP-544
 GP-545
 GP-546
 GP-547
 GP-548
 GP-549
 GP-550
 GP-551
 GP-552
 GP-553
 GP-554
 GP-555
 GP-556
 GP-557
 GP-558
 GP-559
 GP-560
 GP-561
 GP-562
 GP-563
 GP-564
 GP-565
 GP-566
 GP-567
 GP-568
 GP-569
 GP-570
 GP-571
 GP-572
 GP-573
 GP-574
 GP-575
 GP-576
 GP-577
 GP-578
 GP-579
 GP-580
 GP-581
 GP-582
 GP-583
 GP-584
 GP-585
 GP-586
 GP-587
 GP-588
 GP-589
 GP-590
 GP-591
 GP-592
 GP-593
 GP-594
 GP-595
 GP-596
 GP-597
 GP-598
 GP-599
 GP-600
 GP-601
 GP-602
 GP-603
 GP-604
 GP-605
 GP-606
 GP-607
 GP-608
 GP-609
 GP-610
 GP-611
 GP-612
 GP-613
 GP-614
 GP-615
 GP-616
 GP-617
 GP-618
 GP-619
 GP-620
 GP-621
 GP-622
 GP-623
 GP-624
 GP-625
 GP-626
 GP-627
 GP-628
 GP-629
 GP-630
 GP-631
 GP-632
 GP-633
 GP-634
 GP-635
 GP-636
 GP-637
 GP-638
 GP-639
 GP-640
 GP-641
 GP-642
 GP-643
 GP-644
 GP-645
 GP-646
 GP-647
 GP-648
 GP-649
 GP-650
 GP-651
 GP-652
 GP-653
 GP-654
 GP-655
 GP-656
 GP-657
 GP-658
 GP-659
 GP-660
 GP-661
 GP-662
 GP-663
 GP-664
 GP-665
 GP-666
 GP-667
 GP-668
 GP-669
 GP-670
 GP-671
 GP-672
 GP-673
 GP-674
 GP-675
 GP-676
 GP-677
 GP-678
 GP-679
 GP-680
 GP-681
 GP-682
 GP-683
 GP-684
 GP-685
 GP-686
 GP-687
 GP-688
 GP-689
 GP-690
 GP-691
 GP-692
 GP-693
 GP-694
 GP-695
 GP-696
 GP-697
 GP-698
 GP-699
 GP-700
 GP-701
 GP-702
 GP-703
 GP-704
 GP-705
 GP-706
 GP-707
 GP-708
 GP-709
 GP-710
 GP-711
 GP-712
 GP-713
 GP-714
 GP-715
 GP-716
 GP-717
 GP-718
 GP-719
 GP-720
 GP-721
 GP-722
 GP-723
 GP-724
 GP-725
 GP-726
 GP-727
 GP-728
 GP-729
 GP-730
 GP-731
 GP-732
 GP-733
 GP-734
 GP-735
 GP-736
 GP-737
 GP-738
 GP-739
 GP-740
 GP-741
 GP-742
 GP-743
 GP-744
 GP-745
 GP-746
 GP-747
 GP-748
 GP-749
 GP-750
 GP-751
 GP-752
 GP-753
 GP-754
 GP-755
 GP-756
 GP-757
 GP-758
 GP-759
 GP-760
 GP-761
 GP-762
 GP-763
 GP-764
 GP-765
 GP-766
 GP-767
 GP-768
 GP-769
 GP-770
 GP-771
 GP-772
 GP-773
 GP-774
 GP-775
 GP-776
 GP-777
 GP-778
 GP-779
 GP-780
 GP-781
 GP-782
 GP-783
 GP-784
 GP-785
 GP-786
 GP-787
 GP-788
 GP-789
 GP-790
 GP-791
 GP-792
 GP-793
 GP-794
 GP-795
 GP-796
 GP-797
 GP-798
 GP-799
 GP-800
 GP-801
 GP-802
 GP-803
 GP-804
 GP-805
 GP-806
 GP-807
 GP-808
 GP-809
 GP-8010
 GP-8011
 GP-8012
 GP-8013
 GP-8014
 GP-8015
 GP-8016
 GP-8017
 GP-8018
 GP-8019
 GP-8020
 GP-8021
 GP-8022
 GP-8023
 GP-8024
 GP-8025
 GP-8026
 GP-8027
 GP-8028
 GP-8029
 GP-8030
 GP-8031
 GP-8032
 GP-8033
 GP-8034
 GP-8035
 GP-8036
 GP-8037
 GP-8038
 GP-8039
 GP-8040
 GP-8041
 GP-8042
 GP-8043
 GP-8044
 GP-8045
 GP-8046
 GP-8047
 GP-8048
 GP-8049
 GP-8050
 GP-8051
 GP-8052
 GP-8053
 GP-8054
 GP-8055
 GP-8056
 GP-8057
 GP-8058
 GP-8059
 GP-8060
 GP-8061
 GP-8062
 GP-8063
 GP-8064
 GP-8065
 GP-8066
 GP-8067
 GP-8068
 GP-8069
 GP-8070
 GP-8071
 GP-8072
 GP-8073
 GP-8074
 GP-8075
 GP-8076
 GP-8077
 GP-8078
 GP-8079
 GP-8080
 GP-8081
 GP-8082
 GP-8083
 GP-8084
 GP-8085
 GP-8086
 GP-8087
 GP-8088
 GP-8089
 GP-8090
 GP-8091
 GP-8092
 GP-8093
 GP-8094
 GP-8095
 GP-8096
 GP-8097
 GP-8098
 GP-8099
 GP-80100
 GP-80101
 GP-80102
 GP-80103
 GP-80104
 GP-80105
 GP-80106
 GP-80107
 GP-80108
 GP-80109
 GP-80110
 GP-80111
 GP-80112
 GP-80113
 GP-80114
 GP-80115
 GP-80116
 GP-80117
 GP-80118
 GP-80119
 GP-80120
 GP-80121
 GP-80122
 GP-80123
 GP-80124
 GP-80125
 GP-80126
 GP-80127
 GP-80128
 GP-80129
 GP-80130
 GP-80131
 GP-80132
 GP-8013

CHARTS

Chart 1: Layer 1 Historic Water Level Data




Chart 2: Layer 2 Historic Water Level Data




Chart 3: Layer 3 Historic Water Level Data




Chart 4: Layer 4 Historic Water Level Data




Chart 5: GV-1 Gas Concentrations




Chart 6: GV-4 Gas Concentrations




Chart 7: GV-6 Gas Concentrations




Chart 8: GV-7 Gas Concentrations




Chart 9: GV-9 Gas Concentrations




Chart 10: GV-12 Gas Concentrations




Chart 11: LC-1 Gas Concentrations




Chart 12: LC-2 Gas Concentrations




Chart 13: LC-3 Gas Concentrations




Chart 14: System Exhaust




Chart 15: GP-1 Gas Concentrations




Chart 16: GP-2 Gas Concentrations




Chart 17: GP-3 Gas Concentrations




Chart 18: GP-4 Gas Concentrations




Chart 19: GP-5 Gas Concentrations




Chart 20: GP-6 Gas Concentrations




Chart 21: GP-7 Gas Concentrations




Chart 22: GP-8 Gas Concentrations




Chart 23: GP-10 Gas Concentrations




Chart 24: GP-11 Gas Concentrations




Chart 25: GP-12 Gas Concentrations




Chart 26: MW-101 Gas Concentrations




Chart 27: MW-102 Gas Concentrations




Chart 28: MW-103 Gas Concentrations







Chart 29: MW-104 Gas Concentrations




**Chart 30: Barometric Pressure
(Weather Station: Ripon, WI)**




**Chart 31: L.C-1
Total Gas VOCs**




**Chart 32: LC-2
Total Gas VOCs**



**Chart 33: LC-3
Total Gas VOCs**



**Chart 34: GV-6
Total Gas VOCs**



**Chart 35: GIP-3
Total Gas VOCs**






Chart 36: MW-101
Layer 1 Well



Side gradient


**Chart 37: MW-102
Layer 1 Well**

Trichloroethene cis-1,2-Dichloroethene Vinyl Chloride




**Chart 38: MW-103
Layer 1 Well**

10' Down gradient




**Chart 39: MW-104
Layer 1 Well**


Side gradient




**Chart 40: MW-106
Layer 1 Well**



**Chart 41: MW-107
Layer 1 Well**



**Chart 42: MW-108
Layer 1 Well**



**Chart 43: MW-111
Layer 1 Well**







Chart 44: MW-112
Layer 1 Well



**Chart 45: P-101
Layer 2 Well**




**Chart 46: P-102
Layer 2 Well**



**Chart 47: P-103
Layer 2 Well**

10' Down gradient

Trichloroethene cis-1,2-Dichloroethene Vinyl Chloride



**Chart 48: P-104
Layer 2 Well**

Side gradient

Trichloroethene cis-1,2-Dichloroethene Vinyl Chloride





Chart 49: P-106
Layer 2 Well

Side gradient

Trichloroethene cis-1,2-Dichloroethene Vinyl Chloride



**Chart 50: P-107
Layer 2 Well**




Chart 51: P-108
Layer 2 Well

Side gradient

Trichloroethene cis-1,2-Dichloroethene Vinyl Chloride





Chart 52: P-111
Layer 2 Well

900' Down gradient


Trichloroethene cis-1,2-Dichloroethene Vinyl Chloride



**Chart 53: P-103D
Layer 3 Well**

10' Down gradient

Trichloroethene cis-1,2-Dichloroethene Vinyl Chloride



**Chart 54: P-111D
Layer 3 Well**

900' Down gradient




Chart 55: MW-3B
Layer 3 Well





Chart 56: P-113B
Layer 3 Well



**Chart 57: P-114
Layer 3 Well**






Chart 58: P-115
Layer 3 Well



**Chart 59: P-116
Layer 3 Well**



**Chart 60: MW-3A
Layer 4 Well**






Chart 61: P-107D Layer 4 Well

370' Down gradient

Trichloroethene cis-1,2-Dichloroethene Vinyl Chloride



**Chart 62: P-113A
Layer 4 Well**



TABLES

Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI

(Table 1 - groundwater elevations - title found in Header so don't print this block)

Well Name	TOC Elevation	Jun-93	Oct-93	Apr-94	Oct-96	May-97	Oct-97	Apr-98	Oct-98	Oct-99	May-00
MW-101	884.80	826.56	824.20	824.04	823.41	824.34			822.08	823.17	
P-101	885.26	826.52	824.24	824.02	823.38	824.33	823.00	820.24	822.04	823.16	822.73
MW-102	843.05	826.83	825.35	824.29	823.57	824.67	823.26			823.52	823.17
P-102	842.99	826.89	824.40	824.35	823.64	824.75	823.38	820.77	822.47	823.63	823.25
MW-103	872.42	823.08	821.77	819.49	820.56			819.22			
P-103	872.92	826.29	826.88	823.88	817.43	824.16	822.89	820.25	821.96	823.11	822.70
P-103D	873.08	(Installed December 2003)									
MW-104	875.15	826.32	824.12	824.02	823.14	824.13		820.13	823.87		
P-104	875.48	826.47	824.25	824.12	823.26	824.24	822.92	820.25	822.06	823.18	822.70
MW-106	878.90	826.67	824.21	824.24	820.96	824.61	823.23		822.42	823.45	823.10
P-106	878.91	826.63	824.09	824.07	823.42	824.51	823.16	820.40	822.33	823.38	823.02
MW-107	871.78	821.02	820.52	818.76	819.17	819.22		817.04	818.70	819.68	
P-107	871.38	820.86	820.37	818.78	819.07	819.24	818.38	817.14	818.72	819.71	818.62
P-107D	871.98			819.13	817.47	819.52	818.29	816.77	817.56	817.78	817.34
MW-108	845.25		819.00	817.85	818.17	818.31				818.48	817.49
P-108	845.61		822.03	821.09	821.29	821.52	820.55	818.77	820.25	821.18	820.25
MW-111	856.46			817.58	817.93	818.10	817.29	816.29	817.33	818.30	817.28
P-111	856.13			817.09	817.43	817.60	816.78	815.75	816.85	817.83	816.79
P-111D	855.79	(Installed April 2002)									
MW-112	874.55				819.46	819.92	819.02		819.15	820.02	819.20
P-113A	833.09	(Installed September 2002)									
P-113B	833.10	(Installed September 2002)									
P-114	839.35	(Private well converted to monitoring well in 2003)									
P-115	842.71	(Private well converted to monitoring well in 2004)									
P-116	845.34	(Private well converted to monitoring well in 2004)									
MW-3A	850.77	(Water levels taken beginning February 2002)									
MW-3B	851.04	(Water levels taken beginning February 2002)									
LC1	876.15				849.02	847.87	846.99	846.82	846.56		846.27
LC2	866.05				847.25	842.91	841.20	840.61	838.31	839.29	839.17
LC3	877.34					845.69					845.82

Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI

(Table 1 - groundwater elev

Well Name	TOC Elevation	Oct-00	May-01	Oct-01	Feb-02	May-02	Aug-02	Oct-02	Dec-02	Apr-03	Oct-03
MW-101	884.80		823.13	824.17	823.18	DRY	DRY	NT	DRY	DRY	821.24
P-101	885.26	822.66	823.06	824.16	823.19	800.47	814.42	NT	818.91	820.46	821.16
MW-102	843.05	823.19		824.38	823.53	818.93	DRY	NT	DRY	820.95	821.57
P-102	842.99		823.39	824.49	823.69	799.84	814.94	NT	819.47	821.08	821.66
MW-103	872.42			821.63	>51.32	819.28	819.34	NT	DRY	DRY	819.61
P-103	872.92	822.60	823.02	823.87	823.00	801.70	814.74	NT	819.01	820.52	821.12
P-103D	873.08										
MW-104	875.15			823.88	>51.28	DRY	DRY	NT	DRY	820.37	820.85
P-104	875.48	822.64	823.10	824.03	823.12	802.51	814.82	NT	819.05	820.50	821.43
MW-106	878.90	822.96	823.34	Dry	823.50	DRY	DRY	NT	DRY	DRY	821.58
P-106	878.91	822.89	823.26	824.25	823.39	800.31	814.52	NT	819.18	820.80	821.49
MW-107	871.78		819.36	820.12	>52.5	816.72	DRY	DRY	DRY	817.73	818.35
P-107	871.38	818.62	819.35	820.12	818.86	809.86	813.29	NT	816.65	817.74	818.39
P-107D	871.98	818.10	819.04	816.61	817.70	811.80	815.35	816.43	816.68	817.26	816.72
MW-108	845.25		818.32	818.62	>27.7	815.44	815.45	NT	815.79	816.20	816.68
P-108	845.61	820.45	820.97	822.08	820.66	811.84	815.19	NT	817.83	818.57	819.26
MW-111	856.46	817.32	818.15	818.74	817.51	813.43	813.59	NT	815.42	816.14	816.71
P-111	856.13	816.83	817.68	818.26	817.04	812.54	812.90	NT	814.90	815.68	816.27
P-111D	855.79					807.70	815.16	816.73	816.22	818.17	817.95
MW-112	874.55	819.21	819.87	820.52	822.87	814.38	814.47	NT	816.75	817.87	818.54
P-113A	833.09							816.09	816.39	816.93	816.20
P-113B	833.10							816.68	816.93	817.25	816.58
P-114	839.35									817.17	816.93
P-115	842.71										
P-116	845.34										
MW-3A	850.77				817.24	810.74	815.18	816.11	815.99	816.63	815.67
MW-3B	851.04				819.32	807.37	815.34	817.07	817.54	818.31	817.92
LC1	876.15		846.30	Dry	Dry	DRY	DRY	NT	DRY	DRY	NM
LC2	866.05	839.28	839.03	838.92	838.97	838.83	838.98	NT	838.75	839.17	NM
LC3	877.34		845.80	Dry	Dry	DRY	DRY	NT	DRY	DRY	NM

Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI

(Table 1 - groundwater elev

Well Name	TOC Elevation	Feb-04	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Jan-06	Mar-06
MW-101	884.80	NM	822.87	825.76	823.36	822.85	823.27	821.11	DRY	820.81	NM
P-101	885.26	NM	822.86	825.76	823.35	822.84	823.26	821.07	820.23	820.75	NM
MW-102	843.05	NM	823.34	826.08	823.71	823.34	823.66	821.70	820.65	821.33	NM
P-102	842.99	NM	823.42	826.17	823.79	823.38	823.75	821.48	820.72	821.41	NM
MW-103	872.42	NM	821.06	824.54	822.24	820.52	821.60	819.70	819.25	819.24	NM
P-103	872.92	NM	822.77	825.58	823.23	822.78	823.14	821.09	820.26	820.92	NM
P-103D	873.08	820.64	821.89	824.39	822.21	821.89	822.08	820.26	819.23	820.24	NM
MW-104	875.15	NM	822.75	825.49	823.27	822.75	823.16	821.09	820.34	820.65	NM
P-104	875.48	NM	822.82	825.61	823.36	822.82	823.21	821.20	820.40	820.79	NM
MW-106	878.90	NM	823.25	826.07	823.60	823.20	823.61	821.42	DRY	821.24	NM
P-106	878.91	NM	823.17	825.99	823.50	823.10	823.54	821.31	820.50	821.16	NM
MW-107	871.78	NM	819.63	823.41	821.20	819.89	820.18	818.69	817.85	817.81	NM
P-107	871.38	NM	819.71	823.34	821.20	820.91	820.20	818.72	817.84	817.80	NM
P-107D	871.98	NM	818.68	819.78	817.72	817.65	818.77	815.90	814.85	816.33	816.45
MW-108	845.25	NM	817.86	820.27	819.00	818.17	818.41	816.95	816.27	816.31	NM
P-108	845.61	NM	820.52	823.39	821.94	820.84	821.05	819.76	819.13	819.04	NM
MW-111	856.46	NM	818.03	821.40	819.60	817.39	818.69	817.32	816.51	816.31	NM
P-111	856.13	NM	817.59	821.01	819.16	816.92	818.19	816.82	816.03	815.84	NM
P-111D	855.79	NM	819.55	821.82	819.77	819.55	819.55	818.11	817.37	818.40	NM
MW-112	874.55	NM	819.89	823.17	821.14	820.15	820.50	818.82	818.14	818.31	NM
P-113A	833.09	NM	817.91	818.17	817.32	817.28	818.35	815.50	814.36	816.40	816.04
P-113B	833.10	816.61	818.30	820.16	818.25	818.13	818.36	816.74	815.47	816.90	NM
P-114	839.35	NM	818.55	820.44	818.71	818.50	818.76	817.02	816.34	817.28	NM
P-115	842.71	NM	818.61	820.51	818.71	818.55	818.62	817.05	816.05	817.44	NM
P-116	845.34	NM	817.54	819.31	817.80	817.47	817.74	816.45	815.48	816.02	NM
MW-3A	850.77	NM	818.03	819.73	817.00	817.15	816.84	816.05	814.87	817.98	815.81
MW-3B	851.04	NM	819.79	822.01	819.66	819.60	819.45	818.44	817.28	819.15	NM
LC1	876.15	NM	846.45	NM	DRY	DRY	846.39	DRY	NM	NM	NM
LC2	866.05	NM	839.27	NM	838.89	DRY	839.05	838.89	838.91	839.01	NM
LC3	877.34	NM	DRY	NM	DRY	DRY	DRY	DRY	NM	NM	NM

Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI

(Table 1 - groundwater elev

Well Name	TOC Elevation	Apr-06	Jul-06	Oct-06	Jan-07	May-07	Aug-07	Oct-07	Jan-08	May-08
MW-101	884.80	821.41	821.29	820.71	821.43	822.37	822.22	822.74	822.47	824.5
P-101	885.26	821.37	821.22	820.69	821.34	822.32	822.18	822.68	822.43	824.49
MW-102	843.05	821.91	821.75	821.15	821.73	822.85	822.55	822.95	822.95	824.9
P-102	842.99	822.06	821.80	821.25	821.82	822.90	822.63	823.01	823.03	824.95
MW-103	872.42	819.36	819.82	818.82	819.47	820.39	820.45	820.78	820.46	822.13
P-103	872.92	821.42	821.33	820.70	821.39	822.31	822.17	822.63	822.86	824.39
P-103D	873.08	820.54	820.43	819.88	820.52	821.56	821.495	822.015	821.935	823.885
MW-104	875.15	821.35	821.16	820.61	821.11	822.17	822.06	822.56	822.25	824.26
P-104	875.48	821.45	821.33	820.76	821.29	822.29	822.27	822.75	822.44	824.45
MW-106	878.90	821.85	821.77	821.10	821.78	822.78	822.51	822.76	822.84	824.77
P-106	878.91	821.72	821.67	820.99	821.62	822.71	822.44	822.7	822.75	824.7
MW-107	871.78	818.03	DRY	817.90	818.29	818.87	818.97	819.12	818.88	820.34
P-107	871.38	818.19	818.59	817.89	818.23	818.88	819.01	819.08	818.91	820.27
P-107D	871.98	816.89	816.83	816.24	817.05	818.27	818.79	819.93	820.32	822.9
MW-108	845.25	816.70	816.88	816.39	816.64	817.39	817.96	817.99	817.5	819.15
P-108	845.61	819.40	819.65	819.41	819.40	820.14	821.45	821.33	820.44	822.15
MW-111	856.46	816.74	817.14	816.58	816.72	817.40	817.44	817.51	NT	818.85
P-111	856.13	816.24	816.74	816.09	816.23	816.92	816.95	817.01	816.85	818.4
P-111D	855.79	818.62	818.54	818.26	818.48	819.84	819.44	819.92	820.14	822.09
MW-112	874.55	818.66	818.88	818.20	818.52	819.24	819.39	819.73	819.41	820.97
P-113A	833.09	816.39	816.54	815.81	817.29	817.78	818.13	819.42	819.91	822.4
P-113B	833.10	817.01	817.57	816.81	816.70	818.11	818.26	819.09	819.35	821.36
P-114	839.35	817.38	817.36	816.86	817.36	818.48	818.14	818.61	819	820.91
P-115	842.71	817.56	817.50	817.12	817.62	818.72	818.375	818.815	819.185	821.095
P-116	845.34	816.48	816.34	816.00	816.38	817.47	816.905	817.475	817.755	819.425
MW-3A	850.77	816.29	817.51	816.34	817.49	817.68	819.68	820.7	821.15	823.53
MW-3B	851.04	818.86	819.18	818.27	818.88	819.62	820.24	820.88	821.08	823.09
LC1	876.15	843.40	847.60	847.66	NM	846.41	NM	NM	NM	845.89
LC2	866.05	839.47	839.52	838.45	NM	838.63	NM	NM	NM	837.81
LC3	877.34	845.89	845.87	844.68	NM	846.12	NM	NM	NM	845.28

Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI

(Table 1 - groundwater elev

Well Name	TOC Elevation	Jul-08	Sep-08	Oct-08	Jan-09	Apr-09	Jul-09	Oct-09	Feb-10
MW-101	884.80	825.1	822.61	822.63	822.93	824.08	823.61	822.68	822.2
P-101	885.26	825.07	822.56	822.59	822.91	824.05	823.6	822.63	822.17
MW-102	843.05	825.36	822.77	822.83	823.4	824.49	823.85	822.99	822.65
P-102	842.99	825.34	822.74	822.81	823.5	824.57	824.11	823.05	822.76
MW-103	872.42	823.95	822.05	821.92	821.19	821.99	821.72	820.83	820.27
P-103	872.92	825.02	822.57	822.66	822.97	824.06	823.59	822.62	822.24
P-103D	873.08	824.425	822.145	822.265	822.475	823.545	822.905	822.055	821.705
MW-104	875.15	824.9	822.54	822.55	822.82	823.92	823.47	822.53	822.06
P-104	875.48	825.12	822.78	822.74	822.98	824.06	823.64	822.68	822.22
MW-106	878.90	824.98	822.7	822.75	823.31	824.41	823.94	822.96	822.61
P-106	878.91	825.25	822.63	822.64	823.25	824.37	823.9	822.85	822.54
MW-107	871.78	823.81	821.16	821.04	819.71	820.34	820.25	819.37	818.81
P-107	871.38	823.72	821.1	821.09	819.4	820.34	820.26	819.34	818.48
P-107D	871.98	823.25	820.9	820.87	820.81	822.24	820.61	819.98	819.88
MW-108	845.25	820.42	819.28	819.23	818.16	818.87	818.58	817.93	817.28
P-108	845.61	823.57	822.14	822.05	820.87	821.67	821.73	821.06	820.08
MW-111	856.46	821.08	819.77	819.75	818.21	818.88	818.71	817.87	817.29
P-111	856.13	820.72	819.35	819.23	817.77	818.41	818.3	817.43	816.86
P-111D	855.79	822.61	820.74	820.79	820.65	821.71	820.85	820.15	819.91
MW-112	874.55	822.76	821.08	820.99	820.08	820.83	820.62	819.76	819.24
P-113A	833.09	822.8	820.45	820.53	820.34	821.81	820.1	819.4	819.57
P-113B	833.10	821.79	820.09	820.1	819.84	820.96	819.81	819.24	819.15
P-114	839.35	821.45	819.79	819.83	819.5	820.51	819.6	818.99	818.75
P-115	842.71	821.635	819.965	819.975	819.655	820.725	819.805	819.145	818.935
P-116	845.34	820.385	816.805	818.705	818.375	819.155	818.465	817.755	817.565
MW-3A	850.77	823.87	821.57	821.62	821.62	822.96	821.46	820.87	820.85
MW-3B	851.04	823.53	821.48	821.5	821.51	822.66	821.74	821.06	820.84
LC1	876.15	NM							
LC2	866.05	NM							
LC3	877.34	NM							

Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI

(Table 1 - groundwater elev

Well Name	TOC Elevation	May-10	Sep-10	Jan-11	Mar-11	Apr-11	Jul-11
MW-101	884.80	823.43	823.29	822.19	NM	823.66	824.41
P-101	885.26	823.37	823.25	822.14	NM	823.6	824.38
MW-102	843.05	823.77	823.66	822.66	NM	824.1	824.73
P-102	842.99	823.8	823.71	822.74	NM	824.16	824.79
MW-103	872.42	821.25	821.32	820.29	NM	821.34	822.45
P-103	872.92	823.34	823.19	822.26	NM	823.6	824.28
P-103D	873.08	822.575	822.35	821.81	821.96	822.88	823.26
MW-104	875.15	823.25	823.12	822.1	NM	823.47	824.19
P-104	875.48	823.41	823.3	822.26	NM	823.62	824.37
MW-106	878.90	823.72	823.6	822.57	NM	824.02	824.68
P-106	878.91	823.64	823.52	822.52	NM	823.94	824.6
MW-107	871.78	819.59	819.85	818.83	NM	819.76	821.04
P-107	871.38	819.62	819.82	818.98	NM	819.73	821.02
P-107D	871.98	819.68	818.85	820.47	819.05	820.29	819.73
MW-108	845.25	818.27	818.39	817.44	NM	818.51	819.21
P-108	845.61	821.53	821.66	820.25	NM	821.32	822.51
MW-111	856.46	818.07	818.3	817.39	NM	818.37	819.45
P-111	856.13	817.61	817.88	816.96	NM	817.89	819.01
P-111D	855.79	820.41	820.16	817.15	820.05	820.83	820.9
MW-112	874.55	820.13	820.24	819.33	NM	820.23	821.36
P-113A	833.09	819.09	818.24	820.05	818.53	819.67	818.78
P-113B	833.10	819.27	818.88	819.45	818.97	819.64	819.34
P-114	839.35	819.12	819	819.09	818.85	819.75	819.67
P-115	842.71	819.205	819.13	819.265	819.005	819.855	819.745
P-116	845.34	818.055	817.85	817.895	817.755	818.845	818.605
MW-3A	850.77	819.92	818.91	821.26	819	819.85	819.18
MW-3B	851.04	821	820.59	821.04	820.35	821.18	821.1
LC1	876.15	843.73	NM	NM	NM	843.14	NM
LC2	866.05	838.96	NM	NM	NM	838.4	NM
LC3	877.34	845.67	NM	NM	NM	845.22	NM

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Action ¹	Parameters																									
			Benzene	Bromochthane	2-Butanone (MEX)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethene	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichlorobenzene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes	
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	1.1-Dichloroethane	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.02	1000
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	1,2-dichloroethane	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	1000	
MW-3A	04/04/2002	NR			NA																							
	05/22/2002	NR			NA																							
	08/20/02	NR																										
	12/05/02	NR																										
	04/22/03																											
	10/22/03																											
	05/11/04																											
	10/14/04																											
	01/27/05																											
	04/26/2005																											
	08/02/05																											
	10/26/05																											
	01/31/2006																											
	04/24/06																											
	07/27/06							0.35 J																				
	10/31/06																											
	01/31/07																											
	5/1/2007																											
	8/8/2007																											
	10/19/2007																											
	5/6/2008																											
	10/1/2008																											
	4/7/2009																	0.56 J										
	10/28/2009																											
	5/24/2010																											
	10/5/2010																	0.49 J										
	1/24/2011																											
	4/3/2011																											
	7/12/2011																	0.63 J										
MW-3B	04/04/2002	NR			NA															0.38		0.31						
	05/22/2002	NR			NA															NA								
	8/20/2002	NR																		NA								
	12/5/2002	NR																										
	4/22/2003																											
	10/22/2003																											
	5/1/2004																					0.2 J						
	07/22/2004																											
	10/14/2004																											
	1/27/2005																											
	4/26/2005																											
	8/2/2005																					0.30 J						
	10/26/2005																					0.39 J						
	01/31/2006																											
	4/24/2006																											
	7/27/2006							0.45 J																				
	10/31/2006																											
	1/31/2007																											
	5/1/2007																											
	8/8/2007																											
	10/19/2007																											
	5/6/2008																1.3								5.4			
	10/1/2008																											
	4/7/2009																0.42 J											
	10/28/2009																											
	5/24/2010																											
	10/5/2010																											
	1/24/2011																											
	4/3/2011																	0.81 J										
	7/12/2011																											

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Action ¹	Parameters																								
			Benzene	Bromoethane	2-Butanone (ME)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichlorethane	1,2-dichloroethane	1,1-Dichloretiene	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	M/TBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethylene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000
MW-101	10/1/1993	NR																		0.7J							
	04/1/1994	NR																		0.6J							
	05/01/1996	NR																		0.6J							
	10/01/1996	NR							0.89J											0.72J							
	05/01/1997	NR																									
	10/01/1997	NR																		0.2							
	04/98*	NR																									
	10/01/1998	NR																									
	04/01/1999	NR																									
	10/01/1999	NR																		0.7							
	05/01/2000	NR																		0.32							
	10/01/2000	NR																		0.38							
	05/01/2002	NR																		0.28							
	10/11/2001	NR																									
	02/05/2002	NR							0.19											0.32	NA	0.16					
	05/21/02 *		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/19/02 *		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	12/5/02 *		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	4/21/03 *		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	10/23/2003																										
	4/28/2004																										
	10/13/2004	11																									
	4/27/2005																										
	4/28/2006	18																									
	11/1/2006*		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2/1/2007																										
	5/1/2007	2.4																									
	5/6/2008																										
	4/8/2009																										
	10/29/2009																										
	5/25/2010																			0.44J							
	10/4/2010																										
	1/26/2011																										
	4/1/2011																										
P-101	10/01/1993	NR																		0.5J							
	04/01/94	NR																									
	020/5/02	NR			NA															NA							
	05/22/2001	NR			NA															NA							
	10/13/2004																										
	4/27/2005																										
	10/25/2005																										
	4/28/2006																										
	11/1/2006																										
	5/1/2007																										
	5/6/2008																										
	4/8/2009																										
	11/4/2009								0.75J																		
	5/25/2010																										
	10/4/2010																		0.44J								
	1/26/2011																										
	4/1/2011																										

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Acetone ¹	Parameters																		Total Xylenes						
			Benzene	Bromomethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethylene	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methylbenzene chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethylene	Trichlorofluoromethane	Vinyl Chloride		
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000
	10/26/1993	NR																									
	04/11/1994	NR																									
	05/08/1996	NR																									
	10/30/1996	NR							0.99	J									0.30J								
	05/12/1997	NR																									
	10/26/1997	NR																									
	04/13/1998	NR																	0.46								
	10/11/2001	NR																									
MW-102	05/21/02 *	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	08/19/02 *	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	12/05/02 *	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	07/23/2004																										
	10/14/2004																										
	4/27/2005																										
	10/25/2005																										
	4/25/2006																										
	11/1/2006																										
	5/2/2007																										
P-102	4/30/2008																										
	10/2/2008																										
	4/8/2009																										
	5/20/2010																										
	4/11/2011																										
	10/26/1993	NR																									
	04/11/1994	NR																									
	10/11/2001	NR																	NA		0.33J						
	05/21/2002	NR					NA												NA		0.62						
	08/20/2002	NR																				0.68					
P-102	12/04/2002	NR																									
	04/21/2003																	0.48J&J									
	10/22/2003																										
	04/27/2004																										
	10/14/2004							0.5J																			
	1/27/2005																										
	4/27/2005																										
	8/3/2005																										
	8/3/2005 dup																										
	10/25/2005																										
P-102	2/1/2006																										
	4/27/2006																										
	4/27/2006 dup																										
	7/27/2006							0.66J																			
	11/1/2006																										
	2/15/2007																										
	5/2/2007																										
	8/14/2007																										
	10/16/2007	2.9J																									
	5/6/2008																										
P-102	10/2/2008																										
	4/8/2009																										
	11/4/2009																										
	11/4/2009 Dup																										
	5/20/2010																										
	4/11/2011																										

**Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI**

Sampling Point	Collection Date	Action ¹	Parameters																											
			Benzene	Bromodethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethylene	cis-1,2-dichloroethylene	trans-1,2-Dichloroethylene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethylene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes			
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000			
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	1000			
MW-103 ²	10/27/1993	NR																									75			
	04/11/1994	NR																									440			
	04/01/94 Dup	NR																									410			
	05/01/1996	NR																									170			
	05/01/96 Dup	NR																									180			
	10/01/1996	NR	3.3				8.1 J	1.9		1.1	0.76 J		0.99 J		0.30 J	520 E	5	1.9										98E		
	05/01/1997	NR	4.3				8.5	2.7			0.98		1.2	0.52	0.25	790	4.7	1.6		0.27								230		
	10/01/1997	NR	4.2				7.9	2.4			1.14		0.89	0.38		550J	5.2	1.5		0.38		3.1						220J		
	04/98*	NR																												
	10/01/1998	NR	2				5.7										260	3.3									5.8	45		
	04/01/1999	NR	1.4				4.7										150	2.4									3.9	47		
	10/01/1999	NR					5.2										170	2.6									2.4	48		
	05/01/2000	NR	1.8				6.5										170	3.4									4.1	60		
	10/01/2000	NR	1.6				6.9	3.1			0.84		0.33				130	4.5	0.75									6.6	78	
	05/01/2001	NR	1.2				5.7	1.5			0.92						94	3.4	0.54		2.6L								4.5	46
	10/11/2001	NR	1.1				80	2.6	0.62		0.54						25	2.7			6.4L								0.8	15
	2/4/2002	NR	1.8				NA	6.4	1.1		0.81		0.36				71	5.5	0.53		0.28		0.13	NA	0.72	3.1		40		
	5/21/2002*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
	8/19/02*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
	12/05/02*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
	04/21/03*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
	10/21/2003		0.8				1.3										28	1.9									1.7	21		
	04/28/2004	0.61 J					26	0.53 J									16										1.9	6.7		
	10/13/2004	56	1.4				1.7			0.52							12	2.5									0.89	0.28	7.9	
	4/26/2005		1.2				2.8										1.9	3.0									0.71		1.8	
	4/25/2006		31				18.01	0.62 J									5.2										0.48 J		1.8	
	10/31/2006*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
	2/1/2007						16.1J										10										0.82 J		0.34	
	5/2/2007						1.7										14										1.7		0.75	
	10/18/2007																26											2.8		2.2
	5/5/2008							0.63 J									15.7											3.4		
	10/2/2008							0.43 J									12.3											3.8		
	4/7/2009																7.7											3.1		
	10/28/2009																4.6											2.4		
	2/25/2010																2.9											2.1		
	5/24/2010																4											2.1		
	10/4/2010																3.5		0.73 J								2.4			
	1/26/2011																2.9										2.7			
	4/11/2011																2.7										2.1			
	7/11/2011																4.2		0.74 J								2.3			

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Action ¹	Parameters																									
			Benzene	Bromomethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chlorotetraene	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes		
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000	
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000	
P-103	10/27/1993	NR																										
	04/12/1994	NR																										
	05/09/1996	NR																										
	10/31/1996	NR								0.84J																		
	05/13/1997	NR																										
	10/27/1997	NR																										
	04/13/1998	NR																										
	2/4/2002	NR				NA														NA								
	05/21/2002	NR				NA										[0.54]					NA							
	10/13/2004								0.52J																1.7			
	1/26/2005																											
	1/26/2005 dup																											
	4/26/2005																									2.4		
	8/3/2005																									3.2		
	10/26/2005																									3.2		
	02/01/2006																									3.6		
	4/25/2006																									2.9		
	7/28/2006									0.49J															1.6			
	11/1/2006																									1.4		
	2/1/2007																									1.5		
	5/2/2007																									1.6		
	8/14/2007																									1.4		
	10/18/2007																									1.2		
	5/5/2008																									0.74		
	5/5/2008 Dup																									0.81		
	10/2/2008																									0.81J		
	10/2/2008 Dup																									0.89J		
	4/7/2009																									0.75J		
	10/28/2009									0.43J															0.58J			
	2/25/2010									0.52J															0.49J			
	5/24/2010																											
	10/5/2010																	0.53J								0.41J		
	1/25/2011																										0.34J	
	4/1/2011																										0.39J	
	7/11/2011																											
P-103D	02/4/2004					NA													0.55J		NA					1.1		
	05/11/2004																									1.5		
	05/11/04 dup																									1.5		
	07/23/2004																									1.3		
	07/23/04 dup																									1.5		
	10/13/2004								0.43J									0.86 J										
	04/26/2005																		0.84 J							3.0		
	10/26/2005																		0.98 J							2.7		
	10/26/2005 dup																		0.95 J							2.8		
	4/25/2006																									2.6		
	11/1/2006																									1.9		
	5/2/2007																									1.4		
	10/18/2007																									1.2		
	5/5/2008																									0.69		
	5/5/2008 Dup																									0.66		
	10/2/2008																									1.1		
	10/2/2008 Dup																									1.5		
	4/7/2009																									0.77J		
	4/7/2009 Dup																									0.74J		
	10/28/2009									L1																0.75J		
	2/25/2010																									0.64J		
	5/24/2010																											
	10/5/2010																		0.86J							0.71J		
	1/25/2011																									0.69J		
	4/11/2011																									0.78J		

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Acetone ¹	Benzene	Bromomethane	2-Buanonone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethylene	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethylene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes		
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000		
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000		
	10/27/1993	NR	2				2			2														31					
	4/19/1994	NR	1				1	1	1		1								10							0.81		6.0	
	05/9/1996	NR	6				5	1		0.31			0.2J					6	0.3J	0.1J						0.2J	0.5J	10	
	10/30/1996	NR	0.64J				1.1	0.34 J	0.46 J									3.6	0.22 J	0.80 J						0.31 J	4.3	0.77 J	
	05/12/1997	NR	4.8				4.5	1.5			0.91						1.1			0.32								4.5	
	10/27/1997	NR	0.63				1.3			0.85						2.3												18	
	04/13/1998	NR	1.2													74	0.67									0.46	3.5		17
	10/13/1998	NR	1.2							0.76						3.3												15	4.1
	04/07/1999	NR	3.2				1.4									6.6											0.71		6.1
	10/27/1999	NR	3.5				5.4			0.92						4.5												2.8	
	05/2/2000	NR	3				5.7			1.5						0.7										0.13		1.1	
	10/30/2000	NR	2				6.2			1.6						2.6										0.12	0.33	29	
	05/1/2001	NR	2.5				5.6			2	0.47					2			0.51L						0.81	0.13	0.66	8.6	
	10/11/2001	NR	3.1				9.5			2.3			0.85	2			0.39L								0.1		2.2		
	02/5/2002	NR	2.2			NA	8			2	0.19				5.1										NA	0.17	0.73	13	
	05/21/02*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
MW-I04	12/05/02*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	4/21/2003*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	04/22/2003		1.8		6.9J	3.1										4.6												6.5	
	10/23/2003	3.2	4			7.8				1.8					3.3													8.6	
	04/28/2004		2.4			6				2.2J					6.4													8.7	
	10/13/2004		2.5			6.5				2.2J					10													20	
	4/27/2005		1.2			5.4				2.1J																		0.64	
	10/25/2005		1.4			6.9				2.5J					3.9													13	
	4/25/2006		1.4		4.6J	4.9				2.2J					1.0J													1.1	
	11/2/2006		1.2J			4.8				1.7J																			
	11/2/2006 dup		1.3J			5																							
	5/2/2007		0.81		4					2.0J																			
	10/18/2007		0.75J		6					2.0J																			
	5/6/2008		0.62J			3.3					1.8																		
	10/1/2008		0.52J			3.7					1.9																		
	4/7/2009		0.68J			3.5				2.3																			
	11/4/2009					3.9					1.9																		
	5/20/2010					3.5					2.4																		
	4/11/2011					3.1					1.9																		
R-104	10/27/1994	NR																	0.52L										
	04/19/1994	NR																											
	05/09/1996	NR											0.20J																
	10/30/1996	NR																											
	05/12/1997	NR																											
	10/27/1997	NR																											
	04/13/1998	NR																											
	10/11/2001	NR																	0.52L										
	02/5/2002	NR	0.18	NA						0.85														NA					
	5/21/2002	NR		NA																				NA					
	30/30/2002	NA																						INA					
	10/13/2004									0.45J																			
	10/1/04 Dup																												
	8/3/2005																												
	8/3/05 Dup																												
	7/28/2006																												
	8/14/2007																												
	5/5/2008																												
	4/7/2009																												
	5/26/2010																												
	4/12/2011																												

**Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI**

Sampling Point	Collection Date	Actions ¹	Parameters																								
			Benzene	Bromomethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chlorotoluene	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-dichloroethane	trans-1,2-dichloroethylene	trans-1,2-Dichloroethene	1,2-dichloropropene	Ethybenzene	Methyl chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethylene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000
MW-106	10/1/1993	NR																									
	04/01/1994	NR																									
	02/04/02	NR			NA																					0.25	
	05/21/02 *	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	08/19/02 *	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	120/5/02 *	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	04/21/03 *	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	07/23/2004																										
	4/27/2005																										
	4/27/05 Dup																										
	7/28/06*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	10/3/2006*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2/15/2007																										
	8/14/2007																										
	4/30/2008																										
	4/8/2009																										
	5/20/2010																										
	4/11/2011																										
P-106	10/01/1993	NR																								0.61	
	04/01/1994	NR																								0.81	
	05/01/1996	NR																								0.81	
	10/01/1996	NR																								0.62J	
	05/01/1997	NR																								0.65	
	10/01/1997	NR																								0.67	
	04/01/1998	NR																								0.61	
	10/01/1998	NR																								0.71	
	04/01/1999	NR																								0.58	
	10/1/1999	NR																								0.61	
	05/01/2000	NR																								0.56	
	10/01/2000	NR																								0.6	
	05/01/2001	NR																								0.56	
	10/11/2000	NR																								0.39	
	2/5/2002	NR																								NA	
	02/05/02 Dup	NR																								NA	
	05/22/2002	NR																								0.49	
	05/22/02 Dup	NR																								NA	
	08/20/2002	NR																								0.43 J	
	12/4/2002	NR																								0.53	
	04/22/2003																									0.55 J	
	10/21/2003																									0.56	
P-106	10/21/03 Dup																										
	4/27/2004																										
	10/13/2004																									0.9	
	4/27/2005																										
	10/25/2005																										
	4/28/2006																										
	11/1/2006																										
	5/1/2007																										
	10/22/2007																										
	4/30/2008																										
	10/1/2008																										
	4/8/2009																										
	4/8/2009 Dup																										
	11/4/2009																										
	5/26/2010																										
	4/12/2011																										

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Parameters																										
		Acetone ¹	Benzene	Bromomethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethene	cis-1,2-dichloroethylene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methyl chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethene	Trichloroethane	Vinyl Chloride	Total Xylenes	
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000	
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000	
MW-107	10/27/1993	NR																							2			
	4/12/1994	NR																							2			
	5/9/1996	NR																							2			
	10/21/1996	NR																							2.2			
	5/13/1997	NR																							2.6			
	10/27/1997	NR																							2			
	4/14/1998	NR																							2.1			
	10/13/98*	NR																							NA			
	4/6/1999	NR																							1.8			
	10/27/1999	NR																							1.1			
	5/2/2000	NR																							1.6			
	10/31/2000	NR																							1.2			
	5/31/2001	NR																							1.8			
	10/11/2001	NR																							0.82			
	2/4/2002	NR																							NA	1.4		
	05/21/2002*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	8/19/2002*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	12/5/2002*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	4/21/2003																								0.52J	1.2		
	10/21/2003																								2.2			
	4/27/2004																								1.9			
	10/13/2004																								0.63J	0.65J		
	4/27/2005																								1.1			
	10/27/2005																								0.79J			
	4/25/2006																								0.49J	0.55J		
	10/31/2006																											
	5/1/2007																									0.86		
	10/17/2007																								0.53J			
	5/5/2008																											
	10/1/2008																											
	4/7/2009																											
	10/28/2009																									1.6	0.51J	
	5/24/2010																											
	10/4/2010																									0.70J		
	1/26/2011																											
	4/1/2011																											

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Actions ¹	Parameters																								
			Benzene	Bromomethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chlorotoluene	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethylene	cis-1,2-dichloroethylene	trans-1,2-Dichloroethylene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethylene	Vinyl Chloride	Total Xylenes	
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	100	5	700	5	60	5	50	1000	5	NE	0.2	10000	
P-107	10/27/1993	NR																								6	
	4/12/1994	NR																								3	
	4/12/94 Dup	NR																								3	
	5/9/1996	NR	0.1 J					0.2 J													0.1 J	0.1 J			2		
	10/23/1996	NR						0.19		0.79 J						1.9										2.3	
	10/23/96 Dup	NR						0.21		0.49 J						2.1										2.7	
	5/14/1997	NR															1.3									2	
	5/14/97 Dup	NR															1.1									1.7	
	10/27/1997	NR															2.2									2.6	
	10/27/97 DUP	NR															1.8									2.3	
	4/14/1998	NR															2.3									2.2	
	4/14/98 Dup	NR															2.3									2.4	
	10/14/1998	NR															2.1									1.5	
	10/14/98 DUP	NR															2.4									1.7	
	4/6/1999	NR															1.5									0.58	
	10/27/1999	NR															1.8										
	10/27/99 Dup	NR															1.8										
	5/2/2000	NR															1.5									1.2	
	5/02/00 Dup	NR															1.6									1.2	
	10/31/2000	NR															1.4										
	10/31/00 Dup	NR															1.4										
	5/9/2001	NR															0.96		0.52L	0.72	1.8	0.85					
	5/9/2001 Dup	NR															0.97		0.49L	0.79		0.86					
	10/11/2001	NR															1.6									1.7	
	10/11/01 Dup	NR															1.5									1.7	
	2/4/2002	NR			NA												1.6				NA					1.2	
	5/21/2002	NR			NA												1.8				NA					1.5	
	5/21/02 Dup	NR			NA												1.7				NA					1.4	
	8/20/2002	NR															0.84				NA					0.54J	
	12/4/2002	NR															1.3									1	
	4/21/2003																1.5J									1	
	04/21/2003 Dup																	1.3J									
	10/21/2003																	1.3									0.93
	4/27/2004																	0.96J									0.61
	10/13/2004																	0.89J									0.64
	10/13/04 Dup																	1.1J									
	4/27/2005																										
	10/27/2005																										
	4/25/2006																										
	10/31/2006																										
	5/1/2007																										
	10/19/2007																	0.92J									
	5/5/2008																										
	10/1/2008																										
	4/7/2009																	0.24J									
	10/28/2009																	1.6									
	5/24/2010																										
	10/5/2010																										
	1/24/2011																										
	4/12/2011																										

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Actions ¹	Parameters																								
			Benzene	Bromomethane	2-Buylanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethene	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethane	Tetrahydrofuran	Toluene	Trichloroethene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes
WDNR NKI4U	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000
P-I07D	10/27/1993	NR																									6
	4/13/1994	NR																									
	5/9/1996	NR	0.1J																0.2J								0.6J
	10/23/1996	NR																									3.9
	5/14/1997	NR																	0.49								2.4
	10/27/1997	NR																	1.7								5.1
	4/14/1998	NR																	1								4.1
	10/14/1998	NR																									2.2
	4/6/1999	NR																	0.34								0.87
	10/27/1999	NR																									1.7
	5/2/2000	NR																									1.3
	10/31/2000	NR																	0.64								
	01/05/2001	NR	0.33																1.5								5.6
	10/11/2001	NR																	2.2								10
	2/4/2002	NR			NA														1.2								3.9
	02/04/02 Dup	NR																	1.2								3.9
	5/21/2002	NR			NA														1.1								3.3
	8/20/2002	NR																	1.1								3.1
	12/4/2002	NR																	0.75								0.81
	4/21/2003	NR																	1.3J								3.3
	10/21/2003	NR																	0.97								3.5
	4/27/2004	NR																	1.5J								4.2
	10/13/2004	NR																	1.2J	0.93							5.9
	4/27/2005	NR																	2.0J								
	4/27/05 Dup	NR																	1.3J								3.1
	10/27/2005	NR																	1.9J								6.2
	4/25/2006	NR																	1.2J								4.3
	10/31/2006	NR																	2.3J								7.7
	5/1/2007	NR																	2.0J								4.3
	5/1/2007 Dup	NR																	1.6J								6.2
	10/19/2007	NR																	2.9								6.7
	5/5/2008	NR																									3
	10/1/2008	NR																									1.3
	4/7/2009	NR																	0.96J								1.6
	10/28/2009	NR																									2.5
	2/25/2010	NR																	0.25J								1.8
	5/24/2010	NR																									4
	10/5/2010	NR																									1.6
	1/24/2011	NR																									2.6
	4/12/2011	NR																		1.2							5.3
	7/11/2011	NR																									

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Action ¹	Parameters																								
			Benzene	Bromoethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethylene	cis-1,2-dichloroethylene	trans-1,2-dichloroethylene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethylene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000
MW-108	10/18/1993	NR																							11		
	4/13/1994	NR																							2		
	5/8/1996	NR																	0.2J						0.2J		
	10/23/1996	NR																									
	5/12/1997	NR																									
	10/27/1997	NR																									
	4/14/1998	NR																									
	10/11/2001	NR																	0.34L								
	05/21/2002*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	8/9/2002 *	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	12/5/2002	NR																									
	10/14/2004																	1.2J						1.3J		0.67	
	4/27/2005																	1.0						0.2		0.3	
	8/3/2005																								0.70J		
	10/25/2005																										
	02/01/2006																										
	4/28/2006																										
	7/27/2006																	0.36J									
	11/2/2006																										
	2/1/2007																										
	5/2/2007																										
	8/14/2007																										
	10/16/2007																										
	5/6/2008	2.7J																									
	10/2/2008																										
	4/8/2009																										
	11/4/2009																										
	11/4/2009 Dup																										
	5/20/2010																										
	5/20/2010 Dup																										
	4/11/2011																										
	4/11/2011 Dup																										
P-108	10/25/1993	NR																									
	10/25/93 Dup	NR																									
	4/13/1994	NR																									
	4/13/94 Dup	NR																									
	10/1/2001	NR																	0.32L								
	2/5/2002	NR																									
	5/21/2002	NR																									
	10/14/2004																	0.45J									
	1/28/2005																										
	10/25/2005																										
	7/27/2006																	0.75J									
	8/14/2007																	2.7J									
	5/6/2008																										
	4/8/2009																										
	5/20/2010																										
	4/11/2011																										

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Parameters																									
		Action ¹	Benzene	Bromomethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chlorotetraene	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethene	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethene	Toluene	Tetrahydrofuran	Trichloroethene	Vinyl Chloride	Total Xylenes	
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000
MW-111	4/19/1994	NR																									
	10/11/2001	NR																	0.30L								
	05/21/2002*	NR	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	8/19/2002	NR																									
	12/5/2002	NR																									
	10/13/2004																										
	10/26/2005																										
	4/24/2006																										
	&R/2007																										
	5/5/2008																										
	4/7/2009																	0.44J									
	10/28/2009																										
	5/24/2010																										
	10/4/2010																	0.801									
	1/26/2011																										
	4/11/2011																										
P-111	4/19/1994	NR																								2	
	10/11/2001	NR																									
	2/5/2002	NR			NA																						
	5/22/2002	NR			NA																						
	8/19/2002	NR																									
	08/19/02 Dup	NR																									
	12/5/2002	NR																									
	12/05/02 Dup	NR																									
	4/22/2003																										
	10/22/2003																										
	4/28/2004																										
	8/3/2005																										
	7/27/2006																										
	&R/2007																										
	5/5/2008																										
	4/7/2009																										
	10/28/2009																										
	5/24/2010																										
	10/5/2010																										
	1/24/2011																										
	4/13/2011																										

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Parameters																											
		Acetone ¹	Benzene	Bromomethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethylene	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethene	Toluene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes				
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	200	0.5	NE	0.02	1000			
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000		
	4/4/2002	NR																				0.3			13				
	5/22/2002	NR			NA										0.59 J							NA				15			
	8/19/2002	NR													0.37 J							NA				12			
	12/5/2002	NR													0.42 J											11			
	4/23/2003																									12			
	10/23/2003																									9.1			
	5/11/2004								1.4																	15			
	07/23/2004																									14			
	10/13/2004								1.9 J													1.6 J				11			
	1/27/2005																									8.8			
	4/26/2005								3.7						0.87 J											13			
	4/26/05 Dup								3.5																		13		
	8/3/2005									2.9 J					0.96 J											10			
	10/26/2005								3.1 J						1.1 J											10			
	10/26/2005 dup								2.7 J						0.93 J											10			
	02/01/2006								4.2						0.89 J											11			
	4/24/2006								2.8 J						1.3 J											11			
	7/27/2006									0.30 J					1.2 J											10			
	10/31/2006								1.4 J						1.3 J											8.5			
	1/31/2007								3.0 J						1.4 J											8.2			
	5/1/2007								3.1 J						1.3 J											8.2			
	8/8/2007								2.9 J						1.5 J											8.5			
	10/17/2007								2.7 J						1.5 J											8			
	5/5/2008														1.5												4.7		
	10/2/2008								1.8						1.5											5.7			
	4/7/2009								1.4						1.7											5.5			
	10/28/2009								1.8						1.5											5			
	2/25/2010								1.8						1.5											4.4			
	2/25/2010 Dup								1.5						1.5											3.9			
	5/24/2010								1.9						1.5												5.9		
	5/24/2010 Dup								1.8						1.4												4.4		
	10/5/2010								1.5						1.3			0.55 J								4.7			
	10/5/10 Dup								1.6						1.3			1.2								4.7			
	1/24/2011								1.9						1.1												5.2		
	1/24/11 Dup								1.7						1.4												4.5		
	4/13/2011								2.3						1.6												5.8		
	4/13/2011 Dup								2.8						1.3				0.88 J								7.1		
	7/1/2011														1.4													5.3	

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Parameters																									
		Acetone ¹	Benzene	Bromomethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethylene	cis-1,2-dichloroethylene	trans-1,2-dichloroethylene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrahydrofuran	Toluene	Trichloroethene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes	
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	200	0.5	NE	0.02	1000	
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000
MW-112	11/27/1996	NR	0.61				2 J										59	1 J					3 J		15		
	11/27/96 Dup	NR	0.22				2 J										58	1 J					4 J		16		
	5/12/1997	NR	0.59				0.27										5.4								2.2		
	10/26/1997	NR	0.5				0.29										1.3										
	4/13/1998	NR	0.69				1.4										57	1.3							1.9	12	
	10/13/1998	NR	0.76														80								1.2	25	
	4/6/1999	NR	0.72				1.4										40	0.56							1.7	7.9	
	10/27/1999	NR															2.6								1		
	5/2/2000	NR	0.46														3.4								0.39		
	10/30/2000	NR					0.37										5.6								0.37		
	5/9/2001	NR	0.42				0.42										3.5								0.98		
	10/11/2001	NR	0.36				0.39	0.53									22							0.82	3.7		
	2/4/2002	NR	0.23		NA	0.48											0.49							NA			
	05/21/2002*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
	8/9/2002*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
	12/4/2002																150								2.7J	56	
	4/22/2003		1.2 J				7.4 & 1										220	4.5 J							5.9	45	
	10/22/2003	2.5	0.88				5.9										60	1.4							1.6	51	
	4/28/2004		0.53 J		4		0.45 J										18							1.1 J	9.9		
	4/28/04 dup	6.5	0.61 J		10.48 J	4.7											22							1.1 J	9.3		
	07/23/2004	110	1.1				23										140	2.6	0.58					1	7.4	31	
	10/13/2004		1.0 J				0.42	14									110	2.4 J							2.9	25	
	10/13/04 Dup		0.82 J				15	0.56 J									94	2.1 J							2.9	29	
	1/26/2005		0.76 J				20										85	2.3 J								27	
	4/26/2005		0.6 J				13										64	1.2 J							1.8	17	
	8/3/2005						0.48 J										4.6								1.5		
	10/25/2005																2.5 J									1.4	
	02/01/2006		0.41 J				0.45 J	3.2 J									11							0.76 J	4.9		
	4/25/2006						0.48 J	0.97 J									5.4								2.8		
	7/27/2006						0.43 J		0.24 J								2.9								1.7		
	7/27/2006 dup								0.52 J																	1.5	
	11/2/2006																2.3 J									1.7	
	2/1/2007						0.46 J	1.4 J									3.8								2.5		
	5/2/2007						0.53 J	1.3 J									6.1								2.6		
	8/14/2007						0.51 J										4.4								1.8		
	8/14/2007 dup						0.51 J										4.9								1.6		
	10/18/2007						0.49 J										4								1.2		
	5/5/2008																33.3								1.8	1.3	
	10/2/2008																13.3								0.60 J	0.79 J	
	4/7/2009																5.1								0.57 J	0.56 J	
	11/4/2009																2.7										
	5/20/2010																1.8									0.33 J	
	4/11/2011																5.3		0.60 J						1.5	0.27 J	
	7/1/2011																										

**Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI**

Sampling Point	Collection Date	Parameters																									
		Acetone ¹	Benzene	Bromomethane	2-Buanoate (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethylene	cis-1,2-dichloroethylene	trans-1,2-Dichloroethylene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethene	Toluene	Trichloroethene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes	
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.02	1000
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000
P-113A	9/12/2002	NR						0.37J																	1.0J		
	12/3/2002	NR																									
	4/23/2003																								2.2		
	10/22/2003																										
	5/11/2004																										
	8/2/2005																										
	7/27/2006							0.84																			
	8/8/2007																										
	5/6/2008																										
	4/6/2009																										
	10/29/2009							0.42J																			
	5/25/2010																										
	10/6/2010																										
	1/25/2011																										
	4/13/2011																										
	7/12/2011																	1.3									
P-113B	09/11/2002 ³	NR						1										0.41J							6.6		2.6
	12/3/2002	NR																									
	4/23/2003																										
	7/30/2003																										
	10/22/2003																										
	2/4/2004																										
	5/11/2004																										
	07/22/2004																										
	10/14/2004							0.49J																			
	1/27/2005																										
	4/27/2005																										
	8/2/2005																										
	10/26/2005							0.42J																			
	02/01/2006																										
	4/24/2006																										
	7/27/2006							0.49J																			
	10/31/2006																										
	1/3/2007																										
	5/1/2007																										
	8/8/2007																										
	10/19/2007																										
	5/6/2008																										
	10/1/2008							0.29J																			
	4/6/2009																										
	4/6/2009 Dup																										
	10/29/2009																										
	5/25/2010																										
	10/6/2010																	0.51J									
	1/25/2011																		1.6								
	4/13/2011																		1.3								
	7/12/2011																										

**Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI**

Sampling Point	Collection Date	Parameters																										
		Acetone ¹	Benzene	Bromomethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chlorotoluene	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethene	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethylene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes	
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000	
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000	
	11/19/2001	NR																0.93									7	
	2/5/2002	NR																0.85									5.6	
	5/22/2002	NR																1.2									6.2	
	8/21/2002	NR																0.93									5.4	
	12/3/2002	NR																1.3									6.3	
	4/23/2003																											3.3
	10/23/2003																	1.2									8.6	
	10/23/03 Dup																	1.4									9.2	
	5/11/2004																	15 J									10	
	07/22/2004																	14 J									7.9	
	10/13/2004																	0.39 J									10	
	1/27/2005																	17 J									3.5	
	4/26/2005																											3.0
	8/2/2005																	1.1 J									6.1	
	10/26/2005																	0.84									6.6	
	10/26/2005 dup																	0.49									6.9	
	01/31/2006																											8.4
	4/24/2006																											7.6
	4/24/2006 dup																											7.9
	7/27/2006																	0.48 J									8.9	
	7/27/2006 dup																	0.38 J									8.7	
P-114 (former Ehster well)	11/1/2006																		2.7 J									13
	11/02/2006 dup																		2.7 J									13
	2/1/2007																		1.2 J									7.5
	2/1/2007 dup																		1.4 J									8.5
	5/1/2007																		1.1 J									7.4
	5/1/2007 dup																		1.2 J									7.8
	8/8/2007																		1.1 J									6.7
	8/8/2007 dup																		1.2 J									7.5
	10/22/2007																		0.95 J									7.8
	10/22/2007 Dup																		1.2 J									8.1
	5/6/2008																		1.5									6.6
	10/2/2008																		1.2									6.1
	4/6/2009																		1.6									6.5
	10/29/2009																	1.5										4.7
	2/26/2010																		1.6									5.1
	5/26/2010																		1.3									4.5
	5/26/2010 Dup																		1.3									4.3
	10/6/2010																		1.4									5.4
	10/6/10 Dup																		1.3									5.4
	1/25/2011																		1.3									4.8
	1/25/11 Dup																		1.3									5.3
	4/13/2011																		1.6									8.2
	4/13/2011 Dup																		1.7									8.5
	7/12/2011																		1.3									5.6
	7/12/2011 Dup																		1.5									5.8

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Action ¹	Parameters																								
			Benzene	Bromomethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethylene	cis-1,2-dichloroethylene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethybenzene	Methylene chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethylene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	700	0.5	12	0.5	10	200	0.5	NE	0.02	1000
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	60	5	50	1000	5	NE	0.2	10000		
	10/9/2001	NR																									
	10/9/01 Dup	NR																									
	11/19/2001	NR																									
	2/5/2002	NR																									
	5/22/2002	NR																									
	8/19/2002	NR							0.20J																		
	12/3/2002	NR																									
	4/22/2003																										
	7/30/2003																										
	10/22/2003																										
	2/4/2004																										
	4/27/2004																										
	10/14/2004																								0.33 J		
	1/27/2005																										
	4/26/2005																										
	8/2/2005																								0.34 J		
P-115 (former Wiese well)	10/26/2005								0.24 J															0.33 J			
	1/31/2006																										
	4/24/2006																								0.62		
	7/27/2006																								0.44 J		
	10/31/2006																								0.39 J		
	2/1/2007																								0.50 J		
	5/1/2007																								0.54 J		
	8/14/2007																								0.62		
	10/22/2007																								0.49 J		
	10/22/2007																								0.55 J		
	5/6/2008																								1.1		
	10/2/2008																								1.9		
	4/6/2009																								1.3		
	10/29/2009								1.6															1.3			
	2/26/2010								0.30J															0.95 J			
	5/26/2010																										
	10/6/2010																								1.2		
	1/25/2011																								0.86 J		
	4/13/2011																		0.69J						1.4		
	7/12/2011																		0.69J						0.99 J		

Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Action ¹	Parameters																								
			Benzene	Bromomethane	2-Buianone (MEX)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethylene	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000
P-116 (former Hadel well)	10/9/2001	NR																									
	11/19/2001	NR																									
	2/5/2002	NR																									
	5/22/2002	NR																									
	8/19/2002	NR																									
	08/19/02 Dup	NR																									
	12/3/2002	NR																									
	12/03/02 Dup	NR																									
	4/22/2003																										
	7/30/2003																										
	10/22/2003																										
	2/4/2004																										
	5/11/2004																										
	7/22/2004																										
	10/14/2004																										
	1/27/2005																										
	4/26/2005																										
	8/2/2005																										
	10/26/2005																										
	1/31/2006																										
	01/31/06 Dup																										
	4/24/2006																										
	7/27/2006																										
	10/31/2006																										
	2/1/2007																										
	5/1/2007																										
	R/R/2007																										
	10/22/2007																										
	5/6/2008																										
	10/2/2008																										
	4/6/2009																										
	10/29/2009																										
	2/26/2010																										
	5/25/2010																										
	10/6/2010																										
	1/25/2011																										
	4/13/2011																										
	7/12/2011																										

Results in µg/L

B = analyte found in method blank as well as sample

E = exceeds calibration range

J = estimated value between LOD and LOQ

L = Lab Artifact

& = Laboratory control spike recovery not within control limits

NE = None Established

NA = Not Analyzed; no sample collected for analysis

NR = Value not reported by lab or not recorded during initial evaluation by GeoTrans

PAL = Preventive Action Limit

ES = Enforcement Standard

Underline indicates exceeds NR 140 PAL

Bolding indicates exceeds NR 140 ES

Blank = Sample Collected but No VOCs detected

Historical data for abandoned wells MW-105, P-105, P-109 and MW-110 can be found in reports prior to October 204

¹ The reporting of acetone on an 8260B VOC scan varies with labs. Enchem, which began analyzing samples in April 2003, does report acetone. Acetone has appeared in several wells beginning in October 2003.

² MW-103 had low concentrations of isopropyl ether detected in October 1997 and February 2002. Acetone at 27 ppb was detected in April 2004. Carbon disulfide at 2.2J ppb was detected in January 2007

³ this sample had detections of bromodichloromethane at 0.59 ppb and dibromochloromethane at 0.35 ppb,

⁴ this sample in P-116 had 0.18 ppb of 1,1,1-trichloroethane

Table 3. Groundwater Natural Attenuation Parameters
FF/NN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO ₃ ⁻	NO ₂ ⁻	Fe ²⁺	SO ₄ ²⁻	S ²⁻	CH ₄					
	Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						
	Target	>	<	<1	>20	<1	<0.5	>50	>0.5			
MW-101	Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C
	2/1/2007									558	6.59	7.4
	5/1/2007									1021	6.92	13.1
	5/6/2008									782	7.18	12.4
	4/8/2009									940	6.75	12.5
	10/29/2009	<0.20	0.39	>2.5	>100	<0.2	0.015	-98	3.17	914	6.85	11.8
	5/25/2010	<0.20	0.08	>2.5	>100	<0.2	0.0192	-73	1.65	961	6.55	25.3
	10/4/2010	0.08			>100		0.0136	-63	2.13	1265	6.95	15.8
	1/26/2011			>2.5				-14	2.51	938	7.39	6.2
	4/11/2011									1020	7.48	14.1
MW-103	2/1/2007									2670	6.95	5.7
	5/2/2007									1180	6.64	10.8
	10/18/2007									1609	6.74	13.0
	5/5/2008									1420	7.06	12.2
	10/2/2008									1411	6.69	11.3
	4/7/2009									1433	7.17	10.3
	10/28/2009	<0.20	0.80	0.42	>100	<0.2	0.00042	24	4.21	1780	6.79	10.7
	2/25/2010	>1.5	<0.08	<0.1	>100	<0.2	<0.0028	55	4.1	2	6.96	8.6
	5/24/2010	>1.5	<0.08	0.11	>100	<0.2	<0.0028	86	2.84	2110	6.49	17.7
	10/4/2010	>1.5			>100		0.0235	46	3.33	1920	7.22	12.9
MW-107	1/26/2011			0.09				62	4.52	1700	7.22	5.5
	4/11/2011			0.07				136	5.02	1217	6.79	13.8
	7/11/2011			0.13				33	3.54	1660	7.14	18.7
	4/21/2003						0.13	185.70	21.27	1021	7.00	9.84
	4/22/2003				30			74.10	5.70	1024	7.06	10.32
	10/21/2003	3.3			32			79.30	5.80	1211	6.92	9.64
	5/1/2007									570	6.93	10.5
	10/17/2007									1297	7.09	13.1
	5/5/2008									796	7.54	11.5
	10/1/2008									1240	6.86	10.1
MW-111	4/7/2009									1226	7.50	10.2
	10/28/2009	>1.5	0.18	0.61	>100	<0.2	<0.000180	-1	5.78	956	7.13	11.6
	5/24/2010	>1.5	0.32	1.86	>100	0.71	<0.0028	61	3.08	1087	6.89	20.7
	10/4/2010	>1.5		0.7	49.95		ND	76	6.38	1650	7.62	10.6
	1/26/2011			0.85				45	4.74	249	7.35	6.0
	4/11/2011									1100	8.12	11.2
	12/5/2002									866	7.15	7.84
	8/8/2007									920	7.45	11.4
	5/5/2008									732	7.45	11.9
	4/7/2009									867	7.22	10.8
MW-112	10/28/2009	>1.5	<0.08	0.26	>100	<0.2	0.00031	3	6.66	836	6.66	11.4
	5/24/2010	1.09	0.22	1.39	>100	0.44	<0.0028	71	2.73	958	6.80	22.7
	10/4/2010	0.99		0.02	>100		ND	85	4.87	995	7.72	9.6
	1/26/2011			0.25				26	4.56	849	7.28	7.6
	4/11/2011									900	7.94	11.2
	7/11/2011		>2.5					-51	1.49	951	7.34	16.5
	12/4/2002				50			-53.5	0.08	843	7.12	9.26
	4/22/2003				51			-36.9	0.81	646	7.46	10.12
	10/23/2003	<0.058			49			-65.5	0.66	754	7.04	10.20
	5/1/2007									828	7.57	11.7
P-101	5/6/2008									735	7.69	11.3
	4/8/2009									749	7.24	11.4
	10/29/2009	0.39	0.12	1.84	71.36	<0.2	0.00059	-108	2.2	880	7.32	11.2
	5/25/2010	<0.20	<0.08	1.38	70.81	<0.2	<0.0028	-48	1.04	925	6.62	25.5
	10/4/2010	0.08			69.72		ND	-92	1.9	948	7.51	15.0
	1/26/2011			1.24				-31	2.65	829	7.26	5.8
	4/11/2011									840	7.96	12.8

Table 3. Groundwater Natural Attenuation Parameters
FF/NN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO ₃ ⁻	NO ₂ ⁻	Fe ²⁺	SO ₄ ²⁻	S ²⁻	CH ₄					
	Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						
Target	>	<	<1	>20	<1	<0.5	>50	>0.5				
Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	°C	
P-103	12/4/2002			54			0.037	-60.50	1.17	956	7.00	9.49
	4/21/2003			58				-29.90	0.71	388	7.28	10.50
	10/22/2003	0.41		54				-147.10	0.82	874	7.17	10.06
	2/1/2007							172	0.53	903	6.86	9.0
	5/2/2007							206	0.92	896	6.78	9.9
	8/14/2007							226	0.70	863	7.09	11.4
	10/18/2007							300	0.51	863	6.35	11.0
	5/5/2008							30	0.93	956	6.98	10.5
	10/2/2008							323	1.37	888	6.70	10.8
	4/7/2009							-95	1.09	813	7.40	9.8
	10/28/2009	0.45	<0.08	<0.1	78.95	<0.2	0.052	-125	0.85	739	7.19	10.2
	2/25/2010	>1.5	NM	NM	83.29	<0.2	0.0416	-120	1.62	845	7.25	9.0
	5/24/2010	<0.20	<0.08	>2.5	89.8	<0.2	0.0489	-104	0.38	815	7.00	11.2
	10/5/2010	0.08			85.02		0.0562	-128	1.15	874	7.86	10.9
	1/25/2011			2.5				-69	0.64	776	7.60	9.3
	4/12/2011			>2.5				-125	1.22	906	7.19	10.0
	7/11/2011			>2.5				-123	0.83	743	7.92	11.5
P-107	12/4/2002	NM	NM	NM	66		0.11	-28.00	0.86	791	7.22	9.40
	4/21/2003				74			37.30	0.76	646	7.43	9.62
	10/21/2003	<0.058						-70.40	0.92	716	7.18	9.73
	5/1/2007							240	1.64	840	6.66	9.6
	10/19/2007							330	1.80	863	6.42	10.7
	5/5/2008							8	1.50	925	7.50	11.0
	10/1/2008							350	2.63	923	6.66	10.2
	4/7/2009							-95	1.75	852	7.34	9.0
	10/28/2009	<0.20	<0.08	1.68	89.8	<0.2	0.31	-78	1.19	778	7.08	10.9
	5/24/2010	<0.20	<0.08	1.76	99.39	<0.2	0.383	-70	1.12	869	6.92	13.2
	10/5/2010	0.06			88.68		0.345	-117	1.84	930	7.86	10.8
	1/24/2011			1.33				-28	1.82	838	6.73	7.8
	4/12/2011							-68	1.39	966	7.16	10.1
P-111	12/5/2002			44				88.30	-0.03	639	7.43	9.76
	4/22/2003			39				-74.20	0.67	486	7.71	12.06
	10/22/2003	<0.058		31				-94.00	0.75	566	7.53	9.87
	8/14/2007							118	0.35	580	7.46	11.1
	5/5/2008							65	0.35	614	7.72	10.5
	4/7/2009							-89	0.26	624	7.62	9.1
	10/28/2009	<0.20	<0.08	0.53	64.03	<0.2	0.0085	-140	0.48	616	7.57	10.1
	5/24/2010	<0.20	<0.08	0.61	70.99	<0.2	0.0051	-101	0.24	673	7.25	10.5
	10/5/2010	0.06			69.06		0.0065	-131	0.28	715	8.26	10.3
	1/24/2011			0.45				-98	0.58	632	7.35	9.1
	4/13/2011							-53	1.46	683	6.99	9.7
MW-3B	12/5/2002			36				-87	-0.11	1248	6.57	9.84
	12/5/2002			36								
	4/22/2003			46				-92	0.37	815	7.18	9.86
	10/22/2003	<0.058		43				-161	0.55	662	7.45	9.79
	1/31/2007							140	0.51	710	7.27	8.2
	5/1/2007							125	1.32	703	6.99	9.5
	8/8/2007							-233	0.43	605	7.49	10.3
	10/19/2007							170	0.29	598	6.63	9.8
	5/6/2008							21	0.40	672	7.89	9.7
	10/1/2008							334	1.35	646	6.90	9.7
	4/7/2009							-116	0.20	604	7.48	8.8
	10/28/2009	<0.20	<0.08	0.72	37.68	<0.2	0.098	-230	0.35	567	7.65	9.4
	5/24/2010	<0.20	<0.08	0.78	50.67	<0.2	0.0275	-176	0.17	650	7.27	10.2
	10/5/2010	0.05		0.61	43.23		0.0159	-161	8.80	697	8.24	9.9
	1/24/2011			0.66				-109	0.44	614	6.90	8.4
	4/13/2011			0.84				-207	0.52	694	7.65	9.5
	7/12/2011			0.68				-195	0.96	591	7.54	9.9

Table 3. Groundwater Natural Attenuation Parameters
FF/NN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO ₃ ⁻	NO ₂ ⁻	Fe ²⁺	SO ₄ ²⁻	S ²⁻	CH ₄					
	Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						
	Target	>	<	<1	>20	<1	<0.5	>50	>0.5			
	Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C
P-103D	5/2/2007							260	0.57	879	6.89	9.9
	10/18/2007							321	0.54	854	6.43	11.2
	5/5/2008							20	0.63	935	7.02	10.8
	10/2/2008							327	3.40	877	6.85	10.7
	4/7/2010							-110	0.45	808	7.61	10.0
	10/28/2009	<0.20	0.17	>2.5	76.38	<0.2	0.098	-146	0.52	746	7.30	10.2
	2/25/2010		<0.08	>2.5	78.05	<0.2	0.0747	-146	0.76	842	7.39	9.2
	5/24/2010	<0.20	<0.08	>2.5	88.88	<0.2	0.0303	-111	0.37	853	7.08	11.1
	10/5/2010	0.11			93.48		0.0659	-147	1.10	898	7.97	10.9
	1/25/2011			>2.5				-71	0.73	781	7.56	9.4
	4/12/2011			>2.5				-132	1.09	906	7.26	10.2
	7/11/2011			>2.5				-138	1.34	751	8.12	11.6
	12/5/2002				62			-75.60	-0.02	910	7.32	9.75
	4/23/2003				64			-20.50	0.94	706	7.63	9.98
	10/23/2003	<0.058			65			-68.30	0.70	838	7.17	9.78
P-111D	1/31/2007							74	0.72	885	7.30	8.9
	5/1/2007							78	3.37	900	7.05	10.0
	8/8/2007							55	0.55	900	7.25	10.9
	10/19/2007							296	0.53	897	6.90	10.7
	5/6/2008							15	0.56	980	7.56	10.6
	10/1/2008							330	2.31	907	7.07	10.0
	4/7/2009							-97	1.98	821	7.52	9.3
	10/28/2009	<0.20	<0.08	1.79	60.63	<0.2	0.33	-171	0.46	764	7.51	10.0
	2/25/2010	0.43	<0.08	1.62	65.7	<0.2	0.123	-125	0.86	871	7.45	6.0
	5/24/2010	<0.20	<0.08	1.83	70.59	0.25	0.31/0.239 Dup	-136	0.24	840	7.21	10.7
	10/5/2010	0.08		1.75	61.2		0.269/0.222 Dup	-148	0.75	886	8.13	10.3
	1/24/2011			1.72				-101	0.77	801	6.83	8.9
	4/13/2011			1.89				-126	0.42	873	7.19	9.9
	7/1/2011			1.87				-178	0.88	759	7.37	11.0
P-113B	12/3/2002				47			27.20	0.39	960	6.80	10.18
	4/23/2003				56			-54.30	1.05	715	7.22	10.13
	10/22/2003	<0.058			49			-125.40	0.46	616	7.42	10.13
	1/31/2007							109	0.40	620	7.33	8.8
	5/1/2007							113	1.03	625	7.03	10.2
	8/14/2007							110	0.28	618	7.28	11.1
	10/22/2007							252	0.53	629	6.70	10.3
	5/6/2008							-16	0.33	716	7.31	10.3
	10/2/2008							328	2.47	674	7.12	10.6
	4/6/2009							-122	0.40	627	7.54	9.2
	10/29/2009	<0.20	<0.08	0.83	70.14	<0.2	0.057	-187	0.42	579	7.33	10.3
	5/25/2010	<0.20	<0.08	1.19	80.11	<0.2	<0.0028	-145	0.17	646	7.26	10.9
	10/6/2010	0.1		0.98	75.55		ND	-183	0.35	685	8.09	11.0
	1/25/2011			0.9				-86	0.94	619	7.50	9.8
	4/13/2011			1.11				-164	1.11	675	7.44	10.2
	7/12/2011			0.99				-164	0.47	588	7.43	10.5
P-114 (Ehster)	12/3/2002				44					695	7.71	11.10
	4/23/2003				63			-117.00	0.85	669	7.71	10.00
	10/23/2003	<0.058			49			-125.10	0.54	1379	7.31	9.87
	2/1/2007							151	0.21	674	7.27	9.9
	5/1/2007							149	0.96	686	7.08	10.2
	8/8/2007							202	0.34	667	7.45	11.0
	10/22/2007							313	0.90	670	6.71	10.2
	5/6/2008							14	0.74	775	7.23	10.2
	10/2/2008							307	2.34	737	7.01	10.4
	4/6/2009							-76	0.45	687	7.58	9.5
	10/29/2009	0.22	<0.08	0.56	50.61	<0.2	0.28	-120	0.44	636	7.41	10.0
	2/26/2010	0.61	0.11	0.54	49.43	<0.2	0.285	-148	0.35	707	7.62	9.2
	5/26/2010	<0.20	0.15	0.6	57.47	<0.2	0.138/0.194 Dup	-129	0.66	703	7.27	10.4
	10/6/2010	0.11		0.72	57.18		0.186/0.224 Dup	-182	0.86	766	8.28	10.6
	1/25/2011			0.6				-58	0.42	679	7.60	9.3
	4/13/2011			0.65				-147	0.42	744	7.49	9.9
	7/12/2011			0.57				-134	1.95	646	7.48	10.5

Table 3. Groundwater Natural Attenuation Parameters
FF/NN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO ₃ ⁻	NO ₂ ⁻	Fe ²⁺	SO ₄ ²⁻	S ²⁻	CH ₄					
	Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						
	Target	>	<	<1	>20	<1	<0.5	>50	>0.5			
P-115 (former Wiese well)	Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C
	2/1/2007							128	0.29	590	7.35	9.6
	5/1/2007							112	0.85	589	7.12	10.5
	8/14/2007							216	0.43	582	7.44	10.7
	10/22/2007							313	0.54	579	6.74	10.6
	5/6/2008							-16	0.48	690	7.27	10.7
	10/2/2008							315	2.44	654	6.89	10.7
	4/6/2009							-72	0.30	605	7.58	9.9
	10/29/2009	<0.20	<0.08	0.92	40.7	<0.2	0.044	-166	0.47	551	7.52	10.2
	2/26/2010	0.36	<0.08	1.48	43.65	<0.2	0.0579	-155	0.35	620	7.64	9.8
	5/26/2010	<0.20	<0.08	1.01	46.07	<0.2	0.049	-135	0.40	608	7.30	10.5
	10/6/2010	0.1		0.95	41.23		0.0562	-175	1.42	646	8.15	10.7
	1/25/2011			0.95				-78	0.42	572	7.68	9.8
	4/13/2011			1.05				-178	0.44	626	7.51	10.5
	7/12/2011			0.86				-143	1.74	546	7.47	10.6
P-116 (former Hadel well)	2/1/2007							171	0.38	528	7.34	8.8
	5/1/2007							142	0.59	528	7.09	10.5
	8/8/2007							202	0.42	523	7.53	12.1
	10/22/2007							301	0.59	522	6.75	10.8
	5/6/2008							38	0.71	603	7.18	12.3
	10/2/2008							295	2.70	559	7.04	11.2
	4/6/2009							-49	0.89	518	7.57	9.5
	10/29/2009	0.33	0.21	0.51	41.29	0.32	0.0031	-96	0.44	476	7.53	10.3
	2/26/2010	0.48	0.23	0.51	41.82	0.4	0.0042	-97	0.44	535	7.64	9.1
	5/25/2010	0.33	0.24	0.73	49.87	0.49	0.004	-75	0.33	530	7.30	12.2
	10/6/2010	0.45		0.92	58.53		0.0051	-106	0.55	567	8.20	12.1
	1/25/2011			0.45				37	0.56	506	7.76	9.0
	4/13/2011			0.51				-109	0.58	556	7.49	10.7
	7/12/2011			0.35				-91	1.42	485	7.50	11.9
MW-3A	12/5/2002			20				-312	0.03	589	7.30	9.79
	4/22/2003			26				3	0.66	464	7.52	10.22
	10/22/2003	<0.058		14				-98	0.87	552	7.29	10.06
	1/31/2007							163	0.79	556	7.13	6.1
	5/1/2007							34	1.96	558	6.95	10.2
	8/8/2007							-144	0.74	549	7.32	12.4
	10/19/2007							201	1.07	551	6.51	10.5
	5/6/2008							13	0.33	630	7.55	9.8
	10/1/2008							297	7.35	591	6.89	9.8
	10/28/2009	<0.20	<0.08	0.51	14.67	<0.2	0.0073	-236	0.55	505	7.45	9.5
	5/24/2010	<0.20	0.04	0.49	22.35	0.21	0.0074	-227	0.55	561	7.13	12.5
	10/5/2010	0.05			15.33		0.0397	-204	1.51	600	8.20	11.3
	1/24/2011			0.19				-77	0.74	535	7.30	7.2
	4/13/2011			0.44				-240	1.14	589	7.42	10.8
	7/12/2011			0.19				-213	1.86	512	7.15	11.3
P-107D	12/4/2002			19						594	7.64	7.90
	4/21/2003			27						388	7.28	10.50
	10/21/2003	<0.058		19				51.40	1.25	528	7.34	10.05
	5/1/2007							113	3.20	583	6.96	12.4
	10/19/2007							261	1.10	581	6.56	10.0
	5/5/2008							61	1.07	653	7.55	10.6
	10/1/2008							354	4.48	607	6.89	10.4
	4/7/2009							-101	2.01	569	7.53	9.1
	10/28/2009	<0.20	<0.08	<0.1	23.84	<0.2	0.073	-188	0.45	528	7.48	10.1
	2/25/2010	0.51	<0.08	<0.1	23.57	<0.2	0.0613	-191	0.74	605	7.50	8.5
	5/24/2010	<0.20	<0.08	0.19	31.82	<0.2	0.163	-147	3.12	618	7.15	11.2
	10/5/2010	0.06		0.03	21.24		0.0737	-132	0.93	619	8.09	10.6
	1/24/2011			0.3				-59	0.79	564	6.62	9.0
	4/12/2011			0.11				-222	0.64	649	7.33	9.9
	7/1/2011			0.12				-211	1.32	2	8.16	11.7

Table 3. Groundwater Natural Attenuation Parameters
FF/NN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO ₃ ⁻	NO ₂ ⁻	Fe ²⁺	SO ₄ ²⁻	S ²⁻	CH ₄					
	Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						
	Target	>	<	<1	>20	<1	<0.5	>50	>0.5			
	Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C
P-113A	12/3/2002				12			111.80	20.00	579	7.26	10.39
	4/23/2003				15			42.00	2.98	465	7.50	10.37
	10/22/2003	0.3			10			-62.60	2.23	576	7.30	10.17
	8/8/2007							-140	0.57	544	7.37	13.3
	5/6/2008							-88	0.55	620	7.22	10.4
	4/6/2009							-137	0.74	542	7.42	8.4
	10/29/2009	0.35	0.16	>2.5	31.67	0.37	0.27	-240	0.87	498	7.41	10.7
	5/25/2010	0.26	0.21	>2.5	44.79	0.39	0.169	-183	0.96	554	7.16	15.6
	10/6/2010	0.43			44.48		0.239	-196	0.89	591	7.98	12.8
	1/25/2011			1.09				-78	1.98	533	7.58	5.9
	4/13/2011			0.68				-202	1.13	578	7.46	12.8
	7/12/2011			1.44				-195	1.47	509	7.33	14.3
	10/29/2009	<0.20	<0.08	>2.5	15.18	<0.2	0.0098	-167	3.00	489	7.55	10.8
	2/26/2010	<0.20			16.34	0.42	0.0067	-159	1.57	549	7.70	8.6
Perry/Watkins	5/26/2010	<0.20	<0.08	1.7	24.6	<0.2	0.0082	-135	0.91	552	7.35	16.7
	10/6/2010	0.1			20.12		0.0081	-183	1.38	582	8.18	14.4
	1/28/2011								2.42		6.93	10.1
	4/18/2011									410	7.17	10.1
	10/29/2009	<0.20	<0.08	0.98	16.04	<0.2	0.01	-163	0.27	490	7.56	10.3
Gaastra	2/26/2010	<0.20			19.35	<0.2	0.0086	-146	1.22	584	7.45	10.7
	5/26/2010	<0.20	<0.08	2.44	27.28	0.22	0.0121	-156	0.52	553	7.28	17.3
	10/6/2010	0.11			22.65		0.0103	-201	1.14	597	8.22	15.0
	1/26/2011			2.34				33	1.24	552	7.37	7.9
	4/14/2011									620	6.88	13.8
Rohde	11/4/2009	<0.20	<0.08	0.36	19.88	<0.2	0.0011	-76	0.99	500	7.25	10.0
	2/25/2010	<0.20			21.03	<0.2	<0.0028	0	2.61	606	7.61	9.4
	5/26/2010	<0.20	<0.08	0.25	25.64	<0.2	<0.0028	7	1.19	635	6.42	18.53
	10/6/2010	0.08			26.48		ND	-117	1.91	612	8.08	13.7
	1/26/2011			0				116	3.83	571	7.56	7.36
	4/13/2011									550	6.85	7.5

Table 4. - Groundwater VOC Analytical Results for Private Drinking Water Wells
FF/NN Landfill, Ripon, WI

Private Well ID	Sampling Date	Parameters											
		VOC's						Inorganic					
		Carbon disulfide *	Methyl ethyl ketone *	Chloromethane	cis-1,2-Dichloroethene	Naphthalene	Toluene	Vinyl Chloride	Alkalinity	COD	Chloride	Hardness	
ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	
WDNR	PAL	1000	460	3	70	100	1000	0.2	NE	NE	250	NE	
NR140	ES	200	90	0.3	7	10	200	0.02	NE	NE	125	NE	
<i>Regularly Monitored Wells</i>													
Baneck Perry/Watkins Perry	5/9/2001	NA	NA	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
	11/19/2001 ¹	NA	NA	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
	2/5/2002	NA	NA	ND	ND	ND	ND	ND	280	3.2	ND	280	
	5/22/2002	NA	NA	ND	ND	ND	ND	ND	300	ND	ND	290	
	5/22/2002 Dup	NA	NA	ND	ND	ND	ND	ND	300	ND	ND	290	
	8/19/2002	ND	ND	ND	ND	ND	ND	ND	300	[3.0]	ND	290	
	12/3/2002	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	4/22/2003	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/22/2003	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	07/22/2004	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/12/2004	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	1/28/2005	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	4/27/2005	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	8/2/2005	ND	ND	ND	ND	0.071 QB	ND	ND	NA	NA	NA	NA	
	10/26/2005	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	01/31/06	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	4/28/2006	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	7/27/2006 ¹	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/31/2006 ¹	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	2/8/2007 ¹	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	5/1/2007	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	8/9/2007	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/22/2007	ND	ND	0.75 Q	ND	ND	ND	ND	NA	NA	NA	NA	
	1/25/2008	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	5/6/2008 ¹	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/3/2008	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	1/28/2009 ¹	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	4/6/2009	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	7/14/2009 ²	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/29/2009 ³	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	5/26/2010	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/6/2010	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	1/28/2011	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	4/18/2011 ¹	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	

**Table 4. - Groundwater VOC Analytical Results for Private Drinking Water Wells
FF/NN Landfill, Ripon, WI**

Private Well ID	Sampling Date	Parameters											
		VOC's						Inorganic					
		Carbon disulfide *	Methyl ethyl ketone *	Chloromethane	cis-1,2-Dichloroethene	Naphthalene	Toluene	Vinyl Chloride	Alkalinity	COD	Chloride	Hardness	
		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	mg/L
WDNR NR140	PAL	1000	460	3	70	100	1000	0.2	NE	NE	250	NE	NE
	ES	200	90	0.3	7	10	200	0.02	NE	NE	125	NE	NE
Gaastra	5/9/2001	NA	NA	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
	11/19/2001 ¹	NA	NA	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
	2/5/2002	NA	NA	ND	ND	ND	ND	ND	290	ND	ND	280	
	5/22/2002	NA	NA	ND	ND	ND	ND	ND	290	ND	ND	270	
	8/19/2002	ND	ND	0.24Q	ND	ND	ND	ND	300	ND	ND	280	
	12/3/2002	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	4/22/2003	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/22/2003	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/22/2003 dup	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	07/22/2004	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/12/04	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	1/27/2005	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	4/27/2005	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	8/2/2005	ND	ND	ND	ND	0.071 QB	ND	ND	ND	ND	ND	ND	
	10/26/2005	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	01/31/06	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	4/28/2006	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	7/27/2006 ¹	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/31/2006 ¹	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	2/1/2007 ¹	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	5/1/2007	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	8/9/2007	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/22/2007	ND	ND	0.99 Q	ND	ND	ND	ND	NA	NA	NA	NA	
	1/25/2008	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	5/6/2008 ¹	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/3/2008	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	1/28/2009	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	4/6/2009	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	7/14/2009 ²	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/29/2009 ^{2,3}	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	5/26/2010	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	10/6/2010	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	1/26/2011	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	
	4/14/2011 ¹	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	

Table 4. - Groundwater VOC Analytical Results for Private Drinking Water Wells
FF/NN Landfill, Ripon, WI

Private Well ID	Sampling Date	Parameters											
		VOC's						Inorganic					
		Carbon disulfide *	Methyl ethyl ketone *	Chloromethane	cis-1,2-Dichloroethene	Naphthalene	Toluene	Vinyl Chloride	Alkalinity	COD	Chloride	Hardness	mg/L
ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
WDNR	PAI	1000	460	3	70	100	1000	0.2	NE	NE	250	NE	
NR140	ES	200	90	0.3	7	10	200	0.02	NE	NE	125	NE	
Rohde	10/9/2001	NA	NA	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
	11/19/2001 ¹	NA	NA	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
	2/4/2002	NA	NA	ND	ND	ND	ND	ND	290	ND	ND	300	
	5/22/2002	NA	NA	ND	ND	ND	ND	ND	290	ND	ND	290	
	8/20/2002	ND	ND	ND	ND	ND	ND	ND	300	ND	ND	290	
	4/22/2003	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	10/23/2003	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	10/23/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	07/22/2004	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	10/12/2004	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	1/28/2005	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	4/27/2005	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	8/2/2005	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	10/26/2005	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	2/1/2006	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	4/28/2006	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	7/28/2006 ¹	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	10/31/2006	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	2/8/2007 ¹	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	5/1/2007	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	8/9/2007	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	10/22/2007	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	1/25/2008	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	5/6/2008 ¹	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	7/22/2008	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	10/3/2008	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	1/28/2009	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	4/6/2009	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	7/14/2009 ³	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	11/4/2009 ³	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	2/25/2010	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	5/26/2010	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	10/6/2010	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	1/26/2011	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	
	4/14/2011	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	

**Table 4. - Groundwater VOC Analytical Results for Private Drinking Water Wells
FF/NN Landfill, Ripon, WI**

Private Well ID	Sampling Date	Parameters											
		VOC's						Inorganic					
		Carbon disulfide *	Methyl ethyl ketone *	Chloromethane	cis-1,2-Dichloroethene	Naphthalene	Toluene	Vinyl Chloride	Alkalinity	COD	Chloride	Hardness	
		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
WDNR	PAL	1000	460	3	70	100	1000	0.2	NE	NE	250	NE	
NR140	ES	200	90	0.3	7	10	200	0.02	NE	NE	125	NE	

Underline values indicate PAL exceedance

Bold values indicate ES exceedance

Q = detected at less than quantitation limit

B= detected in trip blank

ND= not detected above the level of detection

PAL = Preventive Action Limit

NA = not analyzed

ES = Enforcement Standard

NR = not required to analyze

NE = None Established

¹ Methylene Chloride was detected and is assumed to be a laboratory artifact

² Acetone was detected and is assumed to be a laboratory artifact

³ Chloromethane was detected and is assumed to be lab introduced

Monitoring began in 1993. See prior report submittals to WDNR for results prior to 2001.

See Table 2 for monitoring wells for Ester, Hadel and Wiese data

Table 5. Leachate VOC Analytical Results for Leachate Wells
FF/NN Landfill
Ripon, Wisconsin

Leachate Well ID	Year	Date	Parameter																							
			Benzene	2-Butanone (MEK)	Carbon Disulfide	Chlorobenzene	Chloroethane	Chromomethane	Dichlorodifluoromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	cis-1,2-Dichloroethene	Ethylbenzene	Naphthalene	n-Propylbenzene	Tetrachloroethene	Toluene	1,2,4-Trichlorobenzene	Trichloroethene	Vinyl Chloride	Xylenes (Total)	Methyl-t-butyl ether		
LC-1	5/12	ND	ND	ND	ND	ND	ND	ND	NA	25	25	ND	ND	410	92	NA	NA	ND	NA	170	NA	18J	76	320	NA	
	5/12 Dup	ND	ND	ND	ND	ND	ND	ND	NA	36	36	43	ND	550	110	NA	NA	ND	NA	290	NA	ND	71	410	NA	
	6/24	1J	ND	ND	ND	5	ND	NA	1	1	0.8J	ND	13	12	NA	NA	ND	NA	20	NA	ND	6	85	NA		
	6/24 Dup	ND	ND	ND	ND	6D	ND	NA	2	2	1DJ	ND	13D	11D	NA	NA	ND	NA	23D	NA	ND	7D	82D	NA		
	1996	5/10	2.2	ND	ND	ND	ND	4J	ND	ND	ND	ND	ND	0.46J	4J	NA	ND	ND	NA	ND	ND	ND	ND	86	NA	
	10/31	ND	ND	ND	0.58J	1.5	ND	ND	ND	ND	ND	ND	ND	8.3	NA	ND	ND	ND	NA	4.7	ND	ND	ND	280	NA	
	1997	5/13	1.7	ND	90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	10/28	3.6	5.9	ND	0.23	9.4	ND	ND	ND	ND	ND	0.87	ND	ND	3.6	6.8	ND	ND	97	1.2	ND	ND	ND	29	1.1	
	1998	4/14	3.8	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	13	ND	ND	110	ND	ND	ND	ND	ND	50	ND
	10/14	NA	NA	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	19	18	ND	ND	NA	ND	ND	ND	100	ND	
	1999	4/28*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	10/28*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2000	5/02*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	10/30*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2001	5/9*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	10/9*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2002	2/5*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	5/22*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	8/19 *	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2003	4/22*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2004	4/28*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2005	*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2006	*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2007	*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2008	5/6*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2009	4/9*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2010	5/26*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2011	4/14*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		

Table 5. Leachate VOC Analytical Results for Leachate Wells
FF/NN Landfill
Ripon, Wisconsin

Leachate Well ID	Year	Date	Parameter																							
			Benzene	2-Butanone (MEK)	Carbon Disulfide	Chlorobenzene	Chloroethane	Chloromethane	Dichlorodifluoromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	cis-1,2-Dichloroethene	Ethylbenzene	Naphthalene	n-Propylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	1,2,4-Trichlorobenzene	Trichloroethene	Vinyl Chloride	Xylenes (Total)	Methyl-t-butyl ether	
LC-2	1993	5/12	5	ND	ND	18	ND	ND	ND	ND	ND	380D	ND	ND	49	NA	NA	ND	NA	71	NA	ND	ND	160D	NA	
		6/24	10	ND	ND	20	ND	ND	ND	ND	ND	170D	ND	ND	54	NA	NA	ND	NA	27	NA	ND	ND	180	NA	
	1996	5/10	4.0	ND	ND	10	5	ND	ND	NA	NA	ND	0.2J	ND	ND	NA	NA	ND	NA	0.6J	NA	ND	ND	20	NA	
		10/31	6.6	ND	ND	24	8.1	ND	ND	ND	ND	11	0.22J	3.1	42	NA	NA	2.7	NA	6.8	NA	0.56J	ND	140	NA	
	1997	5/13	5.8	ND	ND	17	ND	ND	ND	ND	ND	8.3	ND	ND	4.4	ND	ND	ND	ND	ND	ND	ND	ND	34	ND	
		10/28	7.0	2.3	ND	25	6.4	ND	ND	0.59	0.23	8.2	ND	ND	18	8.9	ND	ND	ND	240J	1.4	0.18	ND	ND	40	1.6
	1998	4/14	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	200	ND	ND	ND	ND	ND	ND
		10/14	4.0	NA	NA	91	ND	ND	ND	ND	ND	18	ND	ND	45	7.1	ND	ND	NA	ND	ND	ND	ND	39	1.3	
	1999	4/7	6.2	NA	NA	44	ND	ND	ND	ND	ND	28	ND	ND	150	7.1	2.8	ND	NA	ND	ND	ND	ND	380	ND	
		10/28	8.0	ND	NA	45	ND	ND	ND	ND	ND	30	ND	ND	280	12	ND	ND	240	ND	ND	ND	ND	ND	750	ND
	2000	5/02	8.1	ND	ND	45	ND	ND	ND	ND	ND	30	ND	ND	190	3.6	ND	ND	190	ND	ND	ND	ND	ND	670	ND
		10/30	10	ND	NA	47	ND	ND	ND	ND	ND	33	ND	ND	130	ND	ND	ND	ND	200	0.6J	ND	ND	ND	430	2.0
	2001	5/09	ND	ND	NA	ND	ND	ND	1.0	ND	ND	19	ND	ND	ND	ND	ND	ND	ND	200	ND	ND	ND	ND	ND	ND
		10/9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2002	2/5	13	NA	NA	67	ND	ND	ND	ND	ND	39	ND	ND	180	13	7	ND	NA	ND	ND	ND	ND	ND	720	ND
		5/22	14	NA	NA	51	ND	ND	ND	ND	ND	33	ND	ND	96	ND	ND	ND	ND	ND	ND	ND	ND	ND	570	NA
	2003	4/22	12	ND	ND	43	ND	ND	ND	ND	ND	30	ND	ND	210	10	NA	ND	170	ND	NA	ND	ND	ND	980	ND
		4/28	9	ND	ND	30	1.8 Q	ND	ND	ND	ND	23	ND	ND	88	4.4	NA	ND	130	1.5 Q	NA	ND	ND	ND	470 D	0.87 Q
	2005	8/3	11	ND	ND	43	ND	ND	ND	ND	ND	25	ND	ND	92	3.7	NA	ND	180	ND	NA	ND	ND	ND	770	ND
		4/28	13	ND	ND	45	ND	ND	ND	ND	ND	33	ND	ND	85	17	NA	ND	220	ND	NA	ND	ND	ND	1100	ND
	2007	5/02	12	ND	ND	50	ND	ND	ND	ND	ND	22	ND	ND	52	6.3	NA	ND	170	ND	NA	ND	ND	ND	780	ND
		5/6	7.6	ND	ND	58.2	ND	ND	ND	ND	ND	13.1	ND	ND	43.3	11.3	NA	ND	128	2.1	NA	ND	ND	ND	337	ND
	2009	4/9	10.9	ND	ND	45.9	ND	ND	ND	ND	ND	16.3	ND	ND	91.3	6.9J	NA	ND	138	ND	NA	ND	ND	ND	618	ND
		5/26	13.7	ND	ND	45.2	ND	ND	ND	ND	ND	18.6	ND	ND	12.7J	ND	ND	ND	187	ND	ND	ND	ND	ND	ND	953
	4/14	17	ND	ND	42	ND	ND	ND	ND	ND	ND	18.5	ND	ND	60.5	7.5J	ND	ND	151	ND	ND	ND	ND	ND	ND	876

Table 5. Leachate VOC Analytical Results for Leachate Wells
FF/NN Landfill
Ripon, Wisconsin

Leachate Well ID	Year	Date	Parameter																					
			Benzene	2-Butanone (MEK)	Carbon Disulfide	Chlorobenzene	Chloroethane	Chloromethane	Dichlorodifluoromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,1-Dichloroethane	cis-1,2-Dichloroethene	Ethylbenzene	Naphthalene	n-Propylbenzene	Tetrachloroethylene	Toluene	1,2,4-Trichlorobenzene	Trichloroethene	Vinyl Chloride	Xylenes (Total)	Methyl-t-butyl ether
LC-3	1993	5/12*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		6/24*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	1996	5/10*	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		10/31*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	1997	5/13*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		10/28*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	1998	4/14*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		10/14*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	1999	4/28*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		10/28*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2000	5/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5800	ND	ND	ND	ND	65	ND	ND	330	ND	ND
		10/30	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2001	5/9*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		10/9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2002	2/5*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		5/22*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		8/19 *	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2003	4/22*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2004	4/28*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2005	*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2006	*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2007	5/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	170	13	ND	NA	ND	290	35	NA	ND	13	65
	2008	5/6*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2009	4/9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	296	2.2	ND	NA	ND	22	13.6	NA	22	11.3	<6.1
	2010	5/26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1180	ND	ND	ND	ND	20.6J	29.8	ND	23.8	14.5	47.5
	2011	4/14	ND	63.7J	6.2	ND	ND	ND	ND	4.3J	ND	ND	ND	373	16.5	ND	ND	ND	38.9	81.2	ND	19.6	25.8	79.4

Table 5. Leachate VOC Analytical Results for Leachate Wells
FF/NN Landfill
Ripon, Wisconsin

Leachate Well ID	Year	Date	Parameter																			
			Benzene	2-Butanone (MEK)	Carbon Disulfide	Chlorobenzene	Chloro ethane	Chloromethane	Dichlorodifluoromethane	1,2-Dichloro benzene	1,3-Dichloro benzene	1,4-Dichloro benzene	1,1-Dichloroethane	cis-1,2-Dichloroethene	Ethylbenzene	Naphthalene	n-Propylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	1,2,4-Trichlorobenzene	Trichloroethene

Notes: * = Insufficient water for sample collection

D = Analyte was identified in an analysis at a secondary dilution factor

J = Estimated Values; Below the Quantitation Limit

NA = Not analyzed

ND = Not detected

Many samples results indicated the presence of methylene chloride and/or acetone.

Validation of the data indicated that these compounds were not actually present in the water from the leachate wells.

These, and other compounds not detected in the samples are not included on the summary table.

All concentrations are in parts per billion (ppb)

Contaminants are not compared to NR140 Prevention Action Limits and Enforcement Standards because those standards do not apply to leachate.

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

1 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
LC-1	11:31	3/20/2006	61.5	37.7	0.7	0.1	target percentages
	10:02	3/22/2006	43.6	26.3	6.4	23.7	pre-startup
	15:32	3/22/2006	56.0	33.3	3.8	6.9	
	8:29	3/23/2006	50.1	29.5	4.3	16.1	
	16:35	3/23/2006	44.2	24.6	4.9	26.3	
	15:40	3/24/2006	18.8	11.8	15.9	53.5	
	14:25	3/28/2006	7.0	8.7	10.8	73.5	
	18:58	3/30/2006	15.8	21.0	6.9	56.3	
	13:50	4/5/2006	11.2	17.1	9.8	61.9	
	12:50	4/6/2006	6.2	9.0	13.9	70.9	
	13:10	4/11/2006	9.6	16.7	8.6	65.1	
	10:45	4/14/2006	11.2	17.9	7.2	63.7	
	15:26	4/14/2006	12.2	24.1	4.0	59.7	
	9:58	4/17/2006	16.7	30.2	5.3	47.8	
	19:12	4/27/2006	7.8	17.5	2.9	71.8	
	13:12	5/4/2006	6.1	18.7	2.0	73.2	
	10:17	5/22/2006	5.8	21.6	1.3	71.3	
	12:20	6/2/2006	18.0	22.7	0.6	58.7	
	8:20	6/9/2006	1.1	0.2	20.4	78.3	
	12:34	6/14/2006	3.9	0.6	20.2	75.3	
	10:41	6/22/2006	3.3	7.6	13.8	75.3	
	12:06	7/5/2006	3.7	12.5	10.1	73.7	
	11:31	7/10/2006	3.5	10.9	11.8	73.8	
	10:49	7/17/2006	3.9	10.7	11.8	73.6	
	14:00	7/28/2006	5.0	12.0	10.2	72.8	
	9:46	8/8/2006	2.7	9.5	12.9	74.9	
	7:20	8/16/2006	2.4	6.6	14.5	76.5	
	7:12	8/21/2006	0.1	0.2	15.1	84.6	
	14:07	8/28/2006	2.1	12.5	12.4	73.0	
	11:21	9/13/2006	0.6	0.6	13.3	85.5	
	11:19	9/25/2006	0.0	0.0	16.2	83.8	
	8:18	10/10/2006	2.7	8.4	14.8	74.1	
	8:19	10/23/2006	2.0	1.5	12.8	83.7	
	14:00	11/2/2006	3.8	21.6	1.7	72.9	
	14:54	11/14/2006	7.5	23.0	0.7	68.8	
	11:26	11/27/2006	5.5	23.0	0.4	71.1	
	12:57	12/26/2006	5.0	23.6	0.3	71.1	
	13:57	1/27/2007	9.5	22.8	0.3	67.4	
	11:20	2/24/2007	6.5	23.0	0.8	69.7	
	11:20	3/1/2007	17.5	23.2	1.8	57.5	
	12:28	3/1/2007	16.5	23.2	1.8	58.5	
	14:30	3/1/2007	15.5	22.8	1.6	60.1	
	8:10	3/5/2007	sampling port clogged with ice			adjust blower time, 12 on, 12 off	
	8:10	3/24/2007	15.5	23.0	1.8	59.7	
	16:55	3/24/2007	14.0	22.2	2.2	61.6	
	17:10	3/26/2007	11.0	21.6	2.2	65.2	
	7:28	3/27/2007	10.0	22.4	1.7	65.9	
	16:27	3/28/2007	11.0	22.8	1.5	64.7	
	8:04	3/29/2007	11.5	23.0	1.5	64.0	
	17:00	3/29/2007	11.0	22.8	1.5	64.7	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

2 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
LC-1	8:04	3/30/2007	13.0	24.0	1.0	62.0	blower off
	11:34	5/30/2007	43.0	28.0	2.0	27.0	restart and run 24 hrs
	13:35	5/30/2007	40.0	26.2	2.6	31.2	
	10:30	5/31/2007	0.1	0.0	20.7	79.2	reduce to 12 on 12 off
	16:32	6/1/2007	0.1	0.0	20.7	79.2	
	15:30	6/2/2007	20.0	22.8	1.7	55.5	
	16:09	6/3/2007	18.0	22.2	1.9	57.9	
	14:12	6/4/2007	16.5	21.8	2.2	59.5	reduce to 6 on 18 off
	15:10	6/7/2007	17.0	21.6	2.3	59.1	
	17:16	6/12/2007	10.5	21.0	2.1	66.4	
	14:49	6/14/2007	11.0	20.8	2.2	66.0	
	14:40	6/19/2007	10.5	21.0	2.2	66.3	
	14:40	6/21/2007	11.0	21.2	2.0	65.8	
	14:30	7/11/2007	11.5	21.4	2.0	65.1	
	14:00	7/23/2007	12.0	21.8	2.0	64.2	
	14:07	8/8/2007	12.0	21.6	2.2	64.2	
	13:30	8/13/2007	13.5	22.8	2.2	61.5	
	14:10	8/20/2007	10.0	21.4	2.8	65.8	
	14:25	8/28/2007	8.5	20.8	2.7	68.0	
	15:55	8/31/2007	5.5	18.2	4.2	72.1	
	14:55	9/4/2007	4.5	17.2	4.1	74.3	
	13:25	9/17/2007	3.2	15.4	5.1	76.4	
	9:50	9/29/2007	3.0	15.2	5.6	76.2	
	8:45	10/4/2007	3.1	15.2	5.6	76.1	
	9:45	10/7/2007	3.7	15.6	4.8	75.9	
	9:50	10/18/2007	6.0	17.0	3.6	73.4	
	9:00	10/25/2007	5.0	17.2	3.8	74.0	
	9:20	11/1/2007	6.0	18.6	2.2	73.2	
	10:25	11/13/2007	11.5	18.6	3.4	66.5	
	11:30	11/26/2007	4.8	16.2	4.8	74.3	
	11:00	12/10/2007	5.0	16.0	5.4	73.6	
	11:50	12/26/2007	5.5	16.6	4.3	73.6	
	10:15	1/9/2008	6.0	17.0	3.7	73.3	
	12:10	1/23/2008	5.0	15.8	5.2	74.0	
	9:20	2/4/2008	8.0	17.4	3.3	71.3	
	7:50	2/18/2008	12.0	17.6	3.8	66.6	
	7:30	3/4/2008	20.0	18.0	6.0	56.0	
	8:50	3/18/2008	23.0	19.8	3.9	53.3	
	14:30	5/12/2008	14.5	21.0	1.5	63.0	
	9:15	5/19/2008	4.4	17.4	2.4	75.9	
	13:50	5/30/2008	6.5	18.2	1.2	74.1	
	9:20	6/12/2008	3.8	19.0	2.6	74.6	
	9:20	6/25/2008	9.5	21.6	0.5	68.4	
	11:10	7/7/2008	6.0	19.4	1.3	73.3	opened GV-6 to 200 ft/min
	12:25	7/21/2008	6.5	20.6	1.1	71.8	
	9:50	8/5/2008	7.0	20.2	1.7	71.1	
	9:10	8/13/2008	12.5	23.2	0.1	64.2	increase to 12 on 12 off
	8:45	8/19/2008	8.0	21.2	2.2	68.6	
	14:15	9/2/2008	6.5	20.6	1.1	71.8	
	11:41	10/3/2008	8.0	21.6	0.8	69.6	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

3 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
LC-1	10:40	10/13/2008	9.0	22.4	0.6	68.0	
	9:15	10/28/2008	9.0	23.4	0.0	67.6	
	7:40	11/6/2008	10.5	22.2	0.6	66.7	
	10:25	12/8/2008	7.0	21.4	1.4	70.2	
	10:20	12/24/2008	6.0	20.4	1.2	72.4	decrease to 10 on
	12:00	1/8/2009	5.0	15.4	2.4	77.2	
	11:25	1/18/2009	8.5	23.0	0.3	68.2	
	7:40	1/27/2009	5.0	18.0	4.9	72.1	
	8:40	2/6/2009	4.8	16.4	5.2	73.7	
	11:00	2/23/2009	3.9	17.4	4.5	74.3	decrease to 8 on
	10:20	3/9/2009	8.0	21.2	0.1	70.7	
	10:20	3/20/2009	10.0	21.8	0.6	67.6	
	11:46	4/9/2009	13.0	22.2	0.2	64.6	
	10:45	4/19/2009	5.6	18.2	2.1	74.1	
	8:05	5/4/2009	8.5	16.2	5.5	69.8	
	8:40	5/18/2009	4.3	17.6	3.4	74.8	
	9:35	6/1/2009	7.0	15.4	5.2	72.4	
	9:00	6/14/2009	5.0	18.8	1.5	74.7	
	8:45	7/2/2009	13.5	21.2	1.6	63.7	
	7:30	7/13/2009	7.0	12.6	8.6	71.8	
	8:20	7/22/2009	5.0	20.4	1.3	73.3	
	8:50	8/11/2009	4.6	17.4	4.1	74.0	
	8:45	8/24/2009	4.3	16.8	4.5	74.5	decrease to 6 on 18 off
	9:25	9/8/2009	10.0	21.6	0.6	67.8	
	9:20	9/21/2009	15.0	23.8	0.0	61.2	
	10:15	10/5/2009	15.0	23.8	0.1	61.1	
	11:00	10/28/2009	16.0	23.2	1.3	59.5	
	10:50	11/16/2009	7.5	21.8	0.8	69.9	
	10:00	12/18/2009	24.0	23.8	0.0	52.2	
	9:10	12/28/2009	27.0	27.0	0.0	46.0	
	9:50	1/11/2010	24.0	26.0	0.0	50.0	
	8:30	1/26/2010	26.0	26.0	0.0	48.0	
	12:00	2/25/2010	19.5	24.6	0.0	55.9	
	9:50	3/8/2010	20.0	24.0	0.0	56.0	
	9:25	3/22/2010	18.0	23.0	0.0	59.0	
	9:28	4/5/2010	17.0	23.0	0.0	60.0	
	9:18	4/19/2010	16.5	23	0	60.5	
	9:22	5/3/2010	20.0	23.6	0.0	56.4	
	9:47	5/17/2010	20.0	24.0	0.0	56.0	
	9:10	5/25/2010	10.5	22.8	0.0	66.7	
	9:15	6/24/2010	13.0	21.0	1.4	64.6	
	10:15	7/6/2010	6.0	20.4	1.5	72.1	
	9:08	7/19/2010	7.0	19.6	3.0	70.4	
	9:00	8/2/2010	6.5	19.4	2.2	71.9	
	9:50	8/16/2010	12.5	21.6	1.1	64.8	
	8:52	8/30/2010	21.0	24.2	0.7	54.1	
	9:08	9/13/2010	26.5	25.2	1.1	47.2	
	9:40	9/28/2010	29.5	26.0	1.1	43.4	
	8:05	10/12/2010	24.5	25.2	1.7	48.6	
	9:22	10/25/2010	24.5	25.4	1.1	49.0	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

4 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments target percentages
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
LC-1	9:36	11/2/2010	16.0	24.2	1.5	58.3	
	8:49	11/15/2010	15.5	23.4	1.5	59.6	
	9:45	12/10/2010	14.0	22.8	1.5	61.7	
	9:00	12/23/2010	15.5	22.6	1.6	60.3	
	9:18	1/10/2011	11.5	22.2	1.6	64.7	
	12:15	2/11/2011	34.0	24.6	1.7	39.7	
	9:20	3/7/2011	4.9	15.2	6.5	73.5	
	11:50	3/24/2011	19.5	22.2	0.7	57.6	
	8:55	4/6/2011	22.9	23.4	0.3	53.4	
	8:19	4/25/2011	23.5	23.0	0.6	52.9	
	8:52	5/9/2011	34.5	24.6	0.3	40.6	
	9:12	5/23/2011	38.0	25.4	0.3	36.3	
	10:50	6/6/2011	40.0	26.0	0.3	33.7	
	9:08	6/15/2011	41.5	26.2	0.3	32.0	
	9:15	7/5/2011	35.5	26.0	0.3	38.2	
	8:06	7/13/2011	31.0	26.0	0.2	42.8	
	8:20	7/26/2011	32.0	26.6	0.3	41.1	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

5 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
LC-2	11:09	3/20/2006	61.9	36.8	1.0	0.3	pre-startup
	9:52	3/22/2006	50.2	28.3	4.9	16.6	
	15:51	3/22/2006	49.9	35.2	7.4	7.5	
	8:52	3/23/2006	45.2	27.1	6.8	20.9	
	16:52	3/23/2006	54.3	32.5	3.5	9.7	
	15:20	3/24/2006	25.5	14.8	15.3	44.4	
	15:10	3/28/2006	18.7	12.0	13.5	55.8	
	19:09	3/30/2006	52.6	28.7	3.7	15.0	
	13:45	4/5/2006	35.5	20.5	8.2	35.8	
	13:25	4/6/2006	33.4	21.0	9.1	36.5	
	13:35	4/11/2006	33.4	21.7	9.9	35.0	
	10:57	4/14/2006	58.5	39.5	2.0	0.0	
	15:56	4/14/2006	33.6	20.0	7.9	38.5	
	10:20	4/17/2006	30.0	20.0	4.3	45.7	
	19:59	4/27/2006	51.7	26.8	4.2	17.3	
	13:28	5/4/2006	43.6	24.8	4.2	27.4	
	12:00	5/22/2006	48.8	28.9	4.3	18.0	
	8:41	6/9/2006	34.2	20.0	10.5	35.3	
	13:05	6/14/2006	30.1	20.2	8.3	41.4	
	11:05	6/22/2006	45.1	35.4	5.1	14.4	
	12:09	7/5/2006	44.4	44.5	5.8	5.3	
	10:50	7/10/2006	0.1	0.2	5.4	94.3	
	10:15	7/17/2006	42.7	32.7	5.8	18.8	
	14:15	7/28/2006	43.6	33.4	4.7	18.3	
	9:51	8/8/2006	45.4	36.2	4.1	14.3	
	9:30	8/16/2006	31.2	24.6	8.6	35.6	
	8:38	8/21/2006	2.4	10.2	3.7	83.7	
	14:22	8/28/2006	20.0	36.2	4.2	39.6	
	11:36	9/13/2006	28.2	37.0	4.0	30.8	
	11:34	9/25/2006	2.4	0.8	5.9	90.9	
	8:32	10/10/2006	49.8	41.7	5.1	3.4	
	8:42	10/23/2006	37.8	29.5	7.6	25.1	
	14:20	11/2/2006	42.5	28.4	3.6	25.5	
	15:16	11/14/2006	39.5	28.2	3.5	28.8	
	11:40	11/27/2006	48.5	33.2	0.3	18.0	
	13:30	12/26/2006	44.0	29.4	2.6	24.0	
	14:10	1/27/2007	44.5	27.6	3.1	24.8	
	11:28	2/24/2007	9.0	0.2	20.5	70.3	
	11:02	3/1/2007	37.2	28.2	1.5	33.1	
	12:26	3/1/2007	36.0	29.0	1.5	33.5	
	14:45	3/1/2007	33.0	27.6	2.1	37.3	
	8:05	3/5/2007	1.1	1.0	19.7	78.3	adjust blower time, 12 on, 12 off
	8:00	3/24/2007	36.0	28.4	1.2	34.4	
	16:45	3/24/2007	36.0	28.0	1.0	35.0	
	17:00	3/26/2007	33.5	27.4	0.9	38.2	
	7:19	3/27/2007	33.5	27.4	1.0	38.1	
	16:35	3/28/2007	36.0	28.2	0.9	34.9	
	7:50	3/29/2007	36.5	28.6	0.8	34.1	
	16:52	3/29/2007	35.5	28.2	0.7	35.6	
	7:56	3/30/2007	11.5	11.0	11.5	66.0	blower off

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

6 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
LC-2	11:45	5/30/2007	44.5	27.4	1.9	26.2	restart and run 24 hrs
	13:45	5/30/2007	46.0	28.2	1.5	24.3	
	10:20	5/31/2007	40.0	26.0	1.3	32.7	reduce to 12 on 12 off
	16:25	6/1/2007	40.5	25.4	1.4	32.7	
	15:20	6/2/2007	40.5	25.4	1.2	32.9	
	16:00	6/3/2007	39.5	25.2	1.4	33.9	
	14:04	6/4/2007	39.5	25.2	1.5	33.8	reduce to 6 on 18 off
	14:43	6/7/2007	39.5	25.0	1.4	34.1	
	16:46	6/12/2007	40.5	25.6	1.2	32.7	
	14:20	6/14/2007	40.5	25.4	1.2	32.9	
	13:55	6/19/2007	39.5	25.8	1.2	33.5	
	14:00	6/21/2007	39.5	25.4	1.5	33.6	
	13:50	7/11/2007	38.0	25.8	1.5	34.7	
	13:30	7/23/2007	38.5	26.6	1.4	33.5	
	14:17	8/8/2007	38.5	27.8	1.2	32.5	
	14:00	8/13/2007	38.5	28.2	1.5	31.8	
	13:20	8/20/2007	34.5	25.2	3.1	37.2	
	13:45	8/28/2007	36.5	27.8	1.3	34.4	
	15:30	8/31/2007	30.0	26.0	2.5	41.5	
	14:25	9/4/2007	26.0	26.0	2.0	46.0	
	12:55	9/17/2007	17.5	23.6	3.2	55.7	
	9:15	9/29/2007	17.5	23.8	2.9	55.8	
	8:15	10/4/2007	18.5	25.0	1.8	54.7	
	9:15	10/7/2007	19.0	25.2	1.7	54.1	
	9:30	10/18/2007	17.5	21.4	4.2	56.9	
	8:35	10/25/2007	23.0	25.2	2.3	49.5	
	8:50	11/1/2007	26.5	27.0	1.0	45.5	
	9:55	11/13/2007	28.0	25.8	1.8	44.4	
	11:05	11/26/2007	27.0	25.4	2.0	45.6	
	10:30	12/10/2007	26.0	25.8	2.1	46.1	
	11:15	12/26/2007	26.0	25.0	2.0	47.0	
	9:40	1/9/2008	24.5	21.6	4.7	49.2	
	11:58	1/23/2008	19.0	18.2	7.4	55.4	
	8:50	2/4/2008	17.0	15.4	9.4	58.2	
	7:20	2/18/2008	25.5	20.4	6.3	47.8	
	7:15	3/4/2008	30.5	21.2	7.1	41.2	
	8:25	3/18/2008	32.5	22.6	5.5	39.4	
	13:45	5/12/2008	43.0	25.8	2.5	28.7	
	8:45	5/19/2008	41.0	26.0	2.0	31.0	
	13:20	5/30/2008	31.0	23.6	3.2	42.2	
	8:35	6/12/2008	35.5	20.0	1.3	43.2	
	8:45	6/25/2008	33.0	24.8	3.6	38.6	
	10:45	7/7/2008	32.0	27.0	1.7	39.3	opened GV-6 to 200 ft/min
	12:20	7/21/2008	34.5	28.2	1.5	35.8	
	10:00	8/5/2008	34.5	27.6	2.1	35.8	
	9:20	8/13/2008	36.5	27.8	2.8	32.9	increase to 12 on 12 off
	9:05	8/19/2008	40.0	29.6	0.4	30.0	
	14:40	9/2/2008	34.0	29.6	1.3	35.1	
	11:49	10/3/2008	34.5	29.4	1.8	34.3	
	10:25	10/13/2008	36.5	29.8	1.7	32.0	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

7 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
LC-2	9:35	10/28/2008	38.5	30.2	2.4	28.9	
	8:00	11/6/2008	39.0	30.4	1.5	29.1	
	10:55	12/8/2008	41.5	32.2	1.2	25.1	
	9:50	12/24/2008	23.0	20.8	7.0	49.2	decrease to 10 on
	11:20	1/8/2009	25.0	23.4	5.1	46.5	
	11:35	1/18/2009	13.5	19.8	5.5	61.2	
	7:45	1/27/2009	35.5	31.0	0.7	32.8	
	8:15	2/6/2009	26.5	25.2	3.5	44.8	
	10:15	2/23/2009	23.5	25.8	2.0	48.7	decrease to 8 on
	9:50	3/9/2009	23.0	23.8	3.7	49.5	
	9:40	3/20/2009	29.5	28.6	0.5	41.4	
	12:25	4/9/2009	47.0	18.6	2.0	32.4	
	10:15	4/19/2009	35.0	28.2	0.3	36.5	
	8:15	5/4/2009	29.0	27.8	0.3	42.9	
	8:30	5/18/2009	27.5	28.2	0.0	44.3	
	9:45	6/1/2009	23.0	26.8	0.0	50.2	
	9:20	6/14/2009	23.5	27.6	0.0	48.9	
	9:00	7/2/2009	26.5	26.0	1.3	46.2	
	7:45	7/13/2009	32.0	28.6	0.0	39.4	
	8:30	7/22/2009	33.9	28.6	0.0	37.5	
	9:10	8/11/2009	31.0	29.0	0.0	40.0	
	9:00	8/24/2009	27.5	29.0	0.0	43.5	decrease to 6 on 18 off
	9:45	9/8/2009	30.5	29.6	0.0	39.9	
	9:38	9/21/2009	30.5	27.0	1.5	41.0	
	10:40	10/5/2009	38.5	30.8	0.0	30.7	
	10:50	10/28/2009	43.5	31.8	0.0	24.7	
	11:15	11/16/2009	40.0	30.6	0.6	28.8	
	9:50	12/18/2009	44.5	33.0	0.1	22.4	
	8:50	12/28/2009	49.0	33.2	0.0	17.8	
	9:00	1/11/2010	50.0	33.4	0.0	16.6	
	8:39	1/26/2010	55.5	33.6	0.0	10.9	
	11:50	2/25/2010	45.0	27.8	3.3	23.9	
	9:40	3/8/2010	53.5	31.8	0.0	14.7	
	9:10	3/22/2010	52.5	30.8	0.4	16.3	
	9:15	4/5/2010	52.5	30.8	0.2	16.5	
	9:30	4/19/2010	53.5	31.0	0.3	16.5	
	9:30	5/3/2010	52.5	30.8	0.0	16.7	
	10:10	5/17/2010	51.5	30.6	0.4	17.5	
	9:10	5/25/2010	50.0	30.8	0.2	19.0	
	9:30	6/24/2010	41.0	27.8	1.6	29.6	
	10:30	7/6/2010	37.5	27.8	1.6	33.1	
	9:18	7/19/2010	34.5	27.4	1.7	36.4	
	9:20	8/2/2010	32.0	27.4	1.7	38.9	
	10:05	8/16/2010	35.0	29.0	1.1	34.9	
	9:10	8/30/2010	39.5	30.4	0.0	30.1	
	9:26	9/13/2010	41.5	30.6	1.1	26.8	
	10:00	9/28/2010	44.5	31.0	1.1	23.4	
	8:12	10/12/2010	44.5	31.0	1.8	22.7	
	9:37	10/25/2010	48.0	32.2	1.3	18.5	
	9:36	11/2/2010	50.0	32.6	1.6	15.8	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

8 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
LC-2	9:15	11/15/2010	48.0	32.4	1.6	18.0	
	9:55	12/10/2010	44.5	32.2	1.6	21.7	
	9:15	12/23/2010	43.5	32.6	1.6	22.3	
	9:30	1/10/2011	43	31.4	2.3	23.3	
	11:45	2/11/2011	52.0	30.8	1.5	15.7	
	9:30	2/22/2011	12.0	8.4	15.1	64.5	
	9:05	3/7/2011	13.0	9.2	14.5	63.3	
	12:10	3/24/2011	47.5	31.0	0.4	21.1	
	9:15	4/6/2011	49.5	30.8	0.3	19.4	
	8:08	4/25/2011	51.0	29.4	1.3	18.3	
	9:08	5/9/2011	53.5	29.8	0.6	16.1	
	9:31	5/23/2011	46.0	25.8	3.3	24.9	
	11:05	6/6/2011	57.0	30.0	0.6	12.4	
	9:21	6/15/2011	58.0	30.6	0.7	10.7	
	9:30	7/5/2011	60.5	30.2	0.8	8.5	
	8:10	7/13/2011	57.0	28.4	2.0	12.6	
	8:30	7/26/2011	63.5	30.6	0.6	5.3	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

9 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
LC-3	11:31	3/20/2006	62.3	36.3	0.5	0.9	target percentages
	10:06	3/22/2006	55.9	33.2	3.5	7.4	pre-startup
	8:37	3/23/2006	53.5	30.5	3.4	12.6	
	16:30	3/23/2006	59.9	30.5	2.0	7.6	
	14:30	3/24/2006	8.6	6.7	17.0	67.7	
	14:45	3/28/2006	21.1	14.8	12.0	52.1	
	19:21	3/30/2006	51.2	30.4	1.6	16.8	
	13:35	4/5/2006	30.7	22.2	6.6	40.5	
	13:05	4/6/2006	19.0	14.9	11.9	54.2	
	13:20	4/11/2006	36.9	26.6	3.5	33.0	
	10:49	4/14/2006	38.2	27.8	1.0	33.0	
	15:30	4/14/2006	37.7	28.8	1.2	32.3	
	10:10	4/17/2006	10.5	0.6	0.8	88.1	
	19:38	4/27/2006	27.6	23.6	0.5	48.3	
	13:20	5/4/2006	0.0	0.0	8.8	91.2	
	10:25	5/22/2006	9.6	15.7	8.9	65.8	
	14:41	6/2/2006	0.6	0.1	20.4	78.9	
	8:29	6/9/2006	22.5	31.2	4.0	42.3	
	12:42	6/14/2006	20.5	15.6	3.2	60.7	
	10:51	6/22/2006	13.1	28.7	3.5	54.7	
	12:23	7/5/2006	13.0	29.6	1.9	55.5	
	11:38	7/10/2006	0.0	0.0	1.7	98.3	
	10:17	7/17/2006	11.9	28.3	1.8	58.0	
	14:09	7/28/2006	16.3	28.7	1.5	53.5	
	10:02	8/8/2006	11.4	28.8	1.5	58.3	
	9:10	8/16/2006	11.9	28.4	1.4	58.3	
	8:27	8/21/2006	2.4	5.8	1.8	90.0	
	14:14	8/28/2006	12.1	10.2	1.4	76.3	
	11:26	9/13/2006	6.8	11.8	1.7	79.7	
	11:25	9/25/2006	10.1	0.4	1.9	87.6	
	8:25	10/10/2006	10.8	29.6	2.7	56.9	
	8:26	10/23/2006	10.9	29.4	3.9	55.8	
	14:12	11/2/2006	9.5	23.4	0.4	66.7	
	15:09	11/14/2006	2.5	0.0	20.0	77.5	
	12:00	11/27/2006	0.3	1.2	18.9	79.7	
	13:10	12/26/2006	13.5	21.2	3.3	62.0	
	14:20	1/27/2007	13.0	21.4	1.9	63.7	
	11:40	2/24/2007	4.3	0.2	19.7	75.9	
	11:22	3/1/2007	12.0	19.6	4.1	64.3	
	12:30	3/1/2007	11.5	19.2	4.2	65.1	
	14:32	3/1/2007	11.5	18.8	4.1	65.6	
	7:50	3/5/2007	0.3	0.0	20.3	79.5	adjust blower time, 12 on, 12 off
	7:50	3/24/2007	15.0	19.2	4.1	61.7	
	16:34	3/24/2007	14.5	19.2	4.0	62.3	
	16:48	3/26/2007	12.5	18.6	3.6	65.3	
	7:09	3/27/2007	12.0	19.2	3.5	65.3	
	16:45	3/28/2007	13.0	19.8	3.6	63.6	
	7:40	3/29/2007	12.0	19.2	3.7	65.1	
	16:43	3/29/2007	12.0	19.2	3.8	65.0	
	7:45	3/30/2007	7.0	12.6	8.0	72.4	blower off

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

10 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
LC-3	11:30	5/30/2007	29.0	22.8	3.0	45.2	
	13:52	5/30/2007	30.5	22.8	3.2	43.5	target percentages restart and run 24 hrs
	10:10	5/31/2007	23.5	21.2	2.9	52.4	reduce to 12 on 12 off
	16:10	6/1/2007	21.5	20.8	2.8	54.9	
	15:13	6/2/2007	20.0	19.4	3.6	57.0	
	15:44	6/3/2007	19.0	20.2	2.8	58.0	
	13:45	6/4/2007	18.0	19.8	3.0	59.2	reduce to 6 on 18 off
	14:27	6/7/2007	23.0	22.2	2.8	52.0	
	16:15	6/12/2007	14.0	19.4	3.1	63.5	
	13:58	6/14/2007	14.5	19.2	3.1	63.2	
	13:35	6/19/2007	14.5	19.6	3.0	62.9	
	13:40	6/21/2007	14.0	19.2	3.2	63.6	
	13:20	7/11/2007	14.0	19.2	3.3	63.5	
	13:10	7/23/2007	13.0	19.0	3.4	64.6	
	14:04	8/8/2007	13.0	19.4	3.4	64.2	
	13:50	8/13/2007	14.0	21.6	2.1	62.3	
	13:10	8/20/2007	11.8	19.8	2.7	65.7	
	13:35	8/28/2007	11.5	19.2	2.8	66.5	
	15:20	8/31/2007	8.5	18.0	3.5	70.0	
	14:15	9/4/2007	7.0	17.0	3.9	72.1	
	12:45	9/17/2007	5.5	15.8	4.7	74.0	
	9:05	9/29/2007	5.0	16.2	4.6	74.2	
	8:05	10/4/2007	5.5	16.0	4.6	73.9	
	9:05	10/7/2007	6.0	16.4	4.2	73.4	
	9:20	10/18/2007	7.5	16.8	3.6	72.1	
	8:25	10/25/2007	6.5	16.6	4.2	72.7	
	8:40	11/1/2007	7.5	16.8	4.3	71.4	
	9:45	11/13/2007	11.5	16.2	5.5	66.8	
	10:55	11/26/2007	7.0	14.4	6.4	72.2	
	10:20	12/10/2007	7.0	14.6	6.8	71.6	
	11:05	12/26/2007	7.5	14.4	6.4	71.7	
	9:30	1/9/2008	8.5	14.6	6.6	70.3	
	11:50	1/23/2008	7.5	14.4	7.3	70.8	
	8:40	2/4/2008	10.0	15.6	6.1	68.3	
	7:10	2/18/2008	12.5	15.4	6.8	65.3	
	7:40	3/4/2008	17.5	17.8	7.5	57.2	
	8:15	3/18/2008	20.0	17.6	6.2	56.2	
	13:35	5/12/2008	20.0	19.6	4.5	55.9	
	8:45	5/19/2008	11.5	16.6	5.6	66.3	
	13:10	5/30/2008	10.0	16.2	5.1	68.7	
	8:25	6/12/2008	9.5	17.4	5.2	67.9	
	8:35	6/25/2008	14.5	19.8	4.3	61.4	
	10:35	7/7/2008	10.5	17.0	4.9	67.6	opened GV-6 to 200 ft/min
	12:15	7/21/2008	10.5	19.0	4.1	66.4	
	10:00	8/5/2008	12.5	19.2	4.2	64.1	
	9:15	8/13/2008	13.5	19.6	4.3	62.6	increase to 12 on 12 off
	8:55	8/19/2008	9.5	18.4	4.6	67.5	
	14:25	9/2/2008	11.5	18.4	4.4	65.7	
	12:12	10/3/2008	12.5	19.0	4.8	63.7	
	10:15	10/13/2008	13.0	19.0	4.9	63.1	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

11 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
LC-3	9:25	10/28/2008	13.5	19.6	5.4	61.5	
	7:50	11/6/2008	13.5	19.2	5.1	62.2	
	10:40	12/8/2008	12.0	18.8	5.6	63.6	
	9:40	12/24/2008	10.0	17.4	5.2	67.4	decrease to 10 on
	11:10	1/8/2009	9.5	17.0	5.5	68.0	
	11:45	1/18/2009	29.5	22.6	7.4	40.5	
	8:05	2/6/2009	8.5	16.0	5.8	69.7	1/27/09 ice in port
	10:05	2/23/2009	6.5	16.2	5.7	71.6	decrease to 8 on
	9:40	3/9/2009	11.0	17.0	5.2	66.8	
	9:30	3/20/2009	13.5	17.6	5.3	63.6	
	11:25	4/9/2009	17.5	18.8	4.9	58.8	
	10:10	4/19/2009	11.0	17.2	5.3	66.5	
	8:40	5/4/2009	4.2	17.4	3.3	75.2	
	8:45	5/18/2009	7.5	16.4	5.5	70.6	
	10:10	6/1/2009	3.8	16.0	4.3	76.0	
	9:10	6/14/2009	7.5	16.0	5.3	71.2	
	8:55	7/2/2009	15.8	18.0	4.5	61.7	
	7:35	7/13/2009	15.5	19.0	4.4	61.1	
	8:35	7/22/2009	11.5	18.0	4.8	65.7	
	9:00	8/11/2009	9.0	17.2	4.7	69.1	
	8:50	8/24/2009	7.0	15.8	5.7	71.5	decrease to 6 on 18 off
	9:35	9/8/2009	12.0	17.4	4.8	65.8	
	9:28	9/21/2009	14.5	18.6	4.8	62.1	
	10:25	10/5/2009	16.5	19.2	4.9	59.4	
	11:05	10/28/2009	18.5	20.4	4.7	56.4	
	11:05	11/16/2009	12.5	18.6	5.5	63.4	
	9:35	12/18/2009	25.0	23.2	4.0	47.8	
	9:20	12/28/2009	25.0	22.4	5.0	47.6	
	9:20	1/11/2010	24.5	23.4	4.4	47.7	
	8:20	1/26/2010	27.5	23.6	4.4	44.5	
	11:45	2/25/2010	24.0	23.2	4.3	48.5	
	10:04	3/8/2010	25.0	23.0	3.9	48.1	
	9:30	3/22/2010	24.0	22.0	4.5	49.5	
	9:35	4/5/2010	24.9	22.6	4.0	48.5	
	9:21	4/19/2010	24.5	22.2	4.4	48.9	
	9:31	5/3/2010	26.5	22.6	4.0	46.9	
	9:59	5/17/2010	26.0	22.4	4.3	47.3	
	8:55	5/25/2010	22.0	22.2	3.4	52.4	
	9:20	6/24/2010	22.5	21.0	1.4	55.1	
	10:20	7/6/2010	17.0	19.8	4.5	58.7	
	9:14	7/19/2010	15.5	19.0	4.7	60.8	
	9:10	8/2/2010	10.5	18.6	4.7	66.2	
	10:00	8/16/2010	18.5	19.8	4.2	57.5	
	9:05	8/30/2010	24.5	22.0	3.0	50.5	
	9:15	9/13/2010	27.0	22.4	4.3	46.3	
	9:18	9/28/2010	27.0	22.6	4.7	45.7	
	8:17	10/12/2010	24.5	22.4	5.0	48.1	
	9:30	10/25/2010	24.5	22.2	4.7	48.6	
	9:45	11/2/2010	22.0	21.8	5.4	50.8	
	9:06	11/15/2010	21.5	21.2	1.7	55.6	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

12 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments target percentages
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
LC-3	9:50	12/10/2010	20.0	20.6	5.7	53.7	
	9:10	12/23/2010	19.5	21.2	5.9	53.4	
	9:25	1/10/2011	20.5	20.8	6	52.7	
	8:41	1/25/2011	18.5	18.8	7.4	55.3	
	12:30	2/11/2011	29.5	21.6	6.1	42.8	
	10:15	2/22/2011	15.5	17.0	7.7	59.8	
	9:30	3/7/2011	15.5	17.4	7.1	60.0	
	12:00	3/24/2011	23.0	20.6	4.9	51.5	
	9:05	4/6/2011	31.0	21.6	4.9	42.5	
	8:04	4/25/2011	31.0	21.2	5.6	42.2	
	9:00	5/9/2011	37.5	23.0	4.5	35.0	
	9:20	5/23/2011	39.5	24.0	4.2	32.3	
	11:00	6/6/2011	40.5	24.4	4.1	31.0	
	9:15	6/15/2011	40.5	24.4	4.0	31.1	
	9:20	7/5/2011	39.0	24.6	3.6	32.8	
	8:13	7/13/2011	38.5	24.6	3.5	33.4	
	8:15	7/26/2011	37.5	24.4	3.5	34.6	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

13 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-6	11:19	3/20/2006	0.4	0.2	20.9	78.5	target percentages pre-startup
	10:00	3/22/2006	45.9	26.6	2.6	24.9	
	15:49	3/22/2006	54.2	31.6	0.9	13.3	
	8:47	3/23/2006	51.5	29.5	1.3	17.7	
	16:50	3/23/2006	45.0	25.4	3.8	25.8	
	15:30	3/24/2006	24.0	13.9	15.0	47.1	
	14:30	3/28/2006	13.2	10.0	12.9	63.9	
	19:00	3/30/2006	34.4	24.9	2.9	37.8	
	13:25	4/5/2006	22.9	18.7	8.2	50.2	
	12:55	4/6/2006	21.9	17.4	7.9	52.8	
	13:10	4/11/2006	23.8	20.2	5.9	50.1	
	10:56	4/14/2006	26.9	23.4	2.3	47.4	
	15:53	4/14/2006	21.3	28.5	5.4	44.8	
	10:00	4/17/2006	31.3	34.0	3.0	31.7	
	19:55	4/27/2006	15.6	19.8	4.0	60.6	
	13:15	5/4/2006	0.0	0.0	2.4	97.6	
	10:19	5/22/2006	16.2	24.6	1.3	57.9	
	8:23	6/9/2006	24.4	32.8	6.2	36.6	
	12:37	6/14/2006	22.8	29.3	5.6	42.3	
	10:46	6/22/2006	12.1	23.0	5.4	59.5	
	12:07	7/5/2006	13.7	24.7	4.9	56.7	
	11:33	7/10/2006	12.6	26.2	4.0	57.2	
	10:54	7/17/2006	12.7	25.6	3.9	57.8	
	14:04	7/28/2006	4.8	24.5	4.4	66.3	
	9:53	8/8/2006	14.8	29.1	2.3	53.8	
	9:06	8/16/2006	14.8	27.1	4.1	54.0	
	8:22	8/21/2006	12.7	8.6	3.8	74.9	
	14:10	8/28/2006	16.6	25.7	5.0	52.7	
	11:24	9/13/2006	8.2	1.4	5.3	85.1	
	11:20	9/25/2006	8.1	0.8	1.8	89.3	
	8:20	10/10/2006	18.1	30.1	3.2	48.6	
	8:21	10/23/2006	12.8	18.1	4.6	64.5	
	14:05	11/2/2006	10.0	22.4	1.3	66.3	
	14:56	11/14/2006	19.0	21.8	4.5	54.7	
	11:27	11/27/2006	9.0	14.6	8.4	68.0	
	13:00	12/26/2006	15.5	22.8	1.5	60.2	
	14:02	1/27/2007	13.5	20.8	1.7	64.0	
	9:32	2/15/2007	0.6	11.4	8.0	80.1	
	11:24	2/24/2007	2.6	12.0	9.6	75.9	
	9:41	3/1/2007	23.0	24.0	0.2	52.8	
	10:15	3/1/2007	13.5	17.8	3.6	65.1	
	10:17	3/1/2007	12.0	19.2	1.3	67.5	
	11:13	3/1/2007	9.0	17.4	2.5	71.1	
	12:22	3/1/2007	7.5	16.6	3.0	72.9	
	13:53	3/1/2007	6.5	15.6	4.3	73.6	
	14:00	3/1/2007	7.0	15.5	4.2	73.3	
	14:40	3/1/2007	6.0	14.4	5.2	74.4	
	8:00	3/5/2007	6.0	14.4	6.4	73.2	adjust blower time, 12 on, 12 off
	8:05	3/24/2007	11.5	20.0	2.8	65.7	
	16:50	3/24/2007	12.0	19.4	2.8	65.8	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

14 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-6	17:05	3/26/2007	9.5	18.4	3.2	68.9	
	7:25	3/27/2007	7.0	17.6	4.1	71.3	
	16:31	3/28/2007	11.0	20.0	1.8	67.2	
	7:59	3/29/2007	8.5	19.8	1.4	70.3	
	16:55	3/29/2007	12.0	20.0	1.3	66.7	
	7:59	3/30/2007	9.0	20.8	0.3	69.9	blower off
	10:45	5/30/2007	31.0	22.6	0.7	45.7	restart and run 24 hrs
	13:40	5/30/2007	36.5	26.2	0.6	36.7	
	10:25	5/31/2007	21.5	22.8	1.5	54.2	reduce to 12 on 12 off
	16:28	6/1/2007	20.5	22.0	1.1	56.4	
	15:25	6/2/2007	20.0	21.8	1.1	57.1	
	16:05	6/3/2007	20.5	22.4	0.5	56.6	
	14:08	6/4/2007	16.5	22.0	0.8	60.7	reduce to 6 on 18 off
	15:04	6/7/2007	19.0	22.6	0.4	58.0	
	17:35	6/12/2007	14.0	21.6	1.7	62.7	
	15:00	6/14/2007	14.0	21.8	0.6	63.6	
	14:30	6/19/2007	13.0	22.8	0.7	63.5	
	14:30	6/21/2007	15.0	21.8	1.4	61.8	
	14:20	7/11/2007	14.0	20.2	3.1	62.7	
	14:20	7/23/2007	15.0	21.0	3.3	60.7	
	14:10	8/8/2007	14.0	20.2	3.8	62.0	
	13:15	8/13/2007	12.0	18.6	5.1	64.3	
	14:20	8/20/2007	9.5	18.0	5.1	67.4	
	14:15	8/28/2007	9.0	18.6	4.4	68.0	
	15:50	8/31/2007	6.0	19.2	2.5	72.3	
	14:45	9/4/2007	6.0	18.2	3.2	72.6	
	13:15	9/17/2007	5.0	16.8	4.3	73.9	
	9:35	9/29/2007	4.7	16.8	4.3	74.2	
	8:35	10/4/2007	4.4	16.2	4.7	74.8	
	9:35	10/7/2007	4.7	17.0	3.6	74.7	
	9:40	10/18/2007	7.5	20.0	0.6	71.9	
	9:10	10/25/2007	7.0	2.0	0.5	90.5	
	9:10	11/1/2007	7.0	20.6	0.2	72.2	
	10:05	11/13/2007	17.5	22.0	0.7	59.8	
	11:20	11/26/2007	6.0	15.6	5.5	72.9	reduce to 12 on 12 off
	10:50	12/10/2007	7.0	16.8	4.8	71.4	reduce to 10 on 14 off
	11:40	12/26/2007	6.5	15.6	4.9	73.0	reduce to 8 on 16 off
	10:05	1/9/2008	6.0	15.6	4.9	73.5	
	12:05	1/23/2008	5.5	13.4	7.3	73.8	
	9:10	2/4/2008	12.5	19.4	0.9	67.2	
	7:40	2/18/2008	17.0	20.4	0.7	61.9	
	7:20	3/4/2008	21.0	21.0	0.9	57.1	
	8:35	3/18/2008	31.0	22.8	0.8	45.4	
	14:15	5/12/2008	14.5	19.6	3.1	62.8	
	9:05	5/19/2008	5.5	14.8	6.4	73.3	
	13:40	5/30/2008	12.0	20.4	0.2	67.4	
	9:15	6/12/2008	5.0	16.8	5.5	72.7	
	9:10	6/25/2008	10.0	23.4	0.6	66.0	
	11:20	7/7/2008	5.5	20.0	0.0	74.5	opened GV-6 to 200 ft/min
	12:25	7/21/2008	7.5	20.8	1.3	70.4	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

15 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-6	9:45	8/5/2008	9.5	21.8	0.5	68.2	
	9:00	8/13/2008	11.5	21.6	1.4	65.5	increase to 12 on 12 off
	8:40	8/19/2008	4.9	15.4	6.8	73.0	
	14:00	9/2/2008	5.5	18.4	2.0	74.1	
	11:46	10/3/2008	3.7	9.6	11.0	75.7	
	10:35	10/13/2008	9.0	20.4	1.8	68.8	
	9:10	10/28/2008	7.0	19.2	2.8	71.0	
	7:30	11/6/2008	10.0	20.2	1.5	68.3	
	10:10	12/24/2008	6.0	15.6	4.5	73.9	12/8/08 meter failure
	11:45	1/8/2009	3.1	13.6	6.5	76.8	1/27/09 ice in port
	11:15	1/18/2009	8.5	19.0	3.2	69.3	
	8:30	2/6/2009	3.2	12.4	7.7	76.8	
	10:45	2/23/2009	1.5	10.8	9.7	78.1	decrease to 8 on
	10:10	3/9/2009	3.0	14.6	3.3	79.1	
	10:10	3/20/2009	4.4	16.8	2.1	76.8	
	12:21	4/9/2009	8.0	18.4	0.0	73.6	
	10:30	4/19/2009	3.6	13.0	6.7	76.7	
	8:30	5/4/2009	1.6	11.4	8.5	78.6	
	8:35	5/18/2009	2.0	12.4	7.2	78.4	
	10:05	6/1/2009	1.3	11.4	7.9	79.4	
	8:50	6/14/2009	1.7	13.8	4.7	79.8	
	8:40	7/2/2009	9.0	20.8	0.3	69.9	
	7:25	7/13/2009	11.5	23.0	0.0	65.5	
	8:25	7/22/2009	4.5	16.2	4.4	74.9	
	8:40	8/11/2009	1.9	11.8	7.7	78.6	
	8:40	8/24/2009	1.8	11.4	7.9	79.0	decrease to 6 on 18 off
	9:15	9/8/2009	7.0	18.4	1.6	73.0	
	9:10	9/21/2009	16.0	22.4	0.4	61.2	
	10:09	10/5/2009	9.5	19.8	2.0	68.7	
	10:55	10/28/2009	12.5	20.8	1.6	65.1	
	10:45	11/16/2009	15.5	4.5	16.0	64.0	
	9:15	12/18/2009	24.0	23.8	0.0	52.2	
	9:00	12/28/2009	21.5	22.4	5.0	51.1	
	9:10	1/11/2010	15.5	20.4	2.8	61.3	
	12:30	2/25/2010	21.2	21.2	0.7	56.9	
	9:45	3/8/2010	18.0	21.2	0.2	60.6	
	9:20	3/22/2010	18.0	21.2	0.3	60.5	
	9:20	4/5/2010	7.0	20.2	1.2	71.6	
	9:12	4/19/2010	14.0	21.0	0.1	64.9	
	9:12	5/3/2010	12.5	21.4	0.0	66.1	
	9:42	5/17/2010	22.5	23.6	0.0	53.9	
	9:04	5/25/2010	5.0	19.8	2.9	72.3	
	9:10	6/24/2010	9.0	19.6	1.7	69.7	
	9:00	7/19/2010	3.4	16.8	2.7	77.1	
	8:50	8/2/2010	4.5	12.0	3.0	80.6	
	9:43	8/16/2010	14.0	22.0	1.2	62.8	
	8:47	8/30/2010	21.5	25.0	1.0	52.5	
	9:00	9/13/2010	30.0	26.6	1.2	42.2	
	9:47	9/28/2010	37.0	28.2	1.2	33.6	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

16 of 16

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments target percentages
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-6	8:10	10/12/2010	24.0	25.0	1.7	49.3	
	9:12	10/25/2010	35.5	26.8	1.2	36.5	
	9:30	11/2/2010	15.5	22.0	1.9	60.6	
	8:45	11/15/2010	13.5	21.0	1.7	63.8	
	9:40	12/10/2010	9.0	19.2	2.1	69.7	
	8:50	12/23/2010	6.0	18.2	2.8	73.0	
	9:10	1/10/2011	28.0	4.8	15.7	51.5	
	12:00	2/11/2011	30.5	20.8	0.5	48.2	
	9:40	2/22/2011	1.7	7.4	14.2	76.7	
	9:15	3/7/2011	4.4	10.0	11.5	74.1	
	11:45	3/24/2011	7.5	12.2	6.9	73.4	
	8:45	4/6/2011	17.5	19.2	0.9	62.4	
	8:12	4/25/2011	18.6	20.8	0.7	59.9	
	8:45	5/9/2011	29.5	22.8	0.4	47.3	
	9:00	5/23/2011	35.5	24.4	0.4	39.7	
	10:45	6/6/2011	39.5	25.2	0.3	35.0	
	8:59	6/15/2011	41.0	26.8	0.3	31.9	
	9:10	7/5/2011	35.4	26.0	0.6	38.0	
	8:09	7/13/2011	24.0	24.8	0.6	50.6	
	8:10	7/26/2011	35.0	27.4	0.7	36.9	

Table 6b. Landfill Gas Field Parameter Monitoring Results of Closed Extraction Points

1 of 10

Closed Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-1	11:33	3/20/2006	10.2	8.1	14.9	66.8	target percentages pre-startup
	10:08	3/22/2006	17.2	11.7	14.8	56.3	
	11:33	3/22/2006	10.2	8.1	14.9	66.8	
	15:38	3/22/2006	48.6	29.2	1.4	20.8	
	8:39	3/23/2006	43.2	26.9	1.0	28.9	
	16:40	3/23/2006	41.1	21.9	2.4	34.6	
	15:00	3/24/2006	11.5	8.6	13.4	66.5	
	14:50	3/28/2006	8.7	7.4	13.4	70.5	
	19:02	3/30/2006	21.1	19.6	2.4	56.9	
	13:20	4/5/2006	23.0	17.0	9.8	50.2	
	13:15	4/6/2006	8.0	8.2	13.3	70.5	
	13:30	4/11/2006	10.2	13.4	6.7	69.7	
	10:51	4/14/2006	12.1	16.6	2.3	69.0	
	15:32	4/14/2006	22.8	24.9	1.0	51.3	
	10:15	4/17/2006	19.6	24.6	5.0	50.8	
	19:36	4/27/2006	11.3	16.8	1.9	70.0	
	13:22	5/4/2006	0.4	0.1	2.5	97.0	
	10:30	5/22/2006	5.9	19.0	3.0	72.1	
	14:32	6/2/2006	6.6	19.5	3.4	70.5	
	8:35	6/9/2006	7.9	17.8	6.4	67.9	
	12:04	6/14/2006	7.1	10.8	15.4	66.7	
	10:57	6/22/2006	6.3	19.5	5.6	68.6	
	11:31	7/5/2006	5.3	20.0	5.9	68.8	
	10:45	7/10/2006	4.7	18.8	5.2	71.3	
	10:11	7/17/2006	5.7	19.8	5.7	68.8	
	14:11	7/28/2006	5.8	19.7	5.3	69.2	
	10:04	8/8/2006	4.6	18.2	6.4	70.8	
	9:16	8/16/2006	2.4	1.3	7.1	89.2	
	8:33	8/21/2006	4.3	18.0	7.5	70.2	
	2:18	8/28/2006	3.4	18.2	8.1	70.3	
	11:31	9/13/2006	8.1	0.0	8.9	83.0	
	11:29	9/25/2006	0.3	0.6	4.9	94.2	
	8:29	10/10/2006	4.0	11.6	13.0	71.4	
	8:35	10/23/2006	0.7	0.1	20.4	78.8	
	14:16	11/2/2006	4.9	13.8	8.6	72.8	
	15:04	11/14/2006	0.3	0.0	20.1	79.7	
	11:31	11/27/2006	0.2	0.0	20.2	79.7	
	13:19	12/26/2006	4.9	14.0	7.3	73.8	
	12:58	1/27/2007	3.3	12.6	7.4	76.7	
	9:28	2/15/2007	0.3	5.6	14.2	80.0	
	11:45	2/24/2007	0.6	5.4	15.1	78.9	
	9:38	3/1/2007	7.5	18.6	0.9	73.0	
	10:07	3/1/2007	6.5	18.0	1.7	73.8	
	11:11	3/1/2007	7.0	18.0	2.1	72.9	
	12:20	3/1/2007	6.5	18.4	2.2	72.9	
	13:40	3/1/2007	5.5	17.8	3.2	73.5	
	13:42	3/1/2007	6.0	17.4	3.8	72.8	
	14:36	3/1/2007	5.5	16.4	4.2	73.9	
	7:45	3/5/2007	0.3	3.2	16.6	79.9	adjust blower time, 12 on, 12 off
	7:45	3/24/2007	1.4	11.2	8.0	79.5	

Table 6b. Landfill Gas Field Parameter Monitoring Results of Closed Extraction Points

2 of 10

Closed Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-1	16:32	3/24/2007	1.1	10.4	9.0	79.5	
	16:45	3/26/2007	0.5	8.6	10.7	80.2	
	7:05	3/27/2007	0.4	8.0	11.8	79.9	
	16:50	3/28/2007	0.6	8.8	11.7	78.9	
	7:35	3/29/2007	0.3	9.0	10.6	80.1	
	16:38	3/29/2007	0.4	8.6	11.2	79.8	
	7:35	3/30/2007	8.0	17.8	1.6	72.6	blower off
	10:42	5/30/2007	29.5	25.0	0.8	44.7	restart and run 24 hrs
	13:50	5/30/2007	23.5	23.6	1.2	51.7	
	10:05	5/31/2007	8.5	17.4	2.3	71.8	reduce to 12 on 12 off
	16:05	6/1/2007	5.5	15.8	3.0	75.7	
	15:10	6/2/2007	4.8	15.0	3.2	77.1	
	15:40	6/3/2007	4.0	14.6	3.6	77.8	
	13:50	6/4/2007	3.0	14.0	4.7	78.3	reduce to 6 on 18 off
	14:23	6/7/2007	7.0	16.8	2.2	74.0	
	16:05	6/12/2007	0.9	11.2	9.6	78.3	
	13:45	6/14/2007	1.5	12.0	8.3	78.3	
	13:45	6/19/2007	1.4	12.2	8.5	78.0	
		6/21/2007					vent closed

Table 6b. Landfill Gas Field Parameter Monitoring Results of Closed Extraction Points

3 of 10

Closed Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-4	11:23	3/20/2006	15.6	15.9	9.1	59.4	target percentages pre-startup
	10:04	3/22/2006	45.0	26.7	2.7	25.6	
	15:30	3/22/2006	54.0	32.9	0.9	12.2	
	8:33	3/23/2006	50.6	32.3	0.9	16.2	
	16:32	3/23/2006	42.4	26.0	0.8	30.8	
	14:56	3/24/2006	30.0	15.7	16.0	38.3	
	14:20	3/28/2006	10.5	9.9	8.9	70.7	
	19:25	3/30/2006	27.4	25.4	1.6	45.6	
	13:15	4/5/2006	16.0	16.9	8.2	58.9	
	12:45	4/6/2006	14.2	15.1	8.8	61.9	
	13:05	4/11/2006	11.7	12.9	11.5	63.9	
	10:47	4/14/2006	22.7	23.6	1.6	52.1	
	15:24	4/14/2006	15.5	30.4	2.5	51.6	
	9:55	4/17/2006	10.0	15.5	7.6	66.9	
	19:25	4/27/2006	8.1	15.2	3.7	73.0	
	13:07	5/4/2006	7.4	15.3	5.3	72.0	
	10:15	5/22/2006	6.8	16.4	5.8	71.0	
	14:45	6/2/2006	14.1	31.6	5.1	49.2	
	8:18	6/9/2006	10.1	0.6	8.0	81.3	
	12:32	6/14/2006	10.4	21.1	7.7	60.8	
	11:30	6/22/2006	0.6	0.4	19.9	79.1	
	12:04	7/5/2006	12.7	8.8	5.1	73.4	
	11:28	7/10/2006	6.3	24.5	2.5	66.7	
	10:48	7/17/2006	5.7	21.0	5.4	67.9	
	13:58	7/28/2006	8.0	25.3	2.8	63.9	
	9:44	8/8/2006	6.2	23.0	4.0	66.8	
	9:03	8/16/2006	6.1	23.2	4.0	66.7	
	8:17	8/21/2006	7.0	0.5	4.6	87.9	
	2:06	8/28/2006	7.4	25.9	3.9	62.8	
	11:20	9/13/2006	8.1	0.1	3.3	88.5	
	11:17	9/25/2006	10.1	0.3	1.3	88.3	
	8:17	10/10/2006	7.4	25.4	3.4	63.8	
	8:17	10/23/2006	7.8	24.0	6.3	61.9	
	13:45	11/2/2006	6.0	20.4	4.2	69.4	
	14:51	11/14/2006	8.0	16.6	6.4	69.0	
	11:25	11/27/2006	4.0	14.8	6.3	75.0	
	12:50	12/26/2006	4.4	18.8	3.1	73.7	
	13:42	1/27/2007	9.0	20.4	2.7	67.9	
	9:26	2/15/2007	0.5	14.4	3.8	81.3	
	11:18	2/24/2007	3.2	14.8	6.7	75.3	
	9:32	3/1/2007	16.5	22.2	0.2	61.1	
	9:50	3/1/2007	16.5	22.6	0.8	60.1	
	11:05	3/1/2007	12.0	19.8	1.2	67.0	
	12:13	3/1/2007	12.0	19.2	1.2	67.6	
	13:15	3/1/2007	10.5	19.0	1.2	69.3	
	13:17	3/1/2007	10.5	19.2	1.0	69.3	
	14:25	3/1/2007	9.5	1.2	17.6	71.7	
	8:15	3/5/2007	6.0	16.8	3.2	74.0	adjust blower time, 12 on, 12 off
	8:15	3/24/2007	9.5	21.8	1.0	67.7	
	17:00	3/24/2007	7.0	20.8	1.3	70.9	

Table 6b. Landfill Gas Field Parameter Monitoring Results of Closed Extraction Points

4 of 10

Closed Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-4	17:14	3/26/2007	2.6	19.2	2.1	76.1	
	7:33	3/27/2007	1.7	18.8	2.8	76.7	
	16:24	3/28/2007	2.5	19.2	1.9	76.4	
	8:08	3/29/2007	2.9	19.2	1.5	76.4	
	17:04	3/29/2007	3.3	19.2	1.7	75.9	
	8:08	3/30/2007	8.5	20.6	0.2	70.7	blower off
	10:54	5/30/2007	39.5	27.4	0.2	32.9	restart and run 24 hrs
	13:34	5/30/2007	37.5	26.8	0.2	35.5	
	10:35	5/31/2007	16.5	23.8	0.2	59.5	reduce to 12 on 12 off
	16:36	6/1/2007	12.5	22.5	0.4	64.6	
	15:33	6/2/2007	11.0	22.4	0.4	66.2	
	16:13	6/3/2007	9.5	21.8	0.3	68.4	
	14:15	6/4/2007	6.5	21.6	0.4	71.5	reduce to 6 on 18 off
	14:59	6/7/2007	9.5	22.2	0.1	68.2	
	17:25	6/12/2007	4.4	20.8	1.0	73.8	
	14:40	6/14/2007	4.3	20.6	0.5	74.7	
	14:50	6/19/2007	5.0	21.0	0.8	73.2	
	14:50	6/21/2007	7.5	21.6	0.7	70.2	
	14:40	7/11/2007	10.5	23.0	0.4	66.1	
	14:08	7/23/2007	12.5	23.6	0.4	63.5	
	14:06	8/8/2007	13.0	24.0	0.4	62.6	
	13:40	8/13/2007	10.0	23.4	0.9	65.7	
	13:50	8/20/2007	4.6	21.6	0.8	73.0	
	14:35	8/28/2007	3.1	20.2	0.9	75.8	
		8/31/2007					vent closed

Table 6b. Landfill Gas Field Parameter Monitoring Results of Closed Extraction Points

5 of 10

Closed Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-7	11:17	3/20/2006	9.3	6.8	15.8	68.1	target percentages pre-startup
	9:58	3/22/2006	44.0	24.8	1.3	29.9	
	15:46	3/22/2006	11.1	24.5	1.3	63.1	
	8:44	3/23/2006	36.7	25.0	1.6	36.7	
	14:40	3/24/2006	8.2	6.8	15.3	69.7	
	14:40	3/28/2006	8.5	8.3	12.7	70.5	
	19:13	3/30/2006	19.8	18.8	3.2	58.2	
	13:30	4/5/2006	11.5	12.5	9.8	66.2	
	13:00	4/6/2006	8.1	8.5	12.5	70.9	
	13:15	4/11/2006	13.9	16.6	4.8	64.7	
	10:55	4/14/2006	13.9	17.1	2.3	66.7	
	15:39	4/14/2006	28.6	29.2	3.5	38.7	
	10:05	4/17/2006	13.1	18.3	7.9	60.7	
	19:45	4/27/2006	8.7	13.6	5.4	72.3	
	13:17	5/4/2006	0.0	0.0	6.3	93.7	
	10:23	5/22/2006	6.7	15.1	7.0	71.2	
	8:26	6/9/2006	9.8	24.8	9.1	56.3	
	12:40	6/14/2006	8.2	13.5	8.7	69.6	
	10:48	6/22/2006	5.6	15.4	7.8	71.2	
	12:14	7/5/2006	5.2	17.1	7.4	70.3	
	11:35	7/10/2006	0.0	0.0	5.6	94.4	
	11:00	7/17/2006	4.6	16.4	7.0	72.0	
	14:07	7/28/2006	6.2	16.7	6.7	70.4	
	9:59	8/8/2006	4.9	15.6	7.9	71.6	
	9:08	8/16/2006	5.6	15.1	8.3	71.0	
	8:25	8/21/2006	1.6	4.2	9.3	84.9	
	2:12	8/28/2006	5.2	14.8	8.8	71.2	
	11:25	9/13/2006	4.6	13.3	9.9	72.2	
	11:23	9/25/2006	6.8	0.5	5.1	87.6	
	8:22	10/10/2006	5.2	13.8	11.3	69.7	
	8:24	10/23/2006	2.4	3.0	16.0	78.6	
	14:10	11/2/2006	6.5	13.0	9.4	71.1	
	14:59	11/14/2006	2.6	8.6	11.5	77.3	
	11:30	11/27/2006	2.7	8.6	11.7	77.1	
	13:05	12/26/2006	9.0	16.0	6.0	69.0	
	14:12	1/27/2007	8.0	4.8	5.4	81.8	
	9:33	2/15/2007	0.9	15.0	3.3	80.8	
	11:30	2/24/2007	sampling port clogged with ice				
	9:43	3/1/2007	30.5	27.2	0.3	42.0	
	10:20	3/1/2007	18.5	23.4	0.7	57.4	
	11:17	3/1/2007	20.5	24.2	0.4	54.9	
	12:24	3/1/2007	17.0	23.0	0.4	59.6	
	14:04	3/1/2007	17.5	23.0	0.8	58.7	
	14:42	3/1/2007	16.0	22.0	1.5	60.5	
	7:55	3/5/2007	4.9	17.4	2.6	75.1	adjust blower time, 12 on, 12 off
	7:55	3/24/2007	7.0	12.2	6.6	74.2	
	16:37	3/24/2007	6.5	12.0	6.7	74.8	
	16:56	3/26/2007	5.0	11.4	7.4	76.2	
	7:14	3/27/2007	4.1	10.4	8.9	76.6	
	16:38	3/28/2007	4.6	11.6	8.0	75.8	

Table 6b. Landfill Gas Field Parameter Monitoring Results of Closed Extraction Points

6 of 10

Closed Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-7	7:45	3/29/2007	4.2	12.6	6.3	77.0	
	16:47	3/29/2007	4.9	12.4	6.8	76.0	
	7:40	3/30/2007	4.0	14.2	4.5	77.4	blower off
	10:50	5/30/2007	35.5	26.2	0.5	37.8	restart and run 24 hrs
	13:42	5/30/2007	28.5	21.4	1.4	48.7	
	10:15	5/31/2007	16.5	17.4	2.7	63.4	reduce to 12 on 12 off
	16:15	6/1/2007	15.0	17.0	2.7	65.3	
	15:17	6/2/2007	14.0	16.8	3.0	66.2	
	15:48	6/3/2007	13.5	16.6	3.1	66.8	
	13:54	6/4/2007	11.5	15.6	4.0	68.9	reduce to 6 on 18 off
	14:32	6/7/2007	15.0	18.0	2.1	64.9	
	16:25	6/12/2007	8.0	14.2	6.2	71.6	
	14:05	6/14/2007	9.5	15.0	5.6	69.9	
	13:45	6/19/2007	8.0	14.2	6.7	71.1	
		6/21/2007					vent closed

Table 6b. Landfill Gas Field Parameter Monitoring Results of Closed Extraction Points

7 of 10

Closed Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-9	11:13	3/20/2006	16.8	14.0	9.7	59.5	target percentages pre-startup
	9:56	3/22/2006	42.7	27.8	0.8	28.7	
	15:42	3/22/2006	47.8	30.5	1.3	20.4	
	8:42	3/23/2006	49.0	31.4	1.0	18.6	
	16:43	3/23/2006	56.4	36.6	0.9	6.1	
	16:48	3/23/2006	38.0	28.3	1.7	32.0	
	15:10	3/24/2006	11.2	9.3	14.0	65.5	
	15:00	3/28/2006	8.8	8.9	12.8	69.5	
	19:05	3/30/2006	25.8	26.3	1.5	46.4	
	13:40	4/5/2006	14.1	17.7	7.8	60.4	
	13:20	4/6/2006	11.0	13.7	10.0	65.3	
	13:25	4/11/2006	8.9	11.8	11.2	68.1	
	10:53	4/14/2006	15.7	20.6	1.4	62.3	
	15:36	4/14/2006	12.8	19.0	2.9	65.3	
	10:20	4/17/2006	11.2	15.7	11.6	61.5	
	19:40	4/27/2006	9.6	16.8	3.7	69.9	
	13:24	5/4/2006	0.0	0.1	3.7	96.2	
	10:33	5/22/2006	6.3	17.9	4.4	71.4	
	8:38	6/9/2006	5.2	15.6	7.0	72.2	
	13:00	6/14/2006	12.4	31.0	6.1	50.5	
	11:01	6/22/2006	5.1	18.4	5.9	70.6	
	11:35	7/5/2006	5.8	20.5	4.8	68.9	
	10:48	7/10/2006	0.9	22.4	2.8	73.9	
	10:14	7/17/2006	6.0	20.6	5.6	67.8	
	14:12	7/28/2006	7.0	20.7	4.4	67.9	
	10:06	8/8/2006	5.4	19.6	5.3	69.7	
	9:25	8/16/2006	9.8	6.4	6.0	77.8	
	8:35	8/21/2006	0.4	0.8	6.9	91.9	
	2:20	8/28/2006	5.6	18.8	7.2	68.4	
	11:34	9/13/2006	0.6	1.4	6.9	91.1	
	11:31	9/25/2006	7.0	0.7	6.4	85.9	
	8:30	10/10/2006	5.9	18.2	7.4	68.5	
	8:39	10/23/2006	6.8	19.2	7.0	67.0	
	14:18	11/2/2006	4.6	14.6	7.2	73.7	
	15:13	11/14/2006	4.2	14.0	7.4	74.5	
	11:35	11/27/2006	3.2	14.0	7.4	75.4	
	13:25	12/26/2006	7.5	17.4	4.5	70.6	
	13:05	1/27/2007	6.5	14.8	6.8	71.9	
	9:30	2/15/2007	0.4	15.8	4.0	79.8	
	11:50	2/24/2007	7.0	12.2	8.6	72.2	
	9:36	3/1/2007	18.0	22.0	0.3	59.7	
	10:03	3/1/2007	11.5	18.2	2.1	68.2	
	11:09	3/1/2007	6.0	14.5	4.9	74.6	
	11:24	3/1/2007	5.5	14.4	5.3	74.8	
	12:18	3/1/2007	5.0	13.8	5.4	75.8	
	13:25	3/1/2007	2.6	12.6	6.7	78.1	
	13:35	3/1/2007	2.2	6.8	12.6	78.5	
	14:34	3/1/2007	0.7	10.6	7.9	80.9	
	7:40	3/5/2007	0.2	0.0	20.1	79.8	adjust blower time, 12 on, 12 off
	8:25	3/24/2007	7.0	15.6	5.4	72.0	

Table 6b. Landfill Gas Field Parameter Monitoring Results of Closed Extraction Points

8 of 10

Closed Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-9	17:15	3/24/2007	7.0	15.8	4.9	72.3	
	17:35	3/26/2007	5.5	15.6	4.8	74.1	
	7:45	3/27/2007	4.9	14.8	5.6	74.8	
	17:05	3/28/2007	5.5	16.0	5.0	73.5	
	8:22	3/29/2007	4.9	15.8	4.6	74.7	
	17:25	3/29/2007	5.5	16.0	4.7	73.8	
	8:20	3/30/2007	1.2	15.2	4.0	79.7	blower off
	10:27	5/30/2007	27.5	24.8	0.4	47.3	restart and run 24 hrs
	13:48	5/30/2007	23.5	24.0	0.4	52.1	
	10:00	5/31/2007	17.5	20.8	1.2	60.5	reduce to 12 on 12 off
	16:20	6/1/2007	17.0	20.8	1.0	61.2	
	15:45	6/2/2007	16.0	20.8	0.9	62.3	
	15:55	6/3/2007	16.0	20.4	1.1	62.5	
	13:58	6/4/2007	14.5	19.8	1.5	64.2	reduce to 6 on 18 off
	14:37	6/7/2007	15.0	24.0	0.6	60.4	
	16:35	6/12/2007	11.5	19.2	2.6	66.7	
	14:14	6/14/2007	11.0	19.0	2.5	67.5	
	14:05	6/19/2007	10.0	19.0	2.8	68.2	
	13:50	6/21/2007	7.5	16.6	4.8	71.1	
	13:40	7/11/2007	7.0	16.8	4.7	71.5	
	13:20	7/23/2007	7.5	17.4	4.6	70.5	
	14:15	8/8/2007	7.5	17.2	5.0	70.3	
		8/13/2007					vent closed

Table 6b. Landfill Gas Field Parameter Monitoring Results of Closed Extraction Points

9 of 10

Closed Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-12	11:05	3/20/2006	11.5	17.7	5.4	65.4	target percentages pre-startup
	9:50	3/22/2006	36.0	26.8	2.1	35.1	
	10:16	3/22/2006	34.8	24.3	1.9	39.0	
	15:28	3/22/2006	34.4	26.0	0.8	38.8	
	8:25	3/23/2006	32.9	31.0	2.1	34.0	
	16:30	3/23/2006	24.1	20.2	2.7	53.0	
	14:20	3/24/2006	4.7	4.8	17.1	73.4	
	14:10	3/28/2006	4.4	5.5	9.9	80.2	
	19:28	3/30/2006	13.1	16.7	5.8	64.4	
	13:10	4/5/2006	6.7	9.4	12.4	71.5	
	12:40	4/6/2006	6.8	9.0	12.3	71.9	
	13:00	4/11/2006	5.4	8.3	13.0	73.3	
	10:42	4/14/2006	11.3	17.8	3.6	67.3	
	15:19	4/14/2006	4.5	10.7	9.2	75.6	
	9:50	4/17/2006	2.1	6.1	14.5	77.3	
	19:16	4/27/2006	3.7	9.2	9.6	77.5	
	13:04	5/4/2006	3.8	9.8	10.4	76.0	
	10:12	5/22/2006	3.0	10.8	10.2	76.0	
	8:15	6/9/2006	3.9	11.9	11.5	72.7	
	12:29	6/14/2006	5.9	14.2	10.5	69.4	
	10:36	6/22/2006	4.3	13.2	9.7	72.8	
	12:01	7/5/2006	3.4	13.0	10.5	73.1	
	11:25	7/10/2006	5.3	20.0	4.1	70.6	
	10:45	7/17/2006	3.4	14.4	8.7	73.5	
	13:55	7/28/2006	4.5	18.1	6.5	70.9	
	9:40	8/8/2006	4.1	17.2	6.7	72.0	
	9:35	8/16/2006	0.7	2.8	17.5	79.0	
	8:14	8/21/2006	0.1	0.2	6.5	93.2	
	2:05	8/28/2006	5.3	18.7	6.7	69.3	
	11:16	9/13/2006	0.6	1.7	7.4	90.3	
	11:15	9/25/2006	12.6	27.8	2.1	57.5	
	8:15	10/10/2006	5.3	18.7	16.6	59.4	
	8:15	10/23/2006	4.7	18.7	9.0	67.6	
	14:44	11/2/2006	0.3	4.2	16.0	79.5	
	13:48	11/14/2006	5.0	16.2	4.8	74.0	
	11:22	11/27/2006	3.5	14.2	6.4	76.0	
	12:45	12/26/2006	3.9	13.2	7.6	75.4	
	13:23	1/27/2007	18.0	6.8	14.7	60.5	
	9:25	2/15/2007	0.3	0.6	19.5	79.7	
	9:37	2/15/2007	0.3	1.2	18.8	79.7	
	11:05	2/24/2007	0.4	1.2	19.3	79.1	
	9:34	3/1/2007	20.0	23.6	0.4	56.0	
	9:56	3/1/2007	19.0	23.4	0.2	57.4	
	11:07	3/1/2007	17.0	22.6	0.3	60.1	
	12:16	3/1/2007	14.5	21.4	0.2	63.9	
	13:19	3/1/2007	13.5	21.8	0.2	64.5	
	13:20	3/1/2007	15.0	22.6	0.3	62.1	
	14:27	3/1/2007	12.5	20.8	0.5	66.2	
	8:20	3/5/2007	6.0	18.2	2.1	73.7	adjust blower time, 12 on, 12 off
	8:15	3/24/2007	1.1	14.2	7.9	76.9	
	17:05	3/24/2007	0.8	14.2	7.6	77.4	

Table 6b. Landfill Gas Field Parameter Monitoring Results of Closed Extraction Points

10 of 10

Closed Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GV-12	17:20	3/26/2007	0.2	11.4	9.3	79.1	
	7:36	3/27/2007	0.2	9.8	10.8	79.2	
	17:45	3/28/2007	0.5	12.0	7.7	79.8	
	8:15	3/29/2007	0.4	13.2	4.2	82.2	
	17:10	3/29/2007	0.4	12.6	6.3	80.7	
	8:15	3/30/2007	9.0	20.6	0.3	70.1	blower off
	11:07	5/30/2007	20.0	24.8	0.2	55.0	restart and run 24 hrs
	13:32	5/30/2007	13.0	24.0	0.4	62.6	
	10:40	5/31/2007	3.1	17.4	5.4	74.1	reduce to 12 on 12 off
	16:40	6/1/2007	2.5	17.2	3.6	76.7	
	15:37	6/2/2007	2.3	17.2	3.4	77.1	
	16:15	6/3/2007	1.9	16.8	2.8	78.5	
	14:20	6/4/2007	1.5	16.6	3.3	78.7	reduce to 6 on 18 off
	14:53	6/7/2007	3.9	18.2	2.2	75.8	
	17:08	6/12/2007	0.3	13.8	5.6	80.3	
	14:30	6/14/2007	0.8	15.4	1.9	81.9	
	14:20	6/19/2007	1.1	15.6	4.8	78.5	
	14:20	6/21/2007	1.5	16.8	2.7	79.0	
	14:10	7/11/2007	3.9	20.2	0.5	75.5	
	13:45	7/23/2007	4.5	20.8	0.3	74.5	
	14:21	8/8/2007	4.9	21.6	0.1	73.5	
	14:10	8/13/2007	4.1	21.6	0.0	74.4	
	13:40	8/20/2007	1.1	17.0	3.3	78.6	
	14:05	8/28/2007	0.5	15.0	4.7	79.8	
		8/31/2007					vent closed

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

1 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-1	11:03	3/20/2006	18.8	8.1	0.4	72.7	target percentages pre-startup
	15:25	3/22/2006	17.9	8.0	0.4	73.7	
	14:10	3/23/2006	21.4	11.5	0.2	66.9	
	14:00	3/30/2006	0.8	2.4	15.0	81.8	
	13:45	4/6/2006	0.6	1.5	16.8	81.1	
	13:40	4/11/2006	1.2	0.8	19.3	78.7	
	11:33	4/14/2006	0.0	1.9	14.7	83.4	
	10:28	4/17/2006	3.8	4.8	16.8	74.6	
	7:15	4/28/2006	2.5	3.2	18.1	76.2	
	13:30	5/4/2006	0.0	3.4	13.9	82.7	
	10:45	5/22/2006	0.1	1.2	19.3	79.4	
	12:23	6/2/2006	0.1	3.5	12.1	84.3	
	8:02	6/9/2006	2.6	2.0	19.8	75.6	
	12:49	6/14/2006	1.1	3.9	15.4	79.6	
	11:10	6/22/2006	0.7	1.0	18.1	80.2	
	11:47	7/5/2006	0.6	2.4	14.9	82.1	
	11:15	7/10/2006	0.7	4.5	14.1	80.7	
	10:35	7/17/2006	0.8	2.9	15.8	80.5	
	13:42	7/28/2006	2.0	1.7	12.2	84.1	
	10:19	8/8/2006	4.4	8.5	12.9	74.2	
	8:20	8/16/2006	1.4	3.6	15.5	79.5	
	8:05	8/21/2006	0.5	0.6	13.0	85.9	
	13:52	8/28/2006	3.4	7.6	11.2	77.8	
	11:09	9/13/2006	4.6	0.1	12.5	82.8	
	10:28	9/25/2006	0.0	0.0	10.7	89.3	
	8:05	10/10/2006	0.7	2.3	17.6	79.4	
	8:07	10/23/2006	0.7	2.7	19.0	77.6	
	14:35	11/2/2006	0.3	2.6	17.6	79.5	
	13:35	11/14/2006	0.2	2.6	15.9	81.3	
	11:08	11/27/2006	0.2	0.4	19.3	80.2	
	12:20	12/26/2006	0.1	3.6	12.3	84.1	
	13:13	1/27/2007	0.5	2.8	14.6	82.2	
	10:50	2/24/2007	0.4	0.0	20.4	79.3	
	17:29	3/28/2007	0.3	2.4	14.6	82.8	
	10:25	5/1/2007	0.2	2.2	12.6	85.1	
	10:27	5/1/2007	0.1	1.2	16.1	82.6	
	12:00	5/30/2007	2.0	7.2	7.1	83.7	
	16:35	6/6/2007	11.0	10.6	0.8	77.6	
	14:48	6/7/2007	6.0	7.6	5.7	80.7	
	16:59	6/12/2007	1.1	6.0	9.4	83.5	
	14:25	6/14/2007	7.0	10.4	2.1	80.5	
	14:15	6/19/2007	3.5	6.6	9.7	80.3	
	14:10	6/21/2007	0.4	6.0	10.1	83.5	
	14:00	7/11/2007	4.0	8.4	8.3	79.3	
	14:35	7/23/2007	8.5	13.8	2.0	75.7	
	14:25	8/8/2007	9.5	14.8	2.4	73.3	
	11:45	8/13/2007	6.5	12.4	5.6	75.5	
	13:30	8/20/2007	5.5	10.8	9.2	74.5	
	13:55	8/28/2007	12.0	15.8	2.2	70.0	
	15:40	8/31/2007	9.5	14.0	4.2	72.3	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

2 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-1	14:35	9/4/2007	8.0	13.6	4.4	74.0	
	13:05	9/17/2007	0.2	6.0	12.0	81.8	
	9:25	9/29/2007	0.2	4.6	13.9	81.4	
	8:25	10/4/2007	0.4	2.8	17.1	79.7	
	9:25	10/7/2007	0.6	3.4	15.3	80.7	
	10:15	10/18/2007	6.5	12.2	4.2	77.1	
	8:45	10/25/2007	0.1	3.6	15.5	80.8	
	9:00	11/1/2007	0.1	5.4	13.8	80.7	
	9:40	11/13/2007	0.2	3.8	13.7	82.4	
	11:10	11/26/2007	0.3	1.2	19.3	79.3	
	10:40	12/10/2007	0.4	1.2	19.4	79.0	
	11:25	12/26/2007	0.3	1.4	18.6	79.8	
	13:00	1/23/2008	0.3	2.8	13.9	83.0	
	9:55	1/9/2008	0.4	1.0	17.7	81.0	
	13:00	1/23/2008	0.3	2.8	13.9	83.0	
	9:00	2/4/2008	0.1	2.2	14.6	83.1	
	7:30	2/18/2008	0.2	2.0	14.8	83.0	
	7:10	3/4/2008	0.1	1.2	19.1	79.6	
	8:05	3/18/2008	0.1	0.4	19.5	80.0	
	14:00	5/12/2008	0.0	4.8	3.5	91.7	
	8:55	5/19/2008	0.1	5.8	4.5	89.7	
	13:30	5/30/2008	7.0	7.8	0.8	84.4	
	8:55	6/12/2008	0.0	2.2	17.0	80.8	
	8:55	6/25/2008	10.5	10.0	0.0	79.5	
	10:55	7/7/2008	8.5	11.0	0.0	80.5	opened GV-6 to 200 ft/min
	11:50	7/21/2008	13.5	11.8	0.0	74.7	
	9:37	8/5/2008	26.5	13.4	0.0	60.1	
	10:40	8/5/2008	18.0	11.6	2.1	68.3	vent for 1 hour with cap off
	8:55	8/13/2008	22.5	14.4	0.0	63.1	increase to 12 on 12 off
	9:55	8/13/2008	17.5	11.4	3.1	68.0	vent for 1 hour with cap off
	8:35	8/19/2008	7.0	12.6	3.4	77.0	
	10:00	8/19/2008	6.0	14.0	1.3	78.7	vent for 1 hour with cap off
	11:58	10/3/2008	4.2	7.0	11.6	77.3	
	11:12	10/13/2008	1.8	4.4	14.2	79.6	
	9:00	10/28/2008	0.0	4.6	13.6	81.8	
	7:20	11/6/2008	0.4	3.4	15.1	81.1	
	10:15	12/8/2008	0.1	2.6	16.0	81.3	
	10:00	12/24/2008	0.0	2.2	15.7	82.1	
	11:30	1/8/2009	0.1	3.4	16.8	79.8	
	11:05	1/18/2009	0.1	3.6	16.1	80.2	
	7:20	1/27/2009	0.2	1.2	20.9	77.7	
	8:20	2/6/2009	0.1	0.6	19.8	79.5	
	10:30	2/23/2009	0.0	2.2	18.5	79.3	
	10:00	3/9/2009	0.0	1.8	17.9	80.3	
	10:00	3/20/2009	0.1	1.0	19.6	79.4	
	9:35	4/9/2009	0.0	2.8	8.7	88.5	
	10:20	4/19/2009	0.0	3.6	5.2	91.2	
	8:20	5/4/2009	0.0	3.8	1.8	94.4	
	8:25	5/18/2009	0.0	5.0	5.8	89.2	
	10:00	6/1/2009	0.0	6.6	6.1	87.3	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

3 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-1	8:40	6/14/2009	0.4	5.2	8.3	86.1	
	8:30	7/2/2009	0.0	3.2	15.1	81.7	
	7:20	7/13/2009	1.0	7.4	8.9	82.8	
	8:40	7/13/2009	0.0	0.8	18.9	80.3	vent for 1 hour with cap off
	7:20	7/22/2009	0.1	5.8	11.3	82.9	
	8:35	8/11/2009	0.0	3.4	14.7	81.9	
	8:30	8/24/2009	0.0	3.6	14.7	81.7	
	9:05	9/8/2009	2.0	7.8	9.4	80.8	
	9:05	9/21/2009	1.8	6.0	12.1	80.1	
	10:05	10/5/2009	0.0	5.8	12.9	81.3	
	10:30	10/28/2009	0.0	3.8	14.2	82.0	
	10:35	11/16/2009	0.0	2.4	16.5	81.1	
	9:05	12/18/2009	0.0	3.2	14.4	82.4	
	8:40	12/28/2009	0.0	1.0	18.4	80.6	
	8:45	1/11/2010	0.0	3.2	14.1	82.7	
	8:50	1/26/2010	0.3	4.0	9.1	86.7	
	10:32	2/25/2010	0.2	4.2	7.3	88.4	
	9:35	3/8/2010	0.0	5.4	1.0	93.6	
	9:05	3/22/2010	0.0	2.6	7.2	90.2	
	9:08	4/5/2010	0.0	3.8	14.6	81.6	
	9:05	4/19/2010	0.0	4.2	7.0	88.8	
	9:05	5/3/2010	0.0	1.2	17.6	81.2	
	9:35	5/17/2010	0.2	3.4	11.8	84.6	
	13:00	5/25/2010	0.0	4.8	10.7	84.5	
	9:05	6/24/2010	0.1	7.8	8.0	84.2	
	10:05	7/6/2010	0.0	8.8	3.0	88.2	
	8:38	7/19/2010	0.6	6.4	7.8	85.3	
	8:45	8/2/2010	2.6	9.4	3.9	84.1	
	9:35	8/16/2010	3.1	12.6	1.0	83.4	
	8:40	8/30/2010	2.2	9.0	6.6	82.3	
	8:50	9/13/2010	5.5	12.4	1.5	80.6	
	10:40	9/28/2010	3.7	11.2	1.9	83.2	
	6:50	10/12/2010	14.0	15.0	0.0	71.0	
	9:05	10/25/2010	16.5	16.0	0.0	67.5	
	9:20	11/2/2010	0.0	5.4	9.3	85.3	
	8:35	11/15/2010	4.4	9.0	3.8	82.8	
	9:30	12/10/2010	0.0	11.2	0.1	88.7	
	8:35	12/23/2010	0.0	1.2	17.9	80.9	
	9:05	1/10/2011	0.0	2.8	14.4	82.8	
	8:15	1/25/2011	0.2	5.0	8.1	86.7	
	11:35	2/11/2011	0.1	4.0	9.4	86.6	
	9:20	2/22/2011	0.2	1.0	18.1	80.8	
	8:55	3/7/2011	0.1	1.4	13.1	85.4	
	11:30	3/24/2011	0.3	0.2	20.9	78.6	
	8:35	4/6/2011	0.1	0.2	20.1	79.6	
	10:30	4/25/2011	0.1	0.2	20.7	79.0	
	8:35	5/9/2011	0.1	3.2	11.2	85.6	
	8:50	5/23/2011	0.0	5.4	3.8	90.8	
	10:35	6/6/2011	6.4	7.0	4.4	82.2	
	8:50	6/15/2011	15.5	9.6	0.3	74.6	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

4 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-1	9:00	7/5/2011	15.0	6.6	8.7	69.7	
	6:38	7/13/2011	12.0	13.0	0.4	74.6	
	8:00	7/26/2011	13.0	12.0	0.5	74.5	target percentages

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

5 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-2	9:00	3/22/2006	29.5	27.8	0.5	42.2	pre-startup
	14:40	3/23/2006	29.1	24.5	0.8	45.6	
	14:20	3/30/2006	11.5	13.1	10.7	64.7	
	14:05	4/6/2006	10.3	12.6	10.2	66.9	
	14:15	4/11/2006	5.4	5.7	15.3	73.6	
	11:56	4/14/2006	6.8	12.1	8.7	72.4	
	11:00	4/17/2006	0.0	0.0	20.7	79.3	
	9:55	4/28/2006	0.0	0.1	20.7	79.2	
	14:15	5/4/2006	1.5	18.9	3.0	76.6	
	11:15	5/22/2006	0.0	0.0	20.5	79.5	
	12:49	6/2/2006	1.0	0.1	19.7	79.2	
	9:00	6/9/2006	1.9	0.5	20.4	77.2	
	13:20	6/14/2006	4.8	1.0	20.1	74.1	
	10:00	6/22/2006	0.6	0.2	20.4	78.8	
	12:34	7/5/2006	0.7	1.5	19.9	77.9	
	11:48	7/10/2006	0.7	0.8	19.6	78.9	
	11:15	7/17/2006	0.7	1.2	18.8	79.3	
	13:05	7/28/2006	0.5	0.7	19.1	79.7	
	10:50	8/8/2006	0.6	0.2	19.6	79.6	
	7:53	8/16/2006	0.1	0.0	19.9	80.0	
	7:40	8/21/2006	0.5	0.1	20.4	79.0	
	13:40	8/28/2006	0.0	0.0	20.2	79.8	
	10:50	9/13/2006	0.1	0.1	20.2	79.6	
	10:10	9/25/2006	0.6	9.5	13.7	76.2	
	7:45	10/10/2006	0.7	1.8	19.8	77.7	
	7:46	10/23/2006	0.7	3.9	18.0	77.4	
	13:24	11/2/2006	0.5	0.3	17.6	81.6	
	12:38	11/14/2006	0.1	5.2	15.7	79.1	
	10:51	11/27/2006	0.1	0.6	20.0	79.3	
	13:55	12/26/2006	0.3	6.2	14.5	79.1	
	12:25	1/27/2007	0.3	1.6	19.1	79.1	
	12:15	2/24/2007	0.3	3.6	16.5	79.7	
	16:05	3/28/2007	0.2	2.4	18.0	79.5	
	11:07	5/1/2007	0.0	3.8	15.2	81.0	
	12:17	5/30/2007	0.0	1.2	18.5	80.3	
	13:20	6/19/2007	0.1	7.6	11.5	80.9	
	11:20	8/13/2007	0.0	0.4	20.5	79.1	
	10:54	10/18/2007	0.1	1.0	18.8	80.1	
	13:10	1/23/2008	0.4	1.2	20.2	78.2	
	7:45	6/12/2008	0.0	2.2	18.6	79.2	
	11:05	7/21/2008	0.0	0.6	20.4	79.0	
	12:34	10/3/2008	0.0	0.6	20.9	78.5	
	11:40	10/13/2008	0.0	0.4	20.9	78.7	
	11:15	1/27/2009	0.3	1.8	20.3	77.6	
	10:46	4/9/2009	0.0	0.0	20.1	79.9	
	10:40	7/22/2009	0.0	0.8	18.9	80.3	
	10:05	10/28/2009	0.0	2.2	18.1	79.7	
	10:15	1/26/2010	0.3	3.0	17.1	79.7	
	11:39	5/25/2010	0.0	0.0	19.1	80.9	
	10:10	9/28/2010	0.0	2.4	17.1	80.5	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

6 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-2	11:10	1/25/2011	0.2	0.4	20.0	79.4	
	7:45	4/25/2011	0.2	3.0	17.4	79.4	
	7:37	7/13/2011	0.0	0.8	19.9	79.3	target percentages

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

7 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-3	7:49	3/22/2006	1.4	1.9	19.9	76.8	pre-startup
	12:57	3/23/2006	0.6	1.2	19.3	78.9	
	15:20	3/23/2006	2.2	4.5	16.4	76.9	
	14:35	3/30/2006	2.1	7.6	11.5	78.8	
	14:30	4/6/2006	1.6	11.8	7.2	79.4	
	14:40	4/11/2006	0.4	4.0	15.6	80.0	
	12:11	4/14/2006	0.0	1.5	18.1	80.4	
	11:20	4/17/2006	1.4	0.2	20.7	77.7	
	10:50	4/28/2006	0.4	0.1	20.7	78.8	
	15:00	5/4/2006	0.0	0.0	20.4	79.6	
	11:38	5/22/2006	0.2	0.0	2.5	97.3	
	13:18	6/2/2006	0.2	0.0	20.2	79.6	
	9:09	6/9/2006	0.8	0.1	20.5	78.6	
	13:45	6/14/2006	1.1	0.1	20.4	78.4	
	11:25	6/22/2006	0.7	0.0	20.1	79.2	
	11:19	7/5/2006	0.6	0.0	20.0	79.4	
	10:37	7/10/2006	0.6	0.0	19.6	79.8	
	0:57	7/17/2006	0.1	0.0	19.0	80.9	
	12:25	7/28/2006	0.6	0.0	19.7	79.7	
	11:32	8/8/2006	0.6	0.0	19.6	79.8	
	7:35	8/16/2006	0.5	0.0	20.0	79.5	
	7:24	8/21/2006	0.0	0.0	20.3	79.7	
	13:26	8/28/2006	0.1	0.0	19.9	80.0	
	10:31	9/13/2006	0.0	0.3	20.3	79.4	
	9:56	9/25/2006	0.6	3.0	17.6	78.8	
	7:20	10/10/2006	0.5	0.9	19.8	78.8	
	7:36	10/23/2006	0.1	0.0	20.6	79.3	
	13:10	11/2/2006	0.5	0.4	20.8	78.3	
	13:00	11/14/2006	0.1	4.2	16.1	79.6	
	10:39	11/27/2006	0.1	0.4	19.4	80.2	
	13:58	12/26/2006	0.3	0.2	20.0	79.6	
	12:00	1/27/2007	0.1	0.0	19.6	80.4	
	12:30	2/24/2007	0.3	4.6	14.7	80.4	
	15:32	3/28/2007	0.1	0.0	19.9	80.0	
	10:57	5/1/2007	0.1	2.6	16.5	80.8	
	12:33	5/30/2007	0.0	0.4	18.9	80.7	
	13:30	6/19/2007	0.0	0.0	20.9	79.1	
	11:00	8/13/2007	0.0	0.0	20.9	79.1	
	10:00	10/18/2007	0.1	4.0	15.7	80.2	
	13:55	1/23/2008	0.4	0.8	20.6	78.3	
	7:05	6/12/2008	0.0	0.0	20.9	79.1	
	10:30	7/21/2008	0.0	0.0	20.9	79.1	
	12:16	10/3/2008	0.0	0.0	20.9	79.1	
	10:00	10/13/2008	0.0	0.0	20.9	79.1	
	7:50	1/27/2009	0.2	3.6	17.4	78.8	
	11:10	4/9/2009	0.0	0.0	20.2	79.8	
	8:40	7/22/2009	0.0	0.4	19.1	80.5	
	9:24	10/28/2009	0.0	0.2	19.5	80.3	
	8:09	1/26/2010	0.2	0.0	20.4	79.4	
	9:15	5/25/2010	0.0	0.0	19.1	80.9	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

8 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-3	8:50	9/28/2010	0.0	1.8	17.2	81.0	
	8:45	1/25/2011	0.2	0.2	19.8	79.8	
	8:25	4/25/2011	0.2	4.6	14.9	80.3	
	8:15	7/13/2011	0.0	0.0	20.1	79.9	target percentages

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

9 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-4	9:11	3/22/2006	0.0	1.4	20.4	78.2	target percentages pre-startup
	15:35	3/23/2006	0.0	0.8	19.8	79.4	
	15:40	3/30/2006	0.5	0.8	21.8	76.9	
	14:40	4/6/2006	0.8	1.3	18.9	79.0	
	14:35	4/11/2006	0.2	0.9	19.2	79.7	
	12:18	4/14/2006	0.0	1.3	18.1	80.6	
	11:35	4/17/2006	1.3	0.8	20.4	77.5	
	10:40	4/28/2006	0.0	0.5	20.2	79.3	
	15:10	5/4/2006	1.3	0.6	13.2	84.9	
	11:50	5/22/2006	0.1	0.2	20.4	79.3	
	13:10	6/2/2006	0.2	0.8	19.1	79.9	
	9:12	6/9/2006	3.4	1.2	20.2	75.2	
	14:00	6/14/2006	0.0	0.0	19.9	80.1	
	10:39	6/22/2006	6.0	18.8	6.4	68.8	
	11:26	7/5/2006	0.6	0.6	20.0	78.8	
	10:43	7/10/2006	0.4	3.8	19.9	75.9	
	10:08	7/17/2006	0.9	0.6	19.6	78.9	
	12:34	7/28/2006	0.6	0.4	19.6	79.4	
	9:21	8/8/2006	0.6	0.3	19.7	79.4	
	7:42	8/16/2006	0.5	0.7	19.9	78.9	
	7:28	8/21/2006	0.4	0.5	20.0	79.1	
	13:31	8/28/2006	0.5	0.5	20.1	78.9	
	10:35	9/13/2006	0.7	0.6	20.2	78.5	
	9:59	9/25/2006	0.1	0.2	19.1	80.6	
	7:24	10/10/2006	0.6	0.5	20.3	78.6	
	7:40	10/23/2006	0.4	0.0	20.4	79.2	
	13:17	11/2/2006	0.5	0.2	21.0	78.3	
	13:11	11/14/2006	0.2	1.4	19.0	79.5	
	10:42	11/27/2006	0.1	0.6	19.7	79.7	
	14:04	12/26/2006	0.3	0.8	19.6	79.4	
	12:09	1/27/2007	0.1	0.4	19.6	79.9	
	12:38	2/24/2007	0.4	1.0	19.4	79.3	
	15:40	3/28/2007	0.1	0.2	19.8	79.9	
	10:50	5/1/2007	0.0	1.2	18.2	80.6	
	12:37	5/30/2007	0.0	1.8	17.5	80.7	
	13:40	6/19/2007	0.0	0.8	20.0	79.2	
	11:05	8/13/2007	0.0	0.6	20.6	78.8	
	10:10	10/18/2007	0.1	1.2	17.9	80.8	
	13:25	1/23/2008	0.3	0.4	20.9	78.4	
	7:25	6/12/2008	0.0	0.2	20.9	78.9	
	10:45	7/21/2008	0.0	1.2	19.2	79.6	
	11:18	10/3/2008	0.0	0.0	20.9	79.1	
	10:05	10/13/2008	0.0	1.2	19.7	79.1	
	7:05	1/27/2009	0.1	1.4	20.1	78.5	
	11:15	4/9/2009	0.0	0.6	19.4	80.0	
	10:37	7/22/2009	0.0	0.6	18.9	80.5	
	9:33	10/28/2009	0.0	0.6	19.3	80.1	
	8:14	1/26/2010	0.3	0.2	20.5	79.1	
	8:11	5/25/2010	0.1	0.8	18.5	80.7	
	9:05	9/28/2010	0.0	2.2	16.6	81.2	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

10 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-4	7:20	1/25/2011	0.0	0.0	19.6	80.4	
	7:30	4/25/2011	0.2	1.6	18.9	79.3	
	7:18	7/13/2011	0.0	1.0	19.4	79.6	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

11 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-5	9:13	3/22/2006	0.0	4.4	17.6	78.0	pre-startup
	14:15	3/23/2006	0.0	4.2	17.6	78.2	
	14:05	3/30/2006	1.2	2.5	18.8	77.5	
	13:40	4/6/2006	1.1	3.0	17.9	78.0	
	13:45	4/11/2006	0.7	2.7	17.5	79.1	
	12:50	4/14/2006	0.1	3.5	15.4	81.0	
	10:30	4/17/2006	0.0	3.6	16.2	80.2	
	10:35	4/28/2006	2.2	7.0	13.0	77.8	
	10:40	5/22/2006	1.5	8.5	11.2	78.8	
	12:25	6/2/2006	0.1	7.2	9.4	83.3	
	8:45	6/9/2006	0.1	0.3	10.5	89.1	
	12:18	6/14/2006	0.1	0.0	9.1	90.8	
	11:18	6/22/2006	0.7	10.7	10.5	78.1	
	11:51	7/5/2006	0.6	11.9	11.1	76.4	
	11:17	7/10/2006	0.7	12.0	10.1	77.2	
	10:22	7/17/2006	0.8	11.9	11.1	76.2	
	8:24	7/28/2006	0.6	10.1	11.5	77.8	
	10:16	8/8/2006	0.6	11.8	10.1	77.5	
	8:35	8/16/2006	0.8	10.0	10.5	78.7	
	8:02	8/21/2006	0.5	0.8	10.9	87.8	
	13:54	8/28/2006	0.6	11.3	13.3	74.8	
	11:07	9/13/2006	0.1	0.0	13.4	86.5	
	10:26	9/25/2006	0.0	0.0	13.4	86.6	
	8:52	10/10/2006	0.7	8.9	14.4	76.0	
	8:00	10/23/2006	0.3	1.4	15.5	82.8	
	14:37	11/2/2006	0.3	7.2	14.0	78.5	
	13:25	11/14/2006	0.2	6.0	14.9	78.9	
	11:10	11/27/2006	0.2	5.2	15.7	79.0	
	12:35	12/26/2006	0.1	4.8	15.7	79.5	
	13:09	1/27/2007	0.4	5.4	15.8	78.4	
	10:55	2/24/2007	0.4	4.2	17.3	78.2	
	17:30	3/28/2007	0.3	3.4	16.6	79.8	
	10:22	5/1/2007	0.1	3.4	14.0	82.5	
	12:40	5/30/2007	0.0	6.4	9.9	83.7	
	16:25	6/19/2007	0.0	7.4	12.1	80.5	
	11:39	8/13/2007	0.0	8.4	11.8	79.8	
	10:20	10/18/2007	0.1	9.6	9.4	80.9	
	13:12	1/23/2008	0.3	5.6	15.7	78.4	
	9:00	6/12/2008	0.0	6.0	9.7	84.3	
	12:05	7/21/2008	0.0	10.6	7.7	81.7	
	11:55	10/3/2008	0.0	8.2	12.7	79.1	
	11:08	10/13/2008	0.0	6.6	14.1	79.3	
	7:10	1/27/2009	0.2	3.2	14.0	82.7	
	11:02	4/9/2009	0.0	2.8	16.8	80.4	
	7:30	7/22/2009	0.0	7.8	13.0	79.2	
	10:20	10/28/2009	0.0	5.6	14.4	80.0	
	9:05	1/26/2010	0.3	4.8	16.2	78.8	
	8:40	5/25/2010	0.0	6.4	9.5	84.1	
	11:00	9/28/2010	0.0	8.8	11.6	79.6	
	8:04	1/25/2011	0.2	4.4	17.0	78.4	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

12 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-5	10:35	4/25/2011	0.2	3.0	16.0	80.8	
	6:28	7/13/2011	0.0	9.4	10.7	79.9	target percentages

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

13 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-6	7:45	3/22/2006	0.0	6.1	13.9	80.0	pre-startup
	15:55	3/23/2006	0.0	4.9	16.3	78.8	
	15:15	3/30/2006	0.0	1.7	18.3	80.0	
	14:25	4/6/2006	0.0	2.8	16.9	80.3	
	14:30	4/11/2006	0.7	2.8	17.3	79.2	
	12:04	4/14/2006	0.0	3.8	14.6	81.6	
	11:15	4/17/2006	10.4	2.3	17.6	69.7	
	10:30	4/28/2006	0.0	2.5	18.3	79.2	
	14:30	5/4/2006	0.0	2.7	17.9	79.4	
	11:30	5/22/2006	3.8	3.9	18.1	74.2	
	13:04	6/2/2006	0.2	2.4	17.2	80.2	
	9:25	6/9/2006	0.1	0.8	17.7	81.4	
	14:10	6/14/2006	1.3	3.3	16.8	78.6	
	9:50	6/22/2006	0.5	3.1	17.3	79.1	
	11:13	7/5/2006	0.5	3.6	17.1	78.8	
	10:34	7/10/2006	0.6	3.9	16.7	78.8	
	9:58	7/17/2006	0.1	0.6	16.8	82.5	
	12:10	7/28/2006	0.6	3.6	16.5	79.3	
	9:05	8/8/2006	0.6	3.5	17.0	78.9	
	7:29	8/16/2006	0.1	0.0	17.2	82.7	
	7:18	8/21/2006	0.5	3.6	18.1	77.8	
	13:21	8/28/2006	0.0	0.0	18.1	81.9	
	10:20	9/13/2006	0.6	1.0	19.1	79.3	
	11:05	9/25/2006	0.7	2.6	18.5	78.2	
	7:30	10/10/2006	0.8	2.3	19.7	77.2	
	7:34	10/23/2006	0.9	2.4	14.4	82.3	
	13:05	11/2/2006	2.4	0.8	19.7	77.1	
	13:14	11/14/2006	0.2	3.0	17.9	78.9	
	10:35	11/27/2006	0.1	0.6	19.6	79.8	
	14:20	12/26/2006	0.3	3.0	18.0	78.7	
	13:45	1/27/2007	0.2	3.4	17.0	79.5	
	12:45	2/24/2007	0.4	3.0	18.1	78.5	
	16:00	3/28/2007	0.2	2.4	18.0	79.5	
	10:45	5/1/2007	0.1	3.0	16.4	80.5	
	12:23	5/30/2007	0.0	3.2	15.8	81.0	
	16:15	6/19/2007	0.0	2.4	17.8	79.8	
	10:54	8/13/2007	0.1	2.6	18.5	78.9	
	11:14	10/18/2007	0.1	3.4	16.4	80.1	
	11:28	1/23/2008	0.0	3.0	18.0	79.0	
	6:55	6/12/2008	0.0	2.6	17.8	79.6	
	11:00	7/21/2008	0.0	3.0	15.5	81.5	
	12:53	10/3/2008	0.0	3.8	17.7	78.5	
	9:55	10/13/2008	0.0	3.4	18.2	78.4	
	10:05	1/27/2009	0.2	3.0	18.4	78.4	
	10:58	4/9/2009	0.0	3.2	16.6	80.2	
	10:20	7/22/2009	0.0	3.6	17.1	79.3	
	9:10	10/28/2009	0.0	2.6	17.2	80.2	
	8:00	1/26/2010	0.1	3.0	17.4	79.6	
	8:18	5/25/2010	0.0	2.4	16.5	81.1	
	8:42	9/28/2010	0.0	4.2	14.6	81.2	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

14 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-6	11:25	1/25/2011	0.2	0.4	20.0	79.4	
	7:00	4/25/2011	0.1	3.0	17.2	79.7	
	7:32	7/13/2011	0.0	2.8	17.1	80.1	target percentages

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

15 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-7	7:40	3/22/2006	1.0	7.0	13.0	79.0	target percentages pre-startup
	15:50	3/23/2006	0.1	5.0	14.7	80.2	
	15:00	3/30/2006	7.1	4.6	18.2	70.1	
	14:20	4/6/2006	0.1	2.3	17.0	80.6	
	14:25	4/11/2006	0.2	3.2	16.3	80.3	
	12:07	4/14/2006	0.1	5.2	11.8	82.9	
	10:15	4/17/2006	10.5	1.3	18.5	69.7	
	10:25	4/28/2006	0.0	1.7	19.2	79.1	
	14:25	5/4/2006	1.2	2.2	18.8	77.8	
	11:22	5/22/2006	0.0	1.0	19.5	79.5	
	13:00	6/2/2006	0.2	1.6	18.5	79.7	
	9:20	6/9/2006	3.7	2.4	20.0	73.9	
	14:05	6/14/2006	3.1	2.5	19.2	75.2	
	9:45	6/22/2006	0.5	1.7	19.1	78.7	
	11:10	7/5/2006	0.5	1.5	19.3	78.7	
	10:30	7/10/2006	0.0	0.0	18.6	81.4	
	9:55	7/17/2006	0.1	0.0	18.5	81.4	
	12:05	7/28/2006	0.0	3.7	18.5	77.8	
	9:00	8/8/2006	0.6	1.3	19.0	79.1	
	7:25	8/16/2006	0.5	1.5	19.2	78.8	
	7:16	8/21/2006	0.5	1.4	19.8	78.3	
	13:19	8/28/2006	0.4	1.2	19.5	78.9	
	10:19	9/13/2006	0.6	1.3	19.9	78.2	
	11:03	9/25/2006	1.8	2.2	17.7	78.3	
	7:28	10/10/2006	0.7	1.4	19.5	78.4	
	7:32	10/23/2006	3.0	2.8	19.0	75.2	
	13:00	11/2/2006	0.5	1.6	19.8	78.1	
	13:18	11/14/2006	0.2	3.2	17.2	79.4	
	10:30	11/27/2006	0.0	1.2	19.0	79.8	
	14:15	12/26/2006	0.3	2.6	18.0	79.1	
	13:40	1/27/2007	0.1	3.4	16.7	79.9	
	12:40	2/24/2007	0.4	3.2	17.2	79.2	
	15:55	3/28/2007	0.1	1.2	18.9	79.8	
	10:43	5/1/2007	0.1	3.6	15.1	81.2	
	12:26	5/30/2007	0.0	3.6	15.6	80.8	
	16:20	6/19/2007	0.0	2.6	17.5	79.9	
	10:50	8/13/2007	0.1	1.4	19.3	79.3	
	11:10	10/18/2007	0.1	3.6	15.5	80.8	
	11:24	1/23/2008	0.0	3.2	17.6	79.2	
	10:48	6/12/2008	0.0	1.4	18.4	80.2	
	10:55	7/21/2008	0.0	2.6	17.3	80.1	
	12:50	10/3/2008	0.0	1.8	19.6	78.6	
	9:50	10/13/2008	0.1	1.6	19.4	79.0	
	10:00	1/27/2009	0.2	3.0	18.2	78.6	
	10:58	4/9/2009	0.0	3.2	16.6	80.2	
	10:15	7/22/2009	0.0	0.4	19.1	80.5	
	9:05	10/28/2009	0.0	1.4	18.2	80.4	
	7:50	1/26/2010	0.0	0.4	20.0	79.6	
	8:14	5/25/2010	0.0	1.8	17.7	80.5	
	8:35	9/28/2010	0.0	4.0	14.3	81.7	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

16 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-7	11:20	1/25/2011	0.2	0.4	20.0	79.4	target percentages
	6:55	4/25/2011	0.1	3.2	16.6	80.1	
	7:29	7/13/2011	0.0	1.4	19.1	79.5	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

17 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-8	9:03	3/22/2006	0.0	2.4	18.6	79.0	pre-startup
	14:50	3/23/2006	0.0	1.9	18.6	79.5	
	14:55	3/30/2006	3.0	7.2	14.8	75.0	
	14:10	4/6/2006	0.0	7.0	10.9	82.1	
	14:20	4/11/2006	0.0	4.8	13.6	81.6	
	12:25	4/14/2006	0.0	5.4	12.2	82.4	
	11:10	4/17/2006	0.0	0.1	20.7	79.2	
	10:00	4/28/2006	0.0	0.2	20.4	79.4	
	14:20	5/4/2006	0.0	0.2	19.3	80.5	
	11:18	5/22/2006	0.6	0.1	20.4	78.9	
	12:55	6/2/2006	0.2	0.7	19.3	79.8	
	9:03	6/9/2006	2.4	0.6	20.3	76.7	
	13:37	6/14/2006	4.0	1.6	19.6	74.8	
	9:55	6/22/2006	0.5	0.5	19.8	79.2	
	12:27	7/5/2006	1.6	0.9	19.6	77.9	
	11:45	7/10/2006	0.7	1.2	19.2	78.9	
	11:10	7/17/2006	0.6	2.3	17.7	79.4	
	12:45	7/28/2006	0.6	0.8	19.0	79.6	
	10:58	8/8/2006	17.8	1.3	19.1	61.8	
	7:47	8/16/2006	0.1	0.2	19.5	80.2	
	7:33	8/21/2006	0.8	1.3	19.6	78.3	
	13:35	8/28/2006	0.0	0.0	19.1	80.9	
	10:47	9/13/2006	0.0	0.0	20.1	79.9	
	10:06	9/25/2006	0.0	0.0	17.5	82.5	
	7:26	10/10/2006	0.1	0.0	19.3	80.6	
	7:44	10/23/2006	0.7	1.4	19.6	78.3	
	13:20	11/2/2006	3.7	0.3	20.5	75.5	
	13:04	11/14/2006	0.1	4.2	15.1	80.6	
	10:45	11/27/2006	0.1	0.6	19.4	79.9	
	14:09	12/26/2006	0.3	0.8	19.2	79.7	
	12:15	1/27/2007	0.2	0.0	19.7	80.1	
	12:20	2/24/2007	0.3	5.2	12.8	81.8	
	15:47	3/28/2007	0.1	0.6	19.6	79.7	
	11:00	5/1/2007	0.0	8.5	7.6	83.9	
	12:20	5/30/2007	0.0	3.4	15.2	81.4	
	13:25	6/19/2007	0.0	0.6	20.2	79.2	
	11:10	8/13/2007	0.0	1.0	19.8	79.2	
	11:05	10/18/2007	0.1	6.0	11.5	82.4	
	11:38	1/23/2008	0.1	1.0	19.2	79.8	
	7:35	6/12/2008	0.0	0.6	20.7	78.7	
	10:50	7/21/2008	0.0	1.0	19.3	79.7	
	12:45	10/3/2008	0.0	0.4	20.9	78.7	
	10:10	10/13/2008	0.0	1.4	19.4	79.2	
	10:10	1/27/2009	0.3	1.8	19.0	78.9	
	10:51	4/9/2009	0.0	0.4	19.4	80.2	
	10:27	7/22/2009	0.0	0.8	18.8	80.4	
	10:00	10/28/2009	0.0	1.8	17.8	80.4	
	9:30	1/26/2010	0.3	0.4	20.0	79.4	
	8:25	5/25/2010	0.0	1.0	18.4	80.6	
	9:11	9/28/2010	0.0	5.4	12.7	81.9	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

18 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-8	11:15	1/25/2011	0.2	0.4	20.0	79.4	
	7:40	4/25/2011	0.2	4.4	14.4	81.0	
	7:23	7/13/2011	0.0	0.8	19.2	80.0	target percentages

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

19 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-10	8:58	3/22/2006	0.0	4.5	15.4	80.1	pre-startup
	14:42	3/23/2006	0.0	4.3	15.5	80.2	
	14:50	3/30/2006	0.0	1.6	18.7	79.7	
	14:15	4/6/2006	0.0	2.3	17.1	80.6	
	13:55	4/11/2006	0.0	1.5	18.3	80.2	
	11:54	4/14/2006	0.0	1.9	17.4	80.7	
	10:50	4/17/2006	0.0	3.0	16.5	80.5	
	9:50	4/28/2006	0.0	3.6	15.0	81.4	
	14:00	5/4/2006	0.0	3.4	15.4	81.2	
	11:04	5/22/2006	0.0	1.3	19.0	79.7	
	12:45	6/2/2006	0.1	1.8	17.6	80.5	
	8:55	6/9/2006	0.7	0.9	19.6	78.8	
	13:15	6/14/2006	0.0	0.0	17.7	82.3	
	10:05	6/22/2006	0.6	0.8	19.9	78.7	
	12:38	7/5/2006	0.6	5.3	14.9	79.2	
	11:50	7/10/2006	0.6	5.5	14.6	79.3	
	11:19	7/17/2006	0.6	1.4	19.4	78.6	
	13:09	7/28/2006	0.6	1.0	19.2	79.2	
	11:11	8/8/2006	0.6	4.7	14.7	80.0	
	7:58	8/16/2006	0.1	0.2	16.4	83.3	
	7:44	8/21/2006	0.4	3.5	17.3	78.8	
	13:42	8/28/2006	0.0	0.0	17.7	82.3	
	10:53	9/13/2006	0.6	2.4	18.6	78.4	
	10:12	9/25/2006	0.7	5.5	16.0	77.8	
	7:48	10/10/2006	0.7	5.3	19.2	74.8	
	7:48	10/23/2006	0.6	5.0	17.5	76.9	
	13:31	11/2/2006	0.6	4.3	17.3	77.8	
	12:35	11/14/2006	0.1	4.2	16.3	79.5	
	10:55	11/27/2006	0.1	4.0	16.8	79.1	
	13:50	12/26/2006	0.3	4.2	16.7	78.9	
	12:35	1/27/2007	0.3	4.0	17.2	78.5	
	12:10	2/24/2007	sampling port clogged with ice				
	16:10	3/28/2007	0.2	3.2	17.5	79.2	
	11:10	5/1/2007	0.0	3.8	15.7	80.5	
	12:15	5/30/2007	0.0	3.4	16.0	80.6	
	13:15	6/19/2007	0.1	1.8	18.7	79.5	
	11:24	8/13/2007	0.0	1.0	19.4	79.6	
	10:50	10/18/2007	0.1	2.4	16.9	80.6	
	14:20	1/23/2008	0.4	2.8	18.8	78.0	
	7:55	6/12/2008	0.0	4.0	16.0	80.0	
	11:15	7/21/2008	0.0	4.6	12.6	82.8	
	12:30	10/3/2008	0.0	5.0	16.4	78.6	
	11:50	10/13/2008	0.0	4.6	16.4	79.0	
	11:30	1/27/2009	0.3	3.4	18.2	78.1	
	10:41	4/9/2009	0.0	3.2	16.6	80.2	
	10:47	7/22/2009	0.0	2.8	17.2	80.0	
	10:05	10/28/2009	0.0	2.8	17.5	79.7	
	10:30	1/26/2010	0.3	0.8	19.6	79.3	
	11:50	5/25/2010	0.0	0.4	19.0	80.6	
	10:16	9/28/2010	0.0	1.8	17.7	80.5	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

20 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-10	11:00	1/25/2011	0.2	0.4	20.0	79.4	
	7:50	4/25/2011	0.2	3.4	17.0	79.4	
	7:41	7/13/2011	0.0	1.4	19.2	79.4	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

21 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-11	9:09	3/22/2006	0.0	3.5	17.6	78.9	pre-startup
	14:27	3/23/2006	0.0	3.4	17.6	79.0	
	14:40	3/30/2006	0.0	0.8	19.7	79.5	
	13:55	4/6/2006	0.0	1.7	18.0	80.3	
	14:00	4/11/2006	0.0	0.7	19.8	79.5	
	11:43	4/14/2006	0.0	0.5	18.9	80.6	
	10:55	4/17/2006	0.3	0.1	20.4	79.2	
	7:30	4/28/2006	0.0	0.7	20.2	79.1	
	14:05	5/4/2006	0.0	0.0	19.9	80.1	
	11:07	5/22/2006	2.6	0.3	20.4	76.7	
	12:34	6/2/2006	1.0	0.1	20.4	78.5	
	9:45	6/9/2006	4.9	0.6	20.2	74.3	
	13:23	6/14/2006	0.8	0.3	20.0	78.9	
	10:10	6/22/2006	0.6	0.0	20.4	79.0	
	12:41	7/5/2006	0.5	1.4	18.5	79.6	
	11:55	7/10/2006	0.6	2.5	18.6	78.3	
	11:21	7/17/2006	0.5	1.5	18.1	79.9	
	13:15	7/28/2006	0.1	0.2	18.2	81.5	
	10:36	8/8/2006	0.6	2.2	17.8	79.4	
	8:01	8/16/2006	0.1	0.0	17.9	82.0	
	7:46	8/21/2006	0.5	2.4	19.0	78.1	
	13:45	8/28/2006	0.6	2.6	18.6	78.2	
	10:55	9/13/2006	0.1	2.7	19.2	78.0	
	10:14	9/25/2006	0.7	2.1	19.0	78.2	
	8:00	10/10/2006	0.7	2.0	18.5	78.8	
	7:52	10/23/2006	0.7	1.0	20.6	77.7	
	13:34	11/2/2006	0.6	1.5	19.8	78.1	
	12:44	11/14/2006	0.1	2.0	18.4	79.6	
	10:58	11/27/2006	0.1	1.0	19.6	79.3	
	13:40	12/26/2006	0.3	2.0	18.4	79.4	
	12:41	1/27/2007	0.4	2.6	18.2	78.9	
	11:10	2/24/2007	0.4	2.6	18.1	78.9	
	16:14	3/28/2007	0.2	2.6	17.8	79.5	
	11:15	5/1/2007	0.0	3.4	15.9	80.7	
	12:06	5/30/2007	0.0	3.0	16.8	80.2	
	13:05	6/19/2007	0.1	2.8	18.3	78.8	
	11:27	8/13/2007	0.0	2.2	18.8	79.0	
	10:34	10/18/2007	0.1	2.8	17.0	80.1	
	12:10	1/23/2008	0.2	2.4	19.2	78.2	
	8:05	6/12/2008	0.0	2.6	18.0	79.4	
	11:20	7/21/2008	0.0	3.4	16.6	80.0	
	12:23	10/3/2008	0.0	2.0	19.4	78.6	
	12:00	10/13/2008	0.0	2.2	19.1	78.7	
	10:45	1/27/2009	0.3	3.0	18.5	78.2	
	9:50	4/9/2009	0.0	3.4	16.8	79.8	
	10:53	7/22/2009	0.0	2.0	18.1	79.9	
	10:11	10/28/2009	0.0	2.4	17.9	79.7	
	9:15	1/26/2010	0.3	2.6	18.5	78.6	
	8:30	5/25/2010	0.0	3.2	16.5	80.3	
	10:25	9/28/2010	0.0	3.0	16.8	80.2	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

22 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments target percentages
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-11	10:29	1/25/2011	0.2	3.6	16.6	79.6	
	7:55	4/25/2011	0.2	4.0	17.2	78.6	
	6:47	7/13/2011	0.0	2.8	18.3	78.9	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

23 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-12	9:06	3/22/2006	0.0	5.7	13.0	81.3	target percentages pre-startup
	14:22	3/23/2006	0.0	5.5	13.2	81.3	
	14:20	3/30/2006	0.0	2.6	17.7	79.7	
	13:50	4/6/2006	0.2	2.1	17.3	80.4	
	13:50	4/11/2006	0.0	2.5	17.1	80.4	
	11:40	4/14/2006	0.0	2.5	15.5	82.0	
	10:45	4/17/2006	1.4	3.7	18.4	76.5	
	12:20	4/28/2006	0.0	2.4	18.0	79.6	
	13:54	5/4/2006	0.0	0.0	17.3	82.7	
	11:00	5/22/2006	1.4	2.7	17.5	78.4	
	12:28	6/2/2006	0.1	1.8	17.4	80.7	
	8:50	6/9/2006	0.9	2.1	19.2	77.8	
	13:10	6/14/2006	0.1	0.0	17.5	82.4	
	10:20	6/22/2006	0.5	2.2	18.2	79.1	
	11:57	7/5/2006	0.6	2.2	18.2	79.0	
	11:22	7/10/2006	0.6	2.7	18.2	78.5	
	10:39	7/17/2006	0.7	2.6	17.5	79.2	
	13:28	7/28/2006	0.6	1.5	18.2	79.7	
	11:22	8/8/2006	0.6	2.6	17.5	79.3	
	8:58	8/16/2006	4.1	18.6	10.0	67.3	
	8:44	8/21/2006	0.6	3.2	18.5	77.7	
	14:26	8/28/2006	0.0	0.0	19.4	80.6	
	11:42	9/13/2006	0.1	0.9	17.9	81.1	
	11:40	9/25/2006	0.8	3.4	16.8	79.0	
	8:47	10/10/2006	0.7	3.8	17.6	77.9	
	8:50	10/23/2006	0.7	4.1	16.4	78.8	
	14:55	11/2/2006	3.9	14.0	7.7	74.5	
	15:30	11/14/2006	0.3	3.6	16.7	79.5	
	11:05	11/27/2006	0.2	2.4	18.0	79.5	
	13:35	12/26/2006	0.3	3.8	15.7	80.3	
	13:18	1/27/2007	0.4	3.8	15.7	80.1	
	12:00	2/24/2007	0.2	3.2	16.6	80.0	
	17:40	3/28/2007	0.2	3.4	16.4	80.0	
	10:30	5/1/2007	0.1	2.6	16.1	81.3	
	12:02	5/30/2007	0.0	2.8	16.0	81.2	
	16:30	6/19/2007	0.0	2.8	18.1	79.1	
	11:35	8/13/2007	0.0	2.6	18.3	79.1	
	10:26	10/18/2007	0.1	4.0	15.2	80.7	
	13:08	1/23/2008	0.3	7.2	12.2	80.3	
	9:10	6/12/2008	0.0	2.4	17.1	80.5	
	11:45	7/21/2008	0.0	2.6	17.0	80.4	
	12:00	10/3/2008	0.0	4.0	17.6	78.4	
	11:30	10/13/2008	0.0	3.0	18.0	79.0	
	7:15	1/27/2009	0.2	5.6	15.3	78.9	
	9:44	4/9/2009	0.0	3.4	15.8	80.8	
	7:35	7/22/2009	0.0	2.4	17.9	79.7	
	11:15	10/28/2009	0.0	3.2	16.4	80.4	
	9:10	1/26/2010	0.3	5.2	14.9	79.7	
	11:55	5/25/2010	0.0	2.4	16.1	81.5	
	11:10	9/28/2010	0.0	4.0	15.3	80.7	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

24 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
GP-12	8:19	1/25/2011	0.3	5.4	14.6	79.7	
	11:00	4/25/2011	0.1	3.2	16.1	80.6	
	6:35	7/13/2011	0.0	2.4	17.5	80.1	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

25 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
MW-101	9:24	3/23/2006	2.9	18.1	0.8	78.2	target percentages pre-startup
	14:25	3/30/2006	1.0	8.0	10.9	80.1	
	14:00	4/6/2006	0.8	0.2	20.0	79.0	
	14:05	4/11/2006	0.0	0.0	20.3	79.7	
	11:50	4/14/2006	0.0	1.8	17.9	80.3	
	10:58	4/17/2006	2.0	0.3	20.5	77.2	
	7:35	4/28/2006	0.0	0.0	20.7	79.3	
	14:10	5/4/2006	0.0	0.0	20.2	79.8	
	11:10	5/22/2006	0.0	0.0	20.5	79.5	
	12:38	6/2/2006	0.2	0.0	20.4	79.4	
	9:50	6/9/2006	1.1	0.2	20.5	78.2	
	13:48	6/14/2006	4.1	0.3	20.4	75.2	
	10:15	6/22/2006	0.0	0.0	20.4	79.6	
	12:46	7/5/2006	0.6	20.0	20.0	59.4	
	12:00	7/10/2006	0.6	0.0	20.0	79.4	
	11:30	7/17/2006	0.0	0.0	19.8	80.2	
	13:20	7/28/2006	0.6	0.0	19.3	80.1	
	10:41	8/8/2006	0.8	0.0	19.8	79.4	
	8:05	8/16/2006	0.1	0.0	19.6	80.3	
	7:52	8/21/2006	0.9	0.1	20.4	78.6	
	13:47	8/28/2006	0.6	0.1	20.2	79.1	
	10:57	9/13/2006	0.6	0.2	19.8	79.4	
	10:16	9/25/2006	0.6	0.2	20.2	79.0	
	8:03	10/10/2006	0.7	0.2	20.5	78.6	
	7:55	10/23/2006	0.9	0.7	19.8	78.6	
	15:00	11/2/2006	0.3	0.0	20.8	78.9	
	12:48	11/14/2006	0.1	0.4	19.4	80.1	
	11:00	11/27/2006	0.1	0.2	20.0	79.7	
	13:45	12/26/2006	0.3	0.0	19.3	80.5	
	12:45	1/27/2007	0.4	0.6	20.0	79.1	
	11:14	2/24/2007	0.5	0.6	20.1	78.9	
	16:18	3/28/2007	0.2	0.2	20.1	79.5	
	11:19	5/1/2007	0.0	0.2	18.8	81.0	
	12:08	5/30/2007	0.0	0.2	18.9	80.9	
	13:10	6/19/2007	0.1	0.0	20.9	79.1	
	11:30	8/13/2007	0.0	0.0	20.9	79.1	
	10:37	10/18/2007	0.1	0.0	19.6	80.4	
	12:18	1/23/2008	0.2	5.8	14.4	79.6	
	14:45	5/12/2008	0.0	0.0	19.8	80.2	
	8:15	6/12/2008	0.0	0.0	20.9	79.1	
	11:30	7/21/2008	0.0	0.0	20.9	79.1	
	12:20	10/3/2008	0.0	0.4	20.9	78.7	
	12:05	10/13/2008	0.0	0.0	20.9	79.1	
	10:40	1/27/2009	0.3	4.8	15.7	79.3	
	11:57	4/9/2009	0.0	0.0	19.9	80.1	
	10:57	7/22/2009	0.0	0.0	19.4	80.6	
	10:16	10/28/2009	0.0	0.6	19.6	79.8	
	9:20	1/26/2010	0.3	0.8	19.4	79.5	
	8:34	5/25/2010	0.0	0.0	19.3	80.7	
	10:32	9/28/2010	0.0	1.0	17.7	81.3	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

26 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
MW-101	10:45	1/25/2011	0.2	0.4	20.0	79.4	
	8:00	4/25/2011	0.2	0.4	20.9	78.5	
	6:50	7/13/2011	0.0	0.0	20.5	79.5	target percentages

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

27 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
MW-102	14:20	3/23/2006	0.0	0.7	20.5	78.8	target percentages pre-startup
	14:15	3/30/2006	1.0	0.5	20.6	77.9	
	13:35	4/6/2006	1.0	0.6	20.3	78.1	
	13:43	4/11/2006	0.5	0.3	19.7	79.5	
	11:50	4/14/2006	0.0	0.3	18.6	81.1	
	10:34	4/17/2006	0.8	0.7	20.1	78.4	
	14:00	4/28/2006	0.0	0.0	20.7	79.3	
	13:35	5/4/2006	0.0	0.2	20.5	79.3	
	10:42	5/22/2006	0.2	0.1	2.4	97.3	
	8:48	6/9/2006	0.0	0.0	19.8	80.2	
	12:20	6/14/2006	0.1	0.0	19.5	80.4	
	11:20	6/22/2006	0.7	0.1	19.9	79.3	
	11:53	7/5/2006	0.6	0.0	20.0	79.4	
	11:19	7/10/2006	0.6	4.7	15.1	79.6	
	10:20	7/17/2006	0.9	0.8	19.0	79.3	
	12:40	7/28/2006	0.6	0.6	18.6	80.2	
	10:13	8/8/2006	0.6	1.2	18.5	79.7	
	8:42	8/16/2006	0.1	0.0	17.7	82.2	
	8:00	8/21/2006	0.1	0.0	18.5	81.4	
	13:55	8/28/2006	0.6	1.8	18.8	78.8	
	11:05	9/13/2006	0.1	0.0	19.5	80.4	
	10:25	9/25/2006	0.1	0.0	19.2	80.7	
	8:44	10/10/2006	0.7	1.0	19.6	78.7	
	8:05	10/23/2006	0.8	0.4	19.6	79.2	
	14:42	11/2/2006	0.3	0.0	20.8	78.9	
	13:30	11/14/2006	0.2	0.2	20.0	79.6	
	11:12	11/27/2006	0.2	0.0	20.2	79.7	
	12:39	12/26/2006	0.1	0.0	20.0	79.9	
	13:10	1/27/2007	0.4	0.2	20.2	79.2	
	11:00	2/24/2007	0.4	0.2	20.6	78.9	
	17:35	3/28/2007	0.2	0.2	20.0	79.6	
	10:24	5/1/2007	0.0	1.4	17.0	81.6	
	11:57	5/30/2007	0.0	1.4	16.7	81.9	
	16:00	6/19/2007	0.0	0.0	20.6	79.4	
	11:42	8/13/2007	0.0	2.8	16.6	80.6	
	10:24	10/18/2007	0.1	4.2	15.0	80.7	
	14:05	1/23/2008	0.4	1.2	20.9	77.5	
	9:05	6/12/2008	0.0	0.6	18.9	80.5	
	12:10	7/21/2008	0.0	1.6	16.4	82.0	
	11:52	10/3/2008	0.0	3.6	16.8	79.6	
	11:03	10/13/2008	0.0	18.7	1.8	79.5	
	11:00	1/27/2009	0.3	1.0	20.8	78.0	
	9:29	4/9/2009	0.0	0.4	19.1	80.5	
	11:35	7/22/2009	0.0	1.8	16.1	82.1	
	10:25	10/28/2009	0.0	2.6	17.4	80.0	
	10:40	1/26/2010	0.3	2.2	18.4	79.1	
	8:44	5/25/2010	0.0	1.4	16.8	81.8	
	11:05	9/28/2010	0.0	4.6	14.1	81.3	
	8:08	1/25/2011	0.2	1.2	19.2	79.4	
	10:10	4/25/2011	0.1	0.2	20.7	79.0	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

28 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
	6:30	7/13/2011	0.0	1.8	14.2	84.0	target percentages

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

29 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
MW-103	7:49	3/23/2006	0.0	0.2	21.8	78.0	pre-startup
	15:30	3/30/2006	0.0	1.9	18.2	79.9	
	14:35	4/6/2006	0.4	8.0	9.4	82.2	
	14:40	4/11/2006	0.0	6.4	10.8	82.8	
	12:15	4/14/2006	0.0	3.2	15.6	81.2	
	11:30	4/17/2006	0.0	0.0	20.7	79.3	
	10:45	4/28/2006	0.0	0.0	20.5	79.5	
	15:05	5/4/2006	0.4	0.0	13.5	86.1	
	11:42	5/22/2006	0.2	0.0	20.6	79.2	
	13:14	6/2/2006	0.2	0.0	20.1	79.7	
	9:10	6/9/2006	1.1	0.1	20.5	78.3	
	13:30	6/14/2006	0.6	0.3	20.4	78.7	
	11:28	6/22/2006	0.7	0.0	20.2	79.1	
	11:27	7/5/2006	0.6	0.0	20.4	79.0	
	10:40	7/10/2006	0.0	0.0	19.9	80.1	
	10:06	7/17/2006	0.8	0.4	19.4	79.4	
	12:30	7/28/2006	0.6	0.0	19.9	79.5	
	9:17	8/8/2006	0.6	0.0	19.9	79.5	
	7:34	8/16/2006	0.1	0.0	19.9	80.0	
	7:25	8/21/2006	0.5	0.0	20.1	79.4	
	13:29	8/28/2006	0.1	0.0	20.3	79.6	
	10:34	9/13/2006	0.0	0.0	20.4	79.6	
	9:57	9/25/2006	0.0	0.1	19.3	80.6	
	7:22	10/10/2006	0.5	0.2	20.4	78.9	
	7:38	10/23/2006	0.6	0.0	20.8	78.6	
	13:14	11/2/2006	0.0	0.3	21.0	78.7	
	13:08	11/14/2006	0.2	9.2	11.2	79.5	
	10:40	11/27/2006	0.1	0.0	20.1	79.9	
	14:00	12/26/2006	0.3	0.2	20.1	79.5	
	12:05	1/27/2007	0.1	0.0	19.8	80.2	
	12:34	2/24/2007	0.4	4.2	16.3	79.2	
	15:35	3/28/2007	0.1	0.0	20.0	79.9	
	10:52	5/1/2007	0.1	0.8	18.7	80.4	
	12:40	5/30/2007	0.0	0.4	18.9	80.7	
	13:35	6/19/2007	0.0	0.0	20.9	79.1	
	11:05	8/13/2007	0.0	0.0	20.9	79.1	
	10:05	10/18/2007	0.1	1.2	18.5	80.2	
	13:45	1/23/2008	0.4	0.2	20.9	78.5	
	7:15	6/12/2008	0.0	0.4	20.9	78.7	
	10:40	7/21/2008	0.0	0.0	20.9	79.1	
	11:20	10/3/2008	0.0	0.0	20.9	79.1	
	10:05	10/13/2008	0.0	0.4	20.7	78.9	
	7:00	1/27/2009	0.0	0.0	20.9	79.1	
	11:17	4/9/2009	0.0	0.0	20.0	80.0	
	10:32	7/22/2009	0.0	0.4	19.6	80.0	
	9:27	10/28/2009	0.0	0.0	19.8	80.2	
	8:14	1/26/2010	0.3	2.2	18.0	79.5	
	8:08	5/25/2010	0.0	0.0	19.3	80.7	
	8:57	9/28/2010	0.0	0.0	18.9	81.1	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

30 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
MW-103	7:15	1/25/2011	0.0	0.2	19.4	80.4	target percentages
	7:25	4/25/2011	0.2	3.0	17.5	79.3	
	7:15	7/13/2011	0.0	0.0	20.5	79.5	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

31 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
MW-104	9:29	3/23/2006	12.8	18.5	0.8	67.9	target percentages pre-startup
	15:45	3/30/2006	0.0	0.0	20.7	79.3	
	13:10	4/6/2006	6.8	8.9	10.5	73.8	
	14:50	4/11/2006	4.1	7.1	9.2	79.6	
	11:40	4/17/2006	2.0	0.3	21.0	76.7	
	14:10	4/28/2006	0.0	0.0	20.7	79.3	
	15:40	5/4/2006	0.0	0.0	8.1	91.9	
	10:27	5/22/2006	0.0	0.1	19.9	80.0	
	8:32	6/9/2006	0.0	0.0	19.6	80.4	
	12:45	6/14/2006	3.2	0.8	18.8	77.2	
	10:54	6/22/2006	0.8	0.1	19.7	79.4	
	12:19	7/5/2006	0.6	0.0	20.0	79.4	
	11:40	7/10/2006	0.7	0.6	19.8	78.9	
	11:05	7/17/2006	0.1	0.0	19.6	80.3	
	12:38	7/28/2006	0.6	0.0	19.8	79.6	
	9:49	8/8/2006	0.6	0.0	20.0	79.4	
	9:14	8/16/2006	0.7	0.2	19.4	79.7	
	8:30	8/21/2006	0.1	0.3	18.1	81.5	
	14:16	8/28/2006	0.0	0.0	17.6	82.4	
	11:29	9/13/2006	0.7	0.2	16.8	82.3	
	11:27	9/25/2006	0.0	0.2	19.5	80.3	
	8:27	10/10/2006	0.7	13.1	4.3	81.9	
	8:30	10/23/2006	0.7	0.3	16.7	82.3	
	14:14	11/2/2006	0.3	0.0	20.6	79.1	
	15:06	11/14/2006	0.2	0.6	19.4	79.8	
	12:04	11/27/2006	0.2	3.0	17.6	79.2	
	13:15	12/26/2006	0.2	0.0	20.0	79.9	
	14:16	1/27/2007	0.1	0.0	19.4	80.5	
	11:35	2/24/2007	0.5	12.8	5.6	81.1	
	16:55	3/28/2007	0.2	0.2	20.0	79.6	
	11:45	5/1/2007	0.0	0.0	18.9	81.1	
	11:48	5/30/2007	0.0	0.0	19.0	81.0	
	15:30	6/19/2007	0.0	0.0	20.9	79.1	
	12:05	8/13/2007	0.0	0.0	20.9	79.1	
	9:50	10/18/2007	0.1	0.0	19.6	80.3	
	13:20	1/23/2008	0.3	0.6	20.6	78.5	
	9:25	6/12/2008	0.0	0.0	20.9	79.1	
	12:30	7/21/2008	0.0	0.0	20.9	79.1	
	11:37	10/3/2008	0.0	0.0	20.9	79.1	
	10:45	10/13/2008	0.0	0.2	20.9	78.9	
	10:50	1/27/2009	0.2	14.6	3.9	81.3	
	11:40	4/9/2009	0.0	1.2	19.2	79.6	
	7:50	7/22/2009	0.0	0.0	19.6	80.4	
	9:48	10/28/2009	0.0	0.0	20.0	80.0	
	8:25	1/26/2010	0.4	0.2	20.4	79.1	
	11:30	5/25/2010	0.0	0.0	19.3	80.7	
	9:25	9/28/2010	0.0	0.2	18.6	81.2	
	7:45	1/25/2011	0.2	0.6	19.6	79.6	
	8:21	4/25/2011	0.2	0.4	20.5	78.9	
	7:47	7/13/2011	0.0	0.0	20.5	79.5	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

32 of 32

Monitoring Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	
System Exhaust	2:00	3/28/2006	4.4	4.0	17.8	73.8	
	12:52	5/4/2006	8.6	14.7	7.4	69.3	
	11:15	6/28/2006	5.9	14.5	9.5	70.1	
	11:45	7/5/2006	6.1	18.7	7.2	68.0	
	11:12	7/10/2006	6.7	21.7	5.1	66.5	
	10:31	7/17/2006	6.2	18.6	6.5	68.7	
	14:24	7/28/2006	2.1	19.2	6.1	72.6	
	10:23	8/8/2006	5.9	18.0	6.8	69.3	
	8:30	8/16/2006	6.8	17.3	7.3	68.6	
	8:07	8/21/2006	6.9	18.0	7.6	67.5	
	14:00	8/28/2006	7.1	18.6	7.3	67.0	
	11:13	9/13/2006	15.2	20.0	8.1	56.7	
	11:37	9/25/2006	14.2	24.3	4.8	56.7	
	8:09	10/10/2006	7.4	19.2	8.2	65.2	
	8:13	10/23/2006	12.8	16.3	9.1	61.8	
	9:00	11/2/2006	5.0	14.0	8.2	72.8	
	13:43	11/14/2006	4.4	10.4	10.6	74.6	
	11:19	11/27/2006	3.8	10.2	10.8	75.2	
	12:31	12/26/2006	6.5	14.8	6.9	71.8	
	13:30	1/27/2007	8.0	15.8	6.4	69.8	
	10:45	2/24/2007	6.0	11.6	10.0	72.4	
	7:35	3/5/2007	0.1	0.2	19.8	79.9	
	8:20	3/24/2007	9.0	12.6	9.7	68.7	
	17:10	3/24/2007	8.5	12.6	9.4	69.5	
	17:25	3/26/2007	6.5	11.4	9.8	72.3	
	7:39	3/27/2007	6.5	11.2	10.2	72.1	
	17:25	3/28/2007	6.5	10	11.6	71.9	
	8:16	3/29/2007	5.5	8.8	12.3	73.4	
	17:15	3/29/2007	5	8.6	12.3	74.1	
	16:09	6/19/2007	12.5	18.2	4.6	64.7	
	11:55	8/13/2007	13.5	20.2	4.1	62.2	
	9:12	10/19/2007	7.5	16.2	5	71.3	
	12:50	1/23/2008	8.5	15.6	7.1	68.8	
	8:55	6/12/2008	8.0	15.2	7.3	69.5	
	12:03	7/21/2008	9.5	17.0	5.6	67.9	
	11:15	10/13/2008	6.5	9.8	12.0	71.7	
	7:20	1/27/2009	3.8	6.4	15.7	74.2	
	9:37	4/9/2009	6.5	7.6	13.3	72.6	
	7:40	7/22/2009	5	7.8	12.8	74.4	
	10:35	10/28/2009	6.5	7.4	13.9	72.2	
	7:20	1/27/2009	3.75	6.4	15.7	74.15	
	13:15	5/25/2010	5	5.2	15.2	74.6	
	10:45	9/28/2010	6.5	5.4	15.3	72.8	
	8:11	1/25/2011	4.4	4.2	17.1	74.3	
	10:40	4/25/2011	24	5.5	16.3	54.2	
	8:24	7/13/2011	5.5	3.8	17.4	73.3	

Table 7. Landfill Gas Analytical Results
FF/NN Landfill, Ripon, WI

Sampling Point ID	Date	Benzene	Chlorobenzene	Chloroethane	Chloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Dichlorotetrafluoroethane	Ethylbenzene	Methylene Chloride	1,1,2,2-Tetrachloroethane	Styrene	Tetrachloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Trichlorofluoromethane	1,1,2-Trichlorofluoromethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Chloride	Total Xylenes
GP-3	9/29/04	102		689					909			110	6660	229	131							205					25400		
	1/28/05			450					590				4500														12600		
	6/2/06											464			105												72.9	85.8	
	11/12/06			5.9								28.7			19												50.1		
	5/30/07	1.3	3					2.4	2			7.1			9								0.86	7.4	1	1.9	3.1	25	
	8/9/07																												
	10/22/2007											135										33					24.4		
	1/23/2008								3.4			7.3										2.2							
	7/22/2008							1.6													0.74								
	10/7/2008								7.2			1.9		1.4	1.1		0.87	2.7										1.9	
	1/27/2009								3.6							1.9													
	4/16/2009																				0.95								
	7/27/2009			0.83											109						19.4					1.2	0.76		
	10/27/2009								1.7			5.7	0.82								0.95	6.5							
	2/25/2010			0.86											28						1.7								
	5/25/2010							8.2							15.8							6.2							
	10/12/2010								0.96						299						4.2								
	1/25/2011														1														
	4/25/2011								6.5			19	3		52.2						1.3	3.4	18.4						
	7/13/2011																				1.1					0.87			

Values in ppbv (parts per billion by volume)

Analyzed using EPA Method TO-14A

P:\Ripon_Landfill\2011\April 2011\Tables\Table 7 Gas VOCs.xls

Table 7. Landfill Gas Analytical Results
FF/NN Landfill, Ripon, WI

Sampling Point ID	Date	Benzene	Chlorobenzene	Chloroethane	Chloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Dichlorotetrafluoroethane	Ethylbenzene	Methylene Chloride	Styrene	Tetrachloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Trichlorofluoromethane	1,1,2,2-Tetrachloroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Chloride	Total Xylenes		
GV-6	7/28/2006	172	117	373					1070	42.6			19		281	323				107	27.9		38			3590	649.5			
	11/2/2006	50.2	50.4	73.5					166	35.8					70.4	246				155						45	33.7	84.9	666	
	2/23/2007								111	24.4					44.3				7.4			7	33.5		17.6					
	5/30/2007	32		190					160	21			19		120	73				56							150	151		
	8/9/2007	75.8	127	255					27.6	119	35		22.4		72.5	543				84.6						98.9	88	54.5	1123	
	10/22/2007			32					82	68.9			33.9		23	16.3				41.1	29.9		42.3						29	
	1/23/2008			87.6					375	64.8			16		69.5								40	41.4						
	7/22/2008	15.3	16.8	84.7					95.5	83.1					58.4	66.2		22.8				63.4							112	
	10/7/2008			43					93.6						21.4															
	1/27/2009																8							1.8						
	4/16/2009								3.1							238				1.7						0.85				
	7/27/2009								61.9	28					16.7		502	38.5												
	10/27/2009	17.7		78.7					40.6						77.7	34	32.7			48						39			107.60	
	2/25/2010								133						132															
	5/25/2010			1.5					3	1.1							3							1.3						
	10/12/2010	1.9		11.8					5.3	1.6							23													
	1/25/2011								192						10.7		184	4260				86								
	4/25/2011																2.9	15.7				4.6	0.96						4.2	
	7/13/2011			6.2																										

Values in ppbv (parts per billion by volume)

Analyzed using EPA Method TO-14A

P:\Ripon_Landfill\2011\April 2011\Tables\Table 7 Gas VOCs.xls

Table 7. Landfill Gas Analytical Results
FF/NN Landfill, Ripon, WI

Sampling Point ID	Date	Benzene	Chlorobenzene	Chloroethane	Chloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Dichlorotetrafluoroethane	Ethylenedibenzene	Methylene Chloride	Styrene	Tetrachloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Trichlorofluoromethane	1,1,2-Trichlorofluoromethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Chloride	Total Xylenes		
LC-1	9/29/04		9.1					70.8							9.5															
	1/28/05							553							178													130		
	7/28/2006	117						71.6							168	149												563		
	11/2/2006	92.6	16.4	54.3				62.4	27.7			1010			30.5	636											1954			
	2/23/2007	48						129							14.6	64.2		21										175.2		
	5/30/2007	160		270				180	24						380	500											57	43	1140	
	8/9/2007	76.4	21.8	108				118	17.4						34.8	216	106										32.3	21	489.8	
	10/22/2007	51.1	150	86.9				170	49.3						38	328	15.9										47.5	39.4	546.7	
	1/23/2008																													
	7/22/2008	31.6	84.8	48.7				13.5	48.5			1.4			13.1	235		23		3.5			6.4	2.2	2.4	0.95	18	12.1	409.8	
	10/7/2008	11.2		27.2				2.8	26.4			1.3						1.8				1.9	1.9	1.4	1.1					
	1/27/2009		7.6															3.3												
	4/16/2009							1.1				1.3						1.8												
	7/27/2009	1.5																7.1			1.2	1.5					3.6	1.7	6.4	
	10/27/2009		267					388							384														626	
	2/25/2010		123					176	19.2						88.9															
	5/25/2010	3.4		62.4					24.1																			1.3		
	10/12/2010	3.1		14.2					43.4	1.1						16.3	4.9	34.6				6.2					3.8	1.4	4.7	
	1/25/2011																	5.4												
	4/25/2011	83.2	74.9						542	70.7						193	193	665				68.8								309
	7/13/2011			63.4					36.8	10.7						18.6														

Values in ppbv (parts per billion by volume)
Analyzed using EPA Method TO-14A
P:\Ripon_Landfill\2011\April 2011\Tables\Table 7 Gas VOCs.xls

Table 7. Landfill Gas Analytical Results
FF/NN Landfill, Ripon, WI

Sampling Point ID	Date	Benzene	Chlorobenzene	Chloroethane	Chloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroether	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Dichlorotetrafluoroethane	Ethylbenzene	Methylene Chloride	Styrene	Tetrachloroethene	Toluene	Trichloroethene	Trichlorofluoromethane	1,1,2,2-Tetrachloroethane	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Chloride	Total Xylenes			
LC-2	7/28/2006	447	404	265					1060				3850	48.7	408	2790	88.6		81	8920		238				191	143	166	13006		
	11/2/2006	221	96.9	216					1130						263	378				43.2						79.4	56		8532		
	2/23/2007	186	182	148					36.2	309					176	449		194		83.7							173	157		7089	
	5/30/2007	1.2	4.4						7.7				1.8		7.4	1.2				3.3								2.4	2.7		
	8/9/2007	24.9	75.9						75.6						40.6	17.3				25.9									38		
	10/22/2007	236	112	344						14.3				16.4		90.5	335								14.8	38.2	27.3		1744		
	1/23/2008	282	54.7	426					956	19.1					274	200					80				82	77.7	24.1	18.4	1550		
	7/22/2008	354	114	535					840						286	400					119									1820	
	10/7/2008	37.2		284					538						211		18.3														
	1/27/2009				1.2								1.8				9.7			1.3					8.8	3.2					
	4/16/2009			1.5					5.3							200					2										
	7/27/2009								1490							243															1270
	10/27/2009	578	637						595						422	375								777	995					1920	
	2/25/2010			224					161						197																
	5/25/2010	16.1	64.1						10.7	1.2					39.2		11.8			2.3											
	10/12/2010			43.7					113						56.9		38.7														0.83
	1/25/2011																2.6				1.1										
	4/25/2011																10.3				3.6										
	7/13/2011	58							439																						

Values in ppbv (parts per billion by volume)
Analyzed using EPA Method TO-14A
P:\Ripon_Landfill\201\April 201\Tables\Table 7 Gas VOCs.xls

Table 7. Landfill Gas Analytical Results
FF/NN Landfill, Ripon, WI

Sampling Point ID	Date	Benzene	Chlorobenzene	Chloroethane	Chloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Dichlorotetrafluoroethane	Ethylbenzene	Methylene Chloride	1,1,2,2-Tetrachloroethane	Styrene	Tetrachloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Trichlorofluoromethane	1,1,2-Trichlorofluoromethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Chloride	Total Xylenes	
LC-3	7/28/2006								516									1070									1340			
	11/2/2006	1110	95.4				33.4	740	98.5		254	5840	228	115	526	1430		22.6	209	5030		912	184			158	85.1	1600	3310	
	2/23/2007	434						2810	81.6		166	43400		231	185	1440	21.1		63.2	10000		573 J	1210				11900	632		
	5/30/2007	610	110				71	5200	64		460	1E+05		260	18400	2700			260	146000		3200	270			260	150	172000	47400	
	8/9/2007	28.8						258	58.6			4960		25.9		197				328		64.1	19.3					4680		
	10/22/2007	162						447	21.6			38300	91.3	66.4	179	1370			20.7	16800		1770	45.4				10700	362.7		
	1/23/2008	4.5						44.2	1		10.4	1820		14.2		69.1				37.9		14.5	2.1					1220		
	7/22/2008	30.2	10.3	4.9			1.8	62.4	3.5	0.95	25	6050	13.1	14.3	320	196		15.2	12.6	5140		301	2.6			12.8	7.4	1920	931	
	10/7/2008											1.3						2.1					2.1							
	1/27/2009		1.6	2														3.2												
	4/16/2009																674					5.6								
	7/27/2009	26.7	13.2					9.1			24.5	4560		27	311	131			10	2730		289	6.2			0.86	5.5	1760	876	
	10/27/2009	256										66400		250	1900	450				33600		1500						9760	7150	
	2/25/2010											33.8				54.6											82.5			
	5/25/2010	24.1						94.1			24.5	2470		39	19.3	68.1				692		55.5						1670	41.8	
	10/12/2010								24.5		2.2	31.6		5.6		3.8						0.92	0.84						394	
	1/25/2011													34600		3540				44400								27600	10370	
	4/25/2011																		3180		402							11000	159.9	
	7/13/2011	172						68.9			97.2	9120		49.8	75.9	305														

Values in ppbv (parts per billion by volume)
Analyzed using EPA Method TO-14A

ATTACHMENT A
STRATIGRAPHIC LAYERS OF WELLS

Stratigraphic Groupings of Monitoring Wells
FF/NN Landfill, Ripon, WI

Layer	Well ID	Well Screen Elevation (ft msl)	Lithology at Well Screen
Layer 1 Wells	MW-106	821.0	sand
	MW-101	820.4	sand
	MW-104	819.3	sand & gravel
	MW-102	818.9	sand & gravel
	MW-103	818.7	sand
	MW-107	816.5	sand
	MW-108	814.9	sand
	MW-112	814.1	sand
	MW-111	812.3	sand
Layer 2 Wells	P-106	791.7	sand
	P-101	790.0	sand
	P-103	789.9	silt
	P-107	785.6	sand
	P-108	783.5	sand
	P-104	782.0	sand
	P-102	781.3	sand
	P-111	774.2	sand
	P-111D	704.0	sand and gravel
Layer 3 Wells	P-103D	682.08	sandstone
	MW-3B	665.0	sandstone
	P-113B	634.2	sandstone
	P-114	654.4	sandstone
	P-115	662.7	sandstone
	P-116	681.3	sandstone
	MW-3A	570.0	sandstone
	P-107D	544.0	granite
	P-113A	507.8	sandstone
Layer 4 wells			

ATTACHMENT B

LABORATORY ANALYTICAL RESULTS

July 18, 2011

Mike Noel
Tetra Tech Geo
175 NORTH CORPORATE DRIVE
SUITE 100
Brookfield, WI 53045

RE: Project: 117-2202040.12 FF/NN LANDFILL
Pace Project No.: 4048294

Dear Mike Noel:

Enclosed are the analytical results for sample(s) received by the laboratory on July 13, 2011. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten

brian.basten@pacelabs.com
Project Manager

Enclosures

cc: Nelson Olavarria, Cooper Industries

REPORT OF LABORATORY ANALYSIS

Page 1 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



CERTIFICATIONS

Project: 117-2202040.12 FF/NN LANDFILL
Pace Project No.: 4048294

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
California Certification #: 09268CA
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 11888

New York Certification #: 11888
North Carolina Certification #: 503
North Dakota Certification #: R-150
South Carolina Certification #: 83006001
US Dept of Agriculture #: S-76505
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444

REPORT OF LABORATORY ANALYSIS

Page 2 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE SUMMARY

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Lab ID	Sample ID	Matrix	Date Collected	Date Received
4048294001	P-107D	Water	07/11/11 14:40	07/13/11 14:20
4048294002	P-111D	Water	07/11/11 15:30	07/13/11 14:20
4048294003	P-103	Water	07/11/11 16:25	07/13/11 14:20
4048294004	P-103D	Water	07/11/11 16:55	07/13/11 14:20
4048294005	MW-103	Water	07/11/11 17:15	07/13/11 14:20
4048294006	MW-112	Water	07/11/11 17:40	07/13/11 14:20
4048294007	MW-3A	Water	07/12/11 09:15	07/13/11 14:20
4048294008	MW-3B	Water	07/12/11 09:40	07/13/11 14:20
4048294009	P-113A	Water	07/12/11 10:40	07/13/11 14:20
4048294010	P-113B	Water	07/12/11 11:15	07/13/11 14:20
4048294011	P-115	Water	07/12/11 11:55	07/13/11 14:20
4048294012	P-116	Water	07/12/11 13:05	07/13/11 14:20
4048294013	P-114	Water	07/12/11 13:35	07/13/11 14:20
4048294014	P-114DUP	Water	07/12/11 13:40	07/13/11 14:20
4048294015	TRIP BLANK	Water	07/12/11 00:00	07/13/11 14:20

REPORT OF LABORATORY ANALYSIS

Page 3 of 22

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..



SAMPLE ANALYTE COUNT

Project: 117-2202040.12 FF/NN LANDFILL
 Pace Project No.: 4048294

Lab ID	Sample ID	Method	Analysts	Analytes Reported
4048294001	P-107D	EPA 8260	SMT	45
4048294002	P-111D	EPA 8260	SMT	45
4048294003	P-103	EPA 8260	SMT	45
4048294004	P-103D	EPA 8260	SMT	45
4048294005	MW-103	EPA 8260	SMT	45
4048294006	MW-112	EPA 8260	SMT	45
4048294007	MW-3A	EPA 8260	SMT	45
4048294008	MW-3B	EPA 8260	SMT	45
4048294009	P-113A	EPA 8260	SMT	45
4048294010	P-113B	EPA 8260	SMT	45
4048294011	P-115	EPA 8260	SMT	45
4048294012	P-116	EPA 8260	SMT	45
4048294013	P-114	EPA 8260	SMT	45
4048294014	P-114DUP	EPA 8260	SMT	45
4048294015	TRIP BLANK	EPA 8260	SMT	45

REPORT OF LABORATORY ANALYSIS

Page 4 of 22

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: P-107D Lab ID: 4048294001 Collected: 07/11/11 14:40 Received: 07/13/11 14:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 10:09	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 10:09	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 10:09	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 10:09	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 10:09	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 10:09	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 10:09	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 10:09	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 10:09	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 10:09	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 10:09	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 10:09	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 10:09	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 10:09	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 10:09	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 10:09	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 10:09	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 10:09	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 10:09	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 10:09	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 10:09	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 10:09	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 10:09	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 10:09	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 10:09	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 10:09	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 10:09	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 10:09	1634-04-4	
Methylene Chloride	<0.43 ug/L		1.0	0.43	1		07/14/11 10:09	75-09-2	
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 10:09	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 10:09	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 10:09	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 10:09	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 10:09	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 10:09	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 10:09	75-69-4	
Vinyl chloride	5.3 ug/L		1.0	0.18	1		07/14/11 10:09	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 10:09	1330-20-7	
cis-1,2-Dichloroethene	1.2 ug/L		1.0	0.83	1		07/14/11 10:09	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 10:09	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 10:09	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 10:09	10061-02-6	
4-Bromofluorobenzene (S)	80 %.	69-130		1			07/14/11 10:09	460-00-4	
Dibromofluoromethane (S)	92 %.	70-134		1			07/14/11 10:09	1868-53-7	
Toluene-d8 (S)	90 %.	70-130		1			07/14/11 10:09	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 5 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: P-111D Lab ID: 4048294002 Collected: 07/11/11 15:30 Received: 07/13/11 14:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 10:32	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 10:32	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 10:32	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 10:32	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 10:32	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 10:32	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 10:32	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 10:32	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 10:32	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 10:32	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 10:32	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 10:32	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 10:32	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 10:32	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 10:32	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 10:32	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 10:32	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 10:32	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 10:32	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 10:32	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 10:32	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 10:32	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 10:32	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 10:32	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 10:32	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 10:32	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 10:32	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 10:32	1634-04-4	
Methylene Chloride	0.88J ug/L		1.0	0.43	1		07/14/11 10:32	75-09-2	Z3
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 10:32	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 10:32	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 10:32	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 10:32	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 10:32	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 10:32	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 10:32	75-69-4	
Vinyl chloride	5.3 ug/L		1.0	0.18	1		07/14/11 10:32	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 10:32	1330-20-7	
cis-1,2-Dichloroethene	1.4 ug/L		1.0	0.83	1		07/14/11 10:32	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 10:32	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 10:32	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 10:32	10061-02-6	
4-Bromofluorobenzene (S)	81 %.	69-130		1			07/14/11 10:32	460-00-4	
Dibromofluoromethane (S)	93 %.	70-134		1			07/14/11 10:32	1868-53-7	
Toluene-d8 (S)	91 %.	70-130		1			07/14/11 10:32	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 6 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: P-103 Lab ID: 4048294003 Collected: 07/11/11 16:25 Received: 07/13/11 14:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 11:17	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 11:17	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 11:17	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 11:17	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 11:17	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 11:17	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 11:17	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 11:17	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 11:17	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 11:17	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 11:17	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 11:17	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 11:17	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 11:17	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 11:17	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 11:17	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 11:17	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 11:17	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 11:17	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 11:17	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 11:17	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 11:17	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 11:17	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 11:17	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 11:17	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 11:17	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 11:17	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 11:17	1634-04-4	
Methylene Chloride	<0.43 ug/L		1.0	0.43	1		07/14/11 11:17	75-09-2	
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 11:17	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 11:17	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 11:17	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 11:17	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 11:17	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 11:17	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 11:17	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		07/14/11 11:17	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 11:17	1330-20-7	
cis-1,2-Dichloroethene	<0.83 ug/L		1.0	0.83	1		07/14/11 11:17	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 11:17	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 11:17	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 11:17	10061-02-6	
4-Bromofluorobenzene (S)	80 %.	69-130			1		07/14/11 11:17	460-00-4	
Dibromofluoromethane (S)	92 %.	70-134			1		07/14/11 11:17	1868-53-7	
Toluene-d8 (S)	91 %.	70-130			1		07/14/11 11:17	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 7 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: P-103D Lab ID: 4048294004 Collected: 07/11/11 16:55 Received: 07/13/11 14:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 11:40	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 11:40	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 11:40	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 11:40	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 11:40	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 11:40	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 11:40	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 11:40	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 11:40	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 11:40	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 11:40	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 11:40	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 11:40	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 11:40	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 11:40	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 11:40	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 11:40	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 11:40	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 11:40	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 11:40	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 11:40	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 11:40	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 11:40	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 11:40	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 11:40	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 11:40	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 11:40	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 11:40	1634-04-4	
Methylene Chloride	<0.43 ug/L		1.0	0.43	1		07/14/11 11:40	75-09-2	
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 11:40	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 11:40	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 11:40	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 11:40	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 11:40	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 11:40	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 11:40	75-69-4	
Vinyl chloride	0.78J ug/L		1.0	0.18	1		07/14/11 11:40	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 11:40	1330-20-7	
cis-1,2-Dichloroethene	<0.83 ug/L		1.0	0.83	1		07/14/11 11:40	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 11:40	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 11:40	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 11:40	10061-02-6	
4-Bromofluorobenzene (S)	81 %.	69-130					07/14/11 11:40	460-00-4	
Dibromofluoromethane (S)	94 %.	70-134					07/14/11 11:40	1868-53-7	
Toluene-d8 (S)	90 %.	70-130					07/14/11 11:40	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 8 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: MW-103 Lab ID: 4048294005 Collected: 07/11/11 17:15 Received: 07/13/11 14:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 12:03	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 12:03	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 12:03	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 12:03	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 12:03	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 12:03	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 12:03	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 12:03	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 12:03	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 12:03	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 12:03	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 12:03	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 12:03	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 12:03	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 12:03	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 12:03	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 12:03	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 12:03	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 12:03	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 12:03	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 12:03	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 12:03	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 12:03	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 12:03	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 12:03	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 12:03	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 12:03	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 12:03	1634-04-4	
Methylene Chloride	0.74J ug/L		1.0	0.43	1		07/14/11 12:03	75-09-2	Z3
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 12:03	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 12:03	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 12:03	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 12:03	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 12:03	108-88-3	
Trichloroethene	2.3 ug/L		1.0	0.48	1		07/14/11 12:03	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 12:03	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		07/14/11 12:03	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 12:03	1330-20-7	
cis-1,2-Dichloroethene	4.2 ug/L		1.0	0.83	1		07/14/11 12:03	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 12:03	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 12:03	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 12:03	10061-02-6	
4-Bromofluorobenzene (S)	81 %.	69-130			1		07/14/11 12:03	460-00-4	
Dibromofluoromethane (S)	93 %.	70-134			1		07/14/11 12:03	1868-53-7	
Toluene-d8 (S)	91 %.	70-130			1		07/14/11 12:03	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 9 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: MW-112 Lab ID: 4048294006 Collected: 07/11/11 17:40 Received: 07/13/11 14:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 12:25	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 12:25	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 12:25	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 12:25	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 12:25	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 12:25	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 12:25	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 12:25	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 12:25	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 12:25	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 12:25	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 12:25	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 12:25	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 12:25	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 12:25	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 12:25	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 12:25	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 12:25	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 12:25	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 12:25	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 12:25	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 12:25	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 12:25	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 12:25	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 12:25	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 12:25	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 12:25	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 12:25	1634-04-4	
Methylene Chloride	0.60J ug/L		1.0	0.43	1		07/14/11 12:25	75-09-2	Z3
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 12:25	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 12:25	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 12:25	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 12:25	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 12:25	108-88-3	
Trichloroethene	1.5 ug/L		1.0	0.48	1		07/14/11 12:25	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 12:25	75-69-4	
Vinyl chloride	0.27J ug/L		1.0	0.18	1		07/14/11 12:25	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 12:25	1330-20-7	
cis-1,2-Dichloroethene	5.3 ug/L		1.0	0.83	1		07/14/11 12:25	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 12:25	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 12:25	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 12:25	10061-02-6	
4-Bromofluorobenzene (S)	81 %.		69-130		1		07/14/11 12:25	460-00-4	
Dibromofluoromethane (S)	95 %.		70-134		1		07/14/11 12:25	1868-53-7	
Toluene-d8 (S)	91 %.		70-130		1		07/14/11 12:25	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 10 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: MW-3A	Lab ID: 4048294007	Collected: 07/12/11 09:15	Received: 07/13/11 14:20	Matrix: Water
---------------	--------------------	---------------------------	--------------------------	---------------

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									Analytical Method: EPA 8260
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 12:48	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 12:48	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 12:48	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 12:48	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 12:48	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 12:48	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 12:48	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 12:48	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 12:48	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 12:48	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 12:48	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 12:48	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 12:48	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 12:48	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 12:48	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 12:48	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 12:48	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 12:48	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 12:48	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 12:48	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 12:48	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 12:48	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 12:48	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 12:48	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 12:48	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 12:48	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 12:48	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 12:48	1634-04-4	
Methylene Chloride	0.63J ug/L		1.0	0.43	1		07/14/11 12:48	75-09-2	Z3
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 12:48	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 12:48	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 12:48	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 12:48	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 12:48	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 12:48	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 12:48	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		07/14/11 12:48	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 12:48	1330-20-7	
cis-1,2-Dichloroethene	<0.83 ug/L		1.0	0.83	1		07/14/11 12:48	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 12:48	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 12:48	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 12:48	10061-02-6	
4-Bromofluorobenzene (S)	80 %.	69-130		1			07/14/11 12:48	460-00-4	
Dibromofluoromethane (S)	93 %.	70-134		1			07/14/11 12:48	1868-53-7	
Toluene-d8 (S)	92 %.	70-130		1			07/14/11 12:48	2037-26-5	



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: MW-3B Lab ID: 4048294008 Collected: 07/12/11 09:40 Received: 07/13/11 14:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 13:11	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 13:11	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 13:11	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 13:11	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 13:11	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 13:11	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 13:11	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 13:11	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 13:11	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 13:11	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 13:11	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 13:11	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 13:11	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 13:11	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 13:11	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 13:11	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 13:11	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 13:11	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 13:11	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 13:11	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 13:11	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 13:11	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 13:11	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 13:11	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 13:11	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 13:11	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 13:11	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 13:11	1634-04-4	
Methylene Chloride	0.81J ug/L		1.0	0.43	1		07/14/11 13:11	75-09-2	Z3
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 13:11	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 13:11	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 13:11	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 13:11	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 13:11	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 13:11	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 13:11	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		07/14/11 13:11	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 13:11	1330-20-7	
cis-1,2-Dichloroethene	<0.83 ug/L		1.0	0.83	1		07/14/11 13:11	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 13:11	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 13:11	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 13:11	10061-02-6	
4-Bromofluorobenzene (S)	82 %.		69-130		1		07/14/11 13:11	460-00-4	
Dibromofluoromethane (S)	93 %.		70-134		1		07/14/11 13:11	1868-53-7	
Toluene-d8 (S)	92 %.		70-130		1		07/14/11 13:11	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 12 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: P-113A Lab ID: 4048294009 Collected: 07/12/11 10:40 Received: 07/13/11 14:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 13:33	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 13:33	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 13:33	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 13:33	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 13:33	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 13:33	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 13:33	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 13:33	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 13:33	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 13:33	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 13:33	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 13:33	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 13:33	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 13:33	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 13:33	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 13:33	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 13:33	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 13:33	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 13:33	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 13:33	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 13:33	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 13:33	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 13:33	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 13:33	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 13:33	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 13:33	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 13:33	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 13:33	1634-04-4	
Methylene Chloride	1.3 ug/L		1.0	0.43	1		07/14/11 13:33	75-09-2	Z3
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 13:33	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 13:33	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 13:33	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 13:33	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 13:33	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 13:33	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 13:33	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		07/14/11 13:33	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 13:33	1330-20-7	
cis-1,2-Dichloroethene	<0.83 ug/L		1.0	0.83	1		07/14/11 13:33	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 13:33	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 13:33	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 13:33	10061-02-6	
4-Bromofluorobenzene (S)	83 %.	69-130			1		07/14/11 13:33	460-00-4	
Dibromofluoromethane (S)	93 %.	70-134			1		07/14/11 13:33	1868-53-7	
Toluene-d8 (S)	90 %.	70-130			1		07/14/11 13:33	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 13 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: P-113B Lab ID: 4048294010 Collected: 07/12/11 11:15 Received: 07/13/11 14:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 13:56	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 13:56	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 13:56	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 13:56	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 13:56	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 13:56	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 13:56	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 13:56	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 13:56	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 13:56	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 13:56	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 13:56	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 13:56	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 13:56	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 13:56	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 13:56	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 13:56	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 13:56	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 13:56	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 13:56	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 13:56	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 13:56	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 13:56	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 13:56	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 13:56	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 13:56	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 13:56	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 13:56	1634-04-4	
Methylene Chloride	1.3 ug/L		1.0	0.43	1		07/14/11 13:56	75-09-2	Z3
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 13:56	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 13:56	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 13:56	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 13:56	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 13:56	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 13:56	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 13:56	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		07/14/11 13:56	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 13:56	1330-20-7	
cis-1,2-Dichloroethene	<0.83 ug/L		1.0	0.83	1		07/14/11 13:56	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 13:56	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 13:56	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 13:56	10061-02-6	
4-Bromofluorobenzene (S)	80 %.	69-130			1		07/14/11 13:56	460-00-4	
Dibromofluoromethane (S)	95 %.	70-134			1		07/14/11 13:56	1868-53-7	
Toluene-d8 (S)	89 %.	70-130			1		07/14/11 13:56	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 14 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: P-115 Lab ID: 4048294011 Collected: 07/12/11 11:55 Received: 07/13/11 14:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 14:19	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 14:19	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 14:19	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 14:19	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 14:19	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 14:19	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 14:19	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 14:19	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 14:19	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 14:19	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 14:19	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 14:19	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 14:19	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 14:19	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 14:19	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 14:19	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 14:19	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 14:19	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 14:19	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 14:19	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 14:19	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 14:19	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 14:19	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 14:19	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 14:19	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 14:19	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 14:19	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 14:19	1634-04-4	
Methylene Chloride	0.69J ug/L		1.0	0.43	1		07/14/11 14:19	75-09-2	Z3
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 14:19	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 14:19	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 14:19	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 14:19	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 14:19	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 14:19	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 14:19	75-69-4	
Vinyl chloride	0.99J ug/L		1.0	0.18	1		07/14/11 14:19	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 14:19	1330-20-7	
cis-1,2-Dichloroethene	<0.83 ug/L		1.0	0.83	1		07/14/11 14:19	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 14:19	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 14:19	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 14:19	10061-02-6	
4-Bromofluorobenzene (S)	82 %.	69-130			1		07/14/11 14:19	460-00-4	
Dibromofluoromethane (S)	94 %.	70-134			1		07/14/11 14:19	1868-53-7	
Toluene-d8 (S)	91 %.	70-130			1		07/14/11 14:19	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 15 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: P-116 Lab ID: 4048294012 Collected: 07/12/11 13:05 Received: 07/13/11 14:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 14:41	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 14:41	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 14:41	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 14:41	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 14:41	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 14:41	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 14:41	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 14:41	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 14:41	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 14:41	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 14:41	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 14:41	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 14:41	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 14:41	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 14:41	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 14:41	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 14:41	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 14:41	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 14:41	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 14:41	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 14:41	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 14:41	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 14:41	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 14:41	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 14:41	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 14:41	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 14:41	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 14:41	1634-04-4	
Methylene Chloride	0.46J ug/L		1.0	0.43	1		07/14/11 14:41	75-09-2	Z3
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 14:41	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 14:41	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 14:41	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 14:41	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 14:41	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 14:41	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 14:41	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		07/14/11 14:41	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 14:41	1330-20-7	
cis-1,2-Dichloroethene	<0.83 ug/L		1.0	0.83	1		07/14/11 14:41	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 14:41	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 14:41	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 14:41	10061-02-6	
4-Bromofluorobenzene (S)	82 %.	69-130			1		07/14/11 14:41	460-00-4	
Dibromofluoromethane (S)	94 %.	70-134			1		07/14/11 14:41	1868-53-7	
Toluene-d8 (S)	91 %.	70-130			1		07/14/11 14:41	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 16 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: P-114 Lab ID: 4048294013 Collected: 07/12/11 13:35 Received: 07/13/11 14:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 15:04	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 15:04	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 15:04	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 15:04	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 15:04	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 15:04	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 15:04	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 15:04	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 15:04	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 15:04	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 15:04	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 15:04	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 15:04	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 15:04	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 15:04	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 15:04	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 15:04	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 15:04	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 15:04	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 15:04	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 15:04	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 15:04	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 15:04	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 15:04	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 15:04	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 15:04	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 15:04	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 15:04	1634-04-4	
Methylene Chloride	0.80J ug/L		1.0	0.43	1		07/14/11 15:04	75-09-2	Z3
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 15:04	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 15:04	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 15:04	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 15:04	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 15:04	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 15:04	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 15:04	75-69-4	
Vinyl chloride	5.6 ug/L		1.0	0.18	1		07/14/11 15:04	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 15:04	1330-20-7	
cis-1,2-Dichloroethene	1.3 ug/L		1.0	0.83	1		07/14/11 15:04	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 15:04	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 15:04	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 15:04	10061-02-6	
4-Bromofluorobenzene (S)	82 %.		69-130		1		07/14/11 15:04	460-00-4	
Dibromofluoromethane (S)	93 %.		70-134		1		07/14/11 15:04	1868-53-7	
Toluene-d8 (S)	90 %.		70-130		1		07/14/11 15:04	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 17 of 22

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: P-114DUP	Lab ID: 4048294014	Collected: 07/12/11 13:40	Received: 07/13/11 14:20	Matrix: Water
------------------	--------------------	---------------------------	--------------------------	---------------

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
	Analytical Method: EPA 8260								
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 15:27	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 15:27	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 15:27	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 15:27	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 15:27	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 15:27	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 15:27	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 15:27	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 15:27	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 15:27	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 15:27	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 15:27	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 15:27	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 15:27	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 15:27	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 15:27	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 15:27	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 15:27	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 15:27	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 15:27	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 15:27	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 15:27	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 15:27	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 15:27	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 15:27	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 15:27	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 15:27	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 15:27	1634-04-4	
Methylene Chloride	0.67J ug/L		1.0	0.43	1		07/14/11 15:27	75-09-2	Z3
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 15:27	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 15:27	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 15:27	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 15:27	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 15:27	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 15:27	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 15:27	75-69-4	
Vinyl chloride	5.8 ug/L		1.0	0.18	1		07/14/11 15:27	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 15:27	1330-20-7	
cis-1,2-Dichloroethene	1.5 ug/L		1.0	0.83	1		07/14/11 15:27	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 15:27	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 15:27	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 15:27	10061-02-6	
4-Bromofluorobenzene (S)	82 %.	69-130			1		07/14/11 15:27	460-00-4	
Dibromofluoromethane (S)	91 %.	70-134			1		07/14/11 15:27	1868-53-7	
Toluene-d8 (S)	91 %.	70-130			1		07/14/11 15:27	2037-26-5	



ANALYTICAL RESULTS

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

Sample: TRIP BLANK	Lab ID: 4048294015	Collected: 07/12/11 00:00	Received: 07/13/11 14:20	Matrix: Water
--------------------	--------------------	---------------------------	--------------------------	---------------

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1-Trichloroethane	<0.90 ug/L		1.0	0.90	1		07/14/11 09:24	71-55-6	
1,1,2-Trichloroethane	<0.42 ug/L		1.0	0.42	1		07/14/11 09:24	79-00-5	
1,1-Dichloroethane	<0.75 ug/L		1.0	0.75	1		07/14/11 09:24	75-34-3	
1,1-Dichloroethene	<0.57 ug/L		1.0	0.57	1		07/14/11 09:24	75-35-4	
1,2-Dibromo-3-chloropropane	<1.7 ug/L		5.0	1.7	1		07/14/11 09:24	96-12-8	
1,2-Dibromoethane (EDB)	<0.56 ug/L		1.0	0.56	1		07/14/11 09:24	106-93-4	
1,2-Dichlorobenzene	<0.83 ug/L		1.0	0.83	1		07/14/11 09:24	95-50-1	
1,2-Dichloroethane	<0.36 ug/L		1.0	0.36	1		07/14/11 09:24	107-06-2	
1,2-Dichloropropane	<0.49 ug/L		1.0	0.49	1		07/14/11 09:24	78-87-5	
1,3-Dichlorobenzene	<0.87 ug/L		1.0	0.87	1		07/14/11 09:24	541-73-1	
1,4-Dichlorobenzene	<0.95 ug/L		1.0	0.95	1		07/14/11 09:24	106-46-7	
2-Butanone (MEK)	<4.3 ug/L		20.0	4.3	1		07/14/11 09:24	78-93-3	
Acetone	<5.0 ug/L		20.0	5.0	1		07/14/11 09:24	67-64-1	
Benzene	<0.41 ug/L		1.0	0.41	1		07/14/11 09:24	71-43-2	
Bromodichloromethane	<0.56 ug/L		1.0	0.56	1		07/14/11 09:24	75-27-4	
Bromoform	<0.94 ug/L		1.0	0.94	1		07/14/11 09:24	75-25-2	
Bromomethane	<0.91 ug/L		1.0	0.91	1		07/14/11 09:24	74-83-9	
Carbon disulfide	<0.66 ug/L		1.0	0.66	1		07/14/11 09:24	75-15-0	
Carbon tetrachloride	<0.49 ug/L		1.0	0.49	1		07/14/11 09:24	56-23-5	
Chlorobenzene	<0.41 ug/L		1.0	0.41	1		07/14/11 09:24	108-90-7	
Chloroethane	<0.97 ug/L		1.0	0.97	1		07/14/11 09:24	75-00-3	
Chloroform	<1.3 ug/L		5.0	1.3	1		07/14/11 09:24	67-66-3	
Chloromethane	<0.24 ug/L		1.0	0.24	1		07/14/11 09:24	74-87-3	
Dibromochloromethane	<0.81 ug/L		1.0	0.81	1		07/14/11 09:24	124-48-1	
Dibromomethane	<0.60 ug/L		1.0	0.60	1		07/14/11 09:24	74-95-3	
Dichlorodifluoromethane	<0.99 ug/L		1.0	0.99	1		07/14/11 09:24	75-71-8	
Ethylbenzene	<0.54 ug/L		1.0	0.54	1		07/14/11 09:24	100-41-4	
Methyl-tert-butyl ether	<0.61 ug/L		1.0	0.61	1		07/14/11 09:24	1634-04-4	
Methylene Chloride	0.92J ug/L		1.0	0.43	1		07/14/11 09:24	75-09-2	Z3
Naphthalene	<0.89 ug/L		5.0	0.89	1		07/14/11 09:24	91-20-3	
Styrene	<0.86 ug/L		1.0	0.86	1		07/14/11 09:24	100-42-5	
Tetrachloroethene	<0.45 ug/L		1.0	0.45	1		07/14/11 09:24	127-18-4	
Tetrahydrofuran	<1.7 ug/L		5.0	1.7	1		07/14/11 09:24	109-99-9	
Toluene	<0.67 ug/L		1.0	0.67	1		07/14/11 09:24	108-88-3	
Trichloroethene	<0.48 ug/L		1.0	0.48	1		07/14/11 09:24	79-01-6	
Trichlorofluoromethane	<0.79 ug/L		1.0	0.79	1		07/14/11 09:24	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		07/14/11 09:24	75-01-4	
Xylene (Total)	<2.6 ug/L		3.0	2.6	1		07/14/11 09:24	1330-20-7	
cis-1,2-Dichloroethene	<0.83 ug/L		1.0	0.83	1		07/14/11 09:24	156-59-2	
cis-1,3-Dichloropropene	<0.20 ug/L		1.0	0.20	1		07/14/11 09:24	10061-01-5	
trans-1,2-Dichloroethene	<0.89 ug/L		1.0	0.89	1		07/14/11 09:24	156-60-5	
trans-1,3-Dichloropropene	<0.19 ug/L		1.0	0.19	1		07/14/11 09:24	10061-02-6	
4-Bromofluorobenzene (S)	84 %.	69-130			1		07/14/11 09:24	460-00-4	
Dibromofluoromethane (S)	93 %.	70-134			1		07/14/11 09:24	1868-53-7	
Toluene-d8 (S)	92 %.	70-130			1		07/14/11 09:24	2037-26-5	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 19 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

QC Batch:	MSV/11968	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	4048294001, 4048294002, 4048294003, 4048294004, 4048294005, 4048294006, 4048294007, 4048294008, 4048294009, 4048294010, 4048294011, 4048294012, 4048294013, 4048294014, 4048294015		

METHOD BLANK: 477155 Matrix: Water

Associated Lab Samples: 4048294001, 4048294002, 4048294003, 4048294004, 4048294005, 4048294006, 4048294007, 4048294008,
4048294009, 4048294010, 4048294011, 4048294012, 4048294013, 4048294014, 4048294015

Parameter	Units	Blank	Reporting	Analyzed	Qualifiers
		Result	Limit		
1,1,1-Trichloroethane	ug/L	<0.90	1.0	07/14/11 06:23	
1,1,2-Trichloroethane	ug/L	<0.42	1.0	07/14/11 06:23	
1,1-Dichloroethane	ug/L	<0.75	1.0	07/14/11 06:23	
1,1-Dichloroethene	ug/L	<0.57	1.0	07/14/11 06:23	
1,2-Dibromo-3-chloropropane	ug/L	<1.7	5.0	07/14/11 06:23	
1,2-Dibromoethane (EDB)	ug/L	<0.56	1.0	07/14/11 06:23	
1,2-Dichlorobenzene	ug/L	<0.83	1.0	07/14/11 06:23	
1,2-Dichloroethane	ug/L	<0.36	1.0	07/14/11 06:23	
1,2-Dichloropropane	ug/L	<0.49	1.0	07/14/11 06:23	
1,3-Dichlorobenzene	ug/L	<0.87	1.0	07/14/11 06:23	
1,4-Dichlorobenzene	ug/L	<0.95	1.0	07/14/11 06:23	
2-Butanone (MEK)	ug/L	<4.3	20.0	07/14/11 06:23	
Acetone	ug/L	<5.0	20.0	07/14/11 06:23	
Benzene	ug/L	<0.41	1.0	07/14/11 06:23	
Bromodichloromethane	ug/L	<0.56	1.0	07/14/11 06:23	
Bromoform	ug/L	<0.94	1.0	07/14/11 06:23	
Bromomethane	ug/L	<0.91	1.0	07/14/11 06:23	
Carbon disulfide	ug/L	<0.66	1.0	07/14/11 06:23	
Carbon tetrachloride	ug/L	<0.49	1.0	07/14/11 06:23	
Chlorobenzene	ug/L	<0.41	1.0	07/14/11 06:23	
Chloroethane	ug/L	<0.97	1.0	07/14/11 06:23	
Chloroform	ug/L	<1.3	5.0	07/14/11 06:23	
Chloromethane	ug/L	<0.24	1.0	07/14/11 06:23	
cis-1,2-Dichloroethene	ug/L	<0.83	1.0	07/14/11 06:23	
cis-1,3-Dichloropropene	ug/L	<0.20	1.0	07/14/11 06:23	
Dibromochloromethane	ug/L	<0.81	1.0	07/14/11 06:23	
Dibromomethane	ug/L	<0.60	1.0	07/14/11 06:23	
Dichlorodifluoromethane	ug/L	<0.99	1.0	07/14/11 06:23	
Ethylbenzene	ug/L	<0.54	1.0	07/14/11 06:23	
Methyl-tert-butyl ether	ug/L	<0.61	1.0	07/14/11 06:23	
Methylene Chloride	ug/L	<0.43	1.0	07/14/11 06:23	
Naphthalene	ug/L	<0.89	5.0	07/14/11 06:23	
Styrene	ug/L	<0.86	1.0	07/14/11 06:23	
Tetrachloroethene	ug/L	<0.45	1.0	07/14/11 06:23	
Tetrahydrofuran	ug/L	<1.7	5.0	07/14/11 06:23	
Toluene	ug/L	<0.67	1.0	07/14/11 06:23	
trans-1,2-Dichloroethene	ug/L	<0.89	1.0	07/14/11 06:23	
trans-1,3-Dichloropropene	ug/L	<0.19	1.0	07/14/11 06:23	
Trichloroethene	ug/L	<0.48	1.0	07/14/11 06:23	
Trichlorofluoromethane	ug/L	<0.79	1.0	07/14/11 06:23	
Vinyl chloride	ug/L	<0.18	1.0	07/14/11 06:23	

Date: 07/18/2011 03:30 PM

REPORT OF LABORATORY ANALYSIS

Page 20 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 117-2202040.12 FF/NN LANDFILL

Pace Project No.: 4048294

METHOD BLANK: 477155

Matrix: Water

Associated Lab Samples: 4048294001, 4048294002, 4048294003, 4048294004, 4048294005, 4048294006, 4048294007, 4048294008,
4048294009, 4048294010, 4048294011, 4048294012, 4048294013, 4048294014, 4048294015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Xylene (Total)	ug/L	<2.6	3.0	07/14/11 06:23	
4-Bromofluorobenzene (S)	%.	82	69-130	07/14/11 06:23	
Dibromofluoromethane (S)	%.	96	70-134	07/14/11 06:23	
Toluene-d8 (S)	%.	93	70-130	07/14/11 06:23	

LABORATORY CONTROL SAMPLE & LCSD: 477156

477157

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	44.4	43.6	89	87	70-132	2	20	
1,1,2-Trichloroethane	ug/L	50	51.8	50.2	104	100	70-130	3	20	
1,1-Dichloroethane	ug/L	50	47.3	46.9	95	94	70-132	.8	20	
1,1-Dichloroethene	ug/L	50	52.6	52.6	105	105	70-137	.1	20	
1,2-Dichloroethane	ug/L	50	38.5	38.1	77	76	70-130	1	20	
1,2-Dichloropropane	ug/L	50	51.3	49.8	103	100	70-130	3	20	
2-Butanone (MEK)	ug/L	50	66.7	60.0	133	120	50-150	11	20	
Acetone	ug/L	50	74.9	60.4	150	121	50-150	21	20	D6
Benzene	ug/L	50	50.3	50.3	101	101	70-130	.1	20	
Bromodichloromethane	ug/L	50	45.7	44.3	91	89	70-131	3	20	
Bromoform	ug/L	50	50.4	48.0	101	96	70-130	5	20	
Bromomethane	ug/L	50	48.6	50.2	97	100	53-160	3	20	
Carbon disulfide	ug/L	50	45.0	45.5	90	91	70-130	1	20	
Carbon tetrachloride	ug/L	50	45.2	45.4	90	91	70-130	.4	20	
Chlorobenzene	ug/L	50	50.2	50.6	100	101	70-130	.8	20	
Chloroethane	ug/L	50	55.8	55.3	112	111	70-147	.9	20	
Chloroform	ug/L	50	44.1	45.5	88	91	70-130	3	20	
Chloromethane	ug/L	50	45.1	47.0	90	94	41-137	4	20	
cis-1,2-Dichloroethene	ug/L	50	54.7	53.9	109	108	70-130	1	20	
cis-1,3-Dichloropropene	ug/L	50	47.9	48.1	96	96	70-130	.3	20	
Dibromochloromethane	ug/L	50	48.5	48.1	97	96	70-130	.6	20	
Ethylbenzene	ug/L	50	48.9	48.4	98	97	70-130	1	20	
Methylene Chloride	ug/L	50	51.2	51.4	102	103	70-130	.3	20	
Styrene	ug/L	50	48.0	47.5	96	95	70-130	1	20	
Tetrachloroethene	ug/L	50	52.3	51.9	105	104	70-130	.8	20	
Toluene	ug/L	50	51.0	50.4	102	101	70-130	1	20	
trans-1,2-Dichloroethene	ug/L	50	53.3	54.4	107	109	70-130	2	20	
trans-1,3-Dichloropropene	ug/L	50	42.2	41.6	84	83	70-130	2	20	
Trichloroethene	ug/L	50	50.3	50.4	101	101	70-130	.2	20	
Vinyl chloride	ug/L	50	54.2	54.3	108	109	47-131	.1	20	
Xylene (Total)	ug/L	150	155	153	104	102	70-130	1	20	
4-Bromofluorobenzene (S)	%.				89	90	69-130			
Dibromofluoromethane (S)	%.				88	89	70-134			
Toluene-d8 (S)	%.				92	93	70-130			



QUALIFIERS

Project: 117-2202040.12 FF/NN LANDFILL
Pace Project No.: 4048294

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.


Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

ANALYTE QUALIFIERS

- D6 The relative percent difference (RPD) between the sample and sample duplicate exceeded laboratory control limits.
Z3 Methylene chloride is a common laboratory contaminant. Results for this analyte should be considered estimated unless the amount found in the sample is 3 to 5 times higher than that found in the method blank.



(Please Print Clearly)

Company Name: TETRATECH GEO
 Branch/Location: BROOKFIELD, WI
 Project Contact: Mike Noel
 Phone: (262)792-1282
 Project Number: 117-2202040.12
 Project Name: FF/NN Landfill
 Project State: WI
 Sampled By (Print): Ashley A. Weimer
 Sampled By (Sign): 
 PO #: Regulatory Program:

Data Package Options MS/MSD Matrix Codes
 EPA Level III On your sample (billable)
 EPA Level IV NOT needed on your sample

PACE LAB #	CLIENT FIELD ID 2011	COLLECTION		MATRIX
		DATE	TIME	
601	P-107 D	7-11	14:40	6W
072	P-111 D		15:30	
073	P-103		16:25	
074	P-103 D		16:55	
1225	MW-103		17:15	
1226	MW-112		17:40	
1227	MW-3A	7-12	09:15	
1228	MW-3B		09:40	
1229	P-113 A		10:40	
510	P-113 B		11:15	
071	P-115		11:55	
072	P-116		13:05	
1225	P-114		13:35	

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1:

Email #2:

Telephone:

Fax:

Samples on HOLD are subject to
 special pricing and release of liability

Pace Analytical®
www.pacelabs.com

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of

4048294

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCl C=H₂SO₄ D=HNO₃ E=DIWater F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
 (YES/NO)
 PRESERVATION
 (CODE)*

Y/N	N						
	B						
	D						
	VDCS 8260						
	7/13/11						

Quote #:	Mike Noel	
Mail To Contact:	TETRATECH GEO	
Mail To Company:	175 N. CORPORATE DR.	
Mail To Address:	SUITE 100 BROOKFIELD, WI 53045	
Invoice To Contact:	Same as above	
Invoice To Company:		
Invoice To Address:		
Invoice To Phone:		
CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
	3-40ml B	
PACE Project No. 4048294		
Receipt Temp =	RT ^o C	
Sample Receipt pH	NA	
OK / Adjusted	NA	
Cooler Custody Seal		
Present / Not Present		
Intact / Not Intact		

Version 6.0 06/14/06

ORIGINAL

(Please Print Clearly)																
Company Name:	TETRATECH G&O															
Branch/Location:	BROOKFIELD, WI															
Project Contact:	Mike NDEI															
Phone:	(262)792-1282															
Project Number:	17-2202040.12															
Project Name:	FF/NW Landfill															
Project State:	WI															
Sampled By (Print):	Ashley A. Wimmer															
Sampled By (Sign):																
PO #:																
Data Package Options (billable)	<input type="checkbox"/> EPA Level III <input type="checkbox"/> EPA Level IV	<input type="checkbox"/> On your sample (billable) <input type="checkbox"/> NOT needed on your sample	MS/MSD	Matrix Codes												
		<table border="0"> <tr> <td>A = Air</td> <td>W = Water</td> </tr> <tr> <td>B = Elute</td> <td>DW = Drinking Water</td> </tr> <tr> <td>C = Charcoal</td> <td>GW = Ground Water</td> </tr> <tr> <td>O = Oil</td> <td>SW = Surface Water</td> </tr> <tr> <td>S = Soil</td> <td>WW = Waste Water</td> </tr> <tr> <td>SI = Sludge</td> <td>WP = Wipe</td> </tr> </table>			A = Air	W = Water	B = Elute	DW = Drinking Water	C = Charcoal	GW = Ground Water	O = Oil	SW = Surface Water	S = Soil	WW = Waste Water	SI = Sludge	WP = Wipe
A = Air	W = Water															
B = Elute	DW = Drinking Water															
C = Charcoal	GW = Ground Water															
O = Oil	SW = Surface Water															
S = Soil	WW = Waste Water															
SI = Sludge	WP = Wipe															
PACE LAB #	CLIENT FIELD ID		COLLECTION DATE	MATRIX TIME												
54	P-114 DUP		7-13-11	406W												
55	TRIP BLANK		—	DI												
Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)																
Date Needed: Transmit Prelim Rush Results by (complete what you want):																
Email #1:	Relinquished By:		Date/Time:	Received By:												
Email #2:			7/13/11 08:50	D. Mellek 7/13/11 08:50												
Telephone:	Relinquished By:		Date/Time:	Received By:												
Fax:			7/13/11 12:10	D. Mellek 7/13/11 12:10												
Samples on HOLD are subject to special pricing and release of liability																



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of

4048294

CHAIN OF CUSTODY

Preservation Codes

A=None	B=HCl	C=H ₂ SO ₄	D=HNO ₃	E=DI Water	F=Methanol	G=NaOH
H=Sodium Bisulfate Solution	I=Sodium Thiosulfate	J=Other				

 FILTERED?
(YES/NO)

 PRESERVATION
(CODE)*

 Pick
Letter

N

B

O

VDCS 8260

P

C

D

E

F

G

H

I

J

Quote #:	Mike NDEI	
Mail To Contact:	TETRATECH G&O	
Mail To Company:	175 N. CORPORATE DR SUITE 100 BROOKFIELD, WI 53045	
Mail To Address:	Same as above	
Invoice To Contact:		
Invoice To Company:		
Invoice To Address:		
Invoice To Phone:		
CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
3-40ml B Prepared		2-40ml B
Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)		
Date Needed: Transmit Prelim Rush Results by (complete what you want):		
Email #1:	Relinquished By:	Date/Time:
Email #2:		7/13/11 08:50
Telephone:	Relinquished By:	Date/Time:
Fax:		7/13/11 12:10
Samples on HOLD are subject to special pricing and release of liability		
PACE Project No. 4048294 Receipt Temp = 20.7 °C Sample Receipt pH OK / Adjusted NA Cooler Custody Seal Present / Not Present Intact / Not Intact		

Version 6.0 05/14/06

ORIGINAL



Sample Condition Upon Receipt

Client Name: TetraTech BCO Project # 4048294

Courier: FedEx UPS USPS Client Commercial Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used NA Type of Ice: Wet Blue Dry None

Cooler Temperature RT Biological Tissue is Frozen: yes no

Temp Blank Present: yes no no

Temp should be above freezing to 6°C for all sample except Biota.

Biota Samples should be received ≤ 0°C.

Optional
Proj. Due Date:
Proj. Name:

Samples on ice, cooling process has begun

Person examining contents:

Date: 7/3/11

Initials: JAC

Comments:		
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:	<u>W</u>	
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
		Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review:

Date:

7/3/11

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

July 29, 2011

Mr. Nelson Olavarria
Cooper Industries
600 Travis Street
Suite 5600
Houston, TX 77002

RE: Project: FF/NN Landfill
Pace Project No.: 3050334

Dear Mr. Olavarria:

Enclosed are the analytical results for sample(s) received by the laboratory on July 14, 2011. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



David A. Pichette

david.pichette@pacelabs.com
Project Manager

Enclosures

cc: Mr. Michael Noel, Geotrans, Inc.



REPORT OF LABORATORY ANALYSIS

Page 1 of 15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: FF/NN Landfill
Pace Project No.: 3050334

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414
A2LA Certification #: 2926.01
Alaska Certification #: UST-078
Alaska Certification #MN00064
Arizona Certification #: AZ-0014
Arkansas Certification #: 88-0680
California Certification #: 01155CA
EPA Region 8 Certification #: Pace
Florida/NELAP Certification #: E87605
Georgia Certification #: 959
Idaho Certification #: MN00064
Illinois Certification #: 200011
Iowa Certification #: 368
Kansas Certification #: E-10167
Louisiana Certification #: 03086
Louisiana Certification #: LA080009
Maine Certification #: 2007029
Maryland Certification #: 322
Michigan DEQ Certification #: 9909
Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace
Montana Certification #: MT CERT0092
Nevada Certification #: MN_00064
Nebraska Certification #: Pace
New Jersey Certification #: MN-002
New Mexico Certification #: Pace
New York Certification #: 11647
North Carolina Certification #: 530
North Dakota Certification #: R-036
North Dakota Certification #: R-036A
Ohio VAP Certification #: CL101
Oklahoma Certification #: D9921
Oklahoma Certification #: 9507
Oregon Certification #: MN200001
Pennsylvania Certification #: 68-00563
Puerto Rico Certification
Tennessee Certification #: 02818
Texas Certification #: T104704192
Washington Certification #: C754
Wisconsin Certification #: 999407970

REPORT OF LABORATORY ANALYSIS

Page 2 of 15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: FF/NN Landfill
Pace Project No.: 3050334

Lab ID	Sample ID	Matrix	Date Collected	Date Received
3050334001	LC-1	Air	07/13/11 08:02	07/14/11 09:58
3050334002	LC-2	Air	07/13/11 08:09	07/14/11 09:58
3050334003	LC-3	Air	07/13/11 08:12	07/14/11 09:58
3050334004	GV-6	Air	07/13/11 08:07	07/14/11 09:58
3050334005	GP-3	Air	07/13/11 08:14	07/14/11 09:58

REPORT OF LABORATORY ANALYSIS

Page 3 of 15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: FF/NN Landfill
Pace Project No.: 3050334

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
3050334001	LC-1	TO-14 Ambient Air	DB1	40	PASI-M
3050334002	LC-2	TO-14 Ambient Air	DB1	40	PASI-M
3050334003	LC-3	TO-14 Ambient Air	DB1, DR1	40	PASI-M
3050334004	GV-6	TO-14 Ambient Air	DB1	40	PASI-M
3050334005	GP-3	TO-14 Ambient Air	DB1	40	PASI-M

REPORT OF LABORATORY ANALYSIS

Page 4 of 15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FF/NN Landfill
 Pace Project No.: 3050334

Sample: LC-1 Lab ID: 3050334001 Collected: 07/13/11 08:02 Received: 07/14/11 09:58 Matrix: Air

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
TO14 MSV AIR - Ambient	Analytical Method: TO-14 AmbientAir								
Benzene	ND ppbv	9.0	4.5	18			07/28/11 21:09	71-43-2	
Bromomethane	ND ppbv	9.0	4.5	18			07/28/11 21:09	74-83-9	
Carbon tetrachloride	ND ppbv	9.0	4.5	18			07/28/11 21:09	56-23-5	
Chlorobenzene	ND ppbv	9.0	4.5	18			07/28/11 21:09	108-90-7	
Chloroethane	63.4 ppbv	9.0	4.5	18			07/28/11 21:09	75-00-3	
Chloroform	ND ppbv	9.0	4.5	18			07/28/11 21:09	67-66-3	
Chloromethane	ND ppbv	9.0	4.5	18			07/28/11 21:09	74-87-3	
1,2-Dibromoethane (EDB)	ND ppbv	9.0	4.5	18			07/28/11 21:09	106-93-4	
1,2-Dichlorobenzene	ND ppbv	9.0	4.5	18			07/28/11 21:09	95-50-1	
1,3-Dichlorobenzene	ND ppbv	9.0	4.5	18			07/28/11 21:09	541-73-1	
1,4-Dichlorobenzene	ND ppbv	9.0	4.5	18			07/28/11 21:09	106-46-7	
Dichlorodifluoromethane	36.8 ppbv	9.0	4.5	18			07/28/11 21:09	75-71-8	
1,1-Dichloroethane	10.7 ppbv	9.0	4.5	18			07/28/11 21:09	75-34-3	
1,2-Dichloroethane	ND ppbv	9.0	4.5	18			07/28/11 21:09	107-06-2	
1,1-Dichloroethene	ND ppbv	9.0	4.5	18			07/28/11 21:09	75-35-4	
cis-1,2-Dichloroethene	ND ppbv	9.0	4.5	18			07/28/11 21:09	156-59-2	
trans-1,2-Dichloroethene	ND ppbv	9.0	4.5	18			07/28/11 21:09	156-60-5	
1,2-Dichloropropane	ND ppbv	9.0	4.5	18			07/28/11 21:09	78-87-5	
cis-1,3-Dichloropropene	ND ppbv	9.0	4.5	18			07/28/11 21:09	10061-01-5	
trans-1,3-Dichloropropene	ND ppbv	9.0	4.5	18			07/28/11 21:09	10061-02-6	
Dichlortetrafluoroethane	18.6 ppbv	9.0	4.5	18			07/28/11 21:09	76-14-2	
Ethylbenzene	ND ppbv	9.0	4.5	18			07/28/11 21:09	100-41-4	
Hexachloro-1,3-butadiene	ND ppbv	9.0	4.5	18			07/28/11 21:09	87-68-3	
Methylene Chloride	ND ppbv	9.0	4.5	18			07/28/11 21:09	75-09-2	
Styrene	ND ppbv	9.0	4.5	18			07/28/11 21:09	100-42-5	
1,1,2,2-Tetrachloroethane	ND ppbv	9.0	4.5	18			07/28/11 21:09	79-34-5	
Tetrachloroethene	ND ppbv	9.0	4.5	18			07/28/11 21:09	127-18-4	
THC as Gas	901 ppbv	630	315	18			07/28/11 21:09		
Toluene	ND ppbv	9.0	4.5	18			07/28/11 21:09	108-88-3	
1,2,4-Trichlorobenzene	ND ppbv	9.0	4.5	18			07/28/11 21:09	120-82-1	
1,1,1-Trichloroethane	ND ppbv	9.0	4.5	18			07/28/11 21:09	71-55-6	
1,1,2-Trichloroethane	ND ppbv	9.0	4.5	18			07/28/11 21:09	79-00-5	
Trichloroethene	ND ppbv	9.0	4.5	18			07/28/11 21:09	79-01-6	
Trichlorofluoromethane	ND ppbv	9.0	4.5	18			07/28/11 21:09	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND ppbv	9.0	4.5	18			07/28/11 21:09	76-13-1	
1,2,4-Trimethylbenzene	ND ppbv	9.0	4.5	18			07/28/11 21:09	95-63-6	
1,3,5-Trimethylbenzene	ND ppbv	9.0	4.5	18			07/28/11 21:09	108-67-8	
Vinyl chloride	ND ppbv	9.0	4.5	18			07/28/11 21:09	75-01-4	
m&p-Xylene	ND ppbv	18.0	9.0	18			07/28/11 21:09	179601-23-1	
o-Xylene	ND ppbv	9.0	4.5	18			07/28/11 21:09	95-47-6	

ANALYTICAL RESULTS

Project: FF/NN Landfill
Pace Project No.: 3050334

Sample: LC-2 Lab ID: 3050334002 Collected: 07/13/11 08:09 Received: 07/14/11 09:58 Matrix: Air

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
TO14 MSV AIR - Ambient	Analytical Method: TO-14 Ambient Air								
Benzene	58.0 ppbv	18.8	9.4	37.6			07/28/11 00:56	71-43-2	
Bromomethane	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	74-83-9	
Carbon tetrachloride	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	56-23-5	
Chlorobenzene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	108-90-7	
Chloroethane	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	75-00-3	
Chloroform	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	67-66-3	
Chloromethane	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	74-87-3	
1,2-Dibromoethane (EDB)	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	106-93-4	
1,2-Dichlorobenzene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	95-50-1	
1,3-Dichlorobenzene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	541-73-1	
1,4-Dichlorobenzene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	106-46-7	
Dichlorodifluoromethane	439 ppbv	18.8	9.4	37.6			07/28/11 00:56	75-71-8	
1,1-Dichloroethane	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	75-34-3	
1,2-Dichloroethane	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	107-06-2	
1,1-Dichloroethene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	75-35-4	
cis-1,2-Dichloroethene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	156-59-2	
trans-1,2-Dichloroethene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	156-60-5	
1,2-Dichloropropane	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	78-87-5	
cis-1,3-Dichloropropene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	10061-01-5	
trans-1,3-Dichloropropene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	10061-02-6	
Dichlorotetrafluoroethane	323 ppbv	18.8	9.4	37.6			07/28/11 00:56	76-14-2	
Ethylbenzene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	100-41-4	
Hexachloro-1,3-butadiene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	87-68-3	
Methylene Chloride	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	75-09-2	
Styrene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	100-42-5	
1,1,2,2-Tetrachloroethane	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	79-34-5	
Tetrachloroethene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	127-18-4	
THC as Gas	5820 ppbv	1320	658	37.6			07/28/11 00:56		
Toluene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	108-88-3	
1,2,4-Trichlorobenzene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	120-82-1	
1,1,1-Trichloroethane	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	71-55-6	
1,1,2-Trichloroethane	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	79-00-5	
Trichloroethene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	79-01-6	
Trichlorofluoromethane	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	76-13-1	
1,2,4-Trimethylbenzene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	95-63-6	
1,3,5-Trimethylbenzene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	108-67-8	
Vinyl chloride	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	75-01-4	
m,p-Xylene	ND ppbv	37.6	18.8	37.6			07/28/11 00:56	179601-23-1	
o-Xylene	ND ppbv	18.8	9.4	37.6			07/28/11 00:56	95-47-6	

ANALYTICAL RESULTS

Project: FF/NN Landfill
Pace Project No.: 3050334

Sample: LC-3 Lab ID: 3050334003 Collected: 07/13/11 08:12 Received: 07/14/11 09:58 Matrix: Air

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
TO14 MSV AIR - Ambient	Analytical Method: TO-14 AmbientAir								
Benzene	172 ppbv		17.4	8.7	34.8		07/28/11 01:24	71-43-2	
Bromomethane	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	74-83-9	
Carbon tetrachloride	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	56-23-5	
Chlorobenzene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	108-90-7	
Chloroethane	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	75-00-3	
Chloroform	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	67-66-3	
Chloromethane	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	74-87-3	
1,2-Dibromoethane (EDB)	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	106-93-4	
1,2-Dichlorobenzene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	95-50-1	
1,3-Dichlorobenzene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	541-73-1	
1,4-Dichlorobenzene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	106-46-7	
Dichlorodifluoromethane	68.9 ppbv		17.4	8.7	34.8		07/28/11 01:24	75-71-8	
1,1-Dichloroethane	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	75-34-3	
1,2-Dichloroethane	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	107-06-2	
1,1-Dichloroethene	97.2 ppbv		17.4	8.7	34.8		07/28/11 01:24	75-35-4	
cis-1,2-Dichloroethene	9120 ppbv		557	278	1113.6		07/29/11 12:55	156-59-2	A3
trans-1,2-Dichloroethene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	156-60-5	
1,2-Dichloropropane	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	78-87-5	
cis-1,3-Dichloropropene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	10061-01-5	
trans-1,3-Dichloropropene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	10061-02-6	
Dichlorotetrafluoroethane	49.8 ppbv		17.4	8.7	34.8		07/28/11 01:24	76-14-2	
Ethylbenzene	75.9 ppbv		17.4	8.7	34.8		07/28/11 01:24	100-41-4	
Hexachloro-1,3-butadiene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	87-68-3	
Methylene Chloride	305 ppbv		17.4	8.7	34.8		07/28/11 01:24	75-09-2	
Styrene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	100-42-5	
1,1,2,2-Tetrachloroethane	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	79-34-5	
Tetrachloroethene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	127-18-4	
THC as Gas	19800 ppbv		1220	609	34.8		07/28/11 01:24		
Toluene	3180 ppbv		557	278	1113.6		07/29/11 12:55	108-88-3	A3
1,2,4-Trichlorobenzene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	120-82-1	
1,1,1-Trichloroethane	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	71-55-6	
1,1,2-Trichloroethane	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	79-00-5	
Trichloroethene	402 ppbv		17.4	8.7	34.8		07/28/11 01:24	79-01-6	
Trichlorofluoromethane	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	76-13-1	
1,2,4-Trimethylbenzene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	95-63-6	
1,3,5-Trimethylbenzene	ND ppbv		17.4	8.7	34.8		07/28/11 01:24	108-67-8	
Vinyl chloride	11000 ppbv		557	278	1113.6		07/29/11 12:55	75-01-4	A3
m&p-Xylene	140 ppbv		34.8	17.4	34.8		07/28/11 01:24	179601-23-1	
o-Xylene	19.9 ppbv		17.4	8.7	34.8		07/28/11 01:24	95-47-6	

ANALYTICAL RESULTS

Project: FF/NN Landfill
 Pace Project No.: 3050334

Sample: GV-6 Lab ID: 3050334004 Collected: 07/13/11 08:07 Received: 07/14/11 09:58 Matrix: Air

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
TO14 MSV AIR - Ambient	Analytical Method: TO-14 Ambient Air								
Benzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	71-43-2	
Bromomethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	74-83-9	
Carbon tetrachloride	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	56-23-5	
Chlorobenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	108-90-7	
Chloroethane	6.2 ppbv		0.87	0.44	1.74		07/28/11 20:41	75-00-3	
Chloroform	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	67-66-3	
Chloromethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	74-87-3	
1,2-Dibromoethane (EDB)	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	106-93-4	
1,2-Dichlorobenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	95-50-1	
1,3-Dichlorobenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	541-73-1	
1,4-Dichlorobenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	106-46-7	
Dichlorodifluoromethane	2.3 ppbv		0.87	0.44	1.74		07/28/11 20:41	75-71-8	
1,1-Dichloroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	75-34-3	
1,2-Dichloroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	107-06-2	
1,1-Dichloroethene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	75-35-4	
cis-1,2-Dichloroethene	10.7 ppbv		0.87	0.44	1.74		07/28/11 20:41	156-59-2	
trans-1,2-Dichloroethene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	156-60-5	
1,2-Dichloropropane	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	78-87-5	
cis-1,3-Dichloropropene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	10061-01-5	
trans-1,3-Dichloropropene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	10061-02-6	
Dichlorotetrafluoroethane	2.9 ppbv		0.87	0.44	1.74		07/28/11 20:41	76-14-2	
Ethylbenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	100-41-4	
Hexachloro-1,3-butadiene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	87-68-3	
Methylene Chloride	15.7 ppbv		0.87	0.44	1.74		07/28/11 20:41	75-09-2	
Styrene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	100-42-5	
1,1,2,2-Tetrachloroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	79-34-5	
Tetrachloroethene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	127-18-4	
THC as Gas	154 ppbv		60.9	30.4	1.74		07/28/11 20:41		
Toluene	4.6 ppbv		0.87	0.44	1.74		07/28/11 20:41	108-88-3	L1
1,2,4-Trichlorobenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	120-82-1	
1,1,1-Trichloroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	71-55-6	
1,1,2-Trichloroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	79-00-5	
Trichloroethene	0.96 ppbv		0.87	0.44	1.74		07/28/11 20:41	79-01-6	
Trichlorofluoromethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	76-13-1	
1,2,4-Trimethylbenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	95-63-6	
1,3,5-Trimethylbenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	108-67-8	
Vinyl chloride	4.2 ppbv		0.87	0.44	1.74		07/28/11 20:41	75-01-4	
m,p-Xylene	ND ppbv		1.7	0.87	1.74		07/28/11 20:41	179601-23-1	
o-Xylene	ND ppbv		0.87	0.44	1.74		07/28/11 20:41	95-47-6	

ANALYTICAL RESULTS

Project: FF/NN Landfill
Pace Project No.: 3050334

Sample: GP-3 Lab ID: 3050334005 Collected: 07/13/11 08:14 Received: 07/14/11 09:58 Matrix: Air

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
TO14 MSV AIR - Ambient	Analytical Method: TO-14 Ambient Air								
Benzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	71-43-2	
Bromomethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	74-83-9	
Carbon tetrachloride	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	56-23-5	
Chlorobenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	108-90-7	
Chloroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	75-00-3	
Chloroform	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	67-66-3	
Chloromethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	74-87-3	
1,2-Dibromoethane (EDB)	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	106-93-4	
1,2-Dichlorobenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	95-50-1	
1,3-Dichlorobenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	541-73-1	
1,4-Dichlorobenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	106-46-7	
Dichlorodifluoromethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	75-71-8	
1,1-Dichloroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	75-34-3	
1,2-Dichloroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	107-06-2	
1,1-Dichloroethene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	75-35-4	
cis-1,2-Dichloroethene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	156-59-2	
trans-1,2-Dichloroethene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	156-60-5	
1,2-Dichloropropane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	78-87-5	
cis-1,3-Dichloropropene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	10061-01-5	
trans-1,3-Dichloropropene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	10061-02-6	
Dichlorotetrafluoroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	76-14-2	
Ethylbenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	100-41-4	
Hexachloro-1,3-butadiene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	87-68-3	
Methylene Chloride	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	75-09-2	
Styrene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	100-42-5	
1,1,2,2-Tetrachloroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	79-34-5	
Tetrachloroethene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	127-18-4	
THC as Gas	167 ppbv		60.9	30.4	1.74		07/28/11 20:11		
Toluene	1.1 ppbv		0.87	0.44	1.74		07/28/11 20:11	108-88-3	
1,2,4-Trichlorobenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	120-82-1	
1,1,1-Trichloroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	71-55-6	
1,1,2-Trichloroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	79-00-5	
Trichloroethene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	79-01-6	
Trichlorofluoromethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	76-13-1	
1,2,4-Trimethylbenzene	0.87 ppbv		0.87	0.44	1.74		07/28/11 20:11	95-63-6	
1,3,5-Trimethylbenzene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	108-67-8	
Vinyl chloride	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	75-01-4	
m&p-Xylene	ND ppbv		1.7	0.87	1.74		07/28/11 20:11	179601-23-1	
o-Xylene	ND ppbv		0.87	0.44	1.74		07/28/11 20:11	95-47-6	

QUALITY CONTROL DATA

Project: FF/NN Landfill
 Pace Project No.: 3050334

QC Batch:	AIR/12794	Analysis Method:	TO-14 Ambient Air
QC Batch Method:	TO-14 Ambient Air	Analysis Description:	TO14 MSVAIR - AMBIENT
Associated Lab Samples:	3050334002, 3050334003		

METHOD BLANK: 1019994 Matrix: Air

Associated Lab Samples: 3050334002, 3050334003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ppbv	ND	0.50	07/27/11 17:03	
1,1,2,2-Tetrachloroethane	ppbv	ND	0.50	07/27/11 17:03	
1,1,2-Trichloroethane	ppbv	ND	0.50	07/27/11 17:03	
1,1,2-Trichlorotrifluoroethane	ppbv	ND	0.50	07/27/11 17:03	
1,1-Dichloroethane	ppbv	ND	0.50	07/27/11 17:03	
1,1-Dichloroethene	ppbv	ND	0.50	07/27/11 17:03	
1,2,4-Trichlorobenzene	ppbv	ND	0.50	07/27/11 17:03	
1,2,4-Trimethylbenzene	ppbv	ND	0.50	07/27/11 17:03	
1,2-Dibromoethane (EDB)	ppbv	ND	0.50	07/27/11 17:03	
1,2-Dichlorobenzene	ppbv	ND	0.50	07/27/11 17:03	
1,2-Dichloroethane	ppbv	ND	0.50	07/27/11 17:03	
1,2-Dichloropropane	ppbv	ND	0.50	07/27/11 17:03	
1,3,5-Trimethylbenzene	ppbv	ND	0.50	07/27/11 17:03	
1,3-Dichlorobenzene	ppbv	ND	0.50	07/27/11 17:03	
1,4-Dichlorobenzene	ppbv	ND	0.50	07/27/11 17:03	
Benzene	ppbv	ND	0.50	07/27/11 17:03	
Bromomethane	ppbv	ND	0.50	07/27/11 17:03	
Carbon tetrachloride	ppbv	ND	0.50	07/27/11 17:03	
Chlorobenzene	ppbv	ND	0.50	07/27/11 17:03	
Chloroethane	ppbv	ND	0.50	07/27/11 17:03	
Chloroform	ppbv	ND	0.50	07/27/11 17:03	
Chloromethane	ppbv	ND	0.50	07/27/11 17:03	
cis-1,2-Dichloroethene	ppbv	ND	0.50	07/27/11 17:03	
cis-1,3-Dichloropropene	ppbv	ND	0.50	07/27/11 17:03	
Dichlorodifluoromethane	ppbv	ND	0.50	07/27/11 17:03	
Dichlorotetrafluoroethane	ppbv	ND	0.50	07/27/11 17:03	
Ethylbenzene	ppbv	ND	0.50	07/27/11 17:03	
Hexachloro-1,3-butadiene	ppbv	ND	0.50	07/27/11 17:03	
m&p-Xylene	ppbv	ND	1.0	07/27/11 17:03	
Methylene Chloride	ppbv	ND	0.50	07/27/11 17:03	
o-Xylene	ppbv	ND	0.50	07/27/11 17:03	
Styrene	ppbv	ND	0.50	07/27/11 17:03	
Tetrachloroethene	ppbv	ND	0.50	07/27/11 17:03	
THC as Gas	ppbv	ND	35.0	07/27/11 17:03	
Toluene	ppbv	ND	0.50	07/27/11 17:03	
trans-1,2-Dichloroethene	ppbv	ND	0.50	07/27/11 17:03	
trans-1,3-Dichloropropene	ppbv	ND	0.50	07/27/11 17:03	
Trichloroethene	ppbv	ND	0.50	07/27/11 17:03	
Trichlorofluoromethane	ppbv	ND	0.50	07/27/11 17:03	
Vinyl chloride	ppbv	ND	0.50	07/27/11 17:03	

QUALITY CONTROL DATA

Project: FF/NN Landfill
Pace Project No.: 3050334

LABORATORY CONTROL SAMPLE: 1019995

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ppbv	10	10.3	103	66-133	
1,1,2,2-Tetrachloroethane	ppbv	10	11.0	110	70-140	
1,1,2-Trichloroethane	ppbv	10	11.0	110	68-132	
1,1,2-Trichlorotrifluoroethane	ppbv	10	9.5	95	60-137	
1,1-Dichloroethane	ppbv	10	9.8	98	65-131	
1,1-Dichloroethene	ppbv	10	9.9	99	65-132	
1,2,4-Trichlorobenzene	ppbv	10	8.1	81	30-150	
1,2,4-Trimethylbenzene	ppbv	10	10.1	101	69-140	
1,2-Dibromoethane (EDB)	ppbv	10	11.8	118	71-139	
1,2-Dichlorobenzene	ppbv	10	10.9	109	68-139	
1,2-Dichloroethane	ppbv	10	10.4	104	66-132	
1,2-Dichloropropane	ppbv	10	10.9	109	69-130	
1,3,5-Trimethylbenzene	ppbv	10	10.3	103	70-141	
1,3-Dichlorobenzene	ppbv	10	10.7	107	66-146	
1,4-Dichlorobenzene	ppbv	10	11.7	117	66-142	
Benzene	ppbv	10	11.5	115	69-129	
Bromomethane	ppbv	10	9.7	97	67-127	
Carbon tetrachloride	ppbv	10	10.8	108	62-137	
Chlorobenzene	ppbv	10	11.3	113	72-133	
Chloroethane	ppbv	10	9.8	98	66-127	
Chloroform	ppbv	10	9.7	97	67-130	
Chloromethane	ppbv	10	9.5	95	63-127	
cis-1,2-Dichloroethene	ppbv	10	11.5	115	69-130	
cis-1,3-Dichloropropene	ppbv	10	12.8	128	74-137	
Dichlorodifluoromethane	ppbv	10	10.1	101	62-131	
Dichlorotetrafluoroethane	ppbv	10	9.6	96	63-130	
Ethylbenzene	ppbv	10	10.4	104	71-141	
Hexachloro-1,3-butadiene	ppbv	10	8.1	81	30-150	
m&p-Xylene	ppbv	20	21.5	108	68-144	
Methylene Chloride	ppbv	10	11.4	114	56-143	
o-Xylene	ppbv	10	10.8	108	70-141	
Styrene	ppbv	10	10.1	101	68-145	
Tetrachloroethene	ppbv	10	10.6	106	64-142	
THC as Gas	ppbv	700	634	91	66-134	
Toluene	ppbv	10	10.8	108	69-133	
trans-1,2-Dichloroethene	ppbv	10	9.4	94	64-132	
trans-1,3-Dichloropropene	ppbv	10	9.6	96	71-140	
Trichloroethene	ppbv	10	11.6	116	68-132	
Trichlorofluoromethane	ppbv	10	9.8	98	59-136	
Vinyl chloride	ppbv	10	9.8	98	64-129	

QUALITY CONTROL DATA

Project: FF/NN Landfill
 Pace Project No.: 3050334

QC Batch:	AIR/12812	Analysis Method:	TO-14 Ambient Air
QC Batch Method:	TO-14 Ambient Air	Analysis Description:	TO14 MSV AIR - AMBIENT
Associated Lab Samples:	3050334001, 3050334004, 3050334005		

METHOD BLANK: 1021860 Matrix: Air

Associated Lab Samples: 3050334001, 3050334004, 3050334005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ppbv	ND	0.50	07/28/11 19:41	
1,1,2,2-Tetrachloroethane	ppbv	ND	0.50	07/28/11 19:41	
1,1,2-Trichloroethane	ppbv	ND	0.50	07/28/11 19:41	
1,1,2-Trichlorotrifluoroethane	ppbv	ND	0.50	07/28/11 19:41	
1,1-Dichloroethane	ppbv	ND	0.50	07/28/11 19:41	
1,1-Dichloroethene	ppbv	ND	0.50	07/28/11 19:41	
1,2,4-Trichlorobenzene	ppbv	ND	0.50	07/28/11 19:41	
1,2,4-Trimethylbenzene	ppbv	ND	0.50	07/28/11 19:41	
1,2-Dibromoethane (EDB)	ppbv	ND	0.50	07/28/11 19:41	
1,2-Dichlorobenzene	ppbv	ND	0.50	07/28/11 19:41	
1,2-Dichloroethane	ppbv	ND	0.50	07/28/11 19:41	
1,2-Dichloropropane	ppbv	ND	0.50	07/28/11 19:41	
1,3,5-Trimethylbenzene	ppbv	ND	0.50	07/28/11 19:41	
1,3-Dichlorobenzene	ppbv	ND	0.50	07/28/11 19:41	
1,4-Dichlorobenzene	ppbv	ND	0.50	07/28/11 19:41	
Benzene	ppbv	ND	0.50	07/28/11 19:41	
Bromomethane	ppbv	ND	0.50	07/28/11 19:41	
Carbon tetrachloride	ppbv	ND	0.50	07/28/11 19:41	
Chlorobenzene	ppbv	ND	0.50	07/28/11 19:41	
Chloroethane	ppbv	ND	0.50	07/28/11 19:41	
Chloroform	ppbv	ND	0.50	07/28/11 19:41	
Chloromethane	ppbv	ND	0.50	07/28/11 19:41	
cis-1,2-Dichloroethene	ppbv	ND	0.50	07/28/11 19:41	
cis-1,3-Dichloropropene	ppbv	ND	0.50	07/28/11 19:41	
Dichlorodifluoromethane	ppbv	ND	0.50	07/28/11 19:41	
Dichlorotetrafluoroethane	ppbv	ND	0.50	07/28/11 19:41	
Ethylbenzene	ppbv	ND	0.50	07/28/11 19:41	
Hexachloro-1,3-butadiene	ppbv	ND	0.50	07/28/11 19:41	
m&p-Xylene	ppbv	ND	1.0	07/28/11 19:41	
Methylene Chloride	ppbv	ND	0.50	07/28/11 19:41	
o-Xylene	ppbv	ND	0.50	07/28/11 19:41	
Styrene	ppbv	ND	0.50	07/28/11 19:41	
Tetrachloroethene	ppbv	ND	0.50	07/28/11 19:41	
THC as Gas	ppbv	ND	35.0	07/28/11 19:41	
Toluene	ppbv	ND	0.50	07/28/11 19:41	
trans-1,2-Dichloroethene	ppbv	ND	0.50	07/28/11 19:41	
trans-1,3-Dichloropropene	ppbv	ND	0.50	07/28/11 19:41	
Trichloroethene	ppbv	ND	0.50	07/28/11 19:41	
Trichlorofluoromethane	ppbv	ND	0.50	07/28/11 19:41	
Vinyl chloride	ppbv	ND	0.50	07/28/11 19:41	

QUALITY CONTROL DATA

Project: FF/NN Landfill
 Pace Project No.: 3050334

LABORATORY CONTROL SAMPLE: 1021861

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ppbv	10	9.4	94	66-133	
1,1,2,2-Tetrachloroethane	ppbv	10	11.9	119	70-140	
1,1,2-Trichloroethane	ppbv	10	11.1	111	68-132	
1,1,2-Trichlorotrifluoroethane	ppbv	10	9.8	98	60-137	
1,1-Dichloroethane	ppbv	10	9.9	99	65-131	
1,1-Dichloroethene	ppbv	10	9.9	99	65-132	
1,2,4-Trichlorobenzene	ppbv	10	10.6	106	30-150	
1,2,4-Trimethylbenzene	ppbv	10	11.7	117	69-140	
1,2-Dibromoethane (EDB)	ppbv	10	12.1	121	71-139	
1,2-Dichlorobenzene	ppbv	10	11.2	112	68-139	
1,2-Dichloroethane	ppbv	10	9.4	94	66-132	
1,2-Dichloropropane	ppbv	10	11.0	110	69-130	
1,3,5-Trimethylbenzene	ppbv	10	10.4	104	70-141	
1,3-Dichlorobenzene	ppbv	10	11.0	110	66-146	
1,4-Dichlorobenzene	ppbv	10	12.7	127	66-142	
Benzene	ppbv	10	10.0	100	69-129	
Bromomethane	ppbv	10	9.8	98	67-127	
Carbon tetrachloride	ppbv	10	9.5	95	62-137	
Chlorobenzene	ppbv	10	11.5	115	72-133	
Chloroethane	ppbv	10	10.3	103	66-127	
Chloroform	ppbv	10	9.4	94	67-130	
Chloromethane	ppbv	10	9.8	98	63-127	
cis-1,2-Dichloroethene	ppbv	10	10.3	103	69-130	
cis-1,3-Dichloropropene	ppbv	10	12.2	122	74-137	
Dichlorodifluoromethane	ppbv	10	9.9	99	62-131	
Dichlorotetrafluoroethane	ppbv	10	9.8	98	63-130	
Ethylbenzene	ppbv	10	10.2	102	71-141	
Hexachloro-1,3-butadiene	ppbv	10	9.9	99	30-150	
m&p-Xylene	ppbv	20	28.8	144	68-144	
Methylene Chloride	ppbv	10	9.0	90	56-143	
o-Xylene	ppbv	10	14.0	140	70-141	
Styrene	ppbv	10	11.1	111	68-145	
Tetrachloroethene	ppbv	10	12.4	124	64-142	
THC as Gas	ppbv	700	723	103	66-134	
Toluene	ppbv	10	10.5	105	69-133	
trans-1,2-Dichloroethene	ppbv	10	10	100	64-132	
trans-1,3-Dichloropropene	ppbv	10	10.2	102	71-140	
Trichloroethene	ppbv	10	13.7	137	68-132 L1	
Trichlorofluoromethane	ppbv	10	9.2	92	59-136	
Vinyl chloride	ppbv	10	10.2	102	64-129	

QUALIFIERS

Project: FF/NN Landfill
Pace Project No.: 3050334

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

ANALYTE QUALIFIERS

A3 The sample was analyzed by serial dilution.

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: FF/NN Landfill
 Pace Project No.: 3050334

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
3050334001	LC-1	TO-14 Ambient Air	AIR/12812		
3050334002	LC-2	TO-14 Ambient Air	AIR/12794		
3050334003	LC-3	TO-14 Ambient Air	AIR/12794		
3050334004	GV-6	TO-14 Ambient Air	AIR/12812		
3050334005	GP-3	TO-14 Ambient Air	AIR/12812		



AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A
 Required Client Information:

Company: **TetraTech Geo**
 Address: **175 N Corporate Dr**
Brookfield WI 53146
 Email To: **Hea-182-1282**
 Phone: **414-782-1282**
 Requested Due Date/TAT:

Section B
 Required Project Information:

Report To: **Mike Noel**
 Copy To: **Nelson Olavarria**
Cooper Industries
 Purchase Order No.: **Houston TX**
 Project Name: **FF/HD Landfill**
 Project Number: **1011-05-09**

Section C
 Invoice Information:

Attention: **Nelson Olavarria Pace Pittsburgh**
 Company Name: **Cooper Industries**
 Address: **Houston TX**
 Pace Quote Reference:
 Pace Project Manager/Sales Rep.
 Pace Profile #:

03897

 Page: **1** of **1**
Program
 UST Superfund Emissions Clean Air Act

 Voluntary Clean Up Dry Clean RCRA Other

 Location of **Cooper Industries**
 Sampling by State **WI**

Reporting Units	
ug/m ³	mg/m ³
PPBV	PPMV
Other	

 Report Level: **II** **III** **IV** **Other**

 Method:
 PM10
 3C: Fixed Gases (%)
 TO-3
 TO-3M (Methane)
 TO-4 (PCBs)
 TO-13 (PAH)
 TO-14 3.2 Vac²⁴
 TO-15
 TO-16 Short List¹⁴

Pace Lab ID

'Section D Required Client Information
AIR SAMPLE ID

Sample IDs MUST BE UNIQUE

Valid Media Codes

MEDIA	CODE
Tedlar Bag	TB
1 Liter Summa Can	1LC
6 Liter Summa Can	6LC
Low Volume Puff	LVP
High Volume Puff	HVP
Other	PM10

COLLECTED

COMPOSITE START		COMPOSITE END	
2011		2011	
DATE	TIME	DATE	TIME

 Canister Pressure
 (Initial Field + psig)

 Canister Pressure
 (Final Field + psig)

 Summa
 Can
 Number

 Flow
 Control Number

ITEM #	MEDIA CODE	PID Reading (Client only)	DATE	TIME	DATE	TIME	Canister Pressure (Initial Field + psig)	Canister Pressure (Final Field + psig)	Summa Can Number	Flow Control Number	Method:
1	ILC	7.13 0700	7.13 0802	-30	-3	1141	FC256				PM10
2	ILC	7.13 0704	7.13 0809	-30	-3	1131	FC048				3C: Fixed Gases (%)
3	ILC	7.13 0707	7.13 0812	-30	-2	1136	FC047				TO-3
4	ILC	7.13 0703	7.13 0807	-30	-1	1147	FC092				TO-3M (Methane)
5	ILC	7.13 0708	7.13 0814	-30	-1	1092	FC346				TO-4 (PCBs)
6											TO-13 (PAH)
7											TO-14 3.2 Vac ²⁴
8											TO-15
9											TO-16 Short List ¹⁴
10											
11											
12											

Comments:

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
<i>Donley A. Weimer</i>	7-13-11	17:00	<i>Jeff M. Lohr</i>	7-14-11	09:58	<i>Ans</i>
						<input checked="" type="radio"/> Y/N <input type="radio"/> Y/N
						<input type="radio"/> Y/N
						<input type="radio"/> Y/N

SAMPLER NAME AND SIGNATURE

PRINT Name of Sampler:

SIGNATURE OF Sampler:

Ashley A. Weimer
ASHLEY A. WEIMER
7-13-11

DATE Signed (MM/DD/YY)

ORIGINAL

 Temp in °C
 Received on Ice
 Custody Sealed Cooler
 Samples intact Y/N Y/N Y/N Y/N

AIR Sample Condition Upon Receipt

Pace Analytical

Client Name: Tetra Tech Geo Project # _____

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Colonial	Sample ID
PM	Due Date
Proj. Name	

Packing Material: Bubble Wrap Bubble Bags None Other _____

Tracking #: 7972 9992 2013

Comments:

Date and Initials of person examining contents: 7-14-11 JK

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Media:	<u>AIR (can)</u>	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.

Samples Received:		Scans, SFC's		Stand Alone G		Tedlar Bags	
Canisters	Flow Controllers	Sample Number	Can ID	Sample Number	Can ID	Sample Number	Can ID
LC-1	1141	FC0256					
LC-2	1131	FC0068					
LC-3	1136	FC0047					
GV-6	1147	FC0092					
GP-3	1092	FC0346					

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution:

Project Manager Review: _____ Date: _____

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

A106 Rev.01 (22May2009)

ATTACHMENT C

GROUNDWATER SAMPLING FIELD FORMS

TETRA TECH GEO MULTI-LEVEL MONITOR WELL WATER QUALITY SAMPLING AND ANALYSIS FORM

PROJECT INFORMATION				INSTRUMENTS					
PROJECT	FF/NN Landfill			Temp. & pH	MP-20 Flow Cell				
PROJECT NO.	117-2202040.12			Conductivity	MP-20 Flow Cell				
LOCATION	Ripon, WI			ORP	MP-20 Flow Cell				
PERSONNEL	Ashley A. Weimer			DO	MP-20 Flow Cell				
MONITOR WELL ID	MW-3A			MW-3B	P-113A				
WATER TYPE	Groundwater			Groundwater	Groundwater				
DATE (month/day/year)	7-12-11			7-12-11	7-12-11				
STATIC WATER LEVEL (feet)*	31.59			29.94	14.31				
WELL DEPTH (feet)*	280.1			185.72	325.31				
PUMP INLET DEPTH (feet)*	67.5			54.5	73.5				
START PURGE TIME (Military)	08:50			09:20	10:00				
END PURGE TIME (Military)	09:10			09:35	10:35				
PURGE VOLUME (gallons)	1.0			1.5	0.5				
SAMPLE TIME (Military)	09:15			09:40	10:40				
STABILIZED INDICATOR PARAMETERS READINGS	1st	2nd	3rd	1st	2nd	3rd	1st	2nd	3rd
TIME (minutes since initial reading)	0:00	:00	2:00	0:00	:00	2:00	18:00	20:00	22:00
TEMPERATURE (°C)	11.28	11.32	11.33	9.93	9.93	9.93	14.41	14.29	14.26
ELECTRICAL CONDUCTANCE at 25°C (ms/cm)	0.512	0.513	0.512	0.596	0.593	0.591	0.509	0.509	0.509
DISSOLVED OXYGEN (ppm)	2.00	1.93	1.86	1.06	1.01	0.96	1.67	1.57	1.47
pH	7.14	7.15	7.15	7.56	7.54	7.54	7.36	7.34	7.33
DISSOLVED OXYGEN (% Sat.)	18.3	17.7	17.0	9.4	8.9	8.5	16.4	15.3	14.4
ORP (mV)	-216	-215	-213	-201	-198	-195	-191	-193	-195
COLOR	CLEAR			CLEAR	CLEAR				
ODOR	WEAK Rotten eggs			Rotten eggs	none				
CLARITY	CLEAR			CLEAR	CLEAR				
SAMPLING PARAMETERS	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A=AMBER; G=GLASS; P=PLASTIC); PRESERVATIVE TYPE (L=LAB ADDED; F=FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)								
VOCs (EPA Method SW 8260B)	3 - 40 ml; G; HCl - L; No			3 - 40 ml; G; HCl - L; No	3 - 40 ml; G; HCl - L; No				
Vacu-Vials Iron 2- Wait 1, then wait 5 min	0.19			0.68	1.44				
NAME OF LABORATORY	Pace Analytical			Pace Analytical	Pace Analytical				
DATE SENT TO LAB	7-13-11			7-13-11	7-13-11				
SAMPLER'S NAME	Ashley A. Weimer			Ashley A. Weimer	Ashley A. Weimer				

*Measured from top of well casing.

TETRA TECH GEO MULTI-LEVEL MONITOR WELL WATER QUALITY SAMPLING AND ANALYSIS FORM

PROJECT INFORMATION				INSTRUMENTS					
PROJECT	FF/NN Landfill			Temp. & pH	MP-20 Flow Cell				
PROJECT NO.	117-2202040.12			Conductivity	MP-20 Flow Cell				
LOCATION	Ripon, WI			ORP	MP-20 Flow Cell				
PERSONNEL	Ashley A. Weimer			DO	MP-20 Flow Cell				
MONITOR WELL ID	P-113B			P-103		P-103D			
WATER TYPE	Groundwater			Groundwater		Groundwater			
DATE (month/day/year)	7-12-11			7-11-11		7-11-11			
STATIC WATER LEVEL (feet)*	13.76			48.64		49.82			
WELL DEPTH (feet)*	198.9			83.02		192.66			
PUMP INLET DEPTH (feet)*	48.5			69.5		87.5			
START PURGE TIME (Military)	10:45			16:00		16:30			
END PURGE TIME (Military)	11:10			16:20		16:50			
PURGE VOLUME (gallons)	2.0			2.0		2.5			
SAMPLE TIME (Military)	11:15			16:25		16:55			
STABILIZED INDICATOR PARAMETERS READINGS	1st	2nd	3rd	1st	2nd	3rd	1st	2nd	3rd
TIME (minutes since initial reading)	6:00	7:00	8:00	2:00	3:00	4:00	0:00	1:00	2:00
TEMPERATURE (°C)	10.47	10.51	10.49	11.49	11.46	11.47	11.64	11.62	11.57
ELECTRICAL CONDUCTANCE at 25°C (ms/cm)	0.588	0.588	0.588	0.742	0.742	0.743	0.751	0.751	0.751
DISSOLVED OXYGEN (ppm)	0.58	0.52	0.47	0.97	0.89	0.83	1.44	1.39	1.34
pH	7.44	7.42	7.43	7.79	7.86	7.92	8.16	8.12	8.12
DISSOLVED OXYGEN (% Sat.)	5.3	4.7	4.2	8.9	8.2	7.6	13.3	12.8	12.4
ORP (mV)	-1166	-165	-164	-118	-120	-123	-137	-137	-138
COLOR	CLEAR			CLEAR		CLEAR			
ODOR	none			none		none			
CLARITY	CLEAR			CLEAR		CLEAR			
SAMPLING PARAMETERS	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A=AMBER; G=GLASS; P=PLASTIC); PRESERVATIVE TYPE (L=LAB ADDED; F=FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)								
VOCs (EPA Method SW 8260B)	3 - 40 ml; G; HCl - L; No			3 - 40 ml; G; HCl - L; No			3 - 40 ml; G; HCl - L; No		
Vacu-Vials Iron 2- Wait 1, then wait 5 min	0.99			OVER Range			OVER Range		
NAME OF LABORATORY	Pace Analytical			Pace Analytical			Pace Analytical		
DATE SENT TO LAB	7-13-11			7-13-11			7-13-11		
SAMPLER'S NAME	Ashley A. Weimer			Ashley A. Weimer			Ashley A. Weimer		

*Measured from top of well casing.

TETRA TECH GEO MULTI-LEVEL MONITOR WELL WATER QUALITY SAMPLING AND ANALYSIS FORM

PROJECT INFORMATION			INSTRUMENTS		
PROJECT	FF/NN Landfill		Temp. & pH	MP-20 Flow Cell	
PROJECT NO.	117-2202040.12		Conductivity	MP-20 Flow Cell	
LOCATION	Ripon, WI		ORP	MP-20 Flow Cell	
PERSONNEL	Ashley A. Weimer		DO	MP-20 Flow Cell	
MONITOR WELL ID	P-111D		P-107D		
WATER TYPE	Groundwater		Groundwater		
DATE (month/day/year)	7- 11 -11		7- 11 -11		
STATIC WATER LEVEL (feet)*	34.89		52.25		
WELL DEPTH (feet)*	151.0		327.95		
PUMP INLET DEPTH (feet)*	151.0		76.5		
START PURGE TIME (Military)	15:00		14:05		
END PURGE TIME (Military)	15:25		14:35		
PURGE VOLUME (gallons)	3.0		4.0		
SAMPLE TIME (Military)	15:30		14:40		
STABILIZED INDICATOR PARAMETERS READINGS	1st	2nd	3rd	1st	2nd
TIME (minutes since initial reading)	0 :00	1 :00	2 :00	8 :00	9 :00
TEMPERATURE (°C)	11.05	11.04	11.01	11.72	11.56
ELECTRICAL CONDUCTANCE at 25° C (ms/cm)	0.759	0.759	0.759	0.000	0.000
DISSOLVED OXYGEN (ppm)	0.91	0.90	0.88	1.33	1.16
pH	7.39	7.38	7.37	8.12	8.13
DISSOLVED OXYGEN (% Sat.)	8.3	8.2	8.0	12.0	10.7
ORP (mV)	-184	-181	-178	-210	-211
COLOR	CLEAR		CLEAR		
ODOR	none		WEAK ROTTEN EGGS		
CLARITY	CLEAR		CLEAR		
SAMPLING PARAMETERS	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A=AMBER; G=GLASS; P=PLASTIC); PRESERVATIVE TYPE (L=LAB ADDED; F=FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)				
VOCs (EPA Method SW 8260B)	3 - 40 ml; G; HCl - L; No		3 - 40 ml; G; HCl - L; No		conductivity low because,
Vacu-Vials Iron 2- Wait 1, then wait 5 min	1.87		0.12		during Refill circle winter leaving flow cell (going back into well) faster than usual
NAME OF LABORATORY	Pace Analytical		Pace Analytical		
DATE SENT TO LAB	7-13-11		7-13-11		
SAMPLER'S NAME	Ashley A. Weimer		Ashley A. Weimer		

*measured from top of well casing.



TETRA TECH GEO MULTI-LEVEL MONITOR WELL WATER QUALITY SAMPLING AND ANALYSIS FORM

PROJECT INFORMATION				INSTRUMENTS					
PROJECT	FF/NN Landfill			Temp. & pH	MP-20 Flow Cell				
PROJECT NO.	117-2202040.12			Conductivity	MP-20 Flow Cell				
LOCATION	Ripon, WI			ORP	MP-20 Flow Cell				
PERSONNEL	Ashley A. Weimer			DO	MP-20 Flow Cell				
MONITOR WELL ID	P-114/DUP			P-115	P-116				
WATER TYPE	Groundwater			Groundwater	Groundwater				
DATE (month/day/year)	7-12-11			7-12-11	7-12-11				
STATIC WATER LEVEL (feet)*	19.68			22.96	216.73				
WELL DEPTH (feet)*	181.72			179.57	163.19				
PUMP INLET DEPTH (feet)*	53.5			53.5	163				
START PURGE TIME (Military)	13:15			11:25	12:10				
END PURGE TIME (Military)	13:30			11:50	13:00				
PURGE VOLUME (gallons)	1.5			2.5	2.0				
SAMPLE TIME (Military)	13:35 / 13:40			11:55	13:05				
STABILIZED INDICATOR PARAMETERS READINGS	1st	2nd	3rd	1st	2nd	3rd	1st	2nd	3rd
TIME (minutes since initial reading)	5:00	6:00	7:00	6:00	7:00	8:00	8:00	10:00	12:00
TEMPERATURE (°C)	10.43	10.41	10.47	10.43	10.64	10.61	11.78	11.90	11.92
ELECTRICAL CONDUCTANCE at 25°C (ms/cm)	0.648	0.647	0.646	0.546	0.546	0.546	0.485	0.484	0.485
DISSOLVED OXYGEN (ppm)	2.12	2.04	1.95	1.84	1.77	1.74	1.50	1.51	1.42
pH	7.50	7.49	7.48	7.47	7.47	7.47	7.52	7.51	7.50
DISSOLVED OXYGEN (% Sat.)	19.0	18.3	17.5	16.6	15.9	15.6	13.9	14.1	13.2
ORP (mV)	-145	-139	-134	-144	-143	-143	-91	-91	-91
COLOR	clear			clear	pinkish				
ODOR	none			none	none				
CLARITY	clear			clear	clear				
SAMPLING PARAMETERS	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A=AMBER; G=GLASS; P=PLASTIC); PRESERVATIVE TYPE (L=LAB ADDED; F=FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)								
VOCs (EPA Method SW 8260B)	3 - 40 ml; G; HCl - L; No			3 - 40 ml; G; HCl - L; No			3 - 40 ml; G; HCl - L; No		
Vacu-Vials Iron 2- Wait 1, then wait 5 min	0.57			0.86			0.35		
	took dup at 13:40								
NAME OF LABORATORY	Pace Analytical			Pace Analytical			Pace Analytical		
DATE SENT TO LAB	7-13-11			7-13-11			7-13-11		
SAMPLER'S NAME	Ashley A. Weimer			Ashley A. Weimer			Ashley A. Weimer		

*Measured from top of well casing.

TETRA TECH GEO FIELD WATER QUALITY SAMPLING AND ANALYSIS FORM

PROJECT INFORMATION			INSTRUMENTS		
PROJECT	FF/NN Landfill		Temp. & pH	Hanna	
PROJECT NO.	117-2202040.12		Conductivity	Hanna	
LOCATION	Ripon, WI		ORP	Not Measured	
PERSONNEL	Ashley A. Weimer		DO	Not Measured	
SAMPLE POINT		MW-103	MW-112		
WATER TYPE		Groundwater	Groundwater	Groundwater	Groundwater
DATE (month/day/year)		7-11-11	7-11-11		
CLOCK TIME (Military)		17:15	17:40		
DEPTH TO WATER (ft)*		49.97	53.19		
MEASURED WELL DEPTH (ft)*		53.69	60.47		
CASING VOLUME (gallons)		0.61	1.19		
PURGE VOLUME (gallons)		2.5	5.0		
DEPTH SAMPLE TAKEN (ft)*		53	60		
SAMPLING DEVICE		Dedicated Bailer	Dedicated Bailer		
FIELD TEMPERATURE (°C)		18.74	16.48		
pH		7.14	7.34		
ELEC. COND. ($\mu\text{S}/\text{cm}$)	Measured at 25°C	NM 1.166	NM 0.951		
ORP (mV)		33	-51		
DISSOLVED OXYGEN (ppm)		3.54	1.49		
DISSOLVED OXYGEN (% Sat.)		38.2	15.3		
COLOR		clear	clear		
ODOR		none	none		
CLARITY		clear	clear		
SAMPLING PARAMETERS		# OF CONTAINERS & VOLUME; CONTAINER TYPE (A = AMBER GLASS; G = GLASS; P = PLASTIC); PRESERVATIVE TYPE (L = LAB ADDED; F = FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)			
VOCs (EPA Method 8260B)		3 – 40 ml; G; HCl-L; No	3 – 40 ml; G; HCl-L; No		
Vacu-Vials Iron 2- Wait 1, then wait 5 min		0.13	over range		
NAME OF LABORATORY		Pace Analytical	Pace Analytical		
DATE SENT TO LAB		7-13-11	7-13-11		
SAMPLER'S NAME		Ashley A. Weimer	Ashley A. Weimer		

*Measured from top of well casing.



Water Levels

FF/NN Landfill, Ripon, WI

Date: 7-11-11

Personnel: Ashley A. Weimer

Well Name	TOC Elevation	Depth to Water	time	Comments
MW-101	884.80	40.39	18:34	
P-101	885.26	40.88	18:33	
MW-102	843.05	18.32	18:47	
P-102	842.99	18.20	18:45	
MW-103	872.42	49.97	12:40	
P-103	872.92	48.64	15:56	
P-103D	873.08	49.82	15:57	
MW-104	875.15	50.96	18:38	
P-104	875.48	51.11	18:40	
MW-106	878.90	54.22	18:53	
P-106	878.91	54.31	18:54	
MW-107	871.78	50.74	14:08	
P-107	871.38	50.36	14:04	
P-107D	871.98	52.25	14:02	
MW-108	845.25	26.04	13:48	
P-108	845.61	23.10	13:50	
MW-111	856.46	37.01	15:04	
P-111	856.13	37.12	15:06	
P-111D	855.79	34.89	14:58	
MW-112	874.55	53.19	13:10	
P-113A	833.09	14.31	18:02	
P-113B	833.10	13.76	18:03	
P-114 (Ehster)	839.35	19.08	18:25	
P-115 (Wiese)	842.71	22.96	18:09	
P-116 (Hadel)	845.34	26.73	18:19	
MW-3A	850.77	31.59	17:53	
MW-3B	851.04	29.94	17:55	
LC-1	873.15	Only		
LC-2	866.05	measured		
LC-3	877.34	annually		

ATTACHMENT D

LANDFILL GAS EXTRACTION SYSTEM MONITORING



GAS PROBE DATA

Project: FF/NN Landfill

Location: Ripon, Wisconsin

Personnel: Jack Wandler

Barometric Pressure:

28.4"
Hg

Temperature (ambient):

64°
F

Measuring Device:

Eagle@ LELO gauge

Date	Time	Measure- ment Point	% CH ₄	% CO ₂	% O ₂	Vel (ft/min)	Pressure (in H ₂ O)	Comments
5-23-11	0845	Background	0*	0.0	20.9			
	0912	LC-1	38.0	25.4	0.3			
	0931	LC-2	46.0	25.8	3.3			
	0920	LC-3	39.5	24.0	4.2			
		GV-1						
		GV-4						
	0900	GV-6	35.5	24.1	0.4			
		GV-7						
		GV-9						
		GV-12						
	0850/1000	GP-1	0*/0*	54/6.0	3.8/1.7			

• GP-3

• GP-2

• GP-10

S. Koro Road

• GP-7 • GP-3

• GP-11

GV-1 GV-2 GV-3 GV-4

GV-8 GV-7 GV-6 GV-5

• GP-6

GV-9 GV-10 GV-11 GV-12

• GP-1

• GP-12

• GP-5



GAS PROBE DATA

Project: FFANN Landfill

Location: Ripon, Wisconsin

Personnel: Jack Cederher

Barometric Pressure:

29.0 Hg

Temperature (ambient):

70° F

Measuring Device:

Eagle

to LEL

/ gauge

Date	Time	Measure- ment Point	% CH ₄	% CO ₂	% O ₂	Vel (f/min)	Pressure (in H ² O)	Comments
6.6.11	1030	Background	0 *	0.0	20.7			
	1050	LC-1	40.0	26.0	0.3			
	1105	LC-2	57.0	30.0	0.6			
	1100	LC-3	40.5	24.4	4.1			
		GV-1						
		GV-4						
	1045	GV-6	39.5	25.2	0.3			
		GV-7						
		GV-9						
		GV-12						
↓	1035/1140	GP-1	64*/6.5	7.0/4.5	4.4/6.8			

* GP-8

* GP-2

* GP-10

S. Koro Road

* GP-7

* GP-3

GP-1	GP-2	GP-3	GP-4	* GP-11
GP-8	GP-7	GP-6	GP-5	
GP-9	GP-10	GP-11	GP-12	

* GP-6

* GP-4

* GP-1

* GP-5

* GP-12



GAS PROBE DATA

Project: FF/NN Landfill
 Location: Ripon, Wisconsin
 Personnel: Jack Wender

Barometric Pressure: 28.9 Hg
 Temperature (ambient): 56° F
 Measuring Device: Eagle
1 gauge

* LEL

Date	Time	Measure- ment Point	% CH ₄	% CO ₂	% O ₂	Vel (ft/min)	Pressure (in H ² O)	Comments
6-15-11	0845	Background	0 *	0.0	20.6	—	—	
	0908	LC-1	41.5	26.2	0.3	—	—	
	0921	LC-2	58.0	30.6	0.7	—	—	
	0915	LC-3	40.5	24.4	4.0	—	—	
		GV-1						
		GV-4						
	0859	GV-6	41.0	26.8	0.3	—	—	
		GV-7						
		GV-9						
		GV-12						
✓	0850/1010	GP-1	155/12.5	9.6/6.8	0.3/6.2	—	—	

* GP-8

* GP-2

* GP-10

S. Korloff

* GP-7

* GP-3

* GP-11

GV-1	GV-2	GV-3	GV-4
GV-8	GV-7	GV-6	GV-5
GV-9	GV-10	GV-11	GV-12

* GP-6

* GP-4

* GP-1

* GP-5

* GP-12



GAS PROBE DATA

Project: FF/NN Landfill
 Location: Ripon, Wisconsin
 Personnel: Jackson

Barometric Pressure: 29.0 Hg
 Temperature (ambient): 82 F
 Measuring Device: Eagle

* LEL 1 gauge


Date	Time	Measure- ment Point	% CH ₄	% CO ₂	% O ₂	Vel (fU/min)	Pressure (in H ₂ O)	Comments
7-5-11	0845	Background	0	0.0	20.6	—	—	
	0915	LC-1	35.5	26.0	0.3	—	—	
	0930	LC-2	60.5	30.2	0.8	—	—	
	0920	LC-3	39.0	24.6	3.6	—	—	
		GV-1						
		GV-4						
	0910	GV-6	35.4	26.0	0.6	—	—	
		GV-7						
		GV-9						
		GV-12						
	0900/1015	GP-1	15*	8.5	6.6/8.8	8.7/5.0	—	—

* GP-8

* GP-2

* GP-10

S. Koro Road





GAS PROBE DATA

TR/TB

PAGE

WASTEWATER

192874929992

11:05

07/26/2011

Project: FF/NN Landfill
 Location: Ripon, Wisconsin
 Personnel: Jack Wenzler

Barometric Pressure: 28.8 " Hg
 Temperature (ambient): 68° F
 Measuring Device: Eagle

8 LELO gauge

Date	Time	Measure- ment Point	% CH ₄	% CO ₂	% O ₂	Vel (ft/min)	Pressure (in H ₂ O)	Comments
7-26-11	0755	Background	0	0.0	20.3	-	-	
	0820	LC-1	32.0	26.4	0.3	-	-	
	0830	LC-2	63.5	30.4	0.6	-	-	
	0815	LC-3	37.5	24.4	3.5	-	-	
		GV-1						
		GV-4						
	0810	GV-6	35.0	22.4	0.7			
		GV-7						
		GV-9						
		GV-12						
	0800 / 0930	GP-1	13.0 / 6.5	12.0 / 6.8	0.5 / 9.0	-	-	

• GP-8

• GP-2

• GP-10

S. Koro Road

• GP-7

• GP-3

• GP-11

GV-1 GV-2 GV-3 GV-4

GV-8

GV-7

GV-6

GV-5

GV-9

GV-10

GV-11

GV-12

• GP-4

• GP-1

• GP-5

• GP-12