



**STATUS REPORT
OCTOBER 2013 SAMPLING EVENT
FF/NN LANDFILL NPL SITE
Ripon, Wisconsin**

Prepared for:

FF/NN Landfill PRP Group
600 Travis, Suite 5600
Houston, Texas 77002

Prepared by:



Tetra Tech, Inc.
175 N. Corporate Drive, Suite 100
Brookfield, WI 53045

December 17, 2013

Handwritten signature of Michael R. Noel in black ink.

Michael R. Noel, P.G.
Principal Hydrogeologist, Project Manager

Handwritten signature of Ashley A. Weimer in black ink.

Ashley A. Weimer
Project Geologist

TABLE OF CONTENTS

Section No. and Title	Page No.
LIST OF TABLES	ii
LIST OF FIGURES	ii
Figure 1 Site Layout	ii
LIST OF CHARTS	ii
LIST OF ATTACHMENTS	ii
1. SITE INFORMATION AND CONTACTS	1
2. FIELD ACTIVITIES THIS REPORTING PERIOD	2
3. RESULTS OF FIELD ACTIVITIES	3
3.1. GROUNDWATER MONITORING EVENT - MONITORING WELL SAMPLING	3
3.1.1. Layer 1 Wells	3
3.1.2. Layer 2 Wells	3
3.1.3. Layer 3 Wells	3
3.1.4. Layer 4 Wells	4
3.1.5. Natural Attenuation Parameters	4
3.2. GROUNDWATER MONITORING EVENT - PRIVATE WELL SAMPLING	4
3.3. LANDFILL CAP INSPECTION	4
3.4. INTERIM LF GAS EXTRACTION SYSTEM PERFORMANCE MONITORING	4
1. UPCOMING ACTIVITIES PLANNED	6
2. PERSONNEL	7

TABLE OF CONTENTS

LIST OF TABLES

Table 1	Groundwater Elevations
Table 2	Groundwater VOC Analytical Results for Monitoring Wells
Table 3	Groundwater Natural Attenuation Results for Wells
Table 6a	Landfill Gas Field Monitoring Results for Active Extraction Wells
Table 6c	Landfill Gas Field Monitoring Results for Gas Probes and Monitor Wells

LIST OF FIGURES

Figure 1	Site Layout
----------	-------------

LIST OF CHARTS

Chart 50	Monitoring Well VOC Concentration, P-107, Layer 2
Chart 54	Monitoring Well VOC Concentration, P-111D, Layer 3
Chart 57	Monitoring Well VOC Concentration, P-114, Layer 3
Chart 58	Monitoring Well VOC Concentration, P-115, Layer 3
Chart 61	Monitoring Well VOC Concentration, P-107D, Layer 4

LIST OF ATTACHMENTS

Attachment B	Laboratory Analytical Results
Attachment C	Groundwater Sampling Field Forms
Attachment D	Landfill Gas Extraction System Monitoring Field Forms
Attachment E	Groundwater Monitoring Program Approval, April 18, 2013
Attachment F	Report Format Approval, December 2, 2013

1. SITE INFORMATION AND CONTACTS

CONTRACT SF-92-01

SITE NAME/ACTIVITY:

FF/NN Landfill NPL Site
Ripon, Wisconsin
Groundwater Monitoring and Corrective Action

WDNR File Ref. No.: 02-20-000915

PREPARED BY:

Mr. Michael R. Noel and Miss Ashley A. Weimer
Tetra Tech, Inc.
175 N. Corporate Drive, Suite 100
Brookfield, Wisconsin 53045

Tetra Tech RefNo.:117-2202.040

PREPARED FOR:

Mr. Nelson Olavarria
Chairman, FF/NN PRP Group
600 Travis, Suite 5600
Houston, TX 77210

Mr. Gary Edelstein, P.E.
Wisconsin DNR
P.O. Box 7921
Madison, WI 53707

Ms. Lori Rich
City of Ripon Administrator
100 Jackson St.
Ripon, WI 54971

Mr. Kevin McKnight
Wisconsin DNR
625 E County Road Y, Suite 700
Oshkosh WI, 54901

Mr. Bernard Schorle
U S Environmental Protection Agency
SR-6J
77 West Jackson Boulevard
Chicago, IL 60604

DATE:

December 17, 2013

2. FIELD ACTIVITIES THIS REPORTING PERIOD

Monitoring was conducted in accordance with the revised groundwater monitoring program as outlined in the April 18, 2013 conditional approval letter from WDNR.

- Groundwater elevations were measured at 13 monitoring wells by Tetra Tech in October 2013. Water levels in Layer 4 wells were measured consecutively to avoid any effects from municipal pumping.
- A total of 13 monitoring wells were sampled for VOCs by Tetra Tech during the October 2013 event. One duplicate sample was collected for quality control.
- Jack Wendler from the City of Ripon conducted biweekly landfill gas monitoring of the extraction system vents and wells for this quarterly report.

3. RESULTS OF FIELD ACTIVITIES

3.1. Groundwater Monitoring Event - Monitoring Well Sampling

The revised groundwater monitoring program as outlined in the April 18, 2013 conditional approval letter from WDNR was followed for this sampling event. The groundwater samples were analyzed for volatile organic compounds (VOCs) using EPA Method 8260B. Analytical results and field forms are provided in Attachments B and C, respectively. The VOC analytical results for the monitoring wells are tabulated in Table 2. The temporal trends of chlorinated compound concentrations in wells sampled during this event are provided in attached Charts.

Natural attenuation parameters were taken on selected wells during the October 2013 sampling event. The DO and ORP along with temperature, pH and conductivity were measured using a QED MP20 MicroPurge Flow Cell Meter. The iron II was measured in the field using CHEMetrics analyte-specific Vacu-vials® for photometric analysis using a CHEMetrics Model V-2000 LED photometer.

The following sections present a summary of the October 2013 VOC analytical results as they relate to groundwater standards for each well that was sampled. To better track impacts at various depths, the results are organized according to the four stratigraphic groupings of wells discussed previously.

3.1.1. Layer 1 Wells

- MW-103: TCE exceeded its PAL at 1.6 ug/L. 1,2-DCE (2.0 ug/L) was detected at a concentration below NR 140 standards. The results are similar to past results.
- MW-112: No detection of any VOC. VC has not been detected in this well since July 2012.

3.1.2. Layer 2 Wells

- P-103: No detection of any VOC. VC has not been detected in this well since April 2012.

3.1.3. Layer 3 Wells

- P-103D: No detection of any VOC. VC has not been detected in this well since April 2012.
- P-111D (Chart 54): VC exceeded its ES at 6.7 ug/L. 1,2-DCE (1.6 ug/L) and chloroethane (1.5 ug/L) were detected at concentrations below NR 140 standards. The results are similar to past results since 2007.
- MW-3B: No detection of any VOC. VC has not been detected in this well since May 2008.
- P-113B: No detection of any VOC. TCE, 1,2-DCE and VC have never been detected in this well since it was installed in 2002.

- P-114 (Chart 57): VC exceeded its ES at 7.2 ug/L (7.0 ug/L duplicate). 1,2-DCE (1.3 ug/L, 1.4 ug/L duplicate) was detected at concentrations below NR 140 standards. The results are similar to past results.
- P-115 (Chart 58): VC exceeded its ES with a concentration of 1.1 ug/L. This result is similar to past results.
- P-116: No detection of any VOC. TCE, 1,2-DCE and VC have never been detected in this well since it was installed in 2001.

3.1.4. Layer 4 Wells

- MW-3A: No detection of any VOC. TCE, 1,2-DCE and VC have never been detected in this well since it was installed in 2002.
- P-107D (Chart 61): VC exceeded its ES with a concentration of 2.6 ug/L. This result is similar to past results.
- P-113A: No detection of any VOC. TCE, 1,2-DCE and VC have never been detected in this well since it was installed in 2002.

3.1.5. Natural Attenuation Parameters

Because VC is the sole remaining contaminant of concern exceeding NR 140 standards and because VC reduction is most commonly an aerobic process via direct oxidation, MNA parameters that can demonstrate oxidative conditions were taken. Based on EPA (1998) guidance, iron II was taken as indirect evidence of natural attenuation. The results of the MNA sampling are shown on Table 3 and continue to indicate that the aquifer is marginally aerobic.

3.2. Groundwater Monitoring Event - Private Well Sampling

Historically, seven private wells have been sampled. Four of these wells (Altnau, Hadel, Miller and Wiese) have either been abandoned or converted to monitoring wells. The remaining three wells (Baneck/Perry/Watkins, Gaastra and Rohde) are only sampled annually in April.

3.3. Landfill Cap Inspection

A full landfill cap inspection took place during the April annual sampling event, which proved the landfill cap to be in good condition.

3.4. Interim LF Gas Extraction System Performance Monitoring

Results of the gas monitoring are presented in Table 6.

Current extraction is from shallow vent GV-6 and the three deep leachate wells (LC-1, LC-2 and LC-3). The other vents have remained closed to prevent oxygen levels from increasing above 5%. There were a few modifications to the system during this monitoring period based on the oxygen levels observed in the landfill:

- 8/5/2013 – Run time decreased to 9 hours on/15 hours off

- 9/5/2013 – Run time decreased to 4 hours on/20 hours off
- 9/16/2013 – Run time decreased to 2 hours on/22 hours off
- 9/30/2013 – Run time decreased to 1 hour on/23 hours off
- 10/14/2013 – Run time decreased to 0.5 hours on/23.5 hours off
- 10/28/13 - Run time decreased to 0.25 hours on/23.75 hours off

There were no gas samples collected during this sampling event per the changes in the monitoring plan dated April 18, 2013.

Monitoring of the gas probes and wells outside the limits of fill indicate that the gas extraction system has controlled gas migration from the fill area since its startup in March 2006. Gas concentrations in all exterior wells and gas probes have been consistently below the methane LEL (5.0%).

1. UPCOMING ACTIVITIES PLANNED

- Quarterly groundwater sampling and water level measurements will be conducted in January 2014 in accordance with the monitoring program outlined in the April 18, 2013 conditional approval letter from WDNR.
- The gas extraction system will continue to be monitored for effectiveness throughout this quarter.

2. PERSONNEL

Mr. Michael Noel is the Project Manager and Principal Hydrogeologist. Ms. Ashley Weimer is the Project Geologist who oversaw the field activities. The laboratory analyses for October 2013 groundwater samples were completed by Pace Analytical Services, Inc. in Green Bay, Wisconsin. The laboratory analyses for the air samples were completed by Pace Analytical Services, Inc. located in Minneapolis, Minnesota.

TABLES

Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI

Well Name	TOC Elevation	Jun-93	Oct-93	Apr-94	Oct-96	May-97	Oct-97	Apr-98	Oct-98	Oct-99	May-00
MW-101	884.80	826.56	824.20	824.04	823.41	824.34			822.08	823.17	
P-101	885.26	826.52	824.24	824.02	823.38	824.33	823.00	820.24	822.04	823.16	822.73
MW-102	843.05	826.83	825.35	824.29	823.57	824.67	823.26			823.52	823.17
P-102	842.99	826.89	824.40	824.35	823.64	824.75	823.38	820.77	822.47	823.63	823.25
MW-103	872.42	823.08	821.77	819.49	820.56			819.22			
P-103	872.92	826.29	826.88	823.88	817.43	824.16	822.89	820.25	821.96	823.11	822.70
P-103D	873.08	(Installed December 2003)									
MW-104	875.15	826.32	824.12	824.02	823.14	824.13		820.13	823.87		
P-104	875.48	826.47	824.25	824.12	823.26	824.24	822.92	820.25	822.06	823.18	822.70
MW-106	878.90	826.67	824.21	824.24	820.96	824.61	823.23		822.42	823.45	823.10
P-106	878.91	826.63	824.09	824.07	823.42	824.51	823.16	820.40	822.33	823.38	823.02
MW-107	871.78	821.02	820.52	818.76	819.17	819.22		817.04	818.70	819.68	
P-107	871.38	820.86	820.37	818.78	819.07	819.24	818.38	817.14	818.72	819.71	818.62
P-107D	871.98			819.13	817.47	819.52	818.29	816.77	817.56	817.78	817.34
MW-108	845.25		819.00	817.85	818.17	818.31				818.48	817.49
P-108	845.61		822.03	821.09	821.29	821.52	820.55	818.77	820.25	821.18	820.25
MW-111	856.46			817.58	817.93	818.10	817.29	816.29	817.33	818.30	817.28
P-111	856.13			817.09	817.43	817.60	816.78	815.75	816.85	817.83	816.79
P-111D	855.79	(Installed April 2002)									
MW-112	874.55				819.46	819.92	819.02		819.15	820.02	819.20
P-113A	833.09	(Installed September 2002)									
P-113B	833.10	(Installed September 2002)									
P-114	839.35	(Private well converted to monitoring well in 2003)									
P-115	842.71	(Private well converted to monitoring well in 2004)									
P-116	845.34	(Private well converted to monitoring well in 2004)									
MW-3A	850.77	(Water levels taken beginning February 2002)									
MW-3B	851.04	(Water levels taken beginning February 2002)									
LC1	876.15				849.02	847.87	846.99	846.82	846.56		846.27
LC2	866.05				847.25	842.91	841.20	840.61	838.31	839.29	839.17
LC3	877.34					845.69					845.82

Notes: Blank cells indicate that the water level was below top of pump; unable to measure.
Measurements are in Feet Above Mean Sea Level (msl)
">" indicates depth to top of pump (water level was beneath pump)
NT - Not taken, only measured deep wells
NM - Well not measured

Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI

Well Name	TOC Elevation	Oct-00	May-01	Oct-01	Feb-02	May-02	Aug-02	Oct-02	Dec-02	Apr-03	Oct-03
MW-101	884.80		823.13	824.17	823.18	DRY	DRY	NT	DRY	DRY	821.24
P-101	885.26	822.66	823.06	824.16	823.19	800.47	814.42	NT	818.91	820.46	821.16
MW-102	843.05	823.19		824.38	823.53	818.93	DRY	NT	DRY	820.95	821.57
P-102	842.99		823.39	824.49	823.69	799.84	814.94	NT	819.47	821.08	821.66
MW-103	872.42			821.63	>51.32	819.28	819.34	NT	DRY	DRY	819.61
P-103	872.92	822.60	823.02	823.87	823.00	801.70	814.74	NT	819.01	820.52	821.12
P-103D	873.08										
MW-104	875.15			823.88	>51.28	DRY	DRY	NT	DRY	820.37	820.85
P-104	875.48	822.64	823.10	824.03	823.12	802.51	814.82	NT	819.05	820.50	821.43
MW-106	878.90	822.96	823.34	Dry	823.50	DRY	DRY	NT	DRY	DRY	821.58
P-106	878.91	822.89	823.26	824.25	823.39	800.31	814.52	NT	819.18	820.80	821.49
MW-107	871.78		819.36	820.12	>52.5	816.72	DRY	DRY	DRY	817.73	818.35
P-107	871.38	818.62	819.35	820.12	818.86	809.86	813.29	NT	816.65	817.74	818.39
P-107D	871.98	818.10	819.04	816.61	817.70	811.80	815.35	816.43	816.68	817.26	816.72
MW-108	845.25		818.32	818.62	>27.7	815.44	815.45	NT	815.79	816.20	816.68
P-108	845.61	820.45	820.97	822.08	820.66	811.84	815.19	NT	817.83	818.57	819.26
MW-111	856.46	817.32	818.15	818.74	817.51	813.43	813.59	NT	815.42	816.14	816.71
P-111	856.13	816.83	817.68	818.26	817.04	812.54	812.90	NT	814.90	815.68	816.27
P-111D	855.79					807.70	815.16	816.73	816.22	818.17	817.95
MW-112	874.55	819.21	819.87	820.52	822.87	814.38	814.47	NT	816.75	817.87	818.54
P-113A	833.09							816.09	816.39	816.93	816.20
P-113B	833.10							816.68	816.93	817.25	816.58
P-114	839.35									817.17	816.93
P-115	842.71										
P-116	845.34										
MW-3A	850.77				817.24	810.74	815.18	816.11	815.99	816.63	815.67
MW-3B	851.04				819.32	807.37	815.34	817.07	817.54	818.31	817.92
LC1	876.15		846.30	Dry	Dry	DRY	DRY	NT	DRY	DRY	NM
LC2	866.05	839.28	839.03	838.92	838.97	838.83	838.98	NT	838.75	839.17	NM
LC3	877.34		845.80	Dry	Dry	DRY	DRY	NT	DRY	DRY	NM

Notes: Blank cells indicate that the water level was below top of pump; unable to measure.
Measurements are in Feet Above Mean Sea Level (msl)
">" indicates depth to top of pump (water level was beneath pump)
NT - Not taken, only measured deep wells
NM - Well not measured

**Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI**

Well Name	TOC Elevation	Feb-04	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Jan-06	Mar-06
MW-101	884.80	NM	822.87	825.76	823.36	822.85	823.27	821.11	DRY	820.81	NM
P-101	885.26	NM	822.86	825.76	823.35	822.84	823.26	821.07	820.23	820.75	NM
MW-102	843.05	NM	823.34	826.08	823.71	823.34	823.66	821.70	820.65	821.33	NM
P-102	842.99	NM	823.42	826.17	823.79	823.38	823.75	821.48	820.72	821.41	NM
MW-103	872.42	NM	821.06	824.54	822.24	820.52	821.60	819.70	819.25	819.24	NM
P-103	872.92	NM	822.77	825.58	823.23	822.78	823.14	821.09	820.26	820.92	NM
P-103D	873.08	820.64	821.89	824.39	822.21	821.89	822.08	820.26	819.23	820.24	NM
MW-104	875.15	NM	822.75	825.49	823.27	822.75	823.16	821.09	820.34	820.65	NM
P-104	875.48	NM	822.82	825.61	823.36	822.82	823.21	821.20	820.40	820.79	NM
MW-106	878.90	NM	823.25	826.07	823.60	823.20	823.61	821.42	DRY	821.24	NM
P-106	878.91	NM	823.17	825.99	823.50	823.10	823.54	821.31	820.50	821.16	NM
MW-107	871.78	NM	819.63	823.41	821.20	819.89	820.18	818.69	817.85	817.81	NM
P-107	871.38	NM	819.71	823.34	821.20	820.91	820.20	818.72	817.84	817.80	NM
P-107D	871.98	NM	818.68	819.78	817.72	817.65	818.77	815.90	814.85	816.33	816.45
MW-108	845.25	NM	817.86	820.27	819.00	818.17	818.41	816.95	816.27	816.31	NM
P-108	845.61	NM	820.52	823.39	821.94	820.84	821.05	819.76	819.13	819.04	NM
MW-111	856.46	NM	818.03	821.40	819.60	817.39	818.69	817.32	816.51	816.31	NM
P-111	856.13	NM	817.59	821.01	819.16	816.92	818.19	816.82	816.03	815.84	NM
P-111D	855.79	NM	819.55	821.82	819.77	819.55	819.55	818.11	817.37	818.40	NM
MW-112	874.55	NM	819.89	823.17	821.14	820.15	820.50	818.82	818.14	818.31	NM
P-113A	833.09	NM	817.91	818.17	817.32	817.28	818.35	815.50	814.36	816.40	816.04
P-113B	833.10	816.61	818.30	820.16	818.25	818.13	818.36	816.74	815.47	816.90	NM
P-114	839.35	NM	818.55	820.44	818.71	818.50	818.76	817.02	816.34	817.28	NM
P-115	842.71	NM	818.61	820.51	818.71	818.55	818.62	817.05	816.05	817.44	NM
P-116	845.34	NM	817.54	819.31	817.80	817.47	817.74	816.45	815.48	816.02	NM
MW-3A	850.77	NM	818.03	819.73	817.00	817.15	816.84	816.05	814.87	817.98	815.81
MW-3B	851.04	NM	819.79	822.01	819.66	819.60	819.45	818.44	817.28	819.15	NM
LC1	876.15	NM	846.45	NM	DRY	DRY	846.39	DRY	NM	NM	NM
LC2	866.05	NM	839.27	NM	838.89	DRY	839.05	838.89	838.91	839.01	NM
LC3	877.34	NM	DRY	NM	DRY	DRY	DRY	DRY	NM	NM	NM

Notes: Blank cells indicate that the water level was below top of pump; unable to measure.
Measurements are in Feet Above Mean Sea Level (msl)
">" indicates depth to top of pump (water level was beneath pump)
NT - Not taken, only measured deep wells
NM - Well not measured

**Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI**

Well Name	TOC Elevation	Apr-06	Jul-06	Oct-06	Jan-07	May-07	Aug-07	Oct-07	Jan-08	May-08
MW-101	884.80	821.41	821.29	820.71	821.43	822.37	822.22	822.74	822.47	824.5
P-101	885.26	821.37	821.22	820.69	821.34	822.32	822.18	822.68	822.43	824.49
MW-102	843.05	821.91	821.75	821.15	821.73	822.85	822.55	822.95	822.95	824.9
P-102	842.99	822.06	821.80	821.25	821.82	822.90	822.63	823.01	823.03	824.95
MW-103	872.42	819.36	819.82	818.82	819.47	820.39	820.45	820.78	820.46	822.13
P-103	872.92	821.42	821.33	820.70	821.39	822.31	822.17	822.63	822.86	824.39
P-103D	873.08	820.54	820.43	819.88	820.52	821.56	821.495	822.015	821.935	823.885
MW-104	875.15	821.35	821.16	820.61	821.11	822.17	822.06	822.56	822.25	824.26
P-104	875.48	821.45	821.33	820.76	821.29	822.29	822.27	822.75	822.44	824.45
MW-106	878.90	821.85	821.77	821.10	821.78	822.78	822.51	822.76	822.84	824.77
P-106	878.91	821.72	821.67	820.99	821.62	822.71	822.44	822.7	822.75	824.7
MW-107	871.78	818.03	DRY	817.90	818.29	818.87	818.97	819.12	818.88	820.34
P-107	871.38	818.19	818.59	817.89	818.23	818.88	819.01	819.08	818.91	820.27
P-107D	871.98	816.89	816.83	816.24	817.05	818.27	818.79	819.93	820.32	822.9
MW-108	845.25	816.70	816.88	816.39	816.64	817.39	817.96	817.99	817.5	819.15
P-108	845.61	819.40	819.65	819.41	819.40	820.14	821.45	821.33	820.44	822.15
MW-111	856.46	816.74	817.14	816.58	816.72	817.40	817.44	817.51	NT	818.85
P-111	856.13	816.24	816.74	816.09	816.23	816.92	816.95	817.01	816.85	818.4
P-111D	855.79	818.62	818.54	818.26	818.48	819.84	819.44	819.92	820.14	822.09
MW-112	874.55	818.66	818.88	818.20	818.52	819.24	819.39	819.73	819.41	820.97
P-113A	833.09	816.39	816.54	815.81	817.29	817.78	818.13	819.42	819.91	822.4
P-113B	833.10	817.01	817.57	816.81	816.70	818.11	818.26	819.09	819.35	821.36
P-114	839.35	817.38	817.36	816.86	817.36	818.48	818.14	818.61	819	820.91
P-115	842.71	817.56	817.50	817.12	817.62	818.72	818.375	818.815	819.185	821.095
P-116	845.34	816.48	816.34	816.00	816.38	817.47	816.905	817.475	817.755	819.425
MW-3A	850.77	816.29	817.51	816.34	817.49	817.68	819.68	820.7	821.15	823.53
MW-3B	851.04	818.86	819.18	818.27	818.88	819.62	820.24	820.88	821.08	823.09
LC1	876.15	843.40	847.60	847.66	NM	846.41	NM	NM	NM	845.89
LC2	866.05	839.47	839.52	838.45	NM	838.63	NM	NM	NM	837.81
LC3	877.34	845.89	845.87	844.68	NM	846.12	NM	NM	NM	845.28

Notes: Blank cells indicate that the water level was below top of pump; unable to measure.
Measurements are in Feet Above Mean Sea Level (msl)
">" indicates depth to top of pump (water level was beneath pump)
NT - Not taken, only measured deep wells
NM - Well not measured

Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI

Well Name	TOC Elevation	Jul-08	Sep-08	Oct-08	Jan-09	Apr-09	Jul-09	Oct-09	Feb-10
MW-101	884.80	825.1	822.61	822.63	822.93	824.08	823.61	822.68	822.2
P-101	885.26	825.07	822.56	822.59	822.91	824.05	823.6	822.63	822.17
MW-102	843.05	825.36	822.77	822.83	823.4	824.49	823.85	822.99	822.65
P-102	842.99	825.34	822.74	822.81	823.5	824.57	824.11	823.05	822.76
MW-103	872.42	823.95	822.05	821.92	821.19	821.99	821.72	820.83	820.27
P-103	872.92	825.02	822.57	822.66	822.97	824.06	823.59	822.62	822.24
P-103D	873.08	824.425	822.145	822.265	822.475	823.545	822.905	822.055	821.705
MW-104	875.15	824.9	822.54	822.55	822.82	823.92	823.47	822.53	822.06
P-104	875.48	825.12	822.78	822.74	822.98	824.06	823.64	822.68	822.22
MW-106	878.90	824.98	822.7	822.75	823.31	824.41	823.94	822.96	822.61
P-106	878.91	825.25	822.63	822.64	823.25	824.37	823.9	822.85	822.54
MW-107	871.78	823.81	821.16	821.04	819.71	820.34	820.25	819.37	818.81
P-107	871.38	823.72	821.1	821.09	819.4	820.34	820.26	819.34	818.48
P-107D	871.98	823.25	820.9	820.87	820.81	822.24	820.61	819.98	819.88
MW-108	845.25	820.42	819.28	819.23	818.16	818.87	818.58	817.93	817.28
P-108	845.61	823.57	822.14	822.05	820.87	821.67	821.73	821.06	820.08
MW-111	856.46	821.08	819.77	819.75	818.21	818.88	818.71	817.87	817.29
P-111	856.13	820.72	819.35	819.23	817.77	818.41	818.3	817.43	816.86
P-111D	855.79	822.61	820.74	820.79	820.65	821.71	820.85	820.15	819.91
MW-112	874.55	822.76	821.08	820.99	820.08	820.83	820.62	819.76	819.24
P-113A	833.09	822.8	820.45	820.53	820.34	821.81	820.1	819.4	819.57
P-113B	833.10	821.79	820.09	820.1	819.84	820.96	819.81	819.24	819.15
P-114	839.35	821.45	819.79	819.83	819.5	820.51	819.6	818.99	818.75
P-115	842.71	821.635	819.965	819.975	819.655	820.725	819.805	819.145	818.935
P-116	845.34	820.385	816.805	818.705	818.375	819.155	818.465	817.755	817.565
MW-3A	850.77	823.87	821.57	821.62	821.62	822.96	821.46	820.87	820.85
MW-3B	851.04	823.53	821.48	821.5	821.51	822.66	821.74	821.06	820.84
LC1	876.15	NM	NM	NM	NM	NM	NM	NM	NM
LC2	866.05	NM	NM	NM	NM	NM	NM	NM	NM
LC3	877.34	NM	NM	NM	NM	NM	NM	NM	NM

Notes: Blank cells indicate that the water level was below top of pump; unable to measure.
Measurements are in Feet Above Mean Sea Level (msl)
">" indicates depth to top of pump (water level was beneath pump)
NT - Not taken, only measured deep wells
NM - Well not measured

**Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI**

Well Name	TOC Elevation	May-10	Sep-10	Jan-11	Mar-11	Apr-11	Jul-11	Oct-11	Jan-12
MW-101	884.80	823.43	823.29	822.19	NM	823.66	824.41	822.45	822.93
P-101	885.26	823.37	823.25	822.14	NM	823.6	824.38	822.37	822.87
MW-102	843.05	823.77	823.66	822.66	NM	824.1	824.73	822.67	823.36
P-102	842.99	823.8	823.71	822.74	NM	824.16	824.79	822.67	823.44
MW-103	872.42	821.25	821.32	820.29	NM	821.34	822.45	821.14	820.97
P-103	872.92	823.34	823.19	822.26	NM	823.6	824.28	822.34	822.91
P-103D	873.08	822.575	822.35	821.81	821.96	822.88	823.26	821.64	822.04
MW-104	875.15	823.25	823.12	822.1	NM	823.47	824.19	822.32	822.82
P-104	875.48	823.41	823.3	822.26	NM	823.62	824.37	822.53	822.93
MW-106	878.90	823.72	823.6	822.57	NM	824.02	824.68	822.58	823.33
P-106	878.91	823.64	823.52	822.52	NM	823.94	824.6	822.48	823.24
MW-107	871.78	819.59	819.85	818.83	NM	819.76	821.04	820.04	819.96
P-107	871.38	819.62	819.82	818.98	NM	819.73	821.02	820.02	819.15
P-107D	871.98	819.68	818.85	820.47	819.05	820.29	819.73	818.74	819.38
MW-108	845.25	818.27	818.39	817.44	NM	818.51	819.21	818.48	818.11
P-108	845.61	821.53	821.66	820.25	NM	821.32	822.51	821.45	820.86
MW-111	856.46	818.07	818.3	817.39	NM	818.37	819.45	818.64	818.12
P-111	856.13	817.61	817.88	816.96	NM	817.89	819.01	818.18	817.68
P-111D	855.79	820.41	820.16	817.15	820.05	820.83	820.9	819.92	820.33
MW-112	874.55	820.13	820.24	819.33	NM	820.23	821.36	820.2	819.91
P-113A	833.09	819.09	818.24	820.05	818.53	819.67	818.78	818.34	818.72
P-113B	833.10	819.27	818.88	819.45	818.97	819.64	819.34	819.04	818.87
P-114	839.35	819.12	819	819.09	818.85	819.75	819.67	819	819.16
P-115	842.71	819.205	819.13	819.265	819.005	819.855	819.745	819.145	819.265
P-116	845.34	818.055	817.85	817.895	817.755	818.845	818.605	817.985	818.125
MW-3A	850.77	819.92	818.91	821.26	819	819.85	819.18	819.74	819.6
MW-3B	851.04	821	820.59	821.04	820.35	821.18	821.1	820.65	820.78
LC1	876.15	843.73	NM	NM	NM	843.14	NM	NM	NM
LC2	866.05	838.96	NM	NM	NM	838.4	NM	NM	NM
LC3	877.34	845.67	NM	NM	NM	845.22	NM	NM	NM

Notes: Blank cells indicate that the water level was below top of pump; unable to measure.
Measurements are in Feet Above Mean Sea Level (msl)
">" indicates depth to top of pump (water level was beneath pump)
NT - Not taken, only measured deep wells
NM - Well not measured

**Table 1 - Groundwater Elevations
FF/NN Landfill
Ripon, WI**

Well Name	TOC Elevation	Apr-12	Jul-12	Oct-12	Jan-13	Apr-13	Jul-13	Oct-13
MW-101	884.80	823.33	823.56	821.86	821.99	823.89	NM	NM
P-101	885.26	823.29	823.5	821.82	821.92	823.88	NM	NM
MW-102	843.05	823.8	823.89	822.3	822.43	824.38	NM	NM
P-102	842.99	823.86	823.96	822.41	822.52	824.45	NM	NM
MW-103	872.42	821.24	821.9	820.21	820.09	821.5	NM	819.91
P-103	872.92	823.32	823.48	821.9	822.02	823.88	NM	821.35
P-103D	873.08	822.47	822.43	821.085	821.275	823.135	823.24	820.63
MW-104	875.15	823.22	823.4	821.79	821.87	823.76	NM	NM
P-104	875.48	823.22	823.57	821.96	822.02	823.87	NM	NM
MW-106	878.90	823.73	823.87	822.27	822.43	824.3	NM	NM
P-106	878.91	823.64	825.8	822.18	822.33	824.21	NM	NM
MW-107	871.78	819.77	820.68	818.98	818.73	819.87	NM	NM
P-107	871.38	819.76	820.7	819	818.71	819.88	NM	NM
P-107D	871.98	819.42	818.1	817.78	818.02	820.41	820.56	817.57
MW-108	845.25	818.28	818.74	817.63	817.27	818.74	NM	NM
P-108	845.61	821.01	822.09	820.82	820.02	821.52	NM	NM
MW-111	856.46	818.32	819.09	817.61	817.25	818.52	NM	NM
P-111	856.13	817.87	818.67	817.16	816.81	818.07	NM	NM
P-111D	855.79	820.28	820	819.01	819.29	821.07	820.97	818.61
MW-112	874.55	820.15	820.8	819.27	819.15	820.39	NM	819.07
P-113A	833.09	818.51	817.23	817.23	817.5	819.83	819.92	816.76
P-113B	833.10	818.71	818.39	817.96	817.92	820.89	820.02	817.31
P-114	839.35	819.06	818.46	818.03	818.27	819.94	820.05	816.57
P-115	842.71	819.075	818.805	818.105	818.335	820.025	820.205	817.635
P-116	845.34	818.125	817.575	817.115	817.395	818.855	818.825	816.755
MW-3A	850.77	818.41	818.23	817.6	817.98	820.07	820.25	816.62
MW-3B	851.04	820.27	820.35	819.28	819.48	821.49	821.48	818.59
LC1	876.15	843.21	NM	NM	NM	843.36	NM	NM
LC2	866.05	837.87	NM	NM	NM	838.51	NM	NM
LC3	877.34	845.63	NM	NM	NM	845.52	NM	NM

Notes: Blank cells indicate that the water level was below top of pump; unable to measure.
Measurements are in Feet Above Mean Sea Level (msl)
">" indicates depth to top of pump (water level was beneath pump)
NT - Not taken, only measured deep wells
NM - Well not measured

**Table 2. Groundwater VOC Analytical Results for Monitoring Wells
FF/NR Landfill, Ripon, WI**

Sampling Point	Collection Date	Parameters																										
		Acetone ¹	Benzene	Bromomethane	2-Butanone (MIBK)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethene	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	MTBE	Tetrachloroethene	Tetrahydrofuran	Toluene	Trichloroethene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes	
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000	
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000	
P-116 (former Hadel well)	10/9/2001	NR																										
	11/19/2001	NR																										
	2/5/2002	NR																										
	5/22/2002	NR																										
	8/19/2002	NR																										
	08/19/02 Dm	NR																										
	12/3/2002	NR																										
	12/03/02 Dm	NR																										
	4/22/2003																											
	7/30/2003																											
	10/22/2003																											
	2/4/2004																											
	5/11/2004																											
	7/22/2004																											
	10/14/2004																											
	1/27/2005																											
	4/26/2005																											
	8/2/2005																											
	10/26/2005																											
	1/31/2006																											
	01/31/06 Dm																											
	4/24/2006																											
	7/27/2006												0.35 J															
	10/31/2006																											
	2/1/2007																											
	5/1/2007																											
	8/8/2007																											
	10/22/2007																											
	5/6/2008																											
	10/2/2008																											
	4/6/2009																											
	10/29/2009																											
2/26/2010																												
5/25/2010																												
10/6/2010																												
1/25/2011																												
4/13/2011																												
7/12/2011																												
10/19/2011																												
1/23/2012																												
4/4/2012																												
7/25/2012																												
10/17/2012																												
1/15/2013																												
4/26/2013																												
7/2/2013																												
10/24/2013																												

Results in µg/L

B = analyte found in method blank as well as sample

E = exceeds calibration range

J = estimated value between LOD and LOQ

L = Lab Artifact

& = Laboratory control spike recovery not within control limits

NE = None Established

NA = Not Analyzed; no sample collected for analysis

NR = Value not reported by lab or not recorded during initial evaluation by GeoTrans

PAL = Preventive Action Limit

ES = Enforcement Standard

Underline indicates exceeds NR 140 PAL

Bolding indicates exceeds NR 140 ES

Blank = Sample Collected but No VOCs detected

Historical data for abandoned wells MW-105, P-105, P-109 and MW-110 can be found in reports prior to October 2004

* Not sampled due to insufficient water for sample collection

¹ The reporting of acetone on an 8260B VOC scan varies with labs. Enchem, which began analyzing samples in April 2003, does report acetone. Acetone has appeared in several wells beginning in October 2003.

² MW-103 had low concentrations of isopropyl ether detected in October 1997 and February 2002. Acetone at 27 ppb was detected in April 2004. Carbon disulfide at 2.23 ppb was detected in January 2007

³ this sample had detections of bromodichloromethane at 0.59 ppb and dibromochloromethane at 0.35 ppb.

⁴ this sample in P-116 had 0.18 ppb of 1,1,1-trichloroethane

Table 3. Groundwater Natural Attenuation Parameters
FF/N Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO ₃ ⁻	NO ₂ ⁻	Fe ²⁺	SO ₄ ²⁻	S ²⁻	CH ₄					
	Detect on R nec	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						
	Target	>	<	<1	>20	<1	<0.5	>50	>0.5			
	Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C
MW-101	2/1/2007									558	6.59	7.4
	5/1/2007									1021	6.92	13.1
	5/6/2008									782	7.18	12.4
	4/8/2009									940	6.75	12.5
	10/29/2009	<0.20	0.39	>2.5	>100	<0.2	0.015	-98	3.17	914	6.85	11.8
	5/25/2010	<0.20	0.08	>2.5	>100	<0.2	0.0192	-73	1.65	961	6.55	25.3
	10/4/2010	0.08			>100		0.0136	-63	2.13	1265	6.95	15.8
	1/26/2011			>2.5				-14	2.51	938	7.39	6.2
	4/11/2011									1020	7.48	14.1
	4/3/2012									960	7.10	13.0
MW-103	2/1/2007									2670	6.95	5.7
	5/2/2007									1180	6.64	10.8
	10/18/2007									1609	6.74	13.0
	5/5/2008									1420	7.06	12.2
	10/2/2008									1411	6.69	11.3
	4/7/2009									1433	7.17	10.3
	10/28/2009	<0.20	>0.80	0.42	>100	<0.2	0.00042	24	4.21	1780	6.79	10.7
	2/25/2010	>1.5	<0.08	<0.1	>100	<0.2	<0.0028	55	4.1	2	6.96	8.6
	5/24/2010	>1.5	<0.08	0.11	>100	<0.2	<0.0028	86	2.84	2110	6.49	17.7
	10/4/2010	>1.5			>100		0.0235	46	3.33	1920	7.22	12.9
	1/26/2011			0.09				62	4.52	1700	7.22	5.5
	4/11/2011			0.07				136	5.02	1217	6.79	13.8
	7/11/2011			0.13				33	3.54	1660	7.14	18.7
	10/19/2011			<0.1				171	4.01	1580	6.88	8.7
	1/24/2012			<0.1				144	3.28	1930	6.98	6.1
	4/3/2012			<0.1				98	3.25	2130	6.88	12.4
	7/25/2012			0.323				58	2.56	1950	6.71	21.4
	10/17/2012			<0.1				59	6.02	1690	6.96	12.7
	1/16/2013			<0.1				36	3.67	1730	7.00	6.6
	4/24/2013			0.394				41	3.29	1454	7.05	11.3
10/24/2013			0.207				33	5.26	1356	7.10	7.9	
MW-104	10/19/2011									1312	6.78	9.9
	4/3/2012									1134	6.90	12.3
	10/17/2012									1517	6.71	12.7
	4/24/2013									1396	6.87	12.2
MW-107	4/21/2003						0.13	185.70	21.27	1021	7.00	9.84
	4/22/2003				30			74.10	5.70	1024	7.06	10.32
	10/21/2003	3.3			32			79.30	5.80	1211	6.92	9.64
	5/1/2007									570	6.93	10.5
	10/17/2007									1297	7.09	13.1
	5/5/2008									796	7.54	11.5
	10/1/2008									1240	6.86	10.1
	4/7/2009									1226	7.50	10.2
	10/28/2009	>1.5	0.18	0.61	>100	<0.2	<0.000180	-1	5.78	956	7.13	11.6
	5/24/2010	>1.5	0.32	1.86	>100	0.71	<0.0028	61	3.08	1087	6.89	20.7
	10/4/2010	>1.5		0.7	4995		ND	76	6.38	1650	7.62	10.6
	1/26/2011			0.85				45	4.74	249	7.35	6.0
	4/11/2011									1100	8.12	11.2
	10/18/2011									1225	7.51	10.1
	4/3/2012									983	7.50	11.5
	10/17/2012									1076	7.10	13.0
4/24/2013									1144	7.34	11.0	
MW-111	12/5/2002									866	7.15	7.84
	8/8/2007									920	7.45	11.4
	5/5/2008									732	7.45	11.9
	4/7/2009									867	7.22	10.8
	10/28/2009	>1.5	<0.08	0.26	>100	<0.2	0.00031	3	6.66	836	6.66	11.4
	5/24/2010	1.09	0.22	1.39	>100	0.44	<0.0028	71	2.73	958	6.80	22.7
	10/4/2010	0.99		0.02	>100		ND	85	4.87	995	7.72	9.6
	1/26/2011			0.25				26	4.56	849	7.28	7.6
	4/11/2011									900	7.94	11.2
	4/3/2012									846	7.60	11.7
MW-112	7/11/2011			>2.5				-51	1.49	951	7.34	16.5
	10/19/2011			>2.5				-46	1.12	907	7.01	8.9
	1/24/2012			>2.5				-26	1.32	1060	7.16	8.0
	4/3/2012			>2.5				-77	1.19	1210	6.96	11.7
	7/25/2012			>2.5				-75	1.37	1071	6.89	18.9
	10/17/2012			>2.5				-113	1.08	992	7.15	12.7
	1/16/2013			>2.5				-72	1.80	1003	7.10	7.9
	4/24/2013			>2.5				45	1.56	1052	7.11	12.1
10/24/2013			>2.5				42	1.92	982	7.43	8.6	
P-101	12/4/2002				50			-53.5	0.08	843	7.12	9.26
	4/22/2003				51			-36.9	0.81	646	7.46	10.12
	10/23/2003	<0.058			49			-65.5	0.66	754	7.04	10.20
	5/1/2007									828	7.57	11.7
	5/6/2008									735	7.69	11.3
	4/8/2009									749	7.24	11.4
	10/29/2009	0.39	0.12	1.84	71.36	<0.2	0.00059	-108	2.2	880	7.32	11.2
	5/25/2010	<0.20	<0.08	1.38	70.81	<0.2	<0.0028	-48	1.04	925	6.62	25.5
	10/4/2010	0.08			69.72		ND	-92	1.9	948	7.51	15.0
	1/26/2011			1.24				-31	2.65	829	7.26	5.8
	4/11/2011									840	7.96	12.8
	4/3/2012									776	7.40	11.6

Table 3. Groundwater Natural Attenuation Parameters
FF/NN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO ₃ ⁻	NO ₂ ⁻	Fe ²⁺	SO ₄ ²⁻	S ²⁻	CH ₄					
	Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						
Target	>	<	<1	>20	<1	<0.5	>50	>0.5				
Units	mg/l	mg/l	me/l	mg/l	me/l	me/l	mV	me/l	uS/cm	Units	C	
P-103	12/4/2002				54		0.037	-60.50	1.17	956	7.00	9.49
	4/21/2003				58			-29.90	0.71	388	7.28	10.50
	10/22/2003	0.41			54			-147.10	0.82	874	7.17	10.06
	2/1/2007							172	0.53	903	6.86	9.0
	5/2/2007							206	0.92	896	6.78	9.9
	8/14/2007							226	0.70	863	7.09	11.4
	10/18/2007							300	0.51	863	6.35	11.0
	5/5/2008							30	0.93	956	6.98	10.5
	10/2/2008							323	1.37	888	6.70	10.8
	4/7/2009							-95	1.09	813	7.40	9.8
	10/28/2009	0.45	<0.08	<0.1	78.95	<0.2	0.052	-125	0.85	739	7.19	10.2
	2/25/2010	>1.5	NM	NM	83.29	<0.2	0.0416	-120	1.62	845	7.25	9.0
	5/24/2010	<0.20	<0.08	>2.5	89.8	<0.2	0.0489	-104	0.38	815	7.00	11.2
	10/5/2010	0.08			85.02		0.0562	-128	1.15	874	7.86	10.9
	1/25/2011			2.5				-69	0.64	776	7.60	9.3
	4/12/2011			>2.5				-125	1.22	906	7.19	10.0
	7/11/2011			>2.5				-123	0.83	743	7.92	11.5
	10/18/2011			>2.5				-76	1.60	737	7.38	10.3
	1/24/2012			>2.5				-47	0.65	878	7.27	9.0
	4/4/2012			2.489				-96	0.93	985	7.26	10.2
	7/25/2012			>2.5				-100	0.67	855	6.94	11.7
	10/17/2012			>2.5				-101	1.00	808	6.83	10.5
	1/16/2013			2.102				-123	0.51	824	7.15	9.3
	4/26/2013			>2.5				-86	0.59	790	7.45	10.4
10/24/2013			>2.5				0	1.43	815	6.29	10.0	
P-106	4/24/2013						-6	3.17	764	7.26	9.8	
P-107	12/4/2002	NM	NM	NM	66		0.11	-28.00	0.86	791	7.22	9.40
	4/21/2003				74			37.30	0.76	646	7.43	9.62
	10/21/2003	<0.058						-70.40	0.92	716	7.18	9.73
	5/1/2007							240	1.64	840	6.66	9.6
	10/19/2007							330	1.80	863	6.42	10.7
	5/5/2008							8	1.50	925	7.50	11.0
	10/1/2008							350	2.63	923	6.66	10.2
	4/7/2009							-95	1.75	852	7.34	9.0
	10/28/2009	<0.20	<0.08	1.68	89.8	<0.2	0.31	-78	1.19	778	7.08	10.9
	5/24/2010	<0.20	<0.08	1.76	99.39	<0.2	0.383	-70	1.12	869	6.92	13.2
	10/5/2010	0.06			88.68		0.345	-117	1.84	930	7.86	10.8
	1/24/2011			1.33				-28	1.82	838	6.73	7.8
	4/12/2011							-68	1.39	966	7.16	10.1
	10/18/2011							-49	1.50	796	7.34	10.4
	4/4/2012							-82	1.64	1051	7.26	10.2
	10/17/2012							-88	1.55	886	7.28	11.3
	4/26/2013							-76	2.16	860	7.53	10.8
	P-111	12/5/2002				44			-88.30	-0.03	639	7.43
4/22/2003					39			-74.20	0.67	486	7.71	12.06
10/22/2003		<0.058			31			-94.00	0.75	566	7.53	9.87
8/14/2007								118	0.35	580	7.46	11.1
5/5/2008								65	0.35	614	7.72	10.5
4/7/2009								-89	0.26	624	7.62	9.1
10/28/2009		<0.20	<0.08	0.53	64.03	<0.2	0.0085	-140	0.48	616	7.57	10.1
5/24/2010		<0.20	<0.08	0.61	70.99	<0.2	0.0051	-101	0.24	673	7.25	10.5
10/5/2010		0.06			69.06		0.0065	-131	0.28	715	8.26	10.3
1/24/2011				0.45				-98	0.58	632	7.35	9.1
4/13/2011								-53	1.46	683	6.99	9.7
4/4/2012								-104	0.60	832	7.53	9.9
MW-3B	12/5/2002				36			-87	-0.11	1248	6.57	9.84
	12/5/2002				36							
	4/22/2003				46			-92	0.37	815	7.18	9.86
	10/22/2003	<0.058			43			-161	0.55	662	7.45	9.79
	1/31/2007							140	0.51	710	7.27	8.2
	5/1/2007							125	1.32	703	6.99	9.5
	8/8/2007							-233	0.43	605	7.49	10.3
	10/19/2007							170	0.29	598	6.63	9.8
	5/6/2008							21	0.40	672	7.89	9.7
	10/1/2008							334	1.35	646	6.90	9.7
	4/7/2009							-116	0.20	604	7.48	8.8
	10/28/2009	<0.20	<0.08	0.72	37.68	<0.2	0.098	-230	0.35	567	7.65	9.4
	5/24/2010	<0.20	<0.08	0.78	50.67	<0.2	0.0275	-176	0.17	650	7.27	10.2
	10/5/2010	0.05		0.61	43.23		0.0159	-161	8.80	697	8.24	9.9
	1/24/2011			0.66				-109	0.44	614	6.90	8.4
	4/13/2011			0.84				-207	0.52	694	7.65	9.5
	7/12/2011			0.68				-195	0.96	591	7.54	9.9
	10/19/2011			0.71				-171	2.18	604	7.89	9.5
	1/23/2012			0.79				-110	0.28	734	7.37	8.7
	4/4/2012			0.861				-151	1.39	811	7.57	9.3
	7/25/2012			0.681				-231	0.39	693	7.65	11.6
	10/16/2012			0.72				-157	0.42	675	7.36	10.0
	1/15/2013			0.874				-233	1.60	702	7.62	8.9
	4/26/2013			0.85				-158	2.59	681	7.90	9.6
7/2/2013			0.804				-91	0.35	707	7.34	9.9	
10/24/2013			0.774				-18	0.59	684	7.60	9.4	

Table 3. Groundwater Natural Attenuation Parameters
FF/NN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Disso ved Oxygen	Specific Conductivity	pH	Temper t re
		NO ₃ ⁻	NO ₂ ⁻	Fe ²⁺	SO ₄ ²⁻	S ²⁻	CH ₄					
	Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						
	Target	>	<	<1	>20	<1	<0.5	>50	>0.5			
	Units	me/l	mg/l	me/l	mg/l	me/l	me/l	mV	mg/l	uS/cm	Units	C
P-103D	5/2/2007							260	0.57	879	6.89	9.9
	10/18/2007							321	0.54	854	6.43	11.2
	5/5/2008							20	0.63	935	7.02	10.8
	10/2/2008							327	3.40	877	6.85	10.7
	4/7/2010							-110	0.45	808	7.61	10.0
	10/28/2009	<0.20	0.17	>2.5	76.38	<0.2	0.098	-146	0.52	746	7.30	10.2
	2/25/2010		<0.08	>2.5	78.05	<0.2	0.0747	-146	0.76	842	7.39	9.2
	5/24/2010	<0.20	<0.08	>2.5	88.88	<0.2	0.0303	-111	0.37	853	7.08	11.1
	10/5/2010	0.11			93.48		0.0659	-147	1.10	898	7.97	10.9
	1/25/2011			>2.5				-71	0.73	781	7.56	9.4
	4/12/2011			>2.5				-132	1.09	906	7.26	10.2
	7/11/2011			>2.5				-138	1.34	751	8.12	11.6
	10/18/2011			>2.5				-82	1.28	768	7.41	10.2
	1/24/2012			>2.5				-64	0.40	895	7.28	9.3
	4/4/2012			>2.5				-114	0.59	1004	7.36	10.2
	7/25/2012			>2.5				-109	0.78	846	6.75	11.4
	10/17/2012			>2.5				-115	1.74	835	7.13	10.4
	1/16/2013			1.715				-129	0.31	832	7.00	9.4
4/26/2013			>2.5				-97	1.41	806	7.50	10.4	
7/2/2013			>2.5				6	0.57	839	6.56	10.7	
10/24/2013			>2.5				74	0.40	835	6.67	9.9	
P-111D	12/5/2002				62			-75.60	-0.02	910	7.32	9.75
	4/23/2003				64			-20.50	0.94	706	7.63	9.98
	10/23/2003	<0.058			65			-68.30	0.70	838	7.17	9.78
	1/31/2007							74	0.72	885	7.30	8.9
	5/1/2007							78	3.37	900	7.05	10.0
	8/8/2007							55	0.55	900	7.25	10.9
	10/19/2007							296	0.53	897	6.90	10.7
	5/6/2008							15	0.56	980	7.56	10.6
	10/1/2008							330	2.31	907	7.07	10.0
	4/7/2009							-97	1.98	821	7.52	9.3
	10/28/2009	<0.20	<0.08	1.79	60.63	<0.2	0.33	-171	0.46	764	7.51	10.0
	2/25/2010	0.43	<0.08	1.62	65.7	<0.2	0.123	-125	0.86	871	7.45	6.0
	5/24/2010	<0.20	<0.08	1.83	70.59	0.25	0.31/0.239 Dup	-136	0.24	840	7.21	10.7
	10/5/2010	0.08		1.75	61.2		0.269/0.222 Dup	-148	0.75	886	8.13	10.3
	1/24/2011			1.72				-101	0.77	801	6.83	8.9
	4/13/2011			1.89				-126	0.42	873	7.19	9.9
	7/11/2011			1.87				-178	0.88	759	7.37	11.0
	10/18/2011			1.57				-95	2.43	752	7.71	10.0
1/23/2012			1.87				-68	0.33	898	7.31	9.3	
4/4/2012			1.693				-128	0.72	1009	7.50	10.0	
7/25/2012			1.227				-171	0.65	850	7.49	11.5	
10/17/2012			1.324				-131	0.51	838	7.56	10.5	
1/16/2013			0.339				-177	1.93	870	7.45	9.4	
4/26/2013			1.486				-114	1.16	838	7.71	10.5	
7/2/2013			1.505				-53	1.38	870	7.27	10.5	
10/24/2013			1.302				31	0.53	853	7.46	9.8	
P-113B	12/3/2002				47			2720	0.39	960	6.80	10.18
	4/23/2003				56			-54.30	1.05	715	7.22	10.13
	10/22/2003	<0.058			49			-125.40	0.46	616	7.42	10.13
	1/31/2007							109	0.40	620	7.33	8.8
	5/1/2007							113	1.03	625	7.03	10.2
	8/14/2007							110	0.28	618	7.28	11.1
	10/22/2007							252	0.53	629	6.70	10.3
	5/6/2008							-16	0.33	716	7.31	10.3
	10/2/2008							328	2.47	674	7.12	10.6
	4/6/2009							-122	0.40	627	7.54	9.2
	10/29/2009	<0.20	<0.08	0.83	70.14	<0.2	0.057	-187	0.42	579	7.33	10.3
	5/25/2010	<0.20	<0.08	1.19	80.11	<0.2	<0.0028	-145	0.17	646	7.26	10.9
	10/6/2010	0.1		0.98	75.55		ND	-183	0.35	685	8.09	11.0
	1/25/2011			0.9				-86	0.94	619	7.50	9.8
	4/13/2011			1.11				-164	1.11	675	7.44	10.2
	7/12/2011			0.99				-164	0.47	588	7.43	10.5
	10/19/2011			0.94				-118	0.50	588	7.71	10.2
	1/23/2012			0.99				-75	0.29	703	7.57	9.3
4/4/2012			1.034				-104	0.72	783	7.08	9.7	
7/25/2012			0.947				-167	0.67	668	7.56	11.5	
10/16/2012			0.998				-117	0.43	655	7.51	11.0	
1/15/2013			1.06				-106	0.71	674	7.40	9.2	
4/26/2013			0.938				-125	0.78	651	7.84	10.3	
7/2/2013			1.081				-80	1.01	679	7.41	10.7	
10/24/2013			0.879				-96	1.29	675	7.20	10.6	
P-114 (Ehster)	12/3/2002				44					695	7.71	11.10
	4/23/2003				63			-117.00	0.85	669	7.71	10.00
	10/23/2003	<0.058			49			-125.10	0.54	1379	7.31	9.87
	2/1/2007							151	0.21	674	7.27	9.9
	5/1/2007							149	0.96	686	7.08	10.2
	8/8/2007							202	0.34	667	7.45	11.0
	10/22/2007							313	0.90	670	6.71	10.2
	5/6/2008							14	0.74	775	7.23	10.2
	10/2/2008							307	2.34	737	7.01	10.4
	4/6/2009							-76	0.45	687	7.58	9.5
	10/29/2009	0.22	<0.08	0.56	50.61	<0.2	0.28	-120	0.44	636	7.41	10.0
	2/26/2010	0.61	0.11	0.54	49.43	<0.2	0.285	-148	0.35	707	7.62	9.2
	5/26/2010	<0.20	0.15	0.6	57.47	<0.2	0.138/0.194 Dup	-129	0.66	703	7.27	10.4
	10/6/2010	0.11		0.72	57.18		0.186/0.224 Dup	-182	0.86	766	8.28	10.6
	1/25/2011			0.6				-58	0.42	679	7.60	9.3
	4/13/2011			0.65				-147	0.42	744	7.49	9.9
	7/12/2011			0.57				-134	1.95	646	7.48	10.5
	10/19/2011			0.62				-123	1.49	652	7.82	10.0
1/23/2012			0.93				-78	0.35	785	7.60	9.1	
4/4/2012			0.598				-116	0.66	873	7.63	9.8	
7/25/2012			0.556				-200	0.40	748	7.63	11.0	
10/17/2012			0.757				-131	0.76	733	7.55	10.5	
1/16/2013			<0.1				-184	0.43	753	7.55	9.4	
4/26/2013			0.96				3	1.56	731	7.61	9.7	
7/2/2013			0.721				-88	0.34	766	7.47	10.5	
10/24/2013			0.726				-89	0.37	772	7.29	9.9	

Table 3. Groundwater Natural Attenuation Parameters
FF/N Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO ₃ ⁻	NO ₂ ⁻	Fe ²⁺	SO ₄ ²⁻	S ²⁻	CH ₄					
		Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*	<0.5	>50	>0.5		
Target	>	<	<1	>20	<1	<0.5	>50	>0.5				
	Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C
P-115 (former Wiese well)	2/1/2007							128	0.29	590	7.35	9.6
	5/1/2007							112	0.85	589	7.12	10.5
	8/14/2007							216	0.43	582	7.44	10.7
	10/22/2007							313	0.54	579	6.74	10.6
	5/6/2008							-16	0.48	690	7.27	10.7
	10/2/2008							315	2.44	654	6.89	10.7
	4/6/2009							-72	0.30	605	7.58	9.9
	10/29/2009	<0.20	<0.08	0.92	40.7	<0.2	0.044	-166	0.47	551	7.52	10.2
	2/26/2010	0.36	<0.08	1.48	43.65	<0.2	0.0579	-155	0.35	620	7.64	9.8
	5/26/2010	<0.20	<0.08	1.01	46.07	<0.2	0.049	-135	0.40	608	7.30	10.5
	10/6/2010	0.1		0.95	41.23		0.0562	-175	1.42	646	8.15	10.7
	1/25/2011			0.95				-78	0.42	572	7.68	9.8
	4/13/2011			1.05				-178	0.44	626	7.51	10.5
	7/12/2011			0.86				-143	1.74	546	7.47	10.6
	10/19/2011			0.82				-128	0.55	543	7.87	10.3
	1/23/2012			1.41				-78	0.34	647	7.53	9.6
	4/4/2012			0.804				-126	0.40	724	7.65	10.1
	7/25/2012			0.7				-223	0.39	619	7.72	11.3
	10/17/2012			0.797				-137	1.22	602	7.62	10.8
	1/16/2013			<0.1				-185	1.00	619	7.59	9.9
4/26/2013			0.866				-30	1.20	597	7.75	10.2	
7/2/2013			0.911				-89	0.48	626	7.57	10.6	
10/24/2013			0.843				-80	0.51	631	7.48	10.2	
P-116 (former Hadel well)	2/1/2007							171	0.38	528	7.34	8.8
	5/1/2007							142	0.59	528	7.09	10.5
	8/8/2007							202	0.42	523	7.53	12.1
	10/22/2007							301	0.59	522	6.75	10.8
	5/6/2008							38	0.71	603	7.18	12.3
	10/2/2008							295	2.70	559	7.04	11.2
	4/6/2009							-49	0.89	518	7.57	9.5
	10/29/2009	0.33	0.21	0.51	41.29	0.32	0.0031	-96	0.44	476	7.53	10.3
	2/26/2010	0.48	0.23	0.51	41.82	0.4	0.0042	-97	0.44	535	7.64	9.1
	5/25/2010	0.33	0.24	0.73	49.87	0.49	0.004	-75	0.33	530	7.30	12.2
	10/6/2010	0.45		0.92	58.53		0.0051	-106	0.55	567	8.20	12.1
	1/25/2011			0.45				37	0.56	506	7.76	9.0
	4/13/2011			0.51				-109	0.58	556	7.49	10.7
	7/12/2011			0.35				-91	1.42	485	7.50	11.9
	10/19/2011			0.37				-77	0.89	482	7.92	10.4
	1/23/2012			0.52				-21	0.38	576	7.64	8.8
	4/4/2012			0.353				-56	0.33	646	7.68	10.3
	7/25/2012			0.305				-150	0.31	546	7.64	12.7
	10/17/2012			0.351				-87	0.52	535	7.52	11.5
	1/15/2013			0.517				-187	0.95	549	7.65	9.1
4/26/2013			0.257				99	0.52	528	7.51	9.9	
7/2/2013			0.336				-14	0.39	552	7.56	11.4	
10/24/2013			0.65				-14	0.46	542	7.95	10.3	
MW-3A	12/5/2002				20			-312	0.03	589	7.30	9.79
	4/22/2003				26			3	0.66	464	7.52	10.22
	10/22/2003	<0.058			14			-98	0.87	552	7.29	10.06
	1/31/2007							163	0.79	556	7.13	6.1
	5/1/2007							34	1.96	558	6.95	10.2
	8/8/2007							-144	0.74	549	7.32	12.4
	10/19/2007							201	1.07	551	6.51	10.5
	5/6/2008							13	0.33	630	7.55	9.8
	10/1/2008							297	7.35	591	6.89	9.8
	10/28/2009	<0.20	<0.08	0.51	14.67	<0.2	0.0073	-236	0.55	505	7.45	9.5
	5/24/2010	<0.20	0.04	0.49	22.35	0.21	0.0074	-227	0.55	561	7.13	12.5
	10/5/2010	0.05			15.33		0.0397	-204	1.51	600	8.20	11.3
	1/24/2011			0.19				-77	0.74	535	7.30	7.2
	4/13/2011			0.44				-240	1.14	589	7.42	10.8
	7/12/2011			0.19				-213	1.86	512	7.15	11.3
	10/19/2011			0.16				-175	1.25	511	7.76	9.7
	1/23/2012			<0.1				-34	0.70	606	7.09	8.0
	4/4/2012			0.217				-115	0.47	678	7.37	9.4
	7/25/2012			0.101				-265	0.67	584	7.50	13.5
	10/16/2012			<0.1				-175	1.33	564	7.01	10.7
1/15/2013			0.144				-267	2.03	579	7.49	7.8	
4/26/2013			0.131				-171	1.38	560	7.77	10.2	
7/2/2013			0.127				-126	1.27	582	7.26	10.9	
10/24/2013			0.124				-140	1.27	582	7.07	9.3	
P-107D	12/4/2002				19					594	7.64	7.90
	4/21/2003				27					388	7.28	10.50
	10/21/2003	<0.058			19			51.40	1.25	528	7.34	10.05
	5/1/2007							113	3.20	583	6.96	12.4
	10/19/2007							261	1.10	581	6.56	10.0
	5/5/2008							61	1.07	653	7.55	10.6
	10/1/2008							354	4.48	607	6.89	10.4
	4/7/2009							-101	2.01	569	7.53	9.1
	10/28/2009	<0.20	<0.08	<0.1	23.84	<0.2	0.073	-188	0.45	528	7.48	10.1
	2/25/2010	0.51	<0.08	<0.1	23.57	<0.2	0.0613	-191	0.74	605	7.50	8.5
	5/24/2010	<0.20	<0.08	0.19	31.82	<0.2	0.163	-147	3.12	618	7.15	11.2
	10/5/2010	0.06		0.03	21.24		0.0737	-132	0.93	619	8.09	10.6
	1/24/2011			0.3				-59	0.79	564	6.62	9.0
	4/12/2011			0.11				-222	0.64	649	7.33	9.9
	7/11/2011			0.12				-211	1.32	2	8.16	11.7
	10/18/2011			0.11				-107	2.61	535	7.69	10.1
	1/23/2012			0.27				-45	0.69	634	7.45	8.9
	4/4/2012			0.235				-105	0.73	740	7.49	9.9
	7/25/2012			<0.1				-207	1.71	627	7.42	12.6
	10/17/2012			0.104				-168	2.13	589	7.53	10.9
1/16/2013			<0.1				-214	2.30	609	7.46	8.8	
4/26/2013			0.276				-146	2.18	585	7.84	10.3	
7/2/2013			0.123				-75	1.92	606	7.15	11.6	
10/24/2013			0.205				-60	2.51	610	6.89	9.8	

**Table 3. Groundwater Natural Attenuation Parameters
FF/NN Landfill, Ripon, WI**

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO ₃ ⁻	NO ₂ ⁻	Fe ²⁺	SO ₄ ²⁻	S ²⁻	CH ₄					
	Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						
	Target	>	<	>20	<1	<1	<0.5	>50	>0.5			
	Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C
P-113A	12/3/2002			12				111.80	20.00	579	7.26	10.39
	4/23/2003				15			42.00	2.98	465	7.50	10.37
	10/22/2003	0.3			10			-62.60	2.23	576	7.30	10.17
	8/8/2007							-140	0.57	544	7.37	13.3
	5/6/2008							-88	0.55	620	7.22	10.4
	4/6/2009							-137	0.74	542	7.42	8.4
	10/29/2009	0.35	0.16	>2.5	31.67	0.37	0.27	-240	0.87	498	7.41	10.7
	5/25/2010	0.26	0.21	>2.5	44.79	0.39	0.169	-183	0.96	554	7.16	15.6
	10/6/2010	0.43			4448		0.239	-196	0.89	591	7.98	12.8
	1/25/2011			1.09				-78	1.98	533	7.58	5.9
	4/13/2011			0.68				-202	1.13	578	7.46	12.8
	7/12/2011			1.44				-195	1.47	509	7.33	14.3
	10/19/2011			0.94				-141	0.92	509	7.71	10.6
	1/23/2012			0.77				-76	1.20	604	7.67	7.3
	4/4/2012			1.219				-125	0.64	673	7.40	9.9
	7/25/2012			0.893				-257	0.83	585	7.46	15.4
	10/16/2012			0.196				-73	3.31	559	7.36	13.1
	1/15/2013			0.473				-248	1.67	574	7.56	7.0
	4/26/2013			0.814				-120	1.64	555	7.66	11.8
	7/2/2013			0.516				-127	1.04	578	7.45	13.6
10/24/2013			0.654				-43	0.91	567	7.66	11.6	
Perry/Watkins	10/29/2009	<0.20	<0.08	>2.5	15.18	<0.2	0.0098	-167	3.00	489	7.55	10.8
	2/26/2010	<0.20	0.21	>2.5	16.34	0.42	0.0067	-159	1.57	549	7.70	8.6
	5/26/2010	<0.20	<0.08	1.7	24.6	<0.2	0.0082	-135	0.91	552	7.35	16.7
	10/6/2010	0.1			20.12		0.0081	-183	1.38	582	8.18	14.4
	1/28/2011								2.42		6.93	10.1
	4/18/2011									410	7.17	10.1
	4/3/2012									519	8.00	11.2
4/26/2013									600	7.47	11.4	
Caasra	10/29/2009	<0.20	<0.08	0.98	16.04	<0.2	0.01	-163	0.27	490	7.56	10.3
	2/26/2010	<0.20			19.35	<0.2	0.0086	-146	1.22	584	7.45	10.7
	5/26/2010	<0.20	<0.08	2.44	27.28	0.22	0.0121	-156	0.52	553	7.28	17.3
	10/6/2010	0.11			22.65		0.0103	-201	1.14	597	8.22	15.0
	1/26/2011			2.34				33	1.24	552	7.37	7.9
	4/14/2011									620	6.88	13.8
	4/3/2012									538	7.80	11.3
4/26/2013									585	7.54	11.4	
Rohde	11/4/2009	<0.20	<0.08	0.36	19.88	<0.2	0.0011	-76	0.99	500	7.25	10.0
	2/25/2010	<0.20			21.03	<0.2	<0.0028	0	2.61	606	7.61	9.4
	5/26/2010	<0.20	<0.08	0.25	25.64	<0.2	<0.0028	7	1.19	635	6.42	18.53
	10/6/2010	0.08			26.48		ND	-117	1.91	612	8.08	13.7
	1/26/2011			0				116	3.83	571	7.56	7.36
	4/13/2011									550	6.85	7.5
	4/3/2012									528	7.5	11.5
4/26/2013									581	7.63	12.7	

Indicates that sample was not analyzed for that parameter

* detection range only applies to samples collected on or after 10/2009

** ORP is believed to be incorrect from 2/2007 to 10/2008 due to equipment malfunction

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages	
LC-1	11:31	3/20/2006	61.5	37.7	0.7	0.1	pre-startup	
	10:02	3/22/2006	43.6	26.3	6.4	23.7		
	15:32	3/22/2006	56.0	33.3	3.8	6.9		
	8:29	3/23/2006	50.1	29.5	4.3	16.1		
	16:35	3/23/2006	44.2	24.6	4.9	26.3		
	15:40	3/24/2006	18.8	11.8	15.9	53.5		
	14:25	3/28/2006	7.0	8.7	10.8	73.5		
	18:58	3/30/2006	15.8	21.0	6.9	56.3		
	13:50	4/5/2006	11.2	17.1	9.8	61.9		
	12:50	4/6/2006	6.2	9.0	13.9	70.9		
	13:10	4/11/2006	9.6	16.7	8.6	65.1		
	10:45	4/14/2006	11.2	17.9	7.2	63.7		
	15:26	4/14/2006	12.2	24.1	4.0	59.7		
	9:58	4/17/2006	16.7	30.2	5.3	47.8		
	19:12	4/27/2006	7.8	17.5	2.9	71.8		
	13:12	5/4/2006	6.1	18.7	2.0	73.2		
	10:17	5/22/2006	5.8	21.6	1.3	71.3		
	12:20	6/2/2006	18.0	22.7	0.6	58.7		
	8:20	6/9/2006	1.1	0.2	20.4	78.3		
	12:34	6/14/2006	3.9	0.6	20.2	75.3		
	10:41	6/22/2006	3.3	7.6	13.8	75.3		
	12:06	7/5/2006	3.7	12.5	10.1	73.7		
	11:31	7/10/2006	3.5	10.9	11.8	73.8		
	10:49	7/17/2006	3.9	10.7	11.8	73.6		
	14:00	7/28/2006	5.0	12.0	10.2	72.8		
	9:46	8/8/2006	2.7	9.5	12.9	74.9		
	7:20	8/16/2006	2.4	6.6	14.5	76.5		
	7:12	8/21/2006	0.1	0.2	15.1	84.6		
	14:07	8/28/2006	2.1	12.5	12.4	73.0		
	11:21	9/13/2006	0.6	0.6	13.3	85.5		
	11:19	9/25/2006	0.0	0.0	16.2	83.8		
	8:18	10/10/2006	2.7	8.4	14.8	74.1		
	8:19	10/23/2006	2.0	1.5	12.8	83.7		
	14:00	11/2/2006	3.8	21.6	1.7	72.9		
	14:54	11/14/2006	7.5	23.0	0.7	68.8		
	11:26	11/27/2006	5.5	23.0	0.4	71.1		
	12:57	12/26/2006	5.0	23.6	0.3	71.1		
	13:57	1/27/2007	9.5	22.8	0.3	67.4		
	11:20	2/24/2007	6.5	23.0	0.8	69.7		
	11:20	3/1/2007	17.5	23.2	1.8	57.5		
	12:28	3/1/2007	16.5	23.2	1.8	58.5		
	14:30	3/1/2007	15.5	22.8	1.6	60.1		
	8:10	3/5/2007	sampling port clogged with ice				adjust blower time, 12 on, 12 off	
	8:10	3/24/2007	15.5	23.0	1.8	59.7		
	16:55	3/24/2007	14.0	22.2	2.2	61.6		
	17:10	3/26/2007	11.0	21.6	2.2	65.2		
	7:28	3/27/2007	10.0	22.4	1.7	65.9		
	16:27	3/28/2007	11.0	22.8	1.5	64.7		
	8:04	3/29/2007	11.5	23.0	1.5	64.0		
	17:00	3/29/2007	11.0	22.8	1.5	64.7		

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments
LC-1	8:04	3/30/2007	13.0	24.0	1.0	62.0	target percentages blower off
	11:34	5/30/2007	43.0	28.0	2.0	27.0	restart and run 24 hrs
	13:35	5/30/2007	40.0	26.2	2.6	31.2	
	10:30	5/31/2007	0.1	0.0	20.7	79.2	reduce to 12 on 12 off
	16:32	6/1/2007	0.1	0.0	20.7	79.2	
	15:30	6/2/2007	20.0	22.8	1.7	55.5	
	16:09	6/3/2007	18.0	22.2	1.9	57.9	
	14:12	6/4/2007	16.5	21.8	2.2	59.5	reduce to 6 on 18 off
	15:10	6/7/2007	17.0	21.6	2.3	59.1	
	17:16	6/12/2007	10.5	21.0	2.1	66.4	
	14:49	6/14/2007	11.0	20.8	2.2	66.0	
	14:40	6/19/2007	10.5	21.0	2.2	66.3	
	14:40	6/21/2007	11.0	21.2	2.0	65.8	
	14:30	7/1/2007	11.5	21.4	2.0	65.1	
	14:00	7/23/2007	12.0	21.8	2.0	64.2	
	14:07	8/8/2007	12.0	21.6	2.2	64.2	
	13:30	8/13/2007	13.5	22.8	2.2	61.5	
	14:10	8/20/2007	10.0	21.4	2.8	65.8	
	14:25	8/28/2007	8.5	20.8	2.7	68.0	
	15:55	8/31/2007	5.5	18.2	4.2	72.1	
	14:55	9/4/2007	4.5	17.2	4.1	74.3	
	13:25	9/17/2007	3.2	15.4	5.1	76.4	
	9:50	9/29/2007	3.0	15.2	5.6	76.2	
	8:45	10/4/2007	3.1	15.2	5.6	76.1	
	9:45	10/7/2007	3.7	15.6	4.8	75.9	
	9:50	10/18/2007	6.0	17.0	3.6	73.4	
	9:00	10/25/2007	5.0	17.2	3.8	74.0	
	9:20	11/1/2007	6.0	18.6	2.2	73.2	
	10:25	11/13/2007	11.5	18.6	3.4	66.5	
	11:30	11/26/2007	4.8	16.2	4.8	74.3	
	11:00	12/10/2007	5.0	16.0	5.4	73.6	
	11:50	12/26/2007	5.5	16.6	4.3	73.6	
	10:15	1/9/2008	6.0	17.0	3.7	73.3	
	12:10	1/23/2008	5.0	15.8	5.2	74.0	
	9:20	2/4/2008	8.0	17.4	3.3	71.3	
	7:50	2/18/2008	12.0	17.6	3.8	66.6	
	7:30	3/4/2008	20.0	18.0	6.0	56.0	
	8:50	3/18/2008	23.0	19.8	3.9	53.3	
	14:30	5/12/2008	14.5	21.0	1.5	63.0	
	9:15	5/19/2008	4.4	17.4	2.4	75.9	
	13:50	5/30/2008	6.5	18.2	1.2	74.1	
	9:20	6/12/2008	3.8	19.0	2.6	74.6	
	9:20	6/25/2008	9.5	21.6	0.5	68.4	
	11:10	7/7/2008	6.0	19.4	1.3	73.3	opened GV-6 to 200 ft/min
	12:25	7/21/2008	6.5	20.6	1.1	71.8	
	9:50	8/5/2008	7.0	20.2	1.7	71.1	
	9:10	8/13/2008	12.5	23.2	0.1	64.2	increase to 12 on 12 off
	8:45	8/19/2008	8.0	21.2	2.2	68.6	
	14:15	9/2/2008	6.5	20.6	1.1	71.8	
	11:41	10/3/2008	8.0	21.6	0.8	69.6	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
LC-1	10:40	10/13/2008	9.0	22.4	0.6	68.0	
	9:15	10/28/2008	9.0	23.4	0.0	67.6	
	7:40	11/6/2008	10.5	22.2	0.6	66.7	
	10:25	12/8/2008	7.0	21.4	1.4	70.2	
	10:20	12/24/2008	6.0	20.4	1.2	72.4	decrease to 10 on
	12:00	1/8/2009	5.0	15.4	2.4	77.2	
	11:25	1/18/2009	8.5	23.0	0.3	68.2	
	7:40	1/27/2009	5.0	18.0	4.9	72.1	
	8:40	2/6/2009	4.8	16.4	5.2	73.7	
	11:00	2/23/2009	3.9	17.4	4.5	74.3	decrease to 8 on
	10:20	3/9/2009	8.0	21.2	0.1	70.7	
	10:20	3/20/2009	10.0	21.8	0.6	67.6	
	11:46	4/9/2009	13.0	22.2	0.2	64.6	
	10:45	4/19/2009	5.6	18.2	2.1	74.1	
	8:05	5/4/2009	8.5	16.2	5.5	69.8	
	8:40	5/18/2009	4.3	17.6	3.4	74.8	
	9:35	6/1/2009	7.0	15.4	5.2	72.4	
	9:00	6/14/2009	5.0	18.8	1.5	74.7	
	8:45	7/2/2009	13.5	21.2	1.6	63.7	
	7:30	7/13/2009	7.0	12.6	8.6	71.8	
	8:20	7/22/2009	5.0	20.4	1.3	73.3	
	8:50	8/11/2009	4.6	17.4	4.1	74.0	
	8:45	8/24/2009	4.3	16.8	4.5	74.5	decrease to 6 on 18 off
	9:25	9/8/2009	10.0	21.6	0.6	67.8	
	9:20	9/21/2009	15.0	23.8	0.0	61.2	
	10:15	10/5/2009	15.0	23.8	0.1	61.1	
	11:00	10/28/2009	16.0	23.2	1.3	59.5	
	10:50	11/16/2009	7.5	21.8	0.8	69.9	
	10:00	12/18/2009	24.0	23.8	0.0	52.2	
	9:10	12/28/2009	27.0	27.0	0.0	46.0	
	9:50	1/11/2010	24.0	26.0	0.0	50.0	
	8:30	1/26/2010	26.0	26.0	0.0	48.0	
	12:00	2/25/2010	19.5	24.6	0.0	55.9	
	9:50	3/8/2010	20.0	24.0	0.0	56.0	
	9:25	3/22/2010	18.0	23.0	0.0	59.0	
	9:28	4/5/2010	17.0	23.0	0.0	60.0	
	9:18	4/19/2010	16.5	23	0	60.5	
	9:22	5/3/2010	20.0	23.6	0.0	56.4	
	9:47	5/17/2010	20.0	24.0	0.0	56.0	
	9:10	5/25/2010	10.5	22.8	0.0	66.7	
	9:15	6/24/2010	13.0	21.0	1.4	64.6	
	10:15	7/6/2010	6.0	20.4	1.5	72.1	
	9:08	7/19/2010	7.0	19.6	3.0	70.4	
	9:00	8/2/2010	6.5	19.4	2.2	71.9	
	9:50	8/16/2010	12.5	21.6	1.1	64.8	
	8:52	8/30/2010	21.0	24.2	0.7	54.1	
	9:08	9/13/2010	26.5	25.2	1.1	47.2	
	9:40	9/28/2010	29.5	26.0	1.1	43.4	
	8:05	10/12/2010	24.5	25.2	1.7	48.6	
	9:22	10/25/2010	24.5	25.4	1.1	49.0	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
LC-1	9:36	11/2/2010	16.0	24.2	1.5	58.3	
	8:49	11/15/2010	15.5	23.4	1.5	59.6	
	9:45	12/10/2010	14.0	22.8	1.5	61.7	
	9:00	12/23/2010	15.5	22.6	1.6	60.3	
	9:18	1/10/2011	11.5	22.2	1.6	64.7	
	12:15	2/11/2011	34.0	24.6	1.7	39.7	
	9:20	3/7/2011	4.9	15.2	6.5	73.5	
	11:50	3/24/2011	19.5	22.2	0.7	57.6	
	8:55	4/6/2011	22.9	23.4	0.3	53.4	
	8:19	4/25/2011	23.5	23.0	0.6	52.9	
	8:52	5/9/2011	34.5	24.6	0.3	40.6	
	9:12	5/23/2011	38.0	25.4	0.3	36.3	
	10:50	6/6/2011	40.0	26.0	0.3	33.7	
	9:08	6/15/2011	41.5	26.2	0.3	32.0	
	9:15	7/5/2011	35.5	26.0	0.3	38.2	
	8:06	7/13/2011	31.0	26.0	0.2	42.8	
	8:20	7/26/2011	32.0	26.6	0.3	41.1	
	8:15	8/8/2011	19.0	24.1	0.3	56.6	
	7:50	8/23/2011	16.0	24.4	0.3	59.3	
	15:19	9/9/2011	28.5	28.0	0.5	43.0	
	16:03	9/15/2011	15.0	25.2	0.8	59.0	
	8:31	9/21/2011	17.5	22.8	2.6	57.1	
	9:38	9/21/2011	14.5	21.5	3.2	60.8	
	9:29	9/22/2011	17.5	24.4	1.6	56.5	
	10:11	9/22/2011	16.0	22.2	3.3	58.5	
	10:57	9/22/2011	16.0	24.2	1.6	58.2	
	10:46	10/3/2011	7.5	21.2	2.4	68.9	
	13:55	10/24/2011	11.0	23.0	1.0	65.0	
	11:00	10/26/2011	12.0	23.6	1.3	63.1	
	10:45	11/7/2011	10.5	23.4	0.5	65.6	
	9:20	11/14/2011	14.5	24.0	0.1	61.4	
	9:18	12/12/2011	12.7	24.2	0.2	62.9	
	10:24	12/27/2011	36.5	27.2	0.2	36.1	
	8:45	1/10/2012	24.5	25.4	0.1	50.0	
	10:10	1/25/2012	26.0	27.2	0.3	46.5	
	9:20	2/20/2012	32.5	26.6	0.6	40.3	
	9:10	3/8/2012	30.5	25.4	1.8	42.3	
	10:25	4/2/2012	24.0	25.2	0.9	49.9	
	9:09	4/16/2012	26.5	25.4	0.9	47.2	
	9:00	4/30/2012	16.5	23.0	1.5	59.0	
	9:21	5/14/2012	18.0	22.8	1.7	57.5	
	9:14	5/29/2012	24.5	24.6	1.1	49.8	
	7:57	6/11/2012	27.5	25.4	0.9	46.2	
	9:46	6/25/2012	24.5	25.2	1.0	49.3	
	9:05	7/9/2012	23.0	25.4	0.9	50.7	
	8:40	7/23/2012	7.0	20.2	2.2	70.6	
	8:21	7/25/2012	8.0	20.8	2.0	69.2	
	9:05	8/6/2012	8.0	21.4	1.7	68.9	
	9:31	8/21/2012	9.5	21.6	1.3	67.6	
	9:15	9/4/2012	7.0	19.8	2.0	71.2	
	9:10	10/1/2012	6.0	18.2	4.2	71.6	
	8:30	10/15/2012	4.5	11.4	9.2	75.0	
	7:55	12/6/2012	13.0	21.0	1.3	64.7	
	9:30	12/17/2012	17.0	21.2	0.8	61.0	
	9:00	12/31/2012	24.5	23.6	1.1	50.8	
	8:30	1/9/2013	29.5	24.0	1.1	45.4	
	8:05	1/15/2013	30.0	24.6	0.0	45.4	
9:11	1/28/2013	27.0	23.4	0.6	49.0		
10:55	2/11/2013	41.0	27.0	0.0	32.0		
9:22	2/25/2013	44.5	26.0	0.0	29.5		
7:40	3/8/2013	48.0	26.4	0.1	25.5		
8:55	3/22/2013	50.5	26.0	0.1	23.4		
14:00	4/8/2013	32.0	24.8	0.3	42.9		
15:20	4/22/2013	12.0	21.6	0.4	66.0		
9:39	4/29/2013	11.0	20.4	0.1	68.5		
8:34	5/13/2013	8.0	20.0	0.7	71.3		
13:40	5/28/2013	9.5	19.4	0.9	70.2		
8:50	6/7/2013	8.5	19.4	1.1	71.0		
8:17	6/21/2013	8.0	18.8	1.5	71.7		
8:50	7/5/2013	7.0	18.8	1.5	72.7		
7:52	7/22/2013	8.0	19.4	1.6	71.0		
8:55	8/5/2013	9.5	20.0	1.7	68.8		
8:24	8/19/2013	11.0	20.2	1.7	67.1		
8:35	9/5/2013	4.4	8.6	12.6	74.5		
8:48	9/16/2013	5.0	7.6	14.0	73.4		
7:40	9/30/2013	14.0	13.4	9.5	63.1		
7:38	10/14/2013	21.5	17.8	7.5	53.2		
7:42	10/28/2013	23.5	16.2	9.0	51.3		

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
LC-2	11:09	3/20/2006	61.9	36.8	1.0	0.3	pre-startup
	9:52	3/22/2006	50.2	28.3	4.9	16.6	
	15:51	3/22/2006	49.9	35.2	7.4	7.5	
	8:52	3/23/2006	45.2	27.1	6.8	20.9	
	16:52	3/23/2006	54.3	32.5	3.5	9.7	
	15:20	3/24/2006	25.5	14.8	15.3	44.4	
	15:10	3/28/2006	18.7	12.0	13.5	55.8	
	19:09	3/30/2006	52.6	28.7	3.7	15.0	
	13:45	4/5/2006	35.5	20.5	8.2	35.8	
	13:25	4/6/2006	33.4	21.0	9.1	36.5	
	13:35	4/11/2006	33.4	21.7	9.9	35.0	
	10:57	4/14/2006	58.5	39.5	2.0	0.0	
	15:56	4/14/2006	33.6	20.0	7.9	38.5	
	10:20	4/17/2006	30.0	20.0	4.3	45.7	
	19:59	4/27/2006	51.7	26.8	4.2	17.3	
	13:28	5/4/2006	43.6	24.8	4.2	27.4	
	12:00	5/22/2006	48.8	28.9	4.3	18.0	
	8:41	6/9/2006	34.2	20.0	10.5	35.3	
	13:05	6/14/2006	30.1	20.2	8.3	41.4	
	11:05	6/22/2006	45.1	35.4	5.1	14.4	
	12:09	7/5/2006	44.4	44.5	5.8	5.3	
	10:50	7/10/2006	0.1	0.2	5.4	94.3	
	10:15	7/17/2006	42.7	32.7	5.8	18.8	
	14:15	7/28/2006	43.6	33.4	4.7	18.3	
	9:51	8/8/2006	45.4	36.2	4.1	14.3	
	9:30	8/16/2006	31.2	24.6	8.6	35.6	
	8:38	8/21/2006	2.4	10.2	3.7	83.7	
	14:22	8/28/2006	20.0	36.2	4.2	39.6	
	11:36	9/13/2006	28.2	37.0	4.0	30.8	
	11:34	9/25/2006	2.4	0.8	5.9	90.9	
	8:32	10/10/2006	49.8	41.7	5.1	3.4	
	8:42	10/23/2006	37.8	29.5	7.6	25.1	
	14:20	11/2/2006	42.5	28.4	3.6	25.5	
	15:16	11/14/2006	39.5	28.2	3.5	28.8	
	11:40	11/27/2006	48.5	33.2	0.3	18.0	
	13:30	12/26/2006	44.0	29.4	2.6	24.0	
	14:10	1/27/2007	44.5	27.6	3.1	24.8	
	11:28	2/24/2007	9.0	0.2	20.5	70.3	
	11:02	3/1/2007	37.2	28.2	1.5	33.1	
	12:26	3/1/2007	36.0	29.0	1.5	33.5	
	14:45	3/1/2007	33.0	27.6	2.1	37.3	
	8:05	3/5/2007	1.1	1.0	19.7	78.3	adjust blower time, 12 on, 12 off
	8:00	3/24/2007	36.0	28.4	1.2	34.4	
	16:45	3/24/2007	36.0	28.0	1.0	35.0	
	17:00	3/26/2007	33.5	27.4	0.9	38.2	
	7:19	3/27/2007	33.5	27.4	1.0	38.1	
	16:35	3/28/2007	36.0	28.2	0.9	34.9	
	7:50	3/29/2007	36.5	28.6	0.8	34.1	
	16:52	3/29/2007	35.5	28.2	0.7	35.6	
	7:56	3/30/2007	11.5	11.0	11.5	66.0	blower off

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments
	11:45	5/30/2007	44.5	27.4	1.9	26.2	target percentages
	13:45	5/30/2007	46.0	28.2	1.5	24.3	restart and run 24 hrs
	10:20	5/31/2007	40.0	26.0	1.3	32.7	reduce to 12 on 12 off
	16:25	6/1/2007	40.5	25.4	1.4	32.7	
	15:20	6/2/2007	40.5	25.4	1.2	32.9	
	16:00	6/3/2007	39.5	25.2	1.4	33.9	
	14:04	6/4/2007	39.5	25.2	1.5	33.8	reduce to 6 on 18 off
	14:43	6/7/2007	39.5	25.0	1.4	34.1	
	16:46	6/12/2007	40.5	25.6	1.2	32.7	
	14:20	6/14/2007	40.5	25.4	1.2	32.9	
	13:55	6/19/2007	39.5	25.8	1.2	33.5	
	14:00	6/21/2007	39.5	25.4	1.5	33.6	
	13:50	7/11/2007	38.0	25.8	1.5	34.7	
	13:30	7/23/2007	38.5	26.6	1.4	33.5	
	14:17	8/8/2007	38.5	27.8	1.2	32.5	
	14:00	8/13/2007	38.5	28.2	1.5	31.8	
	13:20	8/20/2007	34.5	25.2	3.1	37.2	
	13:45	8/28/2007	36.5	27.8	1.3	34.4	
	15:30	8/31/2007	30.0	26.0	2.5	41.5	
	14:25	9/4/2007	26.0	26.0	2.0	46.0	
	12:55	9/17/2007	17.5	23.6	3.2	55.7	
	9:15	9/29/2007	17.5	23.8	2.9	55.8	
	8:15	10/4/2007	18.5	25.0	1.8	54.7	
	9:15	10/7/2007	19.0	25.2	1.7	54.1	
	9:30	10/18/2007	17.5	21.4	4.2	56.9	
	8:35	10/25/2007	23.0	25.2	2.3	49.5	
	8:50	11/1/2007	26.5	27.0	1.0	45.5	
	9:55	11/13/2007	28.0	25.8	1.8	44.4	
	11:05	11/26/2007	27.0	25.4	2.0	45.6	
	10:30	12/10/2007	26.0	25.8	2.1	46.1	
	11:15	12/26/2007	26.0	25.0	2.0	47.0	
	9:40	1/9/2008	24.5	21.6	4.7	49.2	
	11:58	1/23/2008	19.0	18.2	7.4	55.4	
	8:50	2/4/2008	17.0	15.4	9.4	58.2	
	7:20	2/18/2008	25.5	20.4	6.3	47.8	
	7:15	3/4/2008	30.5	21.2	7.1	41.2	
	8:25	3/18/2008	32.5	22.6	5.5	39.4	
	13:45	5/12/2008	43.0	25.8	2.5	28.7	
	8:45	5/19/2008	41.0	26.0	2.0	31.0	
	13:20	5/30/2008	31.0	23.6	3.2	42.2	
	8:35	6/12/2008	35.5	20.0	1.3	43.2	
	8:45	6/25/2008	33.0	24.8	3.6	38.6	
	10:45	7/7/2008	32.0	27.0	1.7	39.3	opened GV-6 to 200 ft/min
	12:20	7/21/2008	34.5	28.2	1.5	35.8	
	10:00	8/5/2008	34.5	27.6	2.1	35.8	
	9:20	8/13/2008	36.5	27.8	2.8	32.9	increase to 12 on 12 off
	9:05	8/19/2008	40.0	29.6	0.4	30.0	
	14:40	9/2/2008	34.0	29.6	1.3	35.1	
	11:49	10/3/2008	34.5	29.4	1.8	34.3	
	10:25	10/13/2008	36.5	29.8	1.7	32.0	

LC-2

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments
	9:35	10/28/2008	38.5	30.2	2.4	28.9	target percentages
	8:00	11/6/2008	39.0	30.4	1.5	29.1	
	10:55	12/8/2008	41.5	32.2	1.2	25.1	
	9:50	12/24/2008	23.0	20.8	7.0	49.2	decrease to 10 on
	11:20	1/8/2009	25.0	23.4	5.1	46.5	
	11:35	1/18/2009	13.5	19.8	5.5	61.2	
	7:45	1/27/2009	35.5	31.0	0.7	32.8	
	8:15	2/6/2009	26.5	25.2	3.5	44.8	
	10:15	2/23/2009	23.5	25.8	2.0	48.7	decrease to 8 on
	9:50	3/9/2009	23.0	23.8	3.7	49.5	
	9:40	3/20/2009	29.5	28.6	0.5	41.4	
	12:25	4/9/2009	47.0	18.6	2.0	32.4	
	10:15	4/19/2009	35.0	28.2	0.3	36.5	
	8:15	5/4/2009	29.0	27.8	0.3	42.9	
	8:30	5/18/2009	27.5	28.2	0.0	44.3	
	9:45	6/1/2009	23.0	26.8	0.0	50.2	
	9:20	6/14/2009	23.5	27.6	0.0	48.9	
	9:00	7/2/2009	26.5	26.0	1.3	46.2	
	7:45	7/13/2009	32.0	28.6	0.0	39.4	
	8:30	7/22/2009	33.9	28.6	0.0	37.5	
	9:10	8/11/2009	31.0	29.0	0.0	40.0	
	9:00	8/24/2009	27.5	29.0	0.0	43.5	decrease to 6 on 18 off
	9:45	9/8/2009	30.5	29.6	0.0	39.9	
	9:38	9/21/2009	30.5	27.0	1.5	41.0	
LC-2	10:40	10/5/2009	38.5	30.8	0.0	30.7	
	10:50	10/28/2009	43.5	31.8	0.0	24.7	
	11:15	11/16/2009	40.0	30.6	0.6	28.8	
	9:50	12/18/2009	44.5	33.0	0.1	22.4	
	8:50	12/28/2009	49.0	33.2	0.0	17.8	
	9:00	1/11/2010	50.0	33.4	0.0	16.6	
	8:39	1/26/2010	55.5	33.6	0.0	10.9	
	11:50	2/25/2010	45.0	27.8	3.3	23.9	
	9:40	3/8/2010	53.5	31.8	0.0	14.7	
	9:10	3/22/2010	52.5	30.8	0.4	16.3	
	9:15	4/5/2010	52.5	30.8	0.2	16.5	
	9:30	4/19/2010	53.5	31.0	0.3	16.5	
	9:30	5/3/2010	52.5	30.8	0.0	16.7	
	10:10	5/17/2010	51.5	30.6	0.4	17.5	
	9:10	5/25/2010	50.0	30.8	0.2	19.0	
	9:30	6/24/2010	41.0	27.8	1.6	29.6	
	10:30	7/6/2010	37.5	27.8	1.6	33.1	
	9:18	7/19/2010	34.5	27.4	1.7	36.4	
	9:20	8/2/2010	32.0	27.4	1.7	38.9	
	10:05	8/16/2010	35.0	29.0	1.1	34.9	
	9:10	8/30/2010	39.5	30.4	0.0	30.1	
	9:26	9/13/2010	41.5	30.6	1.1	26.8	
	10:00	9/28/2010	44.5	31.0	1.1	23.4	
	8:12	10/12/2010	44.5	31.0	1.8	22.7	
	9:37	10/25/2010	48.0	32.2	1.3	18.5	
	9:36	11/2/2010	50.0	32.6	1.6	15.8	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%) variable	(%) variable	(%) <5	(%) <40	
	9:15	11/15/2010	48.0	32.4	1.6	18.0	
	9:55	12/10/2010	44.5	32.2	1.6	21.7	
	9:15	12/23/2010	43.5	32.6	1.6	22.3	
	9:30	1/10/2011	43	31.4	2.3	23.3	
	11:45	2/11/2011	52.0	30.8	1.5	15.7	
	9:30	2/22/2011	12.0	8.4	15.1	64.5	
	9:05	3/7/2011	13.0	9.2	14.5	63.3	
	12:10	3/24/2011	47.5	31.0	0.4	21.1	
	9:15	4/6/2011	49.5	30.8	0.3	19.4	
	8:08	4/25/2011	51.0	29.4	1.3	18.3	
	9:08	5/9/2011	53.5	29.8	0.6	16.1	
	9:31	5/23/2011	46.0	25.8	3.3	24.9	
	11:05	6/6/2011	57.0	30.0	0.6	12.4	
	9:21	6/15/2011	58.0	30.6	0.7	10.7	
	9:30	7/5/2011	60.5	30.2	0.8	8.5	
	8:10	7/13/2011	57.0	28.4	2.0	12.6	
	8:30	7/26/2011	63.5	30.6	0.6	5.3	
	8:30	8/8/2011	60.5	31.4	0.6	7.5	
	8:10	8/23/2011	57.5	31.8	0.7	10	
	15:15	9/9/2011	60.0	33.2	0.9	5.9	
	16:03	9/15/2011	62.0	33.6	1.1	3.3	
	8:40	9/21/2011	58.0	32.4	1.5	8.1	
	9:45	9/21/2011	60.0	34.2	0.8	5	
	9:35	9/22/2011	53.0	31.2	2.7	13.1	
	10:15	9/22/2011	60.0	34.0	1.1	4.9	
	11:04	9/22/2011	53.5	30.2	3.0	13.3	
	10:53	10/3/2011	47.0	33.2	1.1	18.7	
	14:00	10/24/2011	23.0	21.4	4.6	51	
	12:08	10/26/2011	51.8	34.8	0.6	12.8	
	10:59	11/7/2011	44.5	33.8	0.5	21.2	
	9:35	11/14/2011	46.0	33.8	0.2	20	
	9:30	12/12/2011	49.5	34.8	0.3	15.4	
	10:41	12/27/2011	49.0	34.0	0.2	16.8	
	9:00	1/10/2012	52.0	34.4	0.1	13.5	
	10:00	1/25/2012	48.0	34.8	0.4	16.8	
	9:35	2/20/2012	54.5	33.6	0.0	11.9	
	9:30	3/8/2012	53.5	31.6	1.0	13.9	
	10:30	4/2/2012	54.5	31.2	1.1	13.2	
LC-2	9:25	4/16/2012	43.0	25.4	4.4	27.2	
	9:30	4/30/2012	47.5	28.2	2.6	21.7	
	9:35	5/14/2012	48.0	28.2	2.4	21.4	
	9:30	5/29/2012	49.5	29.0	1.9	19.6	
	8:04	6/11/2012	51.0	29.2	4.7	15.1	
	9:59	6/25/2012	53.0	29.6	1.5	15.9	
	9:15	7/9/2012	50.5	28.6	2.2	18.7	
	8:55	7/23/2012	43.5	29.2	1.9	25.4	
	8:15	7/25/2012	44.0	29.4	2.0	24.6	
	9:21	8/6/2012	43.0	30.2	1.5	25.3	
	9:50	8/21/2012	40.0	30.0	1.6	28.4	
	9:30	9/4/2012	36.0	29.4	1.9	32.7	
	10:00	10/1/2012	29.5	27.6	2.6	40.3	
	8:48	10/15/2012	16.0	15.8	9.7	58.5	
	8:05	12/6/2012	8.5	6.6	17.8	67.1	Using rental meter
	9:15	12/17/2012	7.2	10.0	14.9	67.9	Using rental meter
	9:20	12/31/2012	8.0	6.6	16.4	69	Using rental meter
	8:30	1/9/2013	40.0	27.0	1.9	31.1	
	10:05	1/16/2013	42.0	29.0	1.2	27.8	
	9:30	1/28/2013	57.5	33.8	0.2	8.5	
	11:00	2/11/2013	59.0	35.0	0.6	5.4	
	9:42	2/25/2013	53.5	31.0	2.6	12.9	
	8:00	3/8/2013	63.0	35.8	0.1	1.1	
	9:15	3/22/2013	56.0	34.4	0.6	9.0	
	14:10	4/8/2013	52.0	29.0	0.5	18.5	
	15:30	4/22/2013	49.5	29.4	0.5	20.6	
	9:50	4/29/2013	43.0	27.6	0.5	28.9	
	8:45	5/13/2013	38.0	27.4	1.2	33.4	
	13:59	5/28/2013	33.0	26.0	1.6	39.4	
	9:00	6/7/2013	31.5	25.4	2.1	41.0	
	8:30	6/21/2013	30.5	25.4	1.7	42.4	
	9:00	7/5/2013	29.5	24.8	1.8	43.9	
	8:05	7/22/2013	29.5	25.8	1.5	43.2	
	9:05	8/5/2013	29.5	25.4	2.6	42.5	
	8:35	8/19/2013	31.0	25.8	2.0	41.2	
	8:45	9/5/2013	13.5	11.6	12.5	62.4	
	9:00	9/16/2013	12.5	10.4	13.4	63.7	
	7:50	9/30/2013	19.5	15.2	10.4	54.9	
	7:50	10/14/2013	26.5	20.0	7.7	45.8	
	7:50	10/28/2013	23.0	16.6	9.8	50.6	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
LC-3	11:31	3/20/2006	62.3	36.3	0.5	0.9	pre-startup
	10:06	3/22/2006	55.9	33.2	3.5	7.4	
	8:37	3/23/2006	53.5	30.5	3.4	12.6	
	16:30	3/23/2006	59.9	30.5	2.0	7.6	
	14:30	3/24/2006	8.6	6.7	17.0	67.7	
	14:45	3/28/2006	21.1	14.8	12.0	52.1	
	19:21	3/30/2006	51.2	30.4	1.6	16.8	
	13:35	4/5/2006	30.7	22.2	6.6	40.5	
	13:05	4/6/2006	19.0	14.9	11.9	54.2	
	13:20	4/11/2006	36.9	26.6	3.5	33.0	
	10:49	4/14/2006	38.2	27.8	1.0	33.0	
	15:30	4/14/2006	37.7	28.8	1.2	32.3	
	10:10	4/17/2006	10.5	0.6	0.8	88.1	
	19:38	4/27/2006	27.6	23.6	0.5	48.3	
	13:20	5/4/2006	0.0	0.0	8.8	91.2	
	10:25	5/22/2006	9.6	15.7	8.9	65.8	
	14:41	6/2/2006	0.6	0.1	20.4	78.9	
	8:29	6/9/2006	22.5	31.2	4.0	42.3	
	12:42	6/14/2006	20.5	15.6	3.2	60.7	
	10:51	6/22/2006	13.1	28.7	3.5	54.7	
	12:23	7/5/2006	13.0	29.6	1.9	55.5	
	11:38	7/10/2006	0.0	0.0	1.7	98.3	
	10:17	7/17/2006	11.9	28.3	1.8	58.0	
	14:09	7/28/2006	16.3	28.7	1.5	53.5	
	10:02	8/8/2006	11.4	28.8	1.5	58.3	
	9:10	8/16/2006	11.9	28.4	1.4	58.3	
	8:27	8/21/2006	2.4	5.8	1.8	90.0	
	14:14	8/28/2006	12.1	10.2	1.4	76.3	
	11:26	9/13/2006	6.8	11.8	1.7	79.7	
	11:25	9/25/2006	10.1	0.4	1.9	87.6	
	8:25	10/10/2006	10.8	29.6	2.7	56.9	
	8:26	10/23/2006	10.9	29.4	3.9	55.8	
	14:12	11/2/2006	9.5	23.4	0.4	66.7	
	15:09	11/14/2006	2.5	0.0	20.0	77.5	
	12:00	11/27/2006	0.3	1.2	18.9	79.7	
	13:10	12/26/2006	13.5	21.2	3.3	62.0	
	14:20	1/27/2007	13.0	21.4	1.9	63.7	
	11:40	2/24/2007	4.3	0.2	19.7	75.9	
	11:22	3/1/2007	12.0	19.6	4.1	64.3	
	12:30	3/1/2007	11.5	19.2	4.2	65.1	
	14:32	3/1/2007	11.5	18.8	4.1	65.6	
	7:50	3/5/2007	0.3	0.0	20.3	79.5	adjust blower time, 12 on, 12 off
	7:50	3/24/2007	15.0	19.2	4.1	61.7	
	16:34	3/24/2007	14.5	19.2	4.0	62.3	
	16:48	3/26/2007	12.5	18.6	3.6	65.3	
	7:09	3/27/2007	12.0	19.2	3.5	65.3	
	16:45	3/28/2007	13.0	19.8	3.6	63.6	
	7:40	3/29/2007	12.0	19.2	3.7	65.1	
	16:43	3/29/2007	12.0	19.2	3.8	65.0	
	7:45	3/30/2007	7.0	12.6	8.0	72.4	blower off

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments
LC-3	11:30	5/30/2007	29.0	22.8	3.0	45.2	target percentages
	13:52	5/30/2007	30.5	22.8	3.2	43.5	restart and run 24 hrs
	10:10	5/31/2007	23.5	21.2	2.9	52.4	reduce to 12 on 12 off
	16:10	6/1/2007	21.5	20.8	2.8	54.9	
	15:13	6/2/2007	20.0	19.4	3.6	57.0	
	15:44	6/3/2007	19.0	20.2	2.8	58.0	
	13:45	6/4/2007	18.0	19.8	3.0	59.2	reduce to 6 on 18 off
	14:27	6/7/2007	23.0	22.2	2.8	52.0	
	16:15	6/12/2007	14.0	19.4	3.1	63.5	
	13:58	6/14/2007	14.5	19.2	3.1	63.2	
	13:35	6/19/2007	14.5	19.6	3.0	62.9	
	13:40	6/21/2007	14.0	19.2	3.2	63.6	
	13:20	7/11/2007	14.0	19.2	3.3	63.5	
	13:10	7/23/2007	13.0	19.0	3.4	64.6	
	14:04	8/8/2007	13.0	19.4	3.4	64.2	
	13:50	8/13/2007	14.0	21.6	2.1	62.3	
	13:10	8/20/2007	11.8	19.8	2.7	65.7	
	13:35	8/28/2007	11.5	19.2	2.8	66.5	
	15:20	8/31/2007	8.5	18.0	3.5	70.0	
	14:15	9/4/2007	7.0	17.0	3.9	72.1	
	12:45	9/17/2007	5.5	15.8	4.7	74.0	
	9:05	9/29/2007	5.0	16.2	4.6	74.2	
	8:05	10/4/2007	5.5	16.0	4.6	73.9	
	9:05	10/7/2007	6.0	16.4	4.2	73.4	
	9:20	10/18/2007	7.5	16.8	3.6	72.1	
	8:25	10/25/2007	6.5	16.6	4.2	72.7	
	8:40	11/1/2007	7.5	16.8	4.3	71.4	
	9:45	11/13/2007	11.5	16.2	5.5	66.8	
	10:55	11/26/2007	7.0	14.4	6.4	72.2	
	10:20	12/10/2007	7.0	14.6	6.8	71.6	
	11:05	12/26/2007	7.5	14.4	6.4	71.7	
	9:30	1/9/2008	8.5	14.6	6.6	70.3	
	11:50	1/23/2008	7.5	14.4	7.3	70.8	
	8:40	2/4/2008	10.0	15.6	6.1	68.3	
	7:10	2/18/2008	12.5	15.4	6.8	65.3	
	7:40	3/4/2008	17.5	17.8	7.5	57.2	
	8:15	3/18/2008	20.0	17.6	6.2	56.2	
	13:35	5/12/2008	20.0	19.6	4.5	55.9	
	8:45	5/19/2008	11.5	16.6	5.6	66.3	
	13:10	5/30/2008	10.0	16.2	5.1	68.7	
	8:25	6/12/2008	9.5	17.4	5.2	67.9	
	8:35	6/25/2008	14.5	19.8	4.3	61.4	
	10:35	7/7/2008	10.5	17.0	4.9	67.6	opened GV-6 to 200 ft/min
	12:15	7/21/2008	10.5	19.0	4.1	66.4	
	10:00	8/5/2008	12.5	19.2	4.2	64.1	
9:15	8/13/2008	13.5	19.6	4.3	62.6	increase to 12 on 12 off	
8:55	8/19/2008	9.5	18.4	4.6	67.5		
14:25	9/2/2008	11.5	18.4	4.4	65.7		
12:12	10/3/2008	12.5	19.0	4.8	63.7		
10:15	10/13/2008	13.0	19.0	4.9	63.1		

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
LC-3	9:25	10/28/2008	13.5	19.6	5.4	61.5	
	7:50	11/6/2008	13.5	19.2	5.1	62.2	
	10:40	12/8/2008	12.0	18.8	5.6	63.6	
	9:40	12/24/2008	10.0	17.4	5.2	67.4	decrease to 10 on
	11:10	1/8/2009	9.5	17.0	5.5	68.0	
	11:45	1/18/2009	29.5	22.6	7.4	40.5	
	8:05	2/6/2009	8.5	16.0	5.8	69.7	1/27/09 ice in port
	10:05	2/23/2009	6.5	16.2	5.7	71.6	decrease to 8 on
	9:40	3/9/2009	11.0	17.0	5.2	66.8	
	9:30	3/20/2009	13.5	17.6	5.3	63.6	
	11:25	4/9/2009	17.5	18.8	4.9	58.8	
	10:10	4/19/2009	11.0	17.2	5.3	66.5	
	8:40	5/4/2009	4.2	17.4	3.3	75.2	
	8:45	5/18/2009	7.5	16.4	5.5	70.6	
	10:10	6/1/2009	3.8	16.0	4.3	76.0	
	9:10	6/14/2009	7.5	16.0	5.3	71.2	
	8:55	7/2/2009	15.8	18.0	4.5	61.7	
	7:35	7/13/2009	15.5	19.0	4.4	61.1	
	8:35	7/22/2009	11.5	18.0	4.8	65.7	
	9:00	8/11/2009	9.0	17.2	4.7	69.1	
	8:50	8/24/2009	7.0	15.8	5.7	71.5	decrease to 6 on 18 off
	9:35	9/8/2009	12.0	17.4	4.8	65.8	
	9:28	9/21/2009	14.5	18.6	4.8	62.1	
	10:25	10/5/2009	16.5	19.2	4.9	59.4	
	11:05	10/28/2009	18.5	20.4	4.7	56.4	
	11:05	11/16/2009	12.5	18.6	5.5	63.4	
	9:35	12/18/2009	25.0	23.2	4.0	47.8	
	9:20	12/28/2009	25.0	22.4	5.0	47.6	
	9:20	1/11/2010	24.5	23.4	4.4	47.7	
	8:20	1/26/2010	27.5	23.6	4.4	44.5	
	11:45	2/25/2010	24.0	23.2	4.3	48.5	
	10:04	3/8/2010	25.0	23.0	3.9	48.1	
	9:30	3/22/2010	24.0	22.0	4.5	49.5	
	9:35	4/5/2010	24.9	22.6	4.0	48.5	
	9:21	4/19/2010	24.5	22.2	4.4	48.9	
	9:31	5/3/2010	26.5	22.6	4.0	46.9	
	9:59	5/17/2010	26.0	22.4	4.3	47.3	
	8:55	5/25/2010	22.0	22.2	3.4	52.4	
	9:20	6/24/2010	22.5	21.0	1.4	55.1	
	10:20	7/16/2010	17.0	19.8	4.5	58.7	
	9:14	7/19/2010	15.5	19.0	4.7	60.8	
	9:10	8/2/2010	10.5	18.6	4.7	66.2	
	10:00	8/16/2010	18.5	19.8	4.2	57.5	
	9:05	8/30/2010	24.5	22.0	3.0	50.5	
	9:15	9/13/2010	27.0	22.4	4.3	46.3	
	9:18	9/28/2010	27.0	22.6	4.7	45.7	
	8:17	10/12/2010	24.5	22.4	5.0	48.1	
	9:30	10/25/2010	24.5	22.2	4.7	48.6	
	9:45	11/2/2010	22.0	21.8	5.4	50.8	
	9:06	11/15/2010	21.5	21.2	1.7	55.6	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄	CO ₂	O ₂	N	Comments
			(%) variable	(%) variable	(%) <5	(%) <40	
	9:50	12/10/2010	20.0	20.6	5.7	53.7	target percentages
	9:10	12/23/2010	19.5	21.2	5.9	53.4	
	9:25	1/10/2011	20.5	20.8	6	52.7	
	8:41	1/25/2011	18.5	18.8	7.4	55.3	
	12:30	2/11/2011	29.5	21.6	6.1	42.8	
	10:15	2/22/2011	15.5	17.0	7.7	59.8	
	9:30	3/7/2011	15.5	17.4	7.1	60.0	
	12:00	3/24/2011	23.0	20.6	4.9	51.5	
	9:05	4/6/2011	31.0	21.6	4.9	42.5	
	8:04	4/25/2011	31.0	21.2	5.6	42.2	
	9:00	5/9/2011	37.5	23.0	4.5	35.0	
	9:20	5/23/2011	39.5	24.0	4.2	32.3	
	11:00	6/6/2011	40.5	24.4	4.1	31.0	
	9:15	6/15/2011	40.5	24.4	4.0	31.1	
	9:20	7/5/2011	39.0	24.6	3.6	32.8	
	8:13	7/13/2011	38.5	24.6	3.5	33.4	
	8:15	7/26/2011	37.5	24.4	3.5	34.6	
	8:25	8/8/2011	31.5	23.4	3.4	41.7	
	8:00	8/23/2011	28.5	22.4	3.9	45.2	
	15:21	9/9/2011	34.0	24.6	3.9	37.5	
	16:03	9/15/2011	27.5	23.0	4.7	44.8	
	8:35	9/21/2011	25.0	21.8	4.7	48.5	
	9:42	9/21/2011	25.0	21.4	4.9	48.7	
	9:33	9/22/2011	26.0	22.2	4.8	47.0	
	10:13	9/22/2011	26.0	21.8	5.1	47.1	
	10:59	9/22/2011	27.5	22.6	4.6	45.3	
	10:50	10/3/2011	18.0	20.2	5.1	56.7	
	14:05	10/24/2011	41.0	28.6	3.7	26.7	
	11:08	10/26/2011	24.5	22.0	5.0	48.5	
	10:52	11/7/2011	21.5	21.4	4.7	52.4	
	9:27	11/14/2011	23.5	21.8	4.4	50.3	
	9:37	12/12/2011	23.0	22.2	4.7	50.1	
	10:30	12/27/2011	28.0	23.0	4.2	44.8	
	8:51	1/10/2012	32.5	24.0	4.2	39.3	
	9:55	1/25/2012	33.0	26.0	4.2	36.8	
	9:29	2/20/2012	37.5	25.8	5.0	31.7	
	9:21	3/8/2012	36.5	24.8	5.5	33.2	
	9:00	4/2/2012	32.0	24.4	4.7	38.9	
LC-3	9:15	4/16/2012	29.5	22.8	5.0	42.7	
	9:25	4/30/2012	25.0	21.8	5.3	47.9	
	9:25	5/14/2012	27.0	22.2	5.0	45.8	
	9:18	5/29/2012	30.9	23.0	4.5	41.6	
	7:59	6/11/2012	31.5	23.4	4.4	40.7	
	9:53	6/25/2012	33.5	24.4	4.0	38.1	
	9:10	7/9/2012	32.5	24.6	3.5	39.4	
	8:47	7/23/2012	19.0	21.0	4.2	55.8	
	8:11	7/25/2012	19.0	21.0	4.4	55.6	
	9:10	8/6/2012	19.0	21.4	4.2	55.4	
	9:40	8/21/2012	19.0	20.6	4.8	55.6	
	9:21	9/4/2012	14.5	19.8	4.5	61.2	
	8:17	10/1/2012	10.5	16.4	6.6	66.5	reduce from 23 hrs to 16.5 hrs on
	8:40	10/15/2012	9.0	12.0	9.9	69.1	reduce from 16.5 hrs to 8.5 hrs on
	7:50	12/6/2012	18.5	20.0	5.2	56.3	reduce from 8.5 hrs to 4 hrs on
	9:10	12/17/2012	22.5	20.2	4.5	52.8	reduce from 4 hrs to 2 hrs on
	9:10	12/31/2012	26.0	22.4	4.5	47.1	
	8:30	1/9/2013	28.0	22.6	4.3	45.1	Increase from 2 hrs to 4 hrs on
	9:40	1/15/2013	29.0	22.6	3.9	44.5	Increase from 4 hrs to 8 hrs on
	9:17	1/28/2013	27.5	22.8	4.3	45.4	Increase from 8 hrs to 12 hrs on
	11:05	2/11/2013	27.0	20.2	7.2	45.6	Reduce from 12 hrs to 9 hrs on
	9:30	2/25/2013	42.0	27.8	3.1	27.1	Increase from 9 hrs to 18 hrs on
	7:50	3/8/2013	53.0	33.0	0.0	14.0	Increase from 18 hrs to 23.5 hrs on
	9:08	3/22/2013	54.5	33.6	0.1	11.8	
	13:55	4/8/2013	30.0	23.4	4.1	42.5	
	15:25	4/22/2013	21.5	4.0	3.9	70.6	
	9:44	4/29/2013	18.5	19.6	4.1	57.8	
	8:37	5/13/2013	16.5	19.0	4.9	59.6	
	13:48	5/28/2013	16.5	18.8	4.4	60.3	
	9:05	6/7/2013	17.0	19.0	4.5	59.5	
	8:25	6/21/2013	16.0	18.4	4.5	61.1	
	8:55	7/5/2013	15.5	18.2	4.5	61.8	
	8:00	7/22/2013	16.0	19.0	4.3	60.7	
	9:00	8/5/2013	16.0	10.4	5.3	68.3	Reduce from 10 hrs to 9 hrs on
	8:30	8/19/2013	17.5	18.8	4.9	58.8	
	8:40	9/5/2013	9.5	10.2	12.3	68.0	Reduce from 9 hrs to 4 hrs on
	8:55	9/16/2013	10.5	10.2	12.8	66.5	Reduce from 4 hrs to 2 hrs on
	7:45	9/30/2013	17.0	14.0	10.2	58.8	Reduce from 2 hrs to 1 hr on
	7:45	10/14/2013	23.5	18.0	8.4	50.1	Reduce from 1 hr to 0.5 hr on
	7:45	10/28/2013	21.5	15.4	10.3	52.8	Reduce from 0.5 hr to 0.25 hr on

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GV-6	11:19	3/20/2006	0.4	0.2	20.9	78.5	pre-startup
	10:00	3/22/2006	45.9	26.6	2.6	24.9	
	15:49	3/22/2006	54.2	31.6	0.9	13.3	
	8:47	3/23/2006	51.5	29.5	1.3	17.7	
	16:50	3/23/2006	45.0	25.4	3.8	25.8	
	15:30	3/24/2006	24.0	13.9	15.0	47.1	
	14:30	3/28/2006	13.2	10.0	12.9	63.9	
	19:00	3/30/2006	34.4	24.9	2.9	37.8	
	13:25	4/5/2006	22.9	18.7	8.2	50.2	
	12:55	4/6/2006	21.9	17.4	7.9	52.8	
	13:10	4/11/2006	23.8	20.2	5.9	50.1	
	10:56	4/14/2006	26.9	23.4	2.3	47.4	
	15:53	4/14/2006	21.3	28.5	5.4	44.8	
	10:00	4/17/2006	31.3	34.0	3.0	31.7	
	19:55	4/27/2006	15.6	19.8	4.0	60.6	
	13:15	5/4/2006	0.0	0.0	2.4	97.6	
	10:19	5/22/2006	16.2	24.6	1.3	57.9	
	8:23	6/9/2006	24.4	32.8	6.2	36.6	
	12:37	6/14/2006	22.8	29.3	5.6	42.3	
	10:46	6/22/2006	12.1	23.0	5.4	59.5	
	12:07	7/5/2006	13.7	24.7	4.9	56.7	
	11:33	7/10/2006	12.6	26.2	4.0	57.2	
	10:54	7/17/2006	12.7	25.6	3.9	57.8	
	14:04	7/28/2006	4.8	24.5	4.4	66.3	
	9:53	8/8/2006	14.8	29.1	2.3	53.8	
	9:06	8/16/2006	14.8	27.1	4.1	54.0	
	8:22	8/21/2006	12.7	8.6	3.8	74.9	
	14:10	8/28/2006	16.6	25.7	5.0	52.7	
	11:24	9/13/2006	8.2	1.4	5.3	85.1	
	11:20	9/25/2006	8.1	0.8	1.8	89.3	
	8:20	10/10/2006	18.1	30.1	3.2	48.6	
	8:21	10/23/2006	12.8	18.1	4.6	64.5	
	14:05	11/2/2006	10.0	22.4	1.3	66.3	
	14:56	11/14/2006	19.0	21.8	4.5	54.7	
	11:27	11/27/2006	9.0	14.6	8.4	68.0	
	13:00	12/26/2006	15.5	22.8	1.5	60.2	
	14:C2	1/27/2007	13.5	20.8	1.7	64.0	
	9:32	2/15/2007	0.6	11.4	8.0	80.1	
	11:24	2/24/2007	2.6	12.0	9.6	75.9	
	9:41	3/1/2007	23.0	24.0	0.2	52.8	
	10:15	3/1/2007	13.5	17.8	3.6	65.1	
	10:17	3/1/2007	12.0	19.2	1.3	67.5	
	11:13	3/1/2007	9.0	17.4	2.5	71.1	
	12:22	3/1/2007	7.5	16.6	3.0	72.9	
	13:53	3/1/2007	6.5	15.6	4.3	73.6	
	14:00	3/1/2007	7.0	15.5	4.2	73.3	
	14:40	3/1/2007	6.0	14.4	5.2	74.4	
	8:00	3/5/2007	6.0	14.4	6.4	73.2	adjust blower time, 12 on, 12 off
	8:05	3/24/2007	11.5	20.0	2.8	65.7	
	16:50	3/24/2007	12.0	19.4	2.8	65.8	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments
	17:05	3/26/2007	9.5	18.4	3.2	68.9	target percentages
	7:25	3/27/2007	7.0	17.6	4.1	71.3	
	16:31	3/28/2007	11.0	20.0	1.8	67.2	
	7:59	3/29/2007	8.5	19.8	1.4	70.3	
	16:55	3/29/2007	12.0	20.0	1.3	66.7	
	7:59	3/30/2007	9.0	20.8	0.3	69.9	blower off
	10:45	5/30/2007	31.0	22.6	0.7	45.7	restart and run 24 hrs
	13:40	5/30/2007	36.5	26.2	0.6	36.7	
	10:25	5/31/2007	21.5	22.8	1.5	54.2	reduce to 12 on 12 off
	16:28	6/1/2007	20.5	22.0	1.1	56.4	
	15:25	6/2/2007	20.0	21.8	1.1	57.1	
	16:05	6/3/2007	20.5	22.4	0.5	56.6	
	14:08	6/4/2007	16.5	22.0	0.8	60.7	reduce to 6 on 18 off
	15:04	6/7/2007	19.0	22.6	0.4	58.0	
	17:35	6/12/2007	14.0	21.6	1.7	62.7	
	15:00	6/14/2007	14.0	21.8	0.6	63.6	
	14:30	6/19/2007	13.0	22.8	0.7	63.5	
	14:30	6/21/2007	15.0	21.8	1.4	61.8	
	14:20	7/1/2007	14.0	20.2	3.1	62.7	
	14:20	7/23/2007	15.0	21.0	3.3	60.7	
	14:10	8/8/2007	14.0	20.2	3.8	62.0	
	13:15	8/13/2007	12.0	18.6	5.1	64.3	
	14:20	8/20/2007	9.5	18.0	5.1	67.4	
	14:15	8/28/2007	9.0	18.6	4.4	68.0	
GV-6	15:50	8/31/2007	6.0	19.2	2.5	72.3	
	14:45	9/4/2007	6.0	18.2	3.2	72.6	
	13:15	9/17/2007	5.0	16.8	4.3	73.9	
	9:35	9/29/2007	4.7	16.8	4.3	74.2	
	8:35	10/4/2007	4.4	16.2	4.7	74.8	
	9:35	10/7/2007	4.7	17.0	3.6	74.7	
	9:40	10/18/2007	7.5	20.0	0.6	71.9	
	9:10	10/25/2007	7.0	2.0	0.5	90.5	
	9:10	11/1/2007	7.0	20.6	0.2	72.2	
	10:05	11/13/2007	17.5	22.0	0.7	59.8	
	11:20	11/26/2007	6.0	15.6	5.5	72.9	reduce to 12 on 12 off
	10:50	12/10/2007	7.0	16.8	4.8	71.4	reduce to 10 on 14 off
	11:40	12/26/2007	6.5	15.6	4.9	73.0	reduce to 8 on 16 off
	10:05	1/9/2008	6.0	15.6	4.9	73.5	
	12:05	1/23/2008	5.5	13.4	7.3	73.8	
	9:10	2/4/2008	12.5	19.4	0.9	67.2	
	7:40	2/18/2008	17.0	20.4	0.7	61.9	
	7:20	3/4/2008	21.0	21.0	0.9	57.1	
	8:35	3/18/2008	31.0	22.8	0.8	45.4	
	14:15	5/12/2008	14.5	19.6	3.1	62.8	
	9:05	5/19/2008	5.5	14.8	6.4	73.3	
	13:40	5/30/2008	12.0	20.4	0.2	67.4	
	9:15	6/12/2008	5.0	16.8	5.5	72.7	
	9:10	6/25/2008	10.0	23.4	0.6	66.0	
	11:20	7/7/2008	5.5	20.0	0.0	74.5	opened GV-6 to 200 ft/min
	12:25	7/21/2008	7.5	20.8	1.3	70.4	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
	9:45	8/5/2008	9.5	21.8	0.5	68.2	
	9:00	8/13/2008	11.5	21.6	1.4	65.5	increase to 12 on 12 off
	8:40	8/19/2008	4.9	15.4	6.8	73.0	
	14:00	9/2/2008	5.5	18.4	2.0	74.1	
	11:46	10/3/2008	3.7	9.6	11.0	75.7	
	10:35	10/13/2008	9.0	20.4	1.8	68.8	
	9:10	10/28/2008	7.0	19.2	2.8	71.0	
	7:30	11/6/2008	10.0	20.2	1.5	68.3	
	10:10	12/24/2008	6.0	15.6	4.5	73.9	12/8/08 meter failure
	11:45	1/8/2009	3.1	13.6	6.5	76.8	1/27/09 ice in port
	11:15	1/18/2009	8.5	19.0	3.2	69.3	
	8:30	2/6/2009	3.2	12.4	7.7	76.8	
	10:45	2/23/2009	1.5	10.8	9.7	78.1	decrease to 8 on
	10:10	3/9/2009	3.0	14.6	3.3	79.1	
	10:10	3/20/2009	4.4	16.8	2.1	76.8	
	12:21	4/9/2009	8.0	18.4	0.0	73.6	
	10:30	4/19/2009	3.6	13.0	6.7	76.7	
	8:30	5/4/2009	1.6	11.4	8.5	78.6	
	8:35	5/18/2009	2.0	12.4	7.2	78.4	
	10:05	6/1/2009	1.3	11.4	7.9	79.4	
	8:50	6/14/2009	1.7	13.8	4.7	79.8	
	8:40	7/2/2009	9.0	20.8	0.3	69.9	
	7:25	7/13/2009	11.5	23.0	0.0	65.5	
	8:25	7/22/2009	4.5	16.2	4.4	74.9	
GV-6	8:40	8/11/2009	1.9	11.8	7.7	78.6	
	8:40	8/24/2009	1.8	11.4	7.9	79.0	decrease to 6 on 18 off
	9:15	9/8/2009	7.0	18.4	1.6	73.0	
	9:10	9/21/2009	16.0	22.4	0.4	61.2	
	10:09	10/5/2009	9.5	19.8	2.0	68.7	
	10:55	10/28/2009	12.5	20.8	1.6	65.1	
	10:45	11/16/2009	15.5	4.5	16.0	64.0	
	9:15	12/18/2009	24.0	23.8	0.0	52.2	
	9:00	12/28/2009	21.5	22.4	5.0	51.1	
	9:10	1/11/2010	15.5	20.4	2.8	61.3	
	12:30	2/25/2010	21.2	21.2	0.7	56.9	
	9:45	3/8/2010	18.0	21.2	0.2	60.6	
	9:20	3/22/2010	18.0	21.2	0.3	60.5	
	9:20	4/5/2010	7.0	20.2	1.2	71.6	
	9:12	4/19/2010	14.0	21.0	0.1	64.9	
	9:12	5/3/2010	12.5	21.4	0.0	66.1	
	9:42	5/17/2010	22.5	23.6	0.0	53.9	
	9:04	5/25/2010	5.0	19.8	2.9	72.3	
	9:10	6/24/2010	9.0	19.6	1.7	69.7	
	9:00	7/19/2010	3.4	16.8	2.7	77.1	
	8:50	8/2/2010	4.5	12.0	3.0	80.6	
	9:43	8/16/2010	14.0	22.0	1.2	62.8	
	8:47	8/30/2010	21.5	25.0	1.0	52.5	
	9:00	9/13/2010	30.0	26.6	1.2	42.2	
	9:47	9/28/2010	37.0	28.2	1.2	33.6	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GV-6	8:10	10/12/2010	24.0	25.0	1.7	49.3	
	9:12	10/25/2010	35.5	26.8	1.2	36.5	
	9:30	11/2/2010	15.5	22.0	1.9	60.6	
	8:45	11/15/2010	13.5	21.0	1.7	63.8	
	9:40	12/10/2010	9.0	19.2	2.1	69.7	
	8:50	12/23/2010	6.0	18.2	2.8	73.0	
	9:10	1/10/2011	28.0	4.8	15.7	51.5	
	12:00	2/11/2011	30.5	20.8	0.5	48.2	
	9:40	2/22/2011	1.7	7.4	14.2	76.7	
	9:15	3/7/2011	4.4	10.0	11.5	74.1	
	11:45	3/24/2011	7.5	12.2	6.9	73.4	
	8:45	4/6/2011	17.5	19.2	0.9	62.4	
	8:12	4/25/2011	18.6	20.8	0.7	59.9	
	8:45	5/9/2011	29.5	22.8	0.4	47.3	
	9:00	5/23/2011	35.5	24.4	0.4	39.7	
	10:45	6/6/2011	39.5	25.2	0.3	35.0	
	8:59	6/15/2011	41.0	26.8	0.3	31.9	
	9:10	7/5/2011	35.4	26.0	0.6	38.0	
	8:09	7/13/2011	24.0	24.8	0.6	50.6	
	8:10	7/26/2011	35.0	27.4	0.7	36.9	
	8:10	8/8/2011	20.0	23.6	0.5	55.9	
	7:45	8/23/2011	19.0	24.8	0.9	55.3	
	15:17	9/9/2011	29.0	1.2	26.4	43.4	
	16:01	9/15/2011	19.0	24.6	0.5	55.9	
	8:27	9/21/2011	39.5	29.0	0.5	31.0	
	9:35	9/21/2011	20.0	22.1	1.5	56.4	
	9:27	9/22/2011	26.0	22.2	4.8	47.0	
	10:09	9/22/2011	9.9	19.2	2.5	68.4	
	10:55	9/22/2011	11.5	18.8	3.3	66.4	
	10:40	10/3/2011	4.6	13.6	8.1	73.8	
	13:49	10/24/2011	7.5	20.4	1.2	70.9	
	10:55	10/26/2011	7.5	16.4	5.8	70.3	
	10:40	11/7/2011	4.5	14.6	6.6	74.3	
	9:15	11/14/2011	7	17.8	3	72.2	
	10:30	11/14/2011	5	6.8	2.7	85.5	
	9:12	12/12/2011	7.5	16.8	4.3	71.4	
	10:17	12/27/2011	9	7	13.9	70.1	
	8:40	1/10/2012	12	19.6	1	67.4	
	10:05	1/25/2012	11.5	22.6	0.2	65.7	
	9:15	2/20/2012	12.5	14.4	2.1	71	
	9:00	3/8/2012	11	18.4	2.9	67.7	
	10:20	4/2/2012	9.0	18.2	2.6	70.2	
	9:05	4/16/2012	14.9	20.4	1.2	63.5	
	9:10	4/30/2012	17.0	21.0	1.3	60.7	
	9:15	5/14/2012	16.0	21.0	1.3	61.7	
	9:10	5/29/2012	14.5	20.4	1.8	63.3	
	7:45	6/11/2012	23.0	23.8	1.4	51.8	
	9:40	6/25/2012	8.5	18.4	3.3	69.8	
	9:00	7/9/2012	12.0	19.4	3.1	65.5	
	8:33	7/23/2012	3.8	12.0	8.3	76.0	
8:19	7/25/2012	10.0	18.8	2.8	68.4		
9:00	8/6/2012	4.4	13.6	7.3	74.8		
9:17	8/21/2012	4.1	13.8	6.5	75.7		
9:10	9/4/2012	3.2	11.2	8.6	77.1		
9:05	10/1/2012	2.3	9.4	10.2	78.2		
8:30	10/15/2012	2.0	10.4	9.0	78.6		
7:40	12/6/2012	15.0	19.4	1.4	64.2		
9:00	12/17/2012	9.0	14.2	4.5	72.3		
8:50	12/31/2012	42.0	2.6	18.7	36.7	1st time O2 over 5% (used rental meter)	
8:30	1/9/2013	28.0	1.8	19.6	50.6	wrong port used for O2 (3.3, 2nd reading)	
8:08	1/15/2013	21.0	20.4	0.3	58.3		
9:05	1/28/2013	35.5	23.6	3.2	37.7		
10:45	2/11/2013	18.5	12.8	9.4	59.3		
9:15	2/25/2013	31.5	21.8	1.7	45.0		
7:30	3/8/2013	34.5	22.6	0.1	42.8		
8:50	3/22/2013	41.5	22.2	0.0	36.3		
13:50	4/8/2013	10.5	15.6	4.3	69.6		
15:15	4/22/2013	14.0	19.0	1.2	65.8		
9:35	4/29/2013	4.3	13.2	5.0	77.6	Reduce from 23.5 hrs to 20.5 hrs on	
8:30	5/13/2013	3.4	11.6	7.4	77.7	Reduce from 20.5 hrs to 16 hrs on	
13:36	5/28/2013	4.8	13.2	5.8	76.2	Reduce from 16 hrs to 12 hrs on	
8:45	6/7/2013	3.9	13.0	6.1	77.1		
8:12	6/21/2013	6.5	15.4	4.8	73.3		
8:45	7/5/2013	3.6	13.0	6.2	77.2		
7:48	7/22/2013	5.0	15.2	4.7	75.1	Reduce from 12 hrs to 10 hrs on	
8:50	8/5/2013	10.0	18.6	2.4	69.0		
8:15	8/19/2013	9.0	17.4	3.1	70.5		
8:30	9/5/2013	2.4	10.2	10.0	77.5		
8:45	9/16/2013	3.5	11.4	9.2	75.9		
7:30	9/30/2013	23.5	21.6	3.5	51.4		
7:35	10/14/2013	14.5	19.4	4.5	61.6		
7:39	10/28/2013	12.0	16.2	6.7	65.1		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-1	11:03	3/20/2006	18.8	8.1	0.4	72.7	pre-startup
	15:25	3/22/2006	17.9	8.0	0.4	73.7	
	14:10	3/23/2006	21.4	11.5	0.2	66.9	
	14:00	3/30/2006	0.8	2.4	15.0	81.8	
	13:45	4/6/2006	0.6	1.5	16.8	81.1	
	13:40	4/11/2006	1.2	0.8	19.3	78.7	
	11:33	4/14/2006	0.0	1.9	14.7	83.4	
	10:28	4/17/2006	3.8	4.8	16.8	74.6	
	7:15	4/28/2006	2.5	3.2	18.1	76.2	
	13:30	5/4/2006	0.0	3.4	13.9	82.7	
	10:45	5/22/2006	0.1	1.2	19.3	79.4	
	12:23	6/2/2006	0.1	3.5	12.1	84.3	
	8:02	6/9/2006	2.6	2.0	19.8	75.6	
	12:49	6/14/2006	1.1	3.9	15.4	79.6	
	11:10	6/22/2006	0.7	1.0	18.1	80.2	
	11:47	7/5/2006	0.6	2.4	14.9	82.1	
	11:15	7/10/2006	0.7	4.5	14.1	80.7	
	10:35	7/17/2006	0.8	2.9	15.8	80.5	
	13:42	7/28/2006	2.0	1.7	12.2	84.1	
	10:19	8/8/2006	4.4	8.5	12.9	74.2	
	8:20	8/16/2006	1.4	3.6	15.5	79.5	
	8:05	8/21/2006	0.5	0.6	13.0	85.9	
	13:52	8/28/2006	3.4	7.6	11.2	77.8	
	11:09	9/13/2006	4.6	0.1	12.5	82.8	
	10:28	9/25/2006	0.0	0.0	10.7	89.3	
	8:05	10/10/2006	0.7	2.3	17.6	79.4	
	8:07	10/23/2006	0.7	2.7	19.0	77.6	
	14:35	11/2/2006	0.3	2.6	17.6	79.5	
	13:35	11/14/2006	0.2	2.6	15.9	81.3	
	11:08	11/27/2006	0.2	0.4	19.3	80.2	
	12:20	12/26/2006	0.1	3.6	12.3	84.1	
	13:13	1/27/2007	0.5	2.8	14.6	82.2	
	10:50	2/24/2007	0.4	0.0	20.4	79.3	
	17:29	3/28/2007	0.3	2.4	14.6	82.8	
	10:25	5/1/2007	0.2	2.2	12.6	85.1	
	10:27	5/1/2007	0.1	1.2	16.1	82.6	
	12:00	5/30/2007	2.0	7.2	7.1	83.7	
	16:35	6/6/2007	11.0	10.6	0.8	77.6	
	14:48	6/7/2007	6.0	7.6	5.7	80.7	
	16:59	6/12/2007	1.1	6.0	9.4	83.5	
	14:25	6/14/2007	7.0	10.4	2.1	80.5	
14:15	6/19/2007	3.5	6.6	9.7	80.3		
14:10	6/21/2007	0.4	6.0	10.1	83.5		
14:00	7/11/2007	4.0	8.4	8.3	79.3		
14:35	7/23/2007	8.5	13.8	2.0	75.7		
14:25	8/8/2007	9.5	14.8	2.4	73.3		
11:45	8/13/2007	6.5	12.4	5.6	75.5		
13:30	8/20/2007	5.5	10.8	9.2	74.5		
13:55	8/28/2007	12.0	15.8	2.2	70.0		
15:40	8/31/2007	9.5	14.0	4.2	72.3		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-1	14:35	9/4/2007	8.0	13.6	4.4	74.0	
	13:05	9/17/2007	0.2	6.0	12.0	81.8	
	9:25	9/29/2007	0.2	4.6	13.9	81.4	
	8:25	10/4/2007	0.4	2.8	17.1	79.7	
	9:25	10/7/2007	0.6	3.4	15.3	80.7	
	10:15	10/18/2007	6.5	12.2	4.2	77.1	
	8:45	10/25/2007	0.1	3.6	15.5	80.8	
	9:00	11/1/2007	0.1	5.4	13.8	80.7	
	9:40	11/13/2007	0.2	3.8	13.7	82.4	
	11:10	11/26/2007	0.3	1.2	19.3	79.3	
	10:40	12/10/2007	0.4	1.2	19.4	79.0	
	11:25	12/26/2007	0.3	1.4	18.6	79.8	
	13:00	1/23/2008	0.3	2.8	13.9	83.0	
	9:55	1/9/2008	0.4	1.0	17.7	81.0	
	13:00	1/23/2008	0.3	2.8	13.9	83.0	
	9:00	2/4/2008	0.1	2.2	14.6	83.1	
	7:30	2/18/2008	0.2	2.0	14.8	83.0	
	7:10	3/4/2008	0.1	1.2	19.1	79.6	
	8:05	3/18/2008	0.1	0.4	19.5	80.0	
	14:00	5/12/2008	0.0	4.8	3.5	91.7	
	8:55	5/19/2008	0.1	5.8	4.5	89.7	
	13:30	5/30/2008	7.0	7.8	0.8	84.4	
	8:55	6/12/2008	0.0	2.2	17.0	80.8	
	8:55	6/25/2008	10.5	10.0	0.0	79.5	
	10:55	7/7/2008	8.5	11.0	0.0	80.5	opened GV-6 to 200 ft/min
	11:50	7/21/2008	13.5	11.8	0.0	74.7	
	9:37	8/5/2008	26.5	13.4	0.0	60.1	
	10:40	8/5/2008	18.0	11.6	2.1	68.3	vent for 1 hour with cap off
	8:55	8/13/2008	22.5	14.4	0.0	63.1	increase to 12 on 12 off
	9:55	8/13/2008	17.5	11.4	3.1	68.0	vent for 1 hour with cap off
	8:35	8/19/2008	7.0	12.6	3.4	77.0	
	10:00	8/19/2008	6.0	14.0	1.3	78.7	vent for 1 hour with cap off
	11:58	10/3/2008	4.2	7.0	11.6	77.3	
	11:12	10/13/2008	1.8	4.4	14.2	79.6	
	9:00	10/28/2008	0.0	4.6	13.6	81.8	
	7:20	11/6/2008	0.4	3.4	15.1	81.1	
	10:15	12/8/2008	0.1	2.6	16.0	81.3	
	10:00	12/24/2008	0.0	2.2	15.7	82.1	
	11:30	1/8/2009	0.1	3.4	16.8	79.8	
	11:05	1/18/2009	0.1	3.6	16.1	80.2	
	7:20	1/27/2009	0.2	1.2	20.9	77.7	
	8:20	2/6/2009	0.1	0.6	19.8	79.5	
10:30	2/23/2009	0.0	2.2	18.5	79.3		
10:00	3/9/2009	0.0	1.8	17.9	80.3		
10:00	3/20/2009	0.1	1.0	19.6	79.4		
9:35	4/9/2009	0.0	2.8	8.7	88.5		
10:20	4/19/2009	0.0	3.6	5.2	91.2		
8:20	5/4/2009	0.0	3.8	1.8	94.4		
8:25	5/18/2009	0.0	5.0	5.8	89.2		
10:00	6/1/2009	0.0	6.6	6.1	87.3		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-1	8:40	6/14/2009	0.4	5.2	8.3	86.1	
	8:30	7/2/2009	0.0	3.2	15.1	81.7	
	7:20	7/13/2009	1.0	7.4	8.9	82.8	
	8:40	7/13/2009	0.0	0.8	18.9	80.3	vent for 1 hour with cap off
	7:20	7/22/2009	0.1	5.8	11.3	82.9	
	8:35	8/11/2009	0.0	3.4	14.7	81.9	
	8:30	8/24/2009	0.0	3.6	14.7	81.7	
	9:05	9/8/2009	2.0	7.8	9.4	80.8	
	9:05	9/21/2009	1.8	6.0	12.1	80.1	
	10:05	10/5/2009	0.0	5.8	12.9	81.3	
	10:30	10/28/2009	0.0	3.8	14.2	82.0	
	10:35	11/16/2009	0.0	2.4	16.5	81.1	
	9:05	12/18/2009	0.0	3.2	14.4	82.4	
	8:40	12/28/2009	0.0	1.0	18.4	80.6	
	8:45	1/11/2010	0.0	3.2	14.1	82.7	
	8:50	1/26/2010	0.3	4.0	9.1	86.7	
	10:32	2/25/2010	0.2	4.2	7.3	88.4	
	9:35	3/8/2010	0.0	5.4	1.0	93.6	
	9:05	3/22/2010	0.0	2.6	7.2	90.2	
	9:08	4/5/2010	0.0	3.8	14.6	81.6	
	9:05	4/19/2010	0.0	4.2	7.0	88.8	
	9:05	5/3/2010	0.0	1.2	17.6	81.2	
	9:35	5/17/2010	0.2	3.4	11.8	84.6	
	13:00	5/25/2010	0.0	4.8	10.7	84.5	
	9:05	6/24/2010	0.1	7.8	8.0	84.2	
	10:05	7/6/2010	0.0	8.8	3.0	88.2	
	8:38	7/19/2010	0.6	6.4	7.8	85.3	
	8:45	8/2/2010	2.6	9.4	3.9	84.1	
	9:35	8/16/2010	3.1	12.6	1.0	83.4	
	8:40	8/30/2010	2.2	9.0	6.6	82.3	
	8:50	9/13/2010	5.5	12.4	1.5	80.6	
	10:40	9/28/2010	3.7	11.2	1.9	83.2	
	6:50	10/12/2010	14.0	15.0	0.0	71.0	
	9:05	10/25/2010	16.5	16.0	0.0	67.5	
	9:20	11/2/2010	0.0	5.4	9.3	85.3	
	8:35	11/15/2010	4.4	9.0	3.8	82.8	
	9:30	12/10/2010	0.0	11.2	0.1	88.7	
	8:35	12/23/2010	0.0	1.2	17.9	80.9	
	9:05	1/10/2011	0.0	2.8	14.4	82.8	
	8:15	1/25/2011	0.2	5.0	8.1	86.7	
	11:35	2/11/2011	0.1	4.0	9.4	86.6	
	9:20	2/22/2011	0.2	1.0	18.1	80.8	
8:55	3/7/2011	0.1	1.4	13.1	85.4		
11:30	3/24/2011	0.3	0.2	20.9	78.6		
8:35	4/6/2011	0.1	0.2	20.1	79.6		
10:30	4/25/2011	0.1	0.2	20.7	79.0		
8:35	5/9/2011	0.1	3.2	11.2	85.6		
8:50	5/23/2011	0.0	5.4	3.8	90.8		
10:35	6/6/2011	6.4	7.0	4.4	82.2		
8:50	6/15/2011	15.5	9.6	0.3	74.6		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-1	9:00	7/5/2011	15.0	6.6	8.7	69.7	
	6:38	7/13/2011	12.0	13.0	0.4	74.6	
	8:00	7/26/2011	13.0	12.0	0.5	74.5	
	8:05	8/8/2011	12.5	12.6	0.3	74.6	
	7:35	8/23/2011	25.0	16.0	0.3	58.7	
	15:30	9/9/2011	26.0	18.2	0.2	55.6	
	15:58	9/15/2011	11.5	15.8	3.1	69.6	
	8:20	9/21/2011	18.5	18.2	0.4	62.9	
	9:25	9/21/2011	13.5	17.4	1.5	67.6	
	9:17	9/22/2011	6.0	10.8	8.1	75.1	
	10:04	9/22/2011	7.0	17.0	1.7	74.3	
	10:50	9/22/2011	3.8	9.6	10.2	76.5	
	10:35	10/3/2011	4.7	9.0	9.1	77.2	
	13:40	10/24/2011	1.9	15.0	2.2	80.9	
	10:45	10/26/2011	1.5	6.0	13.5	79.0	
	10:30	11/7/2011	0.3	4.0	14.8	81.0	
	9:08	11/14/2011	4.7	7.6	1.9	85.8	
	9:05	12/12/2011	0.1	1.6	15.3	83.1	
	10:05	12/27/2011	3.6	4.4	1.5	90.5	
	8:30	1/10/2012	4.6	4.4	0.1	91.0	
	10:15	1/25/2012	0.1	4.6	4.9	90.4	
	9:00	2/20/2012	5.5	3.6	3.1	87.8	
	8:40	3/8/2012	1.6	0.6	17.2	80.7	
	10:10	4/2/2012	0.1	1.2	18.4	80.3	
	8:50	4/16/2012	0.0	0.4	19.7	79.9	
	9:04	4/30/2012	0.4	5.6	1.4	92.7	
	9:05	5/14/2012	0.0	6.0	3.2	90.8	
	8:55	5/29/2012	2.1	10.4	1.1	86.5	
	7:35	6/11/2012	0.4	8.4	6.8	84.4	
	9:23	6/25/2012	4.6	10.4	4.2	80.8	
	8:50	7/9/2012	10.0	14.0	0.8	75.2	
	8:15	7/23/2012	2.6	9.2	7.8	80.5	
	10:15	7/25/2012	2.1	6.8	10.4	80.8	
	8:45	8/6/2012	3.3	10.4	7.3	79.0	
	9:05	8/21/2012	0.6	6.2	11.5	81.8	
	9:04	9/4/2012	3.3	9.2	8.4	79.1	
	8:45	10/1/2012	0.0	3.8	13.9	82.3	
	8:21	10/15/2012	0.0	3.8	14.0	82.2	
	7:20	12/6/2012	0.0	6.0	13.8	80.2	
	8:50	12/17/2012	0.0	3.2	14.4	82.4	
	8:35	12/31/2012	0.0	3.2	16.0	80.8	
	8:30	1/9/2013	0.0	6.2	12.2	81.6	
	10:15	1/15/2013	0.0	3.8	15.7	80.5	
	8:50	1/28/2013	0.0	3.4	14.7	81.9	
	10:35	2/11/2013	0.0	1.6	16.2	82.2	
	9:05	2/25/2013	0.0	1.4	17.7	80.9	
	7:18	3/8/2013	0.0	0.6	19.0	80.4	
	8:35	3/22/2013	0.0	1.4	17.8	80.8	
	13:35	4/8/2013	0.0	0.2	20.9	78.9	
	15:05	4/22/2013	0.0	0.0	20.0	80.0	
9:30	4/29/2013	0.0	0.2	20.9	78.9		
8:20	5/13/2013	0.0	1.2	18.8	80.0		
13:05	5/28/2013	0.0	2.0	17.9	80.1		
8:35	6/7/2013	0.0	4.8	11.7	83.5		
8:05	6/21/2013	0.0	6.0	10.7	83.3		
8:35	7/5/2013	0.0	3.4	9.2	87.4		
7:40	7/22/2013	0.1	5.8	11.7	82.5		
8:45	8/5/2013	2.9	8.6	8.0	80.5		
8:05	8/19/2013	1.5	2.8	17.1	78.6		
8:20	9/15/2013	0.7	5.4	13.3	80.7		
8:35	9/16/2013	0.5	4.4	14.6	80.5		
7:20	9/30/2013	0.6	6.8	11.0	81.6		
8:05	10/14/2013	1.0	4.2	15.2	79.6		
7:20	10/28/2013	0.0	3.2	16.1	80.7		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
-------------------	------	------	------------------------------------	------------------------------------	-----------------------------	-----------------	--------------------------------

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-2	9:00	3/22/2006	29.5	27.8	0.5	42.2	pre-startup
	14:40	3/23/2006	29.1	24.5	0.8	45.6	
	14:20	3/30/2006	11.5	13.1	10.7	64.7	
	14:05	4/6/2006	10.3	12.6	10.2	66.9	
	14:15	4/11/2006	5.4	5.7	15.3	73.6	
	11:56	4/14/2006	6.8	12.1	8.7	72.4	
	11:00	4/17/2006	0.0	0.0	20.7	79.3	
	9:55	4/28/2006	0.0	0.1	20.7	79.2	
	14:15	5/4/2006	1.5	18.9	3.0	76.6	
	11:15	5/22/2006	0.0	0.0	20.5	79.5	
	12:49	6/2/2006	1.0	0.1	19.7	79.2	
	9:00	6/9/2006	1.9	0.5	20.4	77.2	
	13:20	6/14/2006	4.8	1.0	20.1	74.1	
	10:00	6/22/2006	0.6	0.2	20.4	78.8	
	12:34	7/5/2006	0.7	1.5	19.9	77.9	
	11:48	7/10/2006	0.7	0.8	19.6	78.9	
	11:15	7/17/2006	0.7	1.2	18.8	79.3	
	13:05	7/28/2006	0.5	0.7	19.1	79.7	
	10:50	8/8/2006	0.6	0.2	19.6	79.6	
	7:53	8/16/2006	0.1	0.0	19.9	80.0	
	7:40	8/21/2006	0.5	0.1	20.4	79.0	
	13:40	8/28/2006	0.0	0.0	20.2	79.8	
	10:50	9/13/2006	0.1	0.1	20.2	79.6	
	10:10	9/25/2006	0.6	9.5	13.7	76.2	
	7:45	10/10/2006	0.7	1.8	19.8	77.7	
	7:46	10/23/2006	0.7	3.9	18.0	77.4	
	13:24	11/2/2006	0.5	0.3	17.6	81.6	
	12:38	11/14/2006	0.1	5.2	15.7	79.1	
	10:51	11/27/2006	0.1	0.6	20.0	79.3	
	13:55	12/26/2006	0.3	6.2	14.5	79.1	
	12:25	1/27/2007	0.3	1.6	19.1	79.1	
	12:15	2/24/2007	0.3	3.6	16.5	79.7	
	16:05	3/28/2007	0.2	2.4	18.0	79.5	
	11:07	5/1/2007	0.0	3.8	15.2	81.0	
	12:17	5/30/2007	0.0	1.2	18.5	80.3	
	13:20	6/19/2007	0.1	7.6	11.5	80.9	
	11:20	8/13/2007	0.0	0.4	20.5	79.1	
	10:54	10/18/2007	0.1	1.0	18.8	80.1	
	13:10	1/23/2008	0.4	1.2	20.2	78.2	
	7:45	6/12/2008	0.0	2.2	18.6	79.2	
	11:05	7/21/2008	0.0	0.6	20.4	79.0	
	12:34	10/3/2008	0.0	0.6	20.9	78.5	
11:40	10/13/2008	0.0	0.4	20.9	78.7		
11:15	1/27/2009	0.3	1.8	20.3	77.6		
10:46	4/9/2009	0.0	0.0	20.1	79.9		
10:40	7/22/2009	0.0	0.8	18.9	80.3		
10:05	10/28/2009	0.0	2.2	18.1	79.7		
10:15	1/26/2010	0.3	3.0	17.1	79.7		
11:39	5/25/2010	0.0	0.0	19.1	80.9		
10:10	9/28/2010	0.0	2.4	17.1	80.5		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-2	11:10	1/25/2011	0.2	0.4	20.0	79.4	
	7:45	4/25/2011	0.2	3.0	17.4	79.4	
	7:37	7/13/2011	0.0	0.8	19.9	79.3	
	7:45	10/26/2011	0.0	1.0	20.0	79.0	
	9:26	1/25/2012	0.1	3.6	17.0	79.4	
	9:35	4/2/2012	0.1	0.4	20.9	78.7	
	11:00	7/25/2012	0.0	3.4	16.3	80.3	
	11:30	10/15/2012	0.0	1.8	17.7	80.5	
	10:10	1/15/2013	0.0	3.2	17.5	79.3	
	7:45	4/29/2013	0.0	1.0	20.4	78.6	
	9:35	7/22/2013	0.0	2.4	18.0	79.6	
9:05	10/14/2013	0.0	3.2	18.6	78.2		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-3	7:49	3/22/2006	1.4	1.9	19.9	76.8	pre-startup
	12:57	3/23/2006	0.6	1.2	19.3	78.9	
	15:20	3/23/2006	2.2	4.5	16.4	76.9	
	14:35	3/30/2006	2.1	7.6	11.5	78.8	
	14:30	4/6/2006	1.6	11.8	7.2	79.4	
	14:40	4/11/2006	0.4	4.0	15.6	80.0	
	12:11	4/14/2006	0.0	1.5	18.1	80.4	
	11:20	4/17/2006	1.4	0.2	20.7	77.7	
	10:50	4/28/2006	0.4	0.1	20.7	78.8	
	15:00	5/4/2006	0.0	0.0	20.4	79.6	
	11:38	5/22/2006	0.2	0.0	2.5	97.3	
	13:18	6/2/2006	0.2	0.0	20.2	79.6	
	9:09	6/9/2006	0.8	0.1	20.5	78.6	
	13:45	6/14/2006	1.1	0.1	20.4	78.4	
	11:25	6/22/2006	0.7	0.0	20.1	79.2	
	11:19	7/5/2006	0.6	0.0	20.0	79.4	
	10:37	7/10/2006	0.6	0.0	19.6	79.8	
	0:57	7/17/2006	0.1	0.0	19.0	80.9	
	12:25	7/28/2006	0.6	0.0	19.7	79.7	
	11:32	8/8/2006	0.6	0.0	19.6	79.8	
	7:35	8/16/2006	0.5	0.0	20.0	79.5	
	7:24	8/21/2006	0.0	0.0	20.3	79.7	
	13:26	8/28/2006	0.1	0.0	19.9	80.0	
	10:31	9/13/2006	0.0	0.3	20.3	79.4	
	9:56	9/25/2006	0.6	3.0	17.6	78.8	
	7:20	10/10/2006	0.5	0.9	19.8	78.8	
	7:36	10/23/2006	0.1	0.0	20.6	79.3	
	13:10	11/2/2006	0.5	0.4	20.8	78.3	
	13:00	11/14/2006	0.1	4.2	16.1	79.6	
	10:39	11/27/2006	0.1	0.4	19.4	80.2	
	13:58	12/26/2006	0.3	0.2	20.0	79.6	
	12:00	1/27/2007	0.1	0.0	19.6	80.4	
	12:30	2/24/2007	0.3	4.6	14.7	80.4	
	15:32	3/28/2007	0.1	0.0	19.9	80.0	
	10:57	5/1/2007	0.1	2.6	16.5	80.8	
	12:33	5/30/2007	0.0	0.4	18.9	80.7	
	13:30	6/19/2007	0.0	0.0	20.9	79.1	
	11:00	8/13/2007	0.0	0.0	20.9	79.1	
	10:00	10/18/2007	0.1	4.0	15.7	80.2	
	13:55	1/23/2008	0.4	0.8	20.6	78.3	
	7:05	6/12/2008	0.0	0.0	20.9	79.1	
	10:30	7/21/2008	0.0	0.0	20.9	79.1	
12:16	10/3/2008	0.0	0.0	20.9	79.1		
10:00	10/13/2008	0.0	0.0	20.9	79.1		
7:50	1/27/2009	0.2	3.6	17.4	78.8		
11:10	4/9/2009	0.0	0.0	20.2	79.8		
8:40	7/22/2009	0.0	0.4	19.1	80.5		
9:24	10/28/2009	0.0	0.2	19.5	80.3		
8:09	1/26/2010	0.2	0.0	20.4	79.4		
9:15	5/25/2010	0.0	0.0	19.1	80.9		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-3	8:50	9/28/2010	0.0	1.8	17.2	81.0	
	8:45	1/25/2011	0.2	0.2	19.8	79.8	
	8:25	4/25/2011	0.2	4.6	14.9	80.3	
	8:15	7/13/2011	0.0	0.0	20.1	79.9	
	11:12	10/26/2011	0.0	0.2	20.4	79.4	
	11:30	1/25/2012	0.1	4.2	15.4	80.3	
	8:50	4/2/2012	0.0	0.0	20.9	79.1	
	8:27	7/25/2012	0.0	2.4	15.4	82.2	
	10:59	10/15/2012	0.0	0.0	19.0	81.0	
	11:00	1/15/2013	0.0	3.8	15.3	80.9	
	13:00	4/29/2013	0.0	1.2	19.3	79.5	
	9:12	7/22/2013	0.0	2.0	18.3	79.7	
9:15	10/14/2013	0.0	0.6	20.3	79.1		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-4	9:11	3/22/2006	0.0	1.4	20.4	78.2	pre-startup
	15:35	3/23/2006	0.0	0.8	19.8	79.4	
	15:40	3/30/2006	0.5	0.8	21.8	76.9	
	14:40	4/6/2006	0.8	1.3	18.9	79.0	
	14:35	4/11/2006	0.2	0.9	19.2	79.7	
	12:18	4/14/2006	0.0	1.3	18.1	80.6	
	11:35	4/17/2006	1.3	0.8	20.4	77.5	
	10:40	4/28/2006	0.0	0.5	20.2	79.3	
	15:10	5/4/2006	1.3	0.6	13.2	84.9	
	11:50	5/22/2006	0.1	0.2	20.4	79.3	
	13:10	6/2/2006	0.2	0.8	19.1	79.9	
	9:12	6/9/2006	3.4	1.2	20.2	75.2	
	14:00	6/14/2006	0.0	0.0	19.9	80.1	
	10:39	6/22/2006	6.0	18.8	6.4	68.8	
	11:26	7/5/2006	0.6	0.6	20.0	78.8	
	10:43	7/10/2006	0.4	3.8	19.9	75.9	
	10:08	7/17/2006	0.9	0.6	19.6	78.9	
	12:34	7/28/2006	0.6	0.4	19.6	79.4	
	9:21	8/8/2006	0.6	0.3	19.7	79.4	
	7:42	8/16/2006	0.5	0.7	19.9	78.9	
	7:28	8/21/2006	0.4	0.5	20.0	79.1	
	13:31	8/28/2006	0.5	0.5	20.1	78.9	
	10:35	9/13/2006	0.7	0.6	20.2	78.5	
	9:59	9/25/2006	0.1	0.2	19.1	80.6	
	7:24	10/10/2006	0.6	0.5	20.3	78.6	
	7:40	10/23/2006	0.4	0.0	20.4	79.2	
	13:17	11/2/2006	0.5	0.2	21.0	78.3	
	13:11	11/14/2006	0.2	1.4	19.0	79.5	
	10:42	11/27/2006	0.1	0.6	19.7	79.7	
	14:04	12/26/2006	0.3	0.8	19.6	79.4	
	12:09	1/27/2007	0.1	0.4	19.6	79.9	
	12:38	2/24/2007	0.4	1.0	19.4	79.3	
	15:40	3/28/2007	0.1	0.2	19.8	79.9	
	10:50	5/1/2007	0.0	1.2	18.2	80.6	
	12:37	5/30/2007	0.0	1.8	17.5	80.7	
	13:40	6/19/2007	0.0	0.8	20.0	79.2	
	11:05	8/13/2007	0.0	0.6	20.6	78.8	
	10:10	10/18/2007	0.1	1.2	17.9	80.8	
	13:25	1/23/2008	0.3	0.4	20.9	78.4	
	7:25	6/12/2008	0.0	0.2	20.9	78.9	
	10:45	7/21/2008	0.0	1.2	19.2	79.6	
	11:18	10/3/2008	0.0	0.0	20.9	79.1	
10:05	10/13/2008	0.0	1.2	19.7	79.1		
7:05	1/27/2009	0.1	1.4	20.1	78.5		
11:15	4/9/2009	0.0	0.6	19.4	80.0		
10:37	7/22/2009	0.0	0.6	18.9	80.5		
9:33	10/28/2009	0.0	0.6	19.3	80.1		
8:14	1/26/2010	0.3	0.2	20.5	79.1		
8:11	5/25/2010	0.1	0.8	18.5	80.7		
9:05	9/28/2010	0.0	2.2	16.6	81.2		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-4	7:20	1/25/2011	0.0	0.0	19.6	80.4	
	7:30	4/25/2011	0.2	1.6	18.9	79.3	
	7:18	7/13/2011	0.0	1.0	19.4	79.6	
	11:15	10/26/2011	0.0	0.8	20.4	78.8	
	7:17	1/25/2012	0.1	1.0	19.1	79.8	
	9:15	4/2/2012	0.1	0.0	20.9	79.0	
	7:51	7/25/2012	0.0	1.2	18.2	80.6	
	11:08	10/15/2012	0.0	0.6	18.7	80.7	
	11:10	1/15/2013	0.0	2.4	18.4	79.2	
	8:06	4/29/2013	0.0	2.2	18.7	79.1	
	9:20	7/22/2013	0.0	2.2	17.6	80.2	
	9:25	10/14/2013	0.0	1.2	20.9	77.9	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-5	9:13	3/22/2006	0.0	4.4	17.6	78.0	pre-startup
	14:15	3/23/2006	0.0	4.2	17.6	78.2	
	14:05	3/30/2006	1.2	2.5	18.8	77.5	
	13:40	4/6/2006	1.1	3.0	17.9	78.0	
	13:45	4/11/2006	0.7	2.7	17.5	79.1	
	12:50	4/14/2006	0.1	3.5	15.4	81.0	
	10:30	4/17/2006	0.0	3.6	16.2	80.2	
	10:35	4/28/2006	2.2	7.0	13.0	77.8	
	10:40	5/22/2006	1.5	8.5	11.2	78.8	
	12:25	6/2/2006	0.1	7.2	9.4	83.3	
	8:45	6/9/2006	0.1	0.3	10.5	89.1	
	12:18	6/14/2006	0.1	0.0	9.1	90.8	
	11:18	6/22/2006	0.7	10.7	10.5	78.1	
	11:51	7/5/2006	0.6	11.9	11.1	76.4	
	11:17	7/10/2006	0.7	12.0	10.1	77.2	
	10:22	7/17/2006	0.8	11.9	11.1	76.2	
	8:24	7/28/2006	0.6	10.1	11.5	77.8	
	10:16	8/8/2006	0.6	11.8	10.1	77.5	
	8:35	8/16/2006	0.8	10.0	10.5	78.7	
	8:02	8/21/2006	0.5	0.8	10.9	87.8	
	13:54	8/28/2006	0.6	11.3	13.3	74.8	
	11:07	9/13/2006	0.1	0.0	13.4	86.5	
	10:26	9/25/2006	0.0	0.0	13.4	86.6	
	8:52	10/10/2006	0.7	8.9	14.4	76.0	
	8:00	10/23/2006	0.3	1.4	15.5	82.8	
	14:37	11/2/2006	0.3	7.2	14.0	78.5	
	13:25	11/14/2006	0.2	6.0	14.9	78.9	
	11:10	11/27/2006	0.2	5.2	15.7	79.0	
	12:35	12/26/2006	0.1	4.8	15.7	79.5	
	13:09	1/27/2007	0.4	5.4	15.8	78.4	
	10:55	2/24/2007	0.4	4.2	17.3	78.2	
	17:30	3/28/2007	0.3	3.4	16.6	79.8	
	10:22	5/1/2007	0.1	3.4	14.0	82.5	
	12:40	5/30/2007	0.0	6.4	9.9	83.7	
	16:25	6/19/2007	0.0	7.4	12.1	80.5	
	11:39	8/13/2007	0.0	8.4	11.8	79.8	
	10:20	10/18/2007	0.1	9.6	9.4	80.9	
	13:12	1/23/2008	0.3	5.6	15.7	78.4	
	9:00	6/12/2008	0.0	6.0	9.7	84.3	
	12:05	7/21/2008	0.0	10.6	7.7	81.7	
11:55	10/3/2008	0.0	8.2	12.7	79.1		
11:08	10/13/2008	0.0	6.6	14.1	79.3		
7:10	1/27/2009	0.2	3.2	14.0	82.7		
11:02	4/9/2009	0.0	2.8	16.8	80.4		
7:30	7/22/2009	0.0	7.8	13.0	79.2		
10:20	10/28/2009	0.0	5.6	14.4	80.0		
9:05	1/26/2010	0.3	4.8	16.2	78.8		
8:40	5/25/2010	0.0	6.4	9.5	84.1		
11:00	9/28/2010	0.0	8.8	11.6	79.6		
8:04	1/25/2011	0.2	4.4	17.0	78.4		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-5	10:35	4/25/2011	0.2	3.0	16.0	80.8	
	6:28	7/13/2011	0.0	9.4	10.7	79.9	
	12:05	10/26/2011	0.0	6.6	15.5	77.9	
	10:25	1/25/2012	0.1	4.8	14.9	80.2	
	10:48	4/2/2012	0.1	3.8	16.3	79.8	
	10:24	7/25/2012	0.0	7.0	11.9	81.1	
	9:00	10/15/2012	0.0	4.8	15.2	80.0	
	11:18	1/15/2013	0.0	4.6	16.9	78.5	
	10:08	4/29/2013	0.0	2.0	16.4	81.6	
	8:15	7/22/2013	0.0	9.2	7.4	83.4	
	7:54	10/14/2013	0.0	6.8	14.9	78.3	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-6	7:45	3/22/2006	0.0	6.1	13.9	80.0	pre-startup
	15:55	3/23/2006	0.0	4.9	16.3	78.8	
	15:15	3/30/2006	0.0	1.7	18.3	80.0	
	14:25	4/6/2006	0.0	2.8	16.9	80.3	
	14:30	4/11/2006	0.7	2.8	17.3	79.2	
	12:04	4/14/2006	0.0	3.8	14.6	81.6	
	11:15	4/17/2006	10.4	2.3	17.6	69.7	
	10:30	4/28/2006	0.0	2.5	18.3	79.2	
	14:30	5/4/2006	0.0	2.7	17.9	79.4	
	11:30	5/22/2006	3.8	3.9	18.1	74.2	
	13:04	6/2/2006	0.2	2.4	17.2	80.2	
	9:25	6/9/2006	0.1	0.8	17.7	81.4	
	14:10	6/14/2006	1.3	3.3	16.8	78.6	
	9:50	6/22/2006	0.5	3.1	17.3	79.1	
	11:13	7/5/2006	0.5	3.6	17.1	78.8	
	10:34	7/10/2006	0.6	3.9	16.7	78.8	
	9:58	7/17/2006	0.1	0.6	16.8	82.5	
	12:10	7/28/2006	0.6	3.6	16.5	79.3	
	9:05	8/8/2006	0.6	3.5	17.0	78.9	
	7:29	8/16/2006	0.1	0.0	17.2	82.7	
	7:18	8/21/2006	0.5	3.6	18.1	77.8	
	13:21	8/28/2006	0.0	0.0	18.1	81.9	
	10:20	9/13/2006	0.6	1.0	19.1	79.3	
	11:05	9/25/2006	0.7	2.6	18.5	78.2	
	7:30	10/10/2006	0.8	2.3	19.7	77.2	
	7:34	10/23/2006	0.9	2.4	14.4	82.3	
	13:05	11/2/2006	2.4	0.8	19.7	77.1	
	13:14	11/14/2006	0.2	3.0	17.9	78.9	
	10:35	11/27/2006	0.1	0.6	19.6	79.8	
	14:20	12/26/2006	0.3	3.0	18.0	78.7	
	13:45	1/27/2007	0.2	3.4	17.0	79.5	
	12:45	2/24/2007	0.4	3.0	18.1	78.5	
	16:00	3/28/2007	0.2	2.4	18.0	79.5	
	10:45	5/1/2007	0.1	3.0	16.4	80.5	
	12:23	5/30/2007	0.0	3.2	15.8	81.0	
	16:15	6/19/2007	0.0	2.4	17.8	79.8	
	10:54	8/13/2007	0.1	2.6	18.5	78.9	
	11:14	10/18/2007	0.1	3.4	16.4	80.1	
	11:28	1/23/2008	0.0	3.0	18.0	79.0	
	6:55	6/12/2008	0.0	2.6	17.8	79.6	
	11:00	7/21/2008	0.0	3.0	15.5	81.5	
	12:53	10/3/2008	0.0	3.8	17.7	78.5	
9:55	10/13/2008	0.0	3.4	18.2	78.4		
10:05	1/27/2009	0.2	3.0	18.4	78.4		
10:58	4/9/2009	0.0	3.2	16.6	80.2		
10:20	7/22/2009	0.0	3.6	17.1	79.3		
9:10	10/28/2009	0.0	2.6	17.2	80.2		
8:00	1/26/2010	0.1	3.0	17.4	79.6		
8:18	5/25/2010	0.0	2.4	16.5	81.1		
8:42	9/28/2010	0.0	4.2	14.6	81.2		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-6	11:25	1/25/2011	0.2	0.4	20.0	79.4	
	7:00	4/25/2011	0.1	3.0	17.2	79.7	
	7:32	7/13/2011	0.0	2.8	17.1	80.1	
	7:25	10/26/2011	0.0	3.0	18.3	78.7	
	7:08	1/25/2012	0.1	1.2	18.8	79.9	
	8:40	4/2/2012	0.1	0.2	20.9	78.8	
	8:01	7/25/2012	0.0	2.4	17.7	79.9	
	10:38	10/15/2012	0.0	1.8	18.1	80.1	
	8:50	1/15/2013	0.0	2.8	18.0	79.2	
	7:58	4/29/2013	0.0	2.4	17.8	79.8	
	9:46	7/22/2013	0.0	3.0	16.7	80.3	
9:45	10/14/2013	0.0	2.4	19.6	78.0		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-7	7:40	3/22/2006	1.0	7.0	13.0	79.0	pre-startup
	15:50	3/23/2006	0.1	5.0	14.7	80.2	
	15:00	3/30/2006	7.1	4.6	18.2	70.1	
	14:20	4/6/2006	0.1	2.3	17.0	80.6	
	14:25	4/11/2006	0.2	3.2	16.3	80.3	
	12:07	4/14/2006	0.1	5.2	11.8	82.9	
	10:15	4/17/2006	10.5	1.3	18.5	69.7	
	10:25	4/28/2006	0.0	1.7	19.2	79.1	
	14:25	5/4/2006	1.2	2.2	18.8	77.8	
	11:22	5/22/2006	0.0	1.0	19.5	79.5	
	13:00	6/2/2006	0.2	1.6	18.5	79.7	
	9:20	6/9/2006	3.7	2.4	20.0	73.9	
	14:05	6/14/2006	3.1	2.5	19.2	75.2	
	9:45	6/22/2006	0.5	1.7	19.1	78.7	
	11:10	7/5/2006	0.5	1.5	19.3	78.7	
	10:30	7/10/2006	0.0	0.0	18.6	81.4	
	9:55	7/17/2006	0.1	0.0	18.5	81.4	
	12:05	7/28/2006	0.0	3.7	18.5	77.8	
	9:00	8/8/2006	0.6	1.3	19.0	79.1	
	7:25	8/16/2006	0.5	1.5	19.2	78.8	
	7:16	8/21/2006	0.5	1.4	19.8	78.3	
	13:19	8/28/2006	0.4	1.2	19.5	78.9	
	10:19	9/13/2006	0.6	1.3	19.9	78.2	
	11:03	9/25/2006	1.8	2.2	17.7	78.3	
	7:28	10/10/2006	0.7	1.4	19.5	78.4	
	7:32	10/23/2006	3.0	2.8	19.0	75.2	
	13:00	11/2/2006	0.5	1.6	19.8	78.1	
	13:18	11/14/2006	0.2	3.2	17.2	79.4	
	10:30	11/27/2006	0.0	1.2	19.0	79.8	
	14:15	12/26/2006	0.3	2.6	18.0	79.1	
	13:40	1/27/2007	0.1	3.4	16.7	79.9	
	12:40	2/24/2007	0.4	3.2	17.2	79.2	
	15:55	3/28/2007	0.1	1.2	18.9	79.8	
	10:43	5/1/2007	0.1	3.6	15.1	81.2	
	12:26	5/30/2007	0.0	3.6	15.6	80.8	
	16:20	6/19/2007	0.0	2.6	17.5	79.9	
	10:50	8/13/2007	0.1	1.4	19.3	79.3	
	11:10	10/18/2007	0.1	3.6	15.5	80.8	
	11:24	1/23/2008	0.0	3.2	17.6	79.2	
	10:48	6/12/2008	0.0	1.4	18.4	80.2	
	10:55	7/21/2008	0.0	2.6	17.3	80.1	
	12:50	10/3/2008	0.0	1.8	19.6	78.6	
9:50	10/13/2008	0.1	1.6	19.4	79.0		
10:00	1/27/2009	0.2	3.0	18.2	78.6		
10:58	4/9/2009	0.0	3.2	16.6	80.2		
10:15	7/22/2009	0.0	0.4	19.1	80.5		
9:05	10/28/2009	0.0	1.4	18.2	80.4		
7:50	1/26/2010	0.0	0.4	20.0	79.6		
8:14	5/25/2010	0.0	1.8	17.7	80.5		
8:35	9/28/2010	0.0	4.0	14.3	81.7		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-7	11:20	1/25/2011	0.2	0.4	20.0	79.4	
	6:55	4/25/2011	0.1	3.2	16.6	80.1	
	7:29	7/13/2011	0.0	1.4	19.1	79.5	
	7:20	10/26/2011	0.0	0.6	19.9	79.5	
	7:05	1/25/2012	0.1	2.0	18.0	79.9	
	8:35	4/2/2012	0.0	2.4	18.3	79.3	
	7:59	7/25/2012	0.0	1.8	17.4	80.8	
	10:30	10/15/2012	0.0	1.6	18.0	80.4	
	8:37	1/15/2013	0.0	3.2	17.1	79.7	
	7:55	4/29/2013	0.0	3.2	16.2	80.6	
	9:52	7/22/2013	0.0	2.6	17.6	79.8	
9:40	10/14/2013	0.0	1.4	20.5	78.1		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-8	9:03	3/22/2006	0.0	2.4	18.6	79.0	pre-startup
	14:50	3/23/2006	0.0	1.9	18.6	79.5	
	14:55	3/30/2006	3.0	7.2	14.8	75.0	
	14:10	4/6/2006	0.0	7.0	10.9	82.1	
	14:20	4/11/2006	0.0	4.8	13.6	81.6	
	12:25	4/14/2006	0.0	5.4	12.2	82.4	
	11:10	4/17/2006	0.0	0.1	20.7	79.2	
	10:00	4/28/2006	0.0	0.2	20.4	79.4	
	14:20	5/4/2006	0.0	0.2	19.3	80.5	
	11:18	5/22/2006	0.6	0.1	20.4	78.9	
	12:55	6/2/2006	0.2	0.7	19.3	79.8	
	9:03	6/9/2006	2.4	0.6	20.3	76.7	
	13:37	6/14/2006	4.0	1.6	19.6	74.8	
	9:55	6/22/2006	0.5	0.5	19.8	79.2	
	12:27	7/5/2006	1.6	0.9	19.6	77.9	
	11:45	7/10/2006	0.7	1.2	19.2	78.9	
	11:10	7/17/2006	0.6	2.3	17.7	79.4	
	12:45	7/28/2006	0.6	0.8	19.0	79.6	
	10:58	8/8/2006	17.8	1.3	19.1	61.8	
	7:47	8/16/2006	0.1	0.2	19.5	80.2	
	7:33	8/21/2006	0.8	1.3	19.6	78.3	
	13:35	8/28/2006	0.0	0.0	19.1	80.9	
	10:47	9/13/2006	0.0	0.0	20.1	79.9	
	10:06	9/25/2006	0.0	0.0	17.5	82.5	
	7:26	10/10/2006	0.1	0.0	19.3	80.6	
	7:44	10/23/2006	0.7	1.4	19.6	78.3	
	13:20	11/2/2006	3.7	0.3	20.5	75.5	
	13:04	11/14/2006	0.1	4.2	15.1	80.6	
	10:45	11/27/2006	0.1	0.6	19.4	79.9	
	14:09	12/26/2006	0.3	0.8	19.2	79.7	
	12:15	1/27/2007	0.2	0.0	19.7	80.1	
	12:20	2/24/2007	0.3	5.2	12.8	81.8	
	15:47	3/28/2007	0.1	0.6	19.6	79.7	
	11:00	5/1/2007	0.0	8.5	7.6	83.9	
	12:20	5/30/2007	0.0	3.4	15.2	81.4	
	13:25	6/19/2007	0.0	0.6	20.2	79.2	
	11:10	8/13/2007	0.0	1.0	19.8	79.2	
	11:05	10/18/2007	0.1	6.0	11.5	82.4	
	11:38	1/23/2008	0.1	1.0	19.2	79.8	
	7:35	6/12/2008	0.0	0.6	20.7	78.7	
	10:50	7/21/2008	0.0	1.0	19.3	79.7	
12:45	10/3/2008	0.0	0.4	20.9	78.7		
10:10	10/13/2008	0.0	1.4	19.4	79.2		
10:10	1/27/2009	0.3	1.8	19.0	78.9		
10:51	4/9/2009	0.0	0.4	19.4	80.2		
10:27	7/22/2009	0.0	0.8	18.8	80.4		
10:00	10/28/2009	0.0	1.8	17.8	80.4		
9:30	1/26/2010	0.3	0.4	20.0	79.4		
8:25	5/25/2010	0.0	1.0	18.4	80.6		
9:11	9/28/2010	0.0	5.4	12.7	81.9		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-8	11:15	1/25/2011	0.2	0.4	20.0	79.4	
	7:40	4/25/2011	0.2	4.4	14.4	81.0	
	7:23	7/13/2011	0.0	0.8	19.2	80.0	
	7:30	10/26/2011	0.0	0.8	20.4	78.8	
	7:27	1/25/2012	0.1	1.6	18.7	79.6	
	9:25	4/2/2012	0.1	1.0	20.4	78.5	
	11:07	7/25/2012	0.0	3.0	16.0	81.0	
	11:15	10/15/2012	0.0	1.0	18.3	80.7	
	8:59	1/15/2013	0.0	3.2	16.8	80.0	
	7:49	4/29/2013	0.0	3.6	15.3	81.1	
	9:30	7/22/2013	0.0	3.0	16.5	80.5	
9:10	10/14/2013	0.0	2.2	18.4	79.4		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages	
GP-10	8:58	3/22/2006	0.0	4.5	15.4	80.1	pre-startup	
	14:42	3/23/2006	0.0	4.3	15.5	80.2		
	14:50	3/30/2006	0.0	1.6	18.7	79.7		
	14:15	4/6/2006	0.0	2.3	17.1	80.6		
	13:55	4/11/2006	0.0	1.5	18.3	80.2		
	11:54	4/14/2006	0.0	1.9	17.4	80.7		
	10:50	4/17/2006	0.0	3.0	16.5	80.5		
	9:50	4/28/2006	0.0	3.6	15.0	81.4		
	14:00	5/4/2006	0.0	3.4	15.4	81.2		
	11:04	5/22/2006	0.0	1.3	19.0	79.7		
	12:45	6/2/2006	0.1	1.8	17.6	80.5		
	8:55	6/9/2006	0.7	0.9	19.6	78.8		
	13:15	6/14/2006	0.0	0.0	17.7	82.3		
	10:05	6/22/2006	0.6	0.8	19.9	78.7		
	12:38	7/5/2006	0.6	5.3	14.9	79.2		
	11:50	7/10/2006	0.6	5.5	14.6	79.3		
	11:19	7/17/2006	0.6	1.4	19.4	78.6		
	13:09	7/28/2006	0.6	1.0	19.2	79.2		
	11:11	8/8/2006	0.6	4.7	14.7	80.0		
	7:58	8/16/2006	0.1	0.2	16.4	83.3		
	7:44	8/21/2006	0.4	3.5	17.3	78.8		
	13:42	8/28/2006	0.0	0.0	17.7	82.3		
	10:53	9/13/2006	0.6	2.4	18.6	78.4		
	10:12	9/25/2006	0.7	5.5	16.0	77.8		
	7:48	10/10/2006	0.7	5.3	19.2	74.8		
	7:48	10/23/2006	0.6	5.0	17.5	76.9		
	13:31	11/2/2006	0.6	4.3	17.3	77.8		
	12:35	11/14/2006	0.1	4.2	16.3	79.5		
	10:55	11/27/2006	0.1	4.0	16.8	79.1		
	13:50	12/26/2006	0.3	4.2	16.7	78.9		
	12:35	1/27/2007	0.3	4.0	17.2	78.5		
	12:10	2/24/2007	sampling port clogged with ice					
	16:10	3/28/2007	0.2	3.2	17.5	79.2		
	11:10	5/1/2007	0.0	3.8	15.7	80.5		
	12:15	5/30/2007	0.0	3.4	16.0	80.6		
	13:15	6/19/2007	0.1	1.8	18.7	79.5		
	11:24	8/13/2007	0.0	1.0	19.4	79.6		
	10:50	10/18/2007	0.1	2.4	16.9	80.6		
	14:20	1/23/2008	0.4	2.8	18.8	78.0		
	7:55	6/12/2008	0.0	4.0	16.0	80.0		
	11:15	7/21/2008	0.0	4.6	12.6	82.8		
	12:30	10/3/2008	0.0	5.0	16.4	78.6		
11:50	10/13/2008	0.0	4.6	16.4	79.0			
11:30	1/27/2009	0.3	3.4	18.2	78.1			
10:41	4/9/2009	0.0	3.2	16.6	80.2			
10:47	7/22/2009	0.0	2.8	17.2	80.0			
10:05	10/28/2009	0.0	2.8	17.5	79.7			
10:30	1/26/2010	0.3	0.8	19.6	79.3			
11:50	5/25/2010	0.0	0.4	19.0	80.6			
10:16	9/28/2010	0.0	1.8	17.7	80.5			

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-10	11:00	1/25/2011	0.2	0.4	20.0	79.4	
	7:50	4/25/2011	0.2	3.4	17.0	79.4	
	7:41	7/13/2011	0.0	1.4	19.2	79.4	
	7:50	10/26/2011	0.0	2.4	19.2	78.4	
	9:45	1/25/2012	0.1	4.4	16.2	79.3	
	9:45	4/2/2012	0.1	4.2	17.0	78.7	
	10:52	7/25/2012	0.0	4.0	15.7	80.3	
	10:21	10/15/2012	0.0	3.2	15.0	81.8	
	10:20	1/15/2013	0.0	3.0	17.5	79.5	
	7:43	4/29/2013	0.0	3.0	17.1	79.9	
	8:33	7/22/2013	0.0	4.8	13.5	81.7	
9:00	10/14/2013	0.0	3.6	17.9	78.5		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-11	9:09	3/22/2006	0.0	3.5	17.6	78.9	pre-startup
	14:27	3/23/2006	0.0	3.4	17.6	79.0	
	14:40	3/30/2006	0.0	0.8	19.7	79.5	
	13:55	4/6/2006	0.0	1.7	18.0	80.3	
	14:00	4/11/2006	0.0	0.7	19.8	79.5	
	11:43	4/14/2006	0.0	0.5	18.9	80.6	
	10:55	4/17/2006	0.3	0.1	20.4	79.2	
	7:30	4/28/2006	0.0	0.7	20.2	79.1	
	14:05	5/4/2006	0.0	0.0	19.9	80.1	
	11:07	5/22/2006	2.6	0.3	20.4	76.7	
	12:34	6/2/2006	1.0	0.1	20.4	78.5	
	9:45	6/9/2006	4.9	0.6	20.2	74.3	
	13:23	6/14/2006	0.8	0.3	20.0	78.9	
	10:10	6/22/2006	0.6	0.0	20.4	79.0	
	12:41	7/5/2006	0.5	1.4	18.5	79.6	
	11:55	7/10/2006	0.6	2.5	18.6	78.3	
	11:21	7/17/2006	0.5	1.5	18.1	79.9	
	13:15	7/28/2006	0.1	0.2	18.2	81.5	
	10:36	8/8/2006	0.6	2.2	17.8	79.4	
	8:01	8/16/2006	0.1	0.0	17.9	82.0	
	7:46	8/21/2006	0.5	2.4	19.0	78.1	
	13:45	8/28/2006	0.6	2.6	18.6	78.2	
	10:55	9/13/2006	0.1	2.7	19.2	78.0	
	10:14	9/25/2006	0.7	2.1	19.0	78.2	
	8:00	10/10/2006	0.7	2.0	18.5	78.8	
	7:52	10/23/2006	0.7	1.0	20.6	77.7	
	13:34	11/2/2006	0.6	1.5	19.8	78.1	
	12:44	11/14/2006	0.1	2.0	18.4	79.6	
	10:58	11/27/2006	0.1	1.0	19.6	79.3	
	13:40	12/26/2006	0.3	2.0	18.4	79.4	
	12:41	1/27/2007	0.4	2.6	18.2	78.9	
	11:10	2/24/2007	0.4	2.6	18.1	78.9	
	16:14	3/28/2007	0.2	2.6	17.8	79.5	
	11:15	5/1/2007	0.0	3.4	15.9	80.7	
	12:06	5/30/2007	0.0	3.0	16.8	80.2	
	13:05	6/19/2007	0.1	2.8	18.3	78.8	
	11:27	8/13/2007	0.0	2.2	18.8	79.0	
	10:34	10/18/2007	0.1	2.8	17.0	80.1	
	12:10	1/23/2008	0.2	2.4	19.2	78.2	
	8:05	6/12/2008	0.0	2.6	18.0	79.4	
11:20	7/21/2008	0.0	3.4	16.6	80.0		
12:23	10/3/2008	0.0	2.0	19.4	78.6		
12:00	10/13/2008	0.0	2.2	19.1	78.7		
10:45	1/27/2009	0.3	3.0	18.5	78.2		
9:50	4/9/2009	0.0	3.4	16.8	79.8		
10:53	7/22/2009	0.0	2.0	18.1	79.9		
10:11	10/28/2009	0.0	2.4	17.9	79.7		
9:15	1/26/2010	0.3	2.6	18.5	78.6		
8:30	5/25/2010	0.0	3.2	16.5	80.3		
10:25	9/28/2010	0.0	3.0	16.8	80.2		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-11	10:29	1/25/2011	0.2	3.6	16.6	79.6	
	7:55	4/25/2011	0.2	4.0	17.2	78.6	
	6:47	7/13/2011	0.0	2.8	18.3	78.9	
	10:10	10/26/2011	0.0	3.0	18.5	78.5	
	7:40	1/25/2012	0.1	2.6	18.4	78.9	
	9:55	4/2/2012	0.1	3.6	17.9	78.4	
	10:39	7/25/2012	0.0	1.8	17.9	80.3	
	10:05	10/15/2012	0.0	1.6	18.2	80.2	
	7:40	1/15/2013	0.0	2.2	19.1	78.7	
	7:35	4/29/2013	0.0	2.6	17.4	80.0	
	8:40	7/22/2013	0.0	2.4	18.5	79.1	
	8:36	10/14/2013	0.0	1.8	20.8	77.4	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-12	9:06	3/22/2006	0.0	5.7	13.0	81.3	pre-startup
	14:22	3/23/2006	0.0	5.5	13.2	81.3	
	14:20	3/30/2006	0.0	2.6	17.7	79.7	
	13:50	4/6/2006	0.2	2.1	17.3	80.4	
	13:50	4/11/2006	0.0	2.5	17.1	80.4	
	11:40	4/14/2006	0.0	2.5	15.5	82.0	
	10:45	4/17/2006	1.4	3.7	18.4	76.5	
	12:20	4/28/2006	0.0	2.4	18.0	79.6	
	13:54	5/4/2006	0.0	0.0	17.3	82.7	
	11:00	5/22/2006	1.4	2.7	17.5	78.4	
	12:28	6/2/2006	0.1	1.8	17.4	80.7	
	8:50	6/9/2006	0.9	2.1	19.2	77.8	
	13:10	6/14/2006	0.1	0.0	17.5	82.4	
	10:20	6/22/2006	0.5	2.2	18.2	79.1	
	11:57	7/5/2006	0.6	2.2	18.2	79.0	
	11:22	7/10/2006	0.6	2.7	18.2	78.5	
	10:39	7/17/2006	0.7	2.6	17.5	79.2	
	13:28	7/28/2006	0.6	1.5	18.2	79.7	
	11:22	8/8/2006	0.6	2.6	17.5	79.3	
	8:58	8/16/2006	4.1	18.6	10.0	67.3	
	8:44	8/21/2006	0.6	3.2	18.5	77.7	
	14:26	8/28/2006	0.0	0.0	19.4	80.6	
	11:42	9/13/2006	0.1	0.9	17.9	81.1	
	11:40	9/25/2006	0.8	3.4	16.8	79.0	
	8:47	10/10/2006	0.7	3.8	17.6	77.9	
	8:50	10/23/2006	0.7	4.1	16.4	78.8	
	14:55	11/2/2006	3.9	14.0	7.7	74.5	
	15:30	11/14/2006	0.3	3.6	16.7	79.5	
	11:05	11/27/2006	0.2	2.4	18.0	79.5	
	13:35	12/26/2006	0.3	3.8	15.7	80.3	
	13:18	1/27/2007	0.4	3.8	15.7	80.1	
	12:00	2/24/2007	0.2	3.2	16.6	80.0	
	17:40	3/28/2007	0.2	3.4	16.4	80.0	
	10:30	5/1/2007	0.1	2.6	16.1	81.3	
	12:02	5/30/2007	0.0	2.8	16.0	81.2	
	16:30	6/19/2007	0.0	2.8	18.1	79.1	
	11:35	8/13/2007	0.0	2.6	18.3	79.1	
	10:26	10/18/2007	0.1	4.0	15.2	80.7	
	13:08	1/23/2008	0.3	7.2	12.2	80.3	
	9:10	6/12/2008	0.0	2.4	17.1	80.5	
	11:45	7/21/2008	0.0	2.6	17.0	80.4	
	12:00	10/3/2008	0.0	4.0	17.6	78.4	
11:30	10/13/2008	0.0	3.0	18.0	79.0		
7:15	1/27/2009	0.2	5.6	15.3	78.9		
9:44	4/9/2009	0.0	3.4	15.8	80.8		
7:35	7/22/2009	0.0	2.4	17.9	79.7		
11:15	10/28/2009	0.0	3.2	16.4	80.4		
9:10	1/26/2010	0.3	5.2	14.9	79.7		
11:55	5/25/2010	0.0	2.4	16.1	81.5		
11:10	9/28/2010	0.0	4.0	15.3	80.7		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
GP-12	8:19	1/25/2011	0.3	5.4	14.6	79.7	
	11:00	4/25/2011	0.1	3.2	16.1	80.6	
	6:35	7/13/2011	0.0	2.4	17.5	80.1	
	11:30	10/26/2011	0.0	3.6	17.8	78.6	
	10:35	1/25/2012	0.1	4.6	14.8	80.5	
	11:00	4/2/2012	0.1	3.2	16.1	80.6	
	10:32	7/25/2012	0.0	2.6	16.9	80.5	
	9:08	10/15/2012	0.0	3.2	16.1	80.7	
	11:30	1/15/2013	0.0	5.4	13.6	81.0	
	8:12	4/29/2013	0.0	3.2	16.0	80.8	
	8:24	7/22/2013	0.0	3.2	16.8	80.0	
	8:10	10/14/2013	0.0	3.2	18.6	78.2	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
MW-101	9:24	3/23/2006	2.9	18.1	0.8	78.2	pre-startup
	14:25	3/30/2006	1.0	8.0	10.9	80.1	
	14:00	4/6/2006	0.8	0.2	20.0	79.0	
	14:05	4/11/2006	0.0	0.0	20.3	79.7	
	11:50	4/14/2006	0.0	1.8	17.9	80.3	
	10:58	4/17/2006	2.0	0.3	20.5	77.2	
	7:35	4/28/2006	0.0	0.0	20.7	79.3	
	14:10	5/4/2006	0.0	0.0	20.2	79.8	
	11:10	5/22/2006	0.0	0.0	20.5	79.5	
	12:38	6/2/2006	0.2	0.0	20.4	79.4	
	9:50	6/9/2006	1.1	0.2	20.5	78.2	
	13:48	6/14/2006	4.1	0.3	20.4	75.2	
	10:15	6/22/2006	0.0	0.0	20.4	79.6	
	12:46	7/5/2006	0.6	20.0	20.0	59.4	
	12:00	7/10/2006	0.6	0.0	20.0	79.4	
	11:30	7/17/2006	0.0	0.0	19.8	80.2	
	13:20	7/28/2006	0.6	0.0	19.3	80.1	
	10:41	8/8/2006	0.8	0.0	19.8	79.4	
	8:05	8/16/2006	0.1	0.0	19.6	80.3	
	7:52	8/21/2006	0.9	0.1	20.4	78.6	
	13:47	8/28/2006	0.6	0.1	20.2	79.1	
	10:57	9/13/2006	0.6	0.2	19.8	79.4	
	10:16	9/25/2006	0.6	0.2	20.2	79.0	
	8:03	10/10/2006	0.7	0.2	20.5	78.6	
	7:55	10/23/2006	0.9	0.7	19.8	78.6	
	15:00	11/2/2006	0.3	0.0	20.8	78.9	
	12:48	11/14/2006	0.1	0.4	19.4	80.1	
	11:00	11/27/2006	0.1	0.2	20.0	79.7	
	13:45	12/26/2006	0.3	0.0	19.3	80.5	
	12:45	1/27/2007	0.4	0.6	20.0	79.1	
	11:14	2/24/2007	0.5	0.6	20.1	78.9	
	16:18	3/28/2007	0.2	0.2	20.1	79.5	
	11:19	5/1/2007	0.0	0.2	18.8	81.0	
	12:08	5/30/2007	0.0	0.2	18.9	80.9	
	13:10	6/19/2007	0.1	0.0	20.9	79.1	
	11:30	8/13/2007	0.0	0.0	20.9	79.1	
	10:37	10/18/2007	0.1	0.0	19.6	80.4	
	12:18	1/23/2008	0.2	5.8	14.4	79.6	
	14:45	5/12/2008	0.0	0.0	19.8	80.2	
	8:15	6/12/2008	0.0	0.0	20.9	79.1	
11:30	7/21/2008	0.0	0.0	20.9	79.1		
12:20	10/3/2008	0.0	0.4	20.9	78.7		
12:05	10/13/2008	0.0	0.0	20.9	79.1		
10:40	1/27/2009	0.3	4.8	15.7	79.3		
11:57	4/9/2009	0.0	0.0	19.9	80.1		
10:57	7/22/2009	0.0	0.0	19.4	80.6		
10:16	10/28/2009	0.0	0.6	19.6	79.8		
9:20	1/26/2010	0.3	0.8	19.4	79.5		
8:34	5/25/2010	0.0	0.0	19.3	80.7		
10:32	9/28/2010	0.0	1.0	17.7	81.3		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
MW-101	10:45	1/25/2011	0.2	0.4	20.0	79.4	
	8:00	4/25/2011	0.2	0.4	20.9	78.5	
	6:50	7/13/2011	0.0	0.0	20.5	79.5	
	10:15	10/26/2011	0.0	0.6	20.4	79.0	
	7:38	1/25/2012	0.1	0.6	19.5	79.8	
	10:00	4/2/2012	0.1	0.2	20.9	78.8	
	10:43	7/25/2012	0.0	0.0	19.1	80.9	
	10:15	10/15/2012	0.0	0.4	18.9	80.7	
	7:50	1/15/2013	0.0	1.8	18.7	79.5	
	7:39	4/29/2013	0.0	0.4	20.9	78.7	
	8:45	7/22/2013	0.0	0.0	20.9	79.1	
	8:45	10/14/2013	0.0	0.4	20.9	78.7	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
MW-102	14:20	3/23/2006	0.0	0.7	20.5	78.8	pre-startup
	14:15	3/30/2006	1.0	0.5	20.6	77.9	
	13:35	4/6/2006	1.0	0.6	20.3	78.1	
	13:43	4/11/2006	0.5	0.3	19.7	79.5	
	11:50	4/14/2006	0.0	0.3	18.6	81.1	
	10:34	4/17/2006	0.8	0.7	20.1	78.4	
	14:00	4/28/2006	0.0	0.0	20.7	79.3	
	13:35	5/4/2006	0.0	0.2	20.5	79.3	
	10:42	5/22/2006	0.2	0.1	2.4	97.3	
	8:48	6/9/2006	0.0	0.0	19.8	80.2	
	12:20	6/14/2006	0.1	0.0	19.5	80.4	
	11:20	6/22/2006	0.7	0.1	19.9	79.3	
	11:53	7/5/2006	0.6	0.0	20.0	79.4	
	11:19	7/10/2006	0.6	4.7	15.1	79.6	
	10:20	7/17/2006	0.9	0.8	19.0	79.3	
	12:40	7/28/2006	0.6	0.6	18.6	80.2	
	10:13	8/8/2006	0.6	1.2	18.5	79.7	
	8:42	8/16/2006	0.1	0.0	17.7	82.2	
	8:00	8/21/2006	0.1	0.0	18.5	81.4	
	13:55	8/28/2006	0.6	1.8	18.8	78.8	
	11:05	9/13/2006	0.1	0.0	19.5	80.4	
	10:25	9/25/2006	0.1	0.0	19.2	80.7	
	8:44	10/10/2006	0.7	1.0	19.6	78.7	
	8:05	10/23/2006	0.8	0.4	19.6	79.2	
	14:42	11/2/2006	0.3	0.0	20.8	78.9	
	13:30	11/14/2006	0.2	0.2	20.0	79.6	
	11:12	11/27/2006	0.2	0.0	20.2	79.7	
	12:39	12/26/2006	0.1	0.0	20.0	79.9	
	13:10	1/27/2007	0.4	0.2	20.2	79.2	
	11:00	2/24/2007	0.4	0.2	20.6	78.9	
	17:35	3/28/2007	0.2	0.2	20.0	79.6	
	10:24	5/1/2007	0.0	1.4	17.0	81.6	
	11:57	5/30/2007	0.0	1.4	16.7	81.9	
	16:00	6/19/2007	0.0	0.0	20.6	79.4	
	11:42	8/13/2007	0.0	2.8	16.6	80.6	
	10:24	10/18/2007	0.1	4.2	15.0	80.7	
	14:05	1/23/2008	0.4	1.2	20.9	77.5	
	9:05	6/12/2008	0.0	0.6	18.9	80.5	
	12:10	7/21/2008	0.0	1.6	16.4	82.0	
	11:52	10/3/2008	0.0	3.6	16.8	79.6	
	11:03	10/13/2008	0.0	18.7	1.8	79.5	
	11:00	1/27/2009	0.3	1.0	20.8	78.0	
	9:29	4/9/2009	0.0	0.4	19.1	80.5	
11:35	7/22/2009	0.0	1.8	16.1	82.1		
10:25	10/28/2009	0.0	2.6	17.4	80.0		
10:40	1/26/2010	0.3	2.2	18.4	79.1		
8:44	5/25/2010	0.0	1.4	16.8	81.8		
11:05	9/28/2010	0.0	4.6	14.1	81.3		
8:08	1/25/2011	0.2	1.2	19.2	79.4		
10:10	4/25/2011	0.1	0.2	20.7	79.0		
6:30	7/13/2011	0.0	1.8	14.2	84.0		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
MW-102	12:08	10/26/2011	0.0	2.4	18.4	79.2	
	10:30	1/25/2012	0.1	0.4	17.9	81.6	
	10:37	4/2/2012	0.1	1.4	18.5	80.0	
	10:28	7/25/2012	0.0	3.0	15.0	82.0	
	9:05	10/15/2012	0.0	2.8	16.7	80.5	
	11:21	1/15/2013	0.0	1.6	19.6	78.8	
	10:05	4/29/2013	0.0	0.6	19.2	80.2	
	8:11	7/22/2013	0.0	2.2	14.3	83.5	
	7:59	10/14/2013	0.0	4.0	17.4	78.6	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
MW-103	7:49	3/23/2006	0.0	0.2	21.8	78.0	pre-startup
	15:30	3/30/2006	0.0	1.9	18.2	79.9	
	14:35	4/6/2006	0.4	8.0	9.4	82.2	
	14:40	4/11/2006	0.0	6.4	10.8	82.8	
	12:15	4/14/2006	0.0	3.2	15.6	81.2	
	11:30	4/17/2006	0.0	0.0	20.7	79.3	
	10:45	4/28/2006	0.0	0.0	20.5	79.5	
	15:05	5/4/2006	0.4	0.0	13.5	86.1	
	11:42	5/22/2006	0.2	0.0	20.6	79.2	
	13:14	6/2/2006	0.2	0.0	20.1	79.7	
	9:10	6/9/2006	1.1	0.1	20.5	78.3	
	13:30	6/14/2006	0.6	0.3	20.4	78.7	
	11:28	6/22/2006	0.7	0.0	20.2	79.1	
	11:27	7/5/2006	0.6	0.0	20.4	79.0	
	10:40	7/10/2006	0.0	0.0	19.9	80.1	
	10:06	7/17/2006	0.8	0.4	19.4	79.4	
	12:30	7/28/2006	0.6	0.0	19.9	79.5	
	9:17	8/8/2006	0.6	0.0	19.9	79.5	
	7:34	8/16/2006	0.1	0.0	19.9	80.0	
	7:25	8/21/2006	0.5	0.0	20.1	79.4	
	13:29	8/28/2006	0.1	0.0	20.3	79.6	
	10:34	9/13/2006	0.0	0.0	20.4	79.6	
	9:57	9/25/2006	0.0	0.1	19.3	80.6	
	7:22	10/10/2006	0.5	0.2	20.4	78.9	
	7:38	10/23/2006	0.6	0.0	20.8	78.6	
	13:14	11/2/2006	0.0	0.3	21.0	78.7	
	13:08	11/14/2006	0.2	9.2	11.2	79.5	
	10:40	11/27/2006	0.1	0.0	20.1	79.9	
	14:00	12/26/2006	0.3	0.2	20.1	79.5	
	12:05	1/27/2007	0.1	0.0	19.8	80.2	
	12:34	2/24/2007	0.4	4.2	16.3	79.2	
	15:35	3/28/2007	0.1	0.0	20.0	79.9	
	10:52	5/1/2007	0.1	0.8	18.7	80.4	
	12:40	5/30/2007	0.0	0.4	18.9	80.7	
	13:35	6/19/2007	0.0	0.0	20.9	79.1	
	11:05	8/13/2007	0.0	0.0	20.9	79.1	
	10:05	10/18/2007	0.1	1.2	18.5	80.2	
	13:45	1/23/2008	0.4	0.2	20.9	78.5	
	7:15	6/12/2008	0.0	0.4	20.9	78.7	
	10:40	7/21/2008	0.0	0.0	20.9	79.1	
11:20	10/3/2008	0.0	0.0	20.9	79.1		
10:05	10/13/2008	0.0	0.4	20.7	78.9		
7:00	1/27/2009	0.0	0.0	20.9	79.1		
11:17	4/9/2009	0.0	0.0	20.0	80.0		
10:32	7/22/2009	0.0	0.4	19.6	80.0		
9:27	10/28/2009	0.0	0.0	19.8	80.2		
8:14	1/26/2010	0.3	2.2	18.0	79.5		
8:08	5/25/2010	0.0	0.0	19.3	80.7		
8:57	9/28/2010	0.0	0.0	18.9	81.1		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
MW-103	7:15	1/25/2011	0.0	0.2	19.4	80.4	
	7:25	4/25/2011	0.2	3.0	17.5	79.3	
	7:15	7/13/2011	0.0	0.0	20.5	79.5	
	7:35	10/26/2011	0.0	0.0	20.9	79.1	
	7:14	1/25/2012	0.2	2.6	16.9	80.3	
	9:10	4/2/2012	0.0	0.0	20.9	79.1	
	7:48	7/25/2012	0.0	3.4	15.5	81.1	
	10:50	10/15/2012	0.0	0.2	18.9	80.9	
	11:05	1/15/2013	0.0	3.8	16.5	79.7	
	8:03	4/29/2013	0.0	0.6	20.9	78.5	
	9:15	7/22/2013	0.0	0.6	20.7	78.7	
9:20	10/14/2013	0.0	0.2	20.9	78.9		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
MW-104	9:29	3/23/2006	12.8	18.5	0.8	67.9	pre-startup
	15:45	3/30/2006	0.0	0.0	20.7	79.3	
	13:10	4/6/2006	6.8	8.9	10.5	73.8	
	14:50	4/11/2006	4.1	7.1	9.2	79.6	
	11:40	4/17/2006	2.0	0.3	21.0	76.7	
	14:10	4/28/2006	0.0	0.0	20.7	79.3	
	15:40	5/4/2006	0.0	0.0	8.1	91.9	
	10:27	5/22/2006	0.0	0.1	19.9	80.0	
	8:32	6/9/2006	0.0	0.0	19.6	80.4	
	12:45	6/14/2006	3.2	0.8	18.8	77.2	
	10:54	6/22/2006	0.8	0.1	19.7	79.4	
	12:19	7/5/2006	0.6	0.0	20.0	79.4	
	11:40	7/10/2006	0.7	0.6	19.8	78.9	
	11:05	7/17/2006	0.1	0.0	19.6	80.3	
	12:38	7/28/2006	0.6	0.0	19.8	79.6	
	9:49	8/8/2006	0.6	0.0	20.0	79.4	
	9:14	8/16/2006	0.7	0.2	19.4	79.7	
	8:30	8/21/2006	0.1	0.3	18.1	81.5	
	14:16	8/28/2006	0.0	0.0	17.6	82.4	
	11:29	9/13/2006	0.7	0.2	16.8	82.3	
	11:27	9/25/2006	0.0	0.2	19.5	80.3	
	8:27	10/10/2006	0.7	13.1	4.3	81.9	
	8:30	10/23/2006	0.7	0.3	16.7	82.3	
	14:14	11/2/2006	0.3	0.0	20.6	79.1	
	15:06	11/14/2006	0.2	0.6	19.4	79.8	
	12:04	11/27/2006	0.2	3.0	17.6	79.2	
	13:15	12/26/2006	0.2	0.0	20.0	79.9	
	14:16	1/27/2007	0.1	0.0	19.4	80.5	
	11:35	2/24/2007	0.5	12.8	5.6	81.1	
	16:55	3/28/2007	0.2	0.2	20.0	79.6	
	11:45	5/1/2007	0.0	0.0	18.9	81.1	
	11:48	5/30/2007	0.0	0.0	19.0	81.0	
	15:30	6/19/2007	0.0	0.0	20.9	79.1	
	12:05	8/13/2007	0.0	0.0	20.9	79.1	
	9:50	10/18/2007	0.1	0.0	19.6	80.3	
	13:20	1/23/2008	0.3	0.6	20.6	78.5	
	9:25	6/12/2008	0.0	0.0	20.9	79.1	
	12:30	7/21/2008	0.0	0.0	20.9	79.1	
	11:37	10/3/2008	0.0	0.0	20.9	79.1	
	10:45	10/13/2008	0.0	0.2	20.9	78.9	
	10:50	1/27/2009	0.2	14.6	3.9	81.3	
	11:40	4/9/2009	0.0	1.2	19.2	79.6	
7:50	7/22/2009	0.0	0.0	19.6	80.4		
9:48	10/28/2009	0.0	0.0	20.0	80.0		
8:25	1/26/2010	0.4	0.2	20.4	79.1		
11:30	5/25/2010	0.0	0.0	19.3	80.7		
9:25	9/28/2010	0.0	0.2	18.6	81.2		
7:45	1/25/2011	0.2	0.6	19.6	79.6		
8:21	4/25/2011	0.2	0.4	20.5	78.9		
7:47	7/13/2011	0.0	0.0	20.5	79.5		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
MW-104	11:05	10/26/2011	0.0	0.2	20.4	79.4	
	7:10	1/25/2012	0.1	1.0	18.5	80.4	
	9:05	4/2/2012	0.0	0.0	20.9	79.1	
	8:07	7/25/2012	0.0	11.0	3.9	85.1	
	8:35	10/15/2012	0.0	0.0	18.1	81.9	
	9:55	1/15/2013	0.0	0.6	20.9	78.5	
	10:00	4/29/2013	0.0	9.4	6.8	83.8	
	7:55	7/22/2013	0.0	5.0	14.2	80.8	
	7:40	10/14/2013	0.0	2.4	17.4	80.2	


Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
System Exhaust	2:00	3/28/2006	4.4	4.0	17.8	73.8	
	12:52	5/4/2006	8.6	14.7	7.4	69.3	
	11:15	6/28/2006	5.9	14.5	9.5	70.1	
	11:45	7/5/2006	6.1	18.7	7.2	68.0	
	11:12	7/10/2006	6.7	21.7	5.1	66.5	
	10:31	7/17/2006	6.2	18.6	6.5	68.7	
	14:24	7/28/2006	2.1	19.2	6.1	72.6	
	10:23	8/8/2006	5.9	18.0	6.8	69.3	
	8:30	8/16/2006	6.8	17.3	7.3	68.6	
	8:07	8/21/2006	6.9	18.0	7.6	67.5	
	14:00	8/28/2006	7.1	18.6	7.3	67.0	
	11:13	9/13/2006	15.2	20.0	8.1	56.7	
	11:37	9/25/2006	14.2	24.3	4.8	56.7	
	8:09	10/10/2006	7.4	19.2	8.2	65.2	
	8:13	10/23/2006	12.8	16.3	9.1	61.8	
	9:00	11/2/2006	5.0	14.0	8.2	72.8	
	13:43	11/14/2006	4.4	10.4	10.6	74.6	
	11:19	11/27/2006	3.8	10.2	10.8	75.2	
	12:31	12/26/2006	6.5	14.8	6.9	71.8	
	13:30	1/27/2007	8.0	15.8	6.4	69.8	
	10:45	2/24/2007	6.0	11.6	10.0	72.4	
	7:35	3/5/2007	0.1	0.2	19.8	79.9	
	8:20	3/24/2007	9.0	12.6	9.7	68.7	
	17:10	3/24/2007	8.5	12.6	9.4	69.5	
	17:25	3/26/2007	6.5	11.4	9.8	72.3	
	7:39	3/27/2007	6.5	11.2	10.2	72.1	
	17:25	3/28/2007	6.5	10.0	11.6	71.9	
	8:16	3/29/2007	5.5	8.8	12.3	73.4	
	17:15	3/29/2007	5.0	8.6	12.3	74.1	
	16:09	6/19/2007	12.5	18.2	4.6	64.7	
	11:55	8/13/2007	13.5	20.2	4.1	62.2	
	9:12	10/19/2007	7.5	16.2	5.0	71.3	
	12:50	1/23/2008	8.5	15.6	7.1	68.8	
	8:55	6/12/2008	8.0	15.2	7.3	69.5	
	12:03	7/21/2008	9.5	17.0	5.6	67.9	
	11:15	10/13/2008	6.5	9.8	12.0	71.7	
	7:20	1/27/2009	3.8	6.4	15.7	74.2	
	9:37	4/9/2009	6.5	7.6	13.3	72.6	
	7:40	7/22/2009	5.0	7.8	12.8	74.4	
	10:35	10/28/2009	6.5	7.4	13.9	72.2	
	7:20	1/27/2009	3.8	6.4	15.7	74.2	
	13:15	5/25/2010	5.0	5.2	15.2	74.6	
10:45	9/28/2010	6.5	5.4	15.3	72.8		
8:11	1/25/2011	4.4	4.2	17.1	74.3		
10:40	4/25/2011	24.0	5.5	16.3	54.2		
8:24	7/13/2011	5.5	3.8	17.4	73.3		
16:15	9/15/2011	13.0	13.8	9.9	63.3		
8:22	9/21/2011	34.0	26.8	2.9	36.3		
9:28	9/21/2011	18.5	18.4	6.5	56.6		
9:20	9/22/2011	22.5	22.6	3.7	51.2		
10:05	9/22/2011	17.0	18.0	7.0	58.0		


Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes


Monitoring Points	Time	Date	CH ₄ (%) variable	CO ₂ (%) variable	O ₂ (%) <5	N (%) <40	Comments target percentages
System Exhaust	10:51	9/22/2011	18.0	18.8	6.0	57.2	
	10:32	10/3/2011	6.0	8.4	13.9	71.7	
	13:43	10/24/2011	7.5	10.0	12.0	70.5	
	10:50	10/26/2011	7.5	16.4	5.8	70.3	
	10:33	11/7/2011	5.5	7.4	14.6	72.5	
	9:11	11/14/2011	5.0	6.4	14.8	73.8	
	10:20	12/12/2011	7.5	4.8	16.6	71.1	
	10:10	12/27/2011	6.5	5.0	15.8	72.7	
	9:10	1/10/2012	6.0	6.0	14.4	73.6	
	10:17	1/25/2012	3.1	2.4	17.6	76.9	
	9:08	2/20/2012	3.1	3.0	19.3	74.6	
	9:35	3/8/2012	8.0	7.2	14.8	70.0	
	10:15	4/2/2012	4.3	4.4	17.4	73.9	
	8:55	4/16/2012	5.0	4.8	16.4	73.8	
	9:45	4/30/2012	7.5	7.4	13.6	71.5	
	9:08	5/14/2012	7.5	7.6	14.2	70.7	
	9:00	5/29/2012	5.5	5.2	15.7	73.6	
	7:38	6/11/2012	7.0	6.0	15.5	71.5	
	9:35	6/25/2012	4.8	4.6	16.3	74.4	
	8:55	7/9/2012	5.0	5.0	15.6	74.4	
	8:20	7/23/2012	6.0	8.0	13.0	73.0	
	10:17	7/25/2012	7.0	8.9	12.1	72.0	
	8:49	8/6/2012	3.9	5.6	15.0	75.6	
	9:10	8/21/2012	4.7	6.6	14.2	74.6	
	9:07	9/4/2012	4.5	6.8	13.5	75.2	
	8:50	10/1/2012	4.4	7.6	13.0	75.1	
	8:25	10/15/2012	4.8	8.4	12.2	74.7	
	7:25	12/6/2012	8.5	9.8	11.6	70.1	
	9:50	12/17/2012	7.5	7.8	12.4	72.3	
	8:40	12/31/2012	10.5	9.0	12.5	68.0	
	8:30	1/9/2013	12.0	10.6	11.6	65.8	
	9:40	1/16/2013	13.5	9.8	11.3	65.4	
	8:55	1/28/2013	6.5	5.4	17.1	71.0	
	10:25	2/11/2013					have to fix drop tube for readings
	9:10	2/25/2013	1.0	0.8	20.9	77.3	
	7:20	3/8/2013					No readings
	8:40	3/22/2013					No readings
	13:40	4/8/2013	6.0	5.8	15.7	72.5	
	15:10	4/22/2013	6.5	7.2	14.9	71.4	
	9:35	4/29/2013	3.5	4.6	16.3	75.7	
	8:22	5/13/2013	3.0	4.4	16.6	76.0	
	13:08	5/28/2013	3.9	5.6	15.2	75.3	
	8:39	6/7/2013	4.5	6.6	14.3	74.6	
	8:09	6/21/2013	5.5	8.4	12.7	73.4	
	8:40	7/5/2013	4.8	7.8	12.9	74.6	
	7:44	7/22/2013	5.5	8.6	12.4	73.5	
	8:50	8/5/2013	6.5	9.0	12.3	72.2	
	8:08	8/19/2013	6.0	8.6	12.4	73.0	
	8:24	9/5/2013	5.0	7.8	13.6	73.6	
	8:38	9/16/2013	6.5	8.6	13.4	71.5	
7:24	9/30/2013	12.0	10.8	11.9	65.3		
7:24	10/14/2013	11.0	10.2	12.6	66.2		
8:00	10/28/2013	11.5	9.8	14.0	64.7		


FIGURES





EXPLANATION

- 


 P-104
 MW-104
 MONITOR WELL, PIEZOMETER
 LOCATION, DESIGNATION
- 

 LC-2
 LEACHATE HEAD WELL
 LOCATION, DESIGNATION
- 


 OUTLINE OF CLOSED LANDFILL
- 

 GP-1
 GAS PROBE LOCATION
 AND DESIGNATION
- 

 GV-1
 GAS VENT LOCATION
 AND DESIGNATION



BASEMAP FROM FOND DU LAC COUNTY PLANNING DIVISION, SPRING 2000.

FF/NN LANDFILL RIPON, WISCONSIN	DATE: 10/3/13 DESIGNED: HJW CHECKED: MRN APPROVED: MRN DRAWN: HJW PROJ.: 117-2202040
SITE LAYOUT	
 TETRA TECH	Figure 1

CHARTS

Chart 50: P-107
Layer 2 Well

370' Down gradient




Chart 54: P-111D
Layer 3 Well

900' Down gradient




Chart 57: P-114
Layer 3 Well

1550' Down gradient





Chart 58: P-115
Layer 3 Well

1600' Down gradient






Chart 61 : P-107D
Layer 4 Well

370' Down gradient



APPENDICES

APPENDIX B
LABORATORY ANALYTICAL RESULTS

November 05, 2013

Mike Noel
Tetra Tech Geo
175 NORTH CORPORATE DRIVE
SUITE 100
Brookfield, WI 53045

RE: Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Dear Mike Noel:

Enclosed are the analytical results for sample(s) received by the laboratory on October 26, 2013. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten

brian.basten@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



Pace Analytical Services, Inc.
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

CERTIFICATIONS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334

New York Certification #: 11888
North Dakota Certification #: R-150
South Carolina Certification #: 83006001
US Dept of Agriculture #: S-76505
Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Lab ID	Sample ID	Matrix	Date Collected	Date Received
4087410001	P-103	Water	10/24/13 11:05	10/26/13 08:35
4087410002	P-103D	Water	10/24/13 11:10	10/26/13 08:35
4087410003	P-107D	Water	10/24/13 12:10	10/26/13 08:35
4087410004	P-111D	Water	10/24/13 12:35	10/26/13 08:35
4087410005	MW-3A	Water	10/24/13 13:15	10/26/13 08:35
4087410006	MW-3B	Water	10/24/13 13:20	10/26/13 08:35
4087410007	P-113B	Water	10/24/13 14:25	10/26/13 08:35
4087410008	P-113A	Water	10/24/13 14:35	10/26/13 08:35
4087410009	P-114	Water	10/24/13 15:30	10/26/13 08:35
4087410010	P-114 DUP	Water	10/24/13 15:35	10/26/13 08:35
4087410011	P-116	Water	10/24/13 15:55	10/26/13 08:35
4087410012	P-115	Water	10/24/13 16:20	10/26/13 08:35
4087410013	MW-103	Water	10/24/13 16:45	10/26/13 08:35
4087410014	MW-112	Water	10/24/13 16:55	10/26/13 08:35
4087410015	TRIP BLANK	Water	10/24/13 00:00	10/26/13 08:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE ANALYTE COUNT

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Lab ID	Sample ID	Method	Analysts	Analytes Reported
4087410001	P-103	EPA 8260	LAP	64
4087410002	P-103D	EPA 8260	LAP	64
4087410003	P-107D	EPA 8260	LAP	64
4087410004	P-111D	EPA 8260	HNW	64
4087410005	MW-3A	EPA 8260	LAP	64
4087410006	MW-3B	EPA 8260	LAP	64
4087410007	P-113B	EPA 8260	LAP	64
4087410008	P-113A	EPA 8260	LAP	64
4087410009	P-114	EPA 8260	LAP	64
4087410010	P-114 DUP	EPA 8260	LAP	64
4087410011	P-116	EPA 8260	LAP	64
4087410012	P-115	EPA 8260	LAP	64
4087410013	MW-103	EPA 8260	LAP	64
4087410014	MW-112	EPA 8260	LAP	64
4087410015	TRIP BLANK	EPA 8260	LAP	64

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: P-103 Lab ID: 4087410001 Collected: 10/24/13 11:05 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/31/13 00:39	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/31/13 00:39	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/31/13 00:39	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/31/13 00:39	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/31/13 00:39	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/31/13 00:39	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/31/13 00:39	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/31/13 00:39	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/31/13 00:39	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/31/13 00:39	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 00:39	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/31/13 00:39	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/31/13 00:39	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/31/13 00:39	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/31/13 00:39	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 00:39	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 00:39	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/31/13 00:39	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/31/13 00:39	142-28-9	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/31/13 00:39	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 00:39	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 00:39	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 00:39	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/31/13 00:39	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/31/13 00:39	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/31/13 00:39	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/31/13 00:39	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		10/31/13 00:39	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/31/13 00:39	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/31/13 00:39	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/31/13 00:39	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/31/13 00:39	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/31/13 00:39	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/31/13 00:39	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/31/13 00:39	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/31/13 00:39	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/31/13 00:39	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/31/13 00:39	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 00:39	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/31/13 00:39	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/31/13 00:39	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/31/13 00:39	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/31/13 00:39	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/31/13 00:39	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/31/13 00:39	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/31/13 00:39	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: P-103 Lab ID: 4087410001 Collected: 10/24/13 11:05 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	ND	ug/L	1.0	0.44	1		10/31/13 00:39	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		10/31/13 00:39	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/31/13 00:39	75-69-4	
Vinyl chloride	ND	ug/L	1.0	0.18	1		10/31/13 00:39	75-01-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.42	1		10/31/13 00:39	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/31/13 00:39	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/31/13 00:39	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/31/13 00:39	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 00:39	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/31/13 00:39	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/31/13 00:39	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/31/13 00:39	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/31/13 00:39	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/31/13 00:39	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/31/13 00:39	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	43-137		1		10/31/13 00:39	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		10/31/13 00:39	1868-53-7	
Toluene-d8 (S)	100	%	55-137		1		10/31/13 00:39	2037-26-5	

Sample: P-103D Lab ID: 4087410002 Collected: 10/24/13 11:10 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/30/13 21:17	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/30/13 21:17	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/30/13 21:17	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/30/13 21:17	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/30/13 21:17	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/30/13 21:17	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/30/13 21:17	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/30/13 21:17	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/30/13 21:17	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/30/13 21:17	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/30/13 21:17	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/30/13 21:17	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/30/13 21:17	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/30/13 21:17	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/30/13 21:17	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/30/13 21:17	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/30/13 21:17	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/30/13 21:17	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/30/13 21:17	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
 Pace Project No.: 4087410

Sample: P-103D Lab ID: 4087410002 Collected: 10/24/13 11:10 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/30/13 21:17	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/30/13 21:17	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/30/13 21:17	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/30/13 21:17	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/30/13 21:17	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/30/13 21:17	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/30/13 21:17	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/30/13 21:17	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		10/30/13 21:17	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/30/13 21:17	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/30/13 21:17	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/30/13 21:17	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/30/13 21:17	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/30/13 21:17	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/30/13 21:17	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/30/13 21:17	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/30/13 21:17	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/30/13 21:17	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/30/13 21:17	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/30/13 21:17	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/30/13 21:17	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/30/13 21:17	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/30/13 21:17	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/30/13 21:17	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/30/13 21:17	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/30/13 21:17	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/30/13 21:17	127-18-4	
Toluene	ND	ug/L	1.0	0.44	1		10/30/13 21:17	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		10/30/13 21:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/30/13 21:17	75-69-4	
Vinyl chloride	ND	ug/L	1.0	0.18	1		10/30/13 21:17	75-01-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.42	1		10/30/13 21:17	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/30/13 21:17	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/30/13 21:17	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/30/13 21:17	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/30/13 21:17	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/30/13 21:17	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/30/13 21:17	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/30/13 21:17	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/30/13 21:17	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/30/13 21:17	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/30/13 21:17	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94 %		43-137		1		10/30/13 21:17	460-00-4	
Dibromofluoromethane (S)	102 %		70-130		1		10/30/13 21:17	1868-53-7	
Toluene-d8 (S)	100 %		55-137		1		10/30/13 21:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: P-107D Lab ID: 4087410003 Collected: 10/24/13 12:10 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/31/13 01:02	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/31/13 01:02	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/31/13 01:02	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/31/13 01:02	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/31/13 01:02	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/31/13 01:02	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/31/13 01:02	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/31/13 01:02	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/31/13 01:02	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/31/13 01:02	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 01:02	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/31/13 01:02	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/31/13 01:02	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/31/13 01:02	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/31/13 01:02	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 01:02	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 01:02	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/31/13 01:02	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/31/13 01:02	142-28-9	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/31/13 01:02	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 01:02	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 01:02	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 01:02	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/31/13 01:02	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/31/13 01:02	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/31/13 01:02	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/31/13 01:02	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		10/31/13 01:02	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/31/13 01:02	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/31/13 01:02	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/31/13 01:02	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/31/13 01:02	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/31/13 01:02	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/31/13 01:02	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/31/13 01:02	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/31/13 01:02	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/31/13 01:02	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/31/13 01:02	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 01:02	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/31/13 01:02	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/31/13 01:02	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/31/13 01:02	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/31/13 01:02	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/31/13 01:02	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/31/13 01:02	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/31/13 01:02	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: P-107D Lab ID: 4087410003 Collected: 10/24/13 12:10 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Toluene	ND	ug/L	1.0	0.44	1		10/31/13 01:02	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		10/31/13 01:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/31/13 01:02	75-69-4	
Vinyl chloride	2.6	ug/L	1.0	0.18	1		10/31/13 01:02	75-01-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.42	1		10/31/13 01:02	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/31/13 01:02	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/31/13 01:02	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/31/13 01:02	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 01:02	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/31/13 01:02	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/31/13 01:02	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/31/13 01:02	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/31/13 01:02	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/31/13 01:02	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/31/13 01:02	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94 %		43-137		1		10/31/13 01:02	460-00-4	
Dibromofluoromethane (S)	103 %		70-130		1		10/31/13 01:02	1868-53-7	
Toluene-d8 (S)	101 %		55-137		1		10/31/13 01:02	2037-26-5	

Sample: P-111D Lab ID: 4087410004 Collected: 10/24/13 12:35 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		11/01/13 15:08	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		11/01/13 15:08	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		11/01/13 15:08	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		11/01/13 15:08	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		11/01/13 15:08	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		11/01/13 15:08	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		11/01/13 15:08	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		11/01/13 15:08	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		11/01/13 15:08	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		11/01/13 15:08	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		11/01/13 15:08	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		11/01/13 15:08	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		11/01/13 15:08	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		11/01/13 15:08	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		11/01/13 15:08	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		11/01/13 15:08	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		11/01/13 15:08	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		11/01/13 15:08	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		11/01/13 15:08	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
 Pace Project No.: 4087410

Sample: P-111D Lab ID: 4087410004 Collected: 10/24/13 12:35 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		11/01/13 15:08	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		11/01/13 15:08	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		11/01/13 15:08	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		11/01/13 15:08	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		11/01/13 15:08	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		11/01/13 15:08	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		11/01/13 15:08	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		11/01/13 15:08	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		11/01/13 15:08	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		11/01/13 15:08	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		11/01/13 15:08	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		11/01/13 15:08	108-90-7	
Chloroethane	1.5	ug/L	1.0	0.44	1		11/01/13 15:08	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		11/01/13 15:08	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		11/01/13 15:08	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		11/01/13 15:08	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		11/01/13 15:08	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		11/01/13 15:08	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		11/01/13 15:08	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		11/01/13 15:08	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		11/01/13 15:08	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		11/01/13 15:08	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		11/01/13 15:08	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		11/01/13 15:08	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		11/01/13 15:08	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		11/01/13 15:08	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		11/01/13 15:08	127-18-4	
Toluene	ND	ug/L	1.0	0.44	1		11/01/13 15:08	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		11/01/13 15:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		11/01/13 15:08	75-69-4	
Vinyl chloride	6.7	ug/L	1.0	0.18	1		11/01/13 15:08	75-01-4	
cis-1,2-Dichloroethene	1.6	ug/L	1.0	0.42	1		11/01/13 15:08	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		11/01/13 15:08	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		11/01/13 15:08	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		11/01/13 15:08	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		11/01/13 15:08	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		11/01/13 15:08	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		11/01/13 15:08	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		11/01/13 15:08	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		11/01/13 15:08	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		11/01/13 15:08	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		11/01/13 15:08	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94 %		43-137		1		11/01/13 15:08	460-00-4	
Dibromofluoromethane (S)	91 %		70-130		1		11/01/13 15:08	1868-53-7	
Toluene-d8 (S)	99 %		55-137		1		11/01/13 15:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
 Pace Project No.: 4087410

Sample: MW-3A Lab ID: 4087410005 Collected: 10/24/13 13:15 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/31/13 00:06	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/31/13 00:06	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/31/13 00:06	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/31/13 00:06	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/31/13 00:06	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/31/13 00:06	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/31/13 00:06	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/31/13 00:06	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/31/13 00:06	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/31/13 00:06	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 00:06	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/31/13 00:06	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/31/13 00:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/31/13 00:06	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/31/13 00:06	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 00:06	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 00:06	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/31/13 00:06	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/31/13 00:06	142-28-9	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/31/13 00:06	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 00:06	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 00:06	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 00:06	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/31/13 00:06	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/31/13 00:06	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/31/13 00:06	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/31/13 00:06	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		10/31/13 00:06	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/31/13 00:06	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/31/13 00:06	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/31/13 00:06	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/31/13 00:06	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/31/13 00:06	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/31/13 00:06	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/31/13 00:06	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/31/13 00:06	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/31/13 00:06	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/31/13 00:06	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 00:06	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/31/13 00:06	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/31/13 00:06	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/31/13 00:06	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/31/13 00:06	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/31/13 00:06	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/31/13 00:06	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/31/13 00:06	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: MW-3A Lab ID: 4087410005 Collected: 10/24/13 13:15 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	ND	ug/L	1.0	0.44	1		10/31/13 00:06	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		10/31/13 00:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/31/13 00:06	75-69-4	
Vinyl chloride	ND	ug/L	1.0	0.18	1		10/31/13 00:06	75-01-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.42	1		10/31/13 00:06	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/31/13 00:06	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/31/13 00:06	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/31/13 00:06	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 00:06	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/31/13 00:06	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/31/13 00:06	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/31/13 00:06	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/31/13 00:06	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/31/13 00:06	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/31/13 00:06	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90 %		43-137		1		10/31/13 00:06	460-00-4	
Dibromofluoromethane (S)	102 %		70-130		1		10/31/13 00:06	1868-53-7	
Toluene-d8 (S)	97 %		55-137		1		10/31/13 00:06	2037-26-5	

Sample: MW-3B Lab ID: 4087410006 Collected: 10/24/13 13:20 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/30/13 20:18	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/30/13 20:18	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/30/13 20:18	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/30/13 20:18	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/30/13 20:18	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/30/13 20:18	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/30/13 20:18	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/30/13 20:18	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/30/13 20:18	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/30/13 20:18	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/30/13 20:18	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/30/13 20:18	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/30/13 20:18	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/30/13 20:18	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/30/13 20:18	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/30/13 20:18	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/30/13 20:18	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/30/13 20:18	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/30/13 20:18	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: MW-3B Lab ID: 4087410006 Collected: 10/24/13 13:20 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/30/13 20:18	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/30/13 20:18	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/30/13 20:18	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/30/13 20:18	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/30/13 20:18	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/30/13 20:18	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/30/13 20:18	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/30/13 20:18	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		10/30/13 20:18	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/30/13 20:18	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/30/13 20:18	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/30/13 20:18	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/30/13 20:18	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/30/13 20:18	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/30/13 20:18	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/30/13 20:18	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/30/13 20:18	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/30/13 20:18	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/30/13 20:18	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/30/13 20:18	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/30/13 20:18	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/30/13 20:18	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/30/13 20:18	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/30/13 20:18	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/30/13 20:18	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/30/13 20:18	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/30/13 20:18	127-18-4	
Toluene	ND	ug/L	1.0	0.44	1		10/30/13 20:18	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		10/30/13 20:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/30/13 20:18	75-69-4	
Vinyl chloride	ND	ug/L	1.0	0.18	1		10/30/13 20:18	75-01-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.42	1		10/30/13 20:18	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/30/13 20:18	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/30/13 20:18	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/30/13 20:18	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/30/13 20:18	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/30/13 20:18	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/30/13 20:18	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/30/13 20:18	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/30/13 20:18	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/30/13 20:18	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/30/13 20:18	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	91 %		43-137		1		10/30/13 20:18	460-00-4	
Dibromofluoromethane (S)	97 %		70-130		1		10/30/13 20:18	1868-53-7	
Toluene-d8 (S)	93 %		55-137		1		10/30/13 20:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: P-113B Lab ID: 4087410007 Collected: 10/24/13 14:25 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/31/13 00:52	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/31/13 00:52	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/31/13 00:52	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/31/13 00:52	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/31/13 00:52	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/31/13 00:52	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/31/13 00:52	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/31/13 00:52	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/31/13 00:52	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/31/13 00:52	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 00:52	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/31/13 00:52	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/31/13 00:52	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/31/13 00:52	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/31/13 00:52	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 00:52	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 00:52	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/31/13 00:52	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/31/13 00:52	142-28-9	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/31/13 00:52	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 00:52	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 00:52	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 00:52	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/31/13 00:52	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/31/13 00:52	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/31/13 00:52	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/31/13 00:52	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		10/31/13 00:52	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/31/13 00:52	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/31/13 00:52	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/31/13 00:52	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/31/13 00:52	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/31/13 00:52	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/31/13 00:52	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/31/13 00:52	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/31/13 00:52	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/31/13 00:52	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/31/13 00:52	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 00:52	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/31/13 00:52	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/31/13 00:52	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/31/13 00:52	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/31/13 00:52	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/31/13 00:52	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/31/13 00:52	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/31/13 00:52	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: P-113B Lab ID: 4087410007 Collected: 10/24/13 14:25 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	ND	ug/L	1.0	0.44	1		10/31/13 00:52	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		10/31/13 00:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/31/13 00:52	75-69-4	
Vinyl chloride	ND	ug/L	1.0	0.18	1		10/31/13 00:52	75-01-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.42	1		10/31/13 00:52	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/31/13 00:52	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/31/13 00:52	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/31/13 00:52	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 00:52	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/31/13 00:52	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/31/13 00:52	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/31/13 00:52	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/31/13 00:52	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/31/13 00:52	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/31/13 00:52	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90 %		43-137		1		10/31/13 00:52	460-00-4	
Dibromofluoromethane (S)	101 %		70-130		1		10/31/13 00:52	1868-53-7	
Toluene-d8 (S)	94 %		55-137		1		10/31/13 00:52	2037-26-5	

Sample: P-113A Lab ID: 4087410008 Collected: 10/24/13 14:35 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/31/13 01:15	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/31/13 01:15	71-55-6	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/31/13 01:15	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/31/13 01:15	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/31/13 01:15	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/31/13 01:15	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/31/13 01:15	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/31/13 01:15	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/31/13 01:15	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/31/13 01:15	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 01:15	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/31/13 01:15	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/31/13 01:15	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/31/13 01:15	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/31/13 01:15	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 01:15	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 01:15	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/31/13 01:15	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/31/13 01:15	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
 Pace Project No.: 4087410

Sample: P-113A Lab ID: 4087410008 Collected: 10/24/13 14:35 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/31/13 01:15	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 01:15	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 01:15	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 01:15	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/31/13 01:15	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/31/13 01:15	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/31/13 01:15	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/31/13 01:15	75-27-4	
Bromoforn	ND	ug/L	1.0	0.33	1		10/31/13 01:15	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/31/13 01:15	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/31/13 01:15	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/31/13 01:15	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/31/13 01:15	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/31/13 01:15	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/31/13 01:15	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/31/13 01:15	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/31/13 01:15	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/31/13 01:15	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/31/13 01:15	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 01:15	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/31/13 01:15	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/31/13 01:15	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/31/13 01:15	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/31/13 01:15	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/31/13 01:15	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/31/13 01:15	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/31/13 01:15	127-18-4	
Toluene	ND	ug/L	1.0	0.44	1		10/31/13 01:15	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		10/31/13 01:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/31/13 01:15	75-69-4	
Vinyl chloride	ND	ug/L	1.0	0.18	1		10/31/13 01:15	75-01-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.42	1		10/31/13 01:15	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/31/13 01:15	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/31/13 01:15	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/31/13 01:15	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 01:15	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/31/13 01:15	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/31/13 01:15	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/31/13 01:15	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/31/13 01:15	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/31/13 01:15	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/31/13 01:15	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90 %		43-137		1		10/31/13 01:15	460-00-4	
Dibromofluoromethane (S)	103 %		70-130		1		10/31/13 01:15	1868-53-7	
Toluene-d8 (S)	94 %		55-137		1		10/31/13 01:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
 Pace Project No.: 4087410

Sample: P-114 Lab ID: 4087410009 Collected: 10/24/13 15:30 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/31/13 01:37	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/31/13 01:37	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/31/13 01:37	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/31/13 01:37	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/31/13 01:37	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/31/13 01:37	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/31/13 01:37	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/31/13 01:37	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/31/13 01:37	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/31/13 01:37	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 01:37	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/31/13 01:37	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/31/13 01:37	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/31/13 01:37	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/31/13 01:37	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 01:37	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 01:37	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/31/13 01:37	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/31/13 01:37	142-28-9	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/31/13 01:37	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 01:37	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 01:37	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 01:37	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/31/13 01:37	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/31/13 01:37	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/31/13 01:37	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/31/13 01:37	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		10/31/13 01:37	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/31/13 01:37	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/31/13 01:37	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/31/13 01:37	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/31/13 01:37	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/31/13 01:37	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/31/13 01:37	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/31/13 01:37	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/31/13 01:37	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/31/13 01:37	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/31/13 01:37	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 01:37	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/31/13 01:37	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/31/13 01:37	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/31/13 01:37	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/31/13 01:37	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/31/13 01:37	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/31/13 01:37	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/31/13 01:37	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: P-114 Lab ID: 4087410009 Collected: 10/24/13 15:30 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	ND	ug/L	1.0	0.44	1		10/31/13 01:37	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		10/31/13 01:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/31/13 01:37	75-69-4	
Vinyl chloride	7.2	ug/L	1.0	0.18	1		10/31/13 01:37	75-01-4	
cis-1,2-Dichloroethene	1.3	ug/L	1.0	0.42	1		10/31/13 01:37	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/31/13 01:37	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/31/13 01:37	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/31/13 01:37	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 01:37	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/31/13 01:37	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/31/13 01:37	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/31/13 01:37	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/31/13 01:37	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/31/13 01:37	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/31/13 01:37	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	91 %		43-137		1		10/31/13 01:37	460-00-4	
Dibromofluoromethane (S)	103 %		70-130		1		10/31/13 01:37	1868-53-7	
Toluene-d8 (S)	96 %		55-137		1		10/31/13 01:37	2037-26-5	

Sample: P-114 DUP Lab ID: 4087410010 Collected: 10/24/13 15:35 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/31/13 02:00	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/31/13 02:00	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/31/13 02:00	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/31/13 02:00	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/31/13 02:00	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/31/13 02:00	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/31/13 02:00	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/31/13 02:00	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/31/13 02:00	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/31/13 02:00	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 02:00	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/31/13 02:00	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/31/13 02:00	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/31/13 02:00	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/31/13 02:00	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 02:00	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 02:00	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/31/13 02:00	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/31/13 02:00	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: P-114 DUP Lab ID: 4087410010 Collected: 10/24/13 15:35 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/31/13 02:00	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 02:00	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 02:00	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 02:00	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/31/13 02:00	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/31/13 02:00	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/31/13 02:00	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/31/13 02:00	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		10/31/13 02:00	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/31/13 02:00	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/31/13 02:00	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/31/13 02:00	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/31/13 02:00	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/31/13 02:00	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/31/13 02:00	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/31/13 02:00	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/31/13 02:00	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/31/13 02:00	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/31/13 02:00	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 02:00	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/31/13 02:00	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/31/13 02:00	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/31/13 02:00	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/31/13 02:00	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/31/13 02:00	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/31/13 02:00	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/31/13 02:00	127-18-4	
Toluene	ND	ug/L	1.0	0.44	1		10/31/13 02:00	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		10/31/13 02:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/31/13 02:00	75-69-4	
Vinyl chloride	7.0	ug/L	1.0	0.18	1		10/31/13 02:00	75-01-4	
cis-1,2-Dichloroethene	1.4	ug/L	1.0	0.42	1		10/31/13 02:00	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/31/13 02:00	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/31/13 02:00	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/31/13 02:00	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 02:00	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/31/13 02:00	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/31/13 02:00	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/31/13 02:00	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/31/13 02:00	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/31/13 02:00	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/31/13 02:00	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90 %		43-137		1		10/31/13 02:00	460-00-4	
Dibromofluoromethane (S)	102 %		70-130		1		10/31/13 02:00	1868-53-7	
Toluene-d8 (S)	97 %		55-137		1		10/31/13 02:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: P-116 Lab ID: 4087410011 Collected: 10/24/13 15:55 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/31/13 02:23	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/31/13 02:23	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/31/13 02:23	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/31/13 02:23	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/31/13 02:23	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/31/13 02:23	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/31/13 02:23	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/31/13 02:23	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/31/13 02:23	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/31/13 02:23	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 02:23	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/31/13 02:23	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/31/13 02:23	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/31/13 02:23	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/31/13 02:23	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 02:23	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 02:23	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/31/13 02:23	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/31/13 02:23	142-28-9	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/31/13 02:23	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 02:23	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 02:23	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 02:23	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/31/13 02:23	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/31/13 02:23	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/31/13 02:23	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/31/13 02:23	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		10/31/13 02:23	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/31/13 02:23	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/31/13 02:23	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/31/13 02:23	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/31/13 02:23	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/31/13 02:23	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/31/13 02:23	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/31/13 02:23	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/31/13 02:23	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/31/13 02:23	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/31/13 02:23	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 02:23	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/31/13 02:23	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/31/13 02:23	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/31/13 02:23	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/31/13 02:23	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/31/13 02:23	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/31/13 02:23	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/31/13 02:23	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: P-116 Lab ID: 4087410011 Collected: 10/24/13 15:55 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	ND	ug/L	1.0	0.44	1		10/31/13 02:23	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		10/31/13 02:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/31/13 02:23	75-69-4	
Vinyl chloride	ND	ug/L	1.0	0.18	1		10/31/13 02:23	75-01-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.42	1		10/31/13 02:23	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/31/13 02:23	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/31/13 02:23	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/31/13 02:23	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 02:23	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/31/13 02:23	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/31/13 02:23	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/31/13 02:23	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/31/13 02:23	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/31/13 02:23	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/31/13 02:23	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90 %		43-137		1		10/31/13 02:23	460-00-4	
Dibromofluoromethane (S)	101 %		70-130		1		10/31/13 02:23	1868-53-7	
Toluene-d8 (S)	97 %		55-137		1		10/31/13 02:23	2037-26-5	

Sample: P-115 Lab ID: 4087410012 Collected: 10/24/13 16:20 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/31/13 02:46	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/31/13 02:46	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/31/13 02:46	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/31/13 02:46	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/31/13 02:46	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/31/13 02:46	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/31/13 02:46	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/31/13 02:46	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/31/13 02:46	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/31/13 02:46	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 02:46	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/31/13 02:46	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/31/13 02:46	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/31/13 02:46	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/31/13 02:46	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 02:46	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 02:46	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/31/13 02:46	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/31/13 02:46	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: P-115 Lab ID: 4087410012 Collected: 10/24/13 16:20 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/31/13 02:46	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 02:46	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 02:46	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 02:46	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/31/13 02:46	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/31/13 02:46	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/31/13 02:46	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/31/13 02:46	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		10/31/13 02:46	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/31/13 02:46	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/31/13 02:46	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/31/13 02:46	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/31/13 02:46	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/31/13 02:46	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/31/13 02:46	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/31/13 02:46	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/31/13 02:46	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/31/13 02:46	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/31/13 02:46	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 02:46	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/31/13 02:46	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/31/13 02:46	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/31/13 02:46	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/31/13 02:46	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/31/13 02:46	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/31/13 02:46	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/31/13 02:46	127-18-4	
Toluene	ND	ug/L	1.0	0.44	1		10/31/13 02:46	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		10/31/13 02:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/31/13 02:46	75-69-4	
Vinyl chloride	1.1	ug/L	1.0	0.18	1		10/31/13 02:46	75-01-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.42	1		10/31/13 02:46	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/31/13 02:46	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/31/13 02:46	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/31/13 02:46	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 02:46	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/31/13 02:46	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/31/13 02:46	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/31/13 02:46	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/31/13 02:46	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/31/13 02:46	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/31/13 02:46	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	43-137		1		10/31/13 02:46	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		10/31/13 02:46	1868-53-7	
Toluene-d8 (S)	94	%	55-137		1		10/31/13 02:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: MW-103 Lab ID: 4087410013 Collected: 10/24/13 16:45 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/31/13 03:08	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/31/13 03:08	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/31/13 03:08	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/31/13 03:08	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/31/13 03:08	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/31/13 03:08	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/31/13 03:08	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/31/13 03:08	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/31/13 03:08	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/31/13 03:08	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 03:08	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/31/13 03:08	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/31/13 03:08	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/31/13 03:08	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/31/13 03:08	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 03:08	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 03:08	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/31/13 03:08	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/31/13 03:08	142-28-9	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/31/13 03:08	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 03:08	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 03:08	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 03:08	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/31/13 03:08	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/31/13 03:08	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/31/13 03:08	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/31/13 03:08	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		10/31/13 03:08	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/31/13 03:08	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/31/13 03:08	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/31/13 03:08	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/31/13 03:08	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/31/13 03:08	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/31/13 03:08	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/31/13 03:08	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/31/13 03:08	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/31/13 03:08	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/31/13 03:08	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 03:08	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/31/13 03:08	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/31/13 03:08	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/31/13 03:08	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/31/13 03:08	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/31/13 03:08	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/31/13 03:08	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/31/13 03:08	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: MW-103 Lab ID: 4087410013 Collected: 10/24/13 16:45 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	ND	ug/L	1.0	0.44	1		10/31/13 03:08	108-88-3	
Trichloroethene	2.0	ug/L	1.0	0.36	1		10/31/13 03:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/31/13 03:08	75-69-4	
Vinyl chloride	ND	ug/L	1.0	0.18	1		10/31/13 03:08	75-01-4	
cis-1,2-Dichloroethene	1.6	ug/L	1.0	0.42	1		10/31/13 03:08	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/31/13 03:08	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/31/13 03:08	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/31/13 03:08	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 03:08	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/31/13 03:08	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/31/13 03:08	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/31/13 03:08	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/31/13 03:08	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/31/13 03:08	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/31/13 03:08	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	43-137		1		10/31/13 03:08	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		10/31/13 03:08	1868-53-7	
Toluene-d8 (S)	98	%	55-137		1		10/31/13 03:08	2037-26-5	

Sample: MW-112 Lab ID: 4087410014 Collected: 10/24/13 16:55 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		10/31/13 03:31	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		10/31/13 03:31	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		10/31/13 03:31	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		10/31/13 03:31	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		10/31/13 03:31	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		10/31/13 03:31	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		10/31/13 03:31	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		10/31/13 03:31	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		10/31/13 03:31	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		10/31/13 03:31	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 03:31	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		10/31/13 03:31	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		10/31/13 03:31	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		10/31/13 03:31	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		10/31/13 03:31	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 03:31	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 03:31	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		10/31/13 03:31	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		10/31/13 03:31	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: MW-112 **Lab ID: 4087410014** Collected: 10/24/13 16:55 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		10/31/13 03:31	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		10/31/13 03:31	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 03:31	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		10/31/13 03:31	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		10/31/13 03:31	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		10/31/13 03:31	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		10/31/13 03:31	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		10/31/13 03:31	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		10/31/13 03:31	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		10/31/13 03:31	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		10/31/13 03:31	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		10/31/13 03:31	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		10/31/13 03:31	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		10/31/13 03:31	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		10/31/13 03:31	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		10/31/13 03:31	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		10/31/13 03:31	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		10/31/13 03:31	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		10/31/13 03:31	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 03:31	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		10/31/13 03:31	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		10/31/13 03:31	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		10/31/13 03:31	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		10/31/13 03:31	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		10/31/13 03:31	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		10/31/13 03:31	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		10/31/13 03:31	127-18-4	
Toluene	ND	ug/L	1.0	0.44	1		10/31/13 03:31	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		10/31/13 03:31	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		10/31/13 03:31	75-69-4	
Vinyl chloride	ND	ug/L	1.0	0.18	1		10/31/13 03:31	75-01-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.42	1		10/31/13 03:31	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		10/31/13 03:31	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		10/31/13 03:31	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		10/31/13 03:31	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		10/31/13 03:31	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		10/31/13 03:31	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		10/31/13 03:31	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		10/31/13 03:31	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		10/31/13 03:31	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		10/31/13 03:31	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		10/31/13 03:31	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	89 %		43-137		1		10/31/13 03:31	460-00-4	
Dibromofluoromethane (S)	101 %		70-130		1		10/31/13 03:31	1868-53-7	
Toluene-d8 (S)	94 %		55-137		1		10/31/13 03:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: TRIP BLANK Lab ID: 4087410015 Collected: 10/24/13 00:00 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA8260									
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	0.45	1		11/01/13 22:26	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.44	1		11/01/13 22:26	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.38	1		11/01/13 22:26	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.39	1		11/01/13 22:26	79-00-5	
1,1-Dichloroethane	ND	ug/L	1.0	0.28	1		11/01/13 22:26	75-34-3	
1,1-Dichloroethene	ND	ug/L	1.0	0.43	1		11/01/13 22:26	75-35-4	
1,1-Dichloropropene	ND	ug/L	1.0	0.51	1		11/01/13 22:26	563-58-6	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.77	1		11/01/13 22:26	87-61-6	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.47	1		11/01/13 22:26	96-18-4	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	2.5	1		11/01/13 22:26	120-82-1	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.50	1		11/01/13 22:26	95-63-6	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1.5	1		11/01/13 22:26	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	0.38	1		11/01/13 22:26	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.44	1		11/01/13 22:26	95-50-1	
1,2-Dichloroethane	ND	ug/L	1.0	0.48	1		11/01/13 22:26	107-06-2	
1,2-Dichloropropane	ND	ug/L	1.0	0.50	1		11/01/13 22:26	78-87-5	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.50	1		11/01/13 22:26	108-67-8	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		11/01/13 22:26	541-73-1	
1,3-Dichloropropane	ND	ug/L	1.0	0.46	1		11/01/13 22:26	142-28-9	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.43	1		11/01/13 22:26	106-46-7	
2,2-Dichloropropane	ND	ug/L	1.0	0.50	1		11/01/13 22:26	594-20-7	
2-Chlorotoluene	ND	ug/L	1.0	0.48	1		11/01/13 22:26	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	0.48	1		11/01/13 22:26	106-43-4	
Benzene	ND	ug/L	1.0	0.50	1		11/01/13 22:26	71-43-2	
Bromobenzene	ND	ug/L	1.0	0.48	1		11/01/13 22:26	108-86-1	
Bromochloromethane	ND	ug/L	1.0	0.49	1		11/01/13 22:26	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	0.45	1		11/01/13 22:26	75-27-4	
Bromoform	ND	ug/L	1.0	0.33	1		11/01/13 22:26	75-25-2	
Bromomethane	ND	ug/L	5.0	0.43	1		11/01/13 22:26	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	0.37	1		11/01/13 22:26	56-23-5	
Chlorobenzene	ND	ug/L	1.0	0.36	1		11/01/13 22:26	108-90-7	
Chloroethane	ND	ug/L	1.0	0.44	1		11/01/13 22:26	75-00-3	
Chloroform	ND	ug/L	5.0	0.69	1		11/01/13 22:26	67-66-3	
Chloromethane	ND	ug/L	1.0	0.39	1		11/01/13 22:26	74-87-3	
Dibromochloromethane	ND	ug/L	5.0	1.9	1		11/01/13 22:26	124-48-1	
Dibromomethane	ND	ug/L	1.0	0.48	1		11/01/13 22:26	74-95-3	
Dichlorodifluoromethane	ND	ug/L	1.0	0.40	1		11/01/13 22:26	75-71-8	
Diisopropyl ether	ND	ug/L	1.0	0.50	1		11/01/13 22:26	108-20-3	
Ethylbenzene	ND	ug/L	1.0	0.50	1		11/01/13 22:26	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.3	1		11/01/13 22:26	87-68-3	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.34	1		11/01/13 22:26	98-82-8	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.49	1		11/01/13 22:26	1634-04-4	
Methylene Chloride	ND	ug/L	1.0	0.36	1		11/01/13 22:26	75-09-2	
Naphthalene	ND	ug/L	5.0	2.5	1		11/01/13 22:26	91-20-3	
Styrene	ND	ug/L	1.0	0.35	1		11/01/13 22:26	100-42-5	
Tetrachloroethene	ND	ug/L	1.0	0.47	1		11/01/13 22:26	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Sample: TRIP BLANK Lab ID: 4087410015 Collected: 10/24/13 00:00 Received: 10/26/13 08:35 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	ND	ug/L	1.0	0.44	1		11/01/13 22:26	108-88-3	
Trichloroethene	ND	ug/L	1.0	0.36	1		11/01/13 22:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	0.48	1		11/01/13 22:26	75-69-4	
Vinyl chloride	ND	ug/L	1.0	0.18	1		11/01/13 22:26	75-01-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.42	1		11/01/13 22:26	156-59-2	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		11/01/13 22:26	10061-01-5	
m&p-Xylene	ND	ug/L	2.0	0.82	1		11/01/13 22:26	179601-23-1	
n-Butylbenzene	ND	ug/L	1.0	0.40	1		11/01/13 22:26	104-51-8	
n-Propylbenzene	ND	ug/L	1.0	0.50	1		11/01/13 22:26	103-65-1	
o-Xylene	ND	ug/L	1.0	0.50	1		11/01/13 22:26	95-47-6	
p-Isopropyltoluene	ND	ug/L	1.0	0.40	1		11/01/13 22:26	99-87-6	
sec-Butylbenzene	ND	ug/L	5.0	0.60	1		11/01/13 22:26	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	0.42	1		11/01/13 22:26	98-06-6	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.37	1		11/01/13 22:26	156-60-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.30	1		11/01/13 22:26	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	92 %		43-137		1		11/01/13 22:26	460-00-4	
Dibromofluoromethane (S)	99 %		70-130		1		11/01/13 22:26	1868-53-7	
Toluene-d8 (S)	101 %		55-137		1		11/01/13 22:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
 Pace Project No.: 4087410

QC Batch: MSV/22017 Analysis Method: EPA 8260
 QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
 Associated Lab Samples: 4087410001, 4087410002, 4087410003

METHOD BLANK: 883451 Matrix: Water

Associated Lab Samples: 4087410001, 4087410002, 4087410003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	10/30/13 16:02	
1,1,1-Trichloroethane	ug/L	ND	1.0	10/30/13 16:02	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	10/30/13 16:02	
1,1,2-Trichloroethane	ug/L	ND	1.0	10/30/13 16:02	
1,1-Dichloroethane	ug/L	ND	1.0	10/30/13 16:02	
1,1-Dichloroethene	ug/L	ND	1.0	10/30/13 16:02	
1,1-Dichloropropene	ug/L	ND	1.0	10/30/13 16:02	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	10/30/13 16:02	
1,2,3-Trichloropropane	ug/L	ND	1.0	10/30/13 16:02	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	10/30/13 16:02	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	10/30/13 16:02	
1,2-Dibromo-3-chloropropane	ug/L	ND	5.0	10/30/13 16:02	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	10/30/13 16:02	
1,2-Dichlorobenzene	ug/L	ND	1.0	10/30/13 16:02	
1,2-Dichloroethane	ug/L	ND	1.0	10/30/13 16:02	
1,2-Dichloropropane	ug/L	ND	1.0	10/30/13 16:02	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	10/30/13 16:02	
1,3-Dichlorobenzene	ug/L	ND	1.0	10/30/13 16:02	
1,3-Dichloropropane	ug/L	ND	1.0	10/30/13 16:02	
1,4-Dichlorobenzene	ug/L	ND	1.0	10/30/13 16:02	
2,2-Dichloropropane	ug/L	ND	1.0	10/30/13 16:02	
2-Chlorotoluene	ug/L	ND	1.0	10/30/13 16:02	
4-Chlorotoluene	ug/L	ND	1.0	10/30/13 16:02	
Benzene	ug/L	ND	1.0	10/30/13 16:02	
Bromobenzene	ug/L	ND	1.0	10/30/13 16:02	
Bromochloromethane	ug/L	ND	1.0	10/30/13 16:02	
Bromodichloromethane	ug/L	ND	1.0	10/30/13 16:02	
Bromofom	ug/L	ND	1.0	10/30/13 16:02	
Bromomethane	ug/L	ND	5.0	10/30/13 16:02	
Carbon tetrachloride	ug/L	ND	1.0	10/30/13 16:02	
Chlorobenzene	ug/L	ND	1.0	10/30/13 16:02	
Chloroethane	ug/L	ND	1.0	10/30/13 16:02	
Chloroform	ug/L	ND	5.0	10/30/13 16:02	
Chloromethane	ug/L	ND	1.0	10/30/13 16:02	
cis-1,2-Dichloroethene	ug/L	ND	1.0	10/30/13 16:02	
cis-1,3-Dichloropropene	ug/L	ND	1.0	10/30/13 16:02	
Dibromochloromethane	ug/L	ND	5.0	10/30/13 16:02	
Dibromomethane	ug/L	ND	1.0	10/30/13 16:02	
Dichlorodifluoromethane	ug/L	ND	1.0	10/30/13 16:02	
Diisopropyl ether	ug/L	ND	1.0	10/30/13 16:02	
Ethylbenzene	ug/L	ND	1.0	10/30/13 16:02	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	10/30/13 16:02	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	10/30/13 16:02	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

METHOD BLANK: 883451 Matrix: Water

Associated Lab Samples: 4087410001, 4087410002, 4087410003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
m&p-Xylene	ug/L	ND	2.0	10/30/13 16:02	
Methyl-tert-butyl ether	ug/L	ND	1.0	10/30/13 16:02	
Methylene Chloride	ug/L	ND	1.0	10/30/13 16:02	
n-Butylbenzene	ug/L	ND	1.0	10/30/13 16:02	
n-Propylbenzene	ug/L	ND	1.0	10/30/13 16:02	
Naphthalene	ug/L	ND	5.0	10/30/13 16:02	
o-Xylene	ug/L	ND	1.0	10/30/13 16:02	
p-Isopropyltoluene	ug/L	ND	1.0	10/30/13 16:02	
sec-Butylbenzene	ug/L	ND	5.0	10/30/13 16:02	
Styrene	ug/L	ND	1.0	10/30/13 16:02	
tert-Butylbenzene	ug/L	ND	1.0	10/30/13 16:02	
Tetrachloroethene	ug/L	ND	1.0	10/30/13 16:02	
Toluene	ug/L	ND	1.0	10/30/13 16:02	
trans-1,2-Dichloroethene	ug/L	ND	1.0	10/30/13 16:02	
trans-1,3-Dichloropropene	ug/L	ND	1.0	10/30/13 16:02	
Trichloroethene	ug/L	ND	1.0	10/30/13 16:02	
Trichlorofluoromethane	ug/L	ND	1.0	10/30/13 16:02	
Vinyl chloride	ug/L	ND	1.0	10/30/13 16:02	
4-Bromofluorobenzene (S)	%	93	43-137	10/30/13 16:02	
Dibromofluoromethane (S)	%	100	70-130	10/30/13 16:02	
Toluene-d8 (S)	%	101	55-137	10/30/13 16:02	

LABORATORY CONTROL SAMPLE & LCSD: 883452 883453

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	55.6	55.9	111	112	70-136	1	20	
1,1,2,2-Tetrachloroethane	ug/L	50	45.7	46.4	91	93	70-130	2	20	
1,1,2-Trichloroethane	ug/L	50	51.5	51.8	103	104	70-130	1	20	
1,1-Dichloroethane	ug/L	50	55.9	57.7	112	115	70-146	3	20	
1,1-Dichloroethene	ug/L	50	59.0	59.4	118	119	70-130	1	20	
1,2,4-Trichlorobenzene	ug/L	50	48.0	48.8	96	98	70-130	2	20	
1,2-Dibromo-3-chloropropane	ug/L	50	44.9	45.2	90	90	46-150	1	20	
1,2-Dibromoethane (EDB)	ug/L	50	49.8	50.9	100	102	70-130	2	20	
1,2-Dichlorobenzene	ug/L	50	50.2	50.3	100	101	70-130	0	20	
1,2-Dichloroethane	ug/L	50	54.2	54.4	108	109	70-144	0	20	
1,2-Dichloropropane	ug/L	50	59.1	59.9	118	120	70-136	1	20	
1,3-Dichlorobenzene	ug/L	50	50.8	50.6	102	101	70-130	0	20	
1,4-Dichlorobenzene	ug/L	50	51.3	50.9	103	102	70-130	1	20	
Benzene	ug/L	50	55.7	55.7	111	111	70-137	0	20	
Bromodichloromethane	ug/L	50	55.5	54.7	111	109	70-133	2	20	
Bromofom	ug/L	50	53.7	55.5	107	111	59-130	3	20	
Bromomethane	ug/L	50	61.1	64.2	122	128	41-148	5	20	
Carbon tetrachloride	ug/L	50	58.8	58.1	118	116	70-154	1	20	
Chlorobenzene	ug/L	50	54.8	55.2	110	110	70-130	1	20	
Chloroethane	ug/L	50	62.9	61.8	126	124	70-139	2	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

LABORATORY CONTROL SAMPLE & LCSD: 883452		883453								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Chloroform	ug/L	50	55.0	54.1	110	108	70-130	2	20	
Chloromethane	ug/L	50	60.6	61.5	121	123	45-154	2	20	
cis-1,2-Dichloroethene	ug/L	50	51.7	52.0	103	104	70-130	1	20	
cis-1,3-Dichloropropene	ug/L	50	56.2	54.0	112	108	70-136	4	20	
Dibromochloromethane	ug/L	50	51.2	53.9	102	108	70-130	5	20	
Dichlorodifluoromethane	ug/L	50	71.4	71.1	143	142	20-157	0	20	
Ethylbenzene	ug/L	50	54.8	55.4	110	111	70-130	1	20	
Isopropylbenzene (Cumene)	ug/L	50	56.0	56.3	112	113	70-130	1	20	
m&p-Xylene	ug/L	100	113	114	113	114	70-130	1	20	
Methyl-tert-butyl ether	ug/L	50	49.9	50.3	100	101	59-141	1	20	
Methylene Chloride	ug/L	50	55.9	55.7	112	111	70-130	0	20	
o-Xylene	ug/L	50	56.4	55.8	113	112	70-130	1	20	
Styrene	ug/L	50	54.4	55.2	109	110	70-130	2	20	
Tetrachloroethene	ug/L	50	56.3	56.4	113	113	70-130	0	20	
Toluene	ug/L	50	55.9	56.1	112	112	70-130	0	20	
trans-1,2-Dichloroethene	ug/L	50	56.2	55.4	112	111	70-130	1	20	
trans-1,3-Dichloropropene	ug/L	50	51.4	52.9	103	106	55-135	3	20	
Trichloroethene	ug/L	50	59.7	59.0	119	118	70-130	1	20	
Trichlorofluoromethane	ug/L	50	59.7	59.5	119	119	50-150	0	20	
Vinyl chloride	ug/L	50	67.4	67.7	135	135	61-143	0	20	
4-Bromofluorobenzene (S)	%				102	102	43-137			
Dibromofluoromethane (S)	%				100	101	70-130			
Toluene-d8 (S)	%				101	101	55-137			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 883803		883804									
Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		4087411004 Result	Spike Conc.	Spike Conc.	MS Result						
1,1,1-Trichloroethane	ug/L	<0.44	50	50	54.4	54.6	109	109	70-136	0	20
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	52.5	47.0	105	94	70-130	11	20
1,1,2-Trichloroethane	ug/L	<0.39	50	50	54.4	51.1	109	102	70-130	6	20
1,1-Dichloroethane	ug/L	<0.28	50	50	56.3	55.3	113	111	70-146	2	20
1,1-Dichloroethene	ug/L	<0.43	50	50	58.0	57.9	116	116	70-130	0	20
1,2,4-Trichlorobenzene	ug/L	<2.5	50	50	49.7	49.9	98	99	70-130	0	20
1,2-Dibromo-3-chloropropane	ug/L	<1.5	50	50	57.3	45.1	115	90	46-150	24	20 R1
1,2-Dibromoethane (EDB)	ug/L	<0.38	50	50	53.8	50.3	108	101	70-130	7	20
1,2-Dichlorobenzene	ug/L	<0.44	50	50	50.6	50.8	101	102	70-130	0	20
1,2-Dichloroethane	ug/L	<0.48	50	50	55.4	53.7	111	107	70-146	3	20
1,2-Dichloropropane	ug/L	<0.50	50	50	57.1	57.1	114	114	70-136	0	20
1,3-Dichlorobenzene	ug/L	<0.45	50	50	49.9	50.3	100	101	70-130	1	20
1,4-Dichlorobenzene	ug/L	<0.43	50	50	51.0	52.6	102	105	70-130	3	20
Benzene	ug/L	<0.50	50	50	54.7	54.8	109	110	70-137	0	20
Bromodichloromethane	ug/L	<0.45	50	50	55.8	54.2	112	108	70-133	3	20
Bromoform	ug/L	<0.33	50	50	61.4	54.7	123	109	57-130	11	20
Bromomethane	ug/L	<0.43	50	50	56.6	64.2	113	128	41-148	13	20
Carbon tetrachloride	ug/L	<0.37	50	50	59.0	58.0	118	116	70-154	2	20
Chlorobenzene	ug/L	<0.36	50	50	53.8	54.1	108	108	70-130	0	20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
 Pace Project No.: 4087410

Parameter	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4087411004		MS		MSD		MS		MSD		% Rec Limits	Max RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Chloroethane	ug/L	<0.44	50	50	63.2	60.1	126	120	70-140	5	20		
Chloroform	ug/L	<0.69	50	50	53.5	52.5	107	105	70-130	2	20		
Chloromethane	ug/L	<0.39	50	50	60.4	58.4	121	117	45-154	3	20		
cis-1,2-Dichloroethene	ug/L	<0.42	50	50	52.9	52.5	105	104	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	<0.29	50	50	54.6	54.1	109	108	70-136	1	20		
Dibromochloromethane	ug/L	<1.9	50	50	54.4	51.9	109	104	70-130	5	20		
Dichlorodifluoromethane	ug/L	<0.40	50	50	67.5	67.7	135	135	10-157	0	20		
Ethylbenzene	ug/L	<0.50	50	50	54.5	54.7	109	109	70-130	0	20		
Isopropylbenzene (Cumene)	ug/L	<0.34	50	50	56.0	56.0	112	112	70-130	0	20		
m&p-Xylene	ug/L	<0.82	100	100	112	113	112	113	70-130	1	20		
Methyl-tert-butyl ether	ug/L	<0.49	50	50	55.4	48.8	111	98	59-141	13	20		
Methylene Chloride	ug/L	<0.36	50	50	55.2	54.5	110	109	70-130	1	20		
o-Xylene	ug/L	<0.50	50	50	55.5	55.2	111	110	70-130	0	20		
Styrene	ug/L	<0.35	50	50	54.8	54.3	110	109	35-164	1	20		
Tetrachloroethene	ug/L	<0.47	50	50	55.4	55.6	111	111	70-130	0	20		
Toluene	ug/L	<0.44	50	50	55.3	56.4	111	113	70-130	2	20		
trans-1,2-Dichloroethene	ug/L	<0.37	50	50	56.5	54.5	113	109	70-130	4	20		
trans-1,3-Dichloropropene	ug/L	<0.30	50	50	54.2	52.1	108	104	55-137	4	20		
Trichloroethene	ug/L	6.0	50	50	65.3	64.1	119	116	70-130	2	20		
Trichlorofluoromethane	ug/L	<0.48	50	50	60.1	59.6	120	119	50-150	1	20		
Vinyl chloride	ug/L	<0.18	50	50	66.5	66.1	133	132	59-144	1	20		
4-Bromofluorobenzene (S)	%						101	98	43-137				
Dibromofluoromethane (S)	%						101	101	70-130				
Toluene-d8 (S)	%						100	101	55-137				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

QC Batch: MSV/22040 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 4087410015

METHOD BLANK: 884034 Matrix: Water
Associated Lab Samples: 4087410015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	11/01/13 14:04	
1,1,1-Trichloroethane	ug/L	ND	1.0	11/01/13 14:04	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	11/01/13 14:04	
1,1,2-Trichloroethane	ug/L	ND	1.0	11/01/13 14:04	
1,1-Dichloroethane	ug/L	ND	1.0	11/01/13 14:04	
1,1-Dichloroethene	ug/L	ND	1.0	11/01/13 14:04	
1,1-Dichloropropene	ug/L	ND	1.0	11/01/13 14:04	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	11/01/13 14:04	
1,2,3-Trichloropropane	ug/L	ND	1.0	11/01/13 14:04	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	11/01/13 14:04	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	11/01/13 14:04	
1,2-Dibromo-3-chloropropane	ug/L	ND	5.0	11/01/13 14:04	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	11/01/13 14:04	
1,2-Dichlorobenzene	ug/L	ND	1.0	11/01/13 14:04	
1,2-Dichloroethane	ug/L	ND	1.0	11/01/13 14:04	
1,2-Dichloropropane	ug/L	ND	1.0	11/01/13 14:04	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	11/01/13 14:04	
1,3-Dichlorobenzene	ug/L	ND	1.0	11/01/13 14:04	
1,3-Dichloropropane	ug/L	ND	1.0	11/01/13 14:04	
1,4-Dichlorobenzene	ug/L	ND	1.0	11/01/13 14:04	
2,2-Dichloropropane	ug/L	ND	1.0	11/01/13 14:04	
2-Chlorotoluene	ug/L	ND	1.0	11/01/13 14:04	
4-Chlorotoluene	ug/L	ND	1.0	11/01/13 14:04	
Benzene	ug/L	ND	1.0	11/01/13 14:04	
Bromobenzene	ug/L	ND	1.0	11/01/13 14:04	
Bromochloromethane	ug/L	ND	1.0	11/01/13 14:04	
Bromodichloromethane	ug/L	ND	1.0	11/01/13 14:04	
Bromoform	ug/L	ND	1.0	11/01/13 14:04	
Bromomethane	ug/L	ND	5.0	11/01/13 14:04	
Carbon tetrachloride	ug/L	ND	1.0	11/01/13 14:04	
Chlorobenzene	ug/L	ND	1.0	11/01/13 14:04	
Chloroethane	ug/L	ND	1.0	11/01/13 14:04	
Chloroform	ug/L	ND	5.0	11/01/13 14:04	
Chloromethane	ug/L	ND	1.0	11/01/13 14:04	
cis-1,2-Dichloroethene	ug/L	ND	1.0	11/01/13 14:04	
cis-1,3-Dichloropropene	ug/L	ND	1.0	11/01/13 14:04	
Dibromochloromethane	ug/L	ND	5.0	11/01/13 14:04	
Dibromomethane	ug/L	ND	1.0	11/01/13 14:04	
Dichlorodifluoromethane	ug/L	ND	1.0	11/01/13 14:04	
Diisopropyl ether	ug/L	ND	1.0	11/01/13 14:04	
Ethylbenzene	ug/L	ND	1.0	11/01/13 14:04	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	11/01/13 14:04	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	11/01/13 14:04	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

METHOD BLANK: 884034 Matrix: Water
Associated Lab Samples: 4087410015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
m&p-Xylene	ug/L	ND	2.0	11/01/13 14:04	
Methyl-tert-butyl ether	ug/L	ND	1.0	11/01/13 14:04	
Methylene Chloride	ug/L	ND	1.0	11/01/13 14:04	
n-Butylbenzene	ug/L	ND	1.0	11/01/13 14:04	
n-Propylbenzene	ug/L	ND	1.0	11/01/13 14:04	
Naphthalene	ug/L	ND	5.0	11/01/13 14:04	
o-Xylene	ug/L	ND	1.0	11/01/13 14:04	
p-Isopropyltoluene	ug/L	ND	1.0	11/01/13 14:04	
sec-Butylbenzene	ug/L	ND	5.0	11/01/13 14:04	
Styrene	ug/L	ND	1.0	11/01/13 14:04	
tert-Butylbenzene	ug/L	ND	1.0	11/01/13 14:04	
Tetrachloroethene	ug/L	ND	1.0	11/01/13 14:04	
Toluene	ug/L	ND	1.0	11/01/13 14:04	
trans-1,2-Dichloroethene	ug/L	ND	1.0	11/01/13 14:04	
trans-1,3-Dichloropropene	ug/L	ND	1.0	11/01/13 14:04	
Trichloroethene	ug/L	ND	1.0	11/01/13 14:04	
Trichlorofluoromethane	ug/L	ND	1.0	11/01/13 14:04	
Vinyl chloride	ug/L	ND	1.0	11/01/13 14:04	
4-Bromofluorobenzene (S)	%	93	43-137	11/01/13 14:04	
Dibromofluoromethane (S)	%	98	70-130	11/01/13 14:04	
Toluene-d8 (S)	%	101	55-137	11/01/13 14:04	

LABORATORY CONTROL SAMPLE & LCSD: 884035		884036								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.1	51.9	104	104	70-136	0	20	
1,1,2,2-Tetrachloroethane	ug/L	50	53.4	52.3	107	105	70-130	2	20	
1,1,2-Trichloroethane	ug/L	50	56.7	56.2	113	112	70-130	1	20	
1,1-Dichloroethane	ug/L	50	51.0	50.5	102	101	70-146	1	20	
1,1-Dichloroethene	ug/L	50	54.8	55.1	110	110	70-130	1	20	
1,2,4-Trichlorobenzene	ug/L	50	53.9	54.5	108	109	70-130	1	20	
1,2-Dibromo-3-chloropropane	ug/L	50	45.4	44.9	91	90	46-150	1	20	
1,2-Dibromoethane (EDB)	ug/L	50	55.3	55.5	111	111	70-130	0	20	
1,2-Dichlorobenzene	ug/L	50	54.3	53.5	109	107	70-130	1	20	
1,2-Dichloroethane	ug/L	50	49.1	49.1	98	98	70-144	0	20	
1,2-Dichloropropane	ug/L	50	56.7	56.1	113	112	70-136	1	20	
1,3-Dichlorobenzene	ug/L	50	52.9	52.3	106	105	70-130	1	20	
1,4-Dichlorobenzene	ug/L	50	53.6	52.7	107	105	70-130	2	20	
Benzene	ug/L	50	51.6	51.6	103	103	70-137	0	20	
Bromodichloromethane	ug/L	50	54.7	54.8	109	110	70-133	0	20	
Bromoform	ug/L	50	48.8	48.7	98	97	59-130	0	20	
Bromomethane	ug/L	50	44.7	45.3	89	91	41-148	1	20	
Carbon tetrachloride	ug/L	50	58.8	58.7	118	117	70-154	0	20	
Chlorobenzene	ug/L	50	54.7	54.6	109	109	70-130	0	20	
Chloroethane	ug/L	50	51.0	50.1	102	100	70-139	2	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

LABORATORY CONTROL SAMPLE & LCSD: 884035		884036								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Chloroform	ug/L	50	50.8	50.5	102	101	70-130	1	20	
Chloromethane	ug/L	50	40.8	40.2	82	80	45-154	2	20	
cis-1,2-Dichloroethene	ug/L	50	51.1	51.4	102	103	70-130	1	20	
cis-1,3-Dichloropropene	ug/L	50	47.9	48.2	96	96	70-136	1	20	
Dibromochloromethane	ug/L	50	49.0	50.1	98	100	70-130	2	20	
Dichlorodifluoromethane	ug/L	50	37.7	39.0	75	78	20-157	4	20	
Ethylbenzene	ug/L	50	56.7	56.2	113	112	70-130	1	20	
Isopropylbenzene (Cumene)	ug/L	50	55.1	54.7	110	109	70-130	1	20	
m&p-Xylene	ug/L	100	116	117	116	117	70-130	0	20	
Methyl-tert-butyl ether	ug/L	50	47.2	48.0	94	96	59-141	2	20	
Methylene Chloride	ug/L	50	51.9	51.7	104	103	70-130	0	20	
o-Xylene	ug/L	50	53.2	52.9	106	106	70-130	1	20	
Styrene	ug/L	50	52.0	52.8	104	106	70-130	1	20	
Tetrachloroethene	ug/L	50	58.9	59.1	118	118	70-130	0	20	
Toluene	ug/L	50	54.6	53.7	109	107	70-130	2	20	
trans-1,2-Dichloroethene	ug/L	50	54.0	54.2	108	108	70-130	0	20	
trans-1,3-Dichloropropene	ug/L	50	47.3	48.3	95	97	55-135	2	20	
Trichloroethene	ug/L	50	57.1	57.3	114	115	70-130	0	20	
Trichlorofluoromethane	ug/L	50	50.8	51.0	102	102	50-150	1	20	
Vinyl chloride	ug/L	50	50.6	49.8	101	100	61-143	1	20	
4-Bromofluorobenzene (S)	%				102	101	43-137			
Dibromofluoromethane (S)	%				96	97	70-130			
Toluene-d8 (S)	%				103	103	55-137			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 884037		884038									
Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		4087373002 Result	Spike Conc.	Spike Conc.	MS Result						
1,1,1-Trichloroethane	ug/L	<0.44	50	50	51.8	52.5	104	105	70-136	1	20
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	53.4	54.4	107	109	70-130	2	20
1,1,2-Trichloroethane	ug/L	<0.39	50	50	56.3	55.9	113	112	70-130	1	20
1,1-Dichloroethane	ug/L	<0.28	50	50	50.2	50.6	100	101	70-146	1	20
1,1-Dichloroethene	ug/L	<0.43	50	50	52.5	52.9	105	106	70-130	1	20
1,2,4-Trichlorobenzene	ug/L	<2.5	50	50	54.6	54.8	107	107	70-130	0	20
1,2-Dibromo-3-chloropropane	ug/L	<1.5	50	50	46.3	46.8	93	94	46-150	1	20
1,2-Dibromoethane (EDB)	ug/L	<0.38	50	50	55.6	55.6	111	111	70-130	0	20
1,2-Dichlorobenzene	ug/L	<0.44	50	50	52.5	53.2	105	106	70-130	1	20
1,2-Dichloroethane	ug/L	<0.48	50	50	49.3	49.8	99	100	70-146	1	20
1,2-Dichloropropane	ug/L	<0.50	50	50	56.1	55.6	112	111	70-136	1	20
1,3-Dichlorobenzene	ug/L	<0.45	50	50	51.4	51.8	102	103	70-130	1	20
1,4-Dichlorobenzene	ug/L	<0.43	50	50	51.7	52.3	103	105	70-130	1	20
Benzene	ug/L	<0.50	50	50	51.2	51.0	102	102	70-137	0	20
Bromodichloromethane	ug/L	<0.45	50	50	53.6	53.0	107	106	70-133	1	20
Bromoform	ug/L	<0.33	50	50	48.2	46.5	96	93	57-130	4	20
Bromomethane	ug/L	<0.43	50	50	44.8	45.3	90	91	41-148	1	20
Carbon tetrachloride	ug/L	<0.37	50	50	58.5	58.0	117	116	70-154	1	20
Chlorobenzene	ug/L	<0.36	50	50	53.9	53.3	108	107	70-130	1	20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Parameter	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 884037		MS		MSD		884038		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
	Units	4087373002 Result	4087373002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
Chloroethane	ug/L	<0.44		50	50	50.4	50.1	101	100	100	70-140	0	20		
Chloroform	ug/L	<0.69		50	50	50.2	50.0	100	100	100	70-130	0	20		
Chloromethane	ug/L	<0.39		50	50	40.8	40.3	82	81	81	45-154	1	20		
cis-1,2-Dichloroethene	ug/L	<0.42		50	50	50.7	51.0	101	102	102	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	<0.29		50	50	47.6	46.0	95	92	92	70-136	3	20		
Dibromochloromethane	ug/L	<1.9		50	50	49.0	48.4	98	97	97	70-130	1	20		
Dichlorodifluoromethane	ug/L	<0.40		50	50	38.7	37.8	77	76	76	10-157	2	20		
Ethylbenzene	ug/L	<0.50		50	50	53.4	53.3	107	107	107	70-130	0	20		
Isopropylbenzene (Cumene)	ug/L	<0.34		50	50	52.8	52.7	106	105	105	70-130	0	20		
m&p-Xylene	ug/L		100	100	106	104	106	104	104	104	70-130	2	20		
Methyl-tert-butyl ether	ug/L	<0.49		50	50	49.9	49.5	100	99	99	59-141	1	20		
Methylene Chloride	ug/L	<0.36		50	50	51.8	51.5	104	103	103	70-130	0	20		
o-Xylene	ug/L			50	50	48.4	47.6	97	95	95	70-130	2	20		
Styrene	ug/L	<0.35		50	50	29.9	26.8	60	54	54	35-164	11	20		
Tetrachloroethene	ug/L	<0.47		50	50	58.0	58.2	116	116	116	70-130	0	20		
Toluene	ug/L	<0.44		50	50	51.4	52.0	103	104	104	70-130	1	20		
trans-1,2-Dichloroethene	ug/L	<0.37		50	50	53.4	53.8	107	108	108	70-130	1	20		
trans-1,3-Dichloropropene	ug/L	<0.30		50	50	47.7	46.1	95	92	92	55-137	3	20		
Trichloroethene	ug/L	<0.36		50	50	56.0	56.6	112	113	113	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.48		50	50	50.8	50.6	102	101	101	50-150	0	20		
Vinyl chloride	ug/L	<0.18		50	50	49.3	48.3	99	97	97	59-144	2	20		
4-Bromofluorobenzene (S)	%							103	103	103	43-137				
Dibromofluoromethane (S)	%							97	97	97	70-130				
Toluene-d8 (S)	%							101	101	101	55-137				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

QC Batch: MSV/22054 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 4087410005, 4087410006, 4087410007, 4087410008, 4087410009, 4087410010, 4087410011, 4087410012, 4087410013, 4087410014

METHOD BLANK: 884471 Matrix: Water
Associated Lab Samples: 4087410005, 4087410006, 4087410007, 4087410008, 4087410009, 4087410010, 4087410011, 4087410012, 4087410013, 4087410014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	10/30/13 16:53	
1,1,1-Trichloroethane	ug/L	ND	1.0	10/30/13 16:53	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	10/30/13 16:53	
1,1,2-Trichloroethane	ug/L	ND	1.0	10/30/13 16:53	
1,1-Dichloroethane	ug/L	ND	1.0	10/30/13 16:53	
1,1-Dichloroethene	ug/L	ND	1.0	10/30/13 16:53	
1,1-Dichloropropene	ug/L	ND	1.0	10/30/13 16:53	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	10/30/13 16:53	
1,2,3-Trichloropropane	ug/L	ND	1.0	10/30/13 16:53	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	10/30/13 16:53	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	10/30/13 16:53	
1,2-Dibromo-3-chloropropane	ug/L	ND	5.0	10/30/13 16:53	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	10/30/13 16:53	
1,2-Dichlorobenzene	ug/L	ND	1.0	10/30/13 16:53	
1,2-Dichloroethane	ug/L	ND	1.0	10/30/13 16:53	
1,2-Dichloropropane	ug/L	ND	1.0	10/30/13 16:53	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	10/30/13 16:53	
1,3-Dichlorobenzene	ug/L	ND	1.0	10/30/13 16:53	
1,3-Dichloropropane	ug/L	ND	1.0	10/30/13 16:53	
1,4-Dichlorobenzene	ug/L	ND	1.0	10/30/13 16:53	
2,2-Dichloropropane	ug/L	ND	1.0	10/30/13 16:53	
2-Chlorotoluene	ug/L	ND	1.0	10/30/13 16:53	
4-Chlorotoluene	ug/L	ND	1.0	10/30/13 16:53	
Benzene	ug/L	ND	1.0	10/30/13 16:53	
Bromobenzene	ug/L	ND	1.0	10/30/13 16:53	
Bromochloromethane	ug/L	ND	1.0	10/30/13 16:53	
Bromodichloromethane	ug/L	ND	1.0	10/30/13 16:53	
Bromoform	ug/L	ND	1.0	10/30/13 16:53	
Bromomethane	ug/L	ND	5.0	10/30/13 16:53	
Carbon tetrachloride	ug/L	ND	1.0	10/30/13 16:53	
Chlorobenzene	ug/L	ND	1.0	10/30/13 16:53	
Chloroethane	ug/L	ND	1.0	10/30/13 16:53	
Chloroform	ug/L	ND	5.0	10/30/13 16:53	
Chloromethane	ug/L	ND	1.0	10/30/13 16:53	
cis-1,2-Dichloroethene	ug/L	ND	1.0	10/30/13 16:53	
cis-1,3-Dichloropropene	ug/L	ND	1.0	10/30/13 16:53	
Dibromochloromethane	ug/L	ND	5.0	10/30/13 16:53	
Dibromomethane	ug/L	ND	1.0	10/30/13 16:53	
Dichlorodifluoromethane	ug/L	ND	1.0	10/30/13 16:53	
Diisopropyl ether	ug/L	ND	1.0	10/30/13 16:53	
Ethylbenzene	ug/L	ND	1.0	10/30/13 16:53	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

METHOD BLANK: 884471 Matrix: Water

Associated Lab Samples: 4087410005, 4087410006, 4087410007, 4087410008, 4087410009, 4087410010, 4087410011, 4087410012, 4087410013, 4087410014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	ND	5.0	10/30/13 16:53	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	10/30/13 16:53	
m&p-Xylene	ug/L	ND	2.0	10/30/13 16:53	
Methyl-tert-butyl ether	ug/L	ND	1.0	10/30/13 16:53	
Methylene Chloride	ug/L	ND	1.0	10/30/13 16:53	
n-Butylbenzene	ug/L	ND	1.0	10/30/13 16:53	
n-Propylbenzene	ug/L	ND	1.0	10/30/13 16:53	
Naphthalene	ug/L	ND	5.0	10/30/13 16:53	
o-Xylene	ug/L	ND	1.0	10/30/13 16:53	
p-Isopropyltoluene	ug/L	ND	1.0	10/30/13 16:53	
sec-Butylbenzene	ug/L	ND	5.0	10/30/13 16:53	
Styrene	ug/L	ND	1.0	10/30/13 16:53	
tert-Butylbenzene	ug/L	ND	1.0	10/30/13 16:53	
Tetrachloroethene	ug/L	ND	1.0	10/30/13 16:53	
Toluene	ug/L	ND	1.0	10/30/13 16:53	
trans-1,2-Dichloroethene	ug/L	ND	1.0	10/30/13 16:53	
trans-1,3-Dichloropropene	ug/L	ND	1.0	10/30/13 16:53	
Trichloroethene	ug/L	ND	1.0	10/30/13 16:53	
Trichlorofluoromethane	ug/L	ND	1.0	10/30/13 16:53	
Vinyl chloride	ug/L	ND	1.0	10/30/13 16:53	
4-Bromofluorobenzene (S)	%	93	43-137	10/30/13 16:53	
Dibromofluoromethane (S)	%	97	70-130	10/30/13 16:53	
Toluene-d8 (S)	%	97	55-137	10/30/13 16:53	

LABORATORY CONTROL SAMPLE & LCSD: 884472 884473

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.2	53.1	104	106	70-136	2	20	
1,1,2,2-Tetrachloroethane	ug/L	50	51.7	50.8	103	102	70-130	2	20	
1,1,2-Trichloroethane	ug/L	50	52.6	53.7	105	107	70-130	2	20	
1,1-Dichloroethane	ug/L	50	52.0	53.3	104	107	70-146	2	20	
1,1-Dichloroethene	ug/L	50	56.6	57.2	113	114	70-130	1	20	
1,2,4-Trichlorobenzene	ug/L	50	55.6	55.8	111	112	70-130	0	20	
1,2-Dibromo-3-chloropropane	ug/L	50	43.9	42.4	88	85	46-150	3	20	
1,2-Dibromoethane (EDB)	ug/L	50	53.2	54.3	106	109	70-130	2	20	
1,2-Dichlorobenzene	ug/L	50	54.0	54.2	108	108	70-130	0	20	
1,2-Dichloroethane	ug/L	50	50.6	50.8	101	102	70-144	0	20	
1,2-Dichloropropane	ug/L	50	55.6	56.7	111	113	70-136	2	20	
1,3-Dichlorobenzene	ug/L	50	53.3	53.1	107	106	70-130	0	20	
1,4-Dichlorobenzene	ug/L	50	53.4	52.9	107	106	70-130	1	20	
Benzene	ug/L	50	51.6	51.9	103	104	70-137	0	20	
Bromodichloromethane	ug/L	50	51.7	53.4	103	107	70-133	3	20	
Bromoform	ug/L	50	46.8	48.1	94	96	59-130	3	20	
Bromomethane	ug/L	50	48.7	50.8	97	102	41-148	4	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

LABORATORY CONTROL SAMPLE & LCSD: 884472		884473								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Carbon tetrachloride	ug/L	50	57.5	59.3	115	119	70-154	3	20	
Chlorobenzene	ug/L	50	53.7	54.8	107	110	70-130	2	20	
Chloroethane	ug/L	50	54.2	53.8	108	108	70-139	1	20	
Chloroform	ug/L	50	49.7	50.8	99	102	70-130	2	20	
Chloromethane	ug/L	50	51.4	51.9	103	104	45-154	1	20	
cis-1,2-Dichloroethene	ug/L	50	50.8	51.9	102	104	70-130	2	20	
cis-1,3-Dichloropropene	ug/L	50	47.6	49.0	95	98	70-136	3	20	
Dibromochloromethane	ug/L	50	48.6	49.7	97	99	70-130	2	20	
Dichlorodifluoromethane	ug/L	50	57.3	58.2	115	116	20-157	2	20	
Ethylbenzene	ug/L	50	56.3	57.1	113	114	70-130	1	20	
Isopropylbenzene (Cumene)	ug/L	50	54.9	55.6	110	111	70-130	1	20	
m&p-Xylene	ug/L	100	114	118	114	118	70-130	4	20	
Methyl-tert-butyl ether	ug/L	50	50.0	49.9	100	100	59-141	0	20	
Methylene Chloride	ug/L	50	52.9	53.6	106	107	70-130	1	20	
o-Xylene	ug/L	50	52.9	53.7	106	107	70-130	2	20	
Styrene	ug/L	50	50.9	52.2	102	104	70-130	3	20	
Tetrachloroethene	ug/L	50	58.2	59.1	116	118	70-130	1	20	
Toluene	ug/L	50	53.4	54.7	107	109	70-130	2	20	
trans-1,2-Dichloroethene	ug/L	50	53.0	53.0	106	106	70-130	0	20	
trans-1,3-Dichloropropene	ug/L	50	46.5	47.8	93	96	55-135	3	20	
Trichloroethene	ug/L	50	54.8	56.0	110	112	70-130	2	20	
Trichlorofluoromethane	ug/L	50	53.6	54.1	107	108	50-150	1	20	
Vinyl chloride	ug/L	50	59.0	59.7	118	119	61-143	1	20	
4-Bromofluorobenzene (S)	%				98	100	43-137			
Dibromofluoromethane (S)	%				97	96	70-130			
Toluene-d8 (S)	%				99	99	55-137			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 884547		884548											
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		4087410006 Result	Spike Conc.	Spike Conc.	MS Result								
1,1,1-Trichloroethane	ug/L	ND	50	50	52.9	51.9	106	104	70-136	2	20		
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	51.9	52.2	104	104	70-130	1	20		
1,1,2-Trichloroethane	ug/L	ND	50	50	53.3	53.9	107	108	70-130	1	20		
1,1-Dichloroethane	ug/L	ND	50	50	52.0	52.6	104	105	70-146	1	20		
1,1-Dichloroethene	ug/L	ND	50	50	55.5	55.3	111	111	70-130	0	20		
1,2,4-Trichlorobenzene	ug/L	ND	50	50	56.8	57.1	114	114	70-130	0	20		
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	45.0	43.6	90	87	46-150	3	20		
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	53.1	53.4	106	107	70-130	1	20		
1,2-Dichlorobenzene	ug/L	ND	50	50	54.4	54.3	109	109	70-130	0	20		
1,2-Dichloroethane	ug/L	ND	50	50	50.8	50.3	102	101	70-146	1	20		
1,2-Dichloropropane	ug/L	ND	50	50	56.6	55.8	113	112	70-136	1	20		
1,3-Dichlorobenzene	ug/L	ND	50	50	52.7	53.4	105	107	70-130	1	20		
1,4-Dichlorobenzene	ug/L	ND	50	50	53.3	52.8	107	106	70-130	1	20		
Benzene	ug/L	ND	50	50	51.8	51.0	104	102	70-137	1	20		
Bromodichloromethane	ug/L	ND	50	50	53.0	52.4	106	105	70-133	1	20		
Bromoform	ug/L	ND	50	50	46.5	45.5	93	91	57-130	2	20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 884547			884548									
Parameter	Units	4087410006	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	Qual	
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	RPD		
Bromomethane	ug/L	ND	50	50	50.1	50.5	100	101	41-148	1	20	
Carbon tetrachloride	ug/L	ND	50	50	58.7	58.3	117	117	70-154	1	20	
Chlorobenzene	ug/L	ND	50	50	53.9	54.1	108	108	70-130	0	20	
Chloroethane	ug/L	ND	50	50	53.3	53.6	107	107	70-140	1	20	
Chloroform	ug/L	ND	50	50	50.6	49.8	101	100	70-130	2	20	
Chloromethane	ug/L	ND	50	50	49.9	50.7	100	101	45-154	2	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	51.7	51.6	103	103	70-130	0	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	48.2	47.2	96	94	70-136	2	20	
Dibromochloromethane	ug/L	ND	50	50	48.4	47.8	97	96	70-130	1	20	
Dichlorodifluoromethane	ug/L	ND	50	50	56.5	57.1	113	114	10-157	1	20	
Ethylbenzene	ug/L	ND	50	50	55.0	55.0	110	110	70-130	0	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	53.8	53.9	108	108	70-130	0	20	
m&p-Xylene	ug/L	ND	100	100	109	105	109	105	70-130	3	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	50.9	51.0	102	102	59-141	0	20	
Methylene Chloride	ug/L	ND	50	50	53.1	52.2	106	104	70-130	2	20	
o-Xylene	ug/L	ND	50	50	49.5	48.7	99	97	70-130	2	20	
Styrene	ug/L	ND	50	50	36.9	32.7	74	65	35-164	12	20	
Tetrachloroethene	ug/L	ND	50	50	58.1	57.5	116	115	70-130	1	20	
Toluene	ug/L	ND	50	50	52.8	52.5	106	105	70-130	0	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	52.5	51.9	105	104	70-130	1	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	47.4	46.0	95	92	55-137	3	20	
Trichloroethene	ug/L	ND	50	50	55.6	55.4	111	111	70-130	0	20	
Trichlorofluoromethane	ug/L	ND	50	50	53.8	53.3	108	107	50-150	1	20	
Vinyl chloride	ug/L	ND	50	50	58.8	58.9	118	118	59-144	0	20	
4-Bromofluorobenzene (S)	%						98	98	43-137			
Dibromofluoromethane (S)	%						97	97	70-130			
Toluene-d8 (S)	%						97	97	55-137			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

QC Batch: MSV/22070 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 4087410004

METHOD BLANK: 885105 Matrix: Water
Associated Lab Samples: 4087410004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	11/01/13 06:48	
1,1,1-Trichloroethane	ug/L	ND	1.0	11/01/13 06:48	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	11/01/13 06:48	
1,1,2-Trichloroethane	ug/L	ND	1.0	11/01/13 06:48	
1,1-Dichloroethane	ug/L	ND	1.0	11/01/13 06:48	
1,1-Dichloroethene	ug/L	ND	1.0	11/01/13 06:48	
1,1-Dichloropropene	ug/L	ND	1.0	11/01/13 06:48	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	11/01/13 06:48	
1,2,3-Trichloropropane	ug/L	ND	1.0	11/01/13 06:48	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	11/01/13 06:48	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	11/01/13 06:48	
1,2-Dibromo-3-chloropropane	ug/L	ND	5.0	11/01/13 06:48	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	11/01/13 06:48	
1,2-Dichlorobenzene	ug/L	ND	1.0	11/01/13 06:48	
1,2-Dichloroethane	ug/L	ND	1.0	11/01/13 06:48	
1,2-Dichloropropane	ug/L	ND	1.0	11/01/13 06:48	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	11/01/13 06:48	
1,3-Dichlorobenzene	ug/L	ND	1.0	11/01/13 06:48	
1,3-Dichloropropane	ug/L	ND	1.0	11/01/13 06:48	
1,4-Dichlorobenzene	ug/L	ND	1.0	11/01/13 06:48	
2,2-Dichloropropane	ug/L	ND	1.0	11/01/13 06:48	
2-Chlorotoluene	ug/L	ND	1.0	11/01/13 06:48	
4-Chlorotoluene	ug/L	ND	1.0	11/01/13 06:48	
Benzene	ug/L	ND	1.0	11/01/13 06:48	
Bromobenzene	ug/L	ND	1.0	11/01/13 06:48	
Bromochloromethane	ug/L	ND	1.0	11/01/13 06:48	
Bromodichloromethane	ug/L	ND	1.0	11/01/13 06:48	
Bromoform	ug/L	ND	1.0	11/01/13 06:48	
Bromomethane	ug/L	ND	5.0	11/01/13 06:48	
Carbon tetrachloride	ug/L	ND	1.0	11/01/13 06:48	
Chlorobenzene	ug/L	ND	1.0	11/01/13 06:48	
Chloroethane	ug/L	ND	1.0	11/01/13 06:48	
Chloroform	ug/L	ND	5.0	11/01/13 06:48	
Chloromethane	ug/L	ND	1.0	11/01/13 06:48	
cis-1,2-Dichloroethene	ug/L	ND	1.0	11/01/13 06:48	
cis-1,3-Dichloropropene	ug/L	ND	1.0	11/01/13 06:48	
Dibromochloromethane	ug/L	ND	5.0	11/01/13 06:48	
Dibromomethane	ug/L	ND	1.0	11/01/13 06:48	
Dichlorodifluoromethane	ug/L	ND	1.0	11/01/13 06:48	
Diisopropyl ether	ug/L	ND	1.0	11/01/13 06:48	
Ethylbenzene	ug/L	ND	1.0	11/01/13 06:48	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	11/01/13 06:48	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	11/01/13 06:48	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

METHOD BLANK: 885105 Matrix: Water
Associated Lab Samples: 4087410004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
m&p-Xylene	ug/L	ND	2.0	11/01/13 06:48	
Methyl-tert-butyl ether	ug/L	ND	1.0	11/01/13 06:48	
Methylene Chloride	ug/L	ND	1.0	11/01/13 06:48	
n-Butylbenzene	ug/L	ND	1.0	11/01/13 06:48	
n-Propylbenzene	ug/L	ND	1.0	11/01/13 06:48	
Naphthalene	ug/L	ND	5.0	11/01/13 06:48	
o-Xylene	ug/L	ND	1.0	11/01/13 06:48	
p-Isopropyltoluene	ug/L	ND	1.0	11/01/13 06:48	
sec-Butylbenzene	ug/L	ND	5.0	11/01/13 06:48	
Styrene	ug/L	ND	1.0	11/01/13 06:48	
tert-Butylbenzene	ug/L	ND	1.0	11/01/13 06:48	
Tetrachloroethene	ug/L	ND	1.0	11/01/13 06:48	
Toluene	ug/L	ND	1.0	11/01/13 06:48	
trans-1,2-Dichloroethene	ug/L	ND	1.0	11/01/13 06:48	
trans-1,3-Dichloropropene	ug/L	ND	1.0	11/01/13 06:48	
Trichloroethene	ug/L	ND	1.0	11/01/13 06:48	
Trichlorofluoromethane	ug/L	ND	1.0	11/01/13 06:48	
Vinyl chloride	ug/L	ND	1.0	11/01/13 06:48	
4-Bromofluorobenzene (S)	%	96	43-137	11/01/13 06:48	
Dibromofluoromethane (S)	%	91	70-130	11/01/13 06:48	
Toluene-d8 (S)	%	99	55-137	11/01/13 06:48	

LABORATORY CONTROL SAMPLE & LCSD: 885106

885107

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	55.3	53.6	111	107	70-136	3	20	
1,1,2,2-Tetrachloroethane	ug/L	50	51.6	47.7	103	95	70-130	8	20	
1,1,2-Trichloroethane	ug/L	50	54.1	51.3	108	103	70-130	5	20	
1,1-Dichloroethane	ug/L	50	54.9	52.8	110	106	70-146	4	20	
1,1-Dichloroethene	ug/L	50	62.7	60.6	125	121	70-130	3	20	
1,2,4-Trichlorobenzene	ug/L	50	51.4	50.1	103	100	70-130	2	20	
1,2-Dibromo-3-chloropropane	ug/L	50	43.3	41.9	87	84	46-150	3	20	
1,2-Dibromoethane (EDB)	ug/L	50	53.0	50.6	106	101	70-130	5	20	
1,2-Dichlorobenzene	ug/L	50	52.8	50.0	106	100	70-130	6	20	
1,2-Dichloroethane	ug/L	50	54.4	51.7	109	103	70-144	5	20	
1,2-Dichloropropane	ug/L	50	55.9	53.8	112	108	70-136	4	20	
1,3-Dichlorobenzene	ug/L	50	52.6	50.6	105	101	70-130	4	20	
1,4-Dichlorobenzene	ug/L	50	52.7	50.9	105	102	70-130	4	20	
Benzene	ug/L	50	54.9	52.7	110	105	70-137	4	20	
Bromodichloromethane	ug/L	50	53.1	50.7	106	101	70-133	5	20	
Bromoform	ug/L	50	46.5	44.8	93	90	59-130	4	20	
Bromomethane	ug/L	50	40.9	43.5	82	87	41-148	6	20	
Carbon tetrachloride	ug/L	50	48.7	47.7	97	95	70-154	2	20	
Chlorobenzene	ug/L	50	54.2	52.3	108	105	70-130	3	20	
Chloroethane	ug/L	50	55.4	54.4	111	109	70-139	2	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

LABORATORY CONTROL SAMPLE & LCSD:		885106		885107							
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Chloroform	ug/L	50	53.8	51.9	108	104	70-130	4	20		
Chloromethane	ug/L	50	42.4	40.6	85	81	45-154	4	20		
cis-1,2-Dichloroethene	ug/L	50	56.8	54.3	114	109	70-130	5	20		
cis-1,3-Dichloropropene	ug/L	50	52.7	49.7	105	99	70-136	6	20		
Dibromochloromethane	ug/L	50	51.7	49.9	103	100	70-130	3	20		
Dichlorodifluoromethane	ug/L	50	31.7	30.7	63	61	20-157	3	20		
Ethylbenzene	ug/L	50	55.6	53.9	111	108	70-130	3	20		
Isopropylbenzene (Cumene)	ug/L	50	55.8	54.5	112	109	70-130	2	20		
m&p-Xylene	ug/L	100	112	108	112	108	70-130	3	20		
Methyl-tert-butyl ether	ug/L	50	51.0	47.5	102	95	59-141	7	20		
Methylene Chloride	ug/L	50	58.7	56.4	117	113	70-130	4	20		
o-Xylene	ug/L	50	54.6	52.8	109	106	70-130	3	20		
Styrene	ug/L	50	54.6	52.9	109	106	70-130	3	20		
Tetrachloroethene	ug/L	50	53.1	51.9	106	104	70-130	2	20		
Toluene	ug/L	50	55.4	53.6	111	107	70-130	3	20		
trans-1,2-Dichloroethene	ug/L	50	57.4	54.8	115	110	70-130	5	20		
trans-1,3-Dichloropropene	ug/L	50	51.6	49.2	103	98	55-135	5	20		
Trichloroethene	ug/L	50	57.2	54.7	114	109	70-130	5	20		
Trichlorofluoromethane	ug/L	50	62.8	60.5	126	121	50-150	4	20		
Vinyl chloride	ug/L	50	56.1	53.8	112	108	61-143	4	20		
4-Bromofluorobenzene (S)	%				99	98	43-137				
Dibromofluoromethane (S)	%				101	101	70-130				
Toluene-d8 (S)	%				99	99	55-137				

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		886497		886498							
Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		4087528011 Result	Spike Conc.	Spike Conc.	MS Result						
1,1,1-Trichloroethane	ug/L	<0.44	50	50	54.7	53.5	109	107	70-136	2	20
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	49.6	49.5	99	99	70-130	0	20
1,1,2-Trichloroethane	ug/L	<0.39	50	50	53.1	51.7	106	103	70-130	3	20
1,1-Dichloroethane	ug/L	<0.28	50	50	53.7	52.9	107	106	70-146	2	20
1,1-Dichloroethene	ug/L	<0.43	50	50	60.7	60.5	121	121	70-130	0	20
1,2,4-Trichlorobenzene	ug/L	<2.5	50	50	52.0	50.9	104	102	70-130	2	20
1,2-Dibromo-3-chloropropane	ug/L	<1.5	50	50	43.9	43.3	88	87	46-150	2	20
1,2-Dibromoethane (EDB)	ug/L	<0.38	50	50	52.0	50.9	104	102	70-130	2	20
1,2-Dichlorobenzene	ug/L	<0.44	50	50	52.6	51.8	105	104	70-130	1	20
1,2-Dichloroethane	ug/L	<0.48	50	50	52.8	52.4	106	105	70-146	1	20
1,2-Dichloropropane	ug/L	<0.50	50	50	55.3	54.1	111	108	70-136	2	20
1,3-Dichlorobenzene	ug/L	<0.45	50	50	52.5	51.6	105	103	70-130	2	20
1,4-Dichlorobenzene	ug/L	<0.43	50	50	52.8	51.9	106	104	70-130	2	20
Benzene	ug/L	<0.50	50	50	53.5	52.8	107	106	70-137	1	20
Bromodichloromethane	ug/L	<0.45	50	50	52.4	51.5	105	103	70-133	2	20
Bromoform	ug/L	<0.33	50	50	46.4	45.9	93	92	57-130	1	20
Bromomethane	ug/L	<0.43	50	50	45.9	44.6	92	89	41-148	3	20
Carbon tetrachloride	ug/L	<0.37	50	50	48.8	48.5	98	97	70-154	1	20
Chlorobenzene	ug/L	<0.36	50	50	54.1	52.2	108	104	70-130	3	20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Parameter	4087528011		MS		MSD		MS		MSD		% Rec	Limits	RPD	Max RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	% Rec	% Rec							
Chloroethane	ug/L	<0.44	50	50	54.2	53.7	108	107	70-140	1	20				
Chloroform	ug/L	<0.69	50	50	52.5	52.1	105	104	70-130	1	20				
Chloromethane	ug/L	<0.39	50	50	39.7	39.0	79	78	45-154	2	20				
cis-1,2-Dichloroethene	ug/L	<0.42	50	50	55.5	55.0	111	110	70-130	1	20				
cis-1,3-Dichloropropene	ug/L	<0.29	50	50	51.8	50.6	104	101	70-136	2	20				
Dibromochloromethane	ug/L	<1.9	50	50	52.1	50.8	104	102	70-130	3	20				
Dichlorodifluoromethane	ug/L	<0.40	50	50	28.3	27.5	57	55	10-157	3	20				
Ethylbenzene	ug/L	<0.50	50	50	55.8	54.4	112	109	70-130	3	20				
Isopropylbenzene (Cumene)	ug/L	<0.34	50	50	56.4	54.7	113	109	70-130	3	20				
m&p-Xylene	ug/L	<0.82	100	100	111	109	111	109	70-130	2	20				
Methyl-tert-butyl ether	ug/L	<0.49	50	50	48.1	48.2	96	96	59-141	0	20				
Methylene Chloride	ug/L	<0.36	50	50	57.1	56.9	114	114	70-130	0	20				
o-Xylene	ug/L	<0.50	50	50	54.6	53.8	109	108	70-130	2	20				
Styrene	ug/L	<0.35	50	50	54.8	53.8	110	108	35-164	2	20				
Tetrachloroethene	ug/L	<0.47	50	50	53.8	52.0	108	104	70-130	3	20				
Toluene	ug/L	<0.44	50	50	55.2	53.6	110	107	70-130	3	20				
trans-1,2-Dichloroethene	ug/L	<0.37	50	50	55.7	54.3	111	109	70-130	3	20				
trans-1,3-Dichloropropene	ug/L	<0.30	50	50	51.4	49.8	103	100	55-137	3	20				
Trichloroethene	ug/L	<0.36	50	50	55.9	56.0	112	112	70-130	0	20				
Trichlorofluoromethane	ug/L	<0.48	50	50	60.6	60.6	121	121	50-150	0	20				
Vinyl chloride	ug/L	<0.18	50	50	53.3	52.1	107	104	59-144	2	20				
4-Bromofluorobenzene (S)	%						99	98	43-137						
Dibromofluoromethane (S)	%						99	100	70-130						
Toluene-d8 (S)	%						100	99	55-137						

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 117-2202040.21 RIPON FF/NN LF
Pace Project No.: 4087410

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
4087410001	P-103	EPA 8260	MSV/22017		
4087410002	P-103D	EPA 8260	MSV/22017		
4087410003	P-107D	EPA 8260	MSV/22017		
4087410004	P-111D	EPA 8260	MSV/22070		
4087410005	MW-3A	EPA 8260	MSV/22054		
4087410006	MW-3B	EPA 8260	MSV/22054		
4087410007	P-113B	EPA 8260	MSV/22054		
4087410008	P-113A	EPA 8260	MSV/22054		
4087410009	P-114	EPA 8260	MSV/22054		
4087410010	P-114 DUP	EPA 8260	MSV/22054		
4087410011	P-116	EPA 8260	MSV/22054		
4087410012	P-115	EPA 8260	MSV/22054		
4087410013	MW-103	EPA 8260	MSV/22054		
4087410014	MW-112	EPA 8260	MSV/22054		
4087410015	TRIP BLANK	EPA 8260	MSV/22040		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



Sample Condition Upon Receipt

Client Name: Tetra Tech Project # 4087410

Courier: Fed Ex UPS USPS Client Commercial Pace Other CS Logistic

Tracking #: _____
Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 201 /Corr: _____ Biological Tissue is Frozen: yes

Temp Blank Present: yes no no

Person examining contents:
Date: 10/26/13
Initials: MV

Temp should be above freezing to 6°C for all sample except Biota.
Frozen Biota Samples should be received ≤ 0°C.

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> NaOH <input type="checkbox"/> NaOH + ZnAct
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO3, H2SO4 ≤ 2; NaOH+ZnAct ≥ 9, NaOH ≥ 12)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, TOX, TOH, O&G, W/BROW, Phenolics. OTHER:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
		Lab Std #/ID of preservative
		Date/Time:
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>Covered</u>		

Client Notification/ Resolution: _____ if checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: _____

Date: 10-28-13

APPENDIX C
GROUNDWATER SAMPLING FIELD FORMS

TETRA TECH MULTI-LEVEL MONITOR WELL WATER QUALITY SAMPLING AND ANALYSIS FORM

PROJECT INFORMATION				INSTRUMENTS						
PROJECT	FF/NN Landfill			Temp. & pH	MP-20 Flow Cell					
PROJECT NO.	117-2202040.21			Conductivity	MP-20 Flow Cell					
LOCATION	Ripon, WI			ORP	MP-20 Flow Cell					
PERSONNEL	Ashley A. Weimer			DO	MP-20 Flow Cell					
MONITOR WELL ID	MW-3A			MW-3B			P-113A			
WATER TYPE	Groundwater			Groundwater			Groundwater			
DATE (month/day/year)	10-24-13			10-24-13			10-24-13			
STATIC WATER LEVEL (feet)*	34.15			32.45			16.33			
WELL DEPTH (feet)*	280.1			185.72			325.31			
PUMP INLET DEPTH (feet)*	67.5			54.5			73.5			
START PURGE TIME (Military)	12:50			12:50			14:10			
END PURGE TIME (Military)	13:10			13:15			14:30			
PURGE VOLUME (gallons)	2.0			2.5			1.0			
SAMPLE TIME (Military)	13:15			13:20			14:35			
STABILIZED INDICATOR PARAMETERS READINGS	1st	2nd	3rd	1st	2nd	3rd	1st	2nd	3rd	
TIME (minutes since initial reading)	0:00	1:00	2:00	0:00	1:00	2:00	10:00	12:00	14:00	
TEMPERATURE (° C)	9.27	9.27	9.29	9.38	9.38	9.38	10.92	11.27	11.62	
ELECTRICAL CONDUCTANCE at 25° C (ms/cm)	0.582	0.583	0.582	0.689	0.686	0.684	0.567	0.567	0.567	
DISSOLVED OXYGEN (ppm)	1.34	1.29	1.27	0.65	0.63	0.59	1.08	0.97	0.91	
pH	7.08	7.07	7.07	7.63	7.62	7.60	7.72	7.69	7.66	
DISSOLVED OXYGEN (% Sat.)	11.7	11.3	11.1	5.7	5.5	5.2	9.8	8.9	8.4	
ORP (mV)	-144	-143	-140	-17	-17	-18	-34	-39	-43	
COLOR	Clear			Clear			Clear			
ODOR	None			None			None			
CLARITY	Clear			Clear			Clear			
SAMPLING PARAMETERS	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A=AMBER; G=GLASS; P=PLASTIC); PRESERVATIVE TYPE (L=LAB ADDED; F=FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)									
VOCs (EPA Method SW 8260B)	3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No			
Vacu-Vials Iron 2- Wait 1, then wait 5 min	0.124			0.774			0.654			
NAME OF LABORATORY	Pace Analytical			Pace Analytical			Pace Analytical			
DATE SENT TO LAB	10-25-13			10-25-13			10-25-13			
SAMPLER=S NAME	Ashley A. Weimer			Ashley A. Weimer			Ashley A. Weimer			

*Measured from top of well casing.

TETRA TECH MULTI-LEVEL MONITOR WELL WATER QUALITY SAMPLING AND ANALYSIS FORM

PROJECT INFORMATION				INSTRUMENTS						
PROJECT	FF/NN Landfill			Temp. & pH	MP-20 Flow Cell					
PROJECT NO.	117-2202040.21			Conductivity	MP-20 Flow Cell					
LOCATION	Ripon, WI			ORP	MP-20 Flow Cell					
PERSONNEL	Ashley A. Weimer			DO	MP-20 Flow Cell					
MONITOR WELL ID	P-113B			P-103			P-103D			
WATER TYPE	Groundwater			Groundwater			Groundwater			
DATE (month/day/year)	10-24-13			10-24-13			10-24-13			
STATIC WATER LEVEL (feet)*	15.79			51.57			52.45			
WELL DEPTH (feet)*	198.9			83.02			192.66			
PUMP INLET DEPTH (feet)*	48.5			69.5			87.5			
START PURGE TIME (Military)	14:10			10:40			10:40			
END PURGE TIME (Military)	14:20			11:00			11:05			
PURGE VOLUME (gallons)	1.5			2.5			3.0			
SAMPLE TIME (Military)	14:25			11:05			11:10			
STABILIZED INDICATOR PARAMETERS READINGS	1st	2nd	3rd	1st	2nd	3rd	1st	2nd	3rd	
TIME (minutes since initial reading)	1:00	2:00	3:00	0:00	1:00	2:00	0:00	1:00	2:00	
TEMPERATURE (° C)	10.47	10.58	10.56	9.95	10.0	9.97	9.89	9.92	9.92	
ELECTRICAL CONDUCTANCE at 25° C (ms/cm)	0.673	0.673	0.675	0.815	0.814	0.815	0.831	0.831	0.835	
DISSOLVED OXYGEN (ppm)	1.46	1.38	1.29	1.56	1.51	1.43	0.42	0.41	0.40	
pH	7.23	7.21	7.20	6.27	6.28	6.29	6.66	6.66	6.67	
DISSOLVED OXYGEN (% Sat.)	13.1	12.5	11.6	13.9	13.4	12.7	3.7	3.7	3.6	
ORP (mV)	-93	-95	-96	8	4	0	76	75	74	
COLOR	Clear			Clear			Clear			
ODOR	None			None			None			
CLARITY	Clear			Clear			Clear			
SAMPLING PARAMETERS	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A=AMBER; G=GLASS; P=PLASTIC); PRESERVATIVE TYPE (L=LAB ADDED; F=FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)									
VOCs (EPA Method SW 8260B)	3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No			
Vacu-Vials <u>Iron 2-</u> Wait 1, then wait 5 min	0.879			Over range			2.697			
NAME OF LABORATORY	Pace Analytical			Pace Analytical			Pace Analytical			
DATE SENT TO LAB	10-25-13			10-25-13			10-25-13			
SAMPLER-S NAME	Ashley A. Weimer			Ashley A. Weimer			Ashley A. Weimer			

*Measured from top of well casing.

TETRA TECH MULTI-LEVEL MONITOR WELL WATER QUALITY SAMPLING AND ANALYSIS FORM

PROJECT INFORMATION				INSTRUMENTS			
PROJECT	FF/NN Landfill			Temp. & pH	MP-20 Flow Cell		
PROJECT NO.	117-2202040.21			Conductivity	MP-20 Flow Cell		
LOCATION	Ripon, WI			ORP	MP-20 Flow Cell		
PERSONNEL	Ashley A. Weimer			DO	MP-20 Flow Cell		
MONITOR WELL ID	P-111D			P-107D			
WATER TYPE	Groundwater			Groundwater			
DATE (month/day/year)	10-24-13			10-24-13			
STATIC WATER LEVEL (feet)*	37.18			54.41			
WELL DEPTH (feet)*	151.0			327.95			
PUMP INLET DEPTH (feet)*	151.0			76.5			
START PURGE TIME (Military)	12:20			11:45			
END PURGE TIME (Military)	12:30			12:05			
PURGE VOLUME (gallons)	1.5			2.0			
SAMPLE TIME (Military)	12:35			12:10			
STABILIZED INDICATOR PARAMETERS READINGS	1st	2nd	3rd	1st	2nd	3rd	
TIME (minutes since initial reading)	0:00	1:00	2:00	7:00	8:00	9:00	
TEMPERATURE (° C)	9.82	9.81	9.79	9.80	9.83	9.82	
ELECTRICAL CONDUCTANCE at 25° C (ms/cm)	0.851	0.852	0.853	0.609	0.609	0.610	
DISSOLVED OXYGEN (ppm)	0.56	0.56	0.53	2.42	2.57	2.51	
pH	7.47	7.47	7.46	6.87	6.88	6.89	
DISSOLVED OXYGEN (% Sat.)	4.9	4.9	4.7	21.4	22.7	22.5	
ORP (mV)	35	33	31	-56	-59	-60	
COLOR	Clear			Clear			
ODOR	None			None			
CLARITY	Clear			Clear			
SAMPLING PARAMETERS	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A=AMBER; G=GLASS; P=PLASTIC); PRESERVATIVE TYPE (L=LAB ADDED; F=FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)						
VOCs (EPA Method SW 8260B)	3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No			
Vacu-Vials Iron 2- Wait 1, then wait 5 min	1.302			0.205			
NAME OF LABORATORY	Pace Analytical			Pace Analytical			
DATE SENT TO LAB	10-25-13			10-25-13			
SAMPLER=S NAME	Ashley A. Weimer			Ashley A. Weimer			

*Measured from top of well casing.

TETRA TECH MULTI-LEVEL MONITOR WELL WATER QUALITY SAMPLING AND ANALYSIS FORM

PROJECT INFORMATION				INSTRUMENTS						
PROJECT	FF/NN Landfill			Temp. & pH	MP-20 Flow Cell					
PROJECT NO.	117-2202040.21			Conductivity	MP-20 Flow Cell					
LOCATION	Ripon, WI			ORP	MP-20 Flow Cell					
PERSONNEL	Ashley A. Weimer			DO	MP-20 Flow Cell					
MONITOR WELL ID	P-114/Dup			P-115			P-116			
WATER TYPE	Groundwater			Groundwater			Groundwater			
DATE (month/day/year)	10-24-13			10-24-13			10-24-13			
STATIC WATER LEVEL (feet)*	22.78			25.07			28.58			
WELL DEPTH (feet)*	181.72			179.57			163.19			
PUMP INLET DEPTH (feet)*	53.5			53.5			163			
START PURGE TIME (Military)	15:10			16:00			15:20			
END PURGE TIME (Military)	15:30			16:15			15:50			
PURGE VOLUME (gallons)	1.5			1.5			2.0			
SAMPLE TIME (Military)	15:30/15:35			16:20			15:55			
STABILIZED INDICATOR PARAMETERS READINGS	1st	2nd	3rd	1st	2nd	3rd	1st	2nd	3rd	
TIME (minutes since initial reading)	0:00	1:00	2:00	0:00	1:00	2:00	4:00	6:00	8:00	
TEMPERATURE (° C)	9.93	9.91	9.90	10.25	10.24	10.23	10.33	10.30	10.29	
ELECTRICAL CONDUCTANCE at 25° C (ms/cm)	0.773	0.773	0.772	0.630	0.631	0.631	0.556	0.541	0.542	
DISSOLVED OXYGEN (ppm)	0.38	0.37	0.37	0.67	0.57	0.51	0.64	0.53	0.46	
pH	7.29	7.29	7.29	7.51	7.49	7.48	8.01	7.98	7.95	
DISSOLVED OXYGEN (% Sat.)	3.4	3.3	3.3	6.0	5.2	4.6	5.8	4.7	4.1	
ORP (mV)	-89	-89	-89	-78	-79	-80	-12	-13	-14	
COLOR	Clear			Clear			Pinkish			
ODOR	None			None			None			
CLARITY	Clear			Clear			Clear			
SAMPLING PARAMETERS	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A=AMBER; G=GLASS; P=PLASTIC); PRESERVATIVE TYPE (L=LAB ADDED; F=FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)									
VOCs (EPA Method SW 8260B)	3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No			
Vacu-Vials Iron 2- Wait 1, then wait 5 min	0.726			0.843			0.650			
	TOOK DUP AT 15:35									
NAME OF LABORATORY	Pace Analytical			Pace Analytical			Pace Analytical			
DATE SENT TO LAB	10-25-13			10-25-13			10-25-13			
SAMPLER-S NAME	Ashley A. Weimer			Ashley A. Weimer			Ashley A. Weimer			

*Measured from top of well casing.

TETRA TECH FIELD WATER QUALITY SAMPLING AND ANALYSIS FORM

PROJECT INFORMATION			INSTRUMENTS		
PROJECT	FF/NN Landfill		Temp. & pH	MP-20 Flow Cell	
PROJECT NO.	117-2202040.21		Conductivity	MP-20 Flow Cell	
LOCATION	Ripon, WI		ORP	MP-20 Flow Cell	
PERSONNEL	Ashley A. Weimer		DO	MP-20 Flow Cell	
SAMPLE POINT	MW-103	MW-112			
WATER TYPE	Groundwater	Groundwater			
DATE (month/day/year)	10-24-13	10-24-13			
CLOCK TIME (Military)	16:45	16:55			
DEPTH TO WATER (ft)*	52.51	55.48			
MEASURED WELL DEPTH (ft)*	53.69	60.47			
CASING VOLUME (gallons)	0.19	0.81			
PURGE VOLUME (gallons)	0.5 Dry	5.0			
DEPTH SAMPLE TAKEN (ft)*	53.6	55.0			
SAMPLING DEVICE	Dedicated Bailer	Dedicated Bailer			
FIELD TEMPERATURE (°C)	7.86	8.64			
pH	7.10	7.43			
ELEC. COND. (uS/cm)	NM	NM			
	at 25° C	1.356	0.982		
ORP (mV)	33	42			
DISSOLVED OXYGEN (ppm)	5.26	1.92			
DISSOLVED OXYGEN (% Sat.)	44.5	16.4			
COLOR	Clear	Clear			
ODOR	None	None			
CLARITY	Clear	Clear			
SAMPLING PARAMETERS	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A = AMBER GLASS; G = GLASS; P = PLASTIC); PRESERVATIVE TYPE (L = LAB ADDED; F = FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)				
VOCs (8260B)	3 – 40 ml; G; HCl-L; No	3 – 40 ml; G; HCl-L; No			
Vacu-Vials <u>Iron 2</u>	0.207	Over Range			
NAME OF LABORATORY	Pace Analytical	Pace Analytical			
DATE SENT TO LAB	10-25-13	10-25-13			
SAMPLER-S NAME	Ashley A. Weimer	Ashley A. Weimer			

*Measured from top of well casing.

APPENDIX D

LANDFILL GAS EXTRACTION SYSTEM MONITORING



TETRA TECH GEO


GAS PROBE DATA MONITORING POINTS

Project: FF/NN Landfill
 Location: Ripon, Wisconsin
 Personnel: Jack Wandler
 Water level in buried knockout tank 0 " In Traylor Vacuum Gage

Barometric Pressure: 29.1 Hg
 Temperature (ambient): 58 F
 Measuring Device: Sage
3 "Hg

~~LEL~~

Date	Time	Measurement Point	% CH ₄	% CO ₂	% O ₂	Comments
8.5.13	0840	Background	0	0.0	20.9	
	0855	LC-1	9.5	20.0	1.7	
	0906	LC-2	29.5	25.4	2.6	
	0900	LC-3	16.0	10.4	5.3	
	1000	LC-3	16.0	18.4	5.2	2 nd Reading
	0850	GV-6	10.0	18.6	2.4	
	0950	GV-6	11.0	19.4	2.2	2 nd Reading
	0845	GP-1	58*	8.6	8.0	
	0945	GP-1	15.2 15.0	15.4	0.0	2 nd Reading
	0850	Exhaust	6.5	9.0	12.3	






GAS PROBE DATA MONITORING POINTS

Project: FF/NN Landfill Barometric Pressure: 29.1 Hg
 Location: Ripon, Wisconsin Temperature (ambient): 62 F
 Personnel: Jack Wendler Measuring Device: Zaghe
 Water level in buried knockout tank _____ " In Trailer Vacuum Gage 3 "Hg

LEL

Date	Time	Measurement Point	% CH ₄	% CO ₂	% O ₂	Comments
8-19-13	0800	Background	0 *	0.0	20.9	
	0804	LC-1	11.0	20.2	1.7	
	0835	LC-2	31.0	25.8	2.0	
	0830	LC-3	17.5	18.8	4.9	
	0815	GV-6	9.0	17.4	3.1	
	0805	GP-1	30 *	2.8	17.1	
	0910	GP-1	6.0	15.0	0.0	2 nd Reading
	0808	Exhaust	31 *	2.0	19.0	
	0808	Exhaust	6.0	8.6	12.4	





TETRA TECH GEO


GAS PROBE DATA MONITORING POINTS

Project: FF/NN Landfill
 Location: Ripon, Wisconsin
 Personnel: Jack Wandler
 Water level in buried knockout tank _____ " In Trailer Vacuum Gage

Barometric Pressure: 29.3 Hg
 Temperature (ambient): 54° F
 Measuring Device: Engle
2 "Hg

** LEL*

Date	Time	Measurement Point	% CH ₄	% CO ₂	% O ₂	Comments
9.16.13	0830	Background	0 *	0.0	20.9	
	0848	LC-1	5.0	7.4	14.0	
	0900	LC-2	12.5	10.4	13.4	
	0855	LC-3	10.5	10.2	12.8	
	0845	GV-6	70 *	11.4	9.2	
	0835	GP-1	1 *	4.4	14.6	
	940	GP-1	0 *	14.0	20.0 4.2	2 nd Reading
	0838	Exhaust	6.5	8.6	13.4	





TETRATECH GEO


GAS PROBE DATA MONITORING POINTS

Project: FF/NN Landfill
 Location: Ripon, Wisconsin
 Personnel: Jack Wenzel
 Water level in busse knockout tank _____ " In Traller Vacuum Gage 3 "Hg

Barometric Pressure: 29.0 Hg
 Temperature (ambient): 54° F
 Measuring Device: Eagle

LOEL

Date	Time	Measurement Point	% CH ₄	% CO ₂	% O ₂	Comments
9-30-13	0715	Background	0.4	0.0	20.9	
	0740	LC-1	14.0	13.4	9.5	
	0750	LC-2	19.5	15.2	10.4	
	0745	LC-3	17.0	14.0	10.8	
	0730	GV-6	23.5	21.6	3.5	
	0720	GP-1	12.4	16.8	11.0	
	0825	GP-1	7.4	16.2	0.3	2 nd Reading
	0724	Exhaust	12.0	10.8	11.9	






GAS PROBE DATA

Project: FF/N Landfill
 Location: Ripon, Wisconsin
 Personnel: *Julie W...*
 Barometric Pressure: 29.4 Hg
 Temperature (ambient): 32° F
 Measuring Device: Eagle

xLEV

Date	Time	Measurement Point	% CH ₄	% CO ₂	% O ₂	Comments
10-14-13	0715	Background	0.0*	0	20.9	
	0738	LC-1	21.5	17.8	7.5	
	0750	LC-2	26.5	20.0	7.7	
	0745	LC-3	23.5	18.0	8.4	
	0845	MW-101	0*	0.4	20.9	
	0759	MW-102	0*	4.0	17.4	
	0920	MW-103	0*	0.2	20.9	
	0740	MW-104	0*	2.4	17.4	
		GV-1				
		GV-4				
	0735	GV-6	14.5	19.4	4.5	
		GV-7				
		GV-9				
	0905	GV-12 GP-2	0*	3.2	18.6	
	0720	GP-1	2*	4.2	15.2	
	0805	GP-2 GP-1	2*	5.6	14.0	<i>Just Reading</i>
	0915	GP-3	0*	0.0	20.3	
	0925	GP-4	0*	1.2	20.9	
	0754	GP-5	0*	6.8	14.9	
	0945	GP-6	0*	2.4	19.6	
	0940	GP-7	0*	1.4	20.5	
	0910	GP-8	0*	2.2	18.4	
	0900	GP-10	0*	3.6	17.9	
	0836	GP-11	0*	1.8	20.8	
	0810	GP-12	0*	3.2	18.6	
	0730	Leg 1	20.5	17.2	8.0	
	0728	Leg 2	19.5	14.4	8.9	
	0726	Leg 3	20.5	15.4	9.9	
	0724	Exhaust	11.0	10.2	12.6	






GAS PROBE DATA MONITORING POINTS

Project: FF/NN Landfill
 Location: Ripon, Wisconsin
 Personnel: *J. Wendt*
 Water level in buried knockout tank _____ " In Traller Vacuum Gage _____ "Hg

Barometric Pressure: 29.1 Hg
 Temperature (ambient): 30 F
 Measuring Device: Eagle
02 "Hg

PLEV

Date	Time	Measurement Point	% CH ₄	% CO ₂	% O ₂	Comments
10-28-13	0715	Background	0.0	0.0	20.9	
	0742	LC-1	23.5	16.2	9.0	
	0750	LC-2	23.0	16.6	9.8	
	0745	LC-3	21.5	15.4	10.3	
	0739	GV-6	12.0	16.2	6.7	
	0720	GP-1	0.0	3.2	16.1	
	0805	GP-1	0.0	0.0	20.9	2 nd Reading
	0800	Exhaust	11.5	9.8	14.0	



ATTACHMENT E

GROUNDWATER MONITORING PROGRAM APPROVAL, APRIL 18, 2013

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
101 S. Webster Street
Box 7921
Madison WI 53707-7921

Scott Walker, Governor
Cathy Stepp, Secretary
Telephone 608-266-2621
FAX 608-267-3579
TTY Access via relay - 711



April 18, 2013

Nelson Olavarria (Representative for the Ripon FF/NN Landfill Potentially Responsible Party (PRP) Group)
Cooper Industries
600 Travis Street, #5600
Houston, TX. 77210

SUBJECT: Conditional Approval of Revised Groundwater Monitoring Program for the Ripon HWY
FF/NN Landfill
Ripon HWY FF/NN Landfill
License #467, Ripon, WI
WDNR BRRTS #02-20-000915

Dear Mr. Olavarria:

The Department and US EPA have completed the review of your request for revisions to the approved groundwater monitoring program, prepared for you by Tetra Tech Inc., received on March 21, 2013 as part of the Status Report and January, 2013 Sampling Event submittal. The Department is approving the revisions subject to the following condition.

The revised monitoring plan shall follow the attached Department revised monitoring schedule table 8 for wells to be sampled, sample parameters and sampling frequency.

The Department appreciates your efforts to restore the environment at this site. Should you have any questions regarding this letter, please call me at (608)267-7563 or email me at gary.edelstein@wisconsin.gov. Thank you for your cooperation.

Sincerely,

A handwritten signature in black ink, appearing to read 'Gary Edelstein'.

Gary A. Edelstein, P.E.
Waste Management Engineer
Remediation & Redevelopment Program

Attach.

cc: Kevin McKnight, DNR - ecopy
Bernard Schorle, EPA - ecopy - schorle.bernard@epa.gov
Mike Noel, Tetra Tech - ecopy - Mike.Noel@tetrattech.com
Lori Rich, City of Ripon - ecopy - Lrich@cityofripon.com

Table 8. Groundwater Monitoring Schedule

FF/N/N Landfill, Ripon, WI

DNR

Stratigraphic Layer	Sampling Point	Gradient	Current Plan (4/8/11)			Results	Proposed Plan		
			Water Level	MNA	VOCs		Water Level	MNA	VOCs
Layer 1	MW-101	U	Q		A	ND	A		Drop
Layer 1	MW-102	S	Q		A	ND	A		Drop
Layer 1	MW-103	D	Q	Q	Q	TCE>PALs<ES	SA	SA	SA
Layer 1	MW-104	Within	Q		SA	chlorobenzene <PALs	A		A
Layer 1	MW-106	S	Q		A	ND	A		Drop
Layer 1	MW-107	D	Q		SA	ND	A		SA
Layer 1	MW-108	S	Q		A	ND	A		Drop
Layer 1	MW-111	D	Q		A	ND	A		Drop
Layer 1	MW-112	D	Q	Q	Q	VC ND past 6 events	SA	SA	SA
Layer 2	P-101	U	Q		A	ND	A		Drop
Layer 2	P-102	S	Q		A	ND	A		Drop
Layer 2	P-103	D	Q	Q	Q	VC ND past 3 events	SA	SA	SA
Layer 2	P-104	Beneath	Q		A	ND	A		Drop
Layer 2	P-106	S	Q		A	ND	A		A
Layer 2	P-107	D	Q		SA	VC ND last event	A		A
Layer 2	P-108	S	Q		A	ND	A		Drop
Layer 2	P-111	D	Q		A	ND	A		Drop
Layer 3	MW-3B	D	Q	Q	Q	ND	Q	Q	Q
Layer 3	P-103D	D	Q	Q	Q	VC ND past 3 events	Q	Q	Q
Layer 3	P-111D	D	Q	Q	Q	VC>ES	Q	Q	Q
Layer 3	P-113B	D	Q	Q	Q	ND	Q	Q	Q
Layer 3	P-114	D	Q	Q	Q	VC>ES	Q	Q	Q
Layer 3	P-115	D	Q	Q	Q	VC>ES	Q	Q	Q
Layer 3	P-116	D	Q	Q	Q	ND	Q	Q	Q
Layer 4	MW-3A	D	Q	Q	Q	ND	Q	Q	Q
Layer 4	P-107D	D	Q	Q	Q	VC>ES	Q	Q	Q
Layer 4	P-113A	D	Q	Q	Q	ND	Q	Q	Q
Private Wells	Baneck	D			A				A
Private Wells	Gastra	D			A				A
Private Wells	Rohde	D			A				A
Landfill	Leachate LH-1	Within	A		A		A		A
Landfill	Leachate LH-2	Within	A		A		A		A
Landfill	Leachate LH-3	Within	A		A		A		A
Landfill	Gas VOCs LH-1	Within			Q				A
Landfill	Gas VOCs LH-2	Within			Q				A
Landfill	Gas VOCs LH-3	Within			Q				A
Landfill	Gas VOCs GV-6	Within			Q				A
Landfill	Gas VOCs GP-3	D			Q				A
Landfill	Cap Inspection On Landfill	On Landfill			A				A

Q = Quarterly (Jan, Jul, Oct); A = Annual (Apr) SA = Semi-Annual

ATTACHMENT F

REPORT FORMAT APPROVAL, DECEMBER 2, 2013

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
101 S. Webster Street
Box 7921
Madison WI 53707-7921

Scott Walker, Governor
Cathy Stepp, Secretary
Telephone 608-266-2621
FAX 608-267-3579
TTY Access via relay - 711



December 2, 2013

Nelson Olavarria (Representative for the Ripon FF/NN Landfill Potentially Responsible Party (PRP) Group)
Cooper Industries
600 Travis Street, #5600
Houston, TX. 77210

SUBJECT: Conditional Approval of Revised Reporting Requirements for the Ripon HWY FF/NN Landfill
Ripon HWY FF/NN Landfill
License #467, Ripon, WI
WDNR BRRTS #02-20-000915

Dear Mr. Olavarria:

The Department and US EPA have completed the review of your request for revisions to the approved quarterly reporting requirements, prepared for you by Tetra Tech Inc., received on October 28, 2013. The Department is approving the revisions subject to the following conditions.

1. The following addition will be made to all quarterly reports:
Section 3.4 LF Cap Inspection
2. [Optional condition] The following addition is recommended to be added to all quarterly reports:
Section 3.3 Private Well Sampling
3. Groundwater monitoring well VOC charts:
Provide charts quarterly for all wells where the enforcement standard (ES) for trichloroethene, cis-1,2-dichloroethene, or vinyl chloride is exceeded until all levels fall below the ES for those compounds for at least a year. If they fall below the ES for those compounds for at least a year, but then exceed the ES in a subsequent round, then the charts would be provided again until they fall below the ES for those compounds for at least a year.

The Department appreciates your efforts to restore the environment at this site. Should you have any questions regarding this letter, please call me at (608)267-7563 or email me at gary.edelstein@wisconsin.gov. Thank you for your cooperation.

Sincerely,

A handwritten signature in black ink, appearing to read 'Gary Edelstein'.

Gary A. Edelstein, P.E.
Waste Management Engineer
Remediation & Redevelopment Program

cc: Kevin McKnight, DNR - ecopy
Bernard Schorle, EPA – ecopy - schorle.bernard@epa.gov
Mike Noel, Tetra Tech – ecopy – Mike.Noel@tetrattech.com
Lori Rich, City of Ripon – ecopy – lrich@cityofripon.com



October 28, 2013

Gary A. Edelstein, P.E.,
Waste Management Engineer
Wisconsin Department of Natural Resources
Bureau for Remediation and Redevelopment - RR/5
P.O. Box 7921
Madison, WI 53707

RE: Quarterly Reporting Requirements
Ripon FF/NN Landfill
License #467, WDNR BRRTS #02-20-000915

Dear Gary,

On behalf of the FF/NN Landfill PRP Group, we are submitting this request for reducing quarterly reporting requirements for the subject site. This request is based on recent phone conversations we have regarding this issue. We propose that the quarterly reports would follow the format of what was submitted for the July sampling event. The table of contents for that report is attached. This information would be provided in hard copy and electronically. The annual reports would not change and would follow the format submitted for the April sampling event (table of contents attached).

Thank you for your consideration.

Sincerely,

Tetra Tech, Inc.

A handwritten signature in black ink, appearing to read 'Michael R. Noel', written over a white background.

Michael R. Noel, P.G.
Vice President, Principal Hydrogeologist

Attachments

cc: Kevin McKnight – ecopy
Bernard Schorle – ecopy
Nelson Olavarria – ecopy
Lori Rich – ecopy

Section No. and Title	Page No.
LIST OF TABLES.....	ii
LIST OF FIGURES.....	ii
LIST OF CHARTS	ii
LIST OF ATTACHMENTS.....	ii
1. SITE INFORMATION AND CONTACTS.....	1
2. FIELD ACTIVITIES THIS REPORTING PERIOD	2
3. RESULTS OF FIELD ACTIVITIES.....	3
3.1. GROUNDWATER MONITORING EVENT - MONITORING WELL SAMPLING	3
3.1.1. Layer 1 Wells.....	3
3.1.2. Layer 2 Wells.....	3
3.1.3. Layer 3 Wells.....	3
3.1.4. Layer 4 Wells.....	4
3.1.5. Natural Attenuation Parameters.....	4
3.2. INTERIM LF GAS EXTRACTION SYSTEM PERFORMANCE MONITORING	4
4. UPCOMING ACTIVITIES PLANNED.....	5
5. PERSONNEL.....	6

TABLE OF CONTENTS

LIST OF TABLES

Table 1	Groundwater Elevations
Table 2	Groundwater VOC Analytical Results for Monitoring Wells
Table 3	Groundwater Natural Attenuation Results for Wells
Table 6a	Landfill Gas Field Monitoring Results for Active Extraction Wells
Table 6c	Landfill Gas Field Monitoring Results for Gas Probes and Monitor Wells

LIST OF FIGURES

Figure 1	Site Layout
----------	-------------

LIST OF CHARTS

Chart 50	Monitoring Well VOC Concentration, P-107, Layer 2
Chart 54	Monitoring Well VOC Concentration, P-111D, Layer 3
Chart 57	Monitoring Well VOC Concentration, P-114, Layer 3
Chart 58	Monitoring Well VOC Concentration, P-115, Layer 3
Chart 61	Monitoring Well VOC Concentration, P-107D, Layer 4

LIST OF ATTACHMENTS

Attachment B	Laboratory Analytical Results
Attachment C	Groundwater Sampling Field Forms
Attachment D	Landfill Gas Extraction System Monitoring Field Forms

Section No. and Title	Page No.
LIST OF TABLES.....	ii
LIST OF FIGURES.....	ii
LIST OF CHARTS	ii
LIST OF ATTACHMENTS.....	iii
1. SITE INFORMATION AND CONTACTS.....	1
2. FIELD ACTIVITIES THIS REPORTING PERIOD	2
3. RESULTS OF FIELD ACTIVITIES.....	3
3.1. GROUNDWATER MONITORING EVENT - GROUNDWATER ELEVATIONS	3
3.1.1. Layer 1 Wells.....	3
3.1.2. Layer 2 Wells.....	3
3.1.3. Layer 3 Wells.....	3
3.1.4. Layer 4 Wells.....	4
3.2. GROUNDWATER MONITORING EVENT - MONITORING WELL SAMPLING	4
3.2.1. Layer 1 Wells.....	4
3.2.2. Layer 2 Wells.....	5
3.2.3. Layer 3 Wells.....	5
3.2.4. Layer 4 Wells.....	5
3.2.5. Natural Attenuation Parameters.....	6
3.3. GROUNDWATER MONITORING EVENT - PRIVATE WELL SAMPLING	6
3.4. LANDFILL CAP INSPECTION.....	6
3.5. INTERIM LF GAS EXTRACTION SYSTEM PERFORMANCE MONITORING	6
4. UPCOMING ACTIVITIES PLANNED.....	8
5. PERSONNEL.....	9

TABLE OF CONTENTS

LIST OF TABLES

Table 1	Groundwater Elevations
Table 2	Groundwater VOC Analytical Results for Monitoring Wells
Table 3	Groundwater Natural Attenuation Results for Wells
Table 4	Groundwater VOC Analytical Results for Private Drinking Water Wells
Table 5	Leachate VOC Analytical Results for Leachate Wells
Table 6a	Landfill Gas Field Monitoring Results for Active Extraction Wells
Table 6b	Landfill Gas Field Monitoring Results for Closed Extraction Wells
Table 6c	Landfill Gas Field Monitoring Results for Gas Probes and Monitor Wells
Table 7	Landfill Gas VOC Analytical Results

LIST OF FIGURES

Figure 1	Groundwater Elevations – Layer 1 Wells, April 2013
Figure 2	Groundwater Elevations – Layer 2 Wells, April 2013
Figure 3	Groundwater Elevations – Layer 3 Wells, April 2013
Figure 4	Groundwater Elevations – Layer 4 Wells, April 2013

LIST OF CHARTS

Chart 1	Layer 1 Historic Water Level Data
Chart 2	Layer 2 Historic Water Level Data
Chart 3	Layer 3 Historic Water Level Data
Chart 4	Layer 4 Historic Water Level Data
Chart 7	Landfill Gas Concentration, GV-6, Extraction System
Chart 11	Landfill Gas Concentration, LC-1, Extraction System
Chart 12	Landfill Gas Concentration, LC-2, Extraction System
Chart 13	Landfill Gas Concentration, LC-3, Extraction System
Chart 14	Landfill Gas Concentration, Exhaust, Extraction System
Chart 15	Landfill Gas Concentration, GP-1, Perimeter Monitoring Point
Chart 16	Landfill Gas Concentration, GP-2, Perimeter Monitoring Point
Chart 17	Landfill Gas Concentration, GP-3, Perimeter Monitoring Point
Chart 18	Landfill Gas Concentration, GP-4, Perimeter Monitoring Point
Chart 19	Landfill Gas Concentration, GP-5, Perimeter Monitoring Point
Chart 20	Landfill Gas Concentration, GP-6, Perimeter Monitoring Point
Chart 21	Landfill Gas Concentration, GP-7, Perimeter Monitoring Point
Chart 22	Landfill Gas Concentration, GP-8, Perimeter Monitoring Point
Chart 23	Landfill Gas Concentration, GP-10, Perimeter Monitoring Point
Chart 24	Landfill Gas Concentration, GP-11, Perimeter Monitoring Point
Chart 25	Landfill Gas Concentration, GP-12, Perimeter Monitoring Point
Chart 26	Landfill Gas Concentration, MW-101, Perimeter Monitoring Point
Chart 27	Landfill Gas Concentration, MW-102, Perimeter Monitoring Point
Chart 28	Landfill Gas Concentration, MW-103, Perimeter Monitoring Point
Chart 29	Landfill Gas Concentration, MW-104, Perimeter Monitoring Point
Chart 30	Barometric Pressure Readings
Chart 31	Landfill Gas VOC Concentration, LC-1, Extraction System
Chart 32	Landfill Gas VOC Concentration, LC-2, Extraction System
Chart 33	Landfill Gas VOC Concentration, LC-3, Extraction System
Chart 34	Landfill Gas VOC Concentration, GV-6, Extraction System

TABLE OF CONTENTS

Chart 35	Landfill Gas VOC Concentration, GP-3, Perimeter Monitoring Point
Chart 38	Monitoring Well VOC Concentration, MW-103, Layer 1
Chart 39	Monitoring Well VOC Concentration, MW-104, Layer 1
Chart 41	Monitoring Well VOC Concentration, MW-107, Layer 1
Chart 44	Monitoring Well VOC Concentration, MW-112, Layer 1
Chart 47	Monitoring Well VOC Concentration, P-103, Layer 2
Chart 49	Monitoring Well VOC Concentration, P-106, Layer 2
Chart 50	Monitoring Well VOC Concentration, P-107, Layer 2
Chart 53	Monitoring Well VOC Concentration, P-103D, Layer 3
Chart 54	Monitoring Well VOC Concentration, P-111D, Layer 3
Chart 55	Monitoring Well VOC Concentration, MW-3B, Layer 3
Chart 56	Monitoring Well VOC Concentration, P-113B, Layer 3
Chart 57	Monitoring Well VOC Concentration, P-114, Layer 3
Chart 58	Monitoring Well VOC Concentration, P-115, Layer 3
Chart 59	Monitoring Well VOC Concentration, P-116, Layer 3
Chart 60	Monitoring Well VOC Concentration, MW-3A, Layer 4
Chart 61	Monitoring Well VOC Concentration, P-107D, Layer 4
Chart 62	Monitoring Well VOC Concentration, P-113A, Layer 4

LIST OF ATTACHMENTS

Attachment A	Stratigraphic Layers of Wells
Attachment B	Laboratory Analytical Results
Attachment C	Groundwater Sampling Field Forms
Attachment D	Landfill Gas Extraction System Monitoring Field Forms
Attachment E	Groundwater Monitoring Program Approval, April 18, 2013