



# CITY OF RIPON

100 Jackson Street • Ripon, Wisconsin 54971-1396

---

---

August 25, 2015

Gary A. Edelstein, Waste Management Engineer  
Wisconsin Department of Natural Resources  
Bureau for Remediation and Redevelopment - RR/5  
P.O. Box 7921 Madison, WI 53707

RE: July 2015 Status Report  
Ripon HWY FF/NN Landfill  
License #467, Ripon, WI  
BRRTS #02-20-000915



Dear Mr. Edelstein,

Enclosed is the quarterly status report for the July, 2015 sampling event for the reference site. Tetra Tech will be sending you hard copies of this report. The City has completed connecting the Gaastra residence to municipal water. The City will be connecting the Perry residence to the City's water system when all arrangements are made between the contractor, plumber and the resident. The City expects that to be completed by the end of August.

If you have any questions please feel free to give me a call.

Sincerely,

Lori Rich  
City Administrator  
City of Ripon

Attach.

cc: Kevin McKnight, DNR - [ecopy Kevin.McKnight@wisconsin.gov](mailto:ecopy Kevin.McKnight@wisconsin.gov)  
Mary Tierney, EPA - [ecopy tierney.mary@epa.gov](mailto:ecopy tierney.mary@epa.gov)  
Mike Noel, Tetra Tech - [ecopy Mike.Noel@tetrattech.com](mailto:ecopy Mike.Noel@tetrattech.com)  
Jeff Allen, Eaton Corp. - [ecopy JeffAllen@Eaton.com](mailto:ecopy JeffAllen@Eaton.com)

**STATUS REPORT  
JULY 2015 SAMPLING EVENT  
FF/NN LANDFILL NPL SITE  
Ripon, Wisconsin**

*Prepared for:*

FF/NN Landfill PRP Group  
600 Travis, Suite 5600  
Houston, Texas 77002

*Prepared by:*



Tetra Tech, Inc.  
175 N. Corporate Drive, Suite 100  
Brookfield, WI 53045

August 4, 2015

Handwritten signature of Michael R. Noel in black ink.

---

Michael R. Noel, P.G.  
Principal Hydrogeologist, Project Manager

Handwritten signature of Ashley A. Weimer in black ink.

---

Ashley A. Weimer  
Project Geologist

# TABLE OF CONTENTS

---

Section No. and Title .....	Page No.
<b>LIST OF TABLES.....</b>	<b>ii</b>
<b>LIST OF FIGURES.....</b>	<b>ii</b>
<b>LIST OF CHARTS.....</b>	<b>ii</b>
<b>LIST OF ATTACHMENTS .....</b>	<b>ii</b>
<b>1. SITE INFORMATION AND CONTACTS .....</b>	<b>1</b>
<b>2. FIELD ACTIVITIES THIS REPORTING PERIOD.....</b>	<b>2</b>
<b>3. RESULTS OF FIELD ACTIVITIES .....</b>	<b>3</b>
<b>3.1. GROUNDWATER MONITORING EVENT - MONITORING WELL SAMPLING .....</b>	<b>3</b>
<b>3.1.1. Layer 1 Wells .....</b>	<b>3</b>
<b>3.1.2. Layer 2 Wells .....</b>	<b>3</b>
<b>3.1.3. Layer 3 Wells .....</b>	<b>3</b>
<b>3.1.4. Layer 4 Wells .....</b>	<b>4</b>
<b>3.1.5. Natural Attenuation Parameters .....</b>	<b>4</b>
<b>3.2. GROUNDWATER MONITORING EVENT - PRIVATE WELL SAMPLING .....</b>	<b>4</b>
<b>3.3. INTERIM LF GAS EXTRACTION SYSTEM PERFORMANCE MONITORING .....</b>	<b>5</b>
<b>3.4. EXTRACTION SYSTEM PRESSURE TEST .....</b>	<b>5</b>
<b>4. UPCOMING ACTIVITIES PLANNED .....</b>	<b>6</b>
<b>5. PERSONNEL .....</b>	<b>7</b>

# *TABLE OF CONTENTS*

---

## **LIST OF TABLES**

Table 1	Groundwater Elevations
Table 2	Groundwater VOC Analytical Results for Monitoring Wells
Table 3	Groundwater Natural Attenuation Results for Wells
Table 6a	Landfill Gas Field Monitoring Results for Active Extraction Wells
Table 6c	Landfill Gas Field Monitoring Results for Gas Probes and Monitor Wells

## **LIST OF FIGURES**

Figure 1	Site Layout
----------	-------------

## **LIST OF CHARTS**

Chart 53	Monitoring Well VOC Concentration, P-103D, Layer 3
Chart 54	Monitoring Well VOC Concentration, P-111D, Layer 3
Chart 57	Monitoring Well VOC Concentration, P-114, Layer 3
Chart 58	Monitoring Well VOC Concentration, P-115, Layer 3
Chart 61	Monitoring Well VOC Concentration, P-107D, Layer 4

## **LIST OF ATTACHMENTS**

Attachment B	Laboratory Analytical Results
Attachment C	Groundwater Sampling Field Forms
Attachment D	Landfill Gas Extraction System Monitoring Field Forms
Attachment E	Groundwater Monitoring Program Approval, April 18, 2013

**1. SITE INFORMATION AND CONTACTS**

CONTRACT SF-92-01

SITE NAME/ACTIVITY:

FF/NN Landfill NPL Site  
Ripon, Wisconsin  
Groundwater Monitoring and Corrective Action

WDNR File Ref. No.: 02-20-000915

PREPARED BY:

Mr. Michael R. Noel and Ms. Ashley A. Weimer  
Tetra Tech, Inc.  
175 N. Corporate Drive, Suite 100  
Brookfield, Wisconsin 53045

Tetra Tech Ref No.:117-2202.040

PREPARED FOR:

Ms. Lori Rich  
City of Ripon Administrator  
100 Jackson St.  
Ripon, WI 54971

Mr. Gary Edelstein, P.E.  
Wisconsin DNR  
P.O. Box 7921  
Madison, WI 53707

Mr. Kevin McKnight  
Wisconsin DNR  
625 E County Road Y, Suite 700  
Oshkosh WI, 54901

Ms. Mary Tierney  
U.S. EPA – Region 5  
77 West Jackson Boulevard  
Chicago, IL 60604

DATE:

August 4, 2015

**2. FIELD ACTIVITIES THIS REPORTING PERIOD**

- Groundwater elevations were measured at 10 monitoring wells by Tetra Tech in July 2015. Water levels in Layer 4 wells were measured consecutively to avoid any effects from municipal pumping.
- A total of 10 monitoring wells were sampled for VOCs by Tetra Tech during the July 2015 event. One duplicate sample was collected for quality control. The revised groundwater monitoring program as outlined in the April 18, 2013 conditional approval letter from WDNR was followed for this sampling event (Attachment E).
- Jack Wendler from the City of Ripon conducted biweekly landfill gas monitoring of the extraction system vents and wells for this quarterly report.

### 3. RESULTS OF FIELD ACTIVITIES

#### 3.1. Groundwater Monitoring Event - Monitoring Well Sampling

The revised groundwater monitoring program as outlined in the April 18, 2013 conditional approval letter from WDNR was followed for this sampling event. The groundwater samples were analyzed for volatile organic compounds (VOCs) using EPA Method 8260B. Analytical results and field forms are provided in Attachments B and C, respectively. The VOC analytical results for the monitoring wells are tabulated in Table 2. The temporal trends of chlorinated compound concentrations in wells sampled during this event are provided in attached Charts.

Natural attenuation parameters were taken on selected wells during the July 2015 sampling event. The DO and ORP along with temperature, pH and conductivity were measured using a QED MP20 MicroPurge Flow Cell Meter. The iron II was measured in the field using CHEMetrics analyte-specific Vacu-vials® for photometric analysis using a CHEMetrics Model V-2000 LED photometer.

The following sections present a summary of the July 2015 VOC analytical results as they relate to groundwater standards for each well that was sampled. To better track impacts at various depths, the results are organized according to the four stratigraphic groupings of wells discussed previously.

##### 3.1.1. Layer 1 Wells

- No Layer 1 wells were sampled during this event.

##### 3.1.2. Layer 2 Wells

- No Layer 2 wells were sampled during this event.

##### 3.1.3. Layer 3 Wells

- P-103D (Chart 53): No detection of any VOC. 1,2-DCE and VC were last detected in this well in April 2015.
- P-111D (Chart 54): VC exceeded its ES at 8.0 ug/L. 1,2-DCE (1.7 ug/L) and chloroethane (1.7 ug/L) were detected at concentrations below NR 140 standards. The results are similar to past results since 2007.
- MW-3B (Chart 55): No detection of any VOC. VC has not been detected in this well since May 2008.
- P-113B (Chart 56): No detection of any VOC. TCE, 1,2-DCE and VC have never been detected in this well since it was installed in 2002.

- P-114 (Chart 57): VC exceeded its ES with a concentration of 7.0 ug/L (6.5 ug/L duplicate). This result is similar to past results. 1,2-DCE (1.3 ug/L: 1.2 ug/L duplicate) was detected at a concentration below NR 140 standards.
- P-115 (Chart 58): VC exceeded its ES with a concentration of 1.2 ug/L. This result is similar to past results.
- P-116 (Chart 59): No detection of any VOC. TCE, 1,2-DCE and VC have never been detected in this well since it was installed in 2001.

### 3.1.4. Layer 4 Wells

- MW-3A (Chart 60): No detection of any VOC. TCE, 1,2-DCE and VC have never been detected in this well since it was installed in 2002.
- P-107D (Chart 61): VC exceeded its ES with a concentration of 2.1 ug/L. This result is similar to past results. 1,2-DCE (0.59J ug/L) was detected at a concentrations below NR 140 standards.
- P-113A (Chart 62): No detection of any VOC. TCE, 1,2-DCE and VC have never been detected in this well since it was installed in 2002.

### 3.1.5. Natural Attenuation Parameters

Because VC is the sole remaining contaminant of concern exceeding NR 140 standards and because VC reduction is most commonly an aerobic process via direct oxidation, MNA parameters that can demonstrate oxidative conditions were taken. Based on EPA (1998) guidance, iron II was taken as indirect evidence of natural attenuation. The results of the MNA sampling are shown on Table 3 and continue to indicate that the aquifer is marginally aerobic.

## 3.2. Groundwater Monitoring Event - Private Well Sampling

Historically, seven private wells have been sampled. Four of these wells (Altnau, Hadel, Miller and Wiese) have either been abandoned or converted to monitoring wells. The remaining three wells (Gaastra, Baneck/Perry and Rohde) are only sampled annually in April.

On July 17th, 2015 the City connected Mr. Jeff Gaastra's home (W14297 Charles Street) to the City of Ripon's water supply. His private well was disconnected from his home's internal water piping and is now just supplying his two outside faucets. The City still has the permission and capability to continue sampling from that well site.

The City will be connecting the home across the street, W14298, the Perry's, to the City's water system when all arrangements are made between the contractor, plumber and the resident. The City expects that to be completed by the end of August.



### **3.3. Interim LF Gas Extraction System Performance Monitoring**

Results of the gas monitoring are presented in Table 6.

Current extraction is from shallow vent GV-6 and the three deep leachate wells (LC-1, LC-2 and LC-3). The other vents have remained closed to prevent oxygen levels from increasing above 5%. There were a few modifications to the system during this monitoring period based on the oxygen levels observed in the landfill:

- 5/4/2015 – Reduce run time from 7 hours on to 6 hours on
- 5/18/2015 – Increase run time from 6 hours on to 7 hours on
- 6/15/2015 – Increase run time from 7 hours on to 7 hours on
- 6/29/2015 – Increase run time from 8 hours on to 10 hours on
- 7/14/2015 – Increase run time from 10 hours on to 12 hours on
- 7/27/2015 – Increase run time from 12 hours on to 14 hours on

There were no gas samples collected during this sampling event per the changes in the monitoring plan dated April 18, 2013.

Monitoring of the gas probes and wells outside the limits of fill indicate that the gas extraction system has controlled gas migration from the fill area since its startup in March 2006. Gas concentrations in all exterior wells and gas probes have been consistently below the methane LEL (5.0%).

### **3.4. Extraction System Pressure Test**

A pressure test of each leg of the landfill gas extraction system took place on April 16, 2015. The blower motor was shut off and each active well was disconnected and isolated by putting a rubber cover over the well and closing the valve inside the manifold vault. A pressure gauge was then connected to the leg being tested, and an air compressor was used to fill the line with air. After the leg's pressure increased and was stable, a valve to the air source was shut off and the pressure was monitored for 10 minutes. If the pressure remained stable when the valve was closed, it was determined there were no leaks. If the pressure dropped it was determined that leg had a leak. The test was run twice for each leg. Legs 2 and 3 have no leaks, but Leg 1 does have a leak.

A confirmation pressure test and a soap test will be performed during the October 2015 sampling event to determine if the leak in Leg 1 is within the manifold vault, or if the leak is elsewhere.

**4. UPCOMING ACTIVITIES PLANNED**

- Semi-annual groundwater sampling and water level measurements will be conducted in October 2015 in accordance with the monitoring program outlined in the April 18, 2013 conditional approval letter from WDNR.
- Jack Wendler from the City of Ripon will conduct biweekly landfill gas monitoring of the extraction system vents and wells.
- A pressure test will be conducted, along with a soap test to determine if the leak in Leg 1 is coming from any piping within the manifold vault.
- The City will be connecting the Perry residence (W14298 Charles Street) to the City's water system when all arrangements are made between the contractor, plumber and the resident. The City expects that to be completed by the end of August.

**5. PERSONNEL**

Mr. Michael Noel is the Project Manager and Principal Hydrogeologist. Ms. Ashley Weimer is the Project Geologist who oversaw the field activities. The laboratory analyses for July 2015 groundwater samples were completed by Pace Analytical Services, Inc. in Green Bay, Wisconsin.

**TABLES**

**Table 1 - Groundwater Elevations  
FF/NN Landfill  
Ripon, WI**

Well Name	TOC Elevation	Jun-93	Oct-93	Apr-94	Oct-96	May-97	Oct-97	Apr-98	Oct-98	Oct-99	May-00	Oct-00	May-01	Oct-01	Feb-02	May-02	Aug-02	Oct-02
MW-101	884.80	826.56	824.20	824.04	823.41	824.34			822.08	823.17			823.13	824.17	823.18	DRY	DRY	NT
P-101	885.26	826.52	824.24	824.02	823.38	824.33	823.00	820.24	822.04	823.16	822.73	822.66	823.06	824.16	823.19	800.47	814.42	NT
MW-102	843.05	826.83	825.35	824.29	823.57	824.67	823.26			823.52	823.17	823.19		824.38	823.53	818.93	DRY	NT
P-102	842.99	826.89	824.40	824.35	823.64	824.75	823.38	820.77	822.47	823.63	823.25		823.39	824.49	823.69	799.84	814.94	NT
MW-103	872.42	823.08	821.77	819.49	820.56			819.22						821.63	>51.32	819.28	819.34	NT
P-103	872.92	826.29	826.88	823.88	817.43	824.16	822.89	820.25	821.96	823.11	822.70	822.60	823.02	823.87	823.00	801.70	814.74	NT
P-103D	873.08	(Installed December 2003)																
MW-104	875.15	826.32	824.12	824.02	823.14	824.13		820.13	823.87					823.88	>51.28	DRY	DRY	NT
P-104	875.48	826.47	824.25	824.12	823.26	824.24	822.92	820.25	822.06	823.18	822.70	822.64	823.10	824.03	823.12	802.51	814.82	NT
MW-106	878.90	826.67	824.21	824.24	820.96	824.61	823.23		822.42	823.45	823.10	822.96	823.34	Dry	823.50	DRY	DRY	NT
P-106	878.91	826.63	824.09	824.07	823.42	824.51	823.16	820.40	822.33	823.38	823.02	822.89	823.26	824.25	823.39	800.31	814.52	NT
MW-107	871.78	821.02	820.52	818.76	819.17	819.22		817.04	818.70	819.68			819.36	820.12	>52.5	816.72	DRY	DRY
P-107	871.38	820.86	820.37	818.78	819.07	819.24	818.38	817.14	818.72	819.71	818.62	818.62	819.35	820.12	818.86	809.86	813.29	NT
P-107D	871.98			819.13	817.47	819.52	818.29	816.77	817.56	817.78	817.34	818.10	819.04	816.61	817.70	811.80	815.35	816.43
MW-108	845.25		819.00	817.85	818.17	818.31				818.48	817.49		818.32	818.62	>27.7	815.44	815.45	NT
P-108	845.61		822.03	821.09	821.29	821.52	820.55	818.77	820.25	821.18	820.25	820.45	820.97	822.08	820.66	811.84	815.19	NT
MW-111	856.46			817.58	817.93	818.10	817.29	816.29	817.33	818.30	817.28	817.32	818.15	818.74	817.51	813.43	813.59	NT
P-111	856.13			817.09	817.43	817.60	816.78	815.75	816.85	817.83	816.79	816.83	817.68	818.26	817.04	812.54	812.90	NT
P-111D	855.79	(Installed April 2002)														807.70	815.16	816.73
MW-112	874.55				819.46	819.92	819.02		819.15	820.02	819.20	819.21	819.87	820.52	822.87	814.38	814.47	NT
P-113A	833.09	(Installed September 2002)																816.09
P-113B	833.10	(Installed September 2002)																816.68
P-114	839.35	(Private well converted to monitoring well in 2003)																
P-115	842.71	(Private well converted to monitoring well in 2004)																
P-116	845.34	(Private well converted to monitoring well in 2004)																
MW-3A	850.77	(Water levels taken beginning February 2002)													817.24	810.74	815.18	816.11
MW-3B	851.04	(Water levels taken beginning February 2002)													819.32	807.37	815.34	817.07
LC1	876.15				849.02	847.87	846.99	846.82	846.56		846.27		846.30	Dry	Dry	DRY	DRY	NT
LC2	866.05				847.25	842.91	841.20	840.61	838.31	839.29	839.17	839.28	839.03	838.92	838.97	838.83	838.98	NT
LC3	877.34					845.69					845.82		845.80	Dry	Dry	DRY	DRY	NT

Notes: Blank cells indicate that the water level was below top of pump; unable to measure.  
Measurements are in Feet Above Mean Sea Level (msl)  
">" indicates depth to top of pump (water level was beneath pump)  
NT - Not taken, only measured deep wells  
NM - Well not measured

Notes: Blank cells indicate that the water level was below top of pump; un  
Measurements are in Feet Above Mean Sea Level (msl)  
">" indicates depth to top of pump (water level was beneath pump)  
NT - Not taken, only measured deep wells  
NM - Well not measured

**Table 1 - Groundwater Elevations  
FF/NN Landfill  
Ripon, WI**

Well Name	TOC Elevation	Dec-02	Apr-03	Oct-03	Feb-04	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Jan-06	Mar-06	Apr-06	Jul-06	Oct-06	Jan-07
MW-101	884.80	DRY	DRY	821.24	NM	822.87	825.76	823.36	822.85	823.27	821.11	DRY	820.81	NM	821.41	821.29	820.71	821.43
P-101	885.26	818.91	820.46	821.16	NM	822.86	825.76	823.35	822.84	823.26	821.07	820.23	820.75	NM	821.37	821.22	820.69	821.34
MW-102	843.05	DRY	820.95	821.57	NM	823.34	826.08	823.71	823.34	823.66	821.70	820.65	821.33	NM	821.91	821.75	821.15	821.73
P-102	842.99	819.47	821.08	821.66	NM	823.42	826.17	823.79	823.38	823.75	821.48	820.72	821.41	NM	822.06	821.80	821.25	821.82
MW-103	872.42	DRY	DRY	819.61	NM	821.06	824.54	822.24	820.52	821.60	819.70	819.25	819.24	NM	819.36	819.82	818.82	819.47
P-103	872.92	819.01	820.52	821.12	NM	822.77	825.58	823.23	822.78	823.14	821.09	820.26	820.92	NM	821.42	821.33	820.70	821.39
P-103D	873.08				820.64	821.89	824.39	822.21	821.89	822.08	820.26	819.23	820.24	NM	820.54	820.43	819.88	820.52
MW-104	875.15	DRY	820.37	820.85	NM	822.75	825.49	823.27	822.75	823.16	821.09	820.34	820.65	NM	821.35	821.16	820.61	821.11
P-104	875.48	819.05	820.50	821.43	NM	822.82	825.61	823.36	822.82	823.21	821.20	820.40	820.79	NM	821.45	821.33	820.76	821.29
MW-106	878.90	DRY	DRY	821.58	NM	823.25	826.07	823.60	823.20	823.61	821.42	DRY	821.24	NM	821.85	821.77	821.10	821.78
P-106	878.91	819.18	820.80	821.49	NM	823.17	825.99	823.50	823.10	823.54	821.31	820.50	821.16	NM	821.72	821.67	820.99	821.62
MW-107	871.78	DRY	817.73	818.35	NM	819.63	823.41	821.20	819.89	820.18	818.69	817.85	817.81	NM	818.03	DRY	817.90	818.29
P-107	871.38	816.65	817.74	818.39	NM	819.71	823.34	821.20	820.91	820.20	818.72	817.84	817.80	NM	818.19	818.59	817.89	818.23
P-107D	871.98	816.68	817.26	816.72	NM	818.68	819.78	817.72	817.65	818.77	815.90	814.85	816.33	816.45	816.89	816.83	816.24	817.05
MW-108	845.25	815.79	816.20	816.68	NM	817.86	820.27	819.00	818.17	818.41	816.95	816.27	816.31	NM	816.70	816.88	816.39	816.64
P-108	845.61	817.83	818.57	819.26	NM	820.52	823.39	821.94	820.84	821.05	819.76	819.13	819.04	NM	819.40	819.65	819.41	819.40
MW-111	856.46	815.42	816.14	816.71	NM	818.03	821.40	819.60	817.39	818.69	817.32	816.51	816.31	NM	816.74	817.14	816.58	816.72
P-111	856.13	814.90	815.68	816.27	NM	817.59	821.01	819.16	816.92	818.19	816.82	816.03	815.84	NM	816.24	816.74	816.09	816.23
P-111D	855.79	816.22	818.17	817.95	NM	819.55	821.82	819.77	819.55	819.55	818.11	817.37	818.40	NM	818.62	818.54	818.26	818.48
MW-112	874.55	816.75	817.87	818.54	NM	819.89	823.17	821.14	820.15	820.50	818.82	818.14	818.31	NM	818.66	818.88	818.20	818.52
P-113A	833.09	816.39	816.93	816.20	NM	817.91	818.17	817.32	817.28	818.35	815.50	814.36	816.40	816.04	816.39	816.54	815.81	817.29
P-113B	833.10	816.93	817.25	816.58	816.61	818.30	820.16	818.25	818.13	818.36	816.74	815.47	816.90	NM	817.01	817.57	816.81	816.70
P-114	839.35		817.17	816.93	NM	818.55	820.44	818.71	818.50	818.76	817.02	816.34	817.28	NM	817.38	817.36	816.86	817.36
P-115	842.71				NM	818.61	820.51	818.71	818.55	818.62	817.05	816.05	817.44	NM	817.56	817.50	817.12	817.62
P-116	845.34				NM	817.54	819.31	817.80	817.47	817.74	816.45	815.48	816.02	NM	816.48	816.34	816.00	816.38
MW-3A	850.77	815.99	816.63	815.67	NM	818.03	819.73	817.00	817.15	816.84	816.05	814.87	817.98	815.81	816.29	817.51	816.34	817.49
MW-3B	851.04	817.54	818.31	817.92	NM	819.79	822.01	819.66	819.60	819.45	818.44	817.28	819.15	NM	818.86	819.18	818.27	818.88
LC1	876.15	DRY	DRY	NM	NM	846.45	NM	DRY	DRY	846.39	DRY	NM	NM	NM	843.40	847.60	847.66	NM
LC2	866.05	838.75	839.17	NM	NM	839.27	NM	838.89	DRY	839.05	838.89	838.91	839.01	NM	839.47	839.52	838.45	NM
LC3	877.34	DRY	DRY	NM	NM	DRY	NM	DRY	DRY	DRY	DRY	NM	NM	NM	845.89	845.87	844.68	NM

able to measure

Notes:

Blank cells indicate that the water level was below top of pump; unable to measure.  
Measurements are in Feet Above Mean Sea Level (msl)  
">" indicates depth to top of pump (water level was beneath pump)  
NT - Not taken, only measured deep wells  
NM - Well not measured

Notes:

Blank cells indicate that the  
Measurements are in Feet .  
">" indicates depth to top of  
NT - Not taken, only meas  
NM - Well not measured

**Table 1 - Groundwater Elevations  
FF/NN Landfill  
Ripon, WI**

Well Name	TOC Elevation	May-07	Aug-07	Oct-07	Jan-08	May-08	Jul-08	Sep-08	Oct-08	Jan-09	Apr-09	Jul-09	Oct-09	Feb-10	May-10	Sep-10	Jan-11	Mar-11
MW-101	884.80	822.37	822.22	822.74	822.47	824.5	825.1	822.61	822.63	822.93	824.08	823.61	822.68	822.2	823.43	823.29	822.19	NM
P-101	885.26	822.32	822.18	822.68	822.43	824.49	825.07	822.56	822.59	822.91	824.05	823.6	822.63	822.17	823.37	823.25	822.14	NM
MW-102	843.05	822.85	822.55	822.95	822.95	824.9	825.36	822.77	822.83	823.4	824.49	823.85	822.99	822.65	823.77	823.66	822.66	NM
P-102	842.99	822.90	822.63	823.01	823.03	824.95	825.34	822.74	822.81	823.5	824.57	824.11	823.05	822.76	823.8	823.71	822.74	NM
MW-103	872.42	820.39	820.45	820.78	820.46	822.13	823.95	822.05	821.92	821.19	821.99	821.72	820.83	820.27	821.25	821.32	820.29	NM
P-103	872.92	822.31	822.17	822.63	822.86	824.39	825.02	822.57	822.66	822.97	824.06	823.59	822.62	822.24	823.34	823.19	822.26	NM
P-103D	873.08	821.56	821.495	822.015	821.935	823.885	824.425	822.145	822.265	822.475	823.545	822.905	822.055	821.705	822.575	822.35	821.81	821.96
MW-104	875.15	822.17	822.06	822.56	822.25	824.26	824.9	822.54	822.55	822.82	823.92	823.47	822.53	822.06	823.25	823.12	822.1	NM
P-104	875.48	822.29	822.27	822.75	822.44	824.45	825.12	822.78	822.74	822.98	824.06	823.64	822.68	822.22	823.41	823.3	822.26	NM
MW-106	878.90	822.78	822.51	822.76	822.84	824.77	824.98	822.7	822.75	823.31	824.41	823.94	822.96	822.61	823.72	823.6	822.57	NM
P-106	878.91	822.71	822.44	822.7	822.75	824.7	825.25	822.63	822.64	823.25	824.37	823.9	822.85	822.54	823.64	823.52	822.52	NM
MW-107	871.78	818.87	818.97	819.12	818.88	820.34	823.81	821.16	821.04	819.71	820.34	820.25	819.37	818.81	819.59	819.85	818.83	NM
P-107	871.38	818.88	819.01	819.08	818.91	820.27	823.72	821.1	821.09	819.4	820.34	820.26	819.34	818.48	819.62	819.82	818.98	NM
P-107D	871.98	818.27	818.79	819.93	820.32	822.9	823.25	820.9	820.87	820.81	822.24	820.61	819.98	819.88	819.68	818.85	820.47	819.05
MW-108	845.25	817.39	817.96	817.99	817.5	819.15	820.42	819.28	819.23	818.16	818.87	818.58	817.93	817.28	818.27	818.39	817.44	NM
P-108	845.61	820.14	821.45	821.33	820.44	822.15	823.57	822.14	822.05	820.87	821.67	821.73	821.06	820.08	821.53	821.66	820.25	NM
MW-111	856.46	817.40	817.44	817.51	NT	818.85	821.08	819.77	819.75	818.21	818.88	818.71	817.87	817.29	818.07	818.3	817.39	NM
P-111	856.13	816.92	816.95	817.01	816.85	818.4	820.72	819.35	819.23	817.77	818.41	818.3	817.43	816.86	817.61	817.88	816.96	NM
P-111D	855.79	819.84	819.44	819.92	820.14	822.09	822.61	820.74	820.79	820.65	821.71	820.85	820.15	819.91	820.41	820.16	817.15	820.05
MW-112	874.55	819.24	819.39	819.73	819.41	820.97	822.76	821.08	820.99	820.08	820.83	820.62	819.76	819.24	820.13	820.24	819.33	NM
P-113A	833.09	817.78	818.13	819.42	819.91	822.4	822.8	820.45	820.53	820.34	821.81	820.1	819.4	819.57	819.09	818.24	820.05	818.53
P-113B	833.10	818.11	818.26	819.09	819.35	821.36	821.79	820.09	820.1	819.84	820.96	819.81	819.24	819.15	819.27	818.88	819.45	818.97
P-114	839.35	818.48	818.14	818.61	819	820.91	821.45	819.79	819.83	819.5	820.51	819.6	818.99	818.75	819.12	819	819.09	818.85
P-115	842.71	818.72	818.375	818.815	819.185	821.095	821.635	819.965	819.975	819.655	820.725	819.805	819.145	818.935	819.205	819.13	819.265	819.005
P-116	845.34	817.47	816.905	817.475	817.755	819.425	820.385	816.805	818.705	818.375	819.155	818.465	817.755	817.565	818.055	817.85	817.895	817.755
MW-3A	850.77	817.68	819.68	820.7	821.15	823.53	823.87	821.57	821.62	821.62	822.96	821.46	820.87	820.85	819.92	818.91	821.26	819
MW-3B	851.04	819.62	820.24	820.88	821.08	823.09	823.53	821.48	821.5	821.51	822.66	821.74	821.06	820.84	821	820.59	821.04	820.35
LC1	876.15	846.41	NM	NM	NM	845.89	NM	NM	NM	NM	NM	NM	NM	NM	843.73	NM	NM	NM
LC2	866.05	838.63	NM	NM	NM	837.81	NM	NM	NM	NM	NM	NM	NM	NM	838.96	NM	NM	NM
LC3	877.34	846.12	NM	NM	NM	845.28	NM	NM	NM	NM	NM	NM	NM	NM	845.67	NM	NM	NM

e water level was below top of pump; unable to measure  
Above Mean Sea Level (msl)  
of pump (water level was beneath pump  
measured deep well.

Notes: Blank cells indicate that the water level was below top of pump; unable to measure.  
Measurements are in Feet Above Mean Sea Level (msl)  
">" indicates depth to top of pump (water level was beneath pump)  
NT - Not taken, only measured deep wells  
NM - Well not measured

Notes: Blank cells indicate that the  
Measurements are in Feet .  
">" indicates depth to top of  
NT - Not taken, only meas  
NM - Well not measured

**Table 1 - Groundwater Elevations  
FF/NN Landfill  
Ripon, WI**

Well Name	TOC Elevation	Apr-11	Jul-11	Oct-11	Jan-12	Apr-12	Jul-12	Oct-12	Jan-13	Apr-13	Jul-13	Oct-13	Jan-14	Apr-14	Jul-14	Oct-14	Jan-15
MW-101	884.80	823.66	824.41	822.45	822.93	823.33	823.56	821.86	821.99	823.89	NM	NM	NM	822.32	NM	NM	NM
P-101	885.26	823.6	824.38	822.37	822.87	823.29	823.5	821.82	821.92	823.88	NM	NM	NM	822.29	NM	NM	NM
MW-102	843.05	824.1	824.73	822.67	823.36	823.8	823.89	822.3	822.43	824.38	NM	NM	NM	823.12	NM	NM	NM
P-102	842.99	824.16	824.79	822.67	823.44	823.86	823.96	822.41	822.52	824.45	NM	NM	NM	823.02	NM	NM	NM
MW-103	872.42	821.34	822.45	821.14	820.97	821.24	821.9	820.21	820.09	821.5	NM	819.91	NM	820.12	NM	820.68	NM
P-103	872.92	823.6	824.28	822.34	822.91	823.32	823.48	821.9	822.02	823.88	NM	821.35	NM	822.42	NM	822.55	NM
P-103D	873.08	822.88	823.26	821.64	822.04	822.47	822.43	821.085	821.275	823.135	823.24	820.63	820.85	821.69	822.45	821.73	821.75
MW-104	875.15	823.47	824.19	822.32	822.82	823.22	823.4	821.79	821.87	823.76	NM	NM	NM	822.26	NM	NM	NM
P-104	875.48	823.62	824.37	822.53	822.93	823.22	823.57	821.96	822.02	823.87	NM	NM	NM	822.32	NM	NM	NM
MW-106	878.90	824.02	824.68	822.58	823.33	823.73	823.87	822.27	822.43	824.3	NM	NM	NM	822.84	NM	NM	NM
P-106	878.91	823.94	824.6	822.48	823.24	823.64	825.8	822.18	822.33	824.21	NM	NM	NM	822.75	NM	NM	NM
MW-107	871.78	819.76	821.04	820.04	819.96	819.77	820.68	818.98	818.73	819.87	NM	NM	NM	818.78	NM	NM	NM
P-107	871.38	819.73	821.02	820.02	819.15	819.76	820.7	819	818.71	819.88	NM	NM	NM	818.82	NM	NM	NM
P-107D	871.98	820.29	819.73	818.74	819.38	819.42	818.1	817.78	818.02	820.41	820.56	817.57	817.80	818.53	819.74	818.19	818.35
MW-108	845.25	818.51	819.21	818.48	818.11	818.28	818.74	817.63	817.27	818.74	NM	NM	NM	817.64	NM	NM	NM
P-108	845.61	821.32	822.51	821.45	820.86	821.01	822.09	820.82	820.02	821.52	NM	NM	NM	820.12	NM	NM	NM
MW-111	856.46	818.37	819.45	818.64	818.12	818.32	819.09	817.61	817.25	818.52	NM	NM	NM	817.49	NM	NM	NM
P-111	856.13	817.89	819.01	818.18	817.68	817.87	818.67	817.16	816.81	818.07	NM	NM	NM	817.05	NM	NM	NM
P-111D	855.79	820.83	820.9	819.92	820.33	820.28	820	819.01	819.29	821.07	820.97	818.61	818.85	819.88	820.41	819.68	819.51
MW-112	874.55	820.23	821.36	820.2	819.91	820.15	820.8	819.27	819.15	820.39	NM	819.07	NM	819.18	NM	819.69	NM
P-113A	833.09	819.67	818.78	818.34	818.72	818.51	817.23	817.23	817.5	819.83	819.92	816.76	817.32	817.95	819.09	817.68	817.81
P-113B	833.10	819.64	819.34	819.04	818.87	818.71	818.39	817.96	817.92	820.89	820.02	817.31	817.97	818.87	819.41	818.28	818.17
P-114	839.35	819.75	819.67	819	819.16	819.06	818.46	818.03	818.27	819.94	820.05	816.57	817.93	818.83	819.51	818.46	818.53
P-115	842.71	819.855	819.745	819.145	819.265	819.075	818.805	818.105	818.335	820.025	820.205	817.635	817.89	818.96	819.63	818.57	818.52
P-116	845.34	818.845	818.605	817.985	818.125	818.125	817.575	817.115	817.395	818.855	818.825	816.755	816.92	817.77	818.54	817.54	817.55
MW-3A	850.77	819.85	819.18	819.74	819.6	818.41	818.23	817.6	817.98	820.07	820.25	816.62	817.81	819.50	819.11	818.12	818.04
MW-3B	851.04	821.18	821.1	820.65	820.78	820.27	820.35	819.28	819.48	821.49	821.48	818.59	819.24	820.69	820.61	819.89	819.79
LC1	876.15	843.14	NM	NM	NM	843.21	NM	NM	NM	843.36	NM	NM	NM	843.71	NM	NM	NM
LC2	866.05	838.4	NM	NM	NM	837.87	NM	NM	NM	838.51	NM	NM	NM	840.02	NM	NM	NM
LC3	877.34	845.22	NM	NM	NM	845.63	NM	NM	NM	845.52	NM	NM	NM	846.29	NM	NM	NM

e water level was below top of pump; unable to measure  
Above Mean Sea Level (msl)  
if pump (water level was beneath pump  
measured deep well:

Notes: Blank cells indicate that the water level was below top of pump; unable to measure.  
Measurements are in Feet Above Mean Sea Level (msl)  
">" indicates depth to top of pump (water level was beneath pump)  
NT - Not taken, only measured deep wells  
NM - Well not measured



**Table 1 - Groundwater Elevations  
 FF/NN Landfill  
 Ripon, WI**

Well Name	TOC Elevation	Apr-15	Jul-15
MW-101	884.80	822.43	NM
P-101	885.26	822.36	NM
MW-102	843.05	822.91	NM
P-102	842.99	822.99	NM
MW-103	872.42	820.27	NM
P-103	872.92	822.42	NM
P-103D	873.08	821.55	821.04
MW-104	875.15	822.36	NM
P-104	875.48	822.40	NM
MW-106	878.90	822.91	NM
P-106	878.91	822.82	NM
MW-107	871.78	818.87	NM
P-107	871.38	818.84	NM
P-107D	871.98	818.08	818.12
MW-108	845.25	817.39	NM
P-108	845.61	820.07	NM
MW-111	856.46	817.39	NM
P-111	856.13	816.95	NM
P-111D	855.79	819.50	819.21
MW-112	874.55	819.30	NM
P-113A	833.09	817.59	817.48
P-113B	833.10	818.42	818.35
P-114	839.35	818.46	818.41
P-115	842.71	818.60	815.48
P-116	845.34	817.41	817.46
MW-3A	850.77	818.48	817.86
MW-3B	851.04	819.95	819.50
LC1	876.15	843.72	NM
LC2	866.05	839.41	NM
LC3	877.34	845.62	NM







































Table 2. Groundwater VOC Analytical Results for Monitoring Wells  
FF/NN Landfill, Ripon, WI

Sampling Point	Collection Date	Parameters																											
		Acetone <sup>1</sup>	Benzene	Bromomethane	2-Butanone (MEK)	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	1,4-dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-dichloroethane	1,1-Dichloroethane	cis-1,2-dichloroethene	trans-1,2-Dichloroethene	1,2-dichloropropane	Ethylbenzene	Methylene chloride	M/TBE	Tetachloroethene	Tetrahydrofuran	Toluene	Trichloroethene	Trichlorofluoromethane	Vinyl Chloride	Total Xylenes		
WDNR NR140	PAL	200	0.5	1	90	NE	80	0.6	0.3	15	200	85	0.5	0.7	7	20	0.5	140	0.5	12	0.5	10	200	0.5	NE	0.02	1000		
	ES	1000	5	10	460	NE	400	6	3	75	1000	850	5	7	70	100	5	700	5	60	5	50	1000	5	NE	0.2	10000		
P-116 (former Hadel well)	10/9/2001	NR																											
	11/19/2001	NR																											
	2/5/2002	NR																											
	5/22/2002	NR																											
	8/19/2002	NR																											
	08/19/02 Dup	NR																											
	12/3/2002	NR																											
	12/03/02 Dup	NR																											
	4/22/2003																												
	7/30/2003																												
	10/22/2003																												
	2/4/2004																												
	5/11/2004																												
	7/22/2004																												
	10/14/2004																												
	1/27/2005																												
	4/26/2005																												
	8/2/2005																												
	10/26/2005																												
	1/31/2006																												
	01/31/06 Dup																												
	4/24/2006																												
	7/27/2006																												
	10/31/2006																												
	2/1/2007																												
	5/1/2007																												
	8/8/2007																												
	10/22/2007																												
	5/6/2008																												
	10/2/2008																												
	4/6/2009																												
	10/29/2009																												
	2/26/2010																												
	5/25/2010																												
	10/6/2010																												
	1/25/2011																												
4/13/2011																													
7/12/2011																													
10/19/2011																													
1/23/2012																													
4/4/2012																													
7/25/2012																													
10/17/2012																													
1/15/2013																													
4/26/2013																													
7/2/2013																													
10/24/2013																													
1/9/2014																													
4/17/2014																													
7/17/2014																													
10/24/2014																													
1/15/2015		4.2 J																											
4/28/2015																													
7/1/2015																													

Results in µg/L

B = analyte found in method blank as well as sample  
 E = exceeds calibration range  
 J = estimated value between LOD and LOQ  
 L = Lab Artifact  
 & = Laboratory control spike recovery not within control limits  
 NE = None Established  
 NA = Not Analyzed; no sample collected for analysis  
 NR = Value not reported by lab or not recorded during initial evaluation by GeoTrans

PAL = Preventive Action Limit  
 ES = Enforcement Standard  
 Underline indicates exceeds NR 140 PAL  
 Bolding indicates exceeds NR 140 ES  
 Blank = Sample Collected but No VOCs detected  
 Historical data for abandoned wells MW-105, P-105, P-109 and MW-110 can be found in reports prior to October 204

\* Not sampled due to insufficient water for sample collector

<sup>1</sup> The reporting of acetone on an 8260B VOC scan varies with labs. Enchem, which began analyzing samples in April 2003, does report acetone. Acetone has appeared in several wells beginning in October 2003.

<sup>2</sup> MW-103 had low concentrations of isopropyl ether detected in October 1997 and February 2002. Acetone at 27 ppb was detected in April 2004. Carbon disulfide at 2.2J ppb was detected in January 2007

<sup>3</sup> this sample had detections of bromodichloromethane at 0.59 ppb and dibromochloromethane at 0.35 ppb,

<sup>4</sup> this sample in P-116 had 0.18 ppb of 1,1,1-trichloroethane

Table 3. Groundwater Natural Attenuation Parameters  
FF/NN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO <sub>3</sub> <sup>-</sup>	NO <sub>2</sub> <sup>-</sup>	Fe <sup>2+</sup>	SO <sub>4</sub> <sup>2-</sup>	S <sup>2-</sup>	CH <sub>4</sub>					
		Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3**					
	Target	>	<	<1	>20	<1	<0.5	>50	>0.5			
	Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C
MW-101	2/1/2007									558	6.59	7.4
	5/1/2007									1021	6.92	13.1
	5/6/2008									782	7.18	12.4
	4/8/2009									940	6.75	12.5
	10/29/2009	<0.20	0.39	>2.5	>100	<0.2	0.015	-98	3.17	914	6.85	11.8
	5/25/2010	<0.20	0.08	>2.5	>100	<0.2	0.0192	-73	1.65	961	6.55	25.3
	10/4/2010	0.08			>100		0.0136	-63	2.13	1265	6.95	15.8
	1/26/2011			>2.5				-14	2.51	938	7.39	6.2
	4/11/2011									1020	7.48	14.1
	4/3/2012									960	7.10	13.0
	2/1/2007									2670	6.95	5.7
	MW-103	5/2/2007									1180	6.64
10/18/2007										1609	6.74	13.0
5/5/2008										1420	7.06	12.2
10/2/2008										1411	6.69	11.3
4/7/2009										1433	7.17	10.3
10/28/2009		<0.20	>0.80	0.42	>100	<0.2	0.00042	24	4.21	1780	6.79	10.7
2/25/2010		>1.5	<0.08	<0.1	>100	<0.2	<0.0028	55	4.1	2	6.96	8.6
5/24/2010		>1.5	<0.08	0.11	>100	<0.2	<0.0028	86	2.84	2110	6.49	17.7
10/4/2010		>1.5			>100		0.0235	46	3.33	1920	7.22	12.9
1/26/2011				0.09				62	4.52	1700	7.22	5.5
4/11/2011				0.07				136	5.02	1217	6.79	13.8
7/11/2011				0.13				33	3.54	1660	7.14	18.7
10/19/2011				<0.1				171	4.01	1580	6.88	8.7
1/24/2012				<0.1				144	3.28	1930	6.98	6.1
4/3/2012				<0.1				98	3.25	2130	6.88	12.4
7/25/2012				0.323				58	2.56	1950	6.71	21.4
10/17/2012				<0.1				59	6.02	1690	6.96	12.7
1/16/2013				<0.1				36	3.67	1730	7.00	6.6
4/24/2013				0.394				41	3.29	1454	7.05	11.3
10/24/2013				0.207				33	5.26	1356	7.10	7.9
4/16/2014			0.177				85	4.35	1210	7.30	8.3	
10/23/2014			0.25				65	5.3	1387	7.28	10.1	
4/28/2015			0.274				47	4.16	1425	7.41	11.7	
MW-104	10/19/2011									1312	6.78	9.9
	4/3/2012									1134	6.90	12.3
	10/17/2012									1517	6.71	12.7
	4/24/2013									1396	6.87	12.2
	4/16/2014									1138	7.20	10.4
MW-107	4/15/2015									1205	6.92	14.2
	4/21/2003						0.13	185.70	21.27	1021	7.00	9.84
	4/22/2003				30			74.10	5.70	1024	7.06	10.32
	10/21/2003	3.3			32			79.30	5.80	1211	6.92	9.64
	5/1/2007									570	6.93	10.5
	10/17/2007									1297	7.09	13.1
	5/5/2008									796	7.54	11.5
	10/1/2008									1240	6.86	10.1
	4/7/2009									1226	7.50	10.2
	10/28/2009	>1.5	0.18	0.61	>100	<0.2	<0.000180	-1	5.78	956	7.13	11.6
	5/24/2010	>1.5	0.32	1.86	>100	0.71	<0.0028	61	3.08	1087	6.89	20.7
	10/4/2010	>1.5	0.7	49.95			ND	76	6.38	1650	7.62	10.6
	1/26/2011			0.85				45	4.74	249	7.35	6.0
	4/11/2011									1100	8.12	11.2
	10/18/2011									1225	7.51	10.1
	4/3/2012									983	7.50	11.5
	10/17/2012									1076	7.10	13.0
	4/24/2013									1144	7.34	11.0
	4/16/2014									877	7.61	10.9
	4/15/2015									1078	7.33	12.4
MW-111	12/5/2002									866	7.15	7.84
	8/8/2007									920	7.45	11.4
	5/5/2008									732	7.45	11.9
	4/7/2009									867	7.22	10.8
	10/28/2009	>1.5	<0.08	0.26	>100	<0.2	0.00031	3	6.66	836	6.66	11.4
	5/24/2010	1.09	0.22	1.39	>100	0.44	<0.0028	71	2.73	958	6.80	22.7
	10/4/2010	0.99		0.02	>100		ND	85	4.87	995	7.72	9.6
	1/26/2011			0.25				26	4.56	849	7.28	7.6
	4/11/2011									900	7.94	11.2
	4/3/2012									846	7.60	11.7
MW-112	7/11/2011			>2.5				-51	1.49	951	7.34	16.5
	10/19/2011			>2.5				-46	1.12	907	7.01	8.9
	1/24/2012			>2.5				-26	1.32	1060	7.16	8.0
	4/3/2012			>2.5				-77	1.19	1210	6.96	11.7
	7/25/2012			>2.5				-75	1.37	1071	6.89	18.9
	10/17/2012			>2.5				-113	1.08	992	7.15	12.7
	1/16/2013			>2.5				-72	1.80	1003	7.10	7.9
	4/24/2013			>2.5				45	1.56	1052	7.11	12.1
	10/24/2013			>2.5				42	1.92	982	7.43	8.6
	4/16/2014			>2.5				-76	0.91	949	7.36	9.9
	10/23/2014			>2.5				52	1.87	874	7.42	9.9
	4/28/2015			2.296				61	1.33	1018	7.36	13.0
P-101	12/4/2002				50			-53.5	0.08	843	7.12	9.26
	4/22/2003				51			-36.9	0.81	646	7.46	10.12
	10/23/2003	<0.058			49			-65.5	0.66	754	7.04	10.20
	5/1/2007									828	7.57	11.7
	5/6/2008									735	7.69	11.3
	4/8/2009									749	7.24	11.4
	10/29/2009	0.39	0.12	1.84	71.36	<0.2	0.00059	-108	2.2	880	7.32	11.2
	5/25/2010	<0.20	<0.08	1.38	70.81	<0.2	<0.0028	-48	1.04	925	6.62	25.5
	10/4/2010	0.08			69.72		ND	-92	1.9	948	7.51	15.0
	1/26/2011			1.24				-31	2.65	829	7.26	5.8
	4/11/2011									840	7.96	12.8
	4/3/2012									776	7.40	11.6

Table 3. Groundwater Natural Attenuation Parameters  
 FE/NN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO <sub>3</sub> <sup>-</sup>	NO <sub>2</sub> <sup>-</sup>	Fe <sup>2+</sup>	SO <sub>4</sub> <sup>2-</sup>	S <sup>2-</sup>	CH <sub>4</sub>					
		0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						
	Detection Range	>	<	<1	>20	<1	<0.5	>50	>0.5			
	Target	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C
	Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C
P-103	12/4/2002				54		0.037	-60.50	1.17	956	7.00	9.49
	4/21/2003				58			-29.90	0.71	388	7.28	10.50
	10/22/2003	0.41			54			-147.10	0.82	874	7.17	10.06
	2/1/2007							172	0.53	903	6.86	9.0
	5/2/2007							206	0.92	896	6.78	9.9
	8/14/2007							226	0.70	863	7.09	11.4
	10/18/2007							300	0.51	863	6.35	11.0
	5/5/2008							30	0.93	956	6.98	10.5
	10/2/2008							323	1.37	888	6.70	10.8
	4/7/2009							-95	1.09	813	7.40	9.8
	10/28/2009	0.45	<0.08	<0.1	78.95	<0.2	0.052	-125	0.85	739	7.19	10.2
	2/25/2010	>1.5	NM	NM	83.29	<0.2	0.0416	-120	1.62	845	7.25	9.0
	5/24/2010	<0.20	<0.08	>2.5	89.8	<0.2	0.0489	-104	0.38	815	7.00	11.2
	10/5/2010	0.08			85.02		0.0562	-128	1.15	874	7.86	10.9
	1/25/2011				2.5			-69	0.64	776	7.60	9.3
	4/12/2011				>2.5			-125	1.22	906	7.19	10.0
	7/11/2011				>2.5			-123	0.83	743	7.92	11.5
	10/18/2011				>2.5			-76	1.60	737	7.38	10.3
	1/24/2012				>2.5			-47	0.65	878	7.27	9.0
	4/4/2012				2.489			-96	0.93	985	7.26	10.2
	7/25/2012				>2.5			-100	0.67	855	6.94	11.7
	10/17/2012				>2.5			-101	1.00	808	6.83	10.5
	1/16/2013				2.102			-123	0.51	824	7.15	9.3
	4/26/2013				>2.5			-86	0.59	790	7.45	10.4
	10/24/2013				>2.5			0	1.43	815	6.29	10.0
4/16/2014				>2.5			-78	1.71	767	7.56	9.5	
10/23/2014				>2.5			40	0.96	687	7.16	10.2	
4/28/2015				>2.5			75	0.53	802	7.03	9.9	
P-106	4/24/2013						-6	3.17	764	7.26	9.8	
	4/16/2014						-74	1.40	730	7.67	9.5	
	4/15/2015						63	0.57	770	7.25	10.0	
	12/4/2002	NM	NM	NM	66		0.11	-28.00	0.86	791	7.22	9.40
	4/21/2003				74			37.30	0.76	646	7.43	9.62
P-107	10/21/2003	<0.058						-70.40	0.92	716	7.18	9.73
	5/1/2007							240	1.64	840	6.66	9.6
	10/19/2007							330	1.80	863	6.42	10.7
	5/5/2008							8	1.50	925	7.50	11.0
	10/1/2008							350	2.63	923	6.66	10.2
	4/7/2009							-95	1.75	852	7.34	9.0
	10/28/2009	<0.20	<0.08	1.68	89.8	<0.2	0.31	-78	1.19	778	7.08	10.9
	5/24/2010	<0.20	<0.08	1.76	99.39	<0.2	0.383	-70	1.12	869	6.92	13.2
	10/5/2010	0.06			88.68		0.345	-117	1.84	930	7.86	10.8
	1/24/2011			1.33				-28	1.82	838	6.73	7.8
	4/12/2011							-68	1.39	966	7.16	10.1
	10/18/2011							-49	1.50	796	7.34	10.4
	4/4/2012							-82	1.64	1051	7.26	10.2
	10/17/2012							-88	1.55	886	7.28	11.3
	4/26/2013							-76	2.16	860	7.53	10.8
	4/16/2014							-69	1.77	847	7.58	8.9
	4/15/2015							72	1.31	900	7.26	11.0
P-111	12/5/2002				44			-88.30	-0.03	639	7.43	9.76
	4/22/2003				39			-74.20	0.67	486	7.71	12.06
	10/22/2003	<0.058			31			-94.00	0.75	566	7.53	9.87
	8/14/2007							118	0.35	580	7.46	11.1
	5/5/2008							65	0.35	614	7.72	10.5
	4/7/2009							-89	0.26	624	7.62	9.1
	10/28/2009	<0.20	<0.08	0.53	64.03	<0.2	0.0085	-140	0.48	616	7.57	10.1
	5/24/2010	<0.20	<0.08	0.61	70.99	<0.2	0.0051	-101	0.24	673	7.25	10.5
	10/5/2010	0.06			69.06		0.0065	-131	0.28	715	8.26	10.3
	1/24/2011			0.45				-98	0.58	632	7.35	9.1
MW-3B	4/13/2011							-53	1.46	683	6.99	9.7
	4/4/2012							-104	0.60	832	7.53	9.9
	12/5/2002				36			-87	-0.11	1248	6.57	9.84
	12/5/2002				36							
	4/22/2003				46			-92	0.37	815	7.18	9.86
	10/22/2003	<0.058			43			-161	0.55	662	7.45	9.79
	1/31/2007							140	0.51	710	7.27	8.2
	5/1/2007							125	1.32	703	6.99	9.5
	8/8/2007							-233	0.43	605	7.49	10.3
	10/19/2007							170	0.29	598	6.63	9.8
	5/6/2008							21	0.40	672	7.89	9.7
	10/1/2008							334	1.35	646	6.90	9.7
	4/7/2009							-116	0.20	604	7.48	8.8
	10/28/2009	<0.20	<0.08	0.72	37.68	<0.2	0.098	-230	0.35	567	7.65	9.4
	5/24/2010	<0.20	<0.08	0.78	50.67	<0.2	0.0275	-176	0.17	650	7.27	10.2
	10/5/2010	0.05		0.61	43.23		0.0159	-161	8.80	697	8.24	9.9
	1/24/2011			0.66				-109	0.44	614	6.90	8.4
	4/13/2011			0.84				-207	0.52	694	7.65	9.5
	7/12/2011			0.68				-195	0.96	591	7.54	9.9
	10/19/2011			0.71				-171	2.18	604	7.89	9.5
	1/23/2012			0.79				-110	0.28	734	7.37	8.7
	4/4/2012			0.861				-151	1.39	811	7.57	9.3
	7/25/2012			0.681				-231	0.39	693	7.65	11.6
	10/16/2012			0.72				-157	0.42	675	7.36	10.0
	1/15/2013			0.874				-233	1.60	702	7.62	8.9
4/26/2013			0.85				-158	2.59	681	7.90	9.6	
7/2/2013			0.804				-91	0.35	707	7.34	9.9	
10/24/2013			0.774				-18	0.59	684	7.60	9.4	
1/9/2014			0.911				10	1.82	640	7.53	8.4	
4/17/2014			0.784				-142	1.01	679	7.91	9.2	
7/17/2014			0.811				-22	0.38	708	7.65	9.9	
10/23/2014			1.219				-189	0.29	622	8.00	9.4	
1/15/2015			0.874				-196	0.48	669	7.96	8.6	
4/28/2015			<0.1				-127	0.84	736	7.30	9.5	
7/1/2015			0.991				-144	0.42	694	7.66	9.6	

Table 3. Groundwater Natural Attenuation Parameters  
 FF/NN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature	
		NO <sub>3</sub> <sup>-</sup>	NO <sub>2</sub> <sup>-</sup>	Fe <sup>2+</sup>	SO <sub>4</sub> <sup>2-</sup>	S <sup>2-</sup>	CH <sub>4</sub>						
		Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						<0.5
Target	>	<	<1	>20	<1	<0.5	>50	>0.5					
Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C	
P-103D	5/2/2007							260	0.57	879	6.89	9.9	
	10/18/2007							321	0.54	854	6.43	11.2	
	5/5/2008							20	0.63	935	7.02	10.8	
	10/2/2008							327	3.40	877	6.85	10.7	
	4/7/2010							-110	0.45	808	7.61	10.0	
	10/28/2009	<0.20	0.17	>2.5	76.38	<0.2	0.098	-146	0.52	746	7.30	10.2	
	2/25/2010		<0.08	>2.5	78.05	<0.2	0.0747	-146	0.76	842	7.39	9.2	
	5/24/2010	<0.20	<0.08	>2.5	88.88	<0.2	0.0303	-111	0.37	853	7.08	11.1	
	10/5/2010	0.11			93.48		0.0659	-147	1.10	898	7.97	10.9	
	1/25/2011			>2.5				-71	0.73	781	7.56	9.4	
	4/12/2011			>2.5				-132	1.09	906	7.26	10.2	
	7/11/2011			>2.5				-138	1.34	751	8.12	11.6	
	10/18/2011			>2.5				-82	1.28	768	7.41	10.2	
	1/24/2012			>2.5				-64	0.40	895	7.28	9.3	
	4/4/2012			>2.5				-114	0.59	1004	7.36	10.2	
	7/25/2012			>2.5				-109	0.78	846	6.75	11.4	
	10/17/2012			>2.5				-115	1.74	835	7.13	10.4	
	1/16/2013			1.715				-129	0.31	832	7.00	9.4	
	4/26/2013			>2.5				-97	1.41	806	7.50	10.4	
	7/2/2013			>2.5				6	0.57	839	6.56	10.7	
	10/24/2013			>2.5				74	0.40	835	6.67	9.9	
	1/9/2014			>2.5				62	2.03	754	6.91	8.9	
	4/16/2014			>2.5				-103	0.74	784	7.69	9.8	
	7/17/2014			0.754				97	0.82	822	6.61	10.8	
	10/23/2014			>2.5				68	0.69	701	6.86	10.2	
	1/15/2015			>2.5				-42	1.48	754	6.92	9.1	
	4/28/2015			>2.5				-38	0.58	823	6.75	10.3	
	7/1/2015			>2.5				-20	0.87	782	6.63	10.5	
	P-111D	12/5/2002				62			-75.60	-0.02	910	7.32	9.75
		4/23/2003				64			-20.50	0.94	706	7.63	9.98
10/23/2003		<0.058			65			-68.30	0.70	838	7.17	9.78	
1/31/2007								74	0.72	885	7.30	8.9	
5/1/2007								78	3.37	900	7.05	10.0	
8/8/2007								55	0.55	900	7.25	10.9	
10/19/2007								296	0.53	897	6.90	10.7	
5/6/2008								15	0.56	980	7.56	10.6	
10/1/2008								330	2.31	907	7.07	10.0	
4/7/2009								-97	1.98	821	7.52	9.3	
10/28/2009		<0.20	<0.08	1.79	60.63	<0.2	0.33	-171	0.46	764	7.51	10.0	
2/25/2010		0.43	<0.08	1.62	65.7	<0.2	0.123	-125	0.86	871	7.45	6.0	
5/24/2010		<0.20	<0.08	1.83	70.59	0.25	0.31/0.239 Dup	-136	0.24	840	7.21	10.7	
10/5/2010		0.08		1.75	61.2		0.269/0.222 Dup	-148	0.75	886	8.13	10.3	
1/24/2011				1.72				-101	0.77	801	6.83	8.9	
4/13/2011				1.89				-126	0.42	873	7.19	9.9	
7/11/2011				1.87				-178	0.88	759	7.37	11.0	
10/18/2011				1.57				-95	2.43	752	7.71	10.0	
1/23/2012				1.87				-68	0.33	898	7.31	9.3	
4/4/2012				1.693				-128	0.72	1009	7.50	10.0	
7/25/2012				1.227				-171	0.65	850	7.49	11.5	
10/17/2012				1.324				-131	0.51	838	7.56	10.5	
1/16/2013				0.339				-177	1.93	870	7.45	9.4	
4/26/2013				1.486				-114	1.16	838	7.71	10.5	
7/2/2013				1.505				-53	1.38	870	7.27	10.5	
10/24/2013				1.302				31	0.53	853	7.46	9.8	
1/9/2014				1.451				88	2.90	790	6.54	9.0	
4/17/2014				1.495				-106	0.53	839	7.86	9.6	
7/17/2014				-0.1				62	0.37	879	7.51	10.6	
10/23/2014				1.419				-93	0.43	753	7.99	9.9	
1/15/2015			1.227				-179	0.49	814	7.81	9.2		
4/28/2015			0.231				3	0.27	886	7.94	10.0		
7/1/2015			1.157				-103	0.44	842	7.44	10.2		
P-113B	12/3/2002				47			27.20	0.39	960	6.80	10.18	
	4/23/2003				56			-54.30	1.05	715	7.22	10.13	
	10/23/2003	<0.058			49			-125.40	0.46	616	7.42	10.13	
	1/31/2007							109	0.40	620	7.33	8.8	
	5/1/2007							113	1.05	625	7.03	10.2	
	8/14/2007							110	0.28	618	7.28	11.1	
	10/2/2007							252	0.53	629	6.70	10.3	
	5/6/2008							-16	0.33	716	7.31	10.3	
	10/2/2008							328	2.47	674	7.12	10.6	
	4/6/2009							-122	0.40	627	7.54	9.2	
	10/28/2009	<0.20	<0.08	0.83	70.14	<0.2	0.057	-187	0.42	579	7.33	10.3	
	2/25/2010	<0.20	<0.08	1.19	80.11	<0.2	<0.0028	-145	0.17	646	7.26	10.9	
	5/24/2010	0.1		0.98	75.55		ND	-183	0.35	685	8.09	11.0	
	1/25/2011			0.9				-86	0.94	619	7.50	9.8	
	4/13/2011			1.11				-164	1.11	675	7.44	10.2	
	7/12/2011			0.99				-164	0.47	588	7.43	10.5	
	10/19/2011			0.94				-118	0.50	588	7.71	10.2	
	1/23/2012			0.99				-75	0.29	703	7.57	9.3	
	4/4/2012			1.034				-104	0.72	783	7.08	9.7	
	7/25/2012			0.947				-167	0.67	668	7.56	11.5	
	10/16/2012			0.998				-117	0.43	655	7.51	11.0	
	1/15/2013			1.06				-106	0.71	674	7.40	9.2	
	4/26/2013			0.938				-125	0.78	651	7.84	10.3	
	7/2/2013			1.081				-80	1.01	679	7.41	10.7	
	10/24/2013			0.879				-96	1.29	675	7.20	10.6	
	1/9/2014			0.955				-25	1.93	614	7.50	9.4	
	4/17/2014			<0.1				-94	0.99	642	7.85	9.4	
	7/17/2014			<0.1				-18	0.32	675	7.78	10.7	
	10/23/2014			0.668				-154	0.43	582	7.84	10.4	
	1/15/2015			1.048				-213	0.90	630	7.70	9.7	
4/28/2015			<0.1				-123	1.34	685	7.30	10.1		
7/1/2015			1.058				-120	0.79	647	7.68	10.2		

Table 3. Groundwater Natural Attenuation Parameters  
 FF/NN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature	
		NO <sub>3</sub> <sup>-</sup>	NO <sub>2</sub> <sup>-</sup>	Fe <sup>2+</sup>	SO <sub>4</sub> <sup>2-</sup>	S <sup>2-</sup>	CH <sub>4</sub>						
		Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						<0.5
Target	>	<	<1	>20	<1	<0.5	>50	>0.5					
Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C	
P-114 (Ehster)	12/3/2002				44					695	7.71	11.10	
	4/23/2003				63			-117.00	0.85	669	7.71	10.00	
	10/23/2003	<0.058			49			-125.10	0.54	1379	7.31	9.87	
	2/1/2007							151	0.21	674	7.27	9.9	
	5/1/2007							149	0.96	686	7.08	10.2	
	8/8/2007							202	0.34	667	7.45	11.0	
	10/22/2007							313	0.90	670	6.71	10.2	
	5/6/2008							14	0.74	775	7.23	10.2	
	10/2/2008							307	2.34	737	7.01	10.4	
	4/6/2009							-76	0.45	687	7.58	9.5	
	10/29/2009	0.22	<0.08	0.56	50.61	<0.2	0.28	-120	0.44	636	7.41	10.0	
	2/26/2010	0.61	0.11	0.54	49.43	<0.2	0.285	-148	0.35	707	7.62	9.2	
	5/26/2010	<0.20	0.15	0.6	57.47	<0.2	0.138/0.194 Dup	-129	0.66	703	7.27	10.4	
	10/6/2010	0.11		0.72	57.18		0.186/0.224 Dup	-182	0.86	766	8.28	10.6	
	1/25/2011			0.6				-58	0.42	679	7.60	9.3	
	4/13/2011			0.65				-147	0.42	744	7.49	9.9	
	7/12/2011			0.57				-134	1.95	646	7.48	10.5	
	10/19/2011			0.62				-123	1.49	652	7.82	10.0	
	1/23/2012			0.93				-78	0.35	785	7.60	9.1	
	4/4/2012			0.598				-116	0.66	873	7.63	9.8	
	7/25/2012			0.556				-200	0.40	748	7.63	11.0	
	10/17/2012			0.757				-131	0.76	733	7.55	10.5	
	1/16/2013			<0.1				-184	0.43	753	7.55	9.4	
	4/26/2013			0.96				3	1.56	731	7.61	9.7	
	7/2/2013			0.721				-88	0.34	766	7.47	10.5	
	10/24/2013			0.726				-89	0.37	772	7.29	9.9	
	1/9/2014			0.64				-21	1.18	694	7.58	9.2	
	4/17/2014			0.755				-120	0.63	730	7.95	9.7	
	7/17/2014			<0.1				-17	0.33	774	7.86	10.1	
	10/23/2014			1.027				-110	0.27	667	7.91	10.0	
	1/15/2015			0.747				-194	0.37	720	7.93	9.3	
	4/28/2015			<0.1				-38	0.23	775	8.20	9.7	
	7/1/2015			0.806				-113	0.41	744	7.67	10.2	
	P-115 (former Wiesse well)	2/1/2007							128	0.29	590	7.35	9.6
		5/1/2007							112	0.85	589	7.12	10.5
		8/14/2007							216	0.43	582	7.44	10.7
10/22/2007								313	0.54	579	6.74	10.6	
5/6/2008								-16	0.48	690	7.27	10.7	
10/2/2008								315	2.44	654	6.89	10.7	
4/6/2009								-72	0.30	605	7.58	9.9	
10/29/2009		<0.20	<0.08	0.92	40.7	<0.2	0.044	-166	0.47	551	7.52	10.2	
2/26/2010		0.36	<0.08	1.48	43.65	<0.2	0.0579	-155	0.35	620	7.64	9.8	
5/26/2010		<0.20	<0.08	1.01	46.07	<0.2	0.049	-135	0.40	608	7.30	10.5	
10/6/2010		0.1		0.95	41.23		0.0562	-175	1.42	646	8.15	10.7	
1/25/2011				0.95				-78	0.42	572	7.68	9.8	
4/13/2011				1.05				-178	0.44	626	7.51	10.5	
7/12/2011				0.86				-143	1.74	546	7.47	10.6	
10/19/2011				0.82				-128	0.55	543	7.87	10.3	
1/23/2012				1.41				-78	0.34	647	7.53	9.6	
4/4/2012				0.804				-126	0.40	724	7.65	10.1	
7/25/2012				0.7				-223	0.39	619	7.72	11.3	
10/17/2012				0.797				-137	1.22	602	7.62	10.8	
1/16/2013				<0.1				-185	1.00	619	7.59	9.9	
4/26/2013				0.866				-30	1.20	597	7.75	10.2	
7/2/2013				0.911				-89	0.48	626	7.57	10.6	
10/24/2013				0.843				-80	0.51	631	7.48	10.2	
1/9/2014				<0.1				-15	1.69	567	7.71	9.7	
4/17/2014				<0.1				-127	0.92	594	7.99	9.8	
7/17/2014				<0.1				-22	0.33	626	7.93	10.7	
10/23/2014				0.879				-95	0.34	542	8.01	10.2	
1/15/2015				0.988				-176	0.39	589	7.99	9.7	
4/28/2015				1.139				-22	0.28	639	8.29	10.3	
7/1/2015				1.254				-121	0.37	608	7.83	10.6	
P-116 (former Hadel well)		2/1/2007							171	0.38	528	7.34	8.8
		5/1/2007							142	0.59	528	7.09	10.5
		8/8/2007							202	0.42	523	7.53	12.1
		10/22/2007							301	0.59	522	6.75	10.8
		5/6/2008							38	0.71	603	7.18	12.3
		10/2/2008							295	2.70	559	7.04	11.2
	4/6/2009							-49	0.89	518	7.57	9.5	
	10/29/2009	0.33	0.21	0.51	41.29	0.32	0.0031	-96	0.44	476	7.53	10.3	
	2/26/2010	0.48	0.23	0.51	41.82	0.4	0.0042	-97	0.44	535	7.64	9.1	
	5/25/2010	0.33	0.24	0.73	49.87	0.49	0.004	-75	0.33	530	7.30	12.2	
	10/6/2010	0.45		0.92	58.53		0.0051	-106	0.55	567	8.20	12.1	
	1/25/2011			0.45				37	0.56	506	7.76	9.0	
	4/13/2011			0.51				-109	0.58	556	7.49	10.7	
	7/12/2011			0.35				-91	1.42	485	7.50	11.9	
	10/19/2011			0.37				-77	0.89	482	7.92	10.4	
	1/23/2012			0.52				-21	0.38	576	7.64	8.8	
	4/4/2012			0.353				-56	0.33	646	7.68	10.3	
	7/25/2012			0.305				-150	0.31	546	7.64	12.7	
	10/17/2012			0.351				-87	0.52	535	7.52	11.5	
	1/15/2013			0.517				-187	0.95	549	7.65	9.1	
	4/26/2013			0.257				99	0.52	528	7.51	9.9	
	7/2/2013			0.336				-14	0.39	552	7.56	11.4	
	10/24/2013			0.65				-14	0.46	542	7.95	10.3	
	1/9/2014			<0.1				-9	1.19	495	7.88	8.9	
	4/17/2014			<0.1				-71	0.58	501	7.99	9.8	
	7/17/2014			<0.1				-26	0.35	547	7.86	12.0	
	10/23/2014			1.703				-166	0.40	470	7.96	10.4	
	1/15/2015			1.155				-226	0.48	512	7.98	9.0	
	4/28/2015			1.308				-18	0.27	560	8.29	10.3	
	7/1/2015			>2.3				-117	0.40	530	7.74	11.8	

Table 3. Groundwater Natural Attenuation Parameters  
 FFNN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO <sub>3</sub> <sup>-</sup>	NO <sub>2</sub> <sup>-</sup>	Fe <sup>2+</sup>	SO <sub>4</sub> <sup>2-</sup>	S <sup>2-</sup>	CH <sub>4</sub>					
		Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*					
	Target	>	<	<1	>20	<1	<0.5	>50	>0.5			
	Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C
MW-3A	12/5/2002				20			-312	0.03	589	7.30	
	4/22/2003				26			3	0.66	464	7.52	10.22
	10/22/2003	<0.058			14			-98	0.87	552	7.29	10.06
	1/31/2007							163	0.79	556	7.13	6.1
	5/1/2007							34	1.96	558	6.95	10.2
	8/8/2007							-144	0.74	549	7.32	12.4
	10/19/2007							201	1.07	551	6.51	10.5
	5/6/2008							13	0.33	630	7.55	9.8
	10/1/2008							297	7.35	591	6.89	9.8
	10/28/2009	<0.20	<0.08	0.51	14.67	<0.2	0.0073	-236	0.55	505	7.45	9.5
	5/24/2010	<0.20	0.04	0.49	22.35	0.21	0.0074	-227	0.55	561	7.13	12.5
	10/5/2010	0.05			15.33		0.0397	-204	1.51	600	8.20	11.3
	1/24/2011			0.19				-77	0.74	535	7.30	7.2
	4/13/2011			0.44				-240	1.14	589	7.42	10.8
	7/12/2011			0.19				-213	1.86	512	7.15	11.3
	10/19/2011			0.16				-175	1.25	511	7.76	9.7
	1/23/2012			<0.1				-34	0.70	606	7.09	8.0
	4/4/2012			0.217				-115	0.47	678	7.37	9.4
	7/25/2012			0.101				-265	0.67	584	7.50	13.5
	10/16/2012			<0.1				-175	1.33	564	7.01	10.7
	1/15/2013			0.144				-267	2.03	579	7.49	7.8
	4/26/2013			0.131				-171	1.38	560	7.77	10.2
	7/2/2013			0.127				-126	1.27	582	7.26	10.9
	10/24/2013			0.124				-140	1.27	582	7.07	9.3
	1/9/2014			<0.1				10	0.81	524	7.46	7.5
	4/17/2014			0.126				-114	1.80	551	7.73	9.2
	7/17/2014			<0.1				-8	0.67	577	7.66	10.4
	10/23/2014			0.938				-174	1.06	498	7.37	9.6
	1/15/2015			0.188				-238	1.07	541	7.84	7.7
	4/28/2015			<0.1				-30	0.46	586	8.15	9.8
7/1/2015			<0.1				-128	1.28	548	7.61	10.0	
P-107D	12/4/2002				19					594	7.64	7.90
	4/21/2003				27					388	7.28	10.50
	10/21/2003	<0.058			19			51.40	1.25	528	7.34	10.05
	5/1/2007							113	3.20	583	6.96	12.4
	10/19/2007							261	1.10	581	6.56	10.0
	5/5/2008							61	1.07	653	7.55	10.6
	10/1/2008							354	4.48	607	6.89	10.4
	4/7/2009							-101	2.01	569	7.53	9.1
	10/28/2009	<0.20	<0.08	<0.1	23.84	<0.2	0.073	-188	0.45	528	7.48	10.1
	2/25/2010	0.51	<0.08	<0.1	23.57	<0.2	0.0613	-191	0.74	605	7.50	8.5
	5/24/2010	<0.20	<0.08	0.19	31.82	<0.2	0.163	-147	3.12	618	7.15	11.2
	10/5/2010	0.06		0.03	21.24		0.0737	-132	0.93	619	8.09	10.6
	1/24/2011			0.3				-59	0.79	564	6.62	9.0
	4/12/2011			0.11				-222	0.64	649	7.33	9.9
	7/11/2011			0.12				-211	1.32	2	8.16	11.7
	10/18/2011			0.11				-107	2.61	535	7.69	10.1
	1/23/2012			0.27				-45	0.69	634	7.45	8.9
	4/4/2012			0.235				-105	0.73	740	7.49	9.9
	7/25/2012			<0.1				-207	1.71	627	7.42	12.6
	10/17/2012			0.104				-168	2.13	589	7.53	10.9
	1/16/2013			<0.1				-214	2.30	609	7.46	8.8
	4/26/2013			0.276				-146	2.18	585	7.84	10.3
	7/2/2013			0.123				-75	1.92	606	7.15	11.6
	10/24/2013			0.205				-60	2.51	610	6.89	9.8
	1/9/2014			<0.1				55	2.60	561	7.24	8.0
	4/16/2014			0.236				-68	1.33	603	7.76	9.4
	7/17/2014			<0.1				61	0.46	610	7.37	10.8
	10/23/2014			0.217				-127	0.98	536	8.23	9.9
	1/15/2015			<0.1				-207	0.81	571	7.84	9.0
	4/28/2015			<0.1				-116	1.84	639	7.23	10.2
7/1/2015			0.132				-76	1.71	581	7.29	10.9	
P-113A	12/3/2002				12			111.80	20.00	579	7.26	10.39
	4/23/2003				15			42.00	2.98	465	7.50	10.37
	10/22/2003	0.3			10			-62.60	2.23	576	7.30	10.17
	8/8/2007							-140	0.57	544	7.37	13.3
	5/6/2008							-88	0.55	620	7.22	10.4
	4/6/2009							-137	0.74	542	7.42	8.4
	10/29/2009	0.35	0.16	>2.5	31.67	0.37	0.27	-240	0.87	498	7.41	10.7
	5/25/2010	0.26	0.21	>2.5	44.79	0.39	0.169	-183	0.96	554	7.16	15.6
	10/6/2010	0.43			44.48		0.239	-196	0.89	591	7.98	12.8
	1/25/2011			1.09				-78	1.98	533	7.58	5.9
	4/13/2011			0.68				-202	1.13	578	7.46	12.8
	7/12/2011			1.44				-195	1.47	509	7.33	14.3
	10/19/2011			0.94				-141	0.92	509	7.71	10.6
	1/23/2012			0.77				-76	1.20	604	7.67	7.3
	4/4/2012			1.219				-125	0.64	673	7.40	9.9
	7/25/2012			0.893				-257	0.83	585	7.46	15.4
	10/16/2012			0.196				-73	3.31	559	7.36	13.1
	1/15/2013			0.473				-248	1.67	574	7.56	7.0
	4/26/2013			0.814				-120	1.64	555	7.66	11.8
	7/2/2013			0.516				-127	1.04	578	7.45	13.6
	10/24/2013			0.654				-43	0.91	567	7.66	11.6
	1/9/2014			0.582				0	1.72	521	7.49	6.4
	4/14/2014			<0.1				-139	1.55	544	7.81	8.9
	7/17/2014			0.831				-10	1.15	577	7.71	17.5
	10/23/2014			0.707				-164	0.80	498	7.79	10.9
	1/15/2015			1				-201	1.81	548	7.66	7.6
	4/28/2015			0.204				-18	0.63	580	8.14	10.9
	7/1/2015			1.795				-133	1.06	547	7.57	12.9



Table 3. Groundwater Natural Attenuation Parameters  
 FF/NN Landfill, Ripon, WI

Well ID	Compound	Nitrate	Nitrite	Iron 2	Sulfate	Sulfide	Methane	ORP**	Dissolved Oxygen	Specific Conductivity	pH	Temperature
		NO <sub>3</sub> <sup>-</sup>	NO <sub>2</sub> <sup>-</sup>	Fe <sup>2+</sup>	SO <sub>4</sub> <sup>2-</sup>	S <sup>2-</sup>	CH <sub>4</sub>					
	Detection Range	0.2 to 1.5*	0.08 to 0.8*	0.1 to 2.5*	8 to 100*	0.2 to 3*						
	Target	>	<	<1	>20	<1	<0.5	>50	>0.5			
	Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mV	mg/l	uS/cm	Units	C
Perry/Watkins	10/29/2009	<0.20	<0.08	>2.5	15.18	<0.2	0.0098	-167	3.00	489	7.55	10.8
	2/26/2010	<0.20	<0.08	>2.5	16.34	0.42	0.0067	-159	1.57	549	7.70	8.6
	5/26/2010	<0.20	<0.08	1.7	24.6	<0.2	0.0082	-135	0.91	552	7.35	16.7
	10/6/2010	0.1			20.12		0.0081	-183	1.38	582	8.18	14.4
	1/28/2011								2.42		6.93	10.1
	4/18/2011									410	7.17	10.1
	4/3/2012									519	8.00	11.2
	4/26/2013									600	7.47	11.4
	4/15/2014									578	7.59	10.8
	4/15/2015									595	7.18	11.9
Gaantra	10/29/2009	<0.20	<0.08	0.98	16.04	<0.2	0.01	-163	0.27	490	7.56	10.3
	2/26/2010	<0.20	<0.08	19.35	<0.2	0.0086	-146	1.22	584	7.45	10.7	
	5/26/2010	<0.20	<0.08	2.44	27.28	0.22	0.0121	-156	0.52	553	7.28	17.3
	10/6/2010	0.11			22.65		0.0103	-201	1.14	597	8.22	15.0
	1/26/2011			2.34				33	1.24	552	7.37	7.9
	4/14/2011									620	6.88	13.8
	4/3/2012									528	7.80	11.3
	4/26/2013									585	7.54	11.4
	4/15/2014									528	7.69	13
	7/17/2014									519	8.41	14.3
Rohde	11/4/2009	<0.20	<0.08	0.36	19.88	<0.2	0.0011	-76	0.99	500	7.25	10.0
	2/25/2010	<0.20			21.03	<0.2	<0.0028	0	2.61	606	7.61	9.4
	5/26/2010	<0.20	<0.08	0.25	25.64	<0.2	<0.0028	7	1.19	635	6.42	18.53
	10/6/2010	0.08			26.48		ND	-117	1.91	612	8.08	13.7
	1/26/2011			0				116	3.83	571	7.56	7.36
	4/13/2011									550	6.85	7.5
	4/3/2012									528	7.5	11.5
	4/26/2013									581	7.63	12.7
	4/15/2014									546	7.80	10.7
	4/15/2015									565	7.38	12.8

□ indicates that sample was not analyzed for that parameter

\* detection range only applies to samples collected on or after 10/2009

\*\* ORP is believed to be incorrect from 2/2007 to 10/2008 due to equipment malfunction

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments
	11:31	3/20/2006	61.5	37.7	0.7	0.1	target percentages
	10:02	3/22/2006	43.6	26.3	6.4	23.7	pre-startup
	15:32	3/22/2006	56.0	33.3	3.8	6.9	
	8:29	3/23/2006	50.1	29.5	4.3	16.1	
	16:35	3/23/2006	44.2	24.6	4.9	26.3	
	15:40	3/24/2006	18.8	11.8	15.9	53.5	
	14:25	3/28/2006	7.0	8.7	10.8	73.5	
	18:58	3/30/2006	15.8	21.0	6.9	56.3	
	13:50	4/5/2006	11.2	17.1	9.8	61.9	
	12:50	4/6/2006	6.2	9.0	13.9	70.9	
	13:10	4/11/2006	9.6	16.7	8.6	65.1	
	10:45	4/14/2006	11.2	17.9	7.2	63.7	
	15:26	4/14/2006	12.2	24.1	4.0	59.7	
	9:58	4/17/2006	16.7	30.2	5.3	47.8	
	19:12	4/27/2006	7.8	17.5	2.9	71.8	
	13:12	5/4/2006	6.1	18.7	2.0	73.2	
	10:17	5/22/2006	5.8	21.6	1.3	71.3	
	12:20	6/2/2006	18.0	22.7	0.6	58.7	
	8:20	6/9/2006	1.1	0.2	20.4	78.3	
	12:34	6/14/2006	3.9	0.6	20.2	75.3	
	10:41	6/22/2006	3.3	7.6	13.8	75.3	
	12:06	7/5/2006	3.7	12.5	10.1	73.7	
	11:31	7/10/2006	3.5	10.9	11.8	73.8	
	10:49	7/17/2006	3.9	10.7	11.8	73.6	
	14:00	7/28/2006	5.0	12.0	10.2	72.8	
	9:46	8/8/2006	2.7	9.5	12.9	74.9	
	7:20	8/16/2006	2.4	6.6	14.5	76.5	
	7:12	8/21/2006	0.1	0.2	15.1	84.6	
	14:07	8/28/2006	2.1	12.5	12.4	73.0	
	11:21	9/13/2006	0.6	0.6	13.3	85.5	
	11:19	9/25/2006	0.0	0.0	16.2	83.8	
	8:18	10/10/2006	2.7	8.4	14.8	74.1	
	8:19	10/23/2006	2.0	1.5	12.8	83.7	
	14:00	11/2/2006	3.8	21.6	1.7	72.9	
	14:54	11/14/2006	7.5	23.0	0.7	68.8	
	11:26	11/27/2006	5.5	23.0	0.4	71.1	
	12:57	12/26/2006	5.0	23.6	0.3	71.1	
	13:57	1/27/2007	9.5	22.8	0.3	67.4	
	11:20	2/24/2007	6.5	23.0	0.8	69.7	
	11:20	3/1/2007	17.5	23.2	1.8	57.5	
	12:28	3/1/2007	16.5	23.2	1.8	58.5	
	14:30	3/1/2007	15.5	22.8	1.6	60.1	
	8:10	3/5/2007		sampling port clogged with ice			adjust blower time, 12 on, 12 off
	8:10	3/24/2007	15.5	23.0	1.8	59.7	
	16:55	3/24/2007	14.0	22.2	2.2	61.6	
	17:10	3/26/2007	11.0	21.6	2.2	65.2	
	7:28	3/27/2007	10.0	22.4	1.7	65.9	
	16:27	3/28/2007	11.0	22.8	1.5	64.7	
	8:04	3/29/2007	11.5	23.0	1.5	64.0	
	17:00	3/29/2007	11.0	22.8	1.5	64.7	
	8:04	3/30/2007	13.0	24.0	1.0	62.0	blower off
	11:34	5/30/2007	43.0	28.0	2.0	27.0	restart and run 24 hrs
	13:35	5/30/2007	40.0	26.2	2.6	31.2	
	10:30	5/31/2007	0.1	0.0	20.7	79.2	reduce to 12 on 12 off
	16:32	6/1/2007	0.1	0.0	20.7	79.2	
	15:30	6/2/2007	20.0	22.8	1.7	55.5	
	16:09	6/3/2007	18.0	22.2	1.9	57.9	
	14:12	6/4/2007	16.5	21.8	2.2	59.5	reduce to 6 on 18 off
	15:10	6/7/2007	17.0	21.6	2.3	59.1	
	17:16	6/12/2007	10.5	21.0	2.1	66.4	
	14:49	6/14/2007	11.0	20.8	2.2	66.0	
	14:40	6/19/2007	10.5	21.0	2.2	66.3	
	14:40	6/21/2007	11.0	21.2	2.0	65.8	
	14:30	7/1/2007	11.5	21.4	2.0	65.1	
	14:00	7/23/2007	12.0	21.8	2.0	64.2	
	14:07	8/8/2007	12.0	21.6	2.2	64.2	
	13:30	8/13/2007	13.5	22.8	2.2	61.5	
	14:10	8/20/2007	10.0	21.4	2.8	65.8	
	14:25	8/28/2007	8.5	20.8	2.7	68.0	
	15:55	8/31/2007	5.5	18.2	4.2	72.1	
	14:55	9/4/2007	4.5	17.2	4.1	74.3	
	13:25	9/17/2007	3.2	15.4	5.1	76.4	
	9:50	9/29/2007	3.0	15.2	5.6	76.2	
	8:45	10/4/2007	3.1	15.2	5.6	76.1	
	9:45	10/7/2007	3.7	15.6	4.8	75.9	
	9:50	10/18/2007	6.0	17.0	3.6	73.4	
	9:00	10/25/2007	5.0	17.2	3.8	74.0	
	9:20	11/1/2007	6.0	18.6	2.2	73.2	
	10:25	11/13/2007	11.5	18.6	3.4	66.5	
	11:30	11/26/2007	4.8	16.2	4.8	74.3	
	11:00	12/10/2007	5.0	16.0	5.4	73.6	
	11:50	12/26/2007	5.5	16.6	4.3	73.6	
	10:15	1/9/2008	6.0	17.0	3.7	73.3	
	12:10	1/23/2008	5.0	15.8	5.2	74.0	
	9:20	2/4/2008	8.0	17.4	3.3	71.3	
	7:50	2/18/2008	12.0	17.6	3.8	66.6	
	7:30	3/4/2008	20.0	18.0	6.0	56.0	
	8:50	3/16/2008	23.0	19.8	3.9	53.3	
	14:30	5/12/2008	14.5	21.0	1.5	63.0	
	9:15	5/19/2008	4.4	17.4	2.4	75.9	
	13:50	5/30/2008	6.5	18.2	1.2	74.1	
	9:20	6/12/2008	3.8	19.0	2.6	74.6	
	9:20	6/25/2008	9.5	21.6	0.5	68.4	
	11:10	7/7/2008	6.0	19.4	1.3	73.3	opened GV-6 to 200 ft/min
	12:25	7/21/2008	6.5	20.6	1.1	71.8	
	9:50	8/5/2008	7.0	20.2	1.7	71.1	
	9:10	8/13/2008	12.5	23.2	0.1	64.2	increase to 12 on 12 off
	8:45	8/19/2008	8.0	21.2	2.2	68.6	
	14:15	9/2/2008	6.5	20.6	1.1	71.8	
	11:41	10/3/2008	8.0	21.6	0.8	69.6	

LC-1

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages
	10:40	10/13/2008	9.0	22.4	0.6	68.0	
	9:15	10/28/2008	9.0	23.4	0.0	67.6	
	7:40	11/6/2008	10.5	22.2	0.6	66.7	
	10:25	12/8/2008	7.0	21.4	1.4	70.2	
	10:20	12/24/2008	6.0	20.4	1.2	72.4	decrease to 10 on
	12:00	1/8/2009	5.0	15.4	2.4	77.2	
	11:25	1/18/2009	8.5	23.0	0.3	68.2	
	7:40	1/27/2009	5.0	18.0	4.9	72.1	
	8:40	2/6/2009	4.8	16.4	5.2	73.7	
	11:00	2/23/2009	3.9	17.4	4.5	74.3	decrease to 8 on
	10:20	3/9/2009	8.0	21.2	0.1	70.7	
	10:20	3/20/2009	10.0	21.8	0.6	67.6	
	11:46	4/9/2009	13.0	22.2	0.2	64.6	
	10:45	4/19/2009	5.6	18.2	2.1	74.1	
	8:05	5/4/2009	8.5	16.2	5.5	69.8	
	8:40	5/18/2009	4.3	17.6	3.4	74.8	
	9:35	6/1/2009	7.0	15.4	5.2	72.4	
	9:00	6/14/2009	5.0	18.8	1.5	74.7	
	8:45	7/2/2009	13.5	21.2	1.6	63.7	
	7:30	7/13/2009	7.0	12.6	8.6	71.8	
	8:20	7/22/2009	5.0	20.4	1.3	73.3	
	8:50	8/11/2009	4.6	17.4	4.1	74.0	
	8:45	8/24/2009	4.3	16.8	4.5	74.5	decrease to 6 on 18 off
	9:25	9/8/2009	10.0	21.6	0.6	67.8	
	9:20	9/21/2009	15.0	23.8	0.0	61.2	
	10:15	10/5/2009	15.0	23.8	0.1	61.1	
	11:00	10/28/2009	16.0	23.2	1.3	59.5	
	10:50	11/16/2009	7.5	21.8	0.8	69.9	
	10:00	12/18/2009	24.0	23.8	0.0	52.2	
	9:10	12/28/2009	27.0	27.0	0.0	46.0	
	9:50	1/11/2010	24.0	26.0	0.0	50.0	
	8:30	1/26/2010	26.0	26.0	0.0	48.0	
	12:00	2/25/2010	19.5	24.6	0.0	55.9	
	9:50	3/8/2010	20.0	24.0	0.0	56.0	
	9:25	3/22/2010	18.0	23.0	0.0	59.0	
	9:28	4/5/2010	17.0	23.0	0.0	60.0	
	9:18	4/19/2010	16.5	23	0	60.5	
	9:22	5/3/2010	20.0	23.6	0.0	56.4	
	9:47	5/17/2010	20.0	24.0	0.0	56.0	
	9:10	5/25/2010	10.5	22.8	0.0	66.7	
	9:15	6/24/2010	13.0	21.0	1.4	64.6	
	10:15	7/6/2010	6.0	20.4	1.5	72.1	
	9:08	7/19/2010	7.0	19.6	3.0	70.4	
	9:00	8/2/2010	6.5	19.4	2.2	71.9	
	9:50	8/16/2010	12.5	21.6	1.1	64.8	
	8:52	8/30/2010	21.0	24.2	0.7	54.1	
	9:08	9/13/2010	26.5	25.2	1.1	47.2	
	9:40	9/28/2010	29.5	26.0	1.1	43.4	
	8:05	10/12/2010	24.5	25.2	1.7	48.6	
	9:22	10/25/2010	24.5	25.4	1.1	49.0	
	9:36	11/2/2010	16.0	24.2	1.5	58.3	
	8:49	11/15/2010	15.5	23.4	1.5	59.6	
	9:45	12/10/2010	14.0	22.8	1.5	61.7	
	9:00	12/23/2010	15.5	22.6	1.6	60.3	
	9:18	1/10/2011	11.5	22.2	1.6	64.7	
	12:15	2/11/2011	34.0	24.6	1.7	39.7	
	9:20	3/7/2011	4.9	15.2	6.5	73.5	
	11:50	3/24/2011	19.5	22.2	0.7	57.6	
	8:55	4/6/2011	22.9	23.4	0.3	53.4	
	8:19	4/25/2011	23.5	23.0	0.6	52.9	
	8:52	5/9/2011	34.5	24.6	0.3	40.6	
	9:12	5/23/2011	38.0	25.4	0.3	36.3	
	10:50	6/6/2011	40.0	26.0	0.3	33.7	
	9:08	6/15/2011	41.5	26.2	0.3	32.0	
	9:15	7/5/2011	35.5	26.0	0.3	38.2	
	8:06	7/13/2011	31.0	26.0	0.2	42.8	
	8:20	7/26/2011	32.0	26.6	0.3	41.1	
	8:15	8/8/2011	19.0	24.1	0.3	56.6	
	7:50	8/23/2011	16.0	24.4	0.3	59.3	
	15:19	9/9/2011	28.5	28.0	0.5	43.0	
	16:03	9/15/2011	15.0	25.2	0.8	59.0	
	8:31	9/21/2011	17.5	22.8	2.6	57.1	
	9:38	9/21/2011	14.5	21.5	3.2	60.8	
	9:29	9/22/2011	17.5	24.4	1.6	56.5	
	10:11	9/22/2011	16.0	22.2	3.3	58.5	
	10:57	9/22/2011	16.0	24.2	1.6	58.2	
	10:46	10/3/2011	7.5	21.2	2.4	68.9	
	13:55	10/24/2011	11.0	23.0	1.0	65.0	
	11:00	10/26/2011	12.0	23.6	1.3	63.1	
	10:45	11/7/2011	10.5	23.4	0.5	65.6	
	9:20	11/14/2011	14.5	24.0	0.1	61.4	
	9:18	12/12/2011	12.7	24.2	0.2	62.9	
	10:24	12/27/2011	36.5	27.2	0.2	36.1	
	8:45	1/10/2012	24.5	25.4	0.1	50.0	
	10:10	1/25/2012	26.0	27.2	0.3	46.5	
	9:20	2/20/2012	32.5	26.6	0.6	40.3	
	9:10	3/8/2012	30.5	25.4	1.8	42.3	
	10:25	4/2/2012	24.0	25.2	0.9	49.9	
	9:09	4/16/2012	26.5	25.4	0.9	47.2	
	9:00	4/30/2012	16.5	23.0	1.5	59.0	
	9:21	5/14/2012	18.0	22.8	1.7	57.5	
	9:14	5/29/2012	24.5	24.6	1.1	49.8	
	7:57	6/11/2012	27.5	25.4	0.9	46.2	
	9:46	6/25/2012	24.5	25.2	1.0	49.3	
	9:05	7/9/2012	23.0	25.4	0.9	50.7	
	8:40	7/23/2012	7.0	20.2	2.2	70.6	
	8:21	7/25/2012	8.0	20.8	2.0	69.2	
	9:05	8/6/2012	8.0	21.4	1.7	68.9	
	9:31	8/21/2012	9.5	21.6	1.3	67.6	
	9:15	9/4/2012	7.0	19.8	2.0	71.2	

LC-1

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages
LC-1	9:10	10/1/2012	6.0	18.2	4.2	71.6	
	8:30	10/15/2012	4.5	11.4	9.2	75.0	
	7:55	12/6/2012	13.0	21.0	1.3	64.7	
	9:30	12/17/2012	17.0	21.2	0.8	61.0	
	9:00	12/31/2012	24.5	23.6	1.1	50.8	
	8:30	1/9/2013	29.5	24.0	1.1	45.4	
	8:05	1/15/2013	30.0	24.6	0.0	45.4	
	9:11	1/28/2013	27.0	23.4	0.6	49.0	
	10:55	2/11/2013	41.0	27.0	0.0	32.0	
	9:22	2/25/2013	44.5	26.0	0.0	29.5	
	7:40	3/8/2013	48.0	26.4	0.1	25.5	
	8:55	3/22/2013	50.5	26.0	0.1	23.4	
	14:00	4/8/2013	32.0	24.8	0.3	42.9	
	15:20	4/22/2013	12.0	21.6	0.4	66.0	
	9:39	4/29/2013	11.0	20.4	0.1	68.5	
	8:34	5/13/2013	8.0	20.0	0.7	71.3	
	13:40	5/28/2013	9.5	19.4	0.9	70.2	
	8:50	6/7/2013	8.5	19.4	1.1	71.0	
	8:17	6/21/2013	8.0	18.8	1.5	71.7	
	8:50	7/5/2013	7.0	18.8	1.5	72.7	
	7:52	7/22/2013	8.0	19.4	1.6	71.0	
	8:55	8/5/2013	9.5	20.0	1.7	68.8	
	8:24	8/19/2013	11.0	20.2	1.7	67.1	
	8:35	9/5/2013	4.4	8.6	12.6	74.5	
	8:48	9/16/2013	5.0	7.6	14.0	73.4	
	7:40	9/30/2013	14.0	13.4	9.5	63.1	
	7:38	10/14/2013	21.5	17.8	7.5	53.2	
	7:42	10/28/2013	23.5	16.2	9.0	51.3	
	8:10	11/19/2013	34.0	22.2	6.1	37.7	
	7:35	12/2/2013	38.0	23.8	5.0	33.2	
	7:15	12/16/2013	19.0	12.6	12.2	56.2	
	7:06	12/27/2013	48.5	28.0	2.9	20.6	
	7:08	1/13/2014	54.5	28.6	0.7	16.2	
	7:20	1/30/2014	50.0	28.6	0.9	20.5	
	7:35	2/12/2014	51.5	28.2	0.9	19.4	
	7:50	2/24/2014	35.0	25.0	1.2	38.8	
	8:25	3/10/2014	36.0	27.0	1.0	36.0	
	8:15	3/24/2014	14.5	18.8	4.8	61.9	
	7:30	4/7/2014	18.0	21.4	1.6	59.0	
	10:44	4/22/2014	15.0	20.8	1.6	62.6	
	7:45	5/7/2014	18.5	21.8	0.8	58.9	
	7:45	5/19/2014	16.0	21.8	0.5	61.7	
	7:15	5/30/2014	17.5	22.4	0.3	59.8	
	7:36	6/16/2014	8.5	20.4	0.6	70.5	
	7:55	6/30/2014	6.0	18.4	1.7	73.9	
	8:05	7/14/2014	5.0	17.4	2.8	74.8	
	8:05	7/28/2014	3.9	17.0	3.9	75.2	
	8:21	8/11/2014	4.6	16.2	4.4	74.8	
	7:25	8/25/2014	4.3	16.4	4.2	75.2	
	7:45	9/8/2014	4.1	16.0	4.9	75.0	
	7:30	9/22/2014	4.3	16.8	4.5	74.5	
	7:55	10/7/2014	6.0	17.2	3.4	73.4	
	7:50	10/20/2014	7.5	18.4	2.7	71.4	
	7:40	11/3/2014	12.5	20.2	2.3	65.0	
	7:30	11/17/2014	16.5	21.2	2.9	59.4	
	7:35	12/2/2014	19.5	21.2	2.2	57.1	
	7:15	12/15/2014	33.0	25.4	0.0	41.6	blower off
	7:19	12/18/2014	28.0	23.2	2.0	46.8	
	7:31	1/2/2015	28.0	23.4	2.4	46.2	
	7:22	1/16/2015	32.0	22.6	1.6	43.8	
	7:30	1/26/2015	36.0	23.2	1.2	39.6	
	7:35	2/9/2015	33.5	24.6	1.2	40.7	
	8:02	2/24/2015	39.5	24.0	1.4	35.1	
	8:28	3/9/2015	24.5	21.2	1.5	52.8	
	7:25	3/23/2015	9.0	18.2	2.0	70.8	
	7:35	4/6/2015	8.5	18.0	1.7	71.8	
	8:27	4/22/2015	7.6	17.4	2.0	73.0	
	7:21	5/4/2015	8.5	17.0	1.9	72.6	
7:20	5/18/2015	10.5	18.8	1.5	69.2		
7:25	6/1/2015	7.5	18.2	2.4	71.9		
7:30	6/15/2015	7.0	15.0	4.9	73.1		
7:35	6/29/2015	4.3	8.4	11.8	75.5		
7:28	7/14/2015	9.0	19.0	1.8	70.2		
7:24	7/27/2015	7.0	19.2	1.8	72.0		

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages pre-startup
	11:09	3/20/2006	61.9	36.8	1.0	0.3	
	9:52	3/22/2006	50.2	28.3	4.9	16.6	
	15:51	3/22/2006	49.9	35.2	7.4	7.5	
	8:52	3/23/2006	45.2	27.1	6.8	20.9	
	16:52	3/23/2006	54.3	32.5	3.5	9.7	
	15:20	3/24/2006	25.5	14.8	15.3	44.4	
	15:10	3/28/2006	18.7	12.0	13.5	55.8	
	19:09	3/30/2006	52.6	28.7	3.7	15.0	
	13:45	4/5/2006	35.5	20.5	8.2	35.8	
	13:25	4/6/2006	33.4	21.0	9.1	36.5	
	13:35	4/11/2006	33.4	21.7	9.9	35.0	
	10:57	4/14/2006	58.5	39.5	2.0	0.0	
	15:56	4/14/2006	33.6	20.0	7.9	38.5	
	10:20	4/17/2006	30.0	20.0	4.3	45.7	
	19:59	4/27/2006	51.7	26.8	4.2	17.3	
	13:28	5/4/2006	43.6	24.8	4.2	27.4	
	12:00	5/22/2006	48.8	28.9	4.3	18.0	
	8:41	6/9/2006	34.2	20.0	10.5	35.3	
	13:05	6/14/2006	30.1	20.2	8.3	41.4	
	11:05	6/22/2006	45.1	35.4	5.1	14.4	
	12:09	7/5/2006	44.4	44.5	5.8	5.3	
	10:50	7/10/2006	0.1	0.2	5.4	94.3	
	10:15	7/17/2006	42.7	32.7	5.8	18.8	
	14:15	7/28/2006	43.6	33.4	4.7	18.3	
	9:51	8/8/2006	45.4	36.2	4.1	14.3	
	9:30	8/16/2006	31.2	24.6	8.6	35.6	
	8:38	8/21/2006	2.4	10.2	3.7	83.7	
	14:22	8/28/2006	20.0	36.2	4.2	39.6	
	11:36	9/13/2006	28.2	37.0	4.0	30.8	
	11:34	9/25/2006	2.4	0.8	5.9	90.9	
	8:32	10/10/2006	49.8	41.7	5.1	3.4	
	8:42	10/23/2006	37.8	29.5	7.6	25.1	
	14:20	11/2/2006	42.5	28.4	3.6	25.5	
	15:16	11/14/2006	39.5	28.2	3.5	28.8	
	11:40	11/27/2006	48.5	33.2	0.3	18.0	
	13:30	12/26/2006	44.0	29.4	2.6	24.0	
	14:10	1/27/2007	44.5	27.6	3.1	24.8	
	11:28	2/24/2007	9.0	0.2	20.5	70.3	
	11:02	3/1/2007	37.2	28.2	1.5	33.1	
	12:26	3/1/2007	36.0	29.0	1.5	33.5	
	14:45	3/1/2007	33.0	27.6	2.1	37.3	
	8:05	3/5/2007	1.1	1.0	19.7	78.3	adjust blower time, 12 on, 12 off
	8:00	3/24/2007	36.0	28.4	1.2	34.4	
	16:45	3/24/2007	36.0	28.0	1.0	35.0	
	17:00	3/26/2007	33.5	27.4	0.9	38.2	
	7:19	3/27/2007	33.5	27.4	1.0	38.1	
	16:35	3/28/2007	36.0	28.2	0.9	34.9	
	7:50	3/29/2007	36.5	28.6	0.8	34.1	
	16:52	3/29/2007	35.5	28.2	0.7	35.6	
	7:56	3/30/2007	11.5	11.0	11.5	66.0	blower off
	11:45	5/30/2007	44.5	27.4	1.9	26.2	restart and run 24 hrs
	13:45	5/30/2007	46.0	28.2	1.5	24.3	
	10:20	5/31/2007	40.0	26.0	1.3	32.7	reduce to 12 on 12 off
	16:25	6/1/2007	40.5	25.4	1.4	32.7	
	15:20	6/2/2007	40.5	25.4	1.2	32.9	
	16:00	6/3/2007	39.5	25.2	1.4	33.9	
	14:04	6/4/2007	39.5	25.2	1.5	33.8	reduce to 6 on 18 off
	14:43	6/7/2007	39.5	25.0	1.4	34.1	
	16:46	6/12/2007	40.5	25.6	1.2	32.7	
	14:20	6/14/2007	40.5	25.4	1.2	32.9	
	13:55	6/19/2007	39.5	25.8	1.2	33.5	
	14:00	6/21/2007	39.5	25.4	1.5	33.6	
	13:50	7/11/2007	38.0	25.8	1.5	34.7	
	13:30	7/23/2007	38.5	26.6	1.4	33.5	
	14:17	8/8/2007	38.5	27.8	1.2	32.5	
	14:00	8/13/2007	38.5	28.2	1.5	31.8	
	13:20	8/20/2007	34.5	25.2	3.1	37.2	
	13:45	8/28/2007	36.5	27.8	1.3	34.4	
	15:30	8/31/2007	30.0	26.0	2.5	41.5	
	14:25	9/4/2007	26.0	26.0	2.0	46.0	
	12:55	9/17/2007	17.5	23.6	3.2	55.7	
	9:15	9/29/2007	17.5	23.8	2.9	55.8	
	8:15	10/4/2007	18.5	25.0	1.8	54.7	
	9:15	10/7/2007	19.0	25.2	1.7	54.1	
	9:30	10/18/2007	17.5	21.4	4.2	56.9	
	8:35	10/25/2007	23.0	25.2	2.3	49.5	
	8:50	11/1/2007	26.5	27.0	1.0	45.5	
	9:55	11/13/2007	28.0	25.8	1.8	44.4	
	11:05	11/26/2007	27.0	25.4	2.0	45.6	
	10:30	12/10/2007	26.0	25.8	2.1	46.1	
	11:15	12/28/2007	26.0	25.0	2.0	47.0	
	9:40	1/9/2008	24.5	21.6	4.7	49.2	
	11:58	1/23/2008	19.0	18.2	7.4	55.4	
	8:50	2/4/2008	17.0	15.4	9.4	58.2	
	7:20	2/18/2008	25.5	20.4	6.3	47.8	
	7:15	3/4/2008	30.5	21.2	7.1	41.2	
	8:25	3/18/2008	32.5	22.6	5.5	39.4	
	13:45	5/12/2008	43.0	25.8	2.5	28.7	
	8:45	5/19/2008	41.0	26.0	2.0	31.0	
	13:20	5/30/2008	31.0	23.6	3.2	42.2	
	8:35	6/12/2008	35.5	20.0	1.3	43.2	
	8:45	6/25/2008	33.0	24.8	3.6	38.6	
	10:45	7/7/2008	32.0	27.0	1.7	39.3	opened GV-6 to 200 ft/min
	12:20	7/21/2008	34.5	28.2	1.5	35.8	
	10:00	8/5/2008	34.5	27.6	2.1	35.8	
	9:20	8/13/2008	36.5	27.8	2.8	32.9	increase to 12 on 12 off
	9:05	8/19/2008	40.0	29.6	0.4	30.0	
	14:40	9/2/2008	34.0	29.6	1.3	35.1	
	11:49	10/3/2008	34.5	29.4	1.8	34.3	
	10:25	10/13/2008	36.5	29.8	1.7	32.0	

LC-2

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments
	9:35	10/28/2008	38.5	30.2	2.4	28.9	target percentages
	8:00	11/6/2008	39.0	30.4	1.5	29.1	
	10:55	12/8/2008	41.5	32.2	1.2	25.1	
	9:50	12/24/2008	23.0	20.8	7.0	49.2	decrease to 10 on
	11:20	1/8/2009	25.0	23.4	5.1	46.5	
	11:35	1/18/2009	13.5	19.8	5.5	61.2	
	7:45	1/27/2009	35.5	31.0	0.7	32.8	
	8:15	2/6/2009	26.5	25.2	3.5	44.8	
	10:15	2/23/2009	23.5	25.8	2.0	48.7	decrease to 8 on
	9:50	3/9/2009	23.0	23.8	3.7	49.5	
	9:40	3/20/2009	29.5	28.6	0.5	41.4	
	12:25	4/9/2009	47.0	18.6	2.0	32.4	
	10:15	4/19/2009	35.0	28.2	0.3	36.5	
	8:15	5/4/2009	29.0	27.8	0.3	42.9	
	8:30	5/18/2009	27.5	28.2	0.0	44.3	
	9:45	6/1/2009	23.0	26.8	0.0	50.2	
	9:20	6/14/2009	23.5	27.6	0.0	48.9	
	9:00	7/2/2009	26.5	26.0	1.3	46.2	
	7:45	7/13/2009	32.0	28.6	0.0	39.4	
	8:30	7/22/2009	33.9	28.6	0.0	37.5	
	9:10	8/11/2009	31.0	29.0	0.0	40.0	
	9:00	8/24/2009	27.5	29.0	0.0	43.5	decrease to 6 on 18 off
	9:45	9/8/2009	30.5	29.6	0.0	39.9	
	9:38	9/21/2009	30.5	27.0	1.5	41.0	
	10:40	10/5/2009	38.5	30.8	0.0	30.7	
	10:50	10/28/2009	43.5	31.8	0.0	24.7	
	11:15	11/16/2009	40.0	30.6	0.6	28.8	
	9:50	12/18/2009	44.5	33.0	0.1	22.4	
	8:50	12/28/2009	49.0	33.2	0.0	17.8	
	9:00	1/11/2010	50.0	33.4	0.0	16.6	
	8:39	1/26/2010	55.5	33.6	0.0	10.9	
	11:50	2/25/2010	45.0	27.8	3.3	23.9	
	9:40	3/8/2010	53.5	31.8	0.0	14.7	
	9:10	3/22/2010	52.5	30.8	0.4	16.3	
	9:15	4/5/2010	52.5	30.8	0.2	16.5	
	9:30	4/19/2010	53.5	31.0	0.3	16.5	
	9:30	5/3/2010	52.5	30.8	0.0	16.7	
	10:10	5/17/2010	51.5	30.6	0.4	17.5	
	9:10	5/25/2010	50.0	30.8	0.2	19.0	
	9:30	6/24/2010	41.0	27.8	1.6	29.6	
	10:30	7/6/2010	37.5	27.8	1.6	33.1	
	9:18	7/19/2010	34.5	27.4	1.7	36.4	
	9:20	8/2/2010	32.0	27.4	1.7	38.9	
	10:05	8/16/2010	35.0	29.0	1.1	34.9	
	9:10	8/30/2010	39.5	30.4	0.0	30.1	
	9:26	9/13/2010	41.5	30.6	1.1	26.8	
	10:00	9/28/2010	44.5	31.0	1.1	23.4	
	8:12	10/12/2010	44.5	31.0	1.8	22.7	
	9:37	10/25/2010	48.0	32.2	1.3	18.5	
	9:36	11/2/2010	50.0	32.6	1.6	15.8	
LC-2	9:15	11/15/2010	48.0	32.4	1.6	18.0	
	9:55	12/10/2010	44.5	32.2	1.6	21.7	
	9:15	12/23/2010	43.5	32.6	1.6	22.3	
	9:30	1/10/2011	43	31.4	2.3	23.3	
	11:45	2/11/2011	52.0	30.8	1.5	15.7	
	9:30	2/22/2011	12.0	8.4	15.1	64.5	
	9:05	3/7/2011	13.0	9.2	14.5	63.3	
	12:10	3/24/2011	47.5	31.0	0.4	21.1	
	9:15	4/6/2011	49.5	30.8	0.3	19.4	
	8:08	4/25/2011	51.0	29.4	1.3	18.3	
	9:08	5/9/2011	53.5	29.8	0.6	16.1	
	9:31	5/23/2011	46.0	25.8	3.3	24.9	
	11:05	6/6/2011	57.0	30.0	0.6	12.4	
	9:21	6/15/2011	58.0	30.6	0.7	10.7	
	9:30	7/5/2011	60.5	30.2	0.8	8.5	
	8:10	7/13/2011	57.0	28.4	2.0	12.6	
	8:30	7/26/2011	63.5	30.6	0.6	5.3	
	8:30	8/8/2011	60.5	31.4	0.6	7.5	
	8:10	8/23/2011	57.5	31.8	0.7	10	
	15:15	9/9/2011	60.0	33.2	0.9	5.9	
	16:03	9/15/2011	62.0	33.6	1.1	3.3	
	8:40	9/21/2011	58.0	32.4	1.5	8.1	
	9:45	9/21/2011	60.0	34.2	0.8	5	
	9:35	9/22/2011	53.0	31.2	2.7	13.1	
	10:15	9/22/2011	60.0	34.0	1.1	4.9	
	11:04	9/22/2011	53.5	30.2	3.0	13.3	
	10:53	10/3/2011	47.0	33.2	1.1	18.7	
	14:00	10/24/2011	23.0	21.4	4.6	51	
	12:08	10/26/2011	51.8	34.8	0.6	12.8	
	10:59	11/7/2011	44.5	33.8	0.5	21.2	
	9:35	11/14/2011	46.0	33.8	0.2	20	
	9:30	12/12/2011	49.5	34.8	0.3	15.4	
	10:41	12/27/2011	49.0	34.0	0.2	16.8	
	9:00	1/10/2012	52.0	34.4	0.1	13.5	
	10:00	1/25/2012	48.0	34.8	0.4	16.8	
	9:35	2/20/2012	54.5	33.6	0.0	11.9	
	9:30	3/8/2012	53.5	31.6	1.0	13.9	
	10:30	4/2/2012	54.5	31.2	1.1	13.2	
	9:25	4/16/2012	43.0	25.4	4.4	27.2	
	9:30	4/30/2012	47.5	28.2	2.6	21.7	
	9:35	5/14/2012	48.0	28.2	2.4	21.4	
	9:30	5/29/2012	49.5	29.0	1.9	19.6	
	8:04	6/11/2012	51.0	29.2	4.7	15.1	
	9:59	6/25/2012	53.0	29.6	1.5	15.9	
	9:15	7/9/2012	50.5	28.6	2.2	18.7	
	8:55	7/23/2012	43.5	29.2	1.9	25.4	
	8:15	7/25/2012	44.0	29.4	2.0	24.6	
	9:21	8/6/2012	43.0	30.2	1.5	25.3	
	9:50	8/21/2012	40.0	30.0	1.6	28.4	
	9:30	9/4/2012	36.0	29.4	1.9	32.7	
	10:00	10/1/2012	29.5	27.6	2.6	40.3	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments
	8:48	10/15/2012	16.0	15.8	9.7	58.5	
	8:05	12/6/2012	8.5	6.6	17.8	67.1	Using rental meter
	9:15	12/17/2012	7.2	10.0	14.9	67.9	Using rental meter
	9:20	12/31/2012	8.0	6.6	16.4	69	Using rental meter
	8:30	1/9/2013	40.0	27.0	1.9	31.1	
	10:05	1/16/2013	42.0	29.0	1.2	27.8	
	9:30	1/28/2013	57.5	33.8	0.2	8.5	
	11:00	2/11/2013	59.0	35.0	0.6	5.4	
	9:42	2/25/2013	53.5	31.0	2.6	12.9	
	8:00	3/8/2013	63.0	35.8	0.1	1.1	
	9:15	3/22/2013	56.0	34.4	0.6	9.0	
	14:10	4/8/2013	52.0	29.0	0.5	18.5	
	15:30	4/22/2013	49.5	29.4	0.5	20.6	
	9:50	4/29/2013	43.0	27.6	0.5	28.9	
	8:45	5/13/2013	38.0	27.4	1.2	33.4	
	13:59	5/28/2013	33.0	26.0	1.6	39.4	
	9:00	6/7/2013	31.5	25.4	2.1	41.0	
	8:30	6/21/2013	30.5	25.4	1.7	42.4	
	9:00	7/5/2013	29.5	24.8	1.8	43.9	
	8:05	7/22/2013	29.5	25.8	1.5	43.2	
	9:05	8/5/2013	29.5	25.4	2.6	42.5	
	8:35	8/19/2013	31.0	25.8	2.0	41.2	
	8:45	9/5/2013	13.5	11.6	12.5	62.4	
	9:00	9/16/2013	12.5	10.4	13.4	63.7	
	7:50	9/30/2013	19.5	15.2	10.4	54.9	
	7:50	10/14/2013	26.5	20.0	7.7	45.8	
	7:50	10/28/2013	23.0	16.6	9.8	50.6	
	8:25	11/19/2013	32.5	22.8	5.9	38.8	
	7:50	12/2/2013	37.5	24.8	5.0	32.7	
	7:25	12/16/2013	22.0	15.6	11.3	51.1	
	7:13	12/27/2013	44.5	29.2	1.9	24.4	
	7:16	1/13/2014	48.5	29.0	1.0	21.5	
	7:40	1/30/2014	49.5	30.0	1.3	19.2	
	7:45	2/12/2014	51.0	30.6	1.8	16.6	
	8:08	2/24/2014	49.0	28.0	2.1	20.9	
	8:20	3/10/2014	53.0	29.6	1.6	15.8	
	8:30	3/24/2014	43.5	23.4	5.4	27.7	
	7:40	4/7/2014	49.5	26.2	2.5	21.8	
	10:53	4/22/2014	45.5	25.4	2.6	26.5	
	8:05	5/7/2014	48.0	27.8	1.1	23.1	
	8:00	5/19/2014	49.0	27.8	1.1	22.1	
	7:25	5/30/2014	47.5	27.8	1.3	23.4	
	7:50	6/16/2014	42.5	27.2	1.3	29.0	
	8:15	6/30/2014	32.5	26.2	1.2	40.1	
	8:16	7/14/2014	25.0	25.2	1.3	48.5	
	8:19	7/28/2014	22.0	25.6	1.9	50.5	
	8:32	8/11/2014	18.5	24.0	1.9	55.6	
	13:00	8/25/2014	29.5	24.2	1.7	44.6	
	8:00	9/8/2014	18.0	23.6	2.6	55.8	
	7:40	9/22/2014	20.0	24.4	2.5	53.1	
	8:10	10/7/2014	20.5	24.0	2.6	52.9	
	8:05	10/20/2014	24.5	24.6	2.7	48.2	
	7:58	11/3/2014	27.5	25.2	2.7	44.6	
	7:40	11/17/2014	30.0	25.8	2.6	41.6	
	7:46	12/2/2014	35.0	26.6	2.3	36.1	
	7:25	12/15/2014	27.5	22.0	1.5	49.0	Blower Off
	7:32	12/18/2014	37.5	27.8	2.5	32.2	
	7:48	1/2/2015	39.5	28.4	2.8	29.3	
	7:40	1/16/2015	43.0	26.6	2.1	28.3	
	7:45	1/26/2015	44.5	27.2	1.4	26.9	
	7:58	2/9/2015	43.5	28.6	2.1	25.8	
	8:10	2/24/2015	45.5	27.0	1.7	25.8	
	8:45	3/9/2015	47.0	25.4	1.9	25.7	
	7:40	3/23/2015	43.0	24.0	2.9	30.1	
	7:48	4/6/2015	40.0	24.0	2.0	34.0	
	8:19	4/22/2015	32.7	22.8	2.5	42.0	
	7:40	5/4/2015	33.0	22.2	2.3	42.5	
	7:30	5/18/2015	33.0	23.6	1.9	41.5	
	7:40	6/1/2015	32.5	23.4	2.4	41.7	
	7:43	6/15/2015	32.0	23.0	2.0	43.0	
	7:40	6/29/2015	32.0	24.2	1.9	41.9	
	7:40	7/14/2015	30.5	23.8	2.1	43.6	
	7:45	7/27/2015	30.5	24.6	1.5	43.2	

LC-2

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments
	11:31	3/20/2006	62.3	36.3	0.5	0.9	target percentages
	10:06	3/22/2006	55.9	33.2	3.5	7.4	pre-startup
	8:37	3/23/2006	53.5	30.5	3.4	12.6	
	16:30	3/23/2006	59.9	30.5	2.0	7.6	
	14:30	3/24/2006	8.6	6.7	17.0	67.7	
	14:45	3/28/2006	21.1	14.8	12.0	52.1	
	19:21	3/30/2006	51.2	30.4	1.6	16.8	
	13:35	4/5/2006	30.7	22.2	6.6	40.5	
	13:05	4/6/2006	19.0	14.9	11.9	54.2	
	13:20	4/11/2006	36.9	26.6	3.5	33.0	
	10:49	4/14/2006	38.2	27.8	1.0	33.0	
	15:30	4/14/2006	37.7	28.8	1.2	32.3	
	10:10	4/17/2006	10.5	0.6	0.8	88.1	
	19:38	4/27/2006	27.6	23.6	0.5	48.3	
	13:20	5/4/2006	0.0	0.0	8.8	91.2	
	10:25	5/22/2006	9.6	15.7	8.9	65.8	
	14:41	6/2/2006	0.6	0.1	20.4	78.9	
	8:29	6/9/2006	22.5	31.2	4.0	42.3	
	12:42	6/14/2006	20.5	15.6	3.2	60.7	
	10:51	6/22/2006	13.1	28.7	3.5	54.7	
	12:23	7/5/2006	13.0	29.6	1.9	55.5	
	11:38	7/10/2006	0.0	0.0	1.7	98.3	
	10:17	7/17/2006	11.9	28.3	1.8	58.0	
	14:09	7/28/2006	16.3	28.7	1.5	53.5	
	10:02	8/8/2006	11.4	28.8	1.5	58.3	
	9:10	8/16/2006	11.9	28.4	1.4	58.3	
	8:27	8/21/2006	2.4	5.8	1.8	90.0	
	14:14	8/28/2006	12.1	10.2	1.4	76.3	
	11:26	9/13/2006	6.8	11.8	1.7	79.7	
	11:25	9/25/2006	10.1	0.4	1.9	87.6	
	8:25	10/10/2006	10.8	29.6	2.7	56.9	
	8:26	10/23/2006	10.9	29.4	3.9	55.8	
	14:12	11/2/2006	9.5	23.4	0.4	66.7	
	15:09	11/14/2006	2.5	0.0	20.0	77.5	
	12:00	11/27/2006	0.3	1.2	18.9	79.7	
	13:10	12/26/2006	13.5	21.2	3.3	62.0	
	14:20	1/27/2007	13.0	21.4	1.9	63.7	
	11:40	2/24/2007	4.3	0.2	19.7	75.9	
	11:22	3/1/2007	12.0	19.6	4.1	64.3	
	12:30	3/1/2007	11.5	19.2	4.2	65.1	
	14:32	3/1/2007	11.5	18.8	4.1	65.6	
	7:50	3/5/2007	0.3	0.0	20.3	79.5	adjust blower time, 12 on, 12 off
	7:50	3/24/2007	15.0	19.2	4.1	61.7	
	16:34	3/24/2007	14.5	19.2	4.0	62.3	
	16:48	3/26/2007	12.5	18.6	3.6	65.3	
	7:09	3/27/2007	12.0	19.2	3.5	65.3	
	16:45	3/28/2007	13.0	19.8	3.6	63.6	
	7:40	3/29/2007	12.0	19.2	3.7	65.1	
	16:43	3/29/2007	12.0	19.2	3.8	65.0	
	7:45	3/30/2007	7.0	12.6	8.0	72.4	blower off
	11:30	5/30/2007	29.0	22.8	3.0	45.2	restart and run 24 hrs
	13:52	5/30/2007	30.5	22.8	3.2	43.5	
	10:10	5/31/2007	23.5	21.2	2.9	52.4	reduce to 12 on 12 off
	16:10	6/1/2007	21.5	20.8	2.8	54.9	
	15:13	6/2/2007	20.0	19.4	3.6	57.0	
	15:44	6/3/2007	19.0	20.2	2.8	58.0	
	13:45	6/4/2007	18.0	19.8	3.0	59.2	reduce to 6 on 18 off
	14:27	6/7/2007	23.0	22.2	2.8	52.0	
	16:15	6/12/2007	14.0	19.4	3.1	63.5	
	13:58	6/14/2007	14.5	19.2	3.1	63.2	
	13:35	6/19/2007	14.5	19.6	3.0	62.9	
	13:40	6/21/2007	14.0	19.2	3.2	63.6	
	13:20	7/11/2007	14.0	19.2	3.3	63.5	
	13:10	7/23/2007	13.0	19.0	3.4	64.6	
	14:04	8/8/2007	13.0	19.4	3.4	64.2	
	13:50	8/13/2007	14.0	21.6	2.1	62.3	
	13:10	8/20/2007	11.8	19.8	2.7	65.7	
	13:35	8/28/2007	11.5	19.2	2.8	66.5	
	15:20	8/31/2007	8.5	18.0	3.5	70.0	
	14:15	9/4/2007	7.0	17.0	3.9	72.1	
	12:45	9/17/2007	5.5	15.8	4.7	74.0	
	9:05	9/29/2007	5.0	16.2	4.6	74.2	
	8:05	10/4/2007	5.5	16.0	4.6	73.9	
	9:05	10/7/2007	6.0	16.4	4.2	73.4	
	9:20	10/18/2007	7.5	16.8	3.6	72.1	
	8:25	10/25/2007	6.5	16.6	4.2	72.7	
	8:40	11/1/2007	7.5	16.8	4.3	71.4	
	9:45	11/13/2007	11.5	16.2	5.5	66.8	
	10:55	11/26/2007	7.0	14.4	6.4	72.2	
	10:20	12/10/2007	7.0	14.6	6.8	71.6	
	11:05	12/26/2007	7.5	14.4	6.4	71.7	
	9:30	1/9/2008	8.5	14.6	6.6	70.3	
	11:50	1/23/2008	7.5	14.4	7.3	70.8	
	8:40	2/4/2008	10.0	15.6	6.1	68.3	
	7:10	2/18/2008	12.5	15.4	6.8	65.3	
	7:40	3/4/2008	17.5	17.8	7.5	57.2	
	8:15	3/18/2008	20.0	17.6	6.2	56.2	
	13:35	5/12/2008	20.0	19.6	4.5	55.9	
	8:45	5/19/2008	11.5	16.6	5.6	66.3	
	13:10	5/30/2008	10.0	16.2	5.1	68.7	
	8:25	6/12/2008	9.5	17.4	5.2	67.9	
	8:35	6/25/2008	14.5	19.8	4.3	61.4	
	10:35	7/7/2008	10.5	17.0	4.9	67.6	opened GV-6 to 200 ft/min
	12:15	7/21/2008	10.5	19.0	4.1	66.4	
	10:00	8/5/2008	12.5	19.2	4.2	64.1	
	9:15	8/13/2008	13.5	19.6	4.3	62.6	increase to 12 on 12 off
	8:55	8/19/2008	9.5	18.4	4.6	67.5	
	14:25	9/2/2008	11.5	18.4	4.4	65.7	
	12:12	10/3/2008	12.5	19.0	4.8	63.7	
	10:15	10/13/2008	13.0	19.0	4.9	63.1	

LC-3



Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages
	9:25	10/28/2008	13.5	19.6	5.4	61.5	
	7:50	11/6/2008	13.5	19.2	5.1	62.2	
	10:40	12/8/2008	12.0	18.8	5.6	63.6	
	9:40	12/24/2008	10.0	17.4	5.2	67.4	decrease to 10 on
	11:10	1/8/2009	9.5	17.0	5.5	68.0	
	11:45	1/18/2009	29.5	22.6	7.4	40.5	
	8:05	2/6/2009	8.5	16.0	5.8	69.7	1/27/09 ice in port
	10:05	2/23/2009	6.5	16.2	5.7	71.6	decrease to 8 on
	9:40	3/9/2009	11.0	17.0	5.2	66.8	
	9:30	3/20/2009	13.5	17.6	5.3	63.6	
	11:25	4/9/2009	17.5	18.8	4.9	58.8	
	10:10	4/19/2009	11.0	17.2	5.3	66.5	
	8:40	5/4/2009	4.2	17.4	3.3	75.2	
	8:45	5/18/2009	7.5	16.4	5.5	70.6	
	10:10	6/1/2009	3.8	16.0	4.3	76.0	
	9:10	6/14/2009	7.5	16.0	5.3	71.2	
	8:55	7/2/2009	15.8	18.0	4.5	61.7	
	7:35	7/13/2009	15.5	19.0	4.4	61.1	
	8:35	7/22/2009	11.5	18.0	4.8	65.7	
	9:00	8/11/2009	9.0	17.2	4.7	69.1	
	8:50	8/24/2009	7.0	15.8	5.7	71.5	decrease to 6 on 18 off
	9:35	9/8/2009	12.0	17.4	4.8	65.8	
	9:28	9/21/2009	14.5	18.6	4.8	62.1	
	10:25	10/5/2009	16.5	19.2	4.9	59.4	
	11:05	10/28/2009	18.5	20.4	4.7	56.4	
	11:05	11/16/2009	12.5	18.6	5.5	63.4	
	9:35	12/18/2009	25.0	23.2	4.0	47.8	
	9:20	12/28/2009	25.0	22.4	5.0	47.6	
	9:20	1/11/2010	24.5	23.4	4.4	47.7	
	8:20	1/26/2010	27.5	23.6	4.4	44.5	
	11:45	2/25/2010	24.0	23.2	4.3	48.5	
	10:04	3/8/2010	25.0	23.0	3.9	48.1	
	9:30	3/22/2010	24.0	22.0	4.5	49.5	
	9:35	4/5/2010	24.9	22.6	4.0	48.5	
	9:21	4/19/2010	24.5	22.2	4.4	48.9	
	9:31	5/3/2010	26.5	22.6	4.0	46.9	
	9:59	5/17/2010	26.0	22.4	4.3	47.3	
	8:55	5/25/2010	22.0	22.2	3.4	52.4	
	9:20	6/24/2010	22.5	21.0	1.4	55.1	
	10:20	7/6/2010	17.0	19.8	4.5	58.7	
	9:14	7/19/2010	15.5	19.0	4.7	60.8	
	9:10	8/2/2010	10.5	18.6	4.7	66.2	
	10:00	8/16/2010	18.5	19.8	4.2	57.5	
	9:05	8/30/2010	24.5	22.0	3.0	50.5	
	9:15	9/13/2010	27.0	22.4	4.3	46.3	
	9:18	9/28/2010	27.0	22.6	4.7	45.7	
	8:17	10/12/2010	24.5	22.4	5.0	48.1	
	9:30	10/25/2010	24.5	22.2	4.7	48.6	
	9:45	11/2/2010	22.0	21.8	5.4	50.8	
	9:06	11/15/2010	21.5	21.2	1.7	55.6	
	9:50	12/10/2010	20.0	20.6	5.7	53.7	
	9:10	12/23/2010	19.5	21.2	5.9	53.4	
	9:25	1/10/2011	20.5	20.8	6	52.7	
	8:41	1/25/2011	18.5	18.8	7.4	55.3	
	12:30	2/11/2011	29.5	21.6	6.1	42.8	
	10:15	2/22/2011	15.5	17.0	7.7	59.8	
	9:30	3/7/2011	15.5	17.4	7.1	60.0	
	12:00	3/24/2011	23.0	20.6	4.9	51.5	
	9:05	4/6/2011	31.0	21.6	4.9	42.5	
	8:04	4/25/2011	31.0	21.2	5.6	42.2	
	9:00	5/9/2011	37.5	23.0	4.5	35.0	
	9:20	5/23/2011	39.5	24.0	4.2	32.3	
	11:00	6/6/2011	40.5	24.4	4.1	31.0	
	9:15	6/15/2011	40.5	24.4	4.0	31.1	
	9:20	7/5/2011	39.0	24.6	3.6	32.8	
	8:13	7/13/2011	38.5	24.6	3.5	33.4	
	8:15	7/26/2011	37.5	24.4	3.5	34.6	
	8:25	8/8/2011	31.5	23.4	3.4	41.7	
	8:00	8/23/2011	28.5	22.4	3.9	45.2	
	15:21	9/9/2011	34.0	24.6	3.9	37.5	
	16:03	9/15/2011	27.5	23.0	4.7	44.8	
	8:35	9/21/2011	25.0	21.8	4.7	48.5	
	9:42	9/21/2011	25.0	21.4	4.9	48.7	
	9:33	9/22/2011	26.0	22.2	4.8	47.0	
	10:13	9/22/2011	26.0	21.8	5.1	47.1	
	10:59	9/22/2011	27.5	22.6	4.6	45.3	
	10:50	10/3/2011	18.0	20.2	5.1	56.7	
	14:05	10/24/2011	41.0	28.6	3.7	26.7	
	11:08	10/26/2011	24.5	22.0	5.0	48.5	
	10:52	11/7/2011	21.5	21.4	4.7	52.4	
	9:27	11/14/2011	23.5	21.8	4.4	50.3	
	9:37	12/12/2011	23.0	22.2	4.7	50.1	
	10:30	12/27/2011	28.0	23.0	4.2	44.8	
	8:51	1/10/2012	32.5	24.0	4.2	39.3	
	9:55	1/25/2012	33.0	26.0	4.2	36.8	
	9:29	2/20/2012	37.5	25.8	5.0	31.7	
	9:21	3/8/2012	36.5	24.8	5.5	33.2	
	9:00	4/2/2012	32.0	24.4	4.7	38.9	
	9:15	4/16/2012	29.5	22.8	5.0	42.7	
	9:25	4/30/2012	25.0	21.8	5.3	47.9	
	9:25	5/14/2012	27.0	22.2	5.0	45.8	
	9:18	5/29/2012	30.9	23.0	4.5	41.6	
	7:59	6/11/2012	31.5	23.4	4.4	40.7	
	9:53	6/25/2012	33.5	24.4	4.0	38.1	
	9:10	7/9/2012	32.5	24.6	3.5	39.4	
	8:47	7/23/2012	19.0	21.0	4.2	55.8	
	8:11	7/25/2012	19.0	21.0	4.4	55.6	
	9:10	8/6/2012	19.0	21.4	4.2	55.4	
	9:40	8/21/2012	19.0	20.6	4.8	55.6	
	9:21	9/4/2012	14.5	19.8	4.5	61.2	
	8:17	10/1/2012	10.5	16.4	6.6	66.5	reduce from 23 hrs to 16.5 hrs on

LC-3

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments
							target percentages
	8:40	10/15/2012	9.0	12.0	9.9	69.1	reduce from 16.5 hrs to 8.5 hrs on
	7:50	12/6/2012	18.5	20.0	5.2	56.3	reduce from 8.5 hrs to 4 hrs on
	9:10	12/17/2012	22.5	20.2	4.5	52.8	reduce from 4 hrs to 2 hrs on
	9:10	12/31/2012	26.0	22.4	4.5	47.1	
	8:30	1/9/2013	28.0	22.6	4.3	45.1	Increase from 2 hrs to 4 hrs on
	9:40	1/15/2013	29.0	22.6	3.9	44.5	Increase from 4 hrs to 8 hrs on
	9:17	1/28/2013	27.5	22.8	4.3	45.4	Increase from 8 hrs to 12 hrs on
	11:05	2/11/2013	27.0	20.2	7.2	45.6	Reduce from 12 hrs to 9 hrs on
	9:30	2/25/2013	42.0	27.8	3.1	27.1	Increase from 9 hrs to 18 hrs on
	7:50	3/8/2013	53.0	33.0	0.0	14.0	Increase from 18 hrs to 23.5 hrs on
	9:08	3/22/2013	54.5	33.6	0.1	11.8	
	13:55	4/8/2013	30.0	23.4	4.1	42.5	
	15:25	4/22/2013	21.5	4.0	3.9	70.6	
	9:44	4/29/2013	18.5	19.6	4.1	57.8	
	8:37	5/13/2013	16.5	19.0	4.9	59.6	
	13:48	5/28/2013	16.5	18.8	4.4	60.3	
	9:05	6/7/2013	17.0	19.0	4.5	59.5	
	8:25	6/21/2013	16.0	18.4	4.5	61.1	
	8:55	7/5/2013	15.5	18.2	4.5	61.8	
	8:00	7/22/2013	16.0	19.0	4.3	60.7	
	9:00	8/5/2013	16.0	10.4	5.3	68.3	Reduce from 10 hrs to 9 hrs on
	8:30	8/19/2013	17.5	18.8	4.9	58.8	
	8:40	9/5/2013	9.5	10.2	12.3	68.0	Reduce from 9 hrs to 4 hrs on
	8:55	9/16/2013	10.5	10.2	12.8	66.5	Reduce from 4 hrs to 2 hrs on
	7:45	9/30/2013	17.0	14.0	10.2	58.8	Reduce from 2 hrs to 1 hr on
	7:45	10/14/2013	23.5	18.0	8.4	50.1	Reduce from 1 hr to 0.5 hr on
	7:45	10/28/2013	21.5	15.4	10.3	52.8	Reduce from 0.5 hr to 0.25 hr on
	8:17	11/19/2013	31.0	21.8	7.4	39.8	Increase from 0.25 hr to 1 hr on
	7:40	12/2/2013	32.0	22.8	6.6	38.6	Reduce from 1 hr to 0.75 hr on
	7:20	12/16/2013	20.5	16.0	11.1	52.4	Reduce from 0.75 hr to 0.3 hr on
	7:10	12/27/2013	34.5	25.2	5.2	35.1	Reduce from 0.3 hr to 0.25 hr on
	7:12	1/13/2014	39.5	26.4	3.6	30.5	Increase from 0.25 hr to 1 hr on
	7:20	1/30/2014	37.0	26.6	4.2	32.2	Increase from 1 hr to 2 hr on
	7:40	2/12/2014	33.5	25.6	4.3	36.6	Increase from 2 hrs on to 8 hr on
	8:57	2/24/2014	31.0	23.6	5.2	40.2	Reduce from 8 hr on to 7 hr on
	8:30	3/10/2014	33.0	24.2	4.2	38.6	Increase from 7 hr on to 10hr on
	8:20	3/24/2014	23.5	18.8	6.9	50.8	Reduce from 10 hr on to 6 hr on
	7:35	4/7/2014	27.0	21.0	4.5	47.5	Increase from 6 hr on to 7 hr on
	10:50	4/22/2014	23.5	20.2	4.5	51.8	Increase from 7 hr on to 8 hr on
	7:57	5/7/2014	25.5	21.0	4.1	49.4	Increase from 8 hr on to 10 hr on
	7:55	5/19/2014	24.5	21.0	3.8	50.7	Increase from 10 hr on to 14 hr on
	7:20	5/30/2014	25.0	21.6	3.2	50.2	Increase from 14 hr on to 20 hr on
	7:45	6/16/2014	18.5	19.2	3.6	58.7	Increase from 20 hr on to 23.66 hr on
	8:08	6/30/2014	14.0	18.2	3.7	64.1	
	8:10	7/14/2014	11.5	17.2	4.4	66.9	
	8:11	7/28/2014	10.0	17.4	4.8	67.8	
	8:26	8/11/2014	8.0	15.6	5.3	71.1	Reduce from 23.66 hr on to 19.66 hr on
	7:30	8/25/2014	8.5	16.2	5.0	70.3	
	7:54	9/8/2014	8.0	15.2	6.1	70.7	Reduce from 19.66 hr on to 16 hr on
	7:35	9/22/2014	9.0	15.6	6.6	68.8	Reduce from 16 hr on to 12 hr on
	8:03	10/7/2014	9.5	15.2	6.8	68.5	Reduce from 12 hr on to 8 hr on
	8:00	10/20/2014	11.5	16.2	6.4	65.9	Reduce from 8 hr on to 4 hr on
	7:50	11/3/2014	16.5	18.2	5.9	59.4	Reduce from 4 hr on to 3 hr on
	7:35	11/17/2014	20.0	20.2	5.4	54.4	Reduce from 3 hr on to 2 hr on
	7:40	12/2/2014	23.0	20.0	6.3	50.7	Reduce from 2 hr on to 1 hr on
	7:19	12/15/2014	31.0	23.6	3.9	41.5	Blower off
	7:25	12/18/2014	30.0	23.6	4.5	41.9	Increase from 1 hr on to 2 hr on
	7:40	1/2/2015	30.1	24.0	5.0	40.9	Blower not working
	7:30	1/16/2015	24.0	17.6	8.1	50.3	Run 2 hr on
	7:39	1/26/2015	32.5	23.0	4.5	40.0	increase from 2 hr on to 3 hr on
	7:44	2/9/2015	31.0	24.6	4.3	40.1	Increase from 3 hr on to 5 hr on
	8:18	2/24/2015	31.6	23.2	4.1	41.1	Increase from 5 hr on to 8 hr on
	8:35	3/9/2015	26.0	21.0	4.5	48.5	Increase from 8 hr on to 12 hr on
	7:35	3/23/2015	17.0	17.2	5.9	59.9	Reduce from 12 hr on to 10 hr on
	7:43	4/6/2015	17.0	17.8	5.2	60.0	Reduce from 10 hr on to 9 hr on
	8:12	4/22/2015	14.5	16.6	5.8	63.1	Reduce from 9 hr on to 7 hr on
	7:30	5/4/2015	16.0	16.4	5.1	62.5	Reduce from 7 hr on to 6 hr on
	7:25	5/18/2015	17.5	18.4	4.3	59.8	Increase from 6 hr on to 7 hr on
	7:32	6/1/2015	15.5	17.6	5.0	61.9	
	7:35	6/15/2015	16.0	17.8	4.4	61.8	Increase from 7 hr on to 8 hr on
	7:40	6/29/2015	16.0	18.4	4.5	61.1	Increase from 8 hr on to 10 hr on
	7:35	7/14/2015	14.5	18.0	4.5	63.0	Increase from 10 hr on to 12 hr on
	7:36	7/27/2015	13.5	17.8	4.7	64.0	Increase from 12 hr on to 14 hr on

LC-3

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments
	11:19	3/20/2006	0.4	0.2	20.9	78.5	target percentages
	10:00	3/22/2006	45.9	26.6	2.6	24.9	pre-startup
	15:49	3/22/2006	54.2	31.6	0.9	13.3	
	8:47	3/23/2006	51.5	29.5	1.3	17.7	
	16:50	3/23/2006	45.0	25.4	3.8	25.8	
	15:30	3/24/2006	24.0	13.9	15.0	47.1	
	14:30	3/28/2006	13.2	10.0	12.9	63.9	
	19:00	3/30/2006	34.4	24.9	2.9	37.8	
	13:25	4/5/2006	22.9	18.7	8.2	50.2	
	12:55	4/6/2006	21.9	17.4	7.9	52.8	
	13:10	4/11/2006	23.8	20.2	5.9	50.1	
	10:56	4/14/2006	26.9	23.4	2.3	47.4	
	15:53	4/14/2006	21.3	28.5	5.4	44.8	
	10:00	4/17/2006	31.3	34.0	3.0	31.7	
	19:55	4/27/2006	15.6	19.8	4.0	60.6	
	13:15	5/4/2006	0.0	0.0	2.4	97.6	
	10:19	5/22/2006	16.2	24.6	1.3	57.9	
	8:23	6/9/2006	24.4	32.8	6.2	36.6	
	12:37	6/14/2006	22.8	29.3	5.6	42.3	
	10:46	6/22/2006	12.1	23.0	5.4	59.5	
	12:07	7/5/2006	13.7	24.7	4.9	56.7	
	11:33	7/10/2006	12.6	26.2	4.0	57.2	
	10:54	7/17/2006	12.7	25.6	3.9	57.8	
	14:04	7/28/2006	4.8	24.5	4.4	66.3	
	9:53	8/8/2006	14.8	29.1	2.3	53.8	
	9:06	8/16/2006	14.8	27.1	4.1	54.0	
	8:22	8/21/2006	12.7	8.6	3.8	74.9	
	14:10	8/28/2006	16.6	25.7	5.0	52.7	
	11:24	9/13/2006	8.2	1.4	5.3	85.1	
	11:20	9/25/2006	8.1	0.8	1.8	89.3	
	8:20	10/10/2006	18.1	30.1	3.2	48.6	
	8:21	10/23/2006	12.8	18.1	4.6	64.5	
	14:05	11/2/2006	10.0	22.4	1.3	66.3	
	14:56	11/14/2006	19.0	21.8	4.5	54.7	
	11:27	11/27/2006	9.0	14.6	8.4	68.0	
	13:00	12/26/2006	15.5	22.8	1.5	60.2	
	14:02	1/27/2007	13.5	20.8	1.7	64.0	
	9:32	2/15/2007	0.6	11.4	8.0	80.1	
	11:24	2/24/2007	2.6	12.0	9.6	75.9	
	9:41	3/1/2007	23.0	24.0	0.2	52.8	
	10:15	3/1/2007	13.5	17.8	3.6	65.1	
	10:17	3/1/2007	12.0	19.2	1.3	67.5	
	11:13	3/1/2007	9.0	17.4	2.5	71.1	
	12:22	3/1/2007	7.5	16.6	3.0	72.9	
	13:53	3/1/2007	6.5	15.6	4.3	73.6	
	14:00	3/1/2007	7.0	15.5	4.2	73.3	
	14:40	3/1/2007	6.0	14.4	5.2	74.4	
	8:00	3/5/2007	6.0	14.4	6.4	73.2	adjust blower time, 12 on, 12 off
	8:05	3/24/2007	11.5	20.0	2.8	85.7	
	16:50	3/24/2007	12.0	19.4	2.8	65.8	
GV-6	17:05	3/26/2007	9.5	18.4	3.2	68.9	
	7:25	3/27/2007	7.0	17.6	4.1	71.3	
	16:31	3/28/2007	11.0	20.0	1.8	67.2	
	7:59	3/29/2007	8.5	19.8	1.4	70.3	
	16:55	3/29/2007	12.0	20.0	1.3	66.7	
	7:59	3/30/2007	9.0	20.8	0.3	69.9	blower off
	10:45	5/30/2007	31.0	22.6	0.7	45.7	restart and run 24 hrs
	13:40	5/30/2007	36.5	26.2	0.6	36.7	
	10:25	5/31/2007	21.5	22.8	1.5	54.2	reduce to 12 on 12 off
	16:28	6/1/2007	20.5	22.0	1.1	56.4	
	15:25	6/2/2007	20.0	21.8	1.1	57.1	
	16:05	6/3/2007	20.5	22.4	0.5	56.6	
	14:08	6/4/2007	16.5	22.0	0.8	60.7	reduce to 6 on 18 off
	15:04	6/7/2007	19.0	22.6	0.4	58.0	
	17:35	6/12/2007	14.0	21.6	1.7	62.7	
	15:00	6/14/2007	14.0	21.8	0.6	63.6	
	14:30	6/19/2007	13.0	22.8	0.7	63.5	
	14:30	6/21/2007	15.0	21.8	1.4	61.8	
	14:20	7/11/2007	14.0	20.2	3.1	62.7	
	14:20	7/23/2007	15.0	21.0	3.3	60.7	
	14:10	8/8/2007	14.0	20.2	3.8	62.0	
	13:15	8/13/2007	12.0	18.6	5.1	64.3	
	14:20	8/20/2007	9.5	18.0	5.1	67.4	
	14:15	8/28/2007	9.0	18.6	4.4	68.0	
	15:50	8/31/2007	6.0	19.2	2.5	72.3	
	14:45	9/4/2007	6.0	18.2	3.2	72.6	
	13:15	9/17/2007	5.0	16.8	4.3	73.9	
	9:35	9/29/2007	4.7	16.8	4.3	74.2	
	8:35	10/4/2007	4.4	16.2	4.7	74.8	
	9:35	10/7/2007	4.7	17.0	3.6	74.7	
	9:40	10/18/2007	7.5	20.0	0.6	71.9	
	9:10	10/25/2007	7.0	2.0	0.5	90.5	
	9:10	11/1/2007	7.0	20.6	0.2	72.2	
	10:05	11/13/2007	17.5	22.0	0.7	59.8	
	11:20	11/26/2007	6.0	15.6	5.5	72.9	reduce to 12 on 12 off
	10:50	12/19/2007	7.0	16.8	4.8	71.4	reduce to 10 on 14 off
	11:40	12/26/2007	6.5	15.6	4.9	73.0	reduce to 8 on 16 off
	10:05	1/9/2008	6.0	15.6	4.9	73.5	
	12:05	1/23/2008	5.5	13.4	7.3	73.8	
	9:10	2/4/2008	12.5	19.4	0.9	67.2	
	7:40	2/18/2008	17.0	20.4	0.7	61.9	
	7:20	3/4/2008	21.0	21.0	0.9	57.1	
	8:35	3/18/2008	31.0	22.8	0.8	45.4	
	14:15	5/12/2008	14.5	19.6	3.1	62.8	
	9:05	5/19/2008	5.5	14.8	6.4	73.3	
	13:40	5/30/2008	12.0	20.4	0.2	67.4	
	9:15	6/12/2008	5.0	16.8	5.5	72.7	
	9:10	6/25/2008	10.0	23.4	0.6	66.0	
	11:20	7/7/2008	5.5	20.0	0.0	74.5	opened GV-6 to 200 ft/min
	12:25	7/21/2008	7.5	20.8	1.3	70.4	

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages
	9:45	8/5/2008	9.5	21.8	0.5	68.2	
	9:00	8/13/2008	11.5	21.6	1.4	66.5	increase to 12 on 12 off
	8:40	8/19/2008	4.9	15.4	6.8	73.0	
	14:00	9/2/2008	5.5	18.4	2.0	74.1	
	11:46	10/3/2008	3.7	9.6	11.0	75.7	
	10:35	10/13/2008	9.0	20.4	1.8	68.8	
	9:10	10/28/2008	7.0	19.2	2.8	71.0	
	7:30	11/6/2008	10.0	20.2	1.5	68.3	
	10:10	12/24/2008	6.0	15.6	4.5	73.9	12/8/08 meter failure
	11:45	1/8/2009	3.1	13.6	6.5	76.8	1/27/09 ice in port
	11:15	1/18/2009	8.5	19.0	3.2	69.3	
	8:30	2/6/2009	3.2	12.4	7.7	76.8	
	10:45	2/23/2009	1.5	10.8	9.7	78.1	decrease to 8 on
	10:10	3/9/2009	3.0	14.6	3.3	79.1	
	10:10	3/20/2009	4.4	16.8	2.1	76.8	
	12:21	4/9/2009	8.0	18.4	0.0	73.6	
	10:30	4/19/2009	3.6	13.0	6.7	76.7	
	8:30	5/4/2009	1.6	11.4	8.5	78.6	
	8:35	5/18/2009	2.0	12.4	7.2	78.4	
	10:05	6/1/2009	1.3	11.4	7.9	79.4	
	8:50	6/14/2009	1.7	13.8	4.7	79.8	
	8:40	7/2/2009	9.0	20.8	0.3	69.9	
	7:25	7/13/2009	11.5	23.0	0.0	65.5	
	8:25	7/22/2009	4.5	16.2	4.4	74.9	
	8:40	8/11/2009	1.9	11.8	7.7	78.6	
	8:40	8/24/2009	1.8	11.4	7.9	79.0	decrease to 6 on 18 off
	9:15	9/8/2009	7.0	18.4	1.6	73.0	
	9:10	9/21/2009	16.0	22.4	0.4	61.2	
	10:09	10/5/2009	9.5	19.8	2.0	68.7	
	10:55	10/28/2009	12.5	20.8	1.6	65.1	
	10:45	11/16/2009	15.5	4.5	16.0	64.0	
	9:15	12/18/2009	24.0	23.8	0.0	52.2	
	9:00	12/28/2009	21.5	22.4	5.0	51.1	
	9:10	1/11/2010	15.5	20.4	2.8	61.3	
	12:30	2/25/2010	21.2	21.2	0.7	56.9	
	9:45	3/8/2010	18.0	21.2	0.2	60.6	
	9:20	3/22/2010	18.0	21.2	0.3	60.5	
	9:20	4/5/2010	7.0	20.2	1.2	71.6	
	9:12	4/19/2010	14.0	21.0	0.1	64.9	
	9:12	5/3/2010	12.5	21.4	0.0	66.1	
	9:42	5/17/2010	22.5	23.6	0.0	53.9	
	9:04	5/25/2010	5.0	19.8	2.9	72.3	
	9:10	6/24/2010	9.0	19.6	1.7	69.7	
	9:00	7/19/2010	3.4	16.8	2.7	77.1	
	8:50	8/2/2010	4.5	12.0	3.0	80.6	
	9:43	8/16/2010	14.0	22.0	1.2	62.8	
	8:47	8/30/2010	21.5	25.0	1.0	52.5	
	9:00	9/13/2010	30.0	26.6	1.2	42.2	
	9:47	9/28/2010	37.0	28.2	1.2	33.6	
	8:10	10/12/2010	24.0	25.0	1.7	49.3	
	9:12	10/25/2010	35.5	26.8	1.2	36.5	
	9:30	11/2/2010	15.5	22.0	1.9	60.6	
	8:45	11/15/2010	13.5	21.0	1.7	63.8	
	9:40	12/10/2010	9.0	19.2	2.1	69.7	
	8:50	12/23/2010	6.0	18.2	2.8	73.0	
	9:10	1/10/2011	28.0	4.8	15.7	51.5	
	12:00	2/11/2011	30.5	20.8	0.5	48.2	
	9:40	2/22/2011	1.7	7.4	14.2	76.7	
	9:15	3/7/2011	4.4	10.0	11.5	74.1	
	11:45	3/24/2011	7.5	12.2	6.9	73.4	
	8:45	4/6/2011	17.5	19.2	0.9	62.4	
	8:12	4/25/2011	18.6	20.8	0.7	59.9	
	8:45	5/9/2011	29.5	22.8	0.4	47.3	
	9:00	5/23/2011	35.5	24.4	0.4	39.7	
	10:45	6/6/2011	39.5	25.2	0.3	35.0	
	8:59	6/15/2011	41.0	26.8	0.3	31.9	
	9:10	7/5/2011	35.4	26.0	0.6	38.0	
	8:09	7/13/2011	24.0	24.8	0.6	50.6	
	8:10	7/26/2011	35.0	27.4	0.7	36.9	
	8:10	8/8/2011	20.0	23.6	0.5	55.9	
	7:45	8/23/2011	19.0	24.6	0.9	55.3	
	15:17	9/9/2011	29.0	1.2	26.4	43.4	
	16:01	9/15/2011	19.0	24.6	0.5	55.9	
	8:27	9/21/2011	39.5	29.0	0.5	31.0	
	9:35	9/21/2011	20.0	22.1	1.5	56.4	
	9:27	9/22/2011	26.0	22.2	4.8	47.0	
	10:09	9/22/2011	9.9	19.2	2.5	68.4	
	10:55	9/22/2011	11.5	18.8	3.3	66.4	
	10:40	10/3/2011	4.6	13.6	8.1	73.8	
	13:49	10/24/2011	7.5	20.4	1.2	70.9	
	10:55	10/26/2011	7.5	16.4	5.8	70.3	
	10:40	11/7/2011	4.5	14.6	6.6	74.3	
	9:15	11/14/2011	7	17.8	3	72.2	
	10:30	11/14/2011	5	6.8	2.7	85.5	
	9:12	12/12/2011	7.5	16.8	4.3	71.4	
	10:17	12/27/2011	9	7	13.9	70.1	
	8:40	1/10/2012	12	19.6	1	67.4	
	10:05	1/25/2012	11.5	22.6	0.2	65.7	
	9:15	2/20/2012	12.5	14.4	2.1	71	
	9:00	3/8/2012	11	18.4	2.9	67.7	
	10:20	4/2/2012	9.0	18.2	2.6	70.2	
	9:05	4/16/2012	14.9	20.4	1.2	63.5	
	9:10	4/30/2012	17.0	21.0	1.3	60.7	
	9:15	5/14/2012	16.0	21.0	1.3	61.7	
	9:10	5/29/2012	14.5	20.4	1.8	63.3	
	7:45	6/11/2012	23.0	23.8	1.4	51.8	
	9:40	6/25/2012	8.5	18.4	3.3	69.8	
	9:00	7/9/2012	12.0	19.4	3.1	65.5	
	8:33	7/23/2012	3.8	12.0	8.3	76.0	
	8:19	7/25/2012	10.0	18.8	2.8	68.4	

GV-6

Table 6a. Landfill Gas Field Parameter Monitoring Results of Active Extraction Points

Active Extraction Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages
	9:00	8/6/2012	4.4	13.6	7.3	74.8	
	9:17	8/21/2012	4.1	13.8	6.5	75.7	
	9:10	9/4/2012	3.2	11.2	8.6	77.1	
	9:05	10/1/2012	2.3	9.4	10.2	78.2	
	8:30	10/15/2012	2.0	10.4	9.0	78.6	
	7:40	12/6/2012	15.0	19.4	1.4	64.2	
	9:00	12/17/2012	9.0	14.2	4.5	72.3	
	8:50	12/31/2012	42.0	2.6	18.7	36.7	1st time O2 over 5% (used rental meter)
	8:30	1/9/2013	28.0	1.8	19.6	50.6	wrong port used for O2 (3.3. 2nd reading)
	8:08	1/15/2013	21.0	20.4	0.3	58.3	
	9:05	1/28/2013	35.5	23.6	3.2	37.7	
	10:45	2/11/2013	18.5	12.8	9.4	59.3	
	9:15	2/25/2013	31.5	21.8	1.7	45.0	
	7:30	3/8/2013	34.5	22.6	0.1	42.8	
	8:50	3/22/2013	41.5	22.2	0.0	36.3	
	13:50	4/8/2013	10.5	15.6	4.3	69.6	
	15:15	4/22/2013	14.0	19.0	1.2	65.8	
	9:35	4/28/2013	4.3	13.2	5.0	77.6	Reduce from 23.5 hrs to 20.5 hrs on
	8:30	5/13/2013	3.4	11.6	7.4	77.7	Reduce from 20.5 hrs to 18 hrs on
	13:36	5/28/2013	4.8	13.2	5.8	76.2	Reduce from 16 hrs to 12 hrs on
	8:45	6/7/2013	3.9	13.0	6.1	77.1	
	8:12	6/21/2013	6.5	15.4	4.8	73.3	
	8:45	7/5/2013	3.6	13.0	6.2	77.2	
	7:48	7/22/2013	5.0	15.2	4.7	75.1	Reduce from 12 hrs to 10 hrs on
	8:50	8/5/2013	10.0	18.6	2.4	69.0	
	8:15	8/19/2013	9.0	17.4	3.1	70.5	
	8:30	9/5/2013	2.4	10.2	10.0	77.5	
	8:45	9/16/2013	3.5	11.4	9.2	75.9	
	7:30	9/30/2013	23.5	21.6	3.5	51.4	
	7:35	10/14/2013	14.5	19.4	4.5	61.6	
	7:39	10/28/2013	12.0	16.2	6.7	65.1	
	8:05	11/19/2013	15.0	18.0	5.8	61.2	
	7:30	12/2/2013	41.5	25.6	1.4	31.5	
	7:10	12/16/2013	22.5	20.0	3.2	54.3	
	7:05	12/27/2013	39.5	24.6	0.6	35.3	
	7:05	1/13/2014	45.5	24.6	0.4	29.5	
	7:15	1/30/2014	39.5	24.0	0.3	36.2	
	7:30	2/12/2014	39.5	21.8	2.5	36.2	
GV-6	7:45	2/24/2014	12.5	15.6	4.2	67.7	
	8:15	3/10/2014	42.0	23.6	0.9	33.5	
	8:10	3/24/2014	12.4	14.0	5.7	67.9	
	7:25	4/7/2014	22.5	18.2	2.2	57.1	
	10:42	4/22/2014	8.5	13.8	5.1	72.6	
	7:40	5/7/2014	20.0	18.2	2.2	59.6	
	7:40	5/19/2014	9.0	16.6	2.9	71.5	
	7:10	5/30/2014	6.0	15.4	4.2	74.4	
	7:25	6/16/2014	3.1	11.6	8.0	77.4	
	7:48	6/30/2014	4.8	12.4	7.8	75.1	
	8:00	7/14/2014	3.0	11.4	8.4	77.2	
	7:48	7/28/2014	1.5	10.2	10.0	78.4	
	8:15	8/11/2014	2.5	11.2	8.4	77.9	
	7:20	8/25/2014	1.1	8.6	10.7	79.7	
	7:40	9/8/2014	1.9	10.4	9.2	78.5	
	7:25	9/22/2014	1.5	9.8	10.4	78.3	
	7:45	10/7/2014	3.0	11.8	7.4	77.9	
	7:40	10/20/2014	6.0	16.0	2.8	75.2	
	7:30	11/3/2014	10.5	16.6	4.2	68.7	
	7:25	11/17/2014	12.5	16.2	4.9	66.4	
	7:30	12/2/2014	9.5	16.2	4.1	70.2	
	7:10	12/15/2014	24.5	20.0	1.7	53.8	Blower off
	7:15	12/18/2014	16.0	18.8	1.6	63.6	
	7:25	1/2/2015	14.5	18.0	2.9	64.6	
	7:18	1/16/2015	12.0	14.5	4.5	69.0	
	7:25	1/26/2015	27.0	19.6	0.6	52.8	
	7:25	2/9/2015	9.0	15.2	4.5	71.3	
	7:55	2/24/2015	19.5	11.4	9.0	60.1	
	8:21	3/9/2015	14.0	16.2	2.2	67.6	
	7:20	3/23/2015	6.5	13.6	3.4	76.5	
	7:30	4/6/2015	7.0	13.8	3.8	75.4	
	8:23	4/22/2015	49.0	9.6	8.7	32.7	
	7:15	5/4/2015	3.7	11.4	5.3	79.7	
	7:20	5/18/2015	7.0	15.6	3.0	74.4	
	7:20	6/1/2015	6.0	15.4	2.9	75.7	
	7:27	6/15/2015	9.5	17.6	1.9	71.0	
	7:30	6/29/2015	12.0	19.0	2.0	67.0	
	7:21	7/14/2015	9.5	18.0	2.5	70.0	
	7:16	7/27/2015	4.6	15.6	3.4	76.4	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages
GP-1	11:03	3/20/2006	18.8	8.1	0.4	72.7	pre-startup
	15:25	3/22/2006	17.9	8.0	0.4	73.7	
	14:10	3/23/2006	21.4	11.5	0.2	66.9	
	14:00	3/30/2006	0.8	2.4	15.0	81.8	
	13:45	4/6/2006	0.6	1.5	16.8	81.1	
	13:40	4/11/2006	1.2	0.8	19.3	78.7	
	11:33	4/14/2006	0.0	1.9	14.7	83.4	
	10:28	4/17/2006	3.8	4.8	16.8	74.6	
	7:15	4/28/2006	2.5	3.2	18.1	76.2	
	13:30	5/4/2006	0.0	3.4	13.9	82.7	
	10:45	5/22/2006	0.1	1.2	19.3	79.4	
	12:23	6/2/2006	0.1	3.5	12.1	84.3	
	8:02	6/9/2006	2.6	2.0	19.8	75.6	
	12:49	6/14/2006	1.1	3.9	15.4	79.6	
	11:10	6/22/2006	0.7	1.0	18.1	80.2	
	11:47	7/5/2006	0.6	2.4	14.9	82.1	
	11:15	7/10/2006	0.7	4.5	14.1	80.7	
	10:35	7/17/2006	0.8	2.9	15.8	80.5	
	13:42	7/28/2006	2.0	1.7	12.2	84.1	
	10:19	8/8/2006	4.4	8.5	12.9	74.2	
	8:20	8/16/2006	1.4	3.6	15.5	79.5	
	8:05	8/21/2006	0.5	0.6	13.0	85.9	
	13:52	8/28/2006	3.4	7.6	11.2	77.8	
	11:09	9/13/2006	4.6	0.1	12.5	82.8	
	10:28	9/25/2006	0.0	0.0	10.7	89.3	
	8:05	10/10/2006	0.7	2.3	17.6	79.4	
	8:07	10/23/2006	0.7	2.7	19.0	77.6	
	14:35	11/2/2006	0.3	2.6	17.6	79.5	
	13:35	11/14/2006	0.2	2.6	15.9	81.3	
	11:08	11/27/2006	0.2	0.4	19.3	80.2	
	12:20	12/26/2006	0.1	3.6	12.3	84.1	
	13:13	1/27/2007	0.5	2.8	14.6	82.2	
	10:50	2/24/2007	0.4	0.0	20.4	79.3	
	17:29	3/28/2007	0.3	2.4	14.6	82.8	
	10:25	5/1/2007	0.2	2.2	12.6	85.1	
	10:27	5/1/2007	0.1	1.2	16.1	82.6	
	12:00	5/30/2007	2.0	7.2	7.1	83.7	
	16:35	6/6/2007	11.0	10.6	0.8	77.6	
	14:48	6/7/2007	6.0	7.6	5.7	80.7	
	16:59	6/12/2007	1.1	6.0	9.4	83.5	
	14:25	6/14/2007	7.0	10.4	2.1	80.5	
	14:15	6/19/2007	3.5	6.6	9.7	80.3	
	14:10	6/21/2007	0.4	6.0	10.1	83.5	
	14:00	7/11/2007	4.0	8.4	8.3	79.3	
	14:35	7/23/2007	8.5	13.8	2.0	75.7	
	14:25	8/8/2007	9.5	14.8	2.4	73.3	
	11:45	8/13/2007	6.5	12.4	5.6	75.5	
	13:30	8/20/2007	5.5	10.8	9.2	74.5	
	13:55	8/28/2007	12.0	15.8	2.2	70.0	
	15:40	8/31/2007	9.5	14.0	4.2	72.3	
	14:35	9/4/2007	8.0	13.6	4.4	74.0	
	13:05	9/17/2007	0.2	6.0	12.0	81.8	
	9:25	9/29/2007	0.2	4.6	13.9	81.4	
	8:25	10/4/2007	0.4	2.8	17.1	79.7	
	9:25	10/7/2007	0.6	3.4	15.3	80.7	
	10:15	10/18/2007	6.5	12.2	4.2	77.1	
	8:45	10/25/2007	0.1	3.6	15.5	80.8	
	9:00	11/1/2007	0.1	5.4	13.8	80.7	
	9:40	11/13/2007	0.2	3.8	13.7	82.4	
	11:10	11/26/2007	0.3	1.2	19.3	79.3	
	10:40	12/10/2007	0.4	1.2	19.4	79.0	
	11:25	12/26/2007	0.3	1.4	18.6	79.8	
	13:00	1/23/2008	0.3	2.8	13.9	83.0	
	9:55	1/9/2008	0.4	1.0	17.7	81.0	
	13:00	1/23/2008	0.3	2.8	13.9	83.0	
	9:00	2/4/2008	0.1	2.2	14.6	83.1	
	7:30	2/18/2008	0.2	2.0	14.8	83.0	
	7:10	3/4/2008	0.1	1.2	19.1	79.6	
	8:05	3/18/2008	0.1	0.4	19.5	80.0	
	14:00	5/12/2008	0.0	4.8	3.5	91.7	
	8:55	5/19/2008	0.1	5.8	4.5	89.7	
	13:30	5/30/2008	7.0	7.8	0.8	84.4	
	8:55	6/12/2008	0.0	2.2	17.0	80.8	
	8:55	6/25/2008	10.5	10.0	0.0	79.5	
	10:55	7/7/2008	8.5	11.0	0.0	80.5	
	11:50	7/21/2008	13.5	11.8	0.0	74.7	
	9:37	8/5/2008	26.5	13.4	0.0	60.1	
	10:40	8/5/2008	18.0	11.6	2.1	68.3	
	8:55	8/13/2008	22.5	14.4	0.0	63.1	
	9:55	8/13/2008	17.5	11.4	3.1	68.0	
	8:35	8/19/2008	7.0	12.6	3.4	77.0	
	10:00	8/19/2008	6.0	14.0	1.3	78.7	
	11:58	10/3/2008	4.2	7.0	11.6	77.3	
	11:12	10/13/2008	1.8	4.4	14.2	79.6	
	9:00	10/28/2008	0.0	4.6	13.6	81.8	
	7:20	11/6/2008	0.4	3.4	15.1	81.1	
	10:15	12/8/2008	0.1	2.6	16.0	81.3	
	10:00	12/24/2008	0.0	2.2	15.7	82.1	
	11:30	1/8/2009	0.1	3.4	16.8	79.8	
	11:05	1/18/2009	0.1	3.6	16.1	80.2	
7:20	1/27/2009	0.2	1.2	20.9	77.7		
8:20	2/6/2009	0.1	0.6	19.8	79.5		
10:30	2/23/2009	0.0	2.2	18.5	79.3		
10:00	3/9/2009	0.0	1.8	17.9	80.3		
10:00	3/20/2009	0.1	1.0	19.6	79.4		
9:35	4/9/2009	0.0	2.8	8.7	88.5		
10:20	4/19/2009	0.0	3.6	5.2	91.2		
8:20	5/4/2009	0.0	3.8	1.8	94.4		
8:25	5/18/2009	0.0	5.0	5.8	89.2		
10:00	6/1/2009	0.0	6.6	6.1	87.3		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages
GP-1	8:40	6/14/2009	0.4	5.2	8.3	86.1	
	8:30	7/2/2009	0.0	3.2	15.1	81.7	
	7:20	7/13/2009	1.0	7.4	8.9	82.8	
	8:40	7/13/2009	0.0	0.8	18.9	80.3	vent for 1 hour with cap off
	7:20	7/22/2009	0.1	5.8	11.3	82.9	
	8:35	8/11/2009	0.0	3.4	14.7	81.9	
	8:30	8/24/2009	0.0	3.6	14.7	81.7	
	9:05	9/8/2009	2.0	7.8	9.4	80.8	
	9:05	9/21/2009	1.8	6.0	12.1	80.1	
	10:05	10/5/2009	0.0	5.8	12.9	81.3	
	10:30	10/28/2009	0.0	3.8	14.2	82.0	
	10:35	11/16/2009	0.0	2.4	16.5	81.1	
	9:05	12/18/2009	0.0	3.2	14.4	82.4	
	8:40	12/28/2009	0.0	1.0	18.4	80.6	
	8:45	1/11/2010	0.0	3.2	14.1	82.7	
	8:50	1/26/2010	0.3	4.0	9.1	86.7	
	10:32	2/25/2010	0.2	4.2	7.3	88.4	
	9:35	3/8/2010	0.0	5.4	1.0	93.6	
	9:05	3/22/2010	0.0	2.6	7.2	90.2	
	9:08	4/5/2010	0.0	3.8	14.6	81.6	
	9:05	4/19/2010	0.0	4.2	7.0	88.8	
	9:05	5/3/2010	0.0	1.2	17.6	81.2	
	9:35	5/17/2010	0.2	3.4	11.8	84.6	
	13:00	5/25/2010	0.0	4.8	10.7	84.5	
	9:05	6/24/2010	0.1	7.8	8.0	84.2	
	10:05	7/6/2010	0.0	8.8	3.0	88.2	
	8:38	7/19/2010	0.6	6.4	7.8	85.3	
	8:45	8/2/2010	2.6	9.4	3.9	84.1	
	9:35	8/16/2010	3.1	12.6	1.0	83.4	
	8:40	8/30/2010	2.2	9.0	6.6	82.3	
	8:50	9/13/2010	5.6	12.4	1.5	80.6	
	10:40	9/28/2010	3.7	11.2	1.9	83.2	
	6:50	10/12/2010	14.0	15.0	0.0	71.0	
	9:05	10/25/2010	16.5	16.0	0.0	67.5	
	9:20	11/2/2010	0.0	5.4	9.3	85.3	
	8:35	11/15/2010	4.4	9.0	3.8	82.8	
	9:30	12/10/2010	0.0	11.2	0.1	88.7	
	8:35	12/23/2010	0.0	1.2	17.9	80.9	
	9:05	1/10/2011	0.0	2.8	14.4	82.8	
	8:15	1/25/2011	0.2	5.0	8.1	86.7	
	11:35	2/11/2011	0.1	4.0	9.4	86.6	
	9:20	2/22/2011	0.2	1.0	18.1	80.8	
	8:55	3/7/2011	0.1	1.4	13.1	85.4	
	11:30	3/24/2011	0.3	0.2	20.9	78.6	
	8:35	4/6/2011	0.1	0.2	20.1	79.6	
	10:30	4/25/2011	0.1	0.2	20.7	79.0	
	8:35	5/9/2011	0.1	3.2	11.2	85.6	
	8:50	5/23/2011	0.0	5.4	3.8	90.8	
	10:35	6/6/2011	6.4	7.0	4.4	82.2	
	8:50	6/15/2011	15.5	9.6	0.3	74.6	
9:00	7/5/2011	15.0	6.6	8.7	69.7		
6:38	7/13/2011	12.0	13.0	0.4	74.6		
8:00	7/26/2011	13.0	12.0	0.5	74.5		
8:05	8/8/2011	12.5	12.6	0.3	74.6		
7:35	8/23/2011	25.0	16.0	0.3	58.7		
15:30	9/9/2011	26.0	18.2	0.2	55.6		
15:58	9/15/2011	11.5	15.8	3.1	69.6		
8:20	9/21/2011	18.5	18.2	0.4	62.9		
9:25	9/21/2011	13.5	17.4	1.5	67.6		
9:17	9/22/2011	6.0	10.8	8.1	75.1		
10:04	9/22/2011	7.0	17.0	1.7	74.3		
10:50	9/22/2011	3.8	9.6	10.2	76.5		
10:35	10/3/2011	4.7	9.0	9.1	77.2		
13:40	10/24/2011	1.9	15.0	2.2	80.9		
10:45	10/26/2011	1.5	6.0	13.5	79.0		
10:30	11/7/2011	0.3	4.0	14.8	81.0		
9:08	11/14/2011	4.7	7.6	1.9	85.8		
9:05	12/1/2011	0.1	1.6	15.3	83.1		
10:05	12/27/2011	3.6	4.4	1.5	90.5		
8:30	1/10/2012	4.6	4.4	0.1	91.0		
10:15	1/25/2012	0.1	4.6	4.9	90.4		
9:00	2/20/2012	5.5	3.6	3.1	87.8		
8:40	3/8/2012	1.6	0.6	17.2	80.7		
10:10	4/2/2012	0.1	1.2	18.4	80.3		
8:50	4/16/2012	0.0	0.4	19.7	79.9		
9:04	4/30/2012	0.4	5.6	1.4	92.7		
9:05	5/14/2012	0.0	6.0	3.2	90.8		
8:55	5/29/2012	2.1	10.4	1.1	86.5		
7:35	6/11/2012	0.4	8.4	6.8	84.4		
9:23	6/25/2012	4.6	10.4	4.2	80.8		
8:50	7/9/2012	10.0	14.0	0.8	75.2		
8:15	7/23/2012	2.6	9.2	7.8	80.5		
10:15	7/25/2012	2.1	6.8	10.4	80.8		
8:45	8/6/2012	3.3	10.4	7.3	79.0		
9:05	8/21/2012	0.6	6.2	11.5	81.8		
9:04	9/4/2012	3.3	9.2	8.4	79.1		
8:45	10/1/2012	0.0	3.8	13.9	82.3		
8:21	10/15/2012	0.0	3.8	14.0	82.2		
7:20	12/6/2012	0.0	6.0	13.8	80.2		
8:50	12/17/2012	0.0	3.2	14.4	82.4		
8:35	12/31/2012	0.0	3.2	16.0	80.8		
8:30	1/9/2013	0.0	6.2	12.2	81.6		
10:15	1/15/2013	0.0	3.8	15.7	80.5		
8:50	1/28/2013	0.0	3.4	14.7	81.9		
10:35	2/11/2013	0.0	1.6	16.2	82.2		
9:05	2/25/2013	0.0	1.4	17.7	80.9		
7:18	3/8/2013	0.0	0.6	19.0	80.4		
8:35	3/22/2013	0.0	1.4	17.8	80.8		
13:35	4/8/2013	0.0	0.2	20.9	78.9		
15:05	4/22/2013	0.0	0.0	20.0	80.0		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages
GP-1	9:30	4/29/2013	0.0	0.2	20.9	78.9	
	8:20	5/13/2013	0.0	1.2	18.8	80.0	
	13:05	5/28/2013	0.0	2.0	17.9	80.1	
	8:35	6/7/2013	0.0	4.8	11.7	83.5	
	8:05	6/21/2013	0.0	6.0	10.7	83.3	
	8:35	7/5/2013	0.0	3.4	9.2	87.4	
	7:40	7/22/2013	0.1	5.8	11.7	82.5	
	8:45	8/5/2013	2.9	8.6	8.0	80.5	
	8:05	8/19/2013	1.5	2.8	17.1	78.6	
	8:20	9/15/2013	0.7	5.4	13.3	80.7	
	8:35	9/16/2013	0.5	4.4	14.6	80.5	
	7:20	9/30/2013	0.6	6.8	11.0	81.6	
	8:05	10/14/2013	1.0	4.2	15.2	79.6	
	7:20	10/28/2013	0.0	3.2	16.1	80.7	
	7:48	11/19/2013	0.0	4.2	15.2	80.6	
	7:20	12/2/2013	0.0	5.0	12.2	82.8	
	7:02	12/16/2013	0.0	5.4	12.7	81.9	
	7:00	12/27/2013	0.0	4.6	14.0	81.4	
	7:01	1/13/2014	0.0	1.2	17.6	81.2	
	7:05	1/30/2014	0.0	0.0	20.9	79.1	
	7:18	2/12/2014	0.0	0.0	20.9	79.1	
	7:35	2/24/2014	0.0	3.6	16.4	80.0	
	8:05	3/10/2014	0.0	2.8	15.6	81.6	
	8:02	3/24/2014	0.0	2.8	7.4	89.8	
	7:17	4/7/2014	0.0	0.2	19.3	80.5	
	7:40	4/22/2014	0.0	0.0	20.9	79.1	
	7:25	5/7/2014	0.0	0.8	18.9	80.3	
	7:35	5/19/2014	0.0	3.0	14.3	82.7	
	7:03	5/30/2014	0.0	4.6	12.1	83.3	
	7:20	6/16/2014	0.0	4.6	11.4	84.0	
	7:35	6/30/2014	0.2	8.4	4.7	86.7	
	7:45	7/14/2014	0.1	0.6	20.9	78.5	
	7:42	7/28/2014	0.0	5.6	13.1	81.3	
	8:10	8/11/2014	4.1	10.2	5.6	80.2	
	8:30	8/12/2014	5.0	11.2	5.3	78.5	
	7:12	8/25/2014	2.3	8.0	8.1	81.6	
	7:35	9/8/2014	0.1	6.2	11.4	82.3	
	7:18	9/22/2014	0.0	4.2	15.8	80.0	
	7:33	10/7/2014	0.0	3.4	16.0	80.6	
	7:32	10/20/2014	0.5	6.0	10.6	83.0	
	7:18	11/3/2014	0.0	8.2	8.0	83.8	
	7:15	11/17/2014	0.0	11.2	2.2	86.6	
	7:18	12/2/2014	0.0	6.8	8.5	84.7	
	7:05	12/15/2014	0.0	3.0	14.4	82.6	Blower Off
	7:08	12/18/2014	1.8	7.4	1.2	89.6	
	7:12	1/2/2015	0.1	1.2	19.2	79.5	
	7:08	1/16/2015	0.0	4.2	9.0	86.8	
	7:18	1/26/2015	0.0	4.0	9.8	86.2	
	7:18	2/9/2015	0.0	3.2	12.9	83.9	
	7:40	2/24/2015	0.0	6.8	5.9	87.3	
	8:10	3/9/2015	0.0	3.0	15.1	81.9	
	7:10	3/23/2015	0.0	2.6	15.5	81.9	
	7:18	4/8/2015	0.0	3.0	15.5	81.5	
	9:05	4/22/2015	0.0	0.0	20.9	79.1	
	7:05	5/4/2015	0.0	0.0	20.9	79.1	
7:15	5/18/2015	0.0	5.6	9.7	84.7		
7:04	6/1/2015	0.0	0.8	20.1	79.1		
7:15	6/15/2015	0.0	1.4	18.4	80.2		
7:18	6/29/2015	0.0	6.6	9.6	83.8		
7:12	7/14/2015	0.0	1.0	19.6	79.4		
7:08	7/27/2015	0.1	6.2	10.6	83.1		



Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages pre-startup
GP-2	9:00	3/22/2006	29.5	27.8	0.5	42.2	
	14:40	3/23/2006	29.1	24.5	0.8	45.6	
	14:20	3/30/2006	11.5	13.1	10.7	64.7	
	14:05	4/6/2006	10.3	12.6	10.2	66.9	
	14:15	4/11/2006	5.4	5.7	15.3	73.6	
	11:56	4/14/2006	6.8	12.1	8.7	72.4	
	11:00	4/17/2006	0.0	0.0	20.7	79.3	
	9:55	4/28/2006	0.0	0.1	20.7	79.2	
	14:15	5/4/2006	1.5	18.9	3.0	76.6	
	11:15	5/22/2006	0.0	0.0	20.5	79.5	
	12:49	6/2/2006	1.0	0.1	19.7	79.2	
	9:00	6/9/2006	1.9	0.5	20.4	77.2	
	13:20	6/14/2006	4.8	1.0	20.1	74.1	
	10:00	6/22/2006	0.6	0.2	20.4	78.8	
	12:34	7/5/2006	0.7	1.5	19.9	77.9	
	11:48	7/10/2006	0.7	0.8	19.6	78.9	
	11:15	7/17/2006	0.7	1.2	18.8	79.3	
	13:05	7/28/2006	0.5	0.7	19.1	79.7	
	10:50	8/8/2006	0.6	0.2	19.6	79.6	
	7:53	8/16/2006	0.1	0.0	19.9	80.0	
	7:40	8/21/2006	0.5	0.1	20.4	79.0	
	13:40	8/28/2006	0.0	0.0	20.2	79.8	
	10:50	9/13/2006	0.1	0.1	20.2	79.6	
	10:10	9/25/2006	0.6	9.5	13.7	76.2	
	7:45	10/10/2006	0.7	1.8	19.8	77.7	
	7:46	10/23/2006	0.7	3.9	18.0	77.4	
	13:24	11/2/2006	0.5	0.3	17.6	81.6	
	12:38	11/14/2006	0.1	5.2	15.7	79.1	
	10:51	11/27/2006	0.1	0.6	20.0	79.3	
	13:55	12/26/2006	0.3	6.2	14.5	79.1	
	12:25	1/27/2007	0.3	1.6	19.1	79.1	
	12:15	2/24/2007	0.3	3.6	16.5	79.7	
	16:05	3/28/2007	0.2	2.4	18.0	79.5	
	11:07	5/1/2007	0.0	3.8	15.2	81.0	
	12:17	5/30/2007	0.0	1.2	18.5	80.3	
	13:20	6/19/2007	0.1	7.6	11.5	80.9	
	11:20	8/13/2007	0.0	0.4	20.5	79.1	
	10:54	10/18/2007	0.1	1.0	18.8	80.1	
	13:10	1/23/2008	0.4	1.2	20.2	78.2	
	7:45	6/12/2008	0.0	2.2	18.6	79.2	
	11:05	7/12/2008	0.0	0.6	20.4	79.0	
	12:34	10/3/2008	0.0	0.6	20.9	78.5	
	11:40	10/13/2008	0.0	0.4	20.9	78.7	
	11:15	1/27/2009	0.3	1.8	20.3	77.6	
	10:46	4/9/2009	0.0	0.0	20.1	79.9	
	10:40	7/22/2009	0.0	0.8	18.9	80.3	
	10:05	10/28/2009	0.0	2.2	18.1	79.7	
	10:15	1/26/2010	0.3	3.0	17.1	79.7	
	11:39	5/25/2010	0.0	0.0	19.1	80.9	
	10:10	9/28/2010	0.0	2.4	17.1	80.5	
	11:10	1/25/2011	0.2	0.4	20.0	79.4	
	7:45	4/25/2011	0.2	3.0	17.4	79.4	
	7:37	7/13/2011	0.0	0.8	19.9	79.3	
	7:45	10/28/2011	0.0	1.0	20.0	79.0	
	9:26	1/25/2012	0.1	3.6	17.0	79.4	
9:35	4/2/2012	0.1	0.4	20.9	78.7		
11:00	7/25/2012	0.0	3.4	16.3	80.3		
11:30	10/15/2012	0.0	1.8	17.7	80.5		
10:10	1/15/2013	0.0	3.2	17.5	79.3		
7:45	4/29/2013	0.0	1.0	20.4	78.6		
9:35	7/22/2013	0.0	2.4	18.0	79.6		
9:05	10/14/2013	0.0	3.2	18.6	78.2		
11:39	4/22/2014	0.0	3.6	15.8	80.6		
8:00	4/22/2015	0.0	2.6	17.7	79.7		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages pre-startup
GP-3	7:49	3/22/2006	1.4	1.9	19.9	76.8	
	12:57	3/23/2006	0.6	1.2	19.3	78.9	
	15:20	3/23/2006	2.2	4.5	16.4	76.9	
	14:35	3/30/2006	2.1	7.6	11.5	78.8	
	14:30	4/6/2006	1.6	11.8	7.2	79.4	
	14:40	4/11/2006	0.4	4.0	15.6	80.0	
	12:11	4/14/2006	0.0	1.5	18.1	80.4	
	11:20	4/17/2006	1.4	0.2	20.7	77.7	
	10:50	4/28/2006	0.4	0.1	20.7	78.8	
	15:00	5/4/2006	0.0	0.0	20.4	79.6	
	11:38	5/22/2006	0.2	0.0	2.5	97.3	
	13:18	6/2/2006	0.2	0.0	20.2	79.6	
	9:09	6/9/2006	0.8	0.1	20.5	78.6	
	13:45	6/14/2006	1.1	0.1	20.4	78.4	
	11:25	6/22/2006	0.7	0.0	20.1	79.2	
	11:19	7/5/2006	0.6	0.0	20.0	79.4	
	10:37	7/10/2006	0.6	0.0	19.6	79.8	
	0:57	7/17/2006	0.1	0.0	19.0	80.9	
	12:25	7/28/2006	0.6	0.0	19.7	79.7	
	11:32	8/8/2006	0.6	0.0	19.6	79.8	
	7:35	8/16/2006	0.5	0.0	20.0	79.5	
	7:24	8/21/2006	0.0	0.0	20.3	79.7	
	13:26	8/28/2006	0.1	0.0	19.9	80.0	
	10:31	9/13/2006	0.0	0.3	20.3	79.4	
	9:56	9/25/2006	0.6	3.0	17.6	78.8	
	7:20	10/10/2006	0.5	0.9	19.8	78.8	
	7:36	10/23/2006	0.1	0.0	20.6	79.3	
	13:10	11/2/2006	0.5	0.4	20.8	78.3	
	13:00	11/14/2006	0.1	4.2	16.1	79.6	
	10:39	11/27/2006	0.1	0.4	19.4	80.2	
	13:58	12/26/2006	0.3	0.2	20.0	79.6	
	12:00	1/27/2007	0.1	0.0	19.6	80.4	
	12:30	2/24/2007	0.3	4.6	14.7	80.4	
	15:32	3/28/2007	0.1	0.0	19.9	80.0	
	10:57	5/1/2007	0.1	2.6	16.5	80.8	
	12:33	5/30/2007	0.0	0.4	18.9	80.7	
	13:30	6/19/2007	0.0	0.0	20.9	79.1	
	11:00	8/13/2007	0.0	0.0	20.9	79.1	
	10:00	10/18/2007	0.1	4.0	15.7	80.2	
	13:55	1/23/2008	0.4	0.8	20.6	78.3	
	7:05	6/12/2008	0.0	0.0	20.9	79.1	
	10:30	7/21/2008	0.0	0.0	20.9	79.1	
	12:16	10/3/2008	0.0	0.0	20.9	79.1	
	10:00	10/13/2008	0.0	0.0	20.9	79.1	
	7:50	1/27/2009	0.2	3.6	17.4	78.8	
	11:10	4/9/2009	0.0	0.0	20.2	79.8	
	8:40	7/22/2009	0.0	0.4	19.1	80.5	
	9:24	10/28/2009	0.0	0.2	19.5	80.3	
	8:09	1/26/2010	0.2	0.0	20.4	79.4	
	9:15	5/25/2010	0.0	0.0	19.1	80.9	
8:50	9/28/2010	0.0	1.8	17.2	81.0		
8:45	1/25/2011	0.2	0.2	19.8	79.8		
8:25	4/25/2011	0.2	4.6	14.9	80.3		
8:15	7/13/2011	0.0	0.0	20.1	79.9		
11:12	10/26/2011	0.0	0.2	20.4	79.4		
11:30	1/25/2012	0.1	4.2	15.4	80.3		
8:50	4/2/2012	0.0	0.0	20.9	79.1		
8:27	7/25/2012	0.0	2.4	15.4	82.2		
10:59	10/15/2012	0.0	0.0	19.0	81.0		
11:00	1/15/2013	0.0	3.8	15.3	80.9		
13:00	4/29/2013	0.0	1.2	19.3	79.5		
9:12	7/22/2013	0.0	2.0	18.3	79.7		
9:15	10/14/2013	0.0	0.6	20.3	79.1		
12:11	4/22/2014	0.0	0.0	20.9	79.1		
11:40	4/22/2015	0.0	0.0	20.9	79.1		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments
GP-4	9:11	3/22/2006	0.0	1.4	20.4	78.2	target percentages
	15:35	3/23/2006	0.0	0.8	19.8	79.4	pre-startup
	15:40	3/30/2006	0.5	0.8	21.8	76.9	
	14:40	4/6/2006	0.8	1.3	18.9	79.0	
	14:35	4/11/2006	0.2	0.9	19.2	79.7	
	12:18	4/14/2006	0.0	1.3	18.1	80.6	
	11:35	4/17/2006	1.3	0.8	20.4	77.5	
	10:40	4/28/2006	0.0	0.5	20.2	79.3	
	15:10	5/4/2006	1.3	0.6	13.2	84.9	
	11:50	5/22/2006	0.1	0.2	20.4	79.3	
	13:10	6/2/2006	0.2	0.8	19.1	79.9	
	9:12	6/9/2006	3.4	1.2	20.2	75.2	
	14:00	6/14/2006	0.0	0.0	19.9	80.1	
	10:39	6/22/2006	6.0	18.8	6.4	68.8	
	11:26	7/5/2006	0.6	0.6	20.0	78.8	
	10:43	7/10/2006	0.4	3.8	19.9	75.9	
	10:08	7/17/2006	0.9	0.6	19.6	78.9	
	12:34	7/28/2006	0.6	0.4	19.6	79.4	
	9:21	8/8/2006	0.6	0.3	19.7	79.4	
	7:42	8/16/2006	0.5	0.7	19.9	78.9	
	7:28	8/21/2006	0.4	0.5	20.0	79.1	
	13:31	8/28/2006	0.5	0.5	20.1	78.9	
	10:35	9/13/2006	0.7	0.6	20.2	78.5	
	9:59	9/25/2006	0.1	0.2	19.1	80.6	
	7:24	10/10/2006	0.6	0.5	20.3	78.6	
	7:40	10/23/2006	0.4	0.0	20.4	79.2	
	13:17	11/2/2006	0.5	0.2	21.0	78.3	
	13:11	11/14/2006	0.2	1.4	19.0	79.5	
	10:42	11/27/2006	0.1	0.6	19.7	79.7	
	14:04	12/26/2006	0.3	0.8	19.6	79.4	
	12:09	1/27/2007	0.1	0.4	19.6	79.9	
	12:38	2/24/2007	0.4	1.0	19.4	79.3	
	15:40	3/28/2007	0.1	0.2	19.8	79.9	
	10:50	5/1/2007	0.0	1.2	18.2	80.6	
	12:37	5/30/2007	0.0	1.8	17.5	80.7	
	13:40	6/19/2007	0.0	0.8	20.0	79.2	
	11:05	8/13/2007	0.0	0.6	20.6	78.8	
	10:10	10/18/2007	0.1	1.2	17.9	80.8	
	13:25	1/23/2008	0.3	0.4	20.9	78.4	
	7:25	6/12/2008	0.0	0.2	20.9	78.9	
	10:45	7/21/2008	0.0	1.2	19.2	79.6	
	11:18	10/3/2008	0.0	0.0	20.9	79.1	
	10:05	10/13/2008	0.0	1.2	19.7	79.1	
	7:05	1/27/2009	0.1	1.4	20.1	78.5	
	11:15	4/9/2009	0.0	0.6	19.4	80.0	
	10:37	7/22/2009	0.0	0.6	18.9	80.5	
	9:33	10/28/2009	0.0	0.6	19.3	80.1	
	8:14	1/26/2010	0.3	0.2	20.5	79.1	
	8:11	5/25/2010	0.1	0.8	18.5	80.7	
	9:05	9/28/2010	0.0	2.2	16.6	81.2	
	7:20	1/25/2011	0.0	0.0	19.6	80.4	
	7:30	4/25/2011	0.2	1.6	18.9	79.3	
	7:18	7/13/2011	0.0	1.0	19.4	79.6	
	11:15	10/26/2011	0.0	0.8	20.4	78.8	
	7:17	1/25/2012	0.1	1.0	19.1	79.8	
	9:15	4/2/2012	0.1	0.0	20.9	79.0	
	7:51	7/25/2012	0.0	1.2	18.2	80.6	
	11:08	10/15/2012	0.0	0.6	18.7	80.7	
	11:10	1/15/2013	0.0	2.4	18.4	79.2	
	8:06	4/29/2013	0.0	2.2	18.7	79.1	
9:20	7/22/2013	0.0	2.2	17.6	80.2		
9:25	10/14/2013	0.0	1.2	20.9	77.9		
12:20	4/22/2014	0.0	1.8	17.9	80.3		
7:45	4/22/2015	0.0	1.2	20.3	78.5		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages
GP-5	9:13	3/22/2006	0.0	4.4	17.6	78.0	pre-startup
	14:15	3/23/2006	0.0	4.2	17.6	78.2	
	14:05	3/30/2006	1.2	2.5	18.8	77.5	
	13:40	4/6/2006	1.1	3.0	17.9	78.0	
	13:45	4/11/2006	0.7	2.7	17.5	79.1	
	12:50	4/14/2006	0.1	3.5	15.4	81.0	
	10:30	4/17/2006	0.0	3.6	16.2	80.2	
	10:35	4/28/2006	2.2	7.0	13.0	77.8	
	10:40	5/22/2006	1.5	8.5	11.2	78.8	
	12:25	6/2/2006	0.1	7.2	9.4	83.3	
	8:45	6/9/2006	0.1	0.3	10.5	89.1	
	12:18	6/14/2006	0.1	0.0	9.1	90.8	
	11:18	6/22/2006	0.7	10.7	10.5	78.1	
	11:51	7/5/2006	0.6	11.9	11.1	76.4	
	11:17	7/10/2006	0.7	12.0	10.1	77.2	
	10:22	7/17/2006	0.8	11.9	11.1	76.2	
	8:24	7/28/2006	0.6	10.1	11.5	77.8	
	10:16	8/8/2006	0.6	11.8	10.1	77.5	
	8:35	8/16/2006	0.8	10.0	10.5	78.7	
	8:02	8/21/2006	0.5	0.8	10.9	87.8	
	13:54	8/28/2006	0.6	11.3	13.3	74.8	
	11:07	9/13/2006	0.1	0.0	13.4	86.5	
	10:26	9/25/2006	0.0	0.0	13.4	86.6	
	8:52	10/10/2006	0.7	8.9	14.4	76.0	
	8:00	10/23/2006	0.3	1.4	15.5	82.8	
	14:37	11/2/2006	0.3	7.2	14.0	78.5	
	13:25	11/14/2006	0.2	6.0	14.9	78.9	
	11:10	11/27/2006	0.2	5.2	15.7	79.0	
	12:35	12/26/2006	0.1	4.8	15.7	79.5	
	13:09	1/27/2007	0.4	5.4	15.8	78.4	
	10:55	2/24/2007	0.4	4.2	17.3	78.2	
	17:30	3/28/2007	0.3	3.4	16.6	79.8	
	10:22	5/1/2007	0.1	3.4	14.0	82.5	
	12:40	5/30/2007	0.0	6.4	9.9	83.7	
	16:25	6/19/2007	0.0	7.4	12.1	80.5	
	11:39	8/13/2007	0.0	8.4	11.8	79.8	
	10:20	10/18/2007	0.1	9.6	9.4	80.9	
	13:12	1/23/2008	0.3	5.6	15.7	78.4	
	9:00	6/12/2008	0.0	6.0	9.7	84.3	
	12:05	7/21/2008	0.0	10.6	7.7	81.7	
	11:55	10/3/2008	0.0	8.2	12.7	79.1	
	11:08	10/13/2008	0.0	6.6	14.1	79.3	
	7:10	1/27/2009	0.2	3.2	14.0	82.7	
	11:02	4/9/2009	0.0	2.8	16.8	80.4	
	7:30	7/22/2009	0.0	7.8	13.0	79.2	
	10:20	10/28/2009	0.0	5.6	14.4	80.0	
	9:05	1/26/2010	0.3	4.8	16.2	78.8	
	8:40	5/25/2010	0.0	6.4	9.5	84.1	
	11:00	9/28/2010	0.0	8.8	11.6	79.6	
	8:04	1/25/2011	0.2	4.4	17.0	78.4	
10:35	4/25/2011	0.2	3.0	16.0	80.8		
6:28	7/13/2011	0.0	9.4	10.7	79.9		
12:05	10/26/2011	0.0	6.6	15.5	77.9		
10:25	1/25/2012	0.1	4.8	14.9	80.2		
10:48	4/2/2012	0.1	3.8	16.3	79.6		
10:24	7/25/2012	0.0	7.0	11.9	81.1		
9:00	10/15/2012	0.0	4.8	15.2	80.0		
11:18	1/15/2013	0.0	4.6	16.9	78.5		
10:08	4/29/2013	0.0	2.0	16.4	81.6		
8:15	7/22/2013	0.0	9.2	7.4	83.4		
7:54	10/14/2013	0.0	6.8	14.9	78.3		
7:50	4/22/2014	0.0	1.8	17.7	80.5		
9:04	4/22/2015	0.0	2.6	17.6	79.8		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages
GP-6	7:45	3/22/2006	0.0	6.1	13.9	80.0	pre-startup
	15:55	3/23/2006	0.0	4.9	16.3	78.8	
	15:15	3/30/2006	0.0	1.7	18.3	80.0	
	14:25	4/6/2006	0.0	2.8	16.9	80.3	
	14:30	4/11/2006	0.7	2.8	17.3	79.2	
	12:04	4/14/2006	0.0	3.8	14.6	81.6	
	11:15	4/17/2006	10.4	2.3	17.6	69.7	
	10:30	4/28/2006	0.0	2.5	18.3	79.2	
	14:30	5/4/2006	0.0	2.7	17.9	79.4	
	11:30	5/22/2006	3.8	3.9	18.1	74.2	
	13:04	6/2/2006	0.2	2.4	17.2	80.2	
	9:25	6/9/2006	0.1	0.8	17.7	81.4	
	14:10	6/14/2006	1.3	3.3	16.8	78.6	
	9:50	6/22/2006	0.5	3.1	17.3	79.1	
	11:13	7/5/2006	0.5	3.6	17.1	78.8	
	10:34	7/10/2006	0.6	3.9	16.7	78.8	
	9:58	7/17/2006	0.1	0.6	16.8	82.5	
	12:10	7/28/2006	0.6	3.6	16.5	79.3	
	9:05	8/8/2006	0.6	3.5	17.0	78.9	
	7:29	8/16/2006	0.1	0.0	17.2	82.7	
	7:18	8/21/2006	0.5	3.6	18.1	77.8	
	13:21	8/28/2006	0.0	0.0	18.1	81.9	
	10:20	9/13/2006	0.6	1.0	19.1	79.3	
	11:05	9/25/2006	0.7	2.6	18.5	78.2	
	7:30	10/10/2006	0.8	2.3	19.7	77.2	
	7:34	10/23/2006	0.9	2.4	14.4	82.3	
	13:05	11/2/2006	2.4	0.8	19.7	77.1	
	13:14	11/14/2006	0.2	3.0	17.9	78.9	
	10:35	11/27/2006	0.1	0.6	19.6	79.8	
	14:20	12/28/2006	0.3	3.0	18.0	78.7	
	13:45	1/27/2007	0.2	3.4	17.0	79.5	
	12:45	2/24/2007	0.4	3.0	18.1	78.5	
	16:00	3/28/2007	0.2	2.4	18.0	79.5	
	10:45	5/1/2007	0.1	3.0	16.4	80.5	
	12:23	5/30/2007	0.0	3.2	15.8	81.0	
	16:15	6/19/2007	0.0	2.4	17.8	79.8	
	10:54	8/13/2007	0.1	2.6	18.5	78.9	
	11:14	10/18/2007	0.1	3.4	16.4	80.1	
	11:28	1/23/2008	0.0	3.0	18.0	79.0	
	6:55	6/12/2008	0.0	2.6	17.8	79.6	
	11:00	7/21/2008	0.0	3.0	15.5	81.5	
	12:53	10/3/2008	0.0	3.8	17.7	78.5	
	9:55	10/13/2008	0.0	3.4	18.2	78.4	
	10:05	1/27/2009	0.2	3.0	18.4	78.4	
	10:58	4/9/2009	0.0	3.2	16.6	80.2	
	10:20	7/22/2009	0.0	3.6	17.1	79.3	
	9:10	10/28/2009	0.0	2.6	17.2	80.2	
	8:00	1/26/2010	0.1	3.0	17.4	79.6	
	8:18	5/25/2010	0.0	2.4	16.5	81.1	
	8:42	9/28/2010	0.0	4.2	14.6	81.2	
	11:25	1/25/2011	0.2	0.4	20.0	79.4	
	7:00	4/25/2011	0.1	3.0	17.2	79.7	
	7:32	7/13/2011	0.0	2.8	17.1	80.1	
	7:25	10/26/2011	0.0	3.0	18.3	78.7	
	7:08	1/25/2012	0.1	1.2	18.8	79.9	
	8:40	4/2/2012	0.1	0.2	20.9	78.8	
	8:01	7/25/2012	0.0	2.4	17.7	79.9	
	10:38	10/15/2012	0.0	1.8	18.1	80.1	
	8:50	1/15/2013	0.0	2.8	18.0	79.2	
	7:58	4/29/2013	0.0	2.4	17.8	79.8	
9:46	7/22/2013	0.0	3.0	16.7	80.3		
9:45	10/14/2013	0.0	2.4	19.6	78.0		
10:25	4/22/2014	0.0	2.4	17.5	80.1		
7:35	4/22/2015	0.0	2.6	18.9	78.5		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages
GP-7	7:40	3/22/2006	1.0	7.0	13.0	79.0	pre-startup
	15:50	3/23/2006	0.1	5.0	14.7	80.2	
	15:00	3/30/2006	7.1	4.6	18.2	70.1	
	14:20	4/6/2006	0.1	2.3	17.0	80.6	
	14:25	4/11/2006	0.2	3.2	16.3	80.3	
	12:07	4/14/2006	0.1	5.2	11.8	82.9	
	10:15	4/17/2006	10.5	1.3	18.5	69.7	
	10:25	4/28/2006	0.0	1.7	19.2	79.1	
	14:25	5/4/2006	1.2	2.2	18.8	77.8	
	11:22	5/22/2006	0.0	1.0	19.5	79.5	
	13:00	6/2/2006	0.2	1.6	18.5	79.7	
	9:20	6/9/2006	3.7	2.4	20.0	73.9	
	14:05	6/14/2006	3.1	2.5	19.2	75.2	
	9:45	6/22/2006	0.5	1.7	19.1	78.7	
	11:10	7/5/2006	0.5	1.5	19.3	78.7	
	10:30	7/10/2006	0.0	0.0	18.6	81.4	
	9:55	7/17/2006	0.1	0.0	18.5	81.4	
	12:05	7/28/2006	0.0	3.7	18.5	77.8	
	9:00	8/8/2006	0.6	1.3	19.0	79.1	
	7:25	8/16/2006	0.5	1.5	19.2	78.8	
	7:16	8/21/2006	0.5	1.4	19.8	78.3	
	13:19	8/28/2006	0.4	1.2	19.5	78.9	
	10:19	9/13/2006	0.6	1.3	19.9	78.2	
	11:03	9/25/2006	1.8	2.2	17.7	78.3	
	7:28	10/10/2006	0.7	1.4	19.5	78.4	
	7:32	10/23/2006	3.0	2.8	19.0	75.2	
	13:00	11/2/2006	0.5	1.6	19.8	78.1	
	13:18	11/14/2006	0.2	3.2	17.2	79.4	
	10:30	11/27/2006	0.0	1.2	19.0	79.8	
	14:15	12/26/2006	0.3	2.6	18.0	79.1	
	13:40	1/27/2007	0.1	3.4	16.7	79.9	
	12:40	2/24/2007	0.4	3.2	17.2	79.2	
	15:55	3/28/2007	0.1	1.2	18.9	79.8	
	10:43	5/1/2007	0.1	3.6	15.1	81.2	
	12:26	5/30/2007	0.0	3.6	15.6	80.8	
	18:20	6/19/2007	0.0	2.6	17.5	79.9	
	10:50	8/13/2007	0.1	1.4	19.3	79.3	
	11:10	10/18/2007	0.1	3.6	15.5	80.8	
	11:24	1/23/2008	0.0	3.2	17.6	79.2	
	10:48	6/12/2008	0.0	1.4	18.4	80.2	
	10:55	7/21/2008	0.0	2.6	17.3	80.1	
	12:50	10/3/2008	0.0	1.8	19.6	78.6	
	9:50	10/13/2008	0.1	1.6	19.4	79.0	
	10:00	1/27/2009	0.2	3.0	18.2	78.6	
	10:58	4/9/2009	0.0	3.2	16.6	80.2	
	10:15	7/22/2009	0.0	0.4	19.1	80.5	
	9:05	10/28/2009	0.0	1.4	18.2	80.4	
	7:50	1/26/2010	0.0	0.4	20.0	79.6	
	8:14	5/25/2010	0.0	1.8	17.7	80.5	
	8:35	9/28/2010	0.0	4.0	14.3	81.7	
	11:20	1/25/2011	0.2	0.4	20.0	79.4	
	8:55	4/25/2011	0.1	3.2	16.6	80.1	
	7:29	7/13/2011	0.0	1.4	19.1	79.5	
	7:20	10/28/2011	0.0	0.6	19.9	79.5	
7:05	1/25/2012	0.1	2.0	18.0	79.9		
8:35	4/2/2012	0.0	2.4	18.3	79.3		
7:59	7/25/2012	0.0	1.8	17.4	80.8		
10:30	10/15/2012	0.0	1.6	18.0	80.4		
8:37	1/15/2013	0.0	3.2	17.1	79.7		
7:55	4/29/2013	0.0	3.2	16.2	80.6		
9:52	7/22/2013	0.0	2.6	17.6	79.8		
9:40	10/14/2013	0.0	1.4	20.5	78.1		
10:21	4/22/2014	0.0	2.8	16.4	80.8		
7:30	4/22/2015	0.0	2.0	19.0	79.0		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages pre-startup
GP-8	9:03	3/22/2006	0.0	2.4	18.6	79.0	
	14:50	3/23/2006	0.0	1.9	18.6	79.5	
	14:55	3/30/2006	3.0	7.2	14.8	75.0	
	14:10	4/6/2006	0.0	7.0	10.9	82.1	
	14:20	4/11/2006	0.0	4.8	13.6	81.6	
	12:25	4/14/2006	0.0	5.4	12.2	82.4	
	11:10	4/17/2006	0.0	0.1	20.7	79.2	
	10:00	4/28/2006	0.0	0.2	20.4	79.4	
	14:20	5/4/2006	0.0	0.2	19.3	80.5	
	11:18	5/22/2006	0.6	0.1	20.4	78.9	
	12:55	6/2/2006	0.2	0.7	19.3	79.8	
	9:03	6/9/2006	2.4	0.6	20.3	76.7	
	13:37	6/14/2006	4.0	1.6	19.6	74.8	
	9:55	6/22/2006	0.5	0.5	19.8	79.2	
	12:27	7/5/2006	1.6	0.9	19.6	77.9	
	11:45	7/10/2006	0.7	1.2	19.2	78.9	
	11:10	7/17/2006	0.6	2.3	17.7	79.4	
	12:45	7/28/2006	0.6	0.8	19.0	79.6	
	10:58	8/8/2006	17.8	1.3	19.1	61.8	
	7:47	8/16/2006	0.1	0.2	19.5	80.2	
	7:33	8/21/2006	0.8	1.3	19.6	78.3	
	13:35	8/28/2006	0.0	0.0	19.1	80.9	
	10:47	9/13/2006	0.0	0.0	20.1	79.9	
	10:06	9/25/2006	0.0	0.0	17.5	82.5	
	7:26	10/10/2006	0.1	0.0	19.3	80.6	
	7:44	10/23/2006	0.7	1.4	19.6	78.3	
	13:20	11/2/2006	3.7	0.3	20.5	75.5	
	13:04	11/14/2006	0.1	4.2	15.1	80.6	
	10:45	11/27/2006	0.1	0.6	19.4	79.9	
	14:09	12/26/2006	0.3	0.8	19.2	79.7	
	12:15	1/27/2007	0.2	0.0	19.7	80.1	
	12:20	2/24/2007	0.3	5.2	12.8	81.8	
	15:47	3/28/2007	0.1	0.6	19.6	79.7	
	11:00	5/1/2007	0.0	8.5	7.6	83.9	
	12:20	5/30/2007	0.0	3.4	15.2	81.4	
	13:25	6/19/2007	0.0	0.6	20.2	79.2	
	11:10	8/13/2007	0.0	1.0	19.8	79.2	
	11:05	10/18/2007	0.1	6.0	11.5	82.4	
	11:38	1/23/2008	0.1	1.0	19.2	79.8	
	7:35	6/12/2008	0.0	0.6	20.7	78.7	
	10:50	7/21/2008	0.0	1.0	19.3	79.7	
	12:45	10/3/2008	0.0	0.4	20.9	78.7	
	10:10	10/13/2008	0.0	1.4	19.4	79.2	
	10:10	1/27/2009	0.3	1.8	19.0	78.9	
	10:51	4/9/2009	0.0	0.4	19.4	80.2	
	10:27	7/22/2009	0.0	0.8	18.8	80.4	
	10:00	10/28/2009	0.0	1.8	17.8	80.4	
	9:30	1/26/2010	0.3	0.4	20.0	79.4	
	8:25	5/25/2010	0.0	1.0	18.4	80.6	
	9:11	9/28/2010	0.0	5.4	12.7	81.9	
11:15	1/25/2011	0.2	0.4	20.0	79.4		
7:40	4/25/2011	0.2	4.4	14.4	81.0		
7:23	7/13/2011	0.0	0.8	19.2	80.0		
7:30	10/26/2011	0.0	0.8	20.4	78.8		
7:27	1/25/2012	0.1	1.6	18.7	79.6		
9:25	4/2/2012	0.1	1.0	20.4	78.5		
11:07	7/25/2012	0.0	3.0	16.0	81.0		
11:15	10/15/2012	0.0	1.0	18.3	80.7		
8:59	1/15/2013	0.0	3.2	16.8	80.0		
7:49	4/29/2013	0.0	3.6	15.3	81.1		
9:30	7/22/2013	0.0	3.0	16.5	80.5		
9:10	10/14/2013	0.0	2.2	18.4	79.4		
12:06	4/22/2014	0.0	3.6	15.0	81.4		
7:50	4/22/2015	0.0	3.0	17.2	79.8		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages pre-startup
GP-10	8:58	3/22/2006	0.0	4.5	15.4	80.1	
	14:42	3/23/2006	0.0	4.3	15.5	80.2	
	14:50	3/30/2006	0.0	1.6	18.7	79.7	
	14:15	4/6/2006	0.0	2.3	17.1	80.6	
	13:55	4/11/2006	0.0	1.5	18.3	80.2	
	11:54	4/14/2006	0.0	1.9	17.4	80.7	
	10:50	4/17/2006	0.0	3.0	16.5	80.5	
	9:50	4/28/2006	0.0	3.6	15.0	81.4	
	14:00	5/4/2006	0.0	3.4	15.4	81.2	
	11:04	5/22/2006	0.0	1.3	19.0	79.7	
	12:45	6/2/2006	0.1	1.8	17.6	80.5	
	8:55	6/9/2006	0.7	0.9	19.6	78.8	
	13:15	6/14/2006	0.0	0.0	17.7	82.3	
	10:05	6/22/2006	0.6	0.8	19.9	78.7	
	12:38	7/5/2006	0.6	5.3	14.9	79.2	
	11:50	7/10/2006	0.6	5.5	14.6	79.3	
	11:19	7/17/2006	0.6	1.4	19.4	78.6	
	13:09	7/28/2006	0.6	1.0	19.2	79.2	
	11:11	8/8/2006	0.6	4.7	14.7	80.0	
	7:58	8/16/2006	0.1	0.2	16.4	83.3	
	7:44	8/21/2006	0.4	3.5	17.3	78.8	
	13:42	8/28/2006	0.0	0.0	17.7	82.3	
	10:53	9/13/2006	0.6	2.4	18.6	78.4	
	10:12	9/25/2006	0.7	5.5	16.0	77.8	
	7:48	10/10/2006	0.7	5.3	19.2	74.8	
	7:48	10/23/2006	0.6	5.0	17.5	76.9	
	13:31	11/2/2006	0.6	4.3	17.3	77.8	
	12:35	11/14/2006	0.1	4.2	16.3	79.5	
	10:55	11/27/2006	0.1	4.0	16.8	79.1	
	13:50	12/26/2006	0.3	4.2	16.7	78.9	
	12:35	1/27/2007	0.3	4.0	17.2	78.5	
	12:10	2/24/2007					sampling port clogged with ice
	16:10	3/28/2007	0.2	3.2	17.5	79.2	
	11:10	5/1/2007	0.0	3.8	15.7	80.5	
	12:15	5/30/2007	0.0	3.4	16.0	80.6	
	13:15	6/19/2007	0.1	1.8	18.7	79.5	
	11:24	8/13/2007	0.0	1.0	19.4	79.6	
	10:50	10/18/2007	0.1	2.4	16.9	80.6	
	14:20	1/23/2008	0.4	2.8	18.8	78.0	
	7:55	6/12/2008	0.0	4.0	16.0	80.0	
	11:15	7/21/2008	0.0	4.6	12.6	82.8	
	12:30	10/3/2008	0.0	5.0	16.4	78.6	
	11:50	10/13/2008	0.0	4.6	16.4	79.0	
	11:30	1/27/2009	0.3	3.4	18.2	78.1	
	10:41	4/9/2009	0.0	3.2	16.6	80.2	
	10:47	7/22/2009	0.0	2.8	17.2	80.0	
	10:05	10/28/2009	0.0	2.8	17.5	79.7	
	10:30	1/26/2010	0.3	0.8	19.6	79.3	
	11:50	5/25/2010	0.0	0.4	19.0	80.6	
	10:16	9/28/2010	0.0	1.8	17.7	80.5	
	11:00	1/25/2011	0.2	0.4	20.0	79.4	
	7:50	4/25/2011	0.2	3.4	17.0	79.4	
	7:41	7/13/2011	0.0	1.4	19.2	79.4	
	7:50	10/28/2011	0.0	2.4	19.2	78.4	
	9:45	1/25/2012	0.1	4.4	16.2	79.3	
	9:45	4/2/2012	0.1	4.2	17.0	78.7	
	10:52	7/25/2012	0.0	4.0	15.7	80.3	
10:21	10/15/2012	0.0	3.2	15.0	81.8		
10:20	1/15/2013	0.0	3.0	17.5	79.5		
7:43	4/29/2013	0.0	3.0	17.1	79.9		
8:33	7/22/2013	0.0	4.8	13.5	81.7		
9:00	10/14/2013	0.0	3.6	17.9	78.5		
11:29	4/22/2014	0.0	3.2	17.2	79.6		
7:55	4/22/2015	0.0	3.6	17.1	79.3		



Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub> (%) variable	CO <sub>2</sub> (%) variable	O <sub>2</sub> (%) <5	N (%) <40	Comments target percentages pre-startup
GP-11	9:09	3/22/2006	0.0	3.5	17.6	78.9	
	14:27	3/23/2006	0.0	3.4	17.6	79.0	
	14:40	3/30/2006	0.0	0.8	19.7	79.5	
	13:55	4/6/2006	0.0	1.7	18.0	80.3	
	14:00	4/11/2006	0.0	0.7	19.8	79.5	
	11:43	4/14/2006	0.0	0.5	18.9	80.6	
	10:55	4/17/2006	0.3	0.1	20.4	79.2	
	7:30	4/28/2006	0.0	0.7	20.2	79.1	
	14:05	5/4/2006	0.0	0.0	19.9	80.1	
	11:07	5/22/2006	2.6	0.3	20.4	76.7	
	12:34	6/2/2006	1.0	0.1	20.4	78.5	
	9:45	6/9/2006	4.9	0.6	20.2	74.3	
	13:23	6/14/2006	0.8	0.3	20.0	78.9	
	10:10	6/22/2006	0.6	0.0	20.4	79.0	
	12:41	7/5/2006	0.5	1.4	18.5	79.6	
	11:55	7/10/2006	0.6	2.5	18.6	78.3	
	11:21	7/17/2006	0.5	1.5	18.1	79.9	
	13:15	7/28/2006	0.1	0.2	18.2	81.5	
	10:36	8/8/2006	0.6	2.2	17.8	79.4	
	8:01	8/16/2006	0.1	0.0	17.9	82.0	
	7:46	8/21/2006	0.5	2.4	19.0	78.1	
	13:45	8/28/2006	0.6	2.6	18.6	78.2	
	10:55	9/13/2006	0.1	2.7	19.2	78.0	
	10:14	9/25/2006	0.7	2.1	19.0	78.2	
	8:00	10/10/2006	0.7	2.0	18.5	78.8	
	7:52	10/23/2006	0.7	1.0	20.6	77.7	
	13:34	11/2/2006	0.6	1.5	19.8	78.1	
	12:44	11/14/2006	0.1	2.0	18.4	79.6	
	10:58	11/27/2006	0.1	1.0	19.6	79.3	
	13:40	12/26/2006	0.3	2.0	18.4	79.4	
	12:41	1/27/2007	0.4	2.6	18.2	78.9	
	11:10	2/24/2007	0.4	2.6	18.1	78.9	
	16:14	3/28/2007	0.2	2.6	17.8	79.5	
	11:15	5/1/2007	0.0	3.4	15.9	80.7	
	12:06	5/30/2007	0.0	3.0	16.8	80.2	
	13:05	6/19/2007	0.1	2.8	18.3	78.8	
	11:27	8/13/2007	0.0	2.2	18.8	79.0	
	10:34	10/18/2007	0.1	2.8	17.0	80.1	
	12:10	1/23/2008	0.2	2.4	19.2	78.2	
	8:05	6/12/2008	0.0	2.6	18.0	79.4	
	11:20	7/21/2008	0.0	3.4	16.6	80.0	
	12:23	10/3/2008	0.0	2.0	19.4	78.6	
	12:00	10/13/2008	0.0	2.2	19.1	78.7	
	10:45	1/27/2009	0.3	3.0	18.5	78.2	
	9:50	4/9/2009	0.0	3.4	16.8	79.8	
	10:53	7/22/2009	0.0	2.0	18.1	79.9	
	10:11	10/28/2009	0.0	2.4	17.9	79.7	
	9:15	1/26/2010	0.3	2.6	18.5	78.6	
	8:30	5/25/2010	0.0	3.2	16.5	80.3	
	10:25	9/28/2010	0.0	3.0	16.8	80.2	
	10:29	1/25/2011	0.2	3.6	16.6	79.6	
	7:55	4/25/2011	0.2	4.0	17.2	78.6	
6:47	7/13/2011	0.0	2.8	18.3	78.9		
10:10	10/26/2011	0.0	3.0	18.5	78.5		
7:40	1/25/2012	0.1	2.6	18.4	78.9		
9:55	4/2/2012	0.1	3.6	17.9	78.4		
10:39	7/25/2012	0.0	1.8	17.9	80.3		
10:05	10/15/2012	0.0	1.6	18.2	80.2		
7:40	1/15/2013	0.0	2.2	19.1	78.7		
7:35	4/29/2013	0.0	2.6	17.4	80.0		
8:40	7/22/2013	0.0	2.4	18.5	79.1		
8:36	10/14/2013	0.0	1.8	20.8	77.4		
11:46	4/22/2014	0.0	3.4	16.8	79.8		
13:05	4/22/2015	0.0	1.8	19.5	78.7		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub>	CO <sub>2</sub>	O <sub>2</sub>	N	Comments
			(%) variable	(%) variable	(%) <5	(%) <40	
GP-12	9:06	3/22/2006	0.0	5.7	13.0	81.3	target percentages
	14:22	3/23/2006	0.0	5.5	13.2	81.3	pre-startup
	14:20	3/30/2006	0.0	2.6	17.7	79.7	
	13:50	4/6/2006	0.2	2.1	17.3	80.4	
	13:50	4/11/2006	0.0	2.5	17.1	80.4	
	11:40	4/14/2006	0.0	2.5	15.5	82.0	
	10:45	4/17/2006	1.4	3.7	18.4	76.5	
	12:20	4/28/2006	0.0	2.4	18.0	79.6	
	13:54	5/4/2006	0.0	0.0	17.3	82.7	
	11:00	5/22/2006	1.4	2.7	17.5	78.4	
	12:28	6/2/2006	0.1	1.8	17.4	80.7	
	8:50	6/9/2006	0.9	2.1	19.2	77.8	
	13:10	6/14/2006	0.1	0.0	17.5	82.4	
	10:20	6/22/2006	0.5	2.2	18.2	79.1	
	11:57	7/5/2006	0.6	2.2	18.2	79.0	
	11:22	7/10/2006	0.6	2.7	18.2	78.5	
	10:39	7/17/2006	0.7	2.6	17.5	79.2	
	13:28	7/28/2006	0.6	1.5	18.2	79.7	
	11:22	8/6/2006	0.6	2.6	17.5	79.3	
	8:58	8/16/2006	4.1	18.6	10.0	67.3	
	8:44	8/21/2006	0.6	3.2	18.5	77.7	
	14:26	8/28/2006	0.0	0.0	19.4	80.6	
	11:42	9/13/2006	0.1	0.9	17.9	81.1	
	11:40	9/25/2006	0.8	3.4	16.8	79.0	
	8:47	10/10/2006	0.7	3.8	17.6	77.9	
	8:50	10/23/2006	0.7	4.1	16.4	78.8	
	14:55	11/2/2006	3.9	14.0	7.7	74.5	
	15:30	11/14/2006	0.3	3.6	16.7	79.5	
	11:05	11/27/2006	0.2	2.4	18.0	79.5	
	13:35	12/26/2006	0.3	3.8	15.7	80.3	
	13:18	1/27/2007	0.4	3.8	15.7	80.1	
	12:00	2/24/2007	0.2	3.2	16.6	80.0	
	17:40	3/28/2007	0.2	3.4	16.4	80.0	
	10:30	5/1/2007	0.1	2.6	16.1	81.3	
	12:02	5/30/2007	0.0	2.8	16.0	81.2	
	16:30	6/19/2007	0.0	2.8	18.1	79.1	
	11:35	8/13/2007	0.0	2.6	18.3	79.1	
	10:26	10/18/2007	0.1	4.0	15.2	80.7	
	13:08	1/23/2008	0.3	7.2	12.2	80.3	
	9:10	6/12/2008	0.0	2.4	17.1	80.5	
	11:45	7/21/2008	0.0	2.6	17.0	80.4	
	12:00	10/3/2008	0.0	4.0	17.6	78.4	
	11:30	10/13/2008	0.0	3.0	18.0	79.0	
	7:15	1/27/2009	0.2	5.6	15.3	78.9	
	9:44	4/9/2009	0.0	3.4	15.8	80.8	
	7:35	7/22/2009	0.0	2.4	17.9	79.7	
	11:15	10/28/2009	0.0	3.2	16.4	80.4	
	9:10	1/26/2010	0.3	5.2	14.9	79.7	
	11:55	5/25/2010	0.0	2.4	16.1	81.5	
	11:10	9/28/2010	0.0	4.0	15.3	80.7	
	8:19	1/25/2011	0.3	5.4	14.6	79.7	
	11:00	4/25/2011	0.1	3.2	16.1	80.6	
	6:35	7/13/2011	0.0	2.4	17.5	80.1	
	11:30	10/26/2011	0.0	3.6	17.8	78.6	
	10:35	1/25/2012	0.1	4.6	14.8	80.5	
	11:00	4/2/2012	0.1	3.2	16.1	80.6	
10:32	7/25/2012	0.0	2.6	16.9	80.5		
9:08	10/15/2012	0.0	3.2	16.1	80.7		
11:30	1/15/2013	0.0	5.4	13.6	81.0		
8:12	4/29/2013	0.0	3.2	16.0	80.8		
8:24	7/22/2013	0.0	3.2	16.8	80.0		
8:10	10/14/2013	0.0	3.2	16.6	78.2		
7:58	4/22/2014	0.0	2.6	17.8	79.6		
9:15	4/22/2015	0.0	3.4	17.8	78.8		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub>	CO <sub>2</sub>	O <sub>2</sub>	N	Comments
			(%) variable	(%) variable	(%) <5	(%) <40	
MW-101	9:24	3/23/2006	2.9	18.1	0.8	78.2	target percentages
	14:25	3/30/2006	1.0	8.0	10.9	80.1	pre-startup
	14:00	4/6/2006	0.8	0.2	20.0	79.0	
	14:05	4/11/2006	0.0	0.0	20.3	79.7	
	11:50	4/14/2006	0.0	1.8	17.9	80.3	
	10:58	4/17/2006	2.0	0.3	20.5	77.2	
	7:35	4/28/2006	0.0	0.0	20.7	79.3	
	14:10	5/4/2006	0.0	0.0	20.2	79.8	
	11:10	5/22/2006	0.0	0.0	20.5	79.5	
	12:38	6/2/2006	0.2	0.0	20.4	79.4	
	9:50	6/9/2006	1.1	0.2	20.5	78.2	
	13:48	6/14/2006	4.1	0.3	20.4	75.2	
	10:15	6/22/2006	0.0	0.0	20.4	79.6	
	12:46	7/5/2006	0.6	20.0	20.0	59.4	
	12:00	7/10/2006	0.6	0.0	20.0	79.4	
	11:30	7/17/2006	0.0	0.0	19.8	80.2	
	13:20	7/28/2006	0.6	0.0	19.3	80.1	
	10:41	8/8/2006	0.8	0.0	19.8	79.4	
	8:05	8/16/2006	0.1	0.0	19.6	80.3	
	7:52	8/21/2006	0.9	0.1	20.4	78.6	
	13:47	8/28/2006	0.6	0.1	20.2	79.1	
	10:57	9/13/2006	0.6	0.2	19.8	79.4	
	10:16	9/25/2006	0.6	0.2	20.2	79.0	
	8:03	10/10/2006	0.7	0.2	20.5	78.6	
	7:55	10/23/2006	0.9	0.7	19.8	78.6	
	15:00	11/2/2006	0.3	0.0	20.8	78.9	
	12:48	11/14/2006	0.1	0.4	19.4	80.1	
	11:00	11/27/2006	0.1	0.2	20.0	79.7	
	13:45	12/26/2006	0.3	0.0	19.3	80.5	
	12:45	1/27/2007	0.4	0.6	20.0	79.1	
	11:14	2/24/2007	0.5	0.6	20.1	78.9	
	16:18	3/28/2007	0.2	0.2	20.1	79.5	
	11:19	5/1/2007	0.0	0.2	18.8	81.0	
	12:08	5/30/2007	0.0	0.2	18.9	80.9	
	13:10	6/19/2007	0.1	0.0	20.9	79.1	
	11:30	8/13/2007	0.0	0.0	20.9	79.1	
	10:37	10/18/2007	0.1	0.0	19.6	80.4	
	12:18	1/23/2008	0.2	5.8	14.4	79.6	
	14:45	5/12/2008	0.0	0.0	19.8	80.2	
	8:15	6/12/2008	0.0	0.0	20.9	79.1	
	11:30	7/21/2008	0.0	0.0	20.9	79.1	
	12:20	10/3/2008	0.0	0.4	20.9	78.7	
	12:05	10/13/2008	0.0	0.0	20.9	79.1	
	10:40	1/27/2009	0.3	4.8	15.7	79.3	
	11:57	4/9/2009	0.0	0.0	19.9	80.1	
	10:57	7/22/2009	0.0	0.0	19.4	80.6	
	10:16	10/28/2009	0.0	0.6	19.6	79.8	
	9:20	1/26/2010	0.3	0.8	19.4	79.5	
	8:34	5/25/2010	0.0	0.0	19.3	80.7	
	10:32	9/28/2010	0.0	1.0	17.7	81.3	
10:45	1/25/2011	0.2	0.4	20.0	79.4		
8:00	4/25/2011	0.2	0.4	20.9	78.5		
6:50	7/13/2011	0.0	0.0	20.5	79.5		
10:15	10/26/2011	0.0	0.6	20.4	79.0		
7:38	1/25/2012	0.1	0.6	19.5	79.8		
10:00	4/2/2012	0.1	0.2	20.9	78.8		
10:43	7/25/2012	0.0	0.0	18.1	80.9		
10:15	10/15/2012	0.0	0.4	18.9	80.7		
7:50	1/15/2013	0.0	1.8	18.7	79.5		
7:39	4/29/2013	0.0	0.4	20.9	78.7		
8:45	7/22/2013	0.0	0.0	20.9	79.1		
8:45	10/14/2013	0.0	0.4	20.9	78.7		
11:56	4/22/2014	0.5	0.6	20.1	78.8		
11:30	4/22/2015	0.0	0.4	20.7	78.9		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub>	CO <sub>2</sub>	O <sub>2</sub>	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	target percentages
							pre-startup
	14:20	3/23/2006	0.0	0.7	20.5	78.8	
	14:15	3/30/2006	1.0	0.5	20.6	77.9	
	13:35	4/6/2006	1.0	0.6	20.3	78.1	
	13:43	4/11/2006	0.5	0.3	19.7	79.5	
	11:50	4/14/2006	0.0	0.3	18.6	81.1	
	10:34	4/17/2006	0.8	0.7	20.1	78.4	
	14:00	4/28/2006	0.0	0.0	20.7	79.3	
	13:35	5/4/2006	0.0	0.2	20.5	79.3	
	10:42	5/22/2006	0.2	0.1	2.4	97.3	
	8:48	6/9/2006	0.0	0.0	19.8	80.2	
	12:20	6/14/2006	0.1	0.0	19.5	80.4	
	11:20	6/22/2006	0.7	0.1	19.9	79.3	
	11:53	7/5/2006	0.6	0.0	20.0	79.4	
	11:19	7/10/2006	0.6	4.7	15.1	79.6	
	10:20	7/17/2006	0.9	0.8	19.0	79.3	
	12:40	7/28/2006	0.6	0.6	18.6	80.2	
	10:13	8/8/2006	0.6	1.2	18.5	79.7	
	8:42	8/16/2006	0.1	0.0	17.7	82.2	
	8:00	8/21/2006	0.1	0.0	18.5	81.4	
	13:55	8/28/2006	0.6	1.8	18.8	78.8	
	11:05	9/13/2006	0.1	0.0	19.5	80.4	
	10:25	9/25/2006	0.1	0.0	19.2	80.7	
	8:44	10/10/2006	0.7	1.0	19.6	78.7	
	8:05	10/23/2006	0.8	0.4	19.6	79.2	
	14:42	11/2/2006	0.3	0.0	20.8	78.9	
	13:30	11/14/2006	0.2	0.2	20.0	79.6	
	11:12	11/27/2006	0.2	0.0	20.2	79.7	
	12:39	12/26/2006	0.1	0.0	20.0	79.9	
	13:10	1/27/2007	0.4	0.2	20.2	79.2	
	11:00	2/24/2007	0.4	0.2	20.6	78.9	
	17:35	3/28/2007	0.2	0.2	20.0	79.6	
MW-102	10:24	5/1/2007	0.0	1.4	17.0	81.6	
	11:57	5/30/2007	0.0	1.4	16.7	81.9	
	16:00	6/19/2007	0.0	0.0	20.6	79.4	
	11:42	8/13/2007	0.0	2.8	16.6	80.6	
	10:24	10/18/2007	0.1	4.2	15.0	80.7	
	14:05	1/23/2008	0.4	1.2	20.9	77.5	
	9:05	6/12/2008	0.0	0.6	18.9	80.5	
	12:10	7/21/2008	0.0	1.6	16.4	82.0	
	11:52	10/3/2008	0.0	3.6	16.8	79.6	
	11:03	10/13/2008	0.0	18.7	1.8	79.5	
	11:00	1/27/2009	0.3	1.0	20.8	78.0	
	9:29	4/9/2009	0.0	0.4	19.1	80.5	
	11:35	7/22/2009	0.0	1.8	16.1	82.1	
	10:25	10/28/2009	0.0	2.6	17.4	80.0	
	10:40	1/26/2010	0.3	2.2	18.4	79.1	
	8:44	5/25/2010	0.0	1.4	16.8	81.8	
	11:05	9/28/2010	0.0	4.6	14.1	81.3	
	8:08	1/25/2011	0.2	1.2	19.2	79.4	
	10:10	4/25/2011	0.1	0.2	20.7	79.0	
	6:30	7/13/2011	0.0	1.8	14.2	84.0	
	12:08	10/26/2011	0.0	2.4	18.4	79.2	
	10:30	1/25/2012	0.1	0.4	17.9	81.6	
	10:37	4/2/2012	0.1	1.4	18.5	80.0	
	10:28	7/25/2012	0.0	3.0	15.0	82.0	
	9:05	10/15/2012	0.0	2.8	16.7	80.5	
	11:21	1/15/2013	0.0	1.6	19.6	78.8	
	10:05	4/29/2013	0.0	0.6	19.2	80.2	
	8:11	7/22/2013	0.0	2.2	14.3	83.5	
	7:59	10/14/2013	0.0	4.0	17.4	78.6	
	7:53	4/22/2014	0.0	0.4	20.5	79.1	
	9:08	4/22/2015	0.0	1.0	20.9	78.1	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub>	CO <sub>2</sub>	O <sub>2</sub>	N	Comments
			(%) variable	(%) variable	(%) <5	(%) <40	
	7:49	3/23/2006	0.0	0.2	21.8	78.0	target percentages
	15:30	3/30/2006	0.0	1.9	18.2	79.9	pre-startup
	14:35	4/6/2006	0.4	8.0	9.4	82.2	
	14:40	4/11/2006	0.0	6.4	10.8	82.8	
	12:15	4/14/2006	0.0	3.2	15.6	81.2	
	11:30	4/17/2006	0.0	0.0	20.7	79.3	
	10:45	4/28/2006	0.0	0.0	20.5	79.5	
	15:05	5/4/2006	0.4	0.0	13.5	86.1	
	11:42	5/22/2006	0.2	0.0	20.6	79.2	
	13:14	6/2/2006	0.2	0.0	20.1	79.7	
	9:10	6/9/2006	1.1	0.1	20.5	78.3	
	13:30	6/14/2006	0.6	0.3	20.4	78.7	
	11:28	6/22/2006	0.7	0.0	20.2	79.1	
	11:27	7/5/2006	0.6	0.0	20.4	79.0	
	10:40	7/10/2006	0.0	0.0	19.9	80.1	
	10:06	7/17/2006	0.8	0.4	19.4	79.4	
	12:30	7/28/2006	0.6	0.0	19.9	79.5	
	9:17	8/8/2006	0.6	0.0	19.9	79.5	
	7:34	8/16/2006	0.1	0.0	19.9	80.0	
	7:25	8/21/2006	0.5	0.0	20.1	79.4	
	13:29	8/28/2006	0.1	0.0	20.3	79.6	
	10:34	9/13/2006	0.0	0.0	20.4	79.6	
	9:57	9/25/2006	0.0	0.1	19.3	80.6	
	7:22	10/10/2006	0.5	0.2	20.4	78.9	
	7:38	10/23/2006	0.6	0.0	20.8	78.6	
	13:14	11/2/2006	0.0	0.3	21.0	78.7	
	13:08	11/14/2006	0.2	9.2	11.2	79.5	
	10:40	11/27/2006	0.1	0.0	20.1	78.9	
	14:00	12/26/2006	0.3	0.2	20.1	79.5	
	12:05	1/27/2007	0.1	0.0	19.8	80.2	
	12:34	2/24/2007	0.4	4.2	16.3	79.2	
MW-103	15:35	3/28/2007	0.1	0.0	20.0	79.9	
	10:52	5/1/2007	0.1	0.8	18.7	80.4	
	12:40	5/30/2007	0.0	0.4	18.9	80.7	
	13:35	6/19/2007	0.0	0.0	20.9	79.1	
	11:05	8/13/2007	0.0	0.0	20.9	79.1	
	10:05	10/18/2007	0.1	1.2	18.5	80.2	
	13:45	1/23/2008	0.4	0.2	20.9	78.5	
	7:15	6/12/2008	0.0	0.4	20.9	78.7	
	10:40	7/21/2008	0.0	0.0	20.9	79.1	
	11:20	10/3/2008	0.0	0.0	20.9	79.1	
	10:05	10/13/2008	0.0	0.4	20.7	78.9	
	7:00	1/27/2009	0.0	0.0	20.9	79.1	
	11:17	4/9/2009	0.0	0.0	20.0	80.0	
	10:32	7/22/2009	0.0	0.4	19.6	80.0	
	9:27	10/29/2009	0.0	0.0	19.8	80.2	
	8:14	1/26/2010	0.3	2.2	18.0	79.5	
	8:08	5/25/2010	0.0	0.0	19.3	80.7	
	8:57	9/28/2010	0.0	0.0	18.9	81.1	
	7:15	1/25/2011	0.0	0.2	19.4	80.4	
	7:25	4/25/2011	0.2	3.0	17.5	79.3	
	7:15	7/13/2011	0.0	0.0	20.5	79.5	
	7:35	10/26/2011	0.0	0.0	20.9	79.1	
	7:14	1/25/2012	0.2	2.6	16.9	80.3	
	9:10	4/2/2012	0.0	0.0	20.9	79.1	
	7:48	7/25/2012	0.0	3.4	15.5	81.1	
	10:50	10/15/2012	0.0	0.2	18.9	80.9	
	11:05	1/15/2013	0.0	3.8	16.5	79.7	
	8:03	4/29/2013	0.0	0.6	20.9	78.5	
	9:15	7/22/2013	0.0	0.6	20.7	78.7	
	9:20	10/14/2013	0.0	0.2	20.9	78.9	
	12:14	4/22/2014	0.0	0.0	20.9	79.1	
	7:40	4/22/2015	0.0	0.0	20.9	79.1	

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub>	CO <sub>2</sub>	O <sub>2</sub>	N	Comments
			(%) variable	(%) variable	(%) <5	(%) <40	
MW-104	9:29	3/23/2006	12.8	18.5	0.8	67.9	target percentages pre-startup
	15:45	3/30/2006	0.0	0.0	20.7	79.3	
	13:10	4/6/2006	6.8	8.9	10.5	73.8	
	14:50	4/11/2006	4.1	7.1	9.2	79.6	
	11:40	4/17/2006	2.0	0.3	21.0	76.7	
	14:10	4/28/2006	0.0	0.0	20.7	79.3	
	15:40	5/4/2006	0.0	0.0	8.1	91.9	
	10:27	5/22/2006	0.0	0.1	19.9	80.0	
	8:32	6/9/2006	0.0	0.0	19.6	80.4	
	12:45	6/14/2006	3.2	0.8	18.8	77.2	
	10:54	6/22/2006	0.8	0.1	19.7	79.4	
	12:19	7/5/2006	0.6	0.0	20.0	79.4	
	11:40	7/10/2006	0.7	0.6	19.8	78.9	
	11:05	7/17/2006	0.1	0.0	19.6	80.3	
	12:38	7/28/2006	0.6	0.0	19.8	79.6	
	9:49	8/8/2006	0.6	0.0	20.0	79.4	
	9:14	8/16/2006	0.7	0.2	19.4	79.7	
	8:30	8/21/2006	0.1	0.3	18.1	81.5	
	14:16	8/28/2006	0.0	0.0	17.6	82.4	
	11:29	9/13/2006	0.7	0.2	16.8	82.3	
	11:27	9/25/2006	0.0	0.2	19.5	80.3	
	8:27	10/10/2006	0.7	13.1	4.3	81.9	
	8:30	10/23/2006	0.7	0.3	16.7	82.3	
	14:14	11/2/2006	0.3	0.0	20.6	79.1	
	15:06	11/14/2006	0.2	0.6	19.4	79.8	
	12:04	11/27/2006	0.2	3.0	17.6	79.2	
	13:15	12/26/2006	0.2	0.0	20.0	78.9	
	14:16	1/27/2007	0.1	0.0	19.4	80.5	
	11:35	2/24/2007	0.5	12.8	5.6	81.1	
	16:55	3/28/2007	0.2	0.2	20.0	79.6	
	11:45	5/1/2007	0.0	0.0	18.9	81.1	
	11:48	5/30/2007	0.0	0.0	19.0	81.0	
	15:30	6/19/2007	0.0	0.0	20.9	79.1	
	12:05	8/13/2007	0.0	0.0	20.9	79.1	
	9:50	10/18/2007	0.1	0.0	19.6	80.3	
	13:20	1/23/2008	0.3	0.6	20.6	78.5	
	9:25	6/12/2008	0.0	0.0	20.9	79.1	
	12:30	7/21/2008	0.0	0.0	20.9	79.1	
	11:37	10/3/2008	0.0	0.0	20.9	79.1	
	10:45	10/13/2008	0.0	0.2	20.9	78.9	
	10:50	1/27/2009	0.2	14.6	3.9	81.3	
	11:40	4/9/2009	0.0	1.2	19.2	79.6	
	7:50	7/22/2009	0.0	0.0	19.6	80.4	
	9:48	10/26/2009	0.0	0.0	20.0	80.0	
	8:25	1/26/2010	0.4	0.2	20.4	79.1	
	11:30	5/25/2010	0.0	0.0	19.3	80.7	
	9:25	9/28/2010	0.0	0.2	18.6	81.2	
	7:45	1/25/2011	0.2	0.6	19.6	79.6	
	8:21	4/25/2011	0.2	0.4	20.5	78.9	
	7:47	7/13/2011	0.0	0.0	20.5	79.5	
	11:05	10/26/2011	0.0	0.2	20.4	79.4	
	7:10	1/25/2012	0.1	1.0	18.5	80.4	
	9:05	4/2/2012	0.0	0.0	20.9	79.1	
	8:07	7/25/2012	0.0	11.0	3.9	85.1	
	8:35	10/15/2012	0.0	0.0	18.1	81.9	
	9:55	1/15/2013	0.0	0.6	20.9	78.5	
	10:00	4/29/2013	0.0	9.4	6.8	83.8	
7:55	7/22/2013	0.0	5.0	14.2	80.8		
7:40	10/14/2013	0.0	2.4	17.4	80.2		
10:47	4/22/2014	0.0	0.2	20.7	79.1		
10:26	4/22/2015	0.0	1.0	20.9	78.1		

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub>	CO <sub>2</sub>	O <sub>2</sub>	N	Comments
			(%) variable	(%) variable	(%) <5	(%) <40	
	2:00	3/28/2006	4.4	4.0	17.8	73.8	target percentages
	12:52	5/4/2006	8.6	14.7	7.4	69.3	
	11:15	6/28/2006	5.9	14.5	9.5	70.1	
	11:45	7/5/2006	6.1	18.7	7.2	68.0	
	11:12	7/10/2006	6.7	21.7	5.1	66.5	
	10:31	7/17/2006	6.2	18.6	6.5	68.7	
	14:24	7/28/2006	2.1	19.2	6.1	72.6	
	10:23	8/8/2006	5.9	18.0	6.8	69.3	
	8:30	8/16/2006	6.8	17.3	7.3	68.6	
	8:07	8/21/2006	6.9	18.0	7.6	67.5	
	14:00	8/28/2006	7.1	18.6	7.3	67.0	
	11:13	9/13/2006	15.2	20.0	8.1	56.7	
	11:37	9/25/2006	14.2	24.3	4.8	56.7	
	8:09	10/10/2006	7.4	19.2	8.2	65.2	
	8:13	10/23/2006	12.8	16.3	9.1	61.8	
	9:00	11/2/2006	5.0	14.0	8.2	72.8	
	13:43	11/14/2006	4.4	10.4	10.6	74.6	
	11:19	11/27/2006	3.8	10.2	10.8	75.2	
	12:31	12/26/2006	6.5	14.8	6.9	71.8	
	13:30	1/27/2007	8.0	15.8	6.4	69.8	
	10:45	2/24/2007	6.0	11.6	10.0	72.4	
	7:35	3/5/2007	0.1	0.2	19.8	79.9	
	8:20	3/24/2007	9.0	12.6	9.7	68.7	
	17:10	3/24/2007	8.5	12.6	9.4	69.5	
	17:25	3/26/2007	6.5	11.4	9.8	72.3	
	7:39	3/27/2007	6.5	11.2	10.2	72.1	
	17:25	3/28/2007	6.5	10.0	11.6	71.9	
	8:16	3/28/2007	5.5	8.8	12.3	73.4	
	17:15	3/29/2007	5.0	8.6	12.3	74.1	
	16:09	6/19/2007	12.5	13.2	4.6	64.7	
	11:55	8/13/2007	13.5	20.2	4.1	62.2	
	9:12	10/19/2007	7.5	16.2	5.0	71.3	
	12:50	1/23/2008	8.5	15.6	7.1	68.8	
	8:55	6/12/2008	8.0	15.2	7.3	69.5	
	12:03	7/21/2008	9.5	17.0	5.6	67.9	
	11:15	10/13/2008	6.5	9.8	12.0	71.7	
	7:20	1/27/2009	3.8	6.4	15.7	74.2	
	9:37	4/9/2009	6.5	7.6	13.3	72.6	
	7:40	7/22/2009	5.0	7.8	12.8	74.4	
	10:35	10/28/2009	6.5	7.4	13.9	72.2	
	7:20	1/27/2009	3.8	6.4	15.7	74.2	
	13:15	5/25/2010	5.0	5.2	15.2	74.6	
	10:45	9/28/2010	6.5	5.4	15.3	72.8	
	8:11	1/25/2011	4.4	4.2	17.1	74.3	
	10:40	4/25/2011	24.0	5.5	16.3	54.2	
	8:24	7/13/2011	5.5	3.8	17.4	73.3	
	16:15	9/15/2011	13.0	13.8	9.9	63.3	
	8:22	9/21/2011	34.0	26.8	2.9	36.3	
	9:28	9/21/2011	18.5	18.4	6.5	56.6	
	9:20	9/22/2011	22.5	22.6	3.7	51.2	
	10:05	9/22/2011	17.0	18.0	7.0	58.0	
	10:51	9/22/2011	18.0	18.8	6.0	57.2	
	10:32	10/3/2011	6.0	8.4	13.9	71.7	
	13:43	10/24/2011	7.5	10.0	12.0	70.5	
	10:50	10/26/2011	7.5	16.4	5.8	70.3	
	10:33	11/7/2011	5.5	7.4	14.6	72.5	
	9:11	11/14/2011	5.0	6.4	14.8	73.8	
	10:20	12/12/2011	7.5	4.8	16.6	71.1	
	10:10	12/27/2011	6.5	5.0	15.8	72.7	
	9:10	1/10/2012	6.0	6.0	14.4	73.6	
	10:17	1/25/2012	3.1	2.4	17.6	76.9	
	9:08	2/20/2012	3.1	3.0	19.3	74.6	
	9:35	3/8/2012	8.0	7.2	14.8	70.0	
	10:15	4/2/2012	4.3	4.4	17.4	73.9	
	8:55	4/16/2012	5.0	4.8	16.4	73.8	
	9:45	4/30/2012	7.5	7.4	13.6	71.5	
	9:08	5/14/2012	7.5	7.6	14.2	70.7	
	9:00	5/29/2012	5.5	5.2	15.7	73.6	
	7:38	6/11/2012	7.0	6.0	15.5	71.5	
	9:35	6/25/2012	4.8	4.6	16.3	74.4	
	8:55	7/9/2012	5.0	5.0	15.6	74.4	
	8:20	7/23/2012	6.0	8.0	13.0	73.0	
	10:17	7/25/2012	7.0	8.9	12.1	72.0	
	8:49	8/6/2012	3.9	5.6	15.0	75.6	
	9:10	8/21/2012	4.7	6.6	14.2	74.6	
	9:07	9/4/2012	4.5	6.8	13.5	75.2	
	8:50	10/1/2012	4.4	7.6	13.0	75.1	
	8:25	10/15/2012	4.8	8.4	12.2	74.7	
	7:25	12/6/2012	8.5	9.8	11.6	70.1	
	9:50	12/17/2012	7.5	7.8	12.4	72.3	
	8:40	12/31/2012	10.5	9.0	12.5	68.0	
	8:30	1/9/2013	12.0	10.6	11.6	65.8	
	9:40	1/16/2013	13.5	9.8	11.3	65.4	
	8:55	1/28/2013	6.5	5.4	17.1	71.0	
	10:25	2/11/2013					have to fix drop tube for readings
	9:10	2/25/2013	1.0	0.8	20.9	77.3	
	7:20	3/6/2013					No readings
	8:40	3/22/2013					No readings
	13:40	4/8/2013	6.0	5.8	15.7	72.5	
	15:10	4/22/2013	6.5	7.2	14.9	71.4	
	9:35	4/29/2013	3.5	4.6	16.3	75.7	
	8:22	5/13/2013	3.0	4.4	16.6	76.0	
	13:08	5/28/2013	3.9	5.6	15.2	75.3	
	8:39	6/7/2013	4.5	6.6	14.3	74.6	
	8:09	6/21/2013	5.5	8.4	12.7	73.4	
	8:40	7/5/2013	4.8	7.8	12.9	74.6	
	7:44	7/22/2013	5.5	8.6	12.4	73.5	
	8:50	8/5/2013	6.5	9.0	12.3	72.2	
	8:08	8/19/2013	6.0	8.6	12.4	73.0	
	8:24	9/5/2013	5.0	7.8	13.6	73.6	
	8:38	9/16/2013	6.5	8.6	13.4	71.5	


System Exhaust

Table 6c. Landfill Gas Field Parameter Monitoring Results of Gas Probes

Monitoring Points	Time	Date	CH <sub>4</sub>	CO <sub>2</sub>	O <sub>2</sub>	N	Comments
			(%)	(%)	(%)	(%)	
			variable	variable	<5	<40	target percentages
	7:24	9/30/2013	12.0	10.8	11.9	65.3	
	7:24	10/14/2013	11.0	10.2	12.6	66.2	
	8:00	10/28/2013	11.5	9.8	14.0	64.7	
	7:55	11/19/2013	8.5	7.4	15.5	68.6	
	7:23	12/2/2013	11.5	7.8	15.1	65.6	
	7:05	12/16/2013	9.5	7.2	15.3	68.0	
	7:30	12/27/2013					Blower off
	7:02	1/13/2014	12.5	7.8	14.4	65.3	
	7:05	1/30/2014	14.5	9.4	14.0	62.1	
	7:21	2/12/2014	13.0	7.4	14.8	64.8	
	7:40	2/24/2014	8.5	6.2	14.6	70.7	
	8:07	3/10/2014	13.0	8.4	14.1	64.5	
	9:15	3/24/2014	16.0	14.4	8.1	61.5	
	7:45	4/7/2014	11.0	8.6	12.8	67.6	
	7:42	4/22/2014	8.5	9.0	12.5	70.0	
	7:28	5/7/2014	7.5	6.2	14.8	71.5	
	7:38	5/19/2014	4.7	5.0	16.4	74.0	
	7:05	5/30/2014	2.9	3.0	18.2	76.0	
	8:00	6/16/2014	4.0	4.8	15.8	75.5	
	7:40	6/30/2014	4.7	6.6	18.4	70.3	
	7:48	7/14/2014	3.1	6.0	15.8	75.1	
	8:48	7/28/2014	3.0	6.0	15.8	75.2	
	8:05	8/11/2014	3.0	7.0	13.8	76.2	
	13:15	8/25/2014	3.1	7.8	13.2	76.0	
	7:37	9/8/2014	3.5	8.2	12.7	75.7	
	7:23	9/22/2014	3.1	7.0	14.5	75.4	
	7:35	10/7/2014	4.5	9.0	11.2	75.4	
	7:36	10/20/2014	5.5	10.2	10.8	73.5	
	7:21	11/3/2014	6.5	8.6	14.8	70.1	
	7:18	11/17/2014	10.0	11.4	10.3	68.3	
	7:25	12/2/2014	9.0	9.8	11.6	69.6	
	7:50	12/15/2014	NA	NA	NA	NA	Blower off
	8:05	12/18/2014	12.0	11.2	11.3	65.5	
	7:15	1/2/2015	11.5	11.2	11.6	65.7	
	7:12	1/16/2015	8.0	7.2	14.3	70.5	
	7:20	1/26/2015	11.0	14.0	7.8	67.2	
	7:21	2/9/2015	6.5	7.2	14.3	72.0	
	7:45	2/24/2015	13.0	8.4	13.4	65.2	
	8:14	3/9/2015	9.0	8.2	12.7	70.1	
	7:12	3/23/2015	7.5	8.8	11.3	72.4	
	7:22	4/6/2015	7.0	8.2	11.8	73.0	
	9:00	4/22/2015	5.0	8.0	12.7	74.3	
	7:08	5/4/2015	6.5	9.2	10.2	74.1	
	7:15	5/18/2015	8.0	10.6	10.2	71.2	
	7:08	6/1/2015	7.0	10.8	10.0	72.2	
	7:20	6/15/2015	9.0	11.4	9.1	70.5	
	7:21	6/29/2015	8.5	10.8	10.6	70.1	
	7:18	7/14/2015	7.5	11.4	9.8	71.3	
	7:11	7/27/2015	5.5	9.6	11.1	73.8	




**FIGURES**



**EXPLANATION**

- P-104  
 MW-104  
 MONITOR WELL, PIEZOMETER LOCATION, DESIGNATION
- LC-2  
 LEACHATE HEAD WELL LOCATION, DESIGNATION
- OUTLINE OF CLOSED LANDFILL
- GP-1  
 GAS PROBE LOCATION AND DESIGNATION
- GV-1  
 GAS VENT LOCATION AND DESIGNATION



BASEMAP FROM FOND DU LAC COUNTY PLANNING DIVISION, SPRING 2000.

<b>SITE LAYOUT</b>	DATE: 10/3/13
	DESIGNED: HJW
<b>TETRA TECH</b>	CHECKED: MRN
	APPROVED: MRN
	DRAWN: HJW
PROJ.: 117-2202040	

Figure 1

**CHARTS**

Chart 53: P-103D  
Layer 3 Well

10' Down gradient




Chart 54: P-111D  
Layer 3 Well

900' Down gradient




Chart 57: P-114  
Layer 3 Well

1550' Down gradient





Chart 58: P-115  
Layer 3 Well

1600' Down gradient






Chart 61: P-107D  
Layer 4 Well

370' Down gradient





**APPENDICES**

**APPENDIX B**  
**LABORATORY ANALYTICAL RESULTS**



Pace Analytical Services, Inc.  
1241 Bellevue Street - Suite 9  
Green Bay, WI 54302  
(920)469-2436

July 07, 2015

Mike Noel  
Tetra Tech Geo  
175 NORTH CORPORATE DRIVE  
SUITE 100  
Brookfield, WI 53045

RE: Project: 117-2202040.21 RIPON FF/NN LAN  
Pace Project No.: 40117604

Dear Mike Noel:

Enclosed are the analytical results for sample(s) received by the laboratory on July 02, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Steven Mleczko for  
Brian Basten  
brian.basten@pacelabs.com  
Project Manager

Enclosures

cc: Nelson Olavarria, Cooper Industries



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



## CERTIFICATIONS

Project: 117-2202040.21 RIPON FF/NN LAN

Pace Project No.: 40117604

---

### Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

US Dept of Agriculture #: S-76505

Wisconsin Certification #: 405132750

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### SAMPLE SUMMARY

Project: 117-2202040.21 RIPON FF/NN LAN  
Pace Project No.: 40117604

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40117604001	P-103D	Water	07/01/15 09:55	07/02/15 14:25
40117604002	P-107D	Water	07/01/15 10:40	07/02/15 14:25
40117604003	P-111D	Water	07/01/15 11:15	07/02/15 14:25
40117604004	MW-3A	Water	07/01/15 11:50	07/02/15 14:25
40117604005	MW-3B	Water	07/01/15 12:15	07/02/15 14:25
40117604006	P-113A	Water	07/01/15 13:10	07/02/15 14:25
40117604007	P-113B	Water	07/01/15 13:25	07/02/15 14:25
40117604008	P-116	Water	07/01/15 14:10	07/02/15 14:25
40117604009	P-114	Water	07/01/15 14:45	07/02/15 14:25
40117604010	P-114 DUP	Water	07/01/15 14:50	07/02/15 14:25
40117604011	P-115	Water	07/01/15 15:15	07/02/15 14:25
40117604012	TRIP BLANK	Water	07/01/15 00:00	07/02/15 14:25

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### SAMPLE ANALYTE COUNT

Project: 117-2202040.21 RIPON FF/NN LAN  
Pace Project No.: 40117604

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40117604001	P-103D	EPA 8260	LAP	45
40117604002	P-107D	EPA 8260	LAP	45
40117604003	P-111D	EPA 8260	LAP	45
40117604004	MW-3A	EPA 8260	LAP	45
40117604005	MW-3B	EPA 8260	LAP	45
40117604006	P-113A	EPA 8260	LAP	45
40117604007	P-113B	EPA 8260	LAP	45
40117604008	P-116	EPA 8260	LAP	45
40117604009	P-114	EPA 8260	LAP	45
40117604010	P-114 DUP	EPA 8260	LAP	45
40117604011	P-115	EPA 8260	LAP	45
40117604012	TRIP BLANK	EPA 8260	LAP	45

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

**Sample: P-103D**      **Lab ID: 40117604001**      Collected: 07/01/15 09:55      Received: 07/02/15 14:25      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b> Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/06/15 14:00	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/06/15 14:00	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/06/15 14:00	75-35-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/06/15 14:00	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/06/15 14:00	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/06/15 14:00	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/06/15 14:00	78-87-5	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	106-46-7	
2-Butanone (MEK)	<3.0	ug/L	20.0	3.0	1		07/06/15 14:00	78-93-3	
Acetone	<3.0	ug/L	20.0	3.0	1		07/06/15 14:00	67-64-1	
Benzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	71-43-2	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/06/15 14:00	74-83-9	
Carbon disulfide	<0.61	ug/L	5.0	0.61	1		07/06/15 14:00	75-15-0	R1
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	56-23-5	L3,M1
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/06/15 14:00	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/06/15 14:00	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/06/15 14:00	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/06/15 14:00	75-71-8	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	100-41-4	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/06/15 14:00	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/06/15 14:00	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/06/15 14:00	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	127-18-4	
Tetrahydrofuran	<2.0	ug/L	5.0	2.0	1		07/06/15 14:00	109-99-9	
Toluene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/06/15 14:00	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/06/15 14:00	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/06/15 14:00	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		07/06/15 14:00	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 14:00	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:00	10061-01-5	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 14:00	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/06/15 14:00	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	100	%	70-130		1		07/06/15 14:00	460-00-4	
Dibromofluoromethane (S)	109	%	70-130		1		07/06/15 14:00	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		07/06/15 14:00	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



**ANALYTICAL RESULTS**

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

Sample: P-107D Lab ID: 40117604002 Collected: 07/01/15 10:40 Received: 07/02/15 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/06/15 14:23	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/06/15 14:23	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/06/15 14:23	75-35-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/06/15 14:23	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/06/15 14:23	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/06/15 14:23	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/06/15 14:23	78-87-5	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	106-46-7	
2-Butanone (MEK)	<3.0	ug/L	20.0	3.0	1		07/06/15 14:23	78-93-3	
Acetone	<3.0	ug/L	20.0	3.0	1		07/06/15 14:23	67-64-1	
Benzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	71-43-2	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/06/15 14:23	74-83-9	
Carbon disulfide	<0.61	ug/L	5.0	0.61	1		07/06/15 14:23	75-15-0	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	56-23-5	L3
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/06/15 14:23	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/06/15 14:23	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/06/15 14:23	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/06/15 14:23	75-71-8	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	100-41-4	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/06/15 14:23	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/06/15 14:23	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/06/15 14:23	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	127-18-4	
Tetrahydrofuran	<2.0	ug/L	5.0	2.0	1		07/06/15 14:23	109-99-9	
Toluene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/06/15 14:23	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/06/15 14:23	75-69-4	
Vinyl chloride	2.1	ug/L	1.0	0.18	1		07/06/15 14:23	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		07/06/15 14:23	1330-20-7	
cis-1,2-Dichloroethene	0.59J	ug/L	1.0	0.26	1		07/06/15 14:23	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:23	10061-01-5	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 14:23	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/06/15 14:23	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	99	%	70-130		1		07/06/15 14:23	460-00-4	
Dibromofluoromethane (S)	110	%	70-130		1		07/06/15 14:23	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		07/06/15 14:23	2037-26-5	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..





**ANALYTICAL RESULTS**

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

Sample: P-111D Lab ID: 40117604003 Collected: 07/01/15 11:15 Received: 07/02/15 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/06/15 14:45	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/06/15 14:45	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/06/15 14:45	75-35-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/06/15 14:45	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/06/15 14:45	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/06/15 14:45	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/06/15 14:45	78-87-5	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	106-46-7	
2-Butanone (MEK)	<3.0	ug/L	20.0	3.0	1		07/06/15 14:45	78-93-3	
Acetone	11.2J	ug/L	20.0	3.0	1		07/06/15 14:45	67-64-1	
Benzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	71-43-2	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/06/15 14:45	74-83-9	
Carbon disulfide	<0.61	ug/L	5.0	0.61	1		07/06/15 14:45	75-15-0	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	56-23-5	L3
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	108-90-7	
Chloroethane	1.7	ug/L	1.0	0.37	1		07/06/15 14:45	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/06/15 14:45	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/06/15 14:45	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/06/15 14:45	75-71-8	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	100-41-4	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/06/15 14:45	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/06/15 14:45	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/06/15 14:45	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	127-18-4	
Tetrahydrofuran	<2.0	ug/L	5.0	2.0	1		07/06/15 14:45	109-99-9	
Toluene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/06/15 14:45	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/06/15 14:45	75-69-4	
Vinyl chloride	8.0	ug/L	1.0	0.18	1		07/06/15 14:45	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		07/06/15 14:45	1330-20-7	
cis-1,2-Dichloroethene	1.7	ug/L	1.0	0.26	1		07/06/15 14:45	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/06/15 14:45	10061-01-5	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 14:45	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/06/15 14:45	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	100	%	70-130		1		07/06/15 14:45	460-00-4	
Dibromofluoromethane (S)	106	%	70-130		1		07/06/15 14:45	1868-53-7	
Toluene-d8 (S)	103	%	70-130		1		07/06/15 14:45	2037-26-5	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



**ANALYTICAL RESULTS**

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

Sample: MW-3A Lab ID: 40117604004 Collected: 07/01/15 11:50 Received: 07/02/15 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/06/15 15:08	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/06/15 15:08	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/06/15 15:08	75-35-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/06/15 15:08	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/06/15 15:08	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/06/15 15:08	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/06/15 15:08	78-87-5	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	106-46-7	
2-Butanone (MEK)	<3.0	ug/L	20.0	3.0	1		07/06/15 15:08	78-93-3	
Acetone	<3.0	ug/L	20.0	3.0	1		07/06/15 15:08	67-64-1	
Benzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	71-43-2	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/06/15 15:08	74-83-9	
Carbon disulfide	<0.61	ug/L	5.0	0.61	1		07/06/15 15:08	75-15-0	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	56-23-5	L3
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/06/15 15:08	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/06/15 15:08	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/06/15 15:08	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/06/15 15:08	75-71-8	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	100-41-4	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/06/15 15:08	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/06/15 15:08	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/06/15 15:08	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	127-18-4	
Tetrahydrofuran	<2.0	ug/L	5.0	2.0	1		07/06/15 15:08	109-99-9	
Toluene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/06/15 15:08	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/06/15 15:08	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/06/15 15:08	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		07/06/15 15:08	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 15:08	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:08	10061-01-5	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 15:08	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/06/15 15:08	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	98	%	70-130		1		07/06/15 15:08	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		07/06/15 15:08	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		07/06/15 15:08	2037-26-5	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



**ANALYTICAL RESULTS**

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

Sample: MW-3B Lab ID: 40117604005 Collected: 07/01/15 12:15 Received: 07/02/15 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/06/15 15:30	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/06/15 15:30	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/06/15 15:30	75-35-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/06/15 15:30	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/06/15 15:30	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/06/15 15:30	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/06/15 15:30	78-87-5	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	106-46-7	
2-Butanone (MEK)	<3.0	ug/L	20.0	3.0	1		07/06/15 15:30	78-93-3	
Acetone	<3.0	ug/L	20.0	3.0	1		07/06/15 15:30	67-64-1	
Benzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	71-43-2	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/06/15 15:30	74-83-9	
Carbon disulfide	<0.61	ug/L	5.0	0.61	1		07/06/15 15:30	75-15-0	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	56-23-5	L3
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/06/15 15:30	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/06/15 15:30	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/06/15 15:30	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/06/15 15:30	75-71-8	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	100-41-4	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/06/15 15:30	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/06/15 15:30	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/06/15 15:30	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	127-18-4	
Tetrahydrofuran	<2.0	ug/L	5.0	2.0	1		07/06/15 15:30	109-99-9	
Toluene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/06/15 15:30	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/06/15 15:30	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/06/15 15:30	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		07/06/15 15:30	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 15:30	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:30	10061-01-5	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 15:30	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/06/15 15:30	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	101	%	70-130		1		07/06/15 15:30	460-00-4	
Dibromofluoromethane (S)	110	%	70-130		1		07/06/15 15:30	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		07/06/15 15:30	2037-26-5	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



**ANALYTICAL RESULTS**

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

Sample: P-113A Lab ID: 40117604006 Collected: 07/01/15 13:10 Received: 07/02/15 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/06/15 15:53	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/06/15 15:53	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/06/15 15:53	75-35-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/06/15 15:53	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/06/15 15:53	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/06/15 15:53	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/06/15 15:53	78-87-5	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	106-46-7	
2-Butanone (MEK)	<3.0	ug/L	20.0	3.0	1		07/06/15 15:53	78-93-3	
Acetone	<3.0	ug/L	20.0	3.0	1		07/06/15 15:53	67-64-1	
Benzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	71-43-2	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/06/15 15:53	74-83-9	
Carbon disulfide	<0.61	ug/L	5.0	0.61	1		07/06/15 15:53	75-15-0	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	56-23-5	L3
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/06/15 15:53	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/06/15 15:53	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/06/15 15:53	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/06/15 15:53	75-71-8	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	100-41-4	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/06/15 15:53	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/06/15 15:53	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/06/15 15:53	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	127-18-4	
Tetrahydrofuran	<2.0	ug/L	5.0	2.0	1		07/06/15 15:53	109-99-9	
Toluene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/06/15 15:53	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/06/15 15:53	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/06/15 15:53	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		07/06/15 15:53	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 15:53	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/06/15 15:53	10061-01-5	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 15:53	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/06/15 15:53	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	98	%	70-130		1		07/06/15 15:53	460-00-4	
Dibromofluoromethane (S)	108	%	70-130		1		07/06/15 15:53	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		07/06/15 15:53	2037-26-5	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



**ANALYTICAL RESULTS**

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

Sample: P-113B Lab ID: 40117604007 Collected: 07/01/15 13:25 Received: 07/02/15 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/06/15 16:26	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/06/15 16:26	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/06/15 16:26	75-35-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/06/15 16:26	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/06/15 16:26	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/06/15 16:26	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/06/15 16:26	78-87-5	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	106-46-7	
2-Butanone (MEK)	<3.0	ug/L	20.0	3.0	1		07/06/15 16:26	78-93-3	
Acetone	<3.0	ug/L	20.0	3.0	1		07/06/15 16:26	67-64-1	
Benzene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	71-43-2	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/06/15 16:26	74-83-9	
Carbon disulfide	<0.61	ug/L	5.0	0.61	1		07/06/15 16:26	75-15-0	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	56-23-5	L3
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/06/15 16:26	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/06/15 16:26	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/06/15 16:26	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/06/15 16:26	75-71-8	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	100-41-4	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/06/15 16:26	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/06/15 16:26	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/06/15 16:26	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	127-18-4	
Tetrahydrofuran	<2.0	ug/L	5.0	2.0	1		07/06/15 16:26	109-99-9	
Toluene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/06/15 16:26	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/06/15 16:26	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/06/15 16:26	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		07/06/15 16:26	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 16:26	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:26	10061-01-5	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 16:26	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/06/15 16:26	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	102	%	70-130		1		07/06/15 16:26	460-00-4	
Dibromofluoromethane (S)	110	%	70-130		1		07/06/15 16:26	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		07/06/15 16:26	2037-26-5	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



**ANALYTICAL RESULTS**

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

Sample: P-116 Lab ID: 40117604008 Collected: 07/01/15 14:10 Received: 07/02/15 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/06/15 16:49	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/06/15 16:49	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/06/15 16:49	75-35-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/06/15 16:49	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/06/15 16:49	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/06/15 16:49	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/06/15 16:49	78-87-5	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	106-46-7	
2-Butanone (MEK)	<3.0	ug/L	20.0	3.0	1		07/06/15 16:49	78-93-3	
Acetone	<3.0	ug/L	20.0	3.0	1		07/06/15 16:49	67-64-1	
Benzene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	71-43-2	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/06/15 16:49	74-83-9	
Carbon disulfide	<0.61	ug/L	5.0	0.61	1		07/06/15 16:49	75-15-0	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	56-23-5	L3
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/06/15 16:49	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/06/15 16:49	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/06/15 16:49	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/06/15 16:49	75-71-8	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	100-41-4	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/06/15 16:49	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/06/15 16:49	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/06/15 16:49	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	127-18-4	
Tetrahydrofuran	<2.0	ug/L	5.0	2.0	1		07/06/15 16:49	109-99-9	
Toluene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/06/15 16:49	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/06/15 16:49	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/06/15 16:49	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		07/06/15 16:49	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 16:49	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/06/15 16:49	10061-01-5	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 16:49	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/06/15 16:49	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	102	%	70-130		1		07/06/15 16:49	460-00-4	
Dibromofluoromethane (S)	108	%	70-130		1		07/06/15 16:49	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		07/06/15 16:49	2037-26-5	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



### ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

**Sample: P-114**      **Lab ID: 40117604009**      Collected: 07/01/15 14:45      Received: 07/02/15 14:25      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/06/15 17:11	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/06/15 17:11	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/06/15 17:11	75-35-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/06/15 17:11	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/06/15 17:11	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/06/15 17:11	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/06/15 17:11	78-87-5	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	106-46-7	
2-Butanone (MEK)	<3.0	ug/L	20.0	3.0	1		07/06/15 17:11	78-93-3	
Acetone	<3.0	ug/L	20.0	3.0	1		07/06/15 17:11	67-64-1	
Benzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	71-43-2	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/06/15 17:11	74-83-9	
Carbon disulfide	<0.61	ug/L	5.0	0.61	1		07/06/15 17:11	75-15-0	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	56-23-5	L3
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/06/15 17:11	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/06/15 17:11	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/06/15 17:11	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/06/15 17:11	75-71-8	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	100-41-4	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/06/15 17:11	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/06/15 17:11	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/06/15 17:11	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	127-18-4	
Tetrahydrofuran	<2.0	ug/L	5.0	2.0	1		07/06/15 17:11	109-99-9	
Toluene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/06/15 17:11	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/06/15 17:11	75-69-4	
Vinyl chloride	7.0	ug/L	1.0	0.18	1		07/06/15 17:11	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		07/06/15 17:11	1330-20-7	
cis-1,2-Dichloroethene	1.3	ug/L	1.0	0.26	1		07/06/15 17:11	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:11	10061-01-5	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 17:11	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/06/15 17:11	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	100	%	70-130		1		07/06/15 17:11	460-00-4	
Dibromofluoromethane (S)	106	%	70-130		1		07/06/15 17:11	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		07/06/15 17:11	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



### ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

**Sample: P-114 DUP**      **Lab ID: 40117604010**      Collected: 07/01/15 14:50      Received: 07/02/15 14:25      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/06/15 17:34	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/06/15 17:34	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/06/15 17:34	75-35-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/06/15 17:34	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/06/15 17:34	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/06/15 17:34	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/06/15 17:34	78-87-5	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	106-46-7	
2-Butanone (MEK)	<3.0	ug/L	20.0	3.0	1		07/06/15 17:34	78-93-3	
Acetone	<3.0	ug/L	20.0	3.0	1		07/06/15 17:34	67-64-1	
Benzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	71-43-2	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/06/15 17:34	74-83-9	
Carbon disulfide	<0.61	ug/L	5.0	0.61	1		07/06/15 17:34	75-15-0	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	56-23-5	L3
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/06/15 17:34	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/06/15 17:34	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/06/15 17:34	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/06/15 17:34	75-71-8	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	100-41-4	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/06/15 17:34	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/06/15 17:34	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/06/15 17:34	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	127-18-4	
Tetrahydrofuran	<2.0	ug/L	5.0	2.0	1		07/06/15 17:34	109-99-9	
Toluene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/06/15 17:34	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/06/15 17:34	75-69-4	
Vinyl chloride	6.5	ug/L	1.0	0.18	1		07/06/15 17:34	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		07/06/15 17:34	1330-20-7	
cis-1,2-Dichloroethene	1.2	ug/L	1.0	0.26	1		07/06/15 17:34	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:34	10061-01-5	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 17:34	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/06/15 17:34	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	98	%	70-130		1		07/06/15 17:34	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		07/06/15 17:34	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		07/06/15 17:34	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..





**ANALYTICAL RESULTS**

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

Sample: P-115 Lab ID: 40117604011 Collected: 07/01/15 15:15 Received: 07/02/15 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/06/15 17:56	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/06/15 17:56	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/06/15 17:56	75-35-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/06/15 17:56	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/06/15 17:56	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/06/15 17:56	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/06/15 17:56	78-87-5	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	106-46-7	
2-Butanone (MEK)	<3.0	ug/L	20.0	3.0	1		07/06/15 17:56	78-93-3	
Acetone	<3.0	ug/L	20.0	3.0	1		07/06/15 17:56	67-64-1	
Benzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	71-43-2	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/06/15 17:56	74-83-9	
Carbon disulfide	<0.61	ug/L	5.0	0.61	1		07/06/15 17:56	75-15-0	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	56-23-5	L3
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/06/15 17:56	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/06/15 17:56	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/06/15 17:56	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/06/15 17:56	75-71-8	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	100-41-4	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/06/15 17:56	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/06/15 17:56	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/06/15 17:56	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	127-18-4	
Tetrahydrofuran	<2.0	ug/L	5.0	2.0	1		07/06/15 17:56	109-99-9	
Toluene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/06/15 17:56	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/06/15 17:56	75-69-4	
Vinyl chloride	1.2	ug/L	1.0	0.18	1		07/06/15 17:56	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		07/06/15 17:56	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 17:56	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/06/15 17:56	10061-01-5	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 17:56	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/06/15 17:56	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	98	%	70-130		1		07/06/15 17:56	460-00-4	
Dibromofluoromethane (S)	105	%	70-130		1		07/06/15 17:56	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		07/06/15 17:56	2037-26-5	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



### ANALYTICAL RESULTS

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

Sample: TRIP BLANK Lab ID: 40117604012 Collected: 07/01/15 00:00 Received: 07/02/15 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV</b>									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/06/15 18:18	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/06/15 18:18	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/06/15 18:18	75-35-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/06/15 18:18	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/06/15 18:18	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/06/15 18:18	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/06/15 18:18	78-87-5	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	106-46-7	
2-Butanone (MEK)	<3.0	ug/L	20.0	3.0	1		07/06/15 18:18	78-93-3	
Acetone	<3.0	ug/L	20.0	3.0	1		07/06/15 18:18	67-64-1	
Benzene	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	71-43-2	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/06/15 18:18	74-83-9	
Carbon disulfide	<0.61	ug/L	5.0	0.61	1		07/06/15 18:18	75-15-0	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	56-23-5	L3
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/06/15 18:18	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/06/15 18:18	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/06/15 18:18	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/06/15 18:18	75-71-8	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	100-41-4	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/06/15 18:18	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/06/15 18:18	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/06/15 18:18	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	127-18-4	
Tetrahydrofuran	<2.0	ug/L	5.0	2.0	1		07/06/15 18:18	109-99-9	
Toluene	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/06/15 18:18	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/06/15 18:18	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/06/15 18:18	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		07/06/15 18:18	1330-20-7	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 18:18	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/06/15 18:18	10061-01-5	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/06/15 18:18	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/06/15 18:18	10061-02-6	
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	102	%	70-130		1		07/06/15 18:18	460-00-4	
Dibromofluoromethane (S)	110	%	70-130		1		07/06/15 18:18	1868-53-7	
Toluene-d8 (S)	105	%	70-130		1		07/06/15 18:18	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



**QUALITY CONTROL DATA**

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

QC Batch: MSV/29243 Analysis Method: EPA 8260  
 QC Batch Method: EPA 8260 Analysis Description: 8260 MSV  
 Associated Lab Samples: 40117604001, 40117604002, 40117604003, 40117604004, 40117604005, 40117604006, 40117604007,  
 40117604008, 40117604009, 40117604010, 40117604011, 40117604012

METHOD BLANK: 1187640 Matrix: Water  
 Associated Lab Samples: 40117604001, 40117604002, 40117604003, 40117604004, 40117604005, 40117604006, 40117604007,  
 40117604008, 40117604009, 40117604010, 40117604011, 40117604012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	<0.50	1.0	07/06/15 11:46	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	07/06/15 11:46	
1,1-Dichloroethane	ug/L	<0.24	1.0	07/06/15 11:46	
1,1-Dichloroethene	ug/L	<0.41	1.0	07/06/15 11:46	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	07/06/15 11:46	
1,2-Dibromoethane (EDB)	ug/L	<0.18	1.0	07/06/15 11:46	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	07/06/15 11:46	
1,2-Dichloroethane	ug/L	<0.17	1.0	07/06/15 11:46	
1,2-Dichloropropane	ug/L	<0.23	1.0	07/06/15 11:46	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	07/06/15 11:46	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	07/06/15 11:46	
2-Butanone (MEK)	ug/L	<3.0	20.0	07/06/15 11:46	
Acetone	ug/L	<3.0	20.0	07/06/15 11:46	
Benzene	ug/L	<0.50	1.0	07/06/15 11:46	
Bromodichloromethane	ug/L	<0.50	1.0	07/06/15 11:46	
Bromoform	ug/L	<0.50	1.0	07/06/15 11:46	
Bromomethane	ug/L	<2.4	5.0	07/06/15 11:46	
Carbon disulfide	ug/L	<0.61	5.0	07/06/15 11:46	
Carbon tetrachloride	ug/L	<0.50	1.0	07/06/15 11:46	
Chlorobenzene	ug/L	<0.50	1.0	07/06/15 11:46	
Chloroethane	ug/L	<0.37	1.0	07/06/15 11:46	
Chloroform	ug/L	<2.5	5.0	07/06/15 11:46	
Chloromethane	ug/L	<0.50	1.0	07/06/15 11:46	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	07/06/15 11:46	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	07/06/15 11:46	
Dibromochloromethane	ug/L	<0.50	1.0	07/06/15 11:46	
Dibromomethane	ug/L	<0.43	1.0	07/06/15 11:46	
Dichlorodifluoromethane	ug/L	<0.22	1.0	07/06/15 11:46	
Ethylbenzene	ug/L	<0.50	1.0	07/06/15 11:46	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	07/06/15 11:46	
Methylene Chloride	ug/L	<0.23	1.0	07/06/15 11:46	
Naphthalene	ug/L	<2.5	5.0	07/06/15 11:46	
Styrene	ug/L	<0.50	1.0	07/06/15 11:46	
Tetrachloroethene	ug/L	<0.50	1.0	07/06/15 11:46	
Tetrahydrofuran	ug/L	<2.0	5.0	07/06/15 11:46	
Toluene	ug/L	<0.50	1.0	07/06/15 11:46	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	07/06/15 11:46	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	07/06/15 11:46	
Trichloroethene	ug/L	<0.33	1.0	07/06/15 11:46	
Trichlorofluoromethane	ug/L	<0.18	1.0	07/06/15 11:46	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



**QUALITY CONTROL DATA**

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

METHOD BLANK: 1187640 Matrix: Water  
 Associated Lab Samples: 40117604001, 40117604002, 40117604003, 40117604004, 40117604005, 40117604006, 40117604007,  
 40117604008, 40117604009, 40117604010, 40117604011, 40117604012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Vinyl chloride	ug/L	<0.18	1.0	07/06/15 11:46	
Xylene (Total)	ug/L	<1.5	3.0	07/06/15 11:46	
4-Bromofluorobenzene (S)	%	100	70-130	07/06/15 11:46	
Dibromofluoromethane (S)	%	108	70-130	07/06/15 11:46	
Toluene-d8 (S)	%	106	70-130	07/06/15 11:46	

Parameter	Units	1187642								Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	
1,1,1-Trichloroethane	ug/L	50	57.1	60.5	114	121	70-130	6	20	
1,1,2-Trichloroethane	ug/L	50	50.6	51.8	101	104	70-130	2	20	
1,1-Dichloroethane	ug/L	50	49.0	52.1	98	104	70-130	6	20	
1,1-Dichloroethene	ug/L	50	50.3	52.6	101	105	70-130	5	20	
1,2-Dibromo-3-chloropropane	ug/L	50	47.5	46.5	95	93	50-150	2	20	
1,2-Dibromoethane (EDB)	ug/L	50	52.1	55.5	104	111	70-130	6	20	
1,2-Dichlorobenzene	ug/L	50	49.8	50.7	100	101	70-130	2	20	
1,2-Dichloroethane	ug/L	50	57.8	58.5	116	117	70-131	1	20	
1,2-Dichloropropane	ug/L	50	49.4	52.0	99	104	70-130	5	20	
1,3-Dichlorobenzene	ug/L	50	47.8	50.9	96	102	70-130	6	20	
1,4-Dichlorobenzene	ug/L	50	50.8	51.5	102	103	70-130	1	20	
Benzene	ug/L	50	49.1	50.9	98	102	70-130	4	20	
Bromodichloromethane	ug/L	50	60.0	60.5	120	121	70-130	1	20	
Bromoform	ug/L	50	47.6	49.3	95	99	68-130	4	20	
Bromomethane	ug/L	50	55.3	60.4	111	121	38-137	9	20	
Carbon disulfide	ug/L	50	53.4	54.9	107	110	70-154	3	20	
Carbon tetrachloride	ug/L	50	63.8	66.0	128	132	70-130	3	20	LO
Chlorobenzene	ug/L	50	53.3	55.6	107	111	70-130	4	20	
Chloroethane	ug/L	50	47.6	48.2	95	96	70-136	1	20	
Chloroform	ug/L	50	54.5	56.2	109	112	70-130	3	20	
Chloromethane	ug/L	50	44.7	44.4	89	89	48-144	1	20	
cis-1,2-Dichloroethene	ug/L	50	47.5	49.9	95	100	70-130	5	20	
cis-1,3-Dichloropropene	ug/L	50	47.4	48.7	95	97	70-130	3	20	
Dibromochloromethane	ug/L	50	50.9	53.9	102	108	70-130	6	20	
Dichlorodifluoromethane	ug/L	50	47.2	47.1	94	94	33-157	0	20	
Ethylbenzene	ug/L	50	56.0	58.8	112	118	70-132	5	20	
Methyl-tert-butyl ether	ug/L	50	47.1	46.2	94	92	48-141	2	20	
Methylene Chloride	ug/L	50	50.1	51.3	100	103	70-130	2	20	
Styrene	ug/L	50	54.8	59.4	110	119	70-130	8	20	
Tetrachloroethene	ug/L	50	54.2	56.8	108	114	70-130	5	20	
Toluene	ug/L	50	54.5	57.6	109	115	70-130	6	20	
trans-1,2-Dichloroethene	ug/L	50	49.9	52.3	100	105	70-130	5	20	
trans-1,3-Dichloropropene	ug/L	50	48.8	51.2	98	102	70-130	5	20	
Trichloroethene	ug/L	50	55.7	58.4	111	117	70-130	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



**QUALITY CONTROL DATA**

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

LABORATORY CONTROL SAMPLE & LCSD: 1187641		1187642									
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Trichlorofluoromethane	ug/L	50	51.9	55.4	104	111	50-150	6	20		
Vinyl chloride	ug/L	50	49.8	49.4	100	99	65-142	1	20		
Xylene (Total)	ug/L	150	168	181	112	120	70-132	7	20		
4-Bromofluorobenzene (S)	%				103	104	70-130				
Dibromofluoromethane (S)	%				102	101	70-130				
Toluene-d8 (S)	%				106	107	70-130				

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1187895		1187896										
Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40117604001 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
1,1,1-Trichloroethane	ug/L	<0.50	50	50	60.2	58.6	120	117	70-130	3	20	
1,1,2-Trichloroethane	ug/L	<0.20	50	50	50.1	49.3	100	99	70-130	2	20	
1,1-Dichloroethane	ug/L	<0.24	50	50	51.7	50.8	103	102	70-134	2	20	
1,1-Dichloroethene	ug/L	<0.41	50	50	51.8	51.6	104	103	70-139	0	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	44.3	43.3	89	87	50-150	2	20	
1,2-Dibromoethane (EDB)	ug/L	<0.18	50	50	54.4	50.2	109	100	70-130	8	20	
1,2-Dichlorobenzene	ug/L	<0.50	50	50	50.9	48.5	102	97	70-130	5	20	
1,2-Dichloroethane	ug/L	<0.17	50	50	58.5	56.4	117	113	70-132	4	20	
1,2-Dichloropropane	ug/L	<0.23	50	50	51.9	50.8	104	102	70-130	2	20	
1,3-Dichlorobenzene	ug/L	<0.50	50	50	49.5	48.0	99	96	70-130	3	20	
1,4-Dichlorobenzene	ug/L	<0.50	50	50	49.8	50.0	100	100	70-130	0	20	
Benzene	ug/L	<0.50	50	50	50.1	49.2	100	98	70-130	2	20	
Bromodichloromethane	ug/L	<0.50	50	50	58.8	56.4	118	113	70-132	4	20	
Bromoform	ug/L	<0.50	50	50	45.2	40.3	90	81	68-130	11	20	
Bromomethane	ug/L	<2.4	50	50	62.8	61.5	126	123	38-141	2	20	
Carbon disulfide	ug/L	<0.61	50	50	54.3	42.8	109	86	70-155	24	20	R1
Carbon tetrachloride	ug/L	<0.50	50	50	65.9	62.6	132	125	70-130	5	20	M1
Chlorobenzene	ug/L	<0.50	50	50	54.8	53.6	110	107	70-130	2	20	
Chloroethane	ug/L	<0.37	50	50	48.6	48.0	97	96	66-152	1	20	
Chloroform	ug/L	<2.5	50	50	55.5	54.1	111	108	70-130	2	20	
Chloromethane	ug/L	<0.50	50	50	44.7	43.7	89	87	44-151	2	20	
cis-1,2-Dichloroethene	ug/L	<0.26	50	50	50.0	49.2	100	98	70-130	2	20	
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	47.5	44.6	95	89	70-130	6	20	
Dibromochloromethane	ug/L	<0.50	50	50	50.4	45.5	101	91	70-130	10	20	
Dichlorodifluoromethane	ug/L	<0.22	50	50	45.9	45.2	92	90	29-160	2	20	
Ethylbenzene	ug/L	<0.50	50	50	56.9	56.0	114	112	70-132	2	20	
Methyl-tert-butyl ether	ug/L	<0.17	50	50	45.7	44.2	91	88	48-143	3	20	
Methylene Chloride	ug/L	<0.23	50	50	47.7	49.5	95	99	70-130	4	20	
Styrene	ug/L	<0.50	50	50	44.6	43.6	89	87	70-130	2	20	
Tetrachloroethene	ug/L	<0.50	50	50	55.7	53.8	111	108	70-130	3	20	
Toluene	ug/L	<0.50	50	50	54.4	54.4	109	109	70-130	0	20	
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	50.4	51.4	101	103	70-132	2	20	
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	49.5	45.8	99	92	70-130	8	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



**QUALITY CONTROL DATA**

Project: 117-2202040.21 RIPON FF/NN LAN  
 Pace Project No.: 40117604

Parameter	Units	1187895		1187896		MS % Rec	MSD % Rec	% Rec Limits	Max		Qual	
		40117604001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result				MSD Result	RPD		RPD
Trichloroethene	ug/L	<0.33	50	50	55.9	56.0	112	112	70-130	0	20	
Trichlorofluoromethane	ug/L	<0.18	50	50	55.3	54.5	111	109	50-153	1	20	
Vinyl chloride	ug/L	<0.18	50	50	49.0	49.1	98	98	60-155	0	20	
Xylene (Total)	ug/L	<1.5	150	150	166	163	111	109	70-132	2	20	
4-Bromofluorobenzene (S)	%						104	107	70-130			
Dibromofluoromethane (S)	%						104	103	70-130			
Toluene-d8 (S)	%						105	104	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



## QUALIFIERS

Project: 117-2202040.21 RIPON FF/NN LAN  
Pace Project No.: 40117604

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

- L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
- L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
- M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
- R1 RPD value was outside control limits.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 117-2202040.21 RIPON FF/NN LAN  
Pace Project No.: 40117604

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40117604001	P-103D	EPA 8260	MSV/29243		
40117604002	P-107D	EPA 8260	MSV/29243		
40117604003	P-111D	EPA 8260	MSV/29243		
40117604004	MW-3A	EPA 8260	MSV/29243		
40117604005	MW-3B	EPA 8260	MSV/29243		
40117604006	P-113A	EPA 8260	MSV/29243		
40117604007	P-113B	EPA 8260	MSV/29243		
40117604008	P-116	EPA 8260	MSV/29243		
40117604009	P-114	EPA 8260	MSV/29243		
40117604010	P-114 DUP	EPA 8260	MSV/29243		
40117604011	P-115	EPA 8260	MSV/29243		
40117604012	TRIP BLANK	EPA 8260	MSV/29243		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..







Sample Condition Upon Receipt

Pace Analytical Services, Inc.
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Project #:

WO#: 40117604



Client Name: Tetra Tech

Courier: [ ] Fed Ex [ ] UPS [ ] Client [X] Pace [ ] Other:

Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present: [ ] yes [X] no Seals intact: [ ] yes [ ] no

Custody Seal on Samples Present: [ ] yes [X] no Seals intact: [ ] yes [ ] no

Packing Material: [X] Bubble Wrap [X] Bubble Bags [ ] None [ ] Other

Thermometer Used: N/A Type of Ice: [X] Wet [ ] Blue [ ] Dry [ ] None [X] Samples on ice, cooling process has begun

Cooler Temperature: Uncorr: RO1 / Corr: \_\_\_\_\_ Biological Tissue is Frozen: [ ] yes [ ] no

Temp Blank Present: [ ] yes [X] no

Person examining contents:
Date: 7-2-15
Initials: KEW

Temp should be above freezing to 6°C for all sample except Biota.
Frozen Biota Samples should be received ≤ 0°C.

Comments:

Table with 15 rows of checklist items including Chain of Custody Present, Short Hold Time Analysis, Containers Intact, etc. Includes checkboxes for Yes/No/N/A and a section for HNO3, H2SO4, NaOH, and NaOH + ZnAct.

Client Notification/ Resolution: \_\_\_\_\_ If checked, see attached form for additional comments [ ]
Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_
Comments/ Resolution: \_\_\_\_\_

Project Manager Review: \_\_\_\_\_ Date: 7/2/15

**APPENDIX C**  
**GROUNDWATER SAMPLING FIELD FORMS**

**0.TETRA TECH MULTI-LEVEL MONITOR WELL WATER QUALITY SAMPLING AND ANALYSIS FORM**

PROJECT INFORMATION				INSTRUMENTS					
PROJECT	FF/NN Landfill			Temp. & pH	MP-20 Flow Cell				
PROJECT NO.	117-2202040.21			Conductivity	MP-20 Flow Cell				
LOCATION	Ripon, WI			ORP	MP-20 Flow Cell				
PERSONNEL	Ashley A. Weimer			DO	MP-20 Flow Cell				
<b>MONITOR WELL ID</b>	<b>MW-3A</b>			<b>MW-3B</b>			<b>P-113A</b>		
WATER TYPE	Groundwater			Groundwater			Groundwater		
DATE (month/day/year)	7-1-15			7-1-15			7-1-15		
STATIC WATER LEVEL (feet)*	32.91			31.54			15.61		
WELL DEPTH (feet)*	280.1			185.72			325.31		
PUMP INLET DEPTH (feet)*	67.5			54.5			73.5		
START PURGE TIME (Military)	11:30			11:50			12:35		
END PURGE TIME (Military)	11:45			12:10			13:10		
PURGE VOLUME (gallons)	1.25			2.0			1.0		
SAMPLE TIME (Military)	11:50			12:15			13:10		
STABILIZED INDICATOR PARAMETERS READINGS	1st	2nd	3rd	1st	2nd	3rd	1st	2nd	3rd
TIME (minutes since initial reading)	2:00	3:00	4:00	0:00	1:00	2:00	14:00	16:00	18:00
TEMPERATURE (° C)	9.96	9.97	9.96	9.65	9.63	9.62	13.59	12.50	12.92
ELECTRICAL CONDUCTANCE at 25° C (ms/cm)	0.549	0.549	0.548	0.695	0.694	0.694	0.544	0.546	0.547
DISSOLVED OXYGEN (ppm)	1.39	1.29	1.28	0.46	0.43	0.42	1.22	1.11	1.06
pH	7.63	7.62	7.61	7.67	7.66	7.66	7.55	7.60	7.57
DISSOLVED OXYGEN (% Sat.)	12.2	11.5	11.5	4.0	3.7	3.7	11.7	10.5	10.1
ORP (mV)	-135	-132	-128	-149	-146	-144	-130	-134	-133
COLOR	Clear			Clear			Clear		
ODOR	Weak Rotten Eggs			None			None		
CLARITY	Clear			Clear			Clear		
SAMPLING PARAMETERS	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A=AMBER; G=GLASS; P=PLASTIC); PRESERVATIVE TYPE (L=LAB ADDED; F=FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)								
VOCs (EPA Method SW 8260B)	3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No		
Vacu-Vials Iron 2- Wait 1, then wait 5 min	0.090			0.991			1.795		
NAME OF LABORATORY	Pace Analytical			Pace Analytical			Pace Analytical		
DATE SENT TO LAB	7-2-15			7-2-15			7-2-15		
SAMPLER-S NAME	Ashley A. Weimer			Ashley A. Weimer			Ashley A. Weimer		

\*Measured from top of well casing.

**TETRA TECH MULTI-LEVEL MONITOR WELL WATER QUALITY SAMPLING AND ANALYSIS FORM**

PROJECT INFORMATION				INSTRUMENTS			
PROJECT	FF/NN Landfill			Temp. & pH	MP-20 Flow Cell		
PROJECT NO.	117-2202040.21			Conductivity	MP-20 Flow Cell		
LOCATION	Ripon, WI			ORP	MP-20 Flow Cell		
PERSONNEL	Ashley A. Weimer			DO	MP-20 Flow Cell		
<b>MONITOR WELL ID</b>	<b>P-113B</b>			<b>P-103D</b>			
WATER TYPE	Groundwater			Groundwater			
DATE (month/day/year)	7-1-15			7-1-15			
STATIC WATER LEVEL (feet)*	14.75			52.04			
WELL DEPTH (feet)*	198.9			192.66			
PUMP INLET DEPTH (feet)*	48.5			87.5			
START PURGE TIME (Military)	13:10			09:40			
END PURGE TIME (Military)	13:25			09:55			
PURGE VOLUME (gallons)	1.0			1.25			
SAMPLE TIME (Military)	13:25			09:55			
STABILIZED INDICATOR PARAMETERS READINGS	1st	2nd	3rd	1st	2nd	3rd	
TIME (minutes since initial reading)	1:00	2:00	3:00	0:00	1:00	2:00	
TEMPERATURE (° C)	10.23	10.22	10.20	10.52	10.52	10.52	
ELECTRICAL CONDUCTANCE at 25° C (ms/cm)	0.648	0.647	0.647	0.783	0.783	0.782	
DISSOLVED OXYGEN (ppm)	0.97	0.86	0.79	0.96	0.91	0.87	
pH	7.71	7.70	7.68	6.59	6.62	6.63	
DISSOLVED OXYGEN (% Sat.)	8.7	7.7	7.0	8.6	8.2	7.8	
ORP (mV)	-131	-125	-120	-12	-16	-20	
COLOR	Clear			Clear			
ODOR	None			None			
CLARITY	Clear			Clear			
SAMPLING PARAMETERS	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A=AMBER; G=GLASS; P=PLASTIC); PRESERVATIVE TYPE (L=LAB ADDED; F=FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)						
VOCs (EPA Method SW 8260B)	3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No			
Vacu-Vials Iron 2- Wait 1, then wait 5 min	1.058			Over Range			
NAME OF LABORATORY	Pace Analytical			Pace Analytical			
DATE SENT TO LAB	7-2-15			7-2-15			
SAMPLER=S NAME	Ashley A. Weimer			Ashley A. Weimer			

\*Measured from top of well casing.

**TETRA TECH MULTI-LEVEL MONITOR WELL WATER QUALITY SAMPLING AND ANALYSIS FORM**

PROJECT INFORMATION				INSTRUMENTS			
PROJECT	FF/NN Landfill			Temp. & pH	MP-20 Flow Cell		
PROJECT NO.	117-2202040.21			Conductivity	MP-20 Flow Cell		
LOCATION	Ripon, WI			ORP	MP-20 Flow Cell		
PERSONNEL	Ashley A. Weimer			DO	MP-20 Flow Cell		
<b>MONITOR WELL ID</b>	<b>P-111D</b>			<b>P-107D</b>			
WATER TYPE	Groundwater			Groundwater			
DATE (month/day/year)	7-1-15			7-1-15			
STATIC WATER LEVEL (feet)*	36.58			53.86			
WELL DEPTH (feet)*	151.0			327.95			
PUMP INLET DEPTH (feet)*	151.0			76.5			
START PURGE TIME (Military)	10:55			10:18			
END PURGE TIME (Military)	11:10			10:40			
PURGE VOLUME (gallons)	2.0			1.5			
SAMPLE TIME (Military)	11:15			10:40			
STABILIZED INDICATOR PARAMETERS READINGS	1st	2nd	3rd	1st	2nd	3rd	
TIME (minutes since initial reading)	0:00	1:00	2:00	0:00	1:00	2:00	
TEMPERATURE (° C)	10.22	10.17	10.18	10.77	10.80	10.89	
ELECTRICAL CONDUCTANCE at 25° C (ms/cm)	0.841	0.841	0.842	0.584	0.583	0.581	
DISSOLVED OXYGEN (ppm)	0.47	0.45	0.44	1.88	1.79	1.71	
pH	7.47	7.46	7.44	7.29	7.28	7.29	
DISSOLVED OXYGEN (% Sat.)	4.2	4.0	3.9	17.0	16.2	15.5	
ORP (mV)	-99	-101	-103	-69	-72	-76	
COLOR	Clear			Clear			
ODOR	None			None			
CLARITY	Clear			Clear			
SAMPLING PARAMETERS	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A=AMBER; G=GLASS; P=PLASTIC); PRESERVATIVE TYPE (L=LAB ADDED; F=FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)						
VOCs (EPA Method SW 8260B)	3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No			
Vacu-Vials Iron 2- Wait 1, then wait 5 min	1.157			0.132			
NAME OF LABORATORY	Pace Analytical			Pace Analytical			
DATE SENT TO LAB	7-2-15			7-2-15			
SAMPLER-S NAME	Ashley A. Weimer			Ashley A. Weimer			

\*Measured from top of well casing.

**TETRA TECH MULTI-LEVEL MONITOR WELL WATER QUALITY SAMPLING AND ANALYSIS FORM**

PROJECT INFORMATION				INSTRUMENTS						
PROJECT	FF/NN Landfill			Temp. & pH	MP-20 Flow Cell					
PROJECT NO.	117-2202040.21			Conductivity	MP-20 Flow Cell					
LOCATION	Ripon, WI			ORP	MP-20 Flow Cell					
PERSONNEL	Ashley A. Weimer			DO	MP-20 Flow Cell					
<b>MONITOR WELL ID</b>	<b>P-114/Dup</b>			<b>P-115</b>			<b>P-116</b>			
<b>WATER TYPE</b>	Groundwater			Groundwater			Groundwater			
<b>DATE (month/day/year)</b>	7-1-15			7-1-15			7-1-15			
<b>STATIC WATER LEVEL (feet)*</b>	20.94			27.23			27.88			
<b>WELL DEPTH (feet)*</b>	181.72			179.57			163.19			
<b>PUMP INLET DEPTH (feet)*</b>	53.5			53.5			163			
<b>START PURGE TIME (Military)</b>	14:25			15:00			13:48			
<b>END PURGE TIME (Military)</b>	14:40			15:10			14:05			
<b>PURGE VOLUME (gallons)</b>	1.0			1.0			0.75			
<b>SAMPLE TIME (Military)</b>	14:45/14:50			15:15			14:10			
<b>STABILIZED INDICATOR PARAMETERS READINGS</b>	1st	2nd	3rd	1st	2nd	3rd	1st	2nd	3rd	
TIME (minutes since initial reading)	0:00	1:00	2:00	0:00	1:00	2:00	0:00	2:00	4:00	
TEMPERATURE (° C)	10.16	10.18	10.21	10.59	10.59	10.61	11.97	11.88	11.81	
ELECTRICAL CONDUCTANCE at 25° C (ms/cm)	0.742	0.743	0.744	0.608	0.608	0.608	0.528	0.530	0.530	
DISSOLVED OXYGEN (ppm)	0.45	0.42	0.41	0.41	0.39	0.37	0.56	0.45	0.40	
pH	7.70	7.70	7.67	7.88	7.86	7.83	7.75	7.74	7.74	
DISSOLVED OXYGEN (% Sat.)	4.0	3.8	3.7	3.7	3.5	3.3	5.2	4.2	3.8	
ORP (mV)	-114	-113	-113	-122	-122	-121	-125	-121	-117	
<b>COLOR</b>	Clear			Clear			Orange/Gray			
<b>ODOR</b>	None			None			None			
<b>CLARITY</b>	Clear			Clear			Cloudy			
<b>SAMPLING PARAMETERS</b>	# OF CONTAINERS & VOLUME; CONTAINER TYPE (A=AMBER; G=GLASS; P=PLASTIC); PRESERVATIVE TYPE (L=LAB ADDED; F=FIELD ADDED) OR NEUTRAL; FILTERED (YES or NO)									
<b>VOCs (EPA Method SW 8260B)</b>	3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No			3 – 40 ml; G; HCl – L; No			
<b>Vacu-Vials Iron 2- Wait 1, then wait 5 min</b>	0.806			1.254			Over Range			
	**TOOK DUP AT 14:50**									
<b>NAME OF LABORATORY</b>	Pace Analytical			Pace Analytical			Pace Analytical			
<b>DATE SENT TO LAB</b>	7-2-15			7-2-15			7-2-15			
<b>SAMPLER-S NAME</b>	Ashley A. Weimer			Ashley A. Weimer			Ashley A. Weimer			

\*Measured from top of well casing.





**APPENDIX D**

**LANDFILL GAS EXTRACTION SYSTEM MONITORING**




**GAS PROBE DATA MONITORING POINTS**

Project: FF/NN Landfill  
 Location: Ripon, Wisconsin  
 Personnel: Jack Wandler  
 Water level in buried knockout tank \_\_\_\_\_ " In Trailer Vacuum Gage \_\_\_\_\_ "Hg

Barometric Pressure: 28.9 Hg  
 Temperature (ambient): 54 F  
 Measuring Device: Engle  
BA

NLEL

Date	Time	Measurement Point	% CH <sub>4</sub>	% CO <sub>2</sub>	% O <sub>2</sub>	Comments
5-4-15	0700	Background	0.0	0.0	20.9	
	0721	LC-1	8.5	17.0	1.9	
	0740	LC-2	33.0	21.2	2.3	
	0730	LC-3	16.0	16.4	5.1	
	0715	GV-6	73*	11.4	5.3	
	0705	GP-1	0*	0.0	<del>20.9</del>	
	0810	GP-1	0	0.0	20.9	2 <sup>nd</sup> Reading
	0708	Exhaust	6.5	9.2	10.2	






**GAS PROBE DATA MONITORING POINTS**

Project: FF/NN Landfill  
 Location: Ripon, Wisconsin  
 Personnel: Jack Wendler  
 Water level in buried knockout tank \_\_\_\_\_ "

Barometric Pressure: 28.8 Hg  
 Temperature (ambient): 60° F  
 Measuring Device: Zaghe  
 In Trailer Vacuum Gage: 3 "Hg

\* LEL

Date	Time	Measurement Point	% CH <sub>4</sub>	% CO <sub>2</sub>	% O <sub>2</sub>	Comments
5.18.15	0710	Background	0 *	0.0	20.9	
	0726	LC-1	10.5	18.8	1.5	
	0730	LC-2	33.0	23.4	1.9	
	0725	LC-3	17.5	18.4	4.3	
	0720	GV-6	7.0	15.6	3.0	
	0715	GP-1	0 *	5.6	9.7	
	0818	GP-1	0 *	8.0	7.5	2 <sup>nd</sup> Reading
	0712	Exhaust	8.0	10.6	10.2	






**GAS PROBE DATA MONITORING POINTS**

Project: FF/NN Landfill  
 Location: Ripon, Wisconsin  
 Personnel: Josh Wendler  
 Water level in buried knockout tank \_\_\_\_\_ " LEW

Barometric Pressure: 29.3 Hg  
 Temperature (ambient): 42 F  
 Measuring Device: Sage  
 In Trailer Vacuum Gage \_\_\_\_\_ "Hg

Date	Time	Measurement Point	% CH <sub>4</sub>	% CO <sub>2</sub>	% O <sub>2</sub>	Comments
6-1-15	0705	Background	0.0	0.0	20.9	
	0725	LC-1	7.5	18.2	2.4	
	0740	LC-2	32.5	23.4	2.4	
	0732	LC-3	15.5	17.6	5.0	
	0720	GV-6	6.0	15.4	2.9	
	0704	GP-1	0.0	0.8	20.1	
	0706	GP-1	0.0	0.0	20.9	2 <sup>nd</sup> Reading
	0708	Exhaust	7.0	10.8	10.6	






**GAS PROBE DATA MONITORING POINTS**

Project: FF/NN Landfill  
 Location: Ripon, Wisconsin  
 Personnel: Jack Wendler  
 Water level in buried knockout tank \_\_\_\_\_ "

Barometric Pressure: 28.8" Hg  
 Temperature (ambient): 72 F  
 Measuring Device: Eute  
 In Trailer Vacuum Gage: 4 "Hg

\* LEL

Date	Time	Measurement Point	% CH <sub>4</sub>	% CO <sub>2</sub>	% O <sub>2</sub>	Comments
6.15.15	0710	Background	0*	0.0	20.9	
	0730	LC-1	7.0	15.0	4.9	
	0743	LC-2	32.0	23.0	2.0	
	0735	LC-3	16.0	17.8	4.4	
	0727	GV-6	9.5	17.6	1.9	
	0715	GP-1	0	1.4	18.4	
	0820	GP-1	0	0.0	20.9	2 <sup>nd</sup> Reading
	0720	Exhaust	9.0	11.4	9.1	






GAS PROBE DATA MONITORING POINTS

Project: FF/NN Landfill  
 Location: Ripon, Wisconsin  
 Personnel: Jack Wandler  
 Water level in buried knockout tank \_\_\_\_\_ "

Barometric Pressure: 28.8 Hg  
 Temperature (ambient): 62 F  
 Measuring Device: Sagle  
 In Trailer Vacuum Gage 0.4 "Hg

LEL

Date	Time	Measurement Point	% CH <sub>4</sub>	% CO <sub>2</sub>	% O <sub>2</sub>	Comments
6-29-15	0715	Background	0*	0.0	20.9	
	0735	LC-1	86*	8.4	11.8	Rubber ferrule loose. Will tighten @ 10:00
	0740	LC-2	32.0	24.2	1.9	
	0740	LC-3	16.0	18.4	4.5	
	0730	GV-6	12.0	19.0	2.0	
	0718	GP-1	0*	6.6	9.6	
	0820	GP-1	0*	8.6	16.5	
	0721	Exhaust	8.5	10.8	10.6	






GAS PROBE DATA MONITORING POINTS

Project: FF/NN Landfill  
 Location: Ripon, Wisconsin  
 Personnel: Jack Wendler  
 Water level in buried knockout tank \_\_\_\_\_ " In Trailer Vacuum Gage \_\_\_\_\_ "Hg

Barometric Pressure: 28.4 Hg  
 Temperature (ambient): 70 F  
 Measuring Device: Exyle

\* LEL

Date	Time	Measurement Point	% CH <sub>4</sub>	% CO <sub>2</sub>	% O <sub>2</sub>	Comments
7.14.15	0710	Background	0	0.0	20.9	
	0728	LC-1	9.0	19.0	18.8	
	0740	LC-2	30.5	23.8	2.1	
	0735	LC-3	14.5	18.0	4.5	
	0721	GV-6	9.5	18.0	2.5	
	0712	GP-1	0.0	1.0	19.6	
	0815	GP-1	<del>7.0</del>	<del>6.2</del>	10.8	2 <sup>nd</sup> Reading
			7*	6.2		
	0718	Exhaust	7.5	11.4	9.8	






GAS PROBE DATA MONITORING POINTS

Project: FF/NN Landfill Barometric Pressure: 28.9 Hg  
 Location: Ripon, Wisconsin Temperature (ambient): 62 F  
 Personnel: Jack Wendorfer Measuring Device: Eagle  
 Water level in buried knockout tank 3 " In Trailer Vacuum Gage 3 "Hg

*SOLE*

Date	Time	Measurement Point	% CH <sub>4</sub>	% CO <sub>2</sub>	% O <sub>2</sub>	Comments
7.27.15	0705	Background	0 *	0.0	20.9	
	0724	LC-1	7.0	19.2	1.8	
	0745	LC-2	30.5	24.8	1.5	
	0738	LC-3	13.5	17.8	4.7	
	0716	GV-6	9.2 *	15.6	3.4	
	0708	GP-1	2 *	6.2	10.8	
		GP-1	0 *	6.0	11.8	2 <sup>nd</sup> Reading
	0711	Exhaust	5.5	9.6	11.1	





**ATTACHMENT E**

**GROUNDWATER MONITORING PROGRAM APPROVAL, APRIL 18, 2013**

State of Wisconsin  
DEPARTMENT OF NATURAL RESOURCES  
101 S. Webster Street  
Box 7921  
Madison WI 53707-7921

Scott Walker, Governor  
Cathy Stepp, Secretary  
Telephone 608-266-2621  
FAX 608-267-3579  
TTY Access via relay - 711



April 18, 2013

Nelson Olavarria (Representative for the Ripon FF/NN Landfill Potentially Responsible Party (PRP) Group)  
Cooper Industries  
600 Travis Street, #5600  
Houston, TX. 77210

SUBJECT: Conditional Approval of Revised Groundwater Monitoring Program for the Ripon HWY  
FF/NN Landfill  
Ripon HWY FF/NN Landfill  
License #467, Ripon, WI  
**WDNR BRRTS #02-20-000915**

Dear Mr. Olavarria:

The Department and US EPA have completed the review of your request for revisions to the approved groundwater monitoring program, prepared for you by Tetra Tech Inc., received on March 21, 2013 as part of the Status Report and January, 2013 Sampling Event submittal. The Department is approving the revisions subject to the following condition.

The revised monitoring plan shall follow the attached Department revised monitoring schedule table 8 for wells to be sampled, sample parameters and sampling frequency.

The Department appreciates your efforts to restore the environment at this site. Should you have any questions regarding this letter, please call me at (608)267-7563 or email me at [gary.edelstein@wisconsin.gov](mailto:gary.edelstein@wisconsin.gov). Thank you for your cooperation.

Sincerely,

A handwritten signature in black ink, appearing to read 'Gary Edelstein'.

Gary A. Edelstein, P.E.  
Waste Management Engineer  
Remediation & Redevelopment Program

Attach.

cc: Kevin McKnight, DNR - ecopy  
Bernard Schorle, EPA - ecopy - [schorle.bernard@epa.gov](mailto:schorle.bernard@epa.gov)  
Mike Noel, Tetra Tech - ecopy - [Mike.Noel@tetratech.com](mailto:Mike.Noel@tetratech.com)  
Lori Rich, City of Ripon - ecopy - [lrich@cityofripon.com](mailto:lrich@cityofripon.com)

Table 3. Groundwater Monitoring Schedule

FF/NN Landfill, Ripon, WI

DNR

Stratigraphic Layer	Sampling Point	Gradient	Current Plan (4/8/11)			Results	Proposed Plan		
			Water Level	MNA	VOCs		Water Level	MNA	VOCs
Layer 1	MW-101	U	Q		A	ND	A		Drop
Layer 1	MW-102	S	Q		A	ND	A		Drop
Layer 1	MW-103	D	Q	Q	Q	TCE>PALS<ES	SA	SA	SA
Layer 1	MW-104	Within	Q		SA	chlorobenzene <PALS	A		A
Layer 1	MW-106	S	Q		A	ND	A		Drop
Layer 1	MW-107	D	Q		SA	ND	A		A
Layer 1	MW-108	S	Q		A	ND	A		Drop
Layer 1	MW-111	D	Q		A	ND	A		Drop
Layer 1	MW-112	D	Q	Q	Q	VC ND past 6 events	SA	SA	SA
Layer 2	P-101	U	Q		A	ND	A		Drop
Layer 2	P-102	S	Q		A	ND	A		Drop
Layer 2	P-103	D	Q	Q	Q	VC ND past 3 events	SA	SA	SA
Layer 2	P-104	Beneath	Q		A	ND	A		Drop
Layer 2	P-106	S	Q		A	ND	A		A
Layer 2	P-107	D	Q		SA	VC ND last event	A		A
Layer 2	P-108	S	Q		A	ND	A		Drop
Layer 2	P-111	D	Q		A	ND	A		Drop
Layer 3	MW-3B	D	Q	Q	Q	ND	Q	Q	Q
Layer 3	P-103D	D	Q	Q	Q	VC ND past 3 events	Q	Q	Q
Layer 3	P-111D	D	Q	Q	Q	VC>ES	Q	Q	Q
Layer 3	P-113B	D	Q	Q	Q	ND	Q	Q	Q
Layer 3	P-114	D	Q	Q	Q	VC>ES	Q	Q	Q
Layer 3	P-115	D	Q	Q	Q	VC>ES	Q	Q	Q
Layer 3	P-116	D	Q	Q	Q	ND	Q	Q	Q
Layer 4	MW-3A	D	Q	Q	Q	ND	Q	Q	Q
Layer 4	P-107D	D	Q	Q	Q	VC>ES	Q	Q	Q
Layer 4	P-113A	D	Q	Q	Q	ND	Q	Q	Q
Private Wells	Baneck	D			A				A
Private Wells	Gaastra	D			A				A
Private Wells	Rohde	D			A				A
Landfill	Leachate LH-1	Within	A		A		A		A
Landfill	Leachate LH-2	Within	A		A		A		A
Landfill	Leachate LH-3	Within	A		A		A		A
Landfill	Gas VOCs LH-1	Within			Q				A
Landfill	Gas VOCs LH-2	Within			Q				A
Landfill	Gas VOCs LH-3	Within			Q				A
Landfill	Gas VOCs GV-6	Within			Q				A
Landfill	Gas VOCs GP-3	D			Q				A
Landfill	Cap Inspection On Landfill	On Landfill			A				A

Q = Quarterly (Jan, Jul, Oct); A = Annual (Apr) SA = Semi-Annual