

From: Trent Ott <tott@fecinc.us>
Sent: Monday, April 10, 2023 10:05 AM
To: Chronert, Roxanne N - DNR
Subject: Update Vinyl Plastics (Former) 02-60-001045
Attachments: Lab report.pdf; location map.pdf

**CAUTION: This email originated from outside the organization.
Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Roxanne-

Please find attached the laboratory report for the surface water sampling completed in the drainage swale at the VPI site. The sample was collected from within the swale at the southern end (shown on map/sketch). It was non-detect for DEHP. I also contacted the City and did find out that the catch basin at the south end of the swale is connected to the City storm sewer, which I believe discharges to Lake Michigan.

Please confirm that this information is sufficient to meet your request outlined in your March 10, 2023, letter and to progress the site to the point of being able to submit for closure at this time. Also, please let me know if I need to upload this through the portal. If there are questions please don't hesitate to call/email. Thanks.

Trent.

Trenton J. Ott
Project Manager
Friess Environmental Consulting, Inc.
office (414) 228-9815
mobile (414) 688-6683
tott@fecinc.us

On 3/10/2023 4:44 PM, Chronert, Roxanne N - DNR wrote:

Jeff – thank you for the clarification regarding VPI Corporation. I have revised the letter from MMW Properties, LLC to VPI Corporation.

The revised document will be uploaded to BRRS in the near future. [WDNR EM/RR BOTW \(wi.gov\)](#)

Any questions after looking over the letter please let me know.

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Roxanne Nelezen Chronert
Phone: (920) 362-3981

Roxanne.Chronert@Wisconsin.gov

From: Chronert, Roxanne N - DNR
Sent: Friday, March 10, 2023 11:30 AM
To: jjudovich@vpicorp.com
Cc: Trent Ott tott@fecinc.us
Subject: Vinyl Plastics (Former) 02-60-001045 Review of RADR

This document will be uploaded to BRRTS in the near future. [WDNR EM/RR BOTW \(wi.gov\)](http://WDNR.EM/RR.BOTW.wi.gov)

Any questions after looking over the letter please let me know.

Jeff please reach out to me at 920-362-3981 to discuss VPI verses MMW Properties LLC. As we get closer to closure we need to clarify the various entities VPI and MMW Properties LLC and contacts, for the 30 day Notification of Continuing Obligations and Residual contamination 4400-286, completing of the closure form, and issuing of final closure letter.

Roxanne

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Roxanne Nelezen Chronert


Northeast Region Remediation and Redevelopment Team Supervisor
Wisconsin Department of Natural Resources
2984 Shawano Avenue, Green Bay WI 54313-6727
Cell Phone: (920) 362-3981

Roxanne.chronert@Wisconsin.gov



dnr.wi.gov





File No.: 200208 B.1.a2
 DWG Date: 6-9-20
 Rev Date: 11-10-20
 Drawn By: BRF
 Checked By (PM): TJO

B.1.b.3. Detailed Site Diagram
 3123 South 9th Street
 Sheboygan, Wisconsin

Figure
 B.1.b.3.

Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TRENTON OTT
FEC, INC.
6635 N. SIDNEY PLACE
MILWAUKEE, WI 53209

Report Date 28-Mar-23

Project Name VPI Invoice # E42160
Project # 200208
Lab Code 5042160A
Sample ID SWALE
Sample Matrix Water
Sample Date 3/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Semi Volatiles										
Bis(2-ethylhexyl)phthalate	< 1.31	ug/l	1.31	5.04	1	625	3/27/2023	3/27/2023	NJC	1
2-Fluorobiphenyl-surrogate	70	REC %			1	625	3/27/2023	3/27/2023	NJC	1
Nitrobenzene-d5-surrogate	56	REC %			1	625	3/27/2023	3/27/2023	NJC	1
p-Terphenyl-d14-surrogate	87	REC %			1	625	3/27/2023	3/27/2023	NJC	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code	Comment
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Sample Handling Request

Rush Analysis Date Required: _____

(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____

QUOTE # : _____

Project #: 300308

Sampler: (signature) *Trenton J. Ott*

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Project (Name / Location): VPI

Reports To: Trenton Ott Invoice To: Same

Company: FEC, Inc. Company: _____

Address: 6635 N. Sidney Place Address: _____

City State Zip: Milwaukee WI 53209 City State Zip: _____

Phone: (414) 228-9815 Phone: _____

Email: toth@fecinc.com Email: _____

Analysis Requested												Other Analysis				
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	SIVOC *	PID/ FID
															X	

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5042100A	Swate	3/21/23	Am	N	1	GW	—

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

* Only used to report DEHP - Bis(2-ethylhexyl)phthalate

Sample Integrity - To be completed by receiving lab.

Method of Shipment: CS

Temp. of Temp. Blank: _____ °C On Ice:

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *Trenton J. Ott* Time Date 1230pm 3/24/23

Received By: (sign) _____ Time Date _____

Received in Laboratory By: *Steve Clark* Time: 800 Date: 3/22/23