

03-57-002801 02-57-001682 Recasburg Cleaners VIERBICHER ASSOCIATES, INC.

July 23, 2002

David Swimm Wisconsin Department of Commerce Environmental & Regulatory Services P.O. Box 8044 Madison, WI 53708-8044

E: Well Abandonment Notification

Gade-Kleeber Motors, 305 Main St., Reedsburg

Commerce #: 53959-1941-05-A BRRTS #: 03-57-001062

Dear Mr. Swimm:

On July 19, 2002, nine monitoring wells were abandoned with 3/8" chipped bentonite. The bentonite was brought up to the top of each well casing. Concrete was placed above the well casing and brought to the surface to provide an adequate surface seal. I have enclosed copies of the well abandonment forms for the following wells: MW-1, MW-2, MW-3, MW-3P, MW-5, MW-6, MW-8A, MW-9, and RW-1. I have also enclosed a map showing the locations of the abandoned wells.

Monitoring wells, MW-4 and MW-7, were not abandoned. These two wells may be of use to groundwater monitoring efforts at the nearby Reedsburg Cleaners site (BRRTS# 03-57-002801 & 02-57-001682). We are requesting to transfer abandonment liability of MW-4 and MW-7 to Reedsburg Cleaners. Vierbicher Associates is currently the consultant working on the environmental cleanup at Reedsburg Cleaners.

If you have any questions or comments regarding the information provided herein, or require additional documentation, please feel free to give us a call at (608) 233-5800.

Sincerely,

VIERBICHER ASSOCIATES, INC.

▼ 1521 METRO DRIVE, SUITE 205 P.O. BOX 650 SCHOFIELD, WI 54476-0650 (715) 359-2003 Fax (715) 359-4753

▼ 400 VIKING DRIVE

REEDSBURG, WI 53959

▼ 6200 MINERAL POINT RD. MADISON, WI 53705-4504

P.O. BOX 379

(608) 524-6468 Fax (608) 524-8218

(608) 233-5800

Fax (608) 233-4131

▼ P.O. BOX 542 PRAIRIE DU CHIEN, WI 53821 (608) 326-1051 Fax (608) 326-1052


www.vierbicher.com

Joèl·L. Janssen ' Hydrogeologist

Enclosures

cc: Bill Meyer, City of Reedsburg Joseph Hasler, City Attorney

Randy Maass, DNR-South Central Region



WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5W 11-89

(1) GENERAL INFORMATION	(2) FACILITY NAME			
Well/Drillhole/Borehole County Location Sauk	Original Well Owner (If Known) Gade-Kleeber Motors			
SE 1/4 of NW 1/4 of Sec. 10; T. 12 N; R 4 W.	Present Well Owner City of Reedsburg			
(If applicable) Gov't Lot Grid Number	Street or Route P.O. Box 490			
Grid Location ft. □ N. □ S. ft. □ E. □ W.	City, State, Zip Code Reedsburg, WI 53959			
Civil Town Name	Facility Well No. and/or Name (If Applicable) WI Unique Well No. MW-1			
Street Address of Well 305 Main Street	Reason For Abandonment site was closed by Dept. of Commerce			
City, Village Reedsburg	Date of Abandonment July 19, 2002			
WELL/DRILLHOLE/BOREHOLE INFORMATION				
(3) Original Well/Drill/Borehole Construction Completed On (Date) 5/26/93 Monitoring Well Construction Report Available? Water Well Yes □ No □ Drillhole	(4) Depth to Water (Feet) 9.5 Yes No Not Applicable Liner(s) Removed? Yes No Not Applicable Screen Removed? Yes No Not Applicable Casing Left in Place? Yes No Not Applicable If No, Explain			
 □ Borehole Construction Type: □ Driven (Sandpoint) □ Dug □ Other (Specify) 	Was Casing Cut Off Below Surface? Did Sealing Material Rise to Surface? Did Material Settle After 24 Hours? If Yes, Was Hole Retopped? Yes No Yes No Yes No			
Formation Type: Unconsolidated Formation Bedrock	(5) Required Method of Placing Sealing Material Conductor Pipe-Gravity Dump Bailer Other(Expain)			
Total Well Depth (ft.) 14 Casing Diameter (ins.) 2 (From groundsurface)	(6) Sealing Materials For monitoring wells and monitoring well boreholes only Neat Cement Grout			
Casing Depth (ft.) 14	Sand-Cement (Concrete) Grout Concrete Bentonite Pellets Clay-Sand Slurry Granular Bentonite			
Was Well Annular Space Grouted? ☐ Yes ☒ No ☐ Unknown If Yes, To What Depth?Feet	Bentonite-Sand Slurry Chipped Bentonite Bentonite -Cement Grout			
(7) Sealing Material Used	From (Ft.) To (Ft.) No. Yards, Sacks Sealant or Volume Mix Ratio or Mud Weight			
3/8 inch chipped bentonite	Surface 14 1/2 sack hydrated			
(8) Comments:				
(9) Name of Person or Firm Doing Sealing Work Vierbicher Associates, Inc.	(10) FOR DNR OR COUNTY USE ONLY			
Signature of Person Doing Work 7/22/02	Data Received/Inspected District/County			
Street or Route Telephone Number 6200 Mineral Point Road (608) 233-5800	Reviewer/Inspector			
City, State, Zip Code Madison, WI 53705	Follow-up Necessary			

WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5W 11-89

(1) GENERAL INFORMATION	(2) FACILITY NAME		
Well/Drillhole/Borehole County Sauk	Original Well Owner (If Known) Gade-Kleeber Motors		
SE 1/4 of NW 1/4 of Sec. 10; T. 12 N; R 4 ₩.	Present Well Owner City of Reedsburg		
(If applicable) Gov't Lot Grid Number	Street or Route P.O. Box 490		
Grid Location ft. N. S. ft. E. W.	City, State, Zip Code Reedsburg, WI 53959		
Civil Town Name	Facility Well No. and/or Name (If Applicable) WI Unique Well No.		
Street Address of Well 305 Main Street	MW-2 Reason For Abandonment site was closed by Dept. of Commerce		
City, Village Reedsburg	Date of Abandonment July 19, 2002		
WELL/DRILLHOLE/BOREHOLE INFORMATION			
(3) Original Well/Drill/Borehole Construction Completed On (Date) 5/27/93 Monitoring Well Construction Report Available? Water Well Yes □ No □ Drillhole	(4) Depth to Water (Feet) 9		
□ Borehole Construction Type: ☑ Drilled □ Driven (Sandpoint) □ Dug □ Other (Specify)	Was Casing Cut Off Below Surface? Did Sealing Material Rise to Surface? Did Material Settle After 24 Hours? If Yes, Was Hole Retopped? Yes No Yes No Yes No Yes No Yes No Yes No Yes No		
Formation Type:	☐ Conductor Pipe-Gravity ☐ Conductor Pipe-Pumped ☐ Other(Expain)		
Unconsolidated Formation Total Well Depth (ft.) (From groundsurface) Bedrock Casing Diameter (ins.) 2	(6) Sealing Materials For monitoring wells and monitoring well boreholes only		
Casing Depth (ft.) 14.5 Was Well Annular Space Grouted? Yes No Unknown If Yes, To What Depth? Feet	Sand-Cement (Concrete) Grout Concrete Clay-Sand Slurry Bentonite-Sand Slurry Chipped Bentonite Bentonite Pellets Granular Bentonite Bentonite -Cement Grout		
(7) Sealing Material Used	From (Ft.) To (Ft.) No. Yards, Sacks Sealant or Volume Mix Ratio or Mud Weight		
3/8 inch chipped bentonite	Surface 14.5 1/2 sack hydrated		
(8) Comments:			
(9) Name of Person or Firm Doing Sealing Work Vierbicher Associates, Inc.	(10) FOR DNR OR COUNTY USE ONLY		
Signature of Person Doing Work Date Signed 722 02 Street or Route Telephone Number	Date Received/Inspected District/County Reviewer/Inspector		
6200 Mineral Point Road (608) 233-5800 City, State, Zip Code Madison, WI 53705	Follow-up Necessary		

WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5W 11-89

(1) GENERAL INFORMATION	(2) FACILITY NAME			
Well/Drillhole/Borehole County Location Sauk	Original Well Owner (If Known) Gade-Kleeber Motors			
SE 1/4 of NW 1/4 of Sec. 10; T. 12 N; R 4 W.	Present Well Owner City of Reedsburg			
(If applicable) Gov't Lot Grid Number	Street or Route P.O. Box 490			
Grid Location ft. N. S. ft. E. W.	City, State, Zip Code Reedsburg, WI 53959			
Civil Town Name	Facility Well No. and/or Name (If Applicable) WI Unique Well No. MW-3			
Street Address of Well 305 Main Street	Reason For Abandonment site was closed by Dept. of Commerce			
City, Village Reedsburg	Date of Abandonment July 19, 2002			
WELL/DRILLHOLE/BOREHOLE INFORMATION	Mark Andrews (No. 1978) Andrews (No. 1978) Andrews			
(3) Original Well/Drill/Borehole Construction Completed On (Date) 5/27/93 Monitoring Well Construction Report Available? Water Well Yes No Drillhole Borehole Construction Type: Driven (Sandpoint) Dug Other (Specify) Formation Type: Unconsolidated Formation Bedrock Total Well Depth (ft.) 14.5 Casing Diameter (ins.) 2 (From groundsurface) Casing Depth (ft.) 14.5 Was Well Annular Space Grouted? Yes No Unknown If Yes, To What Depth? Feet	(4) Depth to Water (Feet) 9 Pump & Piping Removed? Yes No Not Applicable Liner(s) Removed? Yes No Not Applicable Screen Removed? Yes No Not Applicable Casing Left in Place? Yes No Not Applicable If No, Explain Not Explain Not Sealing Material Rise to Surface? Yes No Not Applicable If No, Explain Yes No Not Applicable If Not Applicable If No, Explain Yes No Not Applicable If No, Explain Not Applicable If No Not Applicable If Not Applicable If No Not Applicable If No Not Applicable If Not Applicable If No Not Applicable If N			
(7) Sealing Material Used	From (Ft.) To (Ft.) No. Yards, Sacks Sealant or Volume Mix Ratio or Mud Weight			
3/8 inch chipped bentonite	Surface 14.5 1/2 sack hydrated			
(8) Comments:				
(9) Name of Person or Firm Doing Sealing Work Vierbicher Associates, Inc. Signature of Person Doing Work Street of Route City, State, Zip Code Madison, WI 53705	(10) FOR DNR OR COUNTY USE ONLY Date Received/Inspected District/County Reviewer/Inspector Follow-up Necessary			
Madison, WI 53705				

WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5W 11-89

(1) GENERAL INFORMATION	(2) FACILITY NAME			
Well/Drillhole/Borehole County Location Sauk	Original Well Owner (If Known) Gade-Kleeber Motors			
SE 1/4 of NW 1/4 of Sec. 10; T. 12 N; R 4 W.	Present Well Owner City of Reedsburg			
(If applicable) Gov't Lot Grid Number	Street or Route P.O. Box 490			
Grid Location ft. ☐ N. ☐ S ft. ☐ E. ☐ W.	City, State, Zip Code Reedsburg, WI 53959			
Civil Town Name	Facility Well No. and/or Name (If Applicable) WI Unique Well No. MW-3P			
Street Address of Well 305 Main Street	Reason For Abandonment site was closed by Dept. of Commerce			
City, Village Reedsburg	Date of Abandonment July 19, 2002			
WELL/DRILLHOLE/BOREHOLE INFORMATION				
(3) Original Well/Drill/Borehole Construction Completed On (Date) 7/14/93	(4) Depth to Water (Feet) 9			
Borehole Construction Type:	Was Casing Cut Off Below Surface? Did Sealing Material Rise to Surface? Did Material Settle After 24 Hours? If Yes, Was Hole Retopped? Yes No Yes No Yes No Yes No Yes No Yes No			
Formation Type: Unconsolidated Formation Bedrock	Conductor Pipe-Gravity Conductor Pipe-Pumped Dump Bailer Other(Expain)			
Total Well Depth (ft.) 30 Casing Diameter (ins.) 2 (From groundsurface)	(6) Sealing Materials For monitoring wells and monitoring well boreholes only Neat Cement Grout			
Casing Depth (ft.) 30	☐ Sand-Cement (Concrete) Grout ☐ Concrete ☐ Clay-Sand Slurry ☐ Granular Bentonite			
Was Well Annular Space Grouted? Yes No Unknown If Yes, To What Depth? Feet	Bentonite-Sand Slurry Chipped Bentonite Bentonite -Cement Grout			
(7) Sealing Material Used	From (Ft.) To (Ft.) No. Yards, Sacks Sealant or Volume Mix Ratio or Mud Weight			
3/8 inch chipped bentonite	Surface 30 1sack hydrated			
(8) Comments:				
(9) Name of Person or Firm Doing Sealing Work Vierbicher Associates, Inc.	(10) FOR DNR OR COUNTY USE ONLY Date Received/Inspected District/County			
Signature Person Doing Work Date Signed 7/27/07	Reviewer/Inspector			
Street or Route Telephone Number	Techtement mapped an			
6200 Mineral Point Road (608) 233-5800 City, State, Zip Code Madison, WI 53705	Follow-up Necessary			
Madison, WL53705				

WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5W 11-89

(1) GENERAL INFORMATION	(2) FACILITY NAME			
Well/Drillhole/Borehole County Location Sauk	Original Well Owner (If Known) Gade-Kleeber Motors			
SE 1/4 of NW 1/4 of Sec. 10; T. 12 N; R 4 W.	Present Well Owner City of Reedsburg			
(If applicable) Gov't Lot Grid Number	Street or Route P.O. Box 490			
Grid Location ft. N. S. ft. E. W.	City, State, Zip Code Reedsburg, WI 53959			
Civil Town Name	Facility Well No. and/or Name (If Applicable) WI Unique Well No. MW-5			
Street Address of Well 305 Main Street	Reason For Abandonment site was closed by Dept. of Commerce			
City, Village Reedsburg	Date of Abandonment July 19, 2002			
WELL/DRILLHOLE/BOREHOLE INFORMATION				
(3) Original Well/Drill/Borehole Construction Completed On (Date) 7/16/93 Monitoring Well Construction Report Available? Water Well Yes No Drillhole Borehole	(4) Depth to Water (Feet) 9			
Construction Type: Drilled Driven (Sandpoint) Dug Other (Specify)	Was Casing Cut Off Below Surface? Did Sealing Material Rise to Surface? Did Material Settle After 24 Hours? If Yes, Was Hole Retopped? Yes No Yes No Yes No Yes No Yes No			
Formation Type:	Conductor Pipe-Gravity Conductor Pipe-Pumped Dump Bailer Other(Expain)			
 ✓ Unconsolidated Formation ☐ Bedrock Total Well Depth (ft.) ☐ Casing Diameter (ins.) ② (From groundsurface) 	(6) Sealing Materials For monitoring wells and monitoring well boreholes only Neat Cement Grout			
Casing Depth (ft.) 14	Sand-Cement (Concrete) Grout Concrete Bentonite Pellets			
Was Well Annular Space Grouted? Yes No Unknown If Yes, To What Depth? Feet	Clay-Sand Slurry Bentonite-Sand Slurry Chipped Bentonite Granular Bentonite Bentonite -Cement Grout			
(7)	No. Yards.			
Sealing Material Used	or Volume			
3/8 inch chipped bentonite	Surface 14 1/2 sack hydrated			
(8) Comments:				
(9) Name of Person or Firm Doing Sealing Work Vierbicher Associates, Inc. Signature of Verson Doing Work Date Signed	(10) FOR DNR OR COUNTY USE ONLY Date Received/Inspected District/County			
Signature of Verson Doing Work Date Signed 7/22/02				
Street of Route Telephone Number 6200 Mineral Point Road (608) 233-5800	Reviewet/Inspector			
City, State, Zip Code Madison, WI 53705	Follow-up Necessary			

WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5W 11-89

(1) GENERAL INFORMA	ATION	(2) FAC	ILITY NA	ME		
Well/Drillhole/Borehole Location	County Sauk		<u></u>	Name of the Park o	eber Motors	
SE 1/4 of NW 1/4 of Se	ec. $\underline{10}$; T. $\underline{12}$ N; R $\underline{4}$ $\underline{\boxtimes}$ E.	Present	Well Owne	cr City of Re	edsburg	
(If applicable) Gov't L	ot Grid Number	Street o	r Route	P.O. Box	490	
Grid Location	S. ft. [E. [] W.	City, S	ate, Zip Coo	le		
Civil Town Name	1 II E W.	Facility	Well No. a	nd/or Name (If	g, WI 53959 Applicable)	WI Unique Well No.
				MW-6		<u> </u>
Street Address of Well 305 Ma	ain Street		Reason For Abandonment site was closed by Dept. of Commerce			
City, Village Reedsh	ourg	Date of	Date of Abandonment July 19, 2002			
WELL/DRILLHOLE/BOR				1,54%	1 11 11 11 11	
(3) Original Well/Drill/Borehole		(4) Depth t	o Water (Fe	et) 7.5		
(Date) 7/15/93	·	Pump &	Piping Rei			o Not Applicable
Monitoring Well	Construction Report Available?	Liner(s)	Removed?			o Not Applicable
Water Well	☐ Yes ☐ No		Removed?	-0	☐ Yes ☒ N ☒ Yes ☐ N	o Not Applicable o Not Applicable
Drillhole		If No, E	Left in Place Explain	€!	Z ies [] N	o inot Applicable
Borehole						
Construction Type: Drilled Other (Specify)	Driven (Sandpoint) Dug	Did Sea Did Ma	ling Materia terial Settle	f Below Surfac al Rise to Surfa After 24 Hours e Retopped?	ce? 🗵 Y	Yes No Yes No Yes No Yes No Yes No Yes No
Other (Specify)	<u></u>	(5) Require	d Method o	f Placing Sealir		
Formation Type:			nductor Pip mp Bailer	e-Gravity	Conduction Other(E	tor Pipe-Pumped xpain)
Unconsolidated Formati	_	(6) Sealing	Materials			oring wells and
Total Well Depth (ft.) (From groundsurface)	.5 Casing Diameter (ins.) 2	☐ Nea	t Cement G		monitorin	g well boreholes only
Casing Depth (ft.) 14.5	<u>-</u>	. —	d-Cement (C crete	Concrete) Grout	⊠ Ben	tonite Pellets
Was Well Annular Space Grou	ited? Yes No Unknown		y-Sand Slurr	•		nular Bentonite
If Yes, To What Depth?	Feet	1 —	tonite-Sand pped Bentor	•	L Ben	tonite -Cement Grout
(7) Sealing N	Atterial Used	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ra	tio or Mud Weight
3/8 inc	ch chipped bentonite	Surface	14.5	1/2 sack	hydrated	
(8) Comments:						
(9) Name of Person or Firm Doin Vierbicher Associates,	ng Sealing Work	(10)	F	OR DNR OR	COUNTYLISE	ONLY
Signature of Person Doing W		Date Re	ceived/Inspe	ected	Dis	trict/County -
Jul Janse	20/25/5					
Street or Route	Telephone Number	Review	n/Inspector			
6200 Mineral Point Road	(608) 233-5800					
City, State, Zip Code Madison, WI 53705		rollow-	up Necessar	у		

WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5W 11-89

(1) GENERAL INFORMA	TION	(2) FACILITY NAME				
Well/Drillhole/Borehole Location	County Sauk	Original Well Owner (If Known) Gade-Kleeber Motors				
SE 1/4 of NW 1/4 of Sec	. <u>10</u> ; T. <u>12</u> N; R <u>4</u> W.	Present	Well Owne	r City of Re	edsburg	
(If applicable) Gov't Lo	Grid Number	Street o	r Route	P.O. Box	490	
Grid Location ft.	S ft. [] E. [] W.	City, St	ate, Zip Coc		g, WI 53959	
Civil Town Name					WI Unique Well No.	
Street Address of Well 305 Mai	n Street	Reason For Abandonment site was closed by Dept. of Commerce				
City, Village Reedsb	urg		Abandonme			
WELL/DRILLHOLE/BORE	EHOLE INFORMATION			وموري المراجع المراجع	and the second of the second	
(3) Original Well/Drill/Borehole (Date) 5/15/96 Monitoring Well Water Well Drillhole Borehole Construction Type: Drilled Other (Specify) Formation Type: Unconsolidated Formation Total Well Depth (ft.) (From groundsurface) Casing Depth (ft.) 15 Was Well Annular Space Ground If Yes, To What Depth?	Construction Report Available? Yes	Pump & Liner(s) Screen Casing If No, E Was Ca Did Sea Did Ma If Ye Co Du (6) Sealing Nea Cor Cla Ben	sing Cut Offi ding Material terial Settle es, Was Hole and Method of inductor Pipe imp Bailer Materials	f Below Surface If Rise to Surface After 24 Hours Retopped? F Placing Sealing Gravity Fout Concrete) Grout	Yes N Yes N Yes N Yes N Yes N Per Core N A Service N A	Not Applicable Not Applicable Not Applicable Yes No Yes No Yes No Yes No Yes No Yes No
(7) Sealing M	aterial Used	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	Mix Ra	atio or Mud Weight
3/8 inc	h chipped bentonite	Surface	15	1/2 sack	hydrated	
		<u> </u>				
(8) Comments:						
(9) Name of Person or Firm Doin Vierbicher Associates, In Signature of Person Doing Wo	ic.	(10) Date Re	F cerved/Inspe	899500000000000000000000000000000000000	COUNTY USE	ONLY strict/County
Jourse Jansa	202215					
Street or Route 6200 Mineral Point Road	Telephone Number (608) 233-5800	Keview	er/Inspector			
City, State, Zip Code		Follow-	up Necessar	у		

WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5W 11-89

(1) GENERAL INFORMATION	(2) FACILITY NAME			
Well/Drillhole/Borehole County Location Sauk	Original Well Owner (If Known) Gade-Kleeber Motors			
SE 1/4 of NW 1/4 of Sec. 10; T. 12 N;R 4 W.	Present Well Owner City of Reedsburg			
(If applicable) Gov't Lot Grid Number	Street or Route P.O. Box 490			
Grid Location ft.	City, State, Zip Code Reedsburg, WI 53959			
Civil Town Name	Facility Well No. and/or Name (If Applicable) WI Unique Well No. MW-9			
Street Address of Well 305 Main Street	Reason For Abandonment site was closed by Dept. of Commerce			
City, Village Reedsburg	Date of Abandonment July 19, 2002			
WELL/DRILLHOLE/BOREHOLE INFORMATION				
(3) Original Well/Drill/Borehole Construction Completed On (Date) 5/15/96 Monitoring Well Construction Report Available? Water Well Yes □ No □ Drillhole □ Borehole	(4) Depth to Water (Feet) 8.5			
Construction Type: Driven (Sandpoint) Other (Specify) Formation Type:	Was Casing Cut Off Below Surface? Did Sealing Material Rise to Surface? Did Material Settle After 24 Hours? If Yes, Was Hole Retopped? Yes No Yes No Yes No Yes No Yes No Conductor Pipe-Gravity Conductor Pipe-Pumped			
Unconsolidated Formation ☐ Bedrock Total Well Depth (ft.) 15 Casing Diameter (ins.) 2 (From groundsurface) Casing Depth (ft.) 15 Was Well Annular Space Grouted? ☐ Yes ☒ No ☐ Unknown If Yes, To What Depth? Feet	Dump Bailer			
(7) Sealing Material Used	From (Ft.) To (Ft.) No. Yards, Sacks Sealant or Volume Mix Ratio or Mud Weight			
3/8 inch chipped bentonite	Surface 15 1/2 sack hydrated			
(8) Comments:				
(9) Name of Person or Firm Doing Sealing Work Vierbicher Associates, Inc. Signature of Person Doing Work Street or Route City, State, Zip Code Madison, WI 53705	(10) FOR DNR OR COUNTY USE ONLY Date Received/Inspected District/County Reviewer/Inspector Follow-up Necessary			

WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5W 11-89

(1) GENERAL INFORMATION	(2) FACILITY NAME		
Well/Drillhole/Borehole County Location Sauk	Original Well Owner (If Known) Gade-Kleeber Motors		
SE 1/4 of NW 1/4 of Sec. 10; T. 12 N;R 4 W.	Present Well Owner City of Reedsburg		
(If applicable) Gov't Lot Grid Number	Street or Route P.O. Box 490		
Grid Location ft. □ N. □ S ft. □ E. □ W.	City, State, Zip Code Reedsburg, WI 53959		
Civil Town Name	Facility Well No. and/or Name (If Applicable) WI Unique Well No. RW-1		
Street Address of Well 305 Main Street	Reason For Abandonment site was closed by Dept. of Commerce		
City, Village Reedsburg	Date of Abandonment July 19, 2002		
WELL/DRILLHOLE/BOREHOLE INFORMATION			
(3) Original Well/Drill/Borehole Construction Completed On	(4) Depth to Water (Feet) 9		
(Date) 5/16/96 Monitoring Well Construction Report Available? Water Well Xes No No No No No No No No No N	Pump & Piping Removed? Liner(s) Removed? Screen Removed? Casing Left in Place? If No, Explain Yes No Not Applicable Yes No Not Applicable Yes No Not Applicable Yes No Not Applicable No Applicable Yes No Not Applicable		
□ Borehole Construction Type: ☑ Drilled □ Driven (Sandpoint) □ Dug □ Other (Specify)	Was Casing Cut Off Below Surface? Did Sealing Material Rise to Surface? Did Material Settle After 24 Hours? If Yes, Was Hole Retopped? Yes □ No □ Yes □ No		
Formation Type: Unconsolidated Formation Bedrock	(5) Required Method of Placing Sealing Material Conductor Pipe-Gravity Dump Bailer Conductor Pipe-Pumped Other(Expain)		
Total Well Depth (ft.) 25 Casing Diameter (ins.) 6 (From groundsurface)	(6) Sealing Materials For monitoring wells and monitoring well boreholes only Neat Cement Grout Sand-Cement (Concrete) Grout		
Casing Depth (ft.) 25	Concrete Bentonite Pellets		
Was Well Annular Space Grouted? ☐ Yes ☒ No ☐ Unknown	☐ Clay-Sand Slurry ☐ Granular Bentonite ☐ Bentonite-Sand Slurry ☐ Bentonite -Cement Grout		
If Yes, To What Depth? Feet	Chipped Bentonite		
(7) Sealing Material Used	From (Ft.) To (Ft.) No. Yards, Sacks Sealant or Volume Mix Ratio or Mud Weight		
3/8 inch chipped bentonite	Surface 25 7 sacks hydrated		
(8) Comments:			
(9) Name of Person or Firm Doing Sealing Work Vierbicher Associates, Inc. Signature of Person Doing Work Date Signed 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	(10) FOR DNR OR COUNTY USE ONLY Date Received/Inspected District/County Reviewer/Inspector Follow-up Necessary		
Madison, WI 53705			