

September 30, 2019
File No. 25211232.51

Mr. Michael Schmoller
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

Subject: Site Investigation Report and Request to Submit for Case Closure
Former Classic Cleaners
3918 Monona Drive, Madison, Wisconsin
BRRTS #02-13-368525

Dear Mr. Schmoller:

SCS Engineers (SCS) prepared this Site Investigation Report for the Former Classic Cleaners site located at 3918 Monona Drive, Madison, Wisconsin (**Figure 1**). The purpose of the investigation was to evaluate the degree and extent of chlorinated volatile organic compounds in soil, groundwater, sub-slab vapor, and indoor air related to a release of dry cleaning solvent. Per our communications with you, we understand that no additional site investigation is required at this time.

Based on site investigation findings and limited access to the source area we are requesting permission to submit a case closure request with a cap maintenance plan to address residual soil contamination.

If you have any questions regarding this Site Investigation Report or closure submittal request, please contact Robert Langdon at 608-216-7329.

Sincerely,



Robert Langdon
Senior Project Manager
SCS Engineers



Thomas J. Karwoski, PG
Project Hydrogeologist
SCS Engineers

REL/lmh_AJR/TK

cc: Ralph and Linda Stinson

Encl. Site Investigation Report

I:\2325\Reports\Site Investigation Report\190930_Schmoller_SIR_Final.docx



Site Investigation Report

Former Classic Cleaners
3918 Monona Drive
Madison, Wisconsin 53716

Prepared for:

Ralph and Linda Stinson
4218 Green Avenue
Madison, Wisconsin 53704

SCS ENGINEERS

25211232.51 | September 30, 2019

2830 Dairy Drive
Madison, WI 53718-6751
608-224-2830

Table of Contents

| Section | Page |
|--|------------|
| Certifications | iii |
| 1.0 Introduction..... | 1 |
| 1.1 Purpose..... | 1 |
| 1.2 Location and Project Information..... | 1 |
| 2.0 Site Background..... | 1 |
| 3.0 Site Investigation | 2 |
| 3.1 Scope | 2 |
| 3.2 Findings..... | 3 |
| 3.2.1 Soils, Geology, and Hydrogeology..... | 3 |
| 3.2.2 Soil Results | 4 |
| 3.2.3 Groundwater Results..... | 4 |
| 3.2.4 Vapor Intrusion Assessment Sample Results..... | 5 |
| 4.0 Interim Action..... | 5 |
| 5.0 Summary and Recommendations | 5 |
| 5.1 Summary..... | 5 |
| 5.2 Recommendations | 6 |
| 5.2.1 Vapor..... | 6 |
| 5.2.2 Groundwater | 6 |
| 5.2.3 Soil..... | 6 |

Tables

| | |
|----------|---|
| Table 1. | Soil Analytical Results Summary |
| Table 2. | Groundwater Analytical Results Summary |
| Table 3. | Groundwater Monitoring Results for Natural Attenuation Evaluation |
| Table 4. | Water Level Summary |
| Table 5. | Sub-Slab Vapor Analytical Results Summary |
| Table 6. | Indoor Air Analytical Results Summary |
| Table 7. | Hydraulic Conductivity Testing Results |

Figures

| | |
|-----------|-------------------------------------|
| Figure 1. | Location Map |
| Figure 2. | Detailed Site Plan |
| Figure 3. | Geologic Cross-Section Location Map |
| Figure 4. | Geologic Cross-Section A-A' |
| Figure 5. | Geologic Cross-Section B-B' |
| Figure 6. | Soil Isoconcentration Map |
| Figure 7. | Groundwater Isoconcentration Map |
| Figure 8. | Water Table Map |
| Figure 9. | Vapor Results Map |

Appendices

- Appendix A Investigation-Derived Waste Disposal Documentation
- Appendix B Soil Boring Logs, Borehole Abandonment Forms, and Well Construction Documentation
- Appendix C Laboratory Analytical Reports

I:\2325\Reports\Site Investigation Report\190930_Schmoller_SIR_Final.docx

CERTIFICATIONS


"I, Thomas J. Karwoski, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



Signature



Title



Date

[This page left blank intentionally]

1.0 INTRODUCTION

1.1 PURPOSE

The purpose of the investigation was to evaluate the degree and extent of chlorinated volatile organic compounds (CVOCs) in soil, groundwater, and air related to a release of dry cleaning solvent.

1.2 LOCATION AND PROJECT INFORMATION

1. Site Owner: Ralph Stinson
2. Site Address: 3918 Monona Drive
Madison, WI
3. Site Location (**Figure 1**): NW¼ of SW¼, Section 9, T.7N., R.10E.
Dane County
4. Environmental Consultant: SCS Engineers
2830 Dairy Drive
Madison, WI 53718-6751
Phone: 608-224-2830
Fax: 608-224-2839
5. Project Hydrogeologist: Tom Karwoski, SCS Engineers
6. Project Manager: Robert Langdon, SCS Engineers
7. Project Director: Mark Huber, SCS Engineers
8. BRRTS #: 02-13-368525
9. WDNR Contact: Mike Schmoller
Phone: 608-275-3303

2.0 SITE BACKGROUND

The property is located near the corner of Monona Drive and Cottage Grove Road, approximately 360 feet east of Lake Monona (**Figure 1**) and is owned by Mr. Ralph Stinson. Mr. Stinson operated a dry cleaning facility at the property for many years. The last dry cleaner facility to operate at the property was Classic Cleaners, which was owned by Mr. John Nebl. Dry cleaning operations ceased in approximately 2002. The south half of the building (3918 Monona Drive) is currently occupied by the Java Cat Coffee House & Café, and the northern half (3916 Monona Drive) is currently used as an artist's shop.

In 2002, BT Squared, Inc. (BT Squared, now SCS Engineers) performed an initial Site Scoping investigation at the request of Mr. John Nebl. The investigation included limited soil and groundwater sampling to evaluate for the presence of CVOCs which would indicate a release of dry cleaning solvent. Borings GB1 through GB3 were advanced in the vicinity of the rear of the building, near a rear exit where filters and solvent containers may have been stored in the past. The investigation

confirmed the presence of CVOCs in soil and groundwater, and the Wisconsin Department of Natural Resources (WDNR) was notified of the release on October 3, 2002. No specific information on the source or quantity of past drycleaner releases are known.

The WDNR sent a “responsible party letter” to both Mr. Stinson (property owner) and Mr. Nebl of Classic Cleaners on October 14, 2002. Mr. Nebl subsequently contracted BT Squared to perform the required site investigation work. On behalf of Mr. Nebl, BT Squared submitted a Site Investigation Workplan to the WDNR in February 2003.

Between 2003 and 2010 work on the project included a soil and groundwater investigation, vapor intrusion assessment sampling, and vapor mitigation. Mr. Nebl ceased work on the project in April 2010 for financial reasons. In 2012, Mr. Stinson contracted SCS BT Squared (now SCS Engineers) to continue work on the project.

Work performed since 2012 has focused primarily on vapor intrusion assessment and vapor mitigation of multiple properties, including the source property and properties to the north, south, and west of the source property.

The most recent round of groundwater sampling was performed in May 2018. Per subsequent communications with the WDNR in March 2019 it was understood that no additional site investigation was required and that a Site Investigation Report should be submitted.

3.0 SITE INVESTIGATION

3.1 SCOPE

The following site investigation and interim action work was performed:

- **Advancement and sampling of 22 direct push technology (DPT) borings (GP1 through GP22) to a maximum depth of 24 feet below ground surface (bgs).** The borings were properly abandoned per NR 141 standards. Soil and groundwater samples were analyzed for volatile organic compounds (VOCs).
- **Installation and sampling of eight monitoring wells (MW1 through MW6 and MW1P and MW4P).** The wells were constructed to a maximum depth of 45 feet bgs and developed consistent with NR 141 standards. Groundwater samples were analyzed for VOCs and natural attenuation parameters, including nitrogen, manganese, iron, sulfate, and total organic content. Field measurements were also made for pH, specific conductance, and dissolved oxygen.
- **Hydraulic conductivity testing** of monitoring wells MW1 through MW4 and MW1P.
- **Requesting access for vapor intrusion assessment sampling at the following off-source properties** (access response and vapor intrusion status shown in parenthesis):
 - 104 Davidson Street (Approved, sampled, determined not at risk)
 - 105 Davidson Street (Not approved)
 - 3900 Monona Drive (Approved, sampled, determined not at risk)
 - 3905 Monona Drive (Not approved)

- 3909 Monona Drive (Not approved, subsequently determined not at risk due to presence of parking garage under entire first level)
 - 3939 Monona Drive (Approved, sampled, determined not at risk)
 - 4001 Monona Drive (Approved, sampled, mitigation system installed)
 - 4002 Monona Drive (Approved, sampled, mitigation system installed)
 - 4007 Monona Drive (Not approved)
- **Installation and sampling of building sub-slab vapor probes at 104 Davidson Street, and 3900, 3916/3918, 3920, 3939, 4001, and 4002 Monona Drive.** Sub-slab samples were submitted for laboratory analysis of tetrachloroethene (PCE), trichloroethene (TCE), cis-1,2-dichloroethene (cis-1,2-DCE), trans-1,2-dichloroethene (trans-1,2-DCE), and vinyl chloride.
 - **Indoor air sampling at 4001 Monona Drive.** Indoor air samples were submitted for laboratory analysis of PCE, TCE, cis-1,2-DCE, trans-1,2-DCE, and vinyl chloride.
 - **Management of investigation-derived waste (IDW).** Monitoring well water was discharged to the Madison Metropolitan Sewerage District (MMSD). Soil was transported to licensed facilities for disposal. Available disposal documentation is included in **Appendix A**.

3.2 FINDINGS

Sample locations are shown on **Figure 2**. Soil boring logs, borehole abandonment forms, and well construction documentation (including hydraulic conductivity test results) are included in **Appendix B**.

Laboratory analytical reports are included in **Appendix C**. Laboratory analytical results, applicable WDNR standards, and water level measurements are summarized in **Tables 1** through **6**. Hydraulic conductivity test results are summarized in **Table 7**.

The estimated extents of soil and groundwater concentrations greater than WDNR standards are shown on **Figures 4** through **7**. A water table map based on May 2018 water levels is included as **Figure 8**. Sub-slab vapor results are shown on **Figure 9**.

3.2.1 Soils, Geology, and Hydrogeology

Geologic cross section information is provided on **Figures 3** through **5**. Site soils generally consists of 1 to 2 feet of gravel fill overlying silty clay. The silty clay unit extends to depths of 3 to 6 feet bgs, and overlies a unit of sand and silty sand. The sand unit continues to a depth of at least 45 feet bgs. The water table at the site lies within the sand unit at a depth of approximately 18 feet bgs.

Bedrock was not encountered during the investigation. The depth to sandstone bedrock in the vicinity of the site is anticipated to be approximately 40 to 60 feet bgs based on historic well construction logs available on the Wisconsin Geologic and Natural History Survey website.

Groundwater flow is to the west-southwest as shown on **Figure 8** at a gradient of approximately 0.002 feet per foot (ft/ft). Groundwater shows little to no vertical flow component at the MW1/MW1P nest and a slight downward flow component at the MW4/MW4P well nest.

The average hydraulic conductivity for tested water table wells is 3.39×10^{-3} centimeters per second (cm/sec) (**Table 7**). The estimated groundwater flow rate at the water table is approximately 35 feet

per year based on the average hydraulic conductivity, 0.002 ft/ft gradient, and assumed effective porosity for the sand unit of 0.20.

There are no municipal wells within 1,200 feet of the site. Drinking water in the vicinity of the site is supplied by City of Madison Well No. 9, which is located approximately 1 mile to the southeast of the site.

3.2.2 Soil Results

Soil analytical results are summarized in **Table 1**. The estimated horizontal and vertical extent of soil exceeding NR 720 RCLs is shown on **Figures 4** through **6**. VOCs are present in soil at concentrations in excess of NR 720 groundwater pathway and direct contact residual contaminant levels (RCLs). Additional details are provided below:

- PCE, TCE, and chloroform were the only CVOCs detected in excess of NR 720 RCLs.
- PCE was the only CVOC detected in excess of a direct contact RCL.
- Groundwater pathway RCL exceedances extend off site to the south of Davidson Street and likely extend slightly north of the subject property as shown on **Figure 6**. The groundwater pathway exceedances likely extend to the water table, approximately 18 feet bgs, as shown on **Figure 4**.
- Direct contact RCL exceedances appear to be limited to the source property immediately east of the former dry cleaner (**Figure 6**) and limited to shallow soil within approximately 4 feet of ground surface as show on **Figure 4**. The highest PCE concentration detected in soil was 605 parts per million (ppm) at soil boring GB3.

3.2.3 Groundwater Results

Groundwater analytical results are summarized in **Tables 2** and **3**. The estimated horizontal and vertical extent of groundwater exceeding NR 140 standards is shown **Figure 7** and geologic cross section **Figures 4** and **5**. Additional details are provided below;

- PCE, TCE, and chloroform were the only CVOCs detected in groundwater at concentrations in excess of NR 140 standards; however, concentrations have decreased significantly over time.
- The highest CVOC concentration detected in groundwater was PCE at 2,300 micrograms per liter ($\mu\text{g}/\text{L}$) as measured at downgradient monitoring well MW6 in June 2007.
- During the most recent sampling event (May 2018) PCE was the only CVOC detected in groundwater in excess of an enforcement standard (ES), and the highest PCE concentration detected was 85 $\mu\text{g}/\text{L}$ at downgradient monitoring well MW6.
- The groundwater plume extends off site to the west-southwest as shown on **Figure 7** and to a maximum depth of approximately 50 feet bgs as shown on **Figure 4**.
- Groundwater natural attenuation sampling results are not indicative of reductive dechlorination. This is supported by the relative lack of PCE breakdown products such TCE, DCE, and vinyl chloride in groundwater. Based on these findings, it is likely that the

decreasing trend observed for PCE in groundwater is due to dispersion of the plume over time.

3.2.4 Vapor Intrusion Assessment Sample Results

Sub-slab and indoor air vapor intrusion assessment sampling results are summarized in **Table 5** and **Table 6**. PCE was detected in excess of the WDNR's residential sub-slab vapor risk screening level (VRSL) at 3916/3918, 3920, 4001, and 4002 Monona Drive. TCE was also detected in excess of the residential VRSL in the sub-slab sample from 3920 Monona Drive. Sub-slab vapor sampling results for PCE are shown on **Figure 9**.

Indoor air samples were collected from 4001 Monona Drive, but CVOCs were not detected in excess of the WDNR's residential indoor vapor action levels (VALs) in any of the samples.

Vapor mitigation systems (VMSs) were installed in all buildings where sub-slab vapor sample concentrations exceeded sub-slab VRSLs.

4.0 INTERIM ACTION

Sub-slab depressurization VMSs were installed in buildings at 3920, 3916/3918, 4001, and 4002 Monona Drive based on sub-slab sampling results. Each VMS was constructed with one or more sub-slab pickup points connected to fans mounted on the building exteriors. The fan exhaust lines were extended above the building roof lines. Further details for each VMS are provided in construction documentation previously submitted to the WDNR as follows:

3916/3918 Monona Drive VMS – June 21, 2018 Vapor Mitigation System Documentation and Maintenance Plan (SCS Engineers)

3920 Monona Drive VMS – July 30, 2009 Interim Action Report (BT Squared)

4001 Monona Drive VMS – March 29, 2016 Post Mitigation Report (Acura Services, LLC)

4002 Monona Drive VMS – March 27, 2009 Vapor Mitigation System Documentation and Maintenance Plan (True North Consultants)

5.0 SUMMARY AND RECOMMENDATIONS

5.1 SUMMARY

A release of dry cleaning solvent was documented and reported to the WDNR in 2002. No specific information on the source or quantity of past drycleaner releases are known. Dry cleaner operations at the site ceased in approximately 2002.

A site investigation was completed to define the degree and extent of CVOC contamination in soil, groundwater, sub-slab vapor, and indoor air. Findings from the investigation show regulatory exceedance for CVOCs in soil, groundwater, and sub-slab vapor, but not indoor air.

Soil contamination appears mostly limited to the source property, but does extend off site to the south, and potentially north at concentrations in excess of groundwater pathway RCLs. Soil exceeding direct contact RCLs appears to be limited to shallow soil within approximately 4 feet of

ground surface in a small area near the southeast corner of the of the 3916/3918 Monona Drive building, where dry cleaning filters and solvent containers may have been stored in the past.

A CVOC groundwater plume extends from the source property to the west-southwest underneath Monona Drive. Groundwater PCE concentrations appear to be degrading over time by dispersion and as of May 2018 the highest PCE concentration in groundwater had fallen from 2,300 µg/L to 85 µg/L.

CVOCs were detected in building sub-slab vapor samples at concentrations in excess of sub-slab VRSLs at the source property and two off-site properties. VMSs were installed in all buildings where sub-slab vapor concentrations exceeded VRSLs.

5.2 RECOMMENDATIONS

5.2.1 Vapor

The potential for vapor intrusion has been addressed by vapor assessment sampling and construction of building VMSs where appropriate. The VMSs should serve to limit the potential for vapor intrusion of CVOCs into buildings which exhibited sub-slab vapor concentrations in excess of WDNR's sub-slab VRSLs.

5.2.2 Groundwater

Active groundwater treatment does not appear to be necessary. Drinking water in the area is supplied by municipal wells which are located a mile or more from the site. Although soil remains in excess of groundwater pathway RCLs the groundwater quality appears to be improving over time naturally.

5.2.3 Soil

Excavation of contaminated soil for the purpose of preventing human direct contact is not practical as access to the small area of soil exceeding direct contact RCLs is very limited. The area serves as a shipping receiving area for the Java Cat Café. It is occupied by a large building HVAC unit and there are multiple overhead and buried utilities in the way. Also, soil in this area contains shallow layers of clay which are not suitable for in-situ treatment methods such as chemical injection or soil vapor extraction.

Based on the limited area of soil exceeding direct contact RCLs, poor access, and limited treatment options, we propose that soil contamination be addressed by a use restriction which requires maintaining site pavement and building foundation as a cap at the source property. The cap would serve to limit human direct contact with and leaching of the underlying soil contamination.

Based on investigation findings and interim action activities, we are requesting permission to submit an NR 726 Case Closure Request with Cap Maintenance Plan.

Tables

- 1 Soil Analytical Results Summary
- 2 Groundwater Analytical Results Summary
- 3 Groundwater Monitoring Results for Natural Attenuation Evaluation
- 4 Water Level Summary
- 5 Sub-Slab Vapor Analytical Results Summary
- 6 Indoor Air Analytical Results Summary
- 7 Hydraulic Conductivity Testing Results

Table 1. Soil Analytical Results Summary
3918 Monona Drive, Madison, WI / SCS Engineers Project #25211232.51
 (Results are in µg/kg, except where noted otherwise)

| Sample | Date | Depth (feet) | FID/PID | Lab Notes | Benzene | Ethylbenzene | Toluene | Xylenes | 1,2,4-TMB | 1,3,5-TMB | MTBE | PCE | Other VOCs** |
|---------|-----------|--------------|---------|-----------|---------|--------------|---------|---------|-----------|-----------|-------------|----------------|--------------|
| GB1 S1 | 9/17/2002 | 0-2 | 1 | (1) | <200 | <200 | <200 | <400 | <200 | <200 | <200 CSL | <u>5,910</u> | ND |
| GB1 S3 | 9/17/2002 | 4-6 | 1 | (1) | <25 | <25 | <25 | <50 | <25 | <25 | <25 CSL | <u>50.9</u> | ND |
| GB2 S5 | 9/17/2002 | 8-10 | 3 | (2) | <25 | <25 | <25 | <50 | <25 | <25 | <25 CSL | <u>166</u> | ND |
| GB3 S1 | 9/17/2002 | 0-2 | 400 | (3) | <20,000 | <20,000 | <20,000 | <40,000 | <20,000 | <20,000 | <20,000 CSL | <u>605,000</u> | ND |
| GB4 S2 | 4/7/2004 | 4 | 2 | (4) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <25 | ND |
| GB4 S6 | 4/7/2004 | 12 | 0 | (4) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <25 | ND |
| GB5 S2 | 4/7/2004 | 4 | 2 | (4) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <u>40.2</u> | ND |
| GB5 S8 | 4/7/2004 | 16 | 0 | (4) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <25 | ND |
| GB6 S2 | 4/7/2004 | 4 | 70 | (4) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <u>15,800</u> | ND |
| GB6 S6 | 4/7/2004 | 12 | 8 | (4) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <u>187</u> | ND |
| GB7 S2 | 4/7/2004 | 4 | 1 | (4) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <u>69.5</u> | ND |
| GB7 S4 | 4/7/2004 | 6 | 2 | (4) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <u>186</u> | ND |
| GB8 S2 | 4/7/2004 | 4 | 1 | (5) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <u>43.5</u> | ND |
| GB8 S6 | 4/7/2004 | 12 | 2 | (5) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <u>66</u> | ND |
| GB9 S2 | 4/7/2004 | 4 | 2 | (5) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <25 | ND |
| GB9 S6 | 4/7/2004 | 12 | 3 | (5) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <25 | ND |
| GB10 S2 | 4/7/2004 | 4 | 3 | (5) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <u>202</u> | ND |
| GB10 S6 | 4/7/2004 | 12 | 2 | (5) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <25 | ND |
| GB11 S2 | 4/7/2004 | 4 | 2 | (5) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <25 | ND |
| GB11 S6 | 4/7/2004 | 12 | 3 | (5) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <25 | ND |
| GB12 S1 | 7/27/2004 | 0-2 | 4.4* | (6) | <25 | <25 | 98.1 | 28.5 | <25 | <25 | <25 | <u>62.5</u> | ND |
| GB12 S5 | 7/27/2004 | 10-12 | 11.2* | (6) | <25 | <25 | 130 | <25 | <25 | <25 | <25 | <25 | ND |
| GB13 S2 | 7/27/2004 | 3-5 | 14.8* | (6) | <25 | <25 | 109 | <25 | <25 | <25 | <25 | <u>69.8</u> | ND |
| GB13 S6 | 7/27/2004 | 13-15 | 15.1* | (6) | <25 | <25 | 129 | <25 | <25 | <25 | <25 | <u>94.1</u> | ND |
| GB14 S1 | 3/8/2007 | 0-2 | 0* | -- | <27 | <27 | <27 | <91 | <27 | <27 | <27 | <27 | ND |
| GB14 S3 | 3/8/2007 | 4-6 | 0* | -- | <30 | <30 | <30 | <100 | <30 | <30 | <30 | <30 | ND |

Table 1. Soil Analytical Results Summary
3918 Monona Drive, Madison, WI / SCS Engineers Project #25211232.51
 (Results are in µg/kg, except where noted otherwise)

| Sample | Date | Depth (feet) | FID/PID | Lab Notes | Benzene | Ethylbenzene | Toluene | Xylenes | 1,2,4-TMB | 1,3,5-TMB | MTBE | PCE | Other VOCs** |
|---------|-----------|--------------|---------|-----------|---------|--------------|---------|---------|-----------|-----------|------|---------------|---|
| GB15 S1 | 3/8/2007 | 0-2 | 288* | -- | <26 | <26 | <26 | <90 | <26 | <26 | <26 | <u>54,000</u> | cis-1,2-Dichloroethene <u>2,000</u> Trichloroethene <u>620</u> |
| GB15 S5 | 3/8/2007 | 8-10 | 26* | -- | <27 | <27 | <27 | <91 | <27 | <27 | <27 | <u>2,700</u> | Chloroform <u>30</u> |
| GB16 S1 | 3/8/2007 | 0-2 | 3.2* | -- | <26 | <26 | <26 | <89 | <26 | <26 | <26 | <26 | ND |
| GB16 S3 | 3/8/2007 | 4-6 | 0* | -- | <30 | <30 | <30 | <100 | <30 | <30 | <30 | <u>40</u> | ND |
| GB17 S1 | 3/8/2007 | 0-2 | 0* | -- | <35 | <35 | <35 | <120 | <35 | <35 | <35 | <35 | ND |
| GB17 S5 | 3/8/2007 | 8-10 | 1.1* | -- | <29 | <29 | <29 | <98 | <29 | <29 | <29 | <29 | ND |
| GB18 S1 | 3/8/2007 | 0-2 | 4* | (8) | <28 | <28 | <28 | <96 | <28 | <28 | <28 | <u>2,500</u> | Trichloroethene <u>110</u> |
| GB18 S5 | 3/8/2007 | 8-10 | 5.9* | (8) | <28 | <28 | <28 | <95 | <28 | <28 | <28 | <u>210</u> | ND |
| GB19 S1 | 3/8/2007 | 0-2 | 10.7* | (8) | <28 | <28 | <28 | <95 | <28 | <28 | <28 | <u>11,000</u> | Trichloroethene <u>200</u> |
| GB19 S5 | 3/8/2007 | 8-10 | 2.6* | (8) | <26 | <26 | <26 | <87 | <26 | <26 | <26 | <u>180</u> | ND |
| GB20 S1 | 3/8/2007 | 0-2 | 1.1* | (8) | <32 | <32 | <32 | <110 | <32 | <32 | <32 | <u>1,400</u> | ND |
| GB20 S3 | 3/8/2007 | 4-6 | 0.7* | (8) | <31 | <31 | <31 | <100 | <31 | <31 | <31 | <u>42</u> | ND |
| GB21 S1 | 3/8/2007 | 0-2 | 0* | (8) | <33 | <33 | <33 | <110 | <33 | <33 | <33 | <u>88</u> | ND |
| GB21 S4 | 3/8/2007 | 6-8 | 0* | (8) | <28 | <28 | <28 | <94 | <28 | <28 | <28 | <28 | ND |
| GB22 S2 | 3/8/2007 | 2-4 | 0 | (9) | <31 | <31 | <31 | <100 | <31 | <31 | <31 | <31 | ND |
| GB22 S5 | 3/8/2007 | 8-10 | 0.7* | (10) | <26 | <26 | <26 | <88 | <26 | <26 | <26 | <u>34</u> | ND |
| MW1 S2 | 7/27/2004 | 3-5 | 1.4* | (6) | <25 | <25 | 92.5 | 28.8 | <25 | <25 | <25 | <u>52</u> | ND |
| MW1 S5 | 7/27/2004 | 10-12 | 1.6* | (6) | <25 | <25 | 92.2 | <25 | <25 | <25 | <25 | <25 | ND |

Table 1. Soil Analytical Results Summary
3918 Monona Drive, Madison, WI / SCS Engineers Project #25211232.51
 (Results are in µg/kg, except where noted otherwise)

| Sample | Date | Depth (feet) | FID/PID | Lab Notes | Benzene | Ethylbenzene | Toluene | Xylenes | 1,2,4-TMB | 1,3,5-TMB | MTBE | PCE | Other VOCs** |
|---|-----------|--------------|---------|-----------|---------|--------------|----------|---------|-----------|-----------|---------|---------|---|
| MeOH Blank | 9/17/2002 | -- | -- | (3) | <25 | <25 | <25 | <50 | <25 | <25 | <25 CSL | <25 | ND |
| | 4/7/2004 | -- | -- | (5) | <25 | <25 | <25 | <50 | <25 | <25 | <25 | <25 | ND |
| | 7/27/2004 | -- | -- | (6) (7) | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | ND |
| | 3/8/2007 | -- | -- | (11) | <25 | <25 | <25 | <85 | <25 | <25 | <25 | <25 | ND |
| NR 720 Groundwater Pathway RCLs with a Wisconsin-Default Dilution Factor of 2 | | | | | 5.1 | 1,570 | 1,107.20 | 3,960 | (a) | | 27 | 4.5 | cis-1,2-Dichloroethene 41.2 Chloroform 3.3 Trichloroethene 3.6 |
| NR 720 Non-Industrial Direct Contact RCLs | | | | | 1,600 | 8,020 | 818,000 | 260,000 | 219,000 | 182,000 | 63,800 | 33,000 | cis-1,2-Dichloroethene 156,000 Chloroform 454 Trichloroethene 1,300 |
| NR 720 Industrial Direct Contact RCLs | | | | | 7,070 | 35,400 | 818,000 | 260,000 | 219,000 | 182,000 | 282,000 | 145,000 | cis-1,2-Dichloroethene 2,340,000 Chloroform 1,980 Trichloroethene 8,410 |

Abbreviations:

µg/kg = micrograms per kilogram or parts per billion (ppb)
 MTBE = Methyl-tert-butyl ether
 ND = Not Detected

VOCs = Volatile Organic Compounds
 TMB = Trimethylbenzene
 RCLs = Residual Contaminant Levels

FID = Flameionization Detector
 PID = Photoionization Detector
 PCE = Tetrachloroethene

Notes:

*=Measured with a photoionization detector.

**=Samples analyzed for full VOCs list.

Bold+underlined values exceed an NR 720 RCL, as of December 2018.

(a) NR 720 Groundwater Pathway RCLs for 1,2,4 and 1,3,5 Trimethylbenzene Combined = 1,378.7

Table 1. Soil Analytical Results Summary
3918 Monona Drive, Madison, WI / SCS Engineers Project #25211232.51

Laboratory Notes:

CSL = Check standard for this analyte exhibited a low bias. Sample results may also be biased low.

- (1) Chloroethane, chloromethane, dichlorodifluoromethane, 1,1-dichloroethane, 1,2-dichloroethane, naphthalene, and trichlorofluoromethane analyses - Check standard for this analyte exhibited a high bias. Sample results may also be biased high. Dichlorodifluoromethane analysis - The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low. Dichlorodifluoromethane, 1,2,3-trichlorobenzene, and trichlorofluoromethane analyses - Results of duplicate analysis in this quality assurance batch exceeds the limits for precision. 1,2-Dichloroethane analysis - The laboratory control sample for this analyte exhibited a high bias. Sample results may also be biased high. 2,2-Dichloropropane analysis - Check standard for this analyte exhibited a low bias. Sample results may also be biased low.
- (2) Chloroethane, chloromethane, dichloromethane, 1,1-dichloroethane, 1,2-dichloroethane, methylene chloride, naphthalene, and trichlorofluoromethane analyses - Check standard for this analyte exhibited a high bias. Sample results may also be biased high. Chloromethane, dichlorofluoromethane, 2,2-dichloropropane, and trichlorofluoromethane analyses - Results of duplicate analysis in this quality assurance batch exceeds the limits for precision. Dichlorodifluoromethane and 2,2-dichloropropane analyses - The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low. 1,2-Dichloroethane and naphthalene analyses - The laboratory control sample for this analyte exhibited a high bias. Sample results may also be biased high. 2,2-Dichloropropane analysis - Check standard for this analyte exhibited a low bias. Sample results may also be biased low.
- (3) Chloroethane, chloromethane, 1,2-dichloroethane, 1,1-dichloroethylene, 1,3-dichloropropane, naphthalene, trichlorofluoromethane, and vinyl chloride analyses - Check standard for this analyte exhibited a high bias. Sample results may also be biased high. Chloromethane, 2,2-dichloropropane, isopropyl ether, trichlorofluoromethane, and vinyl chloride analyses - The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low. Chloromethane analysis - Results of duplicate analysis in this quality assurance batch exceeds the limits for precision. Isopropyl ether analysis - Check standard for this analyte exhibited a low bias. Sample results may also be biased low.
- (4) Chloroethane, chloromethane, and 2,2-dichloropropane analyses - Check standard for this analyte exhibited a low bias. Sample results may also be biased low. Chloroethane, chloromethane, dichlorodifluoromethane, 2,2-dichloropropane, trichlorofluoromethane, and vinyl chloride analyses - The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low. Chloroethane and chloromethane analyses - Results of duplicate analysis in this quality assurance batch exceeds the limits for precision. 1,2-Dibromo-3-chloropropane analysis - Check standard for this analyte exhibited a high bias. Sample results may also be biased high. The laboratory control sample for this analyte exhibited a high bias. Sample results may also be biased high.
- (5) Bromodichloromethane, 1,2-dibromo-3-chloropropane analyses - Check standard for this analyte exhibited a high bias. Sample results may also be biased high. The laboratory control sample for this analyte exhibited a high bias. Sample results may also be biased high. Chloroethane, chloromethane, and 2,2-dichloropropane analyses - Check standard for this analyte exhibited a low bias. Sample results may also be biased low. Chloroethane, chloromethane, dichlorofluoromethane, trichlorofluoromethane, and vinyl chloride analyses - The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low. Chloroethane analysis - Results of duplicate analysis in this quality assurance batch exceeds the limits for precision.
- (6) VOCs analysis - The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria. Vinyl chloride analysis - The recovery of this analyte in the check standard is below the method specified acceptance criteria.
- (7) Surrogate: Dibromofluoromethane analysis - This quality control measurement is below the laboratory established limit.
- (8) Bromoform, Bromomethane, Chloroethane, Dichlorodifluoromethane - Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits. Bromoform, 1,2-Dichloroethane - The RPD exceeded the acceptance limit. Chloroethane - Calibration Verification recovery was above the method control limit for this analyte. Analyte not detected, data not impacted.
- (9) Carbon Tetrachloride - The RPD exceeded the acceptance limit. Chloroethane, Chloromethane, Dichlorodifluoromethane - Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits. Surrogate: Toluene - Surrogate recovery was below acceptance limits.
- (10) Carbon Tetrachloride - The RPD exceeded the acceptance limit. Chloroethane, Chloromethane, Dichlorodifluoromethane - Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits.
- (11) 1,2,4-Trichlorobenzene - Calibration Verification recovery was outside the method control limits for this analyte. The LCS for this analyte met CCV acceptance criteria, and was used to validate the batch.

| | | | |
|-------------------|------------|-------|------------------|
| Created by: | <u>LMH</u> | Date: | <u>5/10/2004</u> |
| Last revision by: | <u>JSN</u> | Date: | <u>5/8/2017</u> |
| Checked by: | <u>LMH</u> | Date: | <u>5/9/2017</u> |
| Proj Mgr QA/QC: | <u>REL</u> | Date: | <u>9/23/2019</u> |

I:\2325\Tables-General\[Table 1_Soil_Analytical Results Summary.xls]Revision History

Table 2. Groundwater Analytical Results Summary
3918 Monona Drive, Madison, WI / SCS Engineers Project #25211232.51
 (Results are in µg/L)

| Sample | Date | Lab Notes | Benzene | Ethylbenzene | Toluene | Xylenes | TMBs | MTBE | PCE | TCE | cis-1,2-DCE | Other VOCs |
|--------|-----------|-----------|---------|--------------|---------|---------|--------|--------|-------------|-------------------------|-------------------|------------------------|
| MW1 | 8/18/2004 | (3) | <2.50 | <25.0 | <25.0 | <25.0 | <50.0 | <1.45 | <u>260</u> | <2.50 | <25.0 | ND |
| | 4/19/2005 | (4) | <0.50 | <5.0 | <5.0 | <5.0 | <10.0 | <0.290 | <u>678</u> | <u>2.77</u> | <5.0 | ND |
| | 6/26/2007 | -- | <0.82 | <1.1 | <1.3 | <5.3 | <3.6 | <1.2 | <u>190</u> | <u>1.1</u> ^Q | <1.7 | ND |
| | 12/2/2008 | -- | <6.70 | <6.70 | <13.0 | <19.70 | <13.40 | <17.0 | <u>320</u> | <u>21.7</u> | 3.53 ^J | Chloroform <u>19.3</u> |
| | 5/30/2018 | -- | <0.15 | <0.18 | <0.15 | <0.22 | <0.61 | <0.39 | <0.37 | <0.16 | <0.41 | ND |
| MW1P | 4/19/2005 | (4) | <0.50 | <5.0 | <5.0 | <5.0 | <10.0 | <0.290 | <0.50 | <0.50 | <5.0 | ND |
| | 6/26/2007 | -- | <0.41 | <0.54 | <0.67 | <2.63 | <1.8 | <0.61 | <0.45 | <0.48 | <0.83 | ND |
| | 12/2/2008 | (9) | <0.67 | <0.67 | <1.30 | <1.97 | <0.87 | <1.70 | <u>1.06</u> | <1.30 | <1.00 | ND |
| | 5/30/2018 | -- | <0.15 | <0.18 | <0.15 | <0.22 | <0.61 | <0.39 | <u>9.9</u> | <0.16 | <0.41 | ND |
| MW2 | 8/18/2004 | (3) | <0.50 | <5.0 | <5.0 | <5.0 | <10.0 | <0.290 | <u>60.5</u> | <0.50 | <5.0 | ND |
| | 4/19/2005 | (6) | <0.50 | <5.0 | <5.0 | <5.0 | <10.0 | <0.290 | <u>19.4</u> | <u>0.710</u> | <5.0 | ND |
| | 6/26/2007 | -- | <0.41 | <0.54 | <0.67 | <2.63 | <1.8 | <0.61 | <u>16</u> | <0.48 | <0.83 | ND |
| | 12/2/2008 | (9) | <0.67 | <0.67 | <1.30 | <1.97 | <1.34 | <1.70 | <u>54.8</u> | <1.30 | <1.00 | Chloroform <u>3.13</u> |
| | 5/30/2018 | -- | <0.15 | <0.18 | <0.15 | <0.22 | <0.61 | <0.39 | <u>1.3</u> | <0.16 | <0.41 | ND |
| MW3 | 8/18/2004 | (3) | <0.50 | <5.0 | <5.0 | <5.0 | <10.0 | <0.290 | <u>39.4</u> | <0.50 | <5.0 | ND |
| | 4/19/2005 | (4) | <0.50 | <5.0 | <5.0 | <5.0 | <10.0 | <0.290 | <u>9.04</u> | <0.50 | <5.0 | ND |
| | 6/26/2007 | -- | <0.41 | <0.54 | <0.67 | <2.63 | <1.8 | <0.61 | <u>51</u> | <0.48 | <0.83 | Chloroform <u>2.4</u> |
| | 12/2/2008 | (9) | <0.67 | <0.67 | <1.30 | <1.97 | <1.34 | <1.70 | <u>52.5</u> | 0.44 ^J | <1.00 | ND |
| | 5/30/2018 | -- | <0.15 | <0.18 | <0.15 | <0.22 | <0.61 | <0.39 | <u>1.7</u> | <0.16 | <0.41 | ND |

Table 2. Groundwater Analytical Results Summary
3918 Monona Drive, Madison, WI / SCS Engineers Project #25211232.51
 (Results are in µg/L)

| Sample | Date | Lab Notes | Benzene | Ethylbenzene | Toluene | Xylenes | TMBs | MTBE | PCE | TCE | cis-1,2-DCE | Other VOCs |
|---------------------------------------|-----------|-----------|---------|--------------|--------------------|---------|--------|--------|-----------------------------|-------------|-------------------|--|
| MW4 | 4/19/2005 | (4) | <0.50 | <5.0 | <5.0 | <5.0 | <10.0 | <0.290 | <u>2,280</u> | <u>5.03</u> | <5.0 | ND |
| | 6/26/2007 | -- | <4.1 | <5.4 | <6.7 | <26.3 | <18.0 | <6.1 | <u>1,500</u> | <4.8 | <8.3 | ND |
| | 12/2/2008 | -- | <6.70 | <6.70 | <13.0 | <19.70 | <13.40 | <17.0 | <u>342</u> | <13.0 | <10.0 | Chloroform <u>43.6</u> |
| | 5/30/2018 | -- | <0.15 | <0.18 | <0.15 | <0.22 | <0.61 | <0.39 | <u>47</u> | <0.16 | <0.41 | ND |
| MW4P | 6/26/2007 | (7) | <4.1 | <5.4 | <6.7 | <26.3 | <18.0 | <6.1 | <u>1,200</u> ^N | <u>81</u> | <8.3 | ND |
| | 12/2/2008 | -- | <6.70 | <6.70 | <13.0 | <19.70 | <13.40 | <17.0 | <u>286</u> | <u>68.7</u> | 6.23 ^J | ND |
| | 5/30/2018 | -- | <0.15 | <0.18 | <0.15 | <0.22 | <0.61 | <0.39 | <0.37 | <u>1.1</u> | <0.41 | ND |
| MW5 | 6/26/2007 | -- | <1.0 | <1.4 | <1.7 | <6.6 | <4.5 | <1.5 | <u>170</u> | <1.2 | <2.1 | ND |
| | 12/2/2008 | -- | <0.67 | <0.67 | <1.30 | <1.97 | <1.34 | <1.70 | <u>56</u> | <1.30 | <1.00 | Isopropylbenzene 0.12 ^J Trichlorofluoromethane 0.28 ^{CSH,J} |
| | 5/30/2018 | -- | <0.15 | <0.18 | <0.15 | <0.22 | <0.61 | <0.39 | <u>17</u> | <0.16 | <0.41 | ND |
| MW6 | 6/26/2007 | (8) | <10 | <14 | <17 | <66 | <45 | <15 | <u>2,300</u> | <12 | <21 | ND |
| | 12/2/2008 | -- | <6.70 | <6.70 | <13.0 | <19.70 | <13.40 | <17.0 | <u>1,620</u> ^{CAL} | <13.0 | <10.0 | ND |
| | 5/30/2018 | -- | <0.15 | <0.18 | <0.15 | <0.22 | <0.61 | <0.39 | <u>85</u> | <0.16 | <0.41 | ND |
| Trip Blank | 9/17/2002 | (1) | <0.31 | <0.5 | 0.532 ^J | <0.92 | <0.71 | <0.3 | <0.32 | <0.36 | <0.23 | ND |
| | 4/7/2004 | -- | <0.31 | <0.5 | <0.3 | <0.92 | <0.71 | <0.3 | <0.45 | <0.5 | <0.4 | ND |
| | 8/18/2004 | (5) | <0.50 | <5.0 | <5.0 | <5.0 | <10.0 | <0.290 | <u>2.29</u> | <0.50 | <5.0 | Bromodichloromethane <u>0.50</u> |
| | 4/19/2005 | (4) | <0.50 | <5.0 | <5.0 | <5.0 | <10.0 | <0.290 | <0.50 | <0.50 | <5.0 | ND |
| | 6/26/2007 | -- | <0.41 | <0.54 | <0.67 | <2.63 | <1.8 | <0.61 | <0.45 | <0.48 | <0.83 | ND |
| | 12/2/2008 | (9) | <0.67 | <0.67 | <1.30 | <1.97 | <1.34 | <1.70 | <1.00 | <1.30 | <1.00 | ND |
| | 5/30/2018 | -- | <0.15 | <0.18 | <0.15 | <0.22 | <0.61 | <0.39 | <0.37 | <0.16 | <0.41 | ND |
| NR 140 Enforcement Standards (ES) | | | 5 | 700 | 800 | 2,000 | 480 | 60 | 5 | 5 | 70 | Bromodichloromethane 0.6 Chloroform 6 |
| NR 140 Preventive Action Limits (PAL) | | | 0.5 | 140 | 160 | 400 | 96 | 12 | 0.5 | 0.5 | 7 | Bromodichloromethane 0.06 Chloroform 0.6 |

Abbreviations:

µg/L = micrograms per liter or parts per billion (ppb)
 PCE = Tetrachloroethene
 VOCs = Volatile Organic Compounds

cis-1,2-DCE = cis-1,2-Dichloroethene
 TCE = Trichloroethene
 ND = Not Detected

MTBE = Methyl-tert-butyl ether
 TMBs = 1,2,4- and 1,3,5-trimethylbenzenes

Table 2. Groundwater Analytical Results Summary
3918 Monona Drive, Madison, WI / SCS Engineers Project #25211232.51

Notes:

All samples analyzed for full VOC list.

Bold+underlined values meet or exceed NR 140 enforcement standards.

Italic+underlined values meet or exceed NR 140 preventive action limits.

NR 140 ES - Wisconsin Administrative Code (WAC), Chapter NR 140.10 Table 1 - Public Health Groundwater Quality Standards

NR 140 PAL - WAC, Chapter NR 140.10 Table 1 - Public Health Groundwater Quality Standards

Laboratory Notes:

CAL = Estimated concentration above the calibration range, but within the range of the detector

CSH = Check standard for this analyte exhibited a high bias. Sample results may also be biased high.

J = Estimated concentration below laboratory quantitation level.

N = Spiked sample recovery not within control limits.

Q = The analyte has been detected between the limit of detection (LOD) and the limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range

(1) Chloromethane, dichlorodifluoromethane, and naphthalene analyses - Check standard for this analyte exhibited a high bias. Sample results may also be biased high.

2,2-Dichloropropane analysis - Check standard for this analyte exhibited a low bias. Sample results may also be biased low.

(2) Chloromethane analysis - Check standard for this analyte exhibited a low bias. Sample results may also be biased low.

(3) VOCs analysis - The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.

Vinyl chloride analysis - The recovery of this analyte in the check standard is above the method specified acceptance criteria.

Surrogate: Toluene-d8 analysis - This quality control measurement is above the laboratory established limit.

Surrogate: 4-Bromofluorobenzene analysis - This quality control measurement is below the laboratory established limit.

(4) VOCs analysis - The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.

(5) VOCs analysis - Blank was analyzed twice to confirm contamination. The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria. 1,1-Dichloroethene analysis - The recovery of this analyte in the check standard is above the method specified acceptance criteria.

Surrogate: Dibromofluoromethane and Surrogate: 4-Bromofluorobenzene analysis - This quality control measurement is below the laboratory established limit.

Surrogate: Toluene-d8 analysis - This quality control measurement is above the laboratory established limit.

(6) VOCs analysis - The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.

Surrogate: 4-Bromofluorobenzene analysis - This quality control measurement is below the laboratory established limit.

(7) Styrene analysis - Spiked sample recovery not within control limits.

(8) VOCs analysis - Sample pH was greater than 2.

(9) Trichlorofluoromethane - Check standard for this analyte exhibited a high bias. Sample results may also be biased high.

| | | | |
|-------------------|------------|-------|------------------|
| Created by: | <u>LMH</u> | Date: | <u>5/10/2004</u> |
| Last revision by: | <u>LMH</u> | Date: | <u>6/7/2018</u> |
| Checked by: | <u>JSN</u> | Date: | <u>6/8/2018</u> |
| Proj Mgr QA/QC: | <u>REL</u> | Date: | <u>9/23/2019</u> |

I:\2325\Tables-General\[Table 2_Groundwater Analytical Results Summary.xls]Notes

Table 3. Groundwater Monitoring Results for Natural Attenuation Evaluation
3918 Monona Drive, Madison, WI / SCS Engineers Project #25211232.51
 (Results in mg/L, unless otherwise noted)

| Sample | Date | pH (Std. Units) | Specific Conductance (μ S/cm) | Dissolved Oxygen | NO ₃ +NO ₂ -N | Dissolved Manganese | Dissolved Iron | Sulfate | TOC |
|--------|-----------|--------------------|--|---------------------|-------------------------------------|------------------------|-------------------|---------|------|
| MW1 | 4/19/2005 | 7.12 | 830 | 6.8 | 4.56 | <0.05 | <0.10 | 24.1 | 2.55 |
| | 12/2/2008 | 7.39 | 1,035 | 8.0 | 6.26 | <0.05 | <0.10 | 25.2 | 13.5 |
| MW1P | 4/19/2005 | 7.18 | 955 | 5.2 | <0.05 | 0.339 | 0.400 | 105 | 2.30 |
| | 12/2/2008 | 7.12 | 733 | 4.0 | 0.27 J | 0.199 | 0.516 | 80.1 | 14.0 |
| MW2 | 4/19/2005 | 6.95 | 1,014 | 3.9 | 1.39 | 0.161 | 0.174 | 30.4 | 4.65 |
| | 12/2/2008 | 7.30 | 771 | 3.0 | 0.45 | 0.315 | 0.236 | 20.7 | 13.4 |
| MW3 | 4/19/2005 | 6.83 | 1,243 | 11.5 | 0.299 | 0.0631 | <0.10 | 18.1 | 4.20 |
| | 12/2/2008 | 7.20 | 672 | 8.0 | 0.14 J | <0.05 | <0.10 | 11.0 | 12.8 |
| MW4 | 4/19/2005 | 7.08 | 1,399 | 4.6 | 5.59 | <0.05 | <0.10 | 58.9 | 3.18 |
| | 12/2/2008 | 7.15 | 1,010 | 4.0 | 6.28 | <0.05 | <0.10 | 40.4 | 12.7 |
| MW4P | 12/2/2008 | 7.22 | 450 | 4.0 | <0.33 | 0.268 | 0.497 | 54.3 | 12.1 |
| MW5 | 12/2/2008 | 7.38 | 3,240 | 6.0 | 9.92 | 0.003 J | 0.044 J | 24.8 | 12.2 |
| MW6 | 12/2/2008 | 7.22 | 525 | 3.0 | 3.22 | <0.05 | <0.10 | 52.3 | 13.1 |

Abbreviations:

mg/L = milligrams per liter
 TOC = total organic carbon

NO₃+NO₂-N = nitrate plus nitrite as nitrogen
 μ S/cm = microsiemens per centimeter

Notes:

Dissolved oxygen (DO), pH, and specific conductance measured in the field.

Laboratory Notes:

J = Estimated concentration below laboratory quantitation level.

| | | | |
|-------------------|------------|-------|------------------|
| Created by: | <u>SMS</u> | Date: | <u>4/20/2005</u> |
| Last revision by: | <u>TLC</u> | Date: | <u>2/2/2015</u> |
| Checked by: | <u>LMH</u> | Date: | <u>2/2/2015</u> |
| Proj Mgr QA/QC: | <u>REL</u> | Date: | <u>9/23/2019</u> |

I:\2325\Tables-General\[Table 3_Groundwater Monitoring Results for Natural Attenuation.xls]GW Natural Attenuation

Table 4. Water Level Summary
3918 Monona Drive, Madison, WI / SCS Engineers Project #25211232.51

| | Depth to Water in feet below top of well casing | | | | | | | |
|------------------|---|-------|-------|-------|-------|-------|-------|-------|
| Well Number | MW1 | MW2 | MW3 | MW4 | MW5 | MW6 | MW1P | MW4P |
| Measurement Date | | | | | | | | |
| July 27, 2004 | 17.74 | 17.11 | 17.41 | NM | NM | NM | NM | NM |
| August 18, 2004 | 18.04 | 17.43 | 17.70 | NM | NM | NM | NM | NM |
| April 19, 2005 | 19.28 | 18.66 | 19.02 | 19.53 | NM | NM | 19.23 | NM |
| June 26, 2007 | 19.34 | 18.72 | 19.11 | 19.56 | 20.39 | 17.88 | 19.29 | 19.45 |
| December 2, 2008 | 19.07 | 18.48 | 18.79 | 19.35 | 20.05 | 17.70 | 19.02 | 19.22 |
| May 30, 2018 | 17.77 | 17.18 | 17.41 | 18.10 | 18.90 | 16.58 | 17.71 | 17.99 |

| | Ground Water Elevation in feet above mean sea level (amsl) | | | | | | | |
|-------------------------------------|--|--------|--------|--------|--------|--------|--------|--------|
| Well Number | MW1 | MW2 | MW3 | MW4 | MW5 | MW6 | MW1P | MW4P |
| Top of Casing Elevation (feet amsl) | 863.73 | 863.11 | 863.58 | 863.84 | 864.53 | 862.02 | 863.68 | 863.57 |
| Measurement Date | | | | | | | | |
| July 27, 2004 | 845.99 | 846.00 | 846.17 | -- | -- | -- | -- | -- |
| August 18, 2004 | 845.69 | 845.68 | 845.88 | -- | -- | -- | -- | -- |
| April 19, 2005 | 844.45 | 844.45 | 844.56 | 844.31 | -- | -- | 844.45 | -- |
| June 26, 2007 | 844.39 | 844.39 | 844.47 | 844.28 | 844.14 | 844.14 | 844.39 | 844.12 |
| December 2, 2008 | 844.66 | 844.63 | 844.79 | 844.49 | 844.48 | 844.32 | 844.66 | 844.35 |
| May 30, 2018 | 845.96 | 845.93 | 846.17 | 845.74 | 845.63 | 845.44 | 845.97 | 845.58 |

Abbreviations:

NM = not measured

Last revision by: REL

Date: 5/31/2018

Checked by: JSN

Date: 6/8/2018

Proj Mgr QA/QC: REL

Date: 9/23/2019

I:\2325\Tables-General\[Table 4_Water Level Summary.xls]Revision History

Table 5. Sub-Slab Vapor Analytical Results Summary
3918 Monona Drive / SCS Engineers Project #25211232.51
 (Results are in ppbv)

| Sample | Date | PCE | TCE | cis-1,2-DCE | trans-1,2-DCE | Vinyl Chloride |
|--|------------|----------------------------|-------------|-------------|---------------|----------------|
| 3916 Monona Drive* | 7/11/2013 | <u>2,010</u> | <800 *D | <800 *D | <800 *D | <800 *D |
| 3918 Monona Drive* | 11/18/2008 | 253 A3 | 9.7 | 2.2 | NA | <1.0 |
| | 7/11/2013 | <u>2,180</u> | <800 *D | <800 *D | <800 *D | <800 *D |
| 3920 Monona Drive* | 11/18/2008 | <u>7,660</u> A3, R1 | 37.9 | 9.4 | NA | 3.0 |
| 104 Davidson Street No. 1 | 7/9/2009 | 137 | <0.80 | <0.80 | NA | <0.79 |
| | 7/11/2013 | 67 | <33 *D | <33 *D | <33 *D | <33 *D |
| 104 Davidson Street No. 2 | 7/11/2013 | 33 | <20 | <20 | <20 | <20 |
| 3900 Monona Drive | 7/9/2009 | 43.5 | <0.80 | <0.80 | NA | <0.79 |
| 3939 Monona Drive | 7/11/2013 | 33 | <20 | <20 | <20 | <20 |
| 4001 Monona Drive* No. 1 | 7/9/2009 | 276 | <0.74 | <0.74 | NA | <0.73 |
| | 7/11/2013 | 641 | <200 *D | <200 *D | <200 *D | <200 *D |
| 4001 Monona Drive* No. 2 | 7/11/2013 | 324 | <200 *D | <200 *D | <200 *D | <200 *D |
| 4002 Monona Drive SS-01 | 11/19/2018 | 28 | <0.24 | <0.47 | <0.47 | <0.24 |
| 4002 Monona Drive SS-02 | 11/19/2018 | 37 | <0.18 | <0.35 | <0.35 | <0.18 |
| 4002 Monona Drive SS-03 | 11/19/2018 | 100 | <0.18 | <0.35 | <0.35 | <0.18 |
| 4002 Monona Drive SS-04 | 11/19/2018 | <u>1,396</u> | 7.38 | <0.37 | <0.37 | <0.18 |
| 4002 Monona Drive SS-05 | 11/19/2018 | 778 | 1.55 | <0.35 | <0.38 | <0.18 |
| Indoor Air Vapor Action Level (Residential) | | 6.2 | 0.39 | NE | NE | 0.65 |
| Vapor Risk Screening Level (Residential) | | 210 | 13 | NE | NE | 22 |
| Vapor Risk Screening Level (Non-Residential) | | 900 | 53 | NE | NE | 370 |

Abbreviations:

ppbv = parts per billion by volume
 cis-1,2-DCE = cis-1,2-dichloroethene
 trans-1,2-DCE = trans-1,2-dichloroethene

PCE = tetrachloroethene
 TCE = trichloroethene

NA = not analyzed
 NE = not established

Notes:

*Vapor mitigation systems were installed subsequent to sampling.

1. Samples were collected in 6L summa canisters over a 30-minute period and analyzed using the USEPA TO-15 analytical method.
2. Vapor Action Levels or Vapor Risk Screening Levels are from Wisconsin Department of Natural Resources Quick Look-Up Table, which is based on November 2017 USEPA Regional Screening Level Tables.
3. Vapor Risk Screening Levels assume a residential/small commercial attenuation factor of 0.03 for sub-slab vapor.
4. Bold values meet or exceed Vapor Risk Screening Levels for residential settings. Bold and underlined values meet or exceed Vapor Risk Screening Levels for non-residential settings.
5. November 11, 2018 results from True North Consultants' Table 1 Summary of Air Sample Analytical Results, Sub-Slab Vapor Short List.

Laboratory Notes/Qualifiers:

A3 = The sample was analyzed by serial dilution.

*D = Limit of detection not achievable due to dilution.

R1 = Duplicate result for this parameter was 1,070 ppbv, relative percent difference value was outside control limits.

Created by: SMS
 Last revision by: LMH
 Checked by: REL
 Proj Mgr QA/QC: REL

Date: 12/9/2008
 Date: 9/16/2019
 Date: 9/19/2019
 Date: 9/23/2019

I:\2325\Tables-General\[Table 5_Sub-Slab Vapor Analytical Results Summary.xls]VOCs

Table 6. Indoor Air Analytical Results Summary
3918 Monona Drive, Madison, WI / SCS Engineers Project #25211232.51
 (Results are in ppbv)

| Sample | Location | Date | PCE | TCE | cis-1,2-DCE | trans-1,2-DCE | Vinyl Chloride |
|---|-------------------|-----------|---------------|--------|-------------|---------------|----------------|
| IA-101 | 4001 Monona Drive | 7/15/2015 | 0.29 | <0.085 | <0.085 | 0.19 F | <0.085 |
| IA-102 | 4001 Monona Drive | 7/15/2015 | 0.74 | <0.085 | <0.085 | <0.085 | <0.085 |
| IA-103 | 4001 Monona Drive | 7/15/2015 | 0.23 F | <0.17 | <0.17 | <0.17 | <0.17 |
| IA-104 | 4001 Monona Drive | 7/15/2015 | 0.24 F | <0.085 | <0.085 | 1.0 | <0.085 |
| Indoor Air Vapor Action Level (Residential) | | | 6.2 | 0.39 | NE | NE | 0.65 |

Abbreviations:

ppbv = parts per billion by volume

cis-1,2-DCE = cis-1,2-dichloroethylene

PCE = tetrachloroethylene

trans-1,2-DCE = trans-1,2-dichloroethylene

TCE = trichloroethylene

NE = not established

Notes:

1. Samples were collected in 6-liter summa canisters over a 24-hour period and analyzed using the USEPA TO-15 analytical method.
2. Vapor Action Levels are from Wisconsin Department of Natural Resources Quick Look-Up Table, which is based on November 2017 USEPA Regional Screening Level Tables.
3. **Bold & underlined** values exceed Indoor Air Vapor Action Levels.

Lab Notes:

F next to result = Result is in between LOD and LOQ

Created by: LMH
 Last revision by: JSN
 Checked by: LMH
 Proj Mgr QA/QC: REL

Date: 7/27/2015
 Date: 5/8/2017
 Date: 5/9/2017
 Date: 9/23/2019

I:\2325\Tables-General\[Table 6_Indoor Air Analytical Results Summary.xls]Results

Table 7. Hydraulic Conductivity Testing Results
3918 Monona Drive / SCS Engineers Project #25211232.51

| Well | Test Direction | K Estimate (cm/s) | Average K (cm/s) |
|--------------------------------|----------------|-------------------|------------------|
| MW1 | Slug In | 4.97E-03 | 3.06E-03 |
| | Slug Out | 1.89E-03 | |
| MW2 | Slug In | 5.61E-03 | 3.01E-03 |
| | Slug Out | 1.61E-03 | |
| MW3 | Slug In | 7.78E-03 | 4.07E-03 |
| | Slug Out | 2.13E-03 | |
| MW4 | Slug In | 6.95E-03 | 3.53E-03 |
| | Slug Out | 1.79E-03 | |
| Average K at Water Table Wells | | | 3.39E-03 |
| MW1P | Slug In | 4.75E-03 | 4.75E-03 |
| | Slug Out | 4.75E-03 | |
| Average K at Piezometer: | | | 4.75E-03 |

Abbreviations:

K = hydraulic conductivity
cm/s = centimeters per second

Note:


All averages are geometric means

| | | | |
|-------------------|------------|-------|------------------|
| Created by: | <u>SMS</u> | Date: | <u>3/22/2007</u> |
| Last revision by: | <u>SMS</u> | Date: | <u>3/22/2007</u> |
| Checked by: | <u>RE</u> | Date: | <u>3/26/2007</u> |
| Proj Mgr QA/QC: | <u>REL</u> | Date: | <u>9/16/2019</u> |

I:\2325\Tables-General\[Table 7_Hydraulic Conductivity.xlsx]Hydraulic Conductivity

Figures

- 1 Location Map
- 2 Detailed Site Plan
- 3 Geologic Cross-Section Location Map
- 4 Geologic Cross-Section A-A'
- 5 Geologic Cross-Section B-B'
- 6 Soil Isoconcentration Map
- 7 Groundwater Isoconcentration Map
- 8 Water Table Map
- 9 Vapor Results Map



SITE LOCATION




MADISON EAST QUADRANGLE
 WISCONSIN-DANE CO.
 7.5 MINUTE SERIES (TOPOGRAPHIC)



SCALE 1" = 2000'

| | | | | | | | |
|--------|---|------|---|----------|---|-------------------|--------|
| CLIENT | RALPH STINSON 4218 GREEN AVENUE MADISON, WI 53704 | SITE | 3918 MONONA DRIVE MADISON, WISCONSIN | ENGINEER | SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 | SITE LOCATION MAP | FIGURE |
| | PROJECT NO. 25211232.50 | | DRAWN BY: JMO | | | | 1 |
| | DRAWN: 01/06/04 | | CHECKED BY: REL | | | | |
| | REVISED: 09/19/19 | | APPROVED BY: REL 9/19/19 | | | | |




LEGEND


- APPROXIMATE PROPERTY LINE
- ⊘ UTILITY POLE
- MH MANHOLE
- E — UNDERGROUND ELECTRIC
- G — GAS MAIN
- OU — OVERHEAD UTILITY
- SA — SANITARY SEWER
- ST — STORM SEWER
- W — WATER
- △ SUB-SLAB VAPOR SAMPLING POINT
- VAPOR MITIGATION SYSTEM
- ⊕ SOIL BORING
- ⊙ MONITORING WELL



- NOTES:
1. ALL SAMPLE LOCATIONS ARE APPROXIMATE.
 2. RIGHT OF WAY UTILITY INFORMATION PROVIDED BY CITY OF MADISON.
 3. ALL UTILITY LOCATIONS ARE APPROXIMATE AND SHOULD NOT BE USED FOR UTILITY LOCATING PURPOSES.




| | | | | | | | | |
|-------------------------|--------------------------|--|--------|---|------|---|--------------------|--------|
| PROJECT NO. 25211232.50 | DRAWN BY: KP/JMO | SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 | CLIENT | RALPH STINSON 4218 GREEN AVENUE MADISON, WI 53704 | SITE | 3918 MONONA DRIVE MADISON, WISCONSIN | DETAILED SITE PLAN | FIGURE |
| DRAWN: 01/06/04 | CHECKED BY: REL | | | | | | | 2 |
| REVISED: 09/19/19 | APPROVED BY: REL 9/19/19 | | | | | | | |




LEGEND

| | |
|------|-------------------------------|
| --- | APPROXIMATE PROPERTY LINE |
| ⊘ | UTILITY POLE |
| ○ | MANHOLE |
| —E— | UNDERGROUND ELECTRIC |
| —G— | GAS MAIN |
| —OU— | OVERHEAD UTILITY |
| —SA— | SANITARY SEWER |
| —ST— | STORM SEWER |
| —W— | WATER |
| △ | SUB-SLAB VAPOR SAMPLING POINT |
| ○ | VAPOR MITIGATION SYSTEM |
| ⊕ | SOIL BORING |
| ⊙ | MONITORING WELL |

- NOTES:**
1. ALL SAMPLE LOCATIONS ARE APPROXIMATE.
 2. RIGHT OF WAY UTILITY INFORMATION PROVIDED BY CITY OF MADISON.
 3. ALL UTILITY LOCATIONS ARE APPROXIMATE AND SHOULD NOT BE USED FOR UTILITY LOCATING PURPOSES.




| | | | | | | |
|-------------------------|--------------------------|--|---|---|--|--------|
| PROJECT NO. 25211232.50 | DRAWN BY: KP/JMO | SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 | CLIENT RALPH STINSON 4218 GREEN AVENUE MADISON, WI 53704 | SITE 3918 MONONA DRIVE MADISON, WISCONSIN | GEOLOGIC CROSS SECTION LOCATION MAP | FIGURE |
| DRAWN: 01/06/04 | CHECKED BY: REL | | | | | 3 |
| REVISED: 09/19/19 | APPROVED BY: REL 9/19/19 | | | | | |



| | | | | | | | | | | |
|-------------------------|--------------------------|----------|--|--------|---|------|---|-----------------------------|-----------------------|---|
| PROJECT NO. 25211232.50 | DRAWN BY: KP/JMO | ENGINEER | | CLIENT | RALPH STINSON 4218 GREEN AVENUE MADISON, WI 53704 | SITE | 3918 MONONA DRIVE MADISON, WISCONSIN | GEOLOGIC CROSS SECTION A-A' | FIGURE | |
| DRAWN: 01/06/04 | CHECKED BY: REL | | | | | | | | PHONE: (608) 224-2830 | 4 |
| REVISED: 09/19/19 | APPROVED BY: REL 9/19/19 | | | | | | | | | |

I:\2325\Drawings-general\XSEC.dwg, 9/19/2019 9:32:12 AM



| | | | |
|-------------|-------------|--------------|-------------|
| PROJECT NO. | 25211232.50 | DRAWN BY: | KP/JMO |
| DRAWN: | 01/06/04 | CHECKED BY: | REL |
| REVISED: | 09/19/19 | APPROVED BY: | REL 9/19/19 |

ENGINEER

SCS ENGINEERS

2830 DAIRY DRIVE MADISON, WI 53718-6751
PHONE: (608) 224-2830

CLIENT

RALPH STINSON
4218 GREEN AVENUE
MADISON, WI 53704


SITE

3918 MONONA DRIVE
MADISON, WISCONSIN

GEOLOGIC CROSS SECTION B-B'

FIGURE
5

I:\2325\Drawings-general\XSEC.dwg, 9/19/2019 9:33:02 AM




LEGEND


| | |
|------|-------------------------------|
| --- | APPROXIMATE PROPERTY LINE |
| ∅ | UTILITY POLE |
| ○ | MANHOLE |
| —E— | UNDERGROUND ELECTRIC |
| —G— | GAS MAIN |
| —OU— | OVERHEAD UTILITY |
| —SA— | SANITARY SEWER |
| —ST— | STORM SEWER |
| —W— | WATER |
| △ | SUB-SLAB VAPOR SAMPLING POINT |
| ○ | VAPOR MITIGATION SYSTEM |
| ⊕ | SOIL BORING |
| ⊕ | MONITORING WELL |



- NOTES:**
1. ALL SAMPLE LOCATIONS ARE APPROXIMATE.
 2. RIGHT OF WAY UTILITY INFORMATION PROVIDED BY CITY OF MADISON.
 3. ALL UTILITY LOCATIONS ARE APPROXIMATE AND SHOULD NOT BE USED FOR UTILITY LOCATING PURPOSES.




| | | | | | | | | |
|-------------------------|--------------------------|--|--------|---|------|---|---------------------------|--------|
| PROJECT NO. 25211232.50 | DRAWN BY: KP/JMO | SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 | CLIENT | RALPH STINSON 4218 GREEN AVENUE MADISON, WI 53704 | SITE | 3918 MONONA DRIVE MADISON, WISCONSIN | SOIL ISOCONCENTRATION MAP | FIGURE |
| DRAWN: 01/06/04 | CHECKED BY: REL | | | | | | | 6 |
| REVISED: 09/19/19 | APPROVED BY: REL 9/19/19 | | | | | | | |




- LEGEND**
- APPROXIMATE PROPERTY LINE
 - ⊘ UTILITY POLE
 - MH MANHOLE
 - E — UNDERGROUND ELECTRIC
 - G — GAS MAIN
 - OU — OVERHEAD UTILITY
 - SA — SANITARY SEWER
 - ST — STORM SEWER
 - W — WATER
 - △ SUB-SLAB VAPOR SAMPLING POINT
 - VAPOR MITIGATION SYSTEM
 - ⊕ SOIL BORING
 - ⊙ MONITORING WELL



- NOTES:**
1. ALL SAMPLE LOCATIONS ARE APPROXIMATE.
 2. RIGHT OF WAY UTILITY INFORMATION PROVIDED BY CITY OF MADISON.
 3. ALL UTILITY LOCATIONS ARE APPROXIMATE AND SHOULD NOT BE USED FOR UTILITY LOCATING PURPOSES.



| | | | | | | | | |
|-------------------------|--------------------------|--|--------|---|------|---|-------------------------------------|--------|
| PROJECT NO. 25211232.50 | DRAWN BY: KP/JMO | <p>2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830</p> | CLIENT | RALPH STINSON 4218 GREEN AVENUE MADISON, WI 53704 | SITE | 3918 MONONA DRIVE MADISON, WISCONSIN | GROUNDWATER ISOCONCENTRATION MAP | FIGURE |
| DRAWN: 01/06/04 | CHECKED BY: REL | | | | | | | 7 |
| REVISED: 09/19/19 | APPROVED BY: REL 9/19/19 | | | | | | | |




LEGEND


| | |
|--|----------------------------|
| | APPROXIMATE PROPERTY LINE |
| | UTILITY POLE |
| | MANHOLE |
| | UNDERGROUND ELECTRIC |
| | GAS MAIN |
| | OVERHEAD UTILITY |
| | SANITARY SEWER |
| | STORM SEWER |
| | WATER |
| | MONITORING WELL |
| | WATER TABLE CONTOUR |
| | APPROXIMATE FLOW DIRECTION |



- NOTES:**
1. RIGHT OF WAY UTILITY INFORMATION PROVIDED BY CITY OF MADISON.
 2. ALL UTILITY LOCATIONS ARE APPROXIMATE AND SHOULD NOT BE USED FOR UTILITY LOCATING PURPOSES.




| | | | | | | |
|-------------------------|--------------------------|-----------------|--|---|---|--------|
| PROJECT NO. 25211232.50 | DRAWN BY: KP/JMO | <p>ENGINEER</p> | <p>CLIENT</p> <p>RALPH STINSON 4218 GREEN AVENUE MADISON, WI 53704</p> | <p>SITE</p> <p>3918 MONONA DRIVE MADISON, WISCONSIN</p> | <p>WATER TABLE MAP MAY 30, 2018</p> | FIGURE |
| DRAWN: 01/06/04 | CHECKED BY: REL | | | | | 8 |
| REVISED: 09/19/19 | APPROVED BY: REL 9/19/19 | | | | | |



- LEGEND**
- APPROXIMATE PROPERTY LINE
 - ∅ UTILITY POLE
 - MH MANHOLE
 - E — UNDERGROUND ELECTRIC
 - G — GAS MAIN
 - OU — OVERHEAD UTILITY
 - SA — SANITARY SEWER
 - ST — STORM SEWER
 - W — WATER
 - △ SUB-SLAB VAPOR SAMPLING POINT
 - VAPOR MITIGATION SYSTEM
 - MONITORING WELL
 - 33** PCE SUB-SLAB VAPOR CONCENTRATION IN PARTS PER BILLION BY VOLUME



- NOTES:**
1. ALL SAMPLE LOCATIONS ARE APPROXIMATE.
 2. RIGHT OF WAY UTILITY INFORMATION PROVIDED BY CITY OF MADISON.
 3. ALL UTILITY LOCATIONS ARE APPROXIMATE AND SHOULD NOT BE USED FOR UTILITY LOCATING PURPOSES.



| | | | | | | |
|-------------------------|--------------------------|--|---|---|-------------------|--------|
| PROJECT NO. 25211232.50 | DRAWN BY: KP/JMO | SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 | CLIENT RALPH STINSON 4218 GREEN AVENUE MADISON, WI 53704 | SITE 3918 MONONA DRIVE MADISON, WISCONSIN | VAPOR RESULTS MAP | FIGURE |
| DRAWN: 01/06/04 | CHECKED BY: REL | | | | | 9 |
| REVISED: 09/19/19 | APPROVED BY: REL 9/19/19 | | | | | |

Appendix A

Investigation-Derived Waste Disposal Documentation

From: "Ralph Erickson" <RalphE@madsewer.org>
To: "Stephen Sellwood" <ssellwood@bt2inc.com>
Date: 4/7/2005 10:03:46 AM
Subject: RE: second purge water disposal request

Mr. Sellwood:

We will accept the purgewater for treatment here at Nine Springs Wastewater Treatment Plant. The driver should complete a disposal ticket, as usual.

Ralph Erickson
Pretreatment Coordinator, Madison Metro Sewerage District
Ph:608.222.1201 x362 Fax:608.222.2703

-----Original Message-----

From: Stephen Sellwood [mailto:ssellwood@bt2inc.com]
Sent: Thursday, April 07, 2005 9:54 AM
To: Ralph Erickson
Subject: second purge water disposal request

Hi Ralph:

I am writing to request permission to dispose of approximately 100 gallons of PCE-contaminated water. The water is monitoring well purge water from a former dry cleaner site in Madison (3918 Monona Drive). PCE is a listed hazardous waste, but PCE-contaminated water is exempt from hazardous waste regulations if it is discharged to water treatment facility.

There is a sanitary sewer manhole on the property, and if possible we would like to discharge the water there to avoid transporting it. I can still stop by and fill out discharge slips for accurate record keeping. If discharging to the sanitary sewer on site isn't possible, we can of course bring it to MMSD.

I am attaching a table of recent analytical results for the wells from which the water will be purged.

I am planning to do the groundwater sampling next week.

Thanks for your help!

Stephen

Stephen Sellwood
Project Hydrogeologist
BT^2, Inc.
2830 Dairy Drive
Madison, WI 53718
608-224-2830: phone
608-224-2839: fax

From: "Ralph Erickson" <RalphE@madsewer.org>
To: "Rachel Enright" <renright@bt2inc.com>
Date: 6/18/2007 10:17:59 AM
Subject: RE: Groundwater Disposal Request

Good morning Rachel,

The analytical looks fine, for a mixed source volume of 200 gallons. It is always good to associate a business name with a site. It's looking like a dry cleaner. Can you tell me the name?

We will accept this purgewater for treatment here at Nine Springs Wastewater Treatment Plant. The driver should log the material in under our LUST category, and we bill BT2 quarterly for all waters of the this nature from the various sites that BT2 works at.

Ralph Erickson
Pretreatment and Waste Acceptance Coordinator
Madison Metropolitan Sewerage District

-----Original Message-----

From: Rachel Enright [mailto:renright@bt2inc.com]
Sent: Monday, June 18, 2007 8:54 AM
To: Ralph Erickson
Subject: Groundwater Disposal Request

Dear Ralph:

I am writing to request approval to dispose of approximately 200 gallons of purge water from all site wells (MW1, MW1P, MW2, MW3, MW4, MW4P, MW5, and MW6) and development water (MW4P, MW5, and MW6) from the 3918 Monona Drive Site located in Monona, WI at the treatment plant. While we do not have analytical data for the three wells we recently installed (MW4P, MW5, and MW6), I have attached the analytical results that are representative of the groundwater contamination at the site. We have disposed of purge water from the site at the treatment plant previously. Please contact me with any questions. Thank you.

Sincerely,

Rachel Enright
Project Scientist

BT², Inc.
2830 Dairy Drive
Madison, WI 53718-6751

phone: (608) 216-7321 (direct line)
Phone: 608-224-2830 (general number)
fax: (608) 224-2839
email: renright@bt2inc.com

--- Scanned by M+ Guardian Messaging Firewall ---

--- Scanned by M+ Guardian Messaging Firewall ---

Stephen Sellwood - RE: purge water disposal request

From: "Ralph Erickson" <RalphE@madsewer.org>
To: "Stephen Sellwood" <ssellwood@bt2inc.com>
Date: 12/2/2008 2:21 PM
Subject: RE: purge water disposal request

Steve,

The District will accept the purgewater from the Monona site. Can you tell me what current or planned remediation activities are ongoing at this site?

Ralph Erickson
Pretreatment & Waste Acceptance Coordinator
Madison Metropolitan Sewerage District
608.222.1201 x 362

From: Stephen Sellwood [mailto:ssellwood@bt2inc.com]
Sent: Monday, December 01, 2008 11:15 AM
To: Ralph Erickson
Subject: purge water disposal request

Hi Ralph,

I am writing to request permission to dispose of approximately 50 gallons of monitoring well purge water at MMSD Nine Springs. The site is a former dry cleaner in Madison. Water from this site has been discharged at Nine Springs in the past. I have attached a table of representative analytical for the site.

Please let me know if you need more info. Thanks!

Steve

Stephen Sellwood, P.G.
Hydrogeologist
(608) 216-7345
www.bt2inc.com



Madison, Wisconsin | Lake Delton, Wisconsin | Chicago, Illinois

- aebB cMGraMsi ra

--- Scanned by BT2 Inc. M+ Guardian Messaging Firewall ---

From: "Ralph Erickson" <RalphE@madsewer.org>
To: "Stephen Sellwood" <ssellwood@bt2inc.com>
Date: 11/4/2009 11:16 AM
Subject: Monona Dr purge water disposal request
Attachments: GW_VOCs.pdf

Steve,

The District will accept the purge water from the Monona Dr dry cleaning site. As always, the driver must log the material (as LUST) at our septage receiving facility.

Ralph Erickson

Pretreatment & Waste Acceptance Coordinator

Madison Metropolitan Sewerage District

608.222.1201 x 362

From: Stephen Sellwood [mailto:ssellwood@bt2inc.com]
Sent: Wednesday, November 04, 2009 8:03 AM
To: Ralph Erickson
Subject: Another purge water disposal request

Hi Ralph,

I have another purge water disposal request for your consideration. This site is a former dry cleaner site in Madison. We will be generating approximately 75 gallons of VOC-contaminated groundwater in an upcoming groundwater sampling event (analytical summary table attached). Water from this site has previously been accepted at MMSD.

Can dispose this water at MMSD Nine Springs?

Thanks!

Steve

Stephen Sellwood, Senior Hydrogeologist

Direct: 608.216.7345

www.bt2inc.com <<http://www.bt2inc.com/>>

2830 Dairy Drive

Madison, WI 53718-6751

Phone: 608.224.2830 | Fax: 608.224.2839

Madison | Lake Delton | Milwaukee | Chicago

--- Scanned by BT2 Inc. M+ Guardian Messaging Firewall ---

--- Scanned by BT2 Inc. M+ Guardian Messaging Firewall ---




State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
 Scott Hassett, Secretary
 Lloyd L. Eagan, Regional Director

South Central Region Headquarters
 3911 Fish Hatchery Road
 Fitchburg, Wisconsin 53711-5397
 Telephone 608-275-3266
 FAX 608-275-3338
 TTY Access via relay - 711

August 8, 2006

Mr. John Nebl
 3866 Sunnywood Drive
 DeForest, WI 53532



File Ref: 02-13-368525
 Dane County

Subject: Contained Out Determination for Soil Cuttings at the Former Classic Cleaners Property,
 3918 Monona Drive, Madison, WI

Dear Mr. Nebl:

On August 7, 2006, the Department received a document titled "Request for Contained Out Determination. Former Classic Cleaners prepared by BT2, Inc. In this document, BT2 is proposing that site soils containing PCE concentrations less than 33 milligrams per kilogram (mg/kg) be eligible for disposal at a Subtitle D solid waste disposal landfill. The PCE contaminated soil would be considered a listed hazardous waste due to the presence of PCE that was used at the facility. However, the USEPA and the Department no longer consider a contaminated medium to be hazardous waste when the concentrations of hazardous constituents from the listed waste are below health-based levels **and** the medium does not exhibit a characteristic of hazardous waste.

Based on Department guidelines, to be considered a solid waste the contaminated soils must have a total PCE concentration of less than 33 mg/Kg and TCLP concentration of less than .7 mg/Kg. At this site the total PCE concentrations are less than 1 mg/Kg so the total concentration criterion is met. The total PCE concentration in two samples is .36 and .89 mg/Kg. These concentrations are very close to the TCLP standard. Typically it is assumed there is a 20:1 dilution from total contaminant concentration to TCLP concentration. Given this ratio it seems very unlikely that the soils would fail TCLP and be a characteristic hazardous waste. Therefore the Department will not require TCLP testing and does not consider these soils of be hazardous waste. Based on the information available the Department believes the Contained Out policy is appropriate for these soils and the soils can be managed as a solid waste.

In summary, in order for the PCE impacted soil to be eligible for disposal at a Subtitle D solid waste disposal landfill, the total concentrations of PCE must be less than 33 milligrams per kilogram (mg/kg) **and** the TCLP values must be less than 0.7 milligrams per liter (mg/l). The Department believes the specific site soils discussed in this request meet the Contained Out criteria and can be managed as a solid waste. If you have any questions regarding this letter, please feel free to contact me at (608) 275-3303.

Sincerely

Michael Schmoller
 Hydrogeologist



INVOICE

WASTE MANAGEMENT OF WI - MADISON PRAIRIE
 6002 NELSON ROAD
 SUN PRAIRIE WI 535901
 WMEservice@wm.com
 (608) 837-9031
 (608) 837-7852 FAX

OCT 11 2006

Customer: JOHN NEBL
 Account Number: 834-0001121-2349-2
 Invoice Date: 10/01/2006
 Invoice Number: 0010373-2349-8
 Due Date: Due Upon Receipt
 WM ezPay Account ID: 00006-95611-4300

| | |
|------------------------|------------------|
| Current Invoice Amount | Total Amount Due |
| 774.20 | 774.20 |

Account Summary

| Description | Amount |
|-------------------------------|---------------|
| Previous Balance | 0.00 |
| Total Credits and Adjustments | 0.00 |
| Total Payments Received | 0.00 |
| Total Current Charges | 774.20 |
| Total Amount Due | 774.20 |
| Total Amount Past Due | 0.00 |

Please pay total amount due. Thank you for your business.

Service Period: SEPTEMBER 2006

| Description | Amount |
|------------------------------|---------------|
| Landfill | 774.20 |
| Total Current Charges | 774.20 |

If full payment of the invoiced amount is not received within 30 days of the invoice date, you will be charged a monthly late fee of 1.5% of the unpaid amount, with a minimum monthly charge of \$3.00, or such lesser late fee allowed under applicable law regulation or contract. For each returned amount permitted b

OK'd By SMS Date 10-11-06
 Proj# 2325 BG# 3 EC 060
 Pd by: Client or BT² Sub or Exp (circle two)
 Ven # _____ V# _____

NOTE: If proj # 101 expense code is not needed

MW488984
 Nebl, John
 3918 Monona Drive
 Madison, WI

Want to pay this bill on-line? Go to www.wm.com to learn more about WMezPay and make a convenient, secure payment.

| Current Due | Over 30 | Over 60 | Over 90 | Over 120 | Total Due |
|-------------|---------|---------|---------|----------|-----------|
| 774.20 | 0.00 | 0.00 | 0.00 | 0.00 | 774.20 |

We keep

clean.

NASCAR is a registered trademark of the National Association for Stock Car Auto Racing, Inc.



WASTE MANAGEMENT OF WI - MADISON PRAIRIE
 6002 NELSON ROAD
 SUN PRAIRIE WI 535901
 WMEservice@wm.com
 (608) 837-9031
 (608) 837-7852 FAX

Payment Coupon

Please detach and enclose this portion with your payment - do not send cash.

| | |
|--|--|
| Your Account Number 834-0001121-2349-2 | |
| Invoice Date 10/01/2006 | Your Invoice Number 0010373-2349-8 |
| Due Date Upon Receipt | Total Due 774.20 |
| | Amount Paid |

Waste Management introduces WM ezPay!! Pay your WM bill on-line at www.wm.com.

To pay your invoice by phone, call 866-WMI-2PAY or 866-964-2729.

Learn how we Think Green at www.wm.com/thinkgreen

23498340001121000103730000007742000000077420 1

0000110 NM 8777 1 CP110401L07

JOHN NEBL
 3866 SUNNY WOOD DRIVE
 DE FOREST WI 53532-2877

Please make
 Check
 Payable To: WASTE MANAGEMENT OF WI - MADISON PRAIRIE
 P O BOX 9001054
 LOUISVILLE KY 40290-1054

From everyday collection to environmental protection,
 Think Green. Think Waste Management.
 FOR CHANGE OF ADDRESS OR ANY SERVICE ISSUES CONTACT NUMBER ON PAGE 1

Printed on recycled paper.

000069561143000



WASTE MANAGEMENT OF WI - MADISON PRAIRIE
 6002 NELSON ROAD
 SUN PRAIRIE WI 535901
 WMEservice@wm.com

Customer: JOHN NEBL
 Account Number: 834-0001121-2349-2
 Invoice Date: 10/01/2006
 Invoice Number: 0010373-2349-8
 Due Date: Due Upon Receipt
 WM ezPay Account ID: 00006-95611-43000

| Service Location: 834-1121 John Nebi - Mw488984: 3918 Monona Drive: De Forest Wi 53532 | | | | | | |
|--|--------|--------------------------|----------|-----|--------|--------|
| Date | Ticket | Description | Quantity | U/M | Rate | Amount |
| 09/26/06 | 252509 | Veh#: white | | | | |
| | | Manf#: 718059 | | | | |
| | | Other special waste | 8.00 | EAC | 51.50 | 412.00 |
| | | Gnrtr: 136-ne | | | | |
| | | Additional charges | 1.00 | LOA | 350.00 | 350.00 |
| | | Environmental wdnr taxes | | | | 12.20 |
| | | Ticket total | | | | 774.20 |
| Total Current Charges | | | | | | 774.20 |



5002 NELSON ROAD
SUN PRAIRIE, WI, 53590
Ph: 608-837-9031

Madison Prairie Landfill
Ticket# 252465

Customer Name JOHNNEBL JOHN NEBL
 Ticket Date 09/26/2006
 Payment Type Credit Account
 Manual Ticket#
 Hauling Ticket#
 Route
 State Waste Code A-23
 Manifest 718059
 Destination
 PO
 Carrier TRICOR TRICOR
 Vehicle# WHITE
 Container
 Driver
 Check#
 Billing # 0001121
 Gen EPA ID
 Grid

Profile MW488984 (PCE CONTAMINATED SOIL)
 Generator 136-NEBL JOHN NEEL

| | | | | | | |
|-----|---------------------|-------|----------|---------|-------|------|
| | Time | Scale | Operator | Inbound | Gross | lb |
| In | 09/26/2006 08:28:05 | scale | bw | | Tare | lb |
| Out | 09/26/2006 08:55:42 | scale | bw | | Net | lb |
| | | | | | Tons | 3.21 |

Comments

| Product | LI% | Qty | UOM | Rate | Tax | Amount | Origin |
|--------------------------|-----|-----|------|------|-----|--------|--------|
| 1 SpwasteSolid0th-Ea 100 | | 8 | Each | | | | |

Tom Mung

Driver's Signature

Total Tax
Total Ticket





5002 NELSON ROAD
 SUN PRAIRIE, WI, 53590
 Ph: 608-837-9031

Madison Prairie Landfill

Ticket# 252509

| | | | | |
|------------------|----------------------------------|------------|--------------|--------|
| Customer Name | JOHNNEBL JOHN NEBL | Carrier | TRICR TRICOR | Volume |
| Ticket Date | 09/26/2006 | Vehicle# | WHITE | |
| Payment Type | Credit Account | Container | | |
| Manual Ticket# | | Driver | | |
| Hauling Ticket# | | Check# | | |
| Route | | Billing # | 0001121 | |
| State Waste Code | A-23 | Gen EPA ID | | |
| Manifest | 718059 | Grid | | |
| Destination | | | | |
| PC | | | | |
| Profile | MW488984 (PCE CONTAMINATED SOIL) | | | |
| Generator | 136-NEBL JOHN NEBL | | | |

| | Time | Scale | Operator | Inbound | Gross | | |
|-----|---------------------|-----------|----------|---------|-------|-------|------|
| In | 09/26/2006 11:53:13 | MANUAL WT | hw | | 22780 | lb | |
| Out | 09/26/2006 11:54:18 | MANUAL WT | hw | | Tare | 16360 | lb |
| | | | | | Net | 6420 | lb |
| | | | | | Tons | | 3.21 |

Comments

| Product | LD% | Qty | UOM | Rate | Tax | Amount | Origin |
|----------------------|-----|-----|------|------|-----|--------|--------|
| 1 SpwasteSolidOth-Ea | 100 | 8 | Each | | | | |
| 2 TRANS-Transportati | 100 | 1 | Load | | | | |

Total Tax
 Total Ticket

Driver's Signature



MADISON PRAIRIE SPECIAL WASTE MANIFEST DISPOSAL TICKET 718059



A Waste Management Company

BILL TO: John Nebl

TRANSPORTER: Tricor Transit for Waste Management

GENERATOR: John Nebl

3918 Monona Drive
Madison, WI

GENERATORS SIGNATURE: _____ / _____ / _____
Date

WASTE DESCRIPTION: PCE Contaminated Soil

PROFILE # MW488984

ACCEPTED BY: *B. Ballen* 9/26/06
Date

DRIVERS SIGNATURE: *Tom Mun* 9/26/06
Date

TRUCK NO. 751 8 DRUMS TONS/YARDS

327

WHITE & YELLOW - GENERATOR COPY / PINK - DISPOSAL SITE COPY / GOLD - TRANSPORTER COPY

DCE-006-94



WASTE MANAGEMENT OF WI - MADISON PRAIRIE
6002 NELSON ROAD
SUN PRAIRIE WI 535901
WMEservice@wm.com
(608) 837-9031
(608) 837-7852 FAX

INVOICE LOGGED

Page 1 of 3
Customer: JOHN NEBL
Account Number: 834-0001121-2349-2
Invoice Date: 07/01/2007
Invoice Number: 0011090-2349-7
Due Date: Due Upon Receipt
WM ezPay Account ID: 00006-95611-43000

| | |
|------------------------|------------------|
| Current Invoice Amount | Total Amount Due |
| 614.80 | 614.80 |

Account Summary

| Description | Amount |
|-------------------------------|---------------|
| Previous Balance | 774.20 |
| Total Credits and Adjustments | 0.00 |
| Total Payments Received | 774.20- |
| Total Current Charges | 614.80 |
| Total Amount Due | 614.80 |
| Total Amount Past Due | 0.00 |

Please pay total amount due. Thank you for your business.

Service Period: JUNE 2007

| Description | Amount |
|------------------------------|---------------|
| Landfill | 614.80 |
| Total Current Charges | 614.80 |

MW488984
Nebl, John
3918 Monona Drive
Madison, WI

If full payment of the invoiced amount is not received within 30 days of the invoice date, you will be charged a monthly late fee of 1.5% of the unpaid amount, with a minimum monthly charge of \$3.00, or such lesser late fee allowed under applicable law, regulation or contract. For each returned check, a fee will be assessed on your next billing equal to the maximum amount.

OK'd By KE Date 7-9-07
Proj# 2325 BG# 3 EC 00
Pd by: Client or BT (Sub or Exp (circle two))
Ven # #

NOTE: If proj # 101 expense code is not needed

Want to pay this bill on-line? Go to www.wm.com to learn more about WMezPay and make a convenient, secure payment.

| Current Due | Over 30 | Over 60 | Over 90 | Over 120 | Total Due |
|-------------|---------|---------|---------|----------|-----------|
| 614.80 | 0.00 | 0.00 | 0.00 | 0.00 | 614.80 |



WASTE MANAGEMENT OF WI - MADISON PRAIRIE
6002 NELSON ROAD
SUN PRAIRIE WI 535901
WMEservice@wm.com
(608) 837-9031
(608) 837-7852 FAX

Payment Coupon

Please detach and enclose this portion with your payment - do not send cash.

| | |
|--|--|
| Your Account Number 834-0001121-2349-2 | |
| Invoice Date 07/01/2007 | Your Invoice Number 0011090-2349-7 |
| Due Date Upon Receipt | Total Due 614.80 |
| | Amount Paid |

Waste Management introduces WMezPay!! Pay your WMezPay bill on-line at www.wm.com.

To pay your invoice by phone, call 866-WMI-2PAY or 866-964-2729.

Learn how we Think Green at www.wm.com/thinkgreen

23498340001121000110900000006148000000061480 3

0000086 NM 8684 3 CP1 I0401L29

JOHN NEBL
3866 SUNNY WOOD DRIVE
DE FOREST WI 53532-2877

Please make
Check
Payable To: WASTE MANAGEMENT OF WI - MADISON PRAIRIE
P O BOX 9001054
LOUISVILLE KY 40290-1054

From everyday collection to environmental protection.
Think Green. Think Waste Management.





WASTE MANAGEMENT OF WI - MADISON PRAIRIE
 6002 NELSON ROAD
 SUN PRAIRIE WI 535901
 WMEservice@wm.com

Page 3 of 3
 Customer: JOHN NEBL
 Account Number: 834-0001121-2349-2
 Invoice Date: 07/01/2007
 Invoice Number: 0011090-2349-7
 Due Date: Due Upon Receipt
 WM ezPay Account ID: 00006-95611-43000

| Service Location: 834-1121 John Nebl - Mw488984: 3918 Monona Drive: De Forest Wi 53532 | | | | | | |
|--|--------|--------------------------|----------|-----|--------|---------------|
| Date | Ticket | Description | Quantity | U/M | Rate | Amount |
| 06/14/07 | 264539 | Veh# grey | | | | |
| | | Additional charges | 1.00 | LOA | 350.00 | 350.00 |
| | | Other special waste | 5.00 | EAC | 51.50 | 257.50 |
| | | Gnrtr: 136-ne | | | | |
| | | Environmental wdnr taxes | | | | 7.30 |
| | | Ticket total | | | | 614.80 |
| Total Current Charges | | | | | | 614.80 |

| Payments Received Detail | |
|--------------------------------|----------------|
| 12/20/2006 Payment - thank you | 774.20- |
| Total Payments Received | 774.20- |



Madison Prairie Landfill

22-58

5002 NELSON ROAD
SUN PRAIRIE, WI, 53590
Ph: 508-837-9011

Ticket# 264339

Customer Name JOHNNEAL JOHN NEBL
Ticket Date 06/14/2007
Payment Type Credit Account
Manual Ticket#
Hauling Ticket#
Route
State Waste Code A-23-06
Manifest 0980908
Destination
PO
Profile MW488984 (PCE CONTAMINATED SOIL)
Generator 136-NEBL JOHN NEBL

Carrier TRICOR TRICOR
Vehicle# GREY
Container
Driver
Check#
Billing # 0001121
Gen EPA ID
Grid

Volume

| | Time | Scale | Operator | Inbound | Gross | 23900 lb |
|-----|---------------------|-------|----------|---------|-------|----------|
| In | 06/14/2007 09:03:09 | scale | bw | | Tare | 20060 lb |
| Out | 06/14/2007 09:31:17 | scale | bw | | Net | 3840 lb |
| | | | | | Tons | 1.92 |

Comments

| Product | LD% | Qty | UOM | Rate | Tax | Amount | Origin |
|----------------------|-----|-----|------|------|-----|--------|--------|
| 1 SpwasteSolidOth-Ea | 100 | 5 | Each | | | | |
| 2 TRANS-Transportati | 100 | 1 | Load | | | | |

Total Tax
Total Ticket

Driver's Signature

33WM



INVOICE

Customer ID:

20-08286-83009

Customer Name:

RALPH STINSON

Service Period:

MAY 1ST - 15TH

Invoice Date:

05/16/2018

Invoice Number:

0018378-2349-9

How To Contact Us

Visit **wm.com**

To setup your online profile, sign up for paperless statements, manage your account, view holiday schedules, pay your invoice or schedule a pickup

Customer Service:
(800) 963-4776

Your Payment Is Due

06/14/2018

If full payment of the invoiced amount is not received within your contractual terms, you may be charged a monthly late charge of 2.5% of the unpaid amount, with a minimum monthly charge of \$5, or such late charge allowed under applicable law, regulation or contract.

Your Total Due

\$188.60

See Reverse for Important Messages

| | | | | | | | | |
|-------------------------|---|-----------------|---|--------------------|---|------------------------|---|------------------|
| Previous Balance | + | Payments | + | Adjustments | + | Current Charges | = | Total Due |
| 0.00 | | 0.00 | | 0.00 | | 188.60 | | 188.60 |

Details for Service Location:
Ralph Stinson, 4218 Green Ave, Madison WI 53704-1124

Customer ID: 20-08286-83009

| Description | Date | Ticket | Quantity | Unit of Measure | Rate | Amount |
|---|----------|--------|----------|-----------------|-------|---------------|
| Vehicle#: 1 | 05/08/18 | 360107 | | | | 0.00 |
| Initial approval | | | 100.00 | ECH | 1.00 | 100.00 |
| Profile # 129318wi | | | | | | 0.00 |
| Generator ralph stinson | | | | | | 0.00 |
| Ticket Total | | | | | | 100.00 |
| Vehicle#: white | 05/10/18 | 360193 | | | | 0.00 |
| Unspecified contaminated soil, pmt sp. W. | | | 1.00 | ECH | 57.00 | 57.00 |
| Wi generator tax/fees | | | | | | 2.21 |
| Standard environmental fee - large (landfill) | | | 1.00 | LOD | 24.00 | 24.00 |
| Fuel surcharge - landfill | | | 1.00 | PCT | 6.66 | 5.39 |
| Profile # 129318wi | | | | | | 0.00 |
| Generator ralph stinson | | | | | | 0.00 |
| Manifest#: 051018-1 | | | | | | 0.00 |
| Ticket Total | | | | | | 88.60 |

Handwritten note: PC 15 19-18

Appendix B

Soil Boring Logs, Borehole Abandonment Forms, and Well Construction Documentation

State of Wisconsin
Department of Natural Resources

Route To:

- Solid Waste Haz. Waste
 Emergency Response Underground Tanks
 Wastewater Water Resources
 Other _____

SOIL BORING LOG INFORMATION
Form 4400-122 7-91

BT² # 2325

Page () of ()

| | | | |
|--|------------------------------|---|---|
| Facility/Project Name <i>Classic Cleaness - 3918 Monona Drive</i> | | License/Permit/Monitoring Number | Boring Number <i>GB1</i> |
| Boring Drilled By (Firm name and name of crew chief) <i>Advanced Tank -</i> | | Date Drilling Started <i>09/17/02</i> M M D D Y Y | Date Drilling Completed <i>09/17/02</i> M M D D Y Y |
| DNR Facility Well No. | WI Unique Well No. | Common Well Name | Drilling Method <i>Geoprobe</i> |
| | | Final Static Water Level ____ Feet MSL | Surface Elevation ____ Feet MSL |
| Boring Location State Plane _____ N. _____ E S/C/N _____ Lat _____ | | Local Grid Location (If applicable) <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W | |
| 1/4 of _____ 1/4 of Section _____ T _____ N. R _____ E/W _____ | | Feet _____ Feet _____ | |
| County <i>Dane</i> | DNR County Code <i>13</i> | Civil Town/City/ or Village <i>Madison</i> | |

| Sample Number | Length Recovered (in) | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | PID/FID | Soil Properties | | | | | ROD/Comments | | | |
|---------------|-----------------------|-------------|---------------|---|-------|-------------|--------------|---------|----------------------|------------------|--------------|---------------|-------|--------------|--|--|---------|
| | | | | | | | | | Standard Penetration | Moisture Content | Liquid Limit | Plastic Limit | P 200 | | | | |
| S1 | 20 | | 1 | 3 inches asphalt pavement | | | | | | | | | | | | | |
| | | | 2 | Silty sand w/ gravel, lt brown to v. dk brown (fill) | SM | | | 1 | | | | | | | | | odor |
| S2 | 20 | | 3 | asphalt | | | | | | | | | | | | | |
| | | | 4 | Silty fine sand, lt brown | SM | | | | | | | | | | | | |
| | | | 5 | Silt, lt brown | ML | | | 0 | | | | | | | | | no odor |
| S3 | 22 | | 6 | Silty clay, lt. brown. clay | CL-ML | | | | | | | | | | | | |
| | | | 7 | Silty f-m sand, brown | SM | | | 1 | | | | | | | | | no odor |
| S4 | 22 | | 8 | fine sand, very pale brown | SP | | | | | | | | | | | | |
| | | | 9 | EBB 8' | | | | | | | | | | | | | |
| | | | 10 | 15 lbs Bentonite w/ Patch | | | | | | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: *John Mason* Firm: *BT², Inc.*

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

All abandonment work shall be performed in accordance with the provisions of Chapters NR 111, NR 112, or NR 141, Wis. Admin. Code, whichever is applicable. Also, see instructions included with this form.

| (1) GENERAL INFORMATION | | (2) FACILITY NAME | |
|--|-----------------------|---|-----------------------------|
| Well/Drillhole/Borehole Location <u>NW 1/4 of SW 1/4 of Sec. 9 ; T. 7 N; R. 10</u> | County <u>Dane</u> | Original Well Owner (If Known) | |
| (If applicable) Gov't Lot _____ Grid Number _____ | | Present Well Owner <u>Classic Cleaners</u> | |
| Grid Location ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. | | Street or Route <u>2935 S. Fish Hatchery Rd.</u> | |
| Civil Town Name <u>Madison</u> | | City, State, Zip Code <u>Fitchburg WI 53711</u> | |
| Street Address of Well <u>3918 Monoma Drive</u> | | Facility Well No. and/or Name (If Applicable) <u>GB1</u> | WI Unique Well No. _____ |
| City, Village <u>Madison</u> | | Reason For Abandonment <u>Terminated Boring</u> | |
| | | Date of Abandonment <u>9/17/02</u> | |

WELL/DRILLHOLE/BOREHOLE INFORMATION

| | |
|--|--|
| <p>(3) Original Well/Drill/Borehole Construction Completed On (Date) <u>9/17/02</u></p> <p><input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole</p> <p>Construction Report Available? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>2" Geoprobe boring</u></p> <p>Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock</p> <p>Total Well Depth (ft.) <u>8</u> Casing Diameter (ins.) _____ (From ground surface) Casing Depth (ft.) _____</p> <p>Lower Drillhole Diameter (in.) _____</p> <p>Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet</p> | <p>(4) Depth to Water (Feet)</p> <p>Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable If No, Explain _____</p> <p>Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>(5) Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other(Explain) <u>Gravity</u></p> <p>(6) Sealing Materials</p> <p><input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Chipped Bentonite</p> <p>For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Pellets <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite -Cement Grout</p> |
|--|--|

| (7) Sealing Material Used | From (Ft.) | To (Ft.) | No. Yards, Sacks Sealant or Volume | Mix Ratio or Mud Weight |
|---------------------------|----------------|------------|------------------------------------|-------------------------|
| <u>Asphalt Patch</u> | <u>Surface</u> | <u>0.2</u> | | |
| <u>Granular Bentonite</u> | <u>0.2</u> | <u>8</u> | <u>0.21 FT³</u> | <u>Dry mix</u> |
| | | | | |

(8) Comments:

(9) Name of Person or Firm Doing Sealing
Justin Peloquin - Advanced Tank Services

| | |
|---|---|
| Signature of Person Doing Work | Date Signed |
| Street or Route <u>1802 Galloway Street</u> | Telephone Number <u>(715) 831-8484</u> |
| City, State, Zip Code <u>Eau Claire WI 54703</u> | |

| (10) FOR DNR OR COUNTY USE ONLY | |
|---------------------------------|--|
| Date Received/Inspected | District/County |
| Reviewer/Inspector | <input type="checkbox"/> Complying Work <input type="checkbox"/> Non-complying Work |
| Follow-up Necessary | |

BT² # 2325

| | | | | | |
|--|--|---|--|---|--|
| Facility/Project Name <i>Classic Cleaness - 3918 Monona Drive</i> | | License/Permit/Monitoring Number | | Boring Number <i>GB2</i> | |
| Boring Drilled By (Firm name and name of crew chief) <i>Advanced Tank -</i> | | Date Drilling Started <i>09/17/02</i> M M D D Y Y | | Date Drilling Completed <i>09/17/02</i> M M D D Y Y | |
| DNR Facility Well No. | | WI Unique Well No. | | Common Well Name | |
| Final Static Water Level | | Surface Elevation | | Borehole Diameter | |
| Boring Location State Plane | | Local Grid Location (If applicable) | | | |
| County <i>Dane</i> | | DNR County Code <i>13</i> | | Civil Town/City/ or Village <i>Madison</i> | |

| Sample Number | Length Recovered (in) | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | PID/FID | Soil Properties | | | | | ROD/ Comments |
|---------------|-----------------------|-------------|---------------|--|-------|-------------|--------------|-------------------|----------------------|------------------|--------------|---------------|-------|---------------|
| | | | | | | | | | Standard Penetration | Moisture Content | Liquid Limit | Plastic Limit | P 200 | |
| 51 | 20 | | 1 | 3" asphalt pavement. Silty sand w/ gravel light brown (fill) | SM | | | 1 | | | | | | no odor |
| 52 | 21 | | 2 | Silty clay, brown <i>with fine gravel</i> | CL-ML | | | 1 2 | | | | | | no odor |
| 53 | 20 | | 5 | Silty fine sand, brown | SM | | | 1 | | | | | | |
| 54 | 21 | | 7 | medium sand, light v. pale brown | SP | | | 2 | | | | | | |
| 55 | 22 | | 9 | sand is med-coarse grained fine 2-10' | SP | | | 3 | | | | | | |
| 56 | 23 | | 11 | 2" silty sand layer at 11' | | | | 1 | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.
 Signature: *John Mason* Firm: *BT², Inc.*

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

All abandonment work shall be performed in accordance with the provisions of Chapters NR 111, NR 112, or NR 141, Wis. Admin. Code, whichever is applicable. Also, see instructions included with this form.

| (1) GENERAL INFORMATION | | (2) FACILITY NAME | |
|--|-----------------------|---|---|
| Well/Drillhole/Borehole Location <u>NW 1/4 of SW 1/4 of Sec. 9 ; T. 7 N; R. 10</u> | County <u>Dane</u> | Original Well Owner (If Known) | |
| (If applicable) Gov't Lot _____ Grid Number _____ | | Present Well Owner <u>Classic Cleaners</u> | |
| Grid Location ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. | | Street or Route <u>2935 S. Fish Hatchery Rd.</u> | |
| Civil Town Name <u>Madison</u> | | City, State, Zip Code <u>Fitchburg WI 53711</u> | Facility Well No. and/or Name (If Applicable) <u>GBZ</u> |
| Street Address of Well <u>3918 Monona Drive</u> | | WI Unique Well No. _____ | Reason For Abandonment <u>Terminated Boring</u> |
| City, Village <u>Madison</u> | | Date of Abandonment <u>9/17/02</u> | |

WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drill/Borehole Construction Completed On
(Date) 9/17/02

Monitoring Well
 Water Well
 Drillhole
 Borehole

Construction Report Available?
 Yes No

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (Specify) 2" - Geoprobe boring

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth (ft.) 20 Casing Diameter (ins.) _____
(From ground surface) Casing Depth (ft.) _____

Lower Drillhole Diameter (in.) _____

Was Well Annular Space Grouted? Yes No Unknown
If Yes, To What Depth? _____ Feet

(4) Depth to Water (Feet) 19

Pump & Piping Removed? Yes No Not Applicable
Liner(s) Removed? Yes No Not Applicable
Screen Removed? Yes No Not Applicable
Casing Left in Place? Yes No Not Applicable
If No, Explain _____

Was Casing Cut Off Below Surface? Yes No
Did Sealing Material Rise to Surface? Yes No
Did Material Settle After 24 Hours? Yes No
If Yes, Was Hole Retopped? Yes No

(5) Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Dump Bailer Other (Explain) Gravity

(6) Sealing Materials

| | |
|---|---|
| <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Chipped Bentonite | For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Pellets <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite -Cement Grout |
|---|---|

| (7) Sealing Material Used | From (Ft.) | To (Ft.) | No. Yards, Sacks Sealant or Volume | Mix Ratio or Mud Weight |
|---------------------------|----------------|------------|--|-------------------------|
| <u>Asphalt Patch</u> | <u>Surface</u> | <u>0.2</u> | | |
| <u>Granular Bentonite</u> | <u>0.2</u> | <u>20</u> | <u>0.28 FT³</u> <u>0.49 FT³</u> | <u>Dry mix</u> |

(8) Comments:

(9) Name of Person or Firm Doing Sealing
Justin Peloquin - Advanced Tank Services

| | |
|---|---|
| Signature of Person Doing Work | Date Signed |
| Street or Route <u>1802 Callaway Street</u> | Telephone Number <u>(715) 831-8484</u> |
| City, State, Zip Code <u>Eau Claire WI 54603</u> | |

| (10) FOR DNR OR COUNTY USE ONLY | |
|---------------------------------|--|
| Date Received/Inspected | District/County |
| Reviewer/Inspector | <input type="checkbox"/> Complying Work <input type="checkbox"/> Non-complying Work |
| Follow-up Necessary | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater
- Haz. Waste
- Underground Tanks
- Water Resources
- Other

BT² # 2325

| | | | |
|--|------------------------------|---|---|
| Facility/Project Name <i>Classic Cleaners - 3918 Monona Drive</i> | | License/Permit/Monitoring Number | Boring Number <i>GB3</i> |
| Boring Drilled By (Firm name and name of crew chief) <i>Advanced Tank -</i> | | Date Drilling Started <i>09/17/02</i> M M D D Y Y | Date Drilling Completed <i>09/17/02</i> M M D D Y Y |
| DNR Facility Well No. | WI Unique Well No. | Common Well Name | Drilling Method <i>Geoprobe</i> |
| Final Static Water Level | | Surface Elevation | Borehole Diameter <i>2 inches</i> |
| Boring Location State Plane | | Local Grid Location (If applicable) | |
| 1/4 of 1/4 of Section T N R E/W | | Feet N E S W | |
| County <i>Dane</i> | DNR County Code <i>13</i> | Civil Town/City or Village <i>Madison</i> | |

| Sample Number | Length Recovered (in) | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | PID/FID | Soil Properties | | | | RQD/ Comments |
|---------------|-----------------------|-------------|---------------|---|-------|-------------|--------------|---------|----------------------|------------------|--------------|---------------|-------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | Liquid Limit | Plastic Limit | |
| 51 | 18 | | 1 | 3 inches asphalt pavement. Silty f-med sand w/ f-coarse gravel, light brown (fill) | SM | | | 400 | | M | | | solvent-like odor |
| | | | 2 | Asphalt (fill) | | | | | | | | | |
| 52 | 19 | | 3 | Silty f-med sand (fill) | SM | | | 12 | | M | | | no odor |
| | | | 4 | Silty clay, brown | CL-ML | | | | | | | | |
| 53 | 20 | | 5 | Silty sand, med gravel, light brown | SM | | | 2 | | M | | | no odor |
| | | | 6 | Silty clay, brown | CL-ML | | | 2 | | M | | | no odor |
| 55 | 22 | | 9 | Silty f-coarse sand w/ f-coarse grl. lt brown | SM | | | 100 | | M | | | solvent-like odor |
| 56 | 23 | | 11 | medium sand, pale brown | SP | | | 1 | | M | | | no odor |

I hereby certify that the information on this form is true and correct to the best of my knowledge.
Signature: *John Mason* Firm: *BT², Inc.*

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

22 lbs Bentonite w/ asph patch

All abandonment work shall be performed in accordance with the provisions of Chapters NR 111, NR 112, or NR 141, Wis. Admin. Code, whichever is applicable. Also, see instructions included with this form.

| (1) GENERAL INFORMATION | | (2) FACILITY NAME | |
|---|--------------------|--|--------------------------|
| Well/Drillhole/Borehole Location | County <u>Dane</u> | Original Well Owner (If Known) | |
| NW 1/4 of SW 1/4 of Sec. <u>9</u> ; T. <u>7</u> N; R. <u>10</u> <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. | | Present Well Owner <u>Classic Cleaners</u> | |
| (If applicable) Gov't Lot _____ Grid Number _____ | | Street or Route <u>2935 S. Fish Hatchery Rd.</u> | |
| Grid Location _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. | | City, State, Zip Code <u>Fitchburg WI 53711</u> | |
| Civil Town Name <u>Madison</u> | | Facility Well No. and/or Name (If Applicable) <u>GB3</u> | WI Unique Well No. _____ |
| Street Address of Well <u>3918 Monona Drive</u> | | Reason For Abandonment <u>Terminated Boring</u> | |
| City, Village <u>Madison</u> | | Date of Abandonment <u>9/17/02</u> | |

| WELL/DRILLHOLE/BOREHOLE INFORMATION | |
|--|--|
| <p>(3) Original Well/Drill/Borehole Construction Completed On (Date) <u>9/17/02</u></p> <p><input type="checkbox"/> Monitoring Well Construction Report Available? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p><input type="checkbox"/> Water Well</p> <p><input type="checkbox"/> Drillhole</p> <p><input checked="" type="checkbox"/> Borehole</p> <p>Construction Type:</p> <p><input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug</p> <p><input checked="" type="checkbox"/> Other (Specify) <u>2" Geoprobe boring</u></p> <p>Formation Type:</p> <p><input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock</p> <p>Total Well Depth (ft.) <u>12</u> Casing Diameter (ins.) _____</p> <p>(From ground surface) Casing Depth (ft.) _____</p> <p>Lower Drillhole Diameter (in.) _____</p> <p>Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown</p> <p>If Yes, To What Depth? _____ Feet</p> | <p>(4) Depth to Water (Feet)</p> <p>Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable</p> <p>Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable</p> <p>Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable</p> <p>Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable</p> <p>If No, Explain _____</p> <hr/> <p>Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <hr/> <p>(5) Required Method of Placing Sealing Material</p> <p><input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped</p> <p><input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other(Explain) <u>Gravity</u></p> <hr/> <p>(6) Sealing Materials</p> <p><input type="checkbox"/> Neat Cement Grout</p> <p><input type="checkbox"/> Sand-Cement (Concrete) Grout</p> <p><input type="checkbox"/> Concrete</p> <p><input type="checkbox"/> Clay-Sand Slurry</p> <p><input type="checkbox"/> Bentonite-Sand Slurry</p> <p><input type="checkbox"/> Chipped Bentonite</p> <p style="text-align: right;">For monitoring wells and monitoring well boreholes only</p> <p><input type="checkbox"/> Bentonite Pellets</p> <p><input checked="" type="checkbox"/> Granular Bentonite</p> <p><input type="checkbox"/> Bentonite -Cement Grout</p> |

| (7) Sealing Material Used | From (Ft.) | To (Ft.) | No. Yards Sacks Sealant or Volume | Mix Ratio or Mud Weight |
|---------------------------|----------------|------------|-----------------------------------|-------------------------|
| <u>Asphalt Patch</u> | <u>Surface</u> | <u>0.2</u> | | |
| <u>Granular Bentonite</u> | <u>0.2</u> | <u>12</u> | <u>0.31 FT³</u> | <u>Dry mix</u> |

(8) Comments:

(9) Name of Person or Firm Doing Sealing Justin Peloguin - Advanced Tank Services

| | |
|--|--|
| Signature of Person Doing Work | Date Signed |
| Street or Route <u>1802 Galloway Street</u> | Telephone Number <u>(715) 831-8484</u> |
| City, State, Zip Code <u>Eau Claire WI 54603</u> | |

| (10) FOR DNR OR COUNTY USE ONLY | |
|---------------------------------|--|
| Date Received/Inspected | District/County |
| Reviewer/Inspector | <input type="checkbox"/> Complying Work <input type="checkbox"/> Non-complying Work |
| Follow-up Necessary | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other DERF

SOIL BORING LOG INFORMATION


Form 4400-122

10-92

| | | | | | | | |
|--|--|---|--|---|--|----------------------------------|--|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number GB4 | |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | | Drilling Started 04/07/2004 | | Drilling Completed 04/07/2004 | |
| DNR Facility Well No. | | WI Unique Well No. | | Common Well Name | | Static Water Level Feet | |
| Surface Elevation Feet | | Borehole Diam. 2 Inches | | Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | |
| Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | | | | County Dane | |
| DNR County Code 13 | | Civil Town/City/or Village Madison | | | | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. P ₁₀₀ /FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------|---|--------------|----------------------------|----------------------|------------------|------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 30 | | | 2" ASPHALT PAVEMENT/SILTY GRAVEL (fill). SILTY CLAY, brown. | GM |  | | 0 | | M | | no odors |
| S2 | | | | | CL-ML |  | | 0 | | M | | no odors |
| S3 | 32 | | 5 | | | | | 0 | | M/W | | no odors |
| S4 | | | | SAND, brown, fine to coarse, with silt; poorly graded. | SP-SM |  | | 2 | | M | | no odors |
| S5 | 44 | | 10 | | | | | 0 | | M | | no odors |
| S6 | | | | | | | | 0 | | M | | no odors |
| S7 | 40 | | | | | | | 0 | | M | | no odors |
| S8 | | | 15 | | | | | 0 | | M | | no odors |
| S9 | 38 | | | | SP |  | | 0 | | M | | no odors |
| S10 | | | 20 | | | | | 0 | | M/W | | no odors |
| S11 | 40 | | | | | | | 0 | | W | | no odors |
| S12 | | | | | | | | 0 | | W | | no odors |
| | | | 25 | End of boring @ 24'; Abandoned with bentonite. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm BT², Inc. Geoff Prior

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Please complete Form 3300-5 and Return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.


Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other DERF

| (1) GENERAL INFORMATION | | | (2) FACILITY/OWNER INFORMATION | |
|---|-----------------|--|----------------------------------|-------------------------------|
| WI Unique Well No. | DNR Well ID No. | County | Facility Name | |
| | | Dane | 3918 Monona Drive BT2 #2325 | |
| Common Well Name <u>GB4</u> | | Gov't Lot (If applicable) | Facility ID | License/Permit/Monitoring No. |
| NW 1/4 of SW 1/4 of Sec. <u>9</u> ; T. <u>7</u> N;R <u>10</u> | | <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. | Street Address of Well | |
| Grid Location | | | 3918 Monona Drive | |
| _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. | | | City, Village, or Town | |
| Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | | | Madison, WI | |
| Lat. _____ Long. _____ or _____ | | | Present Well Owner | Original Owner |
| St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N Zone | | | John Nebl | same |
| Reason for Abandonment | | WI Unique Well No. of Replacement Well | Street Address or Route of Owner | |
| Soil Boring | | | 3866 Sunny Wood Drive | |
| | | | City, State, Zip Code | |
| | | | DeForest, WI 53532 | |

| (3) WELL/DRILLHOLE/BOREHOLE INFORMATION | (4) PUMP, LINER, CASING, & SEALING MATERIAL |
|--|--|
| Original Construction Date <u>04/07/2004</u> | Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole/Borehole | Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| If a Well Construction Report is available, please attach. | Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> | Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Total Well Depth (ft.) <u>24</u> Casing Diameter (ins.) <u>2</u> | Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| (From ground surface) Casing Depth (ft.) <u>24</u> | Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Lower Drillhole Diameter (in.) <u>NA</u> | If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown | Required Method of Placing Sealing Material |
| If Yes, To What Depth? _____ Feet | <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped |
| Depth to Water (Feet) <u>19</u> | <input type="checkbox"/> Screened & Poured Bentonite Chips <input checked="" type="checkbox"/> Other(Explain) <u>Gravity</u> |
| | Sealing Materials |
| | <input type="checkbox"/> Neat Cement Grout |
| | <input type="checkbox"/> Sand-Cement (Concrete) Grout |
| | <input type="checkbox"/> Concrete |
| | <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) |
| | <input type="checkbox"/> Bentonite-Sand Slurry " " |
| | <input type="checkbox"/> Chipped Bentonite |
| | For monitoring wells and monitoring well boreholes only |
| | <input checked="" type="checkbox"/> Bentonite Chips/Pellets |
| | <input checked="" type="checkbox"/> Granular Bentonite |
| | <input type="checkbox"/> Bentonite -Cement Grout |
| | <input type="checkbox"/> Bentonite -Sand Slurry |

| (5) Material Used to Fill Well/Drillhole | From (Ft.) | To (Ft.) | Cubic Feet | Mix Ratio or Mud Weight |
|--|------------|----------|------------|-------------------------|
| Asphalt Patch | Surface | 1/2 | | |
| Granular Bentonite | 1/2 | 18 | 0.4 ft3 | dry mix |
| 3/8" Bentonite Chips | 18 | 24 | 0.15 ft3 | dry mix |

(6) Comments:

| | | |
|--|------------------|---------------------|
| (7) Name of Person or Firm Doing Sealing Work | | Date of Abandonment |
| Geoff Prior BT2, Inc. | | 04/07/04 |
| Signature of Person Doing Work | Date Signed | |
|  | 4-12-04 | |
| Street or Route | Telephone Number | |
| 2830 Dairy Drive | (608) 224-2830 | |
| City, State, Zip Code | | |
| Madison, WI 53718-6751 | | |

| FOR DNR OR COUNTY USE ONLY | |
|----------------------------|----------|
| Date Received | Noted By |
| Comments | |
| | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater
- Haz. Waste
- Underground Tanks
- Water Resources
- Other **DERF**

| | | | | | | | |
|--|--|----------------------------|-----------------------|---|---------------------------------------|----------------------------------|--|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number GB5 | |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | | Drilling Started 04/07/2004 | | Drilling Completed 04/07/2004 | |
| DNR Facility Well No. | | WI Unique Well No. | | Common Well Name | | Static Water Level Feet | |
| Surface Elevation Feet | | Borehole Diam. 2 Inches | | Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | |
| Lat. | | Long. | | Local Grid Location (If applicable) Feet N., Feet E. | | | |
| County Dane | | | DNR County Code 13 | | Civil Town/City/or Village Madison | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PWF (FID) | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------|-------------|--------------|----------------|----------------------|------------------|------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 36 | | | 2" ASPHALT PAVEMENT/SILTY GRAVEL with sand (fill). | GM | | | 4.5 | | M | | no odors |
| S2 | | | | SILTY CLAY, brown. | CL-ML | | | 2.0 | | M | | no odors |
| S3 | 32 | | 5 | SILTY SAND, brown, fine to medium. | SM | | | 2 | | M | | no odors |
| S4 | | | | | | | | | | | | |
| S5 | 32 | | 10 | SAND, brown, fine, with silt. | SP-SM | | | 1 | | M | | no odors |
| S6 | | | | | | | | | | | | |
| S7 | 36 | | 15 | SAND, brown, fine to medium. | | | | 0 | | M | | no odors |
| S8 | | | | | | | | | | | | |
| S9 | 40 | | 20 | | | | | | | M | | no odors |
| S10 | | | | | | | | | | W | | no odors |
| S11 | 42 | | 25 | | | | | | | W | | no odors |
| S12 | | | | End of boring @ 24'; Abandoned with bentonite. | | | | | | W | | no odors |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Firm **BT², Inc.** Geoff Prior

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Please complete Form 3300-5 and Return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.


Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other DERF

| (1) GENERAL INFORMATION | | | (2) FACILITY/OWNER INFORMATION | |
|---|-----------------|---|----------------------------------|-------------------------------|
| WI Unique Well No. | DNR Well ID No. | County | Facility Name | |
| | | Dane | 3918 Monona Drive BT2 #2325 | |
| Common Well Name <u>GB5</u> | | Gov't Lot (If applicable) | Facility ID | License/Permit/Monitoring No. |
| NW 1/4 of SW 1/4 of Sec. <u>9</u> ; T. <u>7</u> N;R <u>10</u> | | <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. | Street Address of Well | |
| ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W. | | Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | 3918 Monona Drive | |
| Lat. _____ Long. _____ or | | St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N Zone | City, Village, or Town | |
| Reason for Abandonment | | WI Unique Well No. of Replacement Well | Madison, WI | |
| Soil Boring | | | Present Well Owner | Original Owner |
| | | | John Nebl | same |
| | | | Street Address or Route of Owner | |
| | | | 3866 Sunny Wood Drive | |
| | | | City, State, Zip Code | |
| | | | DeForest, WI 53532 | |

| (3) WELL/DRILLHOLE/BOREHOLE INFORMATION | (4) PUMP, LINER, CASING, & SEALING MATERIAL |
|--|--|
| Original Construction Date <u>04/07/2004</u> | Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input type="checkbox"/> Monitoring Well | Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input type="checkbox"/> Water Well | Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input checked="" type="checkbox"/> Drillhole/Borehole | Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| If a Well Construction Report is available, please attach. | Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Construction Type: | Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug | Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> | If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Formation Type: | Required Method of Placing Sealing Material |
| <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped |
| Total Well Depth (ft.) <u>24</u> Casing Diameter (ins.) <u>2</u> | <input type="checkbox"/> Screened & Poured Bentonite Chips <input checked="" type="checkbox"/> Other(Explain) <u>Gravity</u> |
| (From ground surface) Casing Depth (ft.) <u>24</u> | Sealing Materials |
| Lower Drillhole Diameter (in.) <u>NA</u> | <input type="checkbox"/> Neat Cement Grout |
| Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown | <input type="checkbox"/> Sand-Cement (Concrete) Grout |
| If Yes, To What Depth? _____ Feet | <input type="checkbox"/> Concrete |
| Depth to Water (Feet) <u>19</u> | <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) |
| | <input type="checkbox"/> Bentonite-Sand Slurry " " |
| | <input type="checkbox"/> Chipped Bentonite |
| | For monitoring wells and monitoring well boreholes only |
| | <input checked="" type="checkbox"/> Bentonite Chips/Pellets |
| | <input checked="" type="checkbox"/> Granular Bentonite |
| | <input type="checkbox"/> Bentonite -Cement Grout |
| | <input type="checkbox"/> Bentonite -Sand Slurry |

| (5) Material Used to Fill Well/Drillhole | From (Ft.) | To (Ft.) | Cubic Feet | Mix Ratio or Mud Weight |
|--|------------|----------|------------|-------------------------|
| Asphalt Patch | Surface | 1/2 | | |
| Granular Bentonite | 1/2 | 18 | 0.3 ft3 | dry mix |
| 3/8" Bentonite Chips | 18 | 24 | 0.2 ft3 | dry mix |

(6) Comments:

| | | |
|--|------------------|---------------------|
| (7) Name of Person or Firm Doing Sealing Work | | Date of Abandonment |
| Geoff Prior BT2, Inc. | | 04/07/04 |
| Signature of Person Doing Work | Date Signed | |
|  | 4-12-04 | |
| Street or Route | Telephone Number | |
| 2830 Dairy Drive | (608) 224-2830 | |
| City, State, Zip Code | | |
| Madison, WI 53718-6751 | | |

| FOR DNR OR COUNTY USE ONLY | |
|----------------------------|----------|
| Date Received | Noted By |
| Comments | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater
- Haz. Waste
- Underground Tanks
- Water Resources
- Other DERF

| | | | | | |
|---|--------------------|------------------------|---------------------------------------|---|-----------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number GB6 |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | Drilling Started 04/07/2004 | Drilling Completed 04/07/2004 | Drilling Method Geoprobe |
| DNR Facility Well No. | WI Unique Well No. | Common Well Name | | Static Water Level Feet | Surface Elevation Feet |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | DNR County Code 13 | Civil Town/City/or Village Madison | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PFI | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|--|-------|-------------|--------------|-----------|----------------------|------------------|------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 46 | | | 2" ASPHALT PAVEMENT/SILTY GRAVEL (fill). SILTY CLAY, black, with gravel (fill). | GM | | | 15 | | M | | no odors |
| S2 | | | | SILTY CLAY, brown. | CL-ML | | | 70 | | M | | no odors |
| S3 | 42 | | 5 | SAND, brown, fine to medium. | CL-ML | | | 20 | | M | | no odors |
| S4 | | | | | | | | 3 | | M | | no odors |
| S5 | 38 | | 10 | | | | | 15 | | M | | no odors |
| S6 | | | | | | | | 8 | | M | | no odors |
| S7 | 44 | | | | | | | 3 | | M | | no odors |
| S8 | | | 15 | | SP | | | 3 | | M | | no odors |
| S9 | 42 | | | | | | | 3 | | M | | no odors |
| S10 | | | 20 | | | | | 5 | | M/ W | | no odors |
| S11 | 40 | | | | | | | 4 | | W | | no odors |
| S12 | | | | | | | | 1 | | W | | no odors |
| | | | | End of boring @ 24'; Abandoned with bentonite. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Firm **BT², Inc.** Geoff Prior

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Please complete Form 3300-5 and Return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other **DERF**

| (1) GENERAL INFORMATION | | (2) FACILITY/OWNER INFORMATION | |
|---|-----------------|--|------------------------------------|
| WI Unique Well No. | DNR Well ID No. | County | Facility Name |
| | | Dane | 3918 Monona Drive BT2 #2325 |
| Common Well Name GB6 | | Gov't Lot (If applicable) | |
| NW 1/4 of SW 1/4 of Sec. 9 ; T. 7 N; R. 10 | | <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. | |
| Grid Location _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. | | Street Address of Well | |
| Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | | 3918 Monona Drive | |
| Lat. _____ " Long. _____ " or _____ " _____ " | | City, Village, or Town | |
| St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N Zone | | Madison, WI | |
| Reason for Abandonment | | Present Well Owner | |
| Soil Boring | | John Nebl | |
| WI Unique Well No. of Replacement Well | | Original Owner | |
| | | same | |
| | | Street Address or Route of Owner | |
| | | 3866 Sunny Wood Drive | |
| | | City, State, Zip Code | |
| | | DeForest, WI 53532 | |

| (3) WELL/DRILLHOLE/BOREHOLE INFORMATION | (4) PUMP, LINER, CASING, & SEALING MATERIAL |
|--|--|
| Original Construction Date 04/07/2004 | Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input type="checkbox"/> Monitoring Well | Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input type="checkbox"/> Water Well | Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input checked="" type="checkbox"/> Drillhole/Borehole | Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| If a Well Construction Report is available, please attach. | Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Construction Type: | Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug | Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| <input checked="" type="checkbox"/> Other (Specify) Geoprobe | If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Formation Type: | Required Method of Placing Sealing Material |
| <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped |
| Total Well Depth (ft.) 24 Casing Diameter (ins.) 2 | <input type="checkbox"/> Screened & Poured Bentonite Chips <input checked="" type="checkbox"/> Other(Explain) Gravity |
| (From ground surface) Casing Depth (ft.) 24 | Sealing Materials |
| Lower Drillhole Diameter (in.) NA | For monitoring wells and monitoring well boreholes only |
| Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown | <input type="checkbox"/> Neat Cement Grout |
| If Yes, To What Depth? _____ Feet | <input type="checkbox"/> Sand-Cement (Concrete) Grout |
| Depth to Water (Feet) 19 | <input type="checkbox"/> Concrete |
| | <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) |
| | <input type="checkbox"/> Bentonite-Sand Slurry " " |
| | <input type="checkbox"/> Chipped Bentonite |
| | <input checked="" type="checkbox"/> Bentonite Chips/Pellets |
| | <input checked="" type="checkbox"/> Granular Bentonite |
| | <input type="checkbox"/> Bentonite -Cement Grout |
| | <input type="checkbox"/> Bentonite -Sand Slurry |

| (5) Material Used to Fill Well/Drillhole | From (Ft.) | To (Ft.) | Cubic Feet | Mix Ratio or Mud Weight |
|--|------------|----------|------------|-------------------------|
| Asphalt Patch | Surface | 1/2 | | |
| Granular Bentonite | 1/2 | 18 | 0.38 ft3 | dry mix |
| 3/8" Bentonite Chips | 18 | 24 | 0.17 ft3 | dry mix |

(6) Comments:

| | | |
|---|-------------------------|---------------------|
| (7) Name of Person or Firm Doing Sealing Work | | Date of Abandonment |
| Geoff Prior BT2, Inc. | | 04/07/04 |
| Signature of Person Doing Work | | Date Signed |
| | | 4-12-04 |
| Street or Route | Telephone Number | |
| 2830 Dairy Drive | (608) 224-2830 | |
| City, State, Zip Code | | |
| Madison, WI 53718-6751 | | |

| FOR DNR OR COUNTY USE ONLY | |
|----------------------------|----------|
| Date Received | Noted By |
| Comments | |
| | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater
- Haz. Waste
- Underground Tanks
- Water Resources
- Other DERF

| | | | | | |
|---|--------------------|------------------------|---------------------------------------|---|-----------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number GB7 |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | Drilling Started 04/07/2004 | Drilling Completed 04/07/2004 | Drilling Method Geoprobe |
| DNR Facility Well No. | WI Unique Well No. | Common Well Name | Static Water Level Feet | Surface Elevation Feet | Borehole Diam. 2 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | DNR County Code 13 | Civil Town/City/or Village Madison | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Soil Properties | | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------|---|--------------|---------------------|----------------------|------------------|------------------|------------------|
| | | | | | | | | Max. P _D | Standard Penetration | Moisture Content | P ₂₀₀ | |
| S1 | 42 | | | 2" ASPHALT PAVEMENT/SILTY GRAVEL (fill). SILTY CLAY, brown. | GM |  | | 2 | | M | | no odors |
| S2 | | | | | CL-ML |  | | 1 | | M | | no odors |
| S3 | | | 5 | | | | | 1 | | M | | no odors |
| S4 | 44 | | | SILTY SAND, brown, fine to medium. | SM |  | | 2 | | M | | no odors |
| S5 | | | | SAND, brown, fine to medium; scattered thin (2" to 4") horizontal silt seams. | |  | | 1 | | M | | no odors |
| S6 | 42 | | 10 | | |  | | 2 | | M | | no odors |
| S7 | | | | | |  | | 2 | | M | | no odors |
| S8 | 44 | | 15 | | SP-SM |  | | 1 | | M | | no odors |
| S9 | | | | | |  | | 3 | | M | | no odors |
| S10 | 44 | | 20 | | |  | | 4 | | M | | no odors |
| S11 | | | | | |  | | 4 | | W | | no odors |
| S12 | 42 | | | | |  | | 4 | | W | | no odors |
| | | | 25 | End of boring @ 24'; Abandoned with bentonite. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm BT², Inc. Geoff Prior

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Please complete Form 3300-5 and Return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other **DERF**

| (1) GENERAL INFORMATION | | (2) FACILITY/OWNER INFORMATION | |
|---|-----------------|--|-----------------------------|
| WI Unique Well No. | DNR Well ID No. | County | Facility Name |
| | | Dane | 3918 Monona Drive BT2 #2325 |
| Common Well Name <u>GB7</u> | | Gov't Lot (If applicable) | |
| NW 1/4 of SW 1/4 of Sec. <u>9</u> ; T. <u>7</u> N;R <u>10</u> | | <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. | |
| Grid Location | | Street Address of Well | |
| _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. | | 3918 Monona Drive | |
| Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | | City, Village, or Town | |
| Lat. _____ Long. _____ or _____ | | Madison, WI | |
| St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N Zone | | Present Well Owner | |
| Reason for Abandonment | | John Nebl | |
| Soil Boring | | Original Owner | |
| WI Unique Well No. of Replacement Well _____ | | same | |
| | | Street Address or Route of Owner | |
| | | 3866 Sunny Wood Drive | |
| | | City, State, Zip Code | |
| | | DeForest, WI 53532 | |

| (3) WELL/DRILLHOLE/BOREHOLE INFORMATION | (4) PUMP, LINER, CASING, & SEALING MATERIAL |
|--|--|
| Original Construction Date <u>04/07/2004</u> | Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input type="checkbox"/> Monitoring Well | Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input type="checkbox"/> Water Well | Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input checked="" type="checkbox"/> Drillhole/Borehole | Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| If a Well Construction Report is available, please attach. | Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Construction Type: | Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug | Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> | If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Formation Type: | Required Method of Placing Sealing Material |
| <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped |
| Total Well Depth (ft.) <u>24</u> Casing Diameter (ins.) <u>2</u> | <input type="checkbox"/> Screened & Poured Bentonite Chips <input checked="" type="checkbox"/> Other(Explain) <u>Gravity</u> |
| (From ground surface) Casing Depth (ft.) <u>24</u> | Sealing Materials |
| Lower Drillhole Diameter (in.) <u>NA</u> | For monitoring wells and monitoring well boreholes only |
| Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown | <input type="checkbox"/> Neat Cement Grout |
| If Yes, To What Depth? _____ Feet | <input type="checkbox"/> Sand-Cement (Concrete) Grout |
| Depth to Water (Feet) <u>20</u> | <input type="checkbox"/> Concrete |
| | <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) |
| | <input type="checkbox"/> Bentonite-Sand Slurry " " |
| | <input type="checkbox"/> Chipped Bentonite |
| | <input checked="" type="checkbox"/> Bentonite Chips/Pellets |
| | <input checked="" type="checkbox"/> Granular Bentonite |
| | <input type="checkbox"/> Bentonite -Cement Grout |
| | <input type="checkbox"/> Bentonite -Sand Slurry |

| (5) Material Used to Fill Well/Drillhole | From (Ft.) | To (Ft.) | Cubic Feet | Mix Ratio or Mud Weight |
|--|------------|----------|------------|-------------------------|
| Asphalt Patch | Surface | 1/2 | | |
| Granular Bentonite | 1/2 | 19 | 0.40 ft3 | dry mix |
| 3/8" Bentonite Chips | 19 | 24 | 0.15 ft3 | dry mix |

(6) Comments:

| | | |
|---|--|---------------------|
| (7) Name of Person or Firm Doing Sealing Work | | Date of Abandonment |
| Geoff Prior BT2, Inc. | | 04/07/04 |
| Signature of Person Doing Work | | Date Signed |
| | | 4-12-04 |
| Street or Route | | Telephone Number |
| 2830 Dairy Drive | | (608) 224-2830 |
| City, State, Zip Code | | |
| Madison, WI 53718-6751 | | |

| FOR DNR OR COUNTY USE ONLY | |
|----------------------------|----------|
| Date Received | Noted By |
| Comments | |
| | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater
- Haz. Waste
- Underground Tanks
- Water Resources
- Other DERF

| | | | | | |
|---|--------------------|------------------------|---------------------------------------|---|-----------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number GB8 |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | Drilling Started 04/07/2004 | Drilling Completed 04/07/2004 | Drilling Method Geoprobe |
| DNR Facility Well No. | WI Unique Well No. | Common Well Name | Static Water Level Feet | Surface Elevation Feet | Borehole Diam. 2 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | DNR County Code 13 | Civil Town/City/or Village Madison | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. P100/FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|--|-------------|-------------|--------------|----------------|----------------------|------------------|------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 40 | | | 2" ASPHALT PAVEMENT/SILTY GRAVEL (fill). SILTY CLAY, black (old topsoil). SILTY CLAY, brown. | GM CL-ML | | | 1 | | M | | no odors |
| S2 | | | | SILTY CLAY, brown. | CL-ML | | | 1 | | M | | no odors |
| S3 | 44 | | 5 | SILTY SAND, brown, fine to medium. | SM | | | 1 | | M | | no odors |
| S4 | | | | SAND, brown, fine to coarse; poorly graded. | SP | | | 3 | | M | | no odors |
| S5 | 43 | | 10 | SAND, brown, fine, with silt. | | | | 1 | | M | | no odors |
| S6 | | | | | SP-SM | | | 2 | | M | | no odors |
| S7 | 40 | | | | | | | 1 | | M | | no odors |
| S8 | | | 15 | SAND, brown, fine to coarse, with silt; poorly graded. | | | | 4 | | M | | no odors |
| S9 | 38 | | | | SP-SM | | | 1 | | M | | no odors |
| S10 | | | 20 | SAND, brown, fine, with silt; scattered thin silt seams. | | | | 1 | | M/ W | | no odors |
| S11 | 34 | | | | SP-SM | | | 4 | | W | | no odors |
| S12 | | | | SAND, brown, fine to coarse, with gravel; poorly graded. | SP | | | 3 | | W | | no odors |
| | | | 25 | End of boring @ 24'; Abandoned with bentonite. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Firm **BT², Inc.** Geoff Prior

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Please complete Form 3300-5 and Return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.


Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other DERF

| (1) GENERAL INFORMATION | | (2) FACILITY/OWNER INFORMATION | |
|---|-----------------|--|------------------------------------|
| WI Unique Well No. | DNR Well ID No. | County | Facility Name |
| | | Dane | 3918 Monona Drive BT2 #2325 |
| Common Well Name <u>GB8</u> | | Gov't Lot (If applicable) | |
| NW 1/4 of SW 1/4 of Sec. <u>9</u> ; T. <u>7</u> N;R <u>10</u> | | <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. | |
| Grid Location _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. | | Street Address of Well | |
| Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | | 3918 Monona Drive | |
| Lat. _____ " Long. _____ " or _____ " _____ " | | City, Village, or Town | |
| St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N Zone | | Madison, WI | |
| Reason for Abandonment | | Present Well Owner | |
| Soil Boring | | John Nebl | |
| WI Unique Well No. of Replacement Well | | Original Owner | |
| | | same | |
| | | Street Address or Route of Owner | |
| | | 3866 Sunny Wood Drive | |
| | | City, State, Zip Code | |
| | | DeForest, WI 53532 | |

| (3) WELL/DRILLHOLE/BOREHOLE INFORMATION | (4) PUMP, LINER, CASING, & SEALING MATERIAL |
|--|--|
| Original Construction Date <u>04/07/2004</u> | Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input type="checkbox"/> Monitoring Well | Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input type="checkbox"/> Water Well | Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input checked="" type="checkbox"/> Drillhole/Borehole | Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| If a Well Construction Report is available, please attach. | Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Construction Type: | Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug | Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> | If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Formation Type: | Required Method of Placing Sealing Material |
| <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped |
| Total Well Depth (ft.) <u>24</u> Casing Diameter (ins.) <u>2</u> | <input type="checkbox"/> Screened & Poured Bentonite Chips <input checked="" type="checkbox"/> Other(Explain) <u>Gravity</u> |
| (From ground surface) Casing Depth (ft.) <u>24</u> | Sealing Materials |
| Lower Drillhole Diameter (in.) <u>NA</u> | For monitoring wells and monitoring well boreholes only |
| Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown | <input type="checkbox"/> Neat Cement Grout |
| If Yes, To What Depth? _____ Feet | <input type="checkbox"/> Sand-Cement (Concrete) Grout |
| Depth to Water (Feet) <u>19</u> | <input type="checkbox"/> Concrete |
| | <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) |
| | <input type="checkbox"/> Bentonite-Sand Slurry " " |
| | <input type="checkbox"/> Chipped Bentonite |
| | <input checked="" type="checkbox"/> Bentonite Chips/Pellets |
| | <input checked="" type="checkbox"/> Granular Bentonite |
| | <input type="checkbox"/> Bentonite -Cement Grout |
| | <input type="checkbox"/> Bentonite -Sand Slurry |

| (5) Material Used to Fill Well/Drillhole | From (Ft.) | To (Ft.) | Cubic Feet | Mix Ratio or Mud Weight |
|--|------------|----------|------------|-------------------------|
| Asphalt Patch | Surface | 1/2 | | |
| Granular Bentonite | 1/2 | 18 | 0.42 ft3 | dry mix |
| 3/8" Bentonite Chips | 18 | 24 | 0.15 ft3 | dry mix |

(6) Comments:

| | | | |
|---|--|-------------------------|--|
| (7) Name of Person or Firm Doing Sealing Work | | Date of Abandonment | |
| Geoff Prior BT2, Inc. | | 04/07/04 | |
| Signature of Person Doing Work | | Date Signed | |
|  | | 4-12-04 | |
| Street or Route | | Telephone Number | |
| 2830 Dairy Drive | | (608) 224-2830 | |
| City, State, Zip Code | | | |
| Madison, WI 53718-6751 | | | |

| FOR DNR OR COUNTY USE ONLY | |
|----------------------------|----------|
| Date Received | Noted By |
| Comments | |
| | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other DERF

| | | | | | | | | | | | |
|--|--|------------------------|--|----------------------------------|--|---------------------------------------|--|---|--|----------------------------|--|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number GB9 | | | | | |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | | Drilling Started 04/07/2004 | | Drilling Completed 04/07/2004 | | Drilling Method Geoprobe | | | |
| DNR Facility Well No. | | WI Unique Well No. | | Common Well Name | | Static Water Level Feet | | Surface Elevation Feet | | Borehole Diam. 2 Inches | |
| Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | | | | Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | | | |
| County Dane | | | | DNR County Code 13 | | Civil Town/City/or Village Madison | | | | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. P _{HP} /FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------|-------------|--------------|---------------------------|----------------------|------------------|------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 30 | | | 2" ASPHALT PAVEMENT/SILTY GRAVEL (fill). | GM | | | 3 | | M | | no odors |
| S2 | | | | SILTY CLAY, black (old topsoil). SILTY CLAY, brown. | CL-ML | | | | | | | |
| S3 | 42 | | 5 | SAND, brown, fine to medium. | SP | | | 3 | | M | | no odors |
| S4 | | | | | | | | | | | | |
| S5 | 36 | | 10 | SAND, brown, fine to coarse, with silt; scattered thin (1" to 2") horizontal silt seams. | SP-SM | | | 4 | | M | | no odors |
| S6 | | | | | | | | | | | | |
| S7 | 40 | | 15 | | SP-SM | | | 3 | | M | | no odors |
| S8 | | | | | | | | | | | | |
| S9 | 38 | | 20 | SAND, brown, fine to coarse; poorly graded. | SP | | | 3 | | M | | no odors |
| S10 | | | | | | | | | | | | |
| S11 | 42 | | 25 | SAND, brown, fine, with silt. | SP-SM | | | 4 | | W | | no odors |
| S12 | | | | | | | | | | | | |
| | | | | End of boring @ 24'; Abandoned with bentonite. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | |
|-----------|--|
| Signature | Firm BT ² , Inc. Geoff Prior |
|-----------|--|

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Please complete Form 3300-5 and Return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other DERF

| (1) GENERAL INFORMATION | | (2) FACILITY/OWNER INFORMATION | |
|---|--------------------------|--|---|
| WI Unique Well No. _____ | DNR Well ID No. _____ | County Dane | Facility Name 3918 Monona Drive BT2 #2325 |
| Common Well Name GB9 Gov't Lot (If applicable) _____ | | Facility ID _____ License/Permit/Monitoring No. _____ | |
| NW 1/4 of SW 1/4 of Sec. 9 ; T. 7 N;R 10 <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. Grid Location _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. | | Street Address of Well 3918 Monona Drive | |
| Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | | City, Village, or Town Madison, WI | |
| Lat. _____ Long. _____ or _____ | | Present Well Owner John Nebl Original Owner same | |
| St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N Zone | | Street Address or Route of Owner 3866 Sunny Wood Drive | |
| Reason for Abandonment _____ | | City, State, Zip Code DeForest, WI 53532 | |
| Soil Boring _____ | | WI Unique Well No. of Replacement Well _____ | |

| (3) WELL/DRILLHOLE/BOREHOLE INFORMATION | (4) PUMP, LINER, CASING, & SEALING MATERIAL |
|--|---|
| Original Construction Date 04/07/2004 | Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole/Borehole | |
| If a Well Construction Report is available, please attach. _____ | Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe | Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured Bentonite Chips <input checked="" type="checkbox"/> Other(Explain) Gravity |
| Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | Sealing Materials |
| Total Well Depth (ft.) 24 Casing Diameter (ins.) 2 (From ground surface) Casing Depth (ft.) 24 | <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Chipped Bentonite |
| Lower Drillhole Diameter (in.) NA | For monitoring wells and monitoring well boreholes only: <input checked="" type="checkbox"/> Bentonite Chips/Pellets <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite -Cement Grout <input type="checkbox"/> Bentonite -Sand Slurry |
| Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet | |
| Depth to Water (Feet) 19 | |

| (5) Material Used to Fill Well/Drillhole | From (Ft.) | To (Ft.) | Cubic Feet | Mix Ratio or Mud Weight |
|--|------------|----------|------------|-------------------------|
| Asphalt Patch | Surface | 1/2 | | |
| Granular Bentonite | 1/2 | 18 | 0.36 ft3 | dry mix |
| 3/8" Bentonite Chips | 18 | 24 | 0.17 ft3 | dry mix |

(6) Comments: _____

| | | |
|---|--|---|
| (7) Name of Person or Firm Doing Sealing Work Geoff Prior BT2, Inc. | | Date of Abandonment 04/07/04 |
| Signature of Person Doing Work | | Date Signed 4-12-04 |
| Street or Route 2830 Dairy Drive | | Telephone Number (608) 224-2830 |
| City, State, Zip Code Madison, WI 53718-6751 | | |

| FOR DNR OR COUNTY USE ONLY | |
|----------------------------|----------|
| Date Received | Noted By |
| Comments | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater
- Haz. Waste
- Underground Tanks
- Water Resources
- Other DERF

| | | | | | |
|---|--------------------|------------------------|----------------------------------|---|-----------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number GB10 |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | Drilling Started 04/07/2004 | Drilling Completed 04/07/2004 | Drilling Method Geoprobe |
| DNR Facility Well No. | WI Unique Well No. | Common Well Name | Static Water Level Feet | Surface Elevation Feet | Borehole Diam. 2 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |

| | | |
|----------------|-----------------------|---------------------------------------|
| County Dane | DNR County Code 13 | Civil Town/City/or Village Madison |
|----------------|-----------------------|---------------------------------------|

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PPH/FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------|-------------|--------------|--------------|----------------------|------------------|----------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 40 | | | 2" ASPHALT PAVEMENT/SILTY GRAVEL (fill). | GM | | | 2 | | M | no odors | |
| S2 | | | | SILTY CLAY, varigated, with sand; old topsoil, asphalt and sand (fill). | CL-ML | | | 3 | | M | no odors | |
| S3 | 24 | | 5 | SILTY CLAY, brown. | CL-ML | | | 3 | | M | no odors | |
| S4 | | | | SILTY SAND, brown, fine to medium. | SM | | | 4 | | M | no odors | |
| S5 | | | | SAND, brown, fine to medium. | | | | 2 | | M | no odors | |
| S6 | 38 | | 10 | | | | | 2 | | M | no odors | |
| S7 | | | | | | | | 2 | | M | no odors | |
| S8 | 40 | | 15 | | SP | | | 2 | | M | no odors | |
| S9 | | | | | | | | 2 | | M | no odors | |
| S10 | 42 | | 20 | | | | | 4 | | M/ W | no odors | |
| S11 | | | | | | | | 3 | | W | no odors | |
| S12 | 44 | | | | | | | 3 | | W | no odors | |
| | | | 25 | End of boring @ 24'; Abandoned with bentonite. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | |
|---------------|--|
| Signature | Firm BT ² , Inc. Geoff Prior |
|---------------|--|

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Please complete Form 3300-5 and Return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.


Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other **DERF**

| (1) GENERAL INFORMATION | | (2) FACILITY/OWNER INFORMATION | |
|---|-----------------|---|----------------------------------|
| WI Unique Well No. | DNR Well ID No. | County | Facility Name |
| | | Dane | 3918 Monona Drive BT2 #2325 |
| Common Well Name <u>GB10</u> | | Gov't Lot (If applicable) | Facility ID |
| NW 1/4 of SW 1/4 of Sec. <u>9</u> ; T. <u>7</u> N;R <u>10</u> | | <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. | License/Permit/Monitoring No. |
| Grid Location _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. | | Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | Street Address of Well |
| Lat. _____ Long. _____ or _____ | | St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N Zone | 3918 Monona Drive |
| Reason for Abandonment | | WI Unique Well No. of Replacement Well | City, Village, or Town |
| Soil Boring | | | Madison, WI |
| | | | Present Well Owner |
| | | | John Nebl |
| | | | Original Owner |
| | | | same |
| | | | Street Address or Route of Owner |
| | | | 3866 Sunny Wood Drive |
| | | | City, State, Zip Code |
| | | | DeForest, WI 53532 |

| (3) WELL/DRILLHOLE/BOREHOLE INFORMATION | (4) PUMP, LINER, CASING, & SEALING MATERIAL |
|--|--|
| Original Construction Date <u>04/07/2004</u> | Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input type="checkbox"/> Monitoring Well | Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input type="checkbox"/> Water Well | Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable |
| <input checked="" type="checkbox"/> Drillhole/Borehole | Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| If a Well Construction Report is available, please attach. | Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Construction Type: | Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug | Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> | If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Formation Type: | Required Method of Placing Sealing Material |
| <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped |
| Total Well Depth (ft.) <u>24</u> Casing Diameter (ins.) <u>2</u> | <input type="checkbox"/> Screened & Poured Bentonite Chips <input checked="" type="checkbox"/> Other(Explain) <u>Gravity</u> |
| (From ground surface) Casing Depth (ft.) <u>24</u> | Sealing Materials |
| Lower Drillhole Diameter (in.) <u>NA</u> | <input type="checkbox"/> Neat Cement Grout |
| Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown | <input type="checkbox"/> Sand-Cement (Concrete) Grout |
| If Yes, To What Depth? _____ Feet | <input type="checkbox"/> Concrete |
| Depth to Water (Feet) <u>19</u> | <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) |
| | <input type="checkbox"/> Bentonite-Sand Slurry " " |
| | <input type="checkbox"/> Chipped Bentonite |
| | For monitoring wells and monitoring well boreholes only |
| | <input checked="" type="checkbox"/> Bentonite Chips/Pellets |
| | <input checked="" type="checkbox"/> Granular Bentonite |
| | <input type="checkbox"/> Bentonite -Cement Grout |
| | <input type="checkbox"/> Bentonite -Sand Slurry |

| (5) Material Used to Fill Well/Drillhole | From (Ft.) | To (Ft.) | Cubic Feet | Mix Ratio or Mud Weight |
|--|------------|----------|------------|-------------------------|
| Asphalt Patch | Surface | 1/2 | | |
| Granular Bentonite | 1/2 | 18 | 0.38 ft3 | dry mix |
| 3/8" Bentonite Chips | 18 | 24 | 0.15 ft3 | dry mix |

(6) Comments:

| | | |
|--|------------------|---------------------|
| (7) Name of Person or Firm Doing Sealing Work | | Date of Abandonment |
| Geoff Prior BT2, Inc. | | 04/07/04 |
| Signature of Person Doing Work | Date Signed | |
|  | 4-12-04 | |
| Street or Route | Telephone Number | |
| 2830 Dairy Drive | (608) 224-2830 | |
| City, State, Zip Code | | |
| Madison, WI 53718-6751 | | |

| FOR DNR OR COUNTY USE ONLY | |
|----------------------------|----------|
| Date Received | Noted By |
| Comments | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other DERF

| | | | | | |
|---|--------------------|------------------------|---------------------------------------|---|-----------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number GB11 |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | Drilling Started 04/07/2004 | Drilling Completed 04/07/2004 | Drilling Method Geoprobe |
| DNR Facility Well No. | WI Unique Well No. | Common Well Name | Static Water Level Feet | Surface Elevation Feet | Borehole Diam. 2 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | DNR County Code 13 | Civil Town/City/or Village Madison | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. P200 /FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------------|---|--------------|---------------------------|----------------------|------------------|------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 38 | | | 3" ASPHALT PAVEMENT/SILTY GRAVEL (fill). SILTY CLAY, brown. | GM CL-ML |  | | 2 | | M | | no odors |
| S2 | | | | SILTY SAND, brown, fine to medium. | SM |  | | 2 | | M | | no odors |
| S3 | 28 | | 5 | SAND, brown, fine to medium. | |  | | 2 | | M | | no odors |
| S4 | | | | | |  | | 3 | | M | | no odors |
| S5 | 42 | | 10 | | SP |  | | 2 | | M | | no odors |
| S6 | | | | | |  | | 3 | | M | | no odors |
| S7 | 40 | | | | |  | | 1 | | M | | no odors |
| S8 | | | 15 | | |  | | 1 | | W | | no odors |
| | | | | End of boring @ 16'; Abandoned with bentonite. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm BT², Inc. Geoff Prior

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Please complete Form 3300-5 and Return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other DERF

| (1) GENERAL INFORMATION | | (2) FACILITY/OWNER INFORMATION | |
|---|--|----------------------------------|-------------------------------|
| WI Unique Well No. | DNR Well ID No. | Facility Name | |
| | Dane | 3918 Monona Drive BT2 #2325 | |
| Common Well Name <u>GB11</u> Gov't Lot (If applicable) | | Facility ID | License/Permit/Monitoring No. |
| NW 1/4 of SW 1/4 of Sec. <u>9</u> ; T. <u>7</u> N;R <u>10</u> <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. | | Street Address of Well | |
| Grid Location _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. | | 3918 Monona Drive | |
| Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | | City, Village, or Town | |
| Lat. _____ Long. _____ or _____ | | Madison, WI | |
| St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N Zone | | Present Well Owner | Original Owner |
| Reason for Abandonment | | John Nebl | same |
| Soil Boring | WI Unique Well No. of Replacement Well | Street Address or Route of Owner | |
| | | 3866 Sunny Wood Drive | |
| | | City, State, Zip Code | |
| | | DeForest, WI 53532 | |

| (3) WELL/DRILLHOLE/BOREHOLE INFORMATION | (4) PUMP, LINER, CASING, & SEALING MATERIAL |
|--|---|
| Original Construction Date <u>04/07/2004</u> | Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole/Borehole | |
| If a Well Construction Report is available, please attach. | |
| Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> | |
| Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) <u>16</u> Casing Diameter (ins.) <u>2</u> (From ground surface) Casing Depth (ft.) <u>16</u> Lower Drillhole Diameter (in.) <u>NA</u> Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) <u>14</u> | Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No |
| | Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured Bentonite Chips <input checked="" type="checkbox"/> Other(Explain) <u>Gravity</u> |
| | Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input checked="" type="checkbox"/> Bentonite Chips/Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite -Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Bentonite -Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Chipped Bentonite |

| (5) Material Used to Fill Well/Drillhole | From (Ft.) | To (Ft.) | Cubic Feet | Mix Ratio or Mud Weight |
|--|------------|----------|------------|-------------------------|
| Asphalt Patch | Surface | 1/2 | | |
| Granular Bentonite | 1/2 | 13 | 0.22 ft3 | dry mix |
| 3/8" Bentonite Chips | 13 | 16 | 0.15 ft3 | dry mix |

(6) Comments:

| | | | |
|---|---------------------|---|--|
| (7) Name of Person or Firm Doing Sealing Work | Date of Abandonment | FOR DNR OR COUNTY USE ONLY Date Received _____ Noted By _____ Comments _____ | |
| Geoff Prior BT2, Inc. | 04/07/04 | | |
| Signature of Person Doing Work | Date Signed | | |
| | 4-12-04 | | |
| Street or Route | Telephone Number | | |
| 2830 Dairy Drive | (608) 224-2830 | | |
| City, State, Zip Code | | | |
| Madison, WI 53718-6751 | | | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other _____

| | | | | | | | |
|---|--|------------------------|-----------------------|----------------------------------|---------------------------------------|---|--|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number GB12 | |
| Boring Drilled By (Firm name and name of crew chief) On-Site Environmental Tony Kapugi | | | | Drilling Started 07/27/2004 | | Drilling Completed 07/27/2004 | |
| DNR Facility Well No. | | WI Unique Well No. | | Common Well Name | | Static Water Level Feet | |
| DNR Facility Well No. | | WI Unique Well No. | | Common Well Name | | Surface Elevation Feet | |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | | Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | | DNR County Code 13 | | Civil Town/City/or Village Madison | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|--|------|-------------|--------------|--------------|----------------------|------------------|----------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 40 | | 5 | 4" ASPHALT PAVEMENT/SILTY SAND, brown, with gravel (fill). SILTY CLAY, brown. | SM | | | 4.4 | M | | no odors | |
| S2 | | | | CL-ML | 1.3 | | | M | | no odors | | |
| S3 | | | | 1.1 | M | | | | no odors | | | |
| S4 | 58 | | 10 | SAND, brown, fine to medium; laminated. | SP | | | 7.9 | M | | no odors | |
| S5 | | | | 11.2 | | | | M | | no odors | | |
| S6 | | | | 13.3 | | | | M/W | | no odors | | |
| | | | 15 | End of boring @ 15'; Abandoned with bentonite. | | | | | | | | |
| | | | 20 | | | | | | | | | |
| | | | 25 | | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | |
|-----------------------------------|--|
| Signature <i>Stephen Sellwood</i> | Firm BT ² , Inc. Stephen Sellwood |
|-----------------------------------|--|

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Please complete Form 3300-5 and Return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

| (1) GENERAL INFORMATION | | (2) FACILITY/OWNER INFORMATION | |
|--|--------------------------|--|--|
| WI Unique Well No. _____ | DNR Well ID No. _____ | County Dane | Facility Name 3918 Monona Drive |
| Common Well Name GB12 Gov't Lot (If applicable) _____ | | Facility ID _____ License/Permit/Monitoring No. _____ | |
| Grid Location NW 1/4 of SW 1/4 of Sec. 9 ; T. 7 N; R. 10 <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. _____ ft. <input type="checkbox"/> N, <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E, <input type="checkbox"/> W. | | Street Address of Well 3918 Monona Drive | |
| Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | | City, Village, or Town Madison, WI | |
| Lat. _____ Long. _____ or | | Present Well Owner John Nebl | Original Owner same |
| St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N Zone | | Street Address or Route of Owner 3866 Sunny Wood Drive | |
| Reason for Abandonment Soil Boring | | WI Unique Well No. of Replacement Well _____ | City, State, Zip Code DeForest, WI 53532 |

| (3) WELL/DRILLHOLE/BOREHOLE INFORMATION | (4) PUMP, LINER, CASING, & SEALING MATERIAL |
|--|--|
| Original Construction Date 07/27/2004 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole/Borehole If a Well Construction Report is available, please attach. Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 15 Casing Diameter (ins.) 2 (From ground surface) Casing Depth (ft.) 15 Lower Drillhole Diameter (in.) NA Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) >15 | Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, Was Hole Retopped? _____ Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured Bentonite Chips <input checked="" type="checkbox"/> Other(Explain) Gravity Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input checked="" type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Chipped Bentonite For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Chips/Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite -Cement Grout <input type="checkbox"/> Bentonite -Sand Slurry |

| (5) Material Used to Fill Well/Drillhole | From (Ft.) | To (Ft.) | Cubic Feet | Mix Ratio or Mud Weight |
|--|------------|-----------|-----------------|-------------------------|
| Chipped Bentonite | Surface | 15 | 0.33 ft3 | dry mix |
| | | | | |

(6) Comments: _____


| | | |
|--|--|---|
| (7) Name of Person or Firm Doing Sealing Work Stephen Sellwood BT2, Inc. | | Date of Abandonment 07/27/2004 |
| Signature of Person Doing Work <i>Stephen Sellwood</i> | | Date Signed 7-28-04 |
| Street or Route 2830 Dairy Drive | | Telephone Number (608) 224-2830 |
| City, State, Zip Code Madison, WI 53718-6751 | | |

| FOR DNR OR COUNTY USE ONLY | |
|----------------------------|----------|
| Date Received | Noted By |
| Comments | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater
- Haz. Waste
- Underground Tanks
- Water Resources
- Other

| | | | | | |
|---|--------------------|------------------------|---------------------------------------|---|-----------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number GB13 |
| Boring Drilled By (Firm name and name of crew chief) On-Site Environmental Tony Kapugi | | | Drilling Started 07/27/2004 | Drilling Completed 07/27/2004 | Drilling Method Geoprobe |
| DNR Facility Well No. | WI Unique Well No. | Common Well Name | Static Water Level Feet | Surface Elevation Feet | Borehole Diam. 2 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | DNR County Code 13 | Civil Town/City/or Village Madison | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------|---|--------------|--------------|----------------------|------------------|------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 45 | | 5 | 4" ASPHALT PAVEMENT/SILTY SAND, brown, with gravel (fill). SILTY CLAY, brown. | SM |  | | 14.3 | M | | | no odors |
| S2 | | | | | | | | | | | | |
| S3 | 55 | | 10 | SAND, brown, fine to medium; laminated. | CL-ML |  | | 14.8 | M | | | no odors |
| S4 | | | | | | | | | | | | |
| S5 | 36 | | 15 | End of boring @ 15'; Abandoned with bentonite. | SP | | | 13.8 | M | | | no odors |
| S6 | | | | | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | |
|--|---|
| Signature  | Firm BT ² , Inc. Stephen Sellwood |
|--|---|

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Please complete Form 3300-5 and Return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

| (1) GENERAL INFORMATION | | | (2) FACILITY/OWNER INFORMATION | |
|--|--------------------------|-----------------------|--|--|
| WI Unique Well No. _____ | DNR Well ID No. _____ | County Dane | Facility Name 3918 Monona Drive | |
| Common Well Name GB13 Gov't Lot (If applicable) _____ | | | Facility ID _____ | License/Permit/Monitoring No. _____ |
| Grid Location NW 1/4 of SW 1/4 of Sec. 9 ; T. 7 N; R. 10 <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or _____ " or _____ " Zone | | | Street Address of Well 3918 Monona Drive | |
| Reason for Abandonment Soil Boring | | | City, Village, or Town Madison, WI | |
| Soil Boring _____ | | | Present Well Owner John Nebl | |
| WI Unique Well No. of Replacement Well _____ | | | Original Owner same | |
| St. Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N Zone | | | Street Address or Route of Owner 3866 Sunny Wood Drive | |
| City, State, Zip Code DeForest, WI 53532 | | | City, State, Zip Code DeForest, WI 53532 | |

| (3) WELL/DRILLHOLE/BOREHOLE INFORMATION | (4) PUMP, LINER, CASING, & SEALING MATERIAL |
|--|--|
| Original Construction Date 07/27/2004 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole/Borehole Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) Geoprobe Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 15 Casing Diameter (ins.) 2 (From ground surface) Casing Depth (ft.) 15 Lower Drillhole Diameter (in.) NA Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) >15 | Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured Bentonite Chips <input checked="" type="checkbox"/> Other(Explain) Gravity Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input checked="" type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Chipped Bentonite For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Chips/Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite -Cement Grout <input type="checkbox"/> Bentonite -Sand Slurry |

| (5) Material Used to Fill Well/Drillhole | From (Ft.) | To (Ft.) | Cubic Feet | Mix Ratio or Mud Weight |
|--|------------|-----------|-----------------|-------------------------|
| Chipped Bentonite | Surface | 15 | 0.33 ft3 | dry mix |
| | | | | |

(6) Comments: _____

| | | |
|--|--|---|
| (7) Name of Person or Firm Doing Sealing Work Stephen Sellwood BT2, Inc. | | Date of Abandonment 07/27/2004 |
| Signature of Person Doing Work <i>Steph Sellwood</i> | | Date Signed 7-28-04 |
| Street or Route 2830 Dairy Drive | | Telephone Number (608) 224-2830 |
| City, State, Zip Code Madison, WI 53718-6751 | | |

| FOR DNR OR COUNTY USE ONLY | |
|----------------------------|----------|
| Date Received | Noted By |
| Comments | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other Remed. & Redev.

| | | | | | | | | |
|---|--|--------------------|------------------------|--------------------------------|---------------------------------------|---|---------------------------|-----------------------------|
| Facility/Project Name 3918 Monona Drive | | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number GB14 | |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | | Drilling Started 03/08/2007 | | Drilling Completed 03/08/2007 | | Drilling Method Geoprobe |
| DNR Facility Well No. | | WI Unique Well No. | Common Well Name | | | Static Water Level Feet | Surface Elevation Feet | Borehole Diam. 2 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | | Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | | |
| County Dane | | | DNR County Code 13 | | Civil Town/City/or Village Madison | | | |

| Sample | | | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|--------|------------------|-------------|--|---|------|-------------|--------------|--------------|----------------------|------------------|----------|------------------|
| Number | Length Recovered | Blow Counts | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 48 | | 0-1 | 3" ASPHALT/ SILTY GRAVEL, brown (fill). | GM | | | 0 | | M | | no odors |
| S2 | | | 1-2 | SILTY SAND, brown with gravel (fill). | SM | | | 0 | | M | | no odors |
| S3 | 2-5 | | SILTY CLAY, brown. | CL-ML | | | 0 | | M | | no odors | |
| S4 | 5-8 | | SAND, light brown, fine to medium; few gravel. | SP | | | 0 | | M | | no odors | |
| | | | 8-10 | End of boring @ 8'; Abandoned with bentonite. | | | | | | | | |
| | | | 10-15 | | | | | | | | | |
| | | | 15-20 | | | | | | | | | |
| | | | 20-25 | | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | | |
|-----------------------------------|--------------------------------|------------------|
| Signature <i>Stephen Sellwood</i> | Firm BT ² , Inc. | Stephen Sellwood |
|-----------------------------------|--------------------------------|------------------|

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

| | | | | | | | |
|---|-----|---|------------------------|--|---|--|--------------------------|
| WI Unique Well No. | | DNR Well ID No. | | County Dane | | Facility Name 3918 Monona Drive BT2, Inc. | |
| Common Well Name GB14 | | | | Gov't Lot # (if applicable) | | Facility ID | |
| License/Permit/Monitoring No. | | City, Village or Town Madison | | Street Address of Well 3918 Monona Drive | | | |
| 1/4 | 1/4 | Section 9 | Township 7 N | Range 10 | <input checked="" type="checkbox"/> E <input type="checkbox"/> W | Present Well Owner John Nebl | |
| Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W | | Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location | | Original Well Owner same | | Street Address or Route of Owner 3866 Sunny Wood Drive | |
| Latitude: DEG MIN SEC | | Longitude: DEG MIN SEC | | City DeForest | | State WI | ZIP Code 53532 |
| Reason For Abandonment Soil Boring | | WI Unique Well No. of Replacement Well | | City DeForest | | | |

3. Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole

Original Construction Date
03/08/2007

If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): **Geoprobe**

Formation Type:
 Unconsolidated Formation Bedrock

| | |
|---|-----------------------------------|
| Total Well Depth From Groundsurface (ft.) 8 | Casing Diameter (in.) 2 |
| Lower Drillhole Diameter (in.) NA | Casing Depth (ft.) 8 |

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)
>8

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): **Gravity**

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

| | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|--------------------|------------|----------|---|-------------------------|
| Asphalt | Surface | 0.5 | 0.01 ft3 | cold patch |
| Granular Bentonite | 0.5 | 8 | 0.16 ft3 | dry mix |

6. Comments

7. Supervision of Work

| | | | | | |
|--|--------------------|---|---|--|------------------------------|
| Name of Person or Firm Doing Sealing Work Stephen Sellwood BT2, Inc. | | Date of Abandonment 03/08/2007 | Date Received | | Noted By |
| Street or Route 2830 Dairy Drive | | Telephone Number (608) 224-2830 | Comments | | |
| City Madison | State WI | ZIP Code 53718-6751 | Signature of Person Doing Work <i>Stephen Sellwood</i> | | Date Signed 3-8-07 |

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other Remed. + ReDev.

| | | | | | | | |
|---|--|------------------------|-----------------------|----------------------------------|---------------------------------------|---|--|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number GB15 | |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | | Drilling Started 03/08/2007 | | Drilling Completed 03/08/2007 | |
| DNR Facility Well No. | | WI Unique Well No. | | Common Well Name | | Static Water Level Feet | |
| DNR Facility Well No. | | WI Unique Well No. | | Common Well Name | | Surface Elevation Feet | |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | | Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | | DNR County Code 13 | | Civil Town/City/or Village Madison | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. (PID)/FID | Soil Properties | | | RQD/ Comments | | | |
|---------------|------------------|----------------------|---------------|---|-------|---------------|----------------|----------------|----------------------|------------------|------|------------------|-----|----------|----------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | | | | |
| S1 | 48 | [Blow Count Diagram] | 5 | 3" ASPHALT/ SILTY GRAVEL, brown (fill). | GM | [Graphic Log] | [Well Diagram] | 288 | | | | no odors | | | |
| S2 | | | | SANDY SILTY CLAY, brown with gravel (fill). | CL-ML | | | | | | | | 4.2 | M | no odors |
| S3 | | | | | | | | | | | | | 5.2 | M | no odors |
| S4 | | | | | 9.0 | | | | | | | | M | no odors | |
| S5 | 20 | [Blow Count Diagram] | 10 | SAND, light brown, fine to medium. | SP | [Graphic Log] | [Well Diagram] | 26 | | | | no odors | | | |
| S6 | | | | | | | | | | | | | 7.6 | M | no odors |
| | | | | End of boring @ 12'; Abandoned with bentonite. | | | | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Stephen Sellwood Firm **BT², Inc.** Stephen Sellwood

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information

| | | | |
|---|---------------------|--|----------------------|
| WI Unique Well No. | DNR Well ID No. | County Dane | |
| Common Well Name GB15 | | Gov't Lot # (if applicable) | |
| 1/4 / 1/4 NW SW | Section 9 | Township 7 N | Range 10 E |
| Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W | | Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location | |
| Latitude: DEG MIN SEC | | Longitude: DEG MIN SEC | |

2. Facility / Owner Information

| | | |
|--|------------------------------|---|
| Facility Name 3918 Monona Drive BT2, Inc. | | |
| Facility ID | License/Permit/Monitoring No | City, Village or Town Madison |
| Street Address of Well 3918 Monona Drive | | |
| Present Well Owner John Nebl | | Original Well Owner same |
| Street Address or Route of Owner 3866 Sunny Wood Drive | | |
| City DeForest | State WI | ZIP Code 53532 |

Reason For Abandonment
Soil Boring

WI Unique Well No. of Replacement Well

3. Well / Drillhole / Borehole Information

| | |
|---|--|
| <input type="checkbox"/> Monitoring Well | Original Construction Date 03/08/2007 |
| <input type="checkbox"/> Water Well | |
| <input checked="" type="checkbox"/> Borehole / Drillhole | If a Well Construction Report is available, please attach. |
| Construction Type: | |
| <input type="checkbox"/> Drilled | <input type="checkbox"/> Driven (Sandpoint) |
| <input checked="" type="checkbox"/> Other (specify): Geoprobe | <input type="checkbox"/> Dug |
| Formation Type: | |
| <input checked="" type="checkbox"/> Unconsolidated Formation | <input type="checkbox"/> Bedrock |
| Total Well Depth From Groundsurface (ft.) 12 | Casing Diameter (in.) 2 |
| Lower Drillhole Diameter (in.) NA | Casing Depth (ft.) 12 |
| Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown | |
| If yes, to what depth (feet)? | Depth to Water (feet) >12 |

4. Pump, Liner, Screen, Casing & Sealing Material

| | |
|---|--|
| Pump and piping removed? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| Liner(s) removed? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| Screen removed? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| Casing left in place? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A |
| Was casing cut off below surface? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A |
| Did sealing material rise to surface? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |
| Did material settle after 24 hours? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A |
| If yes, was hole retopped? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |
| If bentonite chips were used, were they hydrated with water from a known safe source? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |
| Required Method of Placing Sealing Material | |
| <input type="checkbox"/> Conductor Pipe-Gravity | <input type="checkbox"/> Conductor Pipe-Pumped |
| <input type="checkbox"/> Screened & Poured (Bentonite Chips) | <input checked="" type="checkbox"/> Other (Explain): Gravity |
| Sealing Materials | |
| <input type="checkbox"/> Neat Cement Grout | <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) |
| <input type="checkbox"/> Sand-Cement (Concrete) Grout | <input type="checkbox"/> Bentonite-Sand Slurry " " |
| <input type="checkbox"/> Concrete | <input checked="" type="checkbox"/> Bentonite Chips |
| For Monitoring Wells and Monitoring Well Boreholes Only: | |
| <input type="checkbox"/> Bentonite Chips | <input type="checkbox"/> Bentonite - Cement Grout |
| <input type="checkbox"/> Granular Bentonite | <input type="checkbox"/> Bentonite - Sand Slurry |

5. Material Used To Fill Well / Drillhole

| | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|--------------------|------------|----------|---|-------------------------|
| Asphalt | Surface | 0.5 | 0.01 ft3 | cold patch |
| Granular Bentonite | 0.5 | 12 | 0.25 ft3 | dry mix |

6. Comments

7. Supervision of Work

| | | | | | |
|--|--------------------|---|---|------------------------------|----------|
| Name of Person or Firm Doing Sealing Work Stephen Sellwood BT2, Inc. | | Date of Abandonment 03/08/2007 | Date Received | | Noted By |
| Street or Route 2830 Dairy Drive | | Telephone Number (608) 224-2830 | Comments | | |
| City Madison | State WI | ZIP Code 53718-6751 | Signature of Person Doing Work <i>Stephen Sellwood</i> | Date Signed 3-8-07 | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources

Other Remed. & ReDev.

| | | | | | | | | |
|--|--|--------------------|------------------------|--------------------------------|----------------------------------|---|-----------------------|-----------------------------|
| Facility/Project Name 3918 Monona Drive | | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number GB16 | |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | | Drilling Started 03/08/2007 | | Drilling Completed 03/08/2007 | | Drilling Method Geoprobe |
| DNR Facility Well No. | | WI Unique Well No. | | Common Well Name | | Static Water Level Feet | | Surface Elevation Feet |
| Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | N, E | | Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | | |
| County Dane | | | | DNR County Code 13 | | Civil Town/City/or Village Madison | | |

| Sample | | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments | | | |
|--------|------------------|-------------|---------------|---|-------|-------------|--------------|--------------|----------------------|------------------|------|------------------|-----|---|----------|
| Number | Length Recovered | | | | | | | | Standard Penetration | Moisture Content | P200 | | | | |
| S1 | 32 | 42 | 5 | 3" ASPHALT/ SILTY GRAVEL, brown (fill). | GM | | | 3.2 | | M | | no odors | | | |
| S2 | | | | SAND, brown, fine to medium with gravel. | SP | | | | | | | | 0 | M | no odors |
| S3 | | | | SILTY CLAY, brown. | CL-ML | | | | | | | | 0 | M | no odors |
| S4 | | | | SAND, light brown, fine to medium with gravel. | SP | | | | | | | | 1.5 | M | no odors |
| | | | | End of boring @ 8'; Abandoned with bentonite. | | | | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Stephen Sellwood Firm BT², Inc. Stephen Sellwood

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

| | | | | | | | |
|---|----------------|--|------------------------|---|--|---|--------------------------|
| WI Unique Well No. _____ | | DNR Well ID No. _____ | | County Dane | | Facility Name 3918 Monona Drive BT2, Inc. | |
| Common Well Name GB16 | | | | Gov't Lot # (if applicable) _____ | | Facility ID _____ License/Permit/Monitoring No. _____ City, Village or Town Madison | |
| ¼ / ¼ NW | ¼ SW | Section 9 | Township 7 N | Range 10 | <input checked="" type="checkbox"/> E | Street Address of Well 3918 Monona Drive | |
| Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S | | Feet <input type="checkbox"/> E <input type="checkbox"/> W | | <input type="checkbox"/> Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location | | Present Well Owner John Nebl | |
| Latitude: DEG MIN SEC | | Longitude: DEG MIN SEC | | Original Well Owner same | | Street Address or Route of Owner 3866 Sunny Wood Drive | |
| Reason For Abandonment Soil Boring | | WI Unique Well No. of Replacement Well _____ | | City DeForest | | State WI | ZIP Code 53532 |

3. Well / Drillhole / Borehole Information

Monitoring Well Water Well Borehole / Drillhole

Original Construction Date
03/08/2007

If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): **Geoprobe**

Formation Type:
 Unconsolidated Formation Bedrock

| | |
|---|-----------------------------------|
| Total Well Depth From Groundsurface (ft.) 8 | Casing Diameter (in.) 2 |
| Lower Drillhole Diameter (in.) NA | Casing Depth (ft.) 8 |

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)
>8

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole retopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): **Gravity**

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

| | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|--------------------|------------|----------|---|-------------------------|
| Asphalt | Surface | 0.5 | 0.01 ft3 | cold patch |
| Granular Bentonite | 0.5 | 8 | 0.16 ft3 | dry mix |

6. Comments

7. Supervision of Work **DNR Use Only**

| | | | | |
|--|--------------------|---|---|------------------------------|
| Name of Person or Firm Doing Sealing Work Stephen Sellwood BT2, Inc. | | Date of Abandonment 03/08/2007 | Date Received | Noted By |
| Street or Route 2830 Dairy Drive | | Telephone Number (608) 224-2830 | Comments | |
| City Madison | State WI | ZIP Code 53718-6751 | Signature of Person Doing Work <i>Stephen Sellwood</i> | Date Signed 3-8-07 |

Route To:

- Solid Waste
 Emergency Response
 Wastewater
 Haz. Waste
 Underground Tanks
 Water Resources
 Other Remed. + Redev.

| | | | | | |
|---|--------------------|------------------------|---------------------------------------|---|-----------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number GB17 |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | Drilling Started 03/08/2007 | Drilling Completed 03/08/2007 | Drilling Method Geoprobe |
| DNR Facility Well No. | WI Unique Well No. | Common Well Name | Static Water Level Feet | Surface Elevation Feet | Borehole Diam. 2 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | DNR County Code 13 | Civil Town/City/or Village Madison | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------|-------------|--------------|--------------|----------------------|------------------|------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 46 | | | 3" ASPHALT/ SILTY GRAVEL, brown (fill). | GM | | | 0 | | M | | no odors |
| S2 | | | | SILTY CLAY, dark brown. | CL-ML | | | 0 | | M | | no odors |
| S3 | 46 | | 5 | SILTY CLAY, brown. | CL-ML | | | 0 | | M | | no odors |
| S4 | | | | | | | | 0 | | M | | no odors |
| S5 | 32 | | 10 | SAND, light brown, fine to medium. | SP | | | 1.1 | | M | | no odors |
| S6 | | | | | | | | 0.5 | | M | | no odors |
| | | | | End of boring @ 12'; Abandoned with bentonite. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | | |
|---------------|--------------------------------|------------------|
| Signature | Firm BT ² , Inc. | Stephen Sellwood |
|---------------|--------------------------------|------------------|

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water
 Watershed/Wastewater
 Waste Management
 Remediation/Redevelopment
 Other: _____

1. General Information **2. Facility / Owner Information**

| | | | | | | | |
|---|------------------|-----------------------|------------------------|---|---|---|--|
| WI Unique Well No. _____ | | DNR Well ID No. _____ | | County Dane | | Facility Name 3918 Monona Drive BT2, Inc. | |
| Common Well Name GB17 | | | | Gov't Lot # (if applicable) _____ | | Facility ID _____ License/Permit/Monitoring No. _____ City, Village or Town Madison | |
| 1/4 / 1/4 NW | 1/4 SW | Section 9 | Township 7 N | Range 10 | <input checked="" type="checkbox"/> E <input type="checkbox"/> W | Street Address of Well 3918 Monona Drive | |
| Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W | | | | Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location | | Present Well Owner John Nebel | |
| Latitude: DEG MIN SEC _____ N | | | | Longitude: DEG MIN SEC _____ W | | Original Well Owner same | |
| Reason For Abandonment Soil Boring | | | | WI Unique Well No. of Replacement Well _____ | | Street Address or Route of Owner 3866 Sunny Wood Drive | |
| City DeForest | | | | State WI | | ZIP Code 53532 | |

3. Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole

Original Construction Date
03/08/2007

If a Well Construction Report is available, please attach.

Construction Type:
 Drilled
 Driven (Sandpoint)
 Dug
 Other (specify): **Geoprobe**

Formation Type:
 Unconsolidated Formation
 Bedrock

| | |
|--|-------------------------------------|
| Total Well Depth From Groundsurface (ft.) 12 | Casing Diameter (in.) 2 |
| Lower Drillhole Diameter (in.) NA | Casing Depth (ft.) >12 |

Was well annular space grouted?
 Yes
 No
 Unknown

If yes, to what depth (feet)?
 Depth to Water (feet)
>12

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?
 Yes
 No
 N/A
 Liner(s) removed?
 Yes
 No
 N/A
 Screen removed?
 Yes
 No
 N/A
 Casing left in place?
 Yes
 No
 N/A
 Was casing cut off below surface?
 Yes
 No
 N/A
 Did sealing material rise to surface?
 Yes
 No
 N/A
 Did material settle after 24 hours?
 Yes
 No
 N/A
 If yes, was hole retopped?
 Yes
 No
 N/A
 If bentonite chips were used, were they hydrated with water from a known safe source?
 Yes
 No
 N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity
 Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips)
 Other (Explain): **Gravity**

Sealing Materials
 Neat Cement Grout
 Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout
 Bentonite-Sand Slurry " "
 Concrete
 Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips
 Bentonite - Cement Grout
 Granular Bentonite
 Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

| | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|--------------------|------------|----------|---|-------------------------|
| Asphalt | Surface | 0.5 | 0.01 ft ³ | cold patch |
| Granular Bentonite | 0.5 | 12 | 0.25 ft ³ | dry mix |

6. Comments

7. Supervision of Work **DNR Use Only**

| | | | | |
|--|--------------------|---|---|------------------------------|
| Name of Person or Firm Doing Sealing Work Stephen Sellwood BT2, Inc. | | Date of Abandonment 03/08/2007 | Date Received | Noted By |
| Street or Route 2830 Dairy Drive | | Telephone Number (608) 224-2830 | Comments | |
| City Madison | State WI | ZIP Code 53718-6751 | Signature of Person Doing Work <i>Stephen Sellwood</i> | Date Signed 3-8-07 |

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources

Other Remed. & Redev.

| | | | | | |
|---|--------------------|------------------------|---------------------------------------|---|-----------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number GB18 |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | Drilling Started 03/08/2007 | Drilling Completed 03/08/2007 | Drilling Method Geoprobe |
| DNR Facility Well No. | WI Unique Well No. | Common Well Name | | Static Water Level Feet | Surface Elevation Feet |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | DNR County Code 13 | Civil Town/City/or Village Madison | | |

| Sample | | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max P/D/FID | Soil Properties | | | RQD/ Comments |
|--------|------------------|-------------|------------------------------------|---|-------|-------------|--------------|-------------|----------------------|------------------|----------|------------------|
| Number | Length Recovered | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 46 | | | 3" ASPHALT/ SILTY GRAVEL, brown (fill). | GM | | | 4.0 | | M | | no odors |
| S2 | | | | SANDY SILTY CLAY, brown with gravel (fill). | CL-ML | | | 7.3 | | M | | no odors |
| S3 | 36 | | 5 | SILTY CLAY, brown. | CL-ML | | | 2.1 | | M | | no odors |
| S4 | | | SAND, light brown, fine to medium. | | | | 3.5 | | M | | no odors | |
| S5 | 30 | | 10 | | SP | | | 5.9 | | M | | no odors |
| S6 | | | | | | | | 1.6 | | M | | no odors |
| | | | | End of boring @ 12'; Abandoned with bentonite. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Stephen Sellwood Firm **BT², Inc.** Stephen Sellwood

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

| | | | | | | | |
|---|----------------|--|------------------------|---|---|---|--|
| WI Unique Well No. _____ | | DNR Well ID No. _____ | | County Dane | | Facility Name 3918 Monona Drive BT2, Inc. | |
| Common Well Name GB18 | | | | Gov't Lot # (if applicable) _____ | | Facility ID _____ License/Permit/Monitoring No. _____ City, Village or Town Madison | |
| ¼ / ¼ NW | ¼ SW | Section 9 | Township 7 N | Range 10 | <input checked="" type="checkbox"/> E <input type="checkbox"/> W | Street Address of Well 3918 Monona Drive | |
| Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W | | | | Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location | | Present Well Owner John Nebl | |
| Latitude: DEG MIN SEC _____ N | | | | Longitude: DEG MIN SEC _____ W | | Original Well Owner same | |
| Reason For Abandonment Soil Boring | | WI Unique Well No. of Replacement Well _____ | | | | Street Address or Route of Owner 3866 Sunny Wood Drive | |
| City DeForest | | State WI | | ZIP Code 53532 | | | |

3. Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole

Original Construction Date
03/08/2007

If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): **Geoprobe**

Formation Type:
 Unconsolidated Formation Bedrock

| | |
|--|-----------------------------------|
| Total Well Depth From Groundsurface (ft.) 12 | Casing Diameter (in.) 2 |
| Lower Drillhole Diameter (in.) NA | Casing Depth (ft.) 12 |

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet)
>12

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): **Gravity**

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

| 5. Material Used To Fill Well / Drillhole | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|---|------------|----------|---|-------------------------|
| Asphalt | Surface | 0.5 | 0.01 ft ³ | cold patch |
| Granular Bentonite | 0.5 | 12 | 0.25 ft ³ | dry mix |

6. Comments

7. Supervision of Work **DNR Use Only**

| | | | | | | | |
|--|--|---|--|-------------------------------|--|---|--|
| Name of Person or Firm Doing Sealing Work Stephen Sellwood BT2, Inc. | | Date of Abandonment 03/08/2007 | | Date Received | | Noted By | |
| Street or Route 2830 Dairy Drive | | Telephone Number (608) 224-2830 | | Comments | | | |
| City Madison | | State WI | | ZIP Code 53718-6751 | | Signature of Person Doing Work <i>Stephen Sellwood</i> | |
| | | | | | | Date Signed 3-8-07 | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources

Other Remed. & Redev.

| | | | | | | | | | | | |
|--|--|------------------------|--|----------------------------------|--|---|--|-----------------------------|--|----------------------------|--|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number GB19 | | | | | |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | | Drilling Started 03/08/2007 | | Drilling Completed 03/08/2007 | | Drilling Method Geoprobe | | | |
| DNR Facility Well No. | | WI Unique Well No. | | Common Well Name | | Static Water Level Feet | | Surface Elevation Feet | | Borehole Diam. 2 Inches | |
| Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | | Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | | | | | |
| County Dane | | | | DNR County Code 13 | | Civil Town/City/or Village Madison | | | | | |

| Sample | | | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max P1D/FID | Soil Properties | | | RQD/ Comments |
|--------|---------------------|-------------|---------------|---|-------|-------------|--------------|-------------|-------------------------|---------------------|------|------------------|
| Number | Length Recovered | Blow Counts | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 48 | | 5 | 3" ASPHALT/ SILTY GRAVEL, brown (fill). | GM | | | 10.7 | | M | | no odors |
| S2 | | | | SANDY SILTY CLAY, brown with gravel (fill). | CL-ML | | | 9.2 | | M | | no odors |
| S3 | 36 | | 5 | SAND, brown, fine to medium. | SP | | | 11.6 | | M | | no odors |
| S4 | | | | | | | | 5.9 | | M | | no odors |
| S5 | 36 | | 10 | | | | | 2.8 | | M | | no odors |
| S6 | | | | | | | | 2.8 | | M | | no odors |
| | | | | End of boring @ 12'; Abandoned with bentonite. | | | | | | | | |
| | | | | 15 | | | | | | | | |
| | | | | 20 | | | | | | | | |
| | | | | 25 | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | |
|-----------------------------------|--|
| Signature <u>Stephen Sellwood</u> | Firm BT ² , Inc. Stephen Sellwood |
|-----------------------------------|--|

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water
 Watershed/Wastewater
 Waste Management
 Remediation/Redevelopment
 Other: _____

1. General Information **2. Facility / Owner Information**

| | | | | | | | |
|---|----------------|-----------------------|------------------------|--|---|---|--------------------------|
| WI Unique Well No. _____ | | DNR Well ID No. _____ | | County Dane | | Facility Name 3918 Monona Drive BT2, Inc. | |
| Common Well Name GB19 | | | | Gov't Lot # (if applicable) _____ | | Facility ID _____ License/Permit/Monitoring No. _____ City, Village or Town Madison | |
| ¼ / ¼ NW | ¼ SW | Section 9 | Township 7 N | Range 10 | <input checked="" type="checkbox"/> E <input type="checkbox"/> W | Street Address of Well 3918 Monona Drive | |
| Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W (estimated) OR <input type="checkbox"/> Well Location | | | | Local Grid Origin _____ | | Present Well Owner John Nebl | |
| Latitude: DEG MIN SEC _____ N | | | | Longitude: DEG MIN SEC _____ W | | Original Well Owner same | |
| Reason For Abandonment Soil Boring | | | | WI Unique Well No. of Replacement Well _____ | | | |
| Street Address or Route of Owner 3866 Sunny Wood Drive | | | | City DeForest | | State WI | ZIP Code 53532 |

3. Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole

Original Construction Date
03/08/2007

If a Well Construction Report is available, please attach.

Construction Type:
 Drilled
 Driven (Sandpoint)
 Dug
 Other (specify): **Geoprobe**

Formation Type:
 Unconsolidated Formation
 Bedrock

| | |
|--|-----------------------------------|
| Total Well Depth From Groundsurface (ft.) 12 | Casing Diameter (in.) 2 |
| Lower Drillhole Diameter (in.) NA | Casing Depth (ft.) 12 |

Was well annular space grouted?
 Yes
 No
 Unknown

If yes, to what depth (feet)?
 Depth to Water (feet)
>12

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?
 Yes
 No
 N/A
 Liner(s) removed?
 Yes
 No
 N/A
 Screen removed?
 Yes
 No
 N/A
 Casing left in place?
 Yes
 No
 N/A
 Was casing cut off below surface?
 Yes
 No
 N/A
 Did sealing material rise to surface?
 Yes
 No
 N/A
 Did material settle after 24 hours?
 Yes
 No
 N/A
 If yes, was hole retopped?
 Yes
 No
 N/A
 If bentonite chips were used, were they hydrated with water from a known safe source?
 Yes
 No
 N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity
 Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips)
 Other (Explain): **Gravity**

Sealing Materials
 Neat Cement Grout
 Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout
 Bentonite-Sand Slurry " "
 Concrete
 Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips
 Bentonite - Cement Grout
 Granular Bentonite
 Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

| | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|--------------------|------------|----------|---|-------------------------|
| Asphalt | Surface | 0.5 | 0.01 ft3 | cold patch |
| Granular Bentonite | 0.5 | 12 | 0.25 ft3 | dry mix |

6. Comments

7. Supervision of Work


| | | | | | |
|--|--------------------|---|---|------------------------------|----------------|
| Name of Person or Firm Doing Sealing Work Stephen Sellwood BT2, Inc. | | Date of Abandonment 03/08/2007 | Date Received _____ | | Noted By _____ |
| Street or Route 2830 Dairy Drive | | Telephone Number (608) 224-2830 | Comments _____ | | |
| City Madison | State WI | ZIP Code 53718-6751 | Signature of Person Doing Work <i>Stephen Sellwood</i> | Date Signed 3-8-07 | |

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other Remed. & Redev.

| | | | | | | | |
|---|--|------------------------|-----------------------|----------------------------------|---------------------------------------|---|--|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number GB20 | |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | | Drilling Started 03/08/2007 | | Drilling Completed 03/08/2007 | |
| DNR Facility Well No. | | WI Unique Well No. | | Common Well Name | | Static Water Level Feet | |
| DNR Facility Well No. | | WI Unique Well No. | | Common Well Name | | Surface Elevation Feet | |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | | Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | | DNR County Code 13 | | Civil Town/City/or Village Madison | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------|--|--------------|--------------|----------------------|------------------|------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 38 | | 5 | 3" ASPHALT/ SILTY GRAVEL, brown (fill). | GM |  | | 1.1 | | M | | no odors |
| S2 | | | | SILTY CLAY, dark brown. | CL-ML | | | 0 | | M | | no odors |
| S3 | | | | SILTY CLAY, brown. | CL-ML | | | 0.7 | | M | | no odors |
| S4 | | | | SAND, brown, fine to medium. | SP | | | 1.1 | | M | | no odors |
| | | | | End of boring @ 8'; Abandoned with bentonite. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | |
|--|---|
| Signature  | Firm BT ² , Inc. Stephen Sellwood |
|--|---|

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

| | | | | | | | |
|---|------------------|--|------------------------|---|---|---|--|
| WI Unique Well No. _____ | | DNR Well ID No. _____ | | County Dane | | Facility Name 3918 Monona Drive BT2, Inc. | |
| Common Well Name GB20 | | | | Gov't Lot # (if applicable) _____ | | Facility ID _____ License/Permit/Monitoring No. _____ City, Village or Town Madison | |
| 1/4 NW | 1/4 SW | Section 9 | Township 7 N | Range 10 | <input checked="" type="checkbox"/> E <input type="checkbox"/> W | Street Address of Well 3918 Monona Drive | |
| Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W | | | | Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location | | Present Well Owner John Nebel | |
| Latitude: DEG MIN SEC _____ | | | | Longitude: DEG MIN SEC _____ | | Original Well Owner same | |
| Reason For Abandonment Soil Boring | | WI Unique Well No. of Replacement Well _____ | | Street Address or Route of Owner 3866 Sunny Wood Drive | | City DeForest State WI ZIP Code 53532 | |

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

| | | | | | |
|---|--|--|--|--|--|
| <input type="checkbox"/> Monitoring Well | | Original Construction Date 03/08/2007 | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input type="checkbox"/> Water Well | | If a Well Construction Report is available, please attach. | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input checked="" type="checkbox"/> Borehole / Drillhole | | | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| Construction Type: | | | | | |
| <input type="checkbox"/> Drilled | | <input type="checkbox"/> Driven (Sandpoint) | | <input type="checkbox"/> Dug | |
| <input checked="" type="checkbox"/> Other (specify): Geoprobe | | | | | |
| Formation Type: | | | | | |
| <input checked="" type="checkbox"/> Unconsolidated Formation | | <input type="checkbox"/> Bedrock | | | |
| Total Well Depth From Groundsurface (ft.) 8 | | Casing Diameter (in.) 2 | | | |
| Lower Drillhole Diameter (in.) NA | | Casing Depth (ft.) 8 | | | |
| Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown | | | | | |
| If yes, to what depth (feet)? _____ | | Depth to Water (feet) >8 | | | |

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| Pump and piping removed? | | Liner(s) removed? | | Screen removed? | | Casing left in place? | |
| <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| Was casing cut off below surface? | | Did sealing material rise to surface? | | Did material settle after 24 hours? | | If bentonite chips were used, were they hydrated with water from a known safe source? | |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Required Method of Placing Sealing Material | | | | | | | |
| <input type="checkbox"/> Conductor Pipe-Gravity | | <input type="checkbox"/> Conductor Pipe-Pumped | | <input type="checkbox"/> Screened & Poured (Bentonite Chips) | | | |
| | | | | <input checked="" type="checkbox"/> Other (Explain): Gravity | | | |
| Sealing Materials | | | | | | | |
| <input type="checkbox"/> Neat Cement Grout | | <input type="checkbox"/> Sand-Cement (Concrete) Grout | | <input type="checkbox"/> Concrete | | <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) | |
| | | | | | | <input type="checkbox"/> Bentonite-Sand Slurry " " | |
| | | | | | | <input checked="" type="checkbox"/> Bentonite Chips | |
| For Monitoring Wells and Monitoring Well Boreholes Only: | | | | | | | |
| <input type="checkbox"/> Bentonite Chips | | <input type="checkbox"/> Granular Bentonite | | <input type="checkbox"/> Bentonite - Cement Grout | | <input type="checkbox"/> Bentonite - Sand Slurry | |

| 5. Material Used To Fill Well / Drillhole | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|---|------------|----------|---|-------------------------|
| Asphalt | Surface | 0.5 | 0.01 ft3 | cold patch |
| Granular Bentonite | 0.5 | 8 | 0.16 ft3 | dry mix |

6. Comments

| | | | | |
|--|--------------------|---|---|------------------------------|
| 7. Supervision of Work | | | DNR Use Only | |
| Name of Person or Firm Doing Sealing Work Stephen Sellwood BT2, Inc. | | Date of Abandonment 03/08/2007 | Date Received | Noted By |
| Street or Route 2830 Dairy Drive | | Telephone Number (608) 224-2830 | Comments | |
| City Madison | State WI | ZIP Code 53718-6751 | Signature of Person Doing Work <i>Stephen Sellwood</i> | Date Signed 3-8-07 |

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other Remed. + Redev.

| | | | | | |
|---|--------------------|------------------------|---------------------------------------|---|-----------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number GB21 |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | Drilling Started 03/08/2007 | Drilling Completed 03/08/2007 | Drilling Method Geoprobe |
| DNR Facility Well No. | WI Unique Well No. | Common Well Name | Static Water Level Feet | Surface Elevation Feet | Borehole Diam. 2 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | DNR County Code 13 | Civil Town/City/or Village Madison | | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments | |
|---------------|------------------------------|-------------|---------------|---|------|-------------|--------------|--------------|----------------------|------------------|------|------------------|----------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | | |
| S1 | 40 | | 5 | 3" ASPHALT/ SILTY GRAVEL, brown (fill). | GM | | | 0 | M | 0 | M | no odors | |
| S2 | | | | SILT, dark brown. | ML | | | | | | | | |
| S3 | SILTY CLAY, brown. | | CL-ML | 5 | 0 | M | | | | | | | no odors |
| S4 | SAND, brown, fine to medium. | | SP | 0 | M | no odors | | | | | | | |
| | | | | End of boring @ 8'; Abandoned with bentonite. | | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Stephen Sellwood Firm **BT², Inc.** **Stephen Sellwood**

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

| | | | | | | | |
|---|-----|--|------------------------|--|---|---|--------------------------|
| WI Unique Well No. _____ | | DNR Well ID No. _____ | | County Dane | | Facility Name 3918 Monona Drive BT2, Inc. | |
| Common Well Name GB21 | | | | Gov't Lot # (if applicable) _____ | | Facility ID _____ License/Permit/Monitoring No. _____ City, Village or Town Madison | |
| 1/4 | 1/4 | Section 9 | Township 7 N | Range 10 | <input checked="" type="checkbox"/> E <input type="checkbox"/> W | Street Address of Well 3918 Monona Drive | |
| Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S | | Feet <input type="checkbox"/> E <input type="checkbox"/> W | | <input type="checkbox"/> Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location | | Present Well Owner John Nebl | |
| Latitude: DEG MIN SEC _____ | | Longitude: DEG MIN SEC _____ | | Original Well Owner same | | Street Address or Route of Owner 3866 Sunny Wood Drive | |
| Reason For Abandonment Soil Boring | | WI Unique Well No. of Replacement Well _____ | | City DeForest | | State WI | ZIP Code 53532 |

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

| | | | | | |
|--|--|--|--|--|--|
| <input type="checkbox"/> Monitoring Well | | Original Construction Date 03/08/2007 | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input type="checkbox"/> Water Well | | If a Well Construction Report is available, please attach. | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input checked="" type="checkbox"/> Borehole / Drillhole | | Construction Type: | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| <input type="checkbox"/> Drilled | | <input type="checkbox"/> Driven (Sandpoint) | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| <input checked="" type="checkbox"/> Other (specify): Geoprobe | | <input type="checkbox"/> Dug | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| Formation Type: | | <input checked="" type="checkbox"/> Unconsolidated Formation | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| <input type="checkbox"/> Bedrock | | Total Well Depth From Groundsurface (ft.) 8 | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| Casing Diameter (in.) 2 | | Lower Drillhole Diameter (in.) NA | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| Casing Depth (ft.) 8 | | Was well annular space grouted? | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown | |
| If yes, to what depth (feet)? | | Depth to Water (feet) >8 | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |

| | | | |
|---|--|--|--|
| Pump and piping removed? | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Liner(s) removed? | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Screen removed? | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Casing left in place? | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| Was casing cut off below surface? | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| Did sealing material rise to surface? | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Did material settle after 24 hours? | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| If yes, was hole retopped? | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| If bentonite chips were used, were they hydrated with water from a known safe source? | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Required Method of Placing Sealing Material | | | |
| <input type="checkbox"/> Conductor Pipe-Gravity | | <input type="checkbox"/> Conductor Pipe-Pumped | |
| <input type="checkbox"/> Screened & Poured (Bentonite Chips) | | <input checked="" type="checkbox"/> Other (Explain): Gravity | |
| Sealing Materials | | | |
| <input type="checkbox"/> Neat Cement Grout | | <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) | |
| <input type="checkbox"/> Sand-Cement (Concrete) Grout | | <input type="checkbox"/> Bentonite-Sand Slurry " " | |
| <input type="checkbox"/> Concrete | | <input checked="" type="checkbox"/> Bentonite Chips | |
| For Monitoring Wells and Monitoring Well Boreholes Only: | | | |
| <input type="checkbox"/> Bentonite Chips | | <input type="checkbox"/> Bentonite - Cement Grout | |
| <input type="checkbox"/> Granular Bentonite | | <input type="checkbox"/> Bentonite - Sand Slurry | |

| 5. Material Used To Fill Well / Drillhole | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|---|------------|----------|---|-------------------------|
| Asphalt | Surface | 0.5 | 0.01 ft ³ | cold patch |
| Granular Bentonite | 0.5 | 8 | 0.16 ft ³ | dry mix |

6. Comments


| | | | | |
|--|--------------------|---|---|------------------------------|
| 7. Supervision of Work | | | DNR Use Only | |
| Name of Person or Firm Doing Sealing Work Stephen Sellwood BT2, Inc. | | Date of Abandonment 03/08/2007 | Date Received | Noted By |
| Street or Route 2830 Dairy Drive | | Telephone Number (608) 224-2830 | Comments | |
| City Madison | State WI | ZIP Code 53718-6751 | Signature of Person Doing Work <i>Stephen Sellwood</i> | Date Signed 3-8-07 |

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other Remed. & Redev.

| | | | | | | | | |
|---|--------------------|------------------|------------------------|--------------------------------|---------------------------------------|---|---------------------------|-----------------------------|
| Facility/Project Name 3918 Monona Drive | | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number GB22 | |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Cory Johnson | | | | Drilling Started 03/08/2007 | | Drilling Completed 03/08/2007 | | Drilling Method Geoprobe |
| DNR Facility Well No. | WI Unique Well No. | Common Well Name | | | Static Water Level Feet | | Surface Elevation Feet | Borehole Diam. 2 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | | Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | | |
| County Dane | | | DNR County Code 13 | | Civil Town/City/or Village Madison | | | |

| Sample | | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PIP/FID | Soil Properties | | | RQD/ Comments |
|--------|------------------|--|---------------|---|-------|--|--|--------------|----------------------|------------------|------|------------------|
| Number | Length Recovered | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 44 |  | 5 | SILT, brown (topsoil) (fill). | ML |  |  | 0.7 | M | | | no odors |
| | | | | SILTY GRAVEL, brown (fill). | GM | | | | | | | |
| S2 | | | | SILTY CLAY, brown. | CL-ML | | | | | | | |
| S3 | 44 |  | 5 | SAND, brown, fine to medium with gravel. | SP |  |  | 0 | M | | | no odors |
| S4 | | | | | | | | | | | | |
| S5 | 38 |  | 10 | End of boring @ 12'; Abandoned with bentonite. | |  |  | 0.7 | M | | | no odors |
| S6 | | | | | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Stephen Sellwood Firm **BT², Inc.** Stephen Sellwood

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

| | | | | | | | |
|---|----------------|--|------------------------|-----------------------------------|---|---|--|
| WI Unique Well No. _____ | | DNR Well ID No. _____ | | County Dane | | Facility Name 3918 Monona Drive BT2, Inc. | |
| Common Well Name GB22 | | | | Gov't Lot # (if applicable) _____ | | Facility ID _____ License/Permit/Monitoring No. _____ City, Village or Town Madison | |
| ¼ / ¼ NW | ¼ SW | Section 9 | Township 7 N | Range 10 | <input checked="" type="checkbox"/> E <input type="checkbox"/> W | Street Address of Well 3918 Monona Drive | |
| Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W (estimated) OR <input type="checkbox"/> Well Location | | | | Local Grid Origin _____ | | Present Well Owner John Nebl | |
| Latitude: DEG MIN SEC _____ N | | | | Longitude: DEG MIN SEC _____ W | | Original Well Owner same | |
| Reason For Abandonment Soil Boring | | WI Unique Well No. of Replacement Well _____ | | | | Street Address or Route of Owner 3866 Sunny Wood Drive | |
| City DeForest | | State WI | | ZIP Code 53532 | | | |

3. Well / Drillhole / Borehole Information

Monitoring Well Water Well Borehole / Drillhole

Original Construction Date
03/08/2007

If a Well Construction Report is available, please attach. _____

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): **Geoprobe**

Formation Type:
 Unconsolidated Formation Bedrock

| | |
|--|-----------------------------------|
| Total Well Depth From Groundsurface (ft.) 12 | Casing Diameter (in.) 2 |
| Lower Drillhole Diameter (in.) NA | Casing Depth (ft.) 12 |

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)
>12

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole retopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): **Gravity**

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

| | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|--------------------|------------|----------|---|-------------------------|
| Granular Bentonite | Surface | 12 | 0.26 ft ³ | dry mix |
| | | | | |
| | | | | |

6. Comments

7. Supervision of Work

| | | | | |
|--|--------------------|---|---|------------------------------|
| Name of Person or Firm Doing Sealing Work Stephen Sellwood BT2, Inc. | | Date of Abandonment 03/08/2007 | Date Received | Noted By |
| Street or Route 2830 Dairy Drive | | Telephone Number (608) 224-2830 | Comments | |
| City Madison | State WI | ZIP Code 53718-6751 | Signature of Person Doing Work <i>Stephen Sellwood</i> | Date Signed 3-8-07 |

Route To:

- Solid Waste
- Emergency Response
- Wastewater
- Haz. Waste
- Underground Tanks
- Water Resources
- Other Remed. + Redevel.

| | | | | | | | |
|---|--|-----------------------------|-----------------------|----------------------------------|---------------------------------------|---|---------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number MW1 | |
| Boring Drilled By (Firm name and name of crew chief) On-Site Environmental Tony Kapugi | | | | Drilling Started 07/27/2004 | | Drilling Completed 07/27/2004 | |
| DNR Facility Well No. | | WI Unique Well No. PP044 | Common Well Name | | Static Water Level Feet | | Surface Elevation Feet |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | | Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | | DNR County Code 13 | | Civil Town/City/or Village Madison | | |


| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PIP/FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------|-------------|--------------|--------------|----------------------|------------------|----------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 25 | | 5 | 4" ASPHALT PAVEMENT/SILTY SAND, brown, with gravel (fill). SILTY CLAY, brown. | SM | | | 2.4 | M | | no odors | |
| S2 | | | | 1.4 | M | | | | no odors | | | |
| S3 | 40 | | 10 | SAND, brown, fine to medium; laminated. | CL-ML | | | 1.8 | M | | no odors | |
| S4 | | | | | | | | 2.3 | M | | no odors | |
| S5 | 36 | | 15 | | | | | 1.6 | M | | no odors | |
| S6 | | | | | | | | 1.8 | M | | no odors | |
| S7 | 30 | | 20 | | SP | | | 1.4 | M | | no odors | |
| S8 | | | | | | | | 1.8 | M/W | | no odors | |
| S9 | 50 | | 25 | | | | | 2.9 | W | | no odors | |
| S10 | | | | | | | | 4.4 | W | | no odors | |
| | | | | End of boring @ 27'; Set 10' PVC screen to 25'. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | |
|-----------------------------------|--|
| Signature <i>Stephen Sellwood</i> | Firm BT ² , Inc. Stephen Sellwood |
|-----------------------------------|--|

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

| | | | | | |
|---|--|---|--|---|--|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | | Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W. | | Well Name MW1 | |
| Facility License, Permit or Monitoring Number | | Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | | Wis. Unique Well Number PP044 DNR Well ID No. _____ | |
| Facility ID | | Lat. _____ Long. _____ or _____ | | Date Well Installed 07 / 27 / 2004 m m d d y y y y | |
| Type of Well Well Code 11 / MW | | St. Plane _____ ft. N. _____ ft. S. | | Well Installed By: Name (first, last) and Firm /Tony Kapugi | |
| Distance From Waste/Source _____ ft. | | Section Location of Waste/Source <input checked="" type="checkbox"/> B. NW 1/4 of SW 1/4 of Sec. 9, T. 7 N, R. 10 W. | | On-Site Environmental On-Site Environmental | |
| Enf. Stds. Apply <input checked="" type="checkbox"/> | | Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input checked="" type="checkbox"/> Not Known | | Gov. Lot Number _____ | |

| | | |
|--|--|---|
| <p>A. Protective pipe, top elevation _____ ft. MSL</p> <p>B. Well casing, top elevation _____ ft. MSL</p> <p>C. Land surface elevation _____ ft. MSL</p> <p>D. Surface seal, bottom _____ ft. MSL or 1.0 ft.</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>12. USCS classification of soil near screen:</p> <p>GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/></p> <p>SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/></p> <p>Bedrock <input type="checkbox"/></p> </div> <p>13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 5 0 Hollow Stem Auger <input checked="" type="checkbox"/> 4 1 Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 0 2 Air <input type="checkbox"/> 0 1 Drilling Mud <input type="checkbox"/> 0 3 None <input checked="" type="checkbox"/> 0 9</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): _____</p> |  <p>1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/></p> <p>d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____</p> <p>3. Surface Seal: Bentonite <input type="checkbox"/> 3 0 Concrete <input checked="" type="checkbox"/> 0 1 Other <input type="checkbox"/></p> <p>4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 3 0 Filter Sand Other <input checked="" type="checkbox"/></p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3 3 b. _____ Lbs/gal mud weight...Bentonite-sand slurry <input type="checkbox"/> 3 5 c. _____ Lbs/gal mud weight.....Bentonite slurry <input type="checkbox"/> 3 1 d. _____ % Bentonite.....Bentonite-cement grout <input type="checkbox"/> 5 0 e. 3.6 Ft³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0 1 Tremie pumped <input type="checkbox"/> 0 2 Gravity <input checked="" type="checkbox"/> 0 8</p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3 3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3 2 c. none <input checked="" type="checkbox"/></p> <p>7. Fine sand material: Manufacturer, product name & mesh size a. RW Sidley #4000 b. Volume added 0.7 ft³</p> <p>8. Filter pack material: Manufacturer, product name & mesh size a. RW Sidley #5 b. Volume added 5 ft³</p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2 3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2 4</p> <p>10. Screen material: same a. Screen type: Factory cut <input checked="" type="checkbox"/> 0 1 Continuous slot <input type="checkbox"/> 0 2 Other <input type="checkbox"/></p> <p>b. Manufacturer Monoflex c. Slot size: _____ 0.010 in. d. Slotted length: 10.0 ft.</p> <p>11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 1 4 Other <input type="checkbox"/></p> | <p>E. Bentonite seal, top _____ ft. MSL or _____ ft.</p> <p>F. Fine sand, top _____ ft. MSL or 11.0 ft.</p> <p>G. Filter pack, top _____ ft. MSL or 13.0 ft.</p> <p>H. Screen joint, top _____ ft. MSL or 15.0 ft.</p> <p>I. Well bottom _____ ft. MSL or 25.0 ft.</p> <p>J. Filter pack, bottom _____ ft. MSL or 27.0 ft.</p> <p>K. Borehole, bottom _____ ft. MSL or 27.0 ft.</p> <p>L. Borehole, diameter 8.5 in.</p> <p>M. O.D. well casing 2.38 in.</p> <p>N. I.D. well casing 2.07 in.</p> |
|--|--|---|

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Steph Sillwood Firm **BT², Inc., 2830 Dairy Drive, Madison, WI 53718-6751**

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats. failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | | |
|--|---------------------|----------------------------------|-----------------|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | County Name Dane | Well Name MW1 | |
| Facility License, Permit or Monitoring Number | County Code 13 | Wis. Unique Well Number PP044 | DNR Well Number |

1. Can this well be purged dry? Yes No

2. Well development method

| | |
|--------------------------------------|---|
| surged with bailer and bailed | <input type="checkbox"/> 4 1 |
| surged with bailer and pumped | <input checked="" type="checkbox"/> 6 1 |
| surged with block and bailed | <input type="checkbox"/> 4 2 |
| surged with block and pumped | <input type="checkbox"/> 6 2 |
| surged with block, bailed and pumped | <input type="checkbox"/> 7 0 |
| compressed air | <input type="checkbox"/> 2 0 |
| bailed only | <input type="checkbox"/> 1 0 |
| pumped only | <input type="checkbox"/> 5 1 |
| pumped slowly | <input type="checkbox"/> 5 0 |
| Other | <input type="checkbox"/> |

3. Time spent developing well 60 min.

4. Depth of well (from top of casing) 24.4 ft.

5. Inside diameter of well 2.07 in.

6. Volume of water in filter pack and well casing 8.2 gal.

7. Volume of water removed from well 40 gal.

8. Volume of water added (if any) none gal.

9. Source of water added _____

10. Analysis performed on water added? Yes No
(if yes, attach results)

| | Before Development | After Development |
|--|--|--|
| 11. Depth to Water (from top of well casing) | a. <u>17.72</u> ft. | <u>17.74</u> ft. |
| Date | b. <u>07 / 27 / 2004</u> m m d d y y y y | <u>07 / 27 / 2004</u> m m d d y y y y |
| Time | c. <u>11:30</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m. | <u>12:30</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m. |
| 12. Sediment in well bottom | <u>1.6</u> inches | <u>0.0</u> inches |
| 13. Water clarity | Clear <input type="checkbox"/> 1 0 Turbid <input checked="" type="checkbox"/> 1 5 (Describe) <u>dark brown</u> | Clear <input checked="" type="checkbox"/> 2 0 Turbid <input type="checkbox"/> 2 5 (Describe) _____ |
| Fill in if drilling fluids were used and well is at solid waste facility: | | |
| 14. Total suspended solids | _____ mg/l | _____ mg/l |
| 15. COD | _____ mg/l | _____ mg/l |
| 16. Well Developed by: Name (first, last) and Firm First Name: Stephen Last Name: Sellwood Firm: BT2, Inc. | | |

17. Additional comments on development:
Rapid Recovery Rate

Name and Address of Facility Contact/Owner/Responsible Party

First Name: John Last Name: Nebi

Firm: _____

Street: 3866 Sunny Wood Drive


City/State/Zip: DeForest, WI 53532

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: Stephen Sellwood

Print Name: Stephen Sellwood

Firm: BT², Inc., 2830 Dairy Drive, Madison, WI 53718-6751



MW1 SLUG IN

Data Set: I:\2325\Slug Tests\MW1a.aqt
 Date: 09/17/19

Time: 11:09:16

PROJECT INFORMATION

Company: BT2
 Client: 3918 Monona Drive
 Project: 2325
 Location: Madison, WI
 Test Well: MW1
 Test Date: 4/19/05

AQUIFER DATA

Saturated Thickness: 40. ft

Anisotropy Ratio (K_z/K_r): 1.

WELL DATA (MW1)


Initial Displacement: 0.965 ft
 Total Well Penetration Depth: 5.07 ft
 Casing Radius: 0.0861 ft

Static Water Column Height: 5.07 ft
 Screen Length: 5.07 ft
 Well Radius: 0.354 ft
 Gravel Pack Porosity: 0.3

SOLUTION

Aquifer Model: Unconfined
 $K = 0.004969$ cm/sec

Solution Method: Bouwer-Rice
 $y_0 = 0.2531$ ft



MW1 SLUG OUT

Data Set: I:\2325\Slug Tests\MW1b.aqt

Date: 09/17/19

Time: 11:09:34

PROJECT INFORMATION

Company: BT2

Client: 3918 Monona Drive

Project: 2325

Location: Madison, WI

Test Well: MW1

Test Date: 4/19/05

AQUIFER DATA

Saturated Thickness: 40. ft

Anisotropy Ratio (K_z/K_r): 1.

WELL DATA (MW1)

Initial Displacement: 1.5 ft

Static Water Column Height: 5.07 ft

Total Well Penetration Depth: 5.07 ft

Screen Length: 5.07 ft

Casing Radius: 0.0861 ft

Well Radius: 0.354 ft

SOLUTION

Aquifer Model: Unconfined

Solution Method: Bouwer-Rice

$K = 0.001888$ cm/sec

$y_0 = 0.7009$ ft

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other Remed. + Redevel.

| | | | | | |
|---|-----------------------------|------------------------|---------------------------------------|---|-------------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number MW1P |
| Boring Drilled By (Firm name and name of crew chief) On-Site Environmental Tony Kapugi | | | Drilling Started 03/21/2005 | Drilling Completed 03/21/2005 | Drilling Method 4 1/2" HSA |
| DNR Facility Well No. | WI Unique Well No. PP055 | Common Well Name | Static Water Level Feet | Surface Elevation Feet | Borehole Diam. 8.5 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | DNR County Code 13 | Civil Town/City/or Village Madison | | |

| Sample | | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|--------|------------------|-------------|---------------------------|---|------|---------------------------------|--------------|--------------|----------------------|------------------|------|------------------|
| Number | Length Recovered | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| | | | 5 10 15 20 25 | Blind drilled to 25'; See MW1 boring log. | | [Well Diagram: Hatched pattern] | | | | | | |
| S1 | | | 25 | SAND, light brown, fine to coarse. | | [Well Diagram: Dotted pattern] | 0.7 | | W | | | no odor |


I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: Stephen Sellwood Firm: BT², Inc. Stephen Sellwood

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

| Sample | | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|--------|------------------|-------------|---------------|---|------|-------------|--------------|--------------|----------------------|------------------|------|------------------|
| Number | Length Recovered | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S2 | 40 | | 30 | SAND, light brown, fine to coarse. | | | | 2.9 | | W | | no odor |
| S3 | 24 | | 35 | | SW | | | 0.1 | | W | | no odor |
| S4 | | | 35 | | | | | 0.3 | | W | | no odor |
| S5 | 48 | | 40 | SAND, light brown, fine. | | | | 0.5 | | W | | no odor |
| S6 | | | 40 | | SP | | | 1.4 | | W | | no odor |
| S7 | 48 | | 45 | SAND, light brown, fine to medium. | | | | 1.3 | | W | | no odor |
| S8 | | | 45 | | SP | | | 0.5 | | W | | no odor |
| | | | | End of boring @ 45'; Set 5' PVC Screen to 45'. | | | | | | | | |
| | | | | 50 | | | | | | | | |
| | | | | 55 | | | | | | | | |
| | | | | 60 | | | | | | | | |
| | | | | 65 | | | | | | | | |

| | | | | | |
|---|--|---|--|--|--|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | | Local Grid Location of Well _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W. | | Well Name MW1P | |
| Facility License, Permit or Monitoring Number _____ | | Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | | Wis. Unique Well Number PP055 | |
| Facility ID _____ | | Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. S. | | DNR Well ID No. _____ | |
| Type of Well Well Code 12 / PZ | | Section Location of Waste/Source <input checked="" type="checkbox"/> E. NW 1/4 of SW 1/4 of Sec. 9 , T. 7 N.R. 10 <input type="checkbox"/> W. | | Date Well Installed 03 / 21 / 2005 m m d d y y y y | |
| Distance From Waste/Source _____ ft. | | Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input checked="" type="checkbox"/> Not Known | | Well Installed By: Name (first, last) and Firm Tony Kapugi | |
| Enf. Stds. Apply <input checked="" type="checkbox"/> | | Gov. Lot Number _____ | | On-Site Environmental On-Site Environmental | |

| | |
|--|---|
| <p>A. Protective pipe, top elevation _____ ft. MSL</p> <p>B. Well casing, top elevation _____ ft. MSL</p> <p>C. Land surface elevation _____ ft. MSL</p> <p>D. Surface seal, bottom _____ ft. MSL or 1.0 ft.</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/></p> <p>13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 5 0 Hollow Stem Auger <input checked="" type="checkbox"/> 4 1 Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 0 2 Air <input type="checkbox"/> 0 1 Drilling Mud <input type="checkbox"/> 0 3 None <input checked="" type="checkbox"/> 9 9</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): _____</p> </div> <p>E. Bentonite seal, top _____ ft. MSL or _____ ft.</p> <p>F. Fine sand, top _____ ft. MSL or 36.0 ft.</p> <p>G. Filter pack, top _____ ft. MSL or 38.0 ft.</p> <p>H. Screen joint, top _____ ft. MSL or 40.0 ft.</p> <p>I. Well bottom _____ ft. MSL or 45.0 ft.</p> <p>J. Filter pack, bottom _____ ft. MSL or 45.0 ft.</p> <p>K. Borehole, bottom _____ ft. MSL or 45.0 ft.</p> <p>L. Borehole, diameter 8.5 in.</p> <p>M. O.D. well casing 2.38 in.</p> <p>N. I.D. well casing 2.07 in.</p> |  <p>1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/> d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____</p> <p>3. Surface Seal Bentonite <input type="checkbox"/> 3 0 Concrete <input checked="" type="checkbox"/> 0 1 Other <input type="checkbox"/></p> <p>4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 3 0 Filter Sand <input checked="" type="checkbox"/> Other <input type="checkbox"/></p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3 3 b. _____ Lbs/gal mud weight...Bentonite-sand slurry <input type="checkbox"/> 3 5 c. _____ Lbs/gal mud weight.....Bentonite slurry <input type="checkbox"/> 3 1 d. _____ % Bentonite.....Bentonite-cement grout <input type="checkbox"/> 5 0 e. 12.7 Ft³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0 1 Tremie pumped <input type="checkbox"/> 0 2 Gravity <input checked="" type="checkbox"/> 0 8</p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3 3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3 2 c. none <input checked="" type="checkbox"/></p> <p>7. Fine sand material: Manufacturer, product name & mesh size a. RW Sidley #4000 b. Volume added 0.7 ft³</p> <p>8. Filter pack material: Manufacturer, product name & mesh size a. RW Sidley #5 b. Volume added 2.5 ft³</p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2 3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2 4</p> <p>10. Screen material same a. Screen type: Factory cut <input checked="" type="checkbox"/> 0 1 Continuous slot <input type="checkbox"/> 0 2 Other <input type="checkbox"/></p> <p>b. Manufacturer Monoflex c. Slot size: 0.010 in. d. Slotted length: 5.0 ft.</p> <p>11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 1 4 Other <input type="checkbox"/></p> |
|--|---|

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Steph Ellwood Firm **BT², Inc., 2830 Dairy Drive, Madison, WI 53718-6751**

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats. failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | | |
|--|---------------------|----------------------------------|-----------------|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | County Name Dane | Well Name MW1P | |
| Facility License, Permit or Monitoring Number | County Code 13 | Wis. Unique Well Number PP055 | DNR Well Number |

1. Can this well be purged dry? Yes No

2. Well development method

| | |
|--------------------------------------|--|
| surged with bailer and bailed | <input type="checkbox"/> 4 1 |
| surged with bailer and pumped | <input checked="" type="checkbox"/> 6 1 |
| surged with block and bailed | <input type="checkbox"/> 4 2 |
| surged with block and pumped | <input type="checkbox"/> 6 2 |
| surged with block, bailed and pumped | <input type="checkbox"/> 7 0 |
| compressed air | <input type="checkbox"/> 2 0 |
| bailed only | <input type="checkbox"/> 1 0 |
| pumped only | <input type="checkbox"/> 5 1 |
| pumped slowly | <input type="checkbox"/> 5 0 |
| Other | <input type="checkbox"/> |

3. Time spent developing well 70 min.

4. Depth of well (from top of casing) 44.3 ft.

5. Inside diameter of well 2.07 in.

6. Volume of water in filter pack and well casing 10.0 gal.

7. Volume of water removed from well 50.0 gal.

8. Volume of water added (if any) 0.0 gal.

9. Source of water added _____

| | Before Development | After Development |
|---|--|--|
| 11. Depth to Water (from top of well casing) | a. <u>19.60</u> ft. | <u>19.57</u> ft. |
| Date | b. <u>03/21/2005</u> m m d d y y y y | <u>03/21/2005</u> m m d d y y y y |
| Time | c. <u>1:50</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m. | <u>3:00</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m. |
| 12. Sediment in well bottom | <u>5.2</u> inches | <u>0.0</u> inches |
| 13. Water clarity | Clear <input type="checkbox"/> 1 0 Turbid <input checked="" type="checkbox"/> 1 5 (Describe) <u>dark brown</u> | Clear <input checked="" type="checkbox"/> 2 0 Turbid <input type="checkbox"/> 2 5 (Describe) _____ |
| Fill in if drilling fluids were used and well is at solid waste facility: | | |
| 14. Total suspended solids | _____ mg/l | _____ mg/l |
| 15. COD | _____ mg/l | _____ mg/l |

10. Analysis performed on water added? Yes No
(if yes, attach results)

16. Well Developed by: Name (first, last) and Firm
First Name: **Stephen** Last Name: **Sellwood**
Firm: **BT2, Inc.**

17. Additional comments on development:
Rapid Recovery Rate.

Name and Address of Facility Contact/Owner/Responsible Party

First Name: John Last Name: Nebl

Firm: _____

Street: 3866 Sunny Wood Drive


City/State/Zip: DeForest, WI 53532

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: Stephen Sellwood

Print Name: Stephen Sellwood

Firm: BT², Inc., 2830 Dairy Drive, Madison, WI 53718-6751



MW1P SLUG IN

Data Set: I:\2325\Slug Tests\MW1Pa.aqt

Date: 09/17/19

Time: 11:09:49

PROJECT INFORMATION

Company: BT2

Client: 3918 Monona Drive

Project: 2325

Location: Madison, WI

Test Well: MW1P

Test Date: 4/19/05

AQUIFER DATA

Saturated Thickness: 40. ft

Anisotropy Ratio (K_z/K_r): 1.

WELL DATA (MW1P)

Initial Displacement: 1.81 ft

Static Water Column Height: 25.02 ft

Total Well Penetration Depth: 25.02 ft

Screen Length: 5. ft

Casing Radius: 0.0861 ft

Well Radius: 0.354 ft


SOLUTION

Aquifer Model: Unconfined

Solution Method: Bouwer-Rice

$K = 0.004754$ cm/sec

$y_0 = 1.398$ ft



MW1P SLUG OUT

Data Set: I:\2325\Slug Tests\MW1Pb.aqt

Date: 09/17/19

Time: 11:09:58

PROJECT INFORMATION

Company: BT2

Client: 3918 Monona Drive

Project: 2325

Location: Madison, WI

Test Well: MW1P

Test Date: 4/19/05

AQUIFER DATA

Saturated Thickness: 40. ft

Anisotropy Ratio (K_z/K_r): 1.

WELL DATA (MW1P)

Initial Displacement: 1.624 ft

Static Water Column Height: 25.02 ft

Total Well Penetration Depth: 25.02 ft

Screen Length: 5. ft

Casing Radius: 0.0861 ft

Well Radius: 0.354 ft

SOLUTION

Aquifer Model: Unconfined

Solution Method: Bower-Rice

$K = 0.004754$ cm/sec

$y_0 = 1.398$ ft

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other Remed. + Redevel.

| | | | | | |
|---|-----------------------------|------------------------|---------------------------------------|---|-------------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number MW2 |
| Boring Drilled By (Firm name and name of crew chief) On-Site Environmental Tony Kapugi | | | Drilling Started 07/27/2004 | Drilling Completed 07/27/2004 | Drilling Method 4 1/4" HSA |
| DNR Facility Well No. | WI Unique Well No. PP045 | Common Well Name | | Static Water Level Feet | Surface Elevation Feet |
| Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | DNR County Code 13 | Civil Town/City/or Village Madison | | |

| Sample | | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|--------|------------------|-------------|---------------|---|------|-------------|--------------|--------------|----------------------|------------------|------|------------------|
| Number | Length Recovered | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| | | | | Blind drilled to 27'; See boring log GB9. | | | | | | | | |
| | | | | End of boring @ 27'; Set 10' PVC screen to 26.5'. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | |
|-----------------------------------|---|
| Signature <i>Stephen Sellwood</i> | Firm BT ² , Inc. Stephen Sellwood |
|-----------------------------------|---|

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

| | | | | | |
|---|--|---|--|---|--|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | | Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> E. <input type="checkbox"/> S. <input type="checkbox"/> W. | | Well Name MW2 | |
| Facility License, Permit or Monitoring Number | | Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | | Wis. Unique Well Number PP045 DNR Well ID No. | |
| Facility ID | | Lat. _____ Long. _____ or | | Date Well Installed 07 / 27 / 2004 m m d d y y y y | |
| Type of Well Well Code 11 / MW | | Section Location of Waste/Source <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. | | Well Installed By: Name (first, last) and Firm /Tony Kapugi | |
| Distance From Waste/Source _____ ft. | | Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input checked="" type="checkbox"/> Not Known | | On-Site Environmental On-Site Environmental | |
| Enf. Stds. Apply <input checked="" type="checkbox"/> | | Gov. Lot Number | | | |

A. Protective pipe, top elevation _____ ft. MSL
 B. Well casing, top elevation _____ ft. MSL
 C. Land surface elevation _____ ft. MSL
 D. Surface seal, bottom _____ ft. MSL or **1.0** ft.

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock


13. Sieve analysis attached? Yes No

14. Drilling method used: Rotary 5 0
 Hollow Stem Auger 4 1
 Other

15. Drilling fluid used: Water 0 2 Air 0 1
 Drilling Mud 0 3 None 9 9

16. Drilling additives used? Yes No
 Describe _____

17. Source of water (attach analysis, if required): _____



E. Bentonite seal, top _____ ft. MSL or _____ ft.
 F. Fine sand, top _____ ft. MSL or **12.5** ft.
 G. Filter pack, top _____ ft. MSL or **14.5** ft.
 H. Screen joint, top _____ ft. MSL or **16.5** ft.
 I. Well bottom _____ ft. MSL or **26.5** ft.
 J. Filter pack, bottom _____ ft. MSL or **27.0** ft.
 K. Borehole, bottom _____ ft. MSL or **27.0** ft.
 L. Borehole, diameter **8.5** in.
 M. O.D. well casing **2.38** in.
 N. I.D. well casing **2.07** in.

1. Cap and lock? Yes No

2. Protective cover pipe:
 a. Inside diameter: **10** in.
 b. Length: **1.0** ft.
 c. Material: Steel 04
 Other
 d. Additional protection? Yes No
 If yes, describe: _____

3. Surface Seal: Bentonite 3 0
 Concrete 0 1
 Other

4. Material between well casing and protective pipe:
 Bentonite 3 0
Filter Sand Other

5. Annular space seal:
 a. Granular/Chipped Bentonite 3 3
 b. _____ Lbs/gal mud weight...Bentonite-sand slurry 3 5
 c. _____ Lbs/gal mud weight.....Bentonite slurry 3 1
 d. _____ % Bentonite.....Bentonite-cement grout 5 0
 e. **4** Ft³ volume added for any of the above
 f. How installed: Tremie 0 1
 Tremie pumped 0 2
 Gravity 0 8
 3 3
 3 2

6. Bentonite seal:
 a. Bentonite granules
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips
 c. **none**

7. Fine sand material: Manufacturer, product name & mesh size
 a. **RW Sidley #4000**
 b. Volume added **0.7** ft³

8. Filter pack material: Manufacturer, product name & mesh size
 a. **RW Sidley #5**
 b. Volume added **4.5** ft³

9. Well casing: Flush threaded PVC schedule 40 2 3
 Flush threaded PVC schedule 80 2 4

10. Screen material: **same**
 a. Screen type: Factory cut 0 1
 Continuous slot 0 2
 Other

b. Manufacturer **Monoflex**
 c. Slot size: **0.010** in.
 d. Slotted length: **10.0** ft.

11. Backfill material (below filter pack): None 1 4
 Other

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Steph Sullivan*

Firm **BT², Inc., 2830 Dairy Drive, Madison, WI 53718-6751**

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | |
|--|---------------------|----------------------------------|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | County Name Dane | Well Name MW2 |
| Facility License, Permit or Monitoring Number | County Code 13 | Wis. Unique Well Number PP045 |
| | | DNR Well Number |

1. Can this well be purged dry? Yes No

2. Well development method

| | |
|--------------------------------------|---|
| surged with bailer and bailed | <input type="checkbox"/> 4 1 |
| surged with bailer and pumped | <input checked="" type="checkbox"/> 6 1 |
| surged with block and bailed | <input type="checkbox"/> 4 2 |
| surged with block and pumped | <input type="checkbox"/> 6 2 |
| surged with block, bailed and pumped | <input type="checkbox"/> 7 0 |
| compressed air | <input type="checkbox"/> 2 0 |
| bailed only | <input type="checkbox"/> 1 0 |
| pumped only | <input type="checkbox"/> 5 1 |
| pumped slowly | <input type="checkbox"/> 5 0 |
| Other | <input type="checkbox"/> |

3. Time spent developing well 60 min.

4. Depth of well (from top of casing) 26.2 ft.

5. Inside diameter of well 2.07 in.

6. Volume of water in filter pack and well casing 9.4 gal.

7. Volume of water removed from well 40.0 gal.

8. Volume of water added (if any) none gal.

9. Source of water added _____

| | Before Development | After Development |
|---|--|--|
| 11. Depth to Water (from top of well casing) | a. <u>17.11</u> ft. | <u>17.11</u> ft. |
| Date | b. <u>07 / 27 / 2004</u> m m d d y y y y | <u>07 / 27 / 2004</u> m m d d y y y y |
| Time | c. <u>1:00</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m. | <u>2:00</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m. |
| 12. Sediment in well bottom | <u>4.2</u> inches | <u>0.0</u> inches |
| 13. Water clarity | Clear <input type="checkbox"/> 1 0 Turbid <input checked="" type="checkbox"/> 1 5 (Describe) <u>dark brown</u> | Clear <input checked="" type="checkbox"/> 2 0 Turbid <input type="checkbox"/> 2 5 (Describe) |
| Fill in if drilling fluids were used and well is at solid waste facility: | | |
| 14. Total suspended solids | _____ mg/l | _____ mg/l |
| 15. COD | _____ mg/l | _____ mg/l |

10. Analysis performed on water added? Yes No (if yes, attach results)

16. Well Developed by: Name (first, last) and Firm
First Name: Stephen Last Name: Sellwood
Firm: BT2, Inc.

17. Additional comments on development:
Rapid Recovery Rate

Name and Address of Facility Contact/Owner/Responsible Party

First Name: John Last Name: Nebl

Firm: _____

Street: 3866 Sunny Wood Drive


City/State/Zip: DeForest, WI 53532

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: Stephen Sellwood

Print Name: Stephen Sellwood

Firm: BT², Inc., 2830 Dairy Drive, Madison, WI 53718-6751



MW2 SLUG IN

Data Set: I:\2325\Slug Tests\MW2a.aqt

Date: 09/17/19

Time: 11:10:11

PROJECT INFORMATION

Company: BT2

Client: 3918 Monona Drive

Project: 2325

Location: Madison, WI

Test Well: MW2

Test Date: 4/19/05

AQUIFER DATA

Saturated Thickness: 40. ft

Anisotropy Ratio (Kz/Kr): 1.

WELL DATA (MW2)

Initial Displacement: 1.24 ft

Static Water Column Height: 7.44 ft

Total Well Penetration Depth: 7.44 ft

Screen Length: 7.44 ft

Casing Radius: 0.0861 ft

Well Radius: 0.354 ft

Gravel Pack Porosity: 0.3


SOLUTION

Aquifer Model: Unconfined

Solution Method: Bouwer-Rice

K = 0.005612 cm/sec

y0 = 0.2395 ft



MW2 SLUG OUT

Data Set: I:\2325\Slug Tests\MW2b.aqt

Date: 09/17/19

Time: 11:10:20

PROJECT INFORMATION

Company: BT2

Client: 3918 Monona Drive

Project: 2325

Location: Madison, WI

Test Well: MW2

Test Date: 4/19/05

AQUIFER DATA

Saturated Thickness: 40. ft

Anisotropy Ratio (K_z/K_r): 1.

WELL DATA (MW2)

Initial Displacement: 1.55 ft

Static Water Column Height: 7.44 ft

Total Well Penetration Depth: 7.44 ft

Screen Length: 7.44 ft

Casing Radius: 0.0861 ft

Well Radius: 0.354 ft

SOLUTION

Aquifer Model: Unconfined

Solution Method: Bouwer-Rice

$K = 0.00161$ cm/sec

$y_0 = 0.2934$ ft

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other Remed. + Redev.

| | | | | | | | | | |
|---|--|-----------------------------|------------------------|-----------------------|----------------------------------|---------------------------------------|---|---------------------------|-------------------------------|
| Facility/Project Name 3918 Monona Drive | | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number MW3 | | |
| Boring Drilled By (Firm name and name of crew chief) On-Site Environmental Tony Kapugi | | | | | Drilling Started 07/27/2004 | | Drilling Completed 07/27/2004 | | Drilling Method 4 1/4" HSA |
| DNR Facility Well No. | | WI Unique Well No. PP046 | Common Well Name | | | Static Water Level Feet | | Surface Elevation Feet | Borehole Diam. 8.5 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | | | Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | | |
| County Dane | | | | DNR County Code 13 | | Civil Town/City/or Village Madison | | | |


| Sample | | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|--------|---------------------|-------------|---------------------------|---|------|--|--------------|--------------|-------------------------|---------------------|------|------------------|
| Number | Length Recovered | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| | | | 5 10 15 20 25 | Blind drilled to 27'; See boring log GB3. | |  | | | | | | |
| | | | | End of boring @ 27'; Set 10' PVC screen to 27'. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Steph Sellwood Firm BT², Inc. Stephen Sellwood

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

| | | | | | |
|---|--|---|--|--|--|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | | Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W. | | Well Name MW3 | |
| Facility License, Permit or Monitoring Number | | Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | | Wis. Unique Well Number PP046 DNR Well ID No. _____ | |
| Facility ID | | Lat. _____ " Long. _____ " or St. Plane _____ ft. N. _____ ft. S. | | Date Well Installed 07 / 27 / 2004 m m d d y y y y | |
| Type of Well Well Code 11 / MW | | Section Location of Waste/Source <input checked="" type="checkbox"/> B. NW 1/4 of SW 1/4 of Sec. 9, T. 7 N, R. 10 W. | | Well Installed By: Name (first, last) and Firm) /Tony Kapugi | |
| Distance From Waste/Source _____ ft. | | Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input checked="" type="checkbox"/> Not Known | | Gov. Lot Number _____ | |
| Enf. Stds. Apply <input checked="" type="checkbox"/> | | Location of Well Relative to Waste/Source | | On-Site Environmental <input checked="" type="checkbox"/> | |

| | |
|---|---|
| <p>A. Protective pipe, top elevation _____ ft. MSL</p> <p>B. Well casing, top elevation _____ ft. MSL</p> <p>C. Land surface elevation _____ ft. MSL</p> <p>D. Surface seal, bottom _____ ft. MSL or 1.0 ft.</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>12. USCS classification of soil near screen:</p> <p>GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/></p> <p>SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/></p> <p>Bedrock <input type="checkbox"/></p> </div> <p>13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 5 0 Hollow Stem Auger <input checked="" type="checkbox"/> 4 1 Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 0 2 Air <input type="checkbox"/> 0 1 Drilling Mud <input type="checkbox"/> 0 3 None <input checked="" type="checkbox"/> 9 9</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): _____</p> |  <p>1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/></p> <p>d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____</p> <p>3. Surface Seal: Bentonite <input type="checkbox"/> 3 0 Concrete <input checked="" type="checkbox"/> 0 1 Other <input type="checkbox"/></p> <p>4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 3 0 Filter Sand Other <input checked="" type="checkbox"/></p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3 3 b. _____ Lbs/gal mud weight...Bentonite-sand slurry _____ 3 5 c. _____ Lbs/gal mud weight...Bentonite slurry _____ 3 1 d. _____ % Bentonite...Bentonite-cement grout _____ 5 0 e. 4.4 Ft³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0 1 Tremie pumped <input type="checkbox"/> 0 2 Gravity <input checked="" type="checkbox"/> 0 8</p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3 3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3 2 c. none <input checked="" type="checkbox"/></p> <p>7. Fine sand material: Manufacturer, product name & mesh size a. RW Sidley #4000 <input checked="" type="checkbox"/></p> <p>b. Volume added 0.7 ft³</p> <p>8. Filter pack material: Manufacturer, product name & mesh size a. RW Sidley #5 <input checked="" type="checkbox"/></p> <p>b. Volume added 4.4 ft³</p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2 3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2 4</p> <p>10. Screen material: same <input checked="" type="checkbox"/></p> <p>a. Screen type: Factory cut <input checked="" type="checkbox"/> 0 1 Continuous slot <input type="checkbox"/> 0 2 Other <input type="checkbox"/></p> <p>b. Manufacturer Monoflex</p> <p>c. Slot size: 0.010 in.</p> <p>d. Slotted length: 10.0 ft.</p> <p>11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 1 4 Other <input type="checkbox"/></p> |
| <p>E. Bentonite seal, top _____ ft. MSL or _____ ft.</p> <p>F. Fine sand, top _____ ft. MSL or 13.0 ft.</p> <p>G. Filter pack, top _____ ft. MSL or 15.0 ft.</p> <p>H. Screen joint, top _____ ft. MSL or 17.0 ft.</p> <p>I. Well bottom _____ ft. MSL or 27.0 ft.</p> <p>J. Filter pack, bottom _____ ft. MSL or 27.0 ft.</p> <p>K. Borehole, bottom _____ ft. MSL or 27.0 ft.</p> <p>L. Borehole, diameter 8.5 in.</p> <p>M. O.D. well casing 2.38 in.</p> <p>N. I.D. well casing 2.07 in.</p> | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Stephen Bellwood Firm BT², Inc., 2830 Dairy Drive, Madison, WI 53718-6751

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats. failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | |
|--|---------------------|----------------------------------|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | County Name Dane | Well Name MW3 |
| Facility License, Permit or Monitoring Number | County Code 13 | Wis. Unique Well Number PP046 |
| | | DNR Well Number |

1. Can this well be purged dry? Yes No

2. Well development method

| | |
|--------------------------------------|---|
| surged with bailer and bailed | <input type="checkbox"/> 4 1 |
| surged with bailer and pumped | <input checked="" type="checkbox"/> 6 1 |
| surged with block and bailed | <input type="checkbox"/> 4 2 |
| surged with block and pumped | <input type="checkbox"/> 6 2 |
| surged with block, bailed and pumped | <input type="checkbox"/> 7 0 |
| compressed air | <input type="checkbox"/> 2 0 |
| bailed only | <input type="checkbox"/> 1 0 |
| pumped only | <input type="checkbox"/> 5 1 |
| pumped slowly | <input type="checkbox"/> 5 0 |
| Other | <input type="checkbox"/> |

3. Time spent developing well 60 min.

4. Depth of well (from top of casing) 26.8 ft.

5. Inside diameter of well 2.07 in.

6. Volume of water in filter pack and well casing 9.3 gal.

7. Volume of water removed from well 40.0 gal.

8. Volume of water added (if any) none gal.

9. Source of water added _____

10. Analysis performed on water added? Yes No
(if yes, attach results)

| | Before Development | After Development |
|---|--|--|
| 11. Depth to Water (from top of well casing) | a. <u>17.40</u> ft. | <u>17.41</u> ft. |
| Date | b. <u>07 / 27 / 2004</u> mm dd yyyy | <u>07 / 27 / 2004</u> mm dd yyyy |
| Time | c. <u>2:30</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m. | <u>3:30</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m. |
| 12. Sediment in well bottom | <u>1.4</u> inches | <u>0.0</u> inches |
| 13. Water clarity | Clear <input type="checkbox"/> 1 0 Turbid <input checked="" type="checkbox"/> 1 5 (Describe) <u>dark brown</u> | Clear <input checked="" type="checkbox"/> 2 0 Turbid <input type="checkbox"/> 2 5 (Describe) |
| Fill in if drilling fluids were used and well is at solid waste facility: | | |
| 14. Total suspended solids | _____ mg/l | _____ mg/l |
| 15. COD | _____ mg/l | _____ mg/l |
| 16. Well Developed by: Name (first, last) and Firm First Name: <u>Stephen</u> Last Name: <u>Sellwood</u> Firm: <u>BT2, Inc.</u> | | |

17. Additional comments on development:
Rapid Recovery Rate

Name and Address of Facility Contact/Owner/Responsible Party

First Name: John Last Name: Nebi

Firm: _____

Street: 3866 Sunny Wood Drive


City/State/Zip: DeForest, WI 53532

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: Stephen Sellwood

Print Name: Stephen Sellwood

Firm: BT², Inc., 2830 Dairy Drive, Madison, WI 53718-6751



MW3 SLUG IN

Data Set: I:\2325\Slug Tests\MW3a.aqt

Date: 09/17/19

Time: 11:11:41

PROJECT INFORMATION

Company: BT2

Client: 3918 Monona Drive

Project: 2325

Location: Madison, WI

Test Well: MW3

Test Date: 4/19/05

AQUIFER DATA

Saturated Thickness: 40. ft

Anisotropy Ratio (K_z/K_r): 1.

WELL DATA (MW3)

Initial Displacement: 0.812 ft

Static Water Column Height: 7.68 ft

Total Well Penetration Depth: 7.68 ft

Screen Length: 7.68 ft

Casing Radius: 0.0861 ft

Well Radius: 0.354 ft

Gravel Pack Porosity: 0.3


SOLUTION

Aquifer Model: Unconfined

Solution Method: Bouwer-Rice

$K = 0.007783$ cm/sec

$y_0 = 0.2205$ ft



MW3 SLUG OUT

Data Set: I:\2325\Slug Tests\MW3b.aqt

Date: 09/17/19

Time: 11:11:56

PROJECT INFORMATION

Company: BT2

Client: 3918 Monona Drive

Project: 2325

Location: Madison, WI

Test Well: MW3

Test Date: 4/19/05

AQUIFER DATA

Saturated Thickness: 40. ft

Anisotropy Ratio (Kz/Kr): 1.

WELL DATA (MW3)

Initial Displacement: 1.283 ft

Static Water Column Height: 7.68 ft

Total Well Penetration Depth: 7.68 ft

Screen Length: 7.68 ft

Casing Radius: 0.0861 ft

Well Radius: 0.354 ft

SOLUTION

Aquifer Model: Unconfined

Solution Method: Bower-Rice

K = 0.002132 cm/sec

y0 = 0.2601 ft

Route To:

- Solid Waste
- Emergency Response
- Wastewater

- Haz. Waste
- Underground Tanks
- Water Resources
- Other Remed. + Releve.

| | | | | | | | | | |
|---|--|-----------------------------|------------------------|-----------------------|----------------------------------|--|---|---------------------------|-------------------------------|
| Facility/Project Name 3918 Monona Drive | | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number MW4 | | |
| Boring Drilled By (Firm name and name of crew chief) On-Site Environmental Tony Kapugi | | | | | Drilling Started 03/21/2005 | | Drilling Completed 03/21/2005 | | Drilling Method 4 1/2" HSA |
| DNR Facility Well No. | | WI Unique Well No. PP056 | Common Well Name | | | Static Water Level Feet | | Surface Elevation Feet | Borehole Diam. 8.5 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | | | Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | | |
| County Dane | | | | DNR County Code 13 | | Civil Town/City/or Village Madison (Monona) | | | |


| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------|-------------|--------------|--------------|----------------------|------------------|------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 25 | | 5 | 6" CONCRETE/SILTY GRAVEL, tan (fill). | GM | | | 1.3 | | M | | no odor |
| S2 | | | | SILTY CLAY, brown. | CL-ML | | | 1.1 | | M | | no odor |
| S3 | 30 | | 10 | SILTY SAND, brown, fine. | SM | | | 1.1 | | M | | no odor |
| S4 | | | | SAND, light brown, fine to medium. | | | | 2.1 | | M | | no odor |
| S5 | 40 | | 15 | | | | | 1.0 | | M | | no odor |
| S6 | | | | | | | | | | 1.6 | | M |
| S7 | 43 | | 20 | | | | | 2.8 | | M | | no odor |
| S8 | | | | | | | | | | 2.3 | | M |
| S9 | 36 | | 25 | | | | | 9.3 | | M/ W | | no odor |
| S10 | | | | | | | | | | 8.8 | | W |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | |
|-----------|---|
| Signature | Firm BT ² , Inc. Stephen Sellwood |
|-----------|---|

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this form is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06 Wis. Stats.

| | | | | | |
|---|--|---|--|--|--|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | | Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> E. ft. <input type="checkbox"/> S. <input type="checkbox"/> W. | | Well Name MW4 | |
| Facility License, Permit or Monitoring Number | | Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> | | Wis. Unique Well Number PP056 DNR Well ID No. | |
| Facility ID | | Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. S. | | Date Well Installed 03 / 21 / 2005 m m d d y y y y | |
| Type of Well Well Code 11 / MW | | Section Location of Waste/Source <input checked="" type="checkbox"/> E. NW 1/4 of SW 1/4 of Sec. 9, T. 7 N, R. 10 W. | | Well Installed By: Name (first, last) and Firm Tony Kapugi On-Site Environmental | |
| Distance From Waste/Source _____ ft. | Enf. Stds. Apply <input checked="" type="checkbox"/> | Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known | | Gov. Lot Number | |

| | |
|---|---|
| <p>A. Protective pipe, top elevation _____ ft. MSL</p> <p>B. Well casing, top elevation _____ ft. MSL</p> <p>C. Land surface elevation _____ ft. MSL</p> <p>D. Surface seal, bottom _____ ft. MSL or 1.0 ft.</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/></p> <p>13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 5 0 Hollow Stem Auger <input checked="" type="checkbox"/> 4 1 Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 0 2 Air <input type="checkbox"/> 0 1 Drilling Mud <input type="checkbox"/> 0 3 None <input checked="" type="checkbox"/> 9 9</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): _____</p> </div> <p>E. Bentonite seal, top _____ ft. MSL or _____ ft.</p> <p>F. Fine sand, top _____ ft. MSL or 15.0 ft.</p> <p>G. Filter pack, top _____ ft. MSL or 17.0 ft.</p> <p>H. Screen joint, top _____ ft. MSL or 19.0 ft.</p> <p>I. Well bottom _____ ft. MSL or 29.0 ft.</p> <p>J. Filter pack, bottom _____ ft. MSL or 29.0 ft.</p> <p>K. Borehole, bottom _____ ft. MSL or 29.0 ft.</p> <p>L. Borehole, diameter 8.5 in.</p> <p>M. O.D. well casing 2.38 in.</p> <p>N. I.D. well casing 2.07 in.</p> |  <p>1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/> d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____</p> <p>3. Surface Seal Bentonite <input type="checkbox"/> 3 0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/></p> <p>4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 3 0 Filter Sand Other <input checked="" type="checkbox"/></p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3 3 b. _____ Lbs/gal mud weight...Bentonite-sand slurry <input type="checkbox"/> 3 5 c. _____ Lbs/gal mud weight.....Bentonite slurry <input type="checkbox"/> 3 1 d. _____ % Bentonite.....Bentonite-cement grout <input type="checkbox"/> 5 0 e. 5.1 Ft³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0 1 Tremie pumped <input type="checkbox"/> 0 2 Gravity <input checked="" type="checkbox"/> 0 8</p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3 3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3 2 c. none <input checked="" type="checkbox"/></p> <p>7. Fine sand material: Manufacturer, product name & mesh size a. RW Sidley #4000 b. Volume added 0.7 ft³</p> <p>8. Filter pack material: Manufacturer, product name & mesh size a. RW Sidley #5 b. Volume added 4.4 ft³</p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2 3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2 4</p> <p>10. Screen material same a. Screen type: Factory cut <input checked="" type="checkbox"/> 0 1 Continuous slot <input type="checkbox"/> 0 2 Other <input type="checkbox"/></p> <p>b. Manufacturer Monoflex c. Slot size: 0.010 in. d. Slotted length: 10.0 ft.</p> <p>11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 1 4 Other <input type="checkbox"/></p> |
|---|---|

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Stephen Illwood Firm **BT², Inc., 2830 Dairy Drive, Madison, WI 53718-6751**

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats. failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | | |
|--|---------------------|----------------------------------|-----------------|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | County Name Dane | Well Name MW4 | |
| Facility License, Permit or Monitoring Number | County Code 13 | Wis. Unique Well Number PP056 | DNR Well Number |

1. Can this well be purged dry? Yes No

2. Well development method

- surged with bailer and bailed 4 1
- surged with bailer and pumped 6 1
- surged with block and bailed 4 2
- surged with block and pumped 6 2
- surged with block, bailed and pumped 7 0
- compressed air 2 0
- bailed only 1 0
- pumped only 5 1
- pumped slowly 5 0
- Other

3. Time spent developing well 45 min.

4. Depth of well (from top of casing) 28.4 ft.

5. Inside diameter of well 2.07 in.

6. Volume of water in filter pack and well casing 8.5 gal.

7. Volume of water removed from well 35.0 gal.

8. Volume of water added (if any) 0.0 gal.

9. Source of water added _____

| | Before Development | After Development |
|---|---|--|
| 11. Depth to Water (from top of well casing) | a. <u>19.81</u> ft. | <u>19.84</u> ft. |
| Date | b. <u>03/21/2005</u> m m d d y y y y | <u>03/21/2005</u> m m d d y y y y |
| Time | c. <input type="checkbox"/> a.m. <u>3:30</u> <input checked="" type="checkbox"/> p.m. | <input type="checkbox"/> a.m. <u>4:15</u> <input checked="" type="checkbox"/> p.m. |
| 12. Sediment in well bottom | <u>0.1</u> inches | <u>0.0</u> inches |
| 13. Water clarity | Clear <input type="checkbox"/> 1 0 Turbid <input checked="" type="checkbox"/> 1 5 (Describe) <u>light brown</u> | Clear <input checked="" type="checkbox"/> 2 0 Turbid <input type="checkbox"/> 2 5 (Describe) _____ |
| Fill in if drilling fluids were used and well is at solid waste facility: | | |
| 14. Total suspended solids | _____ mg/l | _____ mg/l |
| 15. COD | _____ mg/l | _____ mg/l |

10. Analysis performed on water added? Yes No
(if yes, attach results)

16. Well Developed by: Name (first, last) and Firm
First Name: Stephen Last Name: Sellwood
Firm: BT2, Inc.

17. Additional comments on development:
Rapid Recovery Rate.

Name and Address of Facility Contact/Owner/Responsible Party

First Name: John Last Name: Nebi

Firm: _____

Street: 3866 Sunny Wood Drive


City/State/Zip: DeForest, WI 53532

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: Stephen Sellwood

Print Name: Stephen Sellwood

Firm: BT², Inc., 2830 Dairy Drive, Madison, WI 53718-6751



MW4 SLUG IN

Data Set: I:\2325\Slug Tests\MW4a.aqt

Date: 09/17/19

Time: 11:12:10

PROJECT INFORMATION

Company: BT2

Client: 3918 Monona Drive

Project: 2325

Location: Madison, WI

Test Well: MW4

Test Date: 4/19/05

AQUIFER DATA

Saturated Thickness: 40. ft

Anisotropy Ratio (Kz/Kr): 1.

WELL DATA (MW4)

Initial Displacement: 0.616 ft

Static Water Column Height: 8.87 ft

Total Well Penetration Depth: 8.87 ft

Screen Length: 8.87 ft

Casing Radius: 0.0861 ft

Well Radius: 0.354 ft

Gravel Pack Porosity: 0.3


SOLUTION

Aquifer Model: Unconfined

Solution Method: Bouwer-Rice

K = 0.006946 cm/sec

y0 = 0.214 ft



MW4 SLUG OUT

Data Set: I:\2325\Slug Tests\MW4b.aqt
 Date: 09/17/19

Time: 11:12:25

PROJECT INFORMATION

Company: BT2
 Client: 3918 Monona Drive
 Project: 2325
 Location: Madison, WI
 Test Well: MW4
 Test Date: 4/19/05

AQUIFER DATA

Saturated Thickness: 40. ft Anisotropy Ratio (Kz/Kr): 1.

WELL DATA (MW4)

| | |
|---------------------------------------|-------------------------------------|
| Initial Displacement: 1.31 ft | Static Water Column Height: 8.87 ft |
| Total Well Penetration Depth: 8.87 ft | Screen Length: 8.87 ft |
| Casing Radius: 0.0861 ft | Well Radius: 0.354 ft |

SOLUTION

| | |
|---------------------------|-----------------------------|
| Aquifer Model: Unconfined | Solution Method: Bower-Rice |
| K = 0.001793 cm/sec | y0 = 0.1683 ft |

| | | | | | |
|---|------------------------------|------------------------|--------------------------------------|--|-------------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number MW4P |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Dave Paulson | | | Drilling Started 06/07/2007 | Drilling Completed 06/07/2007 | Drilling Method 4 1/4" HSA |
| DNR Facility Well No. | WI Unique Well No. VT 590 | Common Well Name | Static Water Level Feet | Surface Elevation Feet | Borehole Diam. 8.5 Inches |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | DNR County Code 13 | Civil Town/City/or Village Monona | | |

| Sample | | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|----------------------|------------------|-------------|---------------------------|---|------|---|---|--------------|----------------------|------------------|------|------------------|
| Number | Length Recovered | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| Blind drilled to 28' | | | | | | | | | | | | |
| S1 | | | 5 10 15 20 25 | SAND, light brown, fine to medium; few gravel. | SP |  |  | 1.8 | | W | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Stephen Sellwood* Firm BT², Inc. Stephen Sellwood

This form is authorized by Chapters 281,283,289,291,292,295,and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

| | | | | | |
|--|--|---|--|---|--|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | | Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W. | | Well Name MW4P | |
| Facility License, Permit or Monitoring No. | | Local Grid Origin (estimated:) or Well Location Lat. " Long. " | | Wis. Unique Well No. DNR Well ID No. VT590 | |
| Facility ID | | St. Plane ft. N, ft. E. S/C/N | | Date Well Installed 06 / 07 / 2007 m m d d y y y y | |
| Type of Well Well Code 12 / PZ | | Section Location of Waste/Source NW 1/4 of SW 1/4 of Sec. 9 T. 7 N. R. 10 <input checked="" type="checkbox"/> E <input type="checkbox"/> W | | Well Installed By: Name (first, last) and Firm Soil Essentials Dave Paulson | |
| Distance from Waste/Source _____ ft. | | Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known | | Gov. Lot Number | |

- A. Protective pipe, top elevation _____ ft. MSL
- B. Well casing, top elevation _____ ft. MSL
- C. Land surface elevation _____ ft. MSL
- D. Surface seal, bottom _____ ft. MSL or - 1.0 ft.

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis performed? Yes No


14. Drilling method used: Rotary 5 0
 Hollow Stem Auger 4 1
 Other

15. Drilling fluid used: Water 0 2 Air 0 1
 Drilling Mud 0 3 None 9 9

16. Drilling additives used? Yes No

Describe _____

17. Source of water (attach analysis, if required):



1. Cap and lock? Yes No
2. Protective cover pipe:
 a. Inside diameter: 10.0 in.
 b. Length: 1.0 ft.
 c. Material: Steel 0 4
 Other
 d. Additional protection? Yes No
 If yes, describe: _____
3. Surface seal:
 Bentonite 3 0
 Concrete 0 1
 Other
4. Material between well casing and protective pipe:
 Bentonite 3 0
 Filter Sand Other
5. Annular space seal:
 a. Granular/Chipped Bentonite 3 3
 b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry 3 5
 c. _____ Lbs/gal mud weight Bentonite slurry 3 1
 d. _____ % Bentonite Bentonite-cement grout 5 0
 e. 8.4 Ft³ volume added for any of the above
 f. How installed: Tremie 0 1
 Tremie pumped 0 2
 Gravity 0 8
6. Bentonite seal:
 a. Bentonite granules 3 3
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 3 2
 c. _____ none Other
7. Fine sand material: Manufacturer, product name & mesh size
 a. RW Sidley #4000
 b. Volume added 0.5 ft³
8. Filter pack material: Manufacturer, product name & mesh size
 a. RW Sidley #5
 b. Volume added 2.7 ft³
9. Well casing: Flush threaded PVC schedule 40 2 3
 Flush threaded PVC schedule 80 2 4
 Other
10. Screen material: same
 a. Screen type: Factory cut 1 1
 Continuous slot 0 1
 Other
 b. Manufacturer Monoflex
 c. Slot size: 0.010 in.
 d. Slotted length: .5 ft.
11. Backfill material (below filter pack): None 1 4
 Other

- E. Bentonite seal, top _____ ft. MSL or _____ ft.
- F. Fine sand, top _____ ft. MSL or 36.0 ft.
- G. Filter pack, top _____ ft. MSL or 38.0 ft.
- H. Screen joint, top _____ ft. MSL or 40.0 ft.
- I. Well bottom _____ ft. MSL or 45.0 ft.
- J. Filter pack, bottom _____ ft. MSL or 45.5 ft.
- K. Borehole, bottom _____ ft. MSL or 45.5 ft.
- L. Borehole, diameter 8.5 in.
- M. O.D. well casing 2.38 in.
- N. I.D. well casing 2.07 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Stephen Sellwood Firm BT2, Inc. 2830 Dairy Drive, Madison, WI 53718-6751

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | | |
|--|---------------------|-----------------------------------|--------------------|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | County Name Dane | Well Name MW4P | |
| Facility License, Permit or Monitoring Number | County Code 13 | Wis. Unique Well Number VI 590 | DNR Well ID Number |

1. Can this well be purged dry? Yes No

2. Well development method
- surged with bailer and bailed 41
 - surged with bailer and pumped 61
 - surged with block and bailed 42
 - surged with block and pumped 62
 - surged with block, bailed and pumped 70
 - compressed air 20
 - bailed only 10
 - pumped only 51
 - pumped slowly 50
 - Other

3. Time spent developing well _____ 60 min.

4. Depth of well (from top of well casing) _____ 44.3 ft.

5. Inside diameter of well _____ 2.07 in.

6. Volume of water in filter pack and well casing _____ 10.5 gal.

7. Volume of water removed from well _____ 40.0 gal.

8. Volume of water added (if any) _____ 0.0 gal.

9. Source of water added _____

10. Analysis performed on water added? Yes No
(If yes, attach results)

17. Additional comments on development:

Rapid recovery rate.

| | Before Development | After Development |
|--|--|---|
| 11. Depth to Water (from top of well casing) | a. _____ 19.22 ft. | _____ 19.24 ft. |
| Date | b. <u>06</u> / <u>08</u> / <u>2007</u> | <u>06</u> / <u>08</u> / <u>2007</u> |
| Time | c. <u>8</u> : <u>30</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m. | <u>9</u> : <u>30</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m. |

12. Sediment in well bottom _____ 0.0 inches

13. Water clarity Clear 10 Turbid 15 (Describe) brown

Clear 20 Turbid 25 (Describe)

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids _____ mg/l _____ mg/l

15. COD _____ mg/l _____ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: Stephen Last Name: Sellwood

Firm: BT2, Inc.

Name and Address of Facility Contact /Owner/Responsible Party

First Name: John Last Name: Nebl

Facility/Firm: _____

Street: 3866 Sunny Wood Drive

City/State/Zip: DeForest, WI 53532

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: Stephen Sellwood

Print Name: Stephen Sellwood

Firm: BT2 Inc. 2830 Dairy Drive, Madison, WI 53718

Route To:

- Watershed/Wastewater
 Remediation/Redev.
 Waste Management Other _____

SOIL BORING LOG INFORMATION

Form 4400-122

7-98 bt2

| | | | | | | | |
|--|--|------------------------------|--|----------------------------------|--|---|--|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | | License/Permit/Monitoring Number | | Boring Number MW5 | |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Dave Paulson | | | | Drilling Started 06/07/2007 | | Drilling Completed 06/07/2007 | |
| DNR Facility Well No. | | WI Unique Well No. VT 591 | | Common Well Name | | Static Water Level Feet | |
| Boring Location State Plane | | N, E | | Lat. Long. | | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | | | DNR County Code 13 | | Civil Town/City/or Village Monona | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------|-------------|--------------|--------------|----------------------|------------------|------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 42 | | | SILT, brown (topsoil). | ML | | | 1.8 | | M | | |
| S2 | | | | SILTY SAND, brown. | SM | | | 1.2 | | M | | |
| S3 | 36 | | 5 | SILTY CLAY, brown. | CL-ML | | | 1.8 | | M | | |
| S4 | | | | | | | | 2.5 | | M | | |
| S5 | 30 | | 10 | SAND, light brown, fine to medium; few gravel. | | | | 1.2 | | M | | |
| S6 | | | | | | | | | 1.2 | | M | |
| S7 | 32 | | | | | | | 0.6 | | M | | |
| S8 | | | | | | | | | 1.2 | | M | |
| S9 | 30 | | | | SP | | | 1.2 | | M | | |
| S10 | | | | | | | | | 1.2 | | M | |
| S11 | 30 | | 20 | | | | | 1.2 | | W | | |
| S12 | | | | | | | | | 0.6 | | W | |
| | | | | End of boring @ 26.5'; Set 10' PVC Screen to 26'. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | | |
|---------------|--------------------------------|------------------|
| Signature | Firm BT ² , Inc. | Stephen Sellwood |
|---------------|--------------------------------|------------------|

This form is authorized by Chapters 281,283,289,291,292,295,and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

| | | | | | |
|--|--|--|--|---|--|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | | Local Grid Location of Well ft. N. <input type="checkbox"/> ft. E. <input type="checkbox"/> | | Well Name MW5 | |
| Facility License, Permit or Monitoring No. | | Local Grid Origin (estimated: <input type="checkbox"/>) or Well Location Lat. _____ " Long. _____ " | | Wis. Unique Well No. DNR Well ID No. VT591 | |
| Facility ID | | St. Plane _____ ft. N. _____ ft. E. S/C/N | | Date Well Installed 06 / 07 / 2007 | |
| Type of Well Well Code 11 / MW | | Section Location of Waste/Source NW 1/4 of SW 1/4 of Sec. 9 T. 7 N. R. 10 <input checked="" type="checkbox"/> E <input checked="" type="checkbox"/> W | | Well Installed By: Name (first, last) and Firm Soil Essentials Dave Paulson | |
| Distance from Waste/Source _____ ft. | | Location of Well Relative to Waste/Source u <input checked="" type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known | | Gov. Lot Number | |

- A. Protective pipe, top elevation _____ ft. MSL
- B. Well casing, top elevation _____ ft. MSL
- C. Land surface elevation _____ ft. MSL
- D. Surface seal, bottom _____ ft. MSL or 1.0 ft.

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis performed? Yes No


14. Drilling method used: Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99

16. Drilling additives used? Yes No

Describe _____

17. Source of water (attach analysis, if required): _____



- 1. Cap and lock? Yes No
- 2. Protective cover pipe:
 - a. Inside diameter: 10.0 in.
 - b. Length: 1.0 ft.
 - c. Material: Steel 04
Other
 - d. Additional protection? Yes No
If yes, describe: _____
- 3. Surface seal:
 - Bentonite 30
 - Concrete 01
 - Other
- 4. Material between well casing and protective pipe:
 - Bentonite 30
 - Filter Sand Other
- 5. Annular space seal:
 - a. Granular/Chipped Bentonite 33
 - b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry 35
 - c. _____ Lbs/gal mud weight Bentonite slurry 31
 - d. _____ % Bentonite Bentonite-cement grout 50
 - e. 4 Ft³ volume added for any of the above
 - f. How installed: Tremie 01
Tremie pumped 02
Gravity 08
- 6. Bentonite seal:
 - a. Bentonite granules 33
 - b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 32
 - c. _____ none Other
- 7. Fine sand material: Manufacturer, product name & mesh size
 - a. RW Sidley #4000
 - b. Volume added 0.5 ft³
- 8. Filter pack material: Manufacturer, product name & mesh size
 - a. RW Sidley #5
 - b. Volume added 4.5 ft³
- 9. Well casing:
 - Flush threaded PVC schedule 40 23
 - Flush threaded PVC schedule 80 24
 - Other
- 10. Screen material: same
 - a. Screen type: Factory cut 11
Continuous slot 01
Other
 - b. Manufacturer Monoflex
 - c. Slot size: 0.010 in.
 - d. Slotted length: 10.0 ft.
- 11. Backfill material (below filter pack):
 - None 14
 - Other

- E. Bentonite seal, top _____ ft. MSL or _____ ft.
- F. Fine sand, top _____ ft. MSL or 12.0 ft.
- G. Filter pack, top _____ ft. MSL or 14.0 ft.
- H. Screen joint, top _____ ft. MSL or 16.0 ft.
- I. Well bottom _____ ft. MSL or 26.0 ft.
- J. Filter pack, bottom _____ ft. MSL or 26.5 ft.
- K. Borehole, bottom _____ ft. MSL or 26.5 ft.
- L. Borehole, diameter 8.5 in.
- M. O.D. well casing 2.38 in.
- N. I.D. well casing 2.07 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Steph Sellwold Firm BT2, Inc. 2830 Dairy Drive, Madison, WI 53718-6751

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | |
|--|---------------------|-----------------------------------|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | County Name Dane | Well Name MW5 |
| Facility License, Permit or Monitoring Number | County Code 13 | Wis. Unique Well Number VT 591 |
| | | DNR Well ID Number |

1. Can this well be purged dry? Yes No

2. Well development method

| | | |
|--------------------------------------|-------------------------------------|-----|
| surged with bailer and bailed | <input type="checkbox"/> | 4 1 |
| surged with bailer and pumped | <input checked="" type="checkbox"/> | 6 1 |
| surged with block and bailed | <input type="checkbox"/> | 4 2 |
| surged with block and pumped | <input type="checkbox"/> | 6 2 |
| surged with block, bailed and pumped | <input type="checkbox"/> | 7 0 |
| compressed air | <input type="checkbox"/> | 2 0 |
| bailed only | <input type="checkbox"/> | 1 0 |
| pumped only | <input type="checkbox"/> | 5 1 |
| pumped slowly | <input type="checkbox"/> | 5 0 |
| Other _____ | <input type="checkbox"/> | |

3. Time spent developing well _____ 60 min.

4. Depth of well (from top of well casing) _____ 25.9 ft.

5. Inside diameter of well _____ 2.07 in.

6. Volume of water in filter pack and well casing _____ 5.9 gal.

7. Volume of water removed from well _____ 30.0 gal.

8. Volume of water added (if any) _____ 0.0 gal.

9. Source of water added _____

10. Analysis performed on water added? Yes No
(If yes, attach results)

| | | |
|--|---------------------------|--------------------------|
| | <u>Before Development</u> | <u>After Development</u> |
|--|---------------------------|--------------------------|

11. Depth to Water (from top of well casing)

a. _____ 20.17 ft. _____ 20.17 ft.

Date

b. 06 / 08 / 2007 _____ 06 / 08 / 2007 _____
m m d d y y y y m m d d y y y y

Time

c. 11 : 00 a.m. _____ 12 : 00 p.m.
 p.m. a.m.

12. Sediment in well bottom _____ 0.6 inches _____ 0.0 inches

13. Water clarity

| | |
|--|---|
| Clear <input type="checkbox"/> 1 0 | Clear <input checked="" type="checkbox"/> 2 0 |
| Turbid <input checked="" type="checkbox"/> 1 5 | Turbid <input type="checkbox"/> 2 5 |

(Describe) _____ (Describe) _____

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended _____ mg/l _____ mg/l
solids

15. COD _____ mg/l _____ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: Stephen Last Name: Sellwood

Firm: BT2, Inc.

17. Additional comments on development:
Rapid recovery rate.

Name and Address of Facility Contact /Owner/Responsible Party

First Name: John Last Name: Nebl

Facility/Firm: _____

Street: 3866 Sunny Wood Drive

City/State/Zip: DeForest, WI 53532

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: Stephen Sellwood

Print Name: Stephen Sellwood

Firm: BT2 Inc. 2830 Dairy Drive, Madison, WI 53718

NOTE: See instructions for more information including a list of county codes and well type codes.

| | | | | | |
|---|------------------------------|------------------------|----------------------------------|---|-------------------------------|
| Facility/Project Name 3918 Monona Drive | | BT ² # 2325 | License/Permit/Monitoring Number | | Boring Number MW6 |
| Boring Drilled By (Firm name and name of crew chief) Soil Essentials Dave Paulson | | | Drilling Started 06/07/2007 | Drilling Completed 06/07/2007 | Drilling Method 4 1/4" HSA |
| DNR Facility Well No. | WI Unique Well No. VT 592 | Common Well Name | | Static Water Level Feet | Surface Elevation Feet |
| Boring Location State Plane N, E NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E. | | | Lat. Long. | Local Grid Location (If applicable) Feet N., Feet E. | |
| County Dane | | | DNR County Code 13 | Civil Town/City/or Village Monona | |

| Sample Number | Length Recovered | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | Max. PID/FID | Soil Properties | | | RQD/ Comments |
|---------------|------------------|-------------|---------------|---|-------|-------------|--------------|--------------|----------------------|------------------|------|------------------|
| | | | | | | | | | Standard Penetration | Moisture Content | P200 | |
| S1 | 36 | | 5 | SILTY SAND, brown. | SM | | | 0.6 | | M | | |
| S2 | | | | | | | | | | | | |
| S3 | 30 | | 5 | SANDY SILTY CLAY, brown. | CL-ML | | | 0.6 | | M | | |
| S4 | | | | | | | | | | | | |
| S5 | 36 | | 10 | SAND, light brown, fine to medium; few gravel. | | | | 0.6 | | M | | |
| S6 | | | | | | | | | | | | |
| S7 | 38 | | 15 | | | | | 1.2 | | M | | |
| S8 | | | | | | | | | | | | |
| S9 | 36 | | 20 | | SP | | | 1.2 | | M | | |
| S10 | | | | | | | | | | | | |
| S11 | 36 | | 25 | | | | | 0.6 | | M/W | | |
| S12 | | | | | | | | | | | | |
| | | | | End of boring @ 25.5'; Set 10' PVC Screen to 25'. | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | | |
|---------------|--------------------------------|------------------|
| Signature | Firm BT ² , Inc. | Stephen Sellwood |
|---------------|--------------------------------|------------------|

This form is authorized by Chapters 281,283,289,291,292,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

| | | | | | |
|--|--|--|--|---|--|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | | Local Grid Location of Well ft. N. <input type="checkbox"/> ft. E. <input type="checkbox"/> ft. S. <input type="checkbox"/> ft. W. <input type="checkbox"/> | | Well Name MW6 | |
| Facility License, Permit or Monitoring No. | | Local Grid Origin (estimated: <input type="checkbox"/>) or Well Location Lat. <input type="checkbox"/> Long. <input type="checkbox"/> | | Wis. Unique Well No. DNR Well ID No. VT592 | |
| Facility ID | | St. Plane ft. N. <input type="checkbox"/> ft. E. <input type="checkbox"/> S/C/N <input type="checkbox"/> | | Date Well Installed 06 / 07 / 2007 m m d d y y y y | |
| Type of Well Well Code 11 / MW | | Section Location of Waste/Source NW 1/4 of SW 1/4 of Sec. 9 T. 7 N. R. 10 <input checked="" type="checkbox"/> E <input type="checkbox"/> W <input type="checkbox"/> | | Well Installed By: Name (first, last) and Firm Soil Essentials Dave Paulson | |
| Distance from Waste/Source _____ ft. | | Location of Well Relative to Waste/Source u <input checked="" type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known | | Gov. Lot Number | |

- A. Protective pipe, top elevation _____ ft. MSL
- B. Well casing, top elevation _____ ft. MSL
- C. Land surface elevation _____ ft. MSL
- D. Surface seal, bottom _____ ft. MSL or -1.0 ft.

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis performed? Yes No


14. Drilling method used:
 Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99

16. Drilling additives used? Yes No

Describe _____

17. Source of water (attach analysis, if required):



1. Cap and lock? Yes No
2. Protective cover pipe:
 a. Inside diameter: 10.0 in.
 b. Length: 1.0 ft.
 c. Material: Steel 04
 Other
 d. Additional protection? Yes No
 If yes, describe: _____
3. Surface seal:
 Bentonite 30
 Concrete 01
 Other
4. Material between well casing and protective pipe:
 Bentonite 30
 Filter Sand Other
5. Annular space seal:
 a. Granular/Chipped Bentonite 33
 b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry 35
 c. _____ Lbs/gal mud weight Bentonite slurry 31
 d. _____ % Bentonite Bentonite-cement grout 50
 e. 3.6 Ft³ volume added for any of the above
 f. How installed:
 Tremie 01
 Tremie pumped 02
 Gravity 08
6. Bentonite seal:
 a. Bentonite granules 33
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 32
 c. _____ none Other
7. Fine sand material: Manufacturer, product name & mesh size
 a. RW Sidley #4000
 b. Volume added 0.5 ft³
8. Filter pack material: Manufacturer, product name & mesh size
 a. RW Sidley #5
 b. Volume added 3.5 ft³
9. Well casing: Flush threaded PVC schedule 40 23
 Flush threaded PVC schedule 80 24
 Other
10. Screen material: same
 a. Screen type: Factory cut 11
 Continuous slot 01
 Other
 b. Manufacturer Monoflex
 c. Slot size: 0.010 in.
 d. Slotted length: 10.0 ft.
11. Backfill material (below filter pack): None 14
 Other

- E. Bentonite seal, top _____ ft. MSL or _____ ft.
- F. Fine sand, top _____ ft. MSL or 11.0 ft.
- G. Filter pack, top _____ ft. MSL or 13.0 ft.
- H. Screen joint, top _____ ft. MSL or 15.0 ft.
- I. Well bottom _____ ft. MSL or 25.0 ft.
- J. Filter pack, bottom _____ ft. MSL or 25.5 ft.
- K. Borehole, bottom _____ ft. MSL or 25.5 ft.
- L. Borehole, diameter 8.5 in.
- M. O.D. well casing 2.38 in.
- N. I.D. well casing 2.07 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Stephen Sellwood Firm BT2, Inc. 2830 Dairy Drive, Madison, WI 53718-6751

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | |
|--|---------------------|-----------------------------------|
| Facility/Project Name 3918 Monona Drive BT2 #2325 | County Name Dane | Well Name MW6 |
| Facility License, Permit or Monitoring Number | County Code 13 | Wis. Unique Well Number VT 592 |
| | | DNR Well ID Number |

1. Can this well be purged dry? Yes No

2. Well development method
- surged with bailer and bailed 41
 - surged with bailer and pumped 61
 - surged with block and bailed 42
 - surged with block and pumped 62
 - surged with block, bailed and pumped 70
 - compressed air 20
 - bailed only 10
 - pumped only 51
 - pumped slowly 50
 - Other

3. Time spent developing well _____ 65 min.

4. Depth of well (from top of well casing) _____ 24.9 ft.

5. Inside diameter of well _____ 2.07 in.

6. Volume of water in filter pack and well casing _____ 7.5 gal.

7. Volume of water removed from well _____ 30.0 gal.

8. Volume of water added (if any) _____ 0.0 gal.

9. Source of water added _____

10. Analysis performed on water added? Yes No
(If yes, attach results)

17. Additional comments on development:

Rapid recovery rate.

11. Depth to Water (from top of well casing)

| | | |
|----|---------------------------|--------------------------|
| | <u>Before Development</u> | <u>After Development</u> |
| a. | 17.63 ft. | 17.66 ft. |

Date b. 06 / 08 / 2007 06 / 08 / 2007
m m d d y y y y m m d d y y y y

Time c. 9 : 45 a.m. p.m. 10 : 50 a.m. p.m.

12. Sediment in well bottom 0.6 inches 0.0 inches

13. Water clarity Clear 10 Turbid 15 (Describe) brown
Clear 20 Turbid 25 (Describe)

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids _____ mg/l _____ mg/l

15. COD _____ mg/l _____ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: Stephen Last Name: Sellwood

Firm: BT2, Inc.

Name and Address of Facility Contact /Owner/Responsible Party

First Name: John Last Name: Nebl

Facility/Firm: _____

Street: 3866 Sunny Wood Drive

City/State/Zip: DeForest, WI 53532

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: Stephen Sellwood

Print Name: Stephen Sellwood

Firm: BT2 Inc. 2830 Dairy Drive, Madison, WI 53718



Appendix C
Laboratory Analytical Reports

December 05, 2008

Steve Smith
BT2 Inc.
2830 Dairy Dr.
Madison, WI 53718

RE: Project: #2325 3918 Monona Dr.
Pace Project No.: 1084722

Dear Steve Smith:

Enclosed are the analytical results for sample(s) received by the laboratory on November 19, 2008. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Colin Schuft

colin.schuft@pacelabs.com
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

Page 1 of 7

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: #2325 3918 Monona Dr.

Pace Project No.: 1084722

Minnesota Certification IDs

Tennessee Certification #: 02818
Wisconsin Certification #: 999407970
Washington Certification #: C754
Pennsylvania Certification #: 68-00563
Oregon Certification #: MN200001
North Dakota Certification #: R-036
North Carolina Certification #: 530
New York Certification #: 11647
New Jersey Certification #: MN-002
Montana Certification #: MT CERT0092
Minnesota Certification #: 027-053-137

Maine Certification #: 2007029
Louisiana Certification #: LA080009
Louisiana Certification #: 03086
Kansas Certification #: E-10167
Iowa Certification #: 368
Illinois Certification #: 200011
Florida (Nelap) Certification #: E87605
California Certification #: 01155CA
Arizona Certification #: AZ-0014
Alaska Certification #: UST-078

REPORT OF LABORATORY ANALYSIS

Page 2 of 7

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE SUMMARY

Project: #2325 3918 Monona Dr.

Pace Project No.: 1084722

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|------------|-----------------|--------|----------------|----------------|
| 1084722001 | 3918 Monona Dr. | Air | 11/18/08 11:00 | 11/19/08 09:47 |
| 1084722002 | 3920 Monona Dr. | Air | 11/18/08 11:40 | 11/19/08 09:47 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: #2325 3918 Monona Dr.

Pace Project No.: 1084722

| Lab ID | Sample ID | Method | Analysts | Analytes Reported |
|------------|-----------------|--------|----------|-------------------|
| 1084722001 | 3918 Monona Dr. | TO-15 | DB1 | 4 |
| 1084722002 | 3920 Monona Dr. | TO-15 | DB1 | 4 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: #2325 3918 Monona Dr.

Pace Project No.: 1084722

| Sample: 3918 Monona Dr. | | Lab ID: 1084722001 | Collected: 11/18/08 11:00 | Received: 11/19/08 09:47 | Matrix: Air | | | |
|-------------------------|---------|--------------------------|---------------------------|--------------------------|-------------|----------------|----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | |
| cis-1,2-Dichloroethene | 2.2 | ppbv | 1.0 | 2 | | 12/05/08 11:54 | 156-59-2 | |
| Tetrachloroethene | 253 | ppbv | 16.6 | 32 | | 12/05/08 13:57 | 127-18-4 | A3 |
| Trichloroethene | 9.7 | ppbv | 1.0 | 2 | | 12/05/08 11:54 | 79-01-6 | |
| Vinyl chloride | ND | ppbv | 1.0 | 2 | | 12/05/08 11:54 | 75-01-4 | |

| Sample: 3920 Monona Dr. | | Lab ID: 1084722002 | Collected: 11/18/08 11:40 | Received: 11/19/08 09:47 | Matrix: Air | | | |
|-------------------------|---------|--------------------------|---------------------------|--------------------------|-------------|----------------|----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | |
| cis-1,2-Dichloroethene | 9.4 | ppbv | 1.0 | 2 | | 12/05/08 12:25 | 156-59-2 | |
| Tetrachloroethene | 7660 | ppbv | 666 | 1280 | | 12/05/08 14:27 | 127-18-4 | A3 |
| Trichloroethene | 37.9 | ppbv | 1.0 | 2 | | 12/05/08 12:25 | 79-01-6 | |
| Vinyl chloride | 3.0 | ppbv | 1.0 | 2 | | 12/05/08 12:25 | 75-01-4 | |

QUALITY CONTROL DATA

Project: #2325 3918 Monona Dr.
Pace Project No.: 1084722

QC Batch: AIR/7804 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR
Associated Lab Samples: 1084722001, 1084722002

METHOD BLANK: 559546 Matrix: Air
Associated Lab Samples: 1084722001, 1084722002

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|------------------------|-------|--------------|-----------------|----------------|------------|
| cis-1,2-Dichloroethene | ppbv | ND | 0.52 | 12/05/08 11:23 | |
| Tetrachloroethene | ppbv | ND | 0.52 | 12/05/08 11:23 | |
| Trichloroethene | ppbv | ND | 0.52 | 12/05/08 11:23 | |
| Vinyl chloride | ppbv | ND | 0.51 | 12/05/08 11:23 | |

LABORATORY CONTROL SAMPLE: 559547

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|------------------------|-------|-------------|------------|-----------|--------------|------------|
| cis-1,2-Dichloroethene | ppbv | 10.2 | 9.8 | 96 | 62-135 | |
| Tetrachloroethene | ppbv | 10.6 | 10.8 | 102 | 60-137 | |
| Trichloroethene | ppbv | 10.1 | 11.0 | 109 | 60-134 | |
| Vinyl chloride | ppbv | 9.7 | 9.5 | 98 | 66-132 | |

SAMPLE DUPLICATE: 559548

| Parameter | Units | 1084722002 Result | Dup Result | RPD | Max RPD | Qualifiers |
|------------------------|-------|-------------------|------------|-----|---------|------------|
| cis-1,2-Dichloroethene | ppbv | 9.4 | 9.4 | .9 | 30 | |
| Tetrachloroethene | ppbv | 7660 | 1070 | 151 | 30 | E,R1 |
| Trichloroethene | ppbv | 37.9 | 37.6 | .8 | 30 | |
| Vinyl chloride | ppbv | 3.0 | 2.8 | 4 | 30 | |

QUALIFIERS

Project: #2325 3918 Monona Dr.

Pace Project No.: 1084722

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

ANALYTE QUALIFIERS

A3 The sample was analyzed by serial dilution.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

R1 RPD value was outside control limits.

Sample Condition Upon Receipt

Pace Analytical

Client Name: BT² INC.

Project # 1084722

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Tracking #: 1ZRS103V22100243M

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____ Temp Blank: Yes _____ No

Thermometer Used 80044042, 179425

Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temperature AMB

Biological Tissue is Frozen: Yes No

Temp should be above freezing to 6°C

Comments:

| |
|--|
| Optional |
| Proj. Due Date |
| Proj. Name |
| Date and Initials of person examining contents: <u>11-19-08 JF</u> |

| | | |
|---|--|-----------------------------|
| Chain of Custody Present: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 1. |
| Chain of Custody Filled Out: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 2. |
| Chain of Custody Relinquished: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 3. |
| Sampler Name & Signature on COC: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 4. |
| Samples Arrived within Hold Time: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 5. |
| Short Hold Time Analysis (<72hr): | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 6. |
| Rush Turn Around Time Requested: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 7. |
| Sufficient Volume: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 8. |
| Correct Containers Used: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 9. |
| -Pace Containers Used: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Containers Intact: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 10. |
| Filtered volume received for Dissolved tests | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | 11. |
| Sample Labels match COC: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 12. |
| -Includes date/time/ID/Analysis Matrix: <u>ARB (com)</u> | | |
| All containers needing acid/base preservation have been checked. Noncompliance are noted in 13. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | 13. |
| All containers needing preservation are found to be in compliance with EPA recommendation. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water) | <input type="checkbox"/> Yes <input type="checkbox"/> No | Initial when completed |
| | | Lot # of added preservative |
| Samples checked for dechlorination: | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | 14. |
| Headspace in VOA Vials (>6mm): | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | 15. |
| Trip Blank Present: | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | 16. |
| Trip Blank Custody Seals Present | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Pace Trip Blank Lot # (if purchased): | | |

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: 2 CAUS, 2 FC'S

Project Manager Review:

[Signature]

Date: 11/19/08

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

1084722

Section A
 Required Client Information:
 Company: B T² Inc.
 Address: 2830 Dairy Dr.
 Madison WI 53718
 Phone: SMITH e b t2 inc
 (608) 224-2630 FAX: (608) 224-2631
 Requested Due Date/TAT: 2 wks.

Section B
 Required Project Information:
 Report To: S. Sellwood - B T²
 Copy To:
 Purchase Order No.:
 Project Name: 3918 Monona Dr.
 Project Number: # 2325

Section C
 Invoice Information:
 Attention: Steve Sellwood
 Company Name: B T² Inc.
 Address:
 Pace Quote Reference:
 Pace Project Manager:
 Pace Profile #: 18422

REGULATORY AGENCY
 NPDES GROUND WATER DRINKING WATER
 UST RCRA OTHER

Site Location: WI
 STATE: WI

| ITEM # | Section D Required Client Information | Matrix Codes MATRIX CODE Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Tissue Other | COLLECTED | | SAMPLE TEMP AT COLLECTION | # OF CONTAINERS | Preservatives | Requested Analysis Filtered (Y/N) | Residual Chlorine (Y/N) | Pace Project No./ Lab I.D. |
|--------|--|---|-----------------|--------------------|---------------------------|-----------------|---------------|-----------------------------------|-------------------------|----------------------------|
| | | | COMPOSITE START | COMPOSITE END/GRAB | | | | | | |
| 1 | 3918 Monona Dr. | | | | | | | | | |
| 2 | 3920 Monona Dr. | | | | | | | | | |
| 3 | | | | | | | | | | |
| 4 | | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6 | | | | | | | | | | |
| 7 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |

ADDITIONAL COMMENTS
 * by TO 15

RELINQUISHED BY / AFFILIATION
 A. Smith B T²

DATE
 11/18/08

TIME
 16:00

ACCEPTED BY / AFFILIATION
 [Signature]

DATE
 11/18/08

TIME
 09:47 AM

SAMPLE CONDITIONS
 Received on (Y/N)
 Custody Sealed Cooler (Y/N)
 Samples Intact (Y/N)

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: S. Smith
 SIGNATURE of SAMPLER: [Signature]
 DATE Signed (MM/DD/YY): 11/18/08

ORIGINAL

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

July 21, 2009

Steve Smith
BT2 Inc.
2830 Dairy Dr.
Madison, WI 53718

RE: Project: #2325 3718 Moon Dr.
Pace Project No.: 1099049

Dear Steve Smith:

Enclosed are the analytical results for sample(s) received by the laboratory on July 10, 2009. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Colin Schuft

colin.schuft@pacelabs.com
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

Page 1 of 7

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



CERTIFICATIONS

Project: #2325 3718 Moon Dr.

Pace Project No.: 1099049

Minnesota Certification IDs

Wisconsin Certification #: 999407970

Washington Certification #: C754

Alaska Certification #: UST-078

Arizona Certification #: AZ-0014

Tennessee Certification #: 02818

Pennsylvania Certification #: 68-00563

Oregon Certification #: MN200001

North Dakota Certification #: R-036

North Carolina Certification #: 530

New York Certification #: 11647

New Jersey Certification #: MN-002

Montana Certification #: MT CERT0092

Minnesota Certification #: 027-053-137

Maine Certification #: 2007029

Louisiana Certification #: LA080009

Louisiana Certification #: 03086

Kansas Certification #: E-10167

Iowa Certification #: 368

Illinois Certification #: 200011

Florida/NELAP Certification #: E87605

California Certification #: 01155CA

Montana Certification IDs

Montana Certification #: MT CERT0040

Idaho Certification #: MT00012

EPA Region 8 Certification #: 8TMS-Q

REPORT OF LABORATORY ANALYSIS

Page 2 of 7

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE SUMMARY

Project: #2325 3718 Moon Dr.

Pace Project No.: 1099049

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|------------|------------------|--------|----------------|----------------|
| 1099049001 | 104 DAVIDSON ST. | Air | 07/09/09 14:15 | 07/10/09 08:59 |
| 1099049002 | 3900 MONONA DR. | Air | 07/09/09 15:00 | 07/10/09 08:59 |
| 1099049003 | 4001 MONONA DR. | Air | 07/09/09 15:45 | 07/10/09 08:59 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



SAMPLE ANALYTE COUNT

Project: #2325 3718 Moon Dr.

Pace Project No.: 1099049

| Lab ID | Sample ID | Method | Analysts | Analytes Reported |
|------------|------------------|--------|----------|-------------------|
| 1099049001 | 104 DAVIDSON ST. | TO-15 | DB1 | 4 |
| 1099049002 | 3900 MONONA DR. | TO-15 | DB1 | 4 |
| 1099049003 | 4001 MONONA DR. | TO-15 | DB1 | 4 |

REPORT OF LABORATORY ANALYSIS

Page 4 of 7

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: #2325 3718 Moon Dr.

Pace Project No.: 1099049

| Sample: 104 DAVIDSON ST. | | Lab ID: 1099049001 | Collected: 07/09/09 14:15 | Received: 07/10/09 08:59 | Matrix: Air | | | |
|--------------------------|---------|--------------------------|---------------------------|--------------------------|-------------|----------------|----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | |
| cis-1,2-Dichloroethene | ND | ppbv | 0.80 | 1.54 | | 07/15/09 21:29 | 156-59-2 | |
| Tetrachloroethene | 137 | ppbv | 8.0 | 15.4 | | 07/16/09 15:33 | 127-18-4 | |
| Trichloroethene | ND | ppbv | 0.80 | 1.54 | | 07/15/09 21:29 | 79-01-6 | |
| Vinyl chloride | ND | ppbv | 0.79 | 1.54 | | 07/15/09 21:29 | 75-01-4 | |

| Sample: 3900 MONONA DR. | | Lab ID: 1099049002 | Collected: 07/09/09 15:00 | Received: 07/10/09 08:59 | Matrix: Air | | | |
|-------------------------|---------|--------------------------|---------------------------|--------------------------|-------------|----------------|----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | |
| cis-1,2-Dichloroethene | ND | ppbv | 0.80 | 1.54 | | 07/15/09 22:00 | 156-59-2 | |
| Tetrachloroethene | 43.5 | ppbv | 0.80 | 1.54 | | 07/15/09 22:00 | 127-18-4 | |
| Trichloroethene | ND | ppbv | 0.80 | 1.54 | | 07/15/09 22:00 | 79-01-6 | |
| Vinyl chloride | ND | ppbv | 0.79 | 1.54 | | 07/15/09 22:00 | 75-01-4 | |

| Sample: 4001 MONONA DR. | | Lab ID: 1099049003 | Collected: 07/09/09 15:45 | Received: 07/10/09 08:59 | Matrix: Air | | | |
|-------------------------|---------|--------------------------|---------------------------|--------------------------|-------------|----------------|----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| TO15 MSV AIR | | Analytical Method: TO-15 | | | | | | |
| cis-1,2-Dichloroethene | ND | ppbv | 0.74 | 1.43 | | 07/15/09 22:30 | 156-59-2 | |
| Tetrachloroethene | 276 | ppbv | 7.4 | 14.3 | | 07/16/09 16:01 | 127-18-4 | |
| Trichloroethene | ND | ppbv | 0.74 | 1.43 | | 07/15/09 22:30 | 79-01-6 | |
| Vinyl chloride | ND | ppbv | 0.73 | 1.43 | | 07/15/09 22:30 | 75-01-4 | |

QUALITY CONTROL DATA

Project: #2325 3718 Moon Dr.

Pace Project No.: 1099049

QC Batch: AIR/8840 Analysis Method: TO-15
 QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR
 Associated Lab Samples: 1099049001, 1099049002, 1099049003

METHOD BLANK: 650171 Matrix: Air

Associated Lab Samples: 1099049001, 1099049002, 1099049003

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|------------------------|-------|--------------|-----------------|----------------|------------|
| cis-1,2-Dichloroethene | ppbv | ND | 0.52 | 07/15/09 12:32 | |
| Tetrachloroethene | ppbv | ND | 0.52 | 07/15/09 12:32 | |
| Trichloroethene | ppbv | ND | 0.52 | 07/15/09 12:32 | |
| Vinyl chloride | ppbv | ND | 0.51 | 07/15/09 12:32 | |

LABORATORY CONTROL SAMPLE: 650172

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|------------------------|-------|-------------|------------|-----------|--------------|------------|
| cis-1,2-Dichloroethene | ppbv | 10.3 | 10.4 | 101 | 64-125 | |
| Tetrachloroethene | ppbv | 10.4 | 10.1 | 97 | 61-132 | |
| Trichloroethene | ppbv | 10.1 | 11.8 | 117 | 72-147 | |
| Vinyl chloride | ppbv | 10.3 | 9.9 | 96 | 56-136 | |

SAMPLE DUPLICATE: 650668

| Parameter | Units | 1098666001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|------------------------|-------|-------------------|------------|-----|---------|------------|
| cis-1,2-Dichloroethene | ppbv | ND | ND | | 30 | |
| Tetrachloroethene | ppbv | ND | ND | | 30 | |
| Trichloroethene | ppbv | ND | ND | | 30 | |
| Vinyl chloride | ppbv | ND | ND | | 30 | |

QUALIFIERS

Project: #2325 3718 Moon Dr.

Pace Project No.: 1099049

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

U - Indicates the compound was analyzed for, but not detected.

1099049

AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



| | | | | | |
|---|-----------------|--|------|--|------|
| Section A Required Client Information: | | Section B Required Project Information: | | Section C Invoice Information: | |
| Company: BTZ Inc. Address: 2530 Dury Dr. Madison WI 53718 Email To: Klove@btzinc.com Phone: 608-224-2530 Fax: 608-224-2534 Requested Due Date/TAT: | | Report To: S. Sellwood - BTZ Copy To: Purchase Order No.: Project Name: 318 Moore Dr. Project Number: # 2325 | | Attention: Mr John Nebel Company Name: 318 Moore Dr Address: c/o BTZ Pace Quote Reference: Pace Project Manager/Sales Rep. Pace Profile #: | |
| Section D Required Client Information AIR SAMPLE ID One Character per box. (A-Z, 0-9 / -) | | Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other: PM10 | | Report Level: ii. ___ iii. ___ iv. ___ Other: ___ Location of Sampling by State: WI Reporting Units: mg/m ³ PPMV X Other: ___ Program: | |
| Sample IDs MUST BE UNIQUE | | COLLECTED MEDIA CODE SAMPLE TYPE G-Grab C-Composite | | Method: TO-3 gpx + jphpmv TO-3M PPM MBE TO-14 (g/m ³) TO-15 (g/m ³) TO-15 Low Level TO-13 (PAH) TO-4 (PCBS) PM10 | |
| # | ITEM | DATE | TIME | DATE | TIME |
| 1 | 104 DAVISON ST. | 7/5/09 | 1415 | -21 | -3 |
| 2 | 3900 MONONA DR. | ↓ | 1500 | -25 | -1 |
| 3 | 4001 MONONA DR. | ↓ | 1545 | -25 | -05 |
| 4 | | | | | |
| 5 | | | | | |
| 6 | | | | | |
| 7 | | | | | |
| 8 | | | | | |
| 9 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |

Additional Comments:

| RELINQUISHED BY / AFFILIATION | DATE | TIME | ACCEPTED BY / AFFILIATION | DATE | TIME | SAMPLE CONDITIONS | | | |
|-------------------------------|--------|------|---------------------------|---------|------|-------------------|-----------------|-----------------------|----------------|
| <i>B. Anst</i> | 7/5/09 | 1600 | <i>John Nebel</i> | 7/10/09 | 0859 | Temp in °C | Received on Ice | Custody Sealed Cooler | Samples Intact |
| | | | | | | Y/N | Y/N | Y/N | Y/N |
| | | | | | | Y/N | Y/N | Y/N | Y/N |
| | | | | | | Y/N | Y/N | Y/N | Y/N |

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: *Steven Smith*
 SIGNATURE of SAMPLER: *[Signature]*
 DATE Signed (MM/DD/YY): *07/09/09*

ORIGINAL



AIR Sample Condition Upon Receipt

Client Name: BT2 Inc. Project # 1099049

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Original
Proj. Due Date
Proj. Name

Tracking #: 12 FS1 03V 22 1002 4982

Date and Initials of person examining contents: 7-10-09 JK

Comments:

- Chain of Custody Present: Yes No N/A
- Chain of Custody Filled Out: Yes No N/A
- Chain of Custody Relinquished: Yes No N/A
- Sampler Name & Signature on COC: Yes No N/A
- Samples Arrived within Hold Time: Yes No N/A
- Short Hold Time Analysis (<72hr): Yes No N/A
- Rush Turn Around Time Requested: Yes No N/A
- Sufficient Volume: Yes No N/A
- Correct Containers Used: Yes No N/A
- Pace Containers Used: Yes No N/A
- Containers Intact: Yes No N/A
- Media: AR (can)
- Sample Labels match COC: Yes No N/A

1.
2.
3.
4.
5.
6.
7.
8.
9.
10.
11.
12.

Samples Received: 3 CANS, 3 FC'S

| Canisters | | Flow Controllers | | Stand Alone G | | Tedlar Bags | |
|---------------|-------------|------------------|--------|---------------|--------|---------------|--------|
| Sample Number | Can ID | Sample Number | Can ID | Sample Number | Can ID | Sample Number | Can ID |
| <u>104</u> | <u>0785</u> | | | | | | |
| <u>3900</u> | <u>1254</u> | | | | | | |
| <u>4001</u> | <u>1063</u> | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [Signature]

Date: 7/10/09

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)
A106 Rev.01 (22May2009)

Cedar Falls Division Ph: 1-800-750-2401
 704 Enterprise Drive or (319) 277-2401
 Cedar Falls, IA 50613 Fax: (319) 277-2425

Send Report To: Karen Love - BTZ
 Send Invoice To: Mr. John Nebl - Co BTZ
 Company: BTZ Inc.
 Address: 2830 Dairy Dr.
 City, State, Zip: Madison WI 53718
 Phone: (608) 224-2830 Fax: (608) 224-2839 Email Address: KLove@btzinc.com

Date Results Required: 2 wks.
 Rush Charges Authorized: YES NO
 Fax or Email Results: YES NO

Project Name: 3918 Marona Dr. Project No.: # 2325 P.O. Number: _____

| SAMPLE DESCRIPTION: | SAMPLE DATE: | MEDIA TYPE: | SAMPLE MINUTES: | AIR VOLUME: (Liters) | ANALYSIS: | PUMP NUMBER |
|---------------------|--------------|---------------|-----------------|----------------------|---------------------------|-------------|
| Exhaust - Day #1 | 5/5/09 | Charcoal tube | 30 | 6 | PCE, TCE, and cis-1,2-DCE | |
| Exhaust - Day #2 | 5/6/09 | ↓ | ↓ | ↓ | ↓ | |
| Exhaust - Day #3 | 5/7/09 | ↓ | ↓ | ↓ | ↓ | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| CHAIN OF CUSTODY | | | |
|---------------------------------------|-------------------|---|----------------|
| Collected by: (Print) <u>S. Smith</u> | Date/Time: | Method of Shipment: | Date/Time: |
| Relinquished by: <u>J Valcheff</u> | <u>5/8/09 8am</u> | Received by: <u>[Signature]</u> | <u>5-8 956</u> |
| Relinquished by: | | Received for TestAmerica by: <u>[Signature]</u> | <u>5/9/09</u> |
| Laboratory Use Only: | | Comments: <u>0.2 L/min for 30 minuts</u> <u>[Signature]</u> <u>1020</u> | |

May 19, 2009

Client:

BT2
2830 Dairy Drive
Madison, WI 53718

Work Order: CSE0488
Project Name: Air Tubes 2009
Project Number: 3918 Monona Dr. #2325

Attn: Steve Smith

Date Received: 05/09/09

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-(800)750-2401

| SAMPLE IDENTIFICATION | LAB NUMBER | COLLECTION DATE AND TIME |
|-----------------------|------------|--------------------------|
| Exhaust - Day #1 | CSE0488-01 | 05/05/09 |
| Exhaust - Day #2 | CSE0488-02 | 05/06/09 |
| Exhaust - Day #3 | CSE0488-03 | 05/07/09 |

Case Narrative: Analyzed by Analytics Corp. - Ashland, VA.

Wisconsin Certification Number: 999917270

Field blanks are not used in sample correction unless noted.

Reproduction of this analytical report is permitted only in its entirety. This report shall not be reproduced except in full without the written approval of the laboratory.

TestAmerica Laboratories, Inc. certifies that the analytical results contained herein apply only to the specific sample analyzed.

Approved By:



Michael K. McGee, CIH - Laboratory Director

AIHA Lab Certification Number: #101044

TestAmerica Cedar Falls

Brian C. Graettinger
Operations Manager

BT2
2830 Dairy Drive
Madison, WI 53718
Steve Smith

Work Order: CSE0488
Project: Air Tubes 2009
Project Number: 3918 Monona Dr. #2325

Received: 05/09/09
Reported: 05/19/09 09:52

ANALYTICAL REPORT

| Analyte | Result | Data Qualifiers | Date Analyzed | Analyst | Method | Quant. Limit |
|---|--------------|-------------------------------|---------------|--------------------------|----------------|--------------|
| Sample ID: CSE0488-01 (Exhaust - Day #1) | | Sample Air Volume: 6 L | | Sampled: 05/05/09 | | |
| cis-1,2-Dichloroethene | <80.0ug/tube | <13.3 mg/m3 | <3.36 ppm | 5/16/2009 | bcg NIOSH 1003 | 80.0 |
| Tetrachloroethene | <40.0ug/tube | <6.67 mg/m3 | <0.98 ppm | 5/16/2009 | bcg NIOSH 1003 | 40.0 |
| Trichloroethene | <40.0ug/tube | <6.67 mg/m3 | <1.24 ppm | 5/16/2009 | bcg NIOSH 1022 | 40.0 |
| Sample ID: CSE0488-02 (Exhaust - Day #2) | | Sample Air Volume: 6 L | | Sampled: 05/06/09 | | |
| cis-1,2-Dichloroethene | <80.0ug/tube | <13.3 mg/m3 | <3.36 ppm | 5/16/2009 | bcg NIOSH 1003 | 80.0 |
| Tetrachloroethene | <40.0ug/tube | <6.67 mg/m3 | <0.98 ppm | 5/16/2009 | bcg NIOSH 1003 | 40.0 |
| Trichloroethene | <40.0ug/tube | <6.67 mg/m3 | <1.24 ppm | 5/16/2009 | bcg NIOSH 1022 | 40.0 |
| Sample ID: CSE0488-03 (Exhaust - Day #3) | | Sample Air Volume: 6 L | | Sampled: 05/07/09 | | |
| cis-1,2-Dichloroethene | <80.0ug/tube | <13.3 mg/m3 | <3.36 ppm | 5/16/2009 | bcg NIOSH 1003 | 80.0 |
| Tetrachloroethene | <40.0ug/tube | <6.67 mg/m3 | <0.98 ppm | 5/16/2009 | bcg NIOSH 1003 | 40.0 |
| Trichloroethene | <40.0ug/tube | <6.67 mg/m3 | <1.24 ppm | 5/16/2009 | bcg NIOSH 1022 | 40.0 |

TestAmerica

704 ENTERPRISE DRIVE • CEDAR FALLS, IA 50613
800-750-2401 • 319-277-2425 FAX

THE LEADER IN ENVIRONMENTAL TESTING

IH Sample Receipt Form

Client: 3918 Maunua Dr Project: _____

City: _____

Date: 5/09/09 Receiver's Initials: KB Time (Delivered): 10:20

COC Completed Correctly? Yes No
(Cite inconsistencies below)

Sample Checklist (Check indicates conformance failure)

| | | | |
|--------------------------|-----------------|--------------------------|----------------------------|
| <input type="checkbox"/> | Received Broken | <input type="checkbox"/> | Information Missing |
| <input type="checkbox"/> | Improper Media | <input type="checkbox"/> | Missing Sample |
| <input type="checkbox"/> | Missing Label | <input type="checkbox"/> | Sample Past Hold Date |
| <input type="checkbox"/> | Temperature | <input type="checkbox"/> | Extra Sample |
| <input type="checkbox"/> | COC Discrepancy | <input type="checkbox"/> | Insufficient Sample Volume |
| <input type="checkbox"/> | Other: | | |

Couriers

- | | |
|---|--|
| <input type="checkbox"/> UPS | <input type="checkbox"/> TA Courier |
| <input checked="" type="checkbox"/> FedEx | <input type="checkbox"/> TA Field Services |
| <input type="checkbox"/> FedEx Ground | <input type="checkbox"/> Client |
| <input type="checkbox"/> USPS | <input type="checkbox"/> Other |
| <input type="checkbox"/> Spee-Dee | |

- | |
|---|
| <input type="checkbox"/> Samples Not Received in a Cooler |
| <input checked="" type="checkbox"/> Temperature Not Taken |

Reviewed By BCG Date 5/11/09

Comments Arrived in cooler w/ ice. BCG 5/11/09

Remarks/Action Taken:

Initial/Date:

LABORATORY REQUEST FORM

Cedar Falls Division Ph: 1-800-750-2401
 704 Enterprise Drive or (319) 277-2401
 Cedar Falls, IA 50613 Fax: (319) 277-2425

Send Report To: S. Smith - BTZ

Send Invoice To: Mr. John Nebel - c/o BTZ

Company: BTZ Inc

Address: 2830 Quincy Dr.

City, State, Zip: Madison WI 53718

Phone: (608) 224-2830 Fax: (608) 224-2839 Email Address: SSmith@btzinc.com

Date Results Required: 2 wks
 Rush Charges Authorized: YES NO
 Fax or Email Results: YES NO

Project Name: 3918 Monona Dr. Project No.: # 2325 P.O. Number: _____

| SAMPLE DESCRIPTION: | SAMPLE DATE: | MEDIA TYPE: | SAMPLE MINUTES: | AIR VOLUME: (Liters) | ANALYSIS: | PUMP NUMBER |
|---------------------|--------------|---------------|-----------------|----------------------|------------------------------|-------------|
| Exhaust - week # 2 | 5/12/09 | Chercon +K | 30 | 6 | PCE, TCE, and cis-1,2-DCE | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

CHAIN OF CUSTODY

| | | | |
|---------------------------------------|----------------|--|---------------------|
| Collected by: (Print) <u>S. Smith</u> | Date/Time: | Method of Shipment: | Date/Time: |
| Relinquished by: | | Received by: <u>Roy Wynn</u> | <u>5/14/09 8:45</u> |
| Relinquished by: <u>Roy Wynn</u> | <u>5/14/09</u> | Received for TestAmerica by: <u>Connie Hobst</u> | <u>5-16-09 9:10</u> |
| Laboratory Use Only: | <u>1302</u> | Comments: | <u>on ice</u> |

May 26, 2009

Client:

BT2
2830 Dairy Drive
Madison, WI 53718

Work Order: CSE0865
Project Name: Air Tubes 2009
Project Number: 3918 Monona Dr. #2325, Week #2

Attn: Steve Smith

Date Received: 05/16/09

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-(800)750-2401

| SAMPLE IDENTIFICATION | LAB NUMBER | COLLECTION DATE AND TIME |
|-----------------------|------------|--------------------------|
| Exhaust - Week #2 | CSE0865-01 | 05/12/09 |

Case Narrative: Analyzed by Analytics Corp. - Ashland, VA.
Wisconsin Certification Number: 999917270

Field blanks are not used in sample correction unless noted.

Reproduction of this analytical report is permitted only in its entirety. This report shall not be reproduced except in full without the written approval of the laboratory.

TestAmerica Laboratories, Inc. certifies that the analytical results contained herein apply only to the specific sample analyzed.

Approved By:



Michael K. McGee, CIH - Laboratory Director

AIHA Lab Certification Number: #101044

TestAmerica Cedar Falls
Brian C. Gaettinger
Operations Manager

BT2
2830 Dairy Drive
Madison, WI 53718
Steve Smith

Work Order: CSE0865
Project: Air Tubes 2009
Project Number: 3918 Monona Dr. #2325, Week #2

Received: 05/16/09
Reported: 05/26/09 09:59

ANALYTICAL REPORT

| Analyte | Result | Data Qualifiers | Date Analyzed | Analyst | Method | Quant. Limit |
|--|--------------|-------------------------------|---------------|--------------------------|----------------|--------------|
| Sample ID: CSE0865-01 (Exhaust - Week #2) | | Sample Air Volume: 6 L | | Sampled: 05/12/09 | | |
| cis-1,2-Dichloroethene | <80.0ug/tube | <13.3 mg/m3 | <3.36 ppm | 5/22/2009 | beg NIOSH 1003 | 80.0 |
| Tetrachloroethene | <40.0ug/tube | <6.67 mg/m3 | <0.98 ppm | 5/22/2009 | beg NIOSH 1003 | 40.0 |
| Trichloroethene | <40.0ug/tube | <6.67 mg/m3 | <1.24 ppm | 5/22/2009 | beg NIOSH 1022 | 40.0 |

TestAmerica

704 ENTERPRISE DRIVE • CEDAR FALLS, IA 50613
800-750-2401 • 319-277-2425 FAX

THE LEADER IN ENVIRONMENTAL TESTING

IH Sample Receipt Form

Client: BT2 Project: _____

City: _____

Date: 5-16-09 Receiver's Initials: CH Time (Delivered): 9:10

COC Completed Correctly? Yes No
(Cite inconsistencies below)

Sample Checklist (Check indicates conformance failure)

| | | | |
|--------------------------|-----------------|--------------------------|----------------------------|
| <input type="checkbox"/> | Received Broken | <input type="checkbox"/> | Information Missing |
| <input type="checkbox"/> | Improper Media | <input type="checkbox"/> | Missing Sample |
| <input type="checkbox"/> | Missing Label | <input type="checkbox"/> | Sample Past Hold Date |
| <input type="checkbox"/> | Temperature | <input type="checkbox"/> | Extra Sample |
| <input type="checkbox"/> | COC Discrepancy | <input type="checkbox"/> | Insufficient Sample Volume |
| <input type="checkbox"/> | Other: | | |

Couriers

- | | |
|---|--|
| <input type="checkbox"/> UPS | <input type="checkbox"/> TA Courier |
| <input checked="" type="checkbox"/> FedEx | <input type="checkbox"/> TA Field Services |
| <input type="checkbox"/> FedEx Ground | <input type="checkbox"/> Client |
| <input type="checkbox"/> USPS | <input type="checkbox"/> Other |
| <input type="checkbox"/> Spee-Dee | |

- | |
|---|
| <input type="checkbox"/> Samples Not Received in a Cooler |
| <input type="checkbox"/> Temperature Not Taken |

Reviewed By EL Date 5/13/09

Comments 0.8°C TA WT cooler
ice
ok

Remarks/Action Taken:

Initial/Date:



LABORATORY REQUEST FORM

Cedar Falls Division Ph: 1-800-750-2401
 704 Enterprise Drive or (319) 277-2401
 Cedar Falls, IA 50613 Fax: (319) 277-2425

Send Report To: S. Smith - BT²
 Send Invoice To: Mr. John Nebel c/o BT²
 Company: BT² Inc.
 Address: 2830 Dairy Dr.
 City, State, Zip: Madison WI 53718
 Phone: (608) 224-2830 Fax: (608) 224-2839
s.smith@bt2inc.com

Date Results Requested: 2 wks
 Rush Charges Authorized: YES NO
 Fax Results: YES NO

Project Name: 3915 Monona Dr. Project No.: #2325 P.O. Number: _____

| SAMPLE DESCRIPTION: | SAMPLE DATE: | MEDIA TYPE: | SAMPLE MINUTES: | AIR VOLUME: (Liters) | ANALYSIS: | PUMP NUMBER: |
|---------------------|--------------|---------------|-----------------|----------------------|--------------------------|--------------|
| Exhaust - week #3 | 5/19/09 | Charcoal tube | 30 | 6 | PCE, TCE, and CD-1,2-DCE | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

CHAIN OF CUSTODY

| | | | |
|---|------------------|---|------------------|
| Collected by: (Print) <u>S. Smith</u> | Date/Time: _____ | Method of Shipment: _____ | Date/Time: _____ |
| Relinquished by: <u>J. Gueland</u> | <u>5.20.09</u> | Received for TestAmerica by: <u>Roy Wray</u> | <u>5/20/09</u> |
| Laboratory Use Only: <u>Roy Wray 5/20/09 1400</u> | | Comments: <u>Connie Holst 5-2209 9:00 AM on Ice</u> | |

June 02, 2009

Client:

BT2
2830 Dairy Drive
Madison, WI 53718

Work Order: CSE1132
Project Name: Air Tubes 2009
Project Number: 3918 Monona Dr. #2325, Week #2

Attn: Steve Smith

Date Received: 05/22/09

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-(800)750-2401

| SAMPLE IDENTIFICATION | LAB NUMBER | COLLECTION DATE AND TIME |
|-----------------------|------------|--------------------------|
| Exhaust - Week #3 | CSE1132-01 | 05/19/09 |

Case Narrative: Analyzed by Analytics Corp. - Ashland, VA.

Field blanks are not used in sample correction unless noted.

Reproduction of this analytical report is permitted only in its entirety. This report shall not be reproduced except in full without the written approval of the laboratory.

TestAmerica Laboratories, Inc. certifies that the analytical results contained herein apply only to the specific sample analyzed.

Approved By:



Michael K. McGee, CIH - Laboratory Director

AIHA Lab Certification Number: #101044

TestAmerica Cedar Falls
Brian C. Graettinger
Operations Manager

BT2
2830 Dairy Drive
Madison, WI 53718
Steve Smith

Work Order: CSE1132
Project: Air Tubes 2009
Project Number: 3918 Monona Dr. #2325, Week #2

Received: 05/22/09
Reported: 06/02/09 15:39

ANALYTICAL REPORT

| Analyte | Result | Data Qualifiers | Date Analyzed | Analyst | Method | Quant. Limit |
|--|--------------|-------------------------------|---------------|--------------------------|----------------|--------------|
| Sample ID: CSE1132-01 (Exhaust - Week #3) | | Sample Air Volume: 6 L | | Sampled: 05/19/09 | | |
| cis-1,2-Dichloroethene | <80.0ug/tube | <13.3 mg/m3 | <3.36 ppm | 5/28/2009 | beg NIOSH 1003 | 80.0 |
| Tetrachloroethene | <40.0ug/tube | <6.67 mg/m3 | <0.98 ppm | 5/28/2009 | beg NIOSH 1003 | 40.0 |
| Trichloroethene | <40.0ug/tube | <6.67 mg/m3 | <1.24 ppm | 5/28/2009 | beg NIOSH 1022 | 40.0 |

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

704 ENTERPRISE DRIVE • CEDAR FALLS, IA 50613
800-750-2401 • 319-277-2425 FAX

IH Sample Receipt Form

Client: BT² Inc. Project: _____

City: _____

Date: 5-22-09 Receiver's Initials: CH Time (Delivered): 9:00

COC Completed Correctly? Yes No
(Cite inconsistencies below)

Sample Checklist (Check indicates conformance failure)

| | | | |
|--------------------------|-----------------|--------------------------|----------------------------|
| <input type="checkbox"/> | Received Broken | <input type="checkbox"/> | Information Missing |
| <input type="checkbox"/> | Improper Media | <input type="checkbox"/> | Missing Sample |
| <input type="checkbox"/> | Missing Label | <input type="checkbox"/> | Sample Past Hold Date |
| <input type="checkbox"/> | Temperature | <input type="checkbox"/> | Extra Sample |
| <input type="checkbox"/> | COC Discrepancy | <input type="checkbox"/> | Insufficient Sample Volume |
| <input type="checkbox"/> | Other: | | |

Couriers

- | | |
|--|--|
| <input type="checkbox"/> UPS | <input type="checkbox"/> TA Courier |
| <input type="checkbox"/> FedEx | <input type="checkbox"/> TA Field Services |
| <input checked="" type="checkbox"/> FedEx Ground | <input type="checkbox"/> Client |
| <input type="checkbox"/> USPS | <input type="checkbox"/> Other |
| <input type="checkbox"/> Spee-Dee | |

- | |
|---|
| <input type="checkbox"/> Samples Not Received in a Cooler |
| <input type="checkbox"/> Temperature Not Taken |

Reviewed By SLD Date 5/22/09

Comments 3.6°C ice TA WT cooler

Remarks/Action Taken:

Initial/Date:



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000141

Bill To

Customer ID: 320225

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

Monitor Point ID:

PWS ID#:

WI Unique Well#:

Entry Point ID:

Date Received: 07/12/2013 05:24:00

Date Reported: 07/24/2013

Sample Reason:

System Type:

System Name:

City:

Collection: Date/Time: 07/11/2013 10:06:00

Collected By:

County:

Source Code: AIR

Sample Location: CLASSIC CLEANERS - 4001 MONONA DR # 1

Sample Description: SUB SLAB VAPOR SAMPLE

Analyses and Results:

| Analysis Date | Lab Comment | | | | | |
|----------------------------|--|-------|-----|-----|--------------|--|
| 07/19/2013 | LOD NOT ACHIEVABLE DUE TO DILUTION - *D. | | | | | |
| Analysis Method | Result | Units | LOD | LOQ | Report Limit | |
| VINYL CHLORIDE | *D< 200 | PPB V | | | 20. | |
| TRANS-1,2-DICHLOROETHYLENE | *D< 200 | PPB V | | | 20. | |
| CIS-1,2-DICHLOROETHYLENE | *D< 200 | PPB V | | | 20. | |
| TRICHLOROETHYLENE | *D< 200 | PPB V | | | 20. | |
| TETRACHLOROETHYLENE | 641. | PPB V | | | 20. | |



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000141

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: Steve Geis Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000142

Bill To

Customer ID: 320225

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

Monitor Point ID:

PWS ID#:

WI Unique Well#:

Entry Point ID:

Date Received: 07/12/2013 05:24:00

Date Reported: 07/24/2013

Sample Reason:

System Type:

System Name:

City:

Collection: Date/Time: 07/11/2013 10:43:00

Collected By:

County:

Source Code: AIR

Sample Location: CLASSIC CLEANERS - 4001 MONONA DR # 2

Sample Description: SUB SLAB VAPOR SAMPLE

Analyses and Results:

| Analysis Date | Lab Comment | | | | | |
|----------------------------|--------------------------------------|-------|-----|-----|--------------|--|
| 07/19/2013 | LOD NOT ACHIEVABLE TO DILUTION - *D. | | | | | |
| Analysis Method | Result | Units | LOD | LOQ | Report Limit | |
| VINYL CHLORIDE | *D< 200 | PPB V | | | 20. | |
| TRANS-1,2-DICHLOROETHYLENE | *D< 200 | PPB V | | | 20. | |
| CIS-1,2-DICHLOROETHYLENE | *D< 200 | PPB V | | | 20. | |
| TRICHLOROETHYLENE | *D< 200 | PPB V | | | 20. | |
| TETRACHLOROETHYLENE | 324. | PPB V | | | 20. | |



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000142

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: Steve Geis Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000145

Bill To

Customer ID: 320225

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

Monitor Point ID:

PWS ID#:

WI Unique Well#:

Entry Point ID:

Date Received: 07/12/2013 05:24:00

Date Reported: 07/24/2013

Sample Reason:

System Type:

System Name:

City:

Collection: Date/Time: 07/11/2013 15:00:00

Collected By:

County:

Source Code: AIR

Sample Location: CLASSIC CLEANERS - 104 DAVIDSON #2

Sample Description: SUB SLAB VAPOR SAMPLE

Analyses and Results:

| Analysis Date | Lab Comment | | | | | |
|----------------------------|--|-------|-----|-----|--------------|--|
| 07/18/2013 | LOD NOT ACHIEVABLE DUE TO DILUTION - *D. | | | | | |
| Analysis Method | Result | Units | LOD | LOQ | Report Limit | |
| VINYL CHLORIDE | <20. | PPB V | | | 20. | |
| TRANS-1,2-DICHLOROETHYLENE | <20. | PPB V | | | 20. | |
| CIS-1,2-DICHLOROETHYLENE | <20. | PPB V | | | 20. | |
| TRICHLOROETHYLENE | <20. | PPB V | | | 20. | |
| TETRACHLOROETHYLENE | 33. | PPB V | | | 20. | |



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000145

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: Steve Geis Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000143

Bill To

Customer ID: 320225

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

Monitor Point ID:

PWS ID#:

WI Unique Well#:

Entry Point ID:

Date Received: 07/12/2013 05:24:00

Date Reported: 07/24/2013

Sample Reason:

System Type:

System Name:

City:

Collection: Date/Time: 07/11/2013 12:05:00

Collected By:

County:

Source Code: AIR

Sample Location: CLASSIC CLEANERS - 3916 MONONA DR

Sample Description: SUB SLAB VAPOR SAMPLE

Analyses and Results:

| Analysis Date | Lab Comment | | | | | |
|----------------------------|--|-------|-----|-----|--------------|--|
| 07/22/2013 | LOD NOT ACHIEVABLE DUE TO DILUTION - *D. | | | | | |
| Analysis Method | Result | Units | LOD | LOQ | Report Limit | |
| VINYL CHLORIDE | *D< 800 | PPB V | | | 20. | |
| TRANS-1,2-DICHLOROETHYLENE | *D< 800 | PPB V | | | 20. | |
| CIS-1,2-DICHLOROETHYLENE | *D< 800 | PPB V | | | 20. | |
| TRICHLOROETHYLENE | *D< 800 | PPB V | | | 20. | |
| TETRACHLOROETHYLENE | 2010. | PPB V | | | 20. | |



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000143

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: Steve Geis Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000144

Bill To

Customer ID: 320225

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

Monitor Point ID:

PWS ID#:

WI Unique Well#:

Entry Point ID:

Date Received: 07/12/2013 05:24:00

Date Reported: 07/24/2013

Sample Reason:

System Type:

System Name:

City:

Collection: Date/Time: 07/11/2013 13:20:00

Collected By:

County:

Source Code: AIR

Sample Location: CLASSIC CLEANERS - 3918 MONONA DR

Sample Description: SUB SLAB VAPOR SAMPLE

Analyses and Results:

| Analysis Date | Lab Comment | | | | | |
|----------------------------|--|-------|-----|-----|--------------|--|
| 07/23/2013 13:38:41 | LOD NOT ACHIEVABLE DUE TO DILUTION - *D. | | | | | |
| Analysis Method | Result | Units | LOD | LOQ | Report Limit | |
| VINYL CHLORIDE | *D< 800 | PPB V | | | 20. | |
| TRANS-1,2-DICHLOROETHYLENE | *D< 800 | PPB V | | | 20. | |
| CIS-1,2-DICHLOROETHYLENE | *D< 800 | PPB V | | | 20. | |
| TRICHLOROETHYLENE | *D< 800 | PPB V | | | 20. | |
| TETRACHLOROETHYLENE | 2180. | PPB V | | | 20. | |



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000144

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: Steve Geis Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 • FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000140

Bill To

Customer ID: 320225

TRACKING 4920

2601 AGRICULTURAL DRIVE

MADISON WI 53718

Monitor Point ID:

PWS ID#:

WI Unique Well#:

Entry Point ID:

Date Received: 07/12/2013 05:24:00

Date Reported: 07/24/2013

Sample Reason:

System Type:

System Name:

City:

Collection: Date/Time: 07/11/2013 09:14:00

Collected By:

County:

Source Code: AIR

Sample Location: CLASSIC CLEANERS - 3939 MONONA DR

Sample Description: SUB SLAB VAPOR SAMPLE

Analyses and Results:

| Analysis Date | Lab Comment | | | | | |
|----------------------------|-------------|-------|-----|-----|--------------|--|
| 07/19/2013 | | | | | | |
| Analysis Method | Result | Units | LOD | LOQ | Report Limit | |
| VINYL CHLORIDE | <20. | PPB V | | | 20. | |
| TRANS-1,2-DICHLOROETHYLENE | <20. | PPB V | | | 20. | |
| CIS-1,2-DICHLOROETHYLENE | <20. | PPB V | | | 20. | |
| TRICHLOROETHYLENE | <20. | PPB V | | | 20. | |
| TETRACHLOROETHYLENE | 33. | PPB V | | | 20. | |



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 • FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director • Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

Organic Chemistry

WDNR LAB ID: 113133790

NELAP LAB ID: E37658 EPA LAB WI00007

WI DATCP ID: 105-415

WSLH Sample: OY000140

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

Responsible Party: Steve Geis Steve Geis, Chemist Supervisor

If there are questions about this report, please contact Steve Geis at 608-224-6269.

The results in this report apply only to the sample specifically listed above. This report is not to be reproduced except in full.



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790 NELAP LAB ID: E37658 EPA LAB ID: WI00007 WI DATCP ID: 105-415

WSLH Sample: 206227001

Report To:
 STEVE SMITH - SCS
 SCS ENGINEERS
 2830 DAIRY DRIVE
 MADISON, WI 53718

Invoice To:
 2830 DAIRY DR
 MADISON, WI 53718-6751

Customer ID: 12858

Field #: IA-101
 Project No: CLSSC CLNRS (MONONA)
 Collection End: 7/16/2015 9:13:00 AM
 Collection Start: 07/15/15 1032
 Collected By: TBM
 Date Received: 7/16/2015
 Date Reported: 7/27/2015
 Sample Reason:

ID#:
 Sample Location:
 Sample Description:
 Sample Type: AI-INDOOR AIR
 Waterbody:
 Point or Outfall:
 Sample Depth:
 Program Code:
 Region Code:
 County:

OC-Volatiles

| Analyte | Analysis Method | Result | Units | LOD | LOQ |
|--|-----------------|--------|-------|-------|------|
| Prep Date 07/23/15 Analysis Date 07/23/15 | | | | | |
| Vinyl chloride | EPA TO-15 | ND | ppbv | 0.085 | 0.28 |
| trans-1,2-Dichloroethene | EPA TO-15 | 0.19F | ppbv | 0.085 | 0.28 |
| cis-1,2-Dichloroethene | EPA TO-15 | ND | ppbv | 0.085 | 0.28 |
| Trichloroethene | EPA TO-15 | ND | ppbv | 0.085 | 0.28 |
| Tetrachloroethene | EPA TO-15 | 0.29 | ppbv | 0.085 | 0.28 |



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 206227001

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: Tracy Hanke, Lab Manager, 608-224-6270

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: Al Spallato, Lab Manager, 608-224-6269

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

Environmental Toxicology: Dave Webb, Lab Manager, 608-224-6200



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790 NELAP LAB ID: E37658 EPA LAB ID: WI00007 WI DATCP ID: 105-415

WSLH Sample: 206227002

Report To:
 STEVE SMITH - SCS
 SCS ENGINEERS
 2830 DAIRY DRIVE
 MADISON, WI 53718

Invoice To:
 2830 DAIRY DR
 MADISON, WI 53718-6751

Customer ID: 12858

Field #: IA-102
 Project No: CLSSC CLNRS (MONONA)
 Collection End: 7/16/2015 9:12:00 AM
 Collection Start: 07/15/15 1025
 Collected By: TBM
 Date Received: 7/16/2015
 Date Reported: 7/27/2015
 Sample Reason:

ID#:
 Sample Location:
 Sample Description:
 Sample Type: AI-INDOOR AIR
 Waterbody:
 Point or Outfall:
 Sample Depth:
 Program Code:
 Region Code:
 County:

OC-Volatiles

| Analyte | Analysis Method | Result | Units | LOD | LOQ |
|--|-----------------|--------|-------|-------|------|
| Prep Date 07/23/15 Analysis Date 07/23/15 | | | | | |
| Vinyl chloride | EPA TO-15 | ND | ppbv | 0.085 | 0.28 |
| trans-1,2-Dichloroethene | EPA TO-15 | ND | ppbv | 0.085 | 0.28 |
| cis-1,2-Dichloroethene | EPA TO-15 | ND | ppbv | 0.085 | 0.28 |
| Trichloroethene | EPA TO-15 | ND | ppbv | 0.085 | 0.28 |
| Tetrachloroethene | EPA TO-15 | 0.74 | ppbv | 0.085 | 0.28 |



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 206227002

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: Tracy Hanke, Lab Manager, 608-224-6270

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: Al Spallato, Lab Manager, 608-224-6269

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

Environmental Toxicology: Dave Webb, Lab Manager, 608-224-6200



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790 NELAP LAB ID: E37658 EPA LAB ID: WI00007 WI DATCP ID: 105-415

WSLH Sample: 206227003

Report To:
 STEVE SMITH - SCS
 SCS ENGINEERS
 2830 DAIRY DRIVE
 MADISON, WI 53718

Invoice To:
 2830 DAIRY DR
 MADISON, WI 53718-6751

Customer ID: 12858

Field #: IA-103
 Project No: CLSSC CLNRS (MONONA)
 Collection End: 7/16/2015 9:07:00 AM
 Collection Start: 07/15/15 1012
 Collected By: TBM
 Date Received: 7/16/2015
 Date Reported: 7/27/2015
 Sample Reason:

ID#:
 Sample Location:
 Sample Description:
 Sample Type: AI-INDOOR AIR
 Waterbody:
 Point or Outfall:
 Sample Depth:
 Program Code:
 Region Code:
 County:

OC-Volatiles

| Analyte | Analysis Method | Result | Units | LOD | LOQ |
|--------------------------|------------------------|--------|-------|------|------|
| Prep Date 07/23/15 | Analysis Date 07/23/15 | | | | |
| Vinyl chloride | EPA TO-15 | ND | ppbv | 0.17 | 0.56 |
| trans-1,2-Dichloroethene | EPA TO-15 | ND | ppbv | 0.17 | 0.56 |
| cis-1,2-Dichloroethene | EPA TO-15 | ND | ppbv | 0.17 | 0.56 |
| Trichloroethene | EPA TO-15 | ND | ppbv | 0.17 | 0.56 |
| Tetrachloroethene | EPA TO-15 | 0.23F | ppbv | 0.17 | 0.56 |



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 206227003

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: Tracy Hanke, Lab Manager, 608-224-6270

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: Al Spallato, Lab Manager, 608-224-6269

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

Environmental Toxicology: Dave Webb, Lab Manager, 608-224-6200



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790 NELAP LAB ID: E37658 EPA LAB ID: WI00007 WI DATCP ID: 105-415

WSLH Sample: 206227004

Report To:
 STEVE SMITH - SCS
 SCS ENGINEERS
 2830 DAIRY DRIVE
 MADISON, WI 53718

Invoice To:
 2830 DAIRY DR
 MADISON, WI 53718-6751

Customer ID: 12858

Field #: IA-104
 Project No: CLSSC CLNRS (MONONA)
 Collection End: 7/16/2015 9:11:00 AM
 Collection Start: 07/15/15 1020
 Collected By: TBM
 Date Received: 7/16/2015
 Date Reported: 7/27/2015
 Sample Reason:

ID#:
 Sample Location:
 Sample Description:
 Sample Type: AI-INDOOR AIR
 Waterbody:
 Point or Outfall:
 Sample Depth:
 Program Code:
 Region Code:
 County:

OC-Volatiles

| Analyte | Analysis Method | Result | Units | LOD | LOQ |
|--|-----------------|--------|-------|-------|------|
| Prep Date 07/23/15 Analysis Date 07/23/15 | | | | | |
| Vinyl chloride | EPA TO-15 | ND | ppbv | 0.085 | 0.28 |
| trans-1,2-Dichloroethene | EPA TO-15 | 1.0 | ppbv | 0.085 | 0.28 |
| cis-1,2-Dichloroethene | EPA TO-15 | ND | ppbv | 0.085 | 0.28 |
| Trichloroethene | EPA TO-15 | ND | ppbv | 0.085 | 0.28 |
| Tetrachloroethene | EPA TO-15 | 0.24F | ppbv | 0.085 | 0.28 |



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 206227004

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: Tracy Hanke, Lab Manager, 608-224-6270

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: Al Spallato, Lab Manager, 608-224-6269

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

Environmental Toxicology: Dave Webb, Lab Manager, 608-224-6200

REQUEST FOR SERVICES



ENVIROSCAN SERVICES

301 W. MILITARY RD.

ROTHSCHILD, WI 54474


1-800-338-SCAN

REPORT TO:

Name: Tom Bergemini
 Company: BT², Inc
 Address: 2830 Dairy Drive
Madison WI 53718
 Phone: (608) 224-2830
 P.O. # _____
 Project # 2325 Quote # _____
 Location Classic Cleaners, 3918 Monona Drive
Madison WI

BILL TO: (if different from Report To info)

Name: _____
 Company: _____
 Address: _____
 Phone: () _____



Sample Type

(Check all that apply)

- Groundwater
- Wastewater
- Soil/Solid
- Drinking Water
- Oil
- Vapor
- Other

Turnaround Time

- Normal Jan 9/17/02
- Rush (Pre-approved by Lab)
- 5-Day Turn - e-mail
- Date Needed _____
- Approved By Greg Flak 9-26

*1 P.S. Container
1 Doz. Vac. Methanol
VOCs
Dry wt*

| LAB USE ONLY | DATE | TIME | No. of Containers | | SAMPLE ID | REMARKS | | | | | | | | | | | |
|--------------|---------|----------|-------------------|------|--------------------|---------|---|--|--|--|--|--|--|--|--|--|------------------------------|
| | | | COMP | GRAB | | | | | | | | | | | | | |
| 15112012 | 9/17/02 | 9:45 AM | | X | GB1 S1 @ 0-2' | X | X | | | | | | | | | | |
| 15112013 | 9/17/02 | 10:00 AM | | X | GB1 S3 @ 4-6' | X | X | | | | | | | | | | |
| 15112014 | 9/17/02 | 11:00 AM | | X | GB2 S5 @ 8-10' | X | X | | | | | | | | | | |
| 15112015 | 9/17/02 | 11:30 AM | | X | GB2 Groundwater | X | | | | | | | | | | | 30 uals w/HCl |
| 15112016 | 9/17/02 | 12:45 PM | | X | GB3 S1 @ 0-2' | X | X | | | | | | | | | | |
| 15112017 | 9/17/02 | 1:00 PM | | - | Methanol Blank | X | | | | | | | | | | | |
| 15112018 | 9/17/02 | - | | - | Trip Blank (water) | X | | | | | | | | | | | TB045 B211901UR DSO G-402 |

CHAIN OF CUSTODY RECORD

| | | | |
|---|--------------------------|---|-----------------------------------|
| SAMPLERS: (Signature) <u>John Mason, BT², Inc.</u> | | | |
| RELINQUISHED BY: (Signature) <u>K Lowe</u> | DATE/TIME <u>9/18</u> | RECEIVED BY: (Signature) | |
| RELINQUISHED BY: (Signature) <u>Riser</u> | DATE/TIME <u>9-18</u> | RECEIVED BY: (Signature) | |
| RELINQUISHED BY: (Signature) | DATE/TIME | RECEIVED FOR LABORATORY BY: (Signature) | DATE/TIME <u>9-19-02 11:30</u> |

Del'v. Hand Comm _____
 Ship. Cont. OK _____
 Samples leaking? Y N N/A
 Seals OK? Y N N/A
 Rec'd on ice? Y N N/A 4°C

Comments: _____

September 26, 2002

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

Attn: Tom Bergamini

REPORT NO.: 112012

PROJECT NO.: 2325

Please find enclosed the analytical report, including the Sample Summary, Sample Narrative and Chain of Custody for your sample set received September 19, 2002.

All analyses were performed in accordance with approved methods as indicated on this report.

If you have any questions about the results, please call. Thank you for using USFilter, Enviroscan Services for your analytical needs.

Sincerely,

USFilter, Enviroscan Services



Sharon K. Maltbey
Customer Service Representative

I certify that the data contained in this report has been generated and reviewed in accordance with the USFilter, Enviroscan Services Quality Assurance Program. Exceptions, if any, are discussed in the sample narrative. Samples will be retained for 30 days from the date of this report, then disposed in an appropriate manner. USFilter, Enviroscan Services reserves the right to return samples identified as hazardous. Release of this Final Report is authorized as verified by the following signature.

Approved by:



Sample Summary

112012.2

| <u>Lab Id</u> | <u>Client Sample ID</u> | <u>Date/Time</u> | <u>Matrix</u> |
|---------------|-------------------------|------------------|---------------|
| 112012 | GB1 S1 0-2' | 09/17/02 09:45 | SOIL |
| 112013 | GB1 S3 4-6' | 09/17/02 10:00 | SOIL |
| 112014 | GB2 S5 8-10 | 09/17/02 11:00 | SOIL |
| 112015 | GB2 GW | 09/17/02 11:30 | GROUNDWATER |
| 112016 | GB3 S1 0-2' | 09/17/02 12:45 | SOIL |
| 112017 | MEOH BLANK-USF | 09/17/02 | SOIL |
| 112018 | TRIP BLANK-USF | 09/17/02 | WATER |

Sample Narrative/Sample StatusLOGIN:GENERAL:ANALYSES:QA/QC:REPORTING:Definitions

LOD = Limit of Detection
LOQ = Limit of Quantitation
< = Less Than
COMP = Complete
SUBCON = Subcontracted analysis
mv = millivolts
pCi/l = picocurie per liter
mL/l = mililiters/Liter

$\mu\text{g/l}$ = Micrograms per liter = parts per billion (ppb)
 $\mu\text{g/kg}$ = Micrograms per kilogram = parts per billion (ppb)
mg/l = Milligrams per liter = parts per million (ppm)
mg/kg = Milligrams per kilogram = parts per million (ppm)
NOT PRES = Not Present
ppth = Parts per thousand
(S) = Surrogate Compound

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 112012.3
DATE REC'D : 09/19/02
REPORT DATE: 09/26/02
PREPARED BY: SKM

Attn: Tom Bergamini

Sample ID: **GB1 S1 0-2'** Matrix: **SOIL** Sample Date/Time: **09/17/02 09:45** Lab No. **112012**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|--------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.2 | mg/kg | 0.008 | 0.0266 | 10 | | 09/20/02 | LMP |
| Bromobenzene | <0.2 | mg/kg | 0.007 | 0.0233 | 10 | | 09/20/02 | LMP |
| Bromodichloromethane | <0.2 | mg/kg | 0.006 | 0.02 | 10 | | 09/20/02 | LMP |
| n-Butylbenzene | <0.2 | mg/kg | 0.012 | 0.04 | 10 | | 09/20/02 | LMP |
| sec-Butylbenzene | <0.2 | mg/kg | 0.01 | 0.0333 | 10 | | 09/20/02 | LMP |
| tert-Butylbenzene | <0.2 | mg/kg | 0.01 | 0.0333 | 10 | | 09/20/02 | LMP |
| Carbon Tetrachloride | <0.2 | mg/kg | 0.008 | 0.0266 | 10 | | 09/20/02 | LMP |
| Chlorobenzene | <0.2 | mg/kg | 0.007 | 0.0233 | 10 | | 09/20/02 | LMP |
| Chlorodibromomethane | <0.2 | mg/kg | 0.02 | 0.0666 | 10 | | 09/20/02 | LMP |
| Chloroethane | <0.2 | mg/kg | 0.09 | 0.3 | 10 | CSH | 09/20/02 | LMP |
| Chloroform | <0.2 | mg/kg | 0.01 | 0.0333 | 10 | | 09/20/02 | LMP |
| Chloromethane | <0.2 | mg/kg | 0.01 | 0.0333 | 10 | CSH | 09/20/02 | LMP |
| 2-Chlorotoluene | <0.2 | mg/kg | 0.008 | 0.0266 | 10 | | 09/20/02 | LMP |
| 4-Chlorotoluene | <0.2 | mg/kg | 0.008 | 0.0266 | 10 | | 09/20/02 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.2 | mg/kg | 0.009 | 0.03 | 10 | | 09/20/02 | LMP |
| 1,2-Dibromoethane | <0.2 | mg/kg | 0.012 | 0.04 | 10 | | 09/20/02 | LMP |
| 1,2-Dichlorobenzene | <0.2 | mg/kg | 0.008 | 0.0266 | 10 | | 09/20/02 | LMP |
| 1,3-Dichlorobenzene | <0.2 | mg/kg | 0.008 | 0.0266 | 10 | | 09/20/02 | LMP |
| 1,4-Dichlorobenzene | <0.2 | mg/kg | 0.008 | 0.0266 | 10 | | 09/20/02 | LMP |
| Dichlorodifluoromethane | <0.2 | mg/kg | 0.014 | 0.0466 | 10 | CSH LCL DUP | 09/20/02 | LMP |
| 1,1-Dichloroethane | <0.2 | mg/kg | 0.009 | 0.03 | 10 | CSH | 09/20/02 | LMP |
| 1,2-Dichloroethane | <0.2 | mg/kg | 0.005 | 0.0167 | 10 | CSH LCH | 09/20/02 | LMP |
| 1,1-Dichloroethylene | <0.2 | mg/kg | 0.016 | 0.0533 | 10 | | 09/20/02 | LMP |
| cis-1,2-Dichloroethylene | <0.2 | mg/kg | 0.007 | 0.0233 | 10 | | 09/20/02 | LMP |
| trans-1,2-Dichloroethylene | <0.2 | mg/kg | 0.01 | 0.0333 | 10 | | 09/20/02 | LMP |
| 1,2-Dichloropropane | <0.2 | mg/kg | 0.007 | 0.0233 | 10 | | 09/20/02 | LMP |
| 1,3-Dichloropropane | <0.2 | mg/kg | 0.008 | 0.0266 | 10 | | 09/20/02 | LMP |
| 2,2-Dichloropropane | <0.2 | mg/kg | 0.008 | 0.0266 | 10 | CSL | 09/20/02 | LMP |
| Ethylbenzene | <0.2 | mg/kg | 0.007 | 0.0233 | 10 | | 09/20/02 | LMP |
| Hexachlorobutadiene | <0.2 | mg/kg | 0.015 | 0.05 | 10 | | 09/20/02 | LMP |
| Isopropylbenzene | <0.2 | mg/kg | 0.009 | 0.03 | 10 | | 09/20/02 | LMP |
| Isopropyl Ether | <0.2 | mg/kg | 0.014 | 0.0466 | 10 | | 09/20/02 | LMP |
| p-Isopropyltoluene | <0.2 | mg/kg | 0.011 | 0.0366 | 10 | | 09/20/02 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.2 | mg/kg | 0.018 | 0.0599 | 10 | CSL | 09/20/02 | LMP |
| Methylene Chloride | <0.2 | mg/kg | 0.014 | 0.0466 | 10 | | 09/20/02 | LMP |
| Naphthalene | <0.2 | mg/kg | 0.01 | 0.0333 | 10 | CSH | 09/20/02 | LMP |
| n-Propylbenzene | <0.2 | mg/kg | 0.009 | 0.03 | 10 | | 09/20/02 | LMP |
| Tetrachloroethylene | 5.91 | mg/kg | 0.009 | 0.03 | 10 | | 09/20/02 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.2 | mg/kg | 0.006 | 0.02 | 10 | | 09/20/02 | LMP |
| Toluene | <0.2 | mg/kg | 0.007 | 0.0233 | 10 | | 09/20/02 | LMP |
| 1,2,3-Trichlorobenzene | <0.2 | mg/kg | 0.014 | 0.0466 | 10 | DUP | 09/20/02 | LMP |
| 1,2,4-Trichlorobenzene | <0.2 | mg/kg | 0.014 | 0.0466 | 10 | | 09/20/02 | LMP |
| 1,1,1-Trichloroethane | <0.2 | mg/kg | 0.008 | 0.0266 | 10 | | 09/20/02 | LMP |
| 1,1,2-Trichloroethane | <0.2 | mg/kg | 0.006 | 0.02 | 10 | | 09/20/02 | LMP |
| Trichloroethylene | <0.2 | mg/kg | 0.011 | 0.0366 | 10 | | 09/20/02 | LMP |
| Trichlorofluoromethane | <0.2 | mg/kg | 0.008 | 0.0266 | 10 | CSH DUP | 09/20/02 | LMP |
| 1,2,4-Trimethylbenzene | <0.2 | mg/kg | 0.012 | 0.04 | 10 | | 09/20/02 | LMP |
| 1,3,5-Trimethylbenzene | <0.2 | mg/kg | 0.01 | 0.0333 | 10 | | 09/20/02 | LMP |
| Vinyl Chloride | <0.2 | mg/kg | 0.018 | 0.0599 | 10 | | 09/20/02 | LMP |
| m- & p-Xylene | <0.2 | mg/kg | 0.015 | 0.05 | 10 | | 09/20/02 | LMP |
| o-Xylene | <0.2 | mg/kg | 0.008 | 0.0266 | 10 | | 09/20/02 | LMP |
| PID Surrogate Recovery (S) | 112. | % | - | - | 10 | | 09/20/02 | LMP |
| HALL Surrogate Recovery (S) | 121. | % | - | - | 10 | | 09/20/02 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 93.0 | % | - | 0.33 | - | | 09/20/02 | LMV |

All results calculated on a dry weight basis.

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 112012.4
DATE REC'D : 09/19/02
REPORT DATE: 09/26/02
PREPARED BY: SKM

Attn: Tom Bergamini

Sample ID: **GB1 S3 4-6'** Matrix: **SOIL** Sample Date/Time: **09/17/02 10:00** Lab No. **112013**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|--------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/20/02 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.0233 | 1 | | 09/20/02 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 09/20/02 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 09/20/02 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | | 09/20/02 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | | 09/20/02 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/20/02 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.0233 | 1 | | 09/20/02 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.0666 | 1 | | 09/20/02 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.3 | 1 | CSH | 09/20/02 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | | 09/20/02 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | CSH | 09/20/02 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/20/02 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/20/02 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 09/20/02 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 09/20/02 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/20/02 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/20/02 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/20/02 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.0466 | 1 | CSH LCL DUP | 09/20/02 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH | 09/20/02 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.0167 | 1 | CSH LCH | 09/20/02 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.0533 | 1 | | 09/20/02 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.0233 | 1 | | 09/20/02 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | | 09/20/02 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.0233 | 1 | | 09/20/02 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/20/02 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | CSL | 09/20/02 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.0233 | 1 | | 09/20/02 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 09/20/02 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 09/20/02 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.0466 | 1 | | 09/20/02 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.0366 | 1 | | 09/20/02 | LMP |
| Methyl t-Butyl Ether (MTBE) | <0.025 | mg/kg | 0.018 | 0.0599 | 1 | CSL | 09/20/02 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.0466 | 1 | | 09/20/02 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | CSH | 09/20/02 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 09/20/02 | LMP |
| Tetrachloroethylene | 0.0509 | mg/kg | 0.009 | 0.03 | 1 | | 09/20/02 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 09/20/02 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.0233 | 1 | | 09/20/02 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.0466 | 1 | DUP | 09/20/02 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.0466 | 1 | | 09/20/02 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/20/02 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 09/20/02 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.0366 | 1 | | 09/20/02 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | CSH DUP | 09/20/02 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 09/20/02 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | | 09/20/02 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.0599 | 1 | | 09/20/02 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 09/20/02 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/20/02 | LMP |
| PID Surrogate Recovery (S) | 114. | % | - | - | 1 | | 09/20/02 | LMP |
| HALL Surrogate Recovery (S) | 136. | % | - | - | 1 | | 09/20/02 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 88.1 | % | - | 0.33 | - | | 09/20/02 | LMV |

All results calculated on a dry weight basis.

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 112012.5
DATE REC'D : 09/19/02
REPORT DATE: 09/26/02
PREPARED BY: SKM

Attn: Tom Bergamini

Sample ID: **GB2 S5 8-10** Matrix: **SOIL** Sample Date/Time: **09/17/02 11:00** Lab No. **112014**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|--------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/19/02 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.0233 | 1 | | 09/19/02 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 09/19/02 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 09/19/02 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | | 09/19/02 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | | 09/19/02 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/19/02 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.0233 | 1 | | 09/19/02 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.0666 | 1 | | 09/19/02 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.3 | 1 | CSH | 09/19/02 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | | 09/19/02 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | CSH DUP | 09/19/02 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/19/02 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/19/02 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 09/19/02 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 09/19/02 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/19/02 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/19/02 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/19/02 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.0466 | 1 | CSH LCL DUP | 09/19/02 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH | 09/19/02 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.0167 | 1 | CSH LCH | 09/19/02 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.0533 | 1 | | 09/19/02 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.0233 | 1 | | 09/19/02 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | | 09/19/02 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.0233 | 1 | | 09/19/02 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/19/02 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | CSL LCL DUP | 09/19/02 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.0233 | 1 | | 09/19/02 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 09/19/02 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 09/19/02 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.0466 | 1 | | 09/19/02 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.0366 | 1 | | 09/19/02 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.0599 | 1 | CSL | 09/19/02 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.0466 | 1 | CSH | 09/19/02 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | CSH LCH | 09/19/02 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 09/19/02 | LMP |
| Tetrachloroethylene | 0.166 | mg/kg | 0.009 | 0.03 | 1 | | 09/19/02 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 09/19/02 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.0233 | 1 | | 09/19/02 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.0466 | 1 | | 09/19/02 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.0466 | 1 | | 09/19/02 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/19/02 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 09/19/02 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.0366 | 1 | | 09/19/02 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | CSH DUP | 09/19/02 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 09/19/02 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.0333 | 1 | | 09/19/02 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.0599 | 1 | | 09/19/02 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 09/19/02 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.0266 | 1 | | 09/19/02 | LMP |
| PID Surrogate Recovery (S) | 96.3 | % | - | - | 1 | | 09/19/02 | LMP |
| HALL Surrogate Recovery (S) | 117. | % | - | - | 1 | | 09/19/02 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 96.4 | % | - | 0.33 | - | | 09/20/02 | LMV |

All results calculated on a dry weight basis.

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 112012.6
DATE REC'D : 09/19/02
REPORT DATE: 09/26/02
PREPARED BY: SKM

Attn: Tom Bergamini

Sample ID: **GB2 GW** Matrix: **GRDWTR** Sample Date/Time: **09/17/02 11:30** Lab No. **112015**

| | <u>Result</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------|---------------|--------------|------------|------------|------------------------|-------------------|----------------------|----------------|
| EPA 8021 | | | | | | | | |
| Benzene | 0.391 | µg/l | 0.31 | 1.03 | 1 | J | 09/20/02 | LMP |
| Bromobenzene | <0.41 | µg/l | 0.41 | 1.37 | 1 | | 09/20/02 | LMP |
| Bromodichloromethane | <0.83 | µg/l | 0.83 | 2.76 | 1 | | 09/20/02 | LMP |
| n-Butylbenzene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 09/20/02 | LMP |
| sec-Butylbenzene | <0.33 | µg/l | 0.33 | 1.1 | 1 | | 09/20/02 | LMP |
| tert-Butylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 09/20/02 | LMP |
| Carbon Tetrachloride | <0.59 | µg/l | 0.59 | 1.96 | 1 | | 09/20/02 | LMP |
| Chlorobenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 09/20/02 | LMP |
| Dibromochloromethane | <0.87 | µg/l | 0.87 | 2.9 | 1 | | 09/20/02 | LMP |
| Chloroethane | <0.44 | µg/l | 0.44 | 1.47 | 1 | | 09/20/02 | LMP |
| Chloroform | <0.27 | µg/l | 0.27 | 0.899 | 1 | | 09/20/02 | LMP |
| Chloromethane | <0.29 | µg/l | 0.29 | 0.966 | 1 | CSH | 09/20/02 | LMP |
| 2-Chlorotoluene | <0.3 | µg/l | 0.3 | 0.999 | 1 | | 09/20/02 | LMP |
| 4-Chlorotoluene | <0.3 | µg/l | 0.3 | 0.999 | 1 | | 09/20/02 | LMP |
| Dibromochloropropane(DBCP) | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 09/20/02 | LMP |
| 1,2-Dibromoethane(EDB) | <1.10 | µg/l | 1.1 | 3.66 | 1 | | 09/20/02 | LMP |
| 1,2-Dichlorobenzene | <0.51 | µg/l | 0.51 | 1.7 | 1 | | 09/20/02 | LMP |
| 1,3-Dichlorobenzene | <0.29 | µg/l | 0.29 | 0.966 | 1 | | 09/20/02 | LMP |
| 1,4-Dichlorobenzene | <0.3 | µg/l | 0.3 | 0.999 | 1 | | 09/20/02 | LMP |
| Dichlorodifluoromethane | <0.46 | µg/l | 0.46 | 1.53 | 1 | CSH | 09/20/02 | LMP |
| 1,1-Dichloroethane | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 09/20/02 | LMP |
| 1,2-Dichloroethane | <0.17 | µg/l | 0.17 | 0.566 | 1 | | 09/20/02 | LMP |
| 1,1-Dichloroeth(yl)ene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 09/20/02 | LMP |
| cis-1,2-Dichloroeth(yl)ene | <0.23 | µg/l | 0.23 | 0.766 | 1 | | 09/20/02 | LMP |
| trans-1,2-Dichloroethylene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 09/20/02 | LMP |
| 1,2-Dichloropropane | <0.25 | µg/l | 0.25 | 0.833 | 1 | | 09/20/02 | LMP |
| 1,3-Dichloropropane | <0.67 | µg/l | 0.67 | 2.23 | 1 | | 09/20/02 | LMP |
| 2,2-Dichloropropane | <1.50 | µg/l | 1.5 | 5.0 | 1 | CSL | 09/20/02 | LMP |
| Ethylbenzene | 0.623 | µg/l | 0.5 | 1.67 | 1 | J | 09/20/02 | LMP |
| Hexachlorobutadiene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 09/20/02 | LMP |
| Isopropylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 09/20/02 | LMP |
| Isopropyl Ether | <0.46 | µg/l | 0.46 | 1.53 | 1 | | 09/20/02 | LMP |
| p-Isopropyltoluene | <0.32 | µg/l | 0.32 | 1.07 | 1 | | 09/20/02 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.3 | µg/l | 0.3 | 0.999 | 1 | | 09/20/02 | LMP |
| Methylene Chloride | <0.51 | µg/l | 0.51 | 1.7 | 1 | | 09/20/02 | LMP |
| Naphthalene | <0.8 | µg/l | 0.8 | 2.66 | 1 | CSH | 09/20/02 | LMP |
| n-Propylbenzene | <0.3 | µg/l | 0.3 | 0.999 | 1 | | 09/20/02 | LMP |
| Tetrachloroeth(yl)ene | 58.2 | µg/l | 0.32 | 1.07 | 10 | | 09/23/02 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 09/20/02 | LMP |
| Toluene | 1.55 | µg/l | 0.3 | 0.999 | 1 | | 09/20/02 | LMP |
| 1,2,3-Trichlorobenzene | <0.33 | µg/l | 0.33 | 1.1 | 1 | | 09/20/02 | LMP |
| 1,2,4-Trichlorobenzene | <0.47 | µg/l | 0.47 | 1.57 | 1 | | 09/20/02 | LMP |
| 1,1,1-Trichloroethane | <0.42 | µg/l | 0.42 | 1.4 | 1 | | 09/20/02 | LMP |
| 1,1,2-Trichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 09/20/02 | LMP |
| Trichloroeth(yl)ene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 09/20/02 | LMP |
| Trichlorofluoromethane | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 09/20/02 | LMP |
| 1,2,4-Trimethylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 09/20/02 | LMP |
| 1,3,5-Trimethylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 09/20/02 | LMP |
| Vinyl Chloride | <0.2 | µg/l | 0.2 | 0.666 | 1 | | 09/20/02 | LMP |
| m- & p-Xylene | 0.726 | µg/l | 0.62 | 2.06 | 1 | J | 09/20/02 | LMP |
| o-Xylene | 0.396 | µg/l | 0.3 | 0.999 | 1 | J | 09/20/02 | LMP |
| VOC Vial pH above 2 | 5.00 | | - | - | 1 | | 09/23/02 | VOL |
| PID Surrogate Recovery (S) | 110. | % | - | - | 1 | | 09/20/02 | LMP |
| HALL Surrogate Recovery (S) | 127. | % | - | - | 1 | | 09/20/02 | LMP |

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 112012.7
DATE REC'D : 09/19/02
REPORT DATE: 09/26/02
PREPARED BY: SKM

Attn: Tom Bergamini

Sample ID: **GB3 S1 0-2'** Matrix: **SOIL** Sample Date/Time: **09/17/02 12:45** Lab No. **112016**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|--------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <20.0 | mg/kg | 0.008 | 0.0266 | 1000 | | 09/23/02 | LMP |
| Bromobenzene | <20.0 | mg/kg | 0.007 | 0.0233 | 1000 | | 09/23/02 | LMP |
| Bromodichloromethane | <20.0 | mg/kg | 0.006 | 0.02 | 1000 | | 09/23/02 | LMP |
| n-Butylbenzene | <20.0 | mg/kg | 0.012 | 0.04 | 1000 | | 09/23/02 | LMP |
| sec-Butylbenzene | <20.0 | mg/kg | 0.01 | 0.0333 | 1000 | | 09/23/02 | LMP |
| tert-Butylbenzene | <20.0 | mg/kg | 0.01 | 0.0333 | 1000 | | 09/23/02 | LMP |
| Carbon Tetrachloride | <20.0 | mg/kg | 0.008 | 0.0266 | 1000 | | 09/23/02 | LMP |
| Chlorobenzene | <20.0 | mg/kg | 0.007 | 0.0233 | 1000 | | 09/23/02 | LMP |
| Chlorodibromomethane | <20.0 | mg/kg | 0.02 | 0.0666 | 1000 | | 09/23/02 | LMP |
| Chloroethane | <20.0 | mg/kg | 0.09 | 0.3 | 1000 | CSH | 09/23/02 | LMP |
| Chloroform | <20.0 | mg/kg | 0.01 | 0.0333 | 1000 | | 09/23/02 | LMP |
| Chloromethane | <20.0 | mg/kg | 0.01 | 0.0333 | 1000 | CSH LCL DUP | 09/23/02 | LMP |
| 2-Chlorotoluene | <20.0 | mg/kg | 0.008 | 0.0266 | 1000 | | 09/23/02 | LMP |
| 4-Chlorotoluene | <20.0 | mg/kg | 0.008 | 0.0266 | 1000 | | 09/23/02 | LMP |
| 1,2-Dibromo-3-chloropropane | <20.0 | mg/kg | 0.009 | 0.03 | 1000 | | 09/23/02 | LMP |
| 1,2-Dibromoethane | <20.0 | mg/kg | 0.012 | 0.04 | 1000 | | 09/23/02 | LMP |
| 1,2-Dichlorobenzene | <20.0 | mg/kg | 0.008 | 0.0266 | 1000 | | 09/23/02 | LMP |
| 1,3-Dichlorobenzene | <20.0 | mg/kg | 0.008 | 0.0266 | 1000 | | 09/23/02 | LMP |
| 1,4-Dichlorobenzene | <20.0 | mg/kg | 0.008 | 0.0266 | 1000 | | 09/23/02 | LMP |
| Dichlorodifluoromethane | <20.0 | mg/kg | 0.014 | 0.0466 | 1000 | | 09/23/02 | LMP |
| 1,1-Dichloroethane | <20.0 | mg/kg | 0.009 | 0.03 | 1000 | | 09/23/02 | LMP |
| 1,2-Dichloroethane | <20.0 | mg/kg | 0.005 | 0.0167 | 1000 | CSH | 09/23/02 | LMP |
| 1,1-Dichloroethylene | <20.0 | mg/kg | 0.016 | 0.0533 | 1000 | CSH | 09/23/02 | LMP |
| cis-1,2-Dichloroethylene | <20.0 | mg/kg | 0.007 | 0.0233 | 1000 | | 09/23/02 | LMP |
| trans-1,2-Dichloroethylene | <20.0 | mg/kg | 0.01 | 0.0333 | 1000 | | 09/23/02 | LMP |
| 1,2-Dichloropropane | <20.0 | mg/kg | 0.007 | 0.0233 | 1000 | | 09/23/02 | LMP |
| 1,3-Dichloropropane | <20.0 | mg/kg | 0.008 | 0.0266 | 1000 | CSH | 09/23/02 | LMP |
| 2,2-Dichloropropane | <20.0 | mg/kg | 0.008 | 0.0266 | 1000 | LCL | 09/23/02 | LMP |
| Ethylbenzene | <20.0 | mg/kg | 0.007 | 0.0233 | 1000 | | 09/23/02 | LMP |
| Hexachlorobutadiene | <20.0 | mg/kg | 0.015 | 0.05 | 1000 | | 09/23/02 | LMP |
| Isopropylbenzene | <20.0 | mg/kg | 0.009 | 0.03 | 1000 | | 09/23/02 | LMP |
| Isopropyl Ether | <20.0 | mg/kg | 0.014 | 0.0466 | 1000 | CSL LCL | 09/23/02 | LMP |
| p-Isopropyltoluene | <20.0 | mg/kg | 0.011 | 0.0366 | 1000 | | 09/23/02 | LMP |
| Methyl t-Butyl Ether(MTBE) | <20.0 | mg/kg | 0.018 | 0.0599 | 1000 | CSL | 09/23/02 | LMP |
| Methylene Chloride | <20.0 | mg/kg | 0.014 | 0.0466 | 1000 | | 09/23/02 | LMP |
| Naphthalene | <20.0 | mg/kg | 0.01 | 0.0333 | 1000 | CSH | 09/23/02 | LMP |
| n-Propylbenzene | <20.0 | mg/kg | 0.009 | 0.03 | 1000 | | 09/23/02 | LMP |
| Tetrachloroethylene | 605. | mg/kg | 0.009 | 0.03 | 1000 | | 09/23/02 | LMP |
| 1,1,2,2-Tetrachloroethane | <20.0 | mg/kg | 0.006 | 0.02 | 1000 | | 09/23/02 | LMP |
| Toluene | <20.0 | mg/kg | 0.007 | 0.0233 | 1000 | | 09/23/02 | LMP |
| 1,2,3-Trichlorobenzene | <20.0 | mg/kg | 0.014 | 0.0466 | 1000 | | 09/23/02 | LMP |
| 1,2,4-Trichlorobenzene | <20.0 | mg/kg | 0.014 | 0.0466 | 1000 | | 09/23/02 | LMP |
| 1,1,1-Trichloroethane | <20.0 | mg/kg | 0.008 | 0.0266 | 1000 | | 09/23/02 | LMP |
| 1,1,2-Trichloroethane | <20.0 | mg/kg | 0.006 | 0.02 | 1000 | | 09/23/02 | LMP |
| Trichloroethylene | <20.0 | mg/kg | 0.011 | 0.0366 | 1000 | | 09/23/02 | LMP |
| Trichlorofluoromethane | <20.0 | mg/kg | 0.008 | 0.0266 | 1000 | CSH LCL | 09/23/02 | LMP |
| 1,2,4-Trimethylbenzene | <20.0 | mg/kg | 0.012 | 0.04 | 1000 | | 09/23/02 | LMP |
| 1,3,5-Trimethylbenzene | <20.0 | mg/kg | 0.01 | 0.0333 | 1000 | | 09/23/02 | LMP |
| Vinyl Chloride | <20.0 | mg/kg | 0.018 | 0.0599 | 1000 | CSH LCL | 09/23/02 | LMP |
| m- & p-Xylene | <20.0 | mg/kg | 0.015 | 0.05 | 1000 | | 09/23/02 | LMP |
| o-Xylene | <20.0 | mg/kg | 0.008 | 0.0266 | 1000 | | 09/23/02 | LMP |
| PID Surrogate Recovery (S) | 100. | % | - | - | 1 | | 09/23/02 | LMP |
| HALL Surrogate Recovery (S) | 120. | % | - | - | 1 | | 09/23/02 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 93.7 | % | - | 0.33 | - | | 09/20/02 | LMV |

All results calculated on a dry weight basis.

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 112012.8
DATE REC'D : 09/19/02
REPORT DATE: 09/26/02
PREPARED BY: SKM

Attn: Tom Bergamini

Sample ID: **MEOH BLANK-USF** Matrix: **SOIL** Sample Date/Time: **09/17/02** Lab No. **112017**

| | <u>Result</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution</u> <u>Factor</u> | <u>Qualifiers</u> | <u>Date</u> <u>Analyzed</u> | <u>Analyst</u> |
|-----------------------------|---------------|--------------|------------|------------|----------------------------------|-------------------|--------------------------------|----------------|
| EPA 8021 | | | | | | | | |
| Benzene | <0.025 | mg/l | 0.008 | 0.0266 | 1 | | 09/23/02 | LMP |
| Bromobenzene | <0.025 | mg/l | 0.007 | 0.0233 | 1 | | 09/23/02 | LMP |
| Bromodichloromethane | <0.025 | mg/l | 0.006 | 0.02 | 1 | | 09/23/02 | LMP |
| n-Butylbenzene | <0.025 | mg/l | 0.012 | 0.04 | 1 | | 09/23/02 | LMP |
| sec-Butylbenzene | <0.025 | mg/l | 0.01 | 0.0333 | 1 | | 09/23/02 | LMP |
| tert-Butylbenzene | <0.025 | mg/l | 0.01 | 0.0333 | 1 | | 09/23/02 | LMP |
| Carbon Tetrachloride | <0.025 | mg/l | 0.008 | 0.0266 | 1 | | 09/23/02 | LMP |
| Chlorobenzene | <0.025 | mg/l | 0.007 | 0.0233 | 1 | | 09/23/02 | LMP |
| Chlorodibromomethane | <0.025 | mg/l | 0.02 | 0.0666 | 1 | | 09/23/02 | LMP |
| Chloroethane | <0.025 | mg/l | 0.09 | 0.3 | 1 | CSH | 09/23/02 | LMP |
| Chloroform | <0.025 | mg/l | 0.01 | 0.0333 | 1 | | 09/23/02 | LMP |
| Chloromethane | <0.025 | mg/l | 0.01 | 0.0333 | 1 | CSH LCL DUP | 09/23/02 | LMP |
| 2-Chlorotoluene | <0.025 | mg/l | 0.008 | 0.0266 | 1 | | 09/23/02 | LMP |
| 4-Chlorotoluene | <0.025 | mg/l | 0.008 | 0.0266 | 1 | | 09/23/02 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/l | 0.009 | 0.03 | 1 | | 09/23/02 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/l | 0.012 | 0.04 | 1 | | 09/23/02 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/l | 0.008 | 0.0266 | 1 | | 09/23/02 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/l | 0.008 | 0.0266 | 1 | | 09/23/02 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/l | 0.008 | 0.0266 | 1 | | 09/23/02 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/l | 0.014 | 0.0466 | 1 | | 09/23/02 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/l | 0.009 | 0.03 | 1 | | 09/23/02 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/l | 0.005 | 0.0167 | 1 | CSH | 09/23/02 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/l | 0.016 | 0.0533 | 1 | CSH | 09/23/02 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/l | 0.007 | 0.0233 | 1 | | 09/23/02 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/l | 0.01 | 0.0333 | 1 | | 09/23/02 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/l | 0.007 | 0.0233 | 1 | | 09/23/02 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/l | 0.008 | 0.0266 | 1 | CSH | 09/23/02 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/l | 0.008 | 0.0266 | 1 | LCL | 09/23/02 | LMP |
| Ethylbenzene | <0.025 | mg/l | 0.007 | 0.0233 | 1 | | 09/23/02 | LMP |
| Hexachlorobutadiene | <0.025 | mg/l | 0.015 | 0.05 | 1 | | 09/23/02 | LMP |
| Isopropylbenzene | <0.025 | mg/l | 0.009 | 0.03 | 1 | | 09/23/02 | LMP |
| Isopropyl Ether | <0.025 | mg/l | 0.014 | 0.0466 | 1 | CSL LCL | 09/23/02 | LMP |
| p-Isopropyltoluene | <0.025 | mg/l | 0.011 | 0.0366 | 1 | | 09/23/02 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/l | 0.018 | 0.0599 | 1 | CSL | 09/23/02 | LMP |
| Methylene Chloride | <0.025 | mg/l | 0.014 | 0.0466 | 1 | | 09/23/02 | LMP |
| Naphthalene | <0.025 | mg/l | 0.01 | 0.0333 | 1 | CSH | 09/23/02 | LMP |
| n-Propylbenzene | <0.025 | mg/l | 0.009 | 0.03 | 1 | | 09/23/02 | LMP |
| Tetrachloroethylene | <0.025 | mg/l | 0.009 | 0.03 | 1 | | 09/23/02 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/l | 0.006 | 0.02 | 1 | | 09/23/02 | LMP |
| Toluene | <0.025 | mg/l | 0.007 | 0.0233 | 1 | | 09/23/02 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/l | 0.014 | 0.0466 | 1 | | 09/23/02 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/l | 0.014 | 0.0466 | 1 | | 09/23/02 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/l | 0.008 | 0.0266 | 1 | | 09/23/02 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/l | 0.006 | 0.02 | 1 | | 09/23/02 | LMP |
| Trichloroethylene | <0.025 | mg/l | 0.011 | 0.0366 | 1 | | 09/23/02 | LMP |
| Trichlorofluoromethane | <0.025 | mg/l | 0.008 | 0.0266 | 1 | CSH LCL | 09/23/02 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/l | 0.012 | 0.04 | 1 | | 09/23/02 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/l | 0.01 | 0.0333 | 1 | | 09/23/02 | LMP |
| Vinyl Chloride | <0.025 | mg/l | 0.018 | 0.0599 | 1 | CSH LCL | 09/23/02 | LMP |
| m- & p-Xylene | <0.025 | mg/l | 0.015 | 0.05 | 1 | | 09/23/02 | LMP |
| o-Xylene | <0.025 | mg/l | 0.008 | 0.0266 | 1 | | 09/23/02 | LMP |
| PID Surrogate Recovery (S) | 101. | % | - | - | 1 | | 09/23/02 | LMP |
| HALL Surrogate Recovery (S) | 118. | % | - | - | 1 | | 09/23/02 | LMP |

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 112012.9
DATE REC'D : 09/19/02
REPORT DATE: 09/26/02
PREPARED BY: SKM

Attn: Tom Bergamini

Sample ID: TRIP BLANK-USF Matrix: WATER Sample Date/Time: 09/17/02 Lab No. 112018

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|-----------------------------|--------|-------|------|-------|-----------------|------------|---------------|---------|
| EPA 8021 | | | | | | | | |
| Benzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 09/20/02 | LMP |
| Bromobenzene | <0.41 | µg/l | 0.41 | 1.37 | 1 | | 09/20/02 | LMP |
| Bromodichloromethane | <0.83 | µg/l | 0.83 | 2.76 | 1 | | 09/20/02 | LMP |
| n-Butylbenzene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 09/20/02 | LMP |
| sec-Butylbenzene | <0.33 | µg/l | 0.33 | 1.1 | 1 | | 09/20/02 | LMP |
| tert-Butylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 09/20/02 | LMP |
| Carbon Tetrachloride | <0.59 | µg/l | 0.59 | 1.96 | 1 | | 09/20/02 | LMP |
| Chlorobenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 09/20/02 | LMP |
| Dibromochloromethane | <0.87 | µg/l | 0.87 | 2.9 | 1 | | 09/20/02 | LMP |
| Chloroethane | <0.44 | µg/l | 0.44 | 1.47 | 1 | | 09/20/02 | LMP |
| Chloroform | <0.27 | µg/l | 0.27 | 0.899 | 1 | | 09/20/02 | LMP |
| Chloromethane | <0.29 | µg/l | 0.29 | 0.966 | 1 | CSH | 09/20/02 | LMP |
| 2-Chlorotoluene | <0.3 | µg/l | 0.3 | 0.999 | 1 | | 09/20/02 | LMP |
| 4-Chlorotoluene | <0.3 | µg/l | 0.3 | 0.999 | 1 | | 09/20/02 | LMP |
| Dibromochloropropane(DBCP) | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 09/20/02 | LMP |
| 1,2-Dibromoethane(EDB) | <1.10 | µg/l | 1.1 | 3.66 | 1 | | 09/20/02 | LMP |
| 1,2-Dichlorobenzene | <0.51 | µg/l | 0.51 | 1.7 | 1 | | 09/20/02 | LMP |
| 1,3-Dichlorobenzene | <0.29 | µg/l | 0.29 | 0.966 | 1 | | 09/20/02 | LMP |
| 1,4-Dichlorobenzene | <0.3 | µg/l | 0.3 | 0.999 | 1 | | 09/20/02 | LMP |
| Dichlorodifluoromethane | <0.46 | µg/l | 0.46 | 1.53 | 1 | CSH | 09/20/02 | LMP |
| 1,1-Dichloroethane | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 09/20/02 | LMP |
| 1,2-Dichloroethane | <0.17 | µg/l | 0.17 | 0.566 | 1 | | 09/20/02 | LMP |
| 1,1-Dichloroeth(yl)ene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 09/20/02 | LMP |
| cis-1,2-Dichloroeth(yl)ene | <0.23 | µg/l | 0.23 | 0.766 | 1 | | 09/20/02 | LMP |
| trans-1,2-Dichloroethylene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 09/20/02 | LMP |
| 1,2-Dichloropropane | <0.25 | µg/l | 0.25 | 0.833 | 1 | | 09/20/02 | LMP |
| 1,3-Dichloropropane | <0.67 | µg/l | 0.67 | 2.23 | 1 | | 09/20/02 | LMP |
| 2,2-Dichloropropane | <1.50 | µg/l | 1.5 | 5.0 | 1 | CSL | 09/20/02 | LMP |
| Ethylbenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 09/20/02 | LMP |
| Hexachlorobutadiene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 09/20/02 | LMP |
| Isopropylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 09/20/02 | LMP |
| Isopropyl Ether | <0.46 | µg/l | 0.46 | 1.53 | 1 | | 09/20/02 | LMP |
| p-Isopropyltoluene | <0.32 | µg/l | 0.32 | 1.07 | 1 | | 09/20/02 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.3 | µg/l | 0.3 | 0.999 | 1 | | 09/20/02 | LMP |
| Methylene Chloride | <0.51 | µg/l | 0.51 | 1.7 | 1 | | 09/20/02 | LMP |
| Naphthalene | <0.8 | µg/l | 0.8 | 2.66 | 1 | CSH | 09/20/02 | LMP |
| n-Propylbenzene | <0.3 | µg/l | 0.3 | 0.999 | 1 | | 09/20/02 | LMP |
| Tetrachloroeth(yl)ene | <0.32 | µg/l | 0.32 | 1.07 | 1 | | 09/20/02 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 09/20/02 | LMP |
| Toluene | 0.532 | µg/l | 0.3 | 0.999 | 1 | J | 09/20/02 | LMP |
| 1,2,3-Trichlorobenzene | <0.33 | µg/l | 0.33 | 1.1 | 1 | | 09/20/02 | LMP |
| 1,2,4-Trichlorobenzene | <0.47 | µg/l | 0.47 | 1.57 | 1 | | 09/20/02 | LMP |
| 1,1,1-Trichloroethane | <0.42 | µg/l | 0.42 | 1.4 | 1 | | 09/20/02 | LMP |
| 1,1,2-Trichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 09/20/02 | LMP |
| Trichloroeth(yl)ene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 09/20/02 | LMP |
| Trichlorofluoromethane | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 09/20/02 | LMP |
| 1,2,4-Trimethylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 09/20/02 | LMP |
| 1,3,5-Trimethylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 09/20/02 | LMP |
| Vinyl Chloride | <0.2 | µg/l | 0.2 | 0.666 | 1 | | 09/20/02 | LMP |
| m- & p-Xylene | <0.62 | µg/l | 0.62 | 2.06 | 1 | | 09/20/02 | LMP |
| o-Xylene | <0.3 | µg/l | 0.3 | 0.999 | 1 | | 09/20/02 | LMP |
| PID Surrogate Recovery (S) | 110. | % | - | - | 1 | | 09/20/02 | LMP |
| HALL Surrogate Recovery (S) | 123. | % | - | - | 1 | | 09/20/02 | LMP |

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--PROJECT NO.: 2325
REPORT NO. : 112012.17
DATE REC'D : 09/19/02
REPORT DATE: 09/26/02
PREPARED BY: SKM

Attn: Tom Bergamini

Qualifier Descriptions

| | |
|-----|---|
| CSH | Check standard for this analyte exhibited a high bias. Sample results may also be biased high. |
| LCL | The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low. |
| DUP | Result of duplicate analysis in this quality assurance batch exceeds the limits for precision. |
| LCH | The laboratory control sample for this analyte exhibited a high bias. Sample results may also be biased high. |
| CSL | Check standard for this analyte exhibited a low bias. Sample results may also be biased low. |
| J | Estimated concentration below laboratory quantitation level. |

Sample Receipt Report

Client: BT² Inc

Date Received: 9/19/02

Analytical No.: 15112012 Through 15112018

Check all deviations from EPA or WDNR sample protocol.

- Sample(s) received at ____ °C which is above the EPA and WDNR limit of 4°C.
- VOC vial(s) received with headspace. Explain: _____
- Sample(s) received in bottles not furnished by Enviroscan. Preservation method, if used, is unknown.
- Sample(s) not properly preserved per EPA/WDNR protocol for the following: _____
- Sample(s) received beyond EPA holding time for: _____
- Sample date/time not supplied by client. Actual holding time unknown.
- GRO/PVOC/VOC/DRO (circle appropriate) sample(s) are < 19.5 gms and this report is the flag for that information. Sample(s) under-weight: _____
- GRO/PVOC/VOC (circle appropriate) sample(s) were between 26.4-35.4 gms so methanol was added in a 1:1 ratio. Sample(s) included: 15112012 + 4ml, 112013 + 3ml, 112014 + 4ml, 112016 + 2ml.
- GRO/PVOC/VOC/DRO (circle appropriate) sample(s) were > 35.4 gms and are required to be rejected. Sample(s) included: _____
- Other: _____

Client contact concerning the above deviations:

Client _____ (contact name) notified of the above deviation(s) on ___/___/___ at ___:___ am/pm by _____ and the client ordered:

(signature)

- Proceed with analyses as ordered.
- Proceed with analyses after taking the following corrective action: _____
- Do NOT proceed with analyses.



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

April 22, 2004

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

Attn: Steve Sellwood/ John Nebl

REPORT NO.: 152005

PROJECT NO.: 2325

Please find enclosed the analytical report, including the Sample Summary, Sample Narrative and Chain of Custody for your sample set received April 9, 2004.

All analyses were performed in accordance with approved methods as indicated on this report.

If you have any questions about the results, please call. Thank you for using USFilter, Enviroscan Services for your analytical needs.

Sincerely,

USFilter, Enviroscan Services

James R. Salkowski
Laboratory Director

I certify that the data contained in this report has been generated and reviewed in accordance with the USFilter, Enviroscan Services Quality Assurance Program. Exceptions, if any, are discussed in the sample narrative. Samples will be retained for 30 days from the date of this report, then disposed in an appropriate manner. USFilter, Enviroscan Services reserves the right to return samples identified as hazardous. Release of this Final Report is authorized as verified by the following signature.

Approved by: _____

Certifications:

Wisconsin 737053130
Minnesota 055-999-302
Louisiana 04026
Washington C293

Oregon (WI-100001)
Illinois 200025
Maryland 276
Oklahoma 9925





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Sample Summary

152005.2

| <u>Lab Id</u> | <u>Client Sample ID</u> | <u>Date/Time</u> | <u>Matrix</u> |
|---------------|-------------------------|------------------|---------------|
| 152005 | GB4 S2 4' | 04/07/04 08:50 | SOIL |
| 152006 | GB4 S6 12' | 04/07/04 09:00 | SOIL |
| 152007 | GB4 | 04/07/04 09:20 | GROUNDWATER |
| 152008 | GB5 S2 4' | 04/07/04 09:30 | SOIL |
| 152009 | GB5 S8 16' | 04/07/04 09:45 | SOIL |
| 152010 | GB5 | 04/07/04 10:00 | GROUNDWATER |
| 152011 | GB6 S2 4' | 04/07/04 10:25 | SOIL |
| 152012 | GB6 S6 12' | 04/07/04 10:35 | SOIL |
| 152013 | GB6 | 04/07/04 10:50 | GROUNDWATER |
| 152014 | GB7 S2 4' | 04/07/04 11:15 | SOIL |
| 152015 | GB7 S4 6' | 04/07/04 11:25 | SOIL |
| 152016 | GB7 | 04/07/04 11:50 | GROUNDWATER |
| 152017 | GB8 S2 4' | 04/07/04 12:35 | SOIL |
| 152018 | GB8 S6 12' | 04/07/04 12:45 | SOIL |
| 152019 | GB8 | 04/07/04 13:10 | GROUNDWATER |
| 152020 | GB9 S2 4' | 04/07/04 13:35 | SOIL |
| 152021 | GB9 S6 12' | 04/07/04 13:45 | SOIL |
| 152022 | GB9 | 04/07/04 14:05 | GROUNDWATER |
| 152023 | GB10 S2 4' | 04/07/04 14:25 | SOIL |
| 152024 | GB10 S6 12' | 04/07/04 14:30 | SOIL |
| 152025 | GB10 | 04/07/04 14:55 | GROUNDWATER |
| 152026 | GB11 S2 4' | 04/07/04 15:15 | SOIL |
| 152027 | GB11 S6 12' | 04/07/04 15:20 | SOIL |
| 152028 | GB11 | 04/07/04 15:35 | GROUNDWATER |
| 152029 | MEOH BLANK-USF | 04/07/04 | SOIL |
| 152030 | TRIP BLANK-USF | 04/07/04 | WATER |

Sample Narrative/Sample Status

Definitions

LOD = Limit of Detection
LOQ = Limit of Quantitation
< = Less Than
COMP = Complete
SUBCON = Subcontracted analysis
mv = millivolts
pCi/l = picocurie per liter
ml/l = milliliters/Liter

$\mu\text{g/l}$ = Micrograms per liter = parts per billion (ppb)
 $\mu\text{g/kg}$ = Micrograms per kilogram = parts per billion (ppb)
mg/l = Milligrams per liter = parts per million (ppm)
mg/kg = Milligrams per kilogram = parts per million (ppm)
NOT PRES = Not Present
ppth = Parts per thousand
(S) = Surrogate Compound





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.3
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB4 S2 4'** Matrix: **SOIL** Sample Date/Time: **04/07/04 08:50** Lab No. **152005**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|--------------------|-------------|------------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/15/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/15/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/15/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/15/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/15/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/15/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/15/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/15/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/15/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL DUP | 04/15/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/15/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/15/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/15/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/15/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/15/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/15/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/15/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/15/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/15/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL LCL | 04/15/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/15/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/15/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/15/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/15/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/15/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/15/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/15/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/15/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/15/04 | LMP |
| Tetrachloroethylene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/15/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/15/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/15/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/15/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/15/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/15/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/15/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/15/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/15/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/15/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/15/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/15/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| PID Surrogate Recovery (S) | 96.4 | % | - | - | 1 | | 04/15/04 | LMP |
| HALL Surrogate Recovery (S) | 103. | % | - | - | 1 | | 04/15/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 82.1 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.4
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB4 S6 12'** Matrix: **SOIL** Sample Date/Time: **04/07/04 09:00** Lab No. **152006**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/15/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/15/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/15/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/15/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/15/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/15/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/15/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/15/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/15/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL DUP | 04/15/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/15/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/15/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/15/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/15/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/15/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/15/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/15/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/15/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/15/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL LCL | 04/15/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/15/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/15/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/15/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/15/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/15/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/15/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/15/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/15/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/15/04 | LMP |
| Tetrachloroethylene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/15/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/15/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/15/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/15/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/15/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/15/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/15/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/15/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/15/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/15/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/15/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/15/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/15/04 | LMP |
| PID Surrogate Recovery (S) | 101. | % | - | - | 1 | | 04/15/04 | LMP |
| HALL Surrogate Recovery (S) | 105. | % | - | - | 1 | | 04/15/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 92.8 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.5
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB4** Matrix: **GRDWTR** Sample Date/Time: **04/07/04 09:20** Lab No. **152007**

| | <u>Result</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution</u> <u>Factor</u> | <u>Qualifiers</u> | <u>Date</u> <u>Analyzed</u> | <u>Analyst</u> |
|-----------------------------|---------------|--------------|------------|------------|----------------------------------|-------------------|--------------------------------|----------------|
| EPA 8021 | | | | | | | | |
| Benzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Bromobenzene | <0.41 | µg/l | 0.41 | 1.37 | 1 | | 04/14/04 | LMP |
| Bromodichloromethane | <0.83 | µg/l | 0.83 | 2.76 | 1 | | 04/14/04 | LMP |
| n-Butylbenzene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 04/14/04 | LMP |
| sec-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| tert-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Carbon Tetrachloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Chlorobenzene | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| Dibromochloromethane | <0.87 | µg/l | 0.87 | 2.9 | 1 | | 04/14/04 | LMP |
| Chloroethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Chloroform | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Chloromethane | <0.29 | µg/l | 0.29 | 0.97 | 1 | CSL | 04/14/04 | LMP |
| 2-Chlorotoluene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 4-Chlorotoluene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Dibromochloropropane(DBCP) | <1.30 | µg/l | 1.3 | 4.33 | 1 | | 04/14/04 | LMP |
| 1,2-Dibromoethane(EDB) | <1.10 | µg/l | 1.1 | 3.66 | 1 | | 04/14/04 | LMP |
| 1,2-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 1,3-Dichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,4-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| Dichlorodifluoromethane | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloroethane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| cis-1,2-Dichloroeth(yl)ene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| trans-1,2-Dichloroethylene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloropropane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3-Dichloropropane | <0.9 | µg/l | 0.9 | 3.0 | 1 | | 04/14/04 | LMP |
| 2,2-Dichloropropane | <1.50 | µg/l | 1.5 | 5.0 | 1 | | 04/14/04 | LMP |
| Ethylbenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Hexachlorobutadiene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Isopropylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Isopropyl Ether | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| p-Isopropyltoluene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Methylene Chloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Naphthalene | <0.8 | µg/l | 0.8 | 2.66 | 1 | | 04/14/04 | LMP |
| n-Propylbenzene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Tetrachloroeth(yl)ene | 3.08 | µg/l | 0.45 | 1.5 | 1 | | 04/14/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 04/14/04 | LMP |
| Toluene | 0.421 | µg/l | 0.3 | 1.0 | 1 | J | 04/15/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trichlorobenzene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,1,1-Trichloroethane | <0.42 | µg/l | 0.42 | 1.4 | 1 | | 04/14/04 | LMP |
| 1,1,2-Trichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichlorofluoromethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Vinyl Chloride | <0.2 | µg/l | 0.2 | 0.67 | 1 | | 04/14/04 | LMP |
| m- & p-Xylene | <0.62 | µg/l | 0.62 | 2.06 | 1 | | 04/15/04 | LMP |
| o-Xylene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| PID Surrogate Recovery (S) | 104. | % | - | - | 1 | | 04/14/04 | LMP |
| HALL Surrogate Recovery (S) | 129. | % | - | - | 1 | | 04/14/04 | LMP |



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.6
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB5 S2 4'** Matrix: **SOIL** Sample Date/Time: **04/07/04 09:30** Lab No. **152008**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|--------------------|-------------|------------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL LCL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | 0.0402 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 103. | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 102. | % | - | - | 1 | | 04/16/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 81.4 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.7
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB5 S8 16** Matrix: **SOIL** Sample Date/Time: **04/07/04 09:45** Lab No. **152009**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL LCL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 95.3 | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 114. | % | - | - | 1 | | 04/16/04 | LMP |

MOSA21-2

| | | | | | | | | |
|--------------|------|---|---|------|---|--|----------|-----|
| Total Solids | 96.5 | % | - | 0.33 | - | | 04/12/04 | SAK |
|--------------|------|---|---|------|---|--|----------|-----|

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.8
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB5** Matrix: **GRDWTR** Sample Date/Time: **04/07/04 10:00** Lab No. **152010**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|-----------------------------|--------|-------|------|------|-----------------|------------|---------------|---------|
| EPA 8021 | | | | | | | | |
| Benzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Bromobenzene | <0.41 | µg/l | 0.41 | 1.37 | 1 | | 04/14/04 | LMP |
| Bromodichloromethane | <0.83 | µg/l | 0.83 | 2.76 | 1 | | 04/14/04 | LMP |
| n-Butylbenzene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 04/14/04 | LMP |
| sec-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| tert-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Carbon Tetrachloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Chlorobenzene | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| Dibromochloromethane | <0.87 | µg/l | 0.87 | 2.9 | 1 | | 04/14/04 | LMP |
| Chloroethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Chloroform | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Chloromethane | <0.29 | µg/l | 0.29 | 0.97 | 1 | CSL | 04/14/04 | LMP |
| 2-Chlorotoluene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 4-Chlorotoluene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Dibromochloropropane(DBCP) | <1.30 | µg/l | 1.3 | 4.33 | 1 | | 04/14/04 | LMP |
| 1,2-Dibromoethane(EDB) | <1.10 | µg/l | 1.1 | 3.66 | 1 | | 04/14/04 | LMP |
| 1,2-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 1,3-Dichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,4-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| Dichlorodifluoromethane | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloroethane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| cis-1,2-Dichloroeth(yl)ene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| trans-1,2-Dichloroethylene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloropropane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3-Dichloropropane | <0.9 | µg/l | 0.9 | 3.0 | 1 | | 04/14/04 | LMP |
| 2,2-Dichloropropane | <1.50 | µg/l | 1.5 | 5.0 | 1 | | 04/14/04 | LMP |
| Ethylbenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Hexachlorobutadiene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Isopropylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Isopropyl Ether | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| p-Isopropyltoluene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Methylene Chloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Naphthalene | <0.8 | µg/l | 0.8 | 2.66 | 1 | | 04/14/04 | LMP |
| n-Propylbenzene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Tetrachloroeth(yl)ene | 23.0 | µg/l | 0.45 | 1.5 | 1 | | 04/14/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 04/14/04 | LMP |
| Toluene | 0.34 | µg/l | 0.3 | 1.0 | 1 | J | 04/14/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trichlorobenzene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,1,1-Trichloroethane | <0.42 | µg/l | 0.42 | 1.4 | 1 | | 04/14/04 | LMP |
| 1,1,2-Trichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichlorofluoromethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Vinyl Chloride | <0.2 | µg/l | 0.2 | 0.67 | 1 | | 04/14/04 | LMP |
| m- & p-Xylene | <0.62 | µg/l | 0.62 | 2.06 | 1 | | 04/14/04 | LMP |
| o-Xylene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| PID Surrogate Recovery (S) | 105. | % | - | - | 1 | | 04/14/04 | LMP |
| HALL Surrogate Recovery (S) | 136. | % | - | - | 1 | | 04/14/04 | LMP |





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.9
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB6 S2 4'** Matrix: **SOIL** Sample Date/Time: **04/07/04 10:25** Lab No. **152011**

| | <u>Result</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution</u> <u>Factor</u> | <u>Qualifiers</u> | <u>Date</u> <u>Analyzed</u> | <u>Analyst</u> |
|--|---------------|--------------|------------|------------|----------------------------------|-------------------|--------------------------------|----------------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL LCL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | 15.8 | mg/kg | 0.009 | 0.03 | 20 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 94.8 | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 117. | % | - | - | 1 | | 04/16/04 | LMP |

MOSA21-2

| | | | | | | | | |
|--------------|------|---|---|------|---|--|----------|-----|
| Total Solids | 83.3 | % | - | 0.33 | - | | 04/12/04 | SAK |
|--------------|------|---|---|------|---|--|----------|-----|

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.10
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB6 S6 12'** Matrix: **SOIL** Sample Date/Time: **04/07/04 10:35** Lab No. **152012**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL LCL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | 0.187 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 102. | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 110. | % | - | - | 1 | | 04/16/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 96.3 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.11
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB6** Matrix: **GRDWTR** Sample Date/Time: **04/07/04 10:50** Lab No. **152013**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|-----------------------------|--------|-------|------|------|-----------------|------------|---------------|---------|
| EPA 8021 | | | | | | | | |
| Benzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Bromobenzene | <0.41 | µg/l | 0.41 | 1.37 | 1 | | 04/14/04 | LMP |
| Bromodichloromethane | <0.83 | µg/l | 0.83 | 2.76 | 1 | | 04/14/04 | LMP |
| n-Butylbenzene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 04/14/04 | LMP |
| sec-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| tert-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Carbon Tetrachloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Chlorobenzene | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| Dibromochloromethane | <0.87 | µg/l | 0.87 | 2.9 | 1 | | 04/14/04 | LMP |
| Chloroethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Chloroform | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Chloromethane | <0.29 | µg/l | 0.29 | 0.97 | 1 | | 04/14/04 | LMP |
| 2-Chlorotoluene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 4-Chlorotoluene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Dibromochloropropane(DBCP) | <1.30 | µg/l | 1.3 | 4.33 | 1 | | 04/14/04 | LMP |
| 1,2-Dibromoethane(EDB) | <1.10 | µg/l | 1.1 | 3.66 | 1 | | 04/14/04 | LMP |
| 1,2-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 1,3-Dichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,4-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| Dichlorodifluoromethane | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloroethane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroethyl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| cis-1,2-Dichloroethyl)ene | 4.59 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| trans-1,2-Dichloroethylene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloropropane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3-Dichloropropane | <0.9 | µg/l | 0.9 | 3.0 | 1 | | 04/14/04 | LMP |
| 2,2-Dichloropropane | <1.50 | µg/l | 1.5 | 5.0 | 1 | | 04/14/04 | LMP |
| Ethylbenzene | 0.594 | µg/l | 0.5 | 1.67 | 1 | J | 04/14/04 | LMP |
| Hexachlorobutadiene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Isopropylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Isopropyl Ether | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| p-Isopropyltoluene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Methylene Chloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Naphthalene | <0.8 | µg/l | 0.8 | 2.66 | 1 | | 04/14/04 | LMP |
| n-Propylbenzene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Tetrachloroethyl)ene | 38.8 | µg/l | 0.45 | 1.5 | 5 | | 04/15/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 04/14/04 | LMP |
| Toluene | 0.683 | µg/l | 0.3 | 1.0 | 1 | J | 04/14/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trichlorobenzene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,1,1-Trichloroethane | <0.42 | µg/l | 0.42 | 1.4 | 1 | | 04/14/04 | LMP |
| 1,1,2-Trichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichloroethyl)ene | 0.714 | µg/l | 0.5 | 1.67 | 1 | J | 04/14/04 | LMP |
| Trichlorofluoromethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Vinyl Chloride | <0.2 | µg/l | 0.2 | 0.67 | 1 | | 04/14/04 | LMP |
| m- & p-Xylene | 1.06 | µg/l | 0.62 | 2.06 | 1 | J | 04/14/04 | LMP |
| o-Xylene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| VOC Vial pH above 2 | 7.00 | | - | - | - | | 04/15/04 | VOL |
| PID Surrogate Recovery (S) | 106. | % | - | - | 1 | | 04/14/04 | LMP |
| HALL Surrogate Recovery (S) | 141. | % | - | - | 1 | | 04/14/04 | LMP |





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.12
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB7 S2 4'** Matrix: **SOIL** Sample Date/Time: **04/07/04 11:15** Lab No. **152014**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL LCL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | 0.0695 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 94.3 | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 92.8 | % | - | - | 1 | | 04/16/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 81.0 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.13
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB7 S4 6'** Matrix: **SOIL** Sample Date/Time: **04/07/04 11:25** Lab No. **152015**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL LCL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | 0.186 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 102. | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 110. | % | - | - | 1 | | 04/16/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 92.7 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.14
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB7** Matrix: **GRDWTR** Sample Date/Time: **04/07/04 11:50** Lab No. **152016**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|-----------------------------|--------|-------|------|------|-----------------|------------|---------------|---------|
| EPA 8021 | | | | | | | | |
| Benzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Bromobenzene | <0.41 | µg/l | 0.41 | 1.37 | 1 | | 04/14/04 | LMP |
| Bromodichloromethane | <0.83 | µg/l | 0.83 | 2.76 | 1 | | 04/14/04 | LMP |
| n-Butylbenzene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 04/14/04 | LMP |
| sec-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| tert-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Carbon Tetrachloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Chlorobenzene | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| Dibromochloromethane | <0.87 | µg/l | 0.87 | 2.9 | 1 | | 04/14/04 | LMP |
| Chloroethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Chloroform | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Chloromethane | <0.29 | µg/l | 0.29 | 0.97 | 1 | | 04/14/04 | LMP |
| 2-Chlorotoluene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 4-Chlorotoluene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Dibromochloropropane(DBCP) | <1.30 | µg/l | 1.3 | 4.33 | 1 | | 04/14/04 | LMP |
| 1,2-Dibromoethane(EDB) | <1.10 | µg/l | 1.1 | 3.66 | 1 | | 04/14/04 | LMP |
| 1,2-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 1,3-Dichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,4-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| Dichlorodifluoromethane | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloroethane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| cis-1,2-Dichloroeth(yl)ene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| trans-1,2-Dichloroethylene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloropropane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3-Dichloropropane | <0.9 | µg/l | 0.9 | 3.0 | 1 | | 04/14/04 | LMP |
| 2,2-Dichloropropane | <1.50 | µg/l | 1.5 | 5.0 | 1 | | 04/14/04 | LMP |
| Ethylbenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Hexachlorobutadiene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Isopropylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Isopropyl Ether | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| p-Isopropyltoluene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Methylene Chloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Naphthalene | <0.8 | µg/l | 0.8 | 2.66 | 1 | | 04/14/04 | LMP |
| n-Propylbenzene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Tetrachloroeth(yl)ene | 49.1 | µg/l | 0.45 | 1.5 | 10 | | 04/15/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 04/14/04 | LMP |
| Toluene | 0.407 | µg/l | 0.3 | 1.0 | 1 | J | 04/14/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trichlorobenzene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,1,1-Trichloroethane | <0.42 | µg/l | 0.42 | 1.4 | 1 | | 04/14/04 | LMP |
| 1,1,2-Trichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichlorofluoromethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Vinyl Chloride | <0.2 | µg/l | 0.2 | 0.67 | 1 | | 04/14/04 | LMP |
| m- & p-Xylene | <0.62 | µg/l | 0.62 | 2.06 | 1 | | 04/14/04 | LMP |
| o-Xylene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| PID Surrogate Recovery (S) | 107. | % | - | - | 1 | | 04/14/04 | LMP |
| HALL Surrogate Recovery (S) | 151. | % | - | - | 1 | | 04/14/04 | LMP |





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.15
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB8 S2 4'** Matrix: **SOIL** Sample Date/Time: **04/07/04 12:35** Lab No. **152017**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | CSH LCH | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | 0.0435 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 96.7 | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 115. | % | - | - | 1 | | 04/16/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 79.5 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.16
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB8 S6 12'** Matrix: **SOIL** Sample Date/Time: **04/07/04 12:45** Lab No. **152018**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | CSH LCH | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | 0.066 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 99.4 | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 114. | % | - | - | 1 | | 04/16/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 88.5 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.17
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB8** Matrix: **GRDWTR** Sample Date/Time: **04/07/04 13:10** Lab No. **152019**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|-----------------------------|--------|-------|------|------|-----------------|------------|---------------|---------|
| EPA 8021 | | | | | | | | |
| Benzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Bromobenzene | <0.41 | µg/l | 0.41 | 1.37 | 1 | | 04/14/04 | LMP |
| Bromodichloromethane | <0.83 | µg/l | 0.83 | 2.76 | 1 | | 04/14/04 | LMP |
| n-Butylbenzene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 04/14/04 | LMP |
| sec-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| tert-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Carbon Tetrachloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Chlorobenzene | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| Dibromochloromethane | <0.87 | µg/l | 0.87 | 2.9 | 1 | | 04/14/04 | LMP |
| Chloroethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Chloroform | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Chloromethane | <0.29 | µg/l | 0.29 | 0.97 | 1 | | 04/14/04 | LMP |
| 2-Chlorotoluene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 4-Chlorotoluene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Dibromochloropropane(DBCP) | <1.30 | µg/l | 1.3 | 4.33 | 1 | | 04/14/04 | LMP |
| 1,2-Dibromoethane(EDB) | <1.10 | µg/l | 1.1 | 3.66 | 1 | | 04/14/04 | LMP |
| 1,2-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 1,3-Dichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,4-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| Dichlorodifluoromethane | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloroethane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| cis-1,2-Dichloroeth(yl)ene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| trans-1,2-Dichloroethylene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloropropane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3-Dichloropropane | <0.9 | µg/l | 0.9 | 3.0 | 1 | | 04/14/04 | LMP |
| 2,2-Dichloropropane | <1.50 | µg/l | 1.5 | 5.0 | 1 | | 04/14/04 | LMP |
| Ethylbenzene | 0.692 | µg/l | 0.5 | 1.67 | 1 | J | 04/14/04 | LMP |
| Hexachlorobutadiene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Isopropylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Isopropyl Ether | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| p-Isopropyltoluene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Methylene Chloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Naphthalene | <0.8 | µg/l | 0.8 | 2.66 | 1 | | 04/14/04 | LMP |
| n-Propylbenzene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Tetrachloroeth(yl)ene | 278. | µg/l | 0.45 | 1.5 | 50 | | 04/15/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 04/14/04 | LMP |
| Toluene | 1.05 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trichlorobenzene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,1,1-Trichloroethane | <0.42 | µg/l | 0.42 | 1.4 | 1 | | 04/14/04 | LMP |
| 1,1,2-Trichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichlorofluoromethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Vinyl Chloride | <0.2 | µg/l | 0.2 | 0.67 | 1 | | 04/14/04 | LMP |
| m- & p-Xylene | 0.734 | µg/l | 0.62 | 2.06 | 1 | J | 04/14/04 | LMP |
| o-Xylene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| PID Surrogate Recovery (S) | 106. | % | - | - | 1 | | 04/14/04 | LMP |
| HALL Surrogate Recovery (S) | 171. | % | - | - | 1 | | 04/14/04 | LMP |





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.18
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB9 S2 4'** Matrix: **SOIL** Sample Date/Time: **04/07/04 13:35** Lab No. **152020**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | CSH LCH | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 100. | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 105. | % | - | - | 1 | | 04/16/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 80.7 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.19
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB9 S6 12'** Matrix: **SOIL** Sample Date/Time: **04/07/04 13:45** Lab No. **152021**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | CSH LCH | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 101. | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 107. | % | - | - | 1 | | 04/16/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 97.6 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.20
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB9** Matrix: **GRDWTR** Sample Date/Time: **04/07/04 14:05** Lab No. **152022**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|-----------------------------|--------|-------|------|------|--------------------|------------|------------------|---------|
| EPA 8021 | | | | | | | | |
| Benzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Bromobenzene | <0.41 | µg/l | 0.41 | 1.37 | 1 | | 04/14/04 | LMP |
| Bromodichloromethane | <0.83 | µg/l | 0.83 | 2.76 | 1 | | 04/14/04 | LMP |
| n-Butylbenzene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 04/14/04 | LMP |
| sec-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| tert-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Carbon Tetrachloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Chlorobenzene | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| Dibromochloromethane | <0.87 | µg/l | 0.87 | 2.9 | 1 | | 04/14/04 | LMP |
| Chloroethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Chloroform | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Chloromethane | <0.29 | µg/l | 0.29 | 0.97 | 1 | | 04/14/04 | LMP |
| 2-Chlorotoluene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 4-Chlorotoluene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Dibromochloropropane(DBCP) | <1.30 | µg/l | 1.3 | 4.33 | 1 | | 04/14/04 | LMP |
| 1,2-Dibromoethane(EDB) | <1.10 | µg/l | 1.1 | 3.66 | 1 | | 04/14/04 | LMP |
| 1,2-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 1,3-Dichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,4-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| Dichlorodifluoromethane | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloroethane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| cis-1,2-Dichloroeth(yl)ene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| trans-1,2-Dichloroethylene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloropropane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3-Dichloropropane | <0.9 | µg/l | 0.9 | 3.0 | 1 | | 04/14/04 | LMP |
| 2,2-Dichloropropane | <1.50 | µg/l | 1.5 | 5.0 | 1 | | 04/14/04 | LMP |
| Ethylbenzene | 0.521 | µg/l | 0.5 | 1.67 | 1 | J | 04/14/04 | LMP |
| Hexachlorobutadiene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Isopropylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Isopropyl Ether | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| p-Isopropyltoluene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Methylene Chloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Naphthalene | <0.8 | µg/l | 0.8 | 2.66 | 1 | | 04/14/04 | LMP |
| n-Propylbenzene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Tetrachloroeth(yl)ene | 103. | µg/l | 0.45 | 1.5 | 20 | | 04/15/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 04/14/04 | LMP |
| Toluene | 0.484 | µg/l | 0.3 | 1.0 | 1 | J | 04/14/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trichlorobenzene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,1,1-Trichloroethane | <0.42 | µg/l | 0.42 | 1.4 | 1 | | 04/14/04 | LMP |
| 1,1,2-Trichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichlorofluoromethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Vinyl Chloride | <0.2 | µg/l | 0.2 | 0.67 | 1 | | 04/14/04 | LMP |
| m- & p-Xylene | <0.62 | µg/l | 0.62 | 2.06 | 1 | | 04/14/04 | LMP |
| o-Xylene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| PID Surrogate Recovery (S) | 104. | % | - | - | 1 | | 04/14/04 | LMP |
| HALL Surrogate Recovery (S) | 165. | % | - | - | 1 | | 04/14/04 | LMP |





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.21
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB10 S2 4'** Matrix: **SOIL** Sample Date/Time: **04/07/04 14:25** Lab No. **152023**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | CSH LCH | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | 0.202 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 92.1 | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 111. | % | - | - | 1 | | 04/16/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 85.7 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO.: 152005.22
DATE REC'D: 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB10 S6 12'** Matrix: **SOIL** Sample Date/Time: **04/07/04 14:30** Lab No. **152024**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | CSH LCH | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,1,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 98.3 | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 109. | % | - | - | 1 | | 04/16/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 93.7 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.23
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB10** Matrix: **GRDWTR** Sample Date/Time: **04/07/04 14:55** Lab No. **152025**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|-----------------------------|--------|-------|------|------|-----------------|------------|---------------|---------|
| EPA 8021 | | | | | | | | |
| Benzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Bromobenzene | <0.41 | µg/l | 0.41 | 1.37 | 1 | | 04/14/04 | LMP |
| Bromodichloromethane | <0.83 | µg/l | 0.83 | 2.76 | 1 | | 04/14/04 | LMP |
| n-Butylbenzene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 04/14/04 | LMP |
| sec-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| tert-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Carbon Tetrachloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Chlorobenzene | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| Dibromochloromethane | <0.87 | µg/l | 0.87 | 2.9 | 1 | | 04/14/04 | LMP |
| Chloroethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Chloroform | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| Chloromethane | <0.29 | µg/l | 0.29 | 0.97 | 1 | | 04/14/04 | LMP |
| 2-Chlorotoluene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 4-Chlorotoluene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Dibromochloropropane(DBCP) | <1.30 | µg/l | 1.3 | 4.33 | 1 | | 04/14/04 | LMP |
| 1,2-Dibromoethane(EDB) | <1.10 | µg/l | 1.1 | 3.66 | 1 | | 04/14/04 | LMP |
| 1,2-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| 1,3-Dichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,4-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| Dichlorodifluoromethane | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloroethane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,1-Dichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| cis-1,2-Dichloroeth(yl)ene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| trans-1,2-Dichloroethylene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 04/14/04 | LMP |
| 1,2-Dichloropropane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3-Dichloropropane | <0.9 | µg/l | 0.9 | 3.0 | 1 | | 04/14/04 | LMP |
| 2,2-Dichloropropane | <1.50 | µg/l | 1.5 | 5.0 | 1 | | 04/14/04 | LMP |
| Ethylbenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Hexachlorobutadiene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| Isopropylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Isopropyl Ether | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/14/04 | LMP |
| p-Isopropyltoluene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Methylene Chloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Naphthalene | <0.8 | µg/l | 0.8 | 2.66 | 1 | | 04/14/04 | LMP |
| n-Propylbenzene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| Tetrachloroeth(yl)ene | 27.9 | µg/l | 0.45 | 1.5 | 1 | | 04/14/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 04/14/04 | LMP |
| Toluene | 0.478 | µg/l | 0.3 | 1.0 | 1 | J | 04/14/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trichlorobenzene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,1,1-Trichloroethane | <0.42 | µg/l | 0.42 | 1.4 | 1 | | 04/14/04 | LMP |
| 1,1,2-Trichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/14/04 | LMP |
| Trichlorofluoromethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/14/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/14/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/14/04 | LMP |
| Vinyl Chloride | <0.2 | µg/l | 0.2 | 0.67 | 1 | | 04/14/04 | LMP |
| m- & p-Xylene | <0.62 | µg/l | 0.62 | 2.06 | 1 | | 04/14/04 | LMP |
| o-Xylene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/14/04 | LMP |
| PID Surrogate Recovery (S) | 103. | % | - | - | 1 | | 04/14/04 | LMP |
| HALL Surrogate Recovery (S) | 144. | % | - | - | 1 | | 04/14/04 | LMP |





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.24
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB11 S2 4'** Matrix: **SOIL** Sample Date/Time: **04/07/04 15:15** Lab No. **152026**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | CSH LCH | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 93.2 | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 114. | % | - | - | 1 | | 04/16/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 81.7 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.25
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB11 S6 12'** Matrix: **SOIL** Sample Date/Time: **04/07/04 15:20** Lab No. **152027**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|--|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 (Only positively identified analytes are reported on a dry weight basis) | | | | | | | | |
| Benzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | CSH LCH | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/kg | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/kg | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/kg | 0.01 | 0.033 | 1 | CSL LCL | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/kg | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/kg | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/kg | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | CSL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/kg | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | <0.025 | mg/kg | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/kg | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/kg | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/kg | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/kg | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/kg | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/kg | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/kg | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/kg | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/kg | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/kg | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 101. | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 113. | % | - | - | 1 | | 04/16/04 | LMP |
| MOSA21-2 | | | | | | | | |
| Total Solids | 93.8 | % | - | 0.33 | - | | 04/12/04 | SAK |

All results calculated on a dry weight basis.





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.26
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **GB11** Matrix: **GRDWTR** Sample Date/Time: **04/07/04 15:35** Lab No. **152028**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|-----------------------------|--------|-------|------|------|--------------------|------------|------------------|---------|
| EPA 8021 | | | | | | | | |
| Benzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/15/04 | LMP |
| Bromobenzene | <0.41 | µg/l | 0.41 | 1.37 | 1 | | 04/15/04 | LMP |
| Bromodichloromethane | <0.83 | µg/l | 0.83 | 2.76 | 1 | | 04/15/04 | LMP |
| n-Butylbenzene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 04/15/04 | LMP |
| sec-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| tert-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| Carbon Tetrachloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Chlorobenzene | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/15/04 | LMP |
| Dibromochloromethane | <0.87 | µg/l | 0.87 | 2.9 | 1 | | 04/15/04 | LMP |
| Chloroethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/15/04 | LMP |
| Chloroform | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| Chloromethane | <0.29 | µg/l | 0.29 | 0.97 | 1 | | 04/15/04 | LMP |
| 2-Chlorotoluene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/15/04 | LMP |
| 4-Chlorotoluene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/15/04 | LMP |
| Dibromochloropropane(DBCP) | <1.30 | µg/l | 1.3 | 4.33 | 1 | | 04/15/04 | LMP |
| 1,2-Dibromoethane(EDB) | <1.10 | µg/l | 1.1 | 3.66 | 1 | | 04/15/04 | LMP |
| 1,2-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/15/04 | LMP |
| 1,3-Dichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| 1,4-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/15/04 | LMP |
| Dichlorodifluoromethane | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/15/04 | LMP |
| 1,1-Dichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| 1,2-Dichloroethane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| 1,1-Dichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| cis-1,2-Dichloroeth(yl)ene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| trans-1,2-Dichloroethylene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 04/15/04 | LMP |
| 1,2-Dichloropropane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| 1,3-Dichloropropane | <0.9 | µg/l | 0.9 | 3.0 | 1 | | 04/15/04 | LMP |
| 2,2-Dichloropropane | <1.50 | µg/l | 1.5 | 5.0 | 1 | | 04/15/04 | LMP |
| Ethylbenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Hexachlorobutadiene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/15/04 | LMP |
| Isopropylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/15/04 | LMP |
| Isopropyl Ether | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/15/04 | LMP |
| p-Isopropyltoluene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/15/04 | LMP |
| Methylene Chloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Naphthalene | <0.8 | µg/l | 0.8 | 2.66 | 1 | | 04/15/04 | LMP |
| n-Propylbenzene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/15/04 | LMP |
| Tetrachloroeth(yl)ene | 1.32 | µg/l | 0.45 | 1.5 | 1 | J | 04/15/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 04/15/04 | LMP |
| Toluene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/15/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| 1,2,4-Trichlorobenzene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/15/04 | LMP |
| 1,1,1-Trichloroethane | <0.42 | µg/l | 0.42 | 1.4 | 1 | | 04/15/04 | LMP |
| 1,1,2-Trichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Trichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Trichlorofluoromethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/15/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/15/04 | LMP |
| Vinyl Chloride | <0.2 | µg/l | 0.2 | 0.67 | 1 | | 04/15/04 | LMP |
| m- & p-Xylene | <0.62 | µg/l | 0.62 | 2.06 | 1 | | 04/15/04 | LMP |
| o-Xylene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/15/04 | LMP |
| PID Surrogate Recovery (S) | 104. | % | - | - | 1 | | 04/15/04 | LMP |
| HALL Surrogate Recovery (S) | 130. | % | - | - | 1 | | 04/15/04 | LMP |





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.27
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **MEOH BLANK-USF** Matrix: **SOIL** Sample Date/Time: **04/07/04** Lab No. **152029**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|-----------------------------|--------|-------|-------|-------|-----------------|-------------|---------------|---------|
| EPA 8021 | | | | | | | | |
| Benzene | <0.025 | mg/l | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Bromobenzene | <0.025 | mg/l | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Bromodichloromethane | <0.025 | mg/l | 0.006 | 0.02 | 1 | CSH LCH | 04/16/04 | LMP |
| n-Butylbenzene | <0.025 | mg/l | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| sec-Butylbenzene | <0.025 | mg/l | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| tert-Butylbenzene | <0.025 | mg/l | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Carbon Tetrachloride | <0.025 | mg/l | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Chlorobenzene | <0.025 | mg/l | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Chlorodibromomethane | <0.025 | mg/l | 0.02 | 0.067 | 1 | | 04/16/04 | LMP |
| Chloroethane | <0.025 | mg/l | 0.09 | 0.30 | 1 | CSL LCL DUP | 04/16/04 | LMP |
| Chloroform | <0.025 | mg/l | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Chloromethane | <0.025 | mg/l | 0.01 | 0.033 | 1 | CSL LCL | 04/16/04 | LMP |
| 2-Chlorotoluene | <0.025 | mg/l | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 4-Chlorotoluene | <0.025 | mg/l | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,2-Dibromo-3-chloropropane | <0.025 | mg/l | 0.009 | 0.03 | 1 | CSH LCH | 04/16/04 | LMP |
| 1,2-Dibromoethane | <0.025 | mg/l | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,2-Dichlorobenzene | <0.025 | mg/l | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,3-Dichlorobenzene | <0.025 | mg/l | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,4-Dichlorobenzene | <0.025 | mg/l | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| Dichlorodifluoromethane | <0.025 | mg/l | 0.014 | 0.047 | 1 | LCL | 04/16/04 | LMP |
| 1,1-Dichloroethane | <0.025 | mg/l | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloroethane | <0.025 | mg/l | 0.005 | 0.017 | 1 | | 04/16/04 | LMP |
| 1,1-Dichloroethylene | <0.025 | mg/l | 0.016 | 0.053 | 1 | | 04/16/04 | LMP |
| cis-1,2-Dichloroethylene | <0.025 | mg/l | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| trans-1,2-Dichloroethylene | <0.025 | mg/l | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| 1,2-Dichloropropane | <0.025 | mg/l | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,3-Dichloropropane | <0.025 | mg/l | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 2,2-Dichloropropane | <0.025 | mg/l | 0.008 | 0.027 | 1 | CSL | 04/16/04 | LMP |
| Ethylbenzene | <0.025 | mg/l | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| Hexachlorobutadiene | <0.025 | mg/l | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| Isopropylbenzene | <0.025 | mg/l | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Isopropyl Ether | <0.025 | mg/l | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| p-Isopropyltoluene | <0.025 | mg/l | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.025 | mg/l | 0.018 | 0.06 | 1 | | 04/16/04 | LMP |
| Methylene Chloride | <0.025 | mg/l | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| Naphthalene | <0.025 | mg/l | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| n-Propylbenzene | <0.025 | mg/l | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| Tetrachloroethylene | <0.025 | mg/l | 0.009 | 0.03 | 1 | | 04/16/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.025 | mg/l | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Toluene | <0.025 | mg/l | 0.007 | 0.023 | 1 | | 04/16/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.025 | mg/l | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,2,4-Trichlorobenzene | <0.025 | mg/l | 0.014 | 0.047 | 1 | | 04/16/04 | LMP |
| 1,1,1-Trichloroethane | <0.025 | mg/l | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| 1,1,2-Trichloroethane | <0.025 | mg/l | 0.006 | 0.02 | 1 | | 04/16/04 | LMP |
| Trichloroethylene | <0.025 | mg/l | 0.011 | 0.037 | 1 | | 04/16/04 | LMP |
| Trichlorofluoromethane | <0.025 | mg/l | 0.008 | 0.027 | 1 | LCL | 04/16/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.025 | mg/l | 0.012 | 0.04 | 1 | | 04/16/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.025 | mg/l | 0.01 | 0.033 | 1 | | 04/16/04 | LMP |
| Vinyl Chloride | <0.025 | mg/l | 0.018 | 0.06 | 1 | LCL | 04/16/04 | LMP |
| m- & p-Xylene | <0.025 | mg/l | 0.015 | 0.05 | 1 | | 04/16/04 | LMP |
| o-Xylene | <0.025 | mg/l | 0.008 | 0.027 | 1 | | 04/16/04 | LMP |
| PID Surrogate Recovery (S) | 93.9 | % | - | - | 1 | | 04/16/04 | LMP |
| HALL Surrogate Recovery (S) | 112. | % | - | - | 1 | | 04/16/04 | LMP |





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.28
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Sample ID: **TRIP BLANK-USF** Matrix: **WATER** Sample Date/Time: **04/07/04** Lab No. **152030**

| | Result | Units | LOD | LOQ | Dilution Factor | Qualifiers | Date Analyzed | Analyst |
|-----------------------------|--------|-------|------|------|--------------------|------------|------------------|---------|
| EPA 8021 | | | | | | | | |
| Benzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/15/04 | LMP |
| Bromobenzene | <0.41 | µg/l | 0.41 | 1.37 | 1 | | 04/15/04 | LMP |
| Bromodichloromethane | <0.83 | µg/l | 0.83 | 2.76 | 1 | | 04/15/04 | LMP |
| n-Butylbenzene | <0.36 | µg/l | 0.36 | 1.2 | 1 | | 04/15/04 | LMP |
| sec-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| tert-Butylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| Carbon Tetrachloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Chlorobenzene | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/15/04 | LMP |
| Dibromochloromethane | <0.87 | µg/l | 0.87 | 2.9 | 1 | | 04/15/04 | LMP |
| Chloroethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/15/04 | LMP |
| Chloroform | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| Chloromethane | <0.29 | µg/l | 0.29 | 0.97 | 1 | | 04/15/04 | LMP |
| 2-Chlorotoluene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/15/04 | LMP |
| 4-Chlorotoluene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/15/04 | LMP |
| Dibromochloropropane(DBCP) | <1.30 | µg/l | 1.3 | 4.33 | 1 | | 04/15/04 | LMP |
| 1,2-Dibromoethane(EDB) | <1.10 | µg/l | 1.1 | 3.66 | 1 | | 04/15/04 | LMP |
| 1,2-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/15/04 | LMP |
| 1,3-Dichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| 1,4-Dichlorobenzene | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/15/04 | LMP |
| Dichlorodifluoromethane | <0.7 | µg/l | 0.7 | 2.33 | 1 | | 04/15/04 | LMP |
| 1,1-Dichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| 1,2-Dichloroethane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| 1,1-Dichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| cis-1,2-Dichloroeth(yl)ene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| trans-1,2-Dichloroethylene | <0.39 | µg/l | 0.39 | 1.3 | 1 | | 04/15/04 | LMP |
| 1,2-Dichloropropane | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| 1,3-Dichloropropane | <0.9 | µg/l | 0.9 | 3.0 | 1 | | 04/15/04 | LMP |
| 2,2-Dichloropropane | <1.50 | µg/l | 1.5 | 5.0 | 1 | | 04/15/04 | LMP |
| Ethylbenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Hexachlorobutadiene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/15/04 | LMP |
| Isopropylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/15/04 | LMP |
| Isopropyl Ether | <0.6 | µg/l | 0.6 | 2.0 | 1 | | 04/15/04 | LMP |
| p-Isopropyltoluene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Methyl t-Butyl Ether(MTBE) | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/15/04 | LMP |
| Methylene Chloride | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Naphthalene | <0.8 | µg/l | 0.8 | 2.66 | 1 | | 04/15/04 | LMP |
| n-Propylbenzene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/15/04 | LMP |
| Tetrachloroeth(yl)ene | <0.45 | µg/l | 0.45 | 1.5 | 1 | | 04/15/04 | LMP |
| 1,1,2,2-Tetrachloroethane | <0.61 | µg/l | 0.61 | 2.03 | 1 | | 04/15/04 | LMP |
| Toluene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/15/04 | LMP |
| 1,2,3-Trichlorobenzene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| 1,2,4-Trichlorobenzene | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/15/04 | LMP |
| 1,1,1-Trichloroethane | <0.42 | µg/l | 0.42 | 1.4 | 1 | | 04/15/04 | LMP |
| 1,1,2-Trichloroethane | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Trichloroeth(yl)ene | <0.5 | µg/l | 0.5 | 1.67 | 1 | | 04/15/04 | LMP |
| Trichlorofluoromethane | <1.00 | µg/l | 1.0 | 3.33 | 1 | | 04/15/04 | LMP |
| 1,2,4-Trimethylbenzene | <0.4 | µg/l | 0.4 | 1.33 | 1 | | 04/15/04 | LMP |
| 1,3,5-Trimethylbenzene | <0.31 | µg/l | 0.31 | 1.03 | 1 | | 04/15/04 | LMP |
| Vinyl Chloride | <0.2 | µg/l | 0.2 | 0.67 | 1 | | 04/15/04 | LMP |
| m- & p-Xylene | <0.62 | µg/l | 0.62 | 2.06 | 1 | | 04/15/04 | LMP |
| o-Xylene | <0.3 | µg/l | 0.3 | 1.0 | 1 | | 04/15/04 | LMP |
| PID Surrogate Recovery (S) | 105. | % | - | - | 1 | | 04/15/04 | LMP |
| HALL Surrogate Recovery (S) | 126. | % | - | - | 1 | | 04/15/04 | LMP |





ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.usfilter.com

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718--

PROJECT NO.: 2325
REPORT NO. : 152005.29
DATE REC'D : 04/09/04
REPORT DATE: 04/22/04
PREPARED BY: JRS

Attn: Steve Sellwood/ John Nebl

Qualifier Descriptions

| | |
|-----|---|
| CSL | Check standard for this analyte exhibited a low bias. Sample results may also be biased low. |
| LCL | The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low. |
| DUP | Result of duplicate analysis in this quality assurance batch exceeds the limits for precision. |
| CSH | Check standard for this analyte exhibited a high bias. Sample results may also be biased high. |
| LCH | The laboratory control sample for this analyte exhibited a high bias. Sample results may also be biased high. |
| J | Estimated concentration below laboratory quantitation level. |



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
www.usfilter.com

Sample Receipt Report

Client: BT² Inc

Date Received: 4/9/04

Analytical No.: 10152005 Through 10152030

Check all deviations from EPA or WDNR sample protocol.

Sample(s) received at ____ °C which is above the EPA and WDNR limit of 4°C.

VOC vial(s) received with headspace. Explain: _____

Sample(s) received in bottles not furnished by Enviroscan. Preservation method, if used, is unknown.

Sample(s) not properly preserved per EPA/WDNR protocol for the following: _____

Sample(s) received beyond EPA holding time for: _____

Sample date/time not supplied by client. Actual holding time unknown.

GRO/PVOC/VOC/DRO (circle appropriate) sample(s) are < 19.5 gms and this report is the flag for that information. Sample(s) under-weight: _____

GRO/PVOC/VOC (circle appropriate) sample(s) were between 26.4-35.4 gms so methanol was added in a 1:1 ratio. Sample(s) included: 10152012 + 2ml, 152018 + 2ml, 152024 + 2ml, 152026 + 3ml.

GRO/PVOC/VOC/DRO (circle appropriate) sample(s) were > 35.4 gms and are required to be rejected. Sample(s) included: _____

Other: _____

Client contact concerning the above deviations:

Client _____ (contact name) notified of the above deviation(s) on ___/___/___ at ___:___ am/pm by _____ and the client ordered:

(signature)

Proceed with analyses as ordered.

Proceed with analyses after taking the following corrective action: _____

Do NOT proceed with analyses.

REQUEST FOR SERVICES **US Filter**

ENVIROSCAN SERVICES 301 W. MILITARY RD. ROTHSCCHILD, WI 54474 1-800-338-SCAN

REPORT TO:
 Name: STEVE SELWOOD
 Company: BT² INC
 Address: 2830 DAIRY DRIVE
MADISON WI 53718
 Phone: (608) 224-2830
 P.O.# _____
 Project # 2325 Quote # _____
 Location MADISON, WI

BILL TO: (if different from Report To info)
 Name: JOHN NEBL
 Company: 90 BT² INC
 Address: SAME
 Phone: (_____) _____

ANALYTICAL REQUESTS
 (use separate sheet if necessary)

- Sample Type**
 (Check all that apply)
- Groundwater
 - Wastewater
 - Soil/Solid
 - Drinking Water
 - Oil
 - Vapor
 - Other
- Turnaround Time**
- Normal
 - Rush (Pre-approved by Lab)
- Date Needed _____
 Approved By _____

| | | | |
|----------------------------|-----------|---|-----------|
| VOC SOIL (MEOH) 1-28-02 | % Solides | VOC WATER (HCl) 2-20-02 wh-to-the | FIELD FID |
|----------------------------|-----------|---|-----------|

| LAB USE ONLY | DATE | TIME | No. of Containers | | SAMPLE ID | ANALYTICAL REQUESTS | | | | REMARKS | |
|--------------|--------|------|-------------------|------|--------------|---------------------|-----------|-----------------|-----------|---------|--|
| | | | COMP | GRAB | | VOC SOIL (MEOH) | % Solides | VOC WATER (HCl) | FIELD FID | | |
| 10152005 | 4-7-04 | 0850 | | 2 | GB4, S2, 4' | X | X | | | 2 | 17.5 Cont. MEOH pres No 1 GRAB |
| 10152006 | | 0900 | | 2 | GB4, S6, 12' | X | X | | | 0 | |
| 10152007 | | 0920 | | 3 | GB4 | | | X | | - | 3 vials w/HCl |
| 10152008 | | 0930 | | 2 | GB5, S2, 4' | X | X | | | 2 | 17.5 Cont. MEOH pres 1 20- MEOH pres |
| 10152009 | | 0945 | | 2 | GB5, S8, 16' | X | X | | | 0 | |
| 10152010 | | 1000 | | 3 | GB5 | | | X | | - | 3 vials w/HCl Vials labeled GB6 Matched time |
| 10152011 | | 1025 | | 2 | GB6, S2, 4' | X | X | | | 70 | |
| 10152012 | | 1035 | | 2 | GB6, S6, 12' | X | X | | | 8 | |
| 10152013 | | 1050 | | 3 | GB6 | | | X | | - | |
| 10152014 | | 1115 | | 2 | GB7, S2, 4' | X | X | | | 1 | |

Rob-John

CHAIN OF CUSTODY RECORD

SAMPLES: (Signature)
Geoff Prior GEOFF PRIOR

| | | |
|--|---------------------|--|
| RELINQUISHED BY: (Signature) <u>Geoff Prior</u> | DATE/TIME 4/8/04 | RECEIVED BY: (Signature) <u>Vic Ambrose</u> |
| RELINQUISHED BY: (Signature) | DATE/TIME | RECEIVED BY: (Signature) |
| RELINQUISHED BY: (Signature) | DATE/TIME | RECEIVED FOR LABORATORY BY: (Signature) <u>Lawrence</u> |

Del'v: Hand Comm N/A
 Ship. Cont. OK N/A
 Samples leaking? N/A
 Seals OK? N/A
 Rec'd on ice? N/A L/C

Comments: _____

4-9-04 9:30

REQUEST FOR SERVICES **US Filter**

ENVIROSCAN SERVICES 301 W. MILITARY RD. ROTHSCHILD, WI 54474 1-800-338-SCAN

REPORT TO:
 Name: STEVE SELLWOOD
 Company: BT² INC
 Address: 2830 DAIRY DRIVE
MADISON WI 53718
 Phone: (608) 224-2830
 P.O.# _____
 Project # 2325 Quote # _____
 Location MADISON WI

BILL TO: (if different from Report To info)
 Name: JOHN NEBL
 Company: 90 BT² Inc
 Address: SAME
 Phone: (_____) _____

ANALYTICAL REQUESTS

(use separate sheet if necessary)

- Sample Type**
 (Check all that apply)
- Groundwater
 - Wastewater
 - Soil/Solid
 - Drinking Water
 - Oil
 - Vapor
 - Other
- Turnaround Time**
- Normal
 - Rush (Pre-approved by Lab)
- Date Needed _____
 Approved By _____

*Sols = 175 containers
 Waters = 1202
 ME OH (pre-
 not sent)
 3 vials of HCl*

VOC SOL (ME OH)
% SOLUS
VOC WATER (HCL)
FIELD FID

| LAB USE ONLY | DATE | TIME | No. of Containers | | SAMPLE ID | ANALYTICAL REQUESTS | | | | REMARKS | |
|--------------|-----------|------|-------------------|------|---------------|---------------------|---------|-----------------|-----------|---------|----------|
| | | | COMP | GRAB | | VOC SOL (ME OH) | % SOLUS | VOC WATER (HCL) | FIELD FID | | |
| 10152015 | 4-7 09 | 1125 | | 2 | GB7, S4, 6' | X | X | | | 2 | NO SOLUS |
| 10152016 | | 1150 | | 3 | GB7 | | | X | | 1 | |
| 10152017 | | 1235 | | 2 | GB8, S2, 4' | X | X | | | 1 | |
| 10152018 | | 1245 | | 2 | GB8, S6, 12' | X | X | | | 2 | |
| 10152019 | | 1310 | | 3 | GB8 | | | X | | 1 | |
| 10152020 | | 1335 | | 2 | GB9, S2, 4' | X | X | | | 2 | |
| 10152021 | | 1345 | | 2 | GB9, S6, 12' | X | X | | | 3 | |
| 10152022 | | 1405 | | 3 | GB9 | | | X | | 1 | |
| 10152023 | | 1425 | | 2 | GB10, S2, 4' | X | X | | | 3 | |
| 10152024 | | 1430 | | 2 | GB10, S6, 12' | X | X | | | 2 | |

CHAIN OF CUSTODY RECORD

SAMPLERS: (Signature) Geoff Prior

| | | |
|--|---------------------|--|
| RELINQUISHED BY: (Signature) <u>Geoff Prior</u> | DATE/TIME 4/8/04 | RECEIVED BY: (Signature) <u>Vic Lambrick</u> |
| RELINQUISHED BY: (Signature) | DATE/TIME | RECEIVED BY: (Signature) |
| RELINQUISHED BY: (Signature) | DATE/TIME | RECEIVED FOR LABORATORY BY: (Signature) <u>David...</u> |
| | | DATE/TIME 4-9-04 12:30 |

Del'v: Hand Comm Y N/A
 Ship. Cont. OK Y N/A
 Samples leaking? Y N/A
 Seals OK? Y N/A
 Rec'd on ice? Y N/A / °C

Comments: _____

REQUEST FOR SERVICES **US Filter**

ENVIROSCAN SERVICES 301 W. MILITARY RD. ROTHSCHILD, WI 54474 1-800-338-SCAN

REPORT TO:
 Name: STEVE SELLWOOD
 Company: BT² Inc
 Address: 2830 DAIRY DRIVE
MADISON WI 53718
 Phone: (608) 224-2830
 P.O.# _____
 Project # 2325 Quote # _____
 Location MADISON WI

BILL TO: (if different from Report To info)
 Name: JOHN NEBL
 Company: % BT² Inc
 Address: SAME
 Phone: (_____) _____

ANALYTICAL REQUESTS

(use separate sheet if necessary)

- Sample Type**
 (Check all that apply)
- Groundwater
 - Wastewater
 - Soil/Solid
 - Drinking Water
 - Oil
 - Vapor
 - Other
- Turnaround Time**
- Normal
 - Rush (Pre-approved by Lab)
- Date Needed _____
 Approved By _____

*SOILS = 17.5% random
 water = 1 2oz MEOH prep
 3 vials w/ HCl
 w/ HCl*

VOC SOIL (MEOH)
% SOLIDS
VOC WATER (HCl)
FIELD FID

| LAB USE ONLY | DATE | TIME | No. of Containers | | SAMPLE ID | ANALYTICAL REQUESTS | | | | REMARKS | |
|--------------|--------|------|-------------------|------|--------------------------------|---------------------|----------|-----------------|-----------|---------|-----------|
| | | | COMP | GRAB | | VOC SOIL (MEOH) | % SOLIDS | VOC WATER (HCl) | FIELD FID | | |
| 10152025 | 4-7-04 | 1455 | 3 | | GB10 | | | X | | - | NO ODOORS |
| 10152026 | | 1515 | 2 | | GB11, 52, 4' | X | X | | | 2 | ↓ |
| 10152027 | | 1520 | 2 | | GB11, 56, 12' | X | X | | | 3 | |
| 10152028 | | 1535 | 3 | | GB11 | | | X | | - | |
| 10152029 | | - | 1 | | MEOH BLANK | X | | | | - | |
| 10152030 | | - | 1 | | TRIP BLANK | | | X | | - | |
| | | | | | TB076 B324901R D30 10-29-03 | | | | | | |

CHAIN OF CUSTODY RECORD

SAMPLERS (Signature)
Geoff Prion

| | | |
|--|---------------------|---|
| RELINQUISHED BY: (Signature) <u>[Signature]</u> | DATE/TIME 4/8/04 | RECEIVED BY: (Signature) <u>Vic Lamsbeck</u> |
| RELINQUISHED BY: (Signature) | DATE/TIME | RECEIVED BY: (Signature) |
| RELINQUISHED BY: (Signature) | DATE/TIME | RECEIVED FOR LABORATORY BY: (Signature) <u>[Signature]</u> |
| | | DATE/TIME 4-9-04 19:30 |

Del'v: Hand Comm. N/A
 Ship. Cont. OK N/A
 Samples leaking? N/A
 Seals OK? N/A
 Rec'd on ice? N/A / °C

Comments: _____

12 August 2004

Stephen Sellwood
BT2
2830 Dairy Drive
Madison, WI 53718
RE: 3918 Monona Dr.

Enclosed are the results of analyses for samples received by the laboratory on 07/28/04. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Great Lakes Analytical



Michael Laupan For Andrea Stathas
Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

ANALYTICAL REPORT FOR SAMPLES

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received |
|------------|---------------|------------|----------------|----------------|
| MW1 S2 | W407322-01 | Soil | 07/27/04 09:30 | 07/28/04 09:35 |
| MW1 S5 | W407322-02 | Soil | 07/27/04 09:30 | 07/28/04 09:35 |
| GB12 S1 | W407322-03 | Soil | 07/27/04 14:45 | 07/28/04 09:35 |
| GB12 S5 | W407322-04 | Soil | 07/27/04 14:50 | 07/28/04 09:35 |
| GB13 S2 | W407322-05 | Soil | 07/27/04 15:00 | 07/28/04 09:35 |
| GB13 S6 | W407322-06 | Soil | 07/27/04 15:10 | 07/28/04 09:35 |
| MEOH BLANK | W407322-07 | MeOH Blank | 07/27/04 15:20 | 07/28/04 09:35 |

Sample Receipt Notes

Please note that the chain of custody (COC) included with this report is considered part of the report. The data user should review any comments or notes made on the COC. Any receipt issues found by the laboratory that are not noted on the COC will be stated below.

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|-------------|-----------------|-----------|----------|---------|----------|----------|-----------|-------|
| MW1 S2 (W407322-01) Soil Sampled: 07/27/04 09:30 Received: 07/28/04 09:35 | | | | | | | | | |
| Benzene | ND | 25.0 | ug/kg dry | 50 | 4070121 | 07/30/04 | 08/10/04 | EPA 8260B | |
| Bromobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 25.0 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 25.0 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Chloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Chloroform | ND | 25.0 | " | " | " | " | " | " | |
| Chloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 25.0 | " | " | " | " | " | " | |
| Ethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Hexachlorobutadiene | ND | 25.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 25.0 | " | " | " | " | " | " | |
| Methylene chloride | ND | 100 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 25.0 | " | " | " | " | " | " | |
| Naphthalene | ND | 25.0 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Tetrachloroethene | 52.0 | 25.0 | " | " | " | " | " | " | |
| Toluene | 92.5 | 25.0 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|-------------|-----------------|-----------------|----------|---------|----------|----------|-----------|-------|
| MW1 S2 (W407322-01) Soil Sampled: 07/27/04 09:30 Received: 07/28/04 09:35 | | | | | | | | | |
| QC | | | | | | | | | |
| 1,1,1-Trichloroethane | ND | 25.0 | ug/kg dry | 50 | 4070121 | 07/30/04 | 08/10/04 | EPA 8260B | |
| 1,1,2-Trichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Trichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 25.0 | " | " | " | " | " | " | G13 |
| Total Xylenes | 28.8 | 25.0 | " | " | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 76.4 % | <i>65.4-150</i> | | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 72.9 % | <i>71.1-141</i> | | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 104 % | <i>66.8-137</i> | | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 95.4 % | <i>68.5-146</i> | | " | " | " | " | |
| MW1 S5 (W407322-02) Soil Sampled: 07/27/04 09:30 Received: 07/28/04 09:35 | | | | | | | | | |
| QC | | | | | | | | | |
| Benzene | ND | 25.0 | ug/kg dry | 50 | 4070121 | 07/30/04 | 08/10/04 | EPA 8260B | |
| Bromobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 25.0 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 25.0 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Chloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Chloroform | ND | 25.0 | " | " | " | " | " | " | |
| Chloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|-------------|-----------------|-----------|----------|---------|----------|----------|-----------|-------|
| MW1 S5 (W407322-02) Soil Sampled: 07/27/04 09:30 Received: 07/28/04 09:35 | | | | | | | | | |
| Di-isopropyl ether | ND | 25.0 | ug/kg dry | 50 | 4070121 | 07/30/04 | 08/10/04 | EPA 8260B | |
| Ethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Hexachlorobutadiene | ND | 25.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 25.0 | " | " | " | " | " | " | |
| Methylene chloride | ND | 100 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 25.0 | " | " | " | " | " | " | |
| Naphthalene | ND | 25.0 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Tetrachloroethene | ND | 25.0 | " | " | " | " | " | " | |
| Toluene | 92.2 | 25.0 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2-Trichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Trichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 25.0 | " | " | " | " | " | " | G13 |
| Total Xylenes | ND | 25.0 | " | " | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 97.3 % | | 65.4-150 | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 102 % | | 71.1-141 | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 108 % | | 66.8-137 | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 105 % | | 68.5-146 | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|-------------|-----------------|-----------|----------|---------|----------|----------|-----------|-------|
| GB12 S1 (W407322-03) Soil Sampled: 07/27/04 14:45 Received: 07/28/04 09:35 QC | | | | | | | | | |
| Benzene | ND | 25.0 | ug/kg dry | 50 | 4070121 | 07/30/04 | 08/10/04 | EPA 8260B | |
| Bromobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 25.0 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 25.0 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Chloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Chloroform | ND | 25.0 | " | " | " | " | " | " | |
| Chloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 25.0 | " | " | " | " | " | " | |
| Ethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Hexachlorobutadiene | ND | 25.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 25.0 | " | " | " | " | " | " | |
| Methylene chloride | ND | 100 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 25.0 | " | " | " | " | " | " | |
| Naphthalene | ND | 25.0 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Tetrachloroethene | 62.5 | 25.0 | " | " | " | " | " | " | |
| Toluene | 98.1 | 25.0 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 25.0 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|-------------|-----------------|-----------|----------|---------|----------|----------|-----------|-------|
| GB12 S1 (W407322-03) Soil Sampled: 07/27/04 14:45 Received: 07/28/04 09:35 QC | | | | | | | | | |
| 1,1,2-Trichloroethane | ND | 25.0 | ug/kg dry | 50 | 4070121 | 07/30/04 | 08/10/04 | EPA 8260B | |
| Trichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 25.0 | " | " | " | " | " | " | G13 |
| Total Xylenes | 28.5 | 25.0 | " | " | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 86.3 % | | 65.4-150 | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 93.4 % | | 71.1-141 | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 103 % | | 66.8-137 | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 96.3 % | | 68.5-146 | " | " | " | " | |

| | | | | | | | | | |
|---|----|------|-----------|----|---------|----------|----------|-----------|--|
| GB12 S5 (W407322-04) Soil Sampled: 07/27/04 14:50 Received: 07/28/04 09:35 QC | | | | | | | | | |
| Benzene | ND | 25.0 | ug/kg dry | 50 | 4070121 | 07/30/04 | 08/10/04 | EPA 8260B | |
| Bromobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 25.0 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 25.0 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Chloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Chloroform | ND | 25.0 | " | " | " | " | " | " | |
| Chloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 25.0 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|------------|-----------------|-----------|----------|---------|----------|----------|-----------|-------|
| GB12 S5 (W407322-04) Soil Sampled: 07/27/04 14:50 Received: 07/28/04 09:35 | | | | | | | | | |
| Ethylbenzene | ND | 25.0 | ug/kg dry | 50 | 4070121 | 07/30/04 | 08/10/04 | EPA 8260B | |
| Hexachlorobutadiene | ND | 25.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 25.0 | " | " | " | " | " | " | |
| Methylene chloride | ND | 100 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 25.0 | " | " | " | " | " | " | |
| Naphthalene | ND | 25.0 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Tetrachloroethene | ND | 25.0 | " | " | " | " | " | " | |
| Toluene | 130 | 25.0 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2-Trichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Trichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 25.0 | " | " | " | " | " | " | G13 |
| Total Xylenes | ND | 25.0 | " | " | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 81.7 % | | 65.4-150 | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 88.4 % | | 71.1-141 | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 101 % | | 66.8-137 | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 92.9 % | | 68.5-146 | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|-------------|-----------------|-----------|----------|---------|----------|----------|-----------|-------|
| GB13 S2 (W407322-05) Soil Sampled: 07/27/04 15:00 Received: 07/28/04 09:35 | | | | | | | | | |
| QC | | | | | | | | | |
| Benzene | ND | 25.0 | ug/kg dry | 50 | 4070121 | 07/30/04 | 08/10/04 | EPA 8260B | |
| Bromobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 25.0 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 25.0 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Chloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Chloroform | ND | 25.0 | " | " | " | " | " | " | |
| Chloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 25.0 | " | " | " | " | " | " | |
| Ethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Hexachlorobutadiene | ND | 25.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 25.0 | " | " | " | " | " | " | |
| Methylene chloride | ND | 100 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 25.0 | " | " | " | " | " | " | |
| Naphthalene | ND | 25.0 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Tetrachloroethene | 69.8 | 25.0 | " | " | " | " | " | " | |
| Toluene | 109 | 25.0 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 25.0 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|--------|-----------------|-----------|----------|---------|----------|----------|-----------|-------|
| GB13 S2 (W407322-05) Soil Sampled: 07/27/04 15:00 Received: 07/28/04 09:35 | | | | | | | | | |
| 1,1,2-Trichloroethane | ND | 25.0 | ug/kg dry | 50 | 4070121 | 07/30/04 | 08/10/04 | EPA 8260B | |
| Trichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 25.0 | " | " | " | " | " | " | G13 |
| Total Xylenes | ND | 25.0 | " | " | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 100 % | | 65.4-150 | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 93.5 % | | 71.1-141 | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 96.4 % | | 66.8-137 | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 113 % | | 68.5-146 | " | " | " | " | |

| GB13 S6 (W407322-06) Soil Sampled: 07/27/04 15:10 Received: 07/28/04 09:35 | | | | | | | | | |
|---|----|------|-----------|----|---------|----------|----------|-----------|--|
| Benzene | ND | 25.0 | ug/kg dry | 50 | 4070121 | 07/30/04 | 08/10/04 | EPA 8260B | |
| Bromobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 25.0 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 25.0 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Chloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Chloroform | ND | 25.0 | " | " | " | " | " | " | |
| Chloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 25.0 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|-------------|-----------------|-----------|----------|---------|----------|----------|-----------|-------|
| GB13 S6 (W407322-06) Soil Sampled: 07/27/04 15:10 Received: 07/28/04 09:35 | | | | | | | | | |
| Ethylbenzene | ND | 25.0 | ug/kg dry | 50 | 4070121 | 07/30/04 | 08/10/04 | EPA 8260B | |
| Hexachlorobutadiene | ND | 25.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 25.0 | " | " | " | " | " | " | |
| Methylene chloride | ND | 100 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 25.0 | " | " | " | " | " | " | |
| Naphthalene | ND | 25.0 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Tetrachloroethene | 94.1 | 25.0 | " | " | " | " | " | " | |
| Toluene | 129 | 25.0 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2-Trichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Trichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 25.0 | " | " | " | " | " | " | G13 |
| Total Xylenes | ND | 25.0 | " | " | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 120 % | | 65.4-150 | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 110 % | | 71.1-141 | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 109 % | | 66.8-137 | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 144 % | | 68.5-146 | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MEOH BLANK (W407322-07) MeOH Blank Sampled: 07/27/04 15:20 Received: 07/28/04 09:35 QC | | | | | | | | | |
| Benzene | ND | 25.0 | ug/l | 50 | 4060134 | 06/21/04 | 08/10/04 | EPA 8260B | |
| Bromobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 25.0 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 25.0 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Chloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Chloroform | ND | 25.0 | " | " | " | " | " | " | |
| Chloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 25.0 | " | " | " | " | " | " | |
| Ethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Hexachlorobutadiene | ND | 25.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 25.0 | " | " | " | " | " | " | |
| Methylene chloride | ND | 100 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 25.0 | " | " | " | " | " | " | |
| Naphthalene | ND | 25.0 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Tetrachloroethene | ND | 25.0 | " | " | " | " | " | " | |
| Toluene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 25.0 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|--------|-----------------|-------|----------|---------|----------|----------|-----------|-----------|
| MEOH BLANK (W407322-07) MeOH Blank | | | | | | | | | QC |
| Sampled: 07/27/04 15:20 Received: 07/28/04 09:35 | | | | | | | | | |
| 1,1,2-Trichloroethane | ND | 25.0 | ug/l | 50 | 4060134 | 06/21/04 | 08/10/04 | EPA 8260B | |
| Trichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 25.0 | " | " | " | " | " | " | G13 |
| Total Xylenes | ND | 25.0 | " | " | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 62.4 % | | 70-130 | " | " | " | " | L |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 71.6 % | | 70-130 | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 99.2 % | | 70-130 | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 100 % | | 70-130 | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

Percent Solids
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|--------|-----------------|-------|----------|---------|----------|----------|----------|-------|
| MW1 S2 (W407322-01) Soil Sampled: 07/27/04 09:30 Received: 07/28/04 09:35 | | | | | | | | | |
| % Solids | 90.3 | 0.200 | % | 1 | 4080004 | 08/02/04 | 08/03/04 | 5035 7.5 | |
| MW1 S5 (W407322-02) Soil Sampled: 07/27/04 09:30 Received: 07/28/04 09:35 | | | | | | | | | |
| % Solids | 83.5 | 0.200 | % | 1 | 4080004 | 08/02/04 | 08/03/04 | 5035 7.5 | |
| GB12 S1 (W407322-03) Soil Sampled: 07/27/04 14:45 Received: 07/28/04 09:35 | | | | | | | | | |
| % Solids | 91.2 | 0.200 | % | 1 | 4080004 | 08/02/04 | 08/03/04 | 5035 7.5 | |
| GB12 S5 (W407322-04) Soil Sampled: 07/27/04 14:50 Received: 07/28/04 09:35 | | | | | | | | | |
| % Solids | 80.3 | 0.200 | % | 1 | 4080004 | 08/02/04 | 08/03/04 | 5035 7.5 | |
| GB13 S2 (W407322-05) Soil Sampled: 07/27/04 15:00 Received: 07/28/04 09:35 | | | | | | | | | |
| % Solids | 82.4 | 0.200 | % | 1 | 4080006 | 08/02/04 | 08/03/04 | 5035 7.5 | |
| GB13 S6 (W407322-06) Soil Sampled: 07/27/04 15:10 Received: 07/28/04 09:35 | | | | | | | | | |
| % Solids | 89.8 | 0.200 | % | 1 | 4080006 | 08/02/04 | 08/03/04 | 5035 7.5 | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager

BT2
 2830 Dairy Drive
 Madison, WI 53718

 Project: 3918 Monona Dr.
 Project Number: 2325
 Project Manager: Stephen Sellwood

Reported:
 08/12/04 08:08

WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 4070121 - EPA 5030B [MeOH]
Blank (4070121-BLK1)

Prepared: 07/30/04 Analyzed: 08/06/04

| | | | | | | | | | | |
|-----------------------------|----|------|-----------|--|--|--|--|--|--|--|
| Benzene | ND | 25.0 | ug/kg wet | | | | | | | |
| Bromobenzene | ND | 25.0 | " | | | | | | | |
| Bromodichloromethane | ND | 25.0 | " | | | | | | | |
| n-Butylbenzene | ND | 25.0 | " | | | | | | | |
| sec-Butylbenzene | ND | 25.0 | " | | | | | | | |
| tert-Butylbenzene | ND | 25.0 | " | | | | | | | |
| Carbon tetrachloride | ND | 25.0 | " | | | | | | | |
| Chlorobenzene | ND | 25.0 | " | | | | | | | |
| Chloroethane | ND | 25.0 | " | | | | | | | |
| Chloroform | ND | 25.0 | " | | | | | | | |
| Chloromethane | ND | 25.0 | " | | | | | | | |
| 2-Chlorotoluene | ND | 25.0 | " | | | | | | | |
| 4-Chlorotoluene | ND | 25.0 | " | | | | | | | |
| Dibromochloromethane | ND | 25.0 | " | | | | | | | |
| 1,2-Dibromo-3-chloropropane | ND | 25.0 | " | | | | | | | |
| 1,2-Dibromoethane | ND | 25.0 | " | | | | | | | |
| 1,2-Dichlorobenzene | ND | 25.0 | " | | | | | | | |
| 1,3-Dichlorobenzene | ND | 25.0 | " | | | | | | | |
| 1,4-Dichlorobenzene | ND | 25.0 | " | | | | | | | |
| Dichlorodifluoromethane | ND | 25.0 | " | | | | | | | |
| 1,1-Dichloroethane | ND | 25.0 | " | | | | | | | |
| 1,2-Dichloroethane | ND | 25.0 | " | | | | | | | |
| 1,1-Dichloroethene | ND | 25.0 | " | | | | | | | |
| cis-1,2-Dichloroethene | ND | 25.0 | " | | | | | | | |
| trans-1,2-Dichloroethene | ND | 25.0 | " | | | | | | | |
| 1,2-Dichloropropane | ND | 25.0 | " | | | | | | | |
| 1,3-Dichloropropane | ND | 25.0 | " | | | | | | | |
| 2,2-Dichloropropane | ND | 25.0 | " | | | | | | | |
| Di-isopropyl ether | ND | 25.0 | " | | | | | | | |
| Ethylbenzene | ND | 25.0 | " | | | | | | | |
| Hexachlorobutadiene | ND | 25.0 | " | | | | | | | |
| Isopropylbenzene | ND | 25.0 | " | | | | | | | |
| p-Isopropyltoluene | ND | 25.0 | " | | | | | | | |
| Methylene chloride | ND | 100 | " | | | | | | | |
| Methyl tert-butyl ether | ND | 25.0 | " | | | | | | | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

**WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 4070121 - EPA 5030B [MeOH]

Blank (4070121-BLK1)

Prepared: 07/30/04 Analyzed: 08/06/04

| | | | | | | | | | | |
|----------------------------------|------|------|-----------|------|--|-----|----------|--|--|---|
| Naphthalene | ND | 25.0 | ug/kg wet | | | | | | | |
| n-Propylbenzene | ND | 25.0 | " | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 25.0 | " | | | | | | | |
| Tetrachloroethene | ND | 25.0 | " | | | | | | | |
| Toluene | ND | 25.0 | " | | | | | | | |
| 1,2,3-Trichlorobenzene | ND | 25.0 | " | | | | | | | |
| 1,2,4-Trichlorobenzene | ND | 25.0 | " | | | | | | | |
| 1,1,1-Trichloroethane | ND | 25.0 | " | | | | | | | |
| 1,1,2-Trichloroethane | ND | 25.0 | " | | | | | | | |
| Trichloroethene | ND | 25.0 | " | | | | | | | |
| Trichlorofluoromethane | ND | 25.0 | " | | | | | | | |
| 1,2,4-Trimethylbenzene | ND | 25.0 | " | | | | | | | |
| 1,3,5-Trimethylbenzene | ND | 25.0 | " | | | | | | | |
| Vinyl chloride | ND | 25.0 | " | | | | | | | |
| Total Xylenes | ND | 25.0 | " | | | | | | | |
| <hr/> | | | | | | | | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 2990 | | " | 2500 | | 120 | 65.4-150 | | | |
| Surrogate: Dibromofluoromethane | 3040 | | " | 2500 | | 122 | 71.1-141 | | | |
| Surrogate: 4-Bromofluorobenzene | 3300 | | " | 2500 | | 132 | 66.8-137 | | | |
| Surrogate: Toluene-d8 | 3840 | | " | 2500 | | 154 | 68.5-146 | | | H |

LCS (4070121-BS1)

Prepared: 07/30/04 Analyzed: 08/06/04

| | | | | | | | | | | |
|-----------------------------|------|------|-----------|------|--|------|----------|--|--|---|
| Benzene | 1230 | 25.0 | ug/kg wet | 1000 | | 123 | 82-129 | | | |
| Bromobenzene | 1230 | 25.0 | " | 1000 | | 123 | 83.8-125 | | | |
| Bromodichloromethane | 1320 | 25.0 | " | 1000 | | 132 | 81.1-137 | | | |
| n-Butylbenzene | 1200 | 25.0 | " | 1000 | | 120 | 65.1-134 | | | |
| sec-Butylbenzene | 1220 | 25.0 | " | 1000 | | 122 | 65.3-139 | | | |
| tert-Butylbenzene | 1260 | 25.0 | " | 1000 | | 126 | 63.7-138 | | | |
| Carbon tetrachloride | 1220 | 25.0 | " | 1000 | | 122 | 58.3-137 | | | |
| Chlorobenzene | 1120 | 25.0 | " | 1000 | | 112 | 79-128 | | | |
| Chloroethane | ND | 25.0 | " | 1000 | | | 57.8-136 | | | L |
| Chloroform | 1180 | 25.0 | " | 1000 | | 118 | 77.2-141 | | | |
| Chloromethane | 774 | 25.0 | " | 1000 | | 77.4 | 40.7-134 | | | |
| 2-Chlorotoluene | 1230 | 25.0 | " | 1000 | | 123 | 66-138 | | | |
| 4-Chlorotoluene | 1230 | 25.0 | " | 1000 | | 123 | 74.4-138 | | | |
| Dibromochloromethane | 1180 | 25.0 | " | 1000 | | 118 | 71.5-112 | | | H |
| 1,2-Dibromo-3-chloropropane | 1290 | 25.0 | " | 1000 | | 129 | 70.5-124 | | | H |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

**WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 4070121 - EPA 5030B [MeOH]

| LCS (4070121-BS1) | | Prepared: 07/30/04 | | Analyzed: 08/06/04 | | | | | |
|---------------------------|------|--------------------|-----------|--------------------|------|----------|--|--|---|
| 1,2-Dibromoethane | 1180 | 25.0 | ug/kg wet | 1000 | 118 | 84.8-118 | | | |
| 1,2-Dichlorobenzene | 1170 | 25.0 | " | 1000 | 117 | 90.7-124 | | | |
| 1,3-Dichlorobenzene | 1150 | 25.0 | " | 1000 | 115 | 85.8-123 | | | |
| 1,4-Dichlorobenzene | 1100 | 25.0 | " | 1000 | 110 | 82.2-120 | | | |
| Dichlorodifluoromethane | 545 | 25.0 | " | 1000 | 54.5 | 48.8-129 | | | |
| 1,1-Dichloroethane | 1250 | 25.0 | " | 1000 | 125 | 79.4-138 | | | |
| 1,2-Dichloroethane | 1150 | 25.0 | " | 1000 | 115 | 72.7-139 | | | |
| 1,1-Dichloroethene | 1090 | 25.0 | " | 1000 | 109 | 62.3-128 | | | |
| cis-1,2-Dichloroethene | 1250 | 25.0 | " | 1000 | 125 | 87.8-131 | | | |
| trans-1,2-Dichloroethene | 1240 | 25.0 | " | 1000 | 124 | 70.2-136 | | | |
| 1,2-Dichloropropane | 1290 | 25.0 | " | 1000 | 129 | 90.5-126 | | | H |
| 1,3-Dichloropropane | 1180 | 25.0 | " | 1000 | 118 | 86.1-115 | | | H |
| 2,2-Dichloropropane | 1170 | 25.0 | " | 1000 | 117 | 64.8-135 | | | |
| Di-isopropyl ether | 2660 | 25.0 | " | 1000 | 266 | 67.2-132 | | | H |
| Ethylbenzene | 1180 | 25.0 | " | 1000 | 118 | 73-140 | | | |
| Hexachlorobutadiene | 1190 | 25.0 | " | 1000 | 119 | 78.3-132 | | | |
| Isopropylbenzene | 1180 | 25.0 | " | 1000 | 118 | 63.5-144 | | | |
| p-Isopropyltoluene | 1240 | 25.0 | " | 1000 | 124 | 61.1-142 | | | |
| Methylene chloride | 1350 | 100 | " | 1000 | 135 | 77.4-134 | | | H |
| Methyl tert-butyl ether | 3260 | 25.0 | " | 1000 | 326 | 73-131 | | | H |
| Naphthalene | 1420 | 25.0 | " | 1000 | 142 | 71-136 | | | H |
| n-Propylbenzene | 1330 | 25.0 | " | 1000 | 133 | 64.7-142 | | | |
| 1,1,2,2-Tetrachloroethane | 1270 | 25.0 | " | 1000 | 127 | 75.9-124 | | | H |
| Tetrachloroethene | 1110 | 25.0 | " | 1000 | 111 | 74.8-122 | | | |
| Toluene | 1160 | 25.0 | " | 1000 | 116 | 71.3-127 | | | |
| 1,2,3-Trichlorobenzene | 1250 | 25.0 | " | 1000 | 125 | 77.8-133 | | | |
| 1,2,4-Trichlorobenzene | 1210 | 25.0 | " | 1000 | 121 | 74.6-125 | | | |
| 1,1,1-Trichloroethane | 1190 | 25.0 | " | 1000 | 119 | 63.4-145 | | | |
| 1,1,2-Trichloroethane | 1200 | 25.0 | " | 1000 | 120 | 88-122 | | | |
| Trichloroethene | 1230 | 25.0 | " | 1000 | 123 | 83.9-128 | | | |
| Trichlorofluoromethane | 707 | 25.0 | " | 1000 | 70.7 | 64.9-143 | | | |
| 1,2,4-Trimethylbenzene | 1220 | 25.0 | " | 1000 | 122 | 63.8-139 | | | |
| 1,3,5-Trimethylbenzene | 1260 | 25.0 | " | 1000 | 126 | 60.2-142 | | | |
| Vinyl chloride | 649 | 25.0 | " | 1000 | 64.9 | 56.6-143 | | | |
| Total Xylenes | 3400 | 25.0 | " | 3000 | 113 | 75.5-129 | | | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

**WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 4070121 - EPA 5030B [MeOH]

LCS (4070121-BS1)

Prepared: 07/30/04 Analyzed: 08/06/04

| | | | | | | | | | | |
|----------------------------------|------|--|-----------|------|--|-----|----------|--|--|--|
| Surrogate: 1,2-Dichloroethane-d4 | 3070 | | ug/kg wet | 2500 | | 123 | 65.4-150 | | | |
| Surrogate: Dibromofluoromethane | 3070 | | " | 2500 | | 123 | 71.1-141 | | | |
| Surrogate: 4-Bromofluorobenzene | 2940 | | " | 2500 | | 118 | 66.8-137 | | | |
| Surrogate: Toluene-d8 | 3480 | | " | 2500 | | 139 | 68.5-146 | | | |

LCS Dup (4070121-BSD1)

Prepared: 07/30/04 Analyzed: 08/06/04

| | | | | | | | | | | |
|-----------------------------|------|------|-----------|------|--|------|----------|-------|------|---|
| Benzene | 1290 | 25.0 | ug/kg wet | 1000 | | 129 | 82-129 | 4.76 | 16.1 | |
| Bromobenzene | 1260 | 25.0 | " | 1000 | | 126 | 83.8-125 | 2.41 | 17.1 | H |
| Bromodichloromethane | 1360 | 25.0 | " | 1000 | | 136 | 81.1-137 | 2.99 | 16 | |
| n-Butylbenzene | 1290 | 25.0 | " | 1000 | | 129 | 65.1-134 | 7.23 | 19.7 | |
| sec-Butylbenzene | 1260 | 25.0 | " | 1000 | | 126 | 65.3-139 | 3.23 | 21.7 | |
| tert-Butylbenzene | 1280 | 25.0 | " | 1000 | | 128 | 63.7-138 | 1.57 | 19.6 | |
| Carbon tetrachloride | 1270 | 25.0 | " | 1000 | | 127 | 58.3-137 | 4.02 | 22.1 | |
| Chlorobenzene | 1170 | 25.0 | " | 1000 | | 117 | 79-128 | 4.37 | 13.4 | |
| Chloroethane | ND | 25.0 | " | 1000 | | | 57.8-136 | | 40 | L |
| Chloroform | 1240 | 25.0 | " | 1000 | | 124 | 77.2-141 | 4.96 | 19.1 | |
| Chloromethane | 836 | 25.0 | " | 1000 | | 83.6 | 40.7-134 | 7.70 | 36 | |
| 2-Chlorotoluene | 1270 | 25.0 | " | 1000 | | 127 | 66-138 | 3.20 | 17.9 | |
| 4-Chlorotoluene | 1270 | 25.0 | " | 1000 | | 127 | 74.4-138 | 3.20 | 21.6 | |
| Dibromochloromethane | 1220 | 25.0 | " | 1000 | | 122 | 71.5-112 | 3.33 | 11.1 | H |
| 1,2-Dibromo-3-chloropropane | 1380 | 25.0 | " | 1000 | | 138 | 70.5-124 | 6.74 | 18.2 | H |
| 1,2-Dibromoethane | 1220 | 25.0 | " | 1000 | | 122 | 84.8-118 | 3.33 | 11.3 | H |
| 1,2-Dichlorobenzene | 1250 | 25.0 | " | 1000 | | 125 | 90.7-124 | 6.61 | 17.7 | H |
| 1,3-Dichlorobenzene | 1220 | 25.0 | " | 1000 | | 122 | 85.8-123 | 5.91 | 20.7 | |
| 1,4-Dichlorobenzene | 1180 | 25.0 | " | 1000 | | 118 | 82.2-120 | 7.02 | 21.8 | |
| Dichlorodifluoromethane | 540 | 25.0 | " | 1000 | | 54.0 | 48.8-129 | 0.922 | 13.4 | |
| 1,1-Dichloroethane | 1290 | 25.0 | " | 1000 | | 129 | 79.4-138 | 3.15 | 21.3 | |
| 1,2-Dichloroethane | 1220 | 25.0 | " | 1000 | | 122 | 72.7-139 | 5.91 | 15.7 | |
| 1,1-Dichloroethene | 1120 | 25.0 | " | 1000 | | 112 | 62.3-128 | 2.71 | 27.8 | |
| cis-1,2-Dichloroethene | 1280 | 25.0 | " | 1000 | | 128 | 87.8-131 | 2.37 | 17.3 | |
| trans-1,2-Dichloroethene | 1280 | 25.0 | " | 1000 | | 128 | 70.2-136 | 3.17 | 20.2 | |
| 1,2-Dichloropropane | 1340 | 25.0 | " | 1000 | | 134 | 90.5-126 | 3.80 | 16.9 | H |
| 1,3-Dichloropropane | 1250 | 25.0 | " | 1000 | | 125 | 86.1-115 | 5.76 | 10.1 | H |
| 2,2-Dichloropropane | 1220 | 25.0 | " | 1000 | | 122 | 64.8-135 | 4.18 | 22.2 | |
| Di-isopropyl ether | 2610 | 25.0 | " | 1000 | | 261 | 67.2-132 | 1.90 | 11.6 | H |
| Ethylbenzene | 1220 | 25.0 | " | 1000 | | 122 | 73-140 | 3.33 | 17.3 | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

**WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 4070121 - EPA 5030B [MeOH]

LCS Dup (4070121-BSD1)

Prepared: 07/30/04 Analyzed: 08/06/04

| | | | | | | | | | | |
|----------------------------------|------|------|-----------|------|--|------|----------|-------|------|----|
| Hexachlorobutadiene | 1290 | 25.0 | ug/kg wet | 1000 | | 129 | 78.3-132 | 8.06 | 25.5 | |
| Isopropylbenzene | 1250 | 25.0 | " | 1000 | | 125 | 63.5-144 | 5.76 | 17.1 | |
| p-Isopropyltoluene | 1270 | 25.0 | " | 1000 | | 127 | 61.1-142 | 2.39 | 22 | |
| Methylene chloride | 1240 | 100 | " | 1000 | | 124 | 77.4-134 | 8.49 | 17.4 | |
| Methyl tert-butyl ether | 2710 | 25.0 | " | 1000 | | 271 | 73-131 | 18.4 | 11.3 | HH |
| Naphthalene | 1550 | 25.0 | " | 1000 | | 155 | 71-136 | 8.75 | 23.5 | H |
| n-Propylbenzene | 1350 | 25.0 | " | 1000 | | 135 | 64.7-142 | 1.49 | 20.2 | |
| 1,1,2,2-Tetrachloroethane | 1300 | 25.0 | " | 1000 | | 130 | 75.9-124 | 2.33 | 16.3 | H |
| Tetrachloroethene | 1190 | 25.0 | " | 1000 | | 119 | 74.8-122 | 6.96 | 18.4 | |
| Toluene | 1190 | 25.0 | " | 1000 | | 119 | 71.3-127 | 2.55 | 16.8 | |
| 1,2,3-Trichlorobenzene | 1460 | 25.0 | " | 1000 | | 146 | 77.8-133 | 15.5 | 24.9 | H |
| 1,2,4-Trichlorobenzene | 1390 | 25.0 | " | 1000 | | 139 | 74.6-125 | 13.8 | 15.2 | H |
| 1,1,1-Trichloroethane | 1280 | 25.0 | " | 1000 | | 128 | 63.4-145 | 7.29 | 21.5 | |
| 1,1,2-Trichloroethane | 1260 | 25.0 | " | 1000 | | 126 | 88-122 | 4.88 | 10.1 | H |
| Trichloroethene | 1290 | 25.0 | " | 1000 | | 129 | 83.9-128 | 4.76 | 16.2 | H |
| Trichlorofluoromethane | 706 | 25.0 | " | 1000 | | 70.6 | 64.9-143 | 0.142 | 27.4 | |
| 1,2,4-Trimethylbenzene | 1270 | 25.0 | " | 1000 | | 127 | 63.8-139 | 4.02 | 19.9 | |
| 1,3,5-Trimethylbenzene | 1290 | 25.0 | " | 1000 | | 129 | 60.2-142 | 2.35 | 21.2 | |
| Vinyl chloride | 658 | 25.0 | " | 1000 | | 65.8 | 56.6-143 | 1.38 | 40 | |
| Total Xylenes | 3560 | 25.0 | " | 3000 | | 119 | 75.5-129 | 4.60 | 15 | |
| Surrogate: 1,2-Dichloroethane-d4 | 3070 | | " | 2500 | | 123 | 65.4-150 | | | |
| Surrogate: Dibromofluoromethane | 3130 | | " | 2500 | | 125 | 71.1-141 | | | |
| Surrogate: 4-Bromofluorobenzene | 3020 | | " | 2500 | | 121 | 66.8-137 | | | |
| Surrogate: Toluene-d8 | 3530 | | " | 2500 | | 141 | 68.5-146 | | | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

Percent Solids - Quality Control
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 4080004 - Percent Solids

Blank (4080004-BLK1)

Prepared: 08/02/04 Analyzed: 08/03/04

| | | | | | | | | | | |
|----------|----|-------|---|--|--|--|--|--|--|--|
| % Solids | ND | 0.200 | % | | | | | | | |
|----------|----|-------|---|--|--|--|--|--|--|--|

Duplicate (4080004-DUP1)

Source: W407308-18

Prepared: 08/02/04 Analyzed: 08/03/04

| | | | | | | | | | | |
|----------|------|-------|---|--|------|--|--|-------|----|--|
| % Solids | 95.8 | 0.200 | % | | 95.6 | | | 0.209 | 20 | |
|----------|------|-------|---|--|------|--|--|-------|----|--|

Batch 4080006 - Percent Solids

Blank (4080006-BLK1)

Prepared: 08/02/04 Analyzed: 08/03/04

| | | | | | | | | | | |
|----------|----|-------|---|--|--|--|--|--|--|--|
| % Solids | ND | 0.200 | % | | | | | | | |
|----------|----|-------|---|--|--|--|--|--|--|--|

Duplicate (4080006-DUP1)

Source: W407322-05

Prepared: 08/02/04 Analyzed: 08/03/04

| | | | | | | | | | | |
|----------|------|-------|---|--|------|--|--|------|----|--|
| % Solids | 82.4 | 0.200 | % | | 82.4 | | | 0.00 | 20 | |
|----------|------|-------|---|--|------|--|--|------|----|--|

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
08/12/04 08:08

Notes and Definitions

- G13 The recovery of this analyte in the check standard is below the method specified acceptance criteria.
- QC The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- L This quality control measurement is below the laboratory established limit.
- H This quality control measurement is above the laboratory established limit.
- * The laboratory is not NELAP accredited for this analyte.
- ** The State of Illinois Accrediting Authority does not offer NELAP accreditation for this analyte.

Note: All analytes, by matrix and method, are accredited following current NELAP standards unless specifically noted by way of a qualifier listed above.

Great Lakes Analytical--Buffalo Grove, IL Wisconsin DNR Certification Lab ID: 999917160
Great Lakes Analytical--Buffalo Grove, IL NELAP Primary Accreditation: Illinois #100261
Great Lakes Analytical--Buffalo Grove, IL NELAP Secondary Accreditation: New Jersey #IL001
Great Lakes Analytical--Oak Creek, WI Wisconsin DNR Certification Lab ID: 341000330
Great Lakes Analytical--Oak Creek, WI NELAP Primary Accreditation: Illinois #100307



Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Michael Laupan For Andrea Stathas, Project Manager



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

✓LS

Page: 1 of 1
0960757

Section A

Required Client Information:

Company: BT³, Inc.
Address: 2830 Dairy Drive
Madison WI 53718
Email To: karen.kove@bt3inc.com
Phone: 608-224-2830
Requested Due Date/TAT: 8-7-06

Section B

Required Project Information:

Report To: Stephen Sellwood
Copy To: BT³, Inc.
Purchase Order No.:
Project Name: 3918 Monona Drive
Project Number: 2325

Section C

Invoice Information:

Attention: John Nebel
Company Name: c/o BT³
Address:
Pace Quote Reference:
Pace Project Manager:
Pace Profile #:

REGULATORY AGENCY

NPDES GROUND WATER DRINKING WATER
 UST RCRA

SITE LOCATION

GA IL IN MI MN NC
 OH SC WI OTHER

| ITEM # | Valid Matrix Codes | Required Client Information | SAMPLE ID | One Character per box. (A-Z, 0-9 / . -) | Samples IDs MUST BE UNIQUE | MATRIX CODE | SAMPLE TYPE | DATE | COLLECTED | | # OF CONTAINERS AT COLLECTION | PRESERVATIVES | Filtered (Y/N) | Requested Analysis: | Pace Project Number | Lab ID |
|--------|--------------------|-----------------------------|-----------|---|----------------------------|-------------|-------------|------|-----------------|--------------------|-------------------------------|---------------|----------------|---------------------|---------------------|--------|
| | | | | | | | | | COMPOSITE START | COMPOSITE END/GRAB | | | | | | |
| 1 | 001 | | A | | | SLG | G | 7-28 | 10:00 | 2 | Unpreserved | | | | 874391 | |
| 2 | 002 | | B | | | SLG | G | | 10:10 | | | | | | | |
| 3 | 003 | | C | | | SLG | G | | 10:20 | | | | | | | |
| 4 | 004 | | D | | | SLG | G | | 10:30 | | | | | | | |
| 5 | 005 | | E | | | SLG | G | | 10:40 | | | | | | | |
| 6 | 006 | | F | | | SLG | G | | 10:50 | | | | | | | |
| 7 | 007 | | G | | | SLG | G | | 10:55 | | | | | | | |
| 8 | 008 | | H | | | SLG | G | | 11:00 | | | | | | | |
| 9 | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | |

| RELIQUISHED BY / AFFILIATION | DATE | TIME | ACCEPTED BY / AFFILIATION | DATE | TIME | SAMPLE CONDITION |
|------------------------------|---------|------|---------------------------|---------|-------|------------------|
| K. Kove | 7/25/06 | | | 7/26/06 | 08:55 | Y/N |
| Dunnam | 7/25/06 | | Dunnam | 7/26/06 | 7:50 | Y/N |
| Dunnam | 7/26/06 | 7:50 | Melissa Traunor | 7/26/06 | 7:50 | Y/N |

Additional Comments:

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: Stephen Sellwood
 SIGNATURE of SAMPLER: Stephen Sellwood
 DATE Signed (MM/DD/YY): 7-26-06



1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-469-8827

Analytical Report Number: 874391

Client: BT SQUARED, INC.

Lab Contact: Laurie Woelfel

Project Name: 3918 MONONA DRIVE

Project Number: 2325

| Lab Sample Number | Field ID | Matrix | Collection Date |
|-------------------|----------|--------|-----------------|
| 874391-001 | DRUM A | SOIL | 07/24/06 10:00 |
| 874391-002 | DRUM B | SOIL | 07/24/06 10:10 |
| 874391-003 | DRUM C | SOIL | 07/24/06 10:20 |
| 874391-004 | DRUM D | SOIL | 07/24/06 10:30 |
| 874391-005 | DRUM E | SOIL | 07/24/06 10:40 |
| 874391-006 | DRUM F | SOIL | 07/24/06 10:50 |
| 874391-007 | DRUM G | SOIL | 07/24/06 10:55 |
| 874391-008 | DRUM H | SOIL | 07/24/06 11:00 |

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.

Approval Signature Laurie Woelfel

Date 7/31/06

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM A

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-001

INORGANICS

| Test | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|----------------|--------|-----|-----|-----|------|-------|------|----------|-------------|------------|
| Percent Solids | 90.9 | | | | 1 | % | | 07/27/06 | SM M2540G | SM M2540G |

VOLATILES

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method | Prep Date: 07/27/06 |
|-----------------------------|--------|-----|-----|-----|------|-------|------|----------|-------------|-------------|---------------------|
| | | | | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,1,1-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,1,2,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,1,2-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,1-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,1-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,1-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,2,3-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,2,3-Trichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,2,4-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,2,4-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,2-Dibromo-3-chloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,2-Dibromoethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,2-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,2-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,3,5-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,3-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,3-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 1,4-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 2,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 2-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| 4-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Benzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Bromobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Bromochloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Bromodichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Bromoform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Bromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Carbon Tetrachloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Chlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Chlorodibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Chloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Chloroform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Chloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| cis-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| cis-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Dibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Dichlorodifluoromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Diisopropyl Ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Ethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Fluorotrichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Hexachlorobutadiene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |
| Isopropylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B | |

All soil results are reported on a dry weight basis unless otherwise noted.

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM A

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-001

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|----------|-------------|-------------|
| Methylene Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Naphthalene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Propylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Styrene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Tetrachloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Trichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylene, o | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylenes, m + p | < 50 | 50 | 120 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 104 | 64 | 133 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 114 | 67 | 139 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 120 | 64 | 140 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM B

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-002

INORGANICS

| Test | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|----------------|--------|-----|-----|-----|------|-------|------|----------|-------------|------------|
| Percent Solids | 94.8 | | | | 1 | % | | 07/27/06 | SM M2540G | SM M2540G |

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|-----------------------------|--------|-----|-----|-----|------|-------|------|----------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Benzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromoform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |

All soil results are reported on a dry weight basis unless otherwise noted.

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM B

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-002

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|----------|-------------|-------------|
| Methylene Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Naphthalene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Propylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Styrene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Tetrachloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Trichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylene, o | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylenes, m + p | < 50 | 50 | 120 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 98 | 64 | 133 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 109 | 67 | 139 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 115 | 64 | 140 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM C

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-003

INORGANICS

| Test | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|----------------|--------|-----|-----|-----|------|-------|------|----------|-------------|------------|
| Percent Solids | 94.9 | | | | 1 | % | | 07/27/06 | SM M2540G | SM M2540G |

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|-----------------------------|--------|-----|-----|-----|------|-------|------|----------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Benzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromoform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |

All soil results are reported on a dry weight basis unless otherwise noted.

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM C

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-003

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|----------|-------------|-------------|
| Methylene Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Naphthalene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Propylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Styrene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Tetrachloroethene | 360 | 26 | 63 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Trichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylene, o | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylenes, m + p | < 50 | 50 | 120 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 98 | 64 | 133 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 107 | 67 | 139 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 117 | 64 | 140 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM D

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-004

INORGANICS

| Test | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|----------------|--------|-----|-----|-----|------|-------|------|----------|-------------|------------|
| Percent Solids | 87.4 | | | | 1 | % | | 07/27/06 | SM M2540G | SM M2540G |

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|-----------------------------|--------|-----|-----|-----|------|-------|------|----------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Benzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromoform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |

All soil results are reported on a dry weight basis unless otherwise noted.

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM D

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-004

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|----------|-------------|-------------|
| Methylene Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Naphthalene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Propylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Styrene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Tetrachloroethene | 890 | 29 | 69 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Trichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylene, o | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylenes, m + p | < 50 | 50 | 120 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 97 | 64 | 133 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 106 | 67 | 139 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 110 | 64 | 140 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM E

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-005

INORGANICS

| Test | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|----------------|--------|-----|-----|-----|------|-------|------|----------|-------------|------------|
| Percent Solids | 81.8 | | | | 1 | % | | 07/27/06 | SM M2540G | SM M2540G |

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|-----------------------------|--------|-----|-----|-----|------|-------|------|----------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Benzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromoform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |

All soil results are reported on a dry weight basis unless otherwise noted.

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM E

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-005

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|----------|-------------|-------------|
| Methylene Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Naphthalene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Propylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Styrene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Tetrachloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Trichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylene, o | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylenes, m + p | < 50 | 50 | 120 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 103 | 64 | 133 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 113 | 67 | 139 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 119 | 64 | 140 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM F

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-006

INORGANICS

| Test | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|----------------|--------|-----|-----|-----|------|-------|------|----------|-------------|------------|
| Percent Solids | 86.2 | | | | 1 | % | | 07/27/06 | SM M2540G | SM M2540G |

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|-----------------------------|--------|-----|-----|-----|------|-------|------|----------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Benzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromoform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |

All soil results are reported on a dry weight basis unless otherwise noted.

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM F

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-006

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|----------|-------------|-------------|
| Methylene Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Naphthalene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Propylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Styrene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Tetrachloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Trichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylene, o | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylenes, m + p | < 50 | 50 | 120 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 90 | 64 | 133 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 101 | 67 | 139 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 101 | 64 | 140 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM G

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-007

INORGANICS

| Test | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|----------------|--------|-----|-----|-----|------|-------|------|----------|-------------|------------|
| Percent Solids | 82.1 | | | | 1 | % | | 07/27/06 | SM M2540G | SM M2540G |

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|-----------------------------|--------|-----|-----|-----|------|-------|------|----------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Benzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromoform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |

All soil results are reported on a dry weight basis unless otherwise noted.

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM G

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-007

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|----------|-------------|-------------|
| Methylene Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Naphthalene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Propylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Styrene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Tetrachloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Trichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylene, o | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylenes, m + p | < 50 | 50 | 120 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 90 | 64 | 133 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 98 | 67 | 139 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 102 | 64 | 140 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM H

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-008

INORGANICS

| Test | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|----------------|--------|-----|-----|-----|------|-------|------|----------|-------------|------------|
| Percent Solids | 82.2 | | | | 1 | % | | 07/27/06 | SM M2540G | SM M2540G |

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|-----------------------------|--------|-----|-----|-----|------|-------|------|----------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Benzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromoform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Bromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloroform | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Chloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromomethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |

All soil results are reported on a dry weight basis unless otherwise noted.

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : DRUM H

Matrix Type : SOIL
Collection Date : 07/24/06
Report Date : 07/28/06
Lab Sample Number : 874391-008

VOLATILES

Prep Date: 07/27/06

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|----------|-------------|-------------|
| Methylene Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Naphthalene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| n-Propylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Styrene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Tetrachloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Trichloroethene | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylene, o | < 25 | 25 | 60 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Xylenes, m + p | < 50 | 50 | 120 | | 50 | ug/Kg | | 07/27/06 | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 96 | 64 | 133 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 107 | 67 | 139 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 114 | 64 | 140 | | 50 | % | | 07/27/06 | SW846 5030B | SW846 8260B |

Qualifier Codes

Flag Applies To Explanation

| Flag | Applies To | Explanation |
|------|------------|---|
| A | Inorganic | Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis. |
| B | Inorganic | The analyte has been detected between the method detection limit and the reporting limit. |
| B | Organic | Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis. |
| C | All | Elevated detection limit. |
| D | All | Analyte value from diluted analysis or surrogate result not applicable due to sample dilution. |
| E | Inorganic | Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed. |
| E | Organic | Analyte concentration exceeds calibration range. |
| F | Inorganic | Due to potential interferences for this analysis by Inductively Coupled Plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method. |
| F | Organic | Surrogate results outside control criteria. |
| G | All | The result is estimated because the concentration is less than the lowest calibration standard concentration utilized in the initial calibration. The method detection limit is less than the reporting limit specified for this project. |
| H | All | Preservation, extraction or analysis performed past holding time. |
| HF | Inorganic | This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time. |
| J | All | Concentration detected equal to or greater than the method detection limit but less than the reporting limit. |
| K | Inorganic | Sample received unpreserved. Sample was either preserved at the time of receipt or at the time of sample preparation. |
| K | Organic | Detection limit may be elevated due to the presence of an unrequested analyte. |
| L | All | Elevated detection limit due to low sample volume. |
| M | Organic | Sample pH was greater than 2 |
| N | All | Spiked sample recovery not within control limits. |
| O | Organic | Sample received overweight. |
| P | Organic | The relative percent difference between the two columns for detected concentrations was greater than 40%. |
| Q | All | The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range. |
| S | Organic | The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit. |
| U | All | The analyte was not detected at or above the reporting limit. |
| V | All | Sample received with headspace. |
| W | All | A second aliquot of sample was analyzed from a container with headspace. |
| X | All | See Sample Narrative. |
| Z | Organics | This compound was separated in the check standard but it did not meet the resolution criteria as set forth in SW846. |
| & | All | Laboratory Control Spike recovery not within control limits. |
| * | All | Precision not within control limits. |
| + | Inorganic | The sample result is greater than four times the spike level: therefore, the percent recovery is not evaluated. |
| < | All | The analyte was not detected at or above the reporting limit. |
| 1 | Inorganic | Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria. |
| 2 | Inorganic | Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria. |
| 3 | Inorganic | BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion. |
| 4 | Inorganic | BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency. |
| 5 | Inorganic | BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency. |
| 6 | Inorganic | BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency. |
| 7 | Inorganic | BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency. |

| Test Group Name | 874391-001 | 874391-002 | 874391-003 | 874391-004 | 874391-005 | 874391-006 | 874391-007 | 874391-008 |
|-----------------|------------|------------|------------|------------|------------|------------|------------|------------|
| PERCENT SOLIDS | B | B | B | B | B | B | B | B |
| VOLATILES | G | G | G | G | G | G | G | G |

| Code | Facility | Address | WI Certification |
|------|-------------------------------|--|----------------------------|
| B | Green Bay Lab (Bellevue St) | 1241 Bellevue Street, Suite 9 Green Bay, WI 54302 | 405132750 / DATCP: 105-444 |
| G | Green Bay Lab (Industrial Dr) | 1795 Industrial Drive Green Bay, WI 54302 | 405132750 |



Sample Condition Upon Receipt

Client Name: BT², Inc. Project # 874391

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used N/A Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temperature ROI Biological Tissue is Frozen: Yes No

Temp should be above freezing to 6°C

Optional
Proj. Due Date:
Proj. Name:

Date and Initials of person examining contents: MT 7/26/06
✓ 28 7/26/06

| | | |
|--|--|-----------------------------|
| Chain of Custody Present: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 1. |
| Chain of Custody Filled Out: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 2. |
| Chain of Custody Relinquished: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 3. |
| Sampler Name & Signature on COC: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 4. |
| Samples Arrived within Hold Time: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 5. |
| Short Hold Time Analysis (<72hr): | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 6. |
| Rush Turn Around Time Requested: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 7. <u>8/7/06 MT 7/26/06</u> |
| Sufficient Volume: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 8. |
| Correct Containers Used: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 9. |
| -Pace Containers Used: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Containers Intact: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 10. |
| Filtered volume received for Dissolved tests | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | 11. |
| Sample Labels match COC: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 12. |
| -Includes date/time/ID/Analysis Matrix: | <u>S</u> | |
| All containers needing preservation have been checked. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | 13. |
| All containers needing preservation are found to be in compliance with EPA recommendation. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| exceptions: VOA, coliform, TOC, O&G, WI-DRO (water) | <input type="checkbox"/> Yes <input type="checkbox"/> No | Initial when completed |
| Samples checked for dechlorination: | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | 14. |
| Headspace in VOA Vials (>6mm): | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | 15. |
| Trip Blank Present: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 16. |
| Trip Blank Custody Seals Present | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Pace Trip Blank Lot # (if purchased): | | |

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: lw Date: 7/26/06

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)

Waco 367 1 of 2 DM

TestAmerica
ANALYTICAL TESTING CORPORATION
Watertown Division
602 Commerce Drive
Watertown, WI 53094
Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

Client Name: BT², Inc. Client #: _____
Address: 2830 Dairy Drive
City/State/Zip Code: Madison WI 53718
Project Manager: Stephen Sellwood
Telephone Number: 608-224-2830 Fax: 608-224-2839
Sampler Name: (Print Name) Stephen Sellwood
Sampler Signature: [Signature]

Project Name: 3918 Monona Drive
Project #: 2325
Site/Location ID: Madison State: WI
Report To: BT² Stephen Sellwood
Invoice To: John Nebl, 90 BT²
Quote #: _____ PO#: _____

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring

| SAMPLE ID | Date Sampled | Time Sampled | G = Grab, C = Composite | Field Filtered | Matrix Preservation & # of Containers | | | | | | Analyze For | QC Deliverables | REMARKS | |
|------------|--------------|--------------|-------------------------|----------------|---------------------------------------|------------------------------------|----------------------------------|------------------|-----|------|-------------|-----------------|---------|--------------------------------|
| | | | | | SL - Sludge DW - Drinking Water | GW - Groundwater S - Soil/Solid | MW - Wastewater Specify Other | HNO ₃ | HCl | NaOH | | | | H ₂ SO ₄ |
| 01 GB14 S1 | 3-8-07 | 8:50 | G | | | | | | | | | | | |
| 02 GB14 S3 | | 8:55 | | | | | | | | | | | | |
| 03 GB15 S1 | | 9:05 | | | | | | | | | | | | |
| 04 GB15 S5 | | 9:15 | | | | | | | | | | | | |
| 05 GB16 S1 | | 9:40 | | | | | | | | | | | | |
| 06 GB16 S3 | | 9:50 | | | | | | | | | | | | |
| 07 GB17 S1 | | 10:00 | | | | | | | | | | | | |
| 08 GB17 S5 | | 10:15 | | | | | | | | | | | | |
| 09 GB18 S1 | | 10:20 | | | | | | | | | | | | |
| 10 GB18 S5 | | 10:30 | | | | | | | | | | | | |

VOCs
% Solids

Special Instructions: _____

LABORATORY COMMENTS:
Init Lab Temp: _____
Rec Lab Temp: 20
Custody Seals: Y N N/A
Bottles Supplied by Test America: N
Method of Shipment: RF

| | | | | | |
|-------------------------------------|---------------------|-------------|---------------------------------|---------------------|-------------|
| Relinquished By: <u>[Signature]</u> | Date: <u>3/9/07</u> | Time: _____ | Received By: <u>[Signature]</u> | Date: <u>3/9/07</u> | Time: _____ |
| Relinquished By: <u>[Signature]</u> | Date: <u>3/9/07</u> | Time: _____ | Received By: <u>[Signature]</u> | Date: <u>3/9/07</u> | Time: _____ |
| Relinquished By: _____ | Date: _____ | Time: _____ | Received By: _____ | Date: _____ | Time: _____ |

03/9/07

WCO

March 16, 2007

Client: BT2, INC.
2830 Dairy Drive
Madison, WI 53718

Work Order: WQC0307
Project Name: 2325 3918 Monona Drive
Project Number: 2325

Attn: Mr. Stephen Sellwood

Date Received: 03/09/07

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

| SAMPLE IDENTIFICATION | LAB NUMBER | COLLECTION DATE AND TIME |
|-----------------------|------------|--------------------------|
| GB14 S1 | WQC0307-01 | 03/08/07 08:50 |
| GB14 S3 | WQC0307-02 | 03/08/07 08:55 |
| GB15 S1 | WQC0307-03 | 03/08/07 09:05 |
| GB15 S5 | WQC0307-04 | 03/08/07 09:15 |
| GB16 S1 | WQC0307-05 | 03/08/07 09:40 |
| GB16 S3 | WQC0307-06 | 03/08/07 09:50 |
| GB17 S1 | WQC0307-07 | 03/08/07 10:00 |
| GB17 S5 | WQC0307-08 | 03/08/07 10:15 |
| GB18 S1 | WQC0307-09 | 03/08/07 10:20 |
| GB18 S5 | WQC0307-10 | 03/08/07 10:30 |
| GB19 S1 | WQC0307-11 | 03/08/07 11:00 |
| GB19 S5 | WQC0307-12 | 03/08/07 11:10 |
| GB20 S1 | WQC0307-13 | 03/08/07 11:25 |
| GB20 S3 | WQC0307-14 | 03/08/07 11:30 |
| GB21 S1 | WQC0307-15 | 03/08/07 11:40 |
| GB21 S4 | WQC0307-16 | 03/08/07 11:45 |
| GB22 S2 | WQC0307-17 | 03/08/07 12:00 |
| GB22 S5 | WQC0307-18 | 03/08/07 12:10 |
| MeOH Blank | WQC0307-19 | 03/08/07 12:15 |

Samples were received into laboratory at a temperature of 2 °C.

Wisconsin Certification Number: 128053530

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica - Watertown, WI
Brian DeJong For Dan F. Milewsky
Project Manager

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

ANALYTICAL REPORT

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-01 (GB14 S1 - Soil) | | | | | | Sampled: 03/08/07 08:50 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 94 | | % | NA | 1 | 03/12/07 15:30 | KLS | 7030291 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Bromobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Bromochloromethane | <37 | | ug/kg dry | 35 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Bromodichloromethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Bromoform | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Bromomethane | <110 | | ug/kg dry | 100 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| n-Butylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| sec-Butylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| tert-Butylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Carbon Tetrachloride | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Chlorobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Chlorodibromomethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Chloroethane | <53 | | ug/kg dry | 50 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Chloroform | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Chloromethane | <53 | | ug/kg dry | 50 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 2-Chlorotoluene | <53 | | ug/kg dry | 50 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 4-Chlorotoluene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <53 | | ug/kg dry | 50 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Dibromomethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,2-Dichlorobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,3-Dichlorobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,4-Dichlorobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Dichlorodifluoromethane | <53 | | ug/kg dry | 50 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloroethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| cis-1,2-Dichloroethene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| trans-1,2-Dichloroethene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloropropane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,3-Dichloropropane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 2,2-Dichloropropane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloropropene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| cis-1,3-Dichloropropene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| trans-1,3-Dichloropropene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 2,3-Dichloropropene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Isopropyl Ether | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Ethylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Hexachlorobutadiene | <37 | | ug/kg dry | 35 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Isopropylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| p-Isopropyltoluene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Methylene Chloride | <53 | | ug/kg dry | 50 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Methyl tert-Butyl Ether | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Naphthalene | <53 | | ug/kg dry | 50 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| n-Propylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Styrene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,1,1,2,2-Tetrachloroethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----------|-----------------|--------------------------------|------------|----------------|----------------|
| Sample ID: WQC0307-01 (GB14 S1 - Soil) - cont. | | | | | | Sampled: 03/08/07 08:50 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| Tetrachloroethene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Toluene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichlorobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trichlorobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,1,1-Trichloroethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,1,2-Trichloroethane | <37 | | ug/kg dry | 35 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Trichloroethene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Trichlorofluoromethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichloropropane | <53 | | ug/kg dry | 50 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trimethylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| 1,3,5-Trimethylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Vinyl chloride | <37 | | ug/kg dry | 35 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| Xylenes, total | <91 | | ug/kg dry | 85 | 1 | 03/13/07 16:48 | ABA | 7030312 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | 101 % | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | 99 % | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | 101 % | | | | | | | | |
| Sample ID: WQC0307-02 (GB14 S3 - Soil) | | | | | | Sampled: 03/08/07 08:55 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 83 | | % | NA | 1 | 03/12/07 15:30 | KLS | 7030291 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Bromobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Bromochloromethane | <42 | | ug/kg dry | 35 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Bromodichloromethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Bromoform | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Bromomethane | <120 | | ug/kg dry | 100 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| n-Butylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| sec-Butylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| tert-Butylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Carbon Tetrachloride | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Chlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Chlorodibromomethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Chloroethane | <60 | | ug/kg dry | 50 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Chloroform | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Chloromethane | <60 | | ug/kg dry | 50 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 2-Chlorotoluene | <60 | | ug/kg dry | 50 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 4-Chlorotoluene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <60 | | ug/kg dry | 50 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Dibromomethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,2-Dichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,3-Dichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,4-Dichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Dichlorodifluoromethane | <60 | | ug/kg dry | 50 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloroethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| cis-1,2-Dichloroethene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| trans-1,2-Dichloroethene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloropropane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,3-Dichloropropane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-02 (GB14 S3 - Soil) - cont. | | | | | | Sampled: 03/08/07 08:55 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 2,2-Dichloropropane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloropropene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| cis-1,3-Dichloropropene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| trans-1,3-Dichloropropene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 2,3-Dichloropropene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Isopropyl Ether | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Ethylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Hexachlorobutadiene | <42 | | ug/kg dry | 35 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Isopropylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| p-Isopropyltoluene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Methylene Chloride | <60 | | ug/kg dry | 50 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Methyl tert-Butyl Ether | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Naphthalene | <60 | | ug/kg dry | 50 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| n-Propylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Styrene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Tetrachloroethene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Toluene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,1,1-Trichloroethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,1,2-Trichloroethane | <42 | | ug/kg dry | 35 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Trichloroethene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Trichlorofluoromethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichloropropane | <60 | | ug/kg dry | 50 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trimethylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| 1,3,5-Trimethylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Vinyl chloride | <42 | | ug/kg dry | 35 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Xylenes, total | <100 | | ug/kg dry | 85 | 1 | 03/13/07 17:19 | ABA | 7030312 | SW 8260B |
| Surr: Dibromofluoromethane (82-112%) | 98 % | | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 99 % | | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 99 % | | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-03 (GB15 S1 - Soil) | | | | | | Sampled: 03/08/07 09:05 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 95 | | % | NA | 1 | 03/12/07 15:30 | KLS | 7030291 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Bromobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Bromochloromethane | <37 | | ug/kg dry | 35 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Bromodichloromethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Bromoform | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Bromomethane | <110 | | ug/kg dry | 100 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| n-Butylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| sec-Butylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| tert-Butylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Carbon Tetrachloride | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Chlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Chlorodibromomethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Chloroethane | <53 | | ug/kg dry | 50 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Chloroform | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Chloromethane | <53 | | ug/kg dry | 50 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 2-Chlorotoluene | <53 | | ug/kg dry | 50 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 4-Chlorotoluene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <53 | | ug/kg dry | 50 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Dibromomethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,2-Dichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,3-Dichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,4-Dichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Dichlorodifluoromethane | <53 | | ug/kg dry | 50 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloroethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| cis-1,2-Dichloroethene | 2000 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| trans-1,2-Dichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloropropane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,3-Dichloropropane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 2,2-Dichloropropane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| cis-1,3-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| trans-1,3-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 2,3-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Isopropyl Ether | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Ethylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Hexachlorobutadiene | <37 | | ug/kg dry | 35 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Isopropylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| p-Isopropyltoluene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Methylene Chloride | <53 | | ug/kg dry | 50 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Methyl tert-Butyl Ether | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Naphthalene | <53 | | ug/kg dry | 50 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| n-Propylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Styrene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Tetrachloroethene | 54000 | | ug/kg dry | 25 | 10 | 03/15/07 01:45 | aba | 7030335 | SW 8260B |
| Toluene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----------|-----------------|--------------------------------|------------|----------------|----------------|
| Sample ID: WQC0307-03 (GB15 S1 - Soil) - cont. | | | | | | Sampled: 03/08/07 09:05 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,2,3-Trichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,1,1-Trichloroethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,1,2-Trichloroethane | <37 | | ug/kg dry | 35 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Trichloroethene | 620 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Trichlorofluoromethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichloropropane | <53 | | ug/kg dry | 50 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trimethylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| 1,3,5-Trimethylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Vinyl chloride | <37 | | ug/kg dry | 35 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| Xylenes, total | <90 | | ug/kg dry | 85 | 1 | 03/13/07 17:49 | ABA | 7030312 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | <i>97 %</i> | | | | | | | | |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | <i>102 %</i> | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | <i>98 %</i> | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | <i>96 %</i> | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | <i>97 %</i> | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | <i>103 %</i> | | | | | | | | |
| Sample ID: WQC0307-04 (GB15 S5 - Soil) | | | | | | Sampled: 03/08/07 09:15 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 93 | | % | NA | 1 | 03/12/07 15:30 | KLS | 7030291 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Bromobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Bromochloromethane | <38 | | ug/kg dry | 35 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Bromodichloromethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Bromoform | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Bromomethane | <110 | | ug/kg dry | 100 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| n-Butylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| sec-Butylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| tert-Butylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Carbon Tetrachloride | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Chlorobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Chlorodibromomethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Chloroethane | <54 | | ug/kg dry | 50 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Chloroform | 30 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Chloromethane | <54 | | ug/kg dry | 50 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 2-Chlorotoluene | <54 | | ug/kg dry | 50 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 4-Chlorotoluene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <54 | | ug/kg dry | 50 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Dibromomethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,2-Dichlorobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,3-Dichlorobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,4-Dichlorobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Dichlorodifluoromethane | <54 | | ug/kg dry | 50 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloroethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| cis-1,2-Dichloroethene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| trans-1,2-Dichloroethene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloropropane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-04 (GB15 S5 - Soil) - cont. | | | | | | Sampled: 03/08/07 09:15 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,3-Dichloropropane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 2,2-Dichloropropane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloropropene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| cis-1,3-Dichloropropene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| trans-1,3-Dichloropropene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 2,3-Dichloropropene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Isopropyl Ether | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Ethylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Hexachlorobutadiene | <38 | | ug/kg dry | 35 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Isopropylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| p-Isopropyltoluene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Methylene Chloride | <54 | | ug/kg dry | 50 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Methyl tert-Butyl Ether | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Naphthalene | <54 | | ug/kg dry | 50 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| n-Propylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Styrene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Tetrachloroethene | 2700 | | ug/kg dry | 25 | 1 | 03/15/07 01:15 | aba | 7030335 | SW 8260B |
| Toluene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichlorobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trichlorobenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,1,1-Trichloroethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,1,2-Trichloroethane | <38 | | ug/kg dry | 35 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Trichloroethene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Trichlorofluoromethane | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichloropropane | <54 | | ug/kg dry | 50 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trimethylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| 1,3,5-Trimethylbenzene | <27 | | ug/kg dry | 25 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Vinyl chloride | <38 | | ug/kg dry | 35 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Xylenes, total | <91 | | ug/kg dry | 85 | 1 | 03/13/07 18:19 | ABA | 7030312 | SW 8260B |
| Surr: Dibromofluoromethane (82-112%) | 97 % | | | | | | | | |
| Surr: Dibromofluoromethane (82-112%) | 101 % | | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 98 % | | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 98 % | | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 98 % | | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 102 % | | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-05 (GB16 S1 - Soil) | | | | | | Sampled: 03/08/07 09:40 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 96 | | % | NA | 1 | 03/12/07 15:30 | KLS | 7030291 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Bromobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Bromochloromethane | <37 | | ug/kg dry | 35 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Bromodichloromethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Bromoform | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Bromomethane | <100 | | ug/kg dry | 100 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| n-Butylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| sec-Butylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| tert-Butylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Carbon Tetrachloride | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Chlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Chlorodibromomethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Chloroethane | <52 | | ug/kg dry | 50 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Chloroform | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Chloromethane | <52 | | ug/kg dry | 50 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 2-Chlorotoluene | <52 | | ug/kg dry | 50 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 4-Chlorotoluene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <52 | | ug/kg dry | 50 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Dibromomethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,2-Dichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,3-Dichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,4-Dichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Dichlorodifluoromethane | <52 | | ug/kg dry | 50 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloroethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| cis-1,2-Dichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| trans-1,2-Dichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloropropane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,3-Dichloropropane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 2,2-Dichloropropane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| cis-1,3-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| trans-1,3-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 2,3-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Isopropyl Ether | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Ethylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Hexachlorobutadiene | <37 | | ug/kg dry | 35 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Isopropylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| p-Isopropyltoluene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Methylene Chloride | <52 | | ug/kg dry | 50 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Methyl tert-Butyl Ether | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Naphthalene | <52 | | ug/kg dry | 50 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| n-Propylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Styrene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Tetrachloroethene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 00:46 | aba | 7030335 | SW 8260B |
| Toluene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----------|-----------------|--------------------------------|------------|----------------|----------------|
| Sample ID: WQC0307-05 (GB16 S1 - Soil) - cont. | | | | | | Sampled: 03/08/07 09:40 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,2,3-Trichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,1,1-Trichloroethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,1,2-Trichloroethane | <37 | | ug/kg dry | 35 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Trichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Trichlorofluoromethane | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichloropropane | <52 | | ug/kg dry | 50 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trimethylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| 1,3,5-Trimethylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Vinyl chloride | <37 | | ug/kg dry | 35 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| Xylenes, total | <89 | | ug/kg dry | 85 | 1 | 03/13/07 18:50 | ABA | 7030312 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | 98 % | | | | | | | | |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | 98 % | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | 96 % | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | 98 % | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | 95 % | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | 102 % | | | | | | | | |
| Sample ID: WQC0307-06 (GB16 S3 - Soil) | | | | | | Sampled: 03/08/07 09:50 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 82 | | % | NA | 1 | 03/12/07 15:30 | KLS | 7030291 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Bromobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Bromochloromethane | <42 | | ug/kg dry | 35 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Bromodichloromethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Bromoform | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Bromomethane | <120 | | ug/kg dry | 100 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| n-Butylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| sec-Butylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| tert-Butylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Carbon Tetrachloride | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Chlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Chlorodibromomethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Chloroethane | <61 | | ug/kg dry | 50 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Chloroform | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Chloromethane | <61 | | ug/kg dry | 50 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 2-Chlorotoluene | <61 | | ug/kg dry | 50 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 4-Chlorotoluene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <61 | | ug/kg dry | 50 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Dibromomethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,2-Dichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,3-Dichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,4-Dichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Dichlorodifluoromethane | <61 | | ug/kg dry | 50 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloroethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| cis-1,2-Dichloroethene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| trans-1,2-Dichloroethene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloropropane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-06 (GB16 S3 - Soil) - cont. | | | | | | Sampled: 03/08/07 09:50 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,3-Dichloropropane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 2,2-Dichloropropane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloropropene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| cis-1,3-Dichloropropene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| trans-1,3-Dichloropropene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 2,3-Dichloropropene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Isopropyl Ether | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Ethylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Hexachlorobutadiene | <42 | | ug/kg dry | 35 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Isopropylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| p-Isopropyltoluene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Methylene Chloride | <61 | | ug/kg dry | 50 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Methyl tert-Butyl Ether | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Naphthalene | <61 | | ug/kg dry | 50 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| n-Propylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Styrene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Tetrachloroethene | 40 | | ug/kg dry | 25 | 1 | 03/14/07 13:06 | ABA | 7030339 | SW 8260B |
| Toluene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trichlorobenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,1,1-Trichloroethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,1,2-Trichloroethane | <42 | | ug/kg dry | 35 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Trichloroethene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Trichlorofluoromethane | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichloropropane | <61 | | ug/kg dry | 50 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trimethylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| 1,3,5-Trimethylbenzene | <30 | | ug/kg dry | 25 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Vinyl chloride | <42 | | ug/kg dry | 35 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Xylenes, total | <100 | | ug/kg dry | 85 | 1 | 03/13/07 19:20 | ABA | 7030312 | SW 8260B |
| Surr: Dibromofluoromethane (82-112%) | 101 % | | | | | | | | |
| Surr: Dibromofluoromethane (82-112%) | 100 % | | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 102 % | | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 95 % | | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 98 % | | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 95 % | | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-07 (GB17 S1 - Soil) | | | | | | Sampled: 03/08/07 10:00 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 71 | | % | NA | 1 | 03/12/07 15:30 | KLS | 7030291 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Bromobenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Bromochloromethane | <49 | | ug/kg dry | 35 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Bromodichloromethane | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Bromoform | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Bromomethane | <140 | | ug/kg dry | 100 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| n-Butylbenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| sec-Butylbenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| tert-Butylbenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Carbon Tetrachloride | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Chlorobenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Chlorodibromomethane | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Chloroethane | <70 | | ug/kg dry | 50 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Chloroform | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Chloromethane | <70 | | ug/kg dry | 50 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 2-Chlorotoluene | <70 | | ug/kg dry | 50 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 4-Chlorotoluene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <70 | | ug/kg dry | 50 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Dibromomethane | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,2-Dichlorobenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,3-Dichlorobenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,4-Dichlorobenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Dichlorodifluoromethane | <70 | | ug/kg dry | 50 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethane | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloroethane | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| cis-1,2-Dichloroethene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| trans-1,2-Dichloroethene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloropropane | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,3-Dichloropropane | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 2,2-Dichloropropane | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloropropene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| cis-1,3-Dichloropropene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| trans-1,3-Dichloropropene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 2,3-Dichloropropene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Isopropyl Ether | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Ethylbenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Hexachlorobutadiene | <49 | | ug/kg dry | 35 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Isopropylbenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| p-Isopropyltoluene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Methylene Chloride | <70 | | ug/kg dry | 50 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Methyl tert-Butyl Ether | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Naphthalene | <70 | | ug/kg dry | 50 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| n-Propylbenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Styrene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Tetrachloroethene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Toluene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-07 (GB17 S1 - Soil) - cont. | | | | | | Sampled: 03/08/07 10:00 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,2,3-Trichlorobenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trichlorobenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,1,1-Trichloroethane | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,1,2-Trichloroethane | <49 | | ug/kg dry | 35 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Trichloroethene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Trichlorofluoromethane | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichloropropane | <70 | | ug/kg dry | 50 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trimethylbenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| 1,3,5-Trimethylbenzene | <35 | | ug/kg dry | 25 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Vinyl chloride | <49 | | ug/kg dry | 35 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| Xylenes, total | <120 | | ug/kg dry | 85 | 1 | 03/13/07 19:50 | ABA | 7030312 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | 101 % | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | 99 % | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | 96 % | | | | | | | | |
| Sample ID: WQC0307-08 (GB17 S5 - Soil) | | | | | | Sampled: 03/08/07 10:15 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 87 | | % | NA | 1 | 03/12/07 15:30 | KLS | 7030291 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Bromobenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Bromochloromethane | <40 | | ug/kg dry | 35 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Bromodichloromethane | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Bromoform | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Bromomethane | <120 | | ug/kg dry | 100 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| n-Butylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| sec-Butylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| tert-Butylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Carbon Tetrachloride | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Chlorobenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Chlorodibromomethane | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Chloroethane | <58 | | ug/kg dry | 50 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Chloroform | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Chloromethane | <58 | | ug/kg dry | 50 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 2-Chlorotoluene | <58 | | ug/kg dry | 50 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 4-Chlorotoluene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <58 | | ug/kg dry | 50 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Dibromomethane | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,2-Dichlorobenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,3-Dichlorobenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,4-Dichlorobenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Dichlorodifluoromethane | <58 | | ug/kg dry | 50 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethane | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloroethane | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloroethene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| cis-1,2-Dichloroethene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| trans-1,2-Dichloroethene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,2-Dichloropropane | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,3-Dichloropropane | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 2,2-Dichloropropane | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,1-Dichloropropene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-08 (GB17 S5 - Soil) - cont. | | | | | | Sampled: 03/08/07 10:15 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| cis-1,3-Dichloropropene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| trans-1,3-Dichloropropene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 2,3-Dichloropropene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Isopropyl Ether | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Ethylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Hexachlorobutadiene | <40 | | ug/kg dry | 35 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Isopropylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| p-Isopropyltoluene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Methylene Chloride | <58 | | ug/kg dry | 50 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Methyl tert-Butyl Ether | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Naphthalene | <58 | | ug/kg dry | 50 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| n-Propylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Styrene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Tetrachloroethene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Toluene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichlorobenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trichlorobenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,1,1-Trichloroethane | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,1,2-Trichloroethane | <40 | | ug/kg dry | 35 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Trichloroethene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Trichlorofluoromethane | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,2,3-Trichloropropane | <58 | | ug/kg dry | 50 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,2,4-Trimethylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| 1,3,5-Trimethylbenzene | <29 | | ug/kg dry | 25 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Vinyl chloride | <40 | | ug/kg dry | 35 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Xylenes, total | <98 | | ug/kg dry | 85 | 1 | 03/13/07 20:21 | ABA | 7030312 | SW 8260B |
| Surr: Dibromofluoromethane (82-112%) | 97 % | | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 97 % | | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 95 % | | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-09 (GB18 S1 - Soil) | | | | | | Sampled: 03/08/07 10:20 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 89 | | % | NA | 1 | 03/12/07 15:32 | KLS | 7030292 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Bromobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Bromochloromethane | <39 | | ug/kg dry | 35 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Bromodichloromethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Bromoform | <28 | L1, R2 | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Bromomethane | <110 | L1 | ug/kg dry | 100 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| n-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| sec-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| tert-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Carbon Tetrachloride | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Chlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Chlorodibromomethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Chloroethane | <56 | C, L1 | ug/kg dry | 50 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Chloroform | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Chloromethane | <56 | | ug/kg dry | 50 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 2-Chlorotoluene | <56 | | ug/kg dry | 50 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 4-Chlorotoluene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <56 | | ug/kg dry | 50 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Dibromomethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,2-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,3-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,4-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Dichlorodifluoromethane | <56 | L1 | ug/kg dry | 50 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,2-Dichloroethane | <28 | R2 | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| cis-1,2-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| trans-1,2-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,2-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,3-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 2,2-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,1-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| cis-1,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| trans-1,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 2,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Isopropyl Ether | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Ethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Hexachlorobutadiene | <39 | | ug/kg dry | 35 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Isopropylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| p-Isopropyltoluene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Methylene Chloride | <56 | | ug/kg dry | 50 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Methyl tert-Butyl Ether | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Naphthalene | <56 | | ug/kg dry | 50 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| n-Propylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Styrene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Tetrachloroethene | 2500 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Toluene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-09 (GB18 S1 - Soil) - cont. | | | | | | Sampled: 03/08/07 10:20 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,2,3-Trichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,2,4-Trichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,1,1-Trichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,1,2-Trichloroethane | <39 | | ug/kg dry | 35 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Trichloroethene | 110 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Trichlorofluoromethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,2,3-Trichloropropane | <56 | | ug/kg dry | 50 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,2,4-Trimethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| 1,3,5-Trimethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Vinyl chloride | <39 | | ug/kg dry | 35 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| Xylenes, total | <96 | | ug/kg dry | 85 | 1 | 03/15/07 05:16 | aba | 7030335 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | <i>105 %</i> | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | <i>96 %</i> | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | <i>102 %</i> | | | | | | | | |
| Sample ID: WQC0307-10 (GB18 S5 - Soil) | | | | | | Sampled: 03/08/07 10:30 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 90 | | % | NA | 1 | 03/12/07 15:32 | KLS | 7030292 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Bromobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Bromochloromethane | <39 | | ug/kg dry | 35 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Bromodichloromethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Bromoform | <28 | L1, R2 | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Bromomethane | <110 | L1 | ug/kg dry | 100 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| n-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| sec-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| tert-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Carbon Tetrachloride | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Chlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Chlorodibromomethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Chloroethane | <56 | C, L1 | ug/kg dry | 50 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Chloroform | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Chloromethane | <56 | | ug/kg dry | 50 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 2-Chlorotoluene | <56 | | ug/kg dry | 50 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 4-Chlorotoluene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <56 | | ug/kg dry | 50 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Dibromomethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,2-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,3-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,4-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Dichlorodifluoromethane | <56 | L1 | ug/kg dry | 50 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,2-Dichloroethane | <28 | R2 | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| cis-1,2-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| trans-1,2-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,2-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,3-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 2,2-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,1-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-10 (GB18 S5 - Soil) - cont. | | | | | | Sampled: 03/08/07 10:30 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| cis-1,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| trans-1,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 2,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Isopropyl Ether | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Ethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Hexachlorobutadiene | <39 | | ug/kg dry | 35 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Isopropylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| p-Isopropyltoluene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Methylene Chloride | <56 | | ug/kg dry | 50 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Methyl tert-Butyl Ether | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Naphthalene | <56 | | ug/kg dry | 50 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| n-Propylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Styrene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Tetrachloroethene | 210 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Toluene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,2,3-Trichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,2,4-Trichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,1,1-Trichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,1,2-Trichloroethane | <39 | | ug/kg dry | 35 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Trichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Trichlorofluoromethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,2,3-Trichloropropane | <56 | | ug/kg dry | 50 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,2,4-Trimethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| 1,3,5-Trimethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Vinyl chloride | <39 | | ug/kg dry | 35 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| Xylenes, total | <95 | | ug/kg dry | 85 | 1 | 03/15/07 05:46 | aba | 7030335 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | <i>104 %</i> | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | <i>96 %</i> | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | <i>103 %</i> | | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-11 (GB19 S1 - Soil) | | | | | | Sampled: 03/08/07 11:00 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 90 | | % | NA | 1 | 03/12/07 15:32 | KLS | 7030292 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Bromobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Bromochloromethane | <39 | | ug/kg dry | 35 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Bromodichloromethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Bromoform | <28 | L1, R2 | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Bromomethane | <110 | L1 | ug/kg dry | 100 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| n-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| sec-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| tert-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Carbon Tetrachloride | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Chlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Chlorodibromomethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Chloroethane | <56 | C, L1 | ug/kg dry | 50 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Chloroform | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Chloromethane | <56 | | ug/kg dry | 50 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 2-Chlorotoluene | <56 | | ug/kg dry | 50 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 4-Chlorotoluene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <56 | | ug/kg dry | 50 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Dibromomethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,2-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,3-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,4-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Dichlorodifluoromethane | <56 | L1 | ug/kg dry | 50 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,2-Dichloroethane | <28 | R2 | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| cis-1,2-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| trans-1,2-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,2-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,3-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 2,2-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,1-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| cis-1,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| trans-1,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 2,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Isopropyl Ether | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Ethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Hexachlorobutadiene | <39 | | ug/kg dry | 35 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Isopropylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| p-Isopropyltoluene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Methylene Chloride | <56 | | ug/kg dry | 50 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Methyl tert-Butyl Ether | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Naphthalene | <56 | | ug/kg dry | 50 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| n-Propylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Styrene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Tetrachloroethene | 11000 | | ug/kg dry | 25 | 5 | 03/15/07 12:34 | LG | 7030367 | SW 8260B |
| Toluene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----------|-----------------|--------------------------------|------------|----------------|----------------|
| Sample ID: WQC0307-11 (GB19 S1 - Soil) - cont. | | | | | | Sampled: 03/08/07 11:00 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,2,3-Trichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,2,4-Trichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,1,1-Trichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,1,2-Trichloroethane | <39 | | ug/kg dry | 35 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Trichloroethene | 200 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Trichlorofluoromethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,2,3-Trichloropropane | <56 | | ug/kg dry | 50 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,2,4-Trimethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| 1,3,5-Trimethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Vinyl chloride | <39 | | ug/kg dry | 35 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| Xylenes, total | <95 | | ug/kg dry | 85 | 1 | 03/15/07 06:15 | aba | 7030335 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | <i>105 %</i> | | | | | | | | |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | <i>102 %</i> | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | <i>94 %</i> | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | <i>95 %</i> | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | <i>103 %</i> | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | <i>101 %</i> | | | | | | | | |
| Sample ID: WQC0307-12 (GB19 S5 - Soil) | | | | | | Sampled: 03/08/07 11:10 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 98 | | % | NA | 1 | 03/12/07 15:32 | KLS | 7030292 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Bromobenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Bromochloromethane | <36 | | ug/kg dry | 35 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Bromodichloromethane | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Bromoform | <26 | L1, R2 | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Bromomethane | <100 | L1 | ug/kg dry | 100 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| n-Butylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| sec-Butylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| tert-Butylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Carbon Tetrachloride | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Chlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Chlorodibromomethane | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Chloroethane | <51 | C, L1 | ug/kg dry | 50 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Chloroform | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Chloromethane | <51 | | ug/kg dry | 50 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 2-Chlorotoluene | <51 | | ug/kg dry | 50 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 4-Chlorotoluene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <51 | | ug/kg dry | 50 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Dibromomethane | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,2-Dichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,3-Dichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,4-Dichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Dichlorodifluoromethane | <51 | L1 | ug/kg dry | 50 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethane | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,2-Dichloroethane | <26 | R2 | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| cis-1,2-Dichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| trans-1,2-Dichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,2-Dichloropropane | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-12 (GB19 S5 - Soil) - cont. | | | | | | Sampled: 03/08/07 11:10 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,3-Dichloropropane | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 2,2-Dichloropropane | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,1-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| cis-1,3-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| trans-1,3-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 2,3-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Isopropyl Ether | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Ethylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Hexachlorobutadiene | <36 | | ug/kg dry | 35 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Isopropylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| p-Isopropyltoluene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Methylene Chloride | <51 | | ug/kg dry | 50 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Methyl tert-Butyl Ether | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Naphthalene | <51 | | ug/kg dry | 50 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| n-Propylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Styrene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Tetrachloroethene | 180 | | ug/kg dry | 25 | 1 | 03/15/07 12:04 | LG | 7030367 | SW 8260B |
| Toluene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,2,3-Trichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,2,4-Trichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,1,1-Trichloroethane | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,1,2-Trichloroethane | <36 | | ug/kg dry | 35 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Trichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Trichlorofluoromethane | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,2,3-Trichloropropane | <51 | | ug/kg dry | 50 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,2,4-Trimethylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| 1,3,5-Trimethylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Vinyl chloride | <36 | | ug/kg dry | 35 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Xylenes, total | <87 | | ug/kg dry | 85 | 1 | 03/15/07 06:44 | aba | 7030335 | SW 8260B |
| Surr: Dibromofluoromethane (82-112%) | 104 % | | | | | | | | |
| Surr: Dibromofluoromethane (82-112%) | 103 % | | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 96 % | | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 94 % | | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 104 % | | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 97 % | | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-13 (GB20 S1 - Soil) | | | | | | Sampled: 03/08/07 11:25 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 77 | | % | NA | 1 | 03/12/07 15:32 | KLS | 7030292 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Bromobenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Bromochloromethane | <45 | | ug/kg dry | 35 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Bromodichloromethane | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Bromoform | <32 | L1, R2 | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Bromomethane | <130 | L1 | ug/kg dry | 100 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| n-Butylbenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| sec-Butylbenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| tert-Butylbenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Carbon Tetrachloride | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Chlorobenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Chlorodibromomethane | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Chloroethane | <65 | C, L1 | ug/kg dry | 50 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Chloroform | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Chloromethane | <65 | | ug/kg dry | 50 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 2-Chlorotoluene | <65 | | ug/kg dry | 50 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 4-Chlorotoluene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <65 | | ug/kg dry | 50 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Dibromomethane | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,2-Dichlorobenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,3-Dichlorobenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,4-Dichlorobenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Dichlorodifluoromethane | <65 | L1 | ug/kg dry | 50 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethane | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,2-Dichloroethane | <32 | R2 | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| cis-1,2-Dichloroethene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| trans-1,2-Dichloroethene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,2-Dichloropropane | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,3-Dichloropropane | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 2,2-Dichloropropane | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,1-Dichloropropene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| cis-1,3-Dichloropropene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| trans-1,3-Dichloropropene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 2,3-Dichloropropene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Isopropyl Ether | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Ethylbenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Hexachlorobutadiene | <45 | | ug/kg dry | 35 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Isopropylbenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| p-Isopropyltoluene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Methylene Chloride | <65 | | ug/kg dry | 50 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Methyl tert-Butyl Ether | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Naphthalene | <65 | | ug/kg dry | 50 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| n-Propylbenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Styrene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Tetrachloroethene | 1400 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Toluene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-13 (GB20 S1 - Soil) - cont. | | | | | | Sampled: 03/08/07 11:25 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,2,3-Trichlorobenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,2,4-Trichlorobenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,1,1-Trichloroethane | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,1,2-Trichloroethane | <45 | | ug/kg dry | 35 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Trichloroethene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Trichlorofluoromethane | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,2,3-Trichloropropane | <65 | | ug/kg dry | 50 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,2,4-Trimethylbenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| 1,3,5-Trimethylbenzene | <32 | | ug/kg dry | 25 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Vinyl chloride | <45 | | ug/kg dry | 35 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| Xylenes, total | <110 | | ug/kg dry | 85 | 1 | 03/15/07 07:14 | aba | 7030335 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | 104 % | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | 96 % | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | 104 % | | | | | | | | |
| Sample ID: WQC0307-14 (GB20 S3 - Soil) | | | | | | Sampled: 03/08/07 11:30 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 81 | | % | NA | 1 | 03/12/07 15:32 | KLS | 7030292 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Bromobenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Bromochloromethane | <43 | | ug/kg dry | 35 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Bromodichloromethane | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Bromoform | <31 | L1, R2 | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Bromomethane | <120 | L1 | ug/kg dry | 100 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| n-Butylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| sec-Butylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| tert-Butylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Carbon Tetrachloride | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Chlorobenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Chlorodibromomethane | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Chloroethane | <61 | C, L1 | ug/kg dry | 50 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Chloroform | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Chloromethane | <61 | | ug/kg dry | 50 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 2-Chlorotoluene | <61 | | ug/kg dry | 50 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 4-Chlorotoluene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <61 | | ug/kg dry | 50 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Dibromomethane | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,2-Dichlorobenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,3-Dichlorobenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,4-Dichlorobenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Dichlorodifluoromethane | <61 | L1 | ug/kg dry | 50 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethane | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,2-Dichloroethane | <31 | R2 | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| cis-1,2-Dichloroethene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| trans-1,2-Dichloroethene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,2-Dichloropropane | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,3-Dichloropropane | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 2,2-Dichloropropane | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,1-Dichloropropene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-14 (GB20 S3 - Soil) - cont. | | | | | | Sampled: 03/08/07 11:30 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| cis-1,3-Dichloropropene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| trans-1,3-Dichloropropene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 2,3-Dichloropropene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Isopropyl Ether | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Ethylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Hexachlorobutadiene | <43 | | ug/kg dry | 35 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Isopropylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| p-Isopropyltoluene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Methylene Chloride | <61 | | ug/kg dry | 50 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Methyl tert-Butyl Ether | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Naphthalene | <61 | | ug/kg dry | 50 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| n-Propylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Styrene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Tetrachloroethene | 42 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Toluene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,2,3-Trichlorobenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,2,4-Trichlorobenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,1,1-Trichloroethane | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,1,2-Trichloroethane | <43 | | ug/kg dry | 35 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Trichloroethene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Trichlorofluoromethane | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,2,3-Trichloropropane | <61 | | ug/kg dry | 50 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,2,4-Trimethylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| 1,3,5-Trimethylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Vinyl chloride | <43 | | ug/kg dry | 35 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| Xylenes, total | <100 | | ug/kg dry | 85 | 1 | 03/15/07 07:43 | aba | 7030335 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | <i>103 %</i> | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | <i>96 %</i> | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | <i>105 %</i> | | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-15 (GB21 S1 - Soil) | | | | | | Sampled: 03/08/07 11:40 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 76 | | % | NA | 1 | 03/12/07 15:30 | KLS | 7030291 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Bromobenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Bromochloromethane | <46 | | ug/kg dry | 35 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Bromodichloromethane | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Bromoform | <33 | L1, R2 | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Bromomethane | <130 | L1 | ug/kg dry | 100 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| n-Butylbenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| sec-Butylbenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| tert-Butylbenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Carbon Tetrachloride | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Chlorobenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Chlorodibromomethane | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Chloroethane | <66 | C, L1 | ug/kg dry | 50 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Chloroform | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Chloromethane | <66 | | ug/kg dry | 50 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 2-Chlorotoluene | <66 | | ug/kg dry | 50 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 4-Chlorotoluene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <66 | | ug/kg dry | 50 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Dibromomethane | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,2-Dichlorobenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,3-Dichlorobenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,4-Dichlorobenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Dichlorodifluoromethane | <66 | L1 | ug/kg dry | 50 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethane | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,2-Dichloroethane | <33 | R2 | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| cis-1,2-Dichloroethene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| trans-1,2-Dichloroethene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,2-Dichloropropane | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,3-Dichloropropane | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 2,2-Dichloropropane | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,1-Dichloropropene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| cis-1,3-Dichloropropene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| trans-1,3-Dichloropropene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 2,3-Dichloropropene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Isopropyl Ether | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Ethylbenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Hexachlorobutadiene | <46 | | ug/kg dry | 35 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Isopropylbenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| p-Isopropyltoluene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Methylene Chloride | <66 | | ug/kg dry | 50 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Methyl tert-Butyl Ether | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Naphthalene | <66 | | ug/kg dry | 50 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| n-Propylbenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Styrene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Tetrachloroethene | 88 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Toluene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-15 (GB21 S1 - Soil) - cont. | | | | | | Sampled: 03/08/07 11:40 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,2,3-Trichlorobenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,2,4-Trichlorobenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,1,1-Trichloroethane | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,1,2-Trichloroethane | <46 | | ug/kg dry | 35 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Trichloroethene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Trichlorofluoromethane | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,2,3-Trichloropropane | <66 | | ug/kg dry | 50 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,2,4-Trimethylbenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| 1,3,5-Trimethylbenzene | <33 | | ug/kg dry | 25 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Vinyl chloride | <46 | | ug/kg dry | 35 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Xylenes, total | <110 | | ug/kg dry | 85 | 1 | 03/15/07 08:13 | aba | 7030335 | SW 8260B |
| Surr: Dibromofluoromethane (82-112%) | 104 % | | | | | | | | |
| Surr: Toluene-d8 (91-106%) | 96 % | | | | | | | | |
| Surr: 4-Bromofluorobenzene (89-110%) | 103 % | | | | | | | | |
| Sample ID: WQC0307-16 (GB21 S4 - Soil) | | | | | | Sampled: 03/08/07 11:45 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 91 | | % | NA | 1 | 03/12/07 15:30 | KLS | 7030291 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Bromobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Bromochloromethane | <39 | | ug/kg dry | 35 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Bromodichloromethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Bromoform | <28 | R2, L1 | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Bromomethane | <110 | L1 | ug/kg dry | 100 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| n-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| sec-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| tert-Butylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Carbon Tetrachloride | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Chlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Chlorodibromomethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Chloroethane | <55 | C, L1 | ug/kg dry | 50 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Chloroform | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Chloromethane | <55 | | ug/kg dry | 50 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 2-Chlorotoluene | <55 | | ug/kg dry | 50 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 4-Chlorotoluene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <55 | | ug/kg dry | 50 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Dibromomethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,2-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,3-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,4-Dichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Dichlorodifluoromethane | <55 | L1 | ug/kg dry | 50 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,2-Dichloroethane | <28 | R2 | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,1-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| cis-1,2-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| trans-1,2-Dichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,2-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,3-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 2,2-Dichloropropane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,1-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-16 (GB21 S4 - Soil) - cont. | | | | | | Sampled: 03/08/07 11:45 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| cis-1,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| trans-1,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 2,3-Dichloropropene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Isopropyl Ether | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Ethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Hexachlorobutadiene | <39 | | ug/kg dry | 35 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Isopropylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| p-Isopropyltoluene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Methylene Chloride | <55 | | ug/kg dry | 50 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Methyl tert-Butyl Ether | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Naphthalene | <55 | | ug/kg dry | 50 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| n-Propylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Styrene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Tetrachloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Toluene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,2,3-Trichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,2,4-Trichlorobenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,1,1-Trichloroethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,1,2-Trichloroethane | <39 | | ug/kg dry | 35 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Trichloroethene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Trichlorofluoromethane | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,2,3-Trichloropropane | <55 | | ug/kg dry | 50 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,2,4-Trimethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| 1,3,5-Trimethylbenzene | <28 | | ug/kg dry | 25 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Vinyl chloride | <39 | | ug/kg dry | 35 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| Xylenes, total | <94 | | ug/kg dry | 85 | 1 | 03/15/07 08:42 | aba | 7030335 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | <i>105 %</i> | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | <i>95 %</i> | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | <i>103 %</i> | | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-17 (GB22 S2 - Soil) | | | | | | Sampled: 03/08/07 12:00 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 82 | | % | NA | 1 | 03/12/07 15:30 | KLS | 7030291 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Bromobenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Bromochloromethane | <43 | | ug/kg dry | 35 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Bromodichloromethane | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Bromoform | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Bromomethane | <120 | | ug/kg dry | 100 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| n-Butylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| sec-Butylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| tert-Butylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Carbon Tetrachloride | <31 | R2 | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Chlorobenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Chlorodibromomethane | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Chloroethane | <61 | L1 | ug/kg dry | 50 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Chloroform | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Chloromethane | <61 | L1 | ug/kg dry | 50 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 2-Chlorotoluene | <61 | | ug/kg dry | 50 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 4-Chlorotoluene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <61 | | ug/kg dry | 50 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Dibromomethane | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,2-Dichlorobenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,3-Dichlorobenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,4-Dichlorobenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Dichlorodifluoromethane | <61 | L1 | ug/kg dry | 50 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,1-Dichloroethane | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,2-Dichloroethane | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,1-Dichloroethene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| cis-1,2-Dichloroethene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| trans-1,2-Dichloroethene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,2-Dichloropropane | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,3-Dichloropropane | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 2,2-Dichloropropane | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,1-Dichloropropene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| cis-1,3-Dichloropropene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| trans-1,3-Dichloropropene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 2,3-Dichloropropene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Isopropyl Ether | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Ethylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Hexachlorobutadiene | <43 | | ug/kg dry | 35 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Isopropylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| p-Isopropyltoluene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Methylene Chloride | <61 | | ug/kg dry | 50 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Methyl tert-Butyl Ether | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Naphthalene | <61 | | ug/kg dry | 50 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| n-Propylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Styrene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Tetrachloroethene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Toluene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-17 (GB22 S2 - Soil) - cont. | | | | | | Sampled: 03/08/07 12:00 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,2,3-Trichlorobenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,2,4-Trichlorobenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,1,1-Trichloroethane | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,1,2-Trichloroethane | <43 | | ug/kg dry | 35 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Trichloroethene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Trichlorofluoromethane | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,2,3-Trichloropropane | <61 | | ug/kg dry | 50 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,2,4-Trimethylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| 1,3,5-Trimethylbenzene | <31 | | ug/kg dry | 25 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Vinyl chloride | <43 | | ug/kg dry | 35 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| Xylenes, total | <100 | | ug/kg dry | 85 | 1 | 03/14/07 20:46 | ABA | 7030339 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | 101 % | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | 90 % | Z6 | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | 99 % | | | | | | | | |
| Sample ID: WQC0307-18 (GB22 S5 - Soil) | | | | | | Sampled: 03/08/07 12:10 | | | |
| General Chemistry Parameters | | | | | | | | | |
| % Solids | 96 | | % | NA | 1 | 03/12/07 15:30 | KLS | 7030291 | SW 5035 |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Bromobenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Bromochloromethane | <36 | | ug/kg dry | 35 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Bromodichloromethane | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Bromoform | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Bromomethane | <100 | | ug/kg dry | 100 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| n-Butylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| sec-Butylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| tert-Butylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Carbon Tetrachloride | <26 | R2 | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Chlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Chlorodibromomethane | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Chloroethane | <52 | L1 | ug/kg dry | 50 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Chloroform | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Chloromethane | <52 | L1 | ug/kg dry | 50 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 2-Chlorotoluene | <52 | | ug/kg dry | 50 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 4-Chlorotoluene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <52 | | ug/kg dry | 50 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Dibromomethane | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,2-Dichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,3-Dichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,4-Dichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Dichlorodifluoromethane | <52 | L1 | ug/kg dry | 50 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,1-Dichloroethane | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,2-Dichloroethane | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,1-Dichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| cis-1,2-Dichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| trans-1,2-Dichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,2-Dichloropropane | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,3-Dichloropropane | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 2,2-Dichloropropane | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,1-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|---|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-18 (GB22 S5 - Soil) - cont. | | | | | | Sampled: 03/08/07 12:10 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| cis-1,3-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| trans-1,3-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 2,3-Dichloropropene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Isopropyl Ether | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Ethylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Hexachlorobutadiene | <36 | | ug/kg dry | 35 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Isopropylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| p-Isopropyltoluene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Methylene Chloride | <52 | | ug/kg dry | 50 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Methyl tert-Butyl Ether | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Naphthalene | <52 | | ug/kg dry | 50 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| n-Propylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Styrene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Tetrachloroethene | 34 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Toluene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,2,3-Trichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,2,4-Trichlorobenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,1,1-Trichloroethane | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,1,2-Trichloroethane | <36 | | ug/kg dry | 35 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Trichloroethene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Trichlorofluoromethane | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,2,3-Trichloropropane | <52 | | ug/kg dry | 50 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,2,4-Trimethylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| 1,3,5-Trimethylbenzene | <26 | | ug/kg dry | 25 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Vinyl chloride | <36 | | ug/kg dry | 35 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| Xylenes, total | <88 | | ug/kg dry | 85 | 1 | 03/14/07 21:16 | ABA | 7030339 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | <i>103 %</i> | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | <i>102 %</i> | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | <i>99 %</i> | | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|--|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-19 (MeOH Blank - Misc. Liquid) | | | | | | Sampled: 03/08/07 12:15 | | | |
| VOCs by SW8260B | | | | | | | | | |
| Benzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Bromobenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Bromochloromethane | <35 | | ug/kg wet | 35 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Bromodichloromethane | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Bromoform | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Bromomethane | <100 | | ug/kg wet | 100 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| n-Butylbenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| sec-Butylbenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| tert-Butylbenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Carbon Tetrachloride | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Chlorobenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Chlorodibromomethane | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Chloroethane | <50 | | ug/kg wet | 50 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Chloroform | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Chloromethane | <50 | | ug/kg wet | 50 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 2-Chlorotoluene | <50 | | ug/kg wet | 50 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 4-Chlorotoluene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,2-Dibromo-3-chloropropane | <100 | | ug/kg wet | 100 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,2-Dibromoethane (EDB) | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Dibromomethane | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,2-Dichlorobenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,3-Dichlorobenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,4-Dichlorobenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Dichlorodifluoromethane | <50 | | ug/kg wet | 50 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,1-Dichloroethane | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,2-Dichloroethane | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,1-Dichloroethene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| cis-1,2-Dichloroethene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| trans-1,2-Dichloroethene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,2-Dichloropropane | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,3-Dichloropropane | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 2,2-Dichloropropane | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,1-Dichloropropene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| cis-1,3-Dichloropropene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| trans-1,3-Dichloropropene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 2,3-Dichloropropene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Isopropyl Ether | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Ethylbenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Hexachlorobutadiene | <35 | | ug/kg wet | 35 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Isopropylbenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| p-Isopropyltoluene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Methylene Chloride | <50 | | ug/kg wet | 50 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Methyl tert-Butyl Ether | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Naphthalene | <50 | | ug/kg wet | 50 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| n-Propylbenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Styrene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,1,1,2-Tetrachloroethane | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,1,2,2-Tetrachloroethane | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Tetrachloroethene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Toluene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,2,3-Trichlorobenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,2,4-Trichlorobenzene | <25 | C9 | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

| Analyte | Sample Result | Data Qualifiers | Units | MRL | Dilution Factor | Date Analyzed | Analyst | Seq/ Batch | Method |
|--|---------------|-----------------|-----------|-----|-----------------|--------------------------------|---------|------------|----------|
| Sample ID: WQC0307-19 (MeOH Blank - Misc. Liquid) - cont. | | | | | | Sampled: 03/08/07 12:15 | | | |
| VOCs by SW8260B - cont. | | | | | | | | | |
| 1,1,1-Trichloroethane | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,1,2-Trichloroethane | <35 | | ug/kg wet | 35 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Trichloroethene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Trichlorofluoromethane | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,2,3-Trichloropropane | <50 | | ug/kg wet | 50 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,2,4-Trimethylbenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| 1,3,5-Trimethylbenzene | <25 | | ug/kg wet | 25 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Vinyl chloride | <35 | | ug/kg wet | 35 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| Xylenes, total | <85 | | ug/kg wet | 85 | 1 | 03/13/07 11:59 | LG | 7030300 | SW 8260B |
| <i>Surr: Dibromofluoromethane (82-112%)</i> | <i>99 %</i> | | | | | | | | |
| <i>Surr: Toluene-d8 (91-106%)</i> | <i>98 %</i> | | | | | | | | |
| <i>Surr: 4-Bromofluorobenzene (89-110%)</i> | <i>103 %</i> | | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LABORATORY BLANK QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|-----------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|---|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Benzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromobenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromochloromethane | 7030300 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Bromodichloromethane | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromoform | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromomethane | 7030300 | | | ug/kg wet | N/A | 100 | <100 | | | | | | | |
| n-Butylbenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| sec-Butylbenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| tert-Butylbenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Carbon Tetrachloride | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chlorobenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chlorodibromomethane | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chloroethane | 7030300 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| Chloroform | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chloromethane | 7030300 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 2-Chlorotoluene | 7030300 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 4-Chlorotoluene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dibromo-3-chloropropane | 7030300 | | | ug/kg wet | N/A | 50 | <100 | | | | | | | |
| 1,2-Dibromoethane (EDB) | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Dibromomethane | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichlorobenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3-Dichlorobenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,4-Dichlorobenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Dichlorodifluoromethane | 7030300 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 1,1-Dichloroethane | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichloroethane | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1-Dichloroethene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| cis-1,2-Dichloroethene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| trans-1,2-Dichloroethene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichloropropane | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3-Dichloropropane | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 2,2-Dichloropropane | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1-Dichloropropene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| cis-1,3-Dichloropropene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| trans-1,3-Dichloropropene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 2,3-Dichloropropene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Isopropyl Ether | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Ethylbenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Hexachlorobutadiene | 7030300 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Isopropylbenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| p-Isopropyltoluene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Methylene Chloride | 7030300 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| Methyl tert-Butyl Ether | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Naphthalene | 7030300 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| n-Propylbenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LABORATORY BLANK QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|--|----------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|----|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Styrene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,1,2-Tetrachloroethane | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,2,2-Tetrachloroethane | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Tetrachloroethene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Toluene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,3-Trichlorobenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,4-Trichlorobenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | C9 |
| 1,1,1-Trichloroethane | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,2-Trichloroethane | 7030300 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Trichloroethene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Trichlorofluoromethane | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,3-Trichloropropane | 7030300 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 1,2,4-Trimethylbenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3,5-Trimethylbenzene | 7030300 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Vinyl chloride | 7030300 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Xylenes, total | 7030300 | | | ug/kg wet | N/A | 85 | <85 | | | | | | | |
| <i>Surrogate: Dibromofluoromethane</i> | <i>7030300</i> | | | ug/kg wet | | | | | 99 | | 82-112 | | | |
| <i>Surrogate: Toluene-d8</i> | <i>7030300</i> | | | ug/kg wet | | | | | 99 | | 91-106 | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>7030300</i> | | | ug/kg wet | | | | | 101 | | 89-110 | | | |
| Benzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromobenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromochloromethane | 7030312 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Bromodichloromethane | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromoform | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromomethane | 7030312 | | | ug/kg wet | N/A | 100 | <100 | | | | | | | |
| n-Butylbenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| sec-Butylbenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| tert-Butylbenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Carbon Tetrachloride | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chlorobenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chlorodibromomethane | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chloroethane | 7030312 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| Chloroform | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chloromethane | 7030312 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 2-Chlorotoluene | 7030312 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 4-Chlorotoluene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dibromo-3-chloropropane | 7030312 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 1,2-Dibromoethane (EDB) | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Dibromomethane | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichlorobenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3-Dichlorobenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,4-Dichlorobenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Dichlorodifluoromethane | 7030312 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 1,1-Dichloroethane | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LABORATORY BLANK QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|---------------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|---|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| 1,2-Dichloroethane | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1-Dichloroethene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| cis-1,2-Dichloroethene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| trans-1,2-Dichloroethene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichloropropane | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3-Dichloropropane | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 2,2-Dichloropropane | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1-Dichloropropene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| cis-1,3-Dichloropropene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| trans-1,3-Dichloropropene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 2,3-Dichloropropene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Isopropyl Ether | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Ethylbenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Hexachlorobutadiene | 7030312 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Isopropylbenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| p-Isopropyltoluene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Methylene Chloride | 7030312 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| Methyl tert-Butyl Ether | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Naphthalene | 7030312 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| n-Propylbenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Styrene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,1,2-Tetrachloroethane | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,2,2-Tetrachloroethane | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Tetrachloroethene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Toluene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,3-Trichlorobenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,4-Trichlorobenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,1-Trichloroethane | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,2-Trichloroethane | 7030312 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Trichloroethene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Trichlorofluoromethane | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,3-Trichloropropane | 7030312 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 1,2,4-Trimethylbenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3,5-Trimethylbenzene | 7030312 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Vinyl chloride | 7030312 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Xylenes, total | 7030312 | | | ug/kg wet | N/A | 85 | <85 | | | | | | | |
| Surrogate: Dibromofluoromethane | 7030312 | | | ug/kg wet | | | | | | 101 | | 82-112 | | |
| Surrogate: Toluene-d8 | 7030312 | | | ug/kg wet | | | | | | 96 | | 91-106 | | |
| Surrogate: 4-Bromofluorobenzene | 7030312 | | | ug/kg wet | | | | | | 97 | | 89-110 | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LABORATORY BLANK QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|-----------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|-------|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Benzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromobenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromochloromethane | 7030335 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Bromodichloromethane | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromoform | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | L1,R2 |
| Bromomethane | 7030335 | | | ug/kg wet | N/A | 100 | <100 | | | | | | | L1 |
| n-Butylbenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| sec-Butylbenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| tert-Butylbenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Carbon Tetrachloride | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chlorobenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chlorodibromomethane | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chloroethane | 7030335 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | C,L1 |
| Chloroform | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chloromethane | 7030335 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 2-Chlorotoluene | 7030335 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 4-Chlorotoluene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dibromo-3-chloropropane | 7030335 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 1,2-Dibromoethane (EDB) | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Dibromomethane | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichlorobenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3-Dichlorobenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,4-Dichlorobenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Dichlorodifluoromethane | 7030335 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | L1 |
| 1,1-Dichloroethane | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichloroethane | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | R2 |
| 1,1-Dichloroethene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| cis-1,2-Dichloroethene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| trans-1,2-Dichloroethene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichloropropane | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3-Dichloropropane | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 2,2-Dichloropropane | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1-Dichloropropene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| cis-1,3-Dichloropropene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| trans-1,3-Dichloropropene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 2,3-Dichloropropene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Isopropyl Ether | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Ethylbenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Hexachlorobutadiene | 7030335 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Isopropylbenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| p-Isopropyltoluene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Methylene Chloride | 7030335 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| Methyl tert-Butyl Ether | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Naphthalene | 7030335 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| n-Propylbenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LABORATORY BLANK QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|---------------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|----|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Styrene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,1,2-Tetrachloroethane | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,2,2-Tetrachloroethane | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Tetrachloroethene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Toluene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,3-Trichlorobenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,4-Trichlorobenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,1-Trichloroethane | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,2-Trichloroethane | 7030335 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Trichloroethene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Trichlorofluoromethane | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,3-Trichloropropane | 7030335 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 1,2,4-Trimethylbenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3,5-Trimethylbenzene | 7030335 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Vinyl chloride | 7030335 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Xylenes, total | 7030335 | | | ug/kg wet | N/A | 85 | <85 | | | | | | | |
| Surrogate: Dibromofluoromethane | 7030335 | | | ug/kg wet | | | | | 106 | | 82-112 | | | |
| Surrogate: Toluene-d8 | 7030335 | | | ug/kg wet | | | | | 97 | | 91-106 | | | |
| Surrogate: 4-Bromofluorobenzene | 7030335 | | | ug/kg wet | | | | | 108 | | 89-110 | | | |
| Benzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromobenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromochloromethane | 7030339 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Bromodichloromethane | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromoform | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromomethane | 7030339 | | | ug/kg wet | N/A | 100 | <100 | | | | | | | |
| n-Butylbenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| sec-Butylbenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| tert-Butylbenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Carbon Tetrachloride | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | R2 |
| Chlorobenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chlorodibromomethane | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chloroethane | 7030339 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | L1 |
| Chloroform | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chloromethane | 7030339 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | L1 |
| 2-Chlorotoluene | 7030339 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 4-Chlorotoluene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dibromo-3-chloropropane | 7030339 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 1,2-Dibromoethane (EDB) | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Dibromomethane | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichlorobenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3-Dichlorobenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,4-Dichlorobenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Dichlorodifluoromethane | 7030339 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | L1 |
| 1,1-Dichloroethane | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LABORATORY BLANK QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|---------------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|---|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| 1,2-Dichloroethane | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1-Dichloroethene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| cis-1,2-Dichloroethene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| trans-1,2-Dichloroethene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichloropropane | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3-Dichloropropane | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 2,2-Dichloropropane | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1-Dichloropropene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| cis-1,3-Dichloropropene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| trans-1,3-Dichloropropene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 2,3-Dichloropropene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Isopropyl Ether | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Ethylbenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Hexachlorobutadiene | 7030339 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Isopropylbenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| p-Isopropyltoluene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Methylene Chloride | 7030339 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| Methyl tert-Butyl Ether | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Naphthalene | 7030339 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| n-Propylbenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Styrene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,1,2-Tetrachloroethane | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,2,2-Tetrachloroethane | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Tetrachloroethene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Toluene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,3-Trichlorobenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,4-Trichlorobenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,1-Trichloroethane | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,2-Trichloroethane | 7030339 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Trichloroethene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Trichlorofluoromethane | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,3-Trichloropropane | 7030339 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 1,2,4-Trimethylbenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3,5-Trimethylbenzene | 7030339 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Vinyl chloride | 7030339 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Xylenes, total | 7030339 | | | ug/kg wet | N/A | 85 | <85 | | | | | | | |
| Surrogate: Dibromofluoromethane | 7030339 | | | ug/kg wet | | | | | | 102 | | 82-112 | | |
| Surrogate: Toluene-d8 | 7030339 | | | ug/kg wet | | | | | | 96 | | 91-106 | | |
| Surrogate: 4-Bromofluorobenzene | 7030339 | | | ug/kg wet | | | | | | 96 | | 89-110 | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LABORATORY BLANK QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|-----------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|-------|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Benzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromobenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromochloromethane | 7030367 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Bromodichloromethane | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromoform | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Bromomethane | 7030367 | | | ug/kg wet | N/A | 100 | <100 | | | | | | | |
| n-Butylbenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| sec-Butylbenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| tert-Butylbenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Carbon Tetrachloride | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chlorobenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chlorodibromomethane | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chloroethane | 7030367 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | C9,L1 |
| Chloroform | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Chloromethane | 7030367 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | L1 |
| 2-Chlorotoluene | 7030367 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 4-Chlorotoluene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dibromo-3-chloropropane | 7030367 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 1,2-Dibromoethane (EDB) | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Dibromomethane | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichlorobenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3-Dichlorobenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,4-Dichlorobenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Dichlorodifluoromethane | 7030367 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | L1 |
| 1,1-Dichloroethane | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichloroethane | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1-Dichloroethene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| cis-1,2-Dichloroethene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| trans-1,2-Dichloroethene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2-Dichloropropane | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3-Dichloropropane | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 2,2-Dichloropropane | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1-Dichloropropene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| cis-1,3-Dichloropropene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| trans-1,3-Dichloropropene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 2,3-Dichloropropene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Isopropyl Ether | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Ethylbenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Hexachlorobutadiene | 7030367 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Isopropylbenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| p-Isopropyltoluene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Methylene Chloride | 7030367 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| Methyl tert-Butyl Ether | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Naphthalene | 7030367 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| n-Propylbenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LABORATORY BLANK QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|---------------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|----|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Styrene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,1,2-Tetrachloroethane | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,2,2-Tetrachloroethane | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Tetrachloroethene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Toluene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,3-Trichlorobenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | R2 |
| 1,2,4-Trichlorobenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | R2 |
| 1,1,1-Trichloroethane | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,1,2-Trichloroethane | 7030367 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Trichloroethene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Trichlorofluoromethane | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,2,3-Trichloropropane | 7030367 | | | ug/kg wet | N/A | 50 | <50 | | | | | | | |
| 1,2,4-Trimethylbenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| 1,3,5-Trimethylbenzene | 7030367 | | | ug/kg wet | N/A | 25 | <25 | | | | | | | |
| Vinyl chloride | 7030367 | | | ug/kg wet | N/A | 35 | <35 | | | | | | | |
| Xylenes, total | 7030367 | | | ug/kg wet | N/A | 85 | <85 | | | | | | | |
| Surrogate: Dibromofluoromethane | 7030367 | | | ug/kg wet | | | | | 102 | | 82-112 | | | |
| Surrogate: Toluene-d8 | 7030367 | | | ug/kg wet | | | | | 98 | | 91-106 | | | |
| Surrogate: 4-Bromofluorobenzene | 7030367 | | | ug/kg wet | | | | | 99 | | 89-110 | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

CCV QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|-----------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|---|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Benzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| Bromobenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| Bromochloromethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| Bromodichloromethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | 80-120 | | | |
| Bromoform | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2230 | | 89 | | 80-120 | | | |
| Bromomethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2370 | | 95 | | 80-120 | | | |
| n-Butylbenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2610 | | 104 | | 80-120 | | | |
| sec-Butylbenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | | 98 | | 80-120 | | | |
| tert-Butylbenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2440 | | 98 | | 80-120 | | | |
| Carbon Tetrachloride | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | 80-120 | | | |
| Chlorobenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| Chlorodibromomethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | | 94 | | 80-120 | | | |
| Chloroethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| Chloroform | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2510 | | 100 | | 80-120 | | | |
| Chloromethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2280 | | 91 | | 80-120 | | | |
| 2-Chlorotoluene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| 4-Chlorotoluene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| 1,2-Dibromo-3-chloropropane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2300 | | 92 | | 80-120 | | | |
| 1,2-Dibromoethane (EDB) | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| Dibromomethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2590 | | 104 | | 80-120 | | | |
| 1,2-Dichlorobenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2560 | | 102 | | 80-120 | | | |
| 1,3-Dichlorobenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2600 | | 104 | | 80-120 | | | |
| 1,4-Dichlorobenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2610 | | 104 | | 80-120 | | | |
| Dichlorodifluoromethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | 80-120 | | | |
| 1,1-Dichloroethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 80-120 | | | |
| 1,2-Dichloroethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| 1,1-Dichloroethene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| cis-1,2-Dichloroethene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| trans-1,2-Dichloroethene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| 1,2-Dichloropropane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | | 97 | | 80-120 | | | |
| 1,3-Dichloropropane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| 2,2-Dichloropropane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2550 | | 102 | | 80-120 | | | |
| 1,1-Dichloropropene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | | 99 | | 80-120 | | | |
| cis-1,3-Dichloropropene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| trans-1,3-Dichloropropene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 80-120 | | | |
| 2,3-Dichloropropene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 80-120 | | | |
| Isopropyl Ether | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| Ethylbenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| Hexachlorobutadiene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2810 | | 112 | | 80-120 | | | |
| Isopropylbenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| p-Isopropyltoluene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| Methylene Chloride | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | 80-120 | | | |
| Methyl tert-Butyl Ether | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | |
| Naphthalene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2610 | | 104 | | 80-120 | | | |
| n-Propylbenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

CCV QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|--|----------------|------------------|----------------|-----------|-----|-----|--------|---------------|------------|-------------|-----------------|------------|--------------|----|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Styrene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2550 | | 102 | | 80-120 | | | |
| 1,1,1,2-Tetrachloroethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| 1,1,2,2-Tetrachloroethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | 80-120 | | | |
| Tetrachloroethene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2580 | | 103 | | 80-120 | | | |
| Toluene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| 1,2,3-Trichlorobenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2960 | | 118 | | 80-120 | | | |
| 1,2,4-Trichlorobenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 3040 | | 122 | | 80-120 | | | C9 |
| 1,1,1-Trichloroethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 80-120 | | | |
| 1,1,2-Trichloroethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | | 99 | | 80-120 | | | |
| Trichloroethene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 80-120 | | | |
| Trichlorofluoromethane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2570 | | 103 | | 80-120 | | | |
| 1,2,3-Trichloropropane | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 80-120 | | | |
| 1,2,4-Trimethylbenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| 1,3,5-Trimethylbenzene | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| Vinyl chloride | 7C13004 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| Xylenes, total | 7C13004 | | 7500.0 | ug/kg wet | N/A | N/A | 7450 | | 99 | | 80-120 | | | |
| <i>Surrogate: Dibromofluoromethane</i> | <i>7C13004</i> | | | ug/kg wet | | | | | <i>101</i> | | <i>80-120</i> | | | |
| <i>Surrogate: Toluene-d8</i> | <i>7C13004</i> | | | ug/kg wet | | | | | <i>99</i> | | <i>80-120</i> | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>7C13004</i> | | | ug/kg wet | | | | | <i>102</i> | | <i>80-120</i> | | | |
| Benzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | 80-120 | | | |
| Bromobenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | | 94 | | 80-120 | | | |
| Bromochloromethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| Bromodichloromethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | | 94 | | 80-120 | | | |
| Bromoform | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| Bromomethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2260 | | 90 | | 80-120 | | | |
| n-Butylbenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| sec-Butylbenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2300 | | 92 | | 80-120 | | | |
| tert-Butylbenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | 80-120 | | | |
| Carbon Tetrachloride | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2270 | | 91 | | 80-120 | | | |
| Chlorobenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2260 | | 90 | | 80-120 | | | |
| Chlorodibromomethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2510 | | 100 | | 80-120 | | | |
| Chloroethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| Chloroform | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | | 93 | | 80-120 | | | |
| Chloromethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | | 98 | | 80-120 | | | |
| 2-Chlorotoluene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2360 | | 94 | | 80-120 | | | |
| 4-Chlorotoluene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2290 | | 92 | | 80-120 | | | |
| 1,2-Dibromo-3-chloropropane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2370 | | 95 | | 80-120 | | | |
| 1,2-Dibromoethane (EDB) | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2360 | | 94 | | 80-120 | | | |
| Dibromomethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2370 | | 95 | | 80-120 | | | |
| 1,2-Dichlorobenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | | 95 | | 80-120 | | | |
| 1,3-Dichlorobenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | 80-120 | | | |
| 1,4-Dichlorobenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | | 98 | | 80-120 | | | |
| Dichlorodifluoromethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2230 | | 89 | | 80-120 | | | |
| 1,1-Dichloroethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2270 | | 91 | | 80-120 | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

CCV QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|---------------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|---|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| 1,2-Dichloroethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2300 | | 92 | | 80-120 | | | |
| 1,1-Dichloroethene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2290 | | 92 | | 80-120 | | | |
| cis-1,2-Dichloroethene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2320 | | 93 | | 80-120 | | | |
| trans-1,2-Dichloroethene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | | 94 | | 80-120 | | | |
| 1,2-Dichloropropane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | | 93 | | 80-120 | | | |
| 1,3-Dichloropropane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | | 93 | | 80-120 | | | |
| 2,2-Dichloropropane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2310 | | 92 | | 80-120 | | | |
| 1,1-Dichloropropene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2220 | | 89 | | 80-120 | | | |
| cis-1,3-Dichloropropene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | 80-120 | | | |
| trans-1,3-Dichloropropene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| 2,3-Dichloropropene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | 80-120 | | | |
| Isopropyl Ether | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | | 95 | | 80-120 | | | |
| Ethylbenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2080 | | 83 | | 80-120 | | | |
| Hexachlorobutadiene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| Isopropylbenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2360 | | 94 | | 80-120 | | | |
| p-Isopropyltoluene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | | 94 | | 80-120 | | | |
| Methylene Chloride | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2370 | | 95 | | 80-120 | | | |
| Methyl tert-Butyl Ether | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | | 94 | | 80-120 | | | |
| Naphthalene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| n-Propylbenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2310 | | 92 | | 80-120 | | | |
| Styrene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2370 | | 95 | | 80-120 | | | |
| 1,1,1,2-Tetrachloroethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | | 94 | | 80-120 | | | |
| 1,1,2,2-Tetrachloroethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2240 | | 90 | | 80-120 | | | |
| Tetrachloroethene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2250 | | 90 | | 80-120 | | | |
| Toluene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2440 | | 98 | | 80-120 | | | |
| 1,2,3-Trichlorobenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2520 | | 101 | | 80-120 | | | |
| 1,2,4-Trichlorobenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2570 | | 103 | | 80-120 | | | |
| 1,1,1-Trichloroethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | 80-120 | | | |
| 1,1,2-Trichloroethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2320 | | 93 | | 80-120 | | | |
| Trichloroethene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| Trichlorofluoromethane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2320 | | 93 | | 80-120 | | | |
| 1,2,3-Trichloropropane | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2270 | | 91 | | 80-120 | | | |
| 1,2,4-Trimethylbenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | | 95 | | 80-120 | | | |
| 1,3,5-Trimethylbenzene | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | | 95 | | 80-120 | | | |
| Vinyl chloride | 7C13008 | | 2500.0 | ug/kg wet | N/A | N/A | 2360 | | 94 | | 80-120 | | | |
| Xylenes, total | 7C13008 | | 7500.0 | ug/kg wet | N/A | N/A | 7230 | | 96 | | 80-120 | | | |
| Surrogate: Dibromofluoromethane | 7C13008 | | | ug/kg wet | | | | | 101 | | 80-120 | | | |
| Surrogate: Toluene-d8 | 7C13008 | | | ug/kg wet | | | | | 98 | | 80-120 | | | |
| Surrogate: 4-Bromofluorobenzene | 7C13008 | | | ug/kg wet | | | | | 98 | | 80-120 | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

CCV QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|-----------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|-------|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Benzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2320 | | 93 | | 80-120 | | | |
| Bromobenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2580 | | 103 | | 80-120 | | | |
| Bromochloromethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | | 95 | | 80-120 | | | |
| Bromodichloromethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2600 | | 104 | | 80-120 | | | |
| Bromoform | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2850 | | 114 | | 80-120 | | | L1,R2 |
| Bromomethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2910 | | 116 | | 80-120 | | | L1 |
| n-Butylbenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2580 | | 103 | | 80-120 | | | |
| sec-Butylbenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | | 98 | | 80-120 | | | |
| tert-Butylbenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | 80-120 | | | |
| Carbon Tetrachloride | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2740 | | 110 | | 80-120 | | | |
| Chlorobenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | | 98 | | 80-120 | | | |
| Chlorodibromomethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2690 | | 108 | | 80-120 | | | |
| Chloroethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 3150 | | 126 | | 80-120 | | | C,L1 |
| Chloroform | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2550 | | 102 | | 80-120 | | | |
| Chloromethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | | 99 | | 80-120 | | | |
| 2-Chlorotoluene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2610 | | 104 | | 80-120 | | | |
| 4-Chlorotoluene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2670 | | 107 | | 80-120 | | | |
| 1,2-Dibromo-3-chloropropane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2250 | | 90 | | 80-120 | | | |
| 1,2-Dibromoethane (EDB) | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2360 | | 94 | | 80-120 | | | |
| Dibromomethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | 80-120 | | | |
| 1,2-Dichlorobenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| 1,3-Dichlorobenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 80-120 | | | |
| 1,4-Dichlorobenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| Dichlorodifluoromethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2670 | | 107 | | 80-120 | | | L1 |
| 1,1-Dichloroethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| 1,2-Dichloroethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2680 | | 107 | | 80-120 | | | R2 |
| 1,1-Dichloroethene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | |
| cis-1,2-Dichloroethene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | 80-120 | | | |
| trans-1,2-Dichloroethene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | 80-120 | | | |
| 1,2-Dichloropropane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2290 | | 92 | | 80-120 | | | |
| 1,3-Dichloropropane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | 80-120 | | | |
| 2,2-Dichloropropane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2750 | | 110 | | 80-120 | | | |
| 1,1-Dichloropropene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| cis-1,3-Dichloropropene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| trans-1,3-Dichloropropene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2640 | | 106 | | 80-120 | | | |
| 2,3-Dichloropropene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | 80-120 | | | |
| Isopropyl Ether | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2230 | | 89 | | 80-120 | | | |
| Ethylbenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | 80-120 | | | |
| Hexachlorobutadiene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| Isopropylbenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | |
| p-Isopropyltoluene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 80-120 | | | |
| Methylene Chloride | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2300 | | 92 | | 80-120 | | | |
| Methyl tert-Butyl Ether | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | 80-120 | | | |
| Naphthalene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2510 | | 100 | | 80-120 | | | |
| n-Propylbenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2610 | | 104 | | 80-120 | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

CCV QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|--|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|----|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Styrene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| 1,1,1,2-Tetrachloroethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| 1,1,2,2-Tetrachloroethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | 80-120 | | | |
| Tetrachloroethene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | 80-120 | | | |
| Toluene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | | 93 | | 80-120 | | | |
| 1,2,3-Trichlorobenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2550 | | 102 | | 80-120 | | | |
| 1,2,4-Trichlorobenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2550 | | 102 | | 80-120 | | | |
| 1,1,1-Trichloroethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2620 | | 105 | | 80-120 | | | |
| 1,1,2-Trichloroethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | 80-120 | | | |
| Trichloroethene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2510 | | 100 | | 80-120 | | | |
| Trichlorofluoromethane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2650 | | 106 | | 80-120 | | | |
| 1,2,3-Trichloropropane | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | 80-120 | | | |
| 1,2,4-Trimethylbenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2650 | | 106 | | 80-120 | | | |
| 1,3,5-Trimethylbenzene | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2610 | | 104 | | 80-120 | | | |
| Vinyl chloride | 7C14006 | | 2500.0 | ug/kg wet | N/A | N/A | 2670 | | 107 | | 80-120 | | | |
| Xylenes, total | 7C14006 | | 7500.0 | ug/kg wet | N/A | N/A | 7440 | | 99 | | 80-120 | | | |
| <i>Surrogate: Dibromofluoromethane</i> | 7C14006 | | | ug/kg wet | | | | | 104 | | 80-120 | | | |
| <i>Surrogate: Toluene-d8</i> | 7C14006 | | | ug/kg wet | | | | | 95 | | 80-120 | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | 7C14006 | | | ug/kg wet | | | | | 104 | | 80-120 | | | |
| Benzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 80-120 | | | |
| Bromobenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2300 | | 92 | | 80-120 | | | |
| Bromochloromethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| Bromodichloromethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| Bromoform | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | | 98 | | 80-120 | | | |
| Bromomethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2870 | | 115 | | 80-120 | | | |
| n-Butylbenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| sec-Butylbenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | 80-120 | | | |
| tert-Butylbenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| Carbon Tetrachloride | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | 80-120 | | | R2 |
| Chlorobenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2310 | | 92 | | 80-120 | | | |
| Chlorodibromomethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | |
| Chloroethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2820 | | 113 | | 80-120 | | | L1 |
| Chloroform | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| Chloromethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2520 | | 101 | | 80-120 | | | L1 |
| 2-Chlorotoluene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2150 | | 86 | | 80-120 | | | |
| 4-Chlorotoluene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| 1,2-Dibromo-3-chloropropane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| 1,2-Dibromoethane (EDB) | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | 80-120 | | | |
| Dibromomethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | | 95 | | 80-120 | | | |
| 1,2-Dichlorobenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | 80-120 | | | |
| 1,3-Dichlorobenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| 1,4-Dichlorobenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2510 | | 100 | | 80-120 | | | |
| Dichlorodifluoromethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | | 95 | | 80-120 | | | L1 |
| 1,1-Dichloroethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2510 | | 100 | | 80-120 | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

CCV QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|---------------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|---|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| 1,2-Dichloroethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2510 | | 100 | | 80-120 | | | |
| 1,1-Dichloroethene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| cis-1,2-Dichloroethene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| trans-1,2-Dichloroethene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| 1,2-Dichloropropane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| 1,3-Dichloropropane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2440 | | 98 | | 80-120 | | | |
| 2,2-Dichloropropane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | |
| 1,1-Dichloropropene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| cis-1,3-Dichloropropene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| trans-1,3-Dichloropropene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | | 99 | | 80-120 | | | |
| 2,3-Dichloropropene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| Isopropyl Ether | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2600 | | 104 | | 80-120 | | | |
| Ethylbenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2190 | | 88 | | 80-120 | | | |
| Hexachlorobutadiene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | 80-120 | | | |
| Isopropylbenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | | 95 | | 80-120 | | | |
| p-Isopropyltoluene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | | 97 | | 80-120 | | | |
| Methylene Chloride | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | |
| Methyl tert-Butyl Ether | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2520 | | 101 | | 80-120 | | | |
| Naphthalene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | |
| n-Propylbenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2310 | | 92 | | 80-120 | | | |
| Styrene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2360 | | 94 | | 80-120 | | | |
| 1,1,1,2-Tetrachloroethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | 80-120 | | | |
| 1,1,2,2-Tetrachloroethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2250 | | 90 | | 80-120 | | | |
| Tetrachloroethene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2230 | | 89 | | 80-120 | | | |
| Toluene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| 1,2,3-Trichlorobenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | | 99 | | 80-120 | | | |
| 1,2,4-Trichlorobenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| 1,1,1-Trichloroethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | | 99 | | 80-120 | | | |
| 1,1,2-Trichloroethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | 80-120 | | | |
| Trichloroethene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | 80-120 | | | |
| Trichlorofluoromethane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | |
| 1,2,3-Trichloropropane | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2240 | | 90 | | 80-120 | | | |
| 1,2,4-Trimethylbenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | 80-120 | | | |
| 1,3,5-Trimethylbenzene | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | | 94 | | 80-120 | | | |
| Vinyl chloride | 7C14007 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| Xylenes, total | 7C14007 | | 7500.0 | ug/kg wet | N/A | N/A | 7280 | | 97 | | 80-120 | | | |
| Surrogate: Dibromofluoromethane | 7C14007 | | | ug/kg wet | | | | | 105 | | 80-120 | | | |
| Surrogate: Toluene-d8 | 7C14007 | | | ug/kg wet | | | | | 97 | | 80-120 | | | |
| Surrogate: 4-Bromofluorobenzene | 7C14007 | | | ug/kg wet | | | | | 94 | | 80-120 | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

CCV QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|-----------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|----|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Benzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2560 | | 102 | | 80-120 | | | |
| Bromobenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | 80-120 | | | |
| Bromochloromethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | |
| Bromodichloromethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| Bromoform | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| Bromomethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2880 | | 115 | | 80-120 | | | |
| n-Butylbenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2590 | | 104 | | 80-120 | | | |
| sec-Butylbenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| tert-Butylbenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| Carbon Tetrachloride | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2850 | | 114 | | 80-120 | | | |
| Chlorobenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | 80-120 | | | |
| Chlorodibromomethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2580 | | 103 | | 80-120 | | | |
| Chloroform | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2520 | | 101 | | 80-120 | | | |
| Chloromethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2700 | | 108 | | 80-120 | | | L1 |
| 2-Chlorotoluene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2520 | | 101 | | 80-120 | | | |
| 4-Chlorotoluene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | | 97 | | 80-120 | | | |
| 1,2-Dibromo-3-chloropropane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | | 99 | | 80-120 | | | |
| 1,2-Dibromoethane (EDB) | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 80-120 | | | |
| Dibromomethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | 80-120 | | | |
| 1,2-Dichlorobenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | | 99 | | 80-120 | | | |
| 1,3-Dichlorobenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2570 | | 103 | | 80-120 | | | |
| 1,4-Dichlorobenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | |
| Dichlorodifluoromethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | L1 |
| 1,1-Dichloroethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2570 | | 103 | | 80-120 | | | |
| 1,2-Dichloroethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | |
| 1,1-Dichloroethene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2590 | | 104 | | 80-120 | | | |
| cis-1,2-Dichloroethene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2620 | | 105 | | 80-120 | | | |
| trans-1,2-Dichloroethene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2560 | | 102 | | 80-120 | | | |
| 1,2-Dichloropropane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | |
| 1,3-Dichloropropane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | 80-120 | | | |
| 2,2-Dichloropropane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2610 | | 104 | | 80-120 | | | |
| 1,1-Dichloropropene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| cis-1,3-Dichloropropene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| trans-1,3-Dichloropropene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| 2,3-Dichloropropene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | | 99 | | 80-120 | | | |
| Isopropyl Ether | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2590 | | 104 | | 80-120 | | | |
| Ethylbenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | 80-120 | | | |
| Hexachlorobutadiene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | 80-120 | | | |
| Isopropylbenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2550 | | 102 | | 80-120 | | | |
| p-Isopropyltoluene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | 80-120 | | | |
| Methylene Chloride | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2600 | | 104 | | 80-120 | | | |
| Methyl tert-Butyl Ether | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| Naphthalene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2600 | | 104 | | 80-120 | | | |
| n-Propylbenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| Styrene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | | 98 | | 80-120 | | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

CCV QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|---------------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|----|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | 80-120 | | | |
| 1,1,2,2-Tetrachloroethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| Tetrachloroethene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | 80-120 | | | |
| Toluene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2630 | | 105 | | 80-120 | | | |
| 1,2,3-Trichlorobenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 80-120 | | | R2 |
| 1,2,4-Trichlorobenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2630 | | 105 | | 80-120 | | | R2 |
| 1,1,1-Trichloroethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2550 | | 102 | | 80-120 | | | |
| 1,1,2-Trichloroethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | 80-120 | | | |
| Trichloroethene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| Trichlorofluoromethane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2670 | | 107 | | 80-120 | | | |
| 1,2,3-Trichloropropane | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2370 | | 95 | | 80-120 | | | |
| 1,2,4-Trimethylbenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 80-120 | | | |
| 1,3,5-Trimethylbenzene | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 80-120 | | | |
| Vinyl chloride | 7C15002 | | 2500.0 | ug/kg wet | N/A | N/A | 2740 | | 110 | | 80-120 | | | |
| Xylenes, total | 7C15002 | | 7500.0 | ug/kg wet | N/A | N/A | 7590 | | 101 | | 80-120 | | | |
| Surrogate: Dibromofluoromethane | 7C15002 | | | ug/kg wet | | | | | 102 | | 80-120 | | | |
| Surrogate: Toluene-d8 | 7C15002 | | | ug/kg wet | | | | | 99 | | 80-120 | | | |
| Surrogate: 4-Bromofluorobenzene | 7C15002 | | | ug/kg wet | | | | | 99 | | 80-120 | | | |

BT2, INC.
 2830 Dairy Drive
 Madison, WI 53718
 Mr. Stephen Sellwood

Work Order: WQC0307
 Project: 2325 3918 Monona Drive
 Project Number: 2325

Received: 03/09/07
 Reported: 03/16/07 10:37

LABORATORY DUPLICATE QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|-------------------------------------|---------------|------------------|----------------|-------|-----|-----|--------|----------|-------------|-----------------|------------|--------------|---|
| General Chemistry Parameters | | | | | | | | | | | | | |
| QC Source Sample: WQC0307-17 | | | | | | | | | | | | | |
| % Solids | 7030291 | 82 | | % | N/A | N/A | 82.1 | | | | 0 | 20 | |
| QC Source Sample: WQC0307-08 | | | | | | | | | | | | | |
| % Solids | 7030291 | 87 | | % | N/A | N/A | 86.6 | | | | 1 | 20 | |
| QC Source Sample: WQC0335-03 | | | | | | | | | | | | | |
| % Solids | 7030292 | 94 | | % | N/A | N/A | 93.6 | | | | 0 | 20 | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LCS/LCS DUPLICATE QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup | % | Dup | % REC | RPD | | Q |
|-----------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|--------|-----|------|--------|--------|-------|---|
| | | | | | | | | Result | REC | %REC | Limits | RPD | Limit | |
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Benzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | | 94 | | | 64-124 | | |
| Bromobenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | | 70-130 | | |
| Bromochloromethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2300 | | 92 | | | 70-130 | | |
| Bromodichloromethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2290 | | 92 | | | 70-130 | | |
| Bromoform | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2060 | | 82 | | | 70-130 | | |
| Bromomethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | | 70-130 | | |
| n-Butylbenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | | 70-130 | | |
| sec-Butylbenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | | 95 | | | 70-130 | | |
| tert-Butylbenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | | 70-130 | | |
| Carbon Tetrachloride | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2310 | | 92 | | | 70-130 | | |
| Chlorobenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | | 80-123 | | |
| Chlorodibromomethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2200 | | 88 | | | 70-130 | | |
| Chloroethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | | 70-130 | | |
| Chloroform | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | | 70-130 | | |
| Chloromethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | | 98 | | | 70-130 | | |
| 2-Chlorotoluene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | | 70-130 | | |
| 4-Chlorotoluene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | | 70-130 | | |
| 1,2-Dibromo-3-chloropropane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2050 | | 82 | | | 70-130 | | |
| 1,2-Dibromoethane (EDB) | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2320 | | 93 | | | 70-130 | | |
| Dibromomethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | | 70-130 | | |
| 1,2-Dichlorobenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | | 98 | | | 70-130 | | |
| 1,3-Dichlorobenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | | 101 | | | 70-130 | | |
| 1,4-Dichlorobenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2520 | | 101 | | | 70-130 | | |
| Dichlorodifluoromethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2560 | | 102 | | | 70-130 | | |
| 1,1-Dichloroethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | | 70-130 | | |
| 1,2-Dichloroethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2310 | | 92 | | | 70-130 | | |
| 1,1-Dichloroethene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2280 | | 91 | | | 43-141 | | |
| cis-1,2-Dichloroethene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2370 | | 95 | | | 70-130 | | |
| trans-1,2-Dichloroethene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | | 93 | | | 70-130 | | |
| 1,2-Dichloropropane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2190 | | 88 | | | 70-130 | | |
| 1,3-Dichloropropane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2300 | | 92 | | | 70-130 | | |
| 2,2-Dichloropropane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | | 70-130 | | |
| 1,1-Dichloropropene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2320 | | 93 | | | 70-130 | | |
| cis-1,3-Dichloropropene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | | 93 | | | 70-130 | | |
| trans-1,3-Dichloropropene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | | 93 | | | 70-130 | | |
| Ethylbenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | | 79-122 | | |
| Hexachlorobutadiene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2610 | | 104 | | | 70-130 | | |
| Isopropylbenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | | 95 | | | 70-130 | | |
| p-Isopropyltoluene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | | 99 | | | 70-130 | | |
| Methylene Chloride | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2270 | | 91 | | | 70-130 | | |
| Methyl tert-Butyl Ether | 7030300 | | 2406.2 | ug/kg wet | N/A | N/A | 2310 | | 96 | | | 55-137 | | |
| Naphthalene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | | 70-130 | | |
| n-Propylbenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | | 70-130 | | |
| Styrene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | | 70-130 | | |
| 1,1,1,2-Tetrachloroethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | | 93 | | | 70-130 | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LCS/LCS DUPLICATE QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup | % | Dup | % REC | RPD | RPD | Q |
|---------------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|--------|-----|------|--------|--------|-------|----|
| | | | | | | | | Result | REC | %REC | Limits | RPD | Limit | |
| VOCs by SW8260B | | | | | | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2200 | | 88 | | | 70-130 | | |
| Tetrachloroethene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | | 70-130 | | |
| Toluene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | | 78-120 | | |
| 1,2,3-Trichlorobenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2680 | | 107 | | | 70-130 | | |
| 1,2,4-Trichlorobenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2870 | | 115 | | | 70-130 | | C9 |
| 1,1,1-Trichloroethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | | 95 | | | 70-130 | | |
| 1,1,2-Trichloroethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2310 | | 92 | | | 70-130 | | |
| Trichloroethene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2370 | | 95 | | | 78-124 | | |
| Trichlorofluoromethane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | | 96 | | | 70-130 | | |
| 1,2,3-Trichloropropane | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2240 | | 90 | | | 70-130 | | |
| 1,2,4-Trimethylbenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | | 98 | | | 75-128 | | |
| 1,3,5-Trimethylbenzene | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2440 | | 98 | | | 76-127 | | |
| Vinyl chloride | 7030300 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | | 70-130 | | |
| Xylenes, total | 7030300 | | 7500.0 | ug/kg wet | N/A | N/A | 7210 | | 96 | | | 79-122 | | |
| Surrogate: Dibromofluoromethane | 7030300 | | | ug/kg wet | | | | | 100 | | | 82-112 | | |
| Surrogate: Toluene-d8 | 7030300 | | | ug/kg wet | | | | | 100 | | | 91-106 | | |
| Surrogate: 4-Bromofluorobenzene | 7030300 | | | ug/kg wet | | | | | 102 | | | 89-110 | | |
| Benzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2270 | | 91 | | | 64-124 | | |
| Bromobenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2180 | | 87 | | | 70-130 | | |
| Bromochloromethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2270 | | 91 | | | 70-130 | | |
| Bromodichloromethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | | 70-130 | | |
| Bromoform | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2510 | | 100 | | | 70-130 | | |
| Bromomethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | | 70-130 | | |
| n-Butylbenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2180 | | 87 | | | 70-130 | | |
| sec-Butylbenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2090 | | 84 | | | 70-130 | | |
| tert-Butylbenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2120 | | 85 | | | 70-130 | | |
| Carbon Tetrachloride | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2150 | | 86 | | | 70-130 | | |
| Chlorobenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | | 96 | | | 80-123 | | |
| Chlorodibromomethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2230 | | 89 | | | 70-130 | | |
| Chloroethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2810 | | 112 | | | 70-130 | | |
| Chloroform | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2520 | | 101 | | | 70-130 | | |
| Chloromethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 3020 | | 121 | | | 70-130 | | |
| 2-Chlorotoluene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | | 70-130 | | |
| 4-Chlorotoluene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2300 | | 92 | | | 70-130 | | |
| 1,2-Dibromo-3-chloropropane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2290 | | 92 | | | 70-130 | | |
| 1,2-Dibromoethane (EDB) | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | | 70-130 | | |
| Dibromomethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | | 94 | | | 70-130 | | |
| 1,2-Dichlorobenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2250 | | 90 | | | 70-130 | | |
| 1,3-Dichlorobenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2210 | | 88 | | | 70-130 | | |
| 1,4-Dichlorobenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2240 | | 90 | | | 70-130 | | |
| Dichlorodifluoromethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2780 | | 111 | | | 70-130 | | |
| 1,1-Dichloroethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2520 | | 101 | | | 70-130 | | |
| 1,2-Dichloroethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | | 99 | | | 70-130 | | |
| 1,1-Dichloroethene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2550 | | 102 | | | 43-141 | | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LCS/LCS DUPLICATE QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Dup | | % | Dup | % REC | RPD | | Q |
|--|----------------|------------------|----------------|-----------|-----|-----|--------|--------|------------|------|---------------|-----|-------|-------|
| | | | | | | | Result | Result | REC | %REC | Limits | RPD | Limit | |
| VOCs by SW8260B | | | | | | | | | | | | | | |
| cis-1,2-Dichloroethene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | | 100 | | 70-130 | | | |
| trans-1,2-Dichloroethene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | | 99 | | 70-130 | | | |
| 1,2-Dichloropropane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2290 | | 92 | | 70-130 | | | |
| 1,3-Dichloropropane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | | 96 | | 70-130 | | | |
| 2,2-Dichloropropane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | | 100 | | 70-130 | | | |
| 1,1-Dichloropropene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | | 97 | | 70-130 | | | |
| cis-1,3-Dichloropropene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | | 98 | | 70-130 | | | |
| trans-1,3-Dichloropropene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | | 98 | | 70-130 | | | |
| Ethylbenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2240 | | 90 | | 79-122 | | | |
| Hexachlorobutadiene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2220 | | 89 | | 70-130 | | | |
| Isopropylbenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | | 94 | | 70-130 | | | |
| p-Isopropyltoluene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2100 | | 84 | | 70-130 | | | |
| Methylene Chloride | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | | 97 | | 70-130 | | | |
| Methyl tert-Butyl Ether | 7030312 | | 2406.2 | ug/kg wet | N/A | N/A | 2570 | | 107 | | 55-137 | | | |
| Naphthalene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2620 | | 105 | | 70-130 | | | |
| n-Propylbenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2240 | | 90 | | 70-130 | | | |
| Styrene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2150 | | 86 | | 70-130 | | | |
| 1,1,1,2-Tetrachloroethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | | 94 | | 70-130 | | | |
| 1,1,2,2-Tetrachloroethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | | 97 | | 70-130 | | | |
| Tetrachloroethene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2260 | | 90 | | 70-130 | | | |
| Toluene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | | 102 | | 78-120 | | | |
| 1,2,3-Trichlorobenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2180 | | 87 | | 70-130 | | | |
| 1,2,4-Trichlorobenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2140 | | 86 | | 70-130 | | | |
| 1,1,1-Trichloroethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2280 | | 91 | | 70-130 | | | |
| 1,1,2-Trichloroethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | | 93 | | 70-130 | | | |
| Trichloroethene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2080 | | 83 | | 78-124 | | | |
| Trichlorofluoromethane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2620 | | 105 | | 70-130 | | | |
| 1,2,3-Trichloropropane | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2270 | | 91 | | 70-130 | | | |
| 1,2,4-Trimethylbenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2190 | | 88 | | 75-128 | | | |
| 1,3,5-Trimethylbenzene | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2190 | | 88 | | 76-127 | | | |
| Vinyl chloride | 7030312 | | 2500.0 | ug/kg wet | N/A | N/A | 2690 | | 108 | | 70-130 | | | |
| Xylenes, total | 7030312 | | 7500.0 | ug/kg wet | N/A | N/A | 6820 | | 91 | | 79-122 | | | |
| <i>Surrogate: Dibromofluoromethane</i> | <i>7030312</i> | | | ug/kg wet | | | | | <i>102</i> | | <i>82-112</i> | | | |
| <i>Surrogate: Toluene-d8</i> | <i>7030312</i> | | | ug/kg wet | | | | | <i>105</i> | | <i>91-106</i> | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>7030312</i> | | | ug/kg wet | | | | | <i>103</i> | | <i>89-110</i> | | | |
| Benzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | 2100 | 98 | 84 | 64-124 | 15 | 29 | |
| Bromobenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | 2610 | 96 | 104 | 70-130 | 8 | 20 | |
| Bromochloromethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2310 | 2480 | 92 | 99 | 70-130 | 7 | 20 | |
| Bromodichloromethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | 2760 | 99 | 110 | 70-130 | 11 | 20 | |
| Bromoform | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2700 | 3310 | 108 | 132 | 70-130 | 20 | 20 | L1,R2 |
| Bromomethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2970 | 3740 | 119 | 150 | 70-130 | 23 | 20 | L1 |
| n-Butylbenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | 2430 | 98 | 97 | 70-130 | 1 | 20 | |
| sec-Butylbenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | 2480 | 97 | 99 | 70-130 | 2 | 20 | |
| tert-Butylbenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | 2500 | 96 | 100 | 70-130 | 4 | 20 | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LCS/LCS DUPLICATE QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|-----------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|------|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Carbon Tetrachloride | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | 2990 | 101 | 120 | 70-130 | 17 | 20 | |
| Chlorobenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | 2410 | 95 | 96 | 80-123 | 1 | 17 | |
| Chlorodibromomethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2550 | 3000 | 102 | 120 | 70-130 | 16 | 20 | |
| Chloroethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 3300 | 3360 | 132 | 134 | 70-130 | 2 | 20 | C,L1 |
| Chloroform | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | 2680 | 97 | 107 | 70-130 | 10 | 20 | |
| Chloromethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2890 | 2410 | 116 | 96 | 70-130 | 18 | 20 | |
| 2-Chlorotoluene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | 2670 | 93 | 107 | 70-130 | 14 | 20 | |
| 4-Chlorotoluene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2320 | 2460 | 93 | 98 | 70-130 | 6 | 20 | |
| 1,2-Dibromo-3-chloropropane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2270 | 2730 | 91 | 109 | 70-130 | 18 | 20 | |
| 1,2-Dibromoethane (EDB) | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | 2490 | 94 | 100 | 70-130 | 6 | 20 | |
| Dibromomethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2360 | 2460 | 94 | 98 | 70-130 | 4 | 20 | |
| 1,2-Dichlorobenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2370 | 2420 | 95 | 97 | 70-130 | 2 | 20 | |
| 1,3-Dichlorobenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | 2400 | 96 | 96 | 70-130 | 0 | 20 | |
| 1,4-Dichlorobenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | 2370 | 96 | 95 | 70-130 | 1 | 20 | |
| Dichlorodifluoromethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 3060 | 3710 | 122 | 148 | 70-130 | 19 | 20 | L1 |
| 1,1-Dichloroethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2510 | 2290 | 100 | 92 | 70-130 | 9 | 20 | |
| 1,2-Dichloroethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | 3100 | 95 | 124 | 70-130 | 26 | 20 | R2 |
| 1,1-Dichloroethene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | 2580 | 98 | 103 | 43-141 | 5 | 44 | |
| cis-1,2-Dichloroethene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | 2280 | 98 | 91 | 70-130 | 7 | 20 | |
| trans-1,2-Dichloroethene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | 2220 | 98 | 89 | 70-130 | 10 | 20 | |
| 1,2-Dichloropropane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2320 | 1980 | 93 | 79 | 70-130 | 16 | 20 | |
| 1,3-Dichloropropane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2370 | 2490 | 95 | 100 | 70-130 | 5 | 20 | |
| 2,2-Dichloropropane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | 2880 | 100 | 115 | 70-130 | 15 | 20 | |
| 1,1-Dichloropropene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | 2440 | 98 | 98 | 70-130 | 0 | 20 | |
| cis-1,3-Dichloropropene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | 2400 | 99 | 96 | 70-130 | 3 | 20 | |
| trans-1,3-Dichloropropene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2500 | 2780 | 100 | 111 | 70-130 | 11 | 20 | |
| Ethylbenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | 2390 | 98 | 96 | 79-122 | 2 | 17 | |
| Hexachlorobutadiene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | 2660 | 100 | 106 | 70-130 | 7 | 20 | |
| Isopropylbenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | 2540 | 96 | 102 | 70-130 | 6 | 20 | |
| p-Isopropyltoluene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | 2480 | 97 | 99 | 70-130 | 2 | 20 | |
| Methylene Chloride | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | 2190 | 98 | 88 | 70-130 | 12 | 20 | |
| Methyl tert-Butyl Ether | 7030335 | | 2406.2 | ug/kg wet | N/A | N/A | 2410 | 2510 | 100 | 104 | 55-137 | 4 | 36 | |
| Naphthalene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | 3080 | 101 | 123 | 70-130 | 20 | 20 | |
| n-Propylbenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | 2580 | 99 | 103 | 70-130 | 4 | 20 | |
| Styrene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | 2460 | 96 | 98 | 70-130 | 2 | 20 | |
| 1,1,1,2-Tetrachloroethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | 2730 | 98 | 109 | 70-130 | 11 | 20 | |
| 1,1,2,2-Tetrachloroethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2360 | 2380 | 94 | 95 | 70-130 | 1 | 20 | |
| Tetrachloroethene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2360 | 2400 | 94 | 96 | 70-130 | 2 | 20 | |
| Toluene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | 2220 | 96 | 89 | 78-120 | 7 | 18 | |
| 1,2,3-Trichlorobenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | 2750 | 99 | 110 | 70-130 | 11 | 20 | |
| 1,2,4-Trichlorobenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | 2610 | 97 | 104 | 70-130 | 7 | 20 | |
| 1,1,1-Trichloroethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2440 | 2900 | 98 | 116 | 70-130 | 17 | 20 | |
| 1,1,2-Trichloroethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | 2570 | 96 | 103 | 70-130 | 7 | 20 | |
| Trichloroethene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | 2540 | 96 | 102 | 78-124 | 5 | 20 | |
| Trichlorofluoromethane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | 2950 | 98 | 118 | 70-130 | 19 | 20 | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LCS/LCS DUPLICATE QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD | RPD Limit | Q |
|---------------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|-----|--------------|----|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| 1,2,3-Trichloropropane | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | 2750 | 93 | 110 | 70-130 | 17 | 20 | |
| 1,2,4-Trimethylbenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | 2630 | 98 | 105 | 75-128 | 7 | 20 | |
| 1,3,5-Trimethylbenzene | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2440 | 2600 | 98 | 104 | 76-127 | 6 | 19 | |
| Vinyl chloride | 7030335 | | 2500.0 | ug/kg wet | N/A | N/A | 2720 | 2760 | 109 | 110 | 70-130 | 1 | 20 | |
| Xylenes, total | 7030335 | | 7500.0 | ug/kg wet | N/A | N/A | 7200 | 7240 | 96 | 97 | 79-122 | 1 | 17 | |
| Surrogate: Dibromofluoromethane | 7030335 | | | ug/kg wet | | | | | 101 | 107 | 82-112 | | | |
| Surrogate: Toluene-d8 | 7030335 | | | ug/kg wet | | | | | 98 | 91 | 91-106 | | | |
| Surrogate: 4-Bromofluorobenzene | 7030335 | | | ug/kg wet | | | | | 100 | 107 | 89-110 | | | |
| Benzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | 2540 | 94 | 102 | 64-124 | 8 | 29 | |
| Bromobenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2090 | 2340 | 84 | 94 | 70-130 | 11 | 20 | |
| Bromochloromethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | 2510 | 96 | 100 | 70-130 | 4 | 20 | |
| Bromodichloromethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | 2480 | 97 | 99 | 70-130 | 2 | 20 | |
| Bromoform | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | 2420 | 99 | 97 | 70-130 | 2 | 20 | |
| Bromomethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 3080 | 3190 | 123 | 128 | 70-130 | 4 | 20 | |
| n-Butylbenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2220 | 2340 | 89 | 94 | 70-130 | 5 | 20 | |
| sec-Butylbenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2160 | 2300 | 86 | 92 | 70-130 | 6 | 20 | |
| tert-Butylbenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2160 | 2360 | 86 | 94 | 70-130 | 9 | 20 | |
| Carbon Tetrachloride | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2130 | 2680 | 85 | 107 | 70-130 | 23 | 20 | R2 |
| Chlorobenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | 2390 | 96 | 96 | 80-123 | 0 | 17 | |
| Chlorodibromomethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2120 | 2380 | 85 | 95 | 70-130 | 12 | 20 | |
| Chloroethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 3210 | 3360 | 128 | 134 | 70-130 | 5 | 20 | L1 |
| Chloroform | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2670 | 2540 | 107 | 102 | 70-130 | 5 | 20 | |
| Chloromethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 3200 | 3320 | 128 | 133 | 70-130 | 4 | 20 | L1 |
| 2-Chlorotoluene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2210 | 2200 | 88 | 88 | 70-130 | 1 | 20 | |
| 4-Chlorotoluene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | 2310 | 101 | 92 | 70-130 | 9 | 20 | |
| 1,2-Dibromo-3-chloropropane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | 2610 | 96 | 104 | 70-130 | 8 | 20 | |
| 1,2-Dibromoethane (EDB) | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2370 | 2510 | 95 | 100 | 70-130 | 6 | 20 | |
| Dibromomethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | 2410 | 94 | 96 | 70-130 | 3 | 20 | |
| 1,2-Dichlorobenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2180 | 2390 | 87 | 96 | 70-130 | 9 | 20 | |
| 1,3-Dichlorobenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2240 | 2310 | 90 | 92 | 70-130 | 3 | 20 | |
| 1,4-Dichlorobenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2260 | 2360 | 90 | 94 | 70-130 | 4 | 20 | |
| Dichlorodifluoromethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 3210 | 3380 | 128 | 135 | 70-130 | 5 | 20 | L1 |
| 1,1-Dichloroethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2770 | 2610 | 111 | 104 | 70-130 | 6 | 20 | |
| 1,2-Dichloroethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2750 | 2530 | 110 | 101 | 70-130 | 8 | 20 | |
| 1,1-Dichloroethene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2810 | 2690 | 112 | 108 | 43-141 | 4 | 44 | |
| cis-1,2-Dichloroethene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2710 | 2520 | 108 | 101 | 70-130 | 7 | 20 | |
| trans-1,2-Dichloroethene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2650 | 2520 | 106 | 101 | 70-130 | 5 | 20 | |
| 1,2-Dichloropropane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | 2420 | 96 | 97 | 70-130 | 0 | 20 | |
| 1,3-Dichloropropane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | 2400 | 100 | 96 | 70-130 | 4 | 20 | |
| 2,2-Dichloropropane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2770 | 2420 | 111 | 97 | 70-130 | 13 | 20 | |
| 1,1-Dichloropropene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2660 | 2380 | 106 | 95 | 70-130 | 11 | 20 | |
| cis-1,3-Dichloropropene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | 2390 | 100 | 96 | 70-130 | 4 | 20 | |
| trans-1,3-Dichloropropene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | 2360 | 99 | 94 | 70-130 | 5 | 20 | |
| Ethylbenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2030 | 2380 | 81 | 95 | 79-122 | 16 | 17 | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LCS/LCS DUPLICATE QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD | RPD Limit | Q |
|--|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|-----|--------------|-------|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| Hexachlorobutadiene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2120 | 2400 | 85 | 96 | 70-130 | 12 | 20 | |
| Isopropylbenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2220 | 2430 | 89 | 97 | 70-130 | 9 | 20 | |
| p-Isopropyltoluene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2000 | 2270 | 80 | 91 | 70-130 | 13 | 20 | |
| Methylene Chloride | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2620 | 2680 | 105 | 107 | 70-130 | 2 | 20 | |
| Methyl tert-Butyl Ether | 7030339 | | 2406.2 | ug/kg wet | N/A | N/A | 2800 | 2510 | 116 | 104 | 55-137 | 11 | 36 | |
| Naphthalene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2670 | 2630 | 107 | 105 | 70-130 | 2 | 20 | |
| n-Propylbenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2290 | 2390 | 92 | 96 | 70-130 | 4 | 20 | |
| Styrene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2280 | 2460 | 91 | 98 | 70-130 | 8 | 20 | |
| 1,1,1,2-Tetrachloroethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2310 | 2400 | 92 | 96 | 70-130 | 4 | 20 | |
| 1,1,2,2-Tetrachloroethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | 2460 | 97 | 98 | 70-130 | 1 | 20 | |
| Tetrachloroethene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2200 | 2280 | 88 | 91 | 70-130 | 4 | 20 | |
| Toluene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | 2620 | 101 | 105 | 78-120 | 3 | 18 | |
| 1,2,3-Trichlorobenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2070 | 2310 | 83 | 92 | 70-130 | 11 | 20 | |
| 1,2,4-Trichlorobenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2070 | 2300 | 83 | 92 | 70-130 | 11 | 20 | |
| 1,1,1-Trichloroethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2440 | 2530 | 98 | 101 | 70-130 | 4 | 20 | |
| 1,1,2-Trichloroethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | 2410 | 95 | 96 | 70-130 | 1 | 20 | |
| Trichloroethene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2110 | 2350 | 84 | 94 | 78-124 | 11 | 20 | |
| Trichlorofluoromethane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2890 | 2820 | 116 | 113 | 70-130 | 2 | 20 | |
| 1,2,3-Trichloropropane | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2260 | 2420 | 90 | 97 | 70-130 | 7 | 20 | |
| 1,2,4-Trimethylbenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2150 | 2430 | 86 | 97 | 75-128 | 12 | 20 | |
| 1,3,5-Trimethylbenzene | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2160 | 2470 | 86 | 99 | 76-127 | 13 | 19 | |
| Vinyl chloride | 7030339 | | 2500.0 | ug/kg wet | N/A | N/A | 2840 | 2910 | 114 | 116 | 70-130 | 2 | 20 | |
| Xylenes, total | 7030339 | | 7500.0 | ug/kg wet | N/A | N/A | 6840 | 7350 | 91 | 98 | 79-122 | 7 | 17 | |
| <i>Surrogate: Dibromofluoromethane</i> | 7030339 | | | ug/kg wet | | | | | 108 | 102 | 82-112 | | | |
| <i>Surrogate: Toluene-d8</i> | 7030339 | | | ug/kg wet | | | | | 105 | 102 | 91-106 | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | 7030339 | | | ug/kg wet | | | | | 99 | 103 | 89-110 | | | |
| Benzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | 2460 | 99 | 98 | 64-124 | 1 | 29 | |
| Bromobenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2560 | 2260 | 102 | 90 | 70-130 | 12 | 20 | |
| Bromochloromethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | 2530 | 98 | 101 | 70-130 | 3 | 20 | |
| Bromodichloromethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | 2530 | 99 | 101 | 70-130 | 2 | 20 | |
| Bromoform | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2520 | 2510 | 101 | 100 | 70-130 | 0 | 20 | |
| Bromomethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2910 | 3020 | 116 | 121 | 70-130 | 4 | 20 | |
| n-Butylbenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2510 | 2250 | 100 | 90 | 70-130 | 11 | 20 | |
| sec-Butylbenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | 2180 | 96 | 87 | 70-130 | 9 | 20 | |
| tert-Butylbenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2420 | 2210 | 97 | 88 | 70-130 | 9 | 20 | |
| Carbon Tetrachloride | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2580 | 2640 | 103 | 106 | 70-130 | 2 | 20 | |
| Chlorobenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | 2540 | 96 | 102 | 80-123 | 5 | 17 | |
| Chlorodibromomethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2520 | 2240 | 101 | 90 | 70-130 | 12 | 20 | |
| Chloroethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2910 | 3450 | 116 | 138 | 70-130 | 17 | 20 | C9,L1 |
| Chloroform | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | 2780 | 99 | 111 | 70-130 | 11 | 20 | |
| Chloromethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 3000 | 3300 | 120 | 132 | 70-130 | 10 | 20 | L1 |
| 2-Chlorotoluene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2510 | 2660 | 100 | 106 | 70-130 | 6 | 20 | |
| 4-Chlorotoluene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2690 | 2270 | 108 | 91 | 70-130 | 17 | 20 | |
| 1,2-Dibromo-3-chloropropane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | 2340 | 98 | 94 | 70-130 | 5 | 20 | |

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Stephen Sellwood

Work Order: WQC0307
Project: 2325 3918 Monona Drive
Project Number: 2325

Received: 03/09/07
Reported: 03/16/07 10:37

LCS/LCS DUPLICATE QC DATA

| Analyte | Seq/ Batch | Source Result | Spike Level | Units | MDL | MRL | Result | Dup Result | % REC | Dup %REC | % REC Limits | RPD RPD | RPD Limit | Q |
|---------------------------------|---------------|------------------|----------------|-----------|-----|-----|--------|---------------|----------|-------------|-----------------|------------|--------------|----|
| VOCs by SW8260B | | | | | | | | | | | | | | |
| 1,2-Dibromoethane (EDB) | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | 2400 | 98 | 96 | 70-130 | 2 | 20 | |
| Dibromomethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | 2410 | 94 | 96 | 70-130 | 3 | 20 | |
| 1,2-Dichlorobenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | 2280 | 98 | 91 | 70-130 | 7 | 20 | |
| 1,3-Dichlorobenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | 2240 | 102 | 90 | 70-130 | 13 | 20 | |
| 1,4-Dichlorobenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2510 | 2280 | 100 | 91 | 70-130 | 10 | 20 | |
| Dichlorodifluoromethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2890 | 3390 | 116 | 136 | 70-130 | 16 | 20 | L1 |
| 1,1-Dichloroethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | 2880 | 99 | 115 | 70-130 | 15 | 20 | |
| 1,2-Dichloroethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | 2860 | 97 | 114 | 70-130 | 16 | 20 | |
| 1,1-Dichloroethene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2520 | 2920 | 101 | 117 | 43-141 | 15 | 44 | |
| cis-1,2-Dichloroethene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2480 | 2820 | 99 | 113 | 70-130 | 13 | 20 | |
| trans-1,2-Dichloroethene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2470 | 2770 | 99 | 111 | 70-130 | 11 | 20 | |
| 1,2-Dichloropropane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | 2490 | 94 | 100 | 70-130 | 6 | 20 | |
| 1,3-Dichloropropane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2350 | 2470 | 94 | 99 | 70-130 | 5 | 20 | |
| 2,2-Dichloropropane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | 2850 | 98 | 114 | 70-130 | 15 | 20 | |
| 1,1-Dichloropropene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | 2750 | 97 | 110 | 70-130 | 12 | 20 | |
| cis-1,3-Dichloropropene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2430 | 2510 | 97 | 100 | 70-130 | 3 | 20 | |
| trans-1,3-Dichloropropene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2390 | 2500 | 96 | 100 | 70-130 | 4 | 20 | |
| Ethylbenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | 2110 | 93 | 84 | 79-122 | 10 | 17 | |
| Hexachlorobutadiene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2620 | 2170 | 105 | 87 | 70-130 | 19 | 20 | |
| Isopropylbenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2540 | 2330 | 102 | 93 | 70-130 | 9 | 20 | |
| p-Isopropyltoluene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | 2020 | 98 | 81 | 70-130 | 19 | 20 | |
| Methylene Chloride | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2530 | 2780 | 101 | 111 | 70-130 | 9 | 20 | |
| Methyl tert-Butyl Ether | 7030367 | | 2406.2 | ug/kg wet | N/A | N/A | 2370 | 2810 | 98 | 117 | 55-137 | 17 | 36 | |
| Naphthalene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2750 | 2750 | 110 | 110 | 70-130 | 0 | 20 | |
| n-Propylbenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2580 | 2430 | 103 | 97 | 70-130 | 6 | 20 | |
| Styrene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2490 | 2390 | 100 | 96 | 70-130 | 4 | 20 | |
| 1,1,1,2-Tetrachloroethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2460 | 2320 | 98 | 93 | 70-130 | 6 | 20 | |
| 1,1,2,2-Tetrachloroethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2380 | 2620 | 95 | 105 | 70-130 | 10 | 20 | |
| Tetrachloroethene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2330 | 2290 | 93 | 92 | 70-130 | 2 | 20 | |
| Toluene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2590 | 2670 | 104 | 107 | 78-120 | 3 | 18 | |
| 1,2,3-Trichlorobenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2790 | 2140 | 112 | 86 | 70-130 | 26 | 20 | R2 |
| 1,2,4-Trichlorobenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2800 | 1940 | 112 | 78 | 70-130 | 36 | 20 | R2 |
| 1,1,1-Trichloroethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2450 | 2510 | 98 | 100 | 70-130 | 2 | 20 | |
| 1,1,2-Trichloroethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2340 | 2440 | 94 | 98 | 70-130 | 4 | 20 | |
| Trichloroethene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2400 | 2200 | 96 | 88 | 78-124 | 9 | 20 | |
| Trichlorofluoromethane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2520 | 2700 | 101 | 108 | 70-130 | 7 | 20 | |
| 1,2,3-Trichloropropane | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2410 | 2410 | 96 | 96 | 70-130 | 0 | 20 | |
| 1,2,4-Trimethylbenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2640 | 2280 | 106 | 91 | 75-128 | 15 | 20 | |
| 1,3,5-Trimethylbenzene | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2610 | 2380 | 104 | 95 | 76-127 | 9 | 19 | |
| Vinyl chloride | 7030367 | | 2500.0 | ug/kg wet | N/A | N/A | 2820 | 3120 | 113 | 125 | 70-130 | 10 | 20 | |
| Xylenes, total | 7030367 | | 7500.0 | ug/kg wet | N/A | N/A | 7690 | 7380 | 103 | 98 | 79-122 | 4 | 17 | |
| Surrogate: Dibromofluoromethane | 7030367 | | | ug/kg wet | | | | | 102 | 107 | 82-112 | | | |
| Surrogate: Toluene-d8 | 7030367 | | | ug/kg wet | | | | | 100 | 109 | 91-106 | | | Z1 |
| Surrogate: 4-Bromofluorobenzene | 7030367 | | | ug/kg wet | | | | | 104 | 104 | 89-110 | | | |

BT2, INC.
 2830 Dairy Drive
 Madison, WI 53718
 Mr. Stephen Sellwood

Work Order: WQC0307
 Project: 2325 3918 Monona Drive
 Project Number: 2325

Received: 03/09/07
 Reported: 03/16/07 10:37

CERTIFICATION SUMMARY

TestAmerica - Watertown, WI

| Method | Matrix | Nelac | Wisconsin |
|----------|------------|-------|-----------|
| SW 5035 | Solid/Soil | X | X |
| SW 8260B | Solid/Soil | X | X |

DATA QUALIFIERS AND DEFINITIONS

- C** Calibration Verification recovery was above the method control limit for this analyte. Analyte not detected, data not impacted.
- C9** Calibration Verification recovery was outside the method control limits for this analyte. The LCS for this analyte met CCV acceptance criteria, and was used to validate the batch.
- L1** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits.
- R2** The RPD exceeded the acceptance limit.
- Z1** Surrogate recovery was above acceptance limits.
- Z6** Surrogate recovery was below acceptance limits.

ADDITIONAL COMMENTS

Results are reported on a wet weight basis unless otherwise noted.

October 12, 2017

Rob Langdon
SCS ENGINEERS
2830 Dairy Drive
Madison, WI 53718

RE: Project: 25211232.51 CLASSIC CLEANERS
Pace Project No.: 40158217

Dear Rob Langdon:

Enclosed are the analytical results for sample(s) received by the laboratory on October 07, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Revised Report: The project number has been updated.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 25211232.51 CLASSIC CLEANERS

Pace Project No.: 40158217

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 25211232.51 CLASSIC CLEANERS
Pace Project No.: 40158217

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|-------------|--------------------|--------|----------------|----------------|
| 40158217001 | SLUB-SLAB CUTTINGS | Solid | 10/06/17 14:00 | 10/07/17 09:20 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 25211232.51 CLASSIC CLEANERS

Pace Project No.: 40158217

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|-------------|--------------------|----------|----------|-------------------|------------|
| 40158217001 | SLUB-SLAB CUTTINGS | EPA 8260 | SMT | 64 | PASI-G |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25211232.51 CLASSIC CLEANERS

Pace Project No.: 40158217

Sample: **SLUB-SLAB CUTTINGS** Lab ID: **40158217001** Collected: 10/06/17 14:00 Received: 10/07/17 09:20 Matrix: Solid

Results reported on a "wet-weight" basis

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|----|----------------|----------------|------------|------|
| 8260 MSV Med Level Normal List | | | | | | | | | |
| Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B | | | | | | | | | |
| Benzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 71-43-2 | W |
| Bromobenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 108-86-1 | W |
| Bromochloromethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 74-97-5 | W |
| Bromodichloromethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 75-27-4 | W |
| Bromoform | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 75-25-2 | W |
| Bromomethane | <69.9 | ug/kg | 250 | 69.9 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 74-83-9 | W |
| 2-Butanone (MEK) | <107 | ug/kg | 250 | 107 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 78-93-3 | W |
| n-Butylbenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 104-51-8 | W |
| sec-Butylbenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 135-98-8 | W |
| tert-Butylbenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 98-06-6 | W |
| Carbon tetrachloride | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 56-23-5 | W |
| Chlorobenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 108-90-7 | W |
| Chloroethane | <67.0 | ug/kg | 250 | 67.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 75-00-3 | W |
| Chloroform | <46.4 | ug/kg | 250 | 46.4 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 67-66-3 | W |
| Chloromethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 74-87-3 | W |
| 2-Chlorotoluene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 95-49-8 | W |
| 4-Chlorotoluene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 106-43-4 | W |
| 1,2-Dibromo-3-chloropropane | <91.2 | ug/kg | 250 | 91.2 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 96-12-8 | W |
| Dibromochloromethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 124-48-1 | W |
| 1,2-Dibromoethane (EDB) | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 106-93-4 | W |
| Dibromomethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 74-95-3 | W |
| 1,2-Dichlorobenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 95-50-1 | W |
| 1,3-Dichlorobenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 541-73-1 | W |
| 1,4-Dichlorobenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 106-46-7 | W |
| Dichlorodifluoromethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 75-71-8 | W |
| 1,1-Dichloroethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 75-34-3 | W |
| 1,2-Dichloroethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 107-06-2 | W |
| 1,1-Dichloroethene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 75-35-4 | W |
| cis-1,2-Dichloroethene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 156-59-2 | W |
| trans-1,2-Dichloroethene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 156-60-5 | W |
| 1,2-Dichloropropane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 78-87-5 | W |
| 1,3-Dichloropropane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 142-28-9 | W |
| 2,2-Dichloropropane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 594-20-7 | W |
| 1,1-Dichloropropene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 563-58-6 | W |
| cis-1,3-Dichloropropene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 10061-01-5 | W |
| trans-1,3-Dichloropropene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 10061-02-6 | W |
| Diisopropyl ether | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 108-20-3 | W |
| Ethylbenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 100-41-4 | W |
| Hexachloro-1,3-butadiene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 87-68-3 | W |
| Isopropylbenzene (Cumene) | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 98-82-8 | W |
| p-Isopropyltoluene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 99-87-6 | W |
| Methylene Chloride | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 75-09-2 | W |
| Methyl-tert-butyl ether | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 1634-04-4 | W |
| Naphthalene | <40.0 | ug/kg | 250 | 40.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 91-20-3 | W |
| n-Propylbenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 103-65-1 | W |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25211232.51 CLASSIC CLEANERS

Project No.: 40158217

Sample: SLUB-SLAB CUTTINGS **Lab ID: 40158217001** Collected: 10/06/17 14:00 Received: 10/07/17 09:20 Matrix: Solid

Results reported on a "wet-weight" basis

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|---|--------|------|----|----------------|----------------|-----------|------|
| 8260 MSV Med Level Normal List | | Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B | | | | | | | |
| Styrene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 100-42-5 | W |
| 1,1,1,2-Tetrachloroethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 630-20-6 | W |
| 1,1,2,2-Tetrachloroethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 79-34-5 | W |
| Tetrachloroethene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 127-18-4 | W |
| Toluene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 108-88-3 | W |
| 1,2,3-Trichlorobenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 87-61-6 | W |
| 1,2,4-Trichlorobenzene | <47.6 | ug/kg | 250 | 47.6 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 120-82-1 | W |
| 1,1,1-Trichloroethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 71-55-6 | W |
| 1,1,2-Trichloroethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 79-00-5 | W |
| Trichloroethene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 79-01-6 | W |
| Trichlorofluoromethane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 75-69-4 | W |
| 1,2,3-Trichloropropane | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 96-18-4 | W |
| 1,2,4-Trimethylbenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 95-63-6 | W |
| 1,3,5-Trimethylbenzene | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 108-67-8 | W |
| Vinyl chloride | <25.0 | ug/kg | 60.0 | 25.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 75-01-4 | W |
| Xylene (Total) | <75.0 | ug/kg | 180 | 75.0 | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 1330-20-7 | W |
| Surrogates | | | | | | | | | |
| Dibromofluoromethane (S) | 100 | % | 68-130 | | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 1868-53-7 | |
| Toluene-d8 (S) | 103 | % | 68-149 | | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 2037-26-5 | |
| 4-Bromofluorobenzene (S) | 90 | % | 58-141 | | 1 | 10/10/17 07:45 | 10/10/17 13:32 | 460-00-4 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25211232.51 CLASSIC CLEANERS
Pace Project No.: 40158217

QC Batch: 270051 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Associated Lab Samples: 40158217001

METHOD BLANK: 1586992 Matrix: Solid
Associated Lab Samples: 40158217001

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|-----------------------------|-------|--------------|-----------------|----------------|------------|
| 1,1,1,2-Tetrachloroethane | ug/kg | <13.7 | 50.0 | 10/10/17 09:41 | |
| 1,1,1-Trichloroethane | ug/kg | <14.4 | 50.0 | 10/10/17 09:41 | |
| 1,1,2,2-Tetrachloroethane | ug/kg | <17.5 | 50.0 | 10/10/17 09:41 | |
| 1,1,2-Trichloroethane | ug/kg | <20.2 | 50.0 | 10/10/17 09:41 | |
| 1,1-Dichloroethane | ug/kg | <17.6 | 50.0 | 10/10/17 09:41 | |
| 1,1-Dichloroethene | ug/kg | <17.6 | 50.0 | 10/10/17 09:41 | |
| 1,1-Dichloropropene | ug/kg | <14.0 | 50.0 | 10/10/17 09:41 | |
| 1,2,3-Trichlorobenzene | ug/kg | <17.0 | 50.0 | 10/10/17 09:41 | |
| 1,2,3-Trichloropropane | ug/kg | <22.3 | 50.0 | 10/10/17 09:41 | |
| 1,2,4-Trichlorobenzene | ug/kg | <47.6 | 250 | 10/10/17 09:41 | |
| 1,2,4-Trimethylbenzene | ug/kg | <12.2 | 50.0 | 10/10/17 09:41 | |
| 1,2-Dibromo-3-chloropropane | ug/kg | <91.2 | 250 | 10/10/17 09:41 | |
| 1,2-Dibromoethane (EDB) | ug/kg | <14.7 | 50.0 | 10/10/17 09:41 | |
| 1,2-Dichlorobenzene | ug/kg | <16.2 | 50.0 | 10/10/17 09:41 | |
| 1,2-Dichloroethane | ug/kg | <15.0 | 50.0 | 10/10/17 09:41 | |
| 1,2-Dichloropropane | ug/kg | <16.8 | 50.0 | 10/10/17 09:41 | |
| 1,3,5-Trimethylbenzene | ug/kg | <14.5 | 50.0 | 10/10/17 09:41 | |
| 1,3-Dichlorobenzene | ug/kg | <13.2 | 50.0 | 10/10/17 09:41 | |
| 1,3-Dichloropropane | ug/kg | <12.0 | 50.0 | 10/10/17 09:41 | |
| 1,4-Dichlorobenzene | ug/kg | <15.9 | 50.0 | 10/10/17 09:41 | |
| 2,2-Dichloropropane | ug/kg | <12.6 | 50.0 | 10/10/17 09:41 | |
| 2-Butanone (MEK) | ug/kg | <124 | 250 | 10/10/17 09:41 | |
| 2-Chlorotoluene | ug/kg | <15.8 | 50.0 | 10/10/17 09:41 | |
| 4-Chlorotoluene | ug/kg | <13.0 | 50.0 | 10/10/17 09:41 | |
| Benzene | ug/kg | <9.2 | 20.0 | 10/10/17 09:41 | |
| Bromobenzene | ug/kg | <20.6 | 50.0 | 10/10/17 09:41 | |
| Bromochloromethane | ug/kg | <21.4 | 50.0 | 10/10/17 09:41 | |
| Bromodichloromethane | ug/kg | <9.8 | 50.0 | 10/10/17 09:41 | |
| Bromoform | ug/kg | <19.8 | 50.0 | 10/10/17 09:41 | |
| Bromomethane | ug/kg | <69.9 | 250 | 10/10/17 09:41 | |
| Carbon tetrachloride | ug/kg | <12.1 | 50.0 | 10/10/17 09:41 | |
| Chlorobenzene | ug/kg | <14.8 | 50.0 | 10/10/17 09:41 | |
| Chloroethane | ug/kg | <67.0 | 250 | 10/10/17 09:41 | |
| Chloroform | ug/kg | <46.4 | 250 | 10/10/17 09:41 | |
| Chloromethane | ug/kg | <20.4 | 50.0 | 10/10/17 09:41 | |
| cis-1,2-Dichloroethene | ug/kg | <16.6 | 50.0 | 10/10/17 09:41 | |
| cis-1,3-Dichloropropene | ug/kg | <16.6 | 50.0 | 10/10/17 09:41 | |
| Dibromochloromethane | ug/kg | <17.9 | 50.0 | 10/10/17 09:41 | |
| Dibromomethane | ug/kg | <19.3 | 50.0 | 10/10/17 09:41 | |
| Dichlorodifluoromethane | ug/kg | <12.3 | 50.0 | 10/10/17 09:41 | |
| Diisopropyl ether | ug/kg | <17.7 | 50.0 | 10/10/17 09:41 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25211232.51 CLASSIC CLEANERS
Pace Project No.: 40158217

METHOD BLANK: 1586992 Matrix: Solid
Associated Lab Samples: 40158217001

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---------------------------|-------|--------------|-----------------|----------------|------------|
| Ethylbenzene | ug/kg | <12.4 | 50.0 | 10/10/17 09:41 | |
| Hexachloro-1,3-butadiene | ug/kg | 32.2J | 50.0 | 10/10/17 09:41 | |
| Isopropylbenzene (Cumene) | ug/kg | <12.6 | 50.0 | 10/10/17 09:41 | |
| Methyl-tert-butyl ether | ug/kg | <12.7 | 50.0 | 10/10/17 09:41 | |
| Methylene Chloride | ug/kg | <16.2 | 50.0 | 10/10/17 09:41 | |
| n-Butylbenzene | ug/kg | 12.3J | 50.0 | 10/10/17 09:41 | |
| n-Propylbenzene | ug/kg | <11.6 | 50.0 | 10/10/17 09:41 | |
| Naphthalene | ug/kg | <40.0 | 250 | 10/10/17 09:41 | |
| p-Isopropyltoluene | ug/kg | <12.0 | 50.0 | 10/10/17 09:41 | |
| sec-Butylbenzene | ug/kg | <11.9 | 50.0 | 10/10/17 09:41 | |
| Styrene | ug/kg | <9.0 | 50.0 | 10/10/17 09:41 | |
| tert-Butylbenzene | ug/kg | <9.5 | 50.0 | 10/10/17 09:41 | |
| Tetrachloroethene | ug/kg | <12.9 | 50.0 | 10/10/17 09:41 | |
| Toluene | ug/kg | <11.2 | 50.0 | 10/10/17 09:41 | |
| trans-1,2-Dichloroethene | ug/kg | <16.5 | 50.0 | 10/10/17 09:41 | |
| trans-1,3-Dichloropropene | ug/kg | <14.4 | 50.0 | 10/10/17 09:41 | |
| Trichloroethene | ug/kg | <23.6 | 50.0 | 10/10/17 09:41 | |
| Trichlorofluoromethane | ug/kg | <24.7 | 50.0 | 10/10/17 09:41 | |
| Vinyl chloride | ug/kg | <21.1 | 50.0 | 10/10/17 09:41 | |
| Xylene (Total) | ug/kg | <48.4 | 150 | 10/10/17 09:41 | |
| 4-Bromofluorobenzene (S) | % | 81 | 58-141 | 10/10/17 09:41 | |
| Dibromofluoromethane (S) | % | 92 | 68-130 | 10/10/17 09:41 | |
| Toluene-d8 (S) | % | 93 | 68-149 | 10/10/17 09:41 | |

LABORATORY CONTROL SAMPLE: 1586993

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|-----------------------------|-------|-------------|------------|-----------|--------------|------------|
| 1,1,1-Trichloroethane | ug/kg | 2500 | 2500 | 100 | 61-122 | |
| 1,1,2,2-Tetrachloroethane | ug/kg | 2500 | 2390 | 96 | 73-130 | |
| 1,1,2-Trichloroethane | ug/kg | 2500 | 2580 | 103 | 70-130 | |
| 1,1-Dichloroethane | ug/kg | 2500 | 2380 | 95 | 63-124 | |
| 1,1-Dichloroethene | ug/kg | 2500 | 2490 | 100 | 53-117 | |
| 1,2,4-Trichlorobenzene | ug/kg | 2500 | 2080 | 83 | 78-130 | |
| 1,2-Dibromo-3-chloropropane | ug/kg | 2500 | 1920 | 77 | 49-140 | |
| 1,2-Dibromoethane (EDB) | ug/kg | 2500 | 2600 | 104 | 70-130 | |
| 1,2-Dichlorobenzene | ug/kg | 2500 | 2420 | 97 | 70-130 | |
| 1,2-Dichloroethane | ug/kg | 2500 | 2340 | 93 | 56-135 | |
| 1,2-Dichloropropane | ug/kg | 2500 | 2350 | 94 | 77-122 | |
| 1,3-Dichlorobenzene | ug/kg | 2500 | 2370 | 95 | 70-130 | |
| 1,4-Dichlorobenzene | ug/kg | 2500 | 2440 | 98 | 70-130 | |
| Benzene | ug/kg | 2500 | 2570 | 103 | 66-130 | |
| Bromodichloromethane | ug/kg | 2500 | 2370 | 95 | 62-135 | |
| Bromoform | ug/kg | 2500 | 2070 | 83 | 68-130 | |
| Bromomethane | ug/kg | 2500 | 2430 | 97 | 29-137 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25211232.51 CLASSIC CLEANERS
Pace Project No.: 40158217

LABORATORY CONTROL SAMPLE: 1586993

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---------------------------|-------|-------------|------------|-----------|--------------|------------|
| Carbon tetrachloride | ug/kg | 2500 | 2500 | 100 | 57-130 | |
| Chlorobenzene | ug/kg | 2500 | 2520 | 101 | 70-130 | |
| Chloroethane | ug/kg | 2500 | 2570 | 103 | 36-144 | |
| Chloroform | ug/kg | 2500 | 2490 | 100 | 69-115 | |
| Chloromethane | ug/kg | 2500 | 1910 | 77 | 32-126 | |
| cis-1,2-Dichloroethene | ug/kg | 2500 | 2410 | 96 | 65-130 | |
| cis-1,3-Dichloropropene | ug/kg | 2500 | 2150 | 86 | 70-130 | |
| Dibromochloromethane | ug/kg | 2500 | 2210 | 89 | 70-130 | |
| Dichlorodifluoromethane | ug/kg | 2500 | 1730 | 69 | 10-99 | |
| Ethylbenzene | ug/kg | 2500 | 2540 | 102 | 82-122 | |
| Isopropylbenzene (Cumene) | ug/kg | 2500 | 2610 | 104 | 70-130 | |
| Methyl-tert-butyl ether | ug/kg | 2500 | 2360 | 94 | 63-134 | |
| Methylene Chloride | ug/kg | 2500 | 2400 | 96 | 56-123 | |
| Styrene | ug/kg | 2500 | 2720 | 109 | 70-130 | |
| Tetrachloroethene | ug/kg | 2500 | 2480 | 99 | 70-131 | |
| Toluene | ug/kg | 2500 | 2610 | 104 | 80-120 | |
| trans-1,2-Dichloroethene | ug/kg | 2500 | 2620 | 105 | 66-130 | |
| trans-1,3-Dichloropropene | ug/kg | 2500 | 2170 | 87 | 68-130 | |
| Trichloroethene | ug/kg | 2500 | 2430 | 97 | 70-130 | |
| Trichlorofluoromethane | ug/kg | 2500 | 2490 | 100 | 37-149 | |
| Vinyl chloride | ug/kg | 2500 | 2090 | 84 | 43-128 | |
| Xylene (Total) | ug/kg | 7500 | 7920 | 106 | 70-130 | |
| 4-Bromofluorobenzene (S) | % | | | 96 | 58-141 | |
| Dibromofluoromethane (S) | % | | | 97 | 68-130 | |
| Toluene-d8 (S) | % | | | 96 | 68-149 | |

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1586994 1586995

| Parameter | Units | MS | | MSD | | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | RPD | Max RPD | Qual |
|-----------------------------|-------|--------------------|-------------|-------------|------------|-----------|------------|----------|-----------|--------------|-----|---------|------|
| | | 40158217001 Result | Spike Conc. | Spike Conc. | MSD Result | | | | | | | | |
| 1,1,1-Trichloroethane | ug/kg | <25.0 | 1250 | 1250 | 1270 | 1280 | 102 | 102 | 57-123 | 0 | 20 | | |
| 1,1,2,2-Tetrachloroethane | ug/kg | <25.0 | 1250 | 1250 | 1200 | 1200 | 96 | 96 | 73-135 | 0 | 20 | | |
| 1,1,2-Trichloroethane | ug/kg | <25.0 | 1250 | 1250 | 1290 | 1260 | 103 | 101 | 70-130 | 2 | 20 | | |
| 1,1-Dichloroethane | ug/kg | <25.0 | 1250 | 1250 | 1230 | 1220 | 99 | 98 | 63-124 | 1 | 20 | | |
| 1,1-Dichloroethene | ug/kg | <25.0 | 1250 | 1250 | 1230 | 1240 | 98 | 99 | 48-117 | 1 | 23 | | |
| 1,2,4-Trichlorobenzene | ug/kg | <47.6 | 1250 | 1250 | 1190 | 1180 | 95 | 94 | 78-145 | 1 | 20 | | |
| 1,2-Dibromo-3-chloropropane | ug/kg | <91.2 | 1250 | 1250 | 882 | 898 | 71 | 72 | 38-168 | 2 | 22 | | |
| 1,2-Dibromoethane (EDB) | ug/kg | <25.0 | 1250 | 1250 | 1190 | 1210 | 95 | 97 | 70-130 | 2 | 20 | | |
| 1,2-Dichlorobenzene | ug/kg | <25.0 | 1250 | 1250 | 1270 | 1230 | 101 | 98 | 70-130 | 3 | 20 | | |
| 1,2-Dichloroethane | ug/kg | <25.0 | 1250 | 1250 | 1190 | 1170 | 95 | 94 | 56-145 | 2 | 20 | | |
| 1,2-Dichloropropane | ug/kg | <25.0 | 1250 | 1250 | 1200 | 1240 | 96 | 99 | 77-123 | 3 | 20 | | |
| 1,3-Dichlorobenzene | ug/kg | <25.0 | 1250 | 1250 | 1260 | 1250 | 100 | 100 | 70-130 | 1 | 20 | | |
| 1,4-Dichlorobenzene | ug/kg | <25.0 | 1250 | 1250 | 1300 | 1260 | 104 | 101 | 70-130 | 3 | 20 | | |
| Benzene | ug/kg | <25.0 | 1250 | 1250 | 1330 | 1300 | 106 | 104 | 65-130 | 3 | 20 | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25211232.51 CLASSIC CLEANERS
Pace Project No.: 40158217

| Parameter | Units | MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1586994 | | 1586995 | | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | Max RPD | RPD | Qual |
|---------------------------|-------|--|----------------------|-----------------------|------|--------------|---------------|-------------|--------------|-----------------|------------|-----|------|
| | | 40158217001 Result | MS Spike Conc. | MSD Spike Conc. | | | | | | | | | |
| Bromodichloromethane | ug/kg | <25.0 | 1250 | 1250 | 1190 | 1210 | 95 | 96 | 59-141 | 1 | 20 | | |
| Bromoform | ug/kg | <25.0 | 1250 | 1250 | 1070 | 1030 | 85 | 82 | 59-141 | 4 | 20 | | |
| Bromomethane | ug/kg | <69.9 | 1250 | 1250 | 1280 | 1250 | 103 | 100 | 28-139 | 2 | 20 | | |
| Carbon tetrachloride | ug/kg | <25.0 | 1250 | 1250 | 1280 | 1250 | 102 | 100 | 50-130 | 2 | 20 | | |
| Chlorobenzene | ug/kg | <25.0 | 1250 | 1250 | 1260 | 1260 | 101 | 101 | 70-130 | 0 | 20 | | |
| Chloroethane | ug/kg | <67.0 | 1250 | 1250 | 1360 | 1340 | 109 | 107 | 36-144 | 1 | 20 | | |
| Chloroform | ug/kg | <46.4 | 1250 | 1250 | 1280 | 1270 | 102 | 101 | 68-122 | 1 | 20 | | |
| Chloromethane | ug/kg | <25.0 | 1250 | 1250 | 997 | 993 | 80 | 79 | 30-126 | 0 | 20 | | |
| cis-1,2-Dichloroethene | ug/kg | <25.0 | 1250 | 1250 | 1210 | 1250 | 97 | 100 | 63-130 | 3 | 20 | | |
| cis-1,3-Dichloropropene | ug/kg | <25.0 | 1250 | 1250 | 1080 | 1130 | 87 | 90 | 70-130 | 4 | 20 | | |
| Dibromochloromethane | ug/kg | <25.0 | 1250 | 1250 | 1100 | 1110 | 88 | 88 | 66-136 | 0 | 20 | | |
| Dichlorodifluoromethane | ug/kg | <25.0 | 1250 | 1250 | 867 | 854 | 69 | 68 | 10-99 | 2 | 33 | | |
| Ethylbenzene | ug/kg | <25.0 | 1250 | 1250 | 1220 | 1220 | 98 | 97 | 80-122 | 0 | 20 | | |
| Isopropylbenzene (Cumene) | ug/kg | <25.0 | 1250 | 1250 | 1260 | 1260 | 101 | 101 | 70-130 | 0 | 20 | | |
| Methyl-tert-butyl ether | ug/kg | <25.0 | 1250 | 1250 | 1170 | 1170 | 94 | 94 | 63-134 | 0 | 20 | | |
| Methylene Chloride | ug/kg | <25.0 | 1250 | 1250 | 1260 | 1220 | 101 | 98 | 56-127 | 3 | 20 | | |
| Styrene | ug/kg | <25.0 | 1250 | 1250 | 1300 | 1310 | 104 | 105 | 70-130 | 0 | 20 | | |
| Tetrachloroethene | ug/kg | <25.0 | 1250 | 1250 | 1250 | 1230 | 100 | 99 | 70-131 | 1 | 20 | | |
| Toluene | ug/kg | <25.0 | 1250 | 1250 | 1270 | 1270 | 102 | 102 | 80-120 | 0 | 20 | | |
| trans-1,2-Dichloroethene | ug/kg | <25.0 | 1250 | 1250 | 1330 | 1330 | 107 | 106 | 60-130 | 0 | 20 | | |
| trans-1,3-Dichloropropene | ug/kg | <25.0 | 1250 | 1250 | 1080 | 1070 | 86 | 86 | 68-130 | 0 | 20 | | |
| Trichloroethene | ug/kg | <25.0 | 1250 | 1250 | 1240 | 1250 | 99 | 100 | 70-130 | 1 | 20 | | |
| Trichlorofluoromethane | ug/kg | <25.0 | 1250 | 1250 | 1290 | 1280 | 104 | 102 | 37-149 | 1 | 24 | | |
| Vinyl chloride | ug/kg | <25.0 | 1250 | 1250 | 1080 | 1120 | 87 | 90 | 39-128 | 4 | 20 | | |
| Xylene (Total) | ug/kg | <75.0 | 3750 | 3750 | 3880 | 3800 | 104 | 101 | 70-130 | 2 | 20 | | |
| 4-Bromofluorobenzene (S) | % | | | | | | 96 | 100 | 58-141 | | | | |
| Dibromofluoromethane (S) | % | | | | | | 104 | 104 | 68-130 | | | | |
| Toluene-d8 (S) | % | | | | | | 98 | 100 | 68-149 | | | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 25211232.51 CLASSIC CLEANERS

Pace Project No.: 40158217

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

ANALYTE QUALIFIERS

W Non-detect results are reported on a wet weight basis.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 25211232.51 CLASSIC CLEANERS
Pace Project No.: 40158217

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|---------------|--------------------|------------------------|-----------------|--------------------------|-------------------------|
| 40158217001 | SLUB-SLAB CUTTINGS | EPA 5035/5030B | 270051 | EPA 8260 | 270061 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)



UPPER MIDWEST REGION
MN: 612-607-1700 WI: 920-469-2436

Page 1 of 1
40158217

CHAIN OF CUSTODY

A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

Company Name: SCS Engineers
 Branch/Location: Madison, WI
 Project Contact: Rob Longden
 Phone: 608.218.7329
 Project Number: 25-21132.51
 Project Name: Classic Cleanups
 Project State: WI
 Sampled By (Print): Jackie DeBruin
 Sampled By (Sign): *[Signature]*
 PO #: *[Signature]*

Data Package Options (billable)
 EPA Level III
 EPA Level IV
 MSMSD (billable)
 On your sample
 NOT needed on your sample
 Matrix Codes:
 A = Air B = Bioa C = Charcoal O = Oil S = Soil SI = Sludge
 W = Water DW = Drinking Water GW = Ground Water SW = Surface Water WP = Waste Water

PAGE LAB # CLIENT FIELD ID
 001 Slub-slab cuttings via 1400 S

| V/I/N | Pick Letter | Analyses Requested | |
|-------|-------------|--------------------|------|
| | | DATE | TIME |
| N | A | | |
| X | | VOC | TCLP |

Quote #:
 Mail To Contact: Rob Longden
 Mail To Company: SCS Engineers
 Mail To Address: 2830 Dring Dr. Madison, WI 53718
 Invoice To Contact:
 Invoice To Company:
 Invoice To Address:
 Invoice To Phone:
 CLIENT COMMENTS: 1-403ag A
 LAB COMMENTS (Lab Use Only):
 Profile #

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed:
 Transmit Prelim Rush Results by (complete what you want):
 Email #1:
 Email #2:
 Telephone:
 Fax:
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: *[Signature]* Date/Time: 10/17/17 1450
 Relinquished By: *[Signature]* Date/Time: 10/17/17 0920
 Relinquished By: *[Signature]* Date/Time:
 Relinquished By: *[Signature]* Date/Time:

Received By: *[Signature]* Date/Time: 10/17/17 0920
 Received By: *[Signature]* Date/Time: 10/17/17
 Received By: *[Signature]* Date/Time:
 Received By: *[Signature]* Date/Time:

PACE Project No. 40158217
 Receipt Temp = 20.1 °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present Intact / Not Intact



Sample Condition Upon Receipt

Pace Analytical Services, LLC. - Green Bay WI
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Project

WO#: 40158217

Client Name: SCS

Courier: [X] Fed Ex [] UPS - Client [] Pace Other: _____

Tracking #: 810289660038



Custody Seal on Cooler/Box Present: [] yes [X] no Seals intact: [] yes [] no

Custody Seal on Samples Present: [] yes [X] no Seals intact: [] yes [] no

Packing Material: [X] Bubble Wrap [] Bubble Bags [] None [] Other

Thermometer Used: NA Type of Ice: [X] Wet [] Blue [] Dry [] None [X] Samples on ice, cooling process has begun

Cooler Temperature Uncorr: I/Corr: RO1 Biological Tissue is Frozen: [] yes [] no

Temp Blank Present: [] yes [X] no

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C.

Person examining contents:
Date: 10/7/17
Initials: KS

Comments:

Table with 15 rows of inspection items and checkboxes. Items include Chain of Custody Present, Short Hold Time Analysis, Containers Intact, etc.

Client Notification/ Resolution:
Person Contacted: _____ Date/Time: _____
Comments/ Resolution: _____

Project Manager Review: [Signature] Date: 10-7-17

05 May 2005

Stephen Sellwood
BT2
2830 Dairy Drive
Madison, WI 53718
RE: 3918 Monona Dr.

Enclosed are the results of analyses for samples received by the laboratory on 04/21/05. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Great Lakes Analytical



Michael Laupan For Andrea Stathas
Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

ANALYTICAL REPORT FOR SAMPLES

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received |
|-----------|---------------|--------|----------------|----------------|
| MW4 | W504159-01 | Water | 04/19/05 12:20 | 04/21/05 16:30 |
| MW1P | W504159-02 | Water | 04/19/05 13:20 | 04/21/05 16:30 |
| MW3 | W504159-03 | Water | 04/19/05 13:50 | 04/21/05 16:30 |
| MW2 | W504159-04 | Water | 04/19/05 14:15 | 04/21/05 16:30 |
| MW1 | W504159-05 | Water | 04/19/05 14:30 | 04/21/05 16:30 |
| trip | W504159-06 | Water | 04/19/05 15:00 | 04/21/05 16:30 |

Sample Receipt Notes

Please note that the chain of custody (COC) included with this report is considered part of the report. The data user should review any comments or notes made on the COC. Any receipt issues found by the laboratory that are not noted on the COC will be stated below.

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|-------------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW4 (W504159-01) Water Sampled: 04/19/05 12:20 Received: 04/21/05 16:30 | | | | | | | | | |
| Benzene | ND | 0.500 | ug/l | 1 | 5040064 | 04/25/05 | 04/27/05 | EPA 8260B | |
| Bromobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 0.391 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 0.372 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Chloroethane | ND | 5.00 | " | " | " | " | " | " | |
| Chloroform | ND | 0.316 | " | " | " | " | " | " | |
| Chloromethane | ND | 0.448 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 0.264 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 0.251 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 0.500 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 5.00 | " | " | " | " | " | " | |
| Ethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Hexachlorobutadiene | ND | 10.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 5.00 | " | " | " | " | " | " | |
| Methylene chloride | ND | 0.386 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 0.290 | " | " | " | " | " | " | |
| Naphthalene | ND | 8.00 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 0.331 | " | " | " | " | " | " | |
| Tetrachloroethene | 2280 | 250 | " | 500 | " | " | 04/27/05 | " | |
| Toluene | ND | 5.00 | " | 1 | " | " | 04/27/05 | " | |
| 1,2,3-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|-------------|-----------------|----------|----------|---------|----------|----------|-----------|-------|
| MW4 (W504159-01) Water Sampled: 04/19/05 12:20 Received: 04/21/05 16:30 | | | | | | | | | |
| 1,1,1-Trichloroethane | ND | 5.00 | ug/l | 1 | 5040064 | 04/25/05 | 04/27/05 | EPA 8260B | |
| 1,1,2-Trichloroethane | ND | 0.145 | " | " | " | " | " | " | |
| Trichloroethene | 5.03 | 0.500 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 0.217 | " | " | " | " | " | " | |
| Total Xylenes | ND | 5.00 | " | " | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 91.6 % | 82.1-117 | " | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 92.0 % | 70.2-131 | " | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 98.4 % | 74.1-125 | " | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 89.4 % | 88.5-103 | " | " | " | " | " | |

QC

MW1P (W504159-02) Water Sampled: 04/19/05 13:20 Received: 04/21/05 16:30

QC

| | | | | | | | | | |
|-----------------------------|----|-------|------|---|---------|----------|----------|-----------|--|
| Benzene | ND | 0.500 | ug/l | 1 | 5040064 | 04/25/05 | 04/27/05 | EPA 8260B | |
| Bromobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 0.391 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 0.372 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Chloroethane | ND | 5.00 | " | " | " | " | " | " | |
| Chloroform | ND | 0.316 | " | " | " | " | " | " | |
| Chloromethane | ND | 0.448 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 0.264 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 0.251 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 0.500 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|--------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW1P (W504159-02) Water Sampled: 04/19/05 13:20 Received: 04/21/05 16:30 | | | | | | | | | |
| Di-isopropyl ether | ND | 5.00 | ug/l | 1 | 5040064 | 04/25/05 | 04/27/05 | EPA 8260B | |
| Ethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Hexachlorobutadiene | ND | 10.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 5.00 | " | " | " | " | " | " | |
| Methylene chloride | ND | 0.386 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 0.290 | " | " | " | " | " | " | |
| Naphthalene | ND | 8.00 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 0.331 | " | " | " | " | " | " | |
| Tetrachloroethene | ND | 0.500 | " | " | " | " | " | " | |
| Toluene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2-Trichloroethane | ND | 0.145 | " | " | " | " | " | " | |
| Trichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 0.217 | " | " | " | " | " | " | |
| Total Xylenes | ND | 5.00 | " | " | " | " | " | " | |
| Surrogate: Dibromofluoromethane | | 91.6 % | | 82.1-117 | " | " | " | " | |
| Surrogate: 1,2-Dichloroethane-d4 | | 93.2 % | | 70.2-131 | " | " | " | " | |
| Surrogate: Toluene-d8 | | 100 % | | 74.1-125 | " | " | " | " | |
| Surrogate: 4-Bromofluorobenzene | | 90.8 % | | 88.5-103 | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|-------------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW3 (W504159-03) Water Sampled: 04/19/05 13:50 Received: 04/21/05 16:30 | | | | | | | | | |
| Benzene | ND | 0.500 | ug/l | 1 | 5040064 | 04/25/05 | 04/28/05 | EPA 8260B | |
| Bromobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 0.391 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 0.372 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Chloroethane | ND | 5.00 | " | " | " | " | " | " | |
| Chloroform | ND | 0.316 | " | " | " | " | " | " | |
| Chloromethane | ND | 0.448 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 0.264 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 0.251 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 0.500 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 5.00 | " | " | " | " | " | " | |
| Ethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Hexachlorobutadiene | ND | 10.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 5.00 | " | " | " | " | " | " | |
| Methylene chloride | ND | 0.386 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 0.290 | " | " | " | " | " | " | |
| Naphthalene | ND | 8.00 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 0.331 | " | " | " | " | " | " | |
| Tetrachloroethene | 9.04 | 0.500 | " | " | " | " | " | " | |
| Toluene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 5.00 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-----------------|----------|----------|---------|----------|----------|-----------|-------|
| MW3 (W504159-03) Water Sampled: 04/19/05 13:50 Received: 04/21/05 16:30 | | | | | | | | | |
| 1,1,2-Trichloroethane | ND | 0.145 | ug/l | 1 | 5040064 | 04/25/05 | 04/28/05 | EPA 8260B | |
| Trichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 0.217 | " | " | " | " | " | " | |
| Total Xylenes | ND | 5.00 | " | " | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 92.6 % | 82.1-117 | | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 91.4 % | 70.2-131 | | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 99.4 % | 74.1-125 | | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 92.4 % | 88.5-103 | | " | " | " | " | |

QC

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW2 (W504159-04) Water Sampled: 04/19/05 14:15 Received: 04/21/05 16:30 | | | | | | | | | |
| Benzene | ND | 0.500 | ug/l | 1 | 5040064 | 04/25/05 | 04/27/05 | EPA 8260B | |
| Bromobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 0.391 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 0.372 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Chloroethane | ND | 5.00 | " | " | " | " | " | " | |
| Chloroform | ND | 0.316 | " | " | " | " | " | " | |
| Chloromethane | ND | 0.448 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 0.264 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 0.251 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 0.500 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 5.00 | " | " | " | " | " | " | |

QC

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------------|-----------------|-------|----------|---------|----------|----------|-----------|-----------|
| MW2 (W504159-04) Water | | | | | | | | | QC |
| Sampled: 04/19/05 14:15 Received: 04/21/05 16:30 | | | | | | | | | |
| Ethylbenzene | ND | 5.00 | ug/l | 1 | 5040064 | 04/25/05 | 04/27/05 | EPA 8260B | |
| Hexachlorobutadiene | ND | 10.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 5.00 | " | " | " | " | " | " | |
| Methylene chloride | ND | 0.386 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 0.290 | " | " | " | " | " | " | |
| Naphthalene | ND | 8.00 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 0.331 | " | " | " | " | " | " | |
| Tetrachloroethene | 19.4 | 0.500 | " | " | " | " | " | " | |
| Toluene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2-Trichloroethane | ND | 0.145 | " | " | " | " | " | " | |
| Trichloroethene | 0.710 | 0.500 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 0.217 | " | " | " | " | " | " | |
| Total Xylenes | ND | 5.00 | " | " | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 90.8 % | | 82.1-117 | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 88.8 % | | 70.2-131 | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 100 % | | 74.1-125 | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 87.6 % | | 88.5-103 | " | " | " | " | L |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|------------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW1 (W504159-05) Water Sampled: 04/19/05 14:30 Received: 04/21/05 16:30 | | | | | | | | | |
| Benzene | ND | 0.500 | ug/l | 1 | 5040064 | 04/25/05 | 04/27/05 | EPA 8260B | |
| Bromobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 0.391 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 0.372 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Chloroethane | ND | 5.00 | " | " | " | " | " | " | |
| Chloroform | ND | 0.316 | " | " | " | " | " | " | |
| Chloromethane | ND | 0.448 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 0.264 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 0.251 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 0.500 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 5.00 | " | " | " | " | " | " | |
| Ethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Hexachlorobutadiene | ND | 10.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 5.00 | " | " | " | " | " | " | |
| Methylene chloride | ND | 0.386 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 0.290 | " | " | " | " | " | " | |
| Naphthalene | ND | 8.00 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 0.331 | " | " | " | " | " | " | |
| Tetrachloroethene | 678 | 50.0 | " | 100 | " | " | 04/27/05 | " | |
| Toluene | ND | 5.00 | " | 1 | " | " | 04/27/05 | " | |
| 1,2,3-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 5.00 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|-------------|-----------------|----------|----------|---------|----------|----------|-----------|-------|
| MW1 (W504159-05) Water Sampled: 04/19/05 14:30 Received: 04/21/05 16:30 | | | | | | | | | |
| 1,1,2-Trichloroethane | ND | 0.145 | ug/l | 1 | 5040064 | 04/25/05 | 04/27/05 | EPA 8260B | |
| Trichloroethene | 2.77 | 0.500 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 0.217 | " | " | " | " | " | " | |
| Total Xylenes | ND | 5.00 | " | " | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 92.4 % | 82.1-117 | " | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 92.0 % | 70.2-131 | " | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 98.0 % | 74.1-125 | " | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 90.2 % | 88.5-103 | " | " | " | " | " | |

QC

trip (W504159-06) Water Sampled: 04/19/05 15:00 Received: 04/21/05 16:30

QC

| | | | | | | | | | |
|-----------------------------|----|-------|------|---|---------|----------|----------|-----------|--|
| Benzene | ND | 0.500 | ug/l | 1 | 5040064 | 04/25/05 | 04/27/05 | EPA 8260B | |
| Bromobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 0.391 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 0.372 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Chloroethane | ND | 5.00 | " | " | " | " | " | " | |
| Chloroform | ND | 0.316 | " | " | " | " | " | " | |
| Chloromethane | ND | 0.448 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 0.264 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 0.251 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 0.500 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 5.00 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|--------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| trip (W504159-06) Water Sampled: 04/19/05 15:00 Received: 04/21/05 16:30 | | | | | | | | | |
| Ethylbenzene | ND | 5.00 | ug/l | 1 | 5040064 | 04/25/05 | 04/27/05 | EPA 8260B | |
| Hexachlorobutadiene | ND | 10.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 5.00 | " | " | " | " | " | " | |
| Methylene chloride | ND | 0.386 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 0.290 | " | " | " | " | " | " | |
| Naphthalene | ND | 8.00 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 0.331 | " | " | " | " | " | " | |
| Tetrachloroethene | ND | 0.500 | " | " | " | " | " | " | |
| Toluene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2-Trichloroethane | ND | 0.145 | " | " | " | " | " | " | |
| Trichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 0.217 | " | " | " | " | " | " | |
| Total Xylenes | ND | 5.00 | " | " | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 94.8 % | | 82.1-117 | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 91.8 % | | 70.2-131 | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 101 % | | 74.1-125 | " | " | " | " | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 89.6 % | | 88.5-103 | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

General Chemistry
Great Lakes Analytical--Buffalo Grove

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|--------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW4 (W504159-01) Water Sampled: 04/19/05 12:20 Received: 04/21/05 16:30 | | | | | | | | | |
| Nitrate/Nitrite-Nitrogen | 5.59 | 0.250 | mg/l | 5 | 5040515 | 04/25/05 | 04/27/05 | EPA 353.2 | |
| Sulfate as SO4 | 58.9 | 10.0 | " | 1 | 5040535 | 04/26/05 | 04/27/05 | EPA 375.4 | |
| MW1P (W504159-02) Water Sampled: 04/19/05 13:20 Received: 04/21/05 16:30 | | | | | | | | | |
| Nitrate/Nitrite-Nitrogen | ND | 0.0500 | mg/l | 1 | 5040515 | 04/25/05 | 04/27/05 | EPA 353.2 | |
| Sulfate as SO4 | 105 | 10.0 | " | " | 5040535 | 04/26/05 | 04/27/05 | EPA 375.4 | |
| MW3 (W504159-03) Water Sampled: 04/19/05 13:50 Received: 04/21/05 16:30 | | | | | | | | | |
| Nitrate/Nitrite-Nitrogen | 0.299 | 0.0500 | mg/l | 1 | 5040515 | 04/25/05 | 04/27/05 | EPA 353.2 | |
| Sulfate as SO4 | 18.1 | 10.0 | " | " | 5040535 | 04/26/05 | 04/27/05 | EPA 375.4 | |
| MW2 (W504159-04) Water Sampled: 04/19/05 14:15 Received: 04/21/05 16:30 | | | | | | | | | |
| Nitrate/Nitrite-Nitrogen | 1.39 | 0.0500 | mg/l | 1 | 5040515 | 04/25/05 | 04/27/05 | EPA 353.2 | |
| Sulfate as SO4 | 30.4 | 10.0 | " | " | 5040535 | 04/26/05 | 04/27/05 | EPA 375.4 | |
| MW1 (W504159-05) Water Sampled: 04/19/05 14:30 Received: 04/21/05 16:30 | | | | | | | | | |
| Nitrate/Nitrite-Nitrogen | 4.56 | 0.250 | mg/l | 5 | 5040515 | 04/25/05 | 04/27/05 | EPA 353.2 | |
| Sulfate as SO4 | 24.1 | 10.0 | " | 1 | 5040535 | 04/26/05 | 04/27/05 | EPA 375.4 | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager

BT2
 2830 Dairy Drive
 Madison, WI 53718

 Project: 3918 Monona Dr.
 Project Number: 2325
 Project Manager: Stephen Sellwood

Reported:
 05/05/05 15:31

Dissolved Metals by EPA 6000/7000 Series Methods
Great Lakes Analytical--Buffalo Grove

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|---------------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW4 (W504159-01) Water Sampled: 04/19/05 12:20 Received: 04/21/05 16:30 | | | | | | | | | |
| Iron | ND | 0.100 | mg/l | 1 | 5040501 | 04/25/05 | 04/26/05 | EPA 6010B | |
| Manganese | ND | 0.0500 | " | " | " | " | " | " | |
| MW1P (W504159-02) Water Sampled: 04/19/05 13:20 Received: 04/21/05 16:30 | | | | | | | | | |
| Iron | 0.400 | 0.100 | mg/l | 1 | 5040501 | 04/25/05 | 04/26/05 | EPA 6010B | |
| Manganese | 0.339 | 0.0500 | " | " | " | " | " | " | |
| MW3 (W504159-03) Water Sampled: 04/19/05 13:50 Received: 04/21/05 16:30 | | | | | | | | | |
| Iron | ND | 0.100 | mg/l | 1 | 5040501 | 04/25/05 | 04/26/05 | EPA 6010B | |
| Manganese | 0.0631 | 0.0500 | " | " | " | " | " | " | |
| MW2 (W504159-04) Water Sampled: 04/19/05 14:15 Received: 04/21/05 16:30 | | | | | | | | | |
| Iron | 0.174 | 0.100 | mg/l | 1 | 5040501 | 04/25/05 | 04/26/05 | EPA 6010B | |
| Manganese | 0.161 | 0.0500 | " | " | " | " | " | " | |
| MW1 (W504159-05) Water Sampled: 04/19/05 14:30 Received: 04/21/05 16:30 | | | | | | | | | |
| Iron | ND | 0.100 | mg/l | 1 | 5040501 | 04/25/05 | 04/26/05 | EPA 6010B | |
| Manganese | ND | 0.0500 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 5040064 - EPA 5030B (P/T)

Blank (5040064-BLK1)

Prepared: 04/25/05 Analyzed: 04/26/05

| | | | | | | | | | | |
|-----------------------------|----|-------|------|--|--|--|--|--|--|--|
| Benzene | ND | 0.500 | ug/l | | | | | | | |
| Bromobenzene | ND | 5.00 | " | | | | | | | |
| Bromodichloromethane | ND | 0.391 | " | | | | | | | |
| n-Butylbenzene | ND | 5.00 | " | | | | | | | |
| sec-Butylbenzene | ND | 5.00 | " | | | | | | | |
| tert-Butylbenzene | ND | 5.00 | " | | | | | | | |
| Carbon tetrachloride | ND | 0.372 | " | | | | | | | |
| Chlorobenzene | ND | 5.00 | " | | | | | | | |
| Chloroethane | ND | 5.00 | " | | | | | | | |
| Chloroform | ND | 0.316 | " | | | | | | | |
| Chloromethane | ND | 0.448 | " | | | | | | | |
| 2-Chlorotoluene | ND | 5.00 | " | | | | | | | |
| 4-Chlorotoluene | ND | 5.00 | " | | | | | | | |
| Dibromochloromethane | ND | 5.00 | " | | | | | | | |
| 1,2-Dibromo-3-chloropropane | ND | 0.264 | " | | | | | | | |
| 1,2-Dibromoethane | ND | 0.251 | " | | | | | | | |
| 1,2-Dichlorobenzene | ND | 5.00 | " | | | | | | | |
| 1,3-Dichlorobenzene | ND | 5.00 | " | | | | | | | |
| 1,4-Dichlorobenzene | ND | 5.00 | " | | | | | | | |
| Dichlorodifluoromethane | ND | 5.00 | " | | | | | | | |
| 1,1-Dichloroethane | ND | 5.00 | " | | | | | | | |
| 1,2-Dichloroethane | ND | 0.500 | " | | | | | | | |
| 1,1-Dichloroethene | ND | 0.500 | " | | | | | | | |
| cis-1,2-Dichloroethene | ND | 5.00 | " | | | | | | | |
| trans-1,2-Dichloroethene | ND | 5.00 | " | | | | | | | |
| 1,2-Dichloropropane | ND | 0.500 | " | | | | | | | |
| 1,3-Dichloropropane | ND | 5.00 | " | | | | | | | |
| 2,2-Dichloropropane | ND | 5.00 | " | | | | | | | |
| Di-isopropyl ether | ND | 5.00 | " | | | | | | | |
| Ethylbenzene | ND | 5.00 | " | | | | | | | |
| Hexachlorobutadiene | ND | 10.0 | " | | | | | | | |
| Isopropylbenzene | ND | 5.00 | " | | | | | | | |
| p-Isopropyltoluene | ND | 5.00 | " | | | | | | | |
| Methylene chloride | ND | 0.386 | " | | | | | | | |
| Methyl tert-butyl ether | ND | 0.290 | " | | | | | | | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

**WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 5040064 - EPA 5030B (P/T)

Blank (5040064-BLK1)

Prepared: 04/25/05 Analyzed: 04/26/05

| | | | | | | | | | | |
|---------------------------|----|-------|------|--|--|--|--|--|--|--|
| Naphthalene | ND | 8.00 | ug/l | | | | | | | |
| n-Propylbenzene | ND | 5.00 | " | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.331 | " | | | | | | | |
| Tetrachloroethene | ND | 0.500 | " | | | | | | | |
| Toluene | ND | 5.00 | " | | | | | | | |
| 1,2,3-Trichlorobenzene | ND | 10.0 | " | | | | | | | |
| 1,2,4-Trichlorobenzene | ND | 10.0 | " | | | | | | | |
| 1,1,1-Trichloroethane | ND | 5.00 | " | | | | | | | |
| 1,1,2-Trichloroethane | ND | 0.145 | " | | | | | | | |
| Trichloroethene | ND | 0.500 | " | | | | | | | |
| Trichlorofluoromethane | ND | 5.00 | " | | | | | | | |
| 1,2,4-Trimethylbenzene | ND | 5.00 | " | | | | | | | |
| 1,3,5-Trimethylbenzene | ND | 5.00 | " | | | | | | | |
| Vinyl chloride | ND | 0.217 | " | | | | | | | |
| Total Xylenes | ND | 5.00 | " | | | | | | | |

| | | | | | | | | | | |
|----------------------------------|------|--|---|------|--|------|----------|--|--|--|
| Surrogate: Dibromofluoromethane | 48.6 | | " | 50.0 | | 97.2 | 82.1-117 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 45.5 | | " | 50.0 | | 91.0 | 70.2-131 | | | |
| Surrogate: Toluene-d8 | 50.2 | | " | 50.0 | | 100 | 74.1-125 | | | |
| Surrogate: 4-Bromofluorobenzene | 45.7 | | " | 50.0 | | 91.4 | 88.5-103 | | | |

LCS (5040064-BS1)

Prepared: 04/25/05 Analyzed: 04/27/05

| | | | | | | | | | | |
|-----------------------------|------|-------|------|------|--|------|--------|--|--|--|
| Benzene | 18.0 | 0.500 | ug/l | 20.0 | | 90.0 | 70-130 | | | |
| Bromobenzene | 16.9 | 5.00 | " | 20.0 | | 84.5 | 70-130 | | | |
| Bromodichloromethane | 16.9 | 0.391 | " | 20.0 | | 84.5 | 70-130 | | | |
| n-Butylbenzene | 16.4 | 5.00 | " | 20.0 | | 82.0 | 70-130 | | | |
| sec-Butylbenzene | 18.1 | 5.00 | " | 20.0 | | 90.5 | 70-130 | | | |
| tert-Butylbenzene | 16.6 | 5.00 | " | 20.0 | | 83.0 | 70-130 | | | |
| Carbon tetrachloride | 16.6 | 0.372 | " | 20.0 | | 83.0 | 70-130 | | | |
| Chlorobenzene | 17.2 | 5.00 | " | 20.0 | | 86.0 | 70-130 | | | |
| Chloroethane | 19.9 | 5.00 | " | 20.0 | | 99.5 | 70-130 | | | |
| Chloroform | 17.7 | 0.316 | " | 20.0 | | 88.5 | 70-130 | | | |
| Chloromethane | 19.8 | 0.448 | " | 20.0 | | 99.0 | 70-130 | | | |
| 2-Chlorotoluene | 18.5 | 5.00 | " | 20.0 | | 92.5 | 70-130 | | | |
| 4-Chlorotoluene | 17.6 | 5.00 | " | 20.0 | | 88.0 | 70-130 | | | |
| Dibromochloromethane | 15.8 | 5.00 | " | 20.0 | | 79.0 | 70-130 | | | |
| 1,2-Dibromo-3-chloropropane | 15.6 | 0.264 | " | 20.0 | | 78.0 | 70-130 | | | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 5040064 - EPA 5030B (P/T)

LCS (5040064-BS1)

Prepared: 04/25/05 Analyzed: 04/27/05

| | | | | | | | | | | |
|---------------------------|------|-------|------|------|--|------|--------|--|--|---|
| 1,2-Dibromoethane | 16.6 | 0.251 | ug/l | 20.0 | | 83.0 | 70-130 | | | |
| 1,2-Dichlorobenzene | 17.7 | 5.00 | " | 20.0 | | 88.5 | 70-130 | | | |
| 1,3-Dichlorobenzene | 16.7 | 5.00 | " | 20.0 | | 83.5 | 70-130 | | | |
| 1,4-Dichlorobenzene | 16.4 | 5.00 | " | 20.0 | | 82.0 | 70-130 | | | |
| Dichlorodifluoromethane | 17.0 | 5.00 | " | 20.0 | | 85.0 | 70-130 | | | |
| 1,1-Dichloroethane | 16.8 | 5.00 | " | 20.0 | | 84.0 | 70-130 | | | |
| 1,2-Dichloroethane | 16.9 | 0.500 | " | 20.0 | | 84.5 | 70-130 | | | |
| 1,1-Dichloroethene | 15.1 | 0.500 | " | 20.0 | | 75.5 | 70-130 | | | |
| cis-1,2-Dichloroethene | 17.6 | 5.00 | " | 20.0 | | 88.0 | 70-130 | | | |
| trans-1,2-Dichloroethene | 16.2 | 5.00 | " | 20.0 | | 81.0 | 70-130 | | | |
| 1,2-Dichloropropane | 18.4 | 0.500 | " | 20.0 | | 92.0 | 70-130 | | | |
| 1,3-Dichloropropane | 16.8 | 5.00 | " | 20.0 | | 84.0 | 70-130 | | | |
| 2,2-Dichloropropane | 15.8 | 5.00 | " | 20.0 | | 79.0 | 70-130 | | | |
| Di-isopropyl ether | 33.8 | 5.00 | " | 20.0 | | 169 | 70-130 | | | H |
| Ethylbenzene | 18.5 | 5.00 | " | 20.0 | | 92.5 | 70-130 | | | |
| Hexachlorobutadiene | 17.0 | 10.0 | " | 20.0 | | 85.0 | 70-130 | | | |
| Isopropylbenzene | 19.3 | 5.00 | " | 20.0 | | 96.5 | 70-130 | | | |
| p-Isopropyltoluene | 17.5 | 5.00 | " | 20.0 | | 87.5 | 70-130 | | | |
| Methylene chloride | 16.1 | 0.386 | " | 20.0 | | 80.5 | 70-130 | | | |
| Methyl tert-butyl ether | 16.2 | 0.290 | " | 20.0 | | 81.0 | 70-130 | | | |
| Naphthalene | 15.7 | 8.00 | " | 20.0 | | 78.5 | 70-130 | | | |
| n-Propylbenzene | 16.5 | 5.00 | " | 20.0 | | 82.5 | 70-130 | | | |
| 1,1,2,2-Tetrachloroethane | 16.4 | 0.331 | " | 20.0 | | 82.0 | 70-130 | | | |
| Tetrachloroethene | 16.6 | 0.500 | " | 20.0 | | 83.0 | 70-130 | | | |
| Toluene | 16.2 | 5.00 | " | 20.0 | | 81.0 | 70-130 | | | |
| 1,2,3-Trichlorobenzene | 16.0 | 10.0 | " | 20.0 | | 80.0 | 70-130 | | | |
| 1,2,4-Trichlorobenzene | 14.7 | 10.0 | " | 20.0 | | 73.5 | 70-130 | | | |
| 1,1,1-Trichloroethane | 16.0 | 5.00 | " | 20.0 | | 80.0 | 70-130 | | | |
| 1,1,2-Trichloroethane | 17.7 | 0.145 | " | 20.0 | | 88.5 | 70-130 | | | |
| Trichloroethene | 18.0 | 0.500 | " | 20.0 | | 90.0 | 70-130 | | | |
| Trichlorofluoromethane | 19.1 | 5.00 | " | 20.0 | | 95.5 | 70-130 | | | |
| 1,2,4-Trimethylbenzene | 17.5 | 5.00 | " | 20.0 | | 87.5 | 70-130 | | | |
| 1,3,5-Trimethylbenzene | 16.3 | 5.00 | " | 20.0 | | 81.5 | 70-130 | | | |
| Vinyl chloride | 18.1 | 0.217 | " | 20.0 | | 90.5 | 70-130 | | | |
| Total Xylenes | 53.4 | 5.00 | " | 60.0 | | 89.0 | 70-130 | | | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

**WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 5040064 - EPA 5030B (P/T)

LCS (5040064-BS1)

Prepared: 04/25/05 Analyzed: 04/27/05

| | | | | | | | | | | |
|----------------------------------|------|--|------|------|--|------|----------|--|--|--|
| Surrogate: Dibromofluoromethane | 48.5 | | ug/l | 50.0 | | 97.0 | 82.1-117 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 46.8 | | " | 50.0 | | 93.6 | 70.2-131 | | | |
| Surrogate: Toluene-d8 | 47.5 | | " | 50.0 | | 95.0 | 74.1-125 | | | |
| Surrogate: 4-Bromofluorobenzene | 45.8 | | " | 50.0 | | 91.6 | 88.5-103 | | | |

Matrix Spike (5040064-MS1)

Source: W504157-07

Prepared: 04/25/05 Analyzed: 04/27/05

| | | | | | | | | | | |
|-----------------------------|------|-------|------|------|----|------|----------|--|--|---|
| Benzene | 19.8 | 0.500 | ug/l | 20.0 | ND | 99.0 | 71.3-120 | | | |
| Bromobenzene | 19.5 | 5.00 | " | 20.0 | ND | 97.5 | 71.1-118 | | | |
| Bromodichloromethane | 18.5 | 0.391 | " | 20.0 | ND | 92.5 | 70.3-135 | | | |
| n-Butylbenzene | 18.4 | 5.00 | " | 20.0 | ND | 92.0 | 55.4-128 | | | |
| sec-Butylbenzene | 20.5 | 5.00 | " | 20.0 | ND | 102 | 64.2-120 | | | |
| tert-Butylbenzene | 18.8 | 5.00 | " | 20.0 | ND | 94.0 | 54.9-126 | | | |
| Carbon tetrachloride | 18.0 | 0.372 | " | 20.0 | ND | 90.0 | 52.7-138 | | | |
| Chlorobenzene | 18.4 | 5.00 | " | 20.0 | ND | 92.0 | 73.1-111 | | | |
| Chloroethane | 23.9 | 5.00 | " | 20.0 | ND | 120 | 47.7-133 | | | |
| Chloroform | 18.7 | 0.316 | " | 20.0 | ND | 93.5 | 69.1-126 | | | |
| Chloromethane | 18.9 | 0.448 | " | 20.0 | ND | 94.5 | 50.7-120 | | | |
| 2-Chlorotoluene | 20.9 | 5.00 | " | 20.0 | ND | 104 | 63.4-119 | | | |
| 4-Chlorotoluene | 19.8 | 5.00 | " | 20.0 | ND | 99.0 | 65.9-126 | | | |
| Dibromochloromethane | 17.3 | 5.00 | " | 20.0 | ND | 86.5 | 67.4-116 | | | |
| 1,2-Dibromo-3-chloropropane | 17.4 | 0.264 | " | 20.0 | ND | 87.0 | 56.6-138 | | | |
| 1,2-Dibromoethane | 18.4 | 0.251 | " | 20.0 | ND | 92.0 | 69.2-114 | | | |
| 1,2-Dichlorobenzene | 19.7 | 5.00 | " | 20.0 | ND | 98.5 | 70.7-124 | | | |
| 1,3-Dichlorobenzene | 18.7 | 5.00 | " | 20.0 | ND | 93.5 | 71.1-119 | | | |
| 1,4-Dichlorobenzene | 18.2 | 5.00 | " | 20.0 | ND | 91.0 | 69.6-115 | | | |
| Dichlorodifluoromethane | 17.4 | 5.00 | " | 20.0 | ND | 87.0 | 53.1-124 | | | |
| 1,1-Dichloroethane | 17.9 | 5.00 | " | 20.0 | ND | 89.5 | 68.6-131 | | | |
| 1,2-Dichloroethane | 18.1 | 0.500 | " | 20.0 | ND | 90.5 | 63.1-125 | | | |
| 1,1-Dichloroethene | 16.0 | 0.500 | " | 20.0 | ND | 80.0 | 59.5-115 | | | |
| cis-1,2-Dichloroethene | 17.8 | 5.00 | " | 20.0 | ND | 89.0 | 66.6-131 | | | |
| trans-1,2-Dichloroethene | 17.3 | 5.00 | " | 20.0 | ND | 86.5 | 57.2-132 | | | |
| 1,2-Dichloropropane | 19.5 | 0.500 | " | 20.0 | ND | 97.5 | 76.4-120 | | | |
| 1,3-Dichloropropane | 18.0 | 5.00 | " | 20.0 | ND | 90.0 | 72.3-111 | | | |
| 2,2-Dichloropropane | 16.2 | 5.00 | " | 20.0 | ND | 81.0 | 57.9-117 | | | |
| Di-isopropyl ether | 35.3 | 5.00 | " | 20.0 | ND | 176 | 59.2-122 | | | H |
| Ethylbenzene | 20.3 | 5.00 | " | 20.0 | ND | 102 | 64.7-130 | | | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 5040064 - EPA 5030B (P/T)

| Matrix Spike (5040064-MS1) | Source: W504157-07 | | | Prepared: 04/25/05 | | Analyzed: 04/27/05 | | | | |
|---|---------------------------|-------|----------|---------------------------|----|---------------------------|-----------------|--|--|--|
| Hexachlorobutadiene | 19.0 | 10.0 | ug/l | 20.0 | ND | 95.0 | 63.3-127 | | | |
| Isopropylbenzene | 20.8 | 5.00 | " | 20.0 | ND | 104 | 55.1-132 | | | |
| p-Isopropyltoluene | 19.8 | 5.00 | " | 20.0 | ND | 99.0 | 54.8-128 | | | |
| Methylene chloride | 16.4 | 0.386 | " | 20.0 | ND | 82.0 | 62.8-130 | | | |
| Methyl tert-butyl ether | 17.3 | 0.290 | " | 20.0 | ND | 86.5 | 54.5-125 | | | |
| Naphthalene | 18.3 | 8.00 | " | 20.0 | ND | 91.5 | 48.5-135 | | | |
| n-Propylbenzene | 17.7 | 5.00 | " | 20.0 | ND | 88.5 | 64.6-125 | | | |
| 1,1,2,2-Tetrachloroethane | 18.6 | 0.331 | " | 20.0 | ND | 93.0 | 67.8-125 | | | |
| Tetrachloroethene | 17.9 | 0.500 | " | 20.0 | ND | 89.5 | 66.8-110 | | | |
| Toluene | 17.5 | 5.00 | " | 20.0 | ND | 87.5 | 72.5-108 | | | |
| 1,2,3-Trichlorobenzene | 18.4 | 10.0 | " | 20.0 | ND | 92.0 | 57.4-135 | | | |
| 1,2,4-Trichlorobenzene | 16.3 | 10.0 | " | 20.0 | ND | 81.5 | 56.9-124 | | | |
| 1,1,1-Trichloroethane | 17.7 | 5.00 | " | 20.0 | ND | 88.5 | 59.8-129 | | | |
| 1,1,2-Trichloroethane | 18.6 | 0.145 | " | 20.0 | ND | 93.0 | 74.5-115 | | | |
| Trichloroethene | 18.8 | 0.500 | " | 20.0 | ND | 94.0 | 68.1-116 | | | |
| Trichlorofluoromethane | 20.5 | 5.00 | " | 20.0 | ND | 102 | 57.4-150 | | | |
| 1,2,4-Trimethylbenzene | 19.8 | 5.00 | " | 20.0 | ND | 99.0 | 57-126 | | | |
| 1,3,5-Trimethylbenzene | 18.4 | 5.00 | " | 20.0 | ND | 92.0 | 56.2-126 | | | |
| Vinyl chloride | 26.3 | 0.217 | " | 20.0 | ND | 132 | 59.4-139 | | | |
| Total Xylenes | 57.8 | 5.00 | " | 60.0 | ND | 96.3 | 66.9-119 | | | |
| <i>Surrogate: Dibromofluoromethane</i> | <i>46.5</i> | | <i>"</i> | <i>50.0</i> | | <i>93.0</i> | <i>82.1-117</i> | | | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | <i>45.1</i> | | <i>"</i> | <i>50.0</i> | | <i>90.2</i> | <i>70.2-131</i> | | | |
| <i>Surrogate: Toluene-d8</i> | <i>47.8</i> | | <i>"</i> | <i>50.0</i> | | <i>95.6</i> | <i>74.1-125</i> | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>45.8</i> | | <i>"</i> | <i>50.0</i> | | <i>91.6</i> | <i>88.5-103</i> | | | |

| Matrix Spike Dup (5040064-MSD1) | Source: W504157-07 | | | Prepared: 04/25/05 | | Analyzed: 04/27/05 | | | | |
|--|---------------------------|-------|------|---------------------------|----|---------------------------|----------|------|------|--|
| Benzene | 20.2 | 0.500 | ug/l | 20.0 | ND | 101 | 71.3-120 | 2.00 | 23.7 | |
| Bromobenzene | 20.4 | 5.00 | " | 20.0 | ND | 102 | 71.1-118 | 4.51 | 26.7 | |
| Bromodichloromethane | 19.7 | 0.391 | " | 20.0 | ND | 98.5 | 70.3-135 | 6.28 | 26 | |
| n-Butylbenzene | 19.3 | 5.00 | " | 20.0 | ND | 96.5 | 55.4-128 | 4.77 | 38.2 | |
| sec-Butylbenzene | 21.8 | 5.00 | " | 20.0 | ND | 109 | 64.2-120 | 6.15 | 35.2 | |
| tert-Butylbenzene | 19.6 | 5.00 | " | 20.0 | ND | 98.0 | 54.9-126 | 4.17 | 30.6 | |
| Carbon tetrachloride | 19.5 | 0.372 | " | 20.0 | ND | 97.5 | 52.7-138 | 8.00 | 29.5 | |
| Chlorobenzene | 19.8 | 5.00 | " | 20.0 | ND | 99.0 | 73.1-111 | 7.33 | 23.1 | |
| Chloroethane | 26.6 | 5.00 | " | 20.0 | ND | 133 | 47.7-133 | 10.7 | 28.6 | |
| Chloroform | 19.8 | 0.316 | " | 20.0 | ND | 99.0 | 69.1-126 | 5.71 | 22.7 | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 5040064 - EPA 5030B (P/T)

Matrix Spike Dup (5040064-MSD1)

Source: W504157-07

Prepared: 04/25/05

Analyzed: 04/27/05

| | | | | | | | | | | |
|-----------------------------|------|-------|------|------|----|------|----------|------|------|---|
| Chloromethane | 19.1 | 0.448 | ug/l | 20.0 | ND | 95.5 | 50.7-120 | 1.05 | 40 | |
| 2-Chlorotoluene | 21.9 | 5.00 | " | 20.0 | ND | 110 | 63.4-119 | 4.67 | 25.6 | |
| 4-Chlorotoluene | 21.1 | 5.00 | " | 20.0 | ND | 106 | 65.9-126 | 6.36 | 26.3 | |
| Dibromochloromethane | 18.4 | 5.00 | " | 20.0 | ND | 92.0 | 67.4-116 | 6.16 | 27.4 | |
| 1,2-Dibromo-3-chloropropane | 19.6 | 0.264 | " | 20.0 | ND | 98.0 | 56.6-138 | 11.9 | 38.9 | |
| 1,2-Dibromoethane | 19.3 | 0.251 | " | 20.0 | ND | 96.5 | 69.2-114 | 4.77 | 20.7 | |
| 1,2-Dichlorobenzene | 21.1 | 5.00 | " | 20.0 | ND | 106 | 70.7-124 | 6.86 | 25.4 | |
| 1,3-Dichlorobenzene | 20.0 | 5.00 | " | 20.0 | ND | 100 | 71.1-119 | 6.72 | 25.6 | |
| 1,4-Dichlorobenzene | 19.6 | 5.00 | " | 20.0 | ND | 98.0 | 69.6-115 | 7.41 | 26 | |
| Dichlorodifluoromethane | 18.2 | 5.00 | " | 20.0 | ND | 91.0 | 53.1-124 | 4.49 | 25.5 | |
| 1,1-Dichloroethane | 18.2 | 5.00 | " | 20.0 | ND | 91.0 | 68.6-131 | 1.66 | 22.1 | |
| 1,2-Dichloroethane | 18.1 | 0.500 | " | 20.0 | ND | 90.5 | 63.1-125 | 0.00 | 25.5 | |
| 1,1-Dichloroethene | 16.3 | 0.500 | " | 20.0 | ND | 81.5 | 59.5-115 | 1.86 | 23.3 | |
| cis-1,2-Dichloroethene | 17.8 | 5.00 | " | 20.0 | ND | 89.0 | 66.6-131 | 0.00 | 27.4 | |
| trans-1,2-Dichloroethene | 17.6 | 5.00 | " | 20.0 | ND | 88.0 | 57.2-132 | 1.72 | 26.4 | |
| 1,2-Dichloropropane | 20.8 | 0.500 | " | 20.0 | ND | 104 | 76.4-120 | 6.45 | 23.3 | |
| 1,3-Dichloropropane | 19.7 | 5.00 | " | 20.0 | ND | 98.5 | 72.3-111 | 9.02 | 23 | |
| 2,2-Dichloropropane | 16.8 | 5.00 | " | 20.0 | ND | 84.0 | 57.9-117 | 3.64 | 25.1 | |
| Di-isopropyl ether | 36.9 | 5.00 | " | 20.0 | ND | 184 | 59.2-122 | 4.43 | 28.6 | H |
| Ethylbenzene | 21.6 | 5.00 | " | 20.0 | ND | 108 | 64.7-130 | 6.21 | 25.7 | |
| Hexachlorobutadiene | 20.4 | 10.0 | " | 20.0 | ND | 102 | 63.3-127 | 7.11 | 40 | |
| Isopropylbenzene | 22.4 | 5.00 | " | 20.0 | ND | 112 | 55.1-132 | 7.41 | 28.5 | |
| p-Isopropyltoluene | 20.8 | 5.00 | " | 20.0 | ND | 104 | 54.8-128 | 4.93 | 35.3 | |
| Methylene chloride | 16.4 | 0.386 | " | 20.0 | ND | 82.0 | 62.8-130 | 0.00 | 23.7 | |
| Methyl tert-butyl ether | 18.1 | 0.290 | " | 20.0 | ND | 90.5 | 54.5-125 | 4.52 | 40 | |
| Naphthalene | 20.2 | 8.00 | " | 20.0 | ND | 101 | 48.5-135 | 9.87 | 40 | |
| n-Propylbenzene | 18.6 | 5.00 | " | 20.0 | ND | 93.0 | 64.6-125 | 4.96 | 34.7 | |
| 1,1,1,2-Tetrachloroethane | 19.5 | 0.331 | " | 20.0 | ND | 97.5 | 67.8-125 | 4.72 | 22.5 | |
| Tetrachloroethene | 19.5 | 0.500 | " | 20.0 | ND | 97.5 | 66.8-110 | 8.56 | 24.6 | |
| Toluene | 18.8 | 5.00 | " | 20.0 | ND | 94.0 | 72.5-108 | 7.16 | 23.1 | |
| 1,2,3-Trichlorobenzene | 19.9 | 10.0 | " | 20.0 | ND | 99.5 | 57.4-135 | 7.83 | 31.8 | |
| 1,2,4-Trichlorobenzene | 18.1 | 10.0 | " | 20.0 | ND | 90.5 | 56.9-124 | 10.5 | 31.2 | |
| 1,1,1-Trichloroethane | 18.2 | 5.00 | " | 20.0 | ND | 91.0 | 59.8-129 | 2.79 | 21.8 | |
| 1,1,2-Trichloroethane | 20.4 | 0.145 | " | 20.0 | ND | 102 | 74.5-115 | 9.23 | 23.7 | |
| Trichloroethene | 19.8 | 0.500 | " | 20.0 | ND | 99.0 | 68.1-116 | 5.18 | 25.5 | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

**WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 5040064 - EPA 5030B (P/T)

Matrix Spike Dup (5040064-MSD1)

Source: W504157-07 Prepared: 04/25/05 Analyzed: 04/27/05

| | | | | | | | | | | |
|----------------------------------|------|-------|------|------|----|------|----------|-------|------|---|
| Trichlorofluoromethane | 20.7 | 5.00 | ug/l | 20.0 | ND | 104 | 57.4-150 | 0.971 | 29.4 | |
| 1,2,4-Trimethylbenzene | 20.5 | 5.00 | " | 20.0 | ND | 102 | 57-126 | 3.47 | 28.7 | |
| 1,3,5-Trimethylbenzene | 19.4 | 5.00 | " | 20.0 | ND | 97.0 | 56.2-126 | 5.29 | 31 | |
| Vinyl chloride | 29.6 | 0.217 | " | 20.0 | ND | 148 | 59.4-139 | 11.8 | 34.5 | H |
| Total Xylenes | 62.2 | 5.00 | " | 60.0 | ND | 104 | 66.9-119 | 7.33 | 24.3 | |
| Surrogate: Dibromofluoromethane | 46.7 | | " | 50.0 | | 93.4 | 82.1-117 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 45.4 | | " | 50.0 | | 90.8 | 70.2-131 | | | |
| Surrogate: Toluene-d8 | 48.6 | | " | 50.0 | | 97.2 | 74.1-125 | | | |
| Surrogate: 4-Bromofluorobenzene | 46.1 | | " | 50.0 | | 92.2 | 88.5-103 | | | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

General Chemistry - Quality Control
Great Lakes Analytical--Buffalo Grove

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 5040515 - General Prep WC

Blank (5040515-BLK1)

Prepared & Analyzed: 04/25/05

Nitrate/Nitrite-Nitrogen ND 0.0500 mg/l

LCS (5040515-BS1)

Prepared & Analyzed: 04/25/05

Nitrate/Nitrite-Nitrogen 1.06 0.100 mg/l 1.00 106 90-121

Matrix Spike (5040515-MS1)

Source: B504343-01

Prepared & Analyzed: 04/25/05

Nitrate/Nitrite-Nitrogen 1.49 0.100 mg/l 1.00 0.325 116 78.3-125

Matrix Spike Dup (5040515-MSD1)

Source: B504343-01

Prepared & Analyzed: 04/25/05

Nitrate/Nitrite-Nitrogen 1.36 0.100 mg/l 1.00 0.325 104 78.3-125 9.12 10.1

Batch 5040535 - General Prep WC

Blank (5040535-BLK1)

Prepared: 04/26/05 Analyzed: 04/27/05

Sulfate as SO4 ND 10.0 mg/l

LCS (5040535-BS1)

Prepared: 04/26/05 Analyzed: 04/27/05

Sulfate as SO4 59.8 10.0 mg/l 60.0 99.7 88.1-114

Matrix Spike (5040535-MS1)

Source: B504343-01

Prepared: 04/26/05 Analyzed: 04/27/05

Sulfate as SO4 77.9 10.0 mg/l 60.0 15.7 104 74.9-128

Matrix Spike Dup (5040535-MSD1)

Source: B504343-01

Prepared: 04/26/05 Analyzed: 04/27/05

Sulfate as SO4 78.3 10.0 mg/l 60.0 15.7 104 74.9-128 0.512 10

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

Dissolved Metals by EPA 6000/7000 Series Methods - Quality Control
Great Lakes Analytical--Buffalo Grove

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|--|--------|---------------------------|-------|---------------------------------------|---------------------------------------|------|-------------|------|-----------|-------|
| Batch 5040501 - EPA 3005A | | | | | | | | | | |
| Blank (5040501-BLK1) | | | | | | | | | | |
| | | | | Prepared: 04/25/05 Analyzed: 04/26/05 | | | | | | |
| Iron | ND | 0.100 | mg/l | | | | | | | |
| Manganese | ND | 0.0500 | " | | | | | | | |
| LCS (5040501-BS1) | | | | | | | | | | |
| | | | | Prepared: 04/25/05 Analyzed: 04/26/05 | | | | | | |
| Iron | 2.04 | 0.100 | mg/l | 2.00 | | 102 | 90-113 | | | |
| Manganese | 2.06 | 0.0500 | " | 2.00 | | 103 | 90-110 | | | |
| Matrix Spike (5040501-MS1) | | | | | | | | | | |
| | | Source: B504329-01 | | | Prepared: 04/25/05 Analyzed: 04/26/05 | | | | | |
| Iron | 3.87 | 0.100 | mg/l | 2.00 | 1.78 | 104 | 76.3-122 | | | |
| Manganese | 3.37 | 0.0500 | " | 2.00 | 1.32 | 102 | 84-114 | | | |
| Matrix Spike Dup (5040501-MSD1) | | | | | | | | | | |
| | | Source: B504329-01 | | | Prepared: 04/25/05 Analyzed: 04/26/05 | | | | | |
| Iron | 3.97 | 0.100 | mg/l | 2.00 | 1.78 | 110 | 76.3-122 | 2.55 | 10 | |
| Manganese | 3.45 | 0.0500 | " | 2.00 | 1.32 | 106 | 84-114 | 2.35 | 10 | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager

BT2
2830 Dairy Drive
Madison, WI 53718

Project: 3918 Monona Dr.
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
05/05/05 15:31

Notes and Definitions

- QC The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- L This quality control measurement is below the laboratory established limit.
- H This quality control measurement is above the laboratory established limit.
- * The laboratory is not NELAP accredited for this analyte.
- ** The State of Illinois Accrediting Authority does not offer NELAP accreditation for this analyte.

Note: All analytes, by matrix and method, are accredited following current NELAP standards unless specifically noted by way of a qualifier listed above.

Great Lakes Analytical--Buffalo Grove, IL Wisconsin DNR Certification Lab ID: 999917160

Great Lakes Analytical--Buffalo Grove, IL NELAP Primary Accreditation: Illinois #100261

Great Lakes Analytical--Buffalo Grove, IL NELAP Secondary Accreditation: New Jersey #IL001

Great Lakes Analytical--Oak Creek, WI Wisconsin DNR Certification Lab ID: 341000330

Great Lakes Analytical--Oak Creek, WI NELAP Primary Accreditation: Illinois #100307



Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Michael Laupan For Andrea Stathas, Project Manager

414036

SUBCONTRACT ORDER
Great Lakes Analytical--Oak Creek
W504159

SENDING LABORATORY:

Great Lakes Analytical--Oak Creek
140 E. Ryan Road
Oak Creek, WI 53154
Phone: (414)-570-9460
Fax: (414)-570-9461
Project Manager: Andrea Stathas

RECEIVING LABORATORY:

Test America - Nashville
2960 Foster Creighton Drive
Nashville, TN 37204
Phone : (800) 765-0980
Fax: (615) 726-3404

| Analysis | Due | Expires | Laboratory ID | Comments | |
|---|----------------|------------------------|---------------|----------|--|
| Sample ID: W504159-01 | Water | Sampled:04/19/05 12:20 | 58761 | | |
| TOC water | 04/28/05 17:00 | 05/03/05 12:20 | ↓ | | |
| <i>Containers Supplied:</i> 250 ml Amber - H2SO4 (| | | | | |
| Sample ID: W504159-02 | Water | Sampled:04/19/05 13:20 | | 62 | |
| TOC water | 04/28/05 17:00 | 05/03/05 13:20 | | ↓ | |
| <i>Containers Supplied:</i> 250 ml Amber - H2SO4 (| | | | | |
| Sample ID: W504159-03 | Water | Sampled:04/19/05 13:50 | 63 | | |
| TOC water | 04/28/05 17:00 | 05/03/05 13:50 | ↓ | | |
| <i>Containers Supplied:</i> 250 ml Amber - H2SO4 (| | | | | |
| Sample ID: W504159-04 | Water | Sampled:04/19/05 14:15 | 64 | | |
| TOC water | 04/28/05 17:00 | 05/03/05 14:15 | ↓ | | |
| <i>Containers Supplied:</i> 250 ml Amber - H2SO4 (| | | | | |
| Sample ID: W504159-05 | Water | Sampled:04/19/05 14:30 | 65 | | |
| TOC water | 04/28/05 17:00 | 05/03/05 14:30 | ↓ | | |
| <i>Containers Supplied:</i> 250 ml Amber - H2SO4 (| | | | | |


Released By des Date 4/28/05 Received By [Signature] Date 4/26/05 745

Released By _____ Date _____ Received By _____ Date _____

Nashville Division

COOLER RECEIPT FORM

BC#



Client Name : OLA

Cooler Received/Opened On: 04/26/05 Accessioned By: Benjamin C. Wright

Log-in Personnel Signature

1. Temperature of Cooler when triaged: 4.2 Degrees Celsius
2. Were custody seals on outside of cooler?..... YES...NO...NA
a. If yes, how many and where: _____
3. Were custody seals on containers ?..... NO...YES...NA
4. Were the seals intact, signed, and dated correctly?..... YES...NO...NA
5. Were custody papers inside cooler?..... YES...NO...NA
6. Were custody papers properly filled out (ink, signed, etc)?..... YES...NO...NA
7. Did you sign the custody papers in the appropriate place?..... YES...NO...NA
8. What kind of packing material used? Bubblewrap Peanuts Vermiculite Other None
9. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None
10. Did all containers arrive in good condition (unbroken)?..... YES...NO...NA
11. Were all container labels complete (#, date, signed, pres., etc)?..... YES...NO...NA
12. Did all container labels and tags agree with custody papers?..... YES...NO...NA
13. Were correct containers used for the analysis requested?..... YES...NO...NA
14. a. Were VOA vials received?..... YES...NO...NA
b. Was there any observable head space present in any VOA vial?..... NO...YES...NA
15. Was sufficient amount of sample sent in each container?..... YES...NO...NA
16. Were correct preservatives used?..... YES...NO...NA

If not, record standard ID of preservative used here _____

17. Was residual chlorine present?..... NO...YES...NA

18. Indicate the Airbill Tracking Number (last 4 digits for Fedex only) and Name of Courier below:

5535

Fed-Ex UPS Velocity DHL Route Off-street Misc.

19. If a Non-Conformance exists, see attached or comments below:

4/29/05

Great Lakes Analytical 11544
Michael Laupan
140 E. Ryan Rd.
Oak Creek, WI 53154

This report includes the analytical certificates of analysis for all samples listed below. These samples relate to your project identified below:

Project Name: W504159
Project Number: W504159.
Laboratory Project Number: 414036.

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. Any QC recoveries outside laboratory control limits are flagged individually with an #. Sample specific comments and quality control statements are included in the Laboratory notes section of the analytical report for each sample report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

Page 1

| Sample Identification | Lab Number | Collection Date |
|-----------------------|------------|-----------------|
| ----- | ----- | ----- |
| W504159-01 | 05-A58761 | 4/19/05 |
| W504159-02 | 05-A58762 | 4/19/05 |
| W504159-03 | 05-A58763 | 4/19/05 |
| W504159-04 | 05-A58764 | 4/19/05 |
| W504159-05 | 05-A58765 | 4/19/05 |


Sample Identification

Lab Number

Collection Date

These results relate only to the items tested.
This report shall not be reproduced except in full and with
permission of the laboratory.

Report Approved By:



Report Date: 4/29/05

Johnny A. Mitchell, Laboratory Director
Michael H. Dunn, M.S., Technical Director
Pamela A. Langford, Senior Project Manager
Eric S. Smith, QA/QC Director

Gail A. Lage, Senior Project Manager
Glenn L. Norton, Technical Services
Kelly S. Comstock, Technical Services
Roxanne L. Connor, Senior Project Manager

Laboratory Certification Number: 998020430

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

ANALYTICAL REPORT

Great Lakes Analytical 11544
Michael Laupan
140 E. Ryan Rd.
Oak Creek, WI 53154

Lab Number: 05-A58761
Sample ID: W504159-01
Sample Type: Water
Site ID:

Project: W504159
Project Name: W504159
Sampler:

Date Collected: 4/19/05
Time Collected: 12:20
Date Received: 4/26/05
Time Received: 7:45

| Parameter | Result | Flag | Units | Limit of Quantitation | Limit of Detection | Dilution Factor | Date | Time | Method | Analyst | Batch |
|----------------------------|--------|------|-------|-----------------------|--------------------|-----------------|---------|-------|--------|------------|-------|
| **Miscellaneous Parameters | | | | | | | | | | | |
| Total Organic Carbon | 3.18 | | mg/l | 1.00 | 0.500 | 1.0 | 4/28/05 | 12:17 | 415.1 | S. Prayter | 1544 |

LABORATORY COMMENTS:

- ND = Not detected at the limit of Quantitation.
- U = Analyte analyzed for but not detected.
- # = Recovery outside Laboratory historical or method prescribed limits.
- J = All results evaluated to the Limit of Detection for reporting. Values below the Limit of Quantitation but above the Limit of Detection are qualified with J as estimated.
- B = Analyte was detected in the method blank.
- E = Estimated Value above the calibration limit of the instrument.

ANALYTICAL REPORT

Great Lakes Analytical 11544
 Michael Laupan
 140 E. Ryan Rd.
 Oak Creek, WI 53154

Lab Number: 05-A58762
 Sample ID: W504159-02
 Sample Type: Water
 Site ID:

Project: W504159
 Project Name: W504159
 Sampler:

Date Collected: 4/19/05
 Time Collected: 13:20
 Date Received: 4/26/05
 Time Received: 7:45

| Parameter | Result | Flag | Units | Limit of Quantitation | Limit of Detection | Dilution Factor | Date | Time | Method | Analyst | Batch |
|-----------|--------|------|-------|-----------------------|--------------------|-----------------|------|------|--------|---------|-------|
|-----------|--------|------|-------|-----------------------|--------------------|-----------------|------|------|--------|---------|-------|

**Miscellaneous Parameters

| | | | | | | | | | | | |
|----------------------|------|--|------|------|-------|-----|---------|-------|-------|------------|------|
| Total Organic Carbon | 2.30 | | mg/l | 1.00 | 0.500 | 1.0 | 4/28/05 | 12:17 | 415.1 | S. Prayter | 1544 |
|----------------------|------|--|------|------|-------|-----|---------|-------|-------|------------|------|

LABORATORY COMMENTS:

- ND = Not detected at the limit of Quantitation.
- U = Analyte analyzed for but not detected.
- # = Recovery outside Laboratory historical or method prescribed limits.
- J = All results evaluated to the Limit of Detection for reporting. Values below the Limit of Quantitation but above the Limit of Detection are qualified with J as estimated.
- B = Analyte was detected in the method blank.
- E = Estimated Value above the calibration limit of the instrument.

ANALYTICAL REPORT

Great Lakes Analytical 11544
Michael Laupan
140 E. Ryan Rd.
Oak Creek, WI 53154

Lab Number: 05-A58763
Sample ID: W504159-03
Sample Type: Water
Site ID:

Project: W504159
Project Name: W504159
Sampler:

Date Collected: 4/19/05
Time Collected: 13:50
Date Received: 4/26/05
Time Received: 7:45

| Parameter | Result | Flag | Units | Limit of Quantitation | Limit of Detection | Dilution Factor | Date | Time | Method | Analyst | Batch |
|-----------|--------|------|-------|-----------------------|--------------------|-----------------|------|------|--------|---------|-------|
|-----------|--------|------|-------|-----------------------|--------------------|-----------------|------|------|--------|---------|-------|

****Miscellaneous Parameters**

| | | | | | | | | | | | |
|----------------------|------|--|------|------|-------|-----|---------|-------|-------|------------|------|
| Total Organic Carbon | 4.20 | | mg/l | 1.00 | 0.500 | 1.0 | 4/28/05 | 12:17 | 415.1 | S. Prayter | 1544 |
|----------------------|------|--|------|------|-------|-----|---------|-------|-------|------------|------|

LABORATORY COMMENTS:

- ND = Not detected at the limit of Quantitation.
- U = Analyte analyzed for but not detected.
- # = Recovery outside Laboratory historical or method prescribed limits.
- J = All results evaluated to the Limit of Detection for reporting. Values below the Limit of Quantitation but above the Limit of Detection are qualified with J as estimated.
- B = Analyte was detected in the method blank.
- E = Estimated Value above the calibration limit of the instrument.

ANALYTICAL REPORT

Great Lakes Analytical 11544
Michael Laupan
140 E. Ryan Rd.
Oak Creek, WI 53154

Lab Number: 05-A58764
Sample ID: W504159-04
Sample Type: Water
Site ID:

Project: W504159
Project Name: W504159
Sampler:

Date Collected: 4/19/05
Time Collected: 14:15
Date Received: 4/26/05
Time Received: 7:45

| Parameter | Result | Flag | Units | Limit of Quantitation | Limit of Detection | Dilution Factor | Date | Time | Method | Analyst | Batch |
|----------------------------|--------|------|-------|-----------------------|--------------------|-----------------|---------|-------|--------|------------|-------|
| **Miscellaneous Parameters | | | | | | | | | | | |
| Total Organic Carbon | 4.65 | | mg/l | 1.00 | 0.500 | 1.0 | 4/28/05 | 12:17 | 415.1 | S. Prayter | 1544 |

LABORATORY COMMENTS:

- ND = Not detected at the limit of Quantitation.
- U = Analyte analyzed for but not detected.
- # = Recovery outside Laboratory historical or method prescribed limits.
- J = All results evaluated to the Limit of Detection for reporting. Values below the Limit of Quantitation but above the Limit of Detection are qualified with J as estimated.
- B = Analyte was detected in the method blank.
- E = Estimated Value above the calibration limit of the instrument.

ANALYTICAL REPORT

Great Lakes Analytical 11544
Michael Laupan
140 E. Ryan Rd.
Oak Creek, WI 53154

Lab Number: 05-A58765
Sample ID: W504159-05
Sample Type: Water
Site ID:

Project: W504159
Project Name: W504159
Sampler:

Date Collected: 4/19/05
Time Collected: 14:30
Date Received: 4/26/05
Time Received: 7:45

| Parameter | Result | Flag | Units | Limit of Quantitation | Limit of Detection | Dilution Factor | Date | Time | Method | Analyst | Batch |
|-----------|--------|------|-------|-----------------------|--------------------|-----------------|------|------|--------|---------|-------|
|-----------|--------|------|-------|-----------------------|--------------------|-----------------|------|------|--------|---------|-------|

****Miscellaneous Parameters**

| | | | | | | | | | | | |
|----------------------|------|--|------|------|-------|-----|---------|-------|-------|------------|------|
| Total Organic Carbon | 2.55 | | mg/l | 1.00 | 0.500 | 1.0 | 4/28/05 | 12:17 | 415.1 | S. Prayter | 1544 |
|----------------------|------|--|------|------|-------|-----|---------|-------|-------|------------|------|

LABORATORY COMMENTS:

- ND = Not detected at the limit of Quantitation.
- U = Analyte analyzed for but not detected.
- # = Recovery outside Laboratory historical or method prescribed limits.
- J = All results evaluated to the Limit of Detection for reporting. Values below the Limit of Quantitation but above the Limit of Detection are qualified with J as estimated.
- B = Analyte was detected in the method blank.
- E = Estimated Value above the calibration limit of the instrument.

PROJECT QUALITY CONTROL DATA
Project Number: W504159
Page: 1

Matrix Spike Recovery

| Analyte | units | Orig. Val. | MS Val | Spike Conc | Recovery | Target Range | Q.C. Batch | Spike Sample |
|----------------------|-------|------------|--------|------------|----------|--------------|------------|--------------|
| **MISC PARAMETERS** | | | | | | | | |
| Total Organic Carbon | mg/l | 3.18 | 19.6 | 20.0 | 82 | 80 - 120 | 1544 | 05-A58761 |
| Total Organic Carbon | mg/l | 3.18 | 19.7 | 20.0 | 83 | 80 - 120 | 1544 | M:05A58761 |

Matrix Spike Duplicate

| Analyte | units | Orig. Val. | Duplicate | RPD | Limit | Q.C. Batch |
|----------------------|-------|------------|-----------|------|-------|------------|
| **MISC PARAMETERS** | | | | | | |
| Total Organic Carbon | mg/l | 19.6 | 19.7 | 0.51 | 20 | 1544 |

Laboratory Control Data

| Analyte | units | Known Val. | Analyzed Val | % Recovery | Target Range | Q.C. Batch |
|----------------------|-------|------------|--------------|------------|--------------|------------|
| **MISC PARAMETERS** | | | | | | |
| Total Organic Carbon | mg/l | 200. | 196. | 98 | 87 - 110 | 1544 |

Duplicates

| Analyte | units | Orig. Val. | Duplicate | RPD | Limit | Q.C. Batch | Sample Dup'd |
|----------------------|-------|------------|-----------|------|-------|------------|--------------|
| Total Organic Carbon | mg/l | 2.55 | 2.42 | 5.23 | 15. | 1544 | 05-A58765 |

Blank Data

| Analyte | Blank Value | Units | Q.C. Batch | Date Analyzed | Time Analyzed |
|----------------------|-------------|-------|------------|---------------|---------------|
| **MISC PARAMETERS** | | | | | |
| Total Organic Carbon | < 0.500 | mg/l | 1544 | 4/28/05 | 12:17 |

PROJECT QUALITY CONTROL DATA

Project Number: W504159

Page: 2

= Value outside Laboratory historical or method prescribed QC limits.

End of Report for Project 414036

02 September 2004

Stephen Sellwood
BT2
2830 Dairy Drive
Madison, WI 53718
RE: Classic Cleaners

Enclosed are the results of analyses for samples received by the laboratory on 08/20/04. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Great Lakes Analytical



Michael Laupan For Andrea Stathas
Project Manager

BT2
2830 Dairy Drive
Madison, WI 53718Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood**Reported:**
09/02/04 16:39**ANALYTICAL REPORT FOR SAMPLES**

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received |
|------------|---------------|--------|----------------|----------------|
| MW1 | W408261-01 | Water | 08/18/04 14:30 | 08/20/04 14:50 |
| MW2 | W408261-02 | Water | 08/18/04 14:55 | 08/20/04 14:50 |
| MW3 | W408261-03 | Water | 08/18/04 15:20 | 08/20/04 14:50 |
| TRIP BLANK | W408261-04 | Water | 08/18/04 10:00 | 08/20/04 14:50 |

Sample Receipt Notes

Please note that the chain of custody (COC) included with this report is considered part of the report. The data user should review any comments or notes made on the COC. Any receipt issues found by the laboratory that are not noted on the COC will be stated below.

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Michael Laupan For Andrea Stathas, Project Manager

Page 1 of 15



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|------------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW1 (W408261-01) Water Sampled: 08/18/04 14:30 Received: 08/20/04 14:50 | | | | | | | | | |
| Benzene | ND | 2.50 | ug/l | 5 | 4080118 | 08/27/04 | 09/01/04 | EPA 8260B | |
| Bromobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 1.96 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 1.86 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Chloroethane | ND | 25.0 | " | " | " | " | " | " | |
| Chloroform | ND | 1.58 | " | " | " | " | " | " | |
| Chloromethane | ND | 2.24 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 25.0 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 1.32 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 1.26 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 25.0 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 2.50 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 2.50 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 2.50 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 25.0 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 25.0 | " | " | " | " | " | " | |
| Ethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Hexachlorobutadiene | ND | 50.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 25.0 | " | " | " | " | " | " | |
| Methylene chloride | ND | 1.93 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 1.45 | " | " | " | " | " | " | |
| Naphthalene | ND | 40.0 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 1.66 | " | " | " | " | " | " | |
| Tetrachloroethene | 260 | 2.50 | " | " | " | " | " | " | |
| Toluene | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 50.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 50.0 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-----------------|----------|----------|---------|----------|----------|-----------|-------|
| MW1 (W408261-01) Water Sampled: 08/18/04 14:30 Received: 08/20/04 14:50 | | | | | | | | | |
| 1,1,1-Trichloroethane | ND | 25.0 | ug/l | 5 | 4080118 | 08/27/04 | 09/01/04 | EPA 8260B | |
| 1,1,2-Trichloroethane | ND | 0.725 | " | " | " | " | " | " | |
| Trichloroethene | ND | 2.50 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 25.0 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 25.0 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 1.08 | " | " | " | " | " | " | G14 |
| Total Xylenes | ND | 25.0 | " | " | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 91.6 % | 82.1-117 | " | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 88.8 % | 70.2-131 | " | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 139 % | 74.1-125 | " | " | " | " | " | H |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 81.2 % | 88.5-103 | " | " | " | " | " | L |
| MW2 (W408261-02) Water Sampled: 08/18/04 14:55 Received: 08/20/04 14:55 | | | | | | | | | |
| Benzene | ND | 0.500 | ug/l | 1 | 4080118 | 08/27/04 | 09/01/04 | EPA 8260B | |
| Bromobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 0.391 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 0.372 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Chloroethane | ND | 5.00 | " | " | " | " | " | " | |
| Chloroform | ND | 0.316 | " | " | " | " | " | " | |
| Chloromethane | ND | 0.448 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 0.264 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 0.251 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 0.500 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|-------------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW2 (W408261-02) Water Sampled: 08/18/04 14:55 Received: 08/20/04 14:50 | | | | | | | | | |
| Di-isopropyl ether | ND | 5.00 | ug/l | 1 | 4080118 | 08/27/04 | 09/01/04 | EPA 8260B | |
| Ethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Hexachlorobutadiene | ND | 10.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 5.00 | " | " | " | " | " | " | |
| Methylene chloride | ND | 0.386 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 0.290 | " | " | " | " | " | " | |
| Naphthalene | ND | 8.00 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 0.331 | " | " | " | " | " | " | |
| Tetrachloroethene | 60.5 | 0.500 | " | " | " | " | " | " | |
| Toluene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2-Trichloroethane | ND | 0.145 | " | " | " | " | " | " | |
| Trichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 0.217 | " | " | " | " | " | " | G14 |
| Total Xylenes | ND | 5.00 | " | " | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 90.4 % | | 82.1-117 | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 88.2 % | | 70.2-131 | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 143 % | | 74.1-125 | " | " | " | " | H |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 83.4 % | | 88.5-103 | " | " | " | " | L |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|-------------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW3 (W408261-03) Water Sampled: 08/18/04 15:20 Received: 08/20/04 14:50 | | | | | | | | | |
| Benzene | ND | 0.500 | ug/l | 1 | 4080118 | 08/27/04 | 09/01/04 | EPA 8260B | |
| Bromobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Bromodichloromethane | ND | 0.391 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 0.372 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Chloroethane | ND | 5.00 | " | " | " | " | " | " | |
| Chloroform | ND | 0.316 | " | " | " | " | " | " | |
| Chloromethane | ND | 0.448 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 0.264 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 0.251 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| cis-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 0.500 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 5.00 | " | " | " | " | " | " | |
| Ethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Hexachlorobutadiene | ND | 10.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 5.00 | " | " | " | " | " | " | |
| Methylene chloride | ND | 0.386 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 0.290 | " | " | " | " | " | " | |
| Naphthalene | ND | 8.00 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 0.331 | " | " | " | " | " | " | |
| Tetrachloroethene | 39.4 | 0.500 | " | " | " | " | " | " | |
| Toluene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 5.00 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| MW3 (W408261-03) Water Sampled: 08/18/04 15:20 Received: 08/20/04 14:50 | | | | | | | | | |
| 1,1,2-Trichloroethane | ND | 0.145 | ug/l | 1 | 4080118 | 08/27/04 | 09/01/04 | EPA 8260B | |
| Trichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 0.217 | " | " | " | " | " | " | G14 |
| Total Xylenes | ND | 5.00 | " | " | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 83.4 % | | 82.1-117 | " | " | " | " | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 86.2 % | | 70.2-131 | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 135 % | | 74.1-125 | " | " | " | " | H |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 85.4 % | | 88.5-103 | " | " | " | " | L |

| TRIP BLANK (W408261-04) Water Sampled: 08/18/04 10:00 Received: 08/20/04 14:50 | | | | | | | | | |
|---|--------------|-------|------|---|---------|----------|----------|-----------|-----|
| Benzene | ND | 0.500 | ug/l | 1 | 4080118 | 08/27/04 | 08/31/04 | EPA 8260B | |
| Bromobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Bromodichloromethane | 0.500 | 0.391 | " | " | " | " | " | " | |
| n-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| sec-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| tert-Butylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Carbon tetrachloride | ND | 0.372 | " | " | " | " | " | " | |
| Chlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Chloroethane | ND | 5.00 | " | " | " | " | " | " | |
| Chloroform | ND | 0.316 | " | " | " | " | " | " | |
| Chloromethane | ND | 0.448 | " | " | " | " | " | " | |
| 2-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| 4-Chlorotoluene | ND | 5.00 | " | " | " | " | " | " | |
| Dibromochloromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dibromo-3-chloropropane | ND | 0.264 | " | " | " | " | " | " | |
| 1,2-Dibromoethane | ND | 0.251 | " | " | " | " | " | " | |
| 1,2-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,4-Dichlorobenzene | ND | 5.00 | " | " | " | " | " | " | |
| Dichlorodifluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1-Dichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloroethane | ND | 0.500 | " | " | " | " | " | " | |
| 1,1-Dichloroethene | ND | 0.500 | " | " | " | " | " | " | G14 |
| cis-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| trans-1,2-Dichloroethene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2-Dichloropropane | ND | 0.500 | " | " | " | " | " | " | |
| 1,3-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| 2,2-Dichloropropane | ND | 5.00 | " | " | " | " | " | " | |
| Di-isopropyl ether | ND | 5.00 | " | " | " | " | " | " | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

WDNR Volatile Organic Compounds by Method 8260
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---|-------------|-----------------|-------|----------|---------|----------|----------|-----------|-------|
| TRIP BLANK (W408261-04) Water Sampled: 08/18/04 10:00 Received: 08/20/04 14:50 A-01, QC | | | | | | | | | |
| Ethylbenzene | ND | 5.00 | ug/l | 1 | 4080118 | 08/27/04 | 08/31/04 | EPA 8260B | |
| Hexachlorobutadiene | ND | 10.0 | " | " | " | " | " | " | |
| Isopropylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| p-Isopropyltoluene | ND | 5.00 | " | " | " | " | " | " | |
| Methylene chloride | ND | 0.386 | " | " | " | " | " | " | |
| Methyl tert-butyl ether | ND | 0.290 | " | " | " | " | " | " | |
| Naphthalene | ND | 8.00 | " | " | " | " | " | " | |
| n-Propylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2,2-Tetrachloroethane | ND | 0.331 | " | " | " | " | " | " | |
| Tetrachloroethene | 2.29 | 0.500 | " | " | " | " | " | " | |
| Toluene | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,3-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,2,4-Trichlorobenzene | ND | 10.0 | " | " | " | " | " | " | |
| 1,1,1-Trichloroethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,1,2-Trichloroethane | ND | 0.145 | " | " | " | " | " | " | |
| Trichloroethene | ND | 0.500 | " | " | " | " | " | " | |
| Trichlorofluoromethane | ND | 5.00 | " | " | " | " | " | " | |
| 1,2,4-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| 1,3,5-Trimethylbenzene | ND | 5.00 | " | " | " | " | " | " | |
| Vinyl chloride | ND | 0.217 | " | " | " | " | " | " | G14 |
| Total Xylenes | ND | 5.00 | " | " | " | " | " | " | |
| <i>Surrogate: Dibromofluoromethane</i> | | 76.2 % | | 82.1-117 | " | " | " | " | L |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | | 75.0 % | | 70.2-131 | " | " | " | " | |
| <i>Surrogate: Toluene-d8</i> | | 137 % | | 74.1-125 | " | " | " | " | H |
| <i>Surrogate: 4-Bromofluorobenzene</i> | | 82.8 % | | 88.5-103 | " | " | " | " | L |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 4080118 - EPA 5030B (P/T)

Blank (4080118-BLK1)

Prepared: 08/27/04 Analyzed: 09/01/04

| | | | | | | | | | | |
|-----------------------------|----|-------|------|--|--|--|--|--|--|--|
| Benzene | ND | 0.500 | ug/l | | | | | | | |
| Bromobenzene | ND | 5.00 | " | | | | | | | |
| Bromodichloromethane | ND | 0.391 | " | | | | | | | |
| n-Butylbenzene | ND | 5.00 | " | | | | | | | |
| sec-Butylbenzene | ND | 5.00 | " | | | | | | | |
| tert-Butylbenzene | ND | 5.00 | " | | | | | | | |
| Carbon tetrachloride | ND | 0.372 | " | | | | | | | |
| Chlorobenzene | ND | 5.00 | " | | | | | | | |
| Chloroethane | ND | 5.00 | " | | | | | | | |
| Chloroform | ND | 0.316 | " | | | | | | | |
| Chloromethane | ND | 0.448 | " | | | | | | | |
| 2-Chlorotoluene | ND | 5.00 | " | | | | | | | |
| 4-Chlorotoluene | ND | 5.00 | " | | | | | | | |
| Dibromochloromethane | ND | 5.00 | " | | | | | | | |
| 1,2-Dibromo-3-chloropropane | ND | 0.264 | " | | | | | | | |
| 1,2-Dibromoethane | ND | 0.251 | " | | | | | | | |
| 1,2-Dichlorobenzene | ND | 5.00 | " | | | | | | | |
| 1,3-Dichlorobenzene | ND | 5.00 | " | | | | | | | |
| 1,4-Dichlorobenzene | ND | 5.00 | " | | | | | | | |
| Dichlorodifluoromethane | ND | 5.00 | " | | | | | | | |
| 1,1-Dichloroethane | ND | 5.00 | " | | | | | | | |
| 1,2-Dichloroethane | ND | 0.500 | " | | | | | | | |
| 1,1-Dichloroethene | ND | 0.500 | " | | | | | | | |
| cis-1,2-Dichloroethene | ND | 5.00 | " | | | | | | | |
| trans-1,2-Dichloroethene | ND | 5.00 | " | | | | | | | |
| 1,2-Dichloropropane | ND | 0.500 | " | | | | | | | |
| 1,3-Dichloropropane | ND | 5.00 | " | | | | | | | |
| 2,2-Dichloropropane | ND | 5.00 | " | | | | | | | |
| Di-isopropyl ether | ND | 5.00 | " | | | | | | | |
| Ethylbenzene | ND | 5.00 | " | | | | | | | |
| Hexachlorobutadiene | ND | 10.0 | " | | | | | | | |
| Isopropylbenzene | ND | 5.00 | " | | | | | | | |
| p-Isopropyltoluene | ND | 5.00 | " | | | | | | | |
| Methylene chloride | ND | 0.386 | " | | | | | | | |
| Methyl tert-butyl ether | ND | 0.290 | " | | | | | | | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

**WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 4080118 - EPA 5030B (P/T)

Blank (4080118-BLK1)

Prepared: 08/27/04 Analyzed: 09/01/04

| | | | | | | | | | | |
|---|------|-------|------|------|--|------|----------|--|--|---|
| Naphthalene | ND | 8.00 | ug/l | | | | | | | |
| n-Propylbenzene | ND | 5.00 | " | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 0.331 | " | | | | | | | |
| Tetrachloroethene | ND | 0.500 | " | | | | | | | |
| Toluene | ND | 5.00 | " | | | | | | | |
| 1,2,3-Trichlorobenzene | ND | 10.0 | " | | | | | | | |
| 1,2,4-Trichlorobenzene | ND | 10.0 | " | | | | | | | |
| 1,1,1-Trichloroethane | ND | 5.00 | " | | | | | | | |
| 1,1,2-Trichloroethane | ND | 0.145 | " | | | | | | | |
| Trichloroethene | ND | 0.500 | " | | | | | | | |
| Trichlorofluoromethane | ND | 5.00 | " | | | | | | | |
| 1,2,4-Trimethylbenzene | ND | 5.00 | " | | | | | | | |
| 1,3,5-Trimethylbenzene | ND | 5.00 | " | | | | | | | |
| Vinyl chloride | ND | 0.217 | " | | | | | | | |
| Total Xylenes | ND | 5.00 | " | | | | | | | |
| <i>Surrogate: Dibromofluoromethane</i> | 45.9 | | " | 50.0 | | 91.8 | 82.1-117 | | | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | 44.9 | | " | 50.0 | | 89.8 | 70.2-131 | | | |
| <i>Surrogate: Toluene-d8</i> | 68.4 | | " | 50.0 | | 137 | 74.1-125 | | | H |
| <i>Surrogate: 4-Bromofluorobenzene</i> | 40.9 | | " | 50.0 | | 81.8 | 88.5-103 | | | L |

LCS (4080118-BS1)

Prepared: 08/27/04 Analyzed: 09/01/04

| | | | | | | | | | | |
|-----------------------------|------|-------|------|------|--|------|--------|--|--|---|
| Benzene | 17.5 | 0.500 | ug/l | 20.0 | | 87.5 | 70-130 | | | |
| Bromobenzene | 17.9 | 5.00 | " | 20.0 | | 89.5 | 70-130 | | | |
| Bromodichloromethane | 21.0 | 0.391 | " | 20.0 | | 105 | 70-130 | | | |
| n-Butylbenzene | 16.8 | 5.00 | " | 20.0 | | 84.0 | 70-130 | | | |
| sec-Butylbenzene | 16.8 | 5.00 | " | 20.0 | | 84.0 | 70-130 | | | |
| tert-Butylbenzene | 16.7 | 5.00 | " | 20.0 | | 83.5 | 70-130 | | | |
| Carbon tetrachloride | 16.9 | 0.372 | " | 20.0 | | 84.5 | 70-130 | | | |
| Chlorobenzene | 16.1 | 5.00 | " | 20.0 | | 80.5 | 70-130 | | | |
| Chloroethane | 25.4 | 5.00 | " | 20.0 | | 127 | 70-130 | | | |
| Chloroform | 18.9 | 0.316 | " | 20.0 | | 94.5 | 70-130 | | | |
| Chloromethane | ND | 0.448 | " | 20.0 | | | 70-130 | | | L |
| 2-Chlorotoluene | 17.0 | 5.00 | " | 20.0 | | 85.0 | 70-130 | | | |
| 4-Chlorotoluene | 17.4 | 5.00 | " | 20.0 | | 87.0 | 70-130 | | | |
| Dibromochloromethane | 18.5 | 5.00 | " | 20.0 | | 92.5 | 70-130 | | | |
| 1,2-Dibromo-3-chloropropane | 19.5 | 0.264 | " | 20.0 | | 97.5 | 70-130 | | | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

**WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|--|--------|-----------------|-------|--------------------|---------------|--------------------|-------------|-----|-----------|-------|
| Batch 4080118 - EPA 5030B (P/T) | | | | | | | | | | |
| LCS (4080118-BS1) | | | | | | | | | | |
| | | | | Prepared: 08/27/04 | | Analyzed: 09/01/04 | | | | |
| 1,2-Dibromoethane | 19.4 | 0.251 | ug/l | 20.0 | | 97.0 | 70-130 | | | |
| 1,2-Dichlorobenzene | 17.3 | 5.00 | " | 20.0 | | 86.5 | 70-130 | | | |
| 1,3-Dichlorobenzene | 17.0 | 5.00 | " | 20.0 | | 85.0 | 70-130 | | | |
| 1,4-Dichlorobenzene | 17.2 | 5.00 | " | 20.0 | | 86.0 | 70-130 | | | |
| Dichlorodifluoromethane | 21.9 | 5.00 | " | 20.0 | | 110 | 70-130 | | | |
| 1,1-Dichloroethane | 17.6 | 5.00 | " | 20.0 | | 88.0 | 70-130 | | | |
| 1,2-Dichloroethane | 19.6 | 0.500 | " | 20.0 | | 98.0 | 70-130 | | | |
| 1,1-Dichloroethene | 22.5 | 0.500 | " | 20.0 | | 112 | 70-130 | | | |
| cis-1,2-Dichloroethene | 18.0 | 5.00 | " | 20.0 | | 90.0 | 70-130 | | | |
| trans-1,2-Dichloroethene | 17.0 | 5.00 | " | 20.0 | | 85.0 | 70-130 | | | |
| 1,2-Dichloropropane | 18.1 | 0.500 | " | 20.0 | | 90.5 | 70-130 | | | |
| 1,3-Dichloropropane | 18.7 | 5.00 | " | 20.0 | | 93.5 | 70-130 | | | |
| 2,2-Dichloropropane | 21.9 | 5.00 | " | 20.0 | | 110 | 70-130 | | | |
| Di-isopropyl ether | 30.3 | 5.00 | " | 20.0 | | 152 | 70-130 | | | H |
| Ethylbenzene | 16.1 | 5.00 | " | 20.0 | | 80.5 | 70-130 | | | |
| Hexachlorobutadiene | 14.8 | 10.0 | " | 20.0 | | 74.0 | 70-130 | | | |
| Isopropylbenzene | 17.2 | 5.00 | " | 20.0 | | 86.0 | 70-130 | | | |
| p-Isopropyltoluene | 16.9 | 5.00 | " | 20.0 | | 84.5 | 70-130 | | | |
| Methylene chloride | 18.5 | 0.386 | " | 20.0 | | 92.5 | 70-130 | | | |
| Methyl tert-butyl ether | 31.2 | 0.290 | " | 20.0 | | 156 | 70-130 | | | H |
| Naphthalene | 17.9 | 8.00 | " | 20.0 | | 89.5 | 70-130 | | | |
| n-Propylbenzene | 17.4 | 5.00 | " | 20.0 | | 87.0 | 70-130 | | | |
| 1,1,2,2-Tetrachloroethane | 19.8 | 0.331 | " | 20.0 | | 99.0 | 70-130 | | | |
| Tetrachloroethene | 14.7 | 0.500 | " | 20.0 | | 73.5 | 70-130 | | | |
| Toluene | 15.9 | 5.00 | " | 20.0 | | 79.5 | 70-130 | | | |
| 1,2,3-Trichlorobenzene | 16.7 | 10.0 | " | 20.0 | | 83.5 | 70-130 | | | |
| 1,2,4-Trichlorobenzene | 14.9 | 10.0 | " | 20.0 | | 74.5 | 70-130 | | | |
| 1,1,1-Trichloroethane | 16.6 | 5.00 | " | 20.0 | | 83.0 | 70-130 | | | |
| 1,1,2-Trichloroethane | 19.0 | 0.145 | " | 20.0 | | 95.0 | 70-130 | | | |
| Trichloroethene | 17.0 | 0.500 | " | 20.0 | | 85.0 | 70-130 | | | |
| Trichlorofluoromethane | 40.0 | 5.00 | " | 20.0 | | 200 | 70-130 | | | H |
| 1,2,4-Trimethylbenzene | 16.9 | 5.00 | " | 20.0 | | 84.5 | 70-130 | | | |
| 1,3,5-Trimethylbenzene | 16.7 | 5.00 | " | 20.0 | | 83.5 | 70-130 | | | |
| Vinyl chloride | 40.0 | 0.217 | " | 20.0 | | 200 | 70-130 | | | H |
| Total Xylenes | 49.6 | 5.00 | " | 60.0 | | 82.7 | 70-130 | | | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 4080118 - EPA 5030B (P/T)

LCS (4080118-BS1)

Prepared: 08/27/04 Analyzed: 09/01/04

| | | | | | | | | | | |
|----------------------------------|------|--|------|------|--|------|----------|--|--|---|
| Surrogate: Dibromofluoromethane | 45.8 | | ug/l | 50.0 | | 91.6 | 82.1-117 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 44.7 | | " | 50.0 | | 89.4 | 70.2-131 | | | |
| Surrogate: Toluene-d8 | 63.3 | | " | 50.0 | | 127 | 74.1-125 | | | H |
| Surrogate: 4-Bromofluorobenzene | 40.0 | | " | 50.0 | | 80.0 | 88.5-103 | | | L |

Matrix Spike (4080118-MS1)

Source: W408245-13

Prepared: 08/27/04 Analyzed: 09/01/04

| | | | | | | | | | | |
|-----------------------------|------|-------|------|------|----|------|----------|--|--|---|
| Benzene | 18.1 | 0.500 | ug/l | 20.0 | ND | 90.5 | 71.3-120 | | | |
| Bromobenzene | 18.2 | 5.00 | " | 20.0 | ND | 91.0 | 71.1-118 | | | |
| Bromodichloromethane | 10.9 | 0.391 | " | 20.0 | ND | 54.5 | 70.3-135 | | | L |
| n-Butylbenzene | 18.1 | 5.00 | " | 20.0 | ND | 90.5 | 55.4-128 | | | |
| sec-Butylbenzene | 17.5 | 5.00 | " | 20.0 | ND | 87.5 | 64.2-120 | | | |
| tert-Butylbenzene | 17.3 | 5.00 | " | 20.0 | ND | 86.5 | 54.9-126 | | | |
| Carbon tetrachloride | 3.64 | 0.372 | " | 20.0 | ND | 18.2 | 52.7-138 | | | L |
| Chlorobenzene | 18.0 | 5.00 | " | 20.0 | ND | 90.0 | 73.1-111 | | | |
| Chloroethane | 19.6 | 5.00 | " | 20.0 | ND | 98.0 | 47.7-133 | | | |
| Chloroform | 19.4 | 0.316 | " | 20.0 | ND | 97.0 | 69.1-126 | | | |
| Chloromethane | ND | 0.448 | " | 20.0 | ND | | 50.7-120 | | | L |
| 2-Chlorotoluene | 17.7 | 5.00 | " | 20.0 | ND | 88.5 | 63.4-119 | | | |
| 4-Chlorotoluene | 18.3 | 5.00 | " | 20.0 | ND | 91.5 | 65.9-126 | | | |
| Dibromochloromethane | 10.4 | 5.00 | " | 20.0 | ND | 52.0 | 67.4-116 | | | L |
| 1,2-Dibromo-3-chloropropane | 16.0 | 0.264 | " | 20.0 | ND | 80.0 | 56.6-138 | | | |
| 1,2-Dibromoethane | 6.80 | 0.251 | " | 20.0 | ND | 34.0 | 69.2-114 | | | L |
| 1,2-Dichlorobenzene | 18.0 | 5.00 | " | 20.0 | ND | 90.0 | 70.7-124 | | | |
| 1,3-Dichlorobenzene | 17.9 | 5.00 | " | 20.0 | ND | 89.5 | 71.1-119 | | | |
| 1,4-Dichlorobenzene | 18.5 | 5.00 | " | 20.0 | ND | 92.5 | 69.6-115 | | | |
| Dichlorodifluoromethane | 18.0 | 5.00 | " | 20.0 | ND | 90.0 | 53.1-124 | | | |
| 1,1-Dichloroethane | 15.6 | 5.00 | " | 20.0 | ND | 78.0 | 68.6-131 | | | |
| 1,2-Dichloroethane | 13.4 | 0.500 | " | 20.0 | ND | 67.0 | 63.1-125 | | | |
| 1,1-Dichloroethene | 29.1 | 0.500 | " | 20.0 | ND | 146 | 59.5-115 | | | H |
| cis-1,2-Dichloroethene | 20.3 | 5.00 | " | 20.0 | ND | 102 | 66.6-131 | | | |
| trans-1,2-Dichloroethene | 18.0 | 5.00 | " | 20.0 | ND | 90.0 | 57.2-132 | | | |
| 1,2-Dichloropropane | 16.0 | 0.500 | " | 20.0 | ND | 80.0 | 76.4-120 | | | |
| 1,3-Dichloropropane | 8.16 | 5.00 | " | 20.0 | ND | 40.8 | 72.3-111 | | | L |
| 2,2-Dichloropropane | 1.11 | 5.00 | " | 20.0 | ND | 5.55 | 57.9-117 | | | L |
| Di-isopropyl ether | 5.04 | 5.00 | " | 20.0 | ND | 25.2 | 59.2-122 | | | L |
| Ethylbenzene | 17.9 | 5.00 | " | 20.0 | ND | 89.5 | 64.7-130 | | | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 4080118 - EPA 5030B (P/T)

Matrix Spike (4080118-MS1)

Source: W408245-13 Prepared: 08/27/04 Analyzed: 09/01/04

| | | | | | | | | | | |
|----------------------------------|------|-------|------|------|----|------|----------|--|--|---|
| Hexachlorobutadiene | 16.2 | 10.0 | ug/l | 20.0 | ND | 81.0 | 63.3-127 | | | |
| Isopropylbenzene | 19.1 | 5.00 | " | 20.0 | ND | 95.5 | 55.1-132 | | | |
| p-Isopropyltoluene | 18.0 | 5.00 | " | 20.0 | ND | 90.0 | 54.8-128 | | | |
| Methylene chloride | 20.1 | 0.386 | " | 20.0 | ND | 100 | 62.8-130 | | | |
| Methyl tert-butyl ether | 3.28 | 0.290 | " | 20.0 | ND | 16.4 | 54.5-125 | | | L |
| Naphthalene | 19.6 | 8.00 | " | 20.0 | ND | 98.0 | 48.5-135 | | | |
| n-Propylbenzene | 18.1 | 5.00 | " | 20.0 | ND | 90.5 | 64.6-125 | | | |
| 1,1,2,2-Tetrachloroethane | 19.7 | 0.331 | " | 20.0 | ND | 98.5 | 67.8-125 | | | |
| Tetrachloroethene | 16.0 | 0.500 | " | 20.0 | ND | 80.0 | 66.8-110 | | | |
| Toluene | 17.2 | 5.00 | " | 20.0 | ND | 86.0 | 72.5-108 | | | |
| 1,2,3-Trichlorobenzene | 18.9 | 10.0 | " | 20.0 | ND | 94.5 | 57.4-135 | | | |
| 1,2,4-Trichlorobenzene | 17.0 | 10.0 | " | 20.0 | ND | 85.0 | 56.9-124 | | | |
| 1,1,1-Trichloroethane | 3.70 | 5.00 | " | 20.0 | ND | 18.5 | 59.8-129 | | | L |
| 1,1,2-Trichloroethane | 19.3 | 0.145 | " | 20.0 | ND | 96.5 | 74.5-115 | | | |
| Trichloroethene | 17.4 | 0.500 | " | 20.0 | ND | 87.0 | 68.1-116 | | | |
| Trichlorofluoromethane | 23.6 | 5.00 | " | 20.0 | ND | 118 | 57.4-150 | | | |
| 1,2,4-Trimethylbenzene | 17.9 | 5.00 | " | 20.0 | ND | 89.5 | 57-126 | | | |
| 1,3,5-Trimethylbenzene | 17.7 | 5.00 | " | 20.0 | ND | 88.5 | 56.2-126 | | | |
| Vinyl chloride | 32.8 | 0.217 | " | 20.0 | ND | 164 | 59.4-139 | | | H |
| Total Xylenes | 55.2 | 5.00 | " | 60.0 | ND | 92.0 | 66.9-119 | | | |
| Surrogate: Dibromofluoromethane | 33.6 | | " | 50.0 | | 67.2 | 82.1-117 | | | L |
| Surrogate: 1,2-Dichloroethane-d4 | 27.6 | | " | 50.0 | | 55.2 | 70.2-131 | | | L |
| Surrogate: Toluene-d8 | 65.2 | | " | 50.0 | | 130 | 74.1-125 | | | H |
| Surrogate: 4-Bromofluorobenzene | 43.8 | | " | 50.0 | | 87.6 | 88.5-103 | | | L |

Matrix Spike Dup (4080118-MSD1)

Source: W408245-13 Prepared: 08/27/04 Analyzed: 09/01/04

| | | | | | | | | | | |
|----------------------|------|-------|------|------|----|------|----------|-------|------|----|
| Benzene | 18.6 | 0.500 | ug/l | 20.0 | ND | 93.0 | 71.3-120 | 2.72 | 23.7 | |
| Bromobenzene | 18.3 | 5.00 | " | 20.0 | ND | 91.5 | 71.1-118 | 0.548 | 26.7 | |
| Bromodichloromethane | 18.6 | 0.391 | " | 20.0 | ND | 93.0 | 70.3-135 | 52.2 | 26 | H |
| n-Butylbenzene | 17.4 | 5.00 | " | 20.0 | ND | 87.0 | 55.4-128 | 3.94 | 38.2 | |
| sec-Butylbenzene | 17.1 | 5.00 | " | 20.0 | ND | 85.5 | 64.2-120 | 2.31 | 35.2 | |
| tert-Butylbenzene | 17.1 | 5.00 | " | 20.0 | ND | 85.5 | 54.9-126 | 1.16 | 30.6 | |
| Carbon tetrachloride | 9.67 | 0.372 | " | 20.0 | ND | 48.4 | 52.7-138 | 90.6 | 29.5 | LH |
| Chlorobenzene | 17.9 | 5.00 | " | 20.0 | ND | 89.5 | 73.1-111 | 0.557 | 23.1 | |
| Chloroethane | 22.7 | 5.00 | " | 20.0 | ND | 114 | 47.7-133 | 14.7 | 28.6 | |
| Chloroform | 20.8 | 0.316 | " | 20.0 | ND | 104 | 69.1-126 | 6.97 | 22.7 | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager



140 East Ryan Road
Oak Creek, Wisconsin 53154

Email: info@glalabs.com
(414) 570-9460 FAX (414) 570-9461

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

**WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|--|--------|---------------------------|-------|-------------|---------------------------|------|---------------------------|-------|-----------|-------|
| Batch 4080118 - EPA 5030B (P/T) | | | | | | | | | | |
| Matrix Spike Dup (4080118-MSD1) | | | | | | | | | | |
| | | Source: W408245-13 | | | Prepared: 08/27/04 | | Analyzed: 09/01/04 | | | |
| Chloromethane | ND | 0.448 | ug/l | 20.0 | ND | | 50.7-120 | 40 | | L |
| 2-Chlorotoluene | 17.4 | 5.00 | " | 20.0 | ND | 87.0 | 63.4-119 | 1.71 | 25.6 | |
| 4-Chlorotoluene | 17.8 | 5.00 | " | 20.0 | ND | 89.0 | 65.9-126 | 2.77 | 26.3 | |
| Dibromochloromethane | 16.5 | 5.00 | " | 20.0 | ND | 82.5 | 67.4-116 | 45.4 | 27.4 | H |
| 1,2-Dibromo-3-chloropropane | 17.1 | 0.264 | " | 20.0 | ND | 85.5 | 56.6-138 | 6.65 | 38.9 | |
| 1,2-Dibromoethane | 14.0 | 0.251 | " | 20.0 | ND | 70.0 | 69.2-114 | 69.2 | 20.7 | H |
| 1,2-Dichlorobenzene | 18.1 | 5.00 | " | 20.0 | ND | 90.5 | 70.7-124 | 0.554 | 25.4 | |
| 1,3-Dichlorobenzene | 17.3 | 5.00 | " | 20.0 | ND | 86.5 | 71.1-119 | 3.41 | 25.6 | |
| 1,4-Dichlorobenzene | 18.2 | 5.00 | " | 20.0 | ND | 91.0 | 69.6-115 | 1.63 | 26 | |
| Dichlorodifluoromethane | 21.8 | 5.00 | " | 20.0 | ND | 109 | 53.1-124 | 19.1 | 25.5 | |
| 1,1-Dichloroethane | 17.3 | 5.00 | " | 20.0 | ND | 86.5 | 68.6-131 | 10.3 | 22.1 | |
| 1,2-Dichloroethane | 17.8 | 0.500 | " | 20.0 | ND | 89.0 | 63.1-125 | 28.2 | 25.5 | H |
| 1,1-Dichloroethene | 27.9 | 0.500 | " | 20.0 | ND | 140 | 59.5-115 | 4.21 | 23.3 | H |
| cis-1,2-Dichloroethene | 20.1 | 5.00 | " | 20.0 | ND | 100 | 66.6-131 | 0.990 | 27.4 | |
| trans-1,2-Dichloroethene | 17.7 | 5.00 | " | 20.0 | ND | 88.5 | 57.2-132 | 1.68 | 26.4 | |
| 1,2-Dichloropropane | 18.7 | 0.500 | " | 20.0 | ND | 93.5 | 76.4-120 | 15.6 | 23.3 | |
| 1,3-Dichloropropane | 15.4 | 5.00 | " | 20.0 | ND | 77.0 | 72.3-111 | 61.5 | 23 | H |
| 2,2-Dichloropropane | 12.0 | 5.00 | " | 20.0 | ND | 60.0 | 57.9-117 | 166 | 25.1 | H |
| Di-isopropyl ether | 18.3 | 5.00 | " | 20.0 | ND | 91.5 | 59.2-122 | 114 | 28.6 | H |
| Ethylbenzene | 17.5 | 5.00 | " | 20.0 | ND | 87.5 | 64.7-130 | 2.26 | 25.7 | |
| Hexachlorobutadiene | 15.9 | 10.0 | " | 20.0 | ND | 79.5 | 63.3-127 | 1.87 | 40 | |
| Isopropylbenzene | 18.4 | 5.00 | " | 20.0 | ND | 92.0 | 55.1-132 | 3.73 | 28.5 | |
| p-Isopropyltoluene | 17.3 | 5.00 | " | 20.0 | ND | 86.5 | 54.8-128 | 3.97 | 35.3 | |
| Methylene chloride | 19.2 | 0.386 | " | 20.0 | ND | 96.0 | 62.8-130 | 4.58 | 23.7 | |
| Methyl tert-butyl ether | 18.3 | 0.290 | " | 20.0 | ND | 91.5 | 54.5-125 | 139 | 40 | H |
| Naphthalene | 19.9 | 8.00 | " | 20.0 | ND | 99.5 | 48.5-135 | 1.52 | 40 | |
| n-Propylbenzene | 18.0 | 5.00 | " | 20.0 | ND | 90.0 | 64.6-125 | 0.554 | 34.7 | |
| 1,1,1,2-Tetrachloroethane | 20.1 | 0.331 | " | 20.0 | ND | 100 | 67.8-125 | 2.01 | 22.5 | |
| Tetrachloroethene | 16.0 | 0.500 | " | 20.0 | ND | 80.0 | 66.8-110 | 0.00 | 24.6 | |
| Toluene | 16.8 | 5.00 | " | 20.0 | ND | 84.0 | 72.5-108 | 2.35 | 23.1 | |
| 1,2,3-Trichlorobenzene | 18.9 | 10.0 | " | 20.0 | ND | 94.5 | 57.4-135 | 0.00 | 31.8 | |
| 1,2,4-Trichlorobenzene | 16.4 | 10.0 | " | 20.0 | ND | 82.0 | 56.9-124 | 3.59 | 31.2 | |
| 1,1,1-Trichloroethane | 11.0 | 5.00 | " | 20.0 | ND | 55.0 | 59.8-129 | 99.3 | 21.8 | LH |
| 1,1,2-Trichloroethane | 19.8 | 0.145 | " | 20.0 | ND | 99.0 | 74.5-115 | 2.56 | 23.7 | |
| Trichloroethene | 17.7 | 0.500 | " | 20.0 | ND | 88.5 | 68.1-116 | 1.71 | 25.5 | |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michael Laupan For Andrea Stathas, Project Manager

BT2
 2830 Dairy Drive
 Madison, WI 53718

 Project: Classic Cleaners
 Project Number: 2325
 Project Manager: Stephen Sellwood

Reported:
 09/02/04 16:39

**WDNR Volatile Organic Compounds by Method 8260 - Quality Control
Great Lakes Analytical--Oak Creek**

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch 4080118 - EPA 5030B (P/T)
Matrix Spike Dup (4080118-MSD1)
Source: W408245-13

Prepared: 08/27/04

Analyzed: 09/01/04

| | | | | | | | | | | |
|---|------|-------|------|------|----|------|----------|------|------|----|
| Trichlorofluoromethane | 37.3 | 5.00 | ug/l | 20.0 | ND | 186 | 57.4-150 | 45.0 | 29.4 | HH |
| 1,2,4-Trimethylbenzene | 17.7 | 5.00 | " | 20.0 | ND | 88.5 | 57-126 | 1.12 | 28.7 | |
| 1,3,5-Trimethylbenzene | 17.1 | 5.00 | " | 20.0 | ND | 85.5 | 56.2-126 | 3.45 | 31 | |
| Vinyl chloride | 40.2 | 0.217 | " | 20.0 | ND | 201 | 59.4-139 | 20.3 | 34.5 | H |
| Total Xylenes | 53.2 | 5.00 | " | 60.0 | ND | 88.7 | 66.9-119 | 3.69 | 24.3 | |
| <i>Surrogate: Dibromofluoromethane</i> | 42.7 | | " | 50.0 | | 85.4 | 82.1-117 | | | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | 39.7 | | " | 50.0 | | 79.4 | 70.2-131 | | | |
| <i>Surrogate: Toluene-d8</i> | 63.2 | | " | 50.0 | | 126 | 74.1-125 | | | H |
| <i>Surrogate: 4-Bromofluorobenzene</i> | 41.4 | | " | 50.0 | | 82.8 | 88.5-103 | | | L |

Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


Michael Laupan For Andrea Stathas, Project Manager

BT2
2830 Dairy Drive
Madison, WI 53718

Project: Classic Cleaners
Project Number: 2325
Project Manager: Stephen Sellwood

Reported:
09/02/04 16:39

Notes and Definitions

- A-01 Blank was analyzed twice to confirm contamination.
- G14 The recovery of this analyte in the check standard is above the method specified acceptance criteria.
- QC The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- L This quality control measurement is below the laboratory established limit.
- H This quality control measurement is above the laboratory established limit.
- * The laboratory is not NELAP accredited for this analyte.
- ** The State of Illinois Accrediting Authority does not offer NELAP accreditation for this analyte.

Note: All analytes, by matrix and method, are accredited following current NELAP standards unless specifically noted by way of a qualifier listed above.

Great Lakes Analytical--Buffalo Grove, IL Wisconsin DNR Certification Lab ID: 999917160

Great Lakes Analytical--Buffalo Grove, IL NELAP Primary Accreditation: Illinois #100261

Great Lakes Analytical--Buffalo Grove, IL NELAP Secondary Accreditation: New Jersey #IL001

Great Lakes Analytical--Oak Creek, WI Wisconsin DNR Certification Lab ID: 341000330

Great Lakes Analytical--Oak Creek, WI NELAP Primary Accreditation: Illinois #100307



Great Lakes Analytical--Oak Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Michael Laupan For Andrea Stathas, Project Manager



(Please Print Clearly)

Company Name: **BT2, Inc.**
 Branch/Location: **Madison, WI**
 Project Contact: **Stephen Sellwood**
 Phone: **608-224-2830**
 Project Number: **2325**
 Project Name: **3918 Monona Drive**
 Project State: **Wisconsin**
 Sampled By (Print): **Angela Wilcox-Hull**
 Sampled By (Sign): *Angela Wilcox-Hull*

COC No. **022470**

Quote #: **Stephen Sellwood**
 Mail To Contact: **BT2, Inc.**
 Mail To Company: **2830 Dairy Drive**
 Mail To Address: **Madison, WI 53718**
 Invoice To Contact: **Stephen Sellwood**
 Invoice To Company: **BT2, Inc.**
 Invoice To Address: **see above**

| Invoice To Phone: | LAB COMMENTS | Profile # |
|-------------------|--------------------|-----------|
| 608-224-2830 | | |
| CLIENT COMMENTS | (Lab Use Only) | |
| | 3 40 mL HCl | |

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

| Y/N | Pick Letter | Analyses Requested | DATE | TIME | MATRIX |
|-----|-------------|--------------------|---------|----------|--------|
| N | | | | | |
| B | | | | | |
| | | NOC | | | |
| | | | 6/26/07 | 9:30 AM | GW |
| | | | 6/26/07 | 10:15 AM | GW |
| | | | 6/26/07 | 10:50 AM | GW |
| | | | 6/26/07 | 12:20 PM | GW |
| | | | 6/26/07 | 11:00 PM | GW |
| | | | 6/28/07 | 1:30 PM | GW |
| | | | 6/28/07 | 1:50 PM | GW |
| | | | 6/28/07 | 2:25 PM | GW |
| | | | | | GW |
| | | | | | |

Regulatory Program: _____

Data Package Options
 EPA Level III (billable)
 EPA Level IV (billable)
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 W = Water
 DW = Drinking Water
 GW = Ground Water
 SW = Surface Water
 WW = Waste Water
 WP = Wipe
 SI = Sludge

CLIENT FIELD ID

PAGE LAB # **001 MW1P**
002 MW4P
003 MW3
004 MW2
005 MW5
006 MW6
007 MW1
008 MW4
009 Trip Blank

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want):
 Email #1: _____
 Email #2: _____
 Telephone: _____
 Fax: _____

Relinquished By: *Robert* Date/Time: **6/27/07 1105**
 Relinquished By: *D. Farned* Date/Time: **6/27/07 1228**
 Relinquished By: *Dunham* Date/Time: **6-28-07 0850**
 Relinquished By: _____ Date/Time: _____

Received By: *D. Farned* Date/Time: **6/27/07 1105**
 Received By: _____ Date/Time: _____
 Received By: *Mad. W. Gark* Date/Time: **6-28-07 0850**
 Received By: _____ Date/Time: _____

PACE Project No. **885463**
 Receipt Temp = **2.0** °C
 Sample Receipt pH **OK / Adjusted**
 Cooler Custody Seal **Present (Not Present) Intact / Not Intact**

Samples on HOLD are subject to special pricing and release of liability



1241 Bellevue Street, Suite 9
 Green Bay, WI 54302
 920-469-2436, Fax: 920-469-8827

Analytical Report Number: 885463

Client: BT SQUARED, INC.

Lab Contact: Laurie Woelfel

Project Name: 3918 MONONA DRIVE

Project Number: 2325

| Lab Sample Number | Field ID | Matrix | Collection Date |
|-------------------|------------|--------|-----------------|
| 885463-001 | MW1P | WATER | 06/26/07 09:30 |
| 885463-002 | MW4P | WATER | 06/26/07 10:15 |
| 885463-003 | MW3 | WATER | 06/26/07 10:50 |
| 885463-004 | MW2 | WATER | 06/26/07 12:20 |
| 885463-005 | MW5 | WATER | 06/26/07 13:00 |
| 885463-006 | MW6 | WATER | 06/26/07 13:30 |
| 885463-007 | MW1 | WATER | 06/26/07 13:50 |
| 885463-008 | MW4 | WATER | 06/26/07 14:25 |
| 885463-009 | TRIP BLANK | WATER | 06/26/07 |

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.

Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.



Laurie Woelfel

7/6/07

Approval Signature

Date

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW1P

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-001

VOLATILES

Prep Date/Time: 07/02/07 3:55 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|-----------------------------|--------|------|------|-----|------|-------|------------------|------------------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 0.92 | 0.92 | 3.1 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 0.90 | 0.90 | 3.0 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 0.20 | 0.20 | 0.67 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 0.42 | 0.42 | 1.4 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 0.75 | 0.75 | 2.5 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 0.57 | 0.57 | 1.9 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 0.75 | 0.75 | 2.5 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 0.74 | 0.74 | 2.5 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 0.99 | 0.99 | 3.3 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 0.87 | 0.87 | 2.9 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 0.56 | 0.56 | 1.9 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 0.36 | 0.36 | 1.2 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 0.46 | 0.46 | 1.5 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 0.87 | 0.87 | 2.9 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 0.61 | 0.61 | 2.0 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 0.95 | 0.95 | 3.2 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 0.62 | 0.62 | 2.1 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 0.85 | 0.85 | 2.8 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 0.74 | 0.74 | 2.5 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Benzene | < 0.41 | 0.41 | 1.4 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Bromobenzene | < 0.82 | 0.82 | 2.7 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 0.56 | 0.56 | 1.9 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Bromoform | < 0.94 | 0.94 | 3.1 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Bromomethane | < 0.91 | 0.91 | 3.0 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 0.49 | 0.49 | 1.6 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 0.41 | 0.41 | 1.4 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 0.81 | 0.81 | 2.7 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Chloroethane | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Chloroform | < 0.37 | 0.37 | 1.2 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Chloromethane | < 0.24 | 0.24 | 0.80 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 0.19 | 0.19 | 0.63 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Dibromomethane | < 0.60 | 0.60 | 2.0 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 0.99 | 0.99 | 3.3 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 0.76 | 0.76 | 2.5 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 0.54 | 0.54 | 1.8 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 0.79 | 0.79 | 2.6 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 0.67 | 0.67 | 2.2 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 0.59 | 0.59 | 2.0 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Methylene Chloride | < 0.43 | 0.43 | 1.4 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 0.61 | 0.61 | 2.0 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Naphthalene | < 0.74 | 0.74 | 2.5 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 0.93 | 0.93 | 3.1 | | 1 | ug/L | 07/02/07 3:55 PM | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW1P

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-001

VOLATILES

Prep Date/Time: 07/02/07 3:55 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|------------------|-------------|-------------|
| n-Propylbenzene | < 0.81 | 0.81 | 2.7 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 0.67 | 0.67 | 2.2 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 0.89 | 0.89 | 3.0 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Styrene | < 0.86 | 0.86 | 2.9 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Tetrachloroethene | < 0.45 | 0.45 | 1.5 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Toluene | < 0.67 | 0.67 | 2.2 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 0.89 | 0.89 | 3.0 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 0.19 | 0.19 | 0.63 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Trichloroethene | < 0.48 | 0.48 | 1.6 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 0.18 | 0.18 | 0.60 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Xylene, m + p | < 1.8 | 1.8 | 6.0 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Xylene, o | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | | 07/02/07 3:55 PM | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 83 | 64 | 132 | | 1 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 82 | 73 | 127 | | 1 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 81 | 68 | 122 | | 1 | % | | 07/02/07 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW4P

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-002

VOLATILES

Prep Date/Time: 07/02/07 1:11 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|-----------------------------|--------|-----|-----|-----|------|-------|------|------------------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 9.2 | 9.2 | 31 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 9.0 | 9.0 | 30 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 2.0 | 2.0 | 6.7 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 4.2 | 4.2 | 14 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 7.5 | 7.5 | 25 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 5.7 | 5.7 | 19 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 7.5 | 7.5 | 25 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 7.4 | 7.4 | 25 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 9.9 | 9.9 | 33 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 9.7 | 9.7 | 32 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 9.7 | 9.7 | 32 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 8.7 | 8.7 | 29 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 5.6 | 5.6 | 19 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 8.3 | 8.3 | 28 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 3.6 | 3.6 | 12 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 4.6 | 4.6 | 15 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 8.3 | 8.3 | 28 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 8.7 | 8.7 | 29 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 6.1 | 6.1 | 20 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 9.5 | 9.5 | 32 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 6.2 | 6.2 | 21 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 8.5 | 8.5 | 28 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 7.4 | 7.4 | 25 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Benzene | < 4.1 | 4.1 | 14 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Bromobenzene | < 8.2 | 8.2 | 27 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 9.7 | 9.7 | 32 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 5.6 | 5.6 | 19 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Bromoform | < 9.4 | 9.4 | 31 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Bromomethane | < 9.1 | 9.1 | 30 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 4.9 | 4.9 | 16 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 4.1 | 4.1 | 14 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 8.1 | 8.1 | 27 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Chloroethane | < 9.7 | 9.7 | 32 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Chloroform | < 3.7 | 3.7 | 12 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Chloromethane | < 2.4 | 2.4 | 8.0 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 8.3 | 8.3 | 28 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 1.9 | 1.9 | 6.3 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Dibromomethane | < 6.0 | 6.0 | 20 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 9.9 | 9.9 | 33 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 7.6 | 7.6 | 25 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 5.4 | 5.4 | 18 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 7.9 | 7.9 | 26 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 6.7 | 6.7 | 22 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 5.9 | 5.9 | 20 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Methylene Chloride | < 4.3 | 4.3 | 14 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 6.1 | 6.1 | 20 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Naphthalene | < 7.4 | 7.4 | 25 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 9.3 | 9.3 | 31 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW4P

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-002

VOLATILES

Prep Date/Time: 07/02/07 1:11 PM **Anl By:** JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|------------------|-------------|-------------|
| n-Propylbenzene | < 8.1 | 8.1 | 27 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 6.7 | 6.7 | 22 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 8.9 | 8.9 | 30 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Styrene | < 8.6 | 8.6 | 29 | | 10 | ug/L | N | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 9.7 | 9.7 | 32 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Tetrachloroethene | 1200 | 4.5 | 15 | | 10 | ug/L | N | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Toluene | < 6.7 | 6.7 | 22 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 8.9 | 8.9 | 30 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 1.9 | 1.9 | 6.3 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Trichloroethene | 81 | 4.8 | 16 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 1.8 | 1.8 | 6.0 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Xylene, m + p | < 18 | 18 | 60 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Xylene, o | < 8.3 | 8.3 | 28 | | 10 | ug/L | | 07/02/07 1:11 PM | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 81 | 64 | 132 | | 10 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 82 | 73 | 127 | | 10 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 80 | 68 | 122 | | 10 | % | | 07/02/07 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW3

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-003

VOLATILES

Prep Date/Time: 07/02/07 4:18 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|-----------------------------|--------|------|------|-----|------|-------|------|------------------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 0.92 | 0.92 | 3.1 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 0.90 | 0.90 | 3.0 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 0.20 | 0.20 | 0.67 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 0.42 | 0.42 | 1.4 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 0.75 | 0.75 | 2.5 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 0.57 | 0.57 | 1.9 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 0.75 | 0.75 | 2.5 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 0.74 | 0.74 | 2.5 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 0.99 | 0.99 | 3.3 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 0.87 | 0.87 | 2.9 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 0.56 | 0.56 | 1.9 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 0.36 | 0.36 | 1.2 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 0.46 | 0.46 | 1.5 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 0.87 | 0.87 | 2.9 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 0.61 | 0.61 | 2.0 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 0.95 | 0.95 | 3.2 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 0.62 | 0.62 | 2.1 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 0.85 | 0.85 | 2.8 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 0.74 | 0.74 | 2.5 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Benzene | < 0.41 | 0.41 | 1.4 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Bromobenzene | < 0.82 | 0.82 | 2.7 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 0.56 | 0.56 | 1.9 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Bromoform | < 0.94 | 0.94 | 3.1 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Bromomethane | < 0.91 | 0.91 | 3.0 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 0.49 | 0.49 | 1.6 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 0.41 | 0.41 | 1.4 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 0.81 | 0.81 | 2.7 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Chloroethane | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Chloroform | 2.4 | 0.37 | 1.2 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Chloromethane | < 0.24 | 0.24 | 0.80 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 0.19 | 0.19 | 0.63 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Dibromomethane | < 0.60 | 0.60 | 2.0 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 0.99 | 0.99 | 3.3 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 0.76 | 0.76 | 2.5 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 0.54 | 0.54 | 1.8 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 0.79 | 0.79 | 2.6 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 0.67 | 0.67 | 2.2 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 0.59 | 0.59 | 2.0 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Methylene Chloride | < 0.43 | 0.43 | 1.4 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 0.61 | 0.61 | 2.0 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Naphthalene | < 0.74 | 0.74 | 2.5 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 0.93 | 0.93 | 3.1 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW3

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-003

VOLATILES

Prep Date/Time: 07/02/07 4:18 PM **Anl By:** JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|------------------|-------------|-------------|
| n-Propylbenzene | < 0.81 | 0.81 | 2.7 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 0.67 | 0.67 | 2.2 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 0.89 | 0.89 | 3.0 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Styrene | < 0.86 | 0.86 | 2.9 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Tetrachloroethene | 51 | 0.45 | 1.5 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Toluene | < 0.67 | 0.67 | 2.2 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 0.89 | 0.89 | 3.0 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 0.19 | 0.19 | 0.63 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Trichloroethene | < 0.48 | 0.48 | 1.6 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 0.18 | 0.18 | 0.60 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Xylene, m + p | < 1.8 | 1.8 | 6.0 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Xylene, o | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | | 07/02/07 4:18 PM | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 79 | 64 | 132 | | 1 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 78 | 73 | 127 | | 1 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 82 | 68 | 122 | | 1 | % | | 07/02/07 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW2

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-004

VOLATILES

Prep Date/Time: 07/02/07 4:41 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|-----------------------------|--------|------|------|-----|------|-------|------------------|------------------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 0.92 | 0.92 | 3.1 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 0.90 | 0.90 | 3.0 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 0.20 | 0.20 | 0.67 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 0.42 | 0.42 | 1.4 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 0.75 | 0.75 | 2.5 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 0.57 | 0.57 | 1.9 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 0.75 | 0.75 | 2.5 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 0.74 | 0.74 | 2.5 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 0.99 | 0.99 | 3.3 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 0.87 | 0.87 | 2.9 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 0.56 | 0.56 | 1.9 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 0.36 | 0.36 | 1.2 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 0.46 | 0.46 | 1.5 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 0.87 | 0.87 | 2.9 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 0.61 | 0.61 | 2.0 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 0.95 | 0.95 | 3.2 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 0.62 | 0.62 | 2.1 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 0.85 | 0.85 | 2.8 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 0.74 | 0.74 | 2.5 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Benzene | < 0.41 | 0.41 | 1.4 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Bromobenzene | < 0.82 | 0.82 | 2.7 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 0.56 | 0.56 | 1.9 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Bromoform | < 0.94 | 0.94 | 3.1 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Bromomethane | < 0.91 | 0.91 | 3.0 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 0.49 | 0.49 | 1.6 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 0.41 | 0.41 | 1.4 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 0.81 | 0.81 | 2.7 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Chloroethane | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Chloroform | < 0.37 | 0.37 | 1.2 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Chloromethane | < 0.24 | 0.24 | 0.80 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 0.19 | 0.19 | 0.63 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Dibromomethane | < 0.60 | 0.60 | 2.0 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 0.99 | 0.99 | 3.3 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 0.76 | 0.76 | 2.5 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 0.54 | 0.54 | 1.8 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 0.79 | 0.79 | 2.6 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 0.67 | 0.67 | 2.2 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 0.59 | 0.59 | 2.0 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Methylene Chloride | < 0.43 | 0.43 | 1.4 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 0.61 | 0.61 | 2.0 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Naphthalene | < 0.74 | 0.74 | 2.5 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 0.93 | 0.93 | 3.1 | | 1 | ug/L | 07/02/07 4:41 PM | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW2

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-004

VOLATILES

Prep Date/Time: 07/02/07 4:41 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|------------------|-------------|-------------|
| n-Propylbenzene | < 0.81 | 0.81 | 2.7 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 0.67 | 0.67 | 2.2 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 0.89 | 0.89 | 3.0 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Styrene | < 0.86 | 0.86 | 2.9 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Tetrachloroethene | 16 | 0.45 | 1.5 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Toluene | < 0.67 | 0.67 | 2.2 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 0.89 | 0.89 | 3.0 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 0.19 | 0.19 | 0.63 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Trichloroethene | < 0.48 | 0.48 | 1.6 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 0.18 | 0.18 | 0.60 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Xylene, m + p | < 1.8 | 1.8 | 6.0 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Xylene, o | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | | 07/02/07 4:41 PM | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 80 | 64 | 132 | | 1 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 80 | 73 | 127 | | 1 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 80 | 68 | 122 | | 1 | % | | 07/02/07 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW5

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-005

VOLATILES

Prep Date/Time: 07/02/07 5:51 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|-----------------------------|--------|------|-----|-----|------|-------|------|------------------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 2.3 | 2.3 | 7.7 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 2.2 | 2.2 | 7.5 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 0.50 | 0.50 | 1.7 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 1.0 | 1.0 | 3.5 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 1.9 | 1.9 | 6.2 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 1.4 | 1.4 | 4.7 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 1.9 | 1.9 | 6.2 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 1.8 | 1.8 | 6.2 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 2.5 | 2.5 | 8.2 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 2.4 | 2.4 | 8.1 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 2.4 | 2.4 | 8.1 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 2.2 | 2.2 | 7.2 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 1.4 | 1.4 | 4.7 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 2.1 | 2.1 | 6.9 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 0.90 | 0.90 | 3.0 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 1.2 | 1.2 | 3.8 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 2.1 | 2.1 | 6.9 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 2.2 | 2.2 | 7.2 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 1.5 | 1.5 | 5.1 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 2.4 | 2.4 | 7.9 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 1.6 | 1.6 | 5.2 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 2.1 | 2.1 | 7.1 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 1.8 | 1.8 | 6.2 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Benzene | < 1.0 | 1.0 | 3.4 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Bromobenzene | < 2.0 | 2.0 | 6.8 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 2.4 | 2.4 | 8.1 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 1.4 | 1.4 | 4.7 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Bromoform | < 2.3 | 2.3 | 7.8 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Bromomethane | < 2.3 | 2.3 | 7.6 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 1.2 | 1.2 | 4.1 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 1.0 | 1.0 | 3.4 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 2.0 | 2.0 | 6.8 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Chloroethane | < 2.4 | 2.4 | 8.1 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Chloroform | < 0.92 | 0.92 | 3.1 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Chloromethane | < 0.60 | 0.60 | 2.0 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 2.1 | 2.1 | 6.9 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 0.48 | 0.48 | 1.6 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Dibromomethane | < 1.5 | 1.5 | 5.0 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 2.5 | 2.5 | 8.2 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 1.9 | 1.9 | 6.3 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 1.4 | 1.4 | 4.5 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 2.0 | 2.0 | 6.6 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 1.7 | 1.7 | 5.6 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 1.5 | 1.5 | 4.9 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Methylene Chloride | < 1.1 | 1.1 | 3.6 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 1.5 | 1.5 | 5.1 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Naphthalene | < 1.8 | 1.8 | 6.2 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 2.3 | 2.3 | 7.8 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW5

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-005

VOLATILES

Prep Date/Time: 07/02/07 5:51 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|------------------|-------------|-------------|
| n-Propylbenzene | < 2.0 | 2.0 | 6.8 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 1.7 | 1.7 | 5.6 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 2.2 | 2.2 | 7.4 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Styrene | < 2.2 | 2.2 | 7.2 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 2.4 | 2.4 | 8.1 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Tetrachloroethene | 170 | 1.1 | 3.8 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Toluene | < 1.7 | 1.7 | 5.6 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 2.2 | 2.2 | 7.4 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 0.48 | 0.48 | 1.6 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Trichloroethene | < 1.2 | 1.2 | 4.0 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 0.45 | 0.45 | 1.5 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Xylene, m + p | < 4.5 | 4.5 | 15 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Xylene, o | < 2.1 | 2.1 | 6.9 | | 2.5 | ug/L | | 07/02/07 5:51 PM | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 80 | 64 | 132 | | 2.5 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 79 | 73 | 127 | | 2.5 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 82 | 68 | 122 | | 2.5 | % | | 07/02/07 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW6

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-006

VOLATILES

Prep Date/Time: 07/02/07 6:38 PM **Anl By:** JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|-----------------------------|--------|-----|-----|-----|------|-------|------|------------------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 23 | 23 | 77 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 22 | 22 | 75 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 5.0 | 5.0 | 17 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 10 | 10 | 35 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 19 | 19 | 62 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 14 | 14 | 47 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 19 | 19 | 62 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 18 | 18 | 62 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 25 | 25 | 82 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 24 | 24 | 81 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 24 | 24 | 81 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 22 | 22 | 72 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 14 | 14 | 47 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 21 | 21 | 69 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 9.0 | 9.0 | 30 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 12 | 12 | 38 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 21 | 21 | 69 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 22 | 22 | 72 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 15 | 15 | 51 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 24 | 24 | 79 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 16 | 16 | 52 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 21 | 21 | 71 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 18 | 18 | 62 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Benzene | < 10 | 10 | 34 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Bromobenzene | < 20 | 20 | 68 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 24 | 24 | 81 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 14 | 14 | 47 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Bromoform | < 24 | 24 | 78 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Bromomethane | < 23 | 23 | 76 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 12 | 12 | 41 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 10 | 10 | 34 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 20 | 20 | 68 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Chloroethane | < 24 | 24 | 81 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Chloroform | < 9.2 | 9.2 | 31 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Chloromethane | < 6.0 | 6.0 | 20 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 21 | 21 | 69 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 4.8 | 4.8 | 16 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Dibromomethane | < 15 | 15 | 50 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 25 | 25 | 82 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 19 | 19 | 63 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 14 | 14 | 45 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 20 | 20 | 66 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 17 | 17 | 56 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 15 | 15 | 49 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Methylene Chloride | < 11 | 11 | 36 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 15 | 15 | 51 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Naphthalene | < 18 | 18 | 62 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 23 | 23 | 78 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW6

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-006

VOLATILES

Prep Date/Time: 07/02/07 6:38 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|------------------|-------------|-------------|
| n-Propylbenzene | < 20 | 20 | 68 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 17 | 17 | 56 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 22 | 22 | 74 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Styrene | < 22 | 22 | 72 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 24 | 24 | 81 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Tetrachloroethene | 2300 | 11 | 38 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Toluene | < 17 | 17 | 56 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 22 | 22 | 74 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 4.8 | 4.8 | 16 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Trichloroethene | < 12 | 12 | 40 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 4.5 | 4.5 | 15 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Xylene, m + p | < 45 | 45 | 150 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Xylene, o | < 21 | 21 | 69 | | 25 | ug/L | M | 07/02/07 6:38 PM | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 80 | 64 | 132 | | 25 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 82 | 73 | 127 | | 25 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 80 | 68 | 122 | | 25 | % | | 07/02/07 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW1

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-007

VOLATILES

Prep Date/Time: 07/02/07 5:28 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|-----------------------------|--------|------|-----|-----|------|-------|------|------------------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 1.8 | 1.8 | 6.1 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 1.8 | 1.8 | 6.0 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 0.40 | 0.40 | 1.3 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 0.84 | 0.84 | 2.8 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 1.5 | 1.5 | 5.0 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 1.1 | 1.1 | 3.8 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 1.5 | 1.5 | 5.0 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 1.5 | 1.5 | 4.9 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 2.0 | 2.0 | 6.6 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 1.9 | 1.9 | 6.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 1.9 | 1.9 | 6.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 1.7 | 1.7 | 5.8 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 1.1 | 1.1 | 3.7 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 1.7 | 1.7 | 5.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 0.72 | 0.72 | 2.4 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 0.92 | 0.92 | 3.1 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 1.7 | 1.7 | 5.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 1.7 | 1.7 | 5.8 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 1.2 | 1.2 | 4.1 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 1.9 | 1.9 | 6.3 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 1.2 | 1.2 | 4.1 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 1.7 | 1.7 | 5.7 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 1.5 | 1.5 | 4.9 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Benzene | < 0.82 | 0.82 | 2.7 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Bromobenzene | < 1.6 | 1.6 | 5.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 1.9 | 1.9 | 6.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 1.1 | 1.1 | 3.7 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Bromoform | < 1.9 | 1.9 | 6.3 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Bromomethane | < 1.8 | 1.8 | 6.1 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 0.98 | 0.98 | 3.3 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 0.82 | 0.82 | 2.7 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 1.6 | 1.6 | 5.4 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Chloroethane | < 1.9 | 1.9 | 6.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Chloroform | 2.6 | 0.74 | 2.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Chloromethane | < 0.48 | 0.48 | 1.6 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 1.7 | 1.7 | 5.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 0.38 | 0.38 | 1.3 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Dibromomethane | < 1.2 | 1.2 | 4.0 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 2.0 | 2.0 | 6.6 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 1.5 | 1.5 | 5.1 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 1.1 | 1.1 | 3.6 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 1.6 | 1.6 | 5.3 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 1.3 | 1.3 | 4.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 1.2 | 1.2 | 3.9 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Methylene Chloride | < 0.86 | 0.86 | 2.9 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 1.2 | 1.2 | 4.1 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Naphthalene | < 1.5 | 1.5 | 4.9 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 1.9 | 1.9 | 6.2 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW1

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-007

VOLATILES

Prep Date/Time: 07/02/07 5:28 PM **Anl By:** JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|------------------|-------------|-------------|
| n-Propylbenzene | < 1.6 | 1.6 | 5.4 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 1.3 | 1.3 | 4.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 1.8 | 1.8 | 5.9 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Styrene | < 1.7 | 1.7 | 5.7 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 1.9 | 1.9 | 6.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Tetrachloroethene | 190 | 0.90 | 3.0 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Toluene | < 1.3 | 1.3 | 4.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 1.8 | 1.8 | 5.9 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 0.38 | 0.38 | 1.3 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Trichloroethene | 1.1 | 0.96 | 3.2 | | 2 | ug/L | Q | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 0.36 | 0.36 | 1.2 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Xylene, m + p | < 3.6 | 3.6 | 12 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Xylene, o | < 1.7 | 1.7 | 5.5 | | 2 | ug/L | | 07/02/07 5:28 PM | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 81 | 64 | 132 | | 2 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 81 | 73 | 127 | | 2 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 80 | 68 | 122 | | 2 | % | | 07/02/07 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW4

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-008

VOLATILES

Prep Date/Time: 07/02/07 6:15 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|-----------------------------|--------|-----|-----|-----|------|-------|------|------------------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 9.2 | 9.2 | 31 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 9.0 | 9.0 | 30 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 2.0 | 2.0 | 6.7 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 4.2 | 4.2 | 14 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 7.5 | 7.5 | 25 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 5.7 | 5.7 | 19 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 7.5 | 7.5 | 25 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 7.4 | 7.4 | 25 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 9.9 | 9.9 | 33 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 9.7 | 9.7 | 32 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 9.7 | 9.7 | 32 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 8.7 | 8.7 | 29 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 5.6 | 5.6 | 19 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 8.3 | 8.3 | 28 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 3.6 | 3.6 | 12 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 4.6 | 4.6 | 15 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 8.3 | 8.3 | 28 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 8.7 | 8.7 | 29 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 6.1 | 6.1 | 20 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 9.5 | 9.5 | 32 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 6.2 | 6.2 | 21 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 8.5 | 8.5 | 28 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 7.4 | 7.4 | 25 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Benzene | < 4.1 | 4.1 | 14 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Bromobenzene | < 8.2 | 8.2 | 27 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 9.7 | 9.7 | 32 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 5.6 | 5.6 | 19 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Bromoform | < 9.4 | 9.4 | 31 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Bromomethane | < 9.1 | 9.1 | 30 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 4.9 | 4.9 | 16 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 4.1 | 4.1 | 14 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 8.1 | 8.1 | 27 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Chloroethane | < 9.7 | 9.7 | 32 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Chloroform | < 3.7 | 3.7 | 12 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Chloromethane | < 2.4 | 2.4 | 8.0 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 8.3 | 8.3 | 28 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 1.9 | 1.9 | 6.3 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Dibromomethane | < 6.0 | 6.0 | 20 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 9.9 | 9.9 | 33 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 7.6 | 7.6 | 25 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 5.4 | 5.4 | 18 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 7.9 | 7.9 | 26 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 6.7 | 6.7 | 22 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 5.9 | 5.9 | 20 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Methylene Chloride | < 4.3 | 4.3 | 14 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 6.1 | 6.1 | 20 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Naphthalene | < 7.4 | 7.4 | 25 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 9.3 | 9.3 | 31 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : MW4

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-008

VOLATILES

Prep Date/Time: 07/02/07 6:15 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|------------------|-------------|-------------|
| n-Propylbenzene | < 8.1 | 8.1 | 27 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 6.7 | 6.7 | 22 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 8.9 | 8.9 | 30 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Styrene | < 8.6 | 8.6 | 29 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 9.7 | 9.7 | 32 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Tetrachloroethene | 1500 | 4.5 | 15 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Toluene | < 6.7 | 6.7 | 22 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 8.9 | 8.9 | 30 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 1.9 | 1.9 | 6.3 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Trichloroethene | < 4.8 | 4.8 | 16 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 1.8 | 1.8 | 6.0 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Xylene, m + p | < 18 | 18 | 60 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Xylene, o | < 8.3 | 8.3 | 28 | | 10 | ug/L | | 07/02/07 6:15 PM | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 80 | 64 | 132 | | 10 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 84 | 73 | 127 | | 10 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 84 | 68 | 122 | | 10 | % | | 07/02/07 | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : TRIP BLANK

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-009

VOLATILES

Prep Date/Time: 07/02/07 12:48 PM Anl By: JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|-----------------------------|--------|------|------|-----|------|-------|----------|---------------|-------------|-------------|
| 1,1,1,2-Tetrachloroethane | < 0.92 | 0.92 | 3.1 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,1,1-Trichloroethane | < 0.90 | 0.90 | 3.0 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,1,2,2-Tetrachloroethane | < 0.20 | 0.20 | 0.67 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,1,2-Trichloroethane | < 0.42 | 0.42 | 1.4 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethane | < 0.75 | 0.75 | 2.5 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloroethene | < 0.57 | 0.57 | 1.9 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,1-Dichloropropene | < 0.75 | 0.75 | 2.5 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichlorobenzene | < 0.74 | 0.74 | 2.5 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,2,3-Trichloropropane | < 0.99 | 0.99 | 3.3 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trichlorobenzene | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,2,4-Trimethylbenzene | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromo-3-chloropropane | < 0.87 | 0.87 | 2.9 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,2-Dibromoethane | < 0.56 | 0.56 | 1.9 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichlorobenzene | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloroethane | < 0.36 | 0.36 | 1.2 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,2-Dichloropropane | < 0.46 | 0.46 | 1.5 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,3,5-Trimethylbenzene | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichlorobenzene | < 0.87 | 0.87 | 2.9 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,3-Dichloropropane | < 0.61 | 0.61 | 2.0 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 1,4-Dichlorobenzene | < 0.95 | 0.95 | 3.2 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 2,2-Dichloropropane | < 0.62 | 0.62 | 2.1 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 2-Chlorotoluene | < 0.85 | 0.85 | 2.8 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| 4-Chlorotoluene | < 0.74 | 0.74 | 2.5 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Benzene | < 0.41 | 0.41 | 1.4 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Bromobenzene | < 0.82 | 0.82 | 2.7 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Bromochloromethane | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Bromodichloromethane | < 0.56 | 0.56 | 1.9 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Bromoform | < 0.94 | 0.94 | 3.1 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Bromomethane | < 0.91 | 0.91 | 3.0 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Carbon Tetrachloride | < 0.49 | 0.49 | 1.6 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Chlorobenzene | < 0.41 | 0.41 | 1.4 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Chlorodibromomethane | < 0.81 | 0.81 | 2.7 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Chloroethane | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Chloroform | < 0.37 | 0.37 | 1.2 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Chloromethane | < 0.24 | 0.24 | 0.80 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| cis-1,2-Dichloroethene | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| cis-1,3-Dichloropropene | < 0.19 | 0.19 | 0.63 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Dibromomethane | < 0.60 | 0.60 | 2.0 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Dichlorodifluoromethane | < 0.99 | 0.99 | 3.3 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Diisopropyl Ether | < 0.76 | 0.76 | 2.5 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Ethylbenzene | < 0.54 | 0.54 | 1.8 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Fluorotrichloromethane | < 0.79 | 0.79 | 2.6 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Hexachlorobutadiene | < 0.67 | 0.67 | 2.2 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Isopropylbenzene | < 0.59 | 0.59 | 2.0 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Methylene Chloride | < 0.43 | 0.43 | 1.4 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Methyl-tert-butyl-ether | < 0.61 | 0.61 | 2.0 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| Naphthalene | < 0.74 | 0.74 | 2.5 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |
| n-Butylbenzene | < 0.93 | 0.93 | 3.1 | | 1 | ug/L | 07/02/07 | 12:48 PM | SW846 5030B | SW846 8260B |

Client : BT SQUARED, INC.
Project Name : 3918 MONONA DRIVE
Project Number : 2325
Field ID : TRIP BLANK

Matrix Type : WATER
Collection Date : 06/26/07
Report Date : 07/03/07
Lab Sample Number : 885463-009

VOLATILES

Prep Date/Time: 07/02/07 12:48 PM **Anl By:** JJB

| Analyte | Result | LOD | LOQ | EQL | Dil. | Units | Code | Anl Date/Time | Prep Method | Anl Method |
|---------------------------|--------|------------|------------|-----|------|-------|------|-------------------|-------------|-------------|
| n-Propylbenzene | < 0.81 | 0.81 | 2.7 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| p-Isopropyltoluene | < 0.67 | 0.67 | 2.2 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| s-Butylbenzene | < 0.89 | 0.89 | 3.0 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| Styrene | < 0.86 | 0.86 | 2.9 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| t-Butylbenzene | < 0.97 | 0.97 | 3.2 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| Tetrachloroethene | < 0.45 | 0.45 | 1.5 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| Toluene | < 0.67 | 0.67 | 2.2 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| trans-1,2-Dichloroethene | < 0.89 | 0.89 | 3.0 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| trans-1,3-Dichloropropene | < 0.19 | 0.19 | 0.63 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| Trichloroethene | < 0.48 | 0.48 | 1.6 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| Vinyl Chloride | < 0.18 | 0.18 | 0.60 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| Xylene, m + p | < 1.8 | 1.8 | 6.0 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| Xylene, o | < 0.83 | 0.83 | 2.8 | | 1 | ug/L | | 07/02/07 12:48 PM | SW846 5030B | SW846 8260B |
| Surrogate | | LCL | UCL | | | | | | | |
| 4-Bromofluorobenzene | 79 | 64 | 132 | | 1 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Toluene-d8 | 82 | 73 | 127 | | 1 | % | | 07/02/07 | SW846 5030B | SW846 8260B |
| Dibromofluoromethane | 78 | 68 | 122 | | 1 | % | | 07/02/07 | SW846 5030B | SW846 8260B |

Qualifier Codes

| Flag | Applies To | Explanation |
|------|------------|---|
| A | Inorganic | Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis. |
| B | Inorganic | The analyte has been detected between the method detection limit and the reporting limit. |
| B | Organic | Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis. |
| C | All | Elevated detection limit. |
| D | All | Analyte value from diluted analysis or surrogate result not applicable due to sample dilution. |
| E | Inorganic | Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed. |
| E | Organic | Analyte concentration exceeds calibration range. |
| F | Inorganic | Due to potential interferences for this analysis by Inductively Coupled Plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method. |
| F | Organic | Surrogate results outside control criteria. |
| G | All | The result is estimated because the concentration is less than the lowest calibration standard concentration utilized in the initial calibration. The method detection limit is less than the reporting limit specified for this project. |
| H | All | Preservation, extraction or analysis performed past holding time. |
| HF | Inorganic | This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time. |
| J | All | Concentration detected equal to or greater than the method detection limit but less than the reporting limit. |
| K | Organic | Detection limit may be elevated due to the presence of an unrequested analyte. |
| L | All | Elevated detection limit due to low sample volume. |
| M | Organic | Sample pH was greater than 2 |
| N | All | Spiked sample recovery not within control limits. |
| O | Organic | Sample received overweight. |
| P | Organic | The relative percent difference between the two columns for detected concentrations was greater than 40%. |
| Q | All | The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range. |
| S | Organic | The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit. |
| U | All | The analyte was not detected at or above the reporting limit. |
| V | All | Sample received with headspace. |
| W | All | A second aliquot of sample was analyzed from a container with headspace. |
| X | All | See Sample Narrative. |
| Z | Organics | This compound was separated in the CCV standard but it did not meet the resolution criteria as set forth in SW846. |
| & | All | Laboratory Control Spike recovery not within control limits. |
| * | All | Precision not within control limits. |
| + | Inorganic | The sample result is greater than four times the spike level; therefore, the percent recovery is not evaluated. |
| < | All | The analyte was not detected at or above the reporting limit. |
| 1 | Inorganic | Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria. |
| 2 | Inorganic | Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria. |
| 3 | Inorganic | BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion. |
| 4 | Inorganic | BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency. |
| 5 | Inorganic | BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency. |
| 6 | Inorganic | BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency. |
| 7 | Inorganic | BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency. |
| 8 | Inorganic | Sample was received unpreserved. Sample was preserved either at the time of receipt or at the time of sample preparation. |
| 9 | Inorganic | Sample was received with insufficient preservation. Acid was added either at the time of receipt or at the time of sample preparation. |

| Test Group Name | 885463-001 | 885463-002 | 885463-003 | 885463-004 | 885463-005 | 885463-006 | 885463-007 | 885463-008 | 885463-009 |
|-----------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| VOLATILES | G | G | G | G | G | G | G | G | G |

| Code | WI Certification |
|------|------------------|
| G | 405132750 |

Batch: 885463

Lab Section: VOA

QC Batch Number: 22439

Prep Method: SW846 5030B

Analytical Method: SW846 8260B

| QC Type | Client Sample ID | Lab Sample ID |
|---------|------------------|----------------|
| MB | vog2235-61MB | vog2235-61MB |
| LCS | vog2235-61LCS | vog2235-61LCS |
| LCSD | vog2235-61LCSD | vog2235-61LCSD |
| MS | MW4PMS | 885463-002MS |
| MSD | MW4PMSD | 885463-002MSD |

| Client Sample ID | Lab Sample ID | MB ID |
|------------------|---------------|-------|
| MW1P | 885463-001 | MB |
| MW3 | 885463-003 | MB |
| MW5 | 885463-005 | MB |
| MW1 | 885463-007 | MB |
| TRIP BLANK | 885463-009 | MB |

| Client Sample ID | Lab Sample ID | MB ID |
|------------------|---------------|-------|
| MW4P | 885463-002 | MB |
| MW2 | 885463-004 | MB |
| MW6 | 885463-006 | MB |
| MW4 | 885463-008 | MB |

| Test Name | Method Blank Result Conc | LCS Spiked Conc | LCS Recovery % | LCS Spiked Conc | LCSD Recovery % | LCSD Spiked Conc | LCS/LCSD Control Limits | | | Parent Sample Number | Parent Result Conc | MS Spiked Conc | MS Recovery % | MSD Spiked Conc | MSD Recovery % | MS/MSD RPD % | MS/MSD Control Limits | | |
|----------------------------|--------------------------|-----------------|----------------|-----------------|-----------------|------------------|-------------------------|-------|-------|----------------------|--------------------|----------------|---------------|-----------------|----------------|--------------|-----------------------|-------|-------|
| | | | | | | | LCL % | UCL % | RPD % | | | | | | | | LCL % | UCL % | RPD % |
| 1,1,1,2-Tetrachloroethane | < | 0 | 0.92 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,1-Dichloropropene | < | 0 | 0.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,2,3-Trichlorobenzene | < | 0 | 0.74 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,2,3-Trichloropropane | < | 0 | 0.99 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,2,4-Trichlorobenzene | < | 0 | 0.97 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,2,4-Trimethylbenzene | < | 0 | 0.97 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,2-Dibromo-3-chloropropan | < | 0 | 0.87 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,2-Dibromoethane | < | 0 | 0.56 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,2-Dichlorobenzene | < | 0 | 0.83 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,3,5-Trimethylbenzene | < | 0 | 0.83 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,3-Dichlorobenzene | < | 0 | 0.87 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,3-Dichloropropane | < | 0 | 0.61 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1,4-Dichlorobenzene | < | 0 | 0.95 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2,2-Dichloropropane | < | 0 | 0.62 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-Chlorotoluene | < | 0 | 0.85 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-Chlorotoluene | < | 0 | 0.74 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Bromobenzene | < | 0 | 0.82 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Bromochloromethane | < | 0 | 0.97 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dibromomethane | < | 0 | 0.6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dichlorodifluoromethane | < | 0 | 0.99 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Diisopropyl Ether | < | 0 | 0.76 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 7/3/2007

QC Batch Number: 22439

| Test Name | Method Blank Result Conc | LCS Spiked Conc | LCS Recovery | | LCS Spiked Conc | LCS Recovery | | LCS Spiked Conc | LCS Recovery % | LCS Spiked Conc | LCS/LCSD Control Limits | | | Parent Sample Number | Parent Result Conc | MS Spiked Conc | MS Recovery | | MS Spiked Conc | MS Recovery | | MS Spiked Conc | MS Recovery | | MS/MSD Control Limits | | | | |
|---------------------------|--------------------------|-----------------|--------------|-----|-----------------|--------------|-----|-----------------|----------------|-----------------|-------------------------|-------|--------|----------------------|--------------------|----------------|-------------|--------|----------------|-------------|-----|----------------|-------------|----|-----------------------|-----|------|-----|-------|
| | | | Conc | % | | Conc | % | | | | LCL % | UCL % | RPD % | | | | Conc | % | | Conc | % | | Conc | % | Conc | % | Conc | % | LCL % |
| Tetrachloroethene | < 0.45 | 50.000 | 57.5 | 115 | 50.000 | 58.2 | 116 | 50.000 | 115 | 50.000 | 58.2 | 116 | 50.000 | 115 | 50.000 | 1332.6 | 326 | 1403.2 | 467 | 1403.2 | 467 | 50.000 | 5.2 | 70 | 130 | 30 | 70 | 130 | 30 |
| Toluene | < 0.67 | 50.0 | 50.2 | 100 | 50.0 | 49.1 | 98 | 50.0 | 100 | 50.0 | 49.1 | 98 | 50.0 | 100 | 50.0 | 45.5 | 91 | 47 | 94 | 47 | 94 | 50.0 | 3.2 | 70 | 130 | 30 | 70 | 130 | 30 |
| trans-1,2-Dichloroethene | < 0.89 | 50.0 | 53.7 | 107 | 50.0 | 52.2 | 104 | 50.0 | 107 | 50.0 | 52.2 | 104 | 50.0 | 107 | 50.0 | 51.2 | 102 | 51.9 | 104 | 51.9 | 104 | 50.0 | 1.4 | 70 | 130 | 30 | 70 | 130 | 30 |
| trans-1,3-Dichloropropene | < 0.19 | 50.0 | 55.9 | 112 | 50.0 | 53.6 | 107 | 50.0 | 112 | 50.0 | 53.6 | 107 | 50.0 | 112 | 50.0 | 51.3 | 103 | 50.5 | 101 | 50.5 | 101 | 50.0 | 1.5 | 70 | 130 | 30 | 70 | 130 | 30 |
| Trichloroethene | < 0.48 | 50.00 | 53.2 | 106 | 50.00 | 53.7 | 107 | 50.00 | 106 | 50.00 | 53.7 | 107 | 50.00 | 106 | 50.00 | 145.5 | 130 | 143.7 | 126 | 143.7 | 126 | 50.00 | 1.2 | 70 | 130 | 30 | 70 | 130 | 30 |
| Vinyl Chloride | < 0.18 | 50.0 | 45.4 | 91 | 50.0 | 43.7 | 87 | 50.0 | 91 | 50.0 | 43.7 | 87 | 50.0 | 91 | 50.0 | 41.6 | 83 | 41.4 | 83 | 41.4 | 83 | 50.0 | 0.4 | 62 | 138 | 30 | 62 | 138 | 30 |
| Xylene, m + p | < 1.8 | 100 | 104.6 | 105 | 100 | 103.1 | 103 | 100 | 105 | 100 | 103.1 | 103 | 100 | 105 | 100 | 79.4 | 79 | 83.5 | 83 | 83.5 | 83 | 100 | 5.0 | 70 | 137 | 30 | 70 | 137 | 30 |
| Xylene, o | < 0.83 | 50.0 | 51.8 | 104 | 50.0 | 51.9 | 104 | 50.0 | 104 | 50.0 | 51.9 | 104 | 50.0 | 104 | 50.0 | 41.6 | 83 | 43.5 | 87 | 43.5 | 87 | 50.0 | 4.5 | 70 | 130 | 30 | 70 | 130 | 30 |
| 4-Bromofluorobenzene | 77% | --- | --- | 82 | --- | --- | 80 | --- | 82 | --- | --- | 80 | --- | 82 | --- | --- | 80 | --- | 82 | --- | 82 | --- | --- | 64 | 132 | --- | 64 | 132 | --- |
| Toluene-d8 | 82% | --- | --- | 82 | --- | --- | 82 | --- | 82 | --- | --- | 82 | --- | 82 | --- | --- | 79 | --- | 82 | --- | 82 | --- | --- | 73 | 127 | --- | 73 | 127 | --- |
| Dibromofluoromethane | 82% | --- | --- | 82 | --- | --- | 78 | --- | 82 | --- | --- | 78 | --- | 82 | --- | --- | 81 | --- | 80 | --- | 80 | --- | --- | 68 | 122 | --- | 68 | 122 | --- |

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 7/3/2007

QC Batch Number: 22439



Sample Condition Upon Receipt

Client Name: BT 2

Project # 885 463

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used JB

Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temperature 2.0°C

Biological Tissue is Frozen: Yes No

Date and Initials of person examining contents: 6-28-07 MWY
AG

Temp should be above freezing to 6°C

Comments:

| | | |
|--|---|---|
| Chain of Custody Present: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 1. |
| Chain of Custody Filled Out: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 2. |
| Chain of Custody Relinquished: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 3. |
| Sampler Name & Signature on COC: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 4. |
| Samples Arrived within Hold Time: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 5. |
| Short Hold Time Analysis (<72hr): | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 6. |
| Rush Turn Around Time Requested: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 7. |
| Sufficient Volume: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 8. |
| Correct Containers Used: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 9. |
| -Pace Containers Used: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Containers Intact: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 10. |
| Filtered volume received for Dissolved tests | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 11. |
| Sample Labels match COC: | <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 12. Time on Sample #008 - MWY is 2:15pm Time on COC is 2:25pm AG (6/28/07) |
| -Includes date/time/ID/Analysis Matrix: | <u>W</u> | |
| All containers needing preservation have been checked. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 13. |
| All containers needing preservation are found to be in compliance with EPA recommendation. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| exceptions: VOA, coliform, TOC, O&G, WI-DRO (water) | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | Initial when completed |
| | | Lot # of added preservative |
| Samples checked for dechlorination: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 14. |
| Headspace in VOA Vials (>6mm): | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 15. |
| Trip Blank Present: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 16. |
| Trip Blank Custody Seals Present | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Pace Trip Blank Lot # (if purchased): | | |

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: W Date: 6/29/07

Company Name BTR, Inc.
Report Mailing Address 2830 Dairy Dr
 Madison WI 53718
Invoice Address Same

Project # 2325 3918 Monom Or.
Contact Name, Phone, Fax, Email Steve Smith, BTR
 55 Smith e btr inc ca
Purchase Order # Invoice Contact and Phone No.
 Mr. John Nebel
 c/o BTR

Matrix: Drinking Water Groundwater Wastewater Soil/Solid Other: _____

Wis. PECFA Project subject to U&C? Yes No
For Compliance Monitoring? Yes No
 (If Yes, please specify Agency or Regulation) Agency/Reg: WJ
PECFA

Turnaround Request: Normal (10 Bus. Days)
 Rush (Must be pre-approved by Lab and is subject to surcharges)
 Date Needed: _____

WO No. 0812086

| Lab Use Only | Analyses Requested | | | | Lab Use Only | | | |
|--------------|------------------------------|--------------------------|-----------|---------------|------------------------------|--------------------------|-----------|---------------|
| | Delivered by Ship. Cont. OK? | Walk-in Samples Leaking? | Seals OK? | Rec'd on Ice? | Delivered by Ship. Cont. OK? | Walk-in Samples Leaking? | Seals OK? | Rec'd on Ice? |
| 01 | X | X | X | X | X | X | X | X |
| 02 | X | X | X | X | X | X | X | X |
| 03 | X | X | X | X | X | X | X | X |
| 04 | X | X | X | X | X | X | X | X |
| 05 | X | X | X | X | X | X | X | X |
| 06 | X | X | X | X | X | X | X | X |
| 07 | X | X | X | X | X | X | X | X |
| 08 | X | X | X | X | X | X | X | X |
| 09 | X | X | X | X | X | X | X | X |

Comments: Non-filtered, all extras field filled
 VB # 138 0/5/08
 SD and pl up. Client supply 12 of 25 samples plus 3
 250.0g of 12.5g per 25.0g plus 100.0g

Sample Receiving Comments: 2.40C

Courier: NA

Relinquished By: K. S. Bore **Date:** 12/3/08 **Time:** 12:11
Received By: Amal K. Rana

Chain of Custody Record

SIEMENS

December 15, 2008

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

Attn: Steven Smith

REPORT NO.: 0812086

PROJECT NO.: 2325 3918 Monom Drive

Please find enclosed the analytical report, including the Sample Summary, Sample Narrative and Chain of Custody for your sample set received December 4, 2008.

All analyses were performed in accordance with NELAC Standards using approved methods as indicated on this report.

If you have any questions about the results, please call. Thank you for using Siemens Water Technologies for your analytical needs.

Sincerely,


Siemens Water Technologies



James Salkowski
Lab Director
Enviroscan Analytical™ Services

I certify that the data contained in this report has been generated and reviewed in accordance with the Siemens Water Technologies Quality Assurance Program. Exceptions, if any, are discussed in the sample narrative. Samples will be retained for 30 days from the date of this report, then disposed in an appropriate manner. Siemens Water Technologies Corp. reserves the right to return samples identified as hazardous. Release of this Final Report is authorized as verified by the following signature.

Approved by: _____



Certifications:

Wisconsin 737053130
Minnesota 055-999-302
Illinois 100317



Siemens Water Technologies Corp.

301 West Military Road
Rothschild, WI 54474

Tel: 800-338-7226
Fax: 715-355-3221
www.siemens.com/enviroscan

SIEMENS

SAMPLE SUMMARY

| <u>Lab Id</u> | <u>Client</u> <u>Sample Id</u> | <u>Date/Time</u> | <u>Matrix</u> |
|---------------|--------------------------------|------------------|---------------|
| 0812086-01 | Trip Blank | 12/02/08 00:00 | Water |
| 0812086-02 | MW-1P | 12/02/08 11:00 | Ground Water |
| 0812086-03 | MW-2 | 12/02/08 11:35 | Ground Water |
| 0812086-04 | MW-3 | 12/02/08 12:40 | Ground Water |
| 0812086-05 | MW-5 | 12/02/08 13:30 | Ground Water |
| 0812086-06 | MW-1 | 12/02/08 14:05 | Ground Water |
| 0812086-07 | MW-4P | 12/02/08 15:00 | Ground Water |
| 0812086-08 | MW-4 | 12/02/08 15:30 | Ground Water |
| 0812086-09 | MW-6 | 12/02/08 16:20 | Ground Water |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: Trip Blank

Matrix: Water

Sample Date/Time: 12/02/08 0:00

Lab No. : 0812086-01

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution</u> <u>Factor</u> | <u>Qualifiers</u> | <u>Date</u> <u>Analyzed</u> | <u>Analyst</u> |
|-----------------------------|----------------|--------------|------------|------------|----------------------------------|-------------------|--------------------------------|----------------|
| EPA 8260B | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1,1-Trichloroethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1,2-Trichloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloroethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloroethylene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloropropylene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,3-Trichlorobenzene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,3-Trichloropropane | ND | ug/L | 0.60 | 2.00 | 1 | | 12/09/08 | MPM |
| 1,2,4-Trichlorobenzene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,4-Trimethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,2-Dibromo-3-chloropropane | ND | ug/L | 1.30 | 4.30 | 1 | | 12/09/08 | MPM |
| 1,2-Dibromoethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,2-Dichlorobenzene | ND | ug/L | 0.80 | 2.70 | 1 | | 12/09/08 | MPM |
| 1,2-Dichloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,2-Dichloropropane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,3,5-Trimethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,3-Dichlorobenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,3-Dichloropropane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,4-Dichlorobenzene | ND | ug/L | 0.80 | 2.70 | 1 | | 12/09/08 | MPM |
| 2,2-Dichloropropane | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| 2-Chlorotoluene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 4-Chlorotoluene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 4-Isopropyltoluene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Benzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Bromobenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Bromochloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Bromodichloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Bromoform | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Bromomethane | ND | ug/L | 1.00 | 3.33 | 1 | | 12/09/08 | MPM |
| Butylbenzene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Carbon Tetrachloride | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Chlorobenzene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| Chloroethane | ND | ug/L | 0.60 | 2.00 | 1 | | 12/09/08 | MPM |
| Chloroform | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Chloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: Trip Blank

Matrix: Water

Sample Date/Time: 12/02/08 0:00

Lab No. : 0812086-01

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution</u> <u>Factor</u> | <u>Qualifiers</u> | <u>Date</u> <u>Analyzed</u> | <u>Analyst</u> |
|-----------------------------------|----------------|--------------|------------|------------|----------------------------------|-------------------|--------------------------------|----------------|
| <u>EPA 8260B Continued</u> | | | | | | | | |
| cis-1,2-Dichloroethylene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| cis-1,3-Dichloropropylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Dibromochloromethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Dibromomethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Dichlorodifluoromethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Ethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Hexachlorobutadiene | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| Isopropylbenzene (Cumene) | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| m,p-Xylenes | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Methylene Chloride | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Methyl-tert-Butyl Ether | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| Naphthalene | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| o-Xylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Propylbenzene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| sec-Butylbenzene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Styrene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| tert-Butylbenzene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Tetrachloroethene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Toluene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| trans-1,2-Dichloroethylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| trans-1,3-Dichloropropylene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Trichloroethene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Trichlorofluoromethane | ND | ug/L | 0.20 | 0.67 | 1 | CSH | 12/09/08 | MPM |
| Vinyl chloride | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: MW-1P Matrix: Ground Water Sample Date/Time: 12/02/08 11:00 Lab No. : 0812086-02

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|---------------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| <u>EPA 353.1</u> | | | | | | | | |
| Total Nitrate/Nitrite as N | 0.27 | mg/L | 0.10 | 0.33 | 1 | J | 12/05/08 | LNB |
| <u>EPA 6010B - Diss.</u> | | | | | | | | |
| Dissolved Iron | 0.516 | mg/L | 0.010 | 0.100 | 1 | | 12/12/08 | DJB |
| Dissolved Manganese | 0.199 | mg/L | 0.0020 | 0.0500 | 1 | | 12/12/08 | DJB |
| <u>EPA 8260B</u> | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1,1-Trichloroethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1,2-Trichloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloroethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloroethylene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloropropylene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,3-Trichlorobenzene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,3-Trichloropropane | ND | ug/L | 0.60 | 2.00 | 1 | | 12/09/08 | MPM |
| 1,2,4-Trichlorobenzene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,4-Trimethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,2-Dibromo-3-chloropropane | ND | ug/L | 1.30 | 4.30 | 1 | | 12/09/08 | MPM |
| 1,2-Dibromoethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,2-Dichlorobenzene | ND | ug/L | 0.80 | 2.70 | 1 | | 12/09/08 | MPM |
| 1,2-Dichloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,2-Dichloropropane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,3,5-Trimethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,3-Dichlorobenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,3-Dichloropropane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,4-Dichlorobenzene | ND | ug/L | 0.80 | 2.70 | 1 | | 12/09/08 | MPM |
| 2,2-Dichloropropane | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| 2-Chlorotoluene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 4-Chlorotoluene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 4-Isopropyltoluene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Benzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Bromobenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Bromochloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Bromodichloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Bromoform | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: **MW-1P**

Matrix: **Ground Water**

Sample Date/Time: **12/02/08 11:00**

Lab No. : **0812086-02**

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| <u>EPA 8260B Continued</u> | | | | | | | | |
| Bromomethane | ND | ug/L | 1.00 | 3.33 | 1 | | 12/09/08 | MPM |
| Butylbenzene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Carbon Tetrachloride | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Chlorobenzene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| Chloroethane | ND | ug/L | 0.60 | 2.00 | 1 | | 12/09/08 | MPM |
| Chloroform | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Chloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| cis-1,2-Dichloroethylene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| cis-1,3-Dichloropropylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Dibromochloromethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Dibromomethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Dichlorodifluoromethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Ethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Hexachlorobutadiene | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| Isopropylbenzene (Cumene) | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| m,p-Xylenes | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Methylene Chloride | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Methyl-tert-Butyl Ether | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| Naphthalene | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| o-Xylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Propylbenzene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| sec-Butylbenzene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Styrene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| tert-Butylbenzene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Tetrachloroethene | 1.06 | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Toluene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| trans-1,2-Dichloroethylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| trans-1,3-Dichloropropylene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Trichloroethene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Trichlorofluoromethane | ND | ug/L | 0.20 | 0.67 | 1 | CSH | 12/09/08 | MPM |
| Vinyl chloride | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| <u>EPA 9056 - Total</u> | | | | | | | | |
| Total Sulfate | 80.1 | mg/L | 1.00 | 3.33 | 1 | | 12/05/08 | BMS |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: MW-2

Matrix: Ground Water

Sample Date/Time: 12/02/08 11:35

Lab No. : 0812086-03

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|---------------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| <u>EPA 353.1</u> | | | | | | | | |
| Total Nitrate/Nitrite as N | 0.45 | mg/L | 0.10 | 0.33 | 1 | | 12/05/08 | LNB |
| <u>EPA 6010B - Diss.</u> | | | | | | | | |
| Dissolved Iron | 0.236 | mg/L | 0.010 | 0.100 | 1 | | 12/12/08 | DJB |
| Dissolved Manganese | 0.315 | mg/L | 0.0020 | 0.0500 | 1 | | 12/12/08 | DJB |
| <u>EPA 8260B</u> | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1,1-Trichloroethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1,2-Trichloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloroethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloroethylene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloropropylene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,3-Trichlorobenzene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,3-Trichloropropane | ND | ug/L | 0.60 | 2.00 | 1 | | 12/09/08 | MPM |
| 1,2,4-Trichlorobenzene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,4-Trimethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,2-Dibromo-3-chloropropane | ND | ug/L | 1.30 | 4.30 | 1 | | 12/09/08 | MPM |
| 1,2-Dibromoethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,2-Dichlorobenzene | ND | ug/L | 0.80 | 2.70 | 1 | | 12/09/08 | MPM |
| 1,2-Dichloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,2-Dichloropropane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,3,5-Trimethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,3-Dichlorobenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,3-Dichloropropane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,4-Dichlorobenzene | ND | ug/L | 0.80 | 2.70 | 1 | | 12/09/08 | MPM |
| 2,2-Dichloropropane | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| 2-Chlorotoluene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 4-Chlorotoluene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 4-Isopropyltoluene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Benzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Bromobenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Bromochloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Bromodichloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Bromoform | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: MW-2

Matrix: Ground Water

Sample Date/Time: 12/02/08 11:35

Lab No. : 0812086-03

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| <u>EPA 8260B Continued</u> | | | | | | | | |
| Bromomethane | ND | ug/L | 1.00 | 3.33 | 1 | | 12/09/08 | MPM |
| Butylbenzene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Carbon Tetrachloride | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Chlorobenzene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| Chloroethane | ND | ug/L | 0.60 | 2.00 | 1 | | 12/09/08 | MPM |
| Chloroform | 3.13 | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Chloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| cis-1,2-Dichloroethylene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| cis-1,3-Dichloropropylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Dibromochloromethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Dibromomethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Dichlorodifluoromethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Ethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Hexachlorobutadiene | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| Isopropylbenzene (Cumene) | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| m,p-Xylenes | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Methylene Chloride | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Methyl-tert-Butyl Ether | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| Naphthalene | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| o-Xylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Propylbenzene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| sec-Butylbenzene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Styrene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| tert-Butylbenzene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Tetrachloroethene | 54.8 | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Toluene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| trans-1,2-Dichloroethylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| trans-1,3-Dichloropropylene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Trichloroethene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Trichlorofluoromethane | ND | ug/L | 0.20 | 0.67 | 1 | CSH | 12/09/08 | MPM |
| Vinyl chloride | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| <u>EPA 9056 - Total</u> | | | | | | | | |
| Total Sulfate | 20.7 | mg/L | 1.00 | 3.33 | 1 | | 12/05/08 | BMS |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: MW-3 Matrix: Ground Water Sample Date/Time: 12/02/08 12:40 Lab No. : 0812086-04

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| EPA 353.1 | | | | | | | | |
| Total Nitrate/Nitrite as N | 0.14 | mg/L | 0.10 | 0.33 | 1 | J | 12/05/08 | LNB |
| EPA 6010B - Diss. | | | | | | | | |
| Dissolved Iron | ND | mg/L | 0.010 | 0.100 | 1 | | 12/12/08 | DJB |
| Dissolved Manganese | ND | mg/L | 0.0020 | 0.0500 | 1 | | 12/12/08 | DJB |
| EPA 8260B | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1,1-Trichloroethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1,2-Trichloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloroethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloroethylene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloropropylene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,3-Trichlorobenzene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,3-Trichloropropane | ND | ug/L | 0.60 | 2.00 | 1 | | 12/09/08 | MPM |
| 1,2,4-Trichlorobenzene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,4-Trimethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,2-Dibromo-3-chloropropane | ND | ug/L | 1.30 | 4.30 | 1 | | 12/09/08 | MPM |
| 1,2-Dibromoethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,2-Dichlorobenzene | ND | ug/L | 0.80 | 2.70 | 1 | | 12/09/08 | MPM |
| 1,2-Dichloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,2-Dichloropropane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,3,5-Trimethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,3-Dichlorobenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,3-Dichloropropane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,4-Dichlorobenzene | ND | ug/L | 0.80 | 2.70 | 1 | | 12/09/08 | MPM |
| 2,2-Dichloropropane | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| 2-Chlorotoluene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 4-Chlorotoluene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 4-Isopropyltoluene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Benzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Bromobenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Bromochloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Bromodichloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Bromoform | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: MW-3

Matrix: Ground Water

Sample Date/Time: 12/02/08 12:40

Lab No. : 0812086-04

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| <u>EPA 8260B Continued</u> | | | | | | | | |
| Bromomethane | ND | ug/L | 1.00 | 3.33 | 1 | | 12/09/08 | MPM |
| Butylbenzene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Carbon Tetrachloride | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Chlorobenzene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| Chloroethane | ND | ug/L | 0.60 | 2.00 | 1 | | 12/09/08 | MPM |
| Chloroform | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Chloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| cis-1,2-Dichloroethylene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| cis-1,3-Dichloropropylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Dibromochloromethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Dibromomethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Dichlorodifluoromethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Ethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Hexachlorobutadiene | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| Isopropylbenzene (Cumene) | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| m,p-Xylenes | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Methylene Chloride | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Methyl-tert-Butyl Ether | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| Naphthalene | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| o-Xylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Propylbenzene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| sec-Butylbenzene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Styrene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| tert-Butylbenzene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Tetrachloroethene | 52.5 | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Toluene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| trans-1,2-Dichloroethylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| trans-1,3-Dichloropropylene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Trichloroethene | 0.44 | ug/L | 0.40 | 1.30 | 1 | J | 12/09/08 | MPM |
| Trichlorofluoromethane | ND | ug/L | 0.20 | 0.67 | 1 | CSH | 12/09/08 | MPM |
| Vinyl chloride | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| <u>EPA 9056 - Total</u> | | | | | | | | |
| Total Sulfate | 11.0 | mg/L | 1.00 | 3.33 | 1 | | 12/05/08 | BMS |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: **MW-5** Matrix: **Ground Water** Sample Date/Time: **12/02/08 13:30** Lab No. : **0812086-05**

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|---------------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| <u>EPA 353.1</u> | | | | | | | | |
| Total Nitrate/Nitrite as N | 9.92 | mg/L | 0.10 | 0.33 | 1 | | 12/05/08 | LNB |
| <u>EPA 6010B - Diss.</u> | | | | | | | | |
| Dissolved Iron | 0.044 | mg/L | 0.010 | 0.100 | 1 | J | 12/12/08 | DJB |
| Dissolved Manganese | 0.0030 | mg/L | 0.0020 | 0.0500 | 1 | J | 12/12/08 | DJB |
| <u>EPA 8260B</u> | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1,1-Trichloroethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1,2-Trichloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloroethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloroethylene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| 1,1-Dichloropropylene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,3-Trichlorobenzene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,3-Trichloropropane | ND | ug/L | 0.60 | 2.00 | 1 | | 12/09/08 | MPM |
| 1,2,4-Trichlorobenzene | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| 1,2,4-Trimethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,2-Dibromo-3-chloropropane | ND | ug/L | 1.30 | 4.30 | 1 | | 12/09/08 | MPM |
| 1,2-Dibromoethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,2-Dichlorobenzene | ND | ug/L | 0.80 | 2.70 | 1 | | 12/09/08 | MPM |
| 1,2-Dichloroethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,2-Dichloropropane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 1,3,5-Trimethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,3-Dichlorobenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,3-Dichloropropane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| 1,4-Dichlorobenzene | ND | ug/L | 0.80 | 2.70 | 1 | | 12/09/08 | MPM |
| 2,2-Dichloropropane | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| 2-Chlorotoluene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 4-Chlorotoluene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| 4-Isopropyltoluene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Benzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Bromobenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Bromochloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Bromodichloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Bromoform | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: MW-5

Matrix: Ground Water

Sample Date/Time: 12/02/08 13:30

Lab No. : 0812086-05

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| <u>EPA 8260B Continued</u> | | | | | | | | |
| Bromomethane | ND | ug/L | 1.00 | 3.33 | 1 | | 12/09/08 | MPM |
| Butylbenzene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Carbon Tetrachloride | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Chlorobenzene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| Chloroethane | ND | ug/L | 0.60 | 2.00 | 1 | | 12/09/08 | MPM |
| Chloroform | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Chloromethane | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| cis-1,2-Dichloroethylene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| cis-1,3-Dichloropropylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Dibromochloromethane | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Dibromomethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Dichlorodifluoromethane | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Ethylbenzene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Hexachlorobutadiene | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| Isopropylbenzene (Cumene) | 0.12 | ug/L | 0.10 | 0.50 | 1 | J | 12/09/08 | MPM |
| m,p-Xylenes | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Methylene Chloride | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Methyl-tert-Butyl Ether | ND | ug/L | 0.50 | 1.70 | 1 | | 12/09/08 | MPM |
| Naphthalene | ND | ug/L | 1.00 | 3.30 | 1 | | 12/09/08 | MPM |
| o-Xylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| Propylbenzene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| sec-Butylbenzene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Styrene | ND | ug/L | 0.10 | 0.50 | 1 | | 12/09/08 | MPM |
| tert-Butylbenzene | ND | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Tetrachloroethene | 56.4 | ug/L | 0.30 | 1.00 | 1 | | 12/09/08 | MPM |
| Toluene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| trans-1,2-Dichloroethylene | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| trans-1,3-Dichloropropylene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Trichloroethene | ND | ug/L | 0.40 | 1.30 | 1 | | 12/09/08 | MPM |
| Trichlorofluoromethane | 0.28 | ug/L | 0.20 | 0.67 | 1 | CSH, J | 12/09/08 | MPM |
| Vinyl chloride | ND | ug/L | 0.20 | 0.67 | 1 | | 12/09/08 | MPM |
| <u>EPA 9056 - Total</u> | | | | | | | | |
| Total Sulfate | 24.8 | mg/L | 1.00 | 3.33 | 1 | | 12/05/08 | BMS |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: MW-1

Matrix: Ground Water

Sample Date/Time: 12/02/08 14:05

Lab No. : 0812086-06

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|---------------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| <u>EPA 353.1</u> | | | | | | | | |
| Total Nitrate/Nitrite as N | 6.26 | mg/L | 0.10 | 0.33 | 1 | | 12/05/08 | LNB |
| <u>EPA 6010B - Diss.</u> | | | | | | | | |
| Dissolved Iron | ND | mg/L | 0.010 | 0.100 | 1 | | 12/12/08 | DJB |
| Dissolved Manganese | ND | mg/L | 0.0020 | 0.0500 | 1 | | 12/12/08 | DJB |
| <u>EPA 8260B</u> | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,1,1-Trichloroethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,1,2-Trichloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,1-Dichloroethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,1-Dichloroethylene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| 1,1-Dichloropropylene | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| 1,2,3-Trichloropropane | ND | ug/L | 6.00 | 20.0 | 10 | | 12/12/08 | MPM |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| 1,2,4-Trimethylbenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,2-Dibromo-3-chloropropane | ND | ug/L | 13.0 | 43.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dibromoethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dichlorobenzene | ND | ug/L | 8.00 | 27.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dichloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dichloropropane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,3,5-Trimethylbenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,3-Dichlorobenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,3-Dichloropropane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,4-Dichlorobenzene | ND | ug/L | 8.00 | 27.0 | 10 | | 12/12/08 | MPM |
| 2,2-Dichloropropane | ND | ug/L | 10.0 | 33.0 | 10 | | 12/12/08 | MPM |
| 2-Chlorotoluene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 4-Chlorotoluene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 4-Isopropyltoluene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Benzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Bromobenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Bromochloromethane | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Bromodichloromethane | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Bromoform | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: MW-1

Matrix: Ground Water

Sample Date/Time: 12/02/08 14:05

Lab No. : 0812086-06

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| <u>EPA 8260B Continued</u> | | | | | | | | |
| Bromomethane | ND | ug/L | 10.0 | 33.3 | 10 | | 12/12/08 | MPM |
| Butylbenzene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Carbon Tetrachloride | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Chlorobenzene | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| Chloroethane | ND | ug/L | 6.00 | 20.0 | 10 | | 12/12/08 | MPM |
| Chloroform | 19.3 | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Chloromethane | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| cis-1,2-Dichloroethylene | 3.53 | ug/L | 3.00 | 10.0 | 10 | J | 12/12/08 | MPM |
| cis-1,3-Dichloropropylene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Dibromochloromethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Dibromomethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Dichlorodifluoromethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Ethylbenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Hexachlorobutadiene | ND | ug/L | 10.0 | 33.0 | 10 | | 12/12/08 | MPM |
| Isopropylbenzene (Cumene) | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| m,p-Xylenes | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Methylene Chloride | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Methyl-tert-Butyl Ether | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| Naphthalene | ND | ug/L | 10.0 | 33.0 | 10 | | 12/12/08 | MPM |
| o-Xylene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Propylbenzene | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| sec-Butylbenzene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Styrene | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| tert-Butylbenzene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Tetrachloroethene | 320 | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Toluene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| trans-1,2-Dichloroethylene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| trans-1,3-Dichloropropylene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Trichloroethene | 21.7 | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Trichlorofluoromethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Vinyl chloride | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| <u>EPA 9056 - Total</u> | | | | | | | | |
| Total Sulfate | 25.2 | mg/L | 1.00 | 3.33 | 1 | | 12/05/08 | BMS |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: MW-4P Matrix: Ground Water Sample Date/Time: 12/02/08 15:00 Lab No. : 0812086-07

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------|----------------|--------------|------------|------------|------------------------|-------------------|----------------------|----------------|
| EPA 353.1 | | | | | | | | |
| Total Nitrate/Nitrite as N | ND | mg/L | 0.10 | 0.33 | 1 | | 12/05/08 | LNB |
| EPA 6010B - Diss. | | | | | | | | |
| Dissolved Iron | 0.497 | mg/L | 0.010 | 0.100 | 1 | | 12/12/08 | DJB |
| Dissolved Manganese | 0.268 | mg/L | 0.0020 | 0.0500 | 1 | | 12/12/08 | DJB |
| EPA 8260B | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,1,1-Trichloroethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,1,2-Trichloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,1-Dichloroethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,1-Dichloroethylene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| 1,1-Dichloropropylene | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| 1,2,3-Trichloropropane | ND | ug/L | 6.00 | 20.0 | 10 | | 12/12/08 | MPM |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| 1,2,4-Trimethylbenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,2-Dibromo-3-chloropropane | ND | ug/L | 13.0 | 43.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dibromoethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dichlorobenzene | ND | ug/L | 8.00 | 27.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dichloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dichloropropane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,3,5-Trimethylbenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,3-Dichlorobenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,3-Dichloropropane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,4-Dichlorobenzene | ND | ug/L | 8.00 | 27.0 | 10 | | 12/12/08 | MPM |
| 2,2-Dichloropropane | ND | ug/L | 10.0 | 33.0 | 10 | | 12/12/08 | MPM |
| 2-Chlorotoluene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 4-Chlorotoluene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 4-Isopropyltoluene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Benzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Bromobenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Bromochloromethane | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Bromodichloromethane | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Bromoform | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: MW-4P

Matrix: Ground Water

Sample Date/Time: 12/02/08 15:00

Lab No. : 0812086-07

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| <u>EPA 8260B Continued</u> | | | | | | | | |
| Bromomethane | ND | ug/L | 10.0 | 33.3 | 10 | | 12/12/08 | MPM |
| Butylbenzene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Carbon Tetrachloride | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Chlorobenzene | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| Chloroethane | ND | ug/L | 6.00 | 20.0 | 10 | | 12/12/08 | MPM |
| Chloroform | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Chloromethane | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| cis-1,2-Dichloroethylene | 6.23 | ug/L | 3.00 | 10.0 | 10 | J | 12/12/08 | MPM |
| cis-1,3-Dichloropropylene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Dibromochloromethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Dibromomethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Dichlorodifluoromethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Ethylbenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Hexachlorobutadiene | ND | ug/L | 10.0 | 33.0 | 10 | | 12/12/08 | MPM |
| Isopropylbenzene (Cumene) | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| m,p-Xylenes | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Methylene Chloride | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Methyl-tert-Butyl Ether | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| Naphthalene | ND | ug/L | 10.0 | 33.0 | 10 | | 12/12/08 | MPM |
| o-Xylene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Propylbenzene | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| sec-Butylbenzene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Styrene | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| tert-Butylbenzene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Tetrachloroethene | 286 | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Toluene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| trans-1,2-Dichloroethylene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| trans-1,3-Dichloropropylene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Trichloroethene | 68.7 | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Trichlorofluoromethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Vinyl chloride | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| <u>EPA 9056 - Total</u> | | | | | | | | |
| Total Sulfate | 54.3 | mg/L | 1.00 | 3.33 | 1 | | 12/05/08 | BMS |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: **MW-4** Matrix: **Ground Water** Sample Date/Time: **12/02/08 15:30** Lab No. : **0812086-08**

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| EPA 353.1 | | | | | | | | |
| Total Nitrate/Nitrite as N | 6.28 | mg/L | 0.10 | 0.33 | 1 | | 12/05/08 | LNB |
| EPA 6010B - Diss. | | | | | | | | |
| Dissolved Iron | ND | mg/L | 0.010 | 0.100 | 1 | | 12/12/08 | DJB |
| Dissolved Manganese | ND | mg/L | 0.0020 | 0.0500 | 1 | | 12/12/08 | DJB |
| EPA 8260B | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,1,1-Trichloroethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,1,2-Trichloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,1-Dichloroethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,1-Dichloroethylene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| 1,1-Dichloropropylene | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| 1,2,3-Trichloropropane | ND | ug/L | 6.00 | 20.0 | 10 | | 12/12/08 | MPM |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| 1,2,4-Trimethylbenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,2-Dibromo-3-chloropropane | ND | ug/L | 13.0 | 43.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dibromoethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dichlorobenzene | ND | ug/L | 8.00 | 27.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dichloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dichloropropane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,3,5-Trimethylbenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,3-Dichlorobenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,3-Dichloropropane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,4-Dichlorobenzene | ND | ug/L | 8.00 | 27.0 | 10 | | 12/12/08 | MPM |
| 2,2-Dichloropropane | ND | ug/L | 10.0 | 33.0 | 10 | | 12/12/08 | MPM |
| 2-Chlorotoluene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 4-Chlorotoluene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 4-Isopropyltoluene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Benzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Bromobenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Bromochloromethane | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Bromodichloromethane | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Bromoform | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: MW-4

Matrix: Ground Water

Sample Date/Time: 12/02/08 15:30

Lab No. : 0812086-08

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| <u>EPA 8260B Continued</u> | | | | | | | | |
| Bromomethane | ND | ug/L | 10.0 | 33.3 | 10 | | 12/12/08 | MPM |
| Butylbenzene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Carbon Tetrachloride | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Chlorobenzene | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| Chloroethane | ND | ug/L | 6.00 | 20.0 | 10 | | 12/12/08 | MPM |
| Chloroform | 43.6 | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Chloromethane | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| cis-1,2-Dichloroethylene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| cis-1,3-Dichloropropylene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Dibromochloromethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Dibromomethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Dichlorodifluoromethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Ethylbenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Hexachlorobutadiene | ND | ug/L | 10.0 | 33.0 | 10 | | 12/12/08 | MPM |
| Isopropylbenzene (Cumene) | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| m,p-Xylenes | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Methylene Chloride | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Methyl-tert-Butyl Ether | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| Naphthalene | ND | ug/L | 10.0 | 33.0 | 10 | | 12/12/08 | MPM |
| o-Xylene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Propylbenzene | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| sec-Butylbenzene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Styrene | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| tert-Butylbenzene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Tetrachloroethene | 342 | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Toluene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| trans-1,2-Dichloroethylene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| trans-1,3-Dichloropropylene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Trichloroethene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Trichlorofluoromethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Vinyl chloride | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| <u>EPA 9056 - Total</u> | | | | | | | | |
| Total Sulfate | 40.4 | mg/L | 1.00 | 3.33 | 1 | | 12/05/08 | BMS |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: **MW-6** Matrix: **Ground Water** Sample Date/Time: **12/02/08 16:20** Lab No. : **0812086-09**

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------|----------------|--------------|------------|------------|------------------------|-------------------|----------------------|----------------|
| EPA 353.1 | | | | | | | | |
| Total Nitrate/Nitrite as N | 3.22 | mg/L | 0.10 | 0.33 | 1 | | 12/05/08 | LNB |
| EPA 6010B - Diss. | | | | | | | | |
| Dissolved Iron | ND | mg/L | 0.010 | 0.100 | 1 | | 12/12/08 | DJB |
| Dissolved Manganese | ND | mg/L | 0.0020 | 0.0500 | 1 | | 12/12/08 | DJB |
| EPA 8260B | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,1,1-Trichloroethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,1,2-Trichloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,1-Dichloroethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,1-Dichloroethylene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| 1,1-Dichloropropylene | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| 1,2,3-Trichloropropane | ND | ug/L | 6.00 | 20.0 | 10 | | 12/12/08 | MPM |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| 1,2,4-Trimethylbenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,2-Dibromo-3-chloropropane | ND | ug/L | 13.0 | 43.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dibromoethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dichlorobenzene | ND | ug/L | 8.00 | 27.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dichloroethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,2-Dichloropropane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 1,3,5-Trimethylbenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,3-Dichlorobenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,3-Dichloropropane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| 1,4-Dichlorobenzene | ND | ug/L | 8.00 | 27.0 | 10 | | 12/12/08 | MPM |
| 2,2-Dichloropropane | ND | ug/L | 10.0 | 33.0 | 10 | | 12/12/08 | MPM |
| 2-Chlorotoluene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 4-Chlorotoluene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| 4-Isopropyltoluene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Benzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Bromobenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Bromochloromethane | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Bromodichloromethane | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Bromoform | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |

SIEMENS

BT2, Inc.
2830 Dairy Drive
Madison, WI 53718

PROJECT NO. : 2325 3918 Monom Drive
REPORT NO. : 0812086
DATE REC'D : 12/04/08 12:11
REPORT DATE : 12/15/08 11:52
PREPARED BY : JRS

Attn: Steven Smith

Sample ID: MW-6

Matrix: Ground Water

Sample Date/Time: 12/02/08 16:20

Lab No. : 0812086-09

| | <u>Results</u> | <u>Units</u> | <u>LOD</u> | <u>LOQ</u> | <u>Dilution Factor</u> | <u>Qualifiers</u> | <u>Date Analyzed</u> | <u>Analyst</u> |
|-----------------------------------|----------------|--------------|------------|------------|----------------------------|-------------------|--------------------------|----------------|
| <u>EPA 8260B Continued</u> | | | | | | | | |
| Bromomethane | ND | ug/L | 10.0 | 33.3 | 10 | | 12/12/08 | MPM |
| Butylbenzene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Carbon Tetrachloride | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Chlorobenzene | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| Chloroethane | ND | ug/L | 6.00 | 20.0 | 10 | | 12/12/08 | MPM |
| Chloroform | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Chloromethane | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| cis-1,2-Dichloroethylene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| cis-1,3-Dichloropropylene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Dibromochloromethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Dibromomethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Dichlorodifluoromethane | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Ethylbenzene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Hexachlorobutadiene | ND | ug/L | 10.0 | 33.0 | 10 | | 12/12/08 | MPM |
| Isopropylbenzene (Cumene) | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| m,p-Xylenes | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Methylene Chloride | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Methyl-tert-Butyl Ether | ND | ug/L | 5.00 | 17.0 | 10 | | 12/12/08 | MPM |
| Naphthalene | ND | ug/L | 10.0 | 33.0 | 10 | | 12/12/08 | MPM |
| o-Xylene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Propylbenzene | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| sec-Butylbenzene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Styrene | ND | ug/L | 1.00 | 5.00 | 10 | | 12/12/08 | MPM |
| tert-Butylbenzene | ND | ug/L | 3.00 | 10.0 | 10 | | 12/12/08 | MPM |
| Tetrachloroethene | 1620 | ug/L | 3.00 | 10.0 | 10 | CAL | 12/12/08 | MPM |
| Toluene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| trans-1,2-Dichloroethylene | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| trans-1,3-Dichloropropylene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Trichloroethene | ND | ug/L | 4.00 | 13.0 | 10 | | 12/12/08 | MPM |
| Trichlorofluoromethane | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| Vinyl chloride | ND | ug/L | 2.00 | 6.70 | 10 | | 12/12/08 | MPM |
| <u>EPA 9056 - Total</u> | | | | | | | | |
| Total Sulfate | 52.3 | mg/L | 1.00 | 3.33 | 1 | | 12/05/08 | BMS |

SIEMENS

Qualifier Descriptions

| | |
|-----|--|
| J | Estimated concentration below laboratory quantitation level. |
| CSH | Check standard for this analyte exhibited a high bias. Sample results may also be biased high. |
| CAL | Estimated concentration above the calibration range, but within the range of the detector. |

Definitions

LOD = Limit of Detection (Dilution Corrected)
LOQ = Limit of Quantitation (Dilution Corrected)
ND = Not Detected
COMP = Complete
SUBCON = Subcontracted analysis
mv = millivolts
pci/L = picocuries per Liter
mL/L = milliliters per Liter
mg = milligram

When the word "dry" follows the units on the result page the sample results are dry weight corrected.

LODs and LOQs are dry weight corrected for all soils except WI GRO, EPA 8021 and WI DNR/EPA 8260B methanol and WI DNR methylene chloride preserved soils being reported to the State of Wisconsin.

ug/l = Micrograms per Liter = parts per billion (ppb)
ug/kg = Micrograms per kilogram = parts per billion (ppb)
mg/l = Milligrams per liter = parts per million (ppm)
mg/kg = Milligrams per kilogram = parts per million (ppm)
NOT PRES = Not Present
ppth = Parts per thousand
* = Result outside established limits.
mg/m³ = Milligrams per meter cubed
ng/L = Nanograms per Liter = Parts per trillion (ppt)
> = Greater Than

State of Wisconsin Methanol Soils for WI GRO, WI DNR/EPA 8260B and EPA 8021 are reported to the LOQ.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-146190-1
Client Project/Site: Classic Cleaners Monona - 25211232.51

For:
SCS Engineers
2830 Dairy Dr
Madison, Wisconsin 53718

Attn: Mr. Robert Langdon



Authorized for release by:
6/6/2018 12:07:41 PM

Sandie Fredrick, Project Manager II
(920)261-1660
sandie.fredrick@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



Table of Contents

| | |
|---------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 2 |
| Case Narrative | 3 |
| Detection Summary | 4 |
| Method Summary | 5 |
| Sample Summary | 6 |
| Client Sample Results | 7 |
| Definitions | 21 |
| QC Association | 22 |
| Surrogate Summary | 23 |
| QC Sample Results | 24 |
| Chronicle | 27 |
| Certification Summary | 29 |
| Chain of Custody | 30 |
| Receipt Checklists | 32 |

Case Narrative

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Job ID: 500-146190-1

Laboratory: TestAmerica Chicago

Narrative

**Job Narrative
500-146190-1**

Comments

No additional comments.

Receipt

The samples were received on 5/31/2018 9:50 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 6.0° C.

GC/MS VOA

Method(s) 8260B: The method blank for preparation batch 435340 contained Methylene Chloride above the reporting limit (RL). None of the samples associated with this method blank contained the target compound; therefore, re-analysis of samples were not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.



Detection Summary

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-6

Lab Sample ID: 500-146190-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Tetrachloroethene | 85 | | 1.0 | 0.37 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: MW-4

Lab Sample ID: 500-146190-2

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Tetrachloroethene | 47 | | 1.0 | 0.37 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: MW-4P

Lab Sample ID: 500-146190-3

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| Trichloroethene | 1.1 | | 0.50 | 0.16 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: MW-5

Lab Sample ID: 500-146190-4

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Tetrachloroethene | 17 | | 1.0 | 0.37 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: MW-1

Lab Sample ID: 500-146190-5

No Detections.

Client Sample ID: MW-1P

Lab Sample ID: 500-146190-6

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Tetrachloroethene | 9.9 | | 1.0 | 0.37 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: MW-2

Lab Sample ID: 500-146190-7

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Tetrachloroethene | 1.3 | | 1.0 | 0.37 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: MW-3

Lab Sample ID: 500-146190-8

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Tetrachloroethene | 1.7 | | 1.0 | 0.37 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: Trip Blank

Lab Sample ID: 500-146190-9

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Method Summary

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

| Method | Method Description | Protocol | Laboratory |
|--------|------------------------------------|----------|------------|
| 8260B | Volatile Organic Compounds (GC/MS) | SW846 | TAL CHI |
| 5030B | Purge and Trap | SW846 | TAL CHI |

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



Sample Summary

Client: SCS Engineers

TestAmerica Job ID: 500-146190-1

Project/Site: Classic Cleaners Monona - 25211232.51

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|------------------|--------|----------------|----------------|
| 500-146190-1 | MW-6 | Water | 05/30/18 09:30 | 05/31/18 09:50 |
| 500-146190-2 | MW-4 | Water | 05/30/18 10:15 | 05/31/18 09:50 |
| 500-146190-3 | MW-4P | Water | 05/30/18 10:30 | 05/31/18 09:50 |
| 500-146190-4 | MW-5 | Water | 05/30/18 10:45 | 05/31/18 09:50 |
| 500-146190-5 | MW-1 | Water | 05/30/18 11:30 | 05/31/18 09:50 |
| 500-146190-6 | MW-1P | Water | 05/30/18 11:40 | 05/31/18 09:50 |
| 500-146190-7 | MW-2 | Water | 05/30/18 13:40 | 05/31/18 09:50 |
| 500-146190-8 | MW-3 | Water | 05/30/18 14:00 | 05/31/18 09:50 |
| 500-146190-9 | Trip Blank | Water | 05/30/18 00:00 | 05/31/18 09:50 |

Client Sample Results

Client: SCS Engineers
 Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-6
Date Collected: 05/30/18 09:30
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 15:24 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 15:24 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 15:24 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 15:24 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 06/05/18 15:24 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 06/05/18 15:24 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 15:24 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:24 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 06/05/18 15:24 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 06/05/18 15:24 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 06/05/18 15:24 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 06/05/18 15:24 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 15:24 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 15:24 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 06/05/18 15:24 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:24 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 15:24 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 15:24 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 06/05/18 15:24 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 06/05/18 15:24 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 06/05/18 15:24 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:24 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 06/05/18 15:24 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 06/05/18 15:24 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:24 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 15:24 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:24 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 15:24 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 15:24 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 15:24 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:24 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 15:24 | 1 |
| Tetrachloroethene | 85 | | 1.0 | 0.37 | ug/L | | | 06/05/18 15:24 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 15:24 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 15:24 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 15:24 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-6
Date Collected: 05/30/18 09:30
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 15:24 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 06/05/18 15:24 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 15:24 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 06/05/18 15:24 | 1 |
| Vinyl chloride | <0.20 | | 1.0 | 0.20 | ug/L | | | 06/05/18 15:24 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 06/05/18 15:24 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 84 | | 72 - 124 | | | | | 06/05/18 15:24 | 1 |
| Dibromofluoromethane | 92 | | 75 - 120 | | | | | 06/05/18 15:24 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 92 | | 75 - 126 | | | | | 06/05/18 15:24 | 1 |
| Toluene-d8 (Surr) | 92 | | 75 - 120 | | | | | 06/05/18 15:24 | 1 |

Client Sample ID: MW-4
Date Collected: 05/30/18 10:15
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 15:51 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 15:51 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 15:51 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 15:51 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 06/05/18 15:51 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 06/05/18 15:51 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 15:51 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:51 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 06/05/18 15:51 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 06/05/18 15:51 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 06/05/18 15:51 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 06/05/18 15:51 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 15:51 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 15:51 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 06/05/18 15:51 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:51 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 15:51 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:51 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-4
Date Collected: 05/30/18 10:15
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|-----------|------|------|------|---|----------|----------------|---------|
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 15:51 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 06/05/18 15:51 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 06/05/18 15:51 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 06/05/18 15:51 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:51 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 06/05/18 15:51 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 06/05/18 15:51 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:51 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 15:51 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:51 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 15:51 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 15:51 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 15:51 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 15:51 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 15:51 | 1 |
| Tetrachloroethene | 47 | | 1.0 | 0.37 | ug/L | | | 06/05/18 15:51 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 15:51 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 15:51 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 15:51 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 06/05/18 15:51 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 15:51 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 06/05/18 15:51 | 1 |
| Vinyl chloride | <0.20 | | 1.0 | 0.20 | ug/L | | | 06/05/18 15:51 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 06/05/18 15:51 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 83 | | 72 - 124 | | 06/05/18 15:51 | 1 |
| Dibromofluoromethane | 91 | | 75 - 120 | | 06/05/18 15:51 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 94 | | 75 - 126 | | 06/05/18 15:51 | 1 |
| Toluene-d8 (Surr) | 90 | | 75 - 120 | | 06/05/18 15:51 | 1 |

Client Sample ID: MW-4P
Date Collected: 05/30/18 10:30
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 16:18 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 16:18 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 16:18 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-4P

Lab Sample ID: 500-146190-3

Date Collected: 05/30/18 10:30

Matrix: Water

Date Received: 05/31/18 09:50

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 16:18 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 06/05/18 16:18 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 06/05/18 16:18 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 16:18 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:18 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 06/05/18 16:18 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 06/05/18 16:18 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 06/05/18 16:18 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 06/05/18 16:18 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 16:18 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 16:18 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 06/05/18 16:18 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:18 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 16:18 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 16:18 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 06/05/18 16:18 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 06/05/18 16:18 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 06/05/18 16:18 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:18 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 06/05/18 16:18 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 06/05/18 16:18 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:18 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 16:18 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:18 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 16:18 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 16:18 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 16:18 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:18 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 16:18 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 16:18 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 16:18 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 16:18 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 16:18 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-4P

Date Collected: 05/30/18 10:30

Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-3

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|------------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 16:18 | 1 |
| Trichloroethene | 1.1 | | 0.50 | 0.16 | ug/L | | | 06/05/18 16:18 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 16:18 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 06/05/18 16:18 | 1 |
| Vinyl chloride | <0.20 | | 1.0 | 0.20 | ug/L | | | 06/05/18 16:18 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 06/05/18 16:18 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 84 | | 72 - 124 | | | | | 06/05/18 16:18 | 1 |
| Dibromofluoromethane | 93 | | 75 - 120 | | | | | 06/05/18 16:18 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 95 | | 75 - 126 | | | | | 06/05/18 16:18 | 1 |
| Toluene-d8 (Surr) | 92 | | 75 - 120 | | | | | 06/05/18 16:18 | 1 |

Client Sample ID: MW-5

Date Collected: 05/30/18 10:45

Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-4

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 16:45 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 16:45 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 16:45 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 16:45 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 06/05/18 16:45 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 06/05/18 16:45 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 16:45 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:45 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 06/05/18 16:45 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 06/05/18 16:45 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 06/05/18 16:45 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 06/05/18 16:45 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 16:45 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 16:45 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 06/05/18 16:45 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:45 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 16:45 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 16:45 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 06/05/18 16:45 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-5
Date Collected: 05/30/18 10:45
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|-----------|------|------|------|---|----------|----------------|---------|
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 06/05/18 16:45 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 06/05/18 16:45 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 06/05/18 16:45 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:45 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 06/05/18 16:45 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 06/05/18 16:45 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:45 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 16:45 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:45 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 16:45 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 16:45 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 16:45 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 16:45 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 16:45 | 1 |
| Tetrachloroethene | 17 | | 1.0 | 0.37 | ug/L | | | 06/05/18 16:45 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 16:45 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 16:45 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 16:45 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 06/05/18 16:45 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 16:45 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 06/05/18 16:45 | 1 |
| Vinyl chloride | <0.20 | | 1.0 | 0.20 | ug/L | | | 06/05/18 16:45 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 06/05/18 16:45 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 83 | | 72 - 124 | | 06/05/18 16:45 | 1 |
| Dibromofluoromethane | 96 | | 75 - 120 | | 06/05/18 16:45 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 96 | | 75 - 126 | | 06/05/18 16:45 | 1 |
| Toluene-d8 (Surr) | 90 | | 75 - 120 | | 06/05/18 16:45 | 1 |

Client Sample ID: MW-1
Date Collected: 05/30/18 11:30
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-5
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 17:12 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 17:12 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 17:12 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 17:12 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 06/05/18 17:12 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 06/05/18 17:12 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-1

Lab Sample ID: 500-146190-5

Date Collected: 05/30/18 11:30

Matrix: Water

Date Received: 05/31/18 09:50

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 17:12 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:12 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 06/05/18 17:12 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 06/05/18 17:12 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 06/05/18 17:12 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 06/05/18 17:12 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 17:12 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 17:12 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 06/05/18 17:12 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:12 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 17:12 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 17:12 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 06/05/18 17:12 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 06/05/18 17:12 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 06/05/18 17:12 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:12 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 06/05/18 17:12 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 06/05/18 17:12 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:12 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 17:12 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:12 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 17:12 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 17:12 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 17:12 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:12 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 17:12 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 17:12 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 17:12 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 17:12 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 17:12 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 06/05/18 17:12 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 17:12 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-1

Lab Sample ID: 500-146190-5

Date Collected: 05/30/18 11:30

Matrix: Water

Date Received: 05/31/18 09:50

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 17:12 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 06/05/18 17:12 | 1 |
| Vinyl chloride | <0.20 | | 1.0 | 0.20 | ug/L | | | 06/05/18 17:12 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 06/05/18 17:12 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 84 | | 72 - 124 | | 06/05/18 17:12 | 1 |
| Dibromofluoromethane | 96 | | 75 - 120 | | 06/05/18 17:12 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 99 | | 75 - 126 | | 06/05/18 17:12 | 1 |
| Toluene-d8 (Surr) | 89 | | 75 - 120 | | 06/05/18 17:12 | 1 |

Client Sample ID: MW-1P

Lab Sample ID: 500-146190-6

Date Collected: 05/30/18 11:40

Matrix: Water

Date Received: 05/31/18 09:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 17:39 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 17:39 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 17:39 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 17:39 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 06/05/18 17:39 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 06/05/18 17:39 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 17:39 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:39 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 06/05/18 17:39 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 06/05/18 17:39 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 06/05/18 17:39 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 06/05/18 17:39 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 17:39 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 17:39 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 06/05/18 17:39 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:39 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 17:39 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 17:39 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 06/05/18 17:39 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 06/05/18 17:39 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 06/05/18 17:39 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-1P

Date Collected: 05/30/18 11:40

Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-6

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|-----------|------|------|------|---|----------|----------------|---------|
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:39 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 06/05/18 17:39 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 06/05/18 17:39 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:39 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 17:39 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:39 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 17:39 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 17:39 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 17:39 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 17:39 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 17:39 | 1 |
| Tetrachloroethene | 9.9 | | 1.0 | 0.37 | ug/L | | | 06/05/18 17:39 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 17:39 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 17:39 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 17:39 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 06/05/18 17:39 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 17:39 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 06/05/18 17:39 | 1 |
| Vinyl chloride | <0.20 | | 1.0 | 0.20 | ug/L | | | 06/05/18 17:39 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 06/05/18 17:39 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 86 | | 72 - 124 | | 06/05/18 17:39 | 1 |
| Dibromofluoromethane | 95 | | 75 - 120 | | 06/05/18 17:39 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 98 | | 75 - 126 | | 06/05/18 17:39 | 1 |
| Toluene-d8 (Surr) | 89 | | 75 - 120 | | 06/05/18 17:39 | 1 |

Client Sample ID: MW-2

Date Collected: 05/30/18 13:40

Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-7

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 18:06 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 18:06 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 18:06 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 18:06 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 06/05/18 18:06 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 06/05/18 18:06 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 18:06 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:06 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 06/05/18 18:06 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
 Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-2
Date Collected: 05/30/18 13:40
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-7
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------|-----------|------|------|------|---|----------|----------------|---------|
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 06/05/18 18:06 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 06/05/18 18:06 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 06/05/18 18:06 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 18:06 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 18:06 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 06/05/18 18:06 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:06 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 18:06 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 18:06 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 06/05/18 18:06 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 06/05/18 18:06 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 06/05/18 18:06 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:06 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 06/05/18 18:06 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 06/05/18 18:06 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:06 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 18:06 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:06 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 18:06 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 18:06 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 18:06 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:06 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 18:06 | 1 |
| Tetrachloroethene | 1.3 | | 1.0 | 0.37 | ug/L | | | 06/05/18 18:06 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 18:06 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 18:06 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 18:06 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 06/05/18 18:06 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 18:06 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 06/05/18 18:06 | 1 |

Client Sample Results

Client: SCS Engineers
 Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-2
Date Collected: 05/30/18 13:40
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-7
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| Vinyl chloride | <0.20 | | 1.0 | 0.20 | ug/L | | | 06/05/18 18:06 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 06/05/18 18:06 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 85 | | 72 - 124 | | | | | 06/05/18 18:06 | 1 |
| Dibromofluoromethane | 95 | | 75 - 120 | | | | | 06/05/18 18:06 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 100 | | 75 - 126 | | | | | 06/05/18 18:06 | 1 |
| Toluene-d8 (Surr) | 88 | | 75 - 120 | | | | | 06/05/18 18:06 | 1 |

Client Sample ID: MW-3
Date Collected: 05/30/18 14:00
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-8
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 18:33 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 18:33 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 18:33 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 18:33 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 06/05/18 18:33 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 06/05/18 18:33 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 18:33 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:33 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 06/05/18 18:33 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 06/05/18 18:33 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 06/05/18 18:33 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 06/05/18 18:33 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 18:33 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 18:33 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 06/05/18 18:33 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:33 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 18:33 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 18:33 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 06/05/18 18:33 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 06/05/18 18:33 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 06/05/18 18:33 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:33 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 06/05/18 18:33 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 06/05/18 18:33 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-3
Date Collected: 05/30/18 14:00
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-8
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|-----------|------|------|------|---|----------|----------------|---------|
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:33 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 18:33 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:33 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 18:33 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 18:33 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 18:33 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 18:33 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 18:33 | 1 |
| Tetrachloroethene | 1.7 | | 1.0 | 0.37 | ug/L | | | 06/05/18 18:33 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 18:33 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 18:33 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 18:33 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 06/05/18 18:33 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 18:33 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 06/05/18 18:33 | 1 |
| Vinyl chloride | <0.20 | | 1.0 | 0.20 | ug/L | | | 06/05/18 18:33 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 06/05/18 18:33 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 84 | | 72 - 124 | | 06/05/18 18:33 | 1 |
| Dibromofluoromethane | 94 | | 75 - 120 | | 06/05/18 18:33 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 98 | | 75 - 126 | | 06/05/18 18:33 | 1 |
| Toluene-d8 (Surr) | 90 | | 75 - 120 | | 06/05/18 18:33 | 1 |

Client Sample ID: Trip Blank
Date Collected: 05/30/18 00:00
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-9
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 19:00 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 19:00 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 19:00 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 19:00 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 06/05/18 19:00 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 06/05/18 19:00 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 19:00 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 19:00 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 06/05/18 19:00 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 06/05/18 19:00 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 06/05/18 19:00 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 06/05/18 19:00 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-146190-9

Date Collected: 05/30/18 00:00

Matrix: Water

Date Received: 05/31/18 09:50

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 19:00 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 19:00 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 06/05/18 19:00 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 19:00 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 19:00 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 19:00 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 06/05/18 19:00 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 06/05/18 19:00 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 06/05/18 19:00 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 19:00 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 06/05/18 19:00 | 1 |
| Methylene Chloride | <1.6 | | 5.0 | 1.6 | ug/L | | | 06/05/18 19:00 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 19:00 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 19:00 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 19:00 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 19:00 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 19:00 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 19:00 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 19:00 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 19:00 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 19:00 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 19:00 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 19:00 | 1 |
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 19:00 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 06/05/18 19:00 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 19:00 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 06/05/18 19:00 | 1 |
| Vinyl chloride | <0.20 | | 1.0 | 0.20 | ug/L | | | 06/05/18 19:00 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 06/05/18 19:00 | 1 |

TestAmerica Chicago

Client Sample Results

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: Trip Blank

Date Collected: 05/30/18 00:00

Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-9

Matrix: Water

| <i>Surrogate</i> | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
|------------------------------|------------------|------------------|---------------|-----------------|-----------------|----------------|
| 4-Bromofluorobenzene (Surr) | 85 | | 72 - 124 | | 06/05/18 19:00 | 1 |
| Dibromofluoromethane | 99 | | 75 - 120 | | 06/05/18 19:00 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 75 - 126 | | 06/05/18 19:00 | 1 |
| Toluene-d8 (Surr) | 88 | | 75 - 120 | | 06/05/18 19:00 | 1 |

Definitions/Glossary

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| PQL | Practical Quantitation Limit |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |

QC Association Summary

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

GC/MS VOA

Analysis Batch: 435340

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 500-146190-1 | MW-6 | Total/NA | Water | 8260B | |
| 500-146190-2 | MW-4 | Total/NA | Water | 8260B | |
| 500-146190-3 | MW-4P | Total/NA | Water | 8260B | |
| 500-146190-4 | MW-5 | Total/NA | Water | 8260B | |
| 500-146190-5 | MW-1 | Total/NA | Water | 8260B | |
| 500-146190-6 | MW-1P | Total/NA | Water | 8260B | |
| 500-146190-7 | MW-2 | Total/NA | Water | 8260B | |
| 500-146190-8 | MW-3 | Total/NA | Water | 8260B | |
| 500-146190-9 | Trip Blank | Total/NA | Water | 8260B | |
| MB 500-435340/7 | Method Blank | Total/NA | Water | 8260B | |
| LCS 500-435340/29 | Lab Control Sample | Total/NA | Water | 8260B | |

Surrogate Summary

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID | Client Sample ID | BFB | DBFM | DCA | TOL |
|-------------------|--------------------|----------|----------|----------|----------|
| | | (72-124) | (75-120) | (75-126) | (75-120) |
| 500-146190-1 | MW-6 | 84 | 92 | 92 | 92 |
| 500-146190-2 | MW-4 | 83 | 91 | 94 | 90 |
| 500-146190-3 | MW-4P | 84 | 93 | 95 | 92 |
| 500-146190-4 | MW-5 | 83 | 96 | 96 | 90 |
| 500-146190-5 | MW-1 | 84 | 96 | 99 | 89 |
| 500-146190-6 | MW-1P | 86 | 95 | 98 | 89 |
| 500-146190-7 | MW-2 | 85 | 95 | 100 | 88 |
| 500-146190-8 | MW-3 | 84 | 94 | 98 | 90 |
| 500-146190-9 | Trip Blank | 85 | 99 | 104 | 88 |
| LCS 500-435340/29 | Lab Control Sample | 82 | 89 | 89 | 93 |
| MB 500-435340/7 | Method Blank | 84 | 100 | 102 | 86 |

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)
DBFM = Dibromofluoromethane
DCA = 1,2-Dichloroethane-d4 (Surr)
TOL = Toluene-d8 (Surr)

QC Sample Results

Client: SCS Engineers
 Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 500-435340/7

Matrix: Water

Analysis Batch: 435340

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|------|------|------|---|----------|----------------|---------|
| Benzene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 14:02 | 1 |
| Bromobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 14:02 | 1 |
| Bromochloromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 14:02 | 1 |
| Bromodichloromethane | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 14:02 | 1 |
| Bromoform | <0.48 | | 1.0 | 0.48 | ug/L | | | 06/05/18 14:02 | 1 |
| Bromomethane | <0.80 | | 2.0 | 0.80 | ug/L | | | 06/05/18 14:02 | 1 |
| Carbon tetrachloride | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 14:02 | 1 |
| Chlorobenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 14:02 | 1 |
| Chloroethane | <0.51 | | 1.0 | 0.51 | ug/L | | | 06/05/18 14:02 | 1 |
| Chloroform | <0.37 | | 2.0 | 0.37 | ug/L | | | 06/05/18 14:02 | 1 |
| Chloromethane | <0.32 | | 1.0 | 0.32 | ug/L | | | 06/05/18 14:02 | 1 |
| 2-Chlorotoluene | <0.31 | | 1.0 | 0.31 | ug/L | | | 06/05/18 14:02 | 1 |
| 4-Chlorotoluene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 14:02 | 1 |
| cis-1,2-Dichloroethene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 14:02 | 1 |
| cis-1,3-Dichloropropene | <0.42 | | 1.0 | 0.42 | ug/L | | | 06/05/18 14:02 | 1 |
| Dibromochloromethane | <0.49 | | 1.0 | 0.49 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 5.0 | 2.0 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,2-Dibromoethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 14:02 | 1 |
| Dibromomethane | <0.27 | | 1.0 | 0.27 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,2-Dichlorobenzene | <0.33 | | 1.0 | 0.33 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,3-Dichlorobenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,4-Dichlorobenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 14:02 | 1 |
| Dichlorodifluoromethane | <0.67 | | 2.0 | 0.67 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,1-Dichloroethane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,2-Dichloroethane | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,1-Dichloroethene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,2-Dichloropropane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,3-Dichloropropane | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 14:02 | 1 |
| 2,2-Dichloropropane | <0.44 | | 1.0 | 0.44 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,1-Dichloropropene | <0.30 | | 1.0 | 0.30 | ug/L | | | 06/05/18 14:02 | 1 |
| Ethylbenzene | <0.18 | | 0.50 | 0.18 | ug/L | | | 06/05/18 14:02 | 1 |
| Hexachlorobutadiene | <0.45 | | 1.0 | 0.45 | ug/L | | | 06/05/18 14:02 | 1 |
| Isopropylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 14:02 | 1 |
| Isopropyl ether | <0.28 | | 1.0 | 0.28 | ug/L | | | 06/05/18 14:02 | 1 |
| Methylene Chloride | 9.64 | | 5.0 | 1.6 | ug/L | | | 06/05/18 14:02 | 1 |
| Methyl tert-butyl ether | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 14:02 | 1 |
| Naphthalene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 14:02 | 1 |
| n-Butylbenzene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 14:02 | 1 |
| N-Propylbenzene | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 14:02 | 1 |
| p-Isopropyltoluene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 14:02 | 1 |
| sec-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 14:02 | 1 |
| Styrene | <0.39 | | 1.0 | 0.39 | ug/L | | | 06/05/18 14:02 | 1 |
| tert-Butylbenzene | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,1,1,2,2-Tetrachloroethane | <0.40 | | 1.0 | 0.40 | ug/L | | | 06/05/18 14:02 | 1 |
| Tetrachloroethene | <0.37 | | 1.0 | 0.37 | ug/L | | | 06/05/18 14:02 | 1 |
| Toluene | <0.15 | | 0.50 | 0.15 | ug/L | | | 06/05/18 14:02 | 1 |
| trans-1,2-Dichloroethene | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 14:02 | 1 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 500-435340/7
Matrix: Water
Analysis Batch: 435340

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|------|------|------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,2,3-Trichlorobenzene | <0.46 | | 1.0 | 0.46 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,2,4-Trichlorobenzene | <0.34 | | 1.0 | 0.34 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,1,1-Trichloroethane | <0.38 | | 1.0 | 0.38 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,1,2-Trichloroethane | <0.35 | | 1.0 | 0.35 | ug/L | | | 06/05/18 14:02 | 1 |
| Trichloroethene | <0.16 | | 0.50 | 0.16 | ug/L | | | 06/05/18 14:02 | 1 |
| Trichlorofluoromethane | <0.43 | | 1.0 | 0.43 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,2,3-Trichloropropane | <0.41 | | 1.0 | 0.41 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,2,4-Trimethylbenzene | <0.36 | | 1.0 | 0.36 | ug/L | | | 06/05/18 14:02 | 1 |
| 1,3,5-Trimethylbenzene | <0.25 | | 1.0 | 0.25 | ug/L | | | 06/05/18 14:02 | 1 |
| Vinyl chloride | <0.20 | | 1.0 | 0.20 | ug/L | | | 06/05/18 14:02 | 1 |
| Xylenes, Total | <0.22 | | 1.0 | 0.22 | ug/L | | | 06/05/18 14:02 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 84 | | 72 - 124 | | 06/05/18 14:02 | 1 |
| Dibromofluoromethane | 100 | | 75 - 120 | | 06/05/18 14:02 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 75 - 126 | | 06/05/18 14:02 | 1 |
| Toluene-d8 (Surr) | 86 | | 75 - 120 | | 06/05/18 14:02 | 1 |

Lab Sample ID: LCS 500-435340/29
Matrix: Water
Analysis Batch: 435340

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| Benzene | 50.0 | 43.1 | | ug/L | | 86 | 70 - 120 |
| Bromobenzene | 50.0 | 42.6 | | ug/L | | 85 | 70 - 122 |
| Bromochloromethane | 50.0 | 43.3 | | ug/L | | 87 | 65 - 122 |
| Bromodichloromethane | 50.0 | 44.7 | | ug/L | | 89 | 69 - 120 |
| Bromoform | 50.0 | 49.9 | | ug/L | | 100 | 56 - 132 |
| Bromomethane | 50.0 | 55.5 | | ug/L | | 111 | 40 - 130 |
| Carbon tetrachloride | 50.0 | 54.1 | | ug/L | | 108 | 65 - 122 |
| Chlorobenzene | 50.0 | 42.1 | | ug/L | | 84 | 70 - 120 |
| Chloroethane | 50.0 | 54.8 | | ug/L | | 110 | 45 - 127 |
| Chloroform | 50.0 | 44.8 | | ug/L | | 90 | 70 - 120 |
| Chloromethane | 50.0 | 42.0 | | ug/L | | 84 | 54 - 147 |
| 2-Chlorotoluene | 50.0 | 43.0 | | ug/L | | 86 | 70 - 125 |
| 4-Chlorotoluene | 50.0 | 43.8 | | ug/L | | 88 | 68 - 124 |
| cis-1,2-Dichloroethene | 50.0 | 44.3 | | ug/L | | 89 | 70 - 125 |
| cis-1,3-Dichloropropene | 50.0 | 39.5 | | ug/L | | 79 | 64 - 127 |
| Dibromochloromethane | 50.0 | 47.0 | | ug/L | | 94 | 68 - 125 |
| 1,2-Dibromo-3-Chloropropane | 50.0 | 40.6 | | ug/L | | 81 | 56 - 123 |
| 1,2-Dibromoethane | 50.0 | 41.5 | | ug/L | | 83 | 70 - 125 |
| Dibromomethane | 50.0 | 41.8 | | ug/L | | 84 | 70 - 120 |
| 1,2-Dichlorobenzene | 50.0 | 42.6 | | ug/L | | 85 | 70 - 125 |
| 1,3-Dichlorobenzene | 50.0 | 44.1 | | ug/L | | 88 | 70 - 125 |
| 1,4-Dichlorobenzene | 50.0 | 43.3 | | ug/L | | 87 | 70 - 120 |
| Dichlorodifluoromethane | 50.0 | 72.5 | | ug/L | | 145 | 40 - 150 |
| 1,1-Dichloroethane | 50.0 | 43.6 | | ug/L | | 87 | 70 - 125 |

TestAmerica Chicago

QC Sample Results

Client: SCS Engineers
 Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 500-435340/29

Matrix: Water

Analysis Batch: 435340

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| 1,2-Dichloroethane | 50.0 | 42.9 | | ug/L | | 86 | 68 - 127 |
| 1,1-Dichloroethene | 50.0 | 53.9 | | ug/L | | 108 | 67 - 122 |
| 1,2-Dichloropropane | 50.0 | 37.8 | | ug/L | | 76 | 67 - 130 |
| 1,3-Dichloropropane | 50.0 | 39.0 | | ug/L | | 78 | 62 - 136 |
| 2,2-Dichloropropane | 50.0 | 40.4 | | ug/L | | 81 | 58 - 129 |
| 1,1-Dichloropropene | 50.0 | 47.2 | | ug/L | | 94 | 70 - 121 |
| Ethylbenzene | 50.0 | 46.2 | | ug/L | | 92 | 70 - 120 |
| Hexachlorobutadiene | 50.0 | 45.5 | | ug/L | | 91 | 51 - 150 |
| Isopropylbenzene | 50.0 | 44.3 | | ug/L | | 89 | 70 - 126 |
| Methylene Chloride | 50.0 | 43.9 | | ug/L | | 88 | 69 - 125 |
| Methyl tert-butyl ether | 50.0 | 40.9 | | ug/L | | 82 | 70 - 120 |
| Naphthalene | 50.0 | 37.9 | | ug/L | | 76 | 59 - 130 |
| n-Butylbenzene | 50.0 | 47.3 | | ug/L | | 95 | 68 - 125 |
| N-Propylbenzene | 50.0 | 45.6 | | ug/L | | 91 | 69 - 127 |
| p-Isopropyltoluene | 50.0 | 45.9 | | ug/L | | 92 | 70 - 125 |
| sec-Butylbenzene | 50.0 | 46.0 | | ug/L | | 92 | 70 - 123 |
| Styrene | 50.0 | 43.8 | | ug/L | | 88 | 70 - 120 |
| tert-Butylbenzene | 50.0 | 43.9 | | ug/L | | 88 | 70 - 121 |
| 1,1,1,2-Tetrachloroethane | 50.0 | 46.9 | | ug/L | | 94 | 70 - 125 |
| 1,1,1,2,2-Tetrachloroethane | 50.0 | 39.5 | | ug/L | | 79 | 67 - 127 |
| Tetrachloroethene | 50.0 | 50.7 | | ug/L | | 101 | 70 - 128 |
| Toluene | 50.0 | 44.9 | | ug/L | | 90 | 70 - 125 |
| trans-1,2-Dichloroethene | 50.0 | 50.4 | | ug/L | | 101 | 70 - 125 |
| trans-1,3-Dichloropropene | 50.0 | 37.8 | | ug/L | | 76 | 62 - 128 |
| 1,2,3-Trichlorobenzene | 50.0 | 40.6 | | ug/L | | 81 | 55 - 140 |
| 1,2,4-Trichlorobenzene | 50.0 | 42.4 | | ug/L | | 85 | 66 - 127 |
| 1,1,1-Trichloroethane | 50.0 | 48.5 | | ug/L | | 97 | 70 - 125 |
| 1,1,2-Trichloroethane | 50.0 | 41.6 | | ug/L | | 83 | 70 - 122 |
| Trichloroethene | 50.0 | 47.1 | | ug/L | | 94 | 70 - 125 |
| Trichlorofluoromethane | 50.0 | 53.0 | | ug/L | | 106 | 70 - 126 |
| 1,2,3-Trichloropropane | 50.0 | 42.2 | | ug/L | | 84 | 50 - 133 |
| 1,2,4-Trimethylbenzene | 50.0 | 42.1 | | ug/L | | 84 | 70 - 123 |
| 1,3,5-Trimethylbenzene | 50.0 | 44.1 | | ug/L | | 88 | 70 - 123 |
| Vinyl chloride | 50.0 | 43.8 | | ug/L | | 88 | 64 - 126 |
| Xylenes, Total | 100 | 90.6 | | ug/L | | 91 | 70 - 125 |

| Surrogate | LCS LCS | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 4-Bromofluorobenzene (Surr) | 82 | | 72 - 124 |
| Dibromofluoromethane | 89 | | 75 - 120 |
| 1,2-Dichloroethane-d4 (Surr) | 89 | | 75 - 126 |
| Toluene-d8 (Surr) | 93 | | 75 - 120 |

Lab Chronicle

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-6
Date Collected: 05/30/18 09:30
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-1
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 435340 | 06/05/18 15:24 | EMA | TAL CHI |

Client Sample ID: MW-4
Date Collected: 05/30/18 10:15
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-2
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 435340 | 06/05/18 15:51 | EMA | TAL CHI |

Client Sample ID: MW-4P
Date Collected: 05/30/18 10:30
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-3
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 435340 | 06/05/18 16:18 | EMA | TAL CHI |

Client Sample ID: MW-5
Date Collected: 05/30/18 10:45
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-4
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 435340 | 06/05/18 16:45 | EMA | TAL CHI |

Client Sample ID: MW-1
Date Collected: 05/30/18 11:30
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-5
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 435340 | 06/05/18 17:12 | EMA | TAL CHI |

Client Sample ID: MW-1P
Date Collected: 05/30/18 11:40
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-6
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 435340 | 06/05/18 17:39 | EMA | TAL CHI |

TestAmerica Chicago

Lab Chronicle

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Client Sample ID: MW-2
Date Collected: 05/30/18 13:40
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-7
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 435340 | 06/05/18 18:06 | EMA | TAL CHI |

Client Sample ID: MW-3
Date Collected: 05/30/18 14:00
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-8
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 435340 | 06/05/18 18:33 | EMA | TAL CHI |

Client Sample ID: Trip Blank
Date Collected: 05/30/18 00:00
Date Received: 05/31/18 09:50

Lab Sample ID: 500-146190-9
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 435340 | 06/05/18 19:00 | EMA | TAL CHI |

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Accreditation/Certification Summary

Client: SCS Engineers
Project/Site: Classic Cleaners Monona - 25211232.51

TestAmerica Job ID: 500-146190-1

Laboratory: TestAmerica Chicago

The accreditations/certifications listed below are applicable to this report.

| Authority | Program | EPA Region | Identification Number | Expiration Date |
|-----------|---------------|------------|-----------------------|-----------------|
| Wisconsin | State Program | 5 | 999580010 | 08-31-18 |

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
Phone: 708.534.5200 Fax: 708.534.5211

Report To (optional)
Contact: Robert Langdon
Company: SCS Engineers
Address: 2830 Danville Drive
Madison, WI 53718
Phone: 608-216-7329
Fax:
E-Mail: R.Langdon@scsengineers.com

Bill To (optional)
Contact: Ralph Stinson
Company: SCS Engineers
Address:
Phone:
Fax:
PO#/Reference#

Chain of Custody Record

Lab Job #: 500-146190
Chain of Custody Number:
Page _____ of _____
Temperature °C of Cooler: 6.0

| Client | | Client Project # | | Preservative | | Parameter | | Project Location/State | | Lab Project # | | Sampler | | Lab PM | | Preservative Key | |
|---------------|--------|------------------|----------|--------------|-----------------|-----------|----------|------------------------|--|---------------|--|---------|--|--------|--|---|--|
| SCS Engineers | | 25211232.51 | | 1 | | 1 | | WI | | | | NATE H. | | | | 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other | |
| Lab ID | MS/MSD | Sample ID | Sampling | | # of Containers | Matrix | Comments | | | | | | | | | | |
| | | | Date | Time | | | | | | | | | | | | | |
| 1 | | MW-6 | 5/30/18 | 930 | 3 | W | X | | | | | | | | | | |
| 2 | | MW-4 | | 1015 | 3 | | | | | | | | | | | | |
| 3 | | MW-4P | | 1030 | 3 | | | | | | | | | | | | |
| 4 | | MW-5 | | 1045 | 3 | | | | | | | | | | | | |
| 5 | | MW-1 | | 1130 | 3 | | | | | | | | | | | | |
| 6 | | MW-1P | | 1140 | 3 | | | | | | | | | | | | |
| 7 | | MW-2 | | 1340 | 3 | | | | | | | | | | | | |
| 8 | | MW-3 | | 1400 | 3 | | | | | | | | | | | | |
| 9 | | Trip Blank | - | - | 1 | | | | | | | | | | | | |

Turnaround Time Required (Business Days): 1 Day 2 Days 5 Days 10 Days 15 Days Other
 Requested Due Date: _____
 Sample Disposal: Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

| | |
|--|--|
| Relinquished By: <u>Nate Harris</u> Company: <u>SCS</u> Date: <u>5/31/18</u> Time: <u>1000</u> | Received By: <u>[Signature]</u> Company: <u>TA</u> Date: <u>05/31/18</u> Time: <u>0950</u> |
| Relinquished By: _____ Company: _____ Date: _____ Time: _____ | Received By: _____ Company: _____ Date: _____ Time: _____ |
| Relinquished By: _____ Company: _____ Date: _____ Time: _____ | Received By: _____ Company: _____ Date: _____ Time: _____ |

Lab Courier:
 Shipped:
 Hand Delivered:

Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 SL - Sludge WI - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments:

Lab Comments:



500-146190 COC



500-146190 Waybill

Express Package
US Airbill

FedEx Tracking Number **8055 3915 2670**

Form ID No. **0215**

MUR 1

Order's name **Nat'l Flavors** Phone **608 216-7345**

Company **SCS Engineers**

Address **2830 Dairy Drive** Dept./Floor/Suite/Room

City **Madison** State **IL** ZIP **53718**

Your Internal Billing Reference **25211232.51**

To Recipient's Name **SAMPLE RECEIPT** Phone **708 534-5200**

Company **TESTAMERICA CHICAGO**

Address **2417 BOND ST** Dept./Floor/Suite/Room

Address Use this line for the HOLD location address or for continuation of your shipping address.

City **UNIVERSITY PARK** State **IL** ZIP **60484-3101**

HOLD Weekday
FedEx location address REQUIRED. NOT available for FedEx First Overnight.

HOLD Saturday
FedEx location address REQUIRED. Available ONLY for FedEx Priority Overnight and FedEx 2Day to select locations.

4 Express Package Service *To most locations. Packages up to 150 lbs. NOTE: Service order has changed. Please select carefully. For packages over 150 lbs. use the FedEx Express Freight US Airbill.

Next Business Day

FedEx First Overnight
Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless SATURDAY Delivery is selected.

FedEx Priority Overnight
Next business morning.* Friday shipments will be delivered on Monday unless SATURDAY Delivery is selected.

FedEx Standard Overnight
Next business afternoon.* Saturday Delivery NOT available.

2 or 3 Business Days

FedEx 2Day A.M.
Second business morning.* Saturday Delivery NOT available.

FedEx 2Day
Second business afternoon.* Thursday shipments will be delivered on Monday unless SATURDAY Delivery is selected.

FedEx Express Saver
Third business day.* Saturday Delivery NOT available.

5 Packaging *Declared value limit \$500.

FedEx Envelope* FedEx Pak* FedEx Box FedEx Tube Other

6 Special Handling and Delivery Signature Options

SATURDAY Delivery
NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

No Signature Required
Package may be left without obtaining a signature for delivery.

Direct Signature
Someone at recipient's address may sign for delivery. *Fee applies.*

Indirect Signature
If no one is available at recipient's address, someone at a neighboring address may sign for delivery. *For residential deliveries only. Fee applies.*

Does this shipment contain dangerous goods?

No Yes Yes Yes Dry Ice Cargo Aircraft Only

One box must be checked. As per attached Shipper's Declaration. Shipper's Declaration not required. Dry Ice, 3, UN 1845. Dangerous goods (including dry ice) cannot be shipped in FedEx packaging or placed in a FedEx Express Drop Box.

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

Sender Acct. No. in Section Recipient Third Party Credit Card Cash/Check

Total Packages **08** Total Weight **08** lbs. Credit Card Auth.



8055 3915 2670

Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.



Rev. Date 2/12 • Part #163134 • ©1994-2012 FedEx • PRINTED IN U.S.A. SRS

Login Sample Receipt Checklist

Client: SCS Engineers

Job Number: 500-146190-1

Login Number: 146190

List Source: TestAmerica Chicago

List Number: 1

Creator: Kelsey, Shawn M

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | True | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | 6.0 |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |