

From: [Oelkers, Eric](#)
To: [Koepke, Cynthia L - DNR](#)
Cc: [Langdon, Robert](#); tyler@thresholddevelopmentgroup.com
Subject: RE: Contained-out determination former Classic Cleaners, 02-13-368525
Date: Tuesday, October 18, 2022 4:57:56 PM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image006.png](#)
[221018_Soil_Results_within_excavation.pdf](#)
[40240687_frc.pdf](#)
[220215 - Boring Logs 3916-18 Monona Dr..pdf](#)
[Geoprobe Borings.pdf](#)

**CAUTION: This email originated from outside the organization.
Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Hi Cindy,

Attached are an updated soil data summary table, site plan, lab report, and field boring logs for the February 2022 re-sampling of soil within the proposed excavation area for the Threshold Monona redevelopment project.

We re-sampled soil adjacent to previous borings that showed elevated concentrations of PCE.

Generally PCE concentrations appear to have diminished since the initial samples were collected. The re-sampling and analysis for the RCRA toxicity characteristic via TCLP did not show any concentrations greater than the hazardous threshold, and none of the re-collected samples exceeded the land disposal restriction (LDR) threshold of 60 ppm for PCE or TCE in soil.

We provided this lab data to Waste Management along with the contained out determination and they approved all of the soil for non-hazardous disposal at the Madison Prairie Landfill.

The project schedule is still a work in progress. At this point demolition of the buildings, with or without pavement and slab/foundation removal, may occur as early as mid-November. Soil excavation for construction is not anticipated to start until spring 2023 when ground conditions are amenable to excavation. As we discussed during our call on September 27, 2022, the site will be fenced during construction. Fencing, and appropriate erosion controls as required per city permits, will be maintained starting when the pavement is removed – for public safety and to prevent incidental contact with residual soil contamination that may be temporarily exposed.

I will let you know when we have a firmer idea about the schedule for this redevelopment project moving forward. Please let me know if you have any questions or concerns in the interim.

Regards,

Eric Oelkers, PG*
Senior Project Manager / Hydrogeologist
SCS Engineers
2830 Dairy Drive

Madison, WI 53718-6751 USA
608-216-7341 (W)
608-444-3934 (C)
eoelkers@scsengineers.com

*Licensed in WI

Driven by Client Success

www.scsengineers.com

From: Koepke, Cynthia L - DNR <Cynthia.Koepke@wisconsin.gov>
Sent: Monday, February 7, 2022 8:18 AM
To: tyler@thresholddevelopmentgroup.com
Cc: Langdon, Robert <RLangdon@scsengineers.com>; Oelkers, Eric <EOelkers@scsengineers.com>; Carey, Angela J - DNR <Angela.Carey@wisconsin.gov>
Subject: Contained-out determination former Classic Cleaners, 02-13-368525

This email originated from outside of SCS Engineers. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good morning, Tyler,

This letter is going out in today's mail. Please don't hesitate to contact me if you have questions.

Cindy Koepke

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Cindy Koepke, P.G.

[she/her/hers]

Hydrogeologist – Remediation & Redevelopment Program

Wisconsin Department of Natural Resources

South Central Region

3911 Fish Hatchery Road

Fitchburg WI 53711

Phone: **608-219-2181**

Email: cynthia.koepke@wisconsin.gov



Table 1 - Soil Analytical Results
3918 Monona Drive, Madison, WI / SCS Engineers Project #25221209
(Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	FID/PID	Lab Notes	Benzene	Ethylbenzene	Toluene	Xylenes	1,2,4-TMB	1,3,5-TMB	MTBE	PCE	Other VOCs**
GB1 S1	9/17/2002	0-2	1	(1)	<200	<200	<200	<400	<200	<200	<200 CSL	<u>5,910</u>	ND
GB1 S3	9/17/2002	4-6	1	(1)	<25	<25	<25	<50	<25	<25	<25 CSL	<u>50.9</u>	ND
GB2 S5	9/17/2002	8-10	3	(2)	<25	<25	<25	<50	<25	<25	<25 CSL	<u>166</u>	ND
GB-2A S1	2/15/2022	0-4	9	--	<14.8	<14.8	<15.6	<44.8	<18.5	<20.0	<18.2	<u>188</u>	ND
GB-2A S2	2/15/2022	5-10	20	--	<15.6	<15.6	<16.5	<47.3	<19.5	<21.1	<19.3	<u>1,240</u>	ND
GB3 S1	9/17/2002	0-2	400	(3)	<20,000	<20,000	<20,000	<40,000	<20,000	<20,000	<20,000 CSL	<u>605,000</u>	ND
GB-3A S1	2/15/2022	0-5	102	--	<123	<123	<130	<372	<154	<166	<151	<u>37,300</u>	TCE 654.0
GB-3A S1 TCLP	2/15/2022	0-5	102	--	<0.0030	NA	NA	NA	NA	NA	NA	0.59	TCE 0.0082 J
GB-3A S2	2/15/2022	5-10	8.1	--	<13.6	<13.6	<14.4	<41.2	<17.0	<18.4	<16.8	<u>130</u>	ND
GB-4A S1	2/15/2022	0-5	0.8	--	<19.1	<19.1	<u>29.5</u> J	<58.0	<23.9	<25.9	<23.6	<u>52.2</u> J	ND
GB4 S2	4/7/2004	4	2	(4)	<25	<25	<25	<50	<25	<25	<25	<25	ND
GB-4A S2	2/15/2022	5-10	0.7	--	<13.5	<13.5	<14.3	<41.1	<17.0	<18.3	<16.7	<u>37.6</u> J	ND
GB4 S6	4/7/2004	12	0	(4)	<25	<25	<25	<50	<25	<25	<25	<25	ND
GB5 S2	4/7/2004	4	2	(4)	<25	<25	<25	<50	<25	<25	<25	<u>40.2</u>	ND
GB5 S8	4/7/2004	16	0	(4)	<25	<25	<25	<50	<25	<25	<25	<25	ND
GB6 S2	4/7/2004	4	70	(4)	<25	<25	<25	<50	<25	<25	<25	<u>15,800</u>	ND
GB-6A S1	2/15/2022	0-5	0.9	--	<16.1	<16.1	<17.1	<48.9	<20.2	<21.8	<19.9	<u>477</u>	TCE <u>33.3</u> J
GB-6A S1 TCLP	2/15/2022	0-5	0.9	--	<0.0030	NA	NA	NA	NA	NA	NA	0.0042 J	ND
GB6 S6	4/7/2004	12	8	(4)	<25	<25	<25	<50	<25	<25	<25	<u>187</u>	ND
GB7 S2	4/7/2004	4	1	(4)	<25	<25	<25	<50	<25	<25	<25	<u>69.5</u>	ND
GB7 S4	4/7/2004	6	2	(4)	<25	<25	<25	<50	<25	<25	<25	<u>186</u>	ND
GB8 S2	4/7/2004	4	1	(5)	<25	<25	<25	<50	<25	<25	<25	<u>43.5</u>	ND
GB8 S6	4/7/2004	12	2	(5)	<25	<25	<25	<50	<25	<25	<25	<u>66</u>	ND
GB9 S2	4/7/2004	4	2	(5)	<25	<25	<25	<50	<25	<25	<25	<25	ND
GB9 S6	4/7/2004	12	3	(5)	<25	<25	<25	<50	<25	<25	<25	<25	ND
GB10 S2	4/7/2004	4	3	(5)	<25	<25	<25	<50	<25	<25	<25	<u>202</u>	ND
GB10 S6	4/7/2004	12	2	(5)	<25	<25	<25	<50	<25	<25	<25	<25	ND

Table 1 - Soil Analytical Results
3918 Monona Drive, Madison, WI / SCS Engineers Project #25221209
 (Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	FID/PID	Lab Notes	Benzene	Ethylbenzene	Toluene	Xylenes	1,2,4-TMB	1,3,5-TMB	MTBE	PCE	Other VOCs**
GB11 S2	4/7/2004	4	2	(5)	<25	<25	<25	<50	<25	<25	<25	<25	ND
GB11 S6	4/7/2004	12	3	(5)	<25	<25	<25	<50	<25	<25	<25	<25	ND
GB12 S1	7/27/2004	0-2	4.4*	(6)	<25	<25	98.1	28.5	<25	<25	<25	<u>62.5</u>	ND
GB-12A S1	2/15/2022	0-5	0.6	--	<17.2	<17.2	<18.2	<52.3	<21.6	<23.3	<21.3	<28.1	ND
GB12 S5	7/27/2004	10-12	11.2*	(6)	<25	<25	130	<25	<25	<25	<25	<25	ND
GB13 S2	7/27/2004	3-5	14.8*	(6)	<25	<25	109	<25	<25	<25	<25	<u>69.8</u>	ND
GB13 S6	7/27/2004	13-15	15.1*	(6)	<25	<25	129	<25	<25	<25	<25	<u>94.1</u>	ND
GB14 S1	3/8/2007	0-2	0*	--	<27	<27	<27	<91	<27	<27	<27	<27	ND
GB-14A S1	2/15/2022	0-5	9	--	<13.8	<13.8	<14.7	<42.0	<17.3	<18.7	<17.1	<u>778</u>	TCE 26.4 J
GB14 S3	3/8/2007	4-6	0*	--	<30	<30	<30	<100	<30	<30	<30	<30	ND
GB-14 S2	2/15/2022	5-10	11.6	--	<13.0	<13.0	<13.7	<39.3	<16.2	<17.5	<16.0	<21.1	ND
GB15 S1	3/8/2007	0-2	288*	--	<26	<26	<26	<90	<26	<26	<26	<u>54,000</u>	cis-1,2-Dichloroethene <u>2000</u> Trichloroethene <u>620</u>
GB-15A S1	2/15/2022	0-5	5	--	<18.2	<18.2	<19.3	<55.2	<22.8	<24.6	<22.5	<u>501</u>	Trichloroethene <u>51.5 J</u>
GB-15A S1 TCLP	2/15/2022	0-5	5	--	<0.0030	NA	NA	NA	NA	NA	NA	<0.0041	ND
GB-15A S2	2/15/2022	5-10	9.6	--	<13.5	<13.5	<14.2	<40.8	<16.9	<18.2	<16.6	<21.9	ND
GB15 S5	3/8/2007	8-10	26*	--	<27	<27	<27	<91	<27	<27	<27	<u>2,700</u>	Chloroform <u>30</u>
GB16 S1	3/8/2007	0-2	3.2*	--	<26	<26	<26	<89	<26	<26	<26	<26	ND
GB16 S3	3/8/2007	4-6	0*	--	<30	<30	<30	<100	<30	<30	<30	<u>40</u>	ND
GB17 S1	3/8/2007	0-2	0*	--	<35	<35	<35	<120	<35	<35	<35	<35	ND
GB17 S5	3/8/2007	8-10	1.1*	--	<29	<29	<29	<98	<29	<29	<29	<29	ND
GB18 S1	3/8/2007	0-2	4*	(8)	<28	<28	<28	<96	<28	<28	<28	<u>2,500</u>	Trichloroethene <u>110.0</u>
GB-18A S1	2/15/2022	0-5	0.8	--	<17.3	<17.3	<18.3	<52.4	<21.6	<23.4	<21.3	<u>269</u>	ND
GB18 S5	3/8/2007	8-10	5.9*	(8)	<28	<28	<28	<95	<28	<28	<28	<u>210</u>	ND
GB19 S1	3/8/2007	0-2	10.7*	(8)	<28	<28	<28	<95	<28	<28	<28	<u>11,000</u>	Trichloroethene <u>200.0</u>
GB19 S5	3/8/2007	8-10	2.6*	(8)	<26	<26	<26	<87	<26	<26	<26	<u>180</u>	ND

Table 1 - Soil Analytical Results
3918 Monona Drive, Madison, WI / SCS Engineers Project #25221209
 (Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	FID/PID	Lab Notes	Benzene	Ethylbenzene	Toluene	Xylenes	1,2,4-TMB	1,3,5-TMB	MTBE	PCE	Other VOCs**
GB20 S1	3/8/2007	0-2	1.1*	(8)	<32	<32	<32	<110	<32	<32	<32	<u>1,400</u>	ND
GB-20A S1	2/15/2022	0-4	3.3	--	<17.5	<17.5	<18.6	<53.2	<21.9	<23.7	<21.6	<u>36.5</u> J	ND
GB20 S3	3/8/2007	4-6	0.7*	(8)	<31	<31	<31	<100	<31	<31	<31	<u>42</u>	ND
GB21 S1	3/8/2007	0-2	0*	(8)	<33	<33	<33	<110	<33	<33	<33	<u>88</u>	ND
GB21 S4	3/8/2007	6-8	0*	(8)	<28	<28	<28	<94	<28	<28	<28	<28	ND
GB22 S2	3/8/2007	2-4	0	(9)	<31	<31	<31	<100	<31	<31	<31	<31	ND
GB22 S5	3/8/2007	8-10	0.7*	(10)	<26	<26	<26	<88	<26	<26	<26	<u>34</u>	ND
MW1 S2	7/27/2004	3-5	1.4*	(6)	<25	<25	92.5	28.8	<25	<25	<25	<u>52</u>	ND
MW1 S5	7/27/2004	10-12	1.6*	(6)	<25	<25	92.2	<25	<25	<25	<25	<25	ND
MeOH Blank	9/17/2002	--	--	(3)	<25	<25	<25	<50	<25	<25	<25 CSL	<25	ND
	4/7/2004	--	--	(5)	<25	<25	<25	<50	<25	<25	<25	<25	ND
	7/27/2004	--	--	(6) (7)	<25	<25	<25	<25	<25	<25	<25	<25	ND
	3/8/2007	--	--	(11)	<25	<25	<25	<85	<25	<25	<25	<25	ND
NR 720 Groundwater Pathway RCLs with a Wisconsin Default Dilution Factor of 2					5.1	1,570	1,107.20	3,960	(a)		27	4.5	cis-1,2-Dichloroethene 41.2 Chloroform 3.3 Trichloroethene 3.6
NR 720 Non-Industrial Direct Contact RCLs					1,600	8,020	818,000	260,000	219,000	182,000	63,800	33,000	cis-1,2-Dichloroethene 156000.0 Chloroform 454.0 Trichloroethene 1300.0
NR 720 Industrial Direct Contact RCLs					7,070	35,400	818,000	260,000	219,000	182,000	282,000	145,000	cis-1,2-Dichloroethene 2340000.0 Chloroform 1980.0 Trichloroethene 8410.0

Abbreviations:

µg/kg = micrograms per kilogram or parts per billion (ppb)
 MTBE = Methyl-tert-butyl ether
 ND = Not Detected

VOCs = Volatile Organic Compounds
 TMB = Trimethylbenzene
 RCLs = Residual Contaminant Levels

FID = Flameionization Detector
 PID = Photoionization Detector
 PCE = Tetrachloroethene

Notes:

*=Measured with a photoionization detector.

**=Samples analyzed for full VOCs list.

Bold+underlined values exceed an NR 720 RCL, as of December 2018.

(a) NR 720 Groundwater Pathway RCLs for 1,2,4 and 1,3,5 Trimethylbenzene Combined = 1,378.7

Soil samples within the excavation area are highlighted as follows:

Clean soil within excavation area

Contaminated soil within excavation area

Table 1 - Soil Analytical Results
3918 Monona Drive, Madison, WI / SCS Engineers Project #25221209
 (Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	FID/PID	Lab Notes	Benzene	Ethylbenzene	Toluene	Xylenes	1,2,4-TMB	1,3,5-TMB	MTBE	PCE	Other VOCs**
--------	------	--------------	---------	-----------	---------	--------------	---------	---------	-----------	-----------	------	-----	--------------

PCE contamination assumed to exceed TCLP or LDR

Table 1 - Soil Analytical Results
3918 Monona Drive, Madison, WI / SCS Engineers Project #25221209.00

Laboratory Notes:

CSL = Check standard for this analyte exhibited a low bias. Sample results may also be biased low.

J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ).

- (1) Chloroethane, chloromethane, dichlorodifluoromethane, 1,1-dichloroethane, 1,2-dichloroethane, naphthalene, and trichlorofluoromethane analyses - Check standard for this analyte exhibited a high bias. Sample results may also be biased high. Dichlorodifluoromethane analysis - The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low. Dichlorodifluoromethane, 1,2,3-trichlorobenzene, and trichlorofluoromethane analyses - Results of duplicate analysis in this quality assurance batch exceeds the limits for precision. 1,2-Dichloroethane analysis - The laboratory control sample for this analyte exhibited a high bias. Sample results may also be biased high. 2,2-Dichloropropane analysis - Check standard for this analyte exhibited a low bias. Sample results may also be biased low.
- (2) Chloroethane, chloromethane, dichloromethane, 1,1-dichloroethane, 1,2-dichloroethane, methylene chloride, naphthalene, and trichlorofluoromethane analyses - Check standard for this analyte exhibited a high bias. Sample results may also be biased high. Chloromethane, dichlorofluoromethane, 2,2-dichloropropane, and trichlorofluoromethane analyses - Results of duplicate analysis in this quality assurance batch exceeds the limits for precision. Dichlorodifluoromethane and 2,2-dichloropropane analyses - The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low. 1,2-Dichloroethane and naphthalene analyses - The laboratory control sample for this analyte exhibited a high bias. Sample results may also be biased high. 2,2-Dichloropropane analysis - Check standard for this analyte exhibited a low bias. Sample results may also be biased low.
- (3) Chloroethane, chloromethane, 1,2-dichloroethane, 1,1-dichloroethylene, 1,3-dichloropropane, naphthalene, trichlorofluoromethane, and vinyl chloride analyses - Check standard for this analyte exhibited a high bias. Sample results may also be biased high. Chloromethane, 2,2-dichloropropane, isopropyl ether, trichlorofluoromethane, and vinyl chloride analyses - The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low. Chloromethane analysis - Results of duplicate analysis in this quality assurance batch exceeds the limits for precision. Isopropyl ether analysis - Check standard for this analyte exhibited a low bias. Sample results may also be biased low.
- (4) Chloroethane, chloromethane, and 2,2-dichloropropane analyses - Check standard for this analyte exhibited a low bias. Sample results may also be biased low. Chloroethane, chloromethane, dichlorodifluoromethane, 2,2-dichloropropane, trichlorofluoromethane, and vinyl chloride analyses - The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low. Chloroethane and chloromethane analyses - Results of duplicate analysis in this quality assurance batch exceeds the limits for precision. 1,2-Dibromo-3-chloropropane analysis - Check standard for this analyte exhibited a high bias. Sample results may also be biased high. The laboratory control sample for this analyte exhibited a high bias. Sample results may also be biased high.
- (5) Bromodichloromethane, 1,2-dibromo-3-chloropropane analyses - Check standard for this analyte exhibited a high bias. Sample results may also be biased high. The laboratory control sample for this analyte exhibited a high bias. Sample results may also be biased high. Chloroethane, chloromethane, and 2,2-dichloropropane analyses - Check standard for this analyte exhibited a low bias. Sample results may also be biased low. Chloroethane, chloromethane, dichlorodifluoromethane, trichlorofluoromethane, and vinyl chloride analyses - The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low. Chloroethane analysis - Results of duplicate analysis in this quality assurance batch exceeds the limits for precision.
- (6) VOCs analysis - The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria. Vinyl chloride analysis - The recovery of this analyte in the check standard is below the method specified acceptance criteria.
- (7) Surrogate: Dibromofluoromethane analysis - This quality control measurement is below the laboratory established limit.
- (8) Bromoform, Bromomethane, Chloroethane, Dichlorodifluoromethane - Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits. Bromoform, 1,2-Dichloroethane - The RPD exceeded the acceptance limit. Chloroethane - Calibration Verification recovery was above the method control limit for this analyte. Analyte not detected, data not impacted.
- (9) Carbon Tetrachloride - The RPD exceeded the acceptance limit. Chloroethane, Chloromethane, Dichlorodifluoromethane - Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits. Surrogate: Toluene - Surrogate recovery was below acceptance limits.
- (10) Carbon Tetrachloride - The RPD exceeded the acceptance limit. Chloroethane, Chloromethane, Dichlorodifluoromethane - Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits.
- (11) 1,2,4-Trichlorobenzene - Calibration Verification recovery was outside the method control limits for this analyte. The LCS for this analyte met CCV acceptance criteria, and was used to validate the batch.

Created by:	<u>LMH</u>	Date:	<u>5/10/2004</u>
Last revision by:	<u>EO</u>	Date:	<u>3/8/2022</u>
Checked by:	<u>AJR</u>	Date:	<u>9/28/2022</u>
Proj Mgr QA/QC	<u>EO</u>	Date:	<u>10/18/2022</u>

I:\25221209.00\Data and Calculations\Tables\[221018_Soil Results within excavation.xlsx]Revision History

Facility/Project Name Threshold Development - Monona Dr.		SCS # 225221209.00		License/Permit/Monitoring Number		Boring Number GB - 20A					
Boring Drilled By (Firm name and name of crew chief) Onsite Environmental Inc., Gage Kapugi				Drilling Started 2/15/2022		Drilling Completed 2/15/2022		Drilling Method Geoprobe			
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Static Water Level		Surface Elevation		Borehole Diam. 2	
Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N, R. 10 E				Lat. Long.		Local Grid Location (If applicable) N, E.					
County Dane				DNR County Code 13		Civil Town/City/or Village Madison, WI.					

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/Comments
									Standard Penetration	Moisture Content	P200	
				2" asphalt								
S1	48"			Base course Cinders with poorly graded sand, f-n grain, brown with trace gravel + clay	ML			1.9				
				Silt, dark brown to brown with trace cinders				3.3				
			5	Lean clay, brown, medium stiff.	CL							
S2	48"			Poorly graded sand, f-n grain, dark brown with trace clay	SP			3.9				
				Poorly graded sand, f-n grain, tan to light brown, no clay.								
			10	End of boring at 10'								Sampled at 10:30

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm SCS ENGINEERS
-----------	-----------------------

This form is authorized by Chapters 281,283,289,291,292,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Route To:

- Watershed/Wastewater
- Remediation/Redev.
- Waste Management
- Other _____

SOIL BORING LOG INFORMATION

Form 4400-122

7-98

Revised by SCS 1-2016

Facility/Project Name Threshold Development - Monona Dr.		SCS # 225221209.00		License/Permit/Monitoring Number		Boring Number GB - 3A					
Boring Drilled By (Firm name and name of crew chief) Onsite Environmental Inc., Gage Kapugi				Drilling Started 2/15/2022		Drilling Completed 2/15/2022		Drilling Method Geoprobe			
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Static Water Level		Surface Elevation		Borehole Diam. 2	
Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N, R. 10 E				Lat. Long.		Local Grid Location (If applicable) N., E.					
County Dane				DNR County Code 13		Civil Town/City/or Village Madison, WI.					

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
S1	45"			Asphalt Base coarse mixed with clays	Fill		10.7					
			5	lean clay, brown, soft-m-stiff, trace roots and silt (trace)	CL							
S2	30"			poorly graded sand f-m grain, brown with layers of silt & clay same as above but tan.	SP		8.1					
			10	End of boring at 10' bgs.							Sampled at 1105	
			15									

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm SCS ENGINEERS
-----------	------------------------------

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

- Route To:
- Watershed/Wastewater
 - Remediation/Redev.
 - Waste Management
 - Other _____

Facility/Project Name Threshold Development - Monona Dr.		SCS # 225221209.00		License/Permit/Monitoring Number		Boring Number GB - 14A					
Boring Drilled By (Firm name and name of crew chief) Onsite Environmental Inc., Gage Kapugi				Drilling Started 2/15/2022		Drilling Completed 2/15/2022		Drilling Method Geoprobe			
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Static Water Level		Surface Elevation		Borehole Diam. 2	
Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N., R. 10 E				Lat. Long.		Local Grid Location (If applicable) N., E.					
County Dane				DNR County Code 13		Civil Town/City/or Village Madison, WI.					

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
				Asphalt								
S1	50"			Basecourse (tan/light brown) with cinders and clay silt trace clay/silt.				9.0				
			5	Lean clay, brown, trace roots and silt								
				XXXXXXXXXX								
S2	44"			Poorly graded sand, f. in grain orange/brown (1st 6") - tan/light brown with trace gravel				11.6				Sampled at 1145
			10	End of boring @ 10' bgs.								
			15									

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm SCS ENGINEERS
-----------	-----------------------

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Route To:

- Watershed/Wastewater
 Remediation/Redev.
 Waste Management Other _____

SOIL BORING LOG INFORMATION

Form 4400-122
Revised by SCS 1-2016

7-98

Facility/Project Name Threshold Development - Monona Dr.		SCS # 225221209.00		License/Permit/Monitoring Number		Boring Number GB - 2A					
Boring Drilled By (Firm name and name of crew chief) Onsite Environmental Inc., Gage Kapugi				Drilling Started 2/15/2022		Drilling Completed 2/15/2022		Drilling Method Geoprobe			
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Static Water Level		Surface Elevation		Borehole Diam. 2	
Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N, R. 10 E				Lat. Long.		Local Grid Location (If applicable) N., E.					
County Dane				DNR County Code 13		Civil Town/City/or Village Madison, WI.					

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
									Standard Penetration	Moisture Content	P200	
S1	43"		0-4.5'	4" Asphalt Poorly graded sand, f.c grain, tan-brown light brown with gravel (base coarse) with 3" layer of what looks like cinders @ 3.5'				8.9		M		
S2	32"		4.5-9'	Sandy clay with trace silt and gravel, brown. sand is f.c grain. same as above but with 4" layer of cinders and gravel at 9' bgs.				19.5		M/W		
			9-10'	Poorly graded sand, f.c grain, tan (4"), trace gravel. End of boring at 10' bgs.								Sampled at 1230

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm SCS ENGINEERS
-----------	-----------------------

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Route To:

- Watershed/Wastewater
 Remediation/Redev.
 Waste Management Other _____

SOIL BORING LOG INFORMATION

Form 4400-122
Revised by SCS 1-2016

7-98

Facility/Project Name Threshold Development - Monona Dr.		SCS # 225221209.00		License/Permit/Monitoring Number		Boring Number GB - 15A					
Boring Drilled By (Firm name and name of crew chief) Onsite Environmental Inc., Gage Kapugi				Drilling Started 2/15/2022		Drilling Completed 2/15/2022		Drilling Method Geoprobe			
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Static Water Level		Surface Elevation		Borehole Diam. 2	
Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N, R. 10 E				Lat. Long.		Local Grid Location (If applicable) N, E.					
County Dane				DNR County Code 13		Civil Town/City/or Village Madison, WI.					

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/Comments
									Standard Penetration	Moisture Content	P200	
S1	54"			3" of Asphalt Silt, brown-dark brown with trace fine sand, soft (frozen). 5" layer of leucocyanite Lean Clay, brown with trace roots and sand.	ML CL			5.2				
S2	43"			Poorly graded sand, dark reddish brown, to 7.5' and tan to 10' after. f-c grain with possible trace cinders at top.	SP			9.6				Sampled at 1420
				End of boring at 10' bgs.								

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **SCS ENGINEERS**

This form is authorized by Chapters 281,283,289,291,292,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Facility/Project Name Threshold Development - Monona Dr.		SCS # 225221209.00		License/Permit/Monitoring Number		Boring Number GB - 12A					
Boring Drilled By (Firm name and name of crew chief) Onsite Environmental Inc., Gage Kapugi				Drilling Started 2/15/2022		Drilling Completed 2/15/2022		Drilling Method Geoprobe			
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Static Water Level		Surface Elevation		Borehole Diam. 2	
Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N, R. 10 E				Lat. Long.		Local Grid Location (If applicable) N., E.					
County Dane				DNR County Code 13		Civil Town/City/or Village Madison, WI.					

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
									Standard Penetration	Moisture Content	P200	
				3" Asphalt.								
S1	58"			Poorly graded sand with f-c grain with gravel, trace cinders silt, dark brown with trace roots	SP ml			0.6				
			5	Lean clay, brown with trace roots and fine grain sand.	cl-ml							Switched to PID #2 and calibrated.
S2				Same as above but with silt throughout.				0.4				
			10	Poorly graded sand, f-c grain, reddish brown.	SP							Sampled at 1514
				End of boring at 10' bgs								

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **SCS ENGINEERS**

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Facility/Project Name Threshold Development - Monona Dr.		SCS # 225221209.00		License/Permit/Monitoring Number		Boring Number GB - CA					
Boring Drilled By (Firm name and name of crew chief) Onsite Environmental Inc., Gage Kapugi				Drilling Started 2/15/2022		Drilling Completed 2/15/2022		Drilling Method Geoprobe			
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Static Water Level		Surface Elevation		Borehole Diam. 2	
Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N, R. 10 E						Lat. Long.		Local Grid Location (If applicable) N, E.			
County Dane				DNR County Code 13		Civil Town/City/or Village Madison, WI.					

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
									Standard Penetration	Moisture Content	P200	
S1	52"		0	4" Asphalt Pearly graded sand, f-c grain, tan to light brown with gravel and trace cinders (base course).	fill			0.9		M		
			5	Silty clay with trace gravel and cinders. Sandy clay, brown with trace roots, sand is fine-grain with trace gravel.	ml cl							
S2	38"		10	Pearly graded sand, f-c grain, reddish brown to tan (last 6"). with trace clay in top 6" of sample. possible trace cinders at top of sample.	SP			0.8		M		Possible Sampled at 1545
			15	End of boring @ 10' bgs								

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm SCS ENGINEERS
-----------	-----------------------

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.

Facility/Project Name Threshold Development - Monona Dr.		SCS # 225221209.00		License/Permit/Monitoring Number		Boring Number GB - 18A					
Boring Drilled By (Firm name and name of crew chief) Onsite Environmental Inc., Gage Kapugi				Drilling Started 2/15/2022		Drilling Completed 2/15/2022		Drilling Method Geoprobe			
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Static Water Level		Surface Elevation		Borehole Diam. 2	
Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N, R. 10 E				Lat. Long.		Local Grid Location (If applicable) N, E.					
County Dane				DNR County Code 13		Civil Town/City/or Village Madison, WI.					

Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
									Standard Penetration	Moisture Content	P200	
S1	60"			4" Asphalt Sandy Basecourse Silt brown - dark brown with trace sand, cinders and clay.				0.8				S1 is Frozen!
S2			5	lean clay, brown with trace sand and roots, medium stiff (when thawed).				0.8				
			10	Poorly graded sand, fine - coarse grain, reddish brown (top 6") to tan with gravel and trace clay.								Sampled at 1615
				End of boring @ 10' bgs								

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm SCS ENGINEERS
-----------	-----------------------

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.


Facility/Project Name Threshold Development - Monona Dr.		SCS # 225221209.00		License/Permit/Monitoring Number		Boring Number GB - 4A					
Boring Drilled By (Firm name and name of crew chief) Onsite Environmental Inc., Gage Kapugi				Drilling Started 2/15/2022		Drilling Completed 2/15/2022		Drilling Method Geoprobe			
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Static Water Level		Surface Elevation		Borehole Diam. 2	
Boring Location State Plane NW 1/4 of SW 1/4 of Section 9, T. 7 N, R. 10 E				Lat. Long.		Local Grid Location (If applicable) N., E.					
County Dane				DNR County Code 13		Civil Town/City/or Village Madison, WI.					

Sample Number	Sample Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
									Standard Penetration	Moisture Content	P200	
				3" Asphalt Basecourse								
S1	50"		5	Sandy silty clay with gravel, dark to light brown with trace cinders. Sandy silt, dark brown, sandier grain.				0.8				
S2	34"		10	Lean clay, brown with trace organic soil. Poorly graded sand, reddish brown to brown to tan, f-c grain with trace clay.				0.7				
			15	End of boring @ 10' bgs.								sampled at 1705

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm SCS ENGINEERS
-----------	-----------------------

This form is authorized by Chapters 281, 283, 289, 291, 292, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture between \$10 and \$25,000, or imprisonment for up to one year, depending on program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information.



LEGEND

---	APPROXIMATE PROPERTY LINE
∅	UTILITY POLE
○	MANHOLE
—E—	UNDERGROUND ELECTRIC
—G—	GAS MAIN
—OU—	OVERHEAD UTILITY
—SA—	SANITARY SEWER
—ST—	STORM SEWER
—W—	WATER
△	SUB-SLAB VAPOR SAMPLING POINT
○	VAPOR MITIGATION SYSTEM
⊕	SOIL BORING
⊕	MONITORING WELL
—	PROPERTY LIMITS OF REDEVELOPMENT

- NOTES:**
1. ALL SAMPLE LOCATIONS ARE APPROXIMATE.
 2. RIGHT OF WAY UTILITY INFORMATION PROVIDED BY CITY OF MADISON.
 3. ALL UTILITY LOCATIONS ARE APPROXIMATE AND SHOULD NOT BE USED FOR UTILITY LOCATING PURPOSES.

PROJECT NO. 25221209.00	DRAWN BY: KP/JMO	SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830	CLIENT THRESHOLD DEVELOPMENT GROUP 1954 ATWOOD AVENUE MADISON, WI 53704	SITE THRESHOLD DEVELOPMENT 3900 MONONA DRIVE MADISON, WISCONSIN	RESIDUAL SOIL CONTAMINATION	FIGURE
DRAWN: 01/06/2004	CHECKED BY: REL					3
REVISED: 11/15/2021	APPROVED BY:					

February 28, 2022

Eric Oelkers
SCS ENGINEERS
2830 Dairy Drive
Madison, WI 53718

RE: Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Dear Eric Oelkers:


Enclosed are the analytical results for sample(s) received by the laboratory on February 17, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40240687001	GB-20A S1	Solid	02/15/22 10:30	02/17/22 08:20
40240687003	GB-3A S1	Solid	02/15/22 11:05	02/17/22 08:20
40240687004	GB-3A S2	Solid	02/15/22 11:05	02/17/22 08:20
40240687005	GB-14A S1	Solid	02/15/22 11:45	02/17/22 08:20
40240687006	GB-14A S2	Solid	02/15/22 11:45	02/17/22 08:20
40240687007	GB-2A S1	Solid	02/15/22 12:30	02/17/22 08:20
40240687008	GB-2A S2	Solid	02/15/22 12:30	02/17/22 08:20
40240687009	GB-15A S1	Solid	02/15/22 14:20	02/17/22 08:20
40240687010	GB-15A S2	Solid	02/15/22 14:20	02/17/22 08:20
40240687011	GB-12A S1	Solid	02/15/22 15:14	02/17/22 08:20
40240687013	GB-6A S1	Solid	02/15/22 15:45	02/17/22 08:20
40240687015	GB-18A S1	Solid	02/15/22 16:15	02/17/22 08:20
40240687017	GB-4A S1	Solid	02/15/22 17:05	02/17/22 08:20
40240687018	GB-4A S2	Solid	02/15/22 17:05	02/17/22 08:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40240687001	GB-20A S1	EPA 8260	ALD	63	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
40240687003	GB-3A S1	EPA 8260	ALD	63	PASI-G
		EPA 8260	JAV	13	PASI-G
40240687004	GB-3A S2	ASTM D2974-87	JCP	1	PASI-G
		EPA 8260	ALD	63	PASI-G
40240687005	GB-14A S1	ASTM D2974-87	JCP	1	PASI-G
		EPA 8260	ALD	63	PASI-G
40240687006	GB-14A S2	ASTM D2974-87	JCP	1	PASI-G
		EPA 8260	ALD	63	PASI-G
40240687007	GB-2A S1	ASTM D2974-87	JCP	1	PASI-G
		EPA 8260	ALD	63	PASI-G
40240687008	GB-2A S2	ASTM D2974-87	JCP	1	PASI-G
		EPA 8260	ALD	63	PASI-G
40240687009	GB-15A S1	ASTM D2974-87	JCP	1	PASI-G
		EPA 8260	ALD	63	PASI-G
		EPA 8260	JAV	13	PASI-G
40240687010	GB-15A S2	ASTM D2974-87	JCP	1	PASI-G
		EPA 8260	ALD	63	PASI-G
40240687011	GB-12A S1	ASTM D2974-87	JCP	1	PASI-G
		EPA 8260	ALD	63	PASI-G
40240687013	GB-6A S1	ASTM D2974-87	MRP	1	PASI-G
		EPA 8260	ALD	63	PASI-G
		EPA 8260	JAV	13	PASI-G
40240687015	GB-18A S1	ASTM D2974-87	MRP	1	PASI-G
		EPA 8260	ALD	63	PASI-G
		EPA 8260	JAV	13	PASI-G
40240687017	GB-4A S1	ASTM D2974-87	JCP	1	PASI-G
		EPA 8260	ALD	63	PASI-G
40240687018	GB-4A S2	ASTM D2974-87	JCP	1	PASI-G
		EPA 8260	ALD	63	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40240687001	GB-20A S1					
EPA 8260	Tetrachloroethene	36.5J	ug/kg	73.6	02/21/22 11:05	
ASTM D2974-87	Percent Moisture	19.1	%	0.10	02/17/22 16:01	
40240687003	GB-3A S1					
EPA 8260	Tetrachloroethene	37300	ug/kg	515	02/18/22 19:12	
EPA 8260	Trichloroethene	654	ug/kg	515	02/18/22 19:12	
EPA 8260	Tetrachloroethene	0.59	mg/L	0.010	02/24/22 09:10	
EPA 8260	Trichloroethene	0.0082J	mg/L	0.010	02/24/22 09:10	
ASTM D2974-87	Percent Moisture	12.6	%	0.10	02/17/22 16:01	
40240687004	GB-3A S2					
EPA 8260	Tetrachloroethene	130	ug/kg	57.0	02/18/22 13:49	
ASTM D2974-87	Percent Moisture	6.6	%	0.10	02/17/22 16:01	
40240687005	GB-14A S1					
EPA 8260	Tetrachloroethene	778	ug/kg	58.1	02/18/22 14:09	
EPA 8260	Trichloroethene	26.4J	ug/kg	58.1	02/18/22 14:09	
ASTM D2974-87	Percent Moisture	7.5	%	0.10	02/17/22 16:01	
40240687006	GB-14A S2					
ASTM D2974-87	Percent Moisture	4.3	%	0.10	02/17/22 16:01	
40240687007	GB-2A S1					
EPA 8260	Tetrachloroethene	188	ug/kg	62.0	02/18/22 18:11	
ASTM D2974-87	Percent Moisture	10.7	%	0.10	02/17/22 16:01	
40240687008	GB-2A S2					
EPA 8260	Tetrachloroethene	1240	ug/kg	65.5	02/18/22 14:49	
ASTM D2974-87	Percent Moisture	13.4	%	0.10	02/17/22 16:01	
40240687009	GB-15A S1					
EPA 8260	Tetrachloroethene	501	ug/kg	76.5	02/18/22 18:32	
EPA 8260	Trichloroethene	51.5J	ug/kg	76.5	02/18/22 18:32	
ASTM D2974-87	Percent Moisture	20.9	%	0.10	02/17/22 16:01	
40240687010	GB-15A S2					
ASTM D2974-87	Percent Moisture	6.1	%	0.10	02/17/22 16:01	
40240687011	GB-12A S1					
ASTM D2974-87	Percent Moisture	18.3	%	0.10	02/17/22 17:03	
40240687013	GB-6A S1					
EPA 8260	Tetrachloroethene	477	ug/kg	67.7	02/18/22 15:50	
EPA 8260	Trichloroethene	33.3J	ug/kg	67.7	02/18/22 15:50	
EPA 8260	Tetrachloroethene	0.0042J	mg/L	0.010	02/23/22 22:27	
ASTM D2974-87	Percent Moisture	15.0	%	0.10	02/17/22 17:03	
40240687015	GB-18A S1					
EPA 8260	Tetrachloroethene	269	ug/kg	72.6	02/18/22 13:28	
ASTM D2974-87	Percent Moisture	18.4	%	0.10	02/17/22 17:04	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40240687017	GB-4A S1					
EPA 8260	Tetrachloroethene	52.2J	ug/kg	80.3	02/18/22 16:10	
EPA 8260	Toluene	29.5J	ug/kg	80.3	02/18/22 16:10	
ASTM D2974-87	Percent Moisture	15.9	%	0.10	02/17/22 17:04	
40240687018	GB-4A S2					
EPA 8260	Tetrachloroethene	37.6J	ug/kg	56.9	02/23/22 12:34	
ASTM D2974-87	Percent Moisture	6.5	%	0.10	02/24/22 11:48	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Sample: GB-20A S1 **Lab ID: 40240687001** Collected: 02/15/22 10:30 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<17.5	ug/kg	29.4	17.5	1	02/18/22 08:00	02/21/22 11:05	71-43-2	
Bromobenzene	<28.7	ug/kg	73.6	28.7	1	02/18/22 08:00	02/21/22 11:05	108-86-1	
Bromochloromethane	<20.2	ug/kg	73.6	20.2	1	02/18/22 08:00	02/21/22 11:05	74-97-5	
Bromodichloromethane	<17.5	ug/kg	73.6	17.5	1	02/18/22 08:00	02/21/22 11:05	75-27-4	
Bromoform	<324	ug/kg	368	324	1	02/18/22 08:00	02/21/22 11:05	75-25-2	
Bromomethane	<103	ug/kg	368	103	1	02/18/22 08:00	02/21/22 11:05	74-83-9	
n-Butylbenzene	<33.7	ug/kg	73.6	33.7	1	02/18/22 08:00	02/21/22 11:05	104-51-8	
sec-Butylbenzene	<18.0	ug/kg	73.6	18.0	1	02/18/22 08:00	02/21/22 11:05	135-98-8	
tert-Butylbenzene	<23.1	ug/kg	73.6	23.1	1	02/18/22 08:00	02/21/22 11:05	98-06-6	
Carbon tetrachloride	<16.2	ug/kg	73.6	16.2	1	02/18/22 08:00	02/21/22 11:05	56-23-5	
Chlorobenzene	<8.8	ug/kg	73.6	8.8	1	02/18/22 08:00	02/21/22 11:05	108-90-7	
Chloroethane	<31.1	ug/kg	368	31.1	1	02/18/22 08:00	02/21/22 11:05	75-00-3	
Chloroform	<52.7	ug/kg	368	52.7	1	02/18/22 08:00	02/21/22 11:05	67-66-3	
Chloromethane	<28.0	ug/kg	73.6	28.0	1	02/18/22 08:00	02/21/22 11:05	74-87-3	
2-Chlorotoluene	<23.9	ug/kg	73.6	23.9	1	02/18/22 08:00	02/21/22 11:05	95-49-8	
4-Chlorotoluene	<28.0	ug/kg	73.6	28.0	1	02/18/22 08:00	02/21/22 11:05	106-43-4	
1,2-Dibromo-3-chloropropane	<57.1	ug/kg	368	57.1	1	02/18/22 08:00	02/21/22 11:05	96-12-8	
Dibromochloromethane	<252	ug/kg	368	252	1	02/18/22 08:00	02/21/22 11:05	124-48-1	
1,2-Dibromoethane (EDB)	<20.2	ug/kg	73.6	20.2	1	02/18/22 08:00	02/21/22 11:05	106-93-4	
Dibromomethane	<21.8	ug/kg	73.6	21.8	1	02/18/22 08:00	02/21/22 11:05	74-95-3	
1,2-Dichlorobenzene	<22.8	ug/kg	73.6	22.8	1	02/18/22 08:00	02/21/22 11:05	95-50-1	
1,3-Dichlorobenzene	<20.2	ug/kg	73.6	20.2	1	02/18/22 08:00	02/21/22 11:05	541-73-1	
1,4-Dichlorobenzene	<20.2	ug/kg	73.6	20.2	1	02/18/22 08:00	02/21/22 11:05	106-46-7	
Dichlorodifluoromethane	<31.7	ug/kg	73.6	31.7	1	02/18/22 08:00	02/21/22 11:05	75-71-8	
1,1-Dichloroethane	<18.8	ug/kg	73.6	18.8	1	02/18/22 08:00	02/21/22 11:05	75-34-3	
1,2-Dichloroethane	<16.9	ug/kg	73.6	16.9	1	02/18/22 08:00	02/21/22 11:05	107-06-2	
1,1-Dichloroethene	<24.4	ug/kg	73.6	24.4	1	02/18/22 08:00	02/21/22 11:05	75-35-4	
cis-1,2-Dichloroethene	<15.8	ug/kg	73.6	15.8	1	02/18/22 08:00	02/21/22 11:05	156-59-2	
trans-1,2-Dichloroethene	<15.9	ug/kg	73.6	15.9	1	02/18/22 08:00	02/21/22 11:05	156-60-5	
1,2-Dichloropropane	<17.5	ug/kg	73.6	17.5	1	02/18/22 08:00	02/21/22 11:05	78-87-5	
1,3-Dichloropropane	<16.0	ug/kg	73.6	16.0	1	02/18/22 08:00	02/21/22 11:05	142-28-9	
2,2-Dichloropropane	<19.9	ug/kg	73.6	19.9	1	02/18/22 08:00	02/21/22 11:05	594-20-7	
1,1-Dichloropropene	<23.9	ug/kg	73.6	23.9	1	02/18/22 08:00	02/21/22 11:05	563-58-6	
cis-1,3-Dichloropropene	<48.6	ug/kg	368	48.6	1	02/18/22 08:00	02/21/22 11:05	10061-01-5	
trans-1,3-Dichloropropene	<211	ug/kg	368	211	1	02/18/22 08:00	02/21/22 11:05	10061-02-6	
Diisopropyl ether	<18.3	ug/kg	73.6	18.3	1	02/18/22 08:00	02/21/22 11:05	108-20-3	
Ethylbenzene	<17.5	ug/kg	73.6	17.5	1	02/18/22 08:00	02/21/22 11:05	100-41-4	
Hexachloro-1,3-butadiene	<146	ug/kg	368	146	1	02/18/22 08:00	02/21/22 11:05	87-68-3	
Isopropylbenzene (Cumene)	<19.9	ug/kg	73.6	19.9	1	02/18/22 08:00	02/21/22 11:05	98-82-8	
p-Isopropyltoluene	<22.4	ug/kg	73.6	22.4	1	02/18/22 08:00	02/21/22 11:05	99-87-6	
Methylene Chloride	<20.5	ug/kg	73.6	20.5	1	02/18/22 08:00	02/21/22 11:05	75-09-2	
Methyl-tert-butyl ether	<21.6	ug/kg	73.6	21.6	1	02/18/22 08:00	02/21/22 11:05	1634-04-4	
Naphthalene	<23.0	ug/kg	368	23.0	1	02/18/22 08:00	02/21/22 11:05	91-20-3	
n-Propylbenzene	<17.7	ug/kg	73.6	17.7	1	02/18/22 08:00	02/21/22 11:05	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-20A S1 **Lab ID: 40240687001** Collected: 02/15/22 10:30 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<18.8	ug/kg	73.6	18.8	1	02/18/22 08:00	02/21/22 11:05	100-42-5	
1,1,1,2-Tetrachloroethane	<17.7	ug/kg	73.6	17.7	1	02/18/22 08:00	02/21/22 11:05	630-20-6	
1,1,1,2-Tetrachloroethane	<26.6	ug/kg	73.6	26.6	1	02/18/22 08:00	02/21/22 11:05	79-34-5	
Tetrachloroethene	36.5J	ug/kg	73.6	28.6	1	02/18/22 08:00	02/21/22 11:05	127-18-4	
Toluene	<18.6	ug/kg	73.6	18.6	1	02/18/22 08:00	02/21/22 11:05	108-88-3	
1,2,3-Trichlorobenzene	<82.0	ug/kg	368	82.0	1	02/18/22 08:00	02/21/22 11:05	87-61-6	
1,2,4-Trichlorobenzene	<60.7	ug/kg	368	60.7	1	02/18/22 08:00	02/21/22 11:05	120-82-1	
1,1,1-Trichloroethane	<18.8	ug/kg	73.6	18.8	1	02/18/22 08:00	02/21/22 11:05	71-55-6	
1,1,2-Trichloroethane	<26.8	ug/kg	73.6	26.8	1	02/18/22 08:00	02/21/22 11:05	79-00-5	
Trichloroethene	<27.5	ug/kg	73.6	27.5	1	02/18/22 08:00	02/21/22 11:05	79-01-6	
Trichlorofluoromethane	<21.3	ug/kg	73.6	21.3	1	02/18/22 08:00	02/21/22 11:05	75-69-4	
1,2,3-Trichloropropane	<35.8	ug/kg	73.6	35.8	1	02/18/22 08:00	02/21/22 11:05	96-18-4	
1,2,4-Trimethylbenzene	<21.9	ug/kg	73.6	21.9	1	02/18/22 08:00	02/21/22 11:05	95-63-6	
1,3,5-Trimethylbenzene	<23.7	ug/kg	73.6	23.7	1	02/18/22 08:00	02/21/22 11:05	108-67-8	
Vinyl chloride	<14.9	ug/kg	73.6	14.9	1	02/18/22 08:00	02/21/22 11:05	75-01-4	
Xylene (Total)	<53.2	ug/kg	221	53.2	1	02/18/22 08:00	02/21/22 11:05	1330-20-7	
Surrogates									
Toluene-d8 (S)	101	%	67-159		1	02/18/22 08:00	02/21/22 11:05	2037-26-5	
4-Bromofluorobenzene (S)	99	%	66-153		1	02/18/22 08:00	02/21/22 11:05	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	82-158		1	02/18/22 08:00	02/21/22 11:05	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.1	%	0.10	0.10	1		02/17/22 16:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Sample: GB-3A S1 **Lab ID: 40240687003** Collected: 02/15/22 11:05 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<123	ug/kg	206	123	8	02/18/22 08:00	02/18/22 19:12	71-43-2	
Bromobenzene	<201	ug/kg	515	201	8	02/18/22 08:00	02/18/22 19:12	108-86-1	
Bromochloromethane	<141	ug/kg	515	141	8	02/18/22 08:00	02/18/22 19:12	74-97-5	
Bromodichloromethane	<123	ug/kg	515	123	8	02/18/22 08:00	02/18/22 19:12	75-27-4	
Bromoform	<2270	ug/kg	2580	2270	8	02/18/22 08:00	02/18/22 19:12	75-25-2	
Bromomethane	<722	ug/kg	2580	722	8	02/18/22 08:00	02/18/22 19:12	74-83-9	
n-Butylbenzene	<236	ug/kg	515	236	8	02/18/22 08:00	02/18/22 19:12	104-51-8	
sec-Butylbenzene	<126	ug/kg	515	126	8	02/18/22 08:00	02/18/22 19:12	135-98-8	
tert-Butylbenzene	<162	ug/kg	515	162	8	02/18/22 08:00	02/18/22 19:12	98-06-6	
Carbon tetrachloride	<113	ug/kg	515	113	8	02/18/22 08:00	02/18/22 19:12	56-23-5	
Chlorobenzene	<61.7	ug/kg	515	61.7	8	02/18/22 08:00	02/18/22 19:12	108-90-7	
Chloroethane	<217	ug/kg	2580	217	8	02/18/22 08:00	02/18/22 19:12	75-00-3	
Chloroform	<369	ug/kg	2580	369	8	02/18/22 08:00	02/18/22 19:12	67-66-3	
Chloromethane	<196	ug/kg	515	196	8	02/18/22 08:00	02/18/22 19:12	74-87-3	
2-Chlorotoluene	<167	ug/kg	515	167	8	02/18/22 08:00	02/18/22 19:12	95-49-8	
4-Chlorotoluene	<196	ug/kg	515	196	8	02/18/22 08:00	02/18/22 19:12	106-43-4	
1,2-Dibromo-3-chloropropane	<400	ug/kg	2580	400	8	02/18/22 08:00	02/18/22 19:12	96-12-8	
Dibromochloromethane	<1760	ug/kg	2580	1760	8	02/18/22 08:00	02/18/22 19:12	124-48-1	
1,2-Dibromoethane (EDB)	<141	ug/kg	515	141	8	02/18/22 08:00	02/18/22 19:12	106-93-4	
Dibromomethane	<152	ug/kg	515	152	8	02/18/22 08:00	02/18/22 19:12	74-95-3	
1,2-Dichlorobenzene	<160	ug/kg	515	160	8	02/18/22 08:00	02/18/22 19:12	95-50-1	
1,3-Dichlorobenzene	<141	ug/kg	515	141	8	02/18/22 08:00	02/18/22 19:12	541-73-1	
1,4-Dichlorobenzene	<141	ug/kg	515	141	8	02/18/22 08:00	02/18/22 19:12	106-46-7	
Dichlorodifluoromethane	<222	ug/kg	515	222	8	02/18/22 08:00	02/18/22 19:12	75-71-8	
1,1-Dichloroethane	<132	ug/kg	515	132	8	02/18/22 08:00	02/18/22 19:12	75-34-3	
1,2-Dichloroethane	<118	ug/kg	515	118	8	02/18/22 08:00	02/18/22 19:12	107-06-2	
1,1-Dichloroethene	<171	ug/kg	515	171	8	02/18/22 08:00	02/18/22 19:12	75-35-4	
cis-1,2-Dichloroethene	<110	ug/kg	515	110	8	02/18/22 08:00	02/18/22 19:12	156-59-2	
trans-1,2-Dichloroethene	<111	ug/kg	515	111	8	02/18/22 08:00	02/18/22 19:12	156-60-5	
1,2-Dichloropropane	<123	ug/kg	515	123	8	02/18/22 08:00	02/18/22 19:12	78-87-5	
1,3-Dichloropropane	<112	ug/kg	515	112	8	02/18/22 08:00	02/18/22 19:12	142-28-9	
2,2-Dichloropropane	<139	ug/kg	515	139	8	02/18/22 08:00	02/18/22 19:12	594-20-7	
1,1-Dichloropropene	<167	ug/kg	515	167	8	02/18/22 08:00	02/18/22 19:12	563-58-6	
cis-1,3-Dichloropropene	<340	ug/kg	2580	340	8	02/18/22 08:00	02/18/22 19:12	10061-01-5	
trans-1,3-Dichloropropene	<1470	ug/kg	2580	1470	8	02/18/22 08:00	02/18/22 19:12	10061-02-6	
Diisopropyl ether	<128	ug/kg	515	128	8	02/18/22 08:00	02/18/22 19:12	108-20-3	
Ethylbenzene	<123	ug/kg	515	123	8	02/18/22 08:00	02/18/22 19:12	100-41-4	
Hexachloro-1,3-butadiene	<1020	ug/kg	2580	1020	8	02/18/22 08:00	02/18/22 19:12	87-68-3	
Isopropylbenzene (Cumene)	<139	ug/kg	515	139	8	02/18/22 08:00	02/18/22 19:12	98-82-8	
p-Isopropyltoluene	<157	ug/kg	515	157	8	02/18/22 08:00	02/18/22 19:12	99-87-6	
Methylene Chloride	<143	ug/kg	515	143	8	02/18/22 08:00	02/18/22 19:12	75-09-2	
Methyl-tert-butyl ether	<151	ug/kg	515	151	8	02/18/22 08:00	02/18/22 19:12	1634-04-4	
Naphthalene	<161	ug/kg	2580	161	8	02/18/22 08:00	02/18/22 19:12	91-20-3	
n-Propylbenzene	<124	ug/kg	515	124	8	02/18/22 08:00	02/18/22 19:12	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-3A S1 **Lab ID: 40240687003** Collected: 02/15/22 11:05 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<132	ug/kg	515	132	8	02/18/22 08:00	02/18/22 19:12	100-42-5	
1,1,1,2-Tetrachloroethane	<124	ug/kg	515	124	8	02/18/22 08:00	02/18/22 19:12	630-20-6	
1,1,2,2-Tetrachloroethane	<186	ug/kg	515	186	8	02/18/22 08:00	02/18/22 19:12	79-34-5	
Tetrachloroethene	37300	ug/kg	515	200	8	02/18/22 08:00	02/18/22 19:12	127-18-4	
Toluene	<130	ug/kg	515	130	8	02/18/22 08:00	02/18/22 19:12	108-88-3	
1,2,3-Trichlorobenzene	<574	ug/kg	2580	574	8	02/18/22 08:00	02/18/22 19:12	87-61-6	
1,2,4-Trichlorobenzene	<424	ug/kg	2580	424	8	02/18/22 08:00	02/18/22 19:12	120-82-1	
1,1,1-Trichloroethane	<132	ug/kg	515	132	8	02/18/22 08:00	02/18/22 19:12	71-55-6	
1,1,2-Trichloroethane	<188	ug/kg	515	188	8	02/18/22 08:00	02/18/22 19:12	79-00-5	
Trichloroethene	654	ug/kg	515	193	8	02/18/22 08:00	02/18/22 19:12	79-01-6	
Trichlorofluoromethane	<149	ug/kg	515	149	8	02/18/22 08:00	02/18/22 19:12	75-69-4	
1,2,3-Trichloropropane	<250	ug/kg	515	250	8	02/18/22 08:00	02/18/22 19:12	96-18-4	
1,2,4-Trimethylbenzene	<154	ug/kg	515	154	8	02/18/22 08:00	02/18/22 19:12	95-63-6	
1,3,5-Trimethylbenzene	<166	ug/kg	515	166	8	02/18/22 08:00	02/18/22 19:12	108-67-8	
Vinyl chloride	<104	ug/kg	515	104	8	02/18/22 08:00	02/18/22 19:12	75-01-4	
Xylene (Total)	<372	ug/kg	1550	372	8	02/18/22 08:00	02/18/22 19:12	1330-20-7	
Surrogates									
Toluene-d8 (S)	107	%	67-159		8	02/18/22 08:00	02/18/22 19:12	2037-26-5	
4-Bromofluorobenzene (S)	106	%	66-153		8	02/18/22 08:00	02/18/22 19:12	460-00-4	
1,2-Dichlorobenzene-d4 (S)	120	%	82-158		8	02/18/22 08:00	02/18/22 19:12	2199-69-1	
8260 MSV TCLP									
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 02/22/22 13:26									
Pace Analytical Services - Green Bay									
Benzene	<0.0030	mg/L	0.010	0.0030	10		02/24/22 09:10	71-43-2	
2-Butanone (MEK)	<0.065	mg/L	0.25	0.065	10		02/24/22 09:10	78-93-3	
Carbon tetrachloride	<0.0037	mg/L	0.010	0.0037	10		02/24/22 09:10	56-23-5	
Chlorobenzene	<0.0086	mg/L	0.010	0.0086	10		02/24/22 09:10	108-90-7	
Chloroform	<0.012	mg/L	0.050	0.012	10		02/24/22 09:10	67-66-3	
1,2-Dichloroethane	<0.0029	mg/L	0.010	0.0029	10		02/24/22 09:10	107-06-2	
1,1-Dichloroethene	<0.0058	mg/L	0.010	0.0058	10		02/24/22 09:10	75-35-4	
Tetrachloroethene	0.59	mg/L	0.010	0.0041	10		02/24/22 09:10	127-18-4	
Trichloroethene	0.0082J	mg/L	0.010	0.0032	10		02/24/22 09:10	79-01-6	
Vinyl chloride	<0.0017	mg/L	0.010	0.0017	10		02/24/22 09:10	75-01-4	
Surrogates									
Toluene-d8 (S)	97	%	70-130		10		02/24/22 09:10	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130		10		02/24/22 09:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		10		02/24/22 09:10	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	12.6	%	0.10	0.10	1		02/17/22 16:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Sample: GB-3A S2 **Lab ID: 40240687004** Collected: 02/15/22 11:05 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.6	ug/kg	22.8	13.6	1	02/18/22 08:00	02/18/22 13:49	71-43-2	
Bromobenzene	<22.2	ug/kg	57.0	22.2	1	02/18/22 08:00	02/18/22 13:49	108-86-1	
Bromochloromethane	<15.6	ug/kg	57.0	15.6	1	02/18/22 08:00	02/18/22 13:49	74-97-5	
Bromodichloromethane	<13.6	ug/kg	57.0	13.6	1	02/18/22 08:00	02/18/22 13:49	75-27-4	
Bromoform	<251	ug/kg	285	251	1	02/18/22 08:00	02/18/22 13:49	75-25-2	
Bromomethane	<80.0	ug/kg	285	80.0	1	02/18/22 08:00	02/18/22 13:49	74-83-9	
n-Butylbenzene	<26.1	ug/kg	57.0	26.1	1	02/18/22 08:00	02/18/22 13:49	104-51-8	
sec-Butylbenzene	<13.9	ug/kg	57.0	13.9	1	02/18/22 08:00	02/18/22 13:49	135-98-8	
tert-Butylbenzene	<17.9	ug/kg	57.0	17.9	1	02/18/22 08:00	02/18/22 13:49	98-06-6	
Carbon tetrachloride	<12.5	ug/kg	57.0	12.5	1	02/18/22 08:00	02/18/22 13:49	56-23-5	
Chlorobenzene	<6.8	ug/kg	57.0	6.8	1	02/18/22 08:00	02/18/22 13:49	108-90-7	
Chloroethane	<24.1	ug/kg	285	24.1	1	02/18/22 08:00	02/18/22 13:49	75-00-3	
Chloroform	<40.8	ug/kg	285	40.8	1	02/18/22 08:00	02/18/22 13:49	67-66-3	
Chloromethane	<21.7	ug/kg	57.0	21.7	1	02/18/22 08:00	02/18/22 13:49	74-87-3	
2-Chlorotoluene	<18.5	ug/kg	57.0	18.5	1	02/18/22 08:00	02/18/22 13:49	95-49-8	
4-Chlorotoluene	<21.7	ug/kg	57.0	21.7	1	02/18/22 08:00	02/18/22 13:49	106-43-4	
1,2-Dibromo-3-chloropropane	<44.3	ug/kg	285	44.3	1	02/18/22 08:00	02/18/22 13:49	96-12-8	
Dibromochloromethane	<195	ug/kg	285	195	1	02/18/22 08:00	02/18/22 13:49	124-48-1	
1,2-Dibromoethane (EDB)	<15.6	ug/kg	57.0	15.6	1	02/18/22 08:00	02/18/22 13:49	106-93-4	
Dibromomethane	<16.9	ug/kg	57.0	16.9	1	02/18/22 08:00	02/18/22 13:49	74-95-3	
1,2-Dichlorobenzene	<17.7	ug/kg	57.0	17.7	1	02/18/22 08:00	02/18/22 13:49	95-50-1	
1,3-Dichlorobenzene	<15.6	ug/kg	57.0	15.6	1	02/18/22 08:00	02/18/22 13:49	541-73-1	
1,4-Dichlorobenzene	<15.6	ug/kg	57.0	15.6	1	02/18/22 08:00	02/18/22 13:49	106-46-7	
Dichlorodifluoromethane	<24.5	ug/kg	57.0	24.5	1	02/18/22 08:00	02/18/22 13:49	75-71-8	
1,1-Dichloroethane	<14.6	ug/kg	57.0	14.6	1	02/18/22 08:00	02/18/22 13:49	75-34-3	
1,2-Dichloroethane	<13.1	ug/kg	57.0	13.1	1	02/18/22 08:00	02/18/22 13:49	107-06-2	
1,1-Dichloroethene	<18.9	ug/kg	57.0	18.9	1	02/18/22 08:00	02/18/22 13:49	75-35-4	
cis-1,2-Dichloroethene	<12.2	ug/kg	57.0	12.2	1	02/18/22 08:00	02/18/22 13:49	156-59-2	
trans-1,2-Dichloroethene	<12.3	ug/kg	57.0	12.3	1	02/18/22 08:00	02/18/22 13:49	156-60-5	
1,2-Dichloropropane	<13.6	ug/kg	57.0	13.6	1	02/18/22 08:00	02/18/22 13:49	78-87-5	
1,3-Dichloropropane	<12.4	ug/kg	57.0	12.4	1	02/18/22 08:00	02/18/22 13:49	142-28-9	
2,2-Dichloropropane	<15.4	ug/kg	57.0	15.4	1	02/18/22 08:00	02/18/22 13:49	594-20-7	
1,1-Dichloropropene	<18.5	ug/kg	57.0	18.5	1	02/18/22 08:00	02/18/22 13:49	563-58-6	
cis-1,3-Dichloropropene	<37.6	ug/kg	285	37.6	1	02/18/22 08:00	02/18/22 13:49	10061-01-5	
trans-1,3-Dichloropropene	<163	ug/kg	285	163	1	02/18/22 08:00	02/18/22 13:49	10061-02-6	
Diisopropyl ether	<14.1	ug/kg	57.0	14.1	1	02/18/22 08:00	02/18/22 13:49	108-20-3	
Ethylbenzene	<13.6	ug/kg	57.0	13.6	1	02/18/22 08:00	02/18/22 13:49	100-41-4	
Hexachloro-1,3-butadiene	<113	ug/kg	285	113	1	02/18/22 08:00	02/18/22 13:49	87-68-3	
Isopropylbenzene (Cumene)	<15.4	ug/kg	57.0	15.4	1	02/18/22 08:00	02/18/22 13:49	98-82-8	
p-Isopropyltoluene	<17.3	ug/kg	57.0	17.3	1	02/18/22 08:00	02/18/22 13:49	99-87-6	
Methylene Chloride	<15.9	ug/kg	57.0	15.9	1	02/18/22 08:00	02/18/22 13:49	75-09-2	
Methyl-tert-butyl ether	<16.8	ug/kg	57.0	16.8	1	02/18/22 08:00	02/18/22 13:49	1634-04-4	
Naphthalene	<17.8	ug/kg	285	17.8	1	02/18/22 08:00	02/18/22 13:49	91-20-3	
n-Propylbenzene	<13.7	ug/kg	57.0	13.7	1	02/18/22 08:00	02/18/22 13:49	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-3A S2 **Lab ID: 40240687004** Collected: 02/15/22 11:05 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<14.6	ug/kg	57.0	14.6	1	02/18/22 08:00	02/18/22 13:49	100-42-5	
1,1,1,2-Tetrachloroethane	<13.7	ug/kg	57.0	13.7	1	02/18/22 08:00	02/18/22 13:49	630-20-6	
1,1,1,2-Tetrachloroethane	<20.7	ug/kg	57.0	20.7	1	02/18/22 08:00	02/18/22 13:49	79-34-5	
Tetrachloroethene	130	ug/kg	57.0	22.1	1	02/18/22 08:00	02/18/22 13:49	127-18-4	
Toluene	<14.4	ug/kg	57.0	14.4	1	02/18/22 08:00	02/18/22 13:49	108-88-3	
1,2,3-Trichlorobenzene	<63.5	ug/kg	285	63.5	1	02/18/22 08:00	02/18/22 13:49	87-61-6	
1,2,4-Trichlorobenzene	<47.0	ug/kg	285	47.0	1	02/18/22 08:00	02/18/22 13:49	120-82-1	
1,1,1-Trichloroethane	<14.6	ug/kg	57.0	14.6	1	02/18/22 08:00	02/18/22 13:49	71-55-6	
1,1,2-Trichloroethane	<20.8	ug/kg	57.0	20.8	1	02/18/22 08:00	02/18/22 13:49	79-00-5	
Trichloroethene	<21.3	ug/kg	57.0	21.3	1	02/18/22 08:00	02/18/22 13:49	79-01-6	
Trichlorofluoromethane	<16.5	ug/kg	57.0	16.5	1	02/18/22 08:00	02/18/22 13:49	75-69-4	
1,2,3-Trichloropropane	<27.7	ug/kg	57.0	27.7	1	02/18/22 08:00	02/18/22 13:49	96-18-4	
1,2,4-Trimethylbenzene	<17.0	ug/kg	57.0	17.0	1	02/18/22 08:00	02/18/22 13:49	95-63-6	
1,3,5-Trimethylbenzene	<18.4	ug/kg	57.0	18.4	1	02/18/22 08:00	02/18/22 13:49	108-67-8	
Vinyl chloride	<11.5	ug/kg	57.0	11.5	1	02/18/22 08:00	02/18/22 13:49	75-01-4	
Xylene (Total)	<41.2	ug/kg	171	41.2	1	02/18/22 08:00	02/18/22 13:49	1330-20-7	
Surrogates									
Toluene-d8 (S)	101	%	67-159		1	02/18/22 08:00	02/18/22 13:49	2037-26-5	
4-Bromofluorobenzene (S)	101	%	66-153		1	02/18/22 08:00	02/18/22 13:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	82-158		1	02/18/22 08:00	02/18/22 13:49	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.6	%	0.10	0.10	1		02/17/22 16:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-14A S1 **Lab ID: 40240687005** Collected: 02/15/22 11:45 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.8	ug/kg	23.3	13.8	1	02/18/22 08:00	02/18/22 14:09	71-43-2	
Bromobenzene	<22.7	ug/kg	58.1	22.7	1	02/18/22 08:00	02/18/22 14:09	108-86-1	
Bromochloromethane	<15.9	ug/kg	58.1	15.9	1	02/18/22 08:00	02/18/22 14:09	74-97-5	
Bromodichloromethane	<13.8	ug/kg	58.1	13.8	1	02/18/22 08:00	02/18/22 14:09	75-27-4	
Bromoform	<256	ug/kg	291	256	1	02/18/22 08:00	02/18/22 14:09	75-25-2	
Bromomethane	<81.5	ug/kg	291	81.5	1	02/18/22 08:00	02/18/22 14:09	74-83-9	
n-Butylbenzene	<26.6	ug/kg	58.1	26.6	1	02/18/22 08:00	02/18/22 14:09	104-51-8	
sec-Butylbenzene	<14.2	ug/kg	58.1	14.2	1	02/18/22 08:00	02/18/22 14:09	135-98-8	
tert-Butylbenzene	<18.3	ug/kg	58.1	18.3	1	02/18/22 08:00	02/18/22 14:09	98-06-6	
Carbon tetrachloride	<12.8	ug/kg	58.1	12.8	1	02/18/22 08:00	02/18/22 14:09	56-23-5	
Chlorobenzene	<7.0	ug/kg	58.1	7.0	1	02/18/22 08:00	02/18/22 14:09	108-90-7	
Chloroethane	<24.5	ug/kg	291	24.5	1	02/18/22 08:00	02/18/22 14:09	75-00-3	
Chloroform	<41.6	ug/kg	291	41.6	1	02/18/22 08:00	02/18/22 14:09	67-66-3	
Chloromethane	<22.1	ug/kg	58.1	22.1	1	02/18/22 08:00	02/18/22 14:09	74-87-3	
2-Chlorotoluene	<18.8	ug/kg	58.1	18.8	1	02/18/22 08:00	02/18/22 14:09	95-49-8	
4-Chlorotoluene	<22.1	ug/kg	58.1	22.1	1	02/18/22 08:00	02/18/22 14:09	106-43-4	
1,2-Dibromo-3-chloropropane	<45.1	ug/kg	291	45.1	1	02/18/22 08:00	02/18/22 14:09	96-12-8	
Dibromochloromethane	<199	ug/kg	291	199	1	02/18/22 08:00	02/18/22 14:09	124-48-1	
1,2-Dibromoethane (EDB)	<15.9	ug/kg	58.1	15.9	1	02/18/22 08:00	02/18/22 14:09	106-93-4	
Dibromomethane	<17.2	ug/kg	58.1	17.2	1	02/18/22 08:00	02/18/22 14:09	74-95-3	
1,2-Dichlorobenzene	<18.0	ug/kg	58.1	18.0	1	02/18/22 08:00	02/18/22 14:09	95-50-1	
1,3-Dichlorobenzene	<15.9	ug/kg	58.1	15.9	1	02/18/22 08:00	02/18/22 14:09	541-73-1	
1,4-Dichlorobenzene	<15.9	ug/kg	58.1	15.9	1	02/18/22 08:00	02/18/22 14:09	106-46-7	
Dichlorodifluoromethane	<25.0	ug/kg	58.1	25.0	1	02/18/22 08:00	02/18/22 14:09	75-71-8	
1,1-Dichloroethane	<14.9	ug/kg	58.1	14.9	1	02/18/22 08:00	02/18/22 14:09	75-34-3	
1,2-Dichloroethane	<13.4	ug/kg	58.1	13.4	1	02/18/22 08:00	02/18/22 14:09	107-06-2	
1,1-Dichloroethene	<19.3	ug/kg	58.1	19.3	1	02/18/22 08:00	02/18/22 14:09	75-35-4	
cis-1,2-Dichloroethene	<12.4	ug/kg	58.1	12.4	1	02/18/22 08:00	02/18/22 14:09	156-59-2	
trans-1,2-Dichloroethene	<12.6	ug/kg	58.1	12.6	1	02/18/22 08:00	02/18/22 14:09	156-60-5	
1,2-Dichloropropane	<13.8	ug/kg	58.1	13.8	1	02/18/22 08:00	02/18/22 14:09	78-87-5	
1,3-Dichloropropane	<12.7	ug/kg	58.1	12.7	1	02/18/22 08:00	02/18/22 14:09	142-28-9	
2,2-Dichloropropane	<15.7	ug/kg	58.1	15.7	1	02/18/22 08:00	02/18/22 14:09	594-20-7	
1,1-Dichloropropene	<18.8	ug/kg	58.1	18.8	1	02/18/22 08:00	02/18/22 14:09	563-58-6	
cis-1,3-Dichloropropene	<38.4	ug/kg	291	38.4	1	02/18/22 08:00	02/18/22 14:09	10061-01-5	
trans-1,3-Dichloropropene	<166	ug/kg	291	166	1	02/18/22 08:00	02/18/22 14:09	10061-02-6	
Diisopropyl ether	<14.4	ug/kg	58.1	14.4	1	02/18/22 08:00	02/18/22 14:09	108-20-3	
Ethylbenzene	<13.8	ug/kg	58.1	13.8	1	02/18/22 08:00	02/18/22 14:09	100-41-4	
Hexachloro-1,3-butadiene	<116	ug/kg	291	116	1	02/18/22 08:00	02/18/22 14:09	87-68-3	
Isopropylbenzene (Cumene)	<15.7	ug/kg	58.1	15.7	1	02/18/22 08:00	02/18/22 14:09	98-82-8	
p-Isopropyltoluene	<17.7	ug/kg	58.1	17.7	1	02/18/22 08:00	02/18/22 14:09	99-87-6	
Methylene Chloride	<16.2	ug/kg	58.1	16.2	1	02/18/22 08:00	02/18/22 14:09	75-09-2	
Methyl-tert-butyl ether	<17.1	ug/kg	58.1	17.1	1	02/18/22 08:00	02/18/22 14:09	1634-04-4	
Naphthalene	<18.1	ug/kg	291	18.1	1	02/18/22 08:00	02/18/22 14:09	91-20-3	
n-Propylbenzene	<14.0	ug/kg	58.1	14.0	1	02/18/22 08:00	02/18/22 14:09	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-14A S1 **Lab ID: 40240687005** Collected: 02/15/22 11:45 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<14.9	ug/kg	58.1	14.9	1	02/18/22 08:00	02/18/22 14:09	100-42-5	
1,1,1,2-Tetrachloroethane	<14.0	ug/kg	58.1	14.0	1	02/18/22 08:00	02/18/22 14:09	630-20-6	
1,1,1,2-Tetrachloroethane	<21.1	ug/kg	58.1	21.1	1	02/18/22 08:00	02/18/22 14:09	79-34-5	
Tetrachloroethene	778	ug/kg	58.1	22.6	1	02/18/22 08:00	02/18/22 14:09	127-18-4	
Toluene	<14.7	ug/kg	58.1	14.7	1	02/18/22 08:00	02/18/22 14:09	108-88-3	
1,2,3-Trichlorobenzene	<64.8	ug/kg	291	64.8	1	02/18/22 08:00	02/18/22 14:09	87-61-6	
1,2,4-Trichlorobenzene	<47.9	ug/kg	291	47.9	1	02/18/22 08:00	02/18/22 14:09	120-82-1	
1,1,1-Trichloroethane	<14.9	ug/kg	58.1	14.9	1	02/18/22 08:00	02/18/22 14:09	71-55-6	
1,1,2-Trichloroethane	<21.2	ug/kg	58.1	21.2	1	02/18/22 08:00	02/18/22 14:09	79-00-5	
Trichloroethene	26.4J	ug/kg	58.1	21.7	1	02/18/22 08:00	02/18/22 14:09	79-01-6	
Trichlorofluoromethane	<16.9	ug/kg	58.1	16.9	1	02/18/22 08:00	02/18/22 14:09	75-69-4	
1,2,3-Trichloropropane	<28.3	ug/kg	58.1	28.3	1	02/18/22 08:00	02/18/22 14:09	96-18-4	
1,2,4-Trimethylbenzene	<17.3	ug/kg	58.1	17.3	1	02/18/22 08:00	02/18/22 14:09	95-63-6	
1,3,5-Trimethylbenzene	<18.7	ug/kg	58.1	18.7	1	02/18/22 08:00	02/18/22 14:09	108-67-8	
Vinyl chloride	<11.7	ug/kg	58.1	11.7	1	02/18/22 08:00	02/18/22 14:09	75-01-4	
Xylene (Total)	<42.0	ug/kg	174	42.0	1	02/18/22 08:00	02/18/22 14:09	1330-20-7	
Surrogates									
Toluene-d8 (S)	112	%	67-159		1	02/18/22 08:00	02/18/22 14:09	2037-26-5	
4-Bromofluorobenzene (S)	108	%	66-153		1	02/18/22 08:00	02/18/22 14:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	112	%	82-158		1	02/18/22 08:00	02/18/22 14:09	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.5	%	0.10	0.10	1		02/17/22 16:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-14A S2 **Lab ID: 40240687006** Collected: 02/15/22 11:45 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.0	ug/kg	21.8	13.0	1	02/18/22 08:00	02/18/22 14:29	71-43-2	
Bromobenzene	<21.2	ug/kg	54.4	21.2	1	02/18/22 08:00	02/18/22 14:29	108-86-1	
Bromochloromethane	<14.9	ug/kg	54.4	14.9	1	02/18/22 08:00	02/18/22 14:29	74-97-5	
Bromodichloromethane	<13.0	ug/kg	54.4	13.0	1	02/18/22 08:00	02/18/22 14:29	75-27-4	
Bromoform	<240	ug/kg	272	240	1	02/18/22 08:00	02/18/22 14:29	75-25-2	
Bromomethane	<76.3	ug/kg	272	76.3	1	02/18/22 08:00	02/18/22 14:29	74-83-9	
n-Butylbenzene	<24.9	ug/kg	54.4	24.9	1	02/18/22 08:00	02/18/22 14:29	104-51-8	
sec-Butylbenzene	<13.3	ug/kg	54.4	13.3	1	02/18/22 08:00	02/18/22 14:29	135-98-8	
tert-Butylbenzene	<17.1	ug/kg	54.4	17.1	1	02/18/22 08:00	02/18/22 14:29	98-06-6	
Carbon tetrachloride	<12.0	ug/kg	54.4	12.0	1	02/18/22 08:00	02/18/22 14:29	56-23-5	
Chlorobenzene	<6.5	ug/kg	54.4	6.5	1	02/18/22 08:00	02/18/22 14:29	108-90-7	
Chloroethane	<23.0	ug/kg	272	23.0	1	02/18/22 08:00	02/18/22 14:29	75-00-3	
Chloroform	<39.0	ug/kg	272	39.0	1	02/18/22 08:00	02/18/22 14:29	67-66-3	
Chloromethane	<20.7	ug/kg	54.4	20.7	1	02/18/22 08:00	02/18/22 14:29	74-87-3	
2-Chlorotoluene	<17.6	ug/kg	54.4	17.6	1	02/18/22 08:00	02/18/22 14:29	95-49-8	
4-Chlorotoluene	<20.7	ug/kg	54.4	20.7	1	02/18/22 08:00	02/18/22 14:29	106-43-4	
1,2-Dibromo-3-chloropropane	<42.2	ug/kg	272	42.2	1	02/18/22 08:00	02/18/22 14:29	96-12-8	
Dibromochloromethane	<186	ug/kg	272	186	1	02/18/22 08:00	02/18/22 14:29	124-48-1	
1,2-Dibromoethane (EDB)	<14.9	ug/kg	54.4	14.9	1	02/18/22 08:00	02/18/22 14:29	106-93-4	
Dibromomethane	<16.1	ug/kg	54.4	16.1	1	02/18/22 08:00	02/18/22 14:29	74-95-3	
1,2-Dichlorobenzene	<16.9	ug/kg	54.4	16.9	1	02/18/22 08:00	02/18/22 14:29	95-50-1	
1,3-Dichlorobenzene	<14.9	ug/kg	54.4	14.9	1	02/18/22 08:00	02/18/22 14:29	541-73-1	
1,4-Dichlorobenzene	<14.9	ug/kg	54.4	14.9	1	02/18/22 08:00	02/18/22 14:29	106-46-7	
Dichlorodifluoromethane	<23.4	ug/kg	54.4	23.4	1	02/18/22 08:00	02/18/22 14:29	75-71-8	
1,1-Dichloroethane	<13.9	ug/kg	54.4	13.9	1	02/18/22 08:00	02/18/22 14:29	75-34-3	
1,2-Dichloroethane	<12.5	ug/kg	54.4	12.5	1	02/18/22 08:00	02/18/22 14:29	107-06-2	
1,1-Dichloroethene	<18.1	ug/kg	54.4	18.1	1	02/18/22 08:00	02/18/22 14:29	75-35-4	
cis-1,2-Dichloroethene	<11.7	ug/kg	54.4	11.7	1	02/18/22 08:00	02/18/22 14:29	156-59-2	
trans-1,2-Dichloroethene	<11.8	ug/kg	54.4	11.8	1	02/18/22 08:00	02/18/22 14:29	156-60-5	
1,2-Dichloropropane	<13.0	ug/kg	54.4	13.0	1	02/18/22 08:00	02/18/22 14:29	78-87-5	
1,3-Dichloropropane	<11.9	ug/kg	54.4	11.9	1	02/18/22 08:00	02/18/22 14:29	142-28-9	
2,2-Dichloropropane	<14.7	ug/kg	54.4	14.7	1	02/18/22 08:00	02/18/22 14:29	594-20-7	
1,1-Dichloropropene	<17.6	ug/kg	54.4	17.6	1	02/18/22 08:00	02/18/22 14:29	563-58-6	
cis-1,3-Dichloropropene	<35.9	ug/kg	272	35.9	1	02/18/22 08:00	02/18/22 14:29	10061-01-5	
trans-1,3-Dichloropropene	<156	ug/kg	272	156	1	02/18/22 08:00	02/18/22 14:29	10061-02-6	
Diisopropyl ether	<13.5	ug/kg	54.4	13.5	1	02/18/22 08:00	02/18/22 14:29	108-20-3	
Ethylbenzene	<13.0	ug/kg	54.4	13.0	1	02/18/22 08:00	02/18/22 14:29	100-41-4	
Hexachloro-1,3-butadiene	<108	ug/kg	272	108	1	02/18/22 08:00	02/18/22 14:29	87-68-3	
Isopropylbenzene (Cumene)	<14.7	ug/kg	54.4	14.7	1	02/18/22 08:00	02/18/22 14:29	98-82-8	
p-Isopropyltoluene	<16.6	ug/kg	54.4	16.6	1	02/18/22 08:00	02/18/22 14:29	99-87-6	
Methylene Chloride	<15.1	ug/kg	54.4	15.1	1	02/18/22 08:00	02/18/22 14:29	75-09-2	
Methyl-tert-butyl ether	<16.0	ug/kg	54.4	16.0	1	02/18/22 08:00	02/18/22 14:29	1634-04-4	
Naphthalene	<17.0	ug/kg	272	17.0	1	02/18/22 08:00	02/18/22 14:29	91-20-3	
n-Propylbenzene	<13.1	ug/kg	54.4	13.1	1	02/18/22 08:00	02/18/22 14:29	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-14A S2 **Lab ID: 40240687006** Collected: 02/15/22 11:45 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<13.9	ug/kg	54.4	13.9	1	02/18/22 08:00	02/18/22 14:29	100-42-5	
1,1,1,2-Tetrachloroethane	<13.1	ug/kg	54.4	13.1	1	02/18/22 08:00	02/18/22 14:29	630-20-6	
1,1,1,2-Tetrachloroethane	<19.7	ug/kg	54.4	19.7	1	02/18/22 08:00	02/18/22 14:29	79-34-5	
Tetrachloroethene	<21.1	ug/kg	54.4	21.1	1	02/18/22 08:00	02/18/22 14:29	127-18-4	
Toluene	<13.7	ug/kg	54.4	13.7	1	02/18/22 08:00	02/18/22 14:29	108-88-3	
1,2,3-Trichlorobenzene	<60.7	ug/kg	272	60.7	1	02/18/22 08:00	02/18/22 14:29	87-61-6	
1,2,4-Trichlorobenzene	<44.9	ug/kg	272	44.9	1	02/18/22 08:00	02/18/22 14:29	120-82-1	
1,1,1-Trichloroethane	<13.9	ug/kg	54.4	13.9	1	02/18/22 08:00	02/18/22 14:29	71-55-6	
1,1,2-Trichloroethane	<19.8	ug/kg	54.4	19.8	1	02/18/22 08:00	02/18/22 14:29	79-00-5	
Trichloroethene	<20.4	ug/kg	54.4	20.4	1	02/18/22 08:00	02/18/22 14:29	79-01-6	
Trichlorofluoromethane	<15.8	ug/kg	54.4	15.8	1	02/18/22 08:00	02/18/22 14:29	75-69-4	
1,2,3-Trichloropropane	<26.5	ug/kg	54.4	26.5	1	02/18/22 08:00	02/18/22 14:29	96-18-4	
1,2,4-Trimethylbenzene	<16.2	ug/kg	54.4	16.2	1	02/18/22 08:00	02/18/22 14:29	95-63-6	
1,3,5-Trimethylbenzene	<17.5	ug/kg	54.4	17.5	1	02/18/22 08:00	02/18/22 14:29	108-67-8	
Vinyl chloride	<11.0	ug/kg	54.4	11.0	1	02/18/22 08:00	02/18/22 14:29	75-01-4	
Xylene (Total)	<39.3	ug/kg	163	39.3	1	02/18/22 08:00	02/18/22 14:29	1330-20-7	
Surrogates									
Toluene-d8 (S)	115	%	67-159		1	02/18/22 08:00	02/18/22 14:29	2037-26-5	
4-Bromofluorobenzene (S)	111	%	66-153		1	02/18/22 08:00	02/18/22 14:29	460-00-4	
1,2-Dichlorobenzene-d4 (S)	112	%	82-158		1	02/18/22 08:00	02/18/22 14:29	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	4.3	%	0.10	0.10	1		02/17/22 16:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Sample: GB-2A S1 **Lab ID: 40240687007** Collected: 02/15/22 12:30 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14.8	ug/kg	24.8	14.8	1	02/18/22 08:00	02/18/22 18:11	71-43-2	
Bromobenzene	<24.2	ug/kg	62.0	24.2	1	02/18/22 08:00	02/18/22 18:11	108-86-1	
Bromochloromethane	<17.0	ug/kg	62.0	17.0	1	02/18/22 08:00	02/18/22 18:11	74-97-5	
Bromodichloromethane	<14.8	ug/kg	62.0	14.8	1	02/18/22 08:00	02/18/22 18:11	75-27-4	
Bromoform	<273	ug/kg	310	273	1	02/18/22 08:00	02/18/22 18:11	75-25-2	
Bromomethane	<86.9	ug/kg	310	86.9	1	02/18/22 08:00	02/18/22 18:11	74-83-9	
n-Butylbenzene	<28.4	ug/kg	62.0	28.4	1	02/18/22 08:00	02/18/22 18:11	104-51-8	
sec-Butylbenzene	<15.1	ug/kg	62.0	15.1	1	02/18/22 08:00	02/18/22 18:11	135-98-8	
tert-Butylbenzene	<19.5	ug/kg	62.0	19.5	1	02/18/22 08:00	02/18/22 18:11	98-06-6	
Carbon tetrachloride	<13.6	ug/kg	62.0	13.6	1	02/18/22 08:00	02/18/22 18:11	56-23-5	
Chlorobenzene	<7.4	ug/kg	62.0	7.4	1	02/18/22 08:00	02/18/22 18:11	108-90-7	
Chloroethane	<26.2	ug/kg	310	26.2	1	02/18/22 08:00	02/18/22 18:11	75-00-3	
Chloroform	<44.4	ug/kg	310	44.4	1	02/18/22 08:00	02/18/22 18:11	67-66-3	
Chloromethane	<23.6	ug/kg	62.0	23.6	1	02/18/22 08:00	02/18/22 18:11	74-87-3	
2-Chlorotoluene	<20.1	ug/kg	62.0	20.1	1	02/18/22 08:00	02/18/22 18:11	95-49-8	
4-Chlorotoluene	<23.6	ug/kg	62.0	23.6	1	02/18/22 08:00	02/18/22 18:11	106-43-4	
1,2-Dibromo-3-chloropropane	<48.1	ug/kg	310	48.1	1	02/18/22 08:00	02/18/22 18:11	96-12-8	
Dibromochloromethane	<212	ug/kg	310	212	1	02/18/22 08:00	02/18/22 18:11	124-48-1	
1,2-Dibromoethane (EDB)	<17.0	ug/kg	62.0	17.0	1	02/18/22 08:00	02/18/22 18:11	106-93-4	
Dibromomethane	<18.4	ug/kg	62.0	18.4	1	02/18/22 08:00	02/18/22 18:11	74-95-3	
1,2-Dichlorobenzene	<19.2	ug/kg	62.0	19.2	1	02/18/22 08:00	02/18/22 18:11	95-50-1	
1,3-Dichlorobenzene	<17.0	ug/kg	62.0	17.0	1	02/18/22 08:00	02/18/22 18:11	541-73-1	
1,4-Dichlorobenzene	<17.0	ug/kg	62.0	17.0	1	02/18/22 08:00	02/18/22 18:11	106-46-7	
Dichlorodifluoromethane	<26.7	ug/kg	62.0	26.7	1	02/18/22 08:00	02/18/22 18:11	75-71-8	
1,1-Dichloroethane	<15.9	ug/kg	62.0	15.9	1	02/18/22 08:00	02/18/22 18:11	75-34-3	
1,2-Dichloroethane	<14.3	ug/kg	62.0	14.3	1	02/18/22 08:00	02/18/22 18:11	107-06-2	
1,1-Dichloroethene	<20.6	ug/kg	62.0	20.6	1	02/18/22 08:00	02/18/22 18:11	75-35-4	
cis-1,2-Dichloroethene	<13.3	ug/kg	62.0	13.3	1	02/18/22 08:00	02/18/22 18:11	156-59-2	
trans-1,2-Dichloroethene	<13.4	ug/kg	62.0	13.4	1	02/18/22 08:00	02/18/22 18:11	156-60-5	
1,2-Dichloropropane	<14.8	ug/kg	62.0	14.8	1	02/18/22 08:00	02/18/22 18:11	78-87-5	
1,3-Dichloropropane	<13.5	ug/kg	62.0	13.5	1	02/18/22 08:00	02/18/22 18:11	142-28-9	
2,2-Dichloropropane	<16.7	ug/kg	62.0	16.7	1	02/18/22 08:00	02/18/22 18:11	594-20-7	
1,1-Dichloropropene	<20.1	ug/kg	62.0	20.1	1	02/18/22 08:00	02/18/22 18:11	563-58-6	
cis-1,3-Dichloropropene	<40.9	ug/kg	310	40.9	1	02/18/22 08:00	02/18/22 18:11	10061-01-5	
trans-1,3-Dichloropropene	<177	ug/kg	310	177	1	02/18/22 08:00	02/18/22 18:11	10061-02-6	
Diisopropyl ether	<15.4	ug/kg	62.0	15.4	1	02/18/22 08:00	02/18/22 18:11	108-20-3	
Ethylbenzene	<14.8	ug/kg	62.0	14.8	1	02/18/22 08:00	02/18/22 18:11	100-41-4	
Hexachloro-1,3-butadiene	<123	ug/kg	310	123	1	02/18/22 08:00	02/18/22 18:11	87-68-3	
Isopropylbenzene (Cumene)	<16.7	ug/kg	62.0	16.7	1	02/18/22 08:00	02/18/22 18:11	98-82-8	
p-Isopropyltoluene	<18.8	ug/kg	62.0	18.8	1	02/18/22 08:00	02/18/22 18:11	99-87-6	
Methylene Chloride	<17.2	ug/kg	62.0	17.2	1	02/18/22 08:00	02/18/22 18:11	75-09-2	
Methyl-tert-butyl ether	<18.2	ug/kg	62.0	18.2	1	02/18/22 08:00	02/18/22 18:11	1634-04-4	
Naphthalene	<19.3	ug/kg	310	19.3	1	02/18/22 08:00	02/18/22 18:11	91-20-3	
n-Propylbenzene	<14.9	ug/kg	62.0	14.9	1	02/18/22 08:00	02/18/22 18:11	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-2A S1 **Lab ID: 40240687007** Collected: 02/15/22 12:30 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<15.9	ug/kg	62.0	15.9	1	02/18/22 08:00	02/18/22 18:11	100-42-5	
1,1,1,2-Tetrachloroethane	<14.9	ug/kg	62.0	14.9	1	02/18/22 08:00	02/18/22 18:11	630-20-6	
1,1,1,2,2-Tetrachloroethane	<22.4	ug/kg	62.0	22.4	1	02/18/22 08:00	02/18/22 18:11	79-34-5	
Tetrachloroethene	188	ug/kg	62.0	24.1	1	02/18/22 08:00	02/18/22 18:11	127-18-4	
Toluene	<15.6	ug/kg	62.0	15.6	1	02/18/22 08:00	02/18/22 18:11	108-88-3	
1,2,3-Trichlorobenzene	<69.1	ug/kg	310	69.1	1	02/18/22 08:00	02/18/22 18:11	87-61-6	
1,2,4-Trichlorobenzene	<51.1	ug/kg	310	51.1	1	02/18/22 08:00	02/18/22 18:11	120-82-1	
1,1,1-Trichloroethane	<15.9	ug/kg	62.0	15.9	1	02/18/22 08:00	02/18/22 18:11	71-55-6	
1,1,2-Trichloroethane	<22.6	ug/kg	62.0	22.6	1	02/18/22 08:00	02/18/22 18:11	79-00-5	
Trichloroethene	<23.2	ug/kg	62.0	23.2	1	02/18/22 08:00	02/18/22 18:11	79-01-6	
Trichlorofluoromethane	<18.0	ug/kg	62.0	18.0	1	02/18/22 08:00	02/18/22 18:11	75-69-4	
1,2,3-Trichloropropane	<30.1	ug/kg	62.0	30.1	1	02/18/22 08:00	02/18/22 18:11	96-18-4	
1,2,4-Trimethylbenzene	<18.5	ug/kg	62.0	18.5	1	02/18/22 08:00	02/18/22 18:11	95-63-6	
1,3,5-Trimethylbenzene	<20.0	ug/kg	62.0	20.0	1	02/18/22 08:00	02/18/22 18:11	108-67-8	
Vinyl chloride	<12.5	ug/kg	62.0	12.5	1	02/18/22 08:00	02/18/22 18:11	75-01-4	
Xylene (Total)	<44.8	ug/kg	186	44.8	1	02/18/22 08:00	02/18/22 18:11	1330-20-7	
Surrogates									
Toluene-d8 (S)	115	%	67-159		1	02/18/22 08:00	02/18/22 18:11	2037-26-5	
4-Bromofluorobenzene (S)	112	%	66-153		1	02/18/22 08:00	02/18/22 18:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	115	%	82-158		1	02/18/22 08:00	02/18/22 18:11	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	10.7	%	0.10	0.10	1		02/17/22 16:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Sample: GB-2A S2 **Lab ID: 40240687008** Collected: 02/15/22 12:30 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<15.6	ug/kg	26.2	15.6	1	02/18/22 08:00	02/18/22 14:49	71-43-2	
Bromobenzene	<25.5	ug/kg	65.5	25.5	1	02/18/22 08:00	02/18/22 14:49	108-86-1	
Bromochloromethane	<17.9	ug/kg	65.5	17.9	1	02/18/22 08:00	02/18/22 14:49	74-97-5	
Bromodichloromethane	<15.6	ug/kg	65.5	15.6	1	02/18/22 08:00	02/18/22 14:49	75-27-4	
Bromoform	<288	ug/kg	328	288	1	02/18/22 08:00	02/18/22 14:49	75-25-2	
Bromomethane	<91.8	ug/kg	328	91.8	1	02/18/22 08:00	02/18/22 14:49	74-83-9	
n-Butylbenzene	<30.0	ug/kg	65.5	30.0	1	02/18/22 08:00	02/18/22 14:49	104-51-8	
sec-Butylbenzene	<16.0	ug/kg	65.5	16.0	1	02/18/22 08:00	02/18/22 14:49	135-98-8	
tert-Butylbenzene	<20.6	ug/kg	65.5	20.6	1	02/18/22 08:00	02/18/22 14:49	98-06-6	
Carbon tetrachloride	<14.4	ug/kg	65.5	14.4	1	02/18/22 08:00	02/18/22 14:49	56-23-5	
Chlorobenzene	<7.8	ug/kg	65.5	7.8	1	02/18/22 08:00	02/18/22 14:49	108-90-7	
Chloroethane	<27.6	ug/kg	328	27.6	1	02/18/22 08:00	02/18/22 14:49	75-00-3	
Chloroform	<46.9	ug/kg	328	46.9	1	02/18/22 08:00	02/18/22 14:49	67-66-3	
Chloromethane	<24.9	ug/kg	65.5	24.9	1	02/18/22 08:00	02/18/22 14:49	74-87-3	
2-Chlorotoluene	<21.2	ug/kg	65.5	21.2	1	02/18/22 08:00	02/18/22 14:49	95-49-8	
4-Chlorotoluene	<24.9	ug/kg	65.5	24.9	1	02/18/22 08:00	02/18/22 14:49	106-43-4	
1,2-Dibromo-3-chloropropane	<50.8	ug/kg	328	50.8	1	02/18/22 08:00	02/18/22 14:49	96-12-8	
Dibromochloromethane	<224	ug/kg	328	224	1	02/18/22 08:00	02/18/22 14:49	124-48-1	
1,2-Dibromoethane (EDB)	<17.9	ug/kg	65.5	17.9	1	02/18/22 08:00	02/18/22 14:49	106-93-4	
Dibromomethane	<19.4	ug/kg	65.5	19.4	1	02/18/22 08:00	02/18/22 14:49	74-95-3	
1,2-Dichlorobenzene	<20.3	ug/kg	65.5	20.3	1	02/18/22 08:00	02/18/22 14:49	95-50-1	
1,3-Dichlorobenzene	<17.9	ug/kg	65.5	17.9	1	02/18/22 08:00	02/18/22 14:49	541-73-1	
1,4-Dichlorobenzene	<17.9	ug/kg	65.5	17.9	1	02/18/22 08:00	02/18/22 14:49	106-46-7	
Dichlorodifluoromethane	<28.2	ug/kg	65.5	28.2	1	02/18/22 08:00	02/18/22 14:49	75-71-8	
1,1-Dichloroethane	<16.8	ug/kg	65.5	16.8	1	02/18/22 08:00	02/18/22 14:49	75-34-3	
1,2-Dichloroethane	<15.1	ug/kg	65.5	15.1	1	02/18/22 08:00	02/18/22 14:49	107-06-2	
1,1-Dichloroethene	<21.7	ug/kg	65.5	21.7	1	02/18/22 08:00	02/18/22 14:49	75-35-4	
cis-1,2-Dichloroethene	<14.0	ug/kg	65.5	14.0	1	02/18/22 08:00	02/18/22 14:49	156-59-2	
trans-1,2-Dichloroethene	<14.1	ug/kg	65.5	14.1	1	02/18/22 08:00	02/18/22 14:49	156-60-5	
1,2-Dichloropropane	<15.6	ug/kg	65.5	15.6	1	02/18/22 08:00	02/18/22 14:49	78-87-5	
1,3-Dichloropropane	<14.3	ug/kg	65.5	14.3	1	02/18/22 08:00	02/18/22 14:49	142-28-9	
2,2-Dichloropropane	<17.7	ug/kg	65.5	17.7	1	02/18/22 08:00	02/18/22 14:49	594-20-7	
1,1-Dichloropropene	<21.2	ug/kg	65.5	21.2	1	02/18/22 08:00	02/18/22 14:49	563-58-6	
cis-1,3-Dichloropropene	<43.2	ug/kg	328	43.2	1	02/18/22 08:00	02/18/22 14:49	10061-01-5	
trans-1,3-Dichloropropene	<187	ug/kg	328	187	1	02/18/22 08:00	02/18/22 14:49	10061-02-6	
Diisopropyl ether	<16.2	ug/kg	65.5	16.2	1	02/18/22 08:00	02/18/22 14:49	108-20-3	
Ethylbenzene	<15.6	ug/kg	65.5	15.6	1	02/18/22 08:00	02/18/22 14:49	100-41-4	
Hexachloro-1,3-butadiene	<130	ug/kg	328	130	1	02/18/22 08:00	02/18/22 14:49	87-68-3	
Isopropylbenzene (Cumene)	<17.7	ug/kg	65.5	17.7	1	02/18/22 08:00	02/18/22 14:49	98-82-8	
p-Isopropyltoluene	<19.9	ug/kg	65.5	19.9	1	02/18/22 08:00	02/18/22 14:49	99-87-6	
Methylene Chloride	<18.2	ug/kg	65.5	18.2	1	02/18/22 08:00	02/18/22 14:49	75-09-2	
Methyl-tert-butyl ether	<19.3	ug/kg	65.5	19.3	1	02/18/22 08:00	02/18/22 14:49	1634-04-4	
Naphthalene	<20.4	ug/kg	328	20.4	1	02/18/22 08:00	02/18/22 14:49	91-20-3	
n-Propylbenzene	<15.7	ug/kg	65.5	15.7	1	02/18/22 08:00	02/18/22 14:49	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Sample: GB-2A S2 **Lab ID: 40240687008** Collected: 02/15/22 12:30 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<16.8	ug/kg	65.5	16.8	1	02/18/22 08:00	02/18/22 14:49	100-42-5	
1,1,1,2-Tetrachloroethane	<15.7	ug/kg	65.5	15.7	1	02/18/22 08:00	02/18/22 14:49	630-20-6	
1,1,1,2-Tetrachloroethane	<23.7	ug/kg	65.5	23.7	1	02/18/22 08:00	02/18/22 14:49	79-34-5	
Tetrachloroethene	1240	ug/kg	65.5	25.4	1	02/18/22 08:00	02/18/22 14:49	127-18-4	
Toluene	<16.5	ug/kg	65.5	16.5	1	02/18/22 08:00	02/18/22 14:49	108-88-3	
1,2,3-Trichlorobenzene	<73.0	ug/kg	328	73.0	1	02/18/22 08:00	02/18/22 14:49	87-61-6	
1,2,4-Trichlorobenzene	<54.0	ug/kg	328	54.0	1	02/18/22 08:00	02/18/22 14:49	120-82-1	
1,1,1-Trichloroethane	<16.8	ug/kg	65.5	16.8	1	02/18/22 08:00	02/18/22 14:49	71-55-6	
1,1,2-Trichloroethane	<23.8	ug/kg	65.5	23.8	1	02/18/22 08:00	02/18/22 14:49	79-00-5	
Trichloroethene	<24.5	ug/kg	65.5	24.5	1	02/18/22 08:00	02/18/22 14:49	79-01-6	
Trichlorofluoromethane	<19.0	ug/kg	65.5	19.0	1	02/18/22 08:00	02/18/22 14:49	75-69-4	
1,2,3-Trichloropropane	<31.8	ug/kg	65.5	31.8	1	02/18/22 08:00	02/18/22 14:49	96-18-4	
1,2,4-Trimethylbenzene	<19.5	ug/kg	65.5	19.5	1	02/18/22 08:00	02/18/22 14:49	95-63-6	
1,3,5-Trimethylbenzene	<21.1	ug/kg	65.5	21.1	1	02/18/22 08:00	02/18/22 14:49	108-67-8	
Vinyl chloride	<13.2	ug/kg	65.5	13.2	1	02/18/22 08:00	02/18/22 14:49	75-01-4	
Xylene (Total)	<47.3	ug/kg	197	47.3	1	02/18/22 08:00	02/18/22 14:49	1330-20-7	
Surrogates									
Toluene-d8 (S)	117	%	67-159		1	02/18/22 08:00	02/18/22 14:49	2037-26-5	
4-Bromofluorobenzene (S)	117	%	66-153		1	02/18/22 08:00	02/18/22 14:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	119	%	82-158		1	02/18/22 08:00	02/18/22 14:49	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	13.4	%	0.10	0.10	1		02/17/22 16:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Sample: GB-15A S1 **Lab ID: 40240687009** Collected: 02/15/22 14:20 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<18.2	ug/kg	30.6	18.2	1	02/18/22 08:00	02/18/22 18:32	71-43-2	
Bromobenzene	<29.8	ug/kg	76.5	29.8	1	02/18/22 08:00	02/18/22 18:32	108-86-1	
Bromochloromethane	<21.0	ug/kg	76.5	21.0	1	02/18/22 08:00	02/18/22 18:32	74-97-5	
Bromodichloromethane	<18.2	ug/kg	76.5	18.2	1	02/18/22 08:00	02/18/22 18:32	75-27-4	
Bromoform	<337	ug/kg	382	337	1	02/18/22 08:00	02/18/22 18:32	75-25-2	
Bromomethane	<107	ug/kg	382	107	1	02/18/22 08:00	02/18/22 18:32	74-83-9	
n-Butylbenzene	<35.0	ug/kg	76.5	35.0	1	02/18/22 08:00	02/18/22 18:32	104-51-8	
sec-Butylbenzene	<18.7	ug/kg	76.5	18.7	1	02/18/22 08:00	02/18/22 18:32	135-98-8	
tert-Butylbenzene	<24.0	ug/kg	76.5	24.0	1	02/18/22 08:00	02/18/22 18:32	98-06-6	
Carbon tetrachloride	<16.8	ug/kg	76.5	16.8	1	02/18/22 08:00	02/18/22 18:32	56-23-5	
Chlorobenzene	<9.2	ug/kg	76.5	9.2	1	02/18/22 08:00	02/18/22 18:32	108-90-7	
Chloroethane	<32.3	ug/kg	382	32.3	1	02/18/22 08:00	02/18/22 18:32	75-00-3	
Chloroform	<54.8	ug/kg	382	54.8	1	02/18/22 08:00	02/18/22 18:32	67-66-3	
Chloromethane	<29.1	ug/kg	76.5	29.1	1	02/18/22 08:00	02/18/22 18:32	74-87-3	
2-Chlorotoluene	<24.8	ug/kg	76.5	24.8	1	02/18/22 08:00	02/18/22 18:32	95-49-8	
4-Chlorotoluene	<29.1	ug/kg	76.5	29.1	1	02/18/22 08:00	02/18/22 18:32	106-43-4	
1,2-Dibromo-3-chloropropane	<59.4	ug/kg	382	59.4	1	02/18/22 08:00	02/18/22 18:32	96-12-8	
Dibromochloromethane	<261	ug/kg	382	261	1	02/18/22 08:00	02/18/22 18:32	124-48-1	
1,2-Dibromoethane (EDB)	<21.0	ug/kg	76.5	21.0	1	02/18/22 08:00	02/18/22 18:32	106-93-4	
Dibromomethane	<22.6	ug/kg	76.5	22.6	1	02/18/22 08:00	02/18/22 18:32	74-95-3	
1,2-Dichlorobenzene	<23.7	ug/kg	76.5	23.7	1	02/18/22 08:00	02/18/22 18:32	95-50-1	
1,3-Dichlorobenzene	<21.0	ug/kg	76.5	21.0	1	02/18/22 08:00	02/18/22 18:32	541-73-1	
1,4-Dichlorobenzene	<21.0	ug/kg	76.5	21.0	1	02/18/22 08:00	02/18/22 18:32	106-46-7	
Dichlorodifluoromethane	<32.9	ug/kg	76.5	32.9	1	02/18/22 08:00	02/18/22 18:32	75-71-8	
1,1-Dichloroethane	<19.6	ug/kg	76.5	19.6	1	02/18/22 08:00	02/18/22 18:32	75-34-3	
1,2-Dichloroethane	<17.6	ug/kg	76.5	17.6	1	02/18/22 08:00	02/18/22 18:32	107-06-2	
1,1-Dichloroethene	<25.4	ug/kg	76.5	25.4	1	02/18/22 08:00	02/18/22 18:32	75-35-4	
cis-1,2-Dichloroethene	<16.4	ug/kg	76.5	16.4	1	02/18/22 08:00	02/18/22 18:32	156-59-2	
trans-1,2-Dichloroethene	<16.5	ug/kg	76.5	16.5	1	02/18/22 08:00	02/18/22 18:32	156-60-5	
1,2-Dichloropropane	<18.2	ug/kg	76.5	18.2	1	02/18/22 08:00	02/18/22 18:32	78-87-5	
1,3-Dichloropropane	<16.7	ug/kg	76.5	16.7	1	02/18/22 08:00	02/18/22 18:32	142-28-9	
2,2-Dichloropropane	<20.7	ug/kg	76.5	20.7	1	02/18/22 08:00	02/18/22 18:32	594-20-7	
1,1-Dichloropropene	<24.8	ug/kg	76.5	24.8	1	02/18/22 08:00	02/18/22 18:32	563-58-6	
cis-1,3-Dichloropropene	<50.5	ug/kg	382	50.5	1	02/18/22 08:00	02/18/22 18:32	10061-01-5	
trans-1,3-Dichloropropene	<219	ug/kg	382	219	1	02/18/22 08:00	02/18/22 18:32	10061-02-6	
Diisopropyl ether	<19.0	ug/kg	76.5	19.0	1	02/18/22 08:00	02/18/22 18:32	108-20-3	
Ethylbenzene	<18.2	ug/kg	76.5	18.2	1	02/18/22 08:00	02/18/22 18:32	100-41-4	
Hexachloro-1,3-butadiene	<152	ug/kg	382	152	1	02/18/22 08:00	02/18/22 18:32	87-68-3	
Isopropylbenzene (Cumene)	<20.7	ug/kg	76.5	20.7	1	02/18/22 08:00	02/18/22 18:32	98-82-8	
p-Isopropyltoluene	<23.3	ug/kg	76.5	23.3	1	02/18/22 08:00	02/18/22 18:32	99-87-6	
Methylene Chloride	<21.3	ug/kg	76.5	21.3	1	02/18/22 08:00	02/18/22 18:32	75-09-2	
Methyl-tert-butyl ether	<22.5	ug/kg	76.5	22.5	1	02/18/22 08:00	02/18/22 18:32	1634-04-4	
Naphthalene	<23.9	ug/kg	382	23.9	1	02/18/22 08:00	02/18/22 18:32	91-20-3	
n-Propylbenzene	<18.4	ug/kg	76.5	18.4	1	02/18/22 08:00	02/18/22 18:32	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-15A S1 **Lab ID: 40240687009** Collected: 02/15/22 14:20 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<19.6	ug/kg	76.5	19.6	1	02/18/22 08:00	02/18/22 18:32	100-42-5	
1,1,1,2-Tetrachloroethane	<18.4	ug/kg	76.5	18.4	1	02/18/22 08:00	02/18/22 18:32	630-20-6	
1,1,2,2-Tetrachloroethane	<27.7	ug/kg	76.5	27.7	1	02/18/22 08:00	02/18/22 18:32	79-34-5	
Tetrachloroethene	501	ug/kg	76.5	29.7	1	02/18/22 08:00	02/18/22 18:32	127-18-4	
Toluene	<19.3	ug/kg	76.5	19.3	1	02/18/22 08:00	02/18/22 18:32	108-88-3	
1,2,3-Trichlorobenzene	<85.2	ug/kg	382	85.2	1	02/18/22 08:00	02/18/22 18:32	87-61-6	
1,2,4-Trichlorobenzene	<63.0	ug/kg	382	63.0	1	02/18/22 08:00	02/18/22 18:32	120-82-1	
1,1,1-Trichloroethane	<19.6	ug/kg	76.5	19.6	1	02/18/22 08:00	02/18/22 18:32	71-55-6	
1,1,2-Trichloroethane	<27.8	ug/kg	76.5	27.8	1	02/18/22 08:00	02/18/22 18:32	79-00-5	
Trichloroethene	51.5J	ug/kg	76.5	28.6	1	02/18/22 08:00	02/18/22 18:32	79-01-6	
Trichlorofluoromethane	<22.2	ug/kg	76.5	22.2	1	02/18/22 08:00	02/18/22 18:32	75-69-4	
1,2,3-Trichloropropane	<37.2	ug/kg	76.5	37.2	1	02/18/22 08:00	02/18/22 18:32	96-18-4	
1,2,4-Trimethylbenzene	<22.8	ug/kg	76.5	22.8	1	02/18/22 08:00	02/18/22 18:32	95-63-6	
1,3,5-Trimethylbenzene	<24.6	ug/kg	76.5	24.6	1	02/18/22 08:00	02/18/22 18:32	108-67-8	
Vinyl chloride	<15.5	ug/kg	76.5	15.5	1	02/18/22 08:00	02/18/22 18:32	75-01-4	
Xylene (Total)	<55.2	ug/kg	229	55.2	1	02/18/22 08:00	02/18/22 18:32	1330-20-7	
Surrogates									
Toluene-d8 (S)	129	%	67-159		1	02/18/22 08:00	02/18/22 18:32	2037-26-5	
4-Bromofluorobenzene (S)	126	%	66-153		1	02/18/22 08:00	02/18/22 18:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	128	%	82-158		1	02/18/22 08:00	02/18/22 18:32	2199-69-1	
8260 MSV TCLP									
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 02/22/22 13:26									
Pace Analytical Services - Green Bay									
Benzene	<0.0030	mg/L	0.010	0.0030	10		02/23/22 22:08	71-43-2	
2-Butanone (MEK)	<0.065	mg/L	0.25	0.065	10		02/23/22 22:08	78-93-3	
Carbon tetrachloride	<0.0037	mg/L	0.010	0.0037	10		02/23/22 22:08	56-23-5	
Chlorobenzene	<0.0086	mg/L	0.010	0.0086	10		02/23/22 22:08	108-90-7	
Chloroform	<0.012	mg/L	0.050	0.012	10		02/23/22 22:08	67-66-3	
1,2-Dichloroethane	<0.0029	mg/L	0.010	0.0029	10		02/23/22 22:08	107-06-2	
1,1-Dichloroethene	<0.0058	mg/L	0.010	0.0058	10		02/23/22 22:08	75-35-4	
Tetrachloroethene	<0.0041	mg/L	0.010	0.0041	10		02/23/22 22:08	127-18-4	
Trichloroethene	<0.0032	mg/L	0.010	0.0032	10		02/23/22 22:08	79-01-6	
Vinyl chloride	<0.0017	mg/L	0.010	0.0017	10		02/23/22 22:08	75-01-4	
Surrogates									
Toluene-d8 (S)	96	%	70-130		10		02/23/22 22:08	2037-26-5	
4-Bromofluorobenzene (S)	89	%	70-130		10		02/23/22 22:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		10		02/23/22 22:08	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	20.9	%	0.10	0.10	1		02/17/22 16:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-15A S2 **Lab ID: 40240687010** Collected: 02/15/22 14:20 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.5	ug/kg	22.6	13.5	1	02/18/22 08:00	02/18/22 15:10	71-43-2	
Bromobenzene	<22.1	ug/kg	56.5	22.1	1	02/18/22 08:00	02/18/22 15:10	108-86-1	
Bromochloromethane	<15.5	ug/kg	56.5	15.5	1	02/18/22 08:00	02/18/22 15:10	74-97-5	
Bromodichloromethane	<13.5	ug/kg	56.5	13.5	1	02/18/22 08:00	02/18/22 15:10	75-27-4	
Bromoform	<249	ug/kg	283	249	1	02/18/22 08:00	02/18/22 15:10	75-25-2	
Bromomethane	<79.3	ug/kg	283	79.3	1	02/18/22 08:00	02/18/22 15:10	74-83-9	
n-Butylbenzene	<25.9	ug/kg	56.5	25.9	1	02/18/22 08:00	02/18/22 15:10	104-51-8	
sec-Butylbenzene	<13.8	ug/kg	56.5	13.8	1	02/18/22 08:00	02/18/22 15:10	135-98-8	
tert-Butylbenzene	<17.8	ug/kg	56.5	17.8	1	02/18/22 08:00	02/18/22 15:10	98-06-6	
Carbon tetrachloride	<12.4	ug/kg	56.5	12.4	1	02/18/22 08:00	02/18/22 15:10	56-23-5	
Chlorobenzene	<6.8	ug/kg	56.5	6.8	1	02/18/22 08:00	02/18/22 15:10	108-90-7	
Chloroethane	<23.9	ug/kg	283	23.9	1	02/18/22 08:00	02/18/22 15:10	75-00-3	
Chloroform	<40.5	ug/kg	283	40.5	1	02/18/22 08:00	02/18/22 15:10	67-66-3	
Chloromethane	<21.5	ug/kg	56.5	21.5	1	02/18/22 08:00	02/18/22 15:10	74-87-3	
2-Chlorotoluene	<18.3	ug/kg	56.5	18.3	1	02/18/22 08:00	02/18/22 15:10	95-49-8	
4-Chlorotoluene	<21.5	ug/kg	56.5	21.5	1	02/18/22 08:00	02/18/22 15:10	106-43-4	
1,2-Dibromo-3-chloropropane	<43.9	ug/kg	283	43.9	1	02/18/22 08:00	02/18/22 15:10	96-12-8	
Dibromochloromethane	<193	ug/kg	283	193	1	02/18/22 08:00	02/18/22 15:10	124-48-1	
1,2-Dibromoethane (EDB)	<15.5	ug/kg	56.5	15.5	1	02/18/22 08:00	02/18/22 15:10	106-93-4	
Dibromomethane	<16.7	ug/kg	56.5	16.7	1	02/18/22 08:00	02/18/22 15:10	74-95-3	
1,2-Dichlorobenzene	<17.5	ug/kg	56.5	17.5	1	02/18/22 08:00	02/18/22 15:10	95-50-1	
1,3-Dichlorobenzene	<15.5	ug/kg	56.5	15.5	1	02/18/22 08:00	02/18/22 15:10	541-73-1	
1,4-Dichlorobenzene	<15.5	ug/kg	56.5	15.5	1	02/18/22 08:00	02/18/22 15:10	106-46-7	
Dichlorodifluoromethane	<24.3	ug/kg	56.5	24.3	1	02/18/22 08:00	02/18/22 15:10	75-71-8	
1,1-Dichloroethane	<14.5	ug/kg	56.5	14.5	1	02/18/22 08:00	02/18/22 15:10	75-34-3	
1,2-Dichloroethane	<13.0	ug/kg	56.5	13.0	1	02/18/22 08:00	02/18/22 15:10	107-06-2	
1,1-Dichloroethene	<18.8	ug/kg	56.5	18.8	1	02/18/22 08:00	02/18/22 15:10	75-35-4	
cis-1,2-Dichloroethene	<12.1	ug/kg	56.5	12.1	1	02/18/22 08:00	02/18/22 15:10	156-59-2	
trans-1,2-Dichloroethene	<12.2	ug/kg	56.5	12.2	1	02/18/22 08:00	02/18/22 15:10	156-60-5	
1,2-Dichloropropane	<13.5	ug/kg	56.5	13.5	1	02/18/22 08:00	02/18/22 15:10	78-87-5	
1,3-Dichloropropane	<12.3	ug/kg	56.5	12.3	1	02/18/22 08:00	02/18/22 15:10	142-28-9	
2,2-Dichloropropane	<15.3	ug/kg	56.5	15.3	1	02/18/22 08:00	02/18/22 15:10	594-20-7	
1,1-Dichloropropene	<18.3	ug/kg	56.5	18.3	1	02/18/22 08:00	02/18/22 15:10	563-58-6	
cis-1,3-Dichloropropene	<37.3	ug/kg	283	37.3	1	02/18/22 08:00	02/18/22 15:10	10061-01-5	
trans-1,3-Dichloropropene	<162	ug/kg	283	162	1	02/18/22 08:00	02/18/22 15:10	10061-02-6	
Diisopropyl ether	<14.0	ug/kg	56.5	14.0	1	02/18/22 08:00	02/18/22 15:10	108-20-3	
Ethylbenzene	<13.5	ug/kg	56.5	13.5	1	02/18/22 08:00	02/18/22 15:10	100-41-4	
Hexachloro-1,3-butadiene	<112	ug/kg	283	112	1	02/18/22 08:00	02/18/22 15:10	87-68-3	
Isopropylbenzene (Cumene)	<15.3	ug/kg	56.5	15.3	1	02/18/22 08:00	02/18/22 15:10	98-82-8	
p-Isopropyltoluene	<17.2	ug/kg	56.5	17.2	1	02/18/22 08:00	02/18/22 15:10	99-87-6	
Methylene Chloride	<15.7	ug/kg	56.5	15.7	1	02/18/22 08:00	02/18/22 15:10	75-09-2	
Methyl-tert-butyl ether	<16.6	ug/kg	56.5	16.6	1	02/18/22 08:00	02/18/22 15:10	1634-04-4	
Naphthalene	<17.6	ug/kg	283	17.6	1	02/18/22 08:00	02/18/22 15:10	91-20-3	
n-Propylbenzene	<13.6	ug/kg	56.5	13.6	1	02/18/22 08:00	02/18/22 15:10	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-15A S2 **Lab ID: 40240687010** Collected: 02/15/22 14:20 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<14.5	ug/kg	56.5	14.5	1	02/18/22 08:00	02/18/22 15:10	100-42-5	
1,1,1,2-Tetrachloroethane	<13.6	ug/kg	56.5	13.6	1	02/18/22 08:00	02/18/22 15:10	630-20-6	
1,1,1,2,2-Tetrachloroethane	<20.5	ug/kg	56.5	20.5	1	02/18/22 08:00	02/18/22 15:10	79-34-5	
Tetrachloroethene	<21.9	ug/kg	56.5	21.9	1	02/18/22 08:00	02/18/22 15:10	127-18-4	
Toluene	<14.2	ug/kg	56.5	14.2	1	02/18/22 08:00	02/18/22 15:10	108-88-3	
1,2,3-Trichlorobenzene	<63.0	ug/kg	283	63.0	1	02/18/22 08:00	02/18/22 15:10	87-61-6	
1,2,4-Trichlorobenzene	<46.6	ug/kg	283	46.6	1	02/18/22 08:00	02/18/22 15:10	120-82-1	
1,1,1-Trichloroethane	<14.5	ug/kg	56.5	14.5	1	02/18/22 08:00	02/18/22 15:10	71-55-6	
1,1,2-Trichloroethane	<20.6	ug/kg	56.5	20.6	1	02/18/22 08:00	02/18/22 15:10	79-00-5	
Trichloroethene	<21.1	ug/kg	56.5	21.1	1	02/18/22 08:00	02/18/22 15:10	79-01-6	
Trichlorofluoromethane	<16.4	ug/kg	56.5	16.4	1	02/18/22 08:00	02/18/22 15:10	75-69-4	
1,2,3-Trichloropropane	<27.5	ug/kg	56.5	27.5	1	02/18/22 08:00	02/18/22 15:10	96-18-4	
1,2,4-Trimethylbenzene	<16.9	ug/kg	56.5	16.9	1	02/18/22 08:00	02/18/22 15:10	95-63-6	
1,3,5-Trimethylbenzene	<18.2	ug/kg	56.5	18.2	1	02/18/22 08:00	02/18/22 15:10	108-67-8	
Vinyl chloride	<11.4	ug/kg	56.5	11.4	1	02/18/22 08:00	02/18/22 15:10	75-01-4	
Xylene (Total)	<40.8	ug/kg	170	40.8	1	02/18/22 08:00	02/18/22 15:10	1330-20-7	
Surrogates									
Toluene-d8 (S)	109	%	67-159		1	02/18/22 08:00	02/18/22 15:10	2037-26-5	
4-Bromofluorobenzene (S)	104	%	66-153		1	02/18/22 08:00	02/18/22 15:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	82-158		1	02/18/22 08:00	02/18/22 15:10	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.1	%	0.10	0.10	1		02/17/22 16:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Sample: GB-12A S1 **Lab ID: 40240687011** Collected: 02/15/22 15:14 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<17.2	ug/kg	29.0	17.2	1	02/18/22 08:00	02/18/22 15:30	71-43-2	
Bromobenzene	<28.2	ug/kg	72.4	28.2	1	02/18/22 08:00	02/18/22 15:30	108-86-1	
Bromochloromethane	<19.8	ug/kg	72.4	19.8	1	02/18/22 08:00	02/18/22 15:30	74-97-5	
Bromodichloromethane	<17.2	ug/kg	72.4	17.2	1	02/18/22 08:00	02/18/22 15:30	75-27-4	
Bromoform	<319	ug/kg	362	319	1	02/18/22 08:00	02/18/22 15:30	75-25-2	
Bromomethane	<102	ug/kg	362	102	1	02/18/22 08:00	02/18/22 15:30	74-83-9	
n-Butylbenzene	<33.2	ug/kg	72.4	33.2	1	02/18/22 08:00	02/18/22 15:30	104-51-8	
sec-Butylbenzene	<17.7	ug/kg	72.4	17.7	1	02/18/22 08:00	02/18/22 15:30	135-98-8	
tert-Butylbenzene	<22.7	ug/kg	72.4	22.7	1	02/18/22 08:00	02/18/22 15:30	98-06-6	
Carbon tetrachloride	<15.9	ug/kg	72.4	15.9	1	02/18/22 08:00	02/18/22 15:30	56-23-5	
Chlorobenzene	<8.7	ug/kg	72.4	8.7	1	02/18/22 08:00	02/18/22 15:30	108-90-7	
Chloroethane	<30.6	ug/kg	362	30.6	1	02/18/22 08:00	02/18/22 15:30	75-00-3	
Chloroform	<51.8	ug/kg	362	51.8	1	02/18/22 08:00	02/18/22 15:30	67-66-3	
Chloromethane	<27.5	ug/kg	72.4	27.5	1	02/18/22 08:00	02/18/22 15:30	74-87-3	
2-Chlorotoluene	<23.5	ug/kg	72.4	23.5	1	02/18/22 08:00	02/18/22 15:30	95-49-8	
4-Chlorotoluene	<27.5	ug/kg	72.4	27.5	1	02/18/22 08:00	02/18/22 15:30	106-43-4	
1,2-Dibromo-3-chloropropane	<56.2	ug/kg	362	56.2	1	02/18/22 08:00	02/18/22 15:30	96-12-8	
Dibromochloromethane	<247	ug/kg	362	247	1	02/18/22 08:00	02/18/22 15:30	124-48-1	
1,2-Dibromoethane (EDB)	<19.8	ug/kg	72.4	19.8	1	02/18/22 08:00	02/18/22 15:30	106-93-4	
Dibromomethane	<21.4	ug/kg	72.4	21.4	1	02/18/22 08:00	02/18/22 15:30	74-95-3	
1,2-Dichlorobenzene	<22.4	ug/kg	72.4	22.4	1	02/18/22 08:00	02/18/22 15:30	95-50-1	
1,3-Dichlorobenzene	<19.8	ug/kg	72.4	19.8	1	02/18/22 08:00	02/18/22 15:30	541-73-1	
1,4-Dichlorobenzene	<19.8	ug/kg	72.4	19.8	1	02/18/22 08:00	02/18/22 15:30	106-46-7	
Dichlorodifluoromethane	<31.1	ug/kg	72.4	31.1	1	02/18/22 08:00	02/18/22 15:30	75-71-8	
1,1-Dichloroethane	<18.5	ug/kg	72.4	18.5	1	02/18/22 08:00	02/18/22 15:30	75-34-3	
1,2-Dichloroethane	<16.7	ug/kg	72.4	16.7	1	02/18/22 08:00	02/18/22 15:30	107-06-2	
1,1-Dichloroethene	<24.0	ug/kg	72.4	24.0	1	02/18/22 08:00	02/18/22 15:30	75-35-4	
cis-1,2-Dichloroethene	<15.5	ug/kg	72.4	15.5	1	02/18/22 08:00	02/18/22 15:30	156-59-2	
trans-1,2-Dichloroethene	<15.6	ug/kg	72.4	15.6	1	02/18/22 08:00	02/18/22 15:30	156-60-5	
1,2-Dichloropropane	<17.2	ug/kg	72.4	17.2	1	02/18/22 08:00	02/18/22 15:30	78-87-5	
1,3-Dichloropropane	<15.8	ug/kg	72.4	15.8	1	02/18/22 08:00	02/18/22 15:30	142-28-9	
2,2-Dichloropropane	<19.5	ug/kg	72.4	19.5	1	02/18/22 08:00	02/18/22 15:30	594-20-7	
1,1-Dichloropropene	<23.5	ug/kg	72.4	23.5	1	02/18/22 08:00	02/18/22 15:30	563-58-6	
cis-1,3-Dichloropropene	<47.8	ug/kg	362	47.8	1	02/18/22 08:00	02/18/22 15:30	10061-01-5	
trans-1,3-Dichloropropene	<207	ug/kg	362	207	1	02/18/22 08:00	02/18/22 15:30	10061-02-6	
Diisopropyl ether	<18.0	ug/kg	72.4	18.0	1	02/18/22 08:00	02/18/22 15:30	108-20-3	
Ethylbenzene	<17.2	ug/kg	72.4	17.2	1	02/18/22 08:00	02/18/22 15:30	100-41-4	
Hexachloro-1,3-butadiene	<144	ug/kg	362	144	1	02/18/22 08:00	02/18/22 15:30	87-68-3	
Isopropylbenzene (Cumene)	<19.5	ug/kg	72.4	19.5	1	02/18/22 08:00	02/18/22 15:30	98-82-8	
p-Isopropyltoluene	<22.0	ug/kg	72.4	22.0	1	02/18/22 08:00	02/18/22 15:30	99-87-6	
Methylene Chloride	<20.1	ug/kg	72.4	20.1	1	02/18/22 08:00	02/18/22 15:30	75-09-2	
Methyl-tert-butyl ether	<21.3	ug/kg	72.4	21.3	1	02/18/22 08:00	02/18/22 15:30	1634-04-4	
Naphthalene	<22.6	ug/kg	362	22.6	1	02/18/22 08:00	02/18/22 15:30	91-20-3	
n-Propylbenzene	<17.4	ug/kg	72.4	17.4	1	02/18/22 08:00	02/18/22 15:30	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-12A S1 **Lab ID: 40240687011** Collected: 02/15/22 15:14 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<18.5	ug/kg	72.4	18.5	1	02/18/22 08:00	02/18/22 15:30	100-42-5	
1,1,1,2-Tetrachloroethane	<17.4	ug/kg	72.4	17.4	1	02/18/22 08:00	02/18/22 15:30	630-20-6	
1,1,2,2-Tetrachloroethane	<26.2	ug/kg	72.4	26.2	1	02/18/22 08:00	02/18/22 15:30	79-34-5	
Tetrachloroethene	<28.1	ug/kg	72.4	28.1	1	02/18/22 08:00	02/18/22 15:30	127-18-4	
Toluene	<18.2	ug/kg	72.4	18.2	1	02/18/22 08:00	02/18/22 15:30	108-88-3	
1,2,3-Trichlorobenzene	<80.7	ug/kg	362	80.7	1	02/18/22 08:00	02/18/22 15:30	87-61-6	
1,2,4-Trichlorobenzene	<59.7	ug/kg	362	59.7	1	02/18/22 08:00	02/18/22 15:30	120-82-1	
1,1,1-Trichloroethane	<18.5	ug/kg	72.4	18.5	1	02/18/22 08:00	02/18/22 15:30	71-55-6	
1,1,2-Trichloroethane	<26.4	ug/kg	72.4	26.4	1	02/18/22 08:00	02/18/22 15:30	79-00-5	
Trichloroethene	<27.1	ug/kg	72.4	27.1	1	02/18/22 08:00	02/18/22 15:30	79-01-6	
Trichlorofluoromethane	<21.0	ug/kg	72.4	21.0	1	02/18/22 08:00	02/18/22 15:30	75-69-4	
1,2,3-Trichloropropane	<35.2	ug/kg	72.4	35.2	1	02/18/22 08:00	02/18/22 15:30	96-18-4	
1,2,4-Trimethylbenzene	<21.6	ug/kg	72.4	21.6	1	02/18/22 08:00	02/18/22 15:30	95-63-6	
1,3,5-Trimethylbenzene	<23.3	ug/kg	72.4	23.3	1	02/18/22 08:00	02/18/22 15:30	108-67-8	
Vinyl chloride	<14.6	ug/kg	72.4	14.6	1	02/18/22 08:00	02/18/22 15:30	75-01-4	
Xylene (Total)	<52.3	ug/kg	217	52.3	1	02/18/22 08:00	02/18/22 15:30	1330-20-7	
Surrogates									
Toluene-d8 (S)	121	%	67-159		1	02/18/22 08:00	02/18/22 15:30	2037-26-5	
4-Bromofluorobenzene (S)	116	%	66-153		1	02/18/22 08:00	02/18/22 15:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	119	%	82-158		1	02/18/22 08:00	02/18/22 15:30	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	18.3	%	0.10	0.10	1		02/17/22 17:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-6A S1 **Lab ID: 40240687013** Collected: 02/15/22 15:45 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<16.1	ug/kg	27.1	16.1	1	02/18/22 08:00	02/18/22 15:50	71-43-2	
Bromobenzene	<26.4	ug/kg	67.7	26.4	1	02/18/22 08:00	02/18/22 15:50	108-86-1	
Bromochloromethane	<18.6	ug/kg	67.7	18.6	1	02/18/22 08:00	02/18/22 15:50	74-97-5	
Bromodichloromethane	<16.1	ug/kg	67.7	16.1	1	02/18/22 08:00	02/18/22 15:50	75-27-4	
Bromoform	<298	ug/kg	339	298	1	02/18/22 08:00	02/18/22 15:50	75-25-2	
Bromomethane	<94.9	ug/kg	339	94.9	1	02/18/22 08:00	02/18/22 15:50	74-83-9	
n-Butylbenzene	<31.0	ug/kg	67.7	31.0	1	02/18/22 08:00	02/18/22 15:50	104-51-8	
sec-Butylbenzene	<16.5	ug/kg	67.7	16.5	1	02/18/22 08:00	02/18/22 15:50	135-98-8	
tert-Butylbenzene	<21.3	ug/kg	67.7	21.3	1	02/18/22 08:00	02/18/22 15:50	98-06-6	
Carbon tetrachloride	<14.9	ug/kg	67.7	14.9	1	02/18/22 08:00	02/18/22 15:50	56-23-5	
Chlorobenzene	<8.1	ug/kg	67.7	8.1	1	02/18/22 08:00	02/18/22 15:50	108-90-7	
Chloroethane	<28.6	ug/kg	339	28.6	1	02/18/22 08:00	02/18/22 15:50	75-00-3	
Chloroform	<48.5	ug/kg	339	48.5	1	02/18/22 08:00	02/18/22 15:50	67-66-3	
Chloromethane	<25.7	ug/kg	67.7	25.7	1	02/18/22 08:00	02/18/22 15:50	74-87-3	
2-Chlorotoluene	<21.9	ug/kg	67.7	21.9	1	02/18/22 08:00	02/18/22 15:50	95-49-8	
4-Chlorotoluene	<25.7	ug/kg	67.7	25.7	1	02/18/22 08:00	02/18/22 15:50	106-43-4	
1,2-Dibromo-3-chloropropane	<52.5	ug/kg	339	52.5	1	02/18/22 08:00	02/18/22 15:50	96-12-8	
Dibromochloromethane	<231	ug/kg	339	231	1	02/18/22 08:00	02/18/22 15:50	124-48-1	
1,2-Dibromoethane (EDB)	<18.6	ug/kg	67.7	18.6	1	02/18/22 08:00	02/18/22 15:50	106-93-4	
Dibromomethane	<20.0	ug/kg	67.7	20.0	1	02/18/22 08:00	02/18/22 15:50	74-95-3	
1,2-Dichlorobenzene	<21.0	ug/kg	67.7	21.0	1	02/18/22 08:00	02/18/22 15:50	95-50-1	
1,3-Dichlorobenzene	<18.6	ug/kg	67.7	18.6	1	02/18/22 08:00	02/18/22 15:50	541-73-1	
1,4-Dichlorobenzene	<18.6	ug/kg	67.7	18.6	1	02/18/22 08:00	02/18/22 15:50	106-46-7	
Dichlorodifluoromethane	<29.1	ug/kg	67.7	29.1	1	02/18/22 08:00	02/18/22 15:50	75-71-8	
1,1-Dichloroethane	<17.3	ug/kg	67.7	17.3	1	02/18/22 08:00	02/18/22 15:50	75-34-3	
1,2-Dichloroethane	<15.6	ug/kg	67.7	15.6	1	02/18/22 08:00	02/18/22 15:50	107-06-2	
1,1-Dichloroethene	<22.5	ug/kg	67.7	22.5	1	02/18/22 08:00	02/18/22 15:50	75-35-4	
cis-1,2-Dichloroethene	<14.5	ug/kg	67.7	14.5	1	02/18/22 08:00	02/18/22 15:50	156-59-2	
trans-1,2-Dichloroethene	<14.6	ug/kg	67.7	14.6	1	02/18/22 08:00	02/18/22 15:50	156-60-5	
1,2-Dichloropropane	<16.1	ug/kg	67.7	16.1	1	02/18/22 08:00	02/18/22 15:50	78-87-5	
1,3-Dichloropropane	<14.8	ug/kg	67.7	14.8	1	02/18/22 08:00	02/18/22 15:50	142-28-9	
2,2-Dichloropropane	<18.3	ug/kg	67.7	18.3	1	02/18/22 08:00	02/18/22 15:50	594-20-7	
1,1-Dichloropropene	<21.9	ug/kg	67.7	21.9	1	02/18/22 08:00	02/18/22 15:50	563-58-6	
cis-1,3-Dichloropropene	<44.7	ug/kg	339	44.7	1	02/18/22 08:00	02/18/22 15:50	10061-01-5	
trans-1,3-Dichloropropene	<194	ug/kg	339	194	1	02/18/22 08:00	02/18/22 15:50	10061-02-6	
Diisopropyl ether	<16.8	ug/kg	67.7	16.8	1	02/18/22 08:00	02/18/22 15:50	108-20-3	
Ethylbenzene	<16.1	ug/kg	67.7	16.1	1	02/18/22 08:00	02/18/22 15:50	100-41-4	
Hexachloro-1,3-butadiene	<135	ug/kg	339	135	1	02/18/22 08:00	02/18/22 15:50	87-68-3	
Isopropylbenzene (Cumene)	<18.3	ug/kg	67.7	18.3	1	02/18/22 08:00	02/18/22 15:50	98-82-8	
p-Isopropyltoluene	<20.6	ug/kg	67.7	20.6	1	02/18/22 08:00	02/18/22 15:50	99-87-6	
Methylene Chloride	<18.8	ug/kg	67.7	18.8	1	02/18/22 08:00	02/18/22 15:50	75-09-2	
Methyl-tert-butyl ether	<19.9	ug/kg	67.7	19.9	1	02/18/22 08:00	02/18/22 15:50	1634-04-4	
Naphthalene	<21.1	ug/kg	339	21.1	1	02/18/22 08:00	02/18/22 15:50	91-20-3	
n-Propylbenzene	<16.3	ug/kg	67.7	16.3	1	02/18/22 08:00	02/18/22 15:50	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Sample: GB-6A S1 **Lab ID: 40240687013** Collected: 02/15/22 15:45 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<17.3	ug/kg	67.7	17.3	1	02/18/22 08:00	02/18/22 15:50	100-42-5	
1,1,1,2-Tetrachloroethane	<16.3	ug/kg	67.7	16.3	1	02/18/22 08:00	02/18/22 15:50	630-20-6	
1,1,2,2-Tetrachloroethane	<24.5	ug/kg	67.7	24.5	1	02/18/22 08:00	02/18/22 15:50	79-34-5	
Tetrachloroethene	477	ug/kg	67.7	26.3	1	02/18/22 08:00	02/18/22 15:50	127-18-4	
Toluene	<17.1	ug/kg	67.7	17.1	1	02/18/22 08:00	02/18/22 15:50	108-88-3	
1,2,3-Trichlorobenzene	<75.4	ug/kg	339	75.4	1	02/18/22 08:00	02/18/22 15:50	87-61-6	
1,2,4-Trichlorobenzene	<55.8	ug/kg	339	55.8	1	02/18/22 08:00	02/18/22 15:50	120-82-1	
1,1,1-Trichloroethane	<17.3	ug/kg	67.7	17.3	1	02/18/22 08:00	02/18/22 15:50	71-55-6	
1,1,2-Trichloroethane	<24.6	ug/kg	67.7	24.6	1	02/18/22 08:00	02/18/22 15:50	79-00-5	
Trichloroethene	33.3J	ug/kg	67.7	25.3	1	02/18/22 08:00	02/18/22 15:50	79-01-6	
Trichlorofluoromethane	<19.6	ug/kg	67.7	19.6	1	02/18/22 08:00	02/18/22 15:50	75-69-4	
1,2,3-Trichloropropane	<32.9	ug/kg	67.7	32.9	1	02/18/22 08:00	02/18/22 15:50	96-18-4	
1,2,4-Trimethylbenzene	<20.2	ug/kg	67.7	20.2	1	02/18/22 08:00	02/18/22 15:50	95-63-6	
1,3,5-Trimethylbenzene	<21.8	ug/kg	67.7	21.8	1	02/18/22 08:00	02/18/22 15:50	108-67-8	
Vinyl chloride	<13.7	ug/kg	67.7	13.7	1	02/18/22 08:00	02/18/22 15:50	75-01-4	
Xylene (Total)	<48.9	ug/kg	203	48.9	1	02/18/22 08:00	02/18/22 15:50	1330-20-7	
Surrogates									
Toluene-d8 (S)	119	%	67-159		1	02/18/22 08:00	02/18/22 15:50	2037-26-5	
4-Bromofluorobenzene (S)	117	%	66-153		1	02/18/22 08:00	02/18/22 15:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	118	%	82-158		1	02/18/22 08:00	02/18/22 15:50	2199-69-1	
8260 MSV TCLP									
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 02/22/22 13:26									
Pace Analytical Services - Green Bay									
Benzene	<0.0030	mg/L	0.010	0.0030	10		02/23/22 22:27	71-43-2	
2-Butanone (MEK)	<0.065	mg/L	0.25	0.065	10		02/23/22 22:27	78-93-3	
Carbon tetrachloride	<0.0037	mg/L	0.010	0.0037	10		02/23/22 22:27	56-23-5	
Chlorobenzene	<0.0086	mg/L	0.010	0.0086	10		02/23/22 22:27	108-90-7	
Chloroform	<0.012	mg/L	0.050	0.012	10		02/23/22 22:27	67-66-3	
1,2-Dichloroethane	<0.0029	mg/L	0.010	0.0029	10		02/23/22 22:27	107-06-2	
1,1-Dichloroethene	<0.0058	mg/L	0.010	0.0058	10		02/23/22 22:27	75-35-4	
Tetrachloroethene	0.0042J	mg/L	0.010	0.0041	10		02/23/22 22:27	127-18-4	
Trichloroethene	<0.0032	mg/L	0.010	0.0032	10		02/23/22 22:27	79-01-6	
Vinyl chloride	<0.0017	mg/L	0.010	0.0017	10		02/23/22 22:27	75-01-4	
Surrogates									
Toluene-d8 (S)	98	%	70-130		10		02/23/22 22:27	2037-26-5	
4-Bromofluorobenzene (S)	92	%	70-130		10		02/23/22 22:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		10		02/23/22 22:27	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.0	%	0.10	0.10	1		02/17/22 17:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Sample: GB-18A S1 **Lab ID: 40240687015** Collected: 02/15/22 16:15 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<17.3	ug/kg	29.0	17.3	1	02/18/22 08:00	02/18/22 13:28	71-43-2	
Bromobenzene	<28.3	ug/kg	72.6	28.3	1	02/18/22 08:00	02/18/22 13:28	108-86-1	
Bromochloromethane	<19.9	ug/kg	72.6	19.9	1	02/18/22 08:00	02/18/22 13:28	74-97-5	
Bromodichloromethane	<17.3	ug/kg	72.6	17.3	1	02/18/22 08:00	02/18/22 13:28	75-27-4	
Bromoform	<320	ug/kg	363	320	1	02/18/22 08:00	02/18/22 13:28	75-25-2	
Bromomethane	<102	ug/kg	363	102	1	02/18/22 08:00	02/18/22 13:28	74-83-9	
n-Butylbenzene	<33.3	ug/kg	72.6	33.3	1	02/18/22 08:00	02/18/22 13:28	104-51-8	
sec-Butylbenzene	<17.7	ug/kg	72.6	17.7	1	02/18/22 08:00	02/18/22 13:28	135-98-8	
tert-Butylbenzene	<22.8	ug/kg	72.6	22.8	1	02/18/22 08:00	02/18/22 13:28	98-06-6	
Carbon tetrachloride	<16.0	ug/kg	72.6	16.0	1	02/18/22 08:00	02/18/22 13:28	56-23-5	
Chlorobenzene	<8.7	ug/kg	72.6	8.7	1	02/18/22 08:00	02/18/22 13:28	108-90-7	
Chloroethane	<30.6	ug/kg	363	30.6	1	02/18/22 08:00	02/18/22 13:28	75-00-3	
Chloroform	<52.0	ug/kg	363	52.0	1	02/18/22 08:00	02/18/22 13:28	67-66-3	
Chloromethane	<27.6	ug/kg	72.6	27.6	1	02/18/22 08:00	02/18/22 13:28	74-87-3	
2-Chlorotoluene	<23.5	ug/kg	72.6	23.5	1	02/18/22 08:00	02/18/22 13:28	95-49-8	
4-Chlorotoluene	<27.6	ug/kg	72.6	27.6	1	02/18/22 08:00	02/18/22 13:28	106-43-4	
1,2-Dibromo-3-chloropropane	<56.4	ug/kg	363	56.4	1	02/18/22 08:00	02/18/22 13:28	96-12-8	
Dibromochloromethane	<248	ug/kg	363	248	1	02/18/22 08:00	02/18/22 13:28	124-48-1	
1,2-Dibromoethane (EDB)	<19.9	ug/kg	72.6	19.9	1	02/18/22 08:00	02/18/22 13:28	106-93-4	
Dibromomethane	<21.5	ug/kg	72.6	21.5	1	02/18/22 08:00	02/18/22 13:28	74-95-3	
1,2-Dichlorobenzene	<22.5	ug/kg	72.6	22.5	1	02/18/22 08:00	02/18/22 13:28	95-50-1	
1,3-Dichlorobenzene	<19.9	ug/kg	72.6	19.9	1	02/18/22 08:00	02/18/22 13:28	541-73-1	
1,4-Dichlorobenzene	<19.9	ug/kg	72.6	19.9	1	02/18/22 08:00	02/18/22 13:28	106-46-7	
Dichlorodifluoromethane	<31.2	ug/kg	72.6	31.2	1	02/18/22 08:00	02/18/22 13:28	75-71-8	
1,1-Dichloroethane	<18.6	ug/kg	72.6	18.6	1	02/18/22 08:00	02/18/22 13:28	75-34-3	
1,2-Dichloroethane	<16.7	ug/kg	72.6	16.7	1	02/18/22 08:00	02/18/22 13:28	107-06-2	
1,1-Dichloroethene	<24.1	ug/kg	72.6	24.1	1	02/18/22 08:00	02/18/22 13:28	75-35-4	
cis-1,2-Dichloroethene	<15.5	ug/kg	72.6	15.5	1	02/18/22 08:00	02/18/22 13:28	156-59-2	
trans-1,2-Dichloroethene	<15.7	ug/kg	72.6	15.7	1	02/18/22 08:00	02/18/22 13:28	156-60-5	
1,2-Dichloropropane	<17.3	ug/kg	72.6	17.3	1	02/18/22 08:00	02/18/22 13:28	78-87-5	
1,3-Dichloropropane	<15.8	ug/kg	72.6	15.8	1	02/18/22 08:00	02/18/22 13:28	142-28-9	
2,2-Dichloropropane	<19.6	ug/kg	72.6	19.6	1	02/18/22 08:00	02/18/22 13:28	594-20-7	
1,1-Dichloropropene	<23.5	ug/kg	72.6	23.5	1	02/18/22 08:00	02/18/22 13:28	563-58-6	
cis-1,3-Dichloropropene	<47.9	ug/kg	363	47.9	1	02/18/22 08:00	02/18/22 13:28	10061-01-5	
trans-1,3-Dichloropropene	<208	ug/kg	363	208	1	02/18/22 08:00	02/18/22 13:28	10061-02-6	
Diisopropyl ether	<18.0	ug/kg	72.6	18.0	1	02/18/22 08:00	02/18/22 13:28	108-20-3	
Ethylbenzene	<17.3	ug/kg	72.6	17.3	1	02/18/22 08:00	02/18/22 13:28	100-41-4	
Hexachloro-1,3-butadiene	<144	ug/kg	363	144	1	02/18/22 08:00	02/18/22 13:28	87-68-3	
Isopropylbenzene (Cumene)	<19.6	ug/kg	72.6	19.6	1	02/18/22 08:00	02/18/22 13:28	98-82-8	
p-Isopropyltoluene	<22.1	ug/kg	72.6	22.1	1	02/18/22 08:00	02/18/22 13:28	99-87-6	
Methylene Chloride	<20.2	ug/kg	72.6	20.2	1	02/18/22 08:00	02/18/22 13:28	75-09-2	
Methyl-tert-butyl ether	<21.3	ug/kg	72.6	21.3	1	02/18/22 08:00	02/18/22 13:28	1634-04-4	
Naphthalene	<22.7	ug/kg	363	22.7	1	02/18/22 08:00	02/18/22 13:28	91-20-3	
n-Propylbenzene	<17.4	ug/kg	72.6	17.4	1	02/18/22 08:00	02/18/22 13:28	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-18A S1 **Lab ID: 40240687015** Collected: 02/15/22 16:15 Received: 02/17/22 08:20 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<18.6	ug/kg	72.6	18.6	1	02/18/22 08:00	02/18/22 13:28	100-42-5	
1,1,1,2-Tetrachloroethane	<17.4	ug/kg	72.6	17.4	1	02/18/22 08:00	02/18/22 13:28	630-20-6	
1,1,1,2-Tetrachloroethane	<26.3	ug/kg	72.6	26.3	1	02/18/22 08:00	02/18/22 13:28	79-34-5	
Tetrachloroethene	269	ug/kg	72.6	28.2	1	02/18/22 08:00	02/18/22 13:28	127-18-4	
Toluene	<18.3	ug/kg	72.6	18.3	1	02/18/22 08:00	02/18/22 13:28	108-88-3	
1,2,3-Trichlorobenzene	<80.9	ug/kg	363	80.9	1	02/18/22 08:00	02/18/22 13:28	87-61-6	
1,2,4-Trichlorobenzene	<59.8	ug/kg	363	59.8	1	02/18/22 08:00	02/18/22 13:28	120-82-1	
1,1,1-Trichloroethane	<18.6	ug/kg	72.6	18.6	1	02/18/22 08:00	02/18/22 13:28	71-55-6	
1,1,2-Trichloroethane	<26.4	ug/kg	72.6	26.4	1	02/18/22 08:00	02/18/22 13:28	79-00-5	
Trichloroethene	<27.2	ug/kg	72.6	27.2	1	02/18/22 08:00	02/18/22 13:28	79-01-6	
Trichlorofluoromethane	<21.1	ug/kg	72.6	21.1	1	02/18/22 08:00	02/18/22 13:28	75-69-4	
1,2,3-Trichloropropane	<35.3	ug/kg	72.6	35.3	1	02/18/22 08:00	02/18/22 13:28	96-18-4	
1,2,4-Trimethylbenzene	<21.6	ug/kg	72.6	21.6	1	02/18/22 08:00	02/18/22 13:28	95-63-6	
1,3,5-Trimethylbenzene	<23.4	ug/kg	72.6	23.4	1	02/18/22 08:00	02/18/22 13:28	108-67-8	
Vinyl chloride	<14.7	ug/kg	72.6	14.7	1	02/18/22 08:00	02/18/22 13:28	75-01-4	
Xylene (Total)	<52.4	ug/kg	218	52.4	1	02/18/22 08:00	02/18/22 13:28	1330-20-7	
Surrogates									
Toluene-d8 (S)	128	%	67-159		1	02/18/22 08:00	02/18/22 13:28	2037-26-5	
4-Bromofluorobenzene (S)	124	%	66-153		1	02/18/22 08:00	02/18/22 13:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	129	%	82-158		1	02/18/22 08:00	02/18/22 13:28	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	18.4	%	0.10	0.10	1		02/17/22 17:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

Sample: GB-4A S1 **Lab ID: 40240687017** Collected: 02/15/22 17:05 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<19.1	ug/kg	32.1	19.1	1	02/18/22 08:00	02/18/22 16:10	71-43-2	
Bromobenzene	<31.3	ug/kg	80.3	31.3	1	02/18/22 08:00	02/18/22 16:10	108-86-1	
Bromochloromethane	<22.0	ug/kg	80.3	22.0	1	02/18/22 08:00	02/18/22 16:10	74-97-5	
Bromodichloromethane	<19.1	ug/kg	80.3	19.1	1	02/18/22 08:00	02/18/22 16:10	75-27-4	
Bromoform	<353	ug/kg	402	353	1	02/18/22 08:00	02/18/22 16:10	75-25-2	
Bromomethane	<113	ug/kg	402	113	1	02/18/22 08:00	02/18/22 16:10	74-83-9	
n-Butylbenzene	<36.8	ug/kg	80.3	36.8	1	02/18/22 08:00	02/18/22 16:10	104-51-8	
sec-Butylbenzene	<19.6	ug/kg	80.3	19.6	1	02/18/22 08:00	02/18/22 16:10	135-98-8	
tert-Butylbenzene	<25.2	ug/kg	80.3	25.2	1	02/18/22 08:00	02/18/22 16:10	98-06-6	
Carbon tetrachloride	<17.7	ug/kg	80.3	17.7	1	02/18/22 08:00	02/18/22 16:10	56-23-5	
Chlorobenzene	<9.6	ug/kg	80.3	9.6	1	02/18/22 08:00	02/18/22 16:10	108-90-7	
Chloroethane	<33.9	ug/kg	402	33.9	1	02/18/22 08:00	02/18/22 16:10	75-00-3	
Chloroform	<57.5	ug/kg	402	57.5	1	02/18/22 08:00	02/18/22 16:10	67-66-3	
Chloromethane	<30.5	ug/kg	80.3	30.5	1	02/18/22 08:00	02/18/22 16:10	74-87-3	
2-Chlorotoluene	<26.0	ug/kg	80.3	26.0	1	02/18/22 08:00	02/18/22 16:10	95-49-8	
4-Chlorotoluene	<30.5	ug/kg	80.3	30.5	1	02/18/22 08:00	02/18/22 16:10	106-43-4	
1,2-Dibromo-3-chloropropane	<62.3	ug/kg	402	62.3	1	02/18/22 08:00	02/18/22 16:10	96-12-8	
Dibromochloromethane	<274	ug/kg	402	274	1	02/18/22 08:00	02/18/22 16:10	124-48-1	
1,2-Dibromoethane (EDB)	<22.0	ug/kg	80.3	22.0	1	02/18/22 08:00	02/18/22 16:10	106-93-4	
Dibromomethane	<23.8	ug/kg	80.3	23.8	1	02/18/22 08:00	02/18/22 16:10	74-95-3	
1,2-Dichlorobenzene	<24.9	ug/kg	80.3	24.9	1	02/18/22 08:00	02/18/22 16:10	95-50-1	
1,3-Dichlorobenzene	<22.0	ug/kg	80.3	22.0	1	02/18/22 08:00	02/18/22 16:10	541-73-1	
1,4-Dichlorobenzene	<22.0	ug/kg	80.3	22.0	1	02/18/22 08:00	02/18/22 16:10	106-46-7	
Dichlorodifluoromethane	<34.5	ug/kg	80.3	34.5	1	02/18/22 08:00	02/18/22 16:10	75-71-8	
1,1-Dichloroethane	<20.6	ug/kg	80.3	20.6	1	02/18/22 08:00	02/18/22 16:10	75-34-3	
1,2-Dichloroethane	<18.5	ug/kg	80.3	18.5	1	02/18/22 08:00	02/18/22 16:10	107-06-2	
1,1-Dichloroethene	<26.7	ug/kg	80.3	26.7	1	02/18/22 08:00	02/18/22 16:10	75-35-4	
cis-1,2-Dichloroethene	<17.2	ug/kg	80.3	17.2	1	02/18/22 08:00	02/18/22 16:10	156-59-2	
trans-1,2-Dichloroethene	<17.3	ug/kg	80.3	17.3	1	02/18/22 08:00	02/18/22 16:10	156-60-5	
1,2-Dichloropropane	<19.1	ug/kg	80.3	19.1	1	02/18/22 08:00	02/18/22 16:10	78-87-5	
1,3-Dichloropropane	<17.5	ug/kg	80.3	17.5	1	02/18/22 08:00	02/18/22 16:10	142-28-9	
2,2-Dichloropropane	<21.7	ug/kg	80.3	21.7	1	02/18/22 08:00	02/18/22 16:10	594-20-7	
1,1-Dichloropropene	<26.0	ug/kg	80.3	26.0	1	02/18/22 08:00	02/18/22 16:10	563-58-6	
cis-1,3-Dichloropropene	<53.0	ug/kg	402	53.0	1	02/18/22 08:00	02/18/22 16:10	10061-01-5	
trans-1,3-Dichloropropene	<230	ug/kg	402	230	1	02/18/22 08:00	02/18/22 16:10	10061-02-6	
Diisopropyl ether	<19.9	ug/kg	80.3	19.9	1	02/18/22 08:00	02/18/22 16:10	108-20-3	
Ethylbenzene	<19.1	ug/kg	80.3	19.1	1	02/18/22 08:00	02/18/22 16:10	100-41-4	
Hexachloro-1,3-butadiene	<160	ug/kg	402	160	1	02/18/22 08:00	02/18/22 16:10	87-68-3	
Isopropylbenzene (Cumene)	<21.7	ug/kg	80.3	21.7	1	02/18/22 08:00	02/18/22 16:10	98-82-8	
p-Isopropyltoluene	<24.4	ug/kg	80.3	24.4	1	02/18/22 08:00	02/18/22 16:10	99-87-6	
Methylene Chloride	<22.3	ug/kg	80.3	22.3	1	02/18/22 08:00	02/18/22 16:10	75-09-2	
Methyl-tert-butyl ether	<23.6	ug/kg	80.3	23.6	1	02/18/22 08:00	02/18/22 16:10	1634-04-4	
Naphthalene	<25.1	ug/kg	402	25.1	1	02/18/22 08:00	02/18/22 16:10	91-20-3	
n-Propylbenzene	<19.3	ug/kg	80.3	19.3	1	02/18/22 08:00	02/18/22 16:10	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-4A S1 **Lab ID: 40240687017** Collected: 02/15/22 17:05 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<20.6	ug/kg	80.3	20.6	1	02/18/22 08:00	02/18/22 16:10	100-42-5	
1,1,1,2-Tetrachloroethane	<19.3	ug/kg	80.3	19.3	1	02/18/22 08:00	02/18/22 16:10	630-20-6	
1,1,1,2-Tetrachloroethane	<29.1	ug/kg	80.3	29.1	1	02/18/22 08:00	02/18/22 16:10	79-34-5	
Tetrachloroethene	52.2J	ug/kg	80.3	31.2	1	02/18/22 08:00	02/18/22 16:10	127-18-4	
Toluene	29.5J	ug/kg	80.3	20.2	1	02/18/22 08:00	02/18/22 16:10	108-88-3	
1,2,3-Trichlorobenzene	<89.5	ug/kg	402	89.5	1	02/18/22 08:00	02/18/22 16:10	87-61-6	
1,2,4-Trichlorobenzene	<66.2	ug/kg	402	66.2	1	02/18/22 08:00	02/18/22 16:10	120-82-1	
1,1,1-Trichloroethane	<20.6	ug/kg	80.3	20.6	1	02/18/22 08:00	02/18/22 16:10	71-55-6	
1,1,2-Trichloroethane	<29.2	ug/kg	80.3	29.2	1	02/18/22 08:00	02/18/22 16:10	79-00-5	
Trichloroethene	<30.0	ug/kg	80.3	30.0	1	02/18/22 08:00	02/18/22 16:10	79-01-6	
Trichlorofluoromethane	<23.3	ug/kg	80.3	23.3	1	02/18/22 08:00	02/18/22 16:10	75-69-4	
1,2,3-Trichloropropane	<39.0	ug/kg	80.3	39.0	1	02/18/22 08:00	02/18/22 16:10	96-18-4	
1,2,4-Trimethylbenzene	<23.9	ug/kg	80.3	23.9	1	02/18/22 08:00	02/18/22 16:10	95-63-6	
1,3,5-Trimethylbenzene	<25.9	ug/kg	80.3	25.9	1	02/18/22 08:00	02/18/22 16:10	108-67-8	
Vinyl chloride	<16.2	ug/kg	80.3	16.2	1	02/18/22 08:00	02/18/22 16:10	75-01-4	
Xylene (Total)	<58.0	ug/kg	241	58.0	1	02/18/22 08:00	02/18/22 16:10	1330-20-7	
Surrogates									
Toluene-d8 (S)	233	%	67-159		1	02/18/22 08:00	02/18/22 16:10	2037-26-5	S3
4-Bromofluorobenzene (S)	228	%	66-153		1	02/18/22 08:00	02/18/22 16:10	460-00-4	S3
1,2-Dichlorobenzene-d4 (S)	221	%	82-158		1	02/18/22 08:00	02/18/22 16:10	2199-69-1	S3
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.9	%	0.10	0.10	1		02/17/22 17:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-4A S2 **Lab ID: 40240687018** Collected: 02/15/22 17:05 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<13.5	ug/kg	22.8	13.5	1	02/23/22 07:00	02/23/22 12:34	71-43-2	
Bromobenzene	<22.2	ug/kg	56.9	22.2	1	02/23/22 07:00	02/23/22 12:34	108-86-1	
Bromochloromethane	<15.6	ug/kg	56.9	15.6	1	02/23/22 07:00	02/23/22 12:34	74-97-5	
Bromodichloromethane	<13.5	ug/kg	56.9	13.5	1	02/23/22 07:00	02/23/22 12:34	75-27-4	
Bromoform	<250	ug/kg	284	250	1	02/23/22 07:00	02/23/22 12:34	75-25-2	
Bromomethane	<79.8	ug/kg	284	79.8	1	02/23/22 07:00	02/23/22 12:34	74-83-9	
n-Butylbenzene	<26.1	ug/kg	56.9	26.1	1	02/23/22 07:00	02/23/22 12:34	104-51-8	
sec-Butylbenzene	<13.9	ug/kg	56.9	13.9	1	02/23/22 07:00	02/23/22 12:34	135-98-8	
tert-Butylbenzene	<17.9	ug/kg	56.9	17.9	1	02/23/22 07:00	02/23/22 12:34	98-06-6	
Carbon tetrachloride	<12.5	ug/kg	56.9	12.5	1	02/23/22 07:00	02/23/22 12:34	56-23-5	
Chlorobenzene	<6.8	ug/kg	56.9	6.8	1	02/23/22 07:00	02/23/22 12:34	108-90-7	
Chloroethane	<24.0	ug/kg	284	24.0	1	02/23/22 07:00	02/23/22 12:34	75-00-3	
Chloroform	<40.7	ug/kg	284	40.7	1	02/23/22 07:00	02/23/22 12:34	67-66-3	
Chloromethane	<21.6	ug/kg	56.9	21.6	1	02/23/22 07:00	02/23/22 12:34	74-87-3	
2-Chlorotoluene	<18.4	ug/kg	56.9	18.4	1	02/23/22 07:00	02/23/22 12:34	95-49-8	
4-Chlorotoluene	<21.6	ug/kg	56.9	21.6	1	02/23/22 07:00	02/23/22 12:34	106-43-4	
1,2-Dibromo-3-chloropropane	<44.2	ug/kg	284	44.2	1	02/23/22 07:00	02/23/22 12:34	96-12-8	
Dibromochloromethane	<194	ug/kg	284	194	1	02/23/22 07:00	02/23/22 12:34	124-48-1	
1,2-Dibromoethane (EDB)	<15.6	ug/kg	56.9	15.6	1	02/23/22 07:00	02/23/22 12:34	106-93-4	
Dibromomethane	<16.8	ug/kg	56.9	16.8	1	02/23/22 07:00	02/23/22 12:34	74-95-3	
1,2-Dichlorobenzene	<17.6	ug/kg	56.9	17.6	1	02/23/22 07:00	02/23/22 12:34	95-50-1	
1,3-Dichlorobenzene	<15.6	ug/kg	56.9	15.6	1	02/23/22 07:00	02/23/22 12:34	541-73-1	
1,4-Dichlorobenzene	<15.6	ug/kg	56.9	15.6	1	02/23/22 07:00	02/23/22 12:34	106-46-7	
Dichlorodifluoromethane	<24.5	ug/kg	56.9	24.5	1	02/23/22 07:00	02/23/22 12:34	75-71-8	
1,1-Dichloroethane	<14.6	ug/kg	56.9	14.6	1	02/23/22 07:00	02/23/22 12:34	75-34-3	
1,2-Dichloroethane	<13.1	ug/kg	56.9	13.1	1	02/23/22 07:00	02/23/22 12:34	107-06-2	
1,1-Dichloroethene	<18.9	ug/kg	56.9	18.9	1	02/23/22 07:00	02/23/22 12:34	75-35-4	
cis-1,2-Dichloroethene	<12.2	ug/kg	56.9	12.2	1	02/23/22 07:00	02/23/22 12:34	156-59-2	
trans-1,2-Dichloroethene	<12.3	ug/kg	56.9	12.3	1	02/23/22 07:00	02/23/22 12:34	156-60-5	
1,2-Dichloropropane	<13.5	ug/kg	56.9	13.5	1	02/23/22 07:00	02/23/22 12:34	78-87-5	
1,3-Dichloropropane	<12.4	ug/kg	56.9	12.4	1	02/23/22 07:00	02/23/22 12:34	142-28-9	
2,2-Dichloropropane	<15.4	ug/kg	56.9	15.4	1	02/23/22 07:00	02/23/22 12:34	594-20-7	
1,1-Dichloropropene	<18.4	ug/kg	56.9	18.4	1	02/23/22 07:00	02/23/22 12:34	563-58-6	
cis-1,3-Dichloropropene	<37.6	ug/kg	284	37.6	1	02/23/22 07:00	02/23/22 12:34	10061-01-5	
trans-1,3-Dichloropropene	<163	ug/kg	284	163	1	02/23/22 07:00	02/23/22 12:34	10061-02-6	
Diisopropyl ether	<14.1	ug/kg	56.9	14.1	1	02/23/22 07:00	02/23/22 12:34	108-20-3	
Ethylbenzene	<13.5	ug/kg	56.9	13.5	1	02/23/22 07:00	02/23/22 12:34	100-41-4	
Hexachloro-1,3-butadiene	<113	ug/kg	284	113	1	02/23/22 07:00	02/23/22 12:34	87-68-3	
Isopropylbenzene (Cumene)	<15.4	ug/kg	56.9	15.4	1	02/23/22 07:00	02/23/22 12:34	98-82-8	
p-Isopropyltoluene	<17.3	ug/kg	56.9	17.3	1	02/23/22 07:00	02/23/22 12:34	99-87-6	
Methylene Chloride	<15.8	ug/kg	56.9	15.8	1	02/23/22 07:00	02/23/22 12:34	75-09-2	
Methyl-tert-butyl ether	<16.7	ug/kg	56.9	16.7	1	02/23/22 07:00	02/23/22 12:34	1634-04-4	
Naphthalene	<17.8	ug/kg	284	17.8	1	02/23/22 07:00	02/23/22 12:34	91-20-3	
n-Propylbenzene	<13.7	ug/kg	56.9	13.7	1	02/23/22 07:00	02/23/22 12:34	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Sample: GB-4A S2 **Lab ID: 40240687018** Collected: 02/15/22 17:05 Received: 02/17/22 08:20 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<14.6	ug/kg	56.9	14.6	1	02/23/22 07:00	02/23/22 12:34	100-42-5	
1,1,1,2-Tetrachloroethane	<13.7	ug/kg	56.9	13.7	1	02/23/22 07:00	02/23/22 12:34	630-20-6	
1,1,1,2-Tetrachloroethane	<20.6	ug/kg	56.9	20.6	1	02/23/22 07:00	02/23/22 12:34	79-34-5	
Tetrachloroethene	37.6J	ug/kg	56.9	22.1	1	02/23/22 07:00	02/23/22 12:34	127-18-4	
Toluene	<14.3	ug/kg	56.9	14.3	1	02/23/22 07:00	02/23/22 12:34	108-88-3	
1,2,3-Trichlorobenzene	<63.4	ug/kg	284	63.4	1	02/23/22 07:00	02/23/22 12:34	87-61-6	
1,2,4-Trichlorobenzene	<46.9	ug/kg	284	46.9	1	02/23/22 07:00	02/23/22 12:34	120-82-1	
1,1,1-Trichloroethane	<14.6	ug/kg	56.9	14.6	1	02/23/22 07:00	02/23/22 12:34	71-55-6	
1,1,2-Trichloroethane	<20.7	ug/kg	56.9	20.7	1	02/23/22 07:00	02/23/22 12:34	79-00-5	
Trichloroethene	<21.3	ug/kg	56.9	21.3	1	02/23/22 07:00	02/23/22 12:34	79-01-6	
Trichlorofluoromethane	<16.5	ug/kg	56.9	16.5	1	02/23/22 07:00	02/23/22 12:34	75-69-4	
1,2,3-Trichloropropane	<27.7	ug/kg	56.9	27.7	1	02/23/22 07:00	02/23/22 12:34	96-18-4	
1,2,4-Trimethylbenzene	<17.0	ug/kg	56.9	17.0	1	02/23/22 07:00	02/23/22 12:34	95-63-6	
1,3,5-Trimethylbenzene	<18.3	ug/kg	56.9	18.3	1	02/23/22 07:00	02/23/22 12:34	108-67-8	
Vinyl chloride	<11.5	ug/kg	56.9	11.5	1	02/23/22 07:00	02/23/22 12:34	75-01-4	
Xylene (Total)	<41.1	ug/kg	171	41.1	1	02/23/22 07:00	02/23/22 12:34	1330-20-7	
Surrogates									
Toluene-d8 (S)	106	%	67-159		1	02/23/22 07:00	02/23/22 12:34	2037-26-5	
4-Bromofluorobenzene (S)	103	%	66-153		1	02/23/22 07:00	02/23/22 12:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	82-158		1	02/23/22 07:00	02/23/22 12:34	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	6.5	%	0.10	0.10	1		02/24/22 11:48		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

QC Batch: 408595 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40240687001, 40240687003, 40240687004, 40240687005, 40240687006, 40240687007, 40240687008,
40240687009, 40240687010, 40240687011, 40240687013, 40240687015, 40240687017

METHOD BLANK: 2354803 Matrix: Solid
Associated Lab Samples: 40240687001, 40240687003, 40240687004, 40240687005, 40240687006, 40240687007, 40240687008,
40240687009, 40240687010, 40240687011, 40240687013, 40240687015, 40240687017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	02/18/22 10:27	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	02/18/22 10:27	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	02/18/22 10:27	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	02/18/22 10:27	
1,1-Dichloroethane	ug/kg	<12.8	50.0	02/18/22 10:27	
1,1-Dichloroethene	ug/kg	<16.6	50.0	02/18/22 10:27	
1,1-Dichloropropene	ug/kg	<16.2	50.0	02/18/22 10:27	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	02/18/22 10:27	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	02/18/22 10:27	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	02/18/22 10:27	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	02/18/22 10:27	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	02/18/22 10:27	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	02/18/22 10:27	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	02/18/22 10:27	
1,2-Dichloroethane	ug/kg	<11.5	50.0	02/18/22 10:27	
1,2-Dichloropropane	ug/kg	<11.9	50.0	02/18/22 10:27	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	02/18/22 10:27	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	02/18/22 10:27	
1,3-Dichloropropane	ug/kg	<10.9	50.0	02/18/22 10:27	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	02/18/22 10:27	
2,2-Dichloropropane	ug/kg	<13.5	50.0	02/18/22 10:27	
2-Chlorotoluene	ug/kg	<16.2	50.0	02/18/22 10:27	
4-Chlorotoluene	ug/kg	<19.0	50.0	02/18/22 10:27	
Benzene	ug/kg	<11.9	20.0	02/18/22 10:27	
Bromobenzene	ug/kg	<19.5	50.0	02/18/22 10:27	
Bromochloromethane	ug/kg	<13.7	50.0	02/18/22 10:27	
Bromodichloromethane	ug/kg	<11.9	50.0	02/18/22 10:27	
Bromoform	ug/kg	<220	250	02/18/22 10:27	
Bromomethane	ug/kg	<70.1	250	02/18/22 10:27	
Carbon tetrachloride	ug/kg	<11.0	50.0	02/18/22 10:27	
Chlorobenzene	ug/kg	<6.0	50.0	02/18/22 10:27	
Chloroethane	ug/kg	<21.1	250	02/18/22 10:27	
Chloroform	ug/kg	<35.8	250	02/18/22 10:27	
Chloromethane	ug/kg	<19.0	50.0	02/18/22 10:27	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	02/18/22 10:27	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	02/18/22 10:27	
Dibromochloromethane	ug/kg	<171	250	02/18/22 10:27	
Dibromomethane	ug/kg	<14.8	50.0	02/18/22 10:27	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	02/18/22 10:27	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

METHOD BLANK: 2354803 Matrix: Solid
Associated Lab Samples: 40240687001, 40240687003, 40240687004, 40240687005, 40240687006, 40240687007, 40240687008, 40240687009, 40240687010, 40240687011, 40240687013, 40240687015, 40240687017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	<12.4	50.0	02/18/22 10:27	
Ethylbenzene	ug/kg	<11.9	50.0	02/18/22 10:27	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	02/18/22 10:27	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	02/18/22 10:27	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	02/18/22 10:27	
Methylene Chloride	ug/kg	<13.9	50.0	02/18/22 10:27	
n-Butylbenzene	ug/kg	<22.9	50.0	02/18/22 10:27	
n-Propylbenzene	ug/kg	<12.0	50.0	02/18/22 10:27	
Naphthalene	ug/kg	<15.6	250	02/18/22 10:27	
p-Isopropyltoluene	ug/kg	<15.2	50.0	02/18/22 10:27	
sec-Butylbenzene	ug/kg	<12.2	50.0	02/18/22 10:27	
Styrene	ug/kg	<12.8	50.0	02/18/22 10:27	
tert-Butylbenzene	ug/kg	<15.7	50.0	02/18/22 10:27	
Tetrachloroethene	ug/kg	<19.4	50.0	02/18/22 10:27	
Toluene	ug/kg	<12.6	50.0	02/18/22 10:27	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	02/18/22 10:27	
trans-1,3-Dichloropropene	ug/kg	<143	250	02/18/22 10:27	
Trichloroethene	ug/kg	<18.7	50.0	02/18/22 10:27	
Trichlorofluoromethane	ug/kg	<14.5	50.0	02/18/22 10:27	
Vinyl chloride	ug/kg	<10.1	50.0	02/18/22 10:27	
Xylene (Total)	ug/kg	<36.1	150	02/18/22 10:27	
1,2-Dichlorobenzene-d4 (S)	%	101	82-158	02/18/22 10:27	
4-Bromofluorobenzene (S)	%	96	66-153	02/18/22 10:27	
Toluene-d8 (S)	%	97	67-159	02/18/22 10:27	

LABORATORY CONTROL SAMPLE: 2354804

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2070	83	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2480	99	65-129	
1,1,2-Trichloroethane	ug/kg	2500	2400	96	70-130	
1,1-Dichloroethane	ug/kg	2500	2470	99	70-130	
1,1-Dichloroethene	ug/kg	2500	2200	88	67-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2190	88	64-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2200	88	57-119	
1,2-Dibromoethane (EDB)	ug/kg	2500	2360	95	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2240	90	70-130	
1,2-Dichloroethane	ug/kg	2500	2510	100	70-130	
1,2-Dichloropropane	ug/kg	2500	2460	99	72-118	
1,3-Dichlorobenzene	ug/kg	2500	2190	88	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2210	88	70-130	
Benzene	ug/kg	2500	2270	91	70-130	
Bromodichloromethane	ug/kg	2500	2230	89	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

LABORATORY CONTROL SAMPLE: 2354804

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/kg	2500	2240	90	66-130	
Bromomethane	ug/kg	2500	1860	75	13-153	
Carbon tetrachloride	ug/kg	2500	2090	84	73-134	
Chlorobenzene	ug/kg	2500	2280	91	70-130	
Chloroethane	ug/kg	2500	2480	99	19-170	
Chloroform	ug/kg	2500	2340	93	79-120	
Chloromethane	ug/kg	2500	1850	74	45-117	
cis-1,2-Dichloroethene	ug/kg	2500	2230	89	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2150	86	68-130	
Dibromochloromethane	ug/kg	2500	2240	89	70-130	
Dichlorodifluoromethane	ug/kg	2500	1010	40	15-135	
Ethylbenzene	ug/kg	2500	2240	90	78-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2260	90	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2080	83	65-130	
Methylene Chloride	ug/kg	2500	2300	92	70-130	
Styrene	ug/kg	2500	2310	93	70-130	
Tetrachloroethene	ug/kg	2500	2310	92	70-130	
Toluene	ug/kg	2500	2290	91	76-120	
trans-1,2-Dichloroethene	ug/kg	2500	2240	90	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2090	83	70-130	
Trichloroethene	ug/kg	2500	2260	91	70-130	
Trichlorofluoromethane	ug/kg	2500	1990	80	49-153	
Vinyl chloride	ug/kg	2500	2040	82	58-121	
Xylene (Total)	ug/kg	7500	6930	92	70-130	
1,2-Dichlorobenzene-d4 (S)	%			93	82-158	
4-Bromofluorobenzene (S)	%			94	66-153	
Toluene-d8 (S)	%			92	67-159	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2354805 2354806

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40240687015 Result	Spike Conc.	Spike Conc.	Result								
1,1,1-Trichloroethane	ug/kg	<18.6	1450	1450	1170	1100	81	75	70-130	7	20		
1,1,2,2-Tetrachloroethane	ug/kg	<26.3	1450	1450	1430	1440	98	99	65-129	0	20		
1,1,2-Trichloroethane	ug/kg	<26.4	1450	1450	1420	1390	97	96	70-130	2	20		
1,1-Dichloroethane	ug/kg	<18.6	1450	1450	1450	1370	100	95	70-130	5	20		
1,1-Dichloroethene	ug/kg	<24.1	1450	1450	1060	1030	73	71	64-120	3	20		
1,2,4-Trichlorobenzene	ug/kg	<59.8	1450	1450	1470	1380	101	95	64-130	6	20		
1,2-Dibromo-3-chloropropane	ug/kg	<56.4	1450	1450	1250	1260	86	87	57-130	1	21		
1,2-Dibromoethane (EDB)	ug/kg	<19.9	1450	1450	1370	1330	94	92	70-130	3	20		
1,2-Dichlorobenzene	ug/kg	<22.5	1450	1450	1430	1390	98	96	70-130	2	20		
1,2-Dichloroethane	ug/kg	<16.7	1450	1450	1470	1440	101	99	70-130	2	20		
1,2-Dichloropropane	ug/kg	<17.3	1450	1450	1460	1450	100	100	72-122	1	20		
1,3-Dichlorobenzene	ug/kg	<19.9	1450	1450	1370	1330	94	92	70-130	3	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Parameter	Units	2354805		2354806		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40240687015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,4-Dichlorobenzene	ug/kg	<19.9	1450	1450	1430	1370	98	95	70-130	4	20		
Benzene	ug/kg	<17.3	1450	1450	1320	1280	91	88	70-130	3	20		
Bromodichloromethane	ug/kg	<17.3	1450	1450	1290	1300	89	89	70-130	1	20		
Bromoform	ug/kg	<320	1450	1450	1230	1250	85	86	66-130	2	20		
Bromomethane	ug/kg	<102	1450	1450	943	926	65	64	13-153	2	20		
Carbon tetrachloride	ug/kg	<16.0	1450	1450	1120	1030	77	71	67-134	9	20		
Chlorobenzene	ug/kg	<8.7	1450	1450	1380	1390	95	95	70-130	1	20		
Chloroethane	ug/kg	<30.6	1450	1450	1350	1220	93	84	11-195	10	20		
Chloroform	ug/kg	<52.0	1450	1450	1390	1360	95	93	79-120	2	20		
Chloromethane	ug/kg	<27.6	1450	1450	672	665	46	46	30-136	1	20		
cis-1,2-Dichloroethene	ug/kg	<15.5	1450	1450	1300	1290	89	89	70-130	1	20		
cis-1,3-Dichloropropene	ug/kg	<47.9	1450	1450	1200	1160	83	80	68-130	3	20		
Dibromochloromethane	ug/kg	<248	1450	1450	1310	1260	90	86	70-130	5	20		
Dichlorodifluoromethane	ug/kg	<31.2	1450	1450	205	179	14	12	10-158	14	25		
Ethylbenzene	ug/kg	<17.3	1450	1450	1300	1270	89	87	78-120	2	20		
Isopropylbenzene (Cumene)	ug/kg	<19.6	1450	1450	1280	1250	88	86	70-130	2	20		
Methyl-tert-butyl ether	ug/kg	<21.3	1450	1450	1130	1120	78	77	65-130	1	20		
Methylene Chloride	ug/kg	<20.2	1450	1450	1310	1310	90	90	70-130	1	20		
Styrene	ug/kg	<18.6	1450	1450	1340	1310	92	90	70-130	2	20		
Tetrachloroethene	ug/kg	269	1450	1450	1540	1490	87	84	70-130	3	20		
Toluene	ug/kg	<18.3	1450	1450	1350	1310	93	90	76-120	3	20		
trans-1,2-Dichloroethene	ug/kg	<15.7	1450	1450	1270	1220	88	84	70-130	4	20		
trans-1,3-Dichloropropene	ug/kg	<208	1450	1450	1150	1130	79	78	70-130	2	20		
Trichloroethene	ug/kg	<27.2	1450	1450	1290	1260	89	87	70-130	2	20		
Trichlorofluoromethane	ug/kg	<21.1	1450	1450	939	885	65	61	42-159	6	21		
Vinyl chloride	ug/kg	<14.7	1450	1450	836	752	58	52	43-137	11	20		
Xylene (Total)	ug/kg	<52.4	4350	4350	3990	3940	91	90	70-130	1	20		
1,2-Dichlorobenzene-d4 (S)	%						119	129	82-158				
4-Bromofluorobenzene (S)	%						119	127	66-153				
Toluene-d8 (S)	%						120	131	67-159				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

QC Batch: 408867 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40240687018

METHOD BLANK: 2356285 Matrix: Solid
Associated Lab Samples: 40240687018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	02/23/22 07:42	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	02/23/22 07:42	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	02/23/22 07:42	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	02/23/22 07:42	
1,1-Dichloroethane	ug/kg	<12.8	50.0	02/23/22 07:42	
1,1-Dichloroethene	ug/kg	<16.6	50.0	02/23/22 07:42	
1,1-Dichloropropene	ug/kg	<16.2	50.0	02/23/22 07:42	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	02/23/22 07:42	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	02/23/22 07:42	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	02/23/22 07:42	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	02/23/22 07:42	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	02/23/22 07:42	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	02/23/22 07:42	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	02/23/22 07:42	
1,2-Dichloroethane	ug/kg	<11.5	50.0	02/23/22 07:42	
1,2-Dichloropropane	ug/kg	<11.9	50.0	02/23/22 07:42	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	02/23/22 07:42	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	02/23/22 07:42	
1,3-Dichloropropane	ug/kg	<10.9	50.0	02/23/22 07:42	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	02/23/22 07:42	
2,2-Dichloropropane	ug/kg	<13.5	50.0	02/23/22 07:42	
2-Chlorotoluene	ug/kg	<16.2	50.0	02/23/22 07:42	
4-Chlorotoluene	ug/kg	<19.0	50.0	02/23/22 07:42	
Benzene	ug/kg	<11.9	20.0	02/23/22 07:42	
Bromobenzene	ug/kg	<19.5	50.0	02/23/22 07:42	
Bromochloromethane	ug/kg	<13.7	50.0	02/23/22 07:42	
Bromodichloromethane	ug/kg	<11.9	50.0	02/23/22 07:42	
Bromoform	ug/kg	<220	250	02/23/22 07:42	
Bromomethane	ug/kg	<70.1	250	02/23/22 07:42	
Carbon tetrachloride	ug/kg	<11.0	50.0	02/23/22 07:42	
Chlorobenzene	ug/kg	<6.0	50.0	02/23/22 07:42	
Chloroethane	ug/kg	<21.1	250	02/23/22 07:42	
Chloroform	ug/kg	<35.8	250	02/23/22 07:42	
Chloromethane	ug/kg	<19.0	50.0	02/23/22 07:42	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	02/23/22 07:42	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	02/23/22 07:42	
Dibromochloromethane	ug/kg	<171	250	02/23/22 07:42	
Dibromomethane	ug/kg	<14.8	50.0	02/23/22 07:42	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	02/23/22 07:42	
Diisopropyl ether	ug/kg	<12.4	50.0	02/23/22 07:42	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

METHOD BLANK: 2356285 Matrix: Solid
Associated Lab Samples: 40240687018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/kg	<11.9	50.0	02/23/22 07:42	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	02/23/22 07:42	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	02/23/22 07:42	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	02/23/22 07:42	
Methylene Chloride	ug/kg	<13.9	50.0	02/23/22 07:42	
n-Butylbenzene	ug/kg	<22.9	50.0	02/23/22 07:42	
n-Propylbenzene	ug/kg	<12.0	50.0	02/23/22 07:42	
Naphthalene	ug/kg	<15.6	250	02/23/22 07:42	
p-Isopropyltoluene	ug/kg	<15.2	50.0	02/23/22 07:42	
sec-Butylbenzene	ug/kg	<12.2	50.0	02/23/22 07:42	
Styrene	ug/kg	<12.8	50.0	02/23/22 07:42	
tert-Butylbenzene	ug/kg	<15.7	50.0	02/23/22 07:42	
Tetrachloroethene	ug/kg	<19.4	50.0	02/23/22 07:42	
Toluene	ug/kg	<12.6	50.0	02/23/22 07:42	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	02/23/22 07:42	
trans-1,3-Dichloropropene	ug/kg	<143	250	02/23/22 07:42	
Trichloroethene	ug/kg	<18.7	50.0	02/23/22 07:42	
Trichlorofluoromethane	ug/kg	<14.5	50.0	02/23/22 07:42	
Vinyl chloride	ug/kg	<10.1	50.0	02/23/22 07:42	
Xylene (Total)	ug/kg	<36.1	150	02/23/22 07:42	
1,2-Dichlorobenzene-d4 (S)	%	107	82-158	02/23/22 07:42	
4-Bromofluorobenzene (S)	%	102	66-153	02/23/22 07:42	
Toluene-d8 (S)	%	107	67-159	02/23/22 07:42	

LABORATORY CONTROL SAMPLE: 2356286

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2400	96	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2420	97	65-129	
1,1,2-Trichloroethane	ug/kg	2500	2450	98	70-130	
1,1-Dichloroethane	ug/kg	2500	2620	105	70-130	
1,1-Dichloroethene	ug/kg	2500	2380	95	67-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2050	82	64-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2180	87	57-119	
1,2-Dibromoethane (EDB)	ug/kg	2500	2410	96	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2520	101	70-130	
1,2-Dichloroethane	ug/kg	2500	2550	102	70-130	
1,2-Dichloropropane	ug/kg	2500	2650	106	72-118	
1,3-Dichlorobenzene	ug/kg	2500	2450	98	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2540	102	70-130	
Benzene	ug/kg	2500	2340	94	70-130	
Bromodichloromethane	ug/kg	2500	2460	98	70-130	
Bromoform	ug/kg	2500	2120	85	66-130	
Bromomethane	ug/kg	2500	3270	131	13-153	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

LABORATORY CONTROL SAMPLE: 2356286

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Carbon tetrachloride	ug/kg	2500	2440	98	73-134	
Chlorobenzene	ug/kg	2500	2600	104	70-130	
Chloroethane	ug/kg	2500	3460	138	19-170	
Chloroform	ug/kg	2500	2580	103	79-120	
Chloromethane	ug/kg	2500	1840	74	45-117	
cis-1,2-Dichloroethene	ug/kg	2500	2380	95	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2340	94	68-130	
Dibromochloromethane	ug/kg	2500	2290	92	70-130	
Dichlorodifluoromethane	ug/kg	2500	1330	53	15-135	
Ethylbenzene	ug/kg	2500	2730	109	78-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2730	109	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2040	82	65-130	
Methylene Chloride	ug/kg	2500	2600	104	70-130	
Styrene	ug/kg	2500	2730	109	70-130	
Tetrachloroethene	ug/kg	2500	2390	95	70-130	
Toluene	ug/kg	2500	2380	95	76-120	
trans-1,2-Dichloroethene	ug/kg	2500	2450	98	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2290	92	70-130	
Trichloroethene	ug/kg	2500	2430	97	70-130	
Trichlorofluoromethane	ug/kg	2500	2890	116	49-153	
Vinyl chloride	ug/kg	2500	2380	95	58-121	
Xylene (Total)	ug/kg	7500	7780	104	70-130	
1,2-Dichlorobenzene-d4 (S)	%			104	82-158	
4-Bromofluorobenzene (S)	%			108	66-153	
Toluene-d8 (S)	%			100	67-159	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

QC Batch: 408878 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV TCLP
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40240687003, 40240687009, 40240687013

METHOD BLANK: 2356353 Matrix: Water

Associated Lab Samples: 40240687003, 40240687009, 40240687013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	mg/L	<0.00058	0.0010	02/23/22 16:38	
1,2-Dichloroethane	mg/L	<0.00029	0.0010	02/23/22 16:38	
2-Butanone (MEK)	mg/L	<0.0065	0.025	02/23/22 16:38	
Benzene	mg/L	<0.00030	0.0010	02/23/22 16:38	
Carbon tetrachloride	mg/L	<0.00037	0.0010	02/23/22 16:38	
Chlorobenzene	mg/L	<0.00086	0.0010	02/23/22 16:38	
Chloroform	mg/L	<0.0012	0.0050	02/23/22 16:38	
Tetrachloroethene	mg/L	<0.00041	0.0010	02/23/22 16:38	
Trichloroethene	mg/L	<0.00032	0.0010	02/23/22 16:38	
Vinyl chloride	mg/L	<0.00017	0.0010	02/23/22 16:38	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130	02/23/22 16:38	
4-Bromofluorobenzene (S)	%	91	70-130	02/23/22 16:38	
Toluene-d8 (S)	%	97	70-130	02/23/22 16:38	

METHOD BLANK: 2356011 Matrix: Solid

Associated Lab Samples: 40240687003, 40240687009, 40240687013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	mg/L	<0.0058	0.010	02/23/22 19:13	
1,2-Dichloroethane	mg/L	<0.0029	0.010	02/23/22 19:13	
2-Butanone (MEK)	mg/L	<0.065	0.25	02/23/22 19:13	
Benzene	mg/L	<0.0030	0.010	02/23/22 19:13	
Carbon tetrachloride	mg/L	<0.0037	0.010	02/23/22 19:13	
Chlorobenzene	mg/L	<0.0086	0.010	02/23/22 19:13	
Chloroform	mg/L	<0.012	0.050	02/23/22 19:13	
Tetrachloroethene	mg/L	<0.0041	0.010	02/23/22 19:13	
Trichloroethene	mg/L	<0.0032	0.010	02/23/22 19:13	
Vinyl chloride	mg/L	<0.0017	0.010	02/23/22 19:13	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130	02/23/22 19:13	
4-Bromofluorobenzene (S)	%	92	70-130	02/23/22 19:13	
Toluene-d8 (S)	%	97	70-130	02/23/22 19:13	

LABORATORY CONTROL SAMPLE: 2356354

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	mg/L	0.05	0.046	91	85-126	
1,2-Dichloroethane	mg/L	0.05	0.057	114	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

LABORATORY CONTROL SAMPLE: 2356354

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.05	0.047	94	70-132	
Carbon tetrachloride	mg/L	0.05	0.054	108	70-130	
Chlorobenzene	mg/L	0.05	0.052	104	70-130	
Chloroform	mg/L	0.05	0.051	103	80-122	
Tetrachloroethene	mg/L	0.05	0.053	106	70-130	
Trichloroethene	mg/L	0.05	0.049	99	70-130	
Vinyl chloride	mg/L	0.05	0.041	83	63-142	
1,2-Dichlorobenzene-d4 (S)	%			97	70-130	
4-Bromofluorobenzene (S)	%			93	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE SAMPLE: 2356627

Parameter	Units	10597747001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	mg/L	<14.6 ug/L	1.2	1.1	90	76-132	
1,2-Dichloroethane	mg/L	<7.3 ug/L	1.2	1.4	109	70-130	
Benzene	mg/L	<7.4 ug/L	1.2	1.2	97	70-132	
Carbon tetrachloride	mg/L	<9.2 ug/L	1.2	1.4	108	70-132	
Chlorobenzene	mg/L	<21.4 ug/L	1.2	1.2	99	70-130	
Chloroform	mg/L	<29.6 ug/L	1.2	1.2	99	80-122	
Tetrachloroethene	mg/L	<10.2 ug/L	1.2	1.2	99	70-130	
Trichloroethene	mg/L	<8.0 ug/L	1.2	1.2	97	70-130	
Vinyl chloride	mg/L	<4.4 ug/L	1.2	1.0	80	61-143	
1,2-Dichlorobenzene-d4 (S)	%				97	70-130	
4-Bromofluorobenzene (S)	%				89	70-130	
Toluene-d8 (S)	%				97	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2356628 2356629

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40240687009 Result	Spike Conc.	Spike Conc.	MS Result								
1,1-Dichloroethene	mg/L	<0.0058	0.5	0.5	0.46	0.46	92	91	76-132	2	20		
1,2-Dichloroethane	mg/L	<0.0029	0.5	0.5	0.56	0.56	112	113	70-130	0	20		
Benzene	mg/L	<0.0030	0.5	0.5	0.49	0.49	97	97	70-132	0	20		
Carbon tetrachloride	mg/L	<0.0037	0.5	0.5	0.54	0.54	108	108	70-132	0	20		
Chlorobenzene	mg/L	<0.0086	0.5	0.5	0.50	0.50	100	101	70-130	1	20		
Chloroform	mg/L	<0.012	0.5	0.5	0.50	0.50	99	101	80-122	2	20		
Tetrachloroethene	mg/L	<0.0041	0.5	0.5	0.51	0.52	101	103	70-130	2	20		
Trichloroethene	mg/L	<0.0032	0.5	0.5	0.49	0.49	98	99	70-130	0	20		
Vinyl chloride	mg/L	<0.0017	0.5	0.5	0.41	0.39	81	78	61-143	4	20		
1,2-Dichlorobenzene-d4 (S)	%						99	99	70-130				
4-Bromofluorobenzene (S)	%						93	93	70-130				
Toluene-d8 (S)	%						99	100	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

QC Batch:	408541	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40240687001, 40240687003, 40240687004, 40240687005, 40240687006, 40240687007, 40240687008, 40240687009, 40240687010

SAMPLE DUPLICATE: 2354576

Parameter	Units	40240672001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	4.8	4.8	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

QC Batch: 408545

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40240687011, 40240687013, 40240687015, 40240687017

SAMPLE DUPLICATE: 2354600

Parameter	Units	40240736001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	13.0	12.4	4	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

QC Batch: 408983

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40240687018

SAMPLE DUPLICATE: 2356970

Parameter	Units	40241003001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	6.3	6.3	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 25221209.00 MONONA DR.

Pace Project No.: 40240687

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

S3 Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 25221209.00 MONONA DR.
Pace Project No.: 40240687

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40240687001	GB-20A S1	EPA 5035/5030B	408595	EPA 8260	408596
40240687003	GB-3A S1	EPA 5035/5030B	408595	EPA 8260	408596
40240687004	GB-3A S2	EPA 5035/5030B	408595	EPA 8260	408596
40240687005	GB-14A S1	EPA 5035/5030B	408595	EPA 8260	408596
40240687006	GB-14A S2	EPA 5035/5030B	408595	EPA 8260	408596
40240687007	GB-2A S1	EPA 5035/5030B	408595	EPA 8260	408596
40240687008	GB-2A S2	EPA 5035/5030B	408595	EPA 8260	408596
40240687009	GB-15A S1	EPA 5035/5030B	408595	EPA 8260	408596
40240687010	GB-15A S2	EPA 5035/5030B	408595	EPA 8260	408596
40240687011	GB-12A S1	EPA 5035/5030B	408595	EPA 8260	408596
40240687013	GB-6A S1	EPA 5035/5030B	408595	EPA 8260	408596
40240687015	GB-18A S1	EPA 5035/5030B	408595	EPA 8260	408596
40240687017	GB-4A S1	EPA 5035/5030B	408595	EPA 8260	408596
40240687018	GB-4A S2	EPA 5035/5030B	408867	EPA 8260	408870
40240687003	GB-3A S1	EPA 8260	408878		
40240687009	GB-15A S1	EPA 8260	408878		
40240687013	GB-6A S1	EPA 8260	408878		
40240687001	GB-20A S1	ASTM D2974-87	408541		
40240687003	GB-3A S1	ASTM D2974-87	408541		
40240687004	GB-3A S2	ASTM D2974-87	408541		
40240687005	GB-14A S1	ASTM D2974-87	408541		
40240687006	GB-14A S2	ASTM D2974-87	408541		
40240687007	GB-2A S1	ASTM D2974-87	408541		
40240687008	GB-2A S2	ASTM D2974-87	408541		
40240687009	GB-15A S1	ASTM D2974-87	408541		
40240687010	GB-15A S2	ASTM D2974-87	408541		
40240687011	GB-12A S1	ASTM D2974-87	408545		
40240687013	GB-6A S1	ASTM D2974-87	408545		
40240687015	GB-18A S1	ASTM D2974-87	408545		
40240687017	GB-4A S1	ASTM D2974-87	408545		
40240687018	GB-4A S2	ASTM D2974-87	408983		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

40240687

CHAIN-OF-CUSTODY Analytical Request Document

Pace Analytical

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

ALL SHADED AREAS are for LAB USE ONLY

Company: **SCS Engineers**

Address: **2830 Dairy Dr.**

Report To: **Eric Oelkers**

Copy To:

Billing Information: *[Signature]*

Email To: **Eoelkers@scsengineers.com**

Site Collection Info/Address: **3916-3918 Monona Dr.**

Container Preservative Type **

Lab Project Manager:

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Customer Project Name/Number: **25221209.00 Monona Dr.**

State: **WI** County/City: **Dane/Johnson** Time Zone Collected: **PT [] MT [] CT [] ET []**

Phone: **608-224-2830** Site/Facility ID #:

Email:

Compliance Monitoring? Yes No

Collected By (print): **Adam Watson** Purchase Order #: DW PWS ID #: Quote #: DW Location Code:

Collected By (signature): *[Signature]* Turnaround Date Required: Immediately Packed on Ice: Yes No

Sample Disposal: Dispose as appropriate Return Archive: Hold: Rush: Same Day Next Day 2 Day 3 Day 4 Day 5 Day (Expedite Charges Apply) Field Filtered (if applicable): Yes No Analysis:

Analyses		Lab Profile/Line:
VOC	TCLP VOC Moisture	Lab Sample Receipt Checklist:
		Custody Seals Present/Intact Y N NA
		Custody Signatures Present Y N NA
		Collector Signature Present Y N NA
		Bottles Intact Y N NA
		Correct Bottles Y N NA
		Sufficient Volume Y N NA
		Samples Received on Ice Y N NA
		VOA - Headspace Acceptable Y N NA
		USDA Regulated Soils Y N NA
		Samples in Holding Time Y N NA
		Residual Chlorine Present Y N NA
		Cl Strips: _____
		Sample pH Acceptable Y N NA
		pH Strips: _____
		Sulfide Present Y N NA
		Lead Acetate Strips: _____
		LAB USE ONLY:
		Lab Sample # / Comments:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
GB-20A S1	SL		2/15/22	1630				2
GB-20A S2	SL			1030				
GB-3A S1	SL			1105				
GB-3A S2	SL			1105				
GB-14A S1	SL			1145				
GB-14A S2	SL			1145				
GB-2A S1	SL			1230				
GB-2A S2	SL			1230				
GB-15A S1	SL			1420				
GB-15A S2	SL			1420				

Customer Remarks / Special Conditions / Possible Hazards: **Hold all other samples for possible analysis.**

Type of Ice Used: Wet Blue Dry None

Packing Material Used: **211722 MP**

Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A

Lab Tracking #: **2730863**

Samples received via: FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info:

Temp Blank Received: Y N NA

Therm ID#: _____

Cooler 1 Temp Upon Receipt: **211722 MP**

Cooler 1 Therm Corr. Factor: _____ °C

Cooler 1 Corrected Temp: _____ °C

Comments:

Relinquished by/Company: (Signature) **Adam Watson / SCS** Date/Time: **2/16/22 900**

Relinquished by/Company: (Signature) **CS Logistics** Date/Time: **2/17/22 820**

Relinquished by/Company: (Signature) _____ Date/Time: _____

Received by/Company: (Signature) _____ Date/Time: _____

Received by/Company: (Signature) **Morgan D. [Signature]** Date/Time: **2/17/22 820**

Received by/Company: (Signature) _____ Date/Time: _____

MTJL LAB USE ONLY

Table #:

Acctnum:

Template:

Prelogin:

PM:

PB:

Trip Blank Received: Y N NA

HCL MeOH TSP Other

Non Conformance(s): YES / NO

Page: **Page 49** of 52

of: _____

40240687

CHAIN-OF-CUSTODY Analytical Request Document

Company: **SCS Engineers** Billing Information: **Same**

Address: **2830**

Report To: **Eric Oelkers** Email To: **E.Oelkers@scsengineers.com**

Copy To: Site Collection Info/Address: **3916-3918 Monona Dr.**

Customer Project Name/Number: **Monona Dr. 25221209.00** State: **WI** County/City: **Dane/Madison** Time Zone Collected: **[] PT [] MT [] CT [] ET**

Phone: **608-224-2830** Site/Facility ID #: Compliance Monitoring? **[] Yes [] No**

Collected By (print): **Adam Watson** Purchase Order #: DW PWS ID #: Quote #: DW Location Code:

Collected By (signature): **[Signature]** Turnaround Date Required: Immediately Packed on Ice: **[X] Yes [] No**

Sample Disposal: [] Dispose as appropriate [] Return [] Archive: [] Hold: Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply) Field Filtered (if applicable): [] Yes **[X] No** Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
GB-12A S1	SL		2/15/22	1514				2
GB-12A S2				1514				
GB-6A S1				1545				
GB-6A S2				1545				
GB-18A S1				1615				
GB-18A S2				1615				
GB-4A S1				1705				
GB-4A S2				1705				

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

Container Preservative Type ** Lab Project Manager:

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Analyses										Lab Profile/Line:			
VOC TCF VOC Moisture										Lab Sample Receipt Checklist:			
										Custody Seals Present/Intact	Y	N	NA
										Custody Signatures Present	Y	N	NA
										Collector Signature Present	Y	N	NA
										Bottles Intact	Y	N	NA
										Correct Bottles	Y	N	NA
										Sufficient Volume	Y	N	NA
										Samples Received on Ice	Y	N	NA
										VOA - Headspace Acceptable	Y	N	NA
										USDA Regulated Soils	Y	N	NA
Samples in Holding Time	Y	N	NA										
Residual Chlorine Present	Y	N	NA										
Cl Strips:													
Sample pH Acceptable	Y	N	NA										
pH Strips:													
Sulfide Present	Y	N	NA										
Lead Acetate Strips:													
LAB USE ONLY: Lab Sample # / Comments:													

Customer Remarks / Special Conditions / Possible Hazards: **Hold all other samples for possible analysis**

Relinquished by/Company: (Signature) **Adam Watson / SCS** Date/Time: **2/16/22, 900**

Type of Ice Used: **None** SHORT HOLDS PRESENT (<72 hours): **Y N N/A**

Lab Tracking #: **2730862** Samples received via: **FEDEX UPS Client Courier Pace Courier**

Lab Sample Temperature Info: Temp Blank Received: **Y N NA** Therm ID#: **2117122**

Trip Blank Received: **Y N NA** HCL MeOH TSP Other

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: SCS Engineers

Project # 40240687

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/Time:

Pace Lab #	Glass								Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)			
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC								GN		
001																																			2.5 / 5 / 10
002																																			2.5 / 5 / 10
003																																			2.5 / 5 / 10
004																																			2.5 / 5 / 10
005																																			2.5 / 5 / 10
006																																			2.5 / 5 / 10
007																																			2.5 / 5 / 10
008																																			2.5 / 5 / 10
009																																			2.5 / 5 / 10
010																																			2.5 / 5 / 10
011																																			2.5 / 5 / 10
012																																			2.5 / 5 / 10
013																																			2.5 / 5 / 10
014																																			2.5 / 5 / 10
015																																			2.5 / 5 / 10
016																																			2.5 / 5 / 10
017																																			2.5 / 5 / 10
018																																			2.5 / 5 / 10
019																																			2.5 / 5 / 10
020																																			2.5 / 5 / 10

4/17/22 MP

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			



Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: SLS Engineers Project #: _____

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

WO#: 40240687

40240687

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used SR - 111 Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 2 iCorr: 2

Temp Blank Present: yes no Biological Tissue is Frozen: yes no.

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:
Date: 2/17/22 Initials: MP
Labeled By Initials: [Signature]

Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>pg#</u> <u>2/17/22 MP</u>
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt <input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: <input type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>	
Trip Blank Present: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMS. By releasing the project, the PM acknowledges they have reviewed the sample logir