



*Excellence through experience™*

---

709 Gillette St., Ste 3, La Crosse, WI 54603 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: [rona@metcohq.com](mailto:rona@metcohq.com) ♦ [www.metcohq.com](http://www.metcohq.com)

October 22, 2019

BRRTS #: 03-41-402801  
PECFA #: 53209-6623-35

Tim Zeichert  
Wisconsin Department of Natural Resources  
101 South Webster Street  
Madison, WI 53707

Subject: Ellis Hand Car Wash – Letter Report

Dear Mr. Zeichert,

Enclosed is the report for the Ellis Hand Car Wash and Service site located in Milwaukee, Wisconsin. **This is the 1<sup>st</sup> of 2 Reports of the Bidding Deferred work scope approved February 22, 2019.**

### **Excavation/Disposal Project**

On June 11-13, 2019, DKS Construction Services, Inc. of Menomonie, Wisconsin conducted a soil excavation/disposal project at the subject property under the supervision and direction of METCO personnel. During this project, 1,292.31 tons of contaminated soil was excavated and hauled to the Waste Management – Orchard Ridge Landfill in Menomonie Falls, Wisconsin. The excavation was conducted in the area of the removed UST's and former pump islands. The excavation consisted of an irregular shaped area measuring up to 93 feet long by 30 feet wide, and 10 feet deep. Sixteen soil samples were collected from the sidewalls at 3 and 7 feet bgs and five samples were collected from the bottom at 10 feet bgs for PVOC, Naphthalene and Lead analysis. Prior to commencing the excavation project, monitoring wells MW-1 and MW-2 were properly abandoned by METCO personnel.

### **Drilling Project**

On August 13, 2019, Geiss Soil and Samples LLC of Merrill, Wisconsin, installed two monitoring wells (MW-1R and MW-2R) under the direction and supervision of METCO personnel. Monitoring well MW-1R and MW-2R were blind drilled and installed to 13 feet. Upon completion, the monitoring wells were properly developed. Monitoring well MW-2R was dry upon completion and was not developed.

### **Investigative Waste Disposal**

On September 6, 2019, two drums of investigative waste (soil cuttings) were picked up and properly disposed of by DKS Transport Services, LLC of Menomonie, Wisconsin and hauled to the Advanced Disposal Seven Mile Creek Landfill in Eau Claire, Wisconsin.

## **Post Excavation Groundwater Monitoring Work Scope**

On September 11, 2019, METCO personnel collected groundwater samples from six monitoring wells (MW-1R, MW-2R, MW-3, MW-4, MW-5 and MW-6) for field and laboratory analysis. The monitoring wells were analyzed for PVOC, Naphthalene, with MW-1R also being sampled for Dissolved Lead. Water level, dissolved oxygen, pH, ORP, specific conductance, and temperature measurements were collected from all sampled monitoring wells. During the groundwater sampling event, the new monitoring wells (MW-1R and MW-2R) were surveyed to feet mean sea level (msl) by METCO personnel.

## **Discussion of Soil Results**

Soil Sample EX-1: Collected at a depth of 3 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-2: Collected at a depth of 7 feet bgs, showed a NR720 Groundwater RCL exceedance for Benzene (0.032 ppm).

Soil Sample EX-3: Collected at a depth 3 feet bgs, showed a NR720 Groundwater RCL exceedance for Lead (55.3 ppm).

Soil Sample EX-4: Collected at a depth of 7 feet bgs, showed NR720 Groundwater RCL exceedances for Benzene (2.12 ppm) and Naphthalene (1.76 ppm)

Soil Sample EX-5: Collected at a depth of 3 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-6: Collected at a depth of 7 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-7: Collected at a depth of 10 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-8: Collected at a depth of 3 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-9: Collected at a depth of 7 feet bgs, showed a NR720 Groundwater RCL exceedance for Benzene (0.065 ppm).

Soil Sample EX-10: Collected at a depth of 10 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-11: Collected at a depth of 3 feet bgs, showed NR720 Groundwater RCL exceedances for Lead (31.9 ppm) and Benzene (0.258 ppm)

Soil Sample EX-12: Collected at a depth of 7 feet bgs, showed a NR720 Groundwater RCL exceedance for Benzene (0.39 ppm).

Soil Sample EX-13: Collected at a depth of 10 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-14: Collected at a depth 10 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-15: Collected at a depth of 10 feet bgs showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-16: Collected at a depth of 3 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-17: Collected at a depth of 7 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-18: Collected at a depth 3 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-19: Collected at a depth of 7 feet bgs, showed a NR720 Groundwater RCL exceedance for Benzene (0.91 ppm).

Soil Sample EX-20: Collected at a depth of 3 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

Soil Sample EX-21: Collected at a depth of 7 feet bgs, showed detects but no exceedances for PVOC, Naphthalene and Lead.

### **Discussion of Groundwater Results**

Monitoring Well MW-1R: Currently shows a NR140 Enforcement Standard (ES) exceedances for Benzene (138 ppb), and Preventative Action Limit (PAL) exceedances for Dissolved Lead (3.0 ppb), Ethylbenzene (189 ppb), Naphthalene (61 ppb), and Trimethylbenzenes (279 ppb).

Monitoring Well MW-2R: Currently shows detects but no exceedances for PVOC and Naphthalene.

Monitoring Well MW-3: Currently shows a PAL exceedance for Benzene (2.03 ppb).

Monitoring Well MW-4: Currently shows no detects for PVOC and Naphthalene.

Monitoring Well MW-5: Currently shows no detects for PVOC and Naphthalene.

Monitoring Well MW-6: Currently shows no detects for PVOC and Naphthalene.

### **Conclusion/Recommendation**

Two quarterly groundwater monitoring events remain of the approved work scope with the next sampling event scheduled for early December 2019.

An Updated Detailed Site Map, Groundwater Flow Direction Map, Soil Contamination Map, Groundwater Isoconcentration Map, Data Tables, Excavation Disposal Documents, Drilling Documents, Investigative Waste Disposal Documents, and Laboratory Documents have been attached.

If you have any questions or comments please feel free to call (608-781-8879) or email at [jasonp@metcohq.com](mailto:jasonp@metcohq.com).


Sincerely,

A handwritten signature in black ink that reads "Jason T. Powell". The signature is fluid and cursive, with a long horizontal stroke extending to the left.

Jason T. Powell  
Staff Scientist

Attachments

c: Donald Miller – New Hope Missionary Baptist Church of Milwaukee Inc.





<h3>DETAILED SITE MAP</h3> <h2>ELLIS HAND CAR WASH</h2>		
<p>709 Gillette St, Suite 3 La Crosse, WI 54603 Tel: (608) 781-8879 Fax: (608) 781-8893</p>	<p>MILWAUKEE, WISCONSIN</p> <p>DRAWN BY: ED DATE: 12/15/16</p>	

- NOTE: INFORMATION BASED ON AVAILABLE DATA ACTUAL CONDITIONS MAY DIFFER
- ✕ - SOIL BORING LOCATION - CITY OF MILWAUKEE LUST SITE
  - ⊕ - FORMER MONITORING WELL LOCATION - CITY OF MILWAUKEE LUST SITE
  - ✕ - SOIL BORING LOCATION
  - — — — — - PROPERTY BOUNDARY
  - — — — — - WATER LINE
  - · — · — · — · - SEWER LINE
  - · — · — · — · - NATURAL GAS LINE
  - · — · — · — · - BURIED ELECTRIC LINE
  - · — · — · — · - OVERHEAD UTILITIES
  - · — · — · — · - TELEPHONE/CABLE LINE

AREA OF EXCAVATION TO 10 FEET BGS (JUNE 2019)

- - UTILITY POLE
- ⊙ - STREET LIGHT
- ⊕ - FIRE HYDRANT
- ⊗ - SEWER MAN HOLE
- ⊞ - STORM DRAIN







GROUNDWATER FLOW MAP 9/11/19		
ELLIS HAND CAR WASH		
	709 Gillette St. Suite 3 La Crosse, WI 54603 Tel: (608) 781-8879 Fax: (608) 781-8893	<b>MILWAUKEE, WISCONSIN</b> DRAWN BY: ED DATE: 12/15/16


- NOTE: INFORMATION BASED ON AVAILABLE DATA ACTUAL CONDITIONS MAY DIFFER
- X - SOIL BORING LOCATION - CITY OF MILWAUKEE LUST SITE
  - ⊕ - FORMER MONITORING WELL LOCATION - CITY OF MILWAUKEE LUST SITE
  - X - SOIL BORING LOCATION
  - - PROPERTY BOUNDARY
  - - - - - WATER LINE
  - · - · - · - SEWER LINE
  - · - · - · - NATURAL GAS LINE
  - - - - - BURIED ELECTRIC LINE
  - - - - - OVERHEAD UTILITIES
  - · - · - · - TELEPHONE/CABLE LINE

- [ ] - AREA OF EXCAVATION TO 10 FEET BGS (JUNE 2019)
- - UTILITY POLE
- ⊙ - STREET LIGHT
- ⊕ - FIRE HYDRANT
- ⊗ - SEWER MAN HOLE
- - STORM DRAIN





B.2.a. SOIL CONTAMINATION	
ELLIS HAND CAR WASH	
<p>709 Gillette St. Suite 3 La Crosse, WI 54603 Tel: (608) 781-8879 Fax: (608) 781-8893</p> <p>Excellence through experience</p>	MILWAUKEE, WISCONSIN
	DRAWN BY: ED
	DATE: 12/15/16




- NOTE: INFORMATION BASED ON AVAILABLE DATA ACTUAL CONDITIONS MAY DIFFER
- SOIL BORING LOCATION - CITY OF MILWAUKEE LUST SITE
  - FORMER MONITORING WELL LOCATION - CITY OF MILWAUKEE LUST SITE
  - SOIL BORING LOCATION
  - PROPERTY BOUNDARY
  - WATER LINE
  - SEWER LINE
  - NATURAL GAS LINE
  - BURIED ELECTRIC LINE
  - OVERHEAD UTILITIES
  - TELEPHONE/CABLE LINE

AREA OF EXCAVATION TO 10 FEET BGS (JUNE 2019)

ESTIMATED EXTENT OF UNSATURATED SOIL CONTAMINATION EXCEEDING THE NR720 GROUNDWATER RCL VALUES. (LEAD ONLY)

- UTILITY POLE
- STREET LIGHT
- FIRE HYDRANT
- SEWER MAN HOLE
- STORM DRAIN



FORMER GAS STATION AND CLOSED LUST SITE  
BRRTS# 03-4I-542436  
CITY OF MILWAUKEE  
4227 N TEUTONIA AVENUE

FORMER GAS TANKS  
1950 SANBORN MAP

AREA OF REMOVED LEADED GASOLINE USTS


FORMER ELLIS HAND CAR WASH  
2335 W ATKINSON AVENUE

ESTIMATED EXTENT OF UNSATURATED SOIL CONTAMINATION EXCEEDING THE NR720 GROUNDWATER RCL VALUES.

GROUNDWATER ISOCONCENTRATION MAP (9/11/19)  
 ELLIS HAND CAR WASH

METCO  
 709 Gillette St. Suite 3  
 La Crosse, WI 54603  
 Tel: (608) 781-8873  
 Fax: (608) 781-8893

MILWAUKEE, WISCONSIN  
 DRAWN BY: ED  
 DATE: 12/15/16




NOTE: INFORMATION BASED ON AVAILABLE DATA ACTUAL CONDITIONS MAY DIFFER

- X - SOIL BORING LOCATION - CITY OF MILWAUKEE LUST SITE
- ⊕ - FORMER MONITORING WELL LOCATION - CITY OF MILWAUKEE LUST SITE
- X - SOIL BORING LOCATION
- - - - - PROPERTY BOUNDARY
- - - - - WATER LINE
- - - - - SEWER LINE
- - - - - NATURAL GAS LINE
- - - - - BURIED ELECTRIC LINE
- - - - - OVERHEAD UTILITIES
- - - - - TELEPHONE/CABLE LINE

[ - ] AREA OF EXCAVATION TO 10 FEET BGS (JUNE 2019)

- - UTILITY POLE
- ⊙ - STREET LIGHT
- ⊕ - FIRE HYDRANT
- ⊗ - SEWER MAN HOLE
- ⊚ - STORM DRAIN

SCALE:  
 1 INCH = 25 FEET  
 0 25





**A.1 Groundwater Analytical Table**  
**Ellis Hand Car Wash BRRTS #03-41-402801**

**Well MW-1/1R** MW-1R 662.38  
**PVC Elevation =** 662.44 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
05/07/18	659.20	3.24	6.6	2970	820	<2.8	110	330	1065	3204
07/31/18	659.07	3.37	8.8	2680	600	<28.5	95	162	469	870-899
06/11/19	WELL ABANDONED DURING EXCAVATION PROJECT									
08/13/19	MW-1 REPLACED WITH MW-1R									
09/11/19	656.58	5.80	3.0	138	189	<0.24	61	25.8	279	295.8
<b>ENFORCEMENT STANDARD ES = Bold</b>			<b>15</b>	<b>5</b>	<b>700</b>	<b>60</b>	<b>100</b>	<b>800</b>	<b>480</b>	<b>2000</b>
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million  
 NS = not sampled NM = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well MW-2/2R** MW-2R 662.19  
**PVC Elevation =** 662.35 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
05/07/18	657.99	4.36	<0.9	7.8	1.31	<0.28	<2.1	1.26	<1.43	1.62-1.91
07/31/18	657.71	4.64	<0.8	29.3	4.8	<0.57	<1.7	5.3	2.67	4.03
06/11/19	WELL ABANDONED DURING EXCAVATION PROJECT									
08/13/19	MW-1 REPLACED WITH MW-1R									
09/11/19	656.58	5.61	NS	0.45	<0.29	<0.24	<1.3	<0.29	<1.13	<1.12
<b>ENFORCEMENT STANDARD ES = Bold</b>			<b>15</b>	<b>5</b>	<b>700</b>	<b>60</b>	<b>100</b>	<b>800</b>	<b>480</b>	<b>2000</b>
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million  
 NS = not sampled NM = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well MW-3**  
**PVC Elevation =** 662.06 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
05/07/18	658.87	3.19	<0.9	<0.22	<0.26	<0.28	<2.1	<0.19	<1.43	<0.72
07/31/18	658.61	3.45	<0.8	3.4	1.42	<0.57	<1.7	0.56	<1.48	<1.58
09/11/19	657.13	4.93	NS	2.03	0.33	<0.24	<1.3	0.33	<1.13	0.53-1.23
<b>ENFORCEMENT STANDARD ES = Bold</b>			<b>15</b>	<b>5</b>	<b>700</b>	<b>60</b>	<b>100</b>	<b>800</b>	<b>480</b>	<b>2000</b>
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million  
 NS = not sampled NM = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**A.1 Groundwater Analytical Table**  
**Ellis Hand Car Wash BRRTS #03-41-402801**

**Well MW-4**

PVC Elevation = 662.47 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
05/07/18	656.90	5.57	<0.9	<0.22	<0.26	<0.28	<2.1	<0.19	<1.43	<0.72
07/31/18	656.99	5.48	<0.8	<0.22	<0.53	<0.57	<1.7	<0.45	<1.48	<1.58
09/11/19	656.00	6.47	NS	<0.32	<0.29	<0.24	<1.3	<0.29	<1.13	<1.22
<b>ENFORCEMENT STANDARD ES = Bold</b>			<b>15</b>	<b>5</b>	<b>700</b>	<b>60</b>	<b>100</b>	<b>800</b>	<b>480</b>	<b>2000</b>
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million  
 NS = not sampled NM = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well MW-5**

PVC Elevation = 662.83 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
05/07/18	657.64	5.19	<0.9	0.35	<0.26	<0.28	<2.1	<0.19	<1.43	<0.72
07/31/18	657.40	5.43	<0.8	<b>9.9</b>	<0.53	<0.57	<1.7	0.47	<1.48	<1.58
09/11/19	655.82	7.01	NS	<0.32	<0.29	<0.24	<1.3	<0.29	<1.13	<1.22
<b>ENFORCEMENT STANDARD ES = Bold</b>			<b>15</b>	<b>5</b>	<b>700</b>	<b>60</b>	<b>100</b>	<b>800</b>	<b>480</b>	<b>2000</b>
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million  
 NS = not sampled NM = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well MW-6**

PVC Elevation = 662.40 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to water from top of PVC (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl-benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
05/07/18	655.95	6.45	<0.9	<0.22	<0.26	<0.28	<2.1	<0.19	<1.43	<0.72
07/31/18	657.37	5.03	<0.8	<0.22	<0.53	<0.57	<1.7	<0.45	<1.48	<1.58
09/11/19	656.44	5.96	NS	<0.32	<0.29	<0.24	<1.3	<0.29	<1.13	<1.22
<b>ENFORCEMENT STANDARD ES = Bold</b>			<b>15</b>	<b>5</b>	<b>700</b>	<b>60</b>	<b>100</b>	<b>800</b>	<b>480</b>	<b>2000</b>
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			<i>1.5</i>	<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>

(ppb) = parts per billion (ppm) = parts per million  
 NS = not sampled NM = not measured  
 Note: Elevations are presented in feet mean sea level (msl).



**A.2 Soil Analytical Results Table**  
**Ellis Hand Car Wash BRRTS #03-41-402801**

Sample ID	Depth (feet)	Saturation U/S	Date	PID	Lead (ppm)	DRO (ppm)	GRO (ppm)	Benzene (ppm)	Ethylbenzene (ppm)	MTBE (ppm)	Naphthalene (ppm)	Toluene (ppm)	1,2,4-Trime-thylbenzene (ppm)	1,3,5-Trime-thylbenzene (ppm)	Xylene (Total) (ppm)	Other VOC's (ppb)	DIRECT CONTACT					
																	Exceedance Count	Hazard Index	Cumulative Cancer Risk			
MW-4-1	3.5	U	03/14/18	0.5	NOT SAMPLED											0						
MW-4-2					NO RECOVERY																	
MW-4-3	12	S	03/14/18	1.8	NOT SAMPLED																	
MW-5-1	3.5	U	03/14/18	0.8	NOT SAMPLED																	
MW-5-2	8	S	03/14/18	11.9	NS	NS	NS	0.179	0.054	<0.025	0.071	0.055	0.060	0.123	0.122	NS	0					
MW-5-3	12	S	03/14/18	0.6	NOT SAMPLED																	
MW-6-1	3.5	U	03/14/18	0.7	NOT SAMPLED																	
MW-6-2	8	S	03/14/18	1.0	NOT SAMPLED																	
MW-6-3	12	S	03/14/18	0.6	NOT SAMPLED																	
MW-1-1	3.5	U	03/15/18	482	NS	NS	NS	(33)	(86)	<1.25	(36)	13.9	183	61	(304.2)*	NS	4	1.5797	3.8E-05			
MW-1-2	8	S	03/15/18	133	NS	NS	NS	5.0	0.70	<0.25	0.44	0.48	0.297	0.54	3.4-3.65	NS						
MW-1-3	12	S	03/15/18	56	NS	NS	NS	<0.025	0.0255	<0.025	0.0293	<0.025	0.050	0.0294	0.099-0.124	NS						
MW-2-1	3.5	U	03/15/18	149	NS	NS	NS	1.42	0.32	<0.025	2.36	0.253	0.26	0.41	1.215	NS	0	0.0304	1.4E-06			
MW-2-2	8	S	03/15/18	61	NS	NS	NS	0.035	0.0308	<0.025	0.038	0.051	0.044	0.038	0.0287-0.0787	NS						
MW-2-3	12	S	03/15/18	10.6	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS						
MW-3-1	3.5	U	03/15/18	2.4	NOT SAMPLED																	
MW-3-2	8	S	03/15/18	111	NOT SAMPLED																	
MW-3-3	12	S	03/15/18	6.6	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS						
DRUM COMPOSITE			03/15/18	NS	NS	NS	92	NOT SAMPLED											TCLP Lead <0.1			
EX-1	3	U	6/11/2019	0	10.4	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS	0	0.0006	2.4E-08			
EX-2	7	U	6/11/2019	40	8.10	NS	NS	0.032	<0.025	<0.025	0.079	<0.025	<0.025	<0.025	<0.075	NS						
EX-3	3	U	6/11/2019	0	55.3	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS	0	0.1389	2.4E-08			
EX-4	7	U	6/11/2019	65	15.5	NS	NS	2.12	0.313	<0.25	1.76	0.33	0.42	<0.25	0.53-0.78	NS						
EX-5	3	U	6/11/2019	0	10.6	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS	0	0.0006	2.4E-08			
EX-6	7	U	6/11/2019	80	14.3	NS	NS	<0.025	<0.025	<0.025	0.098	<0.025	<0.025	<0.025	<0.075	NS						
EX-7	10	S	06/12/19	0	6.99	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS						
EX-8	3	U	06/12/19	0	17.7	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS	0	0.0006	2.4E-08			
EX-9	7	U	06/12/19	0	8.36	NS	NS	0.065	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS						
EX-10	10	S	06/12/19	0	6.36	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS						
EX-11	3	U	06/12/19	10	31.9	NS	NS	0.258	<0.025	<0.025	0.0296	0.034	0.056	0.0274	0.093-0.118	NS	0	0.003	1.7E-07			
EX-12	7	U	06/12/19	100	6.93	NS	NS	0.39	<0.025	<0.025	<0.025	0.057	0.137	0.115	0.437	NS						
EX-13	10	S	06/12/19	0	6.55	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS						
EX-14	10	S	06/12/19	0	6.45	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS						
EX-15	10	S	06/12/19	0	6.92	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS						
EX-16	3	U	06/12/19	0	19.9	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS	0	0.0006	2.4E-08			
EX-17	7	U	06/12/19	0	6.69	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS						
EX-18	3	U	06/12/19	0	7.28	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS	0	0.0006	2.4E-08			
EX-19	7	U	06/12/19	180	9.06	NS	NS	0.91	0.078	<0.025	0.207	0.092	0.218	0.243	0.515	NS						
EX-20	3	U	06/13/19	0	16.6	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS	0	0.0006	2.4E-08			
EX-21	7	U	06/13/19	15	7.43	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.075	NS						
Groundwater RCL				27	-	-	-	0.0051	1.57	0.027	0.6582	1.1072	1.3787	3.96	-	-						
Non-Industrial Direct Contact RCL				400	-	-	-	1.6	8.02	63.8	5.52	818	219	182	260	-	1.00E+00	1.00E-05				
Industrial Direct Contact RCL				(800)	-	-	-	(7.07)	(35.4)	(282)	(24.1)	(818)	(219)	(182)	(260)	-	1.00E+00	1.00E-05				
Soil Saturation Concentration (C-sat)*				-	-	-	-	1820*	480*	8870*	-	818*	219*	182*	260*	-	-	-				

**Bold** = Groundwater RCL Exceedance  
**Bold & Underline** = Non Industrial Direct Contact RCL Exceedance  
**Bold & Parentheses** = Industrial Direct Contact RCL Exceedance  
**Bold & Asteric \*** = C-sat Exceedance  
 NS = Not Sampled      NM = Not Measured  
 (ppm) = parts per million      ND = No Detects  
 DRO = Diesel Range Organics  
 GRO = Gasoline Range Organics  
 PID = Photoionization Detector  
 PVOC's = Petroleum Volatile Organic Compounds  
 VOC's = Volatile Organic Compounds  
**Note: Non-Industrial RCLs apply to this site.**

U=UNSATURATED (BASED ON ALL TIME LOW WATER TABLE PER WDNR)  
 S=SATURATED (BASED ON ALL TIME LOW WATER TABLE PER WDNR)

**A.6 Water Level Elevations**  
**Ellis Hand Car Wash BRRTS #03-41-402801**  
**West Allis, Wisconsin**

	MW-1	MW-1R	MW-2	MW-2R	MW-3	MW-4	MW-5	MW-6
<b>Ground Surface (feet msl)</b>	662.87	662.80	662.83	662.55	662.43	662.76	663.12	662.78
<b>PVC top (feet msl)</b>	662.44	662.38	662.35	662.19	662.06	662.47	662.83	662.40
<b>Well Depth (feet)</b>	14.00	13.00	14.00	13.00	14.00	14.00	14.00	14.00
<b>Top of screen (feet msl)</b>	658.87	659.80	658.83	659.55	658.43	658.76	659.12	658.78
<b>Bottom of screen (feet msl)</b>	648.87	649.80	648.83	649.55	648.43	648.76	649.12	648.78

**Depth to Water From Top of PVC (feet)**

<b>05/07/18</b>	3.24	NI	4.36	NI	3.19	5.57	5.19	6.45
<b>07/31/18</b>	3.37	NI	4.64	NI	3.45	5.48	5.43	5.03
<b>09/11/19</b>	A	5.80	A	5.61	4.93	6.47	7.01	5.96

**Depth to Water From Ground Surface (feet)**

<b>05/07/18</b>	3.67	NI	4.84	NI	3.56	5.86	5.48	6.83
<b>07/31/18</b>	3.80	NI	5.12	NI	3.82	5.77	5.72	5.41
<b>09/11/19</b>	A	6.22	A	5.97	5.30	6.76	7.30	6.34

**Groundwater Elevation (feet msl)**

<b>05/07/18</b>	659.20	NI	657.99	NI	658.87	656.90	657.64	655.95
<b>07/31/18</b>	659.07	NI	657.71	NI	658.61	656.99	657.40	657.37
<b>09/11/19</b>	A	656.58	A	656.58	657.13	656.00	655.82	656.44

CNL = Could Not Locate

A = Abandoned and removed during soil excavation project

NI = Not Installed

NM = Not Measured

**A.7 Other**  
**Groundwater NA Indicator Results**  
**Ellis Hand Car Wash BRRTS #03-41-402801**

**Well MW-1/1R**

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp ( C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
05/07/18	0.35	7.20	186.0	10.2	664	<0.36	34.0	0.04	1800
07/31/18	2.56	7.12	55.1	23.2	1288	NS	NS	NS	NS
06/11/19	WELL ABANDONED DURING EXCAVATION PROJECT								
08/13/19	MW-1 REPLACED WITH MW-1R								
09/11/19	0.90	7.63	5.1	18.81	2718	NS	NS	NS	NS
ENFORCEMENT STANDARD = <b>ES – Bold</b>						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million  
 NS = not sampled NM = not measured ORP = Oxidation Reduction Potential  
 Note: Elevations are presented in feet mean sea level (msl).

**Well MW-2/2R**

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp ( C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
05/07/18	0.60	7.29	202.0	10.6	0.80	<0.036	106	0.04	1120
07/31/18	2.75	7.02	59.1	20.1	1228	NS	NS	NS	NS
06/11/19	WELL ABANDONED DURING EXCAVATION PROJECT								
08/13/19	MW-2 REPLACED WITH MW-2R								
09/11/19	1.31	7.16	138.3	19.36	3798	NS	NS	NS	NS
ENFORCEMENT STANDARD = <b>ES – Bold</b>						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million  
 NS = not sampled NM = not measured ORP = Oxidation Reduction Potential  
 Note: Elevations are presented in feet mean sea level (msl).

**Well MW-3**

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp ( C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
05/07/18	4.01	7.36	211.0	8.4	0.80	<0.36	52.6	<0.03	1310
07/31/18	2.73	7.07	58.0	22.5	1350	NS	NS	NS	NS
09/11/19	0.88	7.35	-110.1	19.66	1856	NS	NS	NS	NS
ENFORCEMENT STANDARD = <b>ES – Bold</b>						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million  
 NS = not sampled NM = not measured ORP = Oxidation Reduction Potential  
 Note: Elevations are presented in feet mean sea level (msl).

**A.7 Other**  
**Groundwater NA Indicator Results**  
**Ellis Hand Car Wash BRRTS #03-41-402801**

**Well MW-4**

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp ( C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
05/07/18	16.60	7.42	195.0	9.9	994	<0.36	132	0.15	876
07/31/18	2.62	6.79	57.7	20.80	2331	NS	NS	NS	NS
09/11/19	0.91	7.37	214.5	20.00	2662	NS	NS	NS	NS
<b>ENFORCEMENT STANDARD = ES – Bold</b>						<b>10</b>	-	-	<b>300</b>
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						<b>2</b>	-	-	<b>60</b>

(ppb) = parts per billion (ppm) = parts per million  
 NS = not sampled NM = not measured ORP = Oxidation Reduction Potential  
 Note: Elevations are presented in feet mean sea level (msl).

**Well MW-5**

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp ( C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
05/07/18	2.04	7.27	239.0	8.9	0.70	0.59	69.9	<0.03	1590
07/31/18	2.88	7.01	58.3	18.00	1529	NS	NS	NS	NS
09/11/19	0.93	7.21	-60.8	18.77	1521	NS	NS	NS	NS
<b>ENFORCEMENT STANDARD = ES – Bold</b>						<b>10</b>	-	-	<b>300</b>
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						<b>2</b>	-	-	<b>60</b>

(ppb) = parts per billion (ppm) = parts per million  
 NS = not sampled NM = not measured ORP = Oxidation Reduction Potential  
 Note: Elevations are presented in feet mean sea level (msl).

**Well MW-6**

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp ( C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
05/07/18	6.20	7.38	224.0	9.3	0.90	<0.36	124	<0.03	1270
07/31/18	2.70	6.70	58.1	20.23	1628	NS	NS	NS	NS
09/11/19	1.46	7.32	257.4	20.40	1736	NS	NS	NS	NS
<b>ENFORCEMENT STANDARD = ES – Bold</b>						<b>10</b>	-	-	<b>300</b>
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						<b>2</b>	-	-	<b>60</b>

(ppb) = parts per billion (ppm) = parts per million  
 NS = not sampled NM = not measured ORP = Oxidation Reduction Potential  
 Note: Elevations are presented in feet mean sea level (msl).

# Invoice

**DKS CONSTRUCTION SERVICES, INC**  
 2520 WILSON STREET  
 MENOMONIE, WI 54751

Date	Invoice #
6/14/2019	4206

Bill To

METCO  
 % Donald Miller  
 709 GILLETTE ST  
 LACROSSE, WI 54603

P.O. No.	Terms	Due Date	Project
	Net 30	7/14/2019	

Quantity	Description	Rate	Amount
	Jobsite: New Hope Missionary Baptist Church 2335 W Atkinson Ave, Milwaukee WI		
1	Mobilization (LS)	3,250.00	3,250.00
1	Excavate Concrete (LS)	750.00	750.00
1	Haul Concrete (LS)	1,800.00	1,800.00
1	Concrete Disposal (LS)	750.00	750.00
1,292.31	Excavate C-Soil (Tons)	3.50	4,523.09
1,292.31	Haul C-Soil (Tons)	16.00	20,676.96
1,292.31	Soil Disposal (Tons)	23.50	30,369.29
1,137.31	Fill (Tons)	15.25	17,343.98
155	Rock (Tons)	18.00	2,790.00
1,292.31	Backfill & Compact (Tons)	2.25	2,907.70
	Work Completed on 06/11/2019, 06/12/2019, 06/13/2019 WI & Dunn Sales Tax	5.50%	0.00

*OK*  
  
 6/17/19

Phone # 7152352600

**Total** \$85,161.02

A 1.5% Interest fee may be charged to invoices past Due Date stated on the invoice. Interest charges may be billed on first day past Due Date on invoice.



# Ellis Hand Car Wash

## Customer Summary Report

Criteria: 03/01/2019 12:00 AM to 06/13/2019 11:59 PM

Business Unit Name: Orchard Ridge RDF - S03953 (USA)

Profile: BIO130995WI

Ticket Date	Ticket ID	Manifest	Truck	Tons
6/11/2019	1748991	7852777	74	17.24
6/11/2019	1748993	7852776	52	21.63
6/11/2019	1748994	7852771	46	19.54
6/11/2019	1749067	7852778	74	22.34
6/11/2019	1749071	7852775	46	21.53
6/11/2019	1749076	7852773	52	18.91
6/11/2019	1749134	7852779	74	20.99
6/11/2019	1749139	7852774	46	22.59
6/11/2019	1749161	7852772	52	24.53
6/12/2019	1749265	7852794	52	22.13
6/12/2019	1749266	7852750	46	22.47
6/12/2019	1749284	7852741	23	23.88
6/12/2019	1749289	7852742	65	22.99
6/12/2019	1749292	7852764	70	23.95
6/12/2019	1749295	7852770	64	22.67
6/12/2019	1749320	see	23	21.88
6/12/2019	1749328	7852745	46	22.12
6/12/2019	1749332	7852793	52	26.06
6/12/2019	1749346	7852743	65	17.86
6/12/2019	1749349	7852769	64	16.44
6/12/2019	1749363	7852697	23	23.05
6/12/2019	1749390	7852754	52	25.9
6/12/2019	1749394	7852763	22	22.37
6/12/2019	1749409	7852768	64	18.48
6/12/2019	1749412	7852698	23	22.54
6/12/2019	1749449	7852762	22	24.1
6/12/2019	1749455	7852748	46	22.56
6/12/2019	1749464	7852756	65	23.85
6/12/2019	1749466	7852753	52	22.68
6/12/2019	1749473	7852699	23	23.71
6/12/2019	1749475	7852767	64	20.19
6/12/2019	1749486	7852701	46	21.63
6/12/2019	1749493	7852761	22	21.42
6/12/2019	1749509	7852757	65	19.65
6/12/2019	1749513	7852751	52	24.82
6/12/2019	1749519	7852700	23	21.93
6/12/2019	1749528	7852766	64	18.88
6/12/2019	1749549	7852760	22	22.18
6/12/2019	1749552	7852747	46	22.49

6/12/2019	1749567	7852758	65	20.79
6/12/2019	1749579	7852781	23	20.64
6/12/2019	1749591	7852752	52	23.66
6/12/2019	1749593	7852765	64	20.22
6/12/2019	1749609	7852759	22	19.49
6/12/2019	1749627	7852789	46	21.65
6/12/2019	1749630	7852789	65	22.35
6/12/2019	1749635	7852780	23	23.33
6/12/2019	1749652	7852787	64	22.16
6/12/2019	1749661	7852784	52	24.14
6/12/2019	1749677	7852702	46	25.22
6/12/2019	1749680	7852782	65	22.31
6/12/2019	1749687	7852790	22	19.4
6/13/2019	1749706	7852792	52	26.58
6/13/2019	1749708	7852746	46	27.19
6/13/2019	1749730	7852712	23	25.01
6/13/2019	1749763	7852786	46	23.93
6/13/2019	1749766	7852791	52	26.28
6/13/2019	1749770	7852711	23	23.78
<b>Material</b>				
<b>Total</b>	58			1292.31
<b>Customer</b>				
<b>Total</b>	58			1292.31
<b>Ticket Totals</b>	58			1292.31

← 1292.31 tax

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**[x] Verification Only of Fill and Seal**

Route to:  Drinking Water  Watershed/Wastewater  Remediation/Redevelopment  
 Waste Management  Other: \_\_\_\_\_

<b>1. Well Location Information</b>				<b>2. Facility / Owner Information</b>			
County <b>MILWAUKEE</b>		WI Unique Well # of Removed Well <b>WA125</b>		Hicap #		Facility Name <b>Ellis Hand Car Wash</b>	
Latitude / Longitude (Degrees and Minutes) <b>43 . 5.6 'N</b> <b>87 . 56.48 'W</b>				Method Code (see instructions)			
Facility ID (FID or PWS) <b>341070620</b>		Section <b>6</b>		Township <b>7 N</b>		Range <b>22 [x] E</b>	
Well Street Address <b>2335 WATKINSON AVE</b>				Original Well Owner <b>Donald Miller (New Hope Missionar)</b>			
Well City, Village or Town <b>Milwaukee</b>				Present Well Owner <b>Donald Miller (New Hope Missionar)</b>			
Subdivision Name				Mailing Address of Present Owner <b>2433 W. Roosevelt Dr.</b>			
Well ZIP Code <b>53209-</b>				City of Present Owner <b>Milwaukee</b>		State <b>WI</b>	ZIP Code <b>53209-</b>
Reason For Removal From Service <b>Sampling Complete</b>				WI Unique Well # of Replacement Well			

<b>3. Well / Drillhole / Borehole Information</b>				<b>4. Pump, Liner, Screen, Casing &amp; Sealing Material</b>			
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) <b>3/15/2018</b>		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____				Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) <b>14</b>		Casing Diameter (in.) <b>2</b>		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		If yes, was hole relotted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lower Drillhole Diameter (in.) <b>7.6</b>		Casing Depth (ft.) <b>3.8</b>		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <b>Gravity</b>			
If yes, to what depth (feet)? <b>11</b>		Depth to Water (feet) <b>3.3</b>		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			

<b>5. Material Used To Fill Well / Drillhole</b>				
Bentonite chips		From (ft.) <b>Surface</b>	To (ft.) <b>15.2</b>	<b>22.5</b>
<b>6. Comments</b> Monitoring Well MW-1				

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Jaoson Powell/METCO</b>		License #	Date of Filling & Sealing (mm/dd/yyyy) <b>6/11/2019</b>	Date Received	Noted By
Street or Route <b>709 Gillette St., ste. 3</b>			Telephone Number <b>( 608 ) 781-8879</b>	Comments	
City <b>La Crosse</b>	State <b>WI</b>	ZIP Code <b>54603-</b>	Signature of Person Doing Work <i>Jaoson Powell</i>	Date Signed <b>8-19-19</b>	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

<b>1. Well Location Information</b>				<b>2. Facility / Owner Information</b>			
County <b>MILWAUKEE</b>		WI Unique Well # of Removed Well <b>WA125</b>		Hicap #		Facility Name <b>Ellis Hand Car Wash</b>	
Latitude / Longitude (Degrees and Minutes) <b>43 . 5.6 ' N</b>		Method Code (see instructions)		Facility ID (FID or PWS) <b>341070620</b>		License/Permit/Monitoring #	
<b>87 . 56.48 ' W</b>				Original Well Owner <b>Donald Miller (New Hope Missionar)</b>		Present Well Owner <b>Donald Miller (New Hope Missionar)</b>	
1/4 SW    1/4 SW or Gov't Lot #		Section <b>6</b>		Township <b>7 N</b>		Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W <b>22</b>	
Well Street Address <b>2335 W ATKINSON AVE</b>				Mailing Address of Present Owner <b>2433 W. Roosevelt Dr.</b>			
Well City, Village or Town <b>Milwaukee</b>				Well ZIP Code <b>53209-</b>			
Subdivision Name				Lot #		City of Present Owner <b>Milwaukee</b>	
				State <b>WI</b>		ZIP Code <b>53209-</b>	

Reason For Removal From Service <b>Sampling Complete</b>		WI Unique Well # of Replacement Well		<b>4. Pump, Liner, Screen, Casing &amp; Sealing Material</b>			
<b>3. Well / Drillhole / Borehole Information</b>		Original Construction Date (mm/dd/yyyy) <b>3/15/2018</b>		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Monitoring Well		If a Well Construction Report is available, please attach.		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well				Screen removed?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Borehole / Drillhole				Casing left in place?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type:				Was casing cut off below surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Other (specify): _____				Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
				If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Formation Type:		Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Total Well Depth From Ground Surface (ft.) <b>14</b>		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <b>Gravity</b>	
Casing Diameter (in.) <b>2</b>		Sealing Materials	
Lower Drillhole Diameter (in.) <b>7.6</b>		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
Casing Depth (ft.) <b>3.8</b>		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry	
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
If yes, to what depth (feet)? <b>11</b>		For Monitoring Wells and Monitoring Well Boreholes Only:	
Depth to Water (feet) <b>4.3</b>		<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole			From (ft.)	To (ft.)	
Bentonite chips			Surface	15.2	24.5

**6. Comments**  
Monitoring Well MW-2

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person or Firm Doing Filling & Sealing <b>Jason Powell/METCO</b>		License #		Date Received	
Date of Filling & Sealing (mm/dd/yyyy) <b>6/11/2019</b>		Noted By			
Street or Route <b>709 Gillette St., ste. 3</b>			Telephone Number <b>(608) 781-8879</b>		Comments
City <b>La Crosse</b>		State <b>WI</b>		ZIP Code <b>54603-</b>	
Signature of Person Doing Work <i>Jason Powell</i>				Date Signed <b>8-19-19</b>	

Facility/Project Name: Ellis Hand Car Wash Local Grid Location of Well: \_\_\_\_\_ ft.  N. \_\_\_\_\_ ft.  E. \_\_\_\_\_ ft.  S. \_\_\_\_\_ ft.  W.

Facility License, Permit or Monitoring No.: \_\_\_\_\_ Local Grid Origin  (estimated: ) or Well Location  Lat. \_\_\_\_\_ " Long. \_\_\_\_\_ " or \_\_\_\_\_ " or \_\_\_\_\_ "

Facility ID: \_\_\_\_\_ St. Plane \_\_\_\_\_ ft. N. \_\_\_\_\_ ft. E. S/C/N \_\_\_\_\_

Type of Well: \_\_\_\_\_ Well Code: 11 / MW Section Location of Waste/Source: \_\_\_\_\_ 1/4 of \_\_\_\_\_ 1/4 of Sec. \_\_\_\_\_ T. \_\_\_\_\_ N, R. \_\_\_\_\_  E  W

Distance from Waste/Source \_\_\_\_\_ ft. Enf. Stds. Apply  Location of Well Relative to Waste/Source: u  Upgradient s  Sidegradient d  Downgradient n  Not Known Gov. Lot Number \_\_\_\_\_

Well Name: MW-1R Unique Well No.: W1B733 DNR Well ID No.: \_\_\_\_\_ Date Well Installed: 08/13/2019 Well Installed By: Name (first, last) and Firm: Darrin Prentice Geiss Soil & Samples LLC

A. Protective pipe, top elevation \_\_\_\_\_ ft. MSL

B. Well casing, top elevation \_\_\_\_\_ ft. MSL

C. Land surface elevation \_\_\_\_\_ ft. MSL

D. Surface seal, bottom \_\_\_\_\_ ft. MSL or 0 ft.

12. USCS classification of soil near screen:  
 GP  GM  GC  GW  SW  SP   
 SM  SC  ML  MH  CL  CH   
 Bedrock

13. Sieve analysis performed?  Yes  No

14. Drilling method used: Rotary  50  
 Hollow Stem Auger  41  
 Other

15. Drilling fluid used: Water  02 Air  01  
 Drilling Mud  03 None  99

16. Drilling additives used?  Yes  No

Describe \_\_\_\_\_

17. Source of water (attach analysis, if required): \_\_\_\_\_

E. Bentonite seal, top \_\_\_\_\_ ft. MSL or 8 ft.

F. Fine sand, top \_\_\_\_\_ ft. MSL or 2.5 ft.

G. Filter pack, top \_\_\_\_\_ ft. MSL or 2.8 ft.

H. Screen joint, top \_\_\_\_\_ ft. MSL or 3 ft.

I. Well bottom \_\_\_\_\_ ft. MSL or 13 ft.

J. Filter pack, bottom \_\_\_\_\_ ft. MSL or 14 ft.

K. Borehole, bottom \_\_\_\_\_ ft. MSL or 14 ft.

L. Borehole, diameter 8.25 in.

M. O.D. well casing 2.40 in.

N. I.D. well casing 2.06 in.

1. Cap and lock?  Yes  No

2. Protective cover pipe:  
 a. Inside diameter: 8 in.  
 b. Length: \_\_\_\_\_ ft.  
 c. Material: Steel  04  
 Other

d. Additional protection?  Yes  No  
 If yes, describe: \_\_\_\_\_

3. Surface seal:  
 Bentonite  30  
 Concrete  01  
 Other

4. Material between well casing and protective pipe:  
 Bentonite  30  
 Other

5. Annular space seal:  
 a. Granular/Chipped Bentonite  33  
 b. \_\_\_\_\_ Lbs/gal mud weight . . . Bentonite-sand slurry  35  
 c. \_\_\_\_\_ Lbs/gal mud weight . . . . . Bentonite slurry  31  
 d. \_\_\_\_\_ % Bentonite . . . . . Bentonite-cement grout  50  
 e. \_\_\_\_\_ Ft<sup>3</sup> volume added for any of the above  
 f. How installed: Tremie  01  
 Tremie pumped  02  
 Gravity  08

6. Bentonite seal:  
 a. Bentonite granules  33  
 b.  1/4 in.  3/8 in.  1/2 in. Bentonite chips  32  
 c. \_\_\_\_\_ Other

7. Fine sand material: Manufacturer, product name & mesh size  
 a. #20 Red Flint  
 b. Volume added \_\_\_\_\_ ft<sup>3</sup>

8. Filter pack material: Manufacturer, product name & mesh size  
 a. #40 Red Flint  
 b. Volume added \_\_\_\_\_ ft<sup>3</sup>

9. Well casing: Flush threaded PVC schedule 40  23  
 Flush threaded PVC schedule 80  24  
 Other

10. Screen material: PVC  
 a. Screen type: Factory cut  11  
 Continuous slot  01  
 Other   
 b. Manufacturer Johnson  
 c. Slot size: 0.010 in.  
 d. Slotted length: 10 ft.

11. Backfill material (below filter pack): None  14  
 Other


I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: Darrin Prentice Firm: Geiss Soil & Samples LLC

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name: Ellis Hand Carwash Local Grid Location of Well: \_\_\_\_\_ ft.  N.  S.  E.  W.  
 Facility License, Permit or Monitoring No.: \_\_\_\_\_ Local Grid Origin  (estimated: ) or Well Location   
 Lat. \_\_\_\_\_ " Long. \_\_\_\_\_ " or \_\_\_\_\_ " or \_\_\_\_\_ "  
 Facility ID: \_\_\_\_\_ St. Plane \_\_\_\_\_ ft. N. \_\_\_\_\_ ft. E. S/C/N \_\_\_\_\_  
 Section Location of Waste/Source: \_\_\_\_\_ 1/4 of \_\_\_\_\_ 1/4 of Sec. \_\_\_\_\_ T. \_\_\_\_\_ N, R. \_\_\_\_\_  E  W  
 Type of Well: \_\_\_\_\_ Well Code: 11, MW  
 Distance from Waste/Source \_\_\_\_\_ ft. Enf. Stds. Apply  Location of Well Relative to Waste/Source: u  Upgradient s  Sidogradient d  Downgradient n  Not Known Gov. Lot Number \_\_\_\_\_  
 Well Name: MW-2R Wjs. Unique Well No.: WB734 DNR Well ID No.: \_\_\_\_\_  
 Date Well Installed: 08/13/2019  
 Well Installed By: Name (first, last), and Firm: Darrin Prentice  
Geiss Soil & Samples LLC

A. Protective pipe, top elevation \_\_\_\_\_ ft. MSL  
 B. Well casing, top elevation \_\_\_\_\_ ft. MSL  
 C. Land surface elevation \_\_\_\_\_ ft. MSL  
 D. Surface seal, bottom \_\_\_\_\_ ft. MSL or 0 ft.  
 12. USCS classification of soil near screen:  
 GP  GM  GC  GW  SW  SP   
 SM  SC  ML  MH  CL  CH   
 Bedrock   
 13. Sieve analysis performed?  Yes  No  
 14. Drilling method used: Rotary  50  
 Hollow Stem Auger  41  
 Other   
 15. Drilling fluid used: Water  02 Air  01  
 Drilling Mud  03 None  99  
 16. Drilling additives used?  Yes  No  
 Describe \_\_\_\_\_  
 17. Source of water (attach analysis, if required): \_\_\_\_\_



E. Bentonite seal, top \_\_\_\_\_ ft. MSL or 8 ft.  
 F. Fine sand, top \_\_\_\_\_ ft. MSL or 2.5 ft.  
 G. Filter pack, top \_\_\_\_\_ ft. MSL or 2.8 ft.  
 H. Screen joint, top \_\_\_\_\_ ft. MSL or 3 ft.  
 I. Well bottom \_\_\_\_\_ ft. MSL or 13 ft.  
 J. Filter pack, bottom \_\_\_\_\_ ft. MSL or 14 ft.  
 K. Borehole, bottom \_\_\_\_\_ ft. MSL or 14 ft.  
 L. Borehole, diameter 8.25 in.  
 M. O.D. well casing 2.40 in.  
 N. I.D. well casing 2.06 in.

1. Cap and lock?  Yes  No  
 2. Protective cover pipe:  
 a. Inside diameter: 8 in.  
 b. Length: 1 ft.  
 c. Material: Steel  04  
 Other   
 d. Additional protection?  Yes  No  
 If yes, describe: \_\_\_\_\_  
 3. Surface seal: Bentonite  30  
 Concrete  01  
 Other   
 4. Material between well casing and protective pipe: Bentonite  30  
 Other   
 5. Annular space seal: a. Granular/Chipped Bentonite  33  
 b. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite-sand slurry  35  
 c. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite slurry  31  
 d. \_\_\_\_\_ % Bentonite ... Bentonite-cement grout  50  
 e. \_\_\_\_\_ Ft<sup>3</sup> volume added for any of the above  
 f. How installed: Tremie  01  
 Tremie pumped  02  
 Gravity  08  
 6. Bentonite seal: a. Bentonite granules  33  
 b.  1/4 in.  3/8 in.  1/2 in. Bentonite chips  32  
 c. \_\_\_\_\_ Other   
 7. Fine sand material: Manufacturer, product name & mesh size  
 a. #20 Red Flint  
 b. Volume added \_\_\_\_\_ ft<sup>3</sup>  
 8. Filter pack material: Manufacturer, product name & mesh size  
 a. #40 Red Flint  
 b. Volume added \_\_\_\_\_ ft<sup>3</sup>  
 9. Well casing: Flush threaded PVC schedule 40  23  
 Flush threaded PVC schedule 80  24  
 Other   
 10. Screen material: PVC  
 a. Screen type: Factory cut  11  
 Continuous slot  01  
 Other   
 b. Manufacturer Johnson  
 c. Slot size: 0.010 in.  
 d. Slotted length: 10 ft.  
 11. Backfill material (below filter pack): None  14  
 Other

I hereby certify that the information on this form is true and correct to the best of my knowledge.  
 Signature: Darrin Prentice Firm: Geiss Soil & Samples LLC

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name Ellis Hand Car Wash	County Name MILWAUKEE	Well Name MW-1R
Facility License, Permit or Monitoring Number 341070620	County Code 41	Wis. Unique Well Number WB733
		DNR Well ID Number _____

1. Can this well be purged dry?  Yes  No
2. Well development method
- surged with bailer and bailed  4 1
  - surged with bailer and pumped  6 1
  - surged with block and bailed  4 2
  - surged with block and pumped  6 2
  - surged with block, bailed and pumped  7 0
  - compressed air  2 0
  - bailed only  1 0
  - pumped only  5 1
  - pumped slowly  5 0
  - Other  \_\_\_\_\_
3. Time spent developing well 30 min.
4. Depth of well (from top of well casing) 13 ft.
5. Inside diameter of well 2 in.
6. Volume of water in filter pack and well casing 7.2 gal.
7. Volume of water removed from well 20 gal.
8. Volume of water added (if any) \_\_\_\_\_ gal.
9. Source of water added \_\_\_\_\_
10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

- |   | Before Development   | After Development  |
|---|--|--|
| 11. Depth to Water (from top of well casing)                              | a. <u>6.41</u> ft.   | <u>12.43</u> ft.   |
| Date  | b. <u>08</u> / <u>13</u> / <u>2019</u>   | <u>8</u> / <u>13</u> / <u>2019</u>   |
| Time  | c. <u>12</u> : <u>00</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.                      | <u>12</u> : <u>30</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.                     |
| 12. Sediment in well bottom   | _____ inches   | _____ inches   |
| 13. Water clarity   | Clear <input type="checkbox"/> 1 0<br>Turbid <input checked="" type="checkbox"/> 1 5<br>(Describe)<br>Tan/Gray _____ | Clear <input type="checkbox"/> 2 0<br>Turbid <input checked="" type="checkbox"/> 2 5<br>(Describe)<br>Gray _____ |
|   | Petro Odor _____   | Petro Odor _____   |
|   | High Turbidity _____   | Low Turbidity _____  |
| Fill in if drilling fluids were used and well is at solid waste facility: |  |  |
| 14. Total suspended solids  | _____ mg/l   | _____ mg/l   |
| 15. COD   | _____ mg/l   | _____ mg/l   |
| 16. Well developed by: Name (first, last) and Firm                        |  |  |
| First Name:   | Kaylin   | Last Name: Felix   |
| Firm:   | METCO  |  |

17. Additional comments on development:

Name and Address of Facility Contact /Owner/Responsible Party


First Name: Donald Last Name: Miller

Facility/Firm: New Hope Missionary Baptist Church

Street: 2335 W Atkinson Ave

City/State/Zip: Milwaukee WI 53209-

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: 

Print Name: Kaylin Felix

Firm: METCO

Route To: \_\_\_\_\_ Watershed / Wastewater: \_\_\_\_\_ Waste Management: \_\_\_\_\_  
Remediation / Redevelopment:  Other: \_\_\_\_\_

Facility / Project Name Ellis Hand Car Wash		License / Permit / Monitoring Number			Boring Number MW-1R
Boring Drilled By: Name of crew chief (first, last) and Firm First: Darrin Last: Prentice Firm: Geiss Soil & Samples LLC.		Drilling Date Started 08/13/2019 MM/DD/YYYY	Drilling Date Completed 08/13/2019 MM/DD/YYYY	Drilling Method H.S.A	
WI Unique Well No. WB733	DNR Well ID No. MW-1R	Well Name	Final Static Water Level	Surface Elevation 675 feet MSL	Borehole Diameter 8 inches
Local Grid Origin (estimated X) or Boring Location State Plane N, E SW ¼ of SW ¼ of Section 6, T 7 N, R 22 E			Local Grid Location Lat 43° 5' 36 N Long 87° 56' 29 W Feet S Feet W		
Facility ID 341070620	County Milwaukee	County Code 41	Civil Town / City / Village Milwaukee		

Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	Soil Properties						RQD / Comments	
								PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
			2 4 6 8 10 12 14 16 18 20	Gravel			See Well Construction Form								
				MW-1R blind drilled to 14ft bgs. Well set to 13 ft bgs with a 10 ft screen.											

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: *[Handwritten Signature]*

Firm: **METCO**



Route To:

Watershed / Wastewater:  
Remediation / Redevelopment:

Waste Management:  
Other:

Facility / Project Name <b>Ellis Hand Car Wash</b>		License / Permit / Monitoring Number			Boring Number <b>MW-2R</b>
Boring Drilled By: Name of crew chief (first, last) and Firm First: Darrin Last: Prentice Firm: Geiss Soil & Samples LLC.		Drilling Date Started 08/13/2019 MM/ DD/ YYYY	Drilling Date Completed 08/13/2019 MM/ DD/ YYYY	Drilling Method H.S.A	
Wi Unique Well No. <b>WB734</b>	DNR Well ID No.	Well Name <b>MW-2R</b>	Final Static Water Level	Surface Elevation <b>675 feet MSL</b>	Borehole Diameter <b>8 inches</b>
Local Grid Origin (estimated X) or Boring Location State Plane N, E SW ¼ of SW ¼ of Section 6, T 7 N, R 22 E			Local Grid Location Lat 43° 5' 36 N Long 87° 56' 29 W Feet S Feet W		
Facility ID <b>341070620</b>	County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town / City / Village <b>Milwaukee</b>		

Sample				Soil Properties										
Number & Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil / Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID / FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD / Comments
			2 4 6 8 10 12 14 16 18 20	Gravel			<b>See Well Construction Form</b>							
				MW-2R blind drilled to 14ft bgs. Well set to 13 ft bgs with a 10 ft screen. Well was dry upon completion.										

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: *[Handwritten Signature]*

Firm: **METCO**

**DKS Transport Services, LLC**  
 N7349 548th Street  
 Menomonie, WI 54751  
 715-556-2604


**INVOICE**

9-6 2019

**CUSTOMER**  
 MATCO % Donald Miller  
 709 Gillette St  
 La Crosse WI 54603


**JOB NAME**  
 New Hope Missionary Baptist Church  
 2335 W Atkinson Ave  
 Milwaukee WI

CASH  CHECK #  **IN-HOUSE ACCOUNT** (Ellis Hand Car Wash)

QUANTITY		DESCRIPTION	QTY.	UNIT PRICE		AMOUNT	
DATE	SHIPPED						
	1	Mobilizer	1	316	47	316	47
	2	Reel soil drums to Advanced Disposal - Env. Clean WFF	2	111	39	222	78
Thank You							
							
						<b>TOTAL</b>	539 25

Due upon receipt of invoice.  
 1.5% per month Service Charge (18% Annual Percentage Rate) will be added to past due accounts.

SIGNATURE \_\_\_\_\_ 2600

Env. Waste Disposal  
 Reviewed 9/9/19  
 ok  


# Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

DONALD MILLER  
 DONALD MILLER  
 2433 W ROOSEVELT DRIVE  
 MILWAUKEE, WI 53209

Report Date 25-Jun-19

Project Name ELLIS HAND CAR WASH - MILWAUKEE  
 Project #

Invoice # E36326

Lab Code 5036326A  
 Sample ID EX-1  
 Sample Matrix Soil  
 Sample Date 6/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.9	%			1	5021		6/14/2019	NJC	1
Inorganic										
Metals										
Lead, Total	10.4	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/19/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/19/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/19/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/19/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/19/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/19/2019	CJR	1

Project Name ELLIS HAND CAR WASH - MILWAUKE  
 Project #

Invoice # E36326

Lab Code 5036326B  
 Sample ID EX-2  
 Sample Matrix Soil  
 Sample Date 6/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.9	%			1	5021		6/14/2019	NJC	1
Inorganic										
Metals										
Lead, Total	8.10	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	0.032 "J"	mg/kg	0.018	0.056	1	GRO95/8021		6/19/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/19/2019	CJR	1
Naphthalene	0.079	mg/kg	0.025	0.01	1	GRO95/8021		6/19/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/19/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/19/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/19/2019	CJR	1

Lab Code 5036326C  
 Sample ID EX-3  
 Sample Matrix Soil  
 Sample Date 6/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	85.2	%			1	5021		6/14/2019	NJC	1
Inorganic										
Metals										
Lead, Total	55.3	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/19/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/19/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/19/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/19/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/19/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/19/2019	CJR	1

Project Name ELLIS HAND CAR WASH - MILWAUKE  
 Project #

Invoice # E36326

Lab Code 5036326D  
 Sample ID EX-4  
 Sample Matrix Soil  
 Sample Date 6/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	78.8	%			1	5021		6/14/2019	NJC	1
Inorganic										
Metals										
Lead, Total	15.5	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	2.12	mg/kg	0.18	0.56	10	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	0.313 "J"	mg/kg	0.15	0.47	10	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	mg/kg	0.14	0.45	10	GRO95/8021		6/20/2019	CJR	1
Naphthalene	1.76	mg/kg	0.25	0.1	10	GRO95/8021		6/20/2019	CJR	1
Toluene	0.33 "J"	mg/kg	0.13	0.55	10	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	0.42 "J"	mg/kg	0.15	0.48	10	GRO95/8021		6/20/2019	CJR	2 70
1,3,5-Trimethylbenzene	< 0.25	mg/kg	0.11	0.36	10	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	0.53 "J"	mg/kg	0.26	0.83	10	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.25	mg/kg	0.13	0.56	10	GRO95/8021		6/20/2019	CJR	1

Lab Code 5036326E  
 Sample ID EX-5  
 Sample Matrix Soil  
 Sample Date 6/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.7	%			1	5021		6/14/2019	NJC	1
Inorganic										
Metals										
Lead, Total	10.6	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/19/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/19/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/19/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/19/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/19/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/19/2019	CJR	1

Project Name ELLIS HAND CAR WASH - MILWAUKE  
 Project #

Invoice # E36326

Lab Code 5036326F  
 Sample ID EX-6  
 Sample Matrix Soil  
 Sample Date 6/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	80.9	%			1	5021		6/14/2019	NJC	1
Inorganic										
Metals										
Lead, Total	14.3	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/19/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/19/2019	CJR	1
Naphthalene	0.098	mg/kg	0.025	0.01	1	GRO95/8021		6/19/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/19/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/19/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/19/2019	CJR	1

Lab Code 5036326G  
 Sample ID EX-7  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.0	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	6.99	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/19/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/19/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/19/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/19/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/19/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/19/2019	CJR	1

Lab Code 5036326H  
 Sample ID EX-8  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	95.9	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	17.7	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Lab Code 5036326I  
 Sample ID EX-9  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	95.8	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	8.36	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	0.065	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	0.057	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Project #

Lab Code 5036326J  
 Sample ID EX-10  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.6	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	6.36	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Lab Code 5036326K  
 Sample ID EX-11  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	82.8	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	31.9	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	0.258	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	0.0296	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	0.034 "J"	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	0.056	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	2 70
1,3,5-Trimethylbenzene	0.0274 "J"	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	0.093	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1



Project #

Lab Code 5036326L  
 Sample ID EX-12  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.4	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	6.93	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	0.39	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	0.057	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	0.137	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	2 70
1,3,5-Trimethylbenzene	0.115	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	0.39	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	0.047 "J"	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Lab Code 5036326M  
 Sample ID EX-13  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.6	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	6.55	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Project Name ELLIS HAND CAR WASH - MILWAUKE  
 Project #

Invoice # E36326

Lab Code 5036326N  
 Sample ID EX-14  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.9	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	6.45	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Lab Code 5036326O  
 Sample ID EX-15  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.1	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	6.92	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Project #

Lab Code 5036326P  
 Sample ID EX-16  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	82.4	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	19.9	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Lab Code 5036326Q  
 Sample ID EX-17  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.2	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	6.69	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Project #

Lab Code 5036326R  
 Sample ID EX-18  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	88.6	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	7.28	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Lab Code 5036326S  
 Sample ID EX-19  
 Sample Matrix Soil  
 Sample Date 6/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.0	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	9.06	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	0.91	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	0.078	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	0.207	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	0.092	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	0.218	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	0.243	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	0.41	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	0.105	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Project #

Lab Code 5036326T  
 Sample ID EX-20  
 Sample Matrix Soil  
 Sample Date 6/13/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	82.3	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	16.6	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Lab Code 5036326U  
 Sample ID EX-21  
 Sample Matrix Soil  
 Sample Date 6/13/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.2	%			1	5021		6/18/2019	NJC	1
Inorganic										
Metals										
Lead, Total	7.43	mg/Kg	0.17	0.58	1	6010B		6/20/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

Project #

Lab Code 5036326V  
 Sample ID MEOH BLANK  
 Sample Matrix Soil  
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.025	mg/kg	0.018	0.056	1	GRO95/8021		6/20/2019	CJR	1
Ethylbenzene	< 0.025	mg/kg	0.015	0.047	1	GRO95/8021		6/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.025	mg/kg	0.014	0.045	1	GRO95/8021		6/20/2019	CJR	1
Naphthalene	< 0.025	mg/kg	0.025	0.01	1	GRO95/8021		6/20/2019	CJR	1
Toluene	< 0.025	mg/kg	0.013	0.055	1	GRO95/8021		6/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.025	mg/kg	0.015	0.048	1	GRO95/8021		6/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.025	mg/kg	0.011	0.036	1	GRO95/8021		6/20/2019	CJR	1
m&p-Xylene	< 0.05	mg/kg	0.026	0.083	1	GRO95/8021		6/20/2019	CJR	1
o-Xylene	< 0.025	mg/kg	0.013	0.056	1	GRO95/8021		6/20/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

**Code Comment**

- 1 Laboratory QC within limits.
- 2 Relative percent difference failed for laboratory spiked samples.
- 70 RPD failed due to instrument carryover. Sample results unaffected.  
 CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

*Michael Ricker*

Lab I.D. # \_\_\_\_\_

Account No.: \_\_\_\_\_ Quota No.: \_\_\_\_\_

Project #: \_\_\_\_\_

Sampler: (signature) *E. T. Powell*

Project (Name / Location): *Ellis Hand Car Wash - Milwaukee*

Reports To: *Donald Miller*

Company: *New Hope Missionary Baptist Church*

Address: *2433 W. Roosevelt Dr*

City State Zip: *Milwaukee, WI 53209*

Phone: \_\_\_\_\_

FAX: \_\_\_\_\_

Invoice To: *Donald Miller*

Company: *elo METCO*

Address: *709 Gillette St - Ste #3*

City State Zip: *La Crosse WI 54603*

Phone: *608-781-8879*

FAX: \_\_\_\_\_

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID
<i>503506A</i>	<i>EX-1</i>	<i>6/11/9</i>	<i>1200 P</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<i>3</i>	<i>S</i>	<i>Meth</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<i>B</i>	<i>EX-2</i>	<i>1230 P</i>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<i>C</i>	<i>EX-3</i>	<i>3:40 P</i>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<i>D</i>	<i>EX-4</i>	<i>7:15 P</i>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<i>E</i>	<i>EX-5</i>	<i>4:00 P</i>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<i>F</i>	<i>EX-6</i>	<i>4:45 P</i>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<i>G</i>	<i>EX-7</i>	<i>6/11/9</i>	<i>6:50 A</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<i>H</i>	<i>EX-8</i>	<i>8:30 A</i>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<i>I</i>	<i>EX-9</i>	<i>8:45 A</i>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<i>J</i>	<i>EX-10</i>	<i>9:30 A</i>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

*Able to Lab: Copies of Report to METCO Lab  
 etc dates Apply  
 "Agent Station"*

Sample Integrity - To be completed by receiving lab.  
 Method of Shipment: *6:50 P* °C On Ice:   
 Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice:   
 Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) *E. T. Powell* Time *2:30 PM 6/13/9* Date \_\_\_\_\_  
 Received By: (sign) \_\_\_\_\_ Time \_\_\_\_\_ Date *6-17-9*

Received in Laboratory By: *Mr*

**CHAIN OF CUSTODY RECORD**

**Synergy Environmental Lab, Inc.**

Chain # No. 3303

Page 2 of 3

Lab I.D. # \_\_\_\_\_

Account No.: \_\_\_\_\_

Quote No.: \_\_\_\_\_

Project #: \_\_\_\_\_

Sampler: (signature) *E. T. Powell*

Project (Name / Location): *Ellis Hand Car Wash - Milwaukee*

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Reports To: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City State Zip: \_\_\_\_\_  
Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_

Invoice To: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City State Zip: \_\_\_\_\_  
Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_

**Analysis Requested**

**Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCPA METALS	
503636K	EX-11	6/19	11:45A		X		3	S	M20B	✓													
	EX-12		11:50A																				
	EX-13		12:20P																				
	EX-14		12:45P																				
	EX-15		1:00P																				
	EX-16		2:00P																				
	EX-17		2:15P																				
	EX-18		2:45P																				
	EX-19		4:00P																				
	EX-20		6/19 6:30A																				

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

*See page #1*

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: *Cold*  
Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice  
Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) *E. T. Powell* Time Date: *2:30 PM 6/19/99*  
Received in Laboratory By: *Mr* Time Date: *6:14 PM*



## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

Chain # No 337  
Page 3 of 3

Sample Handling Request  
 Rush Analysis Date Required  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_  
 Account No.: \_\_\_\_\_  
 Project #: \_\_\_\_\_  
 Sampler: (signature) R. T. Powell  
 Project (Name / Location): Elk's Hand Car Wash - Milwaukee

Reports To: \_\_\_\_\_  
 Company: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City State Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 FAX: \_\_\_\_\_

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
53624	EX-21	6/13/19	8:25 AM		X		3	S	meth
	meat-blade						1	-	

Analysis Requested	Other Analysis
DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 524.2)	
VOC (EPA 8260)	
B-RORA METALS	

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

See page #1

Sample Integrity - To be completed by receiving lab.  
 Method of Shipment: Cold  
 Temp. of Temp. Blank: \_\_\_\_\_ °C On (case)  
 Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) R. T. Powell Time 2:30 P.M. Date 6/13/19  
 Received By: (sign) \_\_\_\_\_ Time \_\_\_\_\_ Date: 6-14-19  
 Received in Laboratory By: gr Time: 8:00 AM Date: 6-14-19

# Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

DONALD MILLER  
DONALD MILLER  
2433 W ROOSEVELT DRIVE  
MILWAUKEE, WI 53209

Report Date 20-Sep-19

Project Name ELLIS HAND CAR WASH  
Project #

Invoice # E36785

Lab Code 5036785A  
Sample ID MW-6  
Sample Matrix Water  
Sample Date 9/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.32	ug/l	0.32	1.02	1	GRO95/8021		9/19/2019	CJR	1
Ethylbenzene	< 0.29	ug/l	0.29	0.94	1	GRO95/8021		9/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.24	ug/l	0.24	0.78	1	GRO95/8021		9/19/2019	CJR	1
Naphthalene	< 1.3	ug/l	1.3	4.1	1	GRO95/8021		9/19/2019	CJR	1
Toluene	< 0.29	ug/l	0.29	0.93	1	GRO95/8021		9/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.46	ug/l	0.46	1.46	1	GRO95/8021		9/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.67	ug/l	0.67	2.15	1	GRO95/8021		9/19/2019	CJR	1
m&p-Xylene	< 0.52	ug/l	0.52	1.67	1	GRO95/8021		9/19/2019	CJR	1
o-Xylene	< 0.7	ug/l	0.7	2.24	1	GRO95/8021		9/19/2019	CJR	1

Project Name ELLIS HAND CAR WASH  
 Project #

Invoice # E36785

Lab Code 5036785B  
 Sample ID MW-4  
 Sample Matrix Water  
 Sample Date 9/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.32	ug/l	0.32	1.02	1	GRO95/8021		9/18/2019	CJR	1
Ethylbenzene	< 0.29	ug/l	0.29	0.94	1	GRO95/8021		9/18/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.24	ug/l	0.24	0.78	1	GRO95/8021		9/18/2019	CJR	1
Naphthalene	< 1.3	ug/l	1.3	4.1	1	GRO95/8021		9/18/2019	CJR	1
Toluene	< 0.29	ug/l	0.29	0.93	1	GRO95/8021		9/18/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.46	ug/l	0.46	1.46	1	GRO95/8021		9/18/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.67	ug/l	0.67	2.15	1	GRO95/8021		9/18/2019	CJR	1
m&p-Xylene	< 0.52	ug/l	0.52	1.67	1	GRO95/8021		9/18/2019	CJR	1
o-Xylene	< 0.7	ug/l	0.7	2.24	1	GRO95/8021		9/18/2019	CJR	1

Lab Code 5036785C  
 Sample ID MW-3  
 Sample Matrix Water  
 Sample Date 9/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	2.03	ug/l	0.32	1.02	1	GRO95/8021		9/18/2019	CJR	1
Ethylbenzene	0.33 "J"	ug/l	0.29	0.94	1	GRO95/8021		9/18/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.24	ug/l	0.24	0.78	1	GRO95/8021		9/18/2019	CJR	1
Naphthalene	< 1.3	ug/l	1.3	4.1	1	GRO95/8021		9/18/2019	CJR	1
Toluene	0.33 "J"	ug/l	0.29	0.93	1	GRO95/8021		9/18/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.46	ug/l	0.46	1.46	1	GRO95/8021		9/18/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.67	ug/l	0.67	2.15	1	GRO95/8021		9/18/2019	CJR	1
m&p-Xylene	0.53 "J"	ug/l	0.52	1.67	1	GRO95/8021		9/18/2019	CJR	1
o-Xylene	< 0.7	ug/l	0.7	2.24	1	GRO95/8021		9/18/2019	CJR	1

Lab Code 5036785D  
 Sample ID MW-5  
 Sample Matrix Water  
 Sample Date 9/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.32	ug/l	0.32	1.02	1	GRO95/8021		9/18/2019	CJR	1
Ethylbenzene	< 0.29	ug/l	0.29	0.94	1	GRO95/8021		9/18/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.24	ug/l	0.24	0.78	1	GRO95/8021		9/18/2019	CJR	1
Naphthalene	< 1.3	ug/l	1.3	4.1	1	GRO95/8021		9/18/2019	CJR	1
Toluene	< 0.29	ug/l	0.29	0.93	1	GRO95/8021		9/18/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.46	ug/l	0.46	1.46	1	GRO95/8021		9/18/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.67	ug/l	0.67	2.15	1	GRO95/8021		9/18/2019	CJR	1
m&p-Xylene	< 0.52	ug/l	0.52	1.67	1	GRO95/8021		9/18/2019	CJR	1
o-Xylene	< 0.7	ug/l	0.7	2.24	1	GRO95/8021		9/18/2019	CJR	1

Project Name ELLIS HAND CAR WASH  
 Project #

Invoice # E36785

Lab Code 5036785E  
 Sample ID MW-2R  
 Sample Matrix Water  
 Sample Date 9/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	0.45 "J"	ug/l	0.32	1.02	1	GRO95/8021		9/18/2019	CJR	1
Ethylbenzene	< 0.29	ug/l	0.29	0.94	1	GRO95/8021		9/18/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.24	ug/l	0.24	0.78	1	GRO95/8021		9/18/2019	CJR	1
Naphthalene	< 1.3	ug/l	1.3	4.1	1	GRO95/8021		9/18/2019	CJR	1
Toluene	< 0.29	ug/l	0.29	0.93	1	GRO95/8021		9/18/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.46	ug/l	0.46	1.46	1	GRO95/8021		9/18/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.67	ug/l	0.67	2.15	1	GRO95/8021		9/18/2019	CJR	1
m&p-Xylene	< 0.52	ug/l	0.52	1.67	1	GRO95/8021		9/18/2019	CJR	1
o-Xylene	< 0.7	ug/l	0.7	2.24	1	GRO95/8021		9/18/2019	CJR	1

Lab Code 5036785F  
 Sample ID MW-1R  
 Sample Matrix Water  
 Sample Date 9/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Lead, Dissolved	3.0 "J"	ug/L	1.1	3.7	1	7421		9/16/2019	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	138	ug/l	0.32	1.02	1	GRO95/8021		9/18/2019	CJR	1
Ethylbenzene	189	ug/l	0.29	0.94	1	GRO95/8021		9/18/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.24	ug/l	0.24	0.78	1	GRO95/8021		9/18/2019	CJR	1
Naphthalene	61	ug/l	1.3	4.1	1	GRO95/8021		9/18/2019	CJR	1
Toluene	25.8	ug/l	0.29	0.93	1	GRO95/8021		9/18/2019	CJR	1
1,2,4-Trimethylbenzene	187	ug/l	0.46	1.46	1	GRO95/8021		9/18/2019	CJR	1
1,3,5-Trimethylbenzene	92	ug/l	0.67	2.15	1	GRO95/8021		9/18/2019	CJR	1
m&p-Xylene	280	ug/l	0.52	1.67	1	GRO95/8021		9/18/2019	CJR	1
o-Xylene	15.8	ug/l	0.7	2.24	1	GRO95/8021		9/18/2019	CJR	1

Project Name ELLIS HAND CAR WASH  
 Project #

Invoice # E36785

Lab Code 5036785G  
 Sample ID TB  
 Sample Matrix Water  
 Sample Date 9/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.32	ug/l	0.32	1.02	1	GRO95/8021		9/18/2019	CJR	1
Ethylbenzene	< 0.29	ug/l	0.29	0.94	1	GRO95/8021		9/18/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.24	ug/l	0.24	0.78	1	GRO95/8021		9/18/2019	CJR	1
Naphthalene	< 1.3	ug/l	1.3	4.1	1	GRO95/8021		9/18/2019	CJR	1
Toluene	< 0.29	ug/l	0.29	0.93	1	GRO95/8021		9/18/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.46	ug/l	0.46	1.46	1	GRO95/8021		9/18/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.67	ug/l	0.67	2.15	1	GRO95/8021		9/18/2019	CJR	1
m&p-Xylene	< 0.52	ug/l	0.52	1.67	1	GRO95/8021		9/18/2019	CJR	1
o-Xylene	< 0.7	ug/l	0.7	2.24	1	GRO95/8021		9/18/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code	Comment
1	Laboratory QC within limits.

CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

*Michael Ricker*

CHAIN OF STUDY RECORD

# Synergy

## Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

Chain # No 3488

Page 1 of 1

**Sample Handling Request**

Rush Analysis Date Required  
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No.: \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: \_\_\_\_\_  
Sampler: (signature) *Rob Wilnoth*

Project (Name / Location): *Ellis Land Cer Wash / Milwaukee, WI*

Reports To: *Donald Miller*  
Company: *Go METCO*  
Address: *709 Gillette St, Ste #3*  
City State Zip: *Waukesha WI 53003*  
Phone: *608-781-8879*  
FAX: \_\_\_\_\_

**Analysis Requested**

Analysis Requested	Other Analysis
DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD (Pissed)	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 8242)	
VOC (EPA 8260)	
8-PCRA METALS	

PID/  
FID

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation
S056785 A	MW-6	9-11	10:08		Y	N	3	GW	HCL
B	MW-7		11:00						
C	MW-3		11:00						
D	MW-5		11:15						
E	MW-2R		11:35						
F	MW-1R		11:50						
G	IB								

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.):

*ALIS to send copy of Report to METCO/Jason P. (Invoice to METCO)*

*ALIS Rates Also a Agent status*

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: *GC*  
Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice:   
Cooler seal intact upon receipt:  Yes \_\_\_ No

Relinquished By: (sign) *[Signature]* Time: *2:45* Date: *9-12-09*  
Received By: (sign) \_\_\_\_\_ Time: *8:00* Date: *9/13/09*

Received In Laboratory By: *[Signature]*