Sager, John E - DNR

From: Sager, John E - DNR

Thursday, December 03, 2015 15:40 Sent: To: Alex Smith (alex.smith@enbridge.com)

Cc: 'Ryan E. Erickson'

Subject: Superior Terminal Tank 14 Maintenance Excavations BRRTS ID 02-16-563859

Hi Alex,

I have completed a review of Barr's report on the remedial excavation associated with the Tank 14 Maintenance. The analytical results indicate there continues to be direct contact RCL exceedances in soil sample TK-14-B-12 for naphthalene and ethyl benzene and soil to groundwater RCL exceedances for all the PVOCs and naphthalene. Soil to groundwater RCLS are also exceeded for trimethylbenzene, naphthalene and benzene in sample TK-14-S-8 and naphthalene and benzene in sample TK-14-B-1. It appears additional remedial action cannot be conducted to address the direct contact exceedance due to structural impediments. I will add this site to the list of sites to be added to the Facility Wide ERP site upon completion of the MOA.

Please contact me if you have any questions.

We are committed to service excellence.

Visit our survey at http://dnr.wi.gov/customersurvey to evaluate how I did.

John Sager

Hydrogeologist - Remediation and Redevelopment Program Wisconsin Department of Natural Resources 1701 N. 4th St. Superior, WI 54880 Phone: (715) 392-7822

Fax: (715) 392-7993

john.sager@wisconsin.gov



Sager, John E - DNR

From:

Sager, John E - DNR

Sent:

Thursday, December 03, 2015 14:20

To:

Shafel, Kathleen S - DNR

Subject:

Enbridge Energy Superior Terminal Tank 14 Maintenance Excavations BRRTS ID

01-16-563859

Hi Kathleen,

Please transfer this pending site to ERP. I received Enbridge's response report and it appears there are direct contact exceedances in soil sample results but there is a structural impediment to further remediation. This site will be transferred to the Facility Wide ERP site once the MOAs are complete.

Thanks.

We are committed to service excellence.

Visit our survey at http://dnr.wi.gov/customersurvey to evaluate how I did.

John Sager

Hydrogeologist – Remediation and Redevelopment Program Wisconsin Department of Natural Resources 1701 N. 4th St.
Superior, WI 54880

Phone: (715) 392-7822
Fax: (715) 392-7993
john.sager@wisconsin.gov



Sager, John E - DNR

From:

Shafel, Kathleen S - DNR

Sent:

Tuesday, June 30, 2015 16:29

To:

Sager, John E - DNR

Subject:

FW: Release Notification

Attachments:

Enbridge Tank 14 4400-225.pdf

Follow Up Flag:

Follow up

Flag Status:

Flagged

Hi John - here is a Notification that has come in for a historic release at the Enbridge Energy location. I didn't assign this a Pending number yet. Is this the release you mentioned about at our team meeting? Let me know the tracking go-ahead.

Thanks,

We are committed to service excellence.

Visit our survey at http://dnr.wi.gov/customersurvey to evaluate how I did.

Kathleen Shafel

Phone: (715) 623-4190 x 3127 Kathleen.Shafel@wisconsin.gov

----Original Message----

From: Alex Smith [mailto:alex.smith@enbridge.com]

Sent: Monday, June 29, 2015 4:16 PM

To: DNR RR NOR

Subject: Release Notification

To Whom It May Concern,

Please see the attached Historical Contamination Release Notification.

The attached file is the filled-out form. Please open it to review the data.

Let me know if you have any questions, thanks.

Alex Smith

Environmental Analyst, LP US Environment Operations

ENBRIDGE

TEL: 715-398-4795 | FAX: 832-325-5511 | CELL: 715-817-8322

1320 Grand Avenue, Superior, WI 54880

enbridge.com

Integrity. Safety. Respect.

* * * * * * * IMPORTANT NOTICE* * * * * * * * * * *

otherwise indicated or obvious from the nature of the transmittal, the information contained in this email message is CONFIDENTIAL information intended for the use of the individual or entity named herein. If the reader of this message is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify the sender using the above contact information or by return email and delete this message and any copies from your computer system. Thank you.

State of Wisconsin
Department of Natural Resources
dnr.wi.gov

Notification For Hazardous Substance Discharge (Non-Emergency Only)

Form 4400-225 (09/13) Page 1 of 2

OZ-16-563857

Fubridge Sperry

Terminal Taule 14

DC RCL Exceeding

Indoor Substance Release

The start of the substance Release

The start of the substance Release

The start of the substance Release

Emergency Discharges / Spills sh

Notice: Hazardous substance discharges must be rep substance discharges may be reported by telefaxing or e office in person. If you choose to notify the Department information is included. However, use of this form is not requirements of ch. 292 Wis. Stats., shall be no less than separate offense. It is not the Department's intention to us program administration. However, information submitted Records Law (ss. 19.31 – 19.39, Wis. Stats.).

Confirmatory laboratory data should be included with the Notification.

Complete this form. <u>TYPE or PRINT LEGIBLY.</u> NOTIFY potential release from **(check one)**:

☐ Underground Petroleum Storage Tank System (additi

Aboveground Petroleum Storage Tank System

Dry Cleaner Facility

▼ Other - Describe: Historically contaminated soil near Ta

ATTN DNR: R & R Program Associate

Date DNR Notified:

06/29/2015

1. Discharge Reported By

Name
Alex Smith

Firm
Enbridge Energy

Mailing Address
1320 Grand Avenue, Superior, WI 54880

Firm
Enbridge Energy

Firm
Enbridge Energy

Phone No. (include area code)
(715) 398-4795

Email Address
alex.smith@enbridge.com

2. Site Information

Name of site at which discharge occurred. Include local name of site/business, <u>not</u> responsible party name, unless a residence/vacant property. Enbridge Superior Terminal

Location: Include street address, not PO Box. If no street address, describe as precisely as possible, i.e., 1/4 mile NW of CTHs 60 & 123 on E side of CTH 60. 2800 East 21st Street, Superior, WI 54880

Municipality: (City, Village, Township) Specify municipality in which the site is located, <u>not mailing address/city</u>.

Superior

County: Douglas

Legal Description:

1/4 NE 1/4 Sec

36 Tn

n 49 Range

14 CE ©W

WTM:

362162

692561

3. Responsible Party (RP) and/or RP Representative

Responsible Party Name: Business or owner name that is responsible for cleanup. If more than one, list all. Attach additional pages as necessary.

Enbridge Energy

Reported in compliance with s. 292.11(2), Wis. Stats., by a local government exempt from liability under s. 292.11(9)(e), Wis. Stats. For more information see http://dnr.wi.gov/topic/Brownfields/Liability.html.

Contact Person
Name (if different)
Same as above

Phone Number

Email Address

Mailing Address

City

State

ZIP Code

Property owner if Different From RP: Business or owner name that is responsible for cleanup. If more than one, list all. Attach additional pages as necessary.

Contact Person
Name (if different)

Phone Number

Email Address

Mailing Address

City

State

ZIP Code

(continued)

State of Wisconsin Department of Natural Resources dnr.wi.gov

Notification For Hazardous Substance Discharge (Non-Emergency Only)

Form 4400-225 (09/13) Page 2 of 2

4. Hazardous Substance Information	P. P. Carlotte S. Proposition and Proposition of the Conference of
Identify hazardous substance discharged (check all that apply):	
	PERC (Dry Cleaners)
□ PAH's □ Fuel Oil	RCRA Hazardous Waste
Gasoline	Leachate
Metals (specify): Hydraulic Oil	
☐ Arsenic ☐ Jet Fuel	Fertilizer
Chromium Mineral Oil	Pesticide/Herbicide/Insecticide(s)
Cyanide Waste Oil	Charlengift), G. 1. 11(1),
Lead	▼ Other (specify): Crude oil (historical release)
PCB's Petroleum-Unknown Ty	ype
5. Impacts to the Environment Information	
Enter "K" for known/confirmed or "P" for potential for all that apply.	Contoniostica
Air Contamination Sanitary Sewer (_ 010
K Co-Contamination (Petroleum & Contamination in Non-Petroleum)	
Contamination Within 1 Meter of Bedrock Free Product	hreat Surface Water Contamination Within 100 ft of Private Well
Contaminated Private Well Groundwater Co	A CONTRACTOR OF THE CONTRACTOR
Contaminated Public Well Off-Site Contam	_
Contaminated Public Well Contamination in Fractured Bedrock Other (specify):	ilitation
Contamination was discovered as a result of:	
Date Date	X Other - Describe: Tank 14 Maintenance Date 09/20/2014
	results are attached
Additional Comments: Include a brief description of immediate actions tak hazardous substances that have been discharged.	ken to halt the release and contain or cleanup
Identified contaminated soil was excavated, when possible, and managed	at a landfill facility.
6. Federal Energy Act Requirements (Section 9002(d) of the Solid Wa	aste Disposal Act (SWDA))
For all confirmed releases Source	Cause
from UST's occurring after Tank	Spill
9/30/2007 please provide Piping the following information:	Overfill
Dispenser	Corrosion
Submersible Turbine Pump	Physical or Mechanical Damage
□ Delivery Problem □ Delivery Pr	☐ Installation Problem
Other (specify):	Other (does not fit any of above) Unknown
Contact information to report non-emergency releases in DNR's five	
Northeast Region (FAX: 920-662-5197); Attention R&R Program As	
Brown, Calumet, Door, Fond du Lac (except City of Waupun - see So	uth Central Region), Green Lake, Kewaunee, Manitowoc,
Marinette, Marquette, Menominee, Oconto, Outagamie, Shawano, Shek Northern Region (FAX: 715-623-6773); Attention R&R Program As	
Ashland, Barron, Bayfield, Burnett, Douglas, Forest, Florence, Iron, Lan Sawyer, Taylor, Vilas, Washburn counties	
South Central Region (FAX: 608-273-5610); Attention R&R Program	m Associate: DNRRRSCR@wisconsin.gov
Columbia, Dane, Dodge, Fond du Lac (City of Waupun only), Grant, C	
Rock, Sauk, Walworth counties Southeast Region (FAX: 414-263-8550); Attention R&R Program A	
	9

Adams, Buffalo, Chippewa, Clark, Crawford, Dunn, Eau Claire, Jackson, Juneau, LaCrosse, Marathon, Monroe, Pepin,

Pierce, Portage, St. Croix, Trempealeau, Vernon, Wood counties