



January 25, 2024

Greg Stock  
Gunderson Cleaners, Inc.  
41 Main Street  
Menasha, WI 54952-3198

**Re: Investigative Results Report  
Former Gunderson Cleaners  
891 South Green Bay Road  
Neenah, WI 54956  
BRRTS#: 02-71-467001**

Dear Mr. Stock:

EnviroForensics, LLC (EnviroForensics) is providing this Results Report regarding additional investigation and monitoring performed at the former Gunderson Cleaners located at 891 South Green Bay Road, Neenah, Wisconsin (the Site). This report provides the results of the following recent investigative activities:

1. Installation and sampling of two (2) additional sub-slab vapor ports installed central to the Goodwill building slab for the purpose of initiating the sub-slab depressurization system (SSDS) decommissioning process;
2. Sampling of all site monitoring wells and groundwater collection sumps for chlorinated volatile organic compounds (CVOCs); and
3. Sampling of select monitoring wells for per-poly fluorinated alkyl substances (PFAS).

#### **SSDS DECOMMISSIONING**

There is currently a sub-slab depressurization system (SSDS) operating at the Goodwill building. Sub-slab sampling was previously performed at seven (7) locations around the perimeter of the building in June of 2021 and again in January of 2022. Since sub-slab vapor concentrations were well below the current vapor risk levels for commercial structures, the WDNR has approved decommissioning the SSDS to avoid long term obligations including continued operations testing, maintenance, and reporting that would continue in perpetuity after case closure if the SSDS continues to operate.

As part of the decommissioning process, the WDNR requested that additional vapor ports be installed more central to the building slab and sampled for vapor to ensure there are no pockets of contaminated vapor forming in the central portion of the slab. Also, the decommissioning process prescribed in WDNR guidance document RR-800 requires that the SSDS be shut down for at least 2-4 weeks prior to the first sampling event and that additional samples be collected two (2) more times; 2-6 months after shut down; and within one (1) year of shut down. Two (2) of the sampling events should occur during the heating months of November through March.

To begin the decommissioning process, EnviroForensics personnel shut down the SSDS on October 18, 2023. On November 9, 2023, EnviroForensics personnel installed two (2) additional vapor pin® sampling points labeled VP-8 and VP-9 at the locations shown on **Figure 1**. The sample ports were finished with a stainless steel cover and installed flush to the existing porcelain tile flooring.

To ensure that the sub-slab vapor samples are representative of subsurface conditions, water dam leak testing was performed at each port. The integrity of the sample tubing and fittings was verified prior to sample collection by conducting a negative pressure test.

Vapor samples were collected from VP-8 and VP-9 through dedicated Teflon®-lined polyethylene tubing connected to the sub-slab vapor sampling port. A graduated syringe was utilized to purge ambient air from the tubing prior to initiating sample collection. Vapor beneath the concrete slab was then drawn into a 1-liter vacuum canister fitted with a laboratory supplied regulator that limits the flow rate to approximately 200 milliliters per minute (mL/min). The canisters were submitted to Envision laboratory for analysis of select CVOCs related to dry cleaning solvent according to U.S. EPA Method TO-15.

As can be seen in **Table 1**, and the attached laboratory report, there were no CVOC vapors detected in either sub-slab port VP-8 or VP-9 at concentrations exceeding the laboratory detection limits.

Another round of sub-slab samples will be collected during the 2024 heating season (likely late February or March) from all existing sub-slab sampling ports.

## GROUNDWATER SAMPLING

The WDNR has requested that additional post-remedial rounds of groundwater samples be collected from all existing site monitoring wells as identified on attached **Figure 2**. The samples should be analyzed for total volatile organic compounds. In addition, they have requested that previously sampled groundwater monitoring wells MW-105, MW-116, PZ-104, and PZ-119 shown on **Figure 2** be sampled again for per-/poly-fluorinated alkyl substances (PFAS).

### Field Procedures

Water table elevation measurements were collected from all water table wells and piezometers during the monitoring event to confirm the direction of groundwater flow. Well caps were removed at least 15 minutes before collecting water level measurements to allow groundwater in the monitoring well to equilibrate with the atmospheric pressure. The depth to water in each well was measured to the nearest 0.01 of a foot using an electronic sounding device and recorded on sampling forms before sample collection activities.

Purging and sampling of the wells was performed using disposable bailers. Approximately 3-5 well volumes were purged prior to sample collection. The groundwater samples were transferred directly into laboratory-provided containers containing a hydrochloric acid preservative and placed into a cooler with ice. The samples were submitted under appropriate chain-of-custody procedures to Synergy Environmental Laboratory for analysis of volatile organic compounds (VOCs) according to U.S. EPA SW Methods 8260. For quality assurance/quality control (QA/QC) purposes, three (3) duplicate samples were collected during this sampling event.

PFAS sampling was performed in accordance with the protocol outlined in EnviroForensics' standard operating procedures for PFAS sampling. Samples for PFAS analysis were collected from wells MW-105, MW-116, PZ-104, and PZ-119. One (1) duplicate sample was collected along with a field blank for quality control purposes. The groundwater samples for PFAS analysis were submitted to Pace Analytical Laboratory for analysis.

EnviroForensics discharged all purge and sampling water to the sanitary sewer under permit from the City of Neenah.

## **Results**

**Table 2** provides all past and current results of VOCs detected in site monitoring wells over time. The laboratory analytical reports are attached.

As can be seen in this documentation, most wells appear stable, but there are some variations in stability as follows:

1. The concentrations of PCE in PZ-104 have historically been highly variable but there has been an increasing trend in the degradation daughter products trichloroethene (TCE) and dichloroethene (DCE) during the past several monitoring events going back to 2021;
2. PZ-121 has had increases in degradation daughter products DCE and vinyl chloride during the late fall monitoring periods of 2021 and 2023 which suggests continued dehalogenation;
3. The concentrations of all CVOCs in Sump B are decreased as compared to the 2022 monitoring event; and
4. There was an increase in the concentration of PCE in Sump D during this latest monitoring period as compared to past historical monitoring events.

Groundwater levels were measured in all site wells and sumps, except Sump A which was reported obstructed, prior to collecting groundwater samples. The direction of groundwater flow within the shallow water table is depicted on **Figure 3**, and is to the east/northeast.

The PFAS results are shown in **Table 3**. The laboratory report is attached. As can be seen in this documentation, low concentrations of PFAS compounds were detected in all four (4) wells sampled. PFOA was detected in wells PZ-104 and PZ-119 at a concentration exceeding the preventative action limit (PAL) of 2 nanograms per liter, and PFOS was detected in wells MW-116 and PZ-119 in concentrations exceeding the PAL of 2 nanograms per liter.

PFOS was detected in the Field Blank sample at a concentration of 4.4 nanograms per liter. However, PFOS was not detected in PZ-104 or MW-105 and the concentration of PFOS detected in MW-116 and PZ-119 were almost identical to the past results of samples collected in August of 2022.

None of the samples exceeded the single PFAS compound or combined PFAS compound enforcement standard (ES) of 20 nanograms per liter.



If you have any questions about these investigative results, please do not hesitate to contact us at (262) 290-4001.

Sincerely,  
**EnviroForensics, LLC**


A handwritten signature in black ink that reads "Wayne P. Fassbender". The signature is fluid and cursive, with "Wayne" and "P." being more stylized and "Fassbender" being more clearly legible.

Wayne Fassbender, PG  
*Senior Project Manager*  
[wfassbender@enviroforensics.com](mailto:wfassbender@enviroforensics.com)

Copy: Andrew Skwierawski, Halling & Cayo  
Matt Kautzky, Goodwill  
Josie Schultz, WDNR

Attachments:

Figure 1: Sub-slab Vapor Port Locations With New Ports in Red  
Figure 2: Locations of All Site Monitoring Wells With Those Sampled for PFAS in Red  
Figure 3: Water Table Contour Map  
Table 1: Sub-slab Vapor Analytical Results  
Table 2: Groundwater Analytical Results--VOCs  
Table 3: Groundwater Analytical Results--PFAS  
EnvisionAir Vapor Analytical Results Report  
Synergy Environmental Laboratory Groundwater VOC Results Report  
Pace Analytical Laboratory Groundwater PFAS Results Report



**SUB-SLAB VAPOR PORT LOCATIONS WITH NEW PORTS IN RED**

Gunderson Cleaners  
891 South Green Bay Road  
Neenah, Wisconsin


Date:	6/30/23
Designed:	EB
Drawn:	EB
Checked:	WF
DWG file:	200016-0332



825 North Capitol Avenue • Indianapolis, IN 46204  
EnviroForensics.com

Figure
1
Project

200016



### Legend

- Property boundary
- MW-1 Monitoring Well
- Sump A Sump
- MW-105 PFAS Sampling Locations

LOCATIONS OF ALL SITE MONITORING WELLS  
WITH THOSE SAMPLED FOR PFAS IN RED

Gunderson Cleaners  
891 South Green Bay Road  
Neenah, Wisconsin

Date:	6/29/22
Designed:	EB
Drawn:	EB
Checked:	WF
DWG file:	200016-0190



825 North Capitol Avenue • Indianapolis, IN 46204  
EnviroForensics.com

Figure

2


Project

200016

## Legend

- Property boundary
- MW-1 Monitoring Well
- Sump Sump
- 746.00 Groundwater elevation contour
- 746.00 Groundwater elevation (feet above mean sea level)


Fox Point Plaza



Fox Point Plaza

South Green Bay Road

Off ramp U.S. 41



N

WATER TABLE CONTOUR MAP  
November 7, 2023

Gunderson Cleaners  
891 South Green Bay Road  
Neenah, Wisconsin

Date:	1/9/2024
Designed:	EB
Drawn:	AL
Checked:	NM
DWG file:	200016-0333



825 North Capitol Avenue • Indianapolis, IN 46204  
EnviroForensics.com

Figure
3
Project

200016

**TABLE 1**  
**SUB-SLAB VAPOR ANALYTICAL RESULTS**

Former Gunderson Cleaners  
 Neenah, Wisconsin

Sample Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
<b>Residential VRSL</b>		<b>1,400</b>	<b>70</b>	<b>NE</b>	<b>1,400</b>	<b>56</b>
<b>Small Commercial VRSL</b>		<b>5,800</b>	<b>290</b>	<b>NE</b>	<b>5,800</b>	<b>930</b>
200016-VP-1	6/17/2021	<b>22.9</b>	<1.07	<19.8	<39.6	<1.28
	1/19/2022	<31.9	<10.7	<198	<396	<12.8
200016-VP-2	6/17/2021	<b>8.89</b>	<1.07	<19.8	<39.6	<1.28
	1/19/2022	<31.9	<10.7	<198	<396	<12.8
200016-VP-3	6/17/2021	<b>9.02</b>	<1.07	<19.8	<39.6	<1.28
	1/19/2022	<31.9	<10.7	<198	<396	<12.8
200016-VP-4	6/17/2021	<3.19	<1.07	<19.8	<39.6	<1.28
	1/19/2022	<31.9	<10.7	<198	<396	<12.8
200016-VP-6	6/17/2021	<b>10.4</b>	<b>5.75</b>	<19.8	<39.6	<1.28
	1/19/2022	<31.9	<10.7	<198	<396	<12.8
200016-VP-7	6/17/2021	<b>7.53</b>	<b>6.77</b>	<19.8	<39.6	<1.28
	1/19/2022	<31.9	<10.7	<198	<396	<12.8
200016-VP-8	11/9/2023	<31.9	<10.7	<198	<396	<12.8
200016-VP-9	11/9/2023	<31.9	<10.7	<198	<396	<12.8

**Notes:**

Vapor Risk Screening Levels (VRSLs) are calculated according to WDNR Publication RR-800 and subsequent vapor intrusion guidance documents

Results reported in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ )

Sub-slab vapor samples analyzed according to EPA Method TO-15

NE = Screening level not established

**Bolded** values are above detection limits

**Bolded and shaded** (colored) values exceed the applicable screening level

**TABLE 2**  
**GROUNDWATER ANALYTICAL RESULTS - VOCs**  
Former Gunderson Cleaners  
Neenah, Wisconsin

Monitoring Well ID	Sample Date	MW-101						MW-102									
		Preventive Action Limit	Enforcement Standard	07/16/04	02/16/05	03/28/06		05/16/13		07/16/04	10/28/04	02/17/05	02/17/05	09/12/05	03/28/06	02/13/07	
Benzene	0.5	5	<0.20	<0.20	<0.41		<0.50		<0.20	<0.20	<0.20	<0.20	<0.41	<0.41	<0.20		<0.50
Toluene	160	800	<0.20	<0.20	<0.67		<0.44		<0.20	<0.20	<0.20	<0.20	<0.67	<0.67	<0.20		<0.44
Xylenes (Total)	400	2,000	<0.50	<0.50	<2.63		<1.32		<0.50	<0.50	<0.50	<0.50	<2.63	<2.63	<0.50		<1.32
Naphthalene	10	100	<0.25	<0.25	<0.74		<2.5		<0.25	<0.25	<0.25	<0.25	<0.74	<0.74	0.3		<2.5
Tetrachloroethene (PCE)	0.5	5	<0.50	<0.50	<0.45		0.54 J		<0.50	0.68	<0.50	<0.50	<0.45	<0.45	<0.50		4.0
Trichloroethene (TCE)	0.5	5	<0.20	<0.20	<0.48		1.5		<0.20	0.59	0.44	0.44	1.5	2.0	1.5		19.6
cis-1,2-Dichloroethene	7	70	<0.50	<0.50	<0.83		4.6		0.65	<0.50	1.90	1.90	4.4	5.6	5.1		38.8
trans-1,2-Dichloroethene	20	100	<0.50	<0.50	<0.89		<0.37		<0.50	<0.50	<0.50	<0.50	<0.89	<0.89	<0.50		2.5
Vinyl Chloride	0.02	0.2	<0.20	<0.20	<0.18		2.9		<0.20	<0.20	<0.20	<0.20	<0.18	<0.18	<0.20		0.50 J
Chloroform	0.6	6	<0.20	<0.20	<0.37		<0.69		<0.20	<0.20	<0.20	<0.20	<0.37	<0.37	<0.20		<0.69
Chloromethane	3	30	0.47	<0.20	<0.24		<0.39		<0.20	<0.20	<0.20	<0.20	<0.24	<0.24	<0.20		<0.39
1,1-Dichloroethane	85	850	<0.50	<0.50	<0.75		<0.28		<0.50	0.88	<0.50	<0.50	<0.75	<0.75	<0.50		<0.28

Monitoring Well ID	Sample Date Notes	Preventive Action Limit	Enforcement Standard	MW-103													
				07/16/04	10/28/04	02/16/05	09/12/05	03/29/06		11/13/13	05/30/14	11/14/14	06/11/15	05/18/16	08/23/18	06/15/21	11/07/23
Benzene	0.5	5	<0.20	<0.20	<0.20	<0.20	<0.41	<0.41		<0.50	<0.50	<0.50	<0.50	<0.50	<0.25	<0.38	<0.3
Toluene	160	800	<0.20	<0.20	<0.20	<0.67	<0.67		<0.44	<0.50	<0.50	<0.50	<0.50	<0.17	<0.42	<0.33	
Xylenes (Total)	400	2,000	<0.50	<0.50	<0.50	<2.63	<2.63		<1.32	<1.50	<1.5	<1.5	<1.5	<0.73	<1.21	<1.01	
Naphthalene	10	100	<0.25	<0.25	<0.25	<0.74	<0.74		<2.5	<2.5	<2.5	<2.5	<2.5	<1.2	<1.4	<1.4	
Tetrachloroethene (PCE)	0.5	5	<0.50	<0.50	<0.50	<0.45	<0.45		3.9	<0.50	<0.50	<0.50	<0.50	<0.33	<0.54	<0.47	
Trichloroethene (TCE)	0.5	5	<0.20	0.21	<0.20	<0.48	<0.48		0.58 J	<0.33	<0.33	<0.33	<0.33	<0.26	<0.47	<0.38	
cis-1,2-Dichloroethene	7	70	<0.50	1.2	<0.50	<0.83	<0.83		<0.42	<0.26	<0.26	<0.26	<0.26	<0.27	<0.39	<0.32	
trans-1,2-Dichloroethene	20	100	<0.50	<0.50	<0.50	<0.89	<0.89		<0.37	<0.24	<0.26	<0.26	<0.26	<1.1	<0.6	<0.5	
Vinyl Chloride	0.02	0.2	<0.20	<0.20	<0.20	<0.18	<0.18		<0.18	<0.18	<0.18	<0.18	<0.18	<0.17	<0.17	<0.15	
Chloroform	0.6	6	<0.20	<0.20	<0.20	<0.37	<0.37		<0.69	<2.5	<2.5	<2.5	<2.5	<1.3	<0.4	<0.33	
Chloromethane	3	30	<0.20	<0.20	<0.20	<0.24	<0.24		<0.39	<0.50	<0.50	<0.50	<0.50	<2.2	<0.84	<0.74	
1,1-Dichloroethane	85	850	<0.50	<0.50	<0.50	<0.75	<0.75		<0.28	<0.18	<0.24	<0.24	<0.24	<0.27	<0.48	<0.43	

Monitoring Well ID	Sample Date Notes	Preventive Action Limit	Enforcement Standard	PZ-104																
				07/16/04	10/28/04	02/16/05	12/14/05	03/29/06	12/02/07		11/13/13	05/28/14	12/11/14	06/11/15	05/18/16	09/11/18	06/15/21	12/03/21	05/10/22	11/07/23
Benzene	0.5	5	0.42	0.31	<0.20	<0.41	<0.41	<0.20		<2.0			<2.0	<0.50	<2.0	<0.25	<7.6	<0.38	<0.3	<6
Toluene	160	800	<0.20	0.23	<0.20	<0.67	<0.67	<0.20		<1.8			<2.0	<0.50	<2.0	<0.17	<8.4	<0.42	<0.33	<6.6
Xylenes (Total)	400	2,000	<0.50	<0.50	<0.50	<2.63	<2.63	<0.50		<5.3			<6.0	<1.5	<6.0	<0.73	<24.2	<1.21	<1.01	<20.2
Naphthalene	10	100	<0.25	<0.25	<0.25	<0.74	<0.74	<0.25		<10.0			<10.0	<2.5	<10.0	<1.2	<28	<1.4	<1.4	<28
Tetrachloroethene (PCE)	0.5	5	21	31	44	41	67	140		329			351	10.1	439	7.4	230	9.9	40	400
Trichloroethene (TCE)	0.5	5	7.6	7.5	10	13	20	33		82.2			119	3.7	164	2.4	72	8.1	27.9	116
cis-1,2-Dichloroethene	7	70	0.79	0.57	<0.50	<0.83	<0.83	1.1		1.9 J			26.9	0.65 J	24.7	<0.27	490	141	1,010	920
trans-1,2-Dichloroethene	20	100	<0.50	<0.50	<0.50	<0.89	<0.89	<0.50		<1.5			<1.0	<0.26	<1.0	<1.1	<12	0.95 J	7.2	10.2 J
Vinyl Chloride	0.02	0.2	<0.20	<0.20	<0.20	<0.18	<0.18	<0.20		<0.74			<0.70	<0.18	<0.70	<0.17	<3.4	<0.17	0.46 J	5.8 J
Chloroform	0.6	6	0.62	<0.20	<0.20	<0.37	<0.37	<0.20		<2.8			<10.0	<2.5	<10.0	<1.3	<8	<0.4	<0.33	<6.6
Chloromethane	3	30	<0.20	<0.20	<0.20	<0.24	<0.24	<0.20		<1.6			<2.0	<0.50	<2.0	<2.2	<16.8	<0.84	<0.74	<14.8
1,1-Dichloroethane	85	850	<0.50	<0.50	<0.50	<0.75	<0.75	0.54		<1.1			<0.97	<0.24	1.1 J	<0.27	<11	<0.48	0.89 J	<8.6

## Notes

All concentrations reported in units of micrograms per liter ( $\mu\text{g/L}$ )

Xylenes reported as total of m-, o-, p-xylenes

NS = No standard established

NA = Not analyzed for parameter

| = Between limit of detection & limit of quantification

**Bolded** values indicate the compound was

**Bolded and blue shaded value** indicates an exceedance of the NB 140-10 Preventive Action limit.

**Bolded and blue shaded value** indicates an exceedance of the NR 140.10 Preventive Action Limit  
**Bolded and orange shaded value** indicates an exceedance of the NR 140.10 Enforcement Standard

TABLE 2

## GROUNDWATER ANALYTICAL RESULTS - VOCs

Former Gunderson Cleaners  
Neenah, Wisconsin

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	MW-105																			
			07/16/04	07/16/04	10/28/04	10/28/04	02/16/05	09/12/05	03/29/06	02/13/07		11/13/13	05/30/14	11/13/14	06/11/15	05/18/16	08/23/18	06/16/21	6/16 DUP	12/01/21	05/09/22	11/07/23
Benzene	0.5	5	<0.20	<0.20	<0.20	<0.20	<0.20	<0.41	<0.41	<0.20		<0.50	<0.50	<0.50	<0.50	<0.50	<0.25	<0.38	<7.6	<0.38	<0.3	<0.3
Toluene	160	800	<0.20	<0.20	<0.20	0.26	<0.20	<0.67	<0.67	<0.20		<0.44	<0.50	<0.50	<0.50	<0.50	<0.17	<0.42	<8.4	<0.42	<0.33	<0.33
Xylenes (Total)	400	2,000	<0.50	<0.50	<0.50	<0.50	<0.50	<2.63	<2.63	<0.50		<1.32	<1.50	<1.5	<1.5	<1.5	<0.73	<1.21	<24.2	<1.21	<1.01	<1.01
Naphthalene	10	100	<0.25	<0.25	<0.25	<0.25	<0.25	<0.74	<0.74	<0.25		<2.5	<2.5	<2.5	<2.5	<2.5	<1.2	<1.4	<28	<1.4	<1.4	<1.4
Tetrachloroethene (PCE)	0.5	5	<0.50	<0.50	0.73	0.96	1.1	1.8	0.98	1.5		76.7	82.1	91.9	20.3	77.2	4.5	1.38 J	<10.8	36	18.1	14.2
Trichloroethene (TCE)	0.5	5	<0.20	<0.20	0.65	0.85	0.63	1.1	<0.48	0.73		21.0	20.9	25.1	7.6	22.1	18.7	16	16.8 J	35	32	14
cis-1,2-Dichloroethene	7	70	<0.50	<0.50	<0.50	<0.50	<0.50	<0.83	<0.83	<0.50		7.3	7.7	9.2	3.7	8.1	11.2	55	62	30.7	31.1	114
trans-1,2-Dichloroethene	20	100	<0.50	<0.50	<0.50	<0.50	<0.50	<0.89	<0.89	<0.50		<0.37	<0.24	0.29J	<0.26	0.27J	<1.1	<0.6	<12	<0.6	<0.5	0.72 J
Vinyl Chloride	0.02	0.2	<0.20	<0.20	<0.20	<0.20	<0.20	<0.18	<0.18	<0.20		<0.18	<0.18	<0.18	<0.18	<0.18	<0.17	0.24 J	<3.4	<0.17	0.48 J	6.1
Chloroform	0.6	6	<0.20	<0.20	<0.20	<0.20	<0.20	<0.37	<0.37	<0.20		<0.69	<2.5	<2.5	<2.5	<2.5	<1.3	<0.4	<8	<0.4	<0.33	<0.33
Chloromethane	3	30	<0.20	<0.20	<0.20	<0.20	<0.20	<0.24	0.48	<0.20		<0.39	<0.50	<0.50	<0.50	<0.50	<2.2	<0.84	<16.8	<0.84	<0.74	<0.74
1,1-Dichloroethane	85	850	<0.50	0.59	1.0	1.3	1.0	1.6	1.5	2.4		8.5	9.8	7.3	3.3	6.2	1.4	1.62 J	<9.6	1.11 J	2.53	4.2

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	PZ-106						PZ-107													
			09/12/05	03/28/06	03/28/06	02/13/07	D	09/12/05	03/29/06	03/29/06	02/13/07	D	11/13/13	05/28/14	11/13/14	06/11/15	05/18/16	08/23/18	06/16/21	12/02/21	05/09/22	11/07/23
Benzene	0.5	5	<0.41	<0.41	<0.41	<0.20		<1.0	<1.0	<1.0	<0.20		<0.50	<0.50	<0.50	<0.50	<0.25	<0.38	<0.38	<0.3	<0.3	
Toluene	160	800	<0.67	<0.67	<0.67	<0.20		<1.7	<1.7	<1.7	<0.20		<0.44	<0.50	<0.50	<0.50	<0.17	<0.42	<0.42	<0.33	<0.33	
Xylenes (Total)	400	2,000	<2.63	<2.63	<2.63	<0.50		<6.6	<6.6	<6.6	<0.50		<1.32	<1.50	<1.5	<1.5	<0.73	<1.21	<1.21	<1.01	<1.01	
Naphthalene	10	100	<0.74	<0.74	<0.74	<0.25		<1.8	<1.8	<1.8	<0.25		<2.5	<2.5	<2.5	<2.5	<1.2	<1.4	<1.4	<1.4	<1.4	
Tetrachloroethene (PCE)	0.5	5	53	2.1	2.5	1.5		270	340	330	79		282	298	241	5.9	148	75.5	<0.54	<0.54	<0.47	<0.47
Trichloroethene (TCE)	0.5	5	7.3	<0.48	<0.48	33		25	32	33	12		41.0	64.4	95.9	19.3	86.2	94.1	<0.47	1.72 J	1.21 J	0.73 J
cis-1,2-Dichloroethene	7	70	<0.83	<0.83	<0.83	<0.50		<2.1	<2.1	<2.1	<0.50		0.96 J	1.3	10.3	16.7	39.4	16.5	0.60 J	77	124	202
trans-1,2-Dichloroethene	20	100	<0.89	<0.89	<0.89	<0.50		<2.2	<2.2	<2.2	<0.50		<0.37	<0.24	<0.26	<0.26	0.38 J	<1.1	<0.6	<0.6	1.35 J	1.5 J
Vinyl Chloride	0.02	0.2	<0.18	<0.18	<0.18	<0.20		<0.45	<0.45	<0.45	<0.20		<0.18	<0.18	<0.18	<0.18	<0.18	0.26 J	<0.17	2.71	58	45
Chloroform	0.6	6	<0.37	<0.37	<0.37	<0.20		<0.92	<0.92	<0.92	<0.20		<0.69	<2.5	<2.5	<2.5	<2.5	<1.3	<0.4	<0.4	<0.33	<0.33
Chloromethane	3	30	<0.24	<0.24	<0.24	<0.20		<0.60	<0.60	<0.60	<0.20		<0.39	<0.50	<0.50	<0.50	<0.50	<2.2	<0.84	<0.84	<0.74	1.18 J
1,1-Dichloroethane	85	850	<0.75	<0.75	<0.75	<0.50		<1.9	<1.9	<1.9	<0.50		<0.28	<0.54 J	<0.59 J	<0.24	0.55 J	0.37 J	<0.55	<0.48	<0.48	<0.43

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	PZ-108									
09/12/05	03/29/06	02/13/07	11/13/13	05/30/14</								

TABLE 2

## GROUNDWATER ANALYTICAL RESULTS - VOCs

Former Gunderson Cleaners  
Neenah, Wisconsin

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	PZ-109													
			09/12/05	03/29/06	02/13/07		11/13/13	05/28/14	11/14/14	06/10/15	05/18/16	08/23/18	06/14/21	12/03/21	05/10/22	11/08/23
Benzene	0.5	5	<0.41	<0.41	<0.20	Excavation July 2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.25	<0.38	<0.38	<0.3	<0.3
Toluene	160	800	<0.67	<0.67	<0.20		<0.44	<0.50	<0.50	<0.50	<0.50	<0.17	<0.42	<0.42	<0.33	<0.33
Xylenes (Total)	400	2,000	<2.63	<2.63	<0.50		<1.32	<1.50	<1.5	<1.5	<1.5	<0.73	<1.21	<1.21	<1.01	<1.01
Naphthalene	10	100	<0.74	<0.74	<0.25		<2.5	<2.5	<2.5	<2.5	<2.5	<1.2	<1.4	<1.4	<1.4	<1.4
Tetrachloroethene (PCE)	0.5	5	<0.45	<0.45	1.8		2.2	0.85 J	4.3	2.9	0.92 J	7.4	3.6	2.09 J	<0.47	<0.47
Trichloroethene (TCE)	0.5	5	<0.48	<0.48	<0.20		0.70 J	0.80 J	3.6	1.7	0.76 J	33.4	30.1	16.2	<0.38	<0.38
cis-1,2-Dichloroethene	7	70	<0.83	<0.83	<0.50		<0.42	<0.26	<0.26	<0.26	<0.26	17.1	30.2	60	<0.32	118
trans-1,2-Dichloroethene	20	100	<0.89	<0.89	<0.50		<0.37	<0.24	<0.26	<0.26	<0.26	<1.1	0.74 J	<0.6	<0.5	0.62 J
Vinyl Chloride	0.02	0.2	<0.18	<0.18	<0.20		<0.18	<0.18	<0.18	<0.18	<0.18	<0.17	<0.17	0.32 J	<0.15	0.27 J
Chloroform	0.6	6	<0.37	<0.37	<0.20		<0.69	<2.5	<2.5	<2.5	<2.5	<1.3	<0.4	<0.4	<0.33	<0.33
Chloromethane	3	30	<0.24	<0.24	<0.20		<0.39	<0.50	<0.50	<0.50	<0.50	<2.2	<0.84	<0.84	<0.74	<0.74
1,1-Dichloroethane	85	850	<0.75	<0.75	<0.50		<0.28	<0.18	<0.24	<0.24	<0.24	0.31 J	<0.48	<0.48	<0.43	<0.43

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	PZ-110												PZ-111		
			09/12/05	09/12/05	03/29/06	12/02/07		11/13/13	05/28/14	12/11/14	06/10/15	05/18/16	08/23/18	06/15/21	11/09/23	11/17/06	02/13/07
Benzene	0.5	5	<0.41	<0.41	<0.41	<0.20	Excavation July 2013	<0.50	<0.50	<0.50	<0.50	<0.50	Not Sampled	<0.38	<0.3	<8.2	<10
Toluene	160	800	<0.67	<0.67	<0.67	<0.20		<0.44	<0.50	<0.50	<0.50	<0.50		<0.42	<0.33	<13	<10
Xylenes (Total)	400	2,000	<2.63	<2.63	<2.63	<0.50		<1.32	<1.50	<1.5	<1.5	<1.5		<1.21	<1.01	<53	<25
Naphthalene	10	100	<0.74	<0.74	<0.74	<0.25		<2.5	<2.5	<2.5	<2.5	<2.5		<1.4	<1.4	<15	<12
Tetrachloroethene (PCE)	0.5	5	<0.45	<0.45	0.69	2.4		2.6	<0.50	<0.50	<0.50	<0.50		<0.54	<0.47	1,400	3,100
Trichloroethene (TCE)	0.5	5	<0.48	<0.48	<0.48	<0.20		<0.36	<0.33	<0.33	<0.33	<0.33		<0.47	<0.38	<9.6	<10
cis-1,2-Dichloroethene	7	70	<0.83	<0.83	<0.83	<0.50		<0.42	<0.26	<0.26	<0.26	<0.26		<0.39	0.41 J	<17	<25
trans-1,2-Dichloroethene	20	100	<0.89	<0.89	<0.89	<0.50		<0.37	<0.24	<0.26	<0.26	<0.26		<0.6	<0.5	<18	<25
Vinyl Chloride	0.02	0.2	<0.18	<0.18	<0.18	<0.20		<0.18	<0.18	<0.18	<0.18	<0.18		<0.17	<0.15	<3.6	<10
Chloroform	0.6	6	<0.37	<0.37	<0.37	<0.20		<0.69	<2.5	<2.5	<2.5	<2.5		<0.4	<0.33	<7.4	<10
Chloromethane	3	30	<0.24	<0.24	0.49	<0.20		<0.39	<0.50	<0.50	<0.50	<0.50		<0.84	<0.74	<4.8	<10
1,1-Dichloroethane	85	850	<0.75	<0.75	<0.50	<0.28		<0.18	<0.24	<0.24	<0.24	<0.48		<0.43	<15	<25	

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	MW-112												
			11/17/06	02/13/07		05/16/13		11/15/13	05/29/14	11/14/14	06/11/15	05/18/16	08/23/18	06/16/21	11/09/23
Benzene	0.5	5	<0.20	Dry	Excavation Sept 2009	<0.50	Not Sampled	<0.50	<0.50	<0.50	<0.50	<0.50	<0.38	<0.3	
Toluene	160	800	<0.20			<0.44		<0.44	<0.50	<0.50	<0.50	<0.50		<0.42	<0.33
Xylenes (Total)	400	2,000	<0.50			<1.32		<1.32	<1.50	<1.5	<1.5	<1.5		<1.21	<1.01
Naphthalene	10	100	<0.25			<2.5		<2.5	<2.5	<2.5	<2.5	<2.5		<1.4	<1.4
Tetrachloroethene (PCE)															

TABLE 2

## GROUNDWATER ANALYTICAL RESULTS - VOCs

Former Gunderson Cleaners  
Neenah, Wisconsin

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	MW-113											
			11/17/06	02/14/07		05/16/13		11/15/13	05/29/14	11/14/14	06/11/15	05/18/16	08/23/18	06/16/21
Benzene	0.5	5	<0.41	<0.20	Excavation Sept 2009	<0.50	Excavation July 2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.38	<0.3
Toluene	160	800	<0.67	<0.20		<0.44		<0.44	<0.50	<0.50	<0.50	<0.50	<0.42	<0.33
Xylenes (Total)	400	2,000	<2.63	<0.50		<1.32		<1.32	<1.50	<1.5	<1.5	<1.5	<1.21	<1.01
Naphthalene	10	100	<0.74	<0.25		<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<1.4	<1.4
Tetrachloroethene (PCE)	0.5	5	<0.45	<0.50		<0.47		<0.47	<0.50	<0.50	<0.50	<0.50	<0.54	<0.47
Trichloroethene (TCE)	0.5	5	<0.48	<0.20		<0.43		<0.36	<0.33	<0.33	<0.33	<0.33	<0.47	<0.38
cis-1,2-Dichloroethene	7	70	<0.83	<0.50		<0.42		<0.42	<0.26	<0.26	<0.26	<0.26	<0.39	<0.32
trans-1,2-Dichloroethene	20	100	<0.89	<0.50		<0.37		<0.37	<0.24	<0.26	<0.26	<0.26	<0.6	<0.5
Vinyl Chloride	0.02	0.2	<0.18	<0.20		<0.18		<0.18	<0.18	<0.18	<0.18	<0.18	<0.17	<0.15
Chloroform	0.6	6	<0.37	<0.20		<0.69		<0.69	<2.5	<2.5	<2.5	<2.5	<0.4	<0.33
Chloromethane	3	30	<0.24	<0.20		<0.39		<0.39	<0.50	<0.50	<0.50	<0.50	<0.84	<0.74
1,1-Dichloroethane	85	850	<0.75	<0.50		<0.28		<0.28	<0.18	<0.24	<0.24	<0.24	<0.48	<0.43

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	MW-114												
			11/21/06	02/14/07		05/16/13		11/15/13	05/29/14	11/14/14	06/11/15	05/18/16	08/23/18	06/16/21	11/09/23
Benzene	0.5	5	<0.41	<0.20	Excavation Sept 2009	<0.50	Excavation July 2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.25	<0.38	<0.3
Toluene	160	800	<0.67	<0.20		<0.44		<0.44	<0.50	<0.50	<0.50	<0.50	<0.17	<0.42	<0.33
Xylenes (Total)	400	2,000	<2.63	<0.50		<1.32		<1.32	<1.50	<1.5	<1.5	<1.5	<0.73	<1.21	<1.01
Naphthalene	10	100	<0.74	<0.25		<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<1.2	<1.4	<1.4
Tetrachloroethene (PCE)	0.5	5	<0.45	<0.50		8.5		8.1	3.2	5.6	3.7	2.7	3.4	2.45	1.41 J
Trichloroethene (TCE)	0.5	5	<0.48	<0.20		10.5		8.7	2.8	7.7	4.9	2.9	3.2	2.63	1.19 J
cis-1,2-Dichloroethene	7	70	<0.83	<0.50		13.3		10.1	3.1	9.3	5.4	3.5	3.9	4.9	0.96 J
trans-1,2-Dichloroethene	20	100	<0.89	<0.50		0.75 J		0.56J	<0.24	0.36J	<0.26	<0.26	<1.1	<0.6	<0.5
Vinyl Chloride	0.02	0.2	<0.18	<0.20		<0.18		<0.18	<0.18	<0.18	<0.18	<0.18	<0.17	<0.17	<0.15
Chloroform	0.6	6	<0.37	<0.20		<0.69		<0.69	<2.5	<2.5	<2.5	<2.5	<1.3	<0.4	<0.33
Chloromethane	3	30	<0.24	<0.20		<0.39		<0.39	<0.50	<0.50	<0.50	<0.50	<2.2	<0.78	<0.74
1,1-Dichloroethane	85	850	<0.75	<0.50		<0.28		<0.28	<0.18	<0.24	<0.24	<0.24	<0.27	<0.48	<0.43

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	MW-115																
			11/17/06	02/14/07		05/30/13		11/14/13	05/29/14	11/13/14	06/11/15	05/18/16	08/23/18	06/15/21	12/01/21	05/10/22	5/10 DUP	11/09/23	11/09 DUP
Benzene	0.5	5	<0.41	<0.20	Excavation Sept 2009	<0.50	Excavation July 2013	<0.50	<0.50	<0.50	<0.50	<0.50	<0.25	<0.38	<0.3	<0.3	<0.3	<0.3	<0.3
Toluene	160	800	<0.67	<0.20		<0.44		<0.44	<0.50	<0.50	<0.50	<0.50	<0.17	<0.42	<0.42	<0.33	<0.33	<0.33	<0.33
Xylenes (Total)	400	2,000	<2.63	<0.50		<1.32		<1.32	<1.50	<1.5	<1.5	<1.5	<0.73	<1.21	<1.21	<1.01	<1.01	<1.01	<1.01
Naphthalene	10	100	<0.74	<0.25		<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<1.2	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
Tetrachloroethene (PCE)	0.5	5	<0.45	9.8		11.6		15.5	6.2	6.4	5.0	3.2	1.6	<0.54	<0.54	1.79 J	1.92	2.03	2.17
Trichloroethene (TCE)	0.5	5	<0.48	0.55		17.6		19.9	8.3	8.2	8.7	4.5	5.1	2.33	2.41	2.27	2.44	2.38	2.44
cis-1,2-Dichloroethene	7	70	<0.83	<0.50		3													

TABLE 2

## GROUNDWATER ANALYTICAL RESULTS - VOCs

Former Gunderson Cleaners  
Neenah, Wisconsin

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	MW-116											
			12/11/13	05/30/14	11/13/14	06/11/15	05/18/16	08/23/18	06/16/21	12/01/21	05/10/22	5/10 DUP	11/07/23	11/07 DUP
Benzene	0.5	5	<5.0	<12.5	<5.0	<12.5	<2.0	<0.25	<0.38	<0.38	<0.3	<0.3	<0.3	<0.3
Toluene	160	800	<4.4	<12.5	<5.0	<12.5	<2.0	<0.17	<0.42	<0.42	<0.33	<0.33	<0.33	<0.33
Xylenes (Total)	400	2,000	<13.2	<37.5	<15.0	<37.5	<6.0	<0.73	<1.21	<1.21	<1.01	<1.01	<1.01	<1.01
Naphthalene	10	100	<25.0	<62.5	<25.0	<62.5	<10.0	<1.2	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
Tetrachloroethene (PCE)	0.5	5	600	2,410	805	1,410	535	190	23.5	51	21.9	21.4	14.9	15.2
Trichloroethene (TCE)	0.5	5	28.1	72.8	29.2	45.0	16.0	6.9	1.21 J	2.65	1.21 J	1.03 J	0.54 J	0.58 J
cis-1,2-Dichloroethene	7	70	<4.2	<6.4	<2.6	<6.4	<1.0	1.4	<0.39	<0.39	3.3	3.2	<0.32	<0.32
trans-1,2-Dichloroethene	20	100	<3.7	<5.9	<2.6	<6.4	<1.0	<1.1	<0.6	<0.6	<0.5	<0.5	<0.5	<0.5
Vinyl Chloride	0.02	0.2	<1.8	4.5 J	<1.8	<4.4	<0.70	<0.17	<0.17	<0.17	<0.15	<0.15	<0.15	<0.15
Chloroform	0.6	6	<6.9	<62.5	<25.0	<62.5	<10.0	<1.3	<0.4	<0.4	<0.33	<0.33	<0.33	<0.33
Chloromethane	3	30	<3.9	<12.5	<5.0	<12.5	<2.0	<2.2	<0.84	<0.84	<0.74	<0.74	<0.74	<0.74
1,1-Dichloroethane	85	850	<2.8	<4.6	<2.4	<6.0	<0.97	<0.27	<0.48	<0.48	<0.43	<0.43	<0.43	<0.43

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	MW-117							PZ-118								
			12/11/13	05/30/14	11/13/14	06/11/15	05/18/16	08/23/18	06/16/21	11/08/23	12/11/13	05/30/14	11/13/14	06/11/15	05/18/16	08/23/18	06/16/21	11/08/23
Benzene	0.5	5	<0.50	<0.50	<0.50	<0.50	<0.50	Not Sampled	<0.38	<0.3	7.6	<0.50	<0.50	<0.50	<0.50	Not Sampled	<0.38	<0.3
Toluene	160	800	<0.44	<0.50	<0.50	<0.50	<0.50		<0.42	<0.33	3.7	<0.50	<0.50	<0.50	<0.50		<0.42	<0.33
Xylenes (Total)	400	2,000	<1.32	<1.50	<1.5	<1.5	<1.5		<1.21	<1.01	1.4 J	<1.50	<1.5	<1.5	<1.5		<1.21	<1.01
Naphthalene	10	100	<2.5	<2.5	<2.5	<2.5	<2.5		<1.4	<1.4	<2.5	<2.5	<2.5	<2.5	<2.5		<1.4	<1.4
Tetrachloroethene (PCE)	0.5	5	<0.47	<0.50	<0.50	<0.50	<0.50		<0.54	<0.47	0.51 J	<0.50	<0.50	<0.50	<0.50		<0.54	<0.47
Trichloroethene (TCE)	0.5	5	<0.36	<0.33	<0.33	<0.33	<0.33		<0.47	<0.38	<0.36	<0.33	<0.33	<0.33	<0.33		<0.47	<0.38
cis-1,2-Dichloroethene	7	70	<0.42	<0.26	<0.26	<0.26	<0.26		<0.39	<0.32	<0.42	<0.26	<0.26	<0.26	<0.26		<0.39	<0.32
trans-1,2-Dichloroethene	20	100	<0.37	<0.24	<0.26	<0.26	<0.26		<0.6	<0.5	<0.37	<0.24	<0.26	<0.26	<0.26		<0.6	<0.5
Vinyl Chloride	0.02	0.2	<0.18	<0.18	<0.18	<0.18	<0.18		<0.17	<0.15	<0.18	<0.18	<0.18	<0.18	<0.18		<0.17	<0.15
Chloroform	0.6	6	<0.69	<2.5	<2.5	<2.5	<2.5		<0.4	<0.33	<0.69	<2.5	<2.5	<2.5	<2.5		<0.4	<0.33
Chloromethane	3	30	<0.39	<0.50	<0.50	<0.50	<0.50		<0.84	<0.74	<0.39	<0.50	<0.50	<0.50	<0.50		<0.84	<0.74
1,1-Dichloroethane	85	850	<0.28	<0.18	<0.24	<0.24	<0.24		<0.48	<0.43	<0.28	<0.18	<0.24	<0.24	<0.24		<0.48	<0.43

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	PZ-119							PZ-120											
			12/11/13	05/29/14	11/13/14	06/11/15	05/18/16	08/23/18	06/15/21	6/15 DUP	12/02/21	05/10/22	11/07/23	12/11/13	05/30/14	11/13/14	06/11/15	05/18/16	08/23/18	06/14/21	11/08/23
Benzene	0.5	5	<0.50	<5.0	<1.0	<5.0	<5.0	<0.25	<0.38	<0.38	<0.3	<0.3	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	Not Sampled	<0.38	<0.3
Toluene	160	800	<0.44	<5.0	<1.0	<5.0	<5.0	<0.17	<0.42	<0.42	<0.42	<0.33	<0.33	<0.44	<0.50	<0.50	<0.50	<0.50		<0.42	<0.33
Xylenes (Total)	400	2,000	<1.32	<15.0	<3.0	<15.0	<15.0	<0.73	<1.21	<1.21	&lt										

TABLE 2

## GROUNDWATER ANALYTICAL RESULTS - VOCs

Former Gunderson Cleaners  
Neenah, Wisconsin

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	PZ-121										
			12/11/13	05/30/14	11/13/14	06/11/15	05/18/16	08/23/18	06/14/21	6/14 DUP	12/02/21	05/09/22	11/08/23
Benzene	0.5	5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.25	<0.38	<0.38	<0.38	<0.3	<0.3
Toluene	160	800	<0.44	<0.50	<0.50	<0.50	<0.50	<0.17	<0.42	<0.42	<0.42	<0.33	<0.33
Xylenes (Total)	400	2,000	<1.32	<1.50	<1.5	<1.5	<1.5	<0.73	<1.21	<1.21	<1.21	<1.01	<1.01
Naphthalene	10	100	<2.5	<2.5	<2.5	<2.5	<2.5	<1.2	<1.4	<1.4	<1.4	<1.4	<1.4
Tetrachloroethene (PCE)	0.5	5	83.7	110	40.4	0.93 J	73.2	<0.33	<0.54	<0.54	<0.54	<0.47	<0.47
Trichloroethene (TCE)	0.5	5	28.2	65.9	80.0	0.67 J	138	0.36 J	<0.47	<0.47	3.13	<0.38	0.54 J
cis-1,2-Dichloroethene	7	70	2.1	22.5	39.3	<0.26	28.5	20.5	3.9	4.2	36	0.50 J	243
trans-1,2-Dichloroethene	20	100	<0.37	0.25 J	<0.26	<0.26	<0.26	<1.1	<0.6	<0.6	<0.6	<0.5	5.9
Vinyl Chloride	0.02	0.2	0.26 J	<0.18	<0.18	<0.18	0.18 J	<0.17	<0.17	<0.17	0.34 J	<0.15	9.1
Chloroform	0.6	6	<0.69	<2.5	<2.5	<2.5	<2.5	<1.3	<0.4	<0.4	<0.4	<0.33	<0.33
Chloromethane	3	30	<0.39	<0.50	<0.50	<0.50	<0.50	<2.2	<0.78	<0.78	<0.84	<0.74	<0.74
1,1-Dichloroethane	85	850	0.53 J	0.32 J	0.36 J	<0.24	0.82 J	<0.27	<0.48	<0.48	<0.48	<0.43	0.55 J

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	PZ-122										PZ-123				
			12/11/13	05/29/14	11/14/14	06/11/15	05/18/16	08/23/18	06/14/21	12/02/21	05/09/22	11/08/23	08/23/18	06/14/21	12/02/21	05/09/22	11/08/23
Benzene	0.5	5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.25	<0.38	<0.38	<0.3	<0.3	<0.25	<0.38	<0.38	<0.3	<0.3
Toluene	160	800	<0.44	<0.50	<0.50	<0.50	<0.50	<0.17	<0.42	<0.42	<0.33	<0.33	0.18 J	<0.42	<0.42	<0.33	<0.33
Xylenes (Total)	400	2,000	<1.32	<1.50	<1.5	<1.5	<1.5	<0.73	<1.21	<1.21	<1.01	<1.01	<0.73	<1.21	<1.21	<1.01	<1.01
Naphthalene	10	100	<2.5	<2.5	<2.5	<2.5	<2.5	<1.2	<1.4	<1.4	<1.4	<1.4	<1.2	<1.4	<1.4	<1.4	<1.4
Tetrachloroethene (PCE)	0.5	5	238	164	165	175	118	11.6	<0.54	<0.54	<0.47	<0.47	<0.33	<0.54	<0.54	<0.47	<0.47
Trichloroethene (TCE)	0.5	5	52.8	40.8	45.4	44.0	46.5	16.1	1.75 J	2.39	<0.38	0.57 J	<0.26	<0.47	<0.47	<0.38	<0.38
cis-1,2-Dichloroethene	7	70	0.56 J	<0.26	0.42 J	0.42 J	0.85 J	3.8	0.84 J	2.14	<0.32	1.6	<0.27	<0.39	<0.39	<0.32	<0.32
trans-1,2-Dichloroethene	20	100	<0.37	<0.24	<0.26	<0.26	0.29 J	<1.1	<0.6	<0.6	<0.5	<0.5	<1.1	<0.6	<0.6	<0.5	<0.5
Vinyl Chloride	0.02	0.2	0.35 J	<0.18	<0.18	<0.18	<0.18	<0.17	<0.17	<0.17	<0.15	<0.15	<0.17	<0.17	<0.17	<0.15	<0.15
Chloroform	0.6	6	<0.69	<2.5	<2.5	<2.5	<2.5	<1.3	<0.4	<0.4	<0.4	<0.33	<1.3	<0.4	<0.4	<0.33	<0.33
Chloromethane	3	30	<0.39	<0.50	1.1	<0.50	<0.50	<2.2	<0.84	<0.84	<0.74	<0.74	<2.2	<0.84	<0.84	<0.62	<0.74
1,1-Dichloroethane	85	850	<0.28	<0.18	<0.24	<0.24	<0.24	<0.27	<0.48	<0.48	<0.43	<0.43	<0.27	<0.48	<0.48	<0.43	<0.43

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	PZ-124					PZ-125						
			08/23/18	06/14/21	12/02/21	05/09/22	11/08/23	08/23/18	06/15/21	12/02/21	11/10/23			
Benzene	0.5	5	<0.25	<0.38	<0.38	<0.3	<0.3	<0.25	<0.38	<0.38	<0.3			
Toluene	160	800	<0.17	<0.42	<0.42	<0.33	<0.33	0.23 J	<0.42	<0.42	<0.33			
Xylenes (Total)	400	2,000	<0.73	<1.21	<1.21	<1.01	<1.01	<0.73	<1.21	<1.21	<1.01			
Naphthalene	10	100	<1.2	<1.4	<1.4	<1.4	<1.4	<1.2	<1.4	<1.4	<1.4			
Tetrachloroethene (PCE)	0.5	5	<0.33	<0.54	<0.54	<0.47	<0.47	<0.33	<0.54	<0.54	<0.47			
Trichloroethene (TCE)	0.5	5	<0.26	<0.47	<0.47	<0.38	<0.38	<0.26	<0.47	<0.47	<0.38			
cis-1,2-Dichloroethene	7	70	<0.27	<0.39	<0.39	<0.32	<0.32	<0.27	<0.39	<0.39	<0.32			
trans-1,2-Dichloroethene	20	100	<1.1	<0.6	<0.6	<0.5	<0.5	<1.1	<0.6	<0.6	<0.5			
Vinyl Chloride	0.02	0.2	<0.17	<0.17	<0.17	<0.								

TABLE 2

## GROUNDWATER ANALYTICAL RESULTS - VOCs

Former Gunderson Cleaners  
Neenah, Wisconsin

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	Sump A										Dry	
			05/30/13	08/21/13	11/15/13	11/15/13	05/30/14	05/30/14	11/13/14	06/11/15	05/18/16	08/23/18	05/10/22	
Benzene	0.5	5	<2.5	<2.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.5	<0.3	
Toluene	160	800	<2.2	<2.2	<4.4	<4.4	<5.0	<5.0	<5.0	<5.0	<5.0	<1.7	<0.33	
Xylenes (Total)	400	2,000	<6.6	<6.6	<13.2	<13.2	<15.0	<15.0	<15.0	<15.0	<15.0	<7.3	<1.01	
Naphthalene	10	100	<12.5	<12.5	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<11.8	<1.4	
Tetrachloroethene (PCE)	0.5	5	484	1,060	536	538	1,170	1,140	997	1,740	1,200	773	302	
Trichloroethene (TCE)	0.5	5	2.5 J	7.5	5.9 J	8.3 J	10.4	9.5 J	12.3	25.5	34.3	23.9	15.9	
cis-1,2-Dichloroethene	7	70	<2.1	<2.1	<4.2	5.2 J	<2.6	<2.6	3.7 J	3.6 J	6.1 J	4.0 J	2.56	
trans-1,2-Dichloroethene	20	100	<1.9	<1.9	<3.7	<3.7	<2.4	<2.4	<2.6	<2.6	<2.6	<10.9	<0.5	
Vinyl Chloride	0.02	0.2	<0.92	<0.92	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.7	3.7	
Chloroform	0.6	6	<3.4	<3.4	<6.9	<6.9	<25.0	<25.0	<25.0	<25.0	<25.0	<12.7	<0.33	
Chloromethane	3	30	<1.9	<1.9	<3.9	<3.9	<5.0	<5.0	<5.0	<5.0	<5.0	<21.9	<0.74	
1,1-Dichloroethane	85	850	<1.4	<1.4	<2.8	<2.8	<1.8	<1.8	<2.4	<2.4	<2.4	<2.7	<0.43	
Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	Sump B											
			05/16/13	08/21/13	11/14/13	05/28/14	11/13/14	06/11/15	05/18/16	08/23/18	05/10/22	11/10/23		
Benzene	0.5	5	<0.50	<1.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.25	<15	<0.3		
Toluene	160	800	<0.44	<0.88	<0.44	<0.50	<0.50	<0.50	<0.50	<0.17	<16.5	<0.33		
Xylenes (Total)	400	2,000	<1.32	<2.6	<1.32	<1.50	<1.5	<1.5	<1.5	<0.73	<50.5	<1.01		
Naphthalene	10	100	<2.5	<5.0	<2.5	<2.5	<2.5	<2.5	<2.5	<1.2	<70	<1.4		
Tetrachloroethene (PCE)	0.5	5	9.0	333	10.2	36.4	5.6	7.0	10.9	17.3	420	23.4		
Trichloroethene (TCE)	0.5	5	10.9	198	16.2	34.0	10.8	14.0	11.3	12.6	194	25.1		
cis-1,2-Dichloroethene	7	70	2.9	40.0	9.4	19.3	8.3	12.9	10.6	5.2	38 J	8.4		
trans-1,2-Dichloroethene	20	100	<0.37	2.3	0.94 J	1.3	0.66 J	1.1	0.78 J	<1.1	<25	0.76 J		
Vinyl Chloride	0.02	0.2	2.4	33.0	27.1	3.9	1.2	0.89 J	0.64 J	0.60 J	66	9.3		
Chloroform	0.6	6	<0.69	<1.4	<0.69	<2.5	<2.5	<2.5	<2.5	<1.3	<16.5	<0.33		
Chloromethane	3	30	<0.39	<0.78	<0.39	<0.50	<0.50	<0.50	<0.50	<2.2	<37	<0.74		
1,1-Dichloroethane	85	850	<0.28	<0.57	<0.28	<0.18	<0.24	<0.24	<0.24	<0.27	<21.5	<0.43		
Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	Sump C											
			05/16/13	08/21/13	11/14/13	05/28/14	11/13/14	06/11/15	05/18/16	08/23/18	05/10/22	11/10/23		
Benzene	0.5	5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.25	<0.3	<0.3		
Toluene	160	800	<0.44	<0.44	<0.44	<0.50	<0.50	<0.50	<0.50	<0.17	<0.33	<0.33		
Xylenes (Total)	400	2,000	<1.32	<1.32	<1.32	<1.50	<1.5	<1.5	<1.5	<0.73	<1.01	<1.01		
Naphthalene	10	100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<1.2	<1.4	<1.4		
Tetrachloroethene (PCE)	0.5	5	68.4	185	47.3	133	41.7	166	146	48.8	106	35		
Trichloroethene (TCE)	0.5	5	44.8	125	76.7	29.9	25.5	33.2	30.8	13.1	29.2	15.8		
cis-1,2-Dichloroethene	7	70	16.4	45.0	37.4	21.1	16.4	21.4	24.0	5.2	18.5	6.4		
trans-1,2-Dichloroethene	20	100	1.2	1.6	2.1	1.4	1.6	1.5	1.6	<1.1	0.85 J	<0.5		
Vinyl Chloride	0.02	0.2	26.3	47.6	78.4	5.8	26.2	10.1	11.6	1.0	6.2	4.8		
Chloroform	0.6	6	<0.69	<0.69	<2.5	<2.5	<2.5	<2.5	<2.5	<1.3	<0.33	<0.33		
Chloromethane	3	30	<0.39	<0.39	<0.50	<0.50	<0.50	<0.50	<0.50	<2.2	<0.74	<0.74		
1,1-Dichloroethane	85	850	<0.28	<0.28	<0.18	<0.24	<0.24	<0.24	<0.24	<0.27	<0.43	<0.43		

## Notes:

All concentrations reported in units of micrograms per liter (µg/L)

Xylenes reported as total of m-, o-, p-xylenes

NS = No standard established

NA = Not analyzed for parameter

J = Between limit of detection &amp; limit of quantification B= Analyte also present in trip blank

Bolded values indicate the compound was detected

Bolded and blue shaded value indicates an exceedance of the NR 140.10 Preventive Action Limit

Bolded and orange shaded value indicates an exceedance of the NR 140.10 Enforcement Standard

**TABLE 2****GROUNDWATER ANALYTICAL RESULTS - VOCs**

Former Gunderson Cleaners  
Neenah, Wisconsin

Monitoring Well ID Sample Date Notes	Preventive Action Limit	Enforcement Standard	Sump D											
			07/31/13	08/15/13	11/15/13	05/30/14	11/13/14	06/10/15	05/18/16	08/23/18	05/10/22	11/10/23	11/10 DUP	
Benzene	0.5	5	Excavation July 2013	<25.0	<50.0	<25.0	<10.0	<10.0	<10.0	<2.5	<0.3	<30	<30	
Toluene	160	800		<21.9	<43.9	<21.9	<10.0	<10.0	<10.0	<1.7	<0.33	<33	<33	
Xylenes (Total)	400	2,000		<65.9	<131.7	<65.9	<30.0	<30.0	<30.0	<7.3	<1.01	<101	<101	
Naphthalene	10	100		<125	<250	<125	<50.0	<50.0	<50.0	<11.8	<1.4	<140	<140	
Tetrachloroethene (PCE)	0.5	5		<b>7,540</b>	<b>4,730</b>	<b>2,850</b>	<b>1,970</b>	<b>1,070</b>	<b>1,630</b>	<b>1,040</b>	<b>1,250</b>	<b>1,120</b>	<b>8100</b>	<b>9700</b>
Trichloroethene (TCE)	0.5	5		<b>46.3 J</b>	<42.9	<b>59.8</b>	<b>28.0</b>	<b>19.3 J</b>	<b>32.1</b>	<b>38.0</b>	<b>39.4</b>	<b>75</b>	<b>79 J</b>	<b>76 J</b>
cis-1,2-Dichloroethene	7	70		<21.0	<41.9	<21.0	<5.1	<5.1	<5.1	<5.1	<b>5.0 J</b>	<b>219</b>	<b>230</b>	<b>232</b>
trans-1,2-Dichloroethene	20	100		<18.6	<37.1	<18.6	<4.8	<5.1	<5.1	<5.1	<10.9	<b>4.8</b>	<50	<50
Vinyl Chloride	0.02	0.2		<9.2	<18.5	<9.2	<3.5	<3.5	<3.5	<3.5	<1.7	<b>0.51 J</b>	<15	<15
Chloroform	0.6	6		<34.4	<68.9	<34.4	<50.0	<50.0	<50.0	<50.0	<12.7	<0.33	<33	<33
Chloromethane	3	30		<19.4	<38.8	<19.4	<10.0	<10.0	<10.0	<10.0	<21.9	<0.74	<74	<74
1,1-Dichloroethane	85	850		<14.2	<28.5	<14.2	<3.7	<4.8	<4.8	<4.8	<2.7	<b>0.93 J</b>	<43	<43

**Notes:**

All concentrations reported in units of micrograms per liter ( $\mu\text{g/L}$ )

Xylenes reported as total of m-, o-, p-xylenes

NS = No standard established

NA = Not analyzed for parameter

J = Between limit of detection & limit of quantification B= Analyte also present in trip blank

**Bolded** values indicate the compound was detected

**Bolded and blue shaded value** indicates an exceedance of the NR 140.10 Preventive Action Limit

**Bolded and orange shaded value** indicates an exceedance of the NR 140.10 Enforcement Standard

**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS - PFAS**  
Former Gunderson Cleaners  
Neenah, Wisconsin

Monitoring Well/ Sample ID	Sample Date	PFDA - Perfluorooctanoic acid	PFOS - Perfluorooctanesulfonic acid	PFBAs - Perfluorobutanesulfonic acid	PFBS - Perfluorobutanesulfonic acid	PFNA - Perfluorononanoic acid	PFDA - Perfluorodecanoic acid	PFHxA - Perfluorohexanoic acid	PFHxS - Perfluorohexanesulfonic acid	PFHpA - Perfluorohexanoic acid	PFHpS	PFPeA	PFPeS	HFO-DA	PFDoA - Perfluorododecanoic acid	PFUnA - Perfluoroundecanoic acid	PFTeDA - Perfluorotetradecanoic acid	PFTrDA - Perfluorotetradecanoic acid	6:2 FTSA	8:2 FTSA	9CL-PF3O1dS	ADONA	PFOSA	N-MeFOSAA	N-EtFOSAA	N-MeFOSE	N-EtFOSE	N-EtFOSE				
Proposed Enforcement Standard		20*	20*	10,000	450,000	30	NE	300	NE	150,000	40	NE	NE	NE	300	500	NE	3,000	NE	10,000	NE	NE	NE	NE	3,000	20*	NE	NE	NE	20*	20*	
Proposed Preventive Action Limit		2*	2*	2,000	90,000	3	NE	60	NE	30,000	4	NE	NE	NE	30	100	NE	600	NE	2,000	NE	NE	NE	NE	600	2*	NE	2*	NE	2*	2*	
PZ-104	8/11/2022	9.7	<0.66	7.2	2.1			<0.60		4.8	1.2J	3.3		4.4	0.60J							1.9J										
	11/7/2023	6.7	<3.5	5.7	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<17.7	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<3.5	<7.1	<7.1	<7.1	<7.1	<7.1	
MW-105	8/11/2022	3.8	1.5J	6.1	9.3			<0.61		6.2	0.89J	1.8J		7.3	<0.60							0.97J										
	11/7/2023	<3.9	<3.9	5.2	16.0	<3.9	<3.9	<3.9	<3.9	5.7	<3.9	<3.9	<3.9	<3.9	<3.9	<19.4	<3.9	<3.9	<3.9	<3.9	<3.9	<3.9	<3.9	<3.9	<3.9	<3.9	<7.8	<7.8	<7.8	<7.8	<7.8	
MW-116	8/11/2022	1.4 J	3.9	6.9	9.6			0.69 J		1.7 J	<0.54	<0.70		1.6 J	<0.61							2.1										
	8/11 DUP	1.5 J	4.0	6.7	9.4			0.66 J		1.6 J	<0.54	<0.71		1.7 J	<0.62							<0.69										
	11/7/2023	<4.2	4.7	8.4	9.0	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2	<20.8	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2	<4.2	<8.3	<8.3	<8.3	<8.3	<8.3	
	11/7 DUP	<3.7	4.7	7.6	8.8	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<18.3	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<7.3	<7.3	<7.3	<7.3	<7.3		
PZ-119	8/11/2022	3.6	3.6	9.6	2.2			<0.64		4.6	2.0	2.0J		3.1	<0.64							2.2										
	11/7/2023	4.5	3.8	9.3	<3.7	<3.7	<3.7	<3.7	<3.7	6.7	<3.7	<3.7	<3.7	<3.7	4.4	<3.7	<18.5	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<3.7	<7.4	<7.4	<7.4	<7.4	<7.4	
FB-1 (Field Blank)	8/11/2022	<0.84	<0.65	<0.49	<0.47			<0.60		<0.89	<0.52	<0.67		<0.80	<0.59						<0.66											
	11/7/2023	<3.6	4.4	<3.6	<3.6	<3.6	<3.6	<0.60	<3.6	<3.6	<3.6	<3.6	<3.6	<18.2	<3.6	<3.6	<3.6	<3.6	<3.6	<3.6	6.9	<3.6	<3.6	<3.6	<3.6	<7.3	<7.3	<7.3	<7.3	<7.3		
EB-1 (Equipment Blank)	8/11/2022	<0.85	<0.66	<0.49	<0.48			<0.60		<0.90	<0.52	<0.68		<0.81	<0.59						0.91J											

Notes:

All concentrations reported in units of nanograms per liter (ng/L)

**Bolded** values are above detection limits

**Bolded and blue shaded** values are above proposed groundwater preventative action limits

**Bolded and orange shaded** values are above proposed groundwater enforcement standards

\* Proposed groundwater standard applies to individual compound or combined compounds

J = Analyte concentration detected between the laboratory limit of detection and limit of quantification

NE = Not Established



**EnvisionAir**  
1441 Sadlier Circle West Drive  
Indianapolis, IN 46239  
Ph: 317-351-0885  
Fax: 317-351-0882  
[www.envision-air.com](http://www.envision-air.com)

Ms. Nicolette Morris  
Enviroforensics  
825 N. Capitol Ave.  
Indianapolis, IN 46204

November 27, 2023

EnvisionAir Project Number: 2023-548  
Client Project Name: 200016

Dear Ms. Morris,

Please find the attached analytical report for the samples received November 15, 2023. All test methods performed were fully compliant with local, state, and federal EPA methods unless otherwise noted. The project was analyzed as requested on the enclosed chain of custody record. Please review the comments section for additional information about your results or Quality Control data.

Feel free to contact me if you have any questions or comments regarding your analytical report or service.

Thank you for your business. EnvisionAir looks forward to working with you on your next project.

Yours Sincerely,

A handwritten signature in black ink that reads "David Norris". The signature is fluid and cursive, with "David" on top and "Norris" below it.

David Norris  
Project Manager  
EnvisionAir, LLC



**EnvisionAir**  
1441 Sadlier Circle West Drive  
Indianapolis, IN 46239  
Ph: 317-351-0885  
Fax: 317-351-0882  
[www.envision-air.com](http://www.envision-air.com)

**Client Name:** ENVIROFORENSICS  
**Project ID:** 200016  
**Client Project Manager:** NICOLETTE MORRIS  
**EnvisionAir Project Number:** 2023-548

### Sample Summary

#### *Canister Pressure / Vacuum*

<u>Laboratory Sample Number:</u>	<u>Sample Description:</u>	<u>START</u>										<u>Lab Received</u>
		<u>Date Collected:</u>	<u>Time Collected:</u>	<u>End Date Collected:</u>	<u>End Time Collected:</u>	<u>Date Received:</u>	<u>Time Received:</u>	<u>Initial Field (in. Hg)</u>	<u>Final Field (in. Hg)</u>	<u>Received</u>		
23-2780	200016-891-VP-8	A	11/9/23 7:59	11/9/23 8:04	11/14/23 14:44			-27	-3	-3		
23-2781	200016-891-VP-9	A	11/9/23 8:11	11/9/23 8:18	11/14/23 14:44			-28	-3	-3		



**EnvisionAir**  
1441 Sadlier Circle West Drive  
Indianapolis, IN 46239  
Ph: 317-351-0885  
Fax: 317-351-0882  
[www.envision-air.com](http://www.envision-air.com)

**Client Name:** ENVIROFORENSICS

**Project ID:** 200016

**Client Project Manager:** NICOLETTE MORRIS

**EnvisionAir Project Number:** 2023-548

**Analytical Method:** TO-15

**Analytical Batch:** 111723AIR

**Client Sample ID:** 200016-891-VP-8

**Sample Collection START Date/Time:** 11/9/23 7:59

**EnvisionAir Sample Number:** 23-2780

**Sample Collection END Date/Time:** 11/9/23 8:04

**Sample Matrix:** AIR

**Sample Received Date/Time:** 11/15/23 14:44

**Compounds**

**Sample Results ug/m<sup>3</sup>**

**Reporting Limit ug/m<sup>3</sup>**

**Flag**

cis-1,2-Dichloroethene

< 198

198

Tetrachloroethene

< 31.9

31.9

trans-1,2-Dichloroethene

< 396

396

Trichloroethene

< 10.7

10.7

Vinyl Chloride

< 12.8

12.8

4-bromofluorobenzene (surrogate)

96%

Analysis Date/Time:

11-17-23/22:22

Analyst Initials

tjg



**EnvisionAir**  
1441 Sadlier Circle West Drive  
Indianapolis, IN 46239  
Ph: 317-351-0885  
Fax: 317-351-0882  
[www.envision-air.com](http://www.envision-air.com)

**Client Name:** ENVIROFORENSICS

**Project ID:** 200016

**Client Project Manager:** NICOLETTE MORRIS

**EnvisionAir Project Number:** 2023-548

**Analytical Method:** TO-15

**Analytical Batch:** 111723AIR

**Client Sample ID:** 200016-891-VP-9

**Sample Collection START Date/Time:** 11/9/23 8:11

**EnvisionAir Sample Number:** 23-2781

**Sample Collection END Date/Time:** 11/9/23 8:18

**Sample Matrix:** AIR

**Sample Received Date/Time:** 11/15/23 14:44

**Compounds**

**Sample Results ug/m<sup>3</sup>**

**Reporting Limit ug/m<sup>3</sup>**

**Flag**

cis-1,2-Dichloroethene	< 198	198	
Tetrachloroethene	< 31.9	31.9	
trans-1,2-Dichloroethene	< 396	396	
Trichloroethene	< 10.7	10.7	
Vinyl Chloride	< 12.8	12.8	
4-bromofluorobenzene (surrogate)	100%		
Analysis Date/Time:	11-17-23/22:58		
Analyst Initials	tjg		



### TO-15 Quality Control Data

EnvisionAir Batch Number: 111723AIR

<u>Method Blank (MB):</u>	<u>MB Results (ppbv)</u>	<u>Reporting Limit (ppbv)</u>	<u>Flags</u>
cis-1,2-Dichloroethene	< 5	5	
Tetrachloroethene	< 0.47	0.47	
trans-1,2-Dichloroethene	< 10	10	
Trichloroethene	< 0.2	0.2	
Vinyl Chloride	< 0.5	0.5	
4-bromofluorobenzene (surrogate)	100%		
Analysis Date/Time:	11-17-23/12:03		
Analyst Initials	tjg		

<u>LCS/LCSD</u>	<u>LCS Results (ppbv)</u>	<u>LCSD Results (ppbv)</u>	<u>LCS/D Conc(ppbv)</u>	<u>LCS Rec.</u>	<u>LCSD Rec.</u>	<u>RPD</u>	<u>Flag</u>
Vinyl Chloride	8.84	9.38	10	88%	94%	5.9%	
trans-1,2-Dichloroethene	10.4	10.1	10	104%	101%	2.9%	
cis-1,2-Dichloroethene	9.84	9.48	10	98%	95%	3.7%	
Trichloroethene	10.1	9.96	10	101%	100%	1.4%	
Tetrachloroethene	9.75	9.78	10	98%	98%	0.3%	
4-bromofluorobenzene (surrogate)	98%	99%					
Analysis Date/Time:	11-17-23/10:08	11-17-23/10:47					
Analyst Initials	tjg	tjg					



**EnvisionAir**  
1441 Sadlier Circle West Drive  
Indianapolis, IN 46239  
Ph: 317-351-0885  
Fax: 317-351-0882  
[www.envision-air.com](http://www.envision-air.com)

**Flag Number**

**Comments**

# CHAIN OF CUSTODY RECORD

EnvisionAir | 1441 Sadlier Circle West Drive | Indianapolis, IN 46239 | Phone: (317) 351-0885 | Fax: (317) 351-0882

Client: <b>NFO</b>	P.O. Number: <b>2023-0325</b>
Report Address: <b>825 N. Capital Ave Indianapolis, IN</b>	Project Name or Number: <b>Koosie</b>
Report To: <b>N. Morris</b>	Sampled by: <b>L. Horn</b>
Phone: <b>(317) 972-7870</b>	QA/QC Required: (circle if applicable) <b>Level III Level IV</b>
Invoice Address: <b>Same</b>	Reporting Units needed: (circle) <b>ug/m³ mg/m³ PPBV PPMV</b>

Desired TAT: (Please Circle One)  
**1 day 2 days 3 days Std (5 bus. days)**

Media type:

1LC = 1 Liter Canister  
TB = Teflon Bag  
TD = Thermal Desorption Tube

TO-15 Full List

TO-15 Short List (Specify in notes)

Sampling Type:  
Soil-Gas:   
Sub-Slab:   
Indoor-Air:

www.envision-air.com

Canister Pressure / Vacuum

ENVISIONAIR

Comments: **Same**

## REQUESTED PARAMETERS

Air Sample ID	Media Type (see code above)	Coll. Date (Grab/Comp Start)	Coll. Time (Grab/Comp Start)	Coll. Date (Comp. End)	Coll. Time (Comp. End)	Canister Serial #	Flow Controller Serial #	Initial Field (in. HG)	Final Field (in. HG)	Lab Received (in. HG)	EnvisionAir Sample Number
202010-891-VR-8	1LC	11/9/23	0759	11/9/23	0809	X		2096	0138	-27	-3
202010-891-VR-9	1LC	11/9/23	0811	11/9/23	0818	X		514	0113	-28	-3

Comments:

<b>Relinquished by:</b> <u>Lynne Mauer</u>	<b>Date</b> <b>11/14/23</b>	<b>Time</b> <b>2:44</b>	<b>Received by:</b> <u>Sophia</u>	<b>Date</b> <b>11/14/23</b>	<b>Time</b> <b>2:44</b>
---	--------------------------------	----------------------------	--------------------------------------	--------------------------------	----------------------------

# Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

NICOLETTE MORRIS  
ENVIROFORENSICS  
825 N. CAPITOL AVENUE  
INDIANAPOLIS, IN 46204

**Report Date** 20-Nov-23

**Project Name** FMR GUNDERSON CLEANERS  
**Project #** 200016

**Invoice #** E43184

**Lab Code** 5043184A  
**Sample ID** 200016-MW-103  
**Sample Matrix** Water  
**Sample Date** 11/7/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
<b>VOC's</b>										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184A

Sample ID 200016-MW-103

Sample Matrix Water

Sample Date 11/7/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		11/15/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184B

Sample ID 200016-PZ-104

Sample Matrix Water

Sample Date 11/7/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 6	ug/l	6	25	20	8260B		11/16/2023	CJR	1
Bromobenzene	< 6.8	ug/l	6.8	28	20	8260B		11/16/2023	CJR	1
Bromodichloromethane	< 7.2	ug/l	7.2	29.4	20	8260B		11/16/2023	CJR	1
Bromoform	< 8.4	ug/l	8.4	34.4	20	8260B		11/16/2023	CJR	1
tert-Butylbenzene	< 7.4	ug/l	7.4	29.8	20	8260B		11/16/2023	CJR	1
sec-Butylbenzene	< 6.6	ug/l	6.6	26.8	20	8260B		11/16/2023	CJR	1
n-Butylbenzene	< 14.2	ug/l	14.2	58	20	8260B		11/16/2023	CJR	1
Carbon Tetrachloride	< 6.8	ug/l	6.8	27.8	20	8260B		11/16/2023	CJR	1
Chlorobenzene	< 5.8	ug/l	5.8	23.8	20	8260B		11/16/2023	CJR	1
Chloroethane	< 12.4	ug/l	12.4	50.8	20	8260B		11/16/2023	CJR	2
Chloroform	< 6.6	ug/l	6.6	26.6	20	8260B		11/16/2023	CJR	1
Chloromethane	< 14.8	ug/l	14.8	60.6	20	8260B		11/16/2023	CJR	1
2-Chlorotoluene	< 6.8	ug/l	6.8	27.4	20	8260B		11/16/2023	CJR	1
4-Chlorotoluene	< 8	ug/l	8	32.6	20	8260B		11/16/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	60.2	20	8260B		11/16/2023	CJR	1
Dibromochloromethane	< 7.2	ug/l	7.2	29.2	20	8260B		11/16/2023	CJR	1
1,4-Dichlorobenzene	< 9.8	ug/l	9.8	40.2	20	8260B		11/16/2023	CJR	1
1,3-Dichlorobenzene	< 7	ug/l	7	28.8	20	8260B		11/16/2023	CJR	1
1,2-Dichlorobenzene	< 8	ug/l	8	33	20	8260B		11/16/2023	CJR	1
Dichlorodifluoromethane	< 6	ug/l	6	24.6	20	8260B		11/16/2023	CJR	1
1,2-Dichloroethane	< 8.6	ug/l	8.6	35	20	8260B		11/16/2023	CJR	1
1,1-Dichloroethane	< 8.6	ug/l	8.6	34.8	20	8260B		11/16/2023	CJR	1
1,1-Dichloroethene	< 8.6	ug/l	8.6	35.2	20	8260B		11/16/2023	CJR	1
cis-1,2-Dichloroethene	920	ug/l	6.4	25.8	20	8260B		11/16/2023	CJR	1
trans-1,2-Dichloroethene	10.2 "J"	ug/l	10	40.4	20	8260B		11/16/2023	CJR	1
1,2-Dichloropropane	< 7.8	ug/l	7.8	31.6	20	8260B		11/16/2023	CJR	1
1,3-Dichloropropane	< 7.6	ug/l	7.6	31	20	8260B		11/16/2023	CJR	1
trans-1,3-Dichloropropene	< 8.2	ug/l	8.2	33.4	20	8260B		11/16/2023	CJR	1
cis-1,3-Dichloropropene	< 8.2	ug/l	8.2	33.4	20	8260B		11/16/2023	CJR	1
Di-isopropyl ether	< 9.6	ug/l	9.6	39.2	20	8260B		11/16/2023	CJR	1
EDB (1,2-Dibromoethane)	< 7.8	ug/l	7.8	31.8	20	8260B		11/16/2023	CJR	1
Ethylbenzene	< 6.6	ug/l	6.6	27.4	20	8260B		11/16/2023	CJR	1
Hexachlorobutadiene	< 16.2	ug/l	16.2	68.8	20	8260B		11/16/2023	CJR	1
Isopropylbenzene	< 6.8	ug/l	6.8	27.6	20	8260B		11/16/2023	CJR	1
p-Isopropyltoluene	< 9.4	ug/l	9.4	38.2	20	8260B		11/16/2023	CJR	1
Methylene chloride	< 15.8	ug/l	15.8	64.6	20	8260B		11/16/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 9.4	ug/l	9.4	38.2	20	8260B		11/16/2023	CJR	1
Naphthalene	< 28	ug/l	28	111.2	20	8260B		11/16/2023	CJR	1
n-Propylbenzene	< 7.8	ug/l	7.8	32	20	8260B		11/16/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 8.6	ug/l	8.6	35.4	20	8260B		11/16/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 11	ug/l	11	45	20	8260B		11/16/2023	CJR	1
Tetrachloroethene	400	ug/l	9.4	38.2	20	8260B		11/16/2023	CJR	1
Toluene	< 6.6	ug/l	6.6	27	20	8260B		11/16/2023	CJR	1
1,2,4-Trichlorobenzene	< 12.6	ug/l	12.6	51.4	20	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184B

**Sample ID** 200016-PZ-104

**Sample Matrix** Water

**Sample Date** 11/7/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 28	ug/l	28	118.8	20	8260B		11/16/2023	CJR	1
1,1,1-Trichloroethane	< 6.6	ug/l	6.6	26.8	20	8260B		11/16/2023	CJR	1
1,1,2-Trichloroethane	< 8.4	ug/l	8.4	34.4	20	8260B		11/16/2023	CJR	1
Trichloroethene (TCE)	116	ug/l	7.6	31	20	8260B		11/16/2023	CJR	1
Trichlorofluoromethane	< 6.6	ug/l	6.6	27	20	8260B		11/16/2023	CJR	2
1,2,4-Trimethylbenzene	< 7	ug/l	7	28.8	20	8260B		11/16/2023	CJR	1
1,3,5-Trimethylbenzene	< 8.2	ug/l	8.2	33.2	20	8260B		11/16/2023	CJR	1
Vinyl Chloride	5.8 "J"	ug/l	3	12.2	20	8260B		11/16/2023	CJR	1
m&p-Xylene	< 12.8	ug/l	12.8	52.6	20	8260B		11/16/2023	CJR	1
o-Xylene	< 7.4	ug/l	7.4	30.2	20	8260B		11/16/2023	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			20	8260B		11/16/2023	CJR	1
SUR - Dibromofluoromethane	99	REC %			20	8260B		11/16/2023	CJR	1
SUR - Toluene-d8	101	REC %			20	8260B		11/16/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			20	8260B		11/16/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184C

Sample ID 200016-MW-105

Sample Matrix Water

Sample Date 11/7/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	4.2	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	1.51 "J"	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	114	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	0.72 "J"	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	14.2	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184C

**Sample ID** 200016-MW-105

**Sample Matrix** Water

**Sample Date** 11/7/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	14	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	6.1	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	113	REC %			1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/15/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184D

Sample ID 200016-PZ-107

Sample Matrix Water

Sample Date 11/7/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/16/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/16/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/16/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/16/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/16/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/16/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/16/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/16/2023	CJR	1
Chloromethane	1.18 "J"	ug/l	0.74	3.03	1	8260B		11/16/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/16/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/16/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/16/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/16/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/16/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethene	0.86 "J"	ug/l	0.43	1.76	1	8260B		11/16/2023	CJR	1
cis-1,2-Dichloroethene	202	ug/l	0.32	1.29	1	8260B		11/16/2023	CJR	1
trans-1,2-Dichloroethene	1.5 "J"	ug/l	0.5	2.02	1	8260B		11/16/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/16/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/16/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/16/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/16/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/16/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/16/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/16/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/16/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/16/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184D

**Sample ID** 200016-PZ-107

**Sample Matrix** Water

**Sample Date** 11/7/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/16/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
Trichloroethene (TCE)	0.73 "J"	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/16/2023	CJR	1
Vinyl Chloride	45	ug/l	0.15	0.61	1	8260B		11/16/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/16/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2023	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		11/16/2023	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		11/16/2023	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		11/16/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		11/16/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184E

Sample ID 200016-PZ-108

Sample Matrix Water

Sample Date 11/8/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/16/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/16/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/16/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/16/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/16/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/16/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/16/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/16/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/16/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/16/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/16/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/16/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/16/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/16/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/16/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		11/16/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/16/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/16/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/16/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/16/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/16/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/16/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/16/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/16/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/16/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/16/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184E

**Sample ID** 200016-PZ-108

**Sample Matrix** Water

**Sample Date** 11/8/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/16/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/16/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/16/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/16/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/16/2023	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		11/16/2023	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		11/16/2023	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/16/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184F

Sample ID 200016-PZ-109

Sample Matrix Water

Sample Date 11/8/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/16/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/16/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/16/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/16/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/16/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/16/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/16/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/16/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/16/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/16/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/16/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/16/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/16/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/16/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/16/2023	CJR	1
cis-1,2-Dichloroethene	118	ug/l	0.32	1.29	1	8260B		11/16/2023	CJR	1
trans-1,2-Dichloroethene	0.62 "J"	ug/l	0.5	2.02	1	8260B		11/16/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/16/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/16/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/16/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/16/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/16/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/16/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/16/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/16/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/16/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184F

**Sample ID** 200016-PZ-109

**Sample Matrix** Water

**Sample Date** 11/8/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/16/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/16/2023	CJR	1
Vinyl Chloride	0.27 "J"	ug/l	0.15	0.61	1	8260B		11/16/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/16/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		11/16/2023	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/16/2023	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		11/16/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/16/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184G

Sample ID 200016-PZ-110

Sample Matrix Water

Sample Date 11/9/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/16/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/16/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/16/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/16/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/16/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/16/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/16/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/16/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/16/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/16/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/16/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/16/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/16/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/16/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/16/2023	CJR	1
cis-1,2-Dichloroethene	0.41 "J"	ug/l	0.32	1.29	1	8260B		11/16/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/16/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/16/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/16/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/16/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/16/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/16/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/16/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/16/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/16/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/16/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184G

**Sample ID** 200016-PZ-110

**Sample Matrix** Water

**Sample Date** 11/9/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/16/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/16/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/16/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/16/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/16/2023	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		11/16/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/16/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS  
**Project #** 200016  
**Lab Code** 5043184H  
**Sample ID** 200016-MW-112  
**Sample Matrix** Water  
**Sample Date** 11/9/2023

**Invoice #** E43184

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184H

**Sample ID** 200016-MW-112

**Sample Matrix** Water

**Sample Date** 11/9/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/15/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184I

Sample ID 200016-MW-113

Sample Matrix Water

Sample Date 11/9/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184I

**Sample ID** 200016-MW-113

**Sample Matrix** Water

**Sample Date** 11/9/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS  
**Project #** 200016  
**Lab Code** 5043184J  
**Sample ID** 200016-MW-114  
**Sample Matrix** Water  
**Sample Date** 11/9/2023

**Invoice #** E43184

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	0.96 "J"	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	1.41 "J"	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184J

**Sample ID** 200016-MW-114

**Sample Matrix** Water

**Sample Date** 11/9/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	1.19 "J"	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		11/15/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184K

Sample ID 200016-MW-115

Sample Matrix Water

Sample Date 11/9/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	9.1	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	0.57 "J"	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	2.03	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184K

**Sample ID** 200016-MW-115

**Sample Matrix** Water

**Sample Date** 11/9/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	2.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS  
**Project #** 200016  
**Lab Code** 5043184L  
**Sample ID** 200016-MW-116  
**Sample Matrix** Water  
**Sample Date** 11/7/2023

**Invoice #** E43184

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/16/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/16/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/16/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/16/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/16/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/16/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/16/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/16/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/16/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/16/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/16/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/16/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/16/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/16/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/16/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		11/16/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/16/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/16/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/16/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/16/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/16/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/16/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/16/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/16/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/16/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/16/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2023	CJR	1
Tetrachloroethene	14.9	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184L

**Sample ID** 200016-MW-116

**Sample Matrix** Water

**Sample Date** 11/7/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/16/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
Trichloroethene (TCE)	0.54 "J"	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/16/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/16/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/16/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/16/2023	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		11/16/2023	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		11/16/2023	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		11/16/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184M

Sample ID 200016-MW-117

Sample Matrix Water

Sample Date 11/8/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184M

**Sample ID** 200016-MW-117

**Sample Matrix** Water

**Sample Date** 11/8/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		11/15/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184N

Sample ID 200016-PZ-118

Sample Matrix Water

Sample Date 11/8/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184N

**Sample ID** 200016-PZ-118

**Sample Matrix** Water

**Sample Date** 11/8/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/15/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184O

Sample ID 200016-PZ-119

Sample Matrix Water

Sample Date 11/7/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/16/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/16/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/16/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/16/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/16/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/16/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/16/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/16/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/16/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/16/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/16/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/16/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/16/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/16/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/16/2023	CJR	1
cis-1,2-Dichloroethene	5.1	ug/l	0.32	1.29	1	8260B		11/16/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/16/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/16/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/16/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/16/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/16/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/16/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/16/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/16/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/16/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/16/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2023	CJR	1
Tetrachloroethene	25.7	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184O

**Sample ID** 200016-PZ-119

**Sample Matrix** Water

**Sample Date** 11/7/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/16/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
Trichloroethylene (TCE)	10.4	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/16/2023	CJR	1
Vinyl Chloride	2.66	ug/l	0.15	0.61	1	8260B		11/16/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/16/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		11/16/2023	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		11/16/2023	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		11/16/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS  
**Project #** 200016  
**Lab Code** 5043184P  
**Sample ID** 200016-PZ-120  
**Sample Matrix** Water  
**Sample Date** 11/8/2023

**Invoice #** E43184

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184P

**Sample ID** 200016-PZ-120

**Sample Matrix** Water

**Sample Date** 11/8/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS  
**Project #** 200016  
**Lab Code** 5043184Q  
**Sample ID** 200016-PZ-121  
**Sample Matrix** Water  
**Sample Date** 11/8/2023

**Invoice #** E43184

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	0.55 "J"	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	243	ug/l	3.2	12.9	10	8260B		11/17/2023	CJR	1
trans-1,2-Dichloroethene	5.9	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184Q

**Sample ID** 200016-PZ-121

**Sample Matrix** Water

**Sample Date** 11/8/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	0.54 "J"	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	9.1	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184R

Sample ID 200016-PZ-122

Sample Matrix Water

Sample Date 11/8/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/16/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/16/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/16/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/16/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/16/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/16/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/16/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/16/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/16/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/16/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/16/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/16/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/16/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/16/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/16/2023	CJR	1
cis-1,2-Dichloroethene	1.6	ug/l	0.32	1.29	1	8260B		11/16/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/16/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/16/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/16/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/16/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/16/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/16/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/16/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/16/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/16/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/16/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184R

**Sample ID** 200016-PZ-122

**Sample Matrix** Water

**Sample Date** 11/8/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/16/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
Trichloroethene (TCE)	0.57 "J"	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/16/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/16/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/16/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		11/16/2023	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		11/16/2023	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		11/16/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/16/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184S

Sample ID 200016-PZ-123

Sample Matrix Water

Sample Date 11/8/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184S

**Sample ID** 200016-PZ-123

**Sample Matrix** Water

**Sample Date** 11/8/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS  
**Project #** 200016  
**Lab Code** 5043184T  
**Sample ID** 200016-PZ-124  
**Sample Matrix** Water  
**Sample Date** 11/8/2023

**Invoice #** E43184

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184T

**Sample ID** 200016-PZ-124

**Sample Matrix** Water

**Sample Date** 11/8/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		11/15/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184U

Sample ID 200016-PZ-125

Sample Matrix Water

Sample Date 11/10/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184U

**Sample ID** 200016-PZ-125

**Sample Matrix** Water

**Sample Date** 11/10/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		11/15/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184V

Sample ID 200016-SUMP B

Sample Matrix Water

Sample Date 11/10/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/16/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/16/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/16/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/16/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/16/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/16/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/16/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/16/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/16/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/16/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/16/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/16/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/16/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/16/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/16/2023	CJR	1
cis-1,2-Dichloroethene	8.4	ug/l	0.32	1.29	1	8260B		11/16/2023	CJR	1
trans-1,2-Dichloroethene	0.76 "J"	ug/l	0.5	2.02	1	8260B		11/16/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/16/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/16/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/16/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/16/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/16/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/16/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/16/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/16/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/16/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2023	CJR	1
Tetrachloroethene	23.4	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184V

**Sample ID** 200016-SUMP B

**Sample Matrix** Water

**Sample Date** 11/10/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/16/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
Trichloroethene (TCE)	25.1	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/16/2023	CJR	1
Vinyl Chloride	9.3	ug/l	0.15	0.61	1	8260B		11/16/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/16/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		11/16/2023	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		11/16/2023	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/16/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/16/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184W

Sample ID 200016-SUMP C

Sample Matrix Water

Sample Date 11/10/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/16/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/16/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/16/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/16/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/16/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/16/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/16/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/16/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/16/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/16/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/16/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/16/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/16/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/16/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/16/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/16/2023	CJR	1
cis-1,2-Dichloroethene	6.4	ug/l	0.32	1.29	1	8260B		11/16/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/16/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/16/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/16/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/16/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/16/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/16/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/16/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/16/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/16/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/16/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/16/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2023	CJR	1
Tetrachloroethene	35	ug/l	0.47	1.91	1	8260B		11/16/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184W

**Sample ID** 200016-SUMP C

**Sample Matrix** Water

**Sample Date** 11/10/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/16/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
Trichloroethene (TCE)	15.8	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/16/2023	CJR	1
Vinyl Chloride	4.8	ug/l	0.15	0.61	1	8260B		11/16/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/16/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2023	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/16/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/16/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		11/16/2023	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS  
**Project #** 200016  
**Lab Code** 5043184X  
**Sample ID** 200016-SUMP D  
**Sample Matrix** Water  
**Sample Date** 11/10/2023

**Invoice #** E43184

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 30	ug/l	30	125	100	8260B		11/17/2023	CJR	1
Bromobenzene	< 34	ug/l	34	140	100	8260B		11/17/2023	CJR	1
Bromodichloromethane	< 36	ug/l	36	147	100	8260B		11/17/2023	CJR	1
Bromoform	< 42	ug/l	42	172	100	8260B		11/17/2023	CJR	1
tert-Butylbenzene	< 37	ug/l	37	149	100	8260B		11/17/2023	CJR	1
sec-Butylbenzene	< 33	ug/l	33	134	100	8260B		11/17/2023	CJR	1
n-Butylbenzene	< 71	ug/l	71	290	100	8260B		11/17/2023	CJR	1
Carbon Tetrachloride	< 34	ug/l	34	139	100	8260B		11/17/2023	CJR	1
Chlorobenzene	< 29	ug/l	29	119	100	8260B		11/17/2023	CJR	1
Chloroethane	< 62	ug/l	62	254	100	8260B		11/17/2023	CJR	1
Chloroform	< 33	ug/l	33	133	100	8260B		11/17/2023	CJR	1
Chloromethane	< 74	ug/l	74	303	100	8260B		11/17/2023	CJR	1
2-Chlorotoluene	< 34	ug/l	34	137	100	8260B		11/17/2023	CJR	1
4-Chlorotoluene	< 40	ug/l	40	163	100	8260B		11/17/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 74	ug/l	74	301	100	8260B		11/17/2023	CJR	1
Dibromochloromethane	< 36	ug/l	36	146	100	8260B		11/17/2023	CJR	1
1,4-Dichlorobenzene	< 49	ug/l	49	201	100	8260B		11/17/2023	CJR	1
1,3-Dichlorobenzene	< 35	ug/l	35	144	100	8260B		11/17/2023	CJR	1
1,2-Dichlorobenzene	< 40	ug/l	40	165	100	8260B		11/17/2023	CJR	1
Dichlorodifluoromethane	< 30	ug/l	30	123	100	8260B		11/17/2023	CJR	1
1,2-Dichloroethane	< 43	ug/l	43	175	100	8260B		11/17/2023	CJR	1
1,1-Dichloroethane	< 43	ug/l	43	174	100	8260B		11/17/2023	CJR	1
1,1-Dichloroethene	< 43	ug/l	43	176	100	8260B		11/17/2023	CJR	1
cis-1,2-Dichloroethene	230	ug/l	32	129	100	8260B		11/17/2023	CJR	1
trans-1,2-Dichloroethene	< 50	ug/l	50	202	100	8260B		11/17/2023	CJR	1
1,2-Dichloropropane	< 39	ug/l	39	158	100	8260B		11/17/2023	CJR	1
1,3-Dichloropropane	< 38	ug/l	38	155	100	8260B		11/17/2023	CJR	1
trans-1,3-Dichloropropene	< 41	ug/l	41	167	100	8260B		11/17/2023	CJR	1
cis-1,3-Dichloropropene	< 41	ug/l	41	167	100	8260B		11/17/2023	CJR	1
Di-isopropyl ether	< 48	ug/l	48	196	100	8260B		11/17/2023	CJR	1
EDB (1,2-Dibromoethane)	< 39	ug/l	39	159	100	8260B		11/17/2023	CJR	1
Ethylbenzene	< 33	ug/l	33	137	100	8260B		11/17/2023	CJR	1
Hexachlorobutadiene	< 81	ug/l	81	344	100	8260B		11/17/2023	CJR	1
Isopropylbenzene	< 34	ug/l	34	138	100	8260B		11/17/2023	CJR	1
p-Isopropyltoluene	< 47	ug/l	47	191	100	8260B		11/17/2023	CJR	1
Methylene chloride	< 79	ug/l	79	323	100	8260B		11/17/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 47	ug/l	47	191	100	8260B		11/17/2023	CJR	1
Naphthalene	< 140	ug/l	140	556	100	8260B		11/17/2023	CJR	1
n-Propylbenzene	< 39	ug/l	39	160	100	8260B		11/17/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 43	ug/l	43	177	100	8260B		11/17/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 55	ug/l	55	225	100	8260B		11/17/2023	CJR	1
Tetrachloroethene	8100	ug/l	47	191	100	8260B		11/17/2023	CJR	1
Toluene	< 33	ug/l	33	135	100	8260B		11/17/2023	CJR	1
1,2,4-Trichlorobenzene	< 63	ug/l	63	257	100	8260B		11/17/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184X

**Sample ID** 200016-SUMP D

**Sample Matrix** Water

**Sample Date** 11/10/2023

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 140	ug/l	140	594	100	8260B		11/17/2023	CJR	1
1,1,1-Trichloroethane	< 33	ug/l	33	134	100	8260B		11/17/2023	CJR	1
1,1,2-Trichloroethane	< 42	ug/l	42	172	100	8260B		11/17/2023	CJR	1
Trichloroethene (TCE)	79 "J"	ug/l	38	155	100	8260B		11/17/2023	CJR	1
Trichlorofluoromethane	< 33	ug/l	33	135	100	8260B		11/17/2023	CJR	1
1,2,4-Trimethylbenzene	< 35	ug/l	35	144	100	8260B		11/17/2023	CJR	1
1,3,5-Trimethylbenzene	< 41	ug/l	41	166	100	8260B		11/17/2023	CJR	1
Vinyl Chloride	< 15	ug/l	15	61	100	8260B		11/17/2023	CJR	1
m&p-Xylene	< 64	ug/l	64	263	100	8260B		11/17/2023	CJR	1
o-Xylene	< 37	ug/l	37	151	100	8260B		11/17/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			100	8260B		11/17/2023	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			100	8260B		11/17/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			100	8260B		11/17/2023	CJR	1
SUR - Toluene-d8	97	REC %			100	8260B		11/17/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184Y

Sample ID 200016-DUP-1

Sample Matrix Water

Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	15.2	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184Y

**Sample ID** 200016-DUP-1

**Sample Matrix** Water

**Sample Date**

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	0.58 "J"	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/15/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 5043184Z

Sample ID 200016-DUP-2

Sample Matrix Water

Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		11/15/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		11/15/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		11/15/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		11/15/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		11/15/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		11/15/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		11/15/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		11/15/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		11/15/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		11/15/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		11/15/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		11/15/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		11/15/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/15/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/15/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		11/15/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		11/15/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		11/15/2023	CJR	1
cis-1,2-Dichloroethene	8.3	ug/l	0.32	1.29	1	8260B		11/15/2023	CJR	1
trans-1,2-Dichloroethene	0.71 "J"	ug/l	0.5	2.02	1	8260B		11/15/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		11/15/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		11/15/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		11/15/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		11/15/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		11/15/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		11/15/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		11/15/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		11/15/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		11/15/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		11/15/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		11/15/2023	CJR	1
Tetrachloroethene	2.17	ug/l	0.47	1.91	1	8260B		11/15/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		11/15/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 5043184Z

**Sample ID** 200016-DUP-2

**Sample Matrix** Water

**Sample Date**

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/15/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/15/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/15/2023	CJR	1
Trichloroethene (TCE)	2.44	ug/l	0.38	1.55	1	8260B		11/15/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/15/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/15/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/15/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/15/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/15/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/15/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		11/15/2023	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		11/15/2023	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/15/2023	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/15/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 543184AA

Sample ID 200016-DUP-3

Sample Matrix Water

Sample Date

Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--------	------	-----	-----	-----	--------	----------	----------	---------	------

## Organic

## VOC's

Benzene	< 30	ug/l	30	125	100	8260B	11/17/2023	CJR	1
Bromobenzene	< 34	ug/l	34	140	100	8260B	11/17/2023	CJR	1
Bromodichloromethane	< 36	ug/l	36	147	100	8260B	11/17/2023	CJR	1
Bromoform	< 42	ug/l	42	172	100	8260B	11/17/2023	CJR	1
tert-Butylbenzene	< 37	ug/l	37	149	100	8260B	11/17/2023	CJR	1
sec-Butylbenzene	< 33	ug/l	33	134	100	8260B	11/17/2023	CJR	1
n-Butylbenzene	< 71	ug/l	71	290	100	8260B	11/17/2023	CJR	1
Carbon Tetrachloride	< 34	ug/l	34	139	100	8260B	11/17/2023	CJR	1
Chlorobenzene	< 29	ug/l	29	119	100	8260B	11/17/2023	CJR	1
Chloroethane	< 62	ug/l	62	254	100	8260B	11/17/2023	CJR	1
Chloroform	< 33	ug/l	33	133	100	8260B	11/17/2023	CJR	1
Chloromethane	< 74	ug/l	74	303	100	8260B	11/17/2023	CJR	1
2-Chlorotoluene	< 34	ug/l	34	137	100	8260B	11/17/2023	CJR	1
4-Chlorotoluene	< 40	ug/l	40	163	100	8260B	11/17/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 74	ug/l	74	301	100	8260B	11/17/2023	CJR	1
Dibromochloromethane	< 36	ug/l	36	146	100	8260B	11/17/2023	CJR	1
1,4-Dichlorobenzene	< 49	ug/l	49	201	100	8260B	11/17/2023	CJR	1
1,3-Dichlorobenzene	< 35	ug/l	35	144	100	8260B	11/17/2023	CJR	1
1,2-Dichlorobenzene	< 40	ug/l	40	165	100	8260B	11/17/2023	CJR	1
Dichlorodifluoromethane	< 30	ug/l	30	123	100	8260B	11/17/2023	CJR	1
1,2-Dichloroethane	< 43	ug/l	43	175	100	8260B	11/17/2023	CJR	1
1,1-Dichloroethane	< 43	ug/l	43	174	100	8260B	11/17/2023	CJR	1
1,1-Dichloroethene	< 43	ug/l	43	176	100	8260B	11/17/2023	CJR	1
cis-1,2-Dichloroethene	232	ug/l	32	129	100	8260B	11/17/2023	CJR	1
trans-1,2-Dichloroethene	< 50	ug/l	50	202	100	8260B	11/17/2023	CJR	1
1,2-Dichloropropane	< 39	ug/l	39	158	100	8260B	11/17/2023	CJR	1
1,3-Dichloropropane	< 38	ug/l	38	155	100	8260B	11/17/2023	CJR	1
trans-1,3-Dichloropropene	< 41	ug/l	41	167	100	8260B	11/17/2023	CJR	1
cis-1,3-Dichloropropene	< 41	ug/l	41	167	100	8260B	11/17/2023	CJR	1
Di-isopropyl ether	< 48	ug/l	48	196	100	8260B	11/17/2023	CJR	1
EDB (1,2-Dibromoethane)	< 39	ug/l	39	159	100	8260B	11/17/2023	CJR	1
Ethylbenzene	< 33	ug/l	33	137	100	8260B	11/17/2023	CJR	1
Hexachlorobutadiene	< 81	ug/l	81	344	100	8260B	11/17/2023	CJR	1
Isopropylbenzene	< 34	ug/l	34	138	100	8260B	11/17/2023	CJR	1
p-Isopropyltoluene	< 47	ug/l	47	191	100	8260B	11/17/2023	CJR	1
Methylene chloride	< 79	ug/l	79	323	100	8260B	11/17/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 47	ug/l	47	191	100	8260B	11/17/2023	CJR	1
Naphthalene	< 140	ug/l	140	556	100	8260B	11/17/2023	CJR	1
n-Propylbenzene	< 39	ug/l	39	160	100	8260B	11/17/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 43	ug/l	43	177	100	8260B	11/17/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 55	ug/l	55	225	100	8260B	11/17/2023	CJR	1
Tetrachloroethene	9700	ug/l	47	191	100	8260B	11/17/2023	CJR	1
Toluene	< 33	ug/l	33	135	100	8260B	11/17/2023	CJR	1
1,2,4-Trichlorobenzene	< 63	ug/l	63	257	100	8260B	11/17/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 543184AA

**Sample ID** 200016-DUP-3

**Sample Matrix** Water

**Sample Date**

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 140	ug/l	140	594	100	8260B		11/17/2023	CJR	1
1,1,1-Trichloroethane	< 33	ug/l	33	134	100	8260B		11/17/2023	CJR	1
1,1,2-Trichloroethane	< 42	ug/l	42	172	100	8260B		11/17/2023	CJR	1
Trichloroethene (TCE)	76 "J"	ug/l	38	155	100	8260B		11/17/2023	CJR	1
Trichlorofluoromethane	< 33	ug/l	33	135	100	8260B		11/17/2023	CJR	1
1,2,4-Trimethylbenzene	< 35	ug/l	35	144	100	8260B		11/17/2023	CJR	1
1,3,5-Trimethylbenzene	< 41	ug/l	41	166	100	8260B		11/17/2023	CJR	1
Vinyl Chloride	< 15	ug/l	15	61	100	8260B		11/17/2023	CJR	1
m&p-Xylene	< 64	ug/l	64	263	100	8260B		11/17/2023	CJR	1
o-Xylene	< 37	ug/l	37	151	100	8260B		11/17/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			100	8260B		11/17/2023	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			100	8260B		11/17/2023	CJR	1
SUR - Dibromofluoromethane	101	REC %			100	8260B		11/17/2023	CJR	1
SUR - Toluene-d8	100	REC %			100	8260B		11/17/2023	CJR	1

Project Name FMR GUNDERSON CLEANERS

Invoice # E43184

Project # 200016

Lab Code 543184BB

Sample ID TRIP BLANK

Sample Matrix Water

Sample Date

Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--------	------	-----	-----	-----	--------	----------	----------	---------	------

## Organic

## VOC's

Benzene	< 0.3	ug/l	0.3	1.25	1	8260B	11/16/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B	11/16/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B	11/16/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B	11/16/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B	11/16/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B	11/16/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B	11/16/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B	11/16/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B	11/16/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B	11/16/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B	11/16/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B	11/16/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B	11/16/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B	11/16/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B	11/16/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B	11/16/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B	11/16/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B	11/16/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B	11/16/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B	11/16/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B	11/16/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B	11/16/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B	11/16/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B	11/16/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B	11/16/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B	11/16/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B	11/16/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B	11/16/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B	11/16/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B	11/16/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B	11/16/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B	11/16/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B	11/16/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B	11/16/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B	11/16/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B	11/16/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B	11/16/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B	11/16/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B	11/16/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B	11/16/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B	11/16/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B	11/16/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B	11/16/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B	11/16/2023	CJR	1

**Project Name** FMR GUNDERSON CLEANERS

**Invoice #** E43184

**Project #** 200016

**Lab Code** 543184BB

**Sample ID** TRIP BLANK

**Sample Matrix** Water

**Sample Date**

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		11/16/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		11/16/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		11/16/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		11/16/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		11/16/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		11/16/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		11/16/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		11/16/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2023	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/16/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		11/16/2023	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/16/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/16/2023	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

**Code**      **Comment**

- 1      Laboratory QC within limits.  
2      Relative percent difference failed for laboratory spiked samples.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

**Authorized Signature**



**Sample Handling Request**

Rush Analysis Date Required: \_\_\_\_\_  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Project (Name / Location): Former Gunderson Cleaners / Neenah, WI							Analysis Requested			Other Analysis												
Reports To: Nicolette Morris		Invoice To: Same					DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCR METALS	PID/ FID
Company Enviro Forensics		Address 825 N. Capitol Ave					Address															
Address 825 N. Capitol Ave		City State Zip Indianapolis, IN, 46204					City State Zip															
Phone (317) 972-7870		Phone																				
Email nmorris@enviroforensics.com		Email																				
Lab I.D.	Sample I.D.	Collection Date	Collection Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation															
S03184 A	200016-MW-103	11/7/23	1305	N	3	GW	HCL															
B	200016-P2-104	11/7/23	1340	N	3	GW	HCL															
C	200016-MW-105	11/7/23	1235	N	3	GW	HCL															
D	200016-P2-107	11/7/23	1255	N	3	GW	HCL															
E	200016-P2-108	11/8/23	0950	N	3	GW	HCL															
F	200016-P2-109	11/8/23	1120	N	3	GW	HCL															
G	200016-P2-110	11/9/23	0935	N	3	GW	HCL															
H	200016-MW-112	11/9/23	1125	N	3	GW	HCL															
I	200016-MW-113	11/9/23	1140	N	3	GW	HCL															
J	200016-MW-114	11/9/23	1110	N	3	GW	HCL															
K	200016-MW-115	11/9/23	1025	N	3	GW	HCL															
L	200016-MW-116	11/7/23	1155	N	3	GW	HCL															

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Client

Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice: X

Cooler seal intact upon receipt: X Yes \_\_\_\_\_ No \_\_\_\_\_

Relinquished By: (sign)

Nicole Morris

Time

Date

Received By: (sign)

Nicole Morris

Time

Date

Received in Laboratory By:

Zyndra

Time: 10/10

Date: 10-10-23

# Synergy

## Environmental Lab, LLC

www.synergy-lab.net

1990 Prospect Ct. • Appleton, WI 54914

920-830-2455 • mrsynergy@wi.twcbc.com

Chain # 52561

Page 2 of 3

**Sample Handling Request**Rush Analysis Date Required:  
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. #	
QUOTE #:	
Project #:	200016
Sampler: (signature)	Lynne Morris

Project (Name / Location): Former Gunderson Cleaners / Neenah, WI

Reports To: Nicolle Morris	Invoice To: Same
Company Enviro Forensics	Company
Address 825 N. Capitol Ave	Address
City State Zip Indianapolis, IN, 46264	City State Zip
Phone (317) 972-7870	Phone
Email nmorris@enviroforensics.com	Email

**Analysis Requested****Other Analysis**PID/  
FID

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	
S	200016-MW-117	11/8/23	1230	N	3	GW	HCL													X			
N	200016-PZ-118	11/8/23	1250	N	3	GW	HCL													X			
O	200016-PZ-119	11/7/23	1128	N	3	GW	HCL												X				
P	200016-PZ-120	11/8/23	1155	N	3	GW	HCL												X				
Q	200016-PZ-121	11/8/23	1010	N	3	GW	HCL												X				
R	200016-PZ-122	11/8/23	1355	N	3	GW	HCL												X				
S	200016-PZ-123	11/8/23	0830	N	3	GW	HCL												X				
T	200016-PZ-124	11/8/23	0905	N	3	GW	HCL												X				
U	200016-PZ-125	11/10/23	0750	N	3	GW	HCL												X				
V	200016-SUMP B	11/10/23	0810	N	3	GW	HCL												X				
W	200016-SUMP C	11/10/23	0820	N	3	GW	HCL												X				
X	200016-SUMP D	11/10/23	0845	N	3	GW	HCL												X				

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Client

Temp. of Temp. Blank: °C On Ice: X

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign)

Lynne Morris

Time

Date

Received By: (sign)

Time

Date

Received in Laboratory By:

Brynn Morris

Time: 10/10

Date: 11/10/23

# Synergy

***Environmental Lab, LLC***

[www.synergy-lab.net](http://www.synergy-lab.net)

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • mrsynergy@wi.twcbc.com

Chain # 52562

Page 3 of 3

## Sample Handling Request

Rush Analysis Date Required: \_\_\_\_\_  
**(Rushes accepted only with prior authorization)**

## Normal Turn Around

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

**Sample Integrity - To be completed by receiving lab**

Method of Shipment: Circuit

Temp. of Temp. Blank: °C On Ice: X

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign)

Time Day

Received By: (sign)

Time Date

Liaison

105

Page 5

Received in Laboratory By: Zby J. C.

Time: 1010

Date: 11.10.23



Pace Analytical Services, LLC  
7979 Innovation Park Drive  
Baton Rouge, LA 70820  
(225) 769-4900

January 19, 2024

Nicollette Morris  
Enviroforensics  
825 N Capital Ave  
Indianapolis, IN 46204

RE: Project: #200016 – Gunderson Neenah  
Pace Project No.: 20296411

Dear Nicollette Morris:

Enclosed are the analytical results for sample(s) received by the laboratory on November 08, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:  
• Pace Analytical Services - Baton Rouge

This report supersedes and replaces any prior reports under this workorder. This report has been revised to add PFOS and PFNS to the compound list.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Juanita Polanco  
[juanita.polanco@pacelabs.com](mailto:juanita.polanco@pacelabs.com)  
(225) 769-4900  
Project Manager

Enclosures

cc: Wayne Fassbender, Enviroforensics



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

---

### Pace Analytical Services Baton Rouge

7979 Innovation Park Drive Ste A, Baton Rouge, LA  
70820-7402

Louisiana Dept of Environmental Quality (NELAC/LELAP):  
011979

Florida Dept of Health (NELAC/FELAP): E87854

DoD ELAP (A2LA) #: 6429.01

Alabama DEM #: 41900

Alaska DEC-DW #: LA00024

Alaska DEC CS-LAP #: 21-001

Arkansas DEQ #: 88-0655

California ELAP #: 3063

Georgia DPD #: C050

Hawaii DOH State Laboratories Division

Illinois EPA #: 200048

Kansas DoHE #: E-10354

Kentucky DEP UST Branch #: 123054

Louisiana DOH #: LA036

Minnesota DOH #: 2233799

Mississippi State Dept of Health

Montana Department of Environmental Quality

Nebraska DHHS #: NE-OS-35.21

Nevada DCNR DEP #: LA00024

New York DOH #: 12149

North Carolina DEQ - WW & GW #: 618

North Dakota DEQ #: R195

Ohio EPA #: 87782

Oklahoma Dept of Environmental Quality #: 9403

Oregon ELAP #: 4168

Pennsylvania Dept of Environmental Protection #: 68-05973

South Carolina DHEC #: 73006001

Texas CEQ #: T104704178-23-15

Utah DOH #: LA00024

Virginia DCLS #: 6460215

Washington Dept of Ecology #: C929

Wisconsin DNR #: 399139510

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC  
7979 Innovation Park Drive  
Baton Rouge, LA 70820  
(225) 769-4900

## SAMPLE SUMMARY

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

Lab ID	Sample ID	Matrix	Date Collected	Date Received
20296411001	PZ-119	Water	11/07/23 11:28	11/08/23 09:30
20296411002	MW-116	Water	11/07/23 11:55	11/08/23 09:30
20296411003	MW-105	Water	11/07/23 12:35	11/08/23 09:30
20296411004	PZ-104	Water	11/07/23 13:37	11/08/23 09:30
20296411005	DUP-1	Water	11/07/23 00:00	11/08/23 09:30
20296411006	FB-1	Water	11/07/23 12:02	11/08/23 09:30

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC  
7979 Innovation Park Drive  
Baton Rouge, LA 70820  
(225) 769-4900

## SAMPLE ANALYTE COUNT

Project: #200016 – Gunderson Neenah  
Pace Project No.: 20296411

Lab ID	Sample ID	Method	Analysts	Analytes Reported
20296411001	PZ-119	EPA 537 Mod	SA	35
20296411002	MW-116	EPA 537 Mod	SA	35
20296411003	MW-105	EPA 537 Mod	SA	60
20296411004	PZ-104	EPA 537 Mod	BRC	60
20296411005	DUP-1	EPA 537 Mod	SA	60
20296411006	FB-1	EPA 537 Mod	SA	60

PASI-BR = Pace Analytical Services - Baton Rouge

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: #200016 – Gunderson Neenah  
Pace Project No.: 20296411

Sample: PZ-119	Lab ID: 20296411001	Collected: 11/07/23 11:28	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
10:2 FTS	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	120226-60-0	L1,N2
11CI-PF3OUDS	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	763051-92-9	
4:2 FTS	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	757124-72-4	
6:2 FTS	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	27619-97-2	
8:2 FTS	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	39108-34-4	
9CI-PF3ONS	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	756426-58-1	
ADONA	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	919005-14-4	
HFPO-DA	ND	ng/L	7.4	1	11/17/23 06:20	11/20/23 21:48	13252-13-6	
NEFOSAA	ND	ng/L	7.4	1	11/17/23 06:20	11/20/23 21:48	2991-50-6	
NETFOSA	ND	ng/L	7.4	1	11/17/23 06:20	11/20/23 21:48	4151-50-2	
NETFOSE	ND	ng/L	7.4	1	11/17/23 06:20	11/20/23 21:48	1691-99-2	N2
NMeFOSAA	ND	ng/L	7.4	1	11/17/23 06:20	11/20/23 21:48	2355-31-9	L1
NMeFOSA	ND	ng/L	7.4	1	11/17/23 06:20	11/20/23 21:48	31506-32-8	
NMeFOSE	ND	ng/L	7.4	1	11/17/23 06:20	11/20/23 21:48	24448-09-7	N2
Perfluorobutanesulfonic acid	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	375-73-5	
Perfluorodecanoic acid	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	335-76-2	
Perfluorohexanoic acid	6.7	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	307-24-4	
PFBA	9.3	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	375-22-4	
PFDS	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	335-77-3	
PFDoS	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	79780-39-5	
PFHpS	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	375-92-8	
PFHxDA	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	67905-19-5	N2
PFNS	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	68259-12-1	
PFOSA	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	754-91-6	
PPPeA	4.4	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	2706-90-3	
PPPeS	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	2706-91-4	
Perfluorododecanoic acid	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	307-55-1	
Perfluoroheptanoic acid	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	375-85-9	
Perfluorohexanesulfonic acid	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	355-46-4	
Perfluorononanoic acid	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	375-95-1	
Perfluorooctanesulfonic acid	3.8	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	1763-23-1	
Perfluorooctanoic acid	4.5	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	335-67-1	
Perfluorotetradecanoic acid	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	376-06-7	
Perfluorotridecanoic acid	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	72629-94-8	
Perfluoroundecanoic acid	ND	ng/L	3.7	1	11/17/23 06:20	11/20/23 21:48	2058-94-8	
Sample: MW-116	Lab ID: 20296411002	Collected: 11/07/23 11:55	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
10:2 FTS	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	120226-60-0	L1,N2
11CI-PF3OUDS	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	763051-92-9	
4:2 FTS	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	757124-72-4	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

Sample: MW-116	Lab ID: 20296411002	Collected: 11/07/23 11:55	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
6:2 FTS	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	27619-97-2	
8:2 FTS	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	39108-34-4	
9Cl-PF3ONS	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	756426-58-1	
ADONA	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	919005-14-4	
HFPO-DA	ND	ng/L	8.3	1	11/17/23 06:20	11/20/23 22:03	13252-13-6	
NEFOSAA	ND	ng/L	8.3	1	11/17/23 06:20	11/20/23 22:03	2991-50-6	
NEFOSA	ND	ng/L	8.3	1	11/17/23 06:20	11/20/23 22:03	4151-50-2	
NEFOSE	ND	ng/L	8.3	1	11/17/23 06:20	11/20/23 22:03	1691-99-2	N2
NMeFOSAA	ND	ng/L	8.3	1	11/17/23 06:20	11/20/23 22:03	2355-31-9	L1
NMeFOSA	ND	ng/L	8.3	1	11/17/23 06:20	11/20/23 22:03	31506-32-8	
NMeFOSE	ND	ng/L	8.3	1	11/17/23 06:20	11/20/23 22:03	24448-09-7	N2
Perfluorobutanesulfonic acid	9.0	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	375-73-5	
Perfluorodecanoic acid	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	335-76-2	
Perfluorohexanoic acid	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	307-24-4	
PFBA	8.4	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	375-22-4	
PFDS	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	335-77-3	
PFDoS	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	79780-39-5	
PFHpS	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	375-92-8	
PFHxDA	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	67905-19-5	2b,N2
PFNS	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	68259-12-1	
PFOSA	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	754-91-6	
PPeA	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	2706-90-3	
PPeS	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	2706-91-4	
Perfluorododecanoic acid	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	307-55-1	
Perfluoroheptanoic acid	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	375-85-9	
Perfluorohexanesulfonic acid	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	355-46-4	
Perfluorononanoic acid	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	375-95-1	
Perfluorooctanesulfonic acid	4.7	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	1763-23-1	
Perfluorooctanoic acid	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	335-67-1	
Perfluorotetradecanoic acid	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	376-06-7	2b
Perfluorotridecanoic acid	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	72629-94-8	
Perfluoroundecanoic acid	ND	ng/L	4.2	1	11/17/23 06:20	11/20/23 22:03	2058-94-8	

Sample: MW-105	Lab ID: 20296411003	Collected: 11/07/23 12:35	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
10:2 FTS	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	120226-60-0	N2
11Cl-PF3OUdS	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	763051-92-9	
4:2 FTS	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	757124-72-4	
6:2 FTS	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	27619-97-2	
8:2 FTS	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	39108-34-4	
9Cl-PF3ONS	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	756426-58-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: #200016 – Gunderson Neenah  
 Pace Project No.: 20296411

Sample: MW-105	Lab ID: 20296411003	Collected: 11/07/23 12:35	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
ADONA	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	919005-14-4	
HFPO-DA	ND	ng/L	7.8	1	11/29/23 15:18	12/01/23 19:26	13252-13-6	
NEtFOSAA	ND	ng/L	7.8	1	11/29/23 15:18	12/01/23 19:26	2991-50-6	
NEtFOSA	ND	ng/L	7.8	1	11/29/23 15:18	12/01/23 19:26	4151-50-2	
NEtFOSE	ND	ng/L	7.8	1	11/29/23 15:18	12/01/23 19:26	1691-99-2	N2
NMeFOSAA	ND	ng/L	7.8	1	11/29/23 15:18	12/01/23 19:26	2355-31-9	
NMeFOSA	ND	ng/L	7.8	1	11/29/23 15:18	12/01/23 19:26	31506-32-8	
NMeFOSE	ND	ng/L	7.8	1	11/29/23 15:18	12/01/23 19:26	24448-09-7	N2
Perfluorobutanesulfonic acid	<b>16.0</b>	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	375-73-5	
Perfluorodecanoic acid	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	335-76-2	
Perfluorohexanoic acid	<b>5.7</b>	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	307-24-4	
PFBA	<b>5.2</b>	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	375-22-4	
PFDS	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	335-77-3	
PFDoS	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	79780-39-5	
PFHpS	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	375-92-8	
PFHxDa	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	67905-19-5	N2
PFNS	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	68259-12-1	
PFOSA	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	754-91-6	
PFPeA	<b>7.1</b>	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	2706-90-3	
PFPeS	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	2706-91-4	
Perfluorododecanoic acid	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	307-55-1	
Perfluoroheptanoic acid	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	375-85-9	
Perfluorohexanesulfonic acid	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	355-46-4	
Perfluorononanoic acid	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	375-95-1	
Perfluorooctanesulfonic acid	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	1763-23-1	
Perfluorooctanoic acid	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	335-67-1	
Perfluorotetradecanoic acid	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	376-06-7	
Perfluorotridecanoic acid	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	72629-94-8	
Perfluoroundecanoic acid	ND	ng/L	3.9	1	11/29/23 15:18	12/01/23 19:26	2058-94-8	
<b>Extracted Internal Standards</b>								
13C2-PFDa (IS)	<b>38.8</b>	%		1	11/29/23 15:18	12/01/23 19:26		3b
13C2-PFTA (IS)	<b>20.8</b>	%		1	11/29/23 15:18	12/01/23 19:26		3b
13C24:2FTS (IS)	<b>114</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C26:2FTS (IS)	<b>114</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C28:2FTS (IS)	<b>89.9</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C2PFHxDa (IS)	<b>38.2</b>	%		1	11/29/23 15:18	12/01/23 19:26		3b
13C3-PFBS (IS)	<b>84.4</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C3-PFHxS (IS)	<b>87.2</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C3HFPO-DA (IS)	<b>80.7</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C4-PFBA (IS)	<b>77.7</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C4-PFHxA (IS)	<b>86.9</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C5-PFHxA (IS)	<b>87.0</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C5-PFPeA (IS)	<b>87.4</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C6-PFDA (IS)	<b>76.8</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C7-PFUdA (IS)	<b>64.3</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C8-PFOA (IS)	<b>89.7</b>	%		1	11/29/23 15:18	12/01/23 19:26		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

Sample: MW-105	Lab ID: 20296411003	Collected: 11/07/23 12:35	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
<b>Extracted Internal Standards</b>								
13C8-PFOS (IS)	<b>79.2</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C8-PFOSA (IS)	<b>75.7</b>	%		1	11/29/23 15:18	12/01/23 19:26		
13C9-PFNA (IS)	<b>84.4</b>	%		1	11/29/23 15:18	12/01/23 19:26		
d3-MeFOSAA (IS)	<b>61.7</b>	%		1	11/29/23 15:18	12/01/23 19:26		
d3-NMeFOSA (IS)	<b>26.7</b>	%		1	11/29/23 15:18	12/01/23 19:26		3b
d5-EtFOSAA (IS)	<b>56.7</b>	%		1	11/29/23 15:18	12/01/23 19:26		
d5-NEtFOSA (IS)	<b>21.6</b>	%		1	11/29/23 15:18	12/01/23 19:26		3b
d7-NMeFOSE (IS)	<b>26.7</b>	%		1	11/29/23 15:18	12/01/23 19:26		3b
d9-NEtFOSE (IS)	<b>19.8</b>	%		1	11/29/23 15:18	12/01/23 19:26		3b
<b>Sample: PZ-104</b>	<b>Lab ID: 20296411004</b>	Collected: 11/07/23 13:37	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
10:2 FTS	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	120226-60-0	N2
11Cl-PF3OUDS	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	763051-92-9	
4:2 FTS	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	757124-72-4	
6:2 FTS	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	27619-97-2	
8:2 FTS	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	39108-34-4	
9Cl-PF3ONS	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	756426-58-1	
ADONA	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	919005-14-4	
HFPO-DA	ND	ng/L	7.1	1	11/29/23 15:18	12/09/23 00:32	13252-13-6	
NEtFOSAA	ND	ng/L	7.1	1	11/29/23 15:18	12/09/23 00:32	2991-50-6	
NEtFOSA	ND	ng/L	7.1	1	11/29/23 15:18	12/09/23 00:32	4151-50-2	
NEtFOSE	ND	ng/L	7.1	1	11/29/23 15:18	12/09/23 00:32	1691-99-2	N2
NMeFOSAA	ND	ng/L	7.1	1	11/29/23 15:18	12/09/23 00:32	2355-31-9	
NMeFOSA	ND	ng/L	7.1	1	11/29/23 15:18	12/09/23 00:32	31506-32-8	
NMeFOSE	ND	ng/L	7.1	1	11/29/23 15:18	12/09/23 00:32	24448-09-7	N2
Perfluorobutanesulfonic acid	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	375-73-5	
Perfluorodecanoic acid	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	335-76-2	
Perfluorohexanoic acid	<b>3.7</b>	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	307-24-4	
PFBA	<b>5.7</b>	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	375-22-4	
PFDS	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	335-77-3	
PFDsO	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	79780-39-5	
PFHpS	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	375-92-8	
PFHxDA	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	67905-19-5	N2
PFNS	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	68259-12-1	
PFOSA	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	754-91-6	
PPPeA	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	2706-90-3	
PPPeS	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	2706-91-4	
Perfluorododecanoic acid	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	307-55-1	
Perfluoroheptanoic acid	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	375-85-9	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: #200016 – Gunderson Neenah  
Pace Project No.: 20296411

Sample: PZ-104	Lab ID: 20296411004	Collected: 11/07/23 13:37	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
Perfluorohexanesulfonic acid	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	355-46-4	
Perfluorononanoic acid	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	375-95-1	
Perfluoroctanesulfonic acid	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	1763-23-1	
Perfluoroctanoic acid	6.7	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	335-67-1	
Perfluorotetradecanoic acid	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	376-06-7	
Perfluorotridecanoic acid	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	72629-94-8	
Perfluoroundecanoic acid	ND	ng/L	3.5	1	11/29/23 15:18	12/09/23 00:32	2058-94-8	
<b>Extracted Internal Standards</b>								
13C2-PFDoA (IS)	38.6	%		1	11/29/23 15:18	12/09/23 00:32		3b
13C2-PFTA (IS)	16.4	%		1	11/29/23 15:18	12/09/23 00:32		IS
13C24:2FTS (IS)	122	%		1	11/29/23 15:18	12/09/23 00:32		
13C26:2FTS (IS)	118	%		1	11/29/23 15:18	12/09/23 00:32		
13C28:2FTS (IS)	82.3	%		1	11/29/23 15:18	12/09/23 00:32		
13C2PFHxDa (IS)	14.9	%		1	11/29/23 15:18	12/09/23 00:32		IS
13C3-PFBS (IS)	96.2	%		1	11/29/23 15:18	12/09/23 00:32		
13C3-PFHxS (IS)	90.5	%		1	11/29/23 15:18	12/09/23 00:32		
13C3HFPO-DA (IS)	91.5	%		1	11/29/23 15:18	12/09/23 00:32		
13C4-PFBA (IS)	92.2	%		1	11/29/23 15:18	12/09/23 00:32		
13C4-PFHxP (IS)	97.7	%		1	11/29/23 15:18	12/09/23 00:32		
13C5-PFHxA (IS)	101	%		1	11/29/23 15:18	12/09/23 00:32		
13C5-PFPeA (IS)	98.7	%		1	11/29/23 15:18	12/09/23 00:32		
13C6-PFDA (IS)	77.7	%		1	11/29/23 15:18	12/09/23 00:32		
13C7-PFUdA (IS)	60.3	%		1	11/29/23 15:18	12/09/23 00:32		
13C8-PFOA (IS)	104	%		1	11/29/23 15:18	12/09/23 00:32		
13C8-PFOS (IS)	82.3	%		1	11/29/23 15:18	12/09/23 00:32		
13C8-PFOSA (IS)	76.5	%		1	11/29/23 15:18	12/09/23 00:32		
13C9-PFNA (IS)	94.1	%		1	11/29/23 15:18	12/09/23 00:32		
d3-MeFOSAA (IS)	67.1	%		1	11/29/23 15:18	12/09/23 00:32		
d3-NMeFOSA (IS)	21.6	%		1	11/29/23 15:18	12/09/23 00:32		IS
d5-EtFOSAA (IS)	57.9	%		1	11/29/23 15:18	12/09/23 00:32		
d5-NEtFOSA (IS)	13.7	%		1	11/29/23 15:18	12/09/23 00:32		IS
d7-NMeFOSE (IS)	26.9	%		1	11/29/23 15:18	12/09/23 00:32		IS
d9-NEtFOSE (IS)	19.8	%		1	11/29/23 15:18	12/09/23 00:32		IS

Sample: DUP-1	Lab ID: 20296411005	Collected: 11/07/23 00:00	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
10:2 FTS	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	120226-60-0	N2
11CI-PF3OUDs	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	763051-92-9	
4:2 FTS	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	757124-72-4	
6:2 FTS	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	27619-97-2	
8:2 FTS	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	39108-34-4	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: #200016 – Gunderson Neenah  
 Pace Project No.: 20296411

Sample: DUP-1	Lab ID: 20296411005	Collected: 11/07/23 00:00	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
9CI-PF3ONS	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	756426-58-1	
ADONA	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	919005-14-4	
HFPO-DA	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 19:57	13252-13-6	
NEFOSAA	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 19:57	2991-50-6	
NEFOSA	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 19:57	4151-50-2	
NEFOSE	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 19:57	1691-99-2	N2
NMeFOSAA	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 19:57	2355-31-9	
NMeFOSA	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 19:57	31506-32-8	
NMeFOSE	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 19:57	24448-09-7	N2
Perfluorobutanesulfonic acid	<b>8.8</b>	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	375-73-5	
Perfluorodecanoic acid	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	335-76-2	
Perfluorohexanoic acid	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	307-24-4	
PFBA	<b>7.6</b>	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	375-22-4	
PFDS	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	335-77-3	
PFDs	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	79780-39-5	
PFHpS	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	375-92-8	
PFHxDA	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	67905-19-5	N2
PFNS	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	68259-12-1	
PFOSA	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	754-91-6	
PPPeA	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	2706-90-3	
PPPeS	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	2706-91-4	
Perfluorododecanoic acid	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	307-55-1	
Perfluoroheptanoic acid	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	375-85-9	
Perfluorohexanesulfonic acid	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	355-46-4	
Perfluorononanoic acid	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	375-95-1	
Perfluorooctanesulfonic acid	<b>4.7</b>	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	1763-23-1	
Perfluorooctanoic acid	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	335-67-1	
Perfluorotetradecanoic acid	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	376-06-7	
Perfluorotridecanoic acid	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	72629-94-8	
Perfluoroundecanoic acid	ND	ng/L	3.7	1	11/29/23 15:18	12/01/23 19:57	2058-94-8	
<b>Extracted Internal Standards</b>								
13C2-PFDs (IS)	<b>39.8</b>	%		1	11/29/23 15:18	12/01/23 19:57		3b
13C2-PFTA (IS)	<b>13.9</b>	%		1	11/29/23 15:18	12/01/23 19:57		3b
13C24:2FTS (IS)	<b>118</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C26:2FTS (IS)	<b>114</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C28:2FTS (IS)	<b>88.5</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C2PFHxDA (IS)	<b>30.2</b>	%		1	11/29/23 15:18	12/01/23 19:57		3b
13C3-PFBS (IS)	<b>94.5</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C3-PFHxS (IS)	<b>95.9</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C3HFPO-DA (IS)	<b>87.0</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C4-PFBA (IS)	<b>88.6</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C4-PFHxA (IS)	<b>94.2</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C5-PFHxA (IS)	<b>93.4</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C5-PFPeA (IS)	<b>96.9</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C6-PFDA (IS)	<b>83.2</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C7-PFUdA (IS)	<b>66.1</b>	%		1	11/29/23 15:18	12/01/23 19:57		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: #200016 – Gunderson Neenah  
Pace Project No.: 20296411

Sample: DUP-1	Lab ID: 20296411005	Collected: 11/07/23 00:00	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
<b>Extracted Internal Standards</b>								
13C8-PFOA (IS)	<b>96.8</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C8-PFOS (IS)	<b>85.6</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C8-PFOSA (IS)	<b>87.4</b>	%		1	11/29/23 15:18	12/01/23 19:57		
13C9-PFNA (IS)	<b>91.1</b>	%		1	11/29/23 15:18	12/01/23 19:57		
d3-MeFOSAA (IS)	<b>65.6</b>	%		1	11/29/23 15:18	12/01/23 19:57		
d3-NMeFOSAA (IS)	<b>31.7</b>	%		1	11/29/23 15:18	12/01/23 19:57		3b
d5-EtFOSAA (IS)	<b>58.2</b>	%		1	11/29/23 15:18	12/01/23 19:57		
d5-NEtFOSAA (IS)	<b>20.7</b>	%		1	11/29/23 15:18	12/01/23 19:57		3b
d7-NMeFOSE (IS)	<b>25.4</b>	%		1	11/29/23 15:18	12/01/23 19:57		3b
d9-NEtFOSE (IS)	<b>17.0</b>	%		1	11/29/23 15:18	12/01/23 19:57		3b
 <b>Sample: FB-1</b>								
	Lab ID: 20296411006	Collected: 11/07/23 12:02	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
10:2 FTS	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	120226-60-0	N2
11CI-PF3OUDs	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	763051-92-9	
4:2 FTS	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	757124-72-4	
6:2 FTS	<b>6.9</b>	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	27619-97-2	
8:2 FTS	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	39108-34-4	
9CI-PF3ONS	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	756426-58-1	
ADONA	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	919005-14-4	
HFPO-DA	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 20:12	13252-13-6	
NEtFOSAA	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 20:12	2991-50-6	
NEtFOSA	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 20:12	4151-50-2	
NEtFOSE	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 20:12	1691-99-2	N2
NMeFOSAA	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 20:12	2355-31-9	
NMeFOSA	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 20:12	31506-32-8	
NMeFOSE	ND	ng/L	7.3	1	11/29/23 15:18	12/01/23 20:12	24448-09-7	N2
Perfluorobutanesulfonic acid	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	375-73-5	
Perfluorodecanoic acid	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	335-76-2	
Perfluorohexanoic acid	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	307-24-4	
PFBA	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	375-22-4	
PFDS	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	335-77-3	
PFDsO	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	79780-39-5	
PFHpS	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	375-92-8	
PFHxDA	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	67905-19-5	N2
PFNS	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	68259-12-1	
PFOSA	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	754-91-6	
PPPeA	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	2706-90-3	
PPPeS	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	2706-91-4	
Perfluorododecanoic acid	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	307-55-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: #200016 – Gunderson Neenah  
Pace Project No.: 20296411

Sample: FB-1	Lab ID: 20296411006	Collected: 11/07/23 12:02	Received: 11/08/23 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>PFAS in Water-EPA 537 Mod</b>	Analytical Method: EPA 537 Mod Preparation Method: EPA 537 Mod Pace Analytical Services - Baton Rouge							
Perfluoroheptanoic acid	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	375-85-9	
Perfluorohexanesulfonic acid	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	355-46-4	
Perfluorononanoic acid	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	375-95-1	
Perfluorooctanesulfonic acid	4.4	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	1763-23-1	
Perfluorooctanoic acid	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	335-67-1	
Perfluorotetradecanoic acid	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	376-06-7	
Perfluorotridecanoic acid	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	72629-94-8	
Perfluoroundecanoic acid	ND	ng/L	3.6	1	11/29/23 15:18	12/01/23 20:12	2058-94-8	
<b>Extracted Internal Standards</b>								
13C2-PFDoA (IS)	68.7	%		1	11/29/23 15:18	12/01/23 20:12		
13C2-PFTA (IS)	68.4	%		1	11/29/23 15:18	12/01/23 20:12		
13C24:2FTS (IS)	98.7	%		1	11/29/23 15:18	12/01/23 20:12		
13C26:2FTS (IS)	110	%		1	11/29/23 15:18	12/01/23 20:12		
13C28:2FTS (IS)	80.8	%		1	11/29/23 15:18	12/01/23 20:12		
13C2PFHxDa(IS)	81.4	%		1	11/29/23 15:18	12/01/23 20:12		
13C3-PFBS (IS)	95.6	%		1	11/29/23 15:18	12/01/23 20:12		
13C3-PFHxS (IS)	93.4	%		1	11/29/23 15:18	12/01/23 20:12		
13C3HFPO-DA(IS)	90.6	%		1	11/29/23 15:18	12/01/23 20:12		
13C4-PFBA (IS)	97.1	%		1	11/29/23 15:18	12/01/23 20:12		
13C4-PFHxA (IS)	96.6	%		1	11/29/23 15:18	12/01/23 20:12		
13C5-PFHxA (IS)	96.0	%		1	11/29/23 15:18	12/01/23 20:12		
13C5-PFPeA (IS)	97.3	%		1	11/29/23 15:18	12/01/23 20:12		
13C6-PFDA (IS)	87.1	%		1	11/29/23 15:18	12/01/23 20:12		
13C7-PFUdA (IS)	80.2	%		1	11/29/23 15:18	12/01/23 20:12		
13C8-PFOA (IS)	96.4	%		1	11/29/23 15:18	12/01/23 20:12		
13C8-PFOS (IS)	86.6	%		1	11/29/23 15:18	12/01/23 20:12		
13C8-PFOSA (IS)	80.9	%		1	11/29/23 15:18	12/01/23 20:12		
13C9-PFNA (IS)	91.5	%		1	11/29/23 15:18	12/01/23 20:12		
d3-MeFOSAA (IS)	79.9	%		1	11/29/23 15:18	12/01/23 20:12		
d3-NMeFOSA (IS)	67.2	%		1	11/29/23 15:18	12/01/23 20:12		
d5-EtFOSAA (IS)	72.1	%		1	11/29/23 15:18	12/01/23 20:12		
d5-NEtFOSA (IS)	70.1	%		1	11/29/23 15:18	12/01/23 20:12		
d7-NMeFOSE (IS)	75.9	%		1	11/29/23 15:18	12/01/23 20:12		
d9-NEtFOSE (IS)	75.3	%		1	11/29/23 15:18	12/01/23 20:12		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

QC Batch:	308225	Analysis Method:	EPA 537 Mod
QC Batch Method:	EPA 537 Mod	Analysis Description:	PFAS in Water-EPA 537 Mod
Associated Lab Samples:	20296411001, 20296411002	Laboratory:	Pace Analytical Services - Baton Rouge

METHOD BLANK: 1475629 Matrix: Water

Associated Lab Samples: 20296411001, 20296411002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
10:2 FTS	ng/L	ND	4.0	11/20/23 15:40	N2
11Cl-PF3OUdS	ng/L	ND	4.0	11/20/23 15:40	
4:2 FTS	ng/L	ND	4.0	11/20/23 15:40	
6:2 FTS	ng/L	ND	4.0	11/20/23 15:40	
8:2 FTS	ng/L	ND	4.0	11/20/23 15:40	
9Cl-PF3ONS	ng/L	ND	4.0	11/20/23 15:40	
ADONA	ng/L	ND	4.0	11/20/23 15:40	
HFPO-DA	ng/L	ND	8.0	11/20/23 15:40	
NETFOSA	ng/L	ND	8.0	11/20/23 15:40	1b
NETFOSAA	ng/L	ND	8.0	11/20/23 15:40	
NETFOSE	ng/L	ND	8.0	11/20/23 15:40	N2
NMeFOSA	ng/L	ND	8.0	11/20/23 15:40	1b
NMeFOSAA	ng/L	ND	8.0	11/20/23 15:40	
NMeFOSE	ng/L	ND	8.0	11/20/23 15:40	N2
Perfluorobutanesulfonic acid	ng/L	ND	4.0	11/20/23 15:40	
Perfluorodecanoic acid	ng/L	ND	4.0	11/20/23 15:40	
Perfluorododecanoic acid	ng/L	ND	4.0	11/20/23 15:40	
Perfluoroheptanoic acid	ng/L	ND	4.0	11/20/23 15:40	
Perfluorohexanesulfonic acid	ng/L	ND	4.0	11/20/23 15:40	
Perfluorohexanoic acid	ng/L	ND	4.0	11/20/23 15:40	
Perfluorononanoic acid	ng/L	ND	4.0	11/20/23 15:40	
Perfluoroctanesulfonic acid	ng/L	ND	4.0	11/20/23 15:40	
Perfluoroctanoic acid	ng/L	ND	4.0	11/20/23 15:40	
Perfluorotetradecanoic acid	ng/L	ND	4.0	11/20/23 15:40	
Perfluorotridecanoic acid	ng/L	ND	4.0	11/20/23 15:40	
Perfluoroundecanoic acid	ng/L	ND	4.0	11/20/23 15:40	
PFBA	ng/L	ND	4.0	11/20/23 15:40	
PFDoS	ng/L	ND	4.0	11/20/23 15:40	
PFDS	ng/L	ND	4.0	11/20/23 15:40	
PFHpS	ng/L	ND	4.0	11/20/23 15:40	
PFHxDA	ng/L	ND	4.0	11/20/23 15:40	N2
PFNS	ng/L	ND	4.0	11/20/23 15:40	
PFOSA	ng/L	ND	4.0	11/20/23 15:40	
PFPeA	ng/L	ND	4.0	11/20/23 15:40	
PFPeS	ng/L	ND	4.0	11/20/23 15:40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

LABORATORY CONTROL SAMPLE & LCSD: 1475630		1475631								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
10:2 FTS	ng/L	77.6	93.7	111	121	143	70-130	17	30	L1,N2
11Cl-PF3OUdS	ng/L	75.6	59.9	77.4	79	102	70-130	25	30	
4:2 FTS	ng/L	74.8	68.4	94.7	91	127	70-130	32	30	R1
6:2 FTS	ng/L	76	71.6	95.7	94	126	70-130	29	30	
8:2 FTS	ng/L	76.8	72.7	97.9	95	128	70-130	30	30	
9Cl-PF3ONS	ng/L	74.8	65.3	86.3	87	115	70-130	28	30	
ADONA	ng/L	75.6	64.9	88.1	86	117	70-130	30	30	
HFPO-DA	ng/L	160	150	201	94	126	70-130	29	30	
NETFOSA	ng/L	80	80.2	96.7	100	121	70-130	19	30	1b
NETFOSAA	ng/L	80	77.5	101	97	127	70-130	27	30	
NETFOSE	ng/L	80	74.4	96.7	93	121	70-130	26	30	N2
NMeFOSA	ng/L	80	78.0	101	97	126	70-130	26	30	1b
NMeFOSAA	ng/L	80	75.0	104	94	131	70-130	33	30	L1,R1
NMeFOSE	ng/L	80	70.9	97.2	89	121	70-130	31	30	N2,R1
Perfluorobutanesulfonic acid	ng/L	70.8	65.1	86.8	92	123	70-130	29	30	
Perfluorodecanoic acid	ng/L	80	71.7	96.8	90	121	70-130	30	30	
Perfluorododecanoic acid	ng/L	80	72.9	98.3	91	123	70-130	30	30	
Perfluoroheptanoic acid	ng/L	80	70.6	95.4	88	119	70-130	30	30	
Perfluorohexanesulfonic acid	ng/L	73.2	66.6	88.9	91	121	70-130	29	30	
Perfluorohexanoic acid	ng/L	80	72.9	97.1	91	121	70-130	29	30	
Perfluorononanoic acid	ng/L	80	71.3	94.6	89	118	70-130	28	30	
Perfluoroctanesulfonic acid	ng/L	74.4	66.7	89.6	90	120	70-130	29	30	
Perfluoroctanoic acid	ng/L	80	72.3	97.1	90	121	70-130	29	30	
Perfluorotetradecanoic acid	ng/L	80	74.2	96.4	93	121	70-130	26	30	
Perfluorotridecanoic acid	ng/L	80	73.6	97.4	92	122	70-130	28	30	
Perfluoroundecanoic acid	ng/L	80	72.9	98.6	91	123	70-130	30	30	
PFBA	ng/L	80	72.6	97.2	91	122	70-130	29	30	
PFDoS	ng/L	77.6	57.3	73.0	74	94	70-130	24	30	
PFDS	ng/L	77.2	64.5	84.2	84	109	70-130	27	30	
PFHpS	ng/L	76.4	69.7	93.9	91	123	70-130	30	30	
PFHxDA	ng/L	80	69.1	90.5	86	113	70-130	27	30	N2
PFNS	ng/L	76.8	66.1	86.9	86	113	70-130	27	30	
PFOSA	ng/L	80	75.9	98.3	95	123	70-130	26	30	
PPeA	ng/L	80	73.1	98.1	91	123	70-130	29	30	
PPeS	ng/L	75.2	71.3	95.1	95	126	70-130	29	30	

LABORATORY CONTROL SAMPLE: 1476652

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
10:2 FTS	ng/L	7.8	10.4	135		N2
11Cl-PF3OUdS	ng/L	7.5	7.1	95		
4:2 FTS	ng/L	7.5	8.9	118		
6:2 FTS	ng/L	7.6	9.9	130		
8:2 FTS	ng/L	7.7	9.2	120		
9Cl-PF3ONS	ng/L	7.5	8.0	107		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

LABORATORY CONTROL SAMPLE: 1476652

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
ADONA	ng/L	7.5	8.1	108		
HFPO-DA	ng/L	16	18.3	114		
NETFOSA	ng/L	8	9.9	124		1b
NETFOSAA	ng/L	8	10.4	130		
NETFOSE	ng/L	8	9.3	117		1b,N2
NMeFOSA	ng/L	8	9.7	121		1b
NMeFOSAA	ng/L	8	9.3	116		
NMeFOSE	ng/L	8	9.2	115		1b,N2
Perfluorobutanesulfonic acid	ng/L	7	8.4	119		
Perfluorodecanoic acid	ng/L	8	8.8	110		
Perfluorododecanoic acid	ng/L	8	9.1	113		
Perfluoroheptanoic acid	ng/L	8	8.9	111		
Perfluorohexanesulfonic acid	ng/L	7.4	8.5	116		
Perfluorohexanoic acid	ng/L	8	9.3	116		
Perfluorononanoic acid	ng/L	8	8.9	111		
Perfluoroctanesulfonic acid	ng/L	7.4	8.8	119		
Perfluoroctanoic acid	ng/L	8	9.2	115		
Perfluorotetradecanoic acid	ng/L	8	9.4	118		1b
Perfluorotridecanoic acid	ng/L	8	9.2	115		
Perfluoroundecanoic acid	ng/L	8	9.0	112		
PFBA	ng/L	8	9.0	113		
PFDoS	ng/L	7.8	6.9	89		
PFDS	ng/L	7.7	7.8	102		
PFHpS	ng/L	7.7	8.4	110		
PFHxDA	ng/L	8	8.7	109		N2
PFNS	ng/L	7.7	8.0	105		
PFOSA	ng/L	8	9.7	121		
PFPeA	ng/L	8	9.1	114		
PFPeS	ng/L	7.5	8.5	113		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

QC Batch:	308546	Analysis Method:	EPA 537 Mod
QC Batch Method:	EPA 537 Mod	Analysis Description:	PFAS in Water-EPA 537 Mod
		Laboratory:	Pace Analytical Services - Baton Rouge

Associated Lab Samples: 20296411003, 20296411004, 20296411005, 20296411006

METHOD BLANK: 1477094 Matrix: Water

Associated Lab Samples: 20296411003, 20296411004, 20296411005, 20296411006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
10:2 FTS	ng/L	ND	4.0	12/01/23 18:25	N2
11Cl-PF3OUdS	ng/L	ND	4.0	12/01/23 18:25	
4:2 FTS	ng/L	ND	4.0	12/01/23 18:25	
6:2 FTS	ng/L	ND	4.0	12/01/23 18:25	
8:2 FTS	ng/L	ND	4.0	12/01/23 18:25	
9Cl-PF3ONS	ng/L	ND	4.0	12/01/23 18:25	
ADONA	ng/L	ND	4.0	12/01/23 18:25	
HFPO-DA	ng/L	ND	8.0	12/01/23 18:25	
NETFOSA	ng/L	ND	8.0	12/01/23 18:25	
NETFOSAA	ng/L	ND	8.0	12/01/23 18:25	
NETFOSE	ng/L	ND	8.0	12/01/23 18:25	N2
NMeFOSA	ng/L	ND	8.0	12/01/23 18:25	
NMeFOSAA	ng/L	ND	8.0	12/01/23 18:25	
NMeFOSE	ng/L	ND	8.0	12/01/23 18:25	N2
Perfluorobutanesulfonic acid	ng/L	ND	4.0	12/01/23 18:25	
Perfluorodecanoic acid	ng/L	ND	4.0	12/01/23 18:25	
Perfluorododecanoic acid	ng/L	ND	4.0	12/01/23 18:25	
Perfluoroheptanoic acid	ng/L	ND	4.0	12/01/23 18:25	
Perfluorohexanesulfonic acid	ng/L	ND	4.0	12/01/23 18:25	
Perfluorohexanoic acid	ng/L	ND	4.0	12/01/23 18:25	
Perfluorononanoic acid	ng/L	ND	4.0	12/01/23 18:25	
Perfluoroctanesulfonic acid	ng/L	ND	4.0	12/01/23 18:25	
Perfluoroctanoic acid	ng/L	ND	4.0	12/01/23 18:25	
Perfluorotetradecanoic acid	ng/L	ND	4.0	12/01/23 18:25	
Perfluorotridecanoic acid	ng/L	ND	4.0	12/01/23 18:25	
Perfluoroundecanoic acid	ng/L	ND	4.0	12/01/23 18:25	
PFBA	ng/L	ND	4.0	12/01/23 18:25	
PFDoS	ng/L	ND	4.0	12/01/23 18:25	
PFDS	ng/L	ND	4.0	12/01/23 18:25	
PFHpS	ng/L	ND	4.0	12/01/23 18:25	
PFHxDA	ng/L	ND	4.0	12/01/23 18:25	N2
PFNS	ng/L	ND	4.0	12/01/23 18:25	
PFOSA	ng/L	ND	4.0	12/01/23 18:25	
PFPeA	ng/L	ND	4.0	12/01/23 18:25	
PFPeS	ng/L	ND	4.0	12/01/23 18:25	
13C2-PFDoA (IS)	%	77.0		12/01/23 18:25	
13C2-PFTA (IS)	%	74.2		12/01/23 18:25	
13C24:2FTS (IS)	%	86.7		12/01/23 18:25	
13C26:2FTS (IS)	%	97.4		12/01/23 18:25	
13C28:2FTS (IS)	%	84.9		12/01/23 18:25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

METHOD BLANK: 1477094

Matrix: Water

Associated Lab Samples: 20296411003, 20296411004, 20296411005, 20296411006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
13C2PFHxDA(IS)	%	74.9		12/01/23 18:25	
13C3-PFBS (IS)	%	89.0		12/01/23 18:25	
13C3-PFHxS (IS)	%	87.2		12/01/23 18:25	
13C3HFPO-DA(IS)	%	85.9		12/01/23 18:25	
13C4-PFBA (IS)	%	89.4		12/01/23 18:25	
13C4-PFHpA (IS)	%	86.4		12/01/23 18:25	
13C5-PFHxA (IS)	%	88.6		12/01/23 18:25	
13C5-PFPeA (IS)	%	88.7		12/01/23 18:25	
13C6-PFDA (IS)	%	85.0		12/01/23 18:25	
13C7-PFUdA (IS)	%	85.0		12/01/23 18:25	
13C8-PFOA (IS)	%	90.6		12/01/23 18:25	
13C8-PFOS (IS)	%	82.3		12/01/23 18:25	
13C8-PFOSA (IS)	%	75.1		12/01/23 18:25	
13C9-PFNA (IS)	%	87.2		12/01/23 18:25	
d3-MeFOSAA (IS)	%	80.1		12/01/23 18:25	
d3-NMeFOSA (IS)	%	49.0		12/01/23 18:25	3b
d5-EtFOSAA (IS)	%	75.3		12/01/23 18:25	
d5-NEtFOSA (IS)	%	47.1		12/01/23 18:25	3b
d7-NMeFOSE (IS)	%	56.2		12/01/23 18:25	
d9-NEtFOSE (IS)	%	60.9		12/01/23 18:25	

LABORATORY CONTROL SAMPLE & LCSD: 1477095

1477096

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
10:2 FTS	ng/L	77.6	75.4	75.7	97	98	70-130	0	30	N2
11Cl-PF3OUdS	ng/L	75.6	71.5	70.1	95	93	70-130	2	30	
4:2 FTS	ng/L	74.8	75.4	75.9	101	101	70-130	1	30	
6:2 FTS	ng/L	76	77.5	77.0	102	101	70-130	1	30	
8:2 FTS	ng/L	76.8	83.2	82.9	108	108	70-130	0	30	
9Cl-PF3ONS	ng/L	74.8	77.6	76.5	104	102	70-130	1	30	
ADONA	ng/L	75.6	74.7	73.4	99	97	70-130	2	30	
HFPO-DA	ng/L	160	173	165	108	103	70-130	5	30	
NETFOSA	ng/L	80	83.6	84.9	104	106	70-130	2	30	
NETFOSAA	ng/L	80	88.8	87.1	111	109	70-130	2	30	
NETFOSE	ng/L	80	91.8	89.5	115	112	70-130	3	30	N2
NMeFOSA	ng/L	80	84.0	84.6	105	106	70-130	1	30	
NMeFOSAA	ng/L	80	85.2	78.8	107	98	70-130	8	30	
NMeFOSE	ng/L	80	86.3	87.8	108	110	70-130	2	30	N2
Perfluorobutanesulfonic acid	ng/L	70.8	72.7	73.0	103	103	70-130	0	30	
Perfluorodecanoic acid	ng/L	80	81.4	79.1	102	99	70-130	3	30	
Perfluorododecanoic acid	ng/L	80	83.0	81.5	104	102	70-130	2	30	
Perfluoroheptanoic acid	ng/L	80	81.9	80.9	102	101	70-130	1	30	
Perfluorohexanesulfonic acid	ng/L	73.2	73.6	72.6	101	99	70-130	1	30	
Perfluorohexanoic acid	ng/L	80	81.4	79.3	102	99	70-130	3	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

LABORATORY CONTROL SAMPLE & LCSD:		1477096								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Perfluorononanoic acid	ng/L	80	80.9	79.0	101	99	70-130	2	30	
Perfluoroctanesulfonic acid	ng/L	74.4	71.0	70.6	95	95	70-130	1	30	
Perfluoroctanoic acid	ng/L	80	80.7	78.9	101	99	70-130	2	30	
Perfluorotetradecanoic acid	ng/L	80	84.6	79.8	106	100	70-130	6	30	
Perfluorotridecanoic acid	ng/L	80	78.8	78.2	99	98	70-130	1	30	
Perfluoroundecanoic acid	ng/L	80	82.8	80.5	104	101	70-130	3	30	
PFBA	ng/L	80	81.1	79.5	101	99	70-130	2	30	
PFDoS	ng/L	77.6	67.5	68.9	87	89	70-130	2	30	
PFDS	ng/L	77.2	74.7	73.2	97	95	70-130	2	30	
PFHpS	ng/L	76.4	78.5	75.8	103	99	70-130	3	30	
PFHxDA	ng/L	80	75.9	76.8	95	96	70-130	1	30	N2
PFNS	ng/L	76.8	79.2	76.4	103	99	70-130	4	30	
PFOSA	ng/L	80	84.8	81.0	106	101	70-130	5	30	
PFPeA	ng/L	80	79.8	77.7	100	97	70-130	3	30	
PFPeS	ng/L	75.2	75.3	76.0	100	101	70-130	1	30	
13C2-PFDoA (IS)	%			86.9	76.6					
13C2-PFTA (IS)	%			81.2	76					
13C24:2FTS (IS)	%			91.5	79.2					
13C26:2FTS (IS)	%			102	89.4					
13C28:2FTS (IS)	%			91.9	77.7					
13C2PFHxDA (IS)	%			90	80.4					
13C3-PFBS (IS)	%			95.9	80					
13C3-PFHxS (IS)	%			96.6	82.5					
13C3HFPO-DA (IS)	%			90.5	81					
13C4-PFBA (IS)	%			97.2	84.2					
13C4-PFHxA (IS)	%			96.8	84.5					
13C5-PFHxA (IS)	%			95.2	83.6					
13C5-PFPeA (IS)	%			98.9	85					
13C6-PFDA (IS)	%			94.2	83.8					
13C7-PFUDa (IS)	%			97.8	84.4					
13C8-PFOA (IS)	%			99	86.8					
13C8-PFOS (IS)	%			93.6	80.5					
13C8-PFOSA (IS)	%			83.9	74.7					
13C9-PFNA (IS)	%			94	84					
d3-MeFOSAA (IS)	%			94.9	85.9					
d3-NMeFOSAA (IS)	%			59.6	42					3b
d5-EtFOSAA (IS)	%			87.4	75.6					
d5-NEtFOSAA (IS)	%			58.2	42.7					3b
d7-NMeFOSE (IS)	%			63.2	54.9					
d9-NEtFOSE (IS)	%			63.6	58.4					

LABORATORY CONTROL SAMPLE:		1477097							
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits		Qualifiers		
10:2 FTS	ng/L	7.8	7.3	95					N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

LABORATORY CONTROL SAMPLE: 1477097

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
11CI-PF3OUdS	ng/L	7.5	6.6	88		
4:2 FTS	ng/L	7.5	7.6	102		
6:2 FTS	ng/L	7.6	8.2	107		
8:2 FTS	ng/L	7.7	8.2	106		
9CI-PF3ONS	ng/L	7.5	7.3	97		
ADONA	ng/L	7.5	7.1	95		
HFPO-DA	ng/L	16	16.6	104		
NETFOSA	ng/L	8	8.4	105		
NETFOSAA	ng/L	8	8.5	107		
NETFOSE	ng/L	8	9.0	112	N2	
NMeFOSA	ng/L	8	9.1	114		
NMeFOSAA	ng/L	8	8.5	106		
NMeFOSE	ng/L	8	8.9	112	N2	
Perfluorobutanesulfonic acid	ng/L	7	7.1	101		
Perfluorodecanoic acid	ng/L	8	7.8	97		
Perfluorododecanoic acid	ng/L	8	7.8	98		
Perfluoroheptanoic acid	ng/L	8	7.8	98		
Perfluorohexanesulfonic acid	ng/L	7.4	7.5	102		
Perfluorohexanoic acid	ng/L	8	8.1	101		
Perfluorononanoic acid	ng/L	8	7.4	93		
Perfluoroctanesulfonic acid	ng/L	7.4	7.1	96		
Perfluoroctanoic acid	ng/L	8	7.9	99		
Perfluorotetradecanoic acid	ng/L	8	8.1	101		
Perfluorotridecanoic acid	ng/L	8	7.8	97		
Perfluoroundecanoic acid	ng/L	8	7.7	96		
PFBA	ng/L	8	7.9	98		
PFDoS	ng/L	7.8	6.9	88		
PFDS	ng/L	7.7	6.8	89		
PFHpS	ng/L	7.7	7.7	100		
PFHxDA	ng/L	8	8.0	100	N2	
PFNS	ng/L	7.7	7.4	96		
PFOSA	ng/L	8	8.4	106		
PPeA	ng/L	8	7.7	97		
PPeS	ng/L	7.5	7.3	97		
13C2-PFDoA (IS)	%			82.8		
13C2-PFTA (IS)	%			78.2		
13C24:2FTS (IS)	%			90.3		
13C26:2FTS (IS)	%			98.1		
13C28:2FTS (IS)	%			91		
13C2PFHxDA(IS)	%			73.6		
13C3-PFBS (IS)	%			89.9		
13C3-PFHxS (IS)	%			90.3		
13C3HFPO-DA(IS)	%			87.9		
13C4-PFBA (IS)	%			93.1		
13C4-PFHxA (IS)	%			91.3		
13C5-PFHxA (IS)	%			90.8		
13C5-PPeA (IS)	%			91.5		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

---

LABORATORY CONTROL SAMPLE: 1477097

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
13C6-PFDA (IS)	%			91.5		
13C7-PFUDa (IS)	%			88.5		
13C8-PFOA (IS)	%			93.7		
13C8-PFOS (IS)	%			90.8		
13C8-PFOSA (IS)	%			78.5		
13C9-PFNA (IS)	%			93		
d3-MeFOSAA (IS)	%			83.2		
d3-NMeFOSA (IS)	%			49.1	3b	
d5-EtFOSAA (IS)	%			80		
d5-NEtFOSA (IS)	%			49.2	3b	
d7-NMeFOSE (IS)	%			62		
d9-NEtFOSE (IS)	%			63.7		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: #200016 – Gunderson Neenah

Pace Project No.: 20296411

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The Nelac Institute

### ANALYTE QUALIFIERS

1b The extracted internal standard is below criteria.

2b The extracted internal standard is below criteria. The sample was re-analyzed with similar results.

3b The internal standard response is below criteria. Results may be biased high.

IS The internal standard response is below criteria. Results may be biased high.

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.

N2 The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.

R1 RPD value was outside control limits.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC  
7979 Innovation Park Drive  
Baton Rouge, LA 70820  
(225) 769-4900







## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: #200016 – Gunderson Neenah  
Pace Project No.: 20296411

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
20296411001	PZ-119	EPA 537 Mod	308225	EPA 537 Mod	308790
20296411002	MW-116	EPA 537 Mod	308225	EPA 537 Mod	308790
20296411003	MW-105	EPA 537 Mod	308546	EPA 537 Mod	310058
20296411004	PZ-104	EPA 537 Mod	308546	EPA 537 Mod	310058
20296411005	DUP-1	EPA 537 Mod	308546	EPA 537 Mod	310058
20296411006	FB-1	EPA 537 Mod	308546	EPA 537 Mod	310058

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

<p>Pace® Location Requested (City/State): Pace Analytical Baton Rouge 7979 Innovation Park Dr, Suite A Baton Rouge, LA 70820</p> <p><b>CHAIN-OF-CUSTODY Analytical Request Document</b> Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields</p>								<p>LAB USE ONLY- Affix Workorder/Login Label Here</p> <p><b>WO# : 20296411</b></p> <p></p> <p> 20296411</p>																																																																																																																																																																																																																																																																																																															
Company Name: Enviroforensics		Contact/Report To: Nicollette Morris																																																																																																																																																																																																																																																																																																																					
Street Address: 825 N Capital Ave, Indianapolis, IN 46204		Phone #: 317-56-1984																																																																																																																																																																																																																																																																																																																					
Customer Project #: 2000816		E-Mail: nmorris@enviroforensics.com																																																																																																																																																																																																																																																																																																																					
Project Name: Jagerman Plating Gundersen Neenah		Cc E-Mail:																																																																																																																																																																																																																																																																																																																					
Site Collection Info/Facility ID (as applicable):		Invoice To: Nicollette Morris																																																																																																																																																																																																																																																																																																																					
		Invoice E-Mail: nmorris@enviroforensics.com																																																																																																																																																																																																																																																																																																																					
		Purchase Order # (if applicable):																																																																																																																																																																																																																																																																																																																					
		Quote #:																																																																																																																																																																																																																																																																																																																					
Time Zone Collected: [ ] AK [ ] PT [ ] MT <input checked="" type="checkbox"/> CT [ ] ET		County / State origin of sample(s): Wisconsin																																																																																																																																																																																																																																																																																																																					
Data Deliverables:  [ ] Level II <input checked="" type="checkbox"/> Level III [ ] Level IV  [ ] EQUIS [ ] Other		Regulatory Program (DW, RCRA, etc.) as applicable:  Rush (Pre-approval required): [ ] 2 day [ ] 3 day [ ] 5 day [ ] Other _____						DW PWSID # or WW Permit # as applicable:  Date Results Requested: Field Filtered (if applicable): [ ] Yes [ ] No Analysis:																																																																																																																																																																																																																																																																																																															
<p>* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk</p> <table border="1"> <thead> <tr> <th rowspan="2">Customer Sample ID</th> <th rowspan="2">Matrix *</th> <th rowspan="2">Comp / Grab</th> <th colspan="2">Collected (or Composite Start)</th> <th colspan="2">Composite End</th> <th rowspan="2">Res. CL2</th> <th colspan="2">Number &amp; Type of Containers</th> <th rowspan="2">FIELD BLANK</th> <th rowspan="2">PFAS in Water-EPA 537 Mod</th> <th rowspan="2">Lab Use Only</th> <th rowspan="2">Proj. Mgr: Kyara Nichols AcctNum / Client ID: Table #: Profile / Template: 18986 Prelog / Bottle Ord. ID: EZ 3017954</th> <th rowspan="2">Sample Comment</th> <th rowspan="2">Preservation non-conformance identified for sample.</th> </tr> <tr> <th>Date</th> <th>Time</th> <th>Date</th> <th>Time</th> <th>Plastic</th> <th>Glass</th> </tr> </thead> <tbody> <tr> <td>PZ-119</td> <td>GW</td> <td>G</td> <td>11/7/23</td> <td>11:28</td> <td></td> <td></td> <td></td> <td>2</td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td>1</td> </tr> <tr> <td>MW-116</td> <td>GW</td> <td>G</td> <td>11/7/23</td> <td>11:55</td> <td></td> <td></td> <td></td> <td>2</td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td>2</td> </tr> <tr> <td>MW-105</td> <td>GW</td> <td>G</td> <td>11/7/23</td> <td>12:35</td> <td></td> <td></td> <td></td> <td>2</td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td>3</td> </tr> <tr> <td>PZ-104</td> <td>GWes</td> <td>G</td> <td>11/7/23</td> <td>13:37</td> <td></td> <td></td> <td></td> <td>2</td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td>4</td> </tr> <tr> <td>Ap-1</td> <td>GW</td> <td>G</td> <td>11/7/23</td> <td></td> <td></td> <td></td> <td></td> <td>2</td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td>5</td> </tr> <tr> <td>FB-1</td> <td>barb water</td> <td></td> <td>11/7/23</td> <td>12:02</td> <td></td> <td></td> <td></td> <td>2</td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td>6</td> </tr> <tr> <td></td> </tr> <tr> <td></td> </tr> <tr> <td></td> </tr> <tr> <td></td> </tr> <tr> <td></td> </tr> <tr> <td></td> </tr> <tr> <td colspan="8">Customer Remarks / Special Conditions / Possible Hazards:  Analyze for WI 33 PFAS Compounds</td> <td colspan="8">Additional Instructions from Pace®:  Printed Name: Wayne Fassbender Signature: </td> </tr> <tr> <td colspan="2">Relinquished by/Company: (Signature)</td> <td colspan="2">Date/Time:</td> <td colspan="2">Received by/Company: (Signature)</td> <td colspan="2">Date/Time:</td> <td colspan="2"># Coolers:</td> <td colspan="2">Thermometer ID:</td> <td colspan="2">Correction Factor (°C):</td> <td colspan="2">Obs. Temp. (°C)</td> <td colspan="2">Corrected Temp. (°C)</td> </tr> <tr> <td colspan="2">Relinquished by/Company: (Signature) FedEx</td> <td colspan="2">Date/Time: 11/8/23 9:30</td> <td colspan="2">Received by/Company: (Signature) </td> <td colspan="2">Date/Time: 11/8/23 9:30</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2">Tracking Number:</td> </tr> <tr> <td colspan="2">Relinquished by/Company: (Signature)</td> <td colspan="2">Date/Time:</td> <td colspan="2">Received by/Company: (Signature)</td> <td colspan="2">Date/Time:</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2">Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other</td> </tr> <tr> <td colspan="2">Relinquished by/Company: (Signature)</td> <td colspan="2">Date/Time:</td> <td colspan="2">Received by/Company: (Signature)</td> <td colspan="2">Date/Time:</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2">Page: 1 of 1</td> </tr> </tbody> </table>										Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers		FIELD BLANK	PFAS in Water-EPA 537 Mod	Lab Use Only	Proj. Mgr: Kyara Nichols AcctNum / Client ID: Table #: Profile / Template: 18986 Prelog / Bottle Ord. ID: EZ 3017954	Sample Comment	Preservation non-conformance identified for sample.	Date	Time	Date	Time	Plastic	Glass	PZ-119	GW	G	11/7/23	11:28				2		X					1	MW-116	GW	G	11/7/23	11:55				2		X					2	MW-105	GW	G	11/7/23	12:35				2		X					3	PZ-104	GWes	G	11/7/23	13:37				2		X					4	Ap-1	GW	G	11/7/23					2		X					5	FB-1	barb water		11/7/23	12:02				2		X					6																																																																																																	Customer Remarks / Special Conditions / Possible Hazards:  Analyze for WI 33 PFAS Compounds								Additional Instructions from Pace®:  Printed Name: Wayne Fassbender Signature: 								Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)		Date/Time:		# Coolers:		Thermometer ID:		Correction Factor (°C):		Obs. Temp. (°C)		Corrected Temp. (°C)		Relinquished by/Company: (Signature) FedEx		Date/Time: 11/8/23 9:30		Received by/Company: (Signature) 		Date/Time: 11/8/23 9:30										Tracking Number:		Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)		Date/Time:										Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other		Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)		Date/Time:										Page: 1 of 1	
Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers					FIELD BLANK	PFAS in Water-EPA 537 Mod	Lab Use Only	Proj. Mgr: Kyara Nichols AcctNum / Client ID: Table #: Profile / Template: 18986 Prelog / Bottle Ord. ID: EZ 3017954		Sample Comment	Preservation non-conformance identified for sample.																																																																																																																																																																																																																																																																																																				
			Date	Time	Date	Time		Plastic	Glass																																																																																																																																																																																																																																																																																																														
PZ-119	GW	G	11/7/23	11:28				2		X					1																																																																																																																																																																																																																																																																																																								
MW-116	GW	G	11/7/23	11:55				2		X					2																																																																																																																																																																																																																																																																																																								
MW-105	GW	G	11/7/23	12:35				2		X					3																																																																																																																																																																																																																																																																																																								
PZ-104	GWes	G	11/7/23	13:37				2		X					4																																																																																																																																																																																																																																																																																																								
Ap-1	GW	G	11/7/23					2		X					5																																																																																																																																																																																																																																																																																																								
FB-1	barb water		11/7/23	12:02				2		X					6																																																																																																																																																																																																																																																																																																								
Customer Remarks / Special Conditions / Possible Hazards:  Analyze for WI 33 PFAS Compounds								Additional Instructions from Pace®:  Printed Name: Wayne Fassbender Signature: 																																																																																																																																																																																																																																																																																																															
Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)		Date/Time:		# Coolers:		Thermometer ID:		Correction Factor (°C):		Obs. Temp. (°C)		Corrected Temp. (°C)																																																																																																																																																																																																																																																																																																							
Relinquished by/Company: (Signature) FedEx		Date/Time: 11/8/23 9:30		Received by/Company: (Signature) 		Date/Time: 11/8/23 9:30										Tracking Number:																																																																																																																																																																																																																																																																																																							
Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)		Date/Time:										Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other																																																																																																																																																																																																																																																																																																							
Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)		Date/Time:										Page: 1 of 1																																																																																																																																																																																																																																																																																																							

**WO# : 20296411**

PM: KAN

Due Date: 12/01/23

**CLIENT: BR- Envirofo**

Pace

## Sample Condition Upon Recie

Workora..

7979 Innovation Park Dr. Baton Rouge, LA 70806

Cooler Inspected by/date: Lan / 11/8/23

Means of receipt: <input type="checkbox"/> Pace <input type="checkbox"/> Client <input type="checkbox"/> UPS <input type="checkbox"/> FedEx <input type="checkbox"/> Other:				
<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Were custody seals present on the cooler?		
<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> NA	If custody seals were present, were they intact and unbroken?	
Method: <input type="checkbox"/> Temperature Blank <input type="checkbox"/> Against Bottles IR Gun ID: <u>mm1</u> IR Gun Correction Factor: _____ °C				
Cooler #1	Cooler Temp °C: <u>11.0</u> (Actual/True)		Samples on ice	pH Strip Lot #
Cooler #2	Cooler Temp °C: _____ (Actual/True)		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Cooler #3	Cooler Temp °C: _____ (Actual/True)		Method of coolant:	
Cooler #4	Cooler Temp °C: _____ (Actual/True)		<input type="checkbox"/> Wet <input type="checkbox"/> Ice Packs <input type="checkbox"/> Dry Ice <input type="checkbox"/> None	
Tracking #: <u>7081 4046 8082</u>				
<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> NA	Is a temperature blank present?	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> NA	Was a chain of custody (COC) received?	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> NA	Was the line and profile number listed on the COC?	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> NA	Were all coolers received at or below 6.0°C? If no, notify Project Manager notified via email.	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		Were proper custody procedures (relinquished/received) followed?	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> NA	Is the sampler name and signature on the COC?	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		Were sample IDs listed on the COC and all sample containers?	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		Was collection date & time listed on the COC and all sample containers?	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		Did all container label information (ID, date, time) agree with the COC?	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		Were tests to be performed listed on the COC?	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		Did all samples arrive in the proper containers for each test and/or in good condition (unbroken, lids on, etc.)?	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		Was adequate sample volume available?	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		Were all samples received within ½ the holding time or 48 hours, whichever comes first?	
<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		Were all samples containers accounted for? (No missing / excess)	
<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> NA	Were VOA, 8015C (GRO/VPH), and RSK-175 samples free of bubbles > "pea size" (1/4" or 6mm in diameter) in any of the VOA vials?	
<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> NA	Trip blank present?	
<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> NA	Filtered volume received for dissolved tests? <i>If no, list affected sample(s) in comments below.</i>	
<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> NA	Were all metals/nutrient samples received at a pH of < 2?	
<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> NA	Were all cyanide samples received at a pH > 12 and sulfide samples received at a pH > 9?	
If No, was preservative added? <input type="checkbox"/> Yes <input type="checkbox"/> No If added, record lots. Dispenser/pipette lot #: _____ HNO <sub>3</sub> _____ H <sub>2</sub> SO <sub>4</sub> _____ NaOH _____ Date: _____ Time: _____				
Comments:				