

PREPARED BY  
EnviroForensics, LLC  
N16W23390 Stone Ridge Drive, Suite G  
Waukesha, WI 53188



January 5, 2023

Larry Lester  
Wisconsin Department of Natural Resources  
3911 Fish Hatchery Road  
Fitchburg, WI 53711

**Subject:** **2021 Groundwater Monitoring Report**  
**Former Portage Cleaners**  
**104 East Wisconsin Street**  
**Portage, Wisconsin 43901**  
**WDNR BRRTS#: 02-11-512824**

Dear Mr. Lester:

EnviroForensics, LLC (EnviroForensics) is pleased to present this *Annual Groundwater Monitoring Report* (Summary Report) for the former Portage Cleaners facility located at 104 East Wisconsin Street in Portage, Wisconsin (Site). Groundwater monitoring is on-going as required by the Wisconsin Department of Natural Resources per Chapter NR 716 of the Wisconsin Administrative Code (WAC). Groundwater monitoring activities were performed to assess current groundwater conditions, including groundwater flow direction and degree and extent of volatile organic compound (VOC) impacts. Additionally, geochemical samples were collected from select wells to characterize subsurface conditions relative to natural attenuation processes.

## BACKGROUND

The Site consists of two (2) parcels that total approximately 0.29 acres with a separate single-story commercial building on each parcel. The eastern parcel is approximately 1,820 square feet and houses the building where former dry-cleaning operations were performed. That building operated as a dry cleaning drop-off only location until November 2020, when it was closed. The second building, located on the western parcel, previously conducted commercial laundry services, but is now vacant, and occupies approximately 4,250 square feet. The parcel boundaries bisect the location of a previous building which also historically conducted dry cleaning operations as well as coin-operated laundry. Both current Site buildings are slab on

grade with the remainder of the property covered by paved asphalt driveway and gravel parking area. The Site layout is depicted on **Figure 1**.

Environmental impacts were initially detected in soil and groundwater at off-Site, adjacent locations during a Phase II Environmental Site Investigation completed in July 2003 by the Wisconsin Department of Transportation as part of a project related to the Portage Canal. Tetrachloroethene (PCE) and trichloroethene (TCE) were detected in soil at two (2) soil boring locations. PCE and TCE were also detected at one (1) grab-groundwater sample location.

Site investigation activities have been on-going since the initial detection of VOCs in soil at the Site in 2003. 10 monitoring wells and two (2) piezometers were installed by a past consultant. On May 4, 2018, EnviroForensics installed one (1) additional water table well to delineate and monitor groundwater plume conditions. A remedial excavation was completed in June 2020, which will be documented in a remedial implementation report upon completion of an SVE system for the Site building.

## **GROUNDWATER MONITORING ACTIVITIES**

Groundwater monitoring activities were performed on October 4 & 5, 2021. The monitoring event included groundwater elevation measurements and groundwater sample collection. The locations of all monitoring wells and piezometers are depicted on **Figure 1**.

### **Groundwater Elevation Measurements**

Groundwater elevation data were collected from the entire monitoring network which is comprised of 11 monitoring wells (MW-1 through MW-11) and two (2) piezometers (MW-4P and MW-10P). Monitoring well construction details are summarized in **Table 1**. Monitoring well covers and caps were removed at least 15 minutes prior to depth to water measurements to allow groundwater in the monitoring wells to equilibrate with atmospheric pressure. The depth to water in each well was measured using an electronic water level indicator and recorded in **Table 2**.

### **Groundwater Sampling**

Groundwater samples were collected from the entire well network. Low-flow groundwater purging and sampling were conducted using a submersible pneumatic bladder pump. The pump was deployed to extract water from the screen portion of each well and transport it into a flow-through cell apparatus at the surface. A multi-parameter field instrument was utilized to collect water quality measurements of water in the flow-through cell. The instrument

measured groundwater geochemical parameters including pH, oxidation-reduction potential (ORP), specific conductivity, temperature, turbidity, and dissolved oxygen. Water quality parameters were monitored during purging to verify stabilization prior to groundwater sample collection. The instrument probes were calibrated prior to use. Groundwater samples were collected by discharging directly into laboratory-provided containers.

During the monitoring event, two (2) duplicate samples and two (2) equipment blanks were collected for quality control/ quality assurance purposes, and one (1) trip blank accompanied the sample cooler. All samples were transmitted to a state-certified laboratory and analyzed for VOCs according to United States Environmental Protection Agency Test Method 8260B.

## MONITORING RESULTS

### Groundwater Elevation and Flow Direction

Groundwater elevation data collected on October 4, 2022 are summarized in **Table 2**. **Figure 2** presents the water table contour maps. The predominant groundwater flow direction appears to be toward the northeast, which is consistent with previous findings. The depth to groundwater measured in the water table monitoring wells and piezometers was about the same, indicating a negligible vertical gradient.

### Groundwater Analytical Results

Groundwater analytical data are summarized in **Table 3** and illustrated on **Figure 3**, both of which compare VOC concentrations to public health standards listed in WAC Chapter NR 140. For reference, **Table 3** includes historical data collected since the first round of groundwater monitoring (performed in 2005). The laboratory report for the sampling event is provided in **Attachment 1**.

Compounds that were detected at concentrations exceeding enforcement standards (ESs) or preventive action limits (PALs) in one or more samples were PCE, TCE, and bromodichloromethane. Cis-1,2-dichloroethene (cis-1,2-DCE), dibromochloromethane were detected at concentrations below their respective PALs.

The presence of cis-1,2-DCE in several samples indicates that limited natural attenuation of the groundwater plume is occurring. However, microbial population counts are low throughout the subsurface, meaning that complete reductive dechlorination of PCE is limited under the current groundwater conditions.

Duplicate and equipment blank results associated with each monitoring event demonstrate that the sampling and decontamination methods did not affect analytical data quality. The duplicate samples were an average of 7% of the sample results. An evaluation of the sampling process and conditions will be made to ensure consistent results are obtained. Results from the equipment and trip blank samples were not detected above the method detection limit.

### **Investigation Derived Media**


Investigation-derived media (IDM) generated during this monitoring event, including purge water and decontamination fluid, and transferred to the Portage Wastewater Treatment Facility for treatment with prior approval.

### **CONCLUSIONS AND RECOMMENDATIONS**

As depicted on potentiometric surface on **Figure 2**, the inferred direction of groundwater flow at the Site is toward the northeast. As illustrated on **Figure 3**, the contaminant plume in groundwater is fully defined and extends northeast approximately 200 feet in the direction of groundwater flow with little to no vertical migration. The affected groundwater is not used as a potable resource. Groundwater monitoring data indicates the plume is stable or decreasing.

Other than minor detections of TCE and cis-1,2-DCE, PCE degradation products are not present in groundwater samples, especially at downgradient monitoring locations. While individual detections fluctuate, the results overall, since the monitoring wells were installed in 2005, show showing a decreasing trend. Trend analysis will continue as further remedial actions are implemented. Groundwater monitoring should continue in 2022 on an annual basis.

Sincerely,  
**EnviroForensics, LLC**



Rob Hoverman, LPG  
*Senior Project Manager*

Copy: Dave Bieno

#### **List of Attachments**

Table 1: Monitoring Well Construction Details  
Table 2: Groundwater Elevation Data  
Table 3: Monitoring Well Sample Analytical Results

Figure 1: Monitoring Well Location Map  
Figure 2: Potentiometric Surface Map – October 4, 2022  
Figure 3: Monitoring Well Analytical Results Map


Attachment 1: Laboratory Analytical Reports



## TABLES




## FIGURES



**Legend**

- DCM
- FDCM
- MW1
- MW-11
- 783.20
- 782.71
- Groundwater elevation contour
- Groundwater elevation (feet above mean sea level)
- Approximate groundwater flow direction



POTENIOMETRIC SURFACE MAP  
OCTOBER 4, 2022

Portage Cleaners  
104 East Wisconsin Street  
Portage, Wisconsin

Date:	11/2/22
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6493-1109

**ENVIRO** forensics

825 North Capitol Avenue • Indianapolis, IN 46204  
EnviroForensics.com

Figure
2
Project 6493


## Legend

	Underground sanitary utility line
	Underground water utility line
	Underground gas utility line
	Underground storm utility line
	Over head electrical utility line
	Utility Pole
	Catch Basin
	Manhole
	Dry cleaning machine location
	Former dry cleaning machine location
MW1	Monitoring well location (By Others)
MW-11	Monitoring well location

Analyte	Public Health Preventive Action Limit	Public Health Enforcement Standard
PCE	0.5	5
TCE	0.5	5
cis-1,2-DCE	7	70
trans-1,2-DCE	20	100
Vinyl Chloride	0.02	0.2
Chloroform	0.6	6
BDCM	0.06	0.6
DBCM	6	60
DCDFM	200	1,000

Note:

1. Bolded and orange shaded values exceed the Public Health Enforcement Standard
2. Bolded and blue shaded values exceed the Public Health Preventive Action Limit
3. Bolded values are above detection limits
4. J = Analyte concentration less than laboratory detection limits
5. Samples analyzed using EPA SW-846 Method 8260
6. All results reported in units of micrograms per liter ( $\mu\text{g/L}$ )
7. PCE = Tetrachloroethene
8. TCE = Trichloroethene
9. cis-1,2-DCE = cis-1,2-Dichloroethene
10. trans-1,2-DCE = trans-1,2-Dichloroethene
11. BDCM = Bromodichloromethane
12. DBCM = Dibromochloromethane
13. DCDFM = Dichlorodifluoromethane
14. VOCs = Volatile Organic Compounds
15. ND = Not detected above laboratory detection limits



## MONITORING WELL GROUNDWATER ANALYTICAL RESULTS MAP

Portage Cleaners  
104 East Wisconsin Street  
Portage, Wisconsin

Date:	11/2/22
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6493-1108

**ENVIRO** forensics

825 North Capitol Avenue • Indianapolis, IN 46204  
EnviroForensics.com

Figure

3

Project

6493

APPROXIMATE SCALE: 1" = 100'



**ATTACHMENT 1**

**LABORATORY ANALYTICAL REPORTS**

# *Synergy Environmental Lab, LLC.*

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

ROB HOVERMAN  
ENVIROFORENSICS  
N16 W 23390 STONERIDGE DR  
WAUKESHA WI 53188

**Report Date** 18-Oct-22

**Project Name** PORTAGE CLEANERS  
**Project #** 6493

**Invoice #** E41556

**Lab Code** 5041556A  
**Sample ID** 6493-MW-1  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
<b>VOC's</b>										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556A  
**Sample ID** 6493-MW-1  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	0.81 "J"	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556B  
**Sample ID** 6493-MW-2  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	2.43	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556B  
**Sample ID** 6493-MW-2  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556C  
**Sample ID** 6493-MW-3  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	8.9	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556C  
**Sample ID** 6493-MW-3  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556D  
**Sample ID** 6493-MW-4  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	143	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556D  
**Sample ID** 6493-MW-4  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	1.18 "J"	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556E  
**Sample ID** 6493-MW-4P  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556E  
**Sample ID** 6493-MW-4P  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556F  
**Sample ID** 6493-MW-5  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	0.79 "J"	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	70	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556F  
**Sample ID** 6493-MW-5  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	4.0	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556G  
**Sample ID** 6493-MW-6  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	1.04 "J"	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556G  
**Sample ID** 6493-MW-6  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	0.45 "J"	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556H  
**Sample ID** 6493-MW-7  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556H  
**Sample ID** 6493-MW-7  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556I  
**Sample ID** 6493-MW-8  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556I  
**Sample ID** 6493-MW-8  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556J  
**Sample ID** 6493-MW-9  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	0.33 "J"	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556J  
**Sample ID** 6493-MW-9  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556K  
**Sample ID** 6493-MW-10  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	1.81	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556K  
**Sample ID** 6493-MW-10  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556L  
**Sample ID** 6493-MW-10P  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	1.83	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS

**Invoice #** E41556

**Project #** 6493

**Lab Code** 5041556L

**Sample ID** 6493-MW-10P

**Sample Matrix** Water

**Sample Date** 10/4/2022

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	0.45 "J"	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/12/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556M  
**Sample ID** 6493-MW-11  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/14/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/14/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/14/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/14/2022	CJR	1

**Project Name** PORTAGE CLEANERS

**Invoice #** E41556

**Project #** 6493

**Lab Code** 5041556M

**Sample ID** 6493-MW-11

**Sample Matrix** Water

**Sample Date** 10/4/2022

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/14/2022	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		10/14/2022	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		10/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/14/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556N  
**Sample ID** 6493-DUP-1  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/14/2022	CJR	1
cis-1,2-Dichloroethene	0.38 "J"	ug/l	0.32	1.29	1	8260B		10/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/14/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/14/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/14/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556N  
**Sample ID** 6493-DUP-1  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/14/2022	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/14/2022	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/14/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556O  
**Sample ID** 6493-DUP-2  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/14/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/14/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/14/2022	CJR	1
Tetrachloroethene	155	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/14/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556O  
**Sample ID** 6493-DUP-2  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
Trichloroethene (TCE)	1.22 "J"	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		10/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/14/2022	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/14/2022	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		10/14/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556P  
**Sample ID** 6493-EB-1  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/14/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/14/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/14/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/14/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556P  
**Sample ID** 6493-EB-1  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/14/2022	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		10/14/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/14/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556Q  
**Sample ID** 6493-EB-2  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/15/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/15/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556Q  
**Sample ID** 6493-EB-2  
**Sample Matrix** Water  
**Sample Date** 10/5/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/15/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		10/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/15/2022	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/15/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556R  
**Sample ID** 6493-TB-1  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
<b>Organic</b>										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/15/2022	CJR	1
Tetrachloroethene	1.4 "J"	ug/l	0.47	1.91	1	8260B		10/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/15/2022	CJR	1

**Project Name** PORTAGE CLEANERS  
**Project #** 6493  
**Lab Code** 5041556R  
**Sample ID** 6493-TB-1  
**Sample Matrix** Water  
**Sample Date** 10/4/2022

**Invoice #** E41556

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/15/2022	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		10/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/15/2022	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/15/2022	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

**Code**      **Comment**

1      Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



# CHAIN OF STUDY RECORD

Lab I.D. # **8242**

QUOTE #: **6493**

Project #: **6493**

Sampler: (signature) 

Project (Name / Location): **Portage Cleaners - Portage, WI**

Reports To: **Rob Haereman**

Company **EnviroForensics**

Address **1642 33rd Street Ridge**

City State Zip **Waukesha, WI 53188**

Phone **262-790-4001**

Email **rhauereman@enviroforensics.com**

Invoice To: **Accounts Payable**

Company **EnviroForensics**

Address **1642 33rd Street Ridge**

City State Zip **Waukesha, WI 53188**

Phone **262-790-4001**

Email **accounts payable@enviroforensics.com**

Analysis Requested

Invoice To:

Company

Address

City State Zip

Phone

Email

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	PID/FID	
S01182A	6493-MW-1	10-5-11	1218	Y	3	(SW)	HCL																	
B	6493-MW-2				1133																			
C	6493-MW-3				817																			
D	6493-MW-4				910																			
E	6493-MW-4P			Y	1024																			
F	6493-MW-5				10410																			
G	6493-MW-6				11650																			
H	6493-MW-7			Y	1507																			
I	6493-MW-8				10-5-22																			
J	6493-MW-9				10-4-11																			
K	6493-MW-10				1325																			
L	6493-MW-10P			Y	1410																			

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

2022-0457

Sample Integrity - To be completed by receiving lab.

Method of Shipment: **CS**

Temp. of Temp. Blank: **°C On Ice**

Cooler seal intact upon receipt: **Yes** **No**

# Synergy

*Environmental Lab, Inc.*

*Environmental Lab, Inc.*

Sample Handling Request

Rush Analysis Date Required:  
(Rushes accepted only with prior authorization)

Normal Turn Around

Chain # 42900  
Page 1 of 7

