

PREPARED BY
EnviroForensics, LLC
825 North Capitol Avenue
Indianapolis, IN 46204



March 13, 2023

Larry Lester
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

Subject: **2022 Groundwater Monitoring Report**
Former Portage Cleaners
104 East Wisconsin Street
Portage, Wisconsin 43901
WDNR BRRTS#: 02-11-512824

Dear Mr. Lester:

EnviroForensics, LLC (EnviroForensics) is pleased to present this 2022 Annual Groundwater Monitoring Report (Summary Report) for the former Portage Cleaners facility located at 104 East Wisconsin Street in Portage, Wisconsin (Site). Groundwater monitoring is on-going as required by the Wisconsin Department of Natural Resources (WDNR) per Chapter NR 716 of the Wisconsin Administrative Code (WAC). Groundwater monitoring activities were performed to assess current groundwater conditions, including groundwater flow direction and degree and extent of volatile organic compound (VOC) impacts.

BACKGROUND

The Site consists of two (2) parcels that total approximately 0.29 acres with a separate single-story commercial building on each parcel. The eastern parcel is approximately 1,820 square feet and houses the building where former dry-cleaning operations were performed. That building operated as a dry cleaning drop-off only location until November 2020, when it was closed. The second building, located on the western parcel, previously conducted commercial laundry services, but is now vacant, and occupies approximately 4,250 square feet. The parcel boundaries bisect the location of a previous building which also historically conducted dry cleaning operations as well as coin-operated laundry. Both current Site buildings are slab-on-grade with the remainder of the property covered by paved asphalt driveway and gravel parking area. The Site layout is depicted on **Figure 1**.

Environmental impacts were initially detected in soil and groundwater at off-Site, adjacent locations during a Phase II Environmental Site Investigation completed in July 2003 by the Wisconsin Department of Transportation as part of a project related to the Portage Canal. Tetrachloroethene (PCE) and trichloroethene (TCE) were detected in soil at two (2) soil boring locations. PCE and TCE were also detected at one (1) grab-groundwater sample location.

Site investigation activities have been on-going since the initial detection of VOCs in soil at the Site in 2003. Ten (10) monitoring wells and two (2) piezometers were installed by a past consultant. On May 4, 2018, EnviroForensics installed one (1) additional water table well to delineate and monitor groundwater plume conditions. A remedial excavation was completed in June 2020, which will be documented in a remedial implementation report upon completion of an SVE system for the Site building.

GROUNDWATER MONITORING ACTIVITIES

Groundwater monitoring activities were performed on October 4 & 5, 2022. The monitoring event included groundwater elevation measurements and groundwater sample collection. The locations of all monitoring wells and piezometers are depicted on **Figure 1**.

Groundwater Elevation Measurements

Groundwater elevation data were collected from the entire monitoring network which is comprised of 11 monitoring wells (MW-1 through MW-11) and two (2) piezometers (MW-4P and MW-10P). Monitoring well construction details are summarized in **Table 1**. Monitoring well covers and caps were removed at least 15 minutes prior to depth to water measurements to allow groundwater in the monitoring wells to equilibrate with atmospheric pressure. The depth to water in each well was measured using an electronic water level indicator and recorded in **Table 2**.

Groundwater Sampling

Groundwater samples were collected from the entire well network. Low-flow groundwater purging and sampling were conducted using a submersible pneumatic bladder pump. The pump was deployed to extract water from the screen portion of each well and transport it into a flow-through cell apparatus at the surface. A multi-parameter field instrument was utilized to collect water quality measurements of water in the flow-through cell. The instrument measured groundwater geochemical parameters including pH, oxidation-reduction potential (ORP), specific conductivity, temperature, turbidity, and dissolved oxygen. Water quality parameters were monitored during purging to verify stabilization prior to groundwater sample

collection. The instrument probes were calibrated prior to use. Groundwater samples were collected by discharging directly into laboratory-provided containers.

During the monitoring event, two (2) duplicate samples and two (2) equipment blanks were collected for quality control/ quality assurance purposes, and one (1) trip blank accompanied the sample cooler. All samples were transmitted to a state-certified laboratory and analyzed for VOCs according to United States Environmental Protection Agency Test Method 8260B.

MONITORING RESULTS

Groundwater Elevation and Flow Direction

Groundwater elevation data collected on October 4, 2022 are summarized in **Table 2**. **Figure 2** presents the water table contour maps. The predominant groundwater flow direction appears to be toward the northeast, which is consistent with previous findings. The depth to groundwater measured in the water table monitoring wells and piezometers was about the same, indicating a negligible vertical gradient.

Groundwater Analytical Results

Groundwater analytical data are summarized in **Table 3** and illustrated on **Figure 3**, both of which compare VOC concentrations to public health standards listed in WAC Chapter NR 140. For reference, **Table 3** includes historical data collected since the first round of groundwater monitoring (performed in 2005), and **Figure 3** includes data from the last four (4) sampling events (May 2021, August 2021, November 2021, and October 2022). The laboratory report for the sampling event is provided in **Attachment 1**.

During the October 2022 event, compounds that were detected at concentrations exceeding enforcement standards (ESs) or preventive action limits (PALs) in one (1) or more samples were PCE and TCE. Cis-1,2-dichloroethene (cis-1,2-DCE) was detected at concentrations below its respective PALs.

The presence of cis-1,2-DCE in several samples indicates that limited natural attenuation of the groundwater plume is occurring. However, microbial population counts are low throughout the subsurface, meaning that complete reductive dechlorination of PCE is limited under the current groundwater conditions.

Duplicate and equipment blank results associated with each monitoring event demonstrate that the sampling and decontamination methods did not affect analytical data quality. The

duplicate samples were an average of 7% of the sample results. An evaluation of the sampling process and conditions will be made to ensure consistent results are obtained. Results from the equipment and trip blank samples were not detected above the method detection limit.

Investigation Derived Media

Investigation-derived media (IDM) generated during this monitoring event, including purge water and decontamination fluid, and transferred to the Portage Wastewater Treatment Facility for treatment with prior approval.

CONCLUSIONS AND RECOMMENDATIONS

As depicted on potentiometric surface on **Figure 2**, the inferred direction of groundwater flow at the Site is toward the northeast. As illustrated on **Figure 3**, the contaminant plume in groundwater is fully defined and extends northeast approximately 200 feet in the direction of groundwater flow with little to no vertical migration. The affected groundwater is not used as a potable resource. Groundwater monitoring data indicates the plume is stable or decreasing.

Other than minor detections of TCE and cis-1,2-DCE, PCE degradation products are not present in groundwater samples, especially at downgradient monitoring locations. While individual detections fluctuate, the results overall show a decreasing trend since the monitoring wells were installed in 2005. Trend analysis will continue as further remedial actions are implemented. Groundwater monitoring should continue in 2023 on an annual basis.

Sincerely,
EnviroForensics, LLC



Wayne Fassbender, LPG
Senior Project Manager



Nicholas Hill, LPG
Senior Project Manager

Copy: Dave Bieno

List of Attachments

Table 1: Monitoring Well Construction Details
Table 2: Groundwater Elevation Data
Table 3: Monitoring Well Sample Analytical Results

Figure 1: Monitoring Well Location Map
Figure 2: Potentiometric Surface Map – October 4, 2022
Figure 3: Monitoring Well Analytical Results Map

Attachment 1: Laboratory Analytical Reports



TABLES

TABLE 1
MONITORING WELL CONSTRUCTION DETAILS

Former Portage Cleaners
104 E. Wisconsin St., Portage, WI 53901

Well ID	Date Installed	Consultant	Well Diameter (inches)	Northing	Easting	Ground Elevation (feet AMSL)	TOC Elevation (feet AMSL)	Top Screen Elevation (feet AMSL)	Bottom Screen Elevation (feet AMSL)	Screened Interval (feet bgs)	Total Depth (feet bgs)
MW1	6/22/2005	MSA Professional Services	2	393,659.81	537,998.74	791.27	790.47	787.77	777.77	3.5 - 13.5	13.5
MW2	6/22/2005		2	393,615.34	538,001.64	790.29	789.83	786.39	776.39	3.9 - 13.9	13.9
MW3	6/22/2005		2	393,693.14	537,942.19	792.07	789.64	787.07	777.07	5.0 - 15.0	15.0
MW4	6/22/2005		2	393,704.58	537,992.74	792.83	792.38	788.83	778.83	4.0 - 14.0	14.0
MW4P	6/22/2005		2	393,704.45	537,995.38	792.84	792.33	767.84	762.84	25.0 - 30.0	30.0
MW5	6/23/2005		2	393,735.33	537,928.40	793.28	792.98	788.38	778.38	4.9 - 14.9	14.9
MW6	6/23/2005		2	393,704.64	537,908.61	791.88	791.37	787.88	777.88	4.0 - 14.0	14.0
MW7	6/23/2005		2	393,619.31	537,896.58	790.82	790.25	786.82	776.82	4.0 - 14.0	14.0
MW8	6/5/2007		2	393,466.47	537,971.57	790.57	790.23	786.57	776.57	4.0 - 14.0	14.0
MW9	6/5/2007		2	393,693.74	538,201.19	791.80	791.25	786.80	776.80	5.0 - 15.0	15.0
MW10	6/5/2007		2	393,772.15	538,068.04	792.68	792.25	786.68	776.68	6.0 - 16.0	16.0
MW10P	6/5/2007		2	393,774.93	538,066.65	792.62	792.05	767.62	762.62	25.0 - 30.0	30.0
MW-11	5/4/2018	EnviroForensics	2	393,824.58	538,656.55	789.07	788.69	785.57	775.57	3.5 - 13.5	13.5

Notes:

Coordinates are referenced to Wisconsin State Plane, NAD 27, Southern Zone

AMSL = above mean sea level

bgs = below ground surface

TOC = top of casing

The elevation of MW-3 was adjusted after excavation work in June 2020.

TABLE 2
GROUNDWATER ELEVATION DATA
Former Portage Cleaners
104 E. Wisconsin St., Portage, WI 53901

Well ID		Min	Max	Average	TOC Elevation	6/23/2005	6/24/2005	7/14/2005	10/20/2005	6/5/2007	6/6/2007	7/6/2007	10/30/2007	10/4/2017	6/5/2018	9/5/2018	12/3/2018	3/21/2019	5/20/2019	9/27/2019	11/25/2019	
MW-1	Depth to Water (Feet Below TOC)	4.81	8.11	6.63	790.47	7.23	7.31	8.00	8.11	7.48	NM	8.00	7.18	7.51	6.80	5.56	6.48	4.81	4.97	5.49	6.28	
	GW Elevation (AMSL)	782.36	785.66	783.84		783.24	783.16	782.47	782.36	782.99		782.47	783.29	782.96	783.67	784.91	783.99	785.66	785.50	784.98	784.19	
MW-2	Depth to Water (Feet Below TOC)	3.22	6.98	5.32	789.83	6.09	6.17	6.88	6.98	6.31	NM	6.86	6.01	6.32	5.64	4.28	3.22	3.49	3.71	4.25	5.10	
	GW Elevation (AMSL)	782.85	786.61	784.51		783.74	783.66	782.95	782.85	783.52		782.97	783.82	783.51	784.19	785.55	786.61	786.34	786.12	785.58	784.73	
MW-3*	Depth to Water (Feet Below TOC)	5.95	9.21	7.68	792.21	NM	8.45	9.10	9.21	8.61	NM	9.11	8.27	8.60	7.85	6.68	7.45	5.95	6.11	6.80	7.35	
	GW Elevation (AMSL)	783.23	786.49	784.73			783.99	783.34	783.23	783.83		783.33	784.17	783.84	784.59	785.76	784.99	786.49	786.33	785.64	785.09	
MW-4	Depth to Water (Feet Below TOC)	6.30	9.54	8.01	792.38	8.77	NM	9.43	9.54	8.92	NM	9.43	8.58	8.86	8.14	7.04	7.89	6.30	6.41	6.90	7.68	
	GW Elevation (AMSL)	782.84	786.08	784.37		783.61		782.95	782.84	783.46		782.95	783.80	783.52	784.24	785.34	784.49	786.08	785.97	785.48	784.70	
MW-4P	Depth to Water (Feet Below TOC)	6.52	8.82	7.60	792.33	Not Installed						8.69	8.82	8.17	7.03	7.85	6.52	6.67	7.20	7.75		
	GW Elevation (AMSL)	783.51	785.81	784.73								783.64	783.51	784.16	785.30	784.48	785.81	785.66	785.13	784.58		
MW-5	Depth to Water (Feet Below TOC)	7.09	10.16	8.69	792.98	NM	9.41	10.02	10.16	9.57	NM	10.05	9.33	9.49	8.78	7.76	8.52	7.09	7.22	7.65	8.13	
	GW Elevation (AMSL)	782.82	785.89	784.29			783.57	782.96	782.82	783.41		782.93	783.65	783.49	784.20	785.22	784.46	785.89	785.76	785.33	784.85	
MW-6	Depth to Water (Feet Below TOC)	5.21	8.53	7.09	791.37	NM	7.77	8.42	8.53	7.88	NM	8.45	7.58	NM	7.20	6.00	6.91	5.21	5.49	NM	6.70	
	GW Elevation (AMSL)	782.84	786.16	784.28			783.60	782.95	782.84	783.49		782.92	783.79		784.17	785.37	784.46	786.16	785.88		784.67	
MW-7	Depth to Water (Feet Below TOC)	3.93	7.39	5.79	790.25	NM	6.60	7.30	7.39	6.76	NM	7.29	6.41	6.79	6.06	4.55	5.64	3.93	4.18	4.66	5.30	
	GW Elevation (AMSL)	782.86	786.32	784.46			783.65	782.95	782.86	783.49		782.96	783.84	783.46	784.19	785.70	784.61	786.32	786.07	785.59	784.95	
MW-8	Depth to Water (Feet Below TOC)	2.91	7.25	5.22	790.23	Not Installed				6.61	6.50	7.25	6.31	NM	5.87	3.91	5.50	2.91	3.60	4.10	5.13	
	GW Elevation (AMSL)	782.98	787.32	785.01						783.62	783.73	782.98	783.92		784.36	786.32	784.73	787.32	786.63	786.13	785.10	
MW-9	Depth to Water (Feet Below TOC)	5.45	8.24	6.75	791.25	Not Installed				7.79	8.24	7.59	7.81	7.25	5.98	6.79	5.45	5.51	6.00	6.74		
	GW Elevation (AMSL)	783.01	785.80	784.50						783.46	783.01	783.66	783.44	784.00	785.27	784.46	785.80	785.74	785.25	784.51		
MW-10	Depth to Water (Feet Below TOC)	6.59	9.35	7.90	792.25	Not Installed				8.91	8.88	9.35	8.60	8.79	8.20	7.11	7.91	6.59	6.68	7.06	7.74	
	GW Elevation (AMSL)	782.90	785.66	784.35						783.34	783.37	782.90	783.65	783.46	784.05	785.14	784.34	785.66	785.57	785.19	784.51	
MW-10P	Depth to Water (Feet Below TOC)	7.37	9.37	8.23	792.05	Not Installed				9.13	9.00	9.37	8.86	8.76	8.30	7.59	8.11	7.37	7.41	7.65	8.09	
	GW Elevation (AMSL)	782.68	784.68	783.82						782.92	783.05	782.68	783.19	783.29	783.75	784.46	783.94	784.68	784.40	784.40	783.96	
MW-11	Depth to Water (Feet Below TOC)	3.17	4.86	4.19	788.69	Not Installed								4.86	3.81	4.57	3.17	3.85	4.10	4.58		
	GW Elevation (AMSL)	783.83	785.52	784.50										783.83	784.88	784.12	785.52	784.84	784.59	784.11		

Notes:

TOC = Top of Casing

Based on survey completed November 21, 2017 by Surveying Associates, Inc.

NM= Not measured

AMSL = above mean sea level

* The elevation of MW-3 was adjusted after excavation work in June 2020.

TABLE 2
GROUNDWATER ELEVATION DATA
Former Portage Cleaners
104 E. Wisconsin St., Portage, WI 53901

Well ID		Min	Max	Average	TOC Elevation	4/28/2020	7/30/2020	10/27/2020	5/11/2021	8/11/2021	11/19/2021	10/4/2022
MW-1	Depth to Water (Feet Below TOC)	4.81	8.11	6.63	790.47	6.01	5.95	6.21	6.68	6.93	7.84	7.76
	GW Elevation (AMSL)	782.36	785.66	783.84		784.46	784.52	784.26	783.79	783.54	782.63	782.71
MW-2	Depth to Water (Feet Below TOC)	3.22	6.98	5.32	789.83	4.80	4.62	5.11	5.51	5.59	6.55	6.52
	GW Elevation (AMSL)	782.85	786.61	784.51		785.03	785.21	784.72	784.32	784.24	783.28	783.31
MW-3*	Depth to Water (Feet Below TOC)	5.95	9.21	7.68	792.21	7.13	6.89	7.00	7.49	7.74	8.57	8.46
	GW Elevation (AMSL)	783.23	786.49	784.73		785.31	785.32	785.21	784.72	784.47	783.64	783.75
MW-4	Depth to Water (Feet Below TOC)	6.30	9.54	8.01	792.38	7.42	7.36	7.58	8.17	8.51	9.27	9.12
	GW Elevation (AMSL)	782.84	786.08	784.37		784.96	785.02	784.80	784.21	783.87	783.11	783.26
MW-4P	Depth to Water (Feet Below TOC)	6.52	8.82	7.60	792.33	7.53	7.38	7.60	8.12	8.26	9.16	9.05
	GW Elevation (AMSL)	783.51	785.81	784.73		784.80	784.95	784.73	784.21	784.07	783.17	783.28
MW-5	Depth to Water (Feet Below TOC)	7.09	10.16	8.69	792.98	8.30	7.97	8.28	8.77	9.14	9.87	9.73
	GW Elevation (AMSL)	782.82	785.89	784.29		784.68	785.01	784.70	784.21	783.84	783.11	783.25
MW-6	Depth to Water (Feet Below TOC)	5.21	8.53	7.09	791.37	6.48	6.26	6.60	7.12	7.31	8.13	8.06
	GW Elevation (AMSL)	782.84	786.16	784.28		784.89	785.11	784.77	784.25	784.06	783.24	783.31
MW-7	Depth to Water (Feet Below TOC)	3.93	7.39	5.79	790.25	5.27	4.91	5.37	5.96	5.74	6.84	6.84
	GW Elevation (AMSL)	782.86	786.32	784.46		784.98	785.34	784.88	784.29	784.51	783.41	783.41
MW-8	Depth to Water (Feet Below TOC)	2.91	7.25	5.22	790.23	4.94	4.28	5.04	5.81	4.61	6.58	6.73
	GW Elevation (AMSL)	782.98	787.32	785.01		785.29	785.95	785.19	784.42	785.62	783.65	783.50
MW-9	Depth to Water (Feet Below TOC)	5.45	8.24	6.75	791.25	6.50	6.29	6.58	7.11	NM	8.34	8.21
	GW Elevation (AMSL)	783.01	785.80	784.50		784.75	784.96	784.67	784.14		782.91	783.04
MW-10	Depth to Water (Feet Below TOC)	6.59	9.35	7.90	792.25	7.53	7.46	7.64	8.14	9.23	9.76	9.31
	GW Elevation (AMSL)	782.90	785.66	784.35		784.72	784.79	784.61	784.11	783.02	782.49	782.94
MW-10P	Depth to Water (Feet Below TOC)	7.37	9.37	8.23	792.05	7.93	7.85	7.97	8.46	9.11	9.59	9.20
	GW Elevation (AMSL)	782.68	784.68	783.82		784.12	784.20	784.08	783.59	782.94	782.46	782.85
MW-11	Depth to Water (Feet Below TOC)	3.17	4.86	4.19	788.69	4.40	4.21	4.39	4.86	4.70	5.77	5.70
	GW Elevation (AMSL)	783.83	785.52	784.50		784.29	784.48	784.30	783.83	783.99	782.92	782.99

Notes:

TOC = Top of Casing

Based on survey completed November 21, 2017 by Surveying Associates, Inc.

NM= Not measured

AMSL = above mean sea level

* The elevation of MW-3 was adjusted after excavation work in June 2020.

TABLE 3
MONITORING WELL SAMPLE ANALYTICAL RESULTS
Former Portage Cleaners
104 E. Wisconsin St., Portage, WI 53901

Monitoring Well Sample ID	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Bromodichloromethane	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	Dichlorodifluoromethane	Methylene Chloride
Enforcement Standard	5	5	70	100	0.2	0.6	400	6	3	60	1,000	5	
Preventive Action Limit	0.5	0.5	7	20	0.02	0.06	80	0.6	0.3	6	200	0.5	
MW-1	7/14/2005	160	1.6	<3.0	<3.0	<0.60	NLRA	NLRA	<2.5	<1.2	NLRA	<3.0	15
	10/20/2005	110	2.2	<3.0	<3.0	<0.60	NLRA	NLRA	<0.50	<1.2	NLRA	<0.660	<2.0
	7/6/2007	45	0.44	<0.40	<0.50	<0.15	NLRA	NLRA	<0.22	<0.30	NLRA	<0.40	<0.50
	10/30/2007	230	2.6	<4.0	<5.0	<1.5	NLRA	5.9	<2.2	<3.0	NLRA	<4.0	<5.0
	10/4/2017	30.1	<0.45	<0.41	<0.35	<0.19	4.9	<0.5	7.6	<1.3	<0.45	<0.38	<0.94
	6/6/2018	8.0	<0.3	<0.37	<0.34	<0.2	4.9	<0.61	9.5	<0.54	1.41	<0.32	<1.32
	9/5/2018	21.7	<0.3	<0.37	<0.34	<0.2	4.3	<0.61	6.0	<0.54	<0.22	<0.32	<1.32
	Dup 9/5/2018	22.3	<0.3	<0.37	<0.34	<0.2	4.1	<0.61	6.0	<0.54	<0.22	<0.32	<1.32
	12/4/2018	3.7	<0.3	<0.37	<0.34	<0.2	4.5	<0.61	9.0	<0.54	0.37 J	<0.32	<1.32
	3/22/2019	21.5	<0.3	<0.37	<0.34	<0.2	3.5	<0.61	10.8	<0.54	<0.22	2.24	<1.32
	5/22/2019	12.1	<0.3	<0.37	<0.34	<0.2	5.2	<0.61	16.2	<0.54	2.11	<0.32	<1.32
	9/30/2019	35	<0.3	<0.37	<0.34	<0.2	4.0	<0.61	8.2	<0.54	0.34 J	<0.32	<1.32
	12/6/2019	9.8	<0.3	<0.37	<0.34	<0.2	3.9	<0.61	9.7	<0.54	0.28 J	<0.32	<1.32
	4/30/2020	4.6	<.47	<0.36	<0.3	<0.2	5.0	<1.1	11.3	<0.8	2.97	<0.45	<1.32
	DUP 4/30/2020	5.8	<0.47	<0.39	<0.37	<0.2	4.3	<1.1	9.0	<0.8	2.92	<0.45	<1.32
	7/30/2020	11.2	<0.47	<0.39	<0.37	<0.2	6.3	<1.1	12.1	<0.8	0.48 J	<0.45	<1.32
	10/28/2020	10.5	<0.47	<0.39	<0.37	<0.2	3.5	<1.1	6.6	<0.8	<0.23	<0.45	<1.32
	5/12/2021	6.2	<0.47	<0.39	<0.6	<0.17	3.8	<0.78	8.1	<0.84	1.83 J	<0.55	<0.89
	8/12/2021	23.1	<0.47	<0.39	<0.6	<0.17	3.3	<0.78	5.8	<0.84	<0.45	<0.55	<0.89
	DUP 8/12/2021	20.8	<0.47	<0.39	<0.6	<0.17	3.13	<0.78	5.7	<0.84	<0.45	<0.55	<0.89
	11/23/2021	4.3	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	10/5/2022	0.81 J	<0.38	<0.32	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79
MW-2	7/14/2005	2.6	<0.15	<0.60	<0.60	<0.12	NLRA	NLRA	<0.5	<0.24	NLRA	<0.60	<0.40
	10/20/2005	11	0.76	<0.60	<0.60	<0.12	NLRA	NLRA	<0.50	<0.24	NLRA	<0.60	<0.40
	7/6/2007	3.9	<0.15	<0.40	<0.50	<0.15	NLRA	NLRA	<0.22	<0.30	NLRA	<0.40	<0.50
	10/30/2007	3.4	<0.15	<0.40	<0.50	<0.15	NLRA	<0.40	<0.22	0.44	NLRA	<0.40	<0.50
	10/4/2017	4.2	<0.45	<0.41	<0.35	<0.19	<0.31	<0.5	<0.96	<1.3	<0.45	<0.38	<0.94
	6/5/2018	1.35	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/6/2018	3.3	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/4/2018	0.49 J	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	3/21/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/21/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/27/2019	2.12	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/6/2019	1.62	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	4/30/2020	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	7/31/2020	0.94J	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	10/27/2020	3.6	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	5/12/2021	0.55 J	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	11/23/2021	0.55 J	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.45	<0.89
	8/11/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	10/5/2022	2.43	<0.38	<0.32	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79

TABLE 3
MONITORING WELL SAMPLE ANALYTICAL RESULTS
Former Portage Cleaners
104 E. Wisconsin St., Portage, WI 53901

Monitoring Well Sample ID	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Bromodichloromethane	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	Dichlorodifluoromethane	Methylene Chloride
Enforcement Standard	5	5	70	100	0.2	0.6	400	6	3	60	1,000	5	
Preventive Action Limit	0.5	0.5	7	20	0.02	0.06	80	0.6	0.3	6	200	0.5	
MW-3	7/14/2005	18	0.3	<0.60	<0.60	<0.12	NLRA	NLRA	<0.50	<0.24	NLRA	<0.60	<0.40
	10/20/2005	55	1.9	<1.2	<1.2	<0.24	NLRA	NLRA	<1.0	<0.48	NLRA	<1.2	<0.8
	7/6/2007	46	5.5	<0.40	<0.50	<0.15	NLRA	NLRA	<0.22	<0.30	NLRA	<0.40	<0.50
	10/30/2007	12	5.1	1.9	<0.50	<0.15	NLRA	<0.40	<0.22	0.34	NLRA	<0.40	<0.50
	10/4/2017	52	0.57 J	<0.41	<0.35	<0.19	<0.31	<0.5	<0.96	<1.3	<0.45	<0.38	<0.94
	6/6/2018	22.1	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/6/2018	0.47 J	1.13	0.68 J	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/4/2018	25.5	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	3/22/2019	31.6	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/21/2019	30.7	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/30/2019	9.9	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/6/2019	25.5	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/1/2020	19	<0.47	<0.39	0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	7/31/2020	0.89	<0.47	<0.39	0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	10/29/2020	7.9	<0.47	<0.39	0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	5/12/2021	17.1	1.53 J	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	8/12/2021	7.0	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	11/23/2021	3.02	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	10/5/2022	8.9	<0.38	<0.32	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79
MW-4	7/14/2005	140	2.1	<0.60	<0.60	<0.12	NLRA	NLRA	<0.50	<0.24	NLRA	<0.60	<0.40
	10/20/2005	750	26	<30	<30	<6.0	NLRA	NLRA	<25	<12	NLRA	<30	<20
	Dup 10/20/2005	720	35	<6.0	<6.0	<6.0	NLRA	NLRA	<5.0	<2.4	NLRA	<6.0	18
	7/6/2007	56	2.2	<0.40	<0.50	<0.15	NLRA	NLRA	<0.22	<0.30	NLRA	<0.40	<0.50
	10/30/2007	700	5.6	<8.0	<10	<3.0	NLRA	<8.0	<4.4	<6.0	NLRA	<8.0	<10
	10/4/2017	194	1.03 J	<0.41	<0.35	<0.19	2.0	<0.5	6.1	<1.3	<0.45	<0.38	<0.94
	Dup 10/4/2017	194	0.89 J	<0.41	<0.35	<0.19	1.98	<0.5	5.6	<1.3	<0.45	<0.38	<0.94
	6/6/2018	190	0.84 J	<0.37	<0.34	<0.2	2.54	<0.61	6.4	<0.54	0.60 J	<0.32	<1.32
	Dup 6/6/2018	189	1.1	<0.37	<0.34	<0.2	2.49	<0.61	5.9	0.63 J	0.62 J	<0.32	<1.32
	9/6/2018	205	1.17	<0.37	<0.34	<0.2	1.75	<0.31	3.5	<0.54	<0.22	<0.32	<1.32
	12/4/2018	84	1.33	<0.37	<0.34	<0.2	2.29	<0.61	4.3	<0.54	<0.22	<0.32	<1.32
	3/22/2019	11.7	<0.3	<0.37	<0.34	<0.2	2.13	<0.61	8.0	<0.54	0.32 J	<0.32	<1.32
	5/21/2019	54	0.41 J	<0.37	<0.34	<0.2	3.6	<0.61	12	<0.54	0.64 J	<0.32	<1.32
	9/30/2019	53	0.30 J	<0.37	<0.34	<0.2	4.3	<0.61	8.6	<0.54	<0.22	<0.32	<1.32
	Dup 9/30/2019	49	<0.3	<0.37	<0.34	<0.2	4.4	<0.61	8.4	<0.54	<0.22	<0.32	<1.32
	Dup 12/6/19	105	0.64 J	<0.37	<0.34	<0.2	2.83	<0.61	5.6	<0.54	<0.22	<0.32	<1.32
	12/6/2019	110	0.54 J	<0.37	<0.34	<0.2	2.68	<0.61	5.3	<0.54	<0.22	<0.32	<1.32
	5/1/2020	33	<0.47	<0.39	<0.37	<0.2	4.9	<1.1	10.8	<0.8	0.24 J	<0.45	<1.32
	Dup 5/1/2020	43	<0.47	<0.39	<0.37	<0.2	4.1	<1.1	8.5	<0.8	0.36 J	<0.45	<1.32
	7/31/2020	48	<0.47	<0.39	<0.37	<0.2	4.5	<1.1	9.6	<0.8	<0.45	<0.45	<1.32
	Dup 7/31/2020	49	<0.47	<0.39	<0.37	<0.2	4.5	<1.1	9.8	<0.8	<0.45	<0.45	<1.32
	10/29/2020	38	<0.47	<0.39	<0.37	<0.2	3.4	<1.1	5.9	<0.8	<0.23	<0.45	<1.32
	Dup 10/29/2020	38	<0.47	<0.39	<0.37	<0.2	2.96	<1.1	5.8	<0.8	<0.23	<0.45	<1.32
	5/12/2021	163	0.82 J	<0.39	<0.6	<0.17	3.02	<0.78	7.6	<0.84	<0.45	<0.55	<0.89
	Dup 5/12/2021	144	0.63 J	<0.39	<0.6	<0.17	2.51	<0.78	6.5	<0.84	<0.45	<0.55	<0.89
	8/12/2021	12.9	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	Dup 8/12/2021	12.4	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	11/23/2021	41	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	DUP 11/23/2021	40	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	10/5/2022	143	1.18 J	<0.32	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79
	DUP 10/5/2022	155	1.22	<0.32	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79

TABLE 3
MONITORING WELL SAMPLE ANALYTICAL RESULTS
Former Portage Cleaners
104 E. Wisconsin St., Portage, WI 53901

Monitoring Well Sample ID	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Bromodichloromethane	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	Dichlorodifluoromethane	Methylene Chloride
Enforcement Standard		5	5	70	100	0.2	0.6	400	6	3	60	1,000	5
Preventive Action Limit		0.5	0.5	7	20	0.02	0.06	80	0.6	0.3	6	200	0.5
MW-4P	7/14/2005	6.3	<0.15	<0.60	<0.60	<0.12	NLRA	NLRA	<0.50	<0.24	NLRA	<0.60	<0.40
	10/20/2005	39	0.26	<0.60	<0.60	<0.12	NLRA	NLRA	<0.50	<0.24	NLRA	<0.60	<0.40
	7/6/2007	0.53	<0.15	<0.40	<0.50	<0.15	NLRA	NLRA	<0.40	<0.30	NLRA	<0.40	<0.50
	10/30/2007	1.6	<0.15	<0.40	<0.50	<0.15	NLRA	<0.40	<0.40	<0.30	NLRA	<0.40	<0.50
	10/4/2017	<0.48	<0.45	<0.41	<0.35	<0.19	<0.31	<0.5	<0.96	<1.3	<0.45	<0.38	<0.94
	6/6/2018	<0.38	<0.3	0.53 J	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/5/2018	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/4/2018	0.77 J	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	3/22/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/22/2019	<0.38	<0.3	0.37 J	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/30/2019	<0.38	0.44 J	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/6/2019	1.26	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/1/2020	<0.33	<0.47	0.56 J	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	7/31/2020	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	10/29/2020	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	5/12/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	8/12/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	11/23/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	10/5/2022	<0.47	<0.38	<0.32	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79
MW-5	7/14/2005	87	0.71	<0.60	<0.60	<0.12	NLRA	NLRA	<0.50	<0.24	NLRA	<0.60	<0.40
	10/20/2005	190	2.8	<3.0	<3.0	<0.6	NLRA	NLRA	<2.5	<1.2	NLRA	<3.0	<2.0
	7/6/2007	110	0.95	<0.40	<0.50	<0.15	NLRA	NLRA	<0.22	<0.30	NLRA	<0.40	<0.50
	10/30/2007	300	2.3	<4.0	<5.0	<1.5	NLRA	<4.0	<2.2	<3.0	NLRA	<4.0	<5.0
	10/4/2017	60	0.68 J	<0.41	<0.35	<0.19	<0.31	<0.5	<0.96	<1.3	<0.45	<0.38	<0.94
	6/6/2018	52	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/6/2018	44	0.70 J	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/4/2018	50	0.50 J	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	3/22/2019	6.1	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/22/2019	25.3	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/30/2019	14.6	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/6/2019	20.3	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/1/2020	15.2	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	7/30/2020	18	0.76 J	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	10/28/2020	15	0.92 J	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	5/12/2021	23.9	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	8/12/2021	40	2.01	0.63 J	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	11/23/2021	46	6.0	1.48 J	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	1.26 J	<0.89
	10/4/2022	70	4.0	0.79 J	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79

TABLE 3
MONITORING WELL SAMPLE ANALYTICAL RESULTS
Former Portage Cleaners
104 E. Wisconsin St., Portage, WI 53901

Monitoring Well Sample ID	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Bromodichloromethane	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	Dichlorodifluoromethane	Methylene Chloride					
		5	5	70	100	0.2	0.6	400	6	3	60	1,000	5					
		0.5	0.5	7	20	0.02	0.06	80	0.6	0.3	6	200	0.5					
MW-6	7/14/2005	2.9	0.82	<0.60	<0.60	0.76	NLRA	NLRA	<0.50	<0.24	NLRA	7.0	<0.40					
	Dup 7/14/2005	1.6	0.71	<0.60	<0.60	0.41	NLRA	NLRA	<0.50	<0.24	NLRA	4.8	<0.40					
	10/20/2005	6.6	5.3	0.84	<0.60	1.2	NLRA	NLRA	<0.50	<0.24	NLRA	12	<0.40					
	7/6/2007	19	1.8	1	<0.50	0.16	NLRA	NLRA	<0.22	<0.30	NLRA	2.1	<0.50					
	Dup 7/6/2007	14	1.5	1.1	<0.50	<0.15	NLRA	NLRA	<0.22	<0.30	NLRA	1.1	<0.50					
	10/30/2007	11	2.1	1.1	<0.50	<0.15	NLRA	<0.40	<0.22	0.39	NLRA	1.8	<0.50					
	11/13/2017	2.55	2.93	0.93 J	<0.35	<0.19	<0.31	<0.5	<0.96	<1.3	<0.45	1.97	<0.94					
	6/6/2018	53	10.6	2.58	<0.34	0.29 J	<0.33	<0.61	1.7	0.60 J	<0.22	1.77	<1.32					
	9/6/2018	47	12.6	3.6	<0.34	<0.2	<0.33	<0.61	1.82	<0.54	<0.22	1.63	<1.32					
	12/4/2018	47	10.1	4.1	<0.34	<0.2	<0.33	<0.61	1.22	<0.54	<0.22	2.12	<1.32					
	3/22/2019	0.91 J	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32					
	5/22/2019	0.65 J	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	1.87	<1.32					
	9/27/2019						Not Sampled											
	12/6/2019	39	11.8	7.0	<0.34	<0.2	<0.33	<0.61	0.38 J	<0.54	<0.22	<0.32	<1.32					
	5/1/2020	28.9	7.6	2.51	<0.37	<0.2	<0.33	<1.1	0.73 J	<0.8	<0.23	<0.45	<1.32					
	7/30/2020	26.1	8.9	5.7	<0.37	0.48 J	<0.33	<1.1	0.73 J	<0.8	1.8	<0.45	<1.32					
	10/29/2020	4.8	1.73	1.0 J	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	0.57 J	<1.32					
	5/12/2021	19.2	4.0	1.7	<0.6	0.27 J	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89					
	8/12/2021	2.24	0.59 J	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89					
	11/23/2021	2.41	1.41 J	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	0.84 J	<0.89					
	10/4/2022	1.04	0.45 J	<0.32	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79					
MW-7	7/14/2005	<0.40	<0.15	<0.60	<0.60	<0.12	NLRA	NLRA	<0.50	<0.24	NLRA	<0.60	<0.40					
	10/20/2005	<0.40	<0.15	<0.60	<0.60	<0.12	NLRA	NLRA	<0.50	<0.24	NLRA	<0.60	<0.40					
	7/6/2007	1.0	0.33	<0.40	<0.50	<0.15	NLRA	NLRA	<0.22	<0.30	NLRA	<0.40	<0.60					
	10/30/2007	0.41	<0.15	<0.40	<0.50	<0.15	NLRA	<0.40	<0.22	0.56	NLRA	<0.40	<0.60					
	10/4/2017	0.68 J	<0.45	<0.41	<0.35	<0.19	<0.31	<0.5	<0.96	<1.3	<0.45	<0.38	<0.94					
	6/6/2018	0.46 J	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32					
	9/5/2018	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32					
	12/4/2018	0.39 J	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32					
	3/21/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32					
	5/21/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32					
	9/27/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32					
	12/5/2019	2.17	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32					
	4/30/2020	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32					
	7/30/2020	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32					
	10/27/2020	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32					
	5/12/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89					
	8/11/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89					
	11/23/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89					
	10/4/2022	<0.47	<0.38	<0.32	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79					

TABLE 3
MONITORING WELL SAMPLE ANALYTICAL RESULTS
Former Portage Cleaners
104 E. Wisconsin St., Portage, WI 53901

Monitoring Well Sample ID	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Bromodichloromethane	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	Dichlorodifluoromethane	Methylene Chloride
Enforcement Standard	5	5	70	100	0.2	0.6	400	6	3	60	1,000	5	
Preventive Action Limit	0.5	0.5	7	20	0.02	0.06	80	0.6	0.3	6	200	0.5	
MW-8	7/6/2007	<0.40	<0.15	<0.40	<0.50	<0.15	NLRA	NLRA	<0.22	<0.30	NLRA	<0.40	<0.50
	10/30/2007	<0.40	<0.15	<0.40	<0.50	<0.15	NLRA	<0.40	<0.22	0.5	NLRA	<0.40	<0.50
	11/13/2017	<0.48	<0.45	<0.41	<0.35	<0.19	<0.31	<0.5	<0.96	<1.3	<0.45	<0.38	<0.94
	6/5/2018	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/5/2018	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/3/2018	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	3/21/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/21/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/27/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/5/2019	0.76 J	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	4/30/2020	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	7/30/2020	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	10/27/2020	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	5/12/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	8/12/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	11/23/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	10/5/2022	<0.47	<0.38	<0.32	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79
MW-9	7/6/2007	1,400	16	150	<2.5	<0.75	NLRA	NLRA	<1.1	<1.5	NLRA	<2.0	4.5
	10/30/2007	1,300	22	120	<25	<7.5	NLRA	<20	<11	<15	NLRA	<20	<25
	Dup 10/30/2007	1,600	23	130	3.6	0.44	NLRA	<0.4	<0.22	0.36	NLRA	<0.40	<0.50
	10/5/2017	12.6	7.6	2.49	0.87 J	<0.19	<0.31	<0.5	<0.96	<1.3	<0.45	<0.38	<0.94
	6/5/2018	1.05 J	0.31 J	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	Dup 6/5/2018	1.11 J	0.43 J	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/6/2018	0.51 J	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/3/2018	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	3/21/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/22/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/30/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	Dup 12/5/19	2.23	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/5/2019	1.6	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	4/30/2020	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	7/31/2020	0.4 J	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	DUP 7/31/2020	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	10/28/2020	6.5	1.02 J	0.44 J	0.48 J	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	DUP 10/28/2020	6.7	1.04 J	0.56 J	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	5/11/2021	1.45 J	0.53 J	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	DUP 5/11/2021	1.53 J	0.55 J	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	8/11/2021								Not Sampled				
	11/23/2021	1.64 J	<0.47	0.55 J	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	DUP 11/23/2021	1.83 J	0.51 J	0.42 J	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	10/4/2022	<0.47	<0.38	0.33 J	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79
	DUP 10/4/2022	<0.47	<0.38	0.38 J	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79

TABLE 3
MONITORING WELL SAMPLE ANALYTICAL RESULTS
Former Portage Cleaners
104 E. Wisconsin St., Portage, WI 53901

Monitoring Well Sample ID	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Bromodichloromethane	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	Dichlorodifluoromethane	Methylene Chloride
		5	5	70	100	0.2	0.6	400	6	3	60	1,000	5
		0.5	0.5	7	20	0.02	0.06	80	0.6	0.3	6	200	0.5
MW-10	7/6/2007	33	2.9	7.9	<0.50	<0.15	NLRA	NLRA	<0.22	<0.30	NLRA	<0.40	<0.50
	10/30/2007	13	4.6	9.8	<0.50	<0.15	NLRA	<0.40	<0.22	0.5	NLRA	<0.40	<0.50
	10/4/2017	11.3	1.3 J	5.2	<0.35	<0.19	<0.31	<0.5	<0.96	<1.3	<0.45	<0.38	<0.94
	6/5/2018	30.1	0.70 J	0.59 J	<0.34	<0.2	<0.33	<0.61	0.28 J	<0.54	<0.22	<0.32	<1.32
	9/6/2018	24.2	0.93 J	1.06 J	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	Dup 9/6/2018	27.4	0.79 J	0.93 J	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/3/2018	27.1	1.49	3.5	<0.34	<0.2	<0.33	<0.61	0.31 J	<0.54	<0.22	<0.32	<1.32
	3/21/2019	16.4	0.95	3.6	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/21/2019	3.13	<0.3	1.77	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/30/2019	0.76 J	1.06	3.9	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/5/2019	15.7	1.34	1.07 J	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	4/30/2020	2.88	<0.47	1.79	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	7/30/2020	4.2	0.61 J	0.78 J	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	10/28/2020	41	0.98 J	<0.39	<0.37	<0.2	<0.33	<1.1	0.52 J	<0.8	<0.23	<0.45	<1.32
	5/11/2021	11.7	<0.47	0.59 J	<0.6	<0.17	<0.47	<0.78	0.46 J	<0.78	<0.45	<0.55	<0.89
	8/11/2021	2.1 J	0.89 J	1.62	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	11/23/2021	1.18 J	0.47 J	0.65 J	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	10/4/2022	<0.47	<0.38	1.81	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79
MW-10P	7/6/2007	4.3	15	24	1.5	<0.15	NLRA	NLRA	<0.22	<0.30	NLRA	<0.40	<0.50
	10/30/2007	3.9	17	18	1.5	<0.15	NLRA	<0.40	<0.22	<0.30	NLRA	<0.40	<0.50
	10/4/2017	0.48 J	<0.45	4.0	<0.35	<0.19	<0.31	<0.5	<0.96	<1.3	<0.45	<0.38	<0.94
	6/5/2018	<0.38	<0.3	1.45	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/5/2018	<0.38	<0.3	2.11	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/3/2018	<0.38	<0.3	4.6	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	3/21/2019	<0.38	<0.3	2.57	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/22/2019	<0.38	<0.3	2.62	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/30/2019	<0.38	<0.3	1.5	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/5/2019	1.48	<0.3	1.02 J	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/1/2020	<0.33	<0.47	0.93 J	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	7/30/2020	<0.33	<0.47	1.76	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	10/28/2020	<0.33	<0.47	1.8	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	5/11/2021	<0.54	<0.47	0.60 J	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	8/11/2021	<0.54	<0.47	0.67 J	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	11/23/2021	<0.54	<0.47	0.72 J	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	10/4/2022	<0.47	0.45 J	1.83	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79

TABLE 3
MONITORING WELL SAMPLE ANALYTICAL RESULTS

Former Portage Cleaners
 104 E. Wisconsin St., Portage, WI 53901

Monitoring Well Sample ID	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Bromodichloromethane	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	Dichlorodifluoromethane	Methylene Chloride
		5	5	70	100	0.2	0.6	400	6	3	60	1,000	5
		0.5	0.5	7	20	0.02	0.06	80	0.6	0.3	6	200	0.5
MW-11	6/6/2018	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/5/2018	<0.38	0.54 J	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/3/2018	0.46 J	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	3/22/2019	<0.38	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	5/22/2019	0.55 J	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	9/30/2019	0.49 J	<0.3	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	12/5/2019	1.8	0.31 J	<0.37	<0.34	<0.2	<0.33	<0.61	<0.26	<0.54	<0.22	<0.32	<1.32
	4/30/2020	0.61 J	<0.47	0.45 J	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	7/30/2020	0.67 J	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	10/27/2020	0.55 J	<0.47	<0.39	<0.37	<0.2	<0.33	<1.1	<0.44	<0.8	<0.23	<0.45	<1.32
	5/11/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	8/11/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	11/23/2021	<0.54	<0.47	<0.39	<0.6	<0.17	<0.47	<0.78	<0.4	<0.84	<0.45	<0.55	<0.89
	10/4/2022	<0.47	<0.38	<0.32	<0.5	<0.15	<0.47	<0.62	<0.33	<0.74	<0.36	<0.3	<0.79

Notes:

All concentrations reported in units of micrograms per liter ($\mu\text{g/L}$)

Samples analyzed using EPA SW-846 Method 8260

Bolded and orange shaded values are above Public Health Enforcement Standard

Bolded and blue shaded values are above Public Health Preventive Action Limit

Bolded values are above detection limits

Samples/constituents not shown are below laboratory detection limits

J = Analyte concentration detected between the laboratory Method Detection Limit and Reporting Limit


NLRA = No laboratory results available



FIGURES

Legend

	Underground gas utility line
	Underground storm utility line
	Over head electrical utility line
	Underground sanitary utility line
	Underground water utility line
	Utility Pole
	Catch Basin
	Manhole
	Dry cleaning machine location
	Former dry cleaning machine location
	Monitoring well (By Others)
	Monitoring well (EnviroForensics)



MONITORING WELL LOCATION MAP

Portage Cleaners
104 East Wisconsin Street
Portage, Wisconsin

Date:	8/23/18
Designed:	EB
Drawn:	KH
Checked:	RH
DWG file:	6493-0384




825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure
1
Project 6493

APPROXIMATE SCALE: 1" = 100'

Legend

- DCM
- FDCM
- MW1
- MW-11
- 783.20
- 782.71
- Groundwater elevation contour
- Groundwater elevation (feet above mean sea level)
- Approximate groundwater flow direction



POTENIOMETRIC SURFACE MAP
OCTOBER 4, 2022

Portage Cleaners
104 East Wisconsin Street
Portage, Wisconsin

Date:	11/2/22
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6493-1109

ENVIRO forensics

825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure
2
Project 6493


Legend

	Underground sanitary utility line
	Underground water utility line
	Underground gas utility line
	Underground storm utility line
	Over head electrical utility line
	Utility Pole
	Catch Basin
	Manhole
	Dry cleaning machine location
	Former dry cleaning machine location
MW1	Monitoring well location (By Others)
MW-11	Monitoring well location

Analyte	Public Health Preventive Action Limit	Public Health Enforcement Standard
PCE	0.5	5
TCE	0.5	5
cis-1,2-DCE	7	70
trans-1,2-DCE	20	100
Vinyl Chloride	0.02	0.2
Chloroform	0.6	6
BDCM	0.06	0.6
DBCM	6	60
DCDFM	200	1,000

Note:

1. Bolded and orange shaded values exceed the Public Health Enforcement Standard
2. Bolded and blue shaded values exceed the Public Health Preventive Action Limit
3. Bolded values are above detection limits
4. J = Analyte concentration less than laboratory detection limits
5. Samples analyzed using EPA SW-846 Method 8260
6. All results reported in units of micrograms per liter ($\mu\text{g/L}$)
7. PCE = Tetrachloroethene
8. TCE = Trichloroethene
9. cis-1,2-DCE = cis-1,2-Dichloroethene
10. trans-1,2-DCE = trans-1,2-Dichloroethene
11. BDCM = Bromodichloromethane
12. DBCM = Dibromochloromethane
13. DCDFM = Dichlorodifluoromethane
14. VOCs = Volatile Organic Compounds
15. ND = Not detected above laboratory detection limits



MONITORING WELL GROUNDWATER ANALYTICAL RESULTS MAP

Portage Cleaners
104 East Wisconsin Street
Portage, Wisconsin

Date:	11/2/22
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6493-1108

ENVIRO forensics
825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure
3
Project
6493

APPROXIMATE SCALE: 1" = 100'



ATTACHMENT 1

LABORATORY ANALYTICAL REPORTS

Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 18-Oct-22

Project Name PORTAGE CLEANERS
Project # 6493

Invoice # E41556

Lab Code 5041556A
Sample ID 6493-MW-1
Sample Matrix Water
Sample Date 10/5/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556A
Sample ID 6493-MW-1
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	0.81 "J"	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556B
Sample ID 6493-MW-2
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	2.43	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556B
Sample ID 6493-MW-2
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556C
Sample ID 6493-MW-3
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	8.9	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556C
Sample ID 6493-MW-3
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556D
Sample ID 6493-MW-4
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	143	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556D
Sample ID 6493-MW-4
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	1.18 "J"	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556E
Sample ID 6493-MW-4P
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556E
Sample ID 6493-MW-4P
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556F
Sample ID 6493-MW-5
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	0.79 "J"	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	70	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556F
Sample ID 6493-MW-5
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	4.0	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556G
Sample ID 6493-MW-6
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	1.04 "J"	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556G
Sample ID 6493-MW-6
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	0.45 "J"	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556H
Sample ID 6493-MW-7
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556H
Sample ID 6493-MW-7
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556I
Sample ID 6493-MW-8
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556I
Sample ID 6493-MW-8
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556J
Sample ID 6493-MW-9
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	0.33 "J"	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556J
Sample ID 6493-MW-9
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556K
Sample ID 6493-MW-10
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	1.81	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556K
Sample ID 6493-MW-10
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556L
Sample ID 6493-MW-10P
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/12/2022	CJR	1
cis-1,2-Dichloroethene	1.83	ug/l	0.32	1.29	1	8260B		10/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS

Invoice # E41556

Project # 6493

Lab Code 5041556L

Sample ID 6493-MW-10P

Sample Matrix Water

Sample Date 10/4/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/12/2022	CJR	1
Trichloroethene (TCE)	0.45 "J"	ug/l	0.38	1.55	1	8260B		10/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/12/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/12/2022	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		10/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/12/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556M
Sample ID 6493-MW-11
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/14/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/14/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/14/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/14/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556M
Sample ID 6493-MW-11
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/14/2022	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		10/14/2022	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		10/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/14/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556N
Sample ID 6493-DUP-1
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/14/2022	CJR	1
cis-1,2-Dichloroethene	0.38 "J"	ug/l	0.32	1.29	1	8260B		10/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/14/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/14/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/14/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556N
Sample ID 6493-DUP-1
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/14/2022	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/14/2022	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/14/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556O
Sample ID 6493-DUP-2
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/14/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/14/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/14/2022	CJR	1
Tetrachloroethene	155	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/14/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556O
Sample ID 6493-DUP-2
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
Trichloroethene (TCE)	1.22 "J"	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		10/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/14/2022	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/14/2022	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		10/14/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556P
Sample ID 6493-EB-1
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/14/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/14/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/14/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/14/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/14/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/14/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/14/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/14/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/14/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/14/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/14/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/14/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/14/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/14/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/14/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/14/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/14/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/14/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/14/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/14/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/14/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/14/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/14/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/14/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/14/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/14/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/14/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/14/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/14/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/14/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/14/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/14/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/14/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/14/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/14/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556P
Sample ID 6493-EB-1
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/14/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/14/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/14/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/14/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/14/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/14/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/14/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/14/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/14/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/14/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/14/2022	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/14/2022	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		10/14/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/14/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556Q
Sample ID 6493-EB-2
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/15/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		10/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/15/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556Q
Sample ID 6493-EB-2
Sample Matrix Water
Sample Date 10/5/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/15/2022	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		10/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/15/2022	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/15/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556R
Sample ID 6493-TB-1
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		10/15/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		10/15/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		10/15/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		10/15/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		10/15/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		10/15/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		10/15/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		10/15/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		10/15/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		10/15/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		10/15/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		10/15/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		10/15/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		10/15/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		10/15/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/15/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		10/15/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/15/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/15/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		10/15/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		10/15/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		10/15/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		10/15/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		10/15/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		10/15/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		10/15/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		10/15/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/15/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		10/15/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		10/15/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		10/15/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		10/15/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		10/15/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		10/15/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		10/15/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		10/15/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		10/15/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		10/15/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		10/15/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		10/15/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		10/15/2022	CJR	1
Tetrachloroethene	1.4 "J"	ug/l	0.47	1.91	1	8260B		10/15/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		10/15/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		10/15/2022	CJR	1

Project Name PORTAGE CLEANERS
Project # 6493
Lab Code 5041556R
Sample ID 6493-TB-1
Sample Matrix Water
Sample Date 10/4/2022

Invoice # E41556

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		10/15/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		10/15/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		10/15/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		10/15/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		10/15/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		10/15/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		10/15/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		10/15/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		10/15/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		10/15/2022	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/15/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		10/15/2022	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/15/2022	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/15/2022	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation


Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Lab I.D. # **8242**QUOTE #: **8242**Project #: **6493**Sampler: (signature) Project (Name / Location): **Portage Cleaners - Portage, WI**Reports To: **Rob Harzman**Company **Enviro Forensics**Address **1100723390 Stone Ridge Dr**City State Zip **Waukesha, WI 53188**Phone **262-790-4001**Email **rharzman@enviroforensics.com**Email **accounts payable@synergy-lab.net**Invoice To: **Accounts Payable**Company **Enviro Forensics**Address **1100723390 Stone Ridge Dr**City State Zip **Waukesha, WI 53188**Phone **262-790-4001**

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcbc.com

Environmental Lab, Inc.Chain # **42901**
Page **2** of **2**

Sample Handling Request	
Rush Analysis	Date Required: (Rushes accepted only with prior authorization)
X Normal Turn Around	

Analysis Requested							Other Analysis	
Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation	PID/FID
SUSSLEK	6493-MW-11	10-4-10	1141	N	3	GRO	HCl	
N	6493-DUP-1	10-4-10	-					DRO (Mod DRO Sep 95)
O	6493-DUP-2	10-5-10	-					GRO (Mod GRO Sep 95)
P	6493-EB-1	10-4-10	1700					LEAD
Q	6493-EB-2	10-5-10	1740					NITRATE/NITRITE
R	6493-TB-1	10-4-10	-					OIL & GREASE
								PAH (EPA 8270)
								PCB
								PVOC (EPA 8021)
								PVOC + NAPHTHALENE
								SULFATE
								TOTAL SUSPENDED SOLIDS
								VOC DW (EPA 524.2)
							X	VOC (EPA 8260)
								VOC AIR (TO - 15)
								8-RCRA METALS

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.	Relinquished By: (sign) 	Time 1200	Date 10-7-10	Received By: (sign) CS logistics	Time 1200	Date 10-7-10
Method of Shipment:	C5					
Temp. of Temp. Blank:	 °C On Ice: X					
Cooler seal intact upon receipt:	X Yes No					

Received in Laboratory By: **Melissa Chaffin** Time: **800**Date: **10/6/10**