



September 9, 2022

Gary Parpovich
930 Derby Lane
Green Bay, Wisconsin 54301

Subject: Environmental Investigation Sampling Results
BRRTS#: 02-05-514372

Dear Mr Parpovich:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC. (EnviroForensics) is providing the results of environmental samples collected from your property located at 930 Derby Lane in Green Bay, Wisconsin. Indoor air, sub-slab and sump vapor samples were collected on August 25, 2022. The sampling activities are part of an environmental investigation being performed for the former Econo-Care Cleaners facility located at 1404 S Webster Avenue in Green Bay at the direction of the WDNR pursuant to the authority granted to it under State and Federal law. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Econo-Care Cleaners (former)
1404 S Webster Avenue
Green Bay, WI

Sampling Results

Three indoor air samples were collected from within your home, 200030-930 Derby-IA-B, 200030-930 Derby-IA-1 and 200030-930 Derby-IA-2. One (1) sub-slab vapor sample (200030-930 Derby-SSV-1) was collected from beneath the floor of your home. The sampling locations are depicted on the attached **Figure 1**. The results of the indoor air and vapor samples are summarized and compared to WDNR standards on the attached **Table 1**. A copy of the laboratory report that relates to the indoor air and vapor samples is also attached.

There were detections of PCE and trichloroethene (TCE) in the four samples. The sub-slab

detections were below the Residential Vapor Risk Screening Levels. Indoor air detections of PCE were below the Residential Vapor Action Level (VAL). The detections of TCE were above the VAL. These results differ from the initial sampling event results and indicate a potential vapor risk. We will contact you to discuss the next steps. If you have any questions or concerns, please contact us at 262-510-0612 or by email at rhoverman@enviroforensics.com. The WDNR project manager, Josie Schultz, can be reached at 920-366-5685. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics, LLC



Rob Hoverman, PG
Senior Project Manager

Copy: Josie Schultz, Wisconsin Department of Natural Resources


Attachments:

Figure 1 – Vapor Intrusion Sample Locations
Table 1 – Vapor Intrusion Analytical Results
Laboratory Analytical Report Excerpt

FIGURE 1
VAPOR INTRUSION SAMPLE LOCATIONS
930 Derby Lane, Green Bay, Wisconsin

Derby Lane

● 200030-OA



Legend

- = Indoor/Outdoor Air Sample
- IA-B = Basement
- IA-1 = 1st Floor
- IA-2 = 2nd Floor
- SSV-1 = Sub-Slab Vapor
- ★ = Sub-Slab Vapor Sampling Port Location



TABLE 1
VAPOR INTRUSION ASSESSMENT RESULTS SUMMARY

Former Econo Care Cleaners
 1404 South Webster Avenue, Wisconsin

Address	Sample Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
INDOOR/OUTDOOR AIR							
Residential Vapor Action Level			42	2.1	NE	NE	1.7
930 Derby	IA-B	2/24/2022	<3.19	<1.07	<19.8	<39.6	<1.28
	IA-B	8/25/2022	3.2	5.2	<0.28	<0.25	<0.13
	IA-1	2/24/2022	<3.19	<1.07	<19.8	<39.6	<1.28
	IA-1	8/25/2022	2.3	2.9	<0.38	<0.81	<1.28
	IA-2	2/24/2022	<3.19	<1.07	<19.8	<39.6	<1.28
	IA-2	8/25/2022	2.9	2.8	<0.38	<0.81	<0.13
Outdoor Air	OA	2/24/2022	<3.19	<1.07	<19.8	<39.6	<1.28
SUB-SLAB VAPOR							
Residential Vapor Risk Screening Level			1,400	70	NE	NE	57
930 Derby	SSV-1	2/24/2022	111	<10.7	<0.38	<0.81	<12.8
	SSV-1	8/25/2022	128	1.8	<0.38	<0.81	<0.16
SUMP VAPOR							
Residential Vapor Risk Screening Level			1,400	70	NE	NE	57
930 Derby	SUMP	2/24/2022	<31.9	<10.7	<198	<396	<12.8

Notes:

Vapor Action and Risk Screening Levels are calculated according to WDNR Publication RR-800 and subsequent vapor intrusion guidance

Results reported in micrograms per cubic meter ($\mu\text{g}/\text{m}^3$)

Samples analyzed according to EPA Method TO-15

NE = Screening/action level not established

Bolded values are above detection limits

Bolded and shaded values exceed the applicable screening or action level

August 31, 2022

Rob Hoverman
EnviroForensics
N16 W23390 Stone Ridge Drive
Suite G
Waukesha, WI 53188

RE: Project: 200030 Econo Care
Pace Project No.: 10623373

Dear Rob Hoverman:

Enclosed are the analytical results for sample(s) received by the laboratory on August 29, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Carolynne Trout
carolynne.trout@pacelabs.com
1(612)607-6351
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 200030 Econo Care

Pace Project No.: 10623373

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414

A2LA Certification #: 2926.01*

1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009*

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014*

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605*

Georgia Certification #: 959

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: AI-03086*

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064*

Maryland Certification #: 322

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137*

Minnesota Dept of Ag Approval: via MN 027-053-137

Minnesota Petrofund Registration #: 1240*

Mississippi Certification #: MN00064

Missouri Certification #: 10100

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081*

New Jersey Certification #: MN002

New York Certification #: 11647*

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification (A2LA) #: R-036

North Dakota Certification (MN) #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification (1700) #: CL101

Ohio VAP Certification (1800) #: CL110*

Oklahoma Certification #: 9507*

Oregon Primary Certification #: MN300001

Oregon Secondary Certification #: MN200001*

Pennsylvania Certification #: 68-00563*

Puerto Rico Certification #: MN00064

South Carolina Certification #:74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192*

Utah Certification #: MN00064*

Vermont Certification #: VT-027053137

Virginia Certification #: 460163*

Washington Certification #: C486*

West Virginia DEP Certification #: 382

West Virginia DW Certification #: 9952 C

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

USDA Permit #: P330-19-00208

Please Note: Applicable air certifications are denoted with an asterisk ().

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 200030 Econo Care

Pace Project No.: 10623373

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10623373001	200030-930 Derby-IA-2	Air	08/25/22 11:00	08/29/22 11:41
10623373002	200030-930 Derby-IA-1	Air	08/25/22 11:01	08/29/22 11:41
10623373003	200030-930 Derby-IA-B	Air	08/25/22 11:02	08/29/22 11:41
10623373004	200030-930 Derby-SSV-1	Air	08/25/22 11:13	08/29/22 11:41
10623373005	UNUSED PACE0069	Air		08/29/22 11:41
10623373006	UNUSED PACE3990	Air		08/29/22 11:41

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 200030 Econo Care
Pace Project No.: 10623373

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10623373001	200030-930 Derby-IA-2	TO-15	SW	61	PASI-M
10623373002	200030-930 Derby-IA-1	TO-15	SW	61	PASI-M
10623373003	200030-930 Derby-IA-B	TO-15	SW	61	PASI-M
10623373004	200030-930 Derby-SSV-1	TO-15	SW	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 200030 Econo Care

Pace Project No.: 10623373

Sample: 200030-930 Derby-IA-2 Lab ID: 10623373001 Collected: 08/25/22 11:00 Received: 08/29/22 11:41 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	97.6	ug/m3	9.0	2.7	1.49		08/30/22 16:24	67-64-1	
Benzene	0.56	ug/m3	0.48	0.17	1.49		08/30/22 16:24	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.9	1.3	1.49		08/30/22 16:24	100-44-7	
Bromodichloromethane	<0.35	ug/m3	2.0	0.35	1.49		08/30/22 16:24	75-27-4	
Bromoform	<2.4	ug/m3	7.8	2.4	1.49		08/30/22 16:24	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.49		08/30/22 16:24	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.67	0.18	1.49		08/30/22 16:24	106-99-0	
2-Butanone (MEK)	10.7	ug/m3	4.5	0.69	1.49		08/30/22 16:24	78-93-3	
Carbon disulfide	0.33J	ug/m3	0.94	0.19	1.49		08/30/22 16:24	75-15-0	
Carbon tetrachloride	0.48J	ug/m3	1.9	0.42	1.49		08/30/22 16:24	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.49		08/30/22 16:24	108-90-7	
Chloroethane	<0.33	ug/m3	0.80	0.33	1.49		08/30/22 16:24	75-00-3	
Chloroform	<0.27	ug/m3	0.74	0.27	1.49		08/30/22 16:24	67-66-3	
Chloromethane	1.4	ug/m3	0.63	0.13	1.49		08/30/22 16:24	74-87-3	
Cyclohexane	22.7	ug/m3	2.6	0.33	1.49		08/30/22 16:24	110-82-7	
Dibromochloromethane	<0.77	ug/m3	2.6	0.77	1.49		08/30/22 16:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.45	ug/m3	1.2	0.45	1.49		08/30/22 16:24	106-93-4	
1,2-Dichlorobenzene	<0.60	ug/m3	4.6	0.60	1.49		08/30/22 16:24	95-50-1	
1,3-Dichlorobenzene	<0.76	ug/m3	4.6	0.76	1.49		08/30/22 16:24	541-73-1	
1,4-Dichlorobenzene	2.4J	ug/m3	4.6	1.3	1.49		08/30/22 16:24	106-46-7	
Dichlorodifluoromethane	2.4	ug/m3	1.5	0.28	1.49		08/30/22 16:24	75-71-8	
1,1-Dichloroethane	<0.25	ug/m3	1.2	0.25	1.49		08/30/22 16:24	75-34-3	
1,2-Dichloroethane	2.8	ug/m3	1.2	0.29	1.49		08/30/22 16:24	107-06-2	
1,1-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.49		08/30/22 16:24	75-35-4	
cis-1,2-Dichloroethene	<0.29	ug/m3	1.2	0.29	1.49		08/30/22 16:24	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.49		08/30/22 16:24	156-60-5	
1,2-Dichloropropane	<0.40	ug/m3	1.4	0.40	1.49		08/30/22 16:24	78-87-5	
cis-1,3-Dichloropropene	<0.38	ug/m3	3.4	0.38	1.49		08/30/22 16:24	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	3.4	0.81	1.49		08/30/22 16:24	10061-02-6	
Dichlorotetrafluoroethane	<0.30	ug/m3	2.1	0.30	1.49		08/30/22 16:24	76-14-2	
Ethanol	866	ug/m3	2.9	0.88	1.49		08/30/22 16:24	64-17-5	E
Ethyl acetate	2.6	ug/m3	1.1	0.20	1.49		08/30/22 16:24	141-78-6	
Ethylbenzene	2.5	ug/m3	1.3	0.46	1.49		08/30/22 16:24	100-41-4	
4-Ethyltoluene	2.9J	ug/m3	3.7	0.70	1.49		08/30/22 16:24	622-96-8	
n-Heptane	6.9	ug/m3	1.2	0.27	1.49		08/30/22 16:24	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	8.1	1.8	1.49		08/30/22 16:24	87-68-3	
n-Hexane	7.2	ug/m3	1.1	0.28	1.49		08/30/22 16:24	110-54-3	
2-Hexanone	2.3J	ug/m3	6.2	0.66	1.49		08/30/22 16:24	591-78-6	
Methylene Chloride	<0.88	ug/m3	5.3	0.88	1.49		08/30/22 16:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	2.5J	ug/m3	6.2	0.48	1.49		08/30/22 16:24	108-10-1	
Methyl-tert-butyl ether	<0.19	ug/m3	5.5	0.19	1.49		08/30/22 16:24	1634-04-4	
Naphthalene	4.7	ug/m3	4.0	3.2	1.49		08/30/22 16:24	91-20-3	
2-Propanol	8.6	ug/m3	3.7	0.76	1.49		08/30/22 16:24	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.49		08/30/22 16:24	115-07-1	
Styrene	2.6	ug/m3	1.3	0.57	1.49		08/30/22 16:24	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 200030 Econo Care

Pace Project No.: 10623373

Sample: 200030-930 Derby-IA-2 Lab ID: 10623373001 Collected: 08/25/22 11:00 Received: 08/29/22 11:41 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.55	ug/m3	2.1	0.55	1.49		08/30/22 16:24	79-34-5	
Tetrachloroethene	2.9	ug/m3	1.0	0.44	1.49		08/30/22 16:24	127-18-4	
Tetrahydrofuran	<0.27	ug/m3	0.89	0.27	1.49		08/30/22 16:24	109-99-9	
Toluene	19.7	ug/m3	1.1	0.36	1.49		08/30/22 16:24	108-88-3	
1,2,4-Trichlorobenzene	<7.3	ug/m3	11.2	7.3	1.49		08/30/22 16:24	120-82-1	
1,1,1-Trichloroethane	2.1	ug/m3	1.7	0.28	1.49		08/30/22 16:24	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.83	0.29	1.49		08/30/22 16:24	79-00-5	
Trichloroethene	2.8	ug/m3	0.81	0.29	1.49		08/30/22 16:24	79-01-6	
Trichlorofluoromethane	40.1	ug/m3	1.7	0.35	1.49		08/30/22 16:24	75-69-4	
1,1,2-Trichlorotrifluoroethane	1.9J	ug/m3	2.3	0.43	1.49		08/30/22 16:24	76-13-1	
1,2,4-Trimethylbenzene	6.3	ug/m3	1.5	0.53	1.49		08/30/22 16:24	95-63-6	
1,3,5-Trimethylbenzene	2.7	ug/m3	1.5	0.43	1.49		08/30/22 16:24	108-67-8	
Vinyl acetate	<0.31	ug/m3	1.1	0.31	1.49		08/30/22 16:24	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.39	0.13	1.49		08/30/22 16:24	75-01-4	
m&p-Xylene	10.6	ug/m3	2.6	0.96	1.49		08/30/22 16:24	179601-23-1	
o-Xylene	3.3	ug/m3	1.3	0.40	1.49		08/30/22 16:24	95-47-6	

Sample: 200030-930 Derby-IA-1 Lab ID: 10623373002 Collected: 08/25/22 11:01 Received: 08/29/22 11:41 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	108	ug/m3	9.0	2.7	1.49		08/30/22 17:30	67-64-1	
Benzene	0.59	ug/m3	0.48	0.17	1.49		08/30/22 17:30	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.9	1.3	1.49		08/30/22 17:30	100-44-7	
Bromodichloromethane	<0.35	ug/m3	2.0	0.35	1.49		08/30/22 17:30	75-27-4	
Bromoform	<2.4	ug/m3	7.8	2.4	1.49		08/30/22 17:30	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.49		08/30/22 17:30	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.67	0.18	1.49		08/30/22 17:30	106-99-0	
2-Butanone (MEK)	12.9	ug/m3	4.5	0.69	1.49		08/30/22 17:30	78-93-3	
Carbon disulfide	0.27J	ug/m3	0.94	0.19	1.49		08/30/22 17:30	75-15-0	
Carbon tetrachloride	0.44J	ug/m3	1.9	0.42	1.49		08/30/22 17:30	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.49		08/30/22 17:30	108-90-7	
Chloroethane	<0.33	ug/m3	0.80	0.33	1.49		08/30/22 17:30	75-00-3	
Chloroform	<0.27	ug/m3	0.74	0.27	1.49		08/30/22 17:30	67-66-3	
Chloromethane	1.7	ug/m3	0.63	0.13	1.49		08/30/22 17:30	74-87-3	
Cyclohexane	24.3	ug/m3	2.6	0.33	1.49		08/30/22 17:30	110-82-7	
Dibromochloromethane	<0.77	ug/m3	2.6	0.77	1.49		08/30/22 17:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.45	ug/m3	1.2	0.45	1.49		08/30/22 17:30	106-93-4	
1,2-Dichlorobenzene	<0.60	ug/m3	4.6	0.60	1.49		08/30/22 17:30	95-50-1	
1,3-Dichlorobenzene	<0.76	ug/m3	4.6	0.76	1.49		08/30/22 17:30	541-73-1	
1,4-Dichlorobenzene	2.4J	ug/m3	4.6	1.3	1.49		08/30/22 17:30	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 200030 Econo Care

Pace Project No.: 10623373

Sample: 200030-930 Derby-IA-1 Lab ID: 10623373002 Collected: 08/25/22 11:01 Received: 08/29/22 11:41 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	2.4	ug/m3	1.5	0.28	1.49		08/30/22 17:30	75-71-8	
1,1-Dichloroethane	<0.25	ug/m3	1.2	0.25	1.49		08/30/22 17:30	75-34-3	
1,2-Dichloroethane	4.0	ug/m3	1.2	0.29	1.49		08/30/22 17:30	107-06-2	
1,1-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.49		08/30/22 17:30	75-35-4	
cis-1,2-Dichloroethene	<0.29	ug/m3	1.2	0.29	1.49		08/30/22 17:30	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.49		08/30/22 17:30	156-60-5	
1,2-Dichloropropane	<0.40	ug/m3	1.4	0.40	1.49		08/30/22 17:30	78-87-5	
cis-1,3-Dichloropropene	<0.38	ug/m3	3.4	0.38	1.49		08/30/22 17:30	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	3.4	0.81	1.49		08/30/22 17:30	10061-02-6	
Dichlorotetrafluoroethane	<0.30	ug/m3	2.1	0.30	1.49		08/30/22 17:30	76-14-2	
Ethanol	1370	ug/m3	2.9	0.88	1.49		08/30/22 17:30	64-17-5	E
Ethyl acetate	3.8	ug/m3	1.1	0.20	1.49		08/30/22 17:30	141-78-6	
Ethylbenzene	2.3	ug/m3	1.3	0.46	1.49		08/30/22 17:30	100-41-4	
4-Ethyltoluene	2.8J	ug/m3	3.7	0.70	1.49		08/30/22 17:30	622-96-8	
n-Heptane	<0.27	ug/m3	1.2	0.27	1.49		08/30/22 17:30	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	8.1	1.8	1.49		08/30/22 17:30	87-68-3	
n-Hexane	7.7	ug/m3	1.1	0.28	1.49		08/30/22 17:30	110-54-3	
2-Hexanone	3.0J	ug/m3	6.2	0.66	1.49		08/30/22 17:30	591-78-6	
Methylene Chloride	<0.88	ug/m3	5.3	0.88	1.49		08/30/22 17:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.7J	ug/m3	6.2	0.48	1.49		08/30/22 17:30	108-10-1	
Methyl-tert-butyl ether	<0.19	ug/m3	5.5	0.19	1.49		08/30/22 17:30	1634-04-4	
Naphthalene	4.7	ug/m3	4.0	3.2	1.49		08/30/22 17:30	91-20-3	
2-Propanol	11.6	ug/m3	3.7	0.76	1.49		08/30/22 17:30	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.49		08/30/22 17:30	115-07-1	
Styrene	2.7	ug/m3	1.3	0.57	1.49		08/30/22 17:30	100-42-5	
1,1,2,2-Tetrachloroethane	<0.55	ug/m3	2.1	0.55	1.49		08/30/22 17:30	79-34-5	
Tetrachloroethene	2.3	ug/m3	1.0	0.44	1.49		08/30/22 17:30	127-18-4	
Tetrahydrofuran	<0.27	ug/m3	0.89	0.27	1.49		08/30/22 17:30	109-99-9	
Toluene	20.7	ug/m3	1.1	0.36	1.49		08/30/22 17:30	108-88-3	
1,2,4-Trichlorobenzene	<7.3	ug/m3	11.2	7.3	1.49		08/30/22 17:30	120-82-1	
1,1,1-Trichloroethane	2.2	ug/m3	1.7	0.28	1.49		08/30/22 17:30	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.83	0.29	1.49		08/30/22 17:30	79-00-5	
Trichloroethene	2.9	ug/m3	0.81	0.29	1.49		08/30/22 17:30	79-01-6	
Trichlorofluoromethane	46.6	ug/m3	1.7	0.35	1.49		08/30/22 17:30	75-69-4	
1,1,2-Trichlorotrifluoroethane	1.3J	ug/m3	2.3	0.43	1.49		08/30/22 17:30	76-13-1	
1,2,4-Trimethylbenzene	6.4	ug/m3	1.5	0.53	1.49		08/30/22 17:30	95-63-6	
1,3,5-Trimethylbenzene	2.7	ug/m3	1.5	0.43	1.49		08/30/22 17:30	108-67-8	
Vinyl acetate	<0.31	ug/m3	1.1	0.31	1.49		08/30/22 17:30	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.39	0.13	1.49		08/30/22 17:30	75-01-4	
m&p-Xylene	9.4	ug/m3	2.6	0.96	1.49		08/30/22 17:30	179601-23-1	
o-Xylene	3.2	ug/m3	1.3	0.40	1.49		08/30/22 17:30	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 200030 Econo Care

Pace Project No.: 10623373

Sample: 200030-930 Derby-IA-B Lab ID: 10623373003 Collected: 08/25/22 11:02 Received: 08/29/22 11:41 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	124	ug/m3	8.8	2.6	1.46		08/30/22 18:37	67-64-1	
Benzene	0.66	ug/m3	0.47	0.17	1.46		08/30/22 18:37	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.8	1.3	1.46		08/30/22 18:37	100-44-7	
Bromodichloromethane	<0.35	ug/m3	2.0	0.35	1.46		08/30/22 18:37	75-27-4	
Bromoform	<2.4	ug/m3	7.7	2.4	1.46		08/30/22 18:37	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.46		08/30/22 18:37	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.66	0.18	1.46		08/30/22 18:37	106-99-0	
2-Butanone (MEK)	11.5	ug/m3	4.4	0.68	1.46		08/30/22 18:37	78-93-3	
Carbon disulfide	0.25J	ug/m3	0.92	0.19	1.46		08/30/22 18:37	75-15-0	
Carbon tetrachloride	<0.41	ug/m3	1.9	0.41	1.46		08/30/22 18:37	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.46		08/30/22 18:37	108-90-7	
Chloroethane	<0.33	ug/m3	0.78	0.33	1.46		08/30/22 18:37	75-00-3	
Chloroform	<0.27	ug/m3	0.72	0.27	1.46		08/30/22 18:37	67-66-3	
Chloromethane	1.4	ug/m3	0.61	0.12	1.46		08/30/22 18:37	74-87-3	
Cyclohexane	42.6	ug/m3	2.6	0.32	1.46		08/30/22 18:37	110-82-7	
Dibromochloromethane	<0.75	ug/m3	2.5	0.75	1.46		08/30/22 18:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	1.1	0.44	1.46		08/30/22 18:37	106-93-4	
1,2-Dichlorobenzene	<0.59	ug/m3	4.5	0.59	1.46		08/30/22 18:37	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	4.5	0.74	1.46		08/30/22 18:37	541-73-1	
1,4-Dichlorobenzene	<1.3	ug/m3	4.5	1.3	1.46		08/30/22 18:37	106-46-7	
Dichlorodifluoromethane	2.4	ug/m3	1.5	0.27	1.46		08/30/22 18:37	75-71-8	
1,1-Dichloroethane	<0.24	ug/m3	1.2	0.24	1.46		08/30/22 18:37	75-34-3	
1,2-Dichloroethane	2.5	ug/m3	1.2	0.28	1.46		08/30/22 18:37	107-06-2	
1,1-Dichloroethene	<0.20	ug/m3	1.2	0.20	1.46		08/30/22 18:37	75-35-4	
cis-1,2-Dichloroethene	<0.28	ug/m3	1.2	0.28	1.46		08/30/22 18:37	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.46		08/30/22 18:37	156-60-5	
1,2-Dichloropropane	<0.39	ug/m3	1.4	0.39	1.46		08/30/22 18:37	78-87-5	
cis-1,3-Dichloropropene	<0.37	ug/m3	3.4	0.37	1.46		08/30/22 18:37	10061-01-5	
trans-1,3-Dichloropropene	<0.79	ug/m3	3.4	0.79	1.46		08/30/22 18:37	10061-02-6	
Dichlorotetrafluoroethane	<0.29	ug/m3	2.1	0.29	1.46		08/30/22 18:37	76-14-2	
Ethanol	664	ug/m3	2.8	0.86	1.46		08/30/22 18:37	64-17-5	E
Ethyl acetate	2.4	ug/m3	1.1	0.19	1.46		08/30/22 18:37	141-78-6	
Ethylbenzene	3.7	ug/m3	1.3	0.45	1.46		08/30/22 18:37	100-41-4	
4-Ethyltoluene	3.8	ug/m3	3.6	0.69	1.46		08/30/22 18:37	622-96-8	
n-Heptane	10.7	ug/m3	1.2	0.26	1.46		08/30/22 18:37	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	7.9	1.8	1.46		08/30/22 18:37	87-68-3	
n-Hexane	15.3	ug/m3	1.0	0.28	1.46		08/30/22 18:37	110-54-3	
2-Hexanone	2.4J	ug/m3	6.1	0.65	1.46		08/30/22 18:37	591-78-6	
Methylene Chloride	<0.87	ug/m3	5.2	0.87	1.46		08/30/22 18:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.5J	ug/m3	6.1	0.47	1.46		08/30/22 18:37	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.3	0.18	1.46		08/30/22 18:37	1634-04-4	
Naphthalene	4.5	ug/m3	3.9	3.2	1.46		08/30/22 18:37	91-20-3	
2-Propanol	9.3	ug/m3	3.6	0.74	1.46		08/30/22 18:37	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.46		08/30/22 18:37	115-07-1	
Styrene	3.0	ug/m3	1.3	0.56	1.46		08/30/22 18:37	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 200030 Econo Care

Pace Project No.: 10623373

Sample: 200030-930 Derby-IA-B Lab ID: 10623373003 Collected: 08/25/22 11:02 Received: 08/29/22 11:41 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.54	ug/m3	2.0	0.54	1.46		08/30/22 18:37	79-34-5	
Tetrachloroethene	3.2	ug/m3	1.0	0.43	1.46		08/30/22 18:37	127-18-4	
Tetrahydrofuran	<0.26	ug/m3	0.88	0.26	1.46		08/30/22 18:37	109-99-9	
Toluene	34.6	ug/m3	1.1	0.36	1.46		08/30/22 18:37	108-88-3	
1,2,4-Trichlorobenzene	<7.1	ug/m3	11.0	7.1	1.46		08/30/22 18:37	120-82-1	
1,1,1-Trichloroethane	4.0	ug/m3	1.6	0.27	1.46		08/30/22 18:37	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.81	0.29	1.46		08/30/22 18:37	79-00-5	
Trichloroethene	5.2	ug/m3	0.80	0.29	1.46		08/30/22 18:37	79-01-6	
Trichlorofluoromethane	44.0	ug/m3	1.7	0.34	1.46		08/30/22 18:37	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.78J	ug/m3	2.3	0.42	1.46		08/30/22 18:37	76-13-1	
1,2,4-Trimethylbenzene	9.9	ug/m3	1.5	0.52	1.46		08/30/22 18:37	95-63-6	
1,3,5-Trimethylbenzene	3.9	ug/m3	1.5	0.42	1.46		08/30/22 18:37	108-67-8	
Vinyl acetate	<0.30	ug/m3	1.0	0.30	1.46		08/30/22 18:37	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.38	0.13	1.46		08/30/22 18:37	75-01-4	
m&p-Xylene	14.9	ug/m3	2.6	0.94	1.46		08/30/22 18:37	179601-23-1	
o-Xylene	5.2	ug/m3	1.3	0.40	1.46		08/30/22 18:37	95-47-6	

Sample: 200030-930 Derby-SSV-1 Lab ID: 10623373004 Collected: 08/25/22 11:13 Received: 08/29/22 11:41 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	197	ug/m3	11.1	3.3	1.83		08/30/22 19:10	67-64-1	
Benzene	3.2	ug/m3	0.59	0.21	1.83		08/30/22 19:10	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.8	1.6	1.83		08/30/22 19:10	100-44-7	
Bromodichloromethane	<0.43	ug/m3	2.5	0.43	1.83		08/30/22 19:10	75-27-4	
Bromoform	<3.0	ug/m3	9.6	3.0	1.83		08/30/22 19:10	75-25-2	
Bromomethane	<0.27	ug/m3	1.4	0.27	1.83		08/30/22 19:10	74-83-9	
1,3-Butadiene	<0.22	ug/m3	0.82	0.22	1.83		08/30/22 19:10	106-99-0	
2-Butanone (MEK)	131	ug/m3	5.5	0.85	1.83		08/30/22 19:10	78-93-3	
Carbon disulfide	6.5	ug/m3	1.2	0.24	1.83		08/30/22 19:10	75-15-0	
Carbon tetrachloride	<0.51	ug/m3	2.3	0.51	1.83		08/30/22 19:10	56-23-5	
Chlorobenzene	<0.28	ug/m3	1.7	0.28	1.83		08/30/22 19:10	108-90-7	
Chloroethane	2.3	ug/m3	0.98	0.41	1.83		08/30/22 19:10	75-00-3	
Chloroform	<0.33	ug/m3	0.91	0.33	1.83		08/30/22 19:10	67-66-3	
Chloromethane	2.5	ug/m3	0.77	0.16	1.83		08/30/22 19:10	74-87-3	
Cyclohexane	18.8	ug/m3	3.2	0.40	1.83		08/30/22 19:10	110-82-7	
Dibromochloromethane	<0.94	ug/m3	3.2	0.94	1.83		08/30/22 19:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.55	ug/m3	1.4	0.55	1.83		08/30/22 19:10	106-93-4	
1,2-Dichlorobenzene	<0.74	ug/m3	5.6	0.74	1.83		08/30/22 19:10	95-50-1	
1,3-Dichlorobenzene	<0.93	ug/m3	5.6	0.93	1.83		08/30/22 19:10	541-73-1	
1,4-Dichlorobenzene	2.9J	ug/m3	5.6	1.6	1.83		08/30/22 19:10	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 200030 Econo Care

Pace Project No.: 10623373

Sample: 200030-930 Derby-SSV-1 Lab ID: 10623373004 Collected: 08/25/22 11:13 Received: 08/29/22 11:41 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	2.2	ug/m3	1.8	0.34	1.83		08/30/22 19:10	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.5	0.30	1.83		08/30/22 19:10	75-34-3	
1,2-Dichloroethane	<0.36	ug/m3	1.5	0.36	1.83		08/30/22 19:10	107-06-2	
1,1-Dichloroethene	<0.25	ug/m3	1.5	0.25	1.83		08/30/22 19:10	75-35-4	
cis-1,2-Dichloroethene	<0.36	ug/m3	1.5	0.36	1.83		08/30/22 19:10	156-59-2	
trans-1,2-Dichloroethene	<0.31	ug/m3	1.5	0.31	1.83		08/30/22 19:10	156-60-5	
1,2-Dichloropropane	<0.49	ug/m3	1.7	0.49	1.83		08/30/22 19:10	78-87-5	
cis-1,3-Dichloropropene	<0.47	ug/m3	4.2	0.47	1.83		08/30/22 19:10	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	4.2	1.0	1.83		08/30/22 19:10	10061-02-6	
Dichlorotetrafluoroethane	<0.37	ug/m3	2.6	0.37	1.83		08/30/22 19:10	76-14-2	
Ethanol	604	ug/m3	3.5	1.1	1.83		08/30/22 19:10	64-17-5	
Ethyl acetate	2.5	ug/m3	1.3	0.24	1.83		08/30/22 19:10	141-78-6	
Ethylbenzene	7.2	ug/m3	1.6	0.57	1.83		08/30/22 19:10	100-41-4	
4-Ethyltoluene	<0.86	ug/m3	4.6	0.86	1.83		08/30/22 19:10	622-96-8	
n-Heptane	71.1	ug/m3	1.5	0.33	1.83		08/30/22 19:10	142-82-5	
Hexachloro-1,3-butadiene	<2.3	ug/m3	9.9	2.3	1.83		08/30/22 19:10	87-68-3	
n-Hexane	1050	ug/m3	39.3	10.5	54.9		08/31/22 13:31	110-54-3	
2-Hexanone	11.8	ug/m3	7.6	0.81	1.83		08/30/22 19:10	591-78-6	
Methylene Chloride	2.3J	ug/m3	6.5	1.1	1.83		08/30/22 19:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	17.6	ug/m3	7.6	0.59	1.83		08/30/22 19:10	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.7	0.23	1.83		08/30/22 19:10	1634-04-4	
Naphthalene	6.6	ug/m3	4.9	4.0	1.83		08/30/22 19:10	91-20-3	
2-Propanol	48.2	ug/m3	4.6	0.93	1.83		08/30/22 19:10	67-63-0	
Propylene	<0.24	ug/m3	1.6	0.24	1.83		08/30/22 19:10	115-07-1	
Styrene	24.6	ug/m3	1.6	0.70	1.83		08/30/22 19:10	100-42-5	
1,1,2,2-Tetrachloroethane	<0.68	ug/m3	2.6	0.68	1.83		08/30/22 19:10	79-34-5	
Tetrachloroethene	128	ug/m3	1.3	0.53	1.83		08/30/22 19:10	127-18-4	
Tetrahydrofuran	24.3	ug/m3	1.1	0.33	1.83		08/30/22 19:10	109-99-9	
Toluene	28.7	ug/m3	1.4	0.45	1.83		08/30/22 19:10	108-88-3	
1,2,4-Trichlorobenzene	<8.9	ug/m3	13.8	8.9	1.83		08/30/22 19:10	120-82-1	
1,1,1-Trichloroethane	0.43J	ug/m3	2.0	0.34	1.83		08/30/22 19:10	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	1.0	0.36	1.83		08/30/22 19:10	79-00-5	
Trichloroethene	1.8	ug/m3	1.0	0.36	1.83		08/30/22 19:10	79-01-6	
Trichlorofluoromethane	11.5	ug/m3	2.1	0.43	1.83		08/30/22 19:10	75-69-4	
1,1,2-Trichlorotrifluoroethane	1.2J	ug/m3	2.9	0.53	1.83		08/30/22 19:10	76-13-1	
1,2,4-Trimethylbenzene	13.0	ug/m3	1.8	0.65	1.83		08/30/22 19:10	95-63-6	
1,3,5-Trimethylbenzene	4.8	ug/m3	1.8	0.53	1.83		08/30/22 19:10	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.3	0.38	1.83		08/30/22 19:10	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.48	0.16	1.83		08/30/22 19:10	75-01-4	
m&p-Xylene	15.8	ug/m3	3.2	1.2	1.83		08/30/22 19:10	179601-23-1	
o-Xylene	10.0	ug/m3	1.6	0.50	1.83		08/30/22 19:10	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 200030 Econo Care
Pace Project No.: 10623373

QC Batch: 837670 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10623373001, 10623373002, 10623373003, 10623373004

METHOD BLANK: 4435249 Matrix: Air
Associated Lab Samples: 10623373001, 10623373002, 10623373003, 10623373004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.093	0.56	08/30/22 12:29	
1,1,2,2-Tetrachloroethane	ug/m3	<0.19	0.70	08/30/22 12:29	
1,1,2-Trichloroethane	ug/m3	<0.098	0.28	08/30/22 12:29	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.14	0.78	08/30/22 12:29	
1,1-Dichloroethane	ug/m3	<0.082	0.41	08/30/22 12:29	
1,1-Dichloroethene	ug/m3	<0.069	0.40	08/30/22 12:29	
1,2,4-Trichlorobenzene	ug/m3	<2.4	3.8	08/30/22 12:29	
1,2,4-Trimethylbenzene	ug/m3	<0.18	0.50	08/30/22 12:29	
1,2-Dibromoethane (EDB)	ug/m3	<0.15	0.39	08/30/22 12:29	
1,2-Dichlorobenzene	ug/m3	<0.20	1.5	08/30/22 12:29	
1,2-Dichloroethane	ug/m3	<0.097	0.41	08/30/22 12:29	
1,2-Dichloropropane	ug/m3	<0.13	0.47	08/30/22 12:29	
1,3,5-Trimethylbenzene	ug/m3	<0.14	0.50	08/30/22 12:29	
1,3-Butadiene	ug/m3	<0.060	0.22	08/30/22 12:29	
1,3-Dichlorobenzene	ug/m3	<0.25	1.5	08/30/22 12:29	
1,4-Dichlorobenzene	ug/m3	<0.44	1.5	08/30/22 12:29	
2-Butanone (MEK)	ug/m3	<0.23	1.5	08/30/22 12:29	
2-Hexanone	ug/m3	<0.22	2.1	08/30/22 12:29	
2-Propanol	ug/m3	<0.25	1.2	08/30/22 12:29	
4-Ethyltoluene	ug/m3	<0.24	1.2	08/30/22 12:29	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.16	2.1	08/30/22 12:29	
Acetone	ug/m3	<0.90	3.0	08/30/22 12:29	
Benzene	ug/m3	<0.057	0.16	08/30/22 12:29	
Benzyl chloride	ug/m3	<0.44	1.3	08/30/22 12:29	
Bromodichloromethane	ug/m3	<0.12	0.68	08/30/22 12:29	
Bromoform	ug/m3	<0.81	2.6	08/30/22 12:29	
Bromomethane	ug/m3	<0.075	0.39	08/30/22 12:29	
Carbon disulfide	ug/m3	<0.064	0.32	08/30/22 12:29	
Carbon tetrachloride	ug/m3	<0.14	0.64	08/30/22 12:29	
Chlorobenzene	ug/m3	<0.078	0.47	08/30/22 12:29	
Chloroethane	ug/m3	<0.11	0.27	08/30/22 12:29	
Chloroform	ug/m3	<0.092	0.25	08/30/22 12:29	
Chloromethane	ug/m3	<0.043	0.21	08/30/22 12:29	
cis-1,2-Dichloroethene	ug/m3	<0.098	0.40	08/30/22 12:29	
cis-1,3-Dichloropropene	ug/m3	<0.13	1.2	08/30/22 12:29	
Cyclohexane	ug/m3	<0.11	0.88	08/30/22 12:29	
Dibromochloromethane	ug/m3	<0.26	0.86	08/30/22 12:29	
Dichlorodifluoromethane	ug/m3	<0.094	0.50	08/30/22 12:29	
Dichlorotetrafluoroethane	ug/m3	<0.10	0.71	08/30/22 12:29	
Ethanol	ug/m3	<0.30	0.96	08/30/22 12:29	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 200030 Econo Care

Pace Project No.: 10623373

METHOD BLANK: 4435249

Matrix: Air

Associated Lab Samples: 10623373001, 10623373002, 10623373003, 10623373004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.066	0.37	08/30/22 12:29	
Ethylbenzene	ug/m3	<0.15	0.44	08/30/22 12:29	
Hexachloro-1,3-butadiene	ug/m3	<0.62	2.7	08/30/22 12:29	
m&p-Xylene	ug/m3	<0.32	0.88	08/30/22 12:29	
Methyl-tert-butyl ether	ug/m3	<0.063	1.8	08/30/22 12:29	
Methylene Chloride	ug/m3	<0.30	1.8	08/30/22 12:29	
n-Heptane	ug/m3	<0.090	0.42	08/30/22 12:29	
n-Hexane	ug/m3	<0.096	0.36	08/30/22 12:29	
Naphthalene	ug/m3	<1.1	1.3	08/30/22 12:29	
o-Xylene	ug/m3	<0.14	0.44	08/30/22 12:29	
Propylene	ug/m3	<0.065	0.44	08/30/22 12:29	
Styrene	ug/m3	<0.19	0.43	08/30/22 12:29	
Tetrachloroethene	ug/m3	<0.15	0.34	08/30/22 12:29	
Tetrahydrofuran	ug/m3	<0.090	0.30	08/30/22 12:29	
Toluene	ug/m3	<0.12	0.38	08/30/22 12:29	
trans-1,2-Dichloroethene	ug/m3	<0.084	0.40	08/30/22 12:29	
trans-1,3-Dichloropropene	ug/m3	<0.27	1.2	08/30/22 12:29	
Trichloroethene	ug/m3	<0.098	0.27	08/30/22 12:29	
Trichlorofluoromethane	ug/m3	<0.12	0.57	08/30/22 12:29	
Vinyl acetate	ug/m3	<0.10	0.36	08/30/22 12:29	
Vinyl chloride	ug/m3	<0.043	0.13	08/30/22 12:29	

LABORATORY CONTROL SAMPLE: 4435250

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	58	56.6	98	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	72.8	83.5	115	70-132	
1,1,2-Trichloroethane	ug/m3	58.3	65.8	113	70-131	
1,1,2-Trichlorotrifluoroethane	ug/m3	81.2	74.5	92	70-130	
1,1-Dichloroethane	ug/m3	42.5	45.6	107	70-130	
1,1-Dichloroethene	ug/m3	41.9	35.6	85	70-130	
1,2,4-Trichlorobenzene	ug/m3	175	160	91	70-130	
1,2,4-Trimethylbenzene	ug/m3	52.5	49.7	95	70-137	
1,2-Dibromoethane (EDB)	ug/m3	80.5	92.7	115	70-137	
1,2-Dichlorobenzene	ug/m3	63.9	58.0	91	70-131	
1,2-Dichloroethane	ug/m3	42.4	41.4	98	70-134	
1,2-Dichloropropane	ug/m3	49.3	55.4	112	70-130	
1,3,5-Trimethylbenzene	ug/m3	52.4	50.1	96	70-131	
1,3-Butadiene	ug/m3	23.9	22.8	95	70-139	
1,3-Dichlorobenzene	ug/m3	64.2	57.6	90	70-134	
1,4-Dichlorobenzene	ug/m3	64.3	57.9	90	70-131	
2-Butanone (MEK)	ug/m3	31.3	38.8	124	70-133	
2-Hexanone	ug/m3	43.4	40.0	92	70-136	
2-Propanol	ug/m3	137	111	81	65-133	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 200030 Econo Care

Pace Project No.: 10623373

LABORATORY CONTROL SAMPLE: 4435250

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	52.3	48.5	93	70-130	
4-Methyl-2-pentanone (MIBK)	ug/m3	43.6	52.3	120	70-130	
Acetone	ug/m3	127	90.7	71	60-134	
Benzene	ug/m3	33.8	38.9	115	70-130	
Benzyl chloride	ug/m3	55.6	50.2	90	70-130	
Bromodichloromethane	ug/m3	71.5	72.3	101	70-130	
Bromoform	ug/m3	110	125	113	70-138	
Bromomethane	ug/m3	41.4	36.9	89	68-131	
Carbon disulfide	ug/m3	33	35.4	108	70-130	
Carbon tetrachloride	ug/m3	66.7	60.4	91	70-132	
Chlorobenzene	ug/m3	49	53.2	109	70-130	
Chloroethane	ug/m3	28.1	25.8	92	70-134	
Chloroform	ug/m3	52.1	51.0	98	70-130	
Chloromethane	ug/m3	22	18.9	86	68-131	
cis-1,2-Dichloroethene	ug/m3	42.1	48.7	116	70-136	
cis-1,3-Dichloropropene	ug/m3	48.2	57.5	119	70-130	
Cyclohexane	ug/m3	36.4	45.3	124	70-131	
Dibromochloromethane	ug/m3	90.6	92.2	102	70-134	
Dichlorodifluoromethane	ug/m3	52.5	50.0	95	70-130	
Dichlorotetrafluoroethane	ug/m3	74.4	67.2	90	70-130	
Ethanol	ug/m3	113	97.5	87	55-145	
Ethyl acetate	ug/m3	38.4	43.7	114	70-135	
Ethylbenzene	ug/m3	46.2	58.2	126	70-133	
Hexachloro-1,3-butadiene	ug/m3	130	116	89	70-132	
m&p-Xylene	ug/m3	92.4	113	122	70-134	
Methyl-tert-butyl ether	ug/m3	38.3	45.4	119	70-131	
Methylene Chloride	ug/m3	36.8	34.7	94	65-132	
n-Heptane	ug/m3	43.5	50.7	117	70-130	
n-Hexane	ug/m3	37.7	43.3	115	70-132	
Naphthalene	ug/m3	63.9	55.7	87	70-130	
o-Xylene	ug/m3	46	54.3	118	70-134	
Propylene	ug/m3	18.6	20.9	112	69-133	
Styrene	ug/m3	45.3	45.7	101	70-135	
Tetrachloroethene	ug/m3	72	75.5	105	70-134	
Tetrahydrofuran	ug/m3	31.3	38.0	121	70-140	
Toluene	ug/m3	40.2	50.0	124	70-136	
trans-1,2-Dichloroethene	ug/m3	42.3	46.5	110	70-134	
trans-1,3-Dichloropropene	ug/m3	48.4	57.8	120	70-131	
Trichloroethene	ug/m3	57.2	62.7	110	70-134	
Trichlorofluoromethane	ug/m3	60.3	46.4	77	63-130	
Vinyl acetate	ug/m3	38.7	45.7	118	70-139	
Vinyl chloride	ug/m3	27.2	26.3	97	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 200030 Econo Care

Pace Project No.: 10623373

SAMPLE DUPLICATE: 4436396

Parameter	Units	10623373001 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	2.1	2.0	5	25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.55	<0.55		25	
1,1,2-Trichloroethane	ug/m3	<0.29	<0.29		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	1.9J	2.0J		25	
1,1-Dichloroethane	ug/m3	<0.25	<0.25		25	
1,1-Dichloroethene	ug/m3	<0.21	<0.21		25	
1,2,4-Trichlorobenzene	ug/m3	<7.3	<7.3		25	
1,2,4-Trimethylbenzene	ug/m3	6.3	5.9	7	25	
1,2-Dibromoethane (EDB)	ug/m3	<0.45	<0.45		25	
1,2-Dichlorobenzene	ug/m3	<0.60	<0.60		25	
1,2-Dichloroethane	ug/m3	2.8	2.7	3	25	
1,2-Dichloropropane	ug/m3	<0.40	<0.40		25	
1,3,5-Trimethylbenzene	ug/m3	2.7	2.6	5	25	
1,3-Butadiene	ug/m3	<0.18	<0.18		25	
1,3-Dichlorobenzene	ug/m3	<0.76	<0.76		25	
1,4-Dichlorobenzene	ug/m3	2.4J	2.4J		25	
2-Butanone (MEK)	ug/m3	10.7	10.1	6	25	
2-Hexanone	ug/m3	2.3J	<0.66		25	
2-Propanol	ug/m3	8.6	7.9	8	25	
4-Ethyltoluene	ug/m3	2.9J	2.8J		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	2.5J	2.2J		25	
Acetone	ug/m3	97.6	89.5	9	25	
Benzene	ug/m3	0.56	0.53	7	25	
Benzyl chloride	ug/m3	<1.3	<1.3		25	
Bromodichloromethane	ug/m3	<0.35	<0.35		25	
Bromoform	ug/m3	<2.4	<2.4		25	
Bromomethane	ug/m3	<0.22	<0.22		25	
Carbon disulfide	ug/m3	0.33J	0.33J		25	
Carbon tetrachloride	ug/m3	0.48J	0.42J		25	
Chlorobenzene	ug/m3	<0.23	<0.23		25	
Chloroethane	ug/m3	<0.33	<0.33		25	
Chloroform	ug/m3	<0.27	<0.27		25	
Chloromethane	ug/m3	1.4	1.3	2	25	
cis-1,2-Dichloroethene	ug/m3	<0.29	<0.29		25	
cis-1,3-Dichloropropene	ug/m3	<0.38	<0.38		25	
Cyclohexane	ug/m3	22.7	21.0	8	25	
Dibromochloromethane	ug/m3	<0.77	<0.77		25	
Dichlorodifluoromethane	ug/m3	2.4	2.2	11	25	
Dichlorotetrafluoroethane	ug/m3	<0.30	<0.30		25	
Ethanol	ug/m3	866	793	9	25	E
Ethyl acetate	ug/m3	2.6	2.4	11	25	
Ethylbenzene	ug/m3	2.5	2.3	7	25	
Hexachloro-1,3-butadiene	ug/m3	<1.8	<1.8		25	
m&p-Xylene	ug/m3	10.6	9.4	12	25	
Methyl-tert-butyl ether	ug/m3	<0.19	<0.19		25	
Methylene Chloride	ug/m3	<0.88	<0.88		25	
n-Heptane	ug/m3	6.9	6.3	8	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 200030 Econo Care

Pace Project No.: 10623373

SAMPLE DUPLICATE: 4436396

Parameter	Units	10623373001 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	7.2	6.0	19	25	
Naphthalene	ug/m3	4.7	4.7	0	25	
o-Xylene	ug/m3	3.3	3.1	8	25	
Propylene	ug/m3	<0.19	<0.19		25	
Styrene	ug/m3	2.6	2.6	1	25	
Tetrachloroethene	ug/m3	2.9	2.5	15	25	
Tetrahydrofuran	ug/m3	<0.27	<0.27		25	
Toluene	ug/m3	19.7	18.2	8	25	
trans-1,2-Dichloroethene	ug/m3	<0.25	<0.25		25	
trans-1,3-Dichloropropene	ug/m3	<0.81	<0.81		25	
Trichloroethene	ug/m3	2.8	2.6	8	25	
Trichlorofluoromethane	ug/m3	40.1	36.6	9	25	
Vinyl acetate	ug/m3	<0.31	<0.31		25	
Vinyl chloride	ug/m3	<0.13	<0.13		25	

SAMPLE DUPLICATE: 4436401

Parameter	Units	10623373002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	2.2	2.3	2	25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.55	<0.54		25	
1,1,2-Trichloroethane	ug/m3	<0.29	<0.29		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	1.3J	1.3J		25	
1,1-Dichloroethane	ug/m3	<0.25	<0.24		25	
1,1-Dichloroethene	ug/m3	<0.21	<0.20		25	
1,2,4-Trichlorobenzene	ug/m3	<7.3	<7.1		25	
1,2,4-Trimethylbenzene	ug/m3	6.4	6.6	3	25	
1,2-Dibromoethane (EDB)	ug/m3	<0.45	<0.44		25	
1,2-Dichlorobenzene	ug/m3	<0.60	<0.59		25	
1,2-Dichloroethane	ug/m3	4.0	4.1	2	25	
1,2-Dichloropropane	ug/m3	<0.40	<0.39		25	
1,3,5-Trimethylbenzene	ug/m3	2.7	2.8	1	25	
1,3-Butadiene	ug/m3	<0.18	<0.18		25	
1,3-Dichlorobenzene	ug/m3	<0.76	<0.74		25	
1,4-Dichlorobenzene	ug/m3	2.4J	<1.3		25	
2-Butanone (MEK)	ug/m3	12.9	13.0	1	25	
2-Hexanone	ug/m3	3.0J	3.0J		25	
2-Propanol	ug/m3	11.6	10.9	6	25	
4-Ethyltoluene	ug/m3	2.8J	2.8J		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	1.7J	1.7J		25	
Acetone	ug/m3	108	108	0	25	
Benzene	ug/m3	0.59	0.56	5	25	
Benzyl chloride	ug/m3	<1.3	<1.3		25	
Bromodichloromethane	ug/m3	<0.35	<0.35		25	
Bromoform	ug/m3	<2.4	<2.4		25	
Bromomethane	ug/m3	<0.22	<0.22		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 200030 Econo Care

Pace Project No.: 10623373

SAMPLE DUPLICATE: 4436401

Parameter	Units	10623373002 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m3	0.27J	0.26J		25	
Carbon tetrachloride	ug/m3	0.44J	0.44J		25	
Chlorobenzene	ug/m3	<0.23	<0.23		25	
Chloroethane	ug/m3	<0.33	<0.33		25	
Chloroform	ug/m3	<0.27	1.3		25	
Chloromethane	ug/m3	1.7	1.5	10	25	
cis-1,2-Dichloroethene	ug/m3	<0.29	<0.28		25	
cis-1,3-Dichloropropene	ug/m3	<0.38	<0.37		25	
Cyclohexane	ug/m3	24.3	23.9	2	25	
Dibromochloromethane	ug/m3	<0.77	<0.75		25	
Dichlorodifluoromethane	ug/m3	2.4	2.3	5	25	
Dichlorotetrafluoroethane	ug/m3	<0.30	<0.29		25	
Ethanol	ug/m3	1370	1310	5	25	E
Ethyl acetate	ug/m3	3.8	3.7	2	25	
Ethylbenzene	ug/m3	2.3	2.4	0	25	
Hexachloro-1,3-butadiene	ug/m3	<1.8	<1.8		25	
m&p-Xylene	ug/m3	9.4	9.6	2	25	
Methyl-tert-butyl ether	ug/m3	<0.19	<0.18		25	
Methylene Chloride	ug/m3	<0.88	<0.87		25	
n-Heptane	ug/m3	<0.27	7.5		25	
n-Hexane	ug/m3	7.7	8.5	10	25	
Naphthalene	ug/m3	4.7	4.5	4	25	
o-Xylene	ug/m3	3.2	3.3	2	25	
Propylene	ug/m3	<0.19	<0.19		25	
Styrene	ug/m3	2.7	2.7	1	25	
Tetrachloroethene	ug/m3	2.3	2.5	4	25	
Tetrahydrofuran	ug/m3	<0.27	<0.26		25	
Toluene	ug/m3	20.7	21.0	2	25	
trans-1,2-Dichloroethene	ug/m3	<0.25	<0.25		25	
trans-1,3-Dichloropropene	ug/m3	<0.81	<0.79		25	
Trichloroethene	ug/m3	2.9	3.1	7	25	
Trichlorofluoromethane	ug/m3	46.6	46.0	1	25	
Vinyl acetate	ug/m3	<0.31	<0.30		25	
Vinyl chloride	ug/m3	<0.13	<0.13		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 200030 Econo Care

Pace Project No.: 10623373

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

E Analyte concentration exceeded the calibration range. The reported result is estimated.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 200030 Econo Care

Pace Project No.: 10623373

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10623373001	200030-930 Derby-IA-2	TO-15	837670		
10623373002	200030-930 Derby-IA-1	TO-15	837670		
10623373003	200030-930 Derby-IA-B	TO-15	837670		
10623373004	200030-930 Derby-SSV-1	TO-15	837670		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

56504

Page: 1 of 1

Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:	Program
Company: EnviroForensics	Report To: Rob Hoverman	Attention: Accounts Payable	<input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other
Address: N16W2390 Stone Ridge Waukesha, WI 53188	Copy To:	Company Name: EnviroForensics	
Email To: rhoverman@enviroforensics.com	Purchase Order No.:	Address:	Location of Sampling by State: (WI)
Phone: 262-290-4001 Fax:	Project Name: ECONO CARE	Pace Quote Reference:	Reporting Units ug/m ³ <input checked="" type="checkbox"/> mg/m ³ <input type="checkbox"/> PPBV <input type="checkbox"/> PPMV <input type="checkbox"/> Other <input type="checkbox"/>
Requested Due Date/TAT:	Project Number: 200030	Pace Project Manager/Sales Rep.	Report Level <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> Other
		Pace Profile #: 44023	

ITEM #	'Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method: PM10 3C - Fixed Gas (%) TO-3 BTEX TO-3M (Methane) TO-14 TO-15 Full List VOCs TO-15 Short List BTEX TO-15 Short List Chlorinated TO-15 Short List (Other)	Pace Lab ID	
					COMPOSITE START		COMPOSITE - END/GRAB								
					DATE	TIME	DATE	TIME							
1	200030-930 Derby-1A-2		6LC		8-24-22	1102	8-25-22	1100	-29	-4	3375	1427		X	001
2	200030-930 Derby-1A-1		↓			1100		1101	-30	-4	0565	1969		↓	002
3	200030-930 Derby-1A-B		↓			1104		1102	-30	-5	0263	1949		↓	003
4	200030-930 Derby-SSV-1		1LC		8-25-22	1108		1113	-30	-4	1339	1248		↓	004
5															
6															
7															
8															
9															
10															
11															
12															

Comments :	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS							
		<i>[Signature]</i>	8-26-22	1200	FedEx <i>[Signature]</i>	8-26-22	1200	Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact	Y/N	Y/N	Y/N
				<i>[Signature]</i>	8-29-22	11:41					Y/N	Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: **Rebecca Brown**

SIGNATURE OF SAMPLER: *[Signature]*

DATE Signed (MM / DD / YY): **8-26-22**

Temp in °C: _____

Received on Ice: _____

Custody Sealed Cooler: _____

Samples Intact: _____

WO#: 10623373



10623373



DC#_Title: ENV-FRM-MIN4-0113 v01_Sample Condition Upon Receipt (SCUR) - Air

Effective Date: 02/25/2022

Air Sample Condition Upon Receipt

Client Name: EnviroForensics

Project #:

WO#: 10623373

PM: CT1

Due Date: 09/06/22

CLIENT: EnviroForen

Courier: [X] FedEx [] UPS [] USPS [] Client [] Pace [] Speedee [] Commercial [] See Exception
Tracking Number: 5743 6822 2228, 2239
Custody Seal on Cooler/Box Present? [] Yes [X] No
Seals Intact? [] Yes [] No
Packing Material: [] Bubble Wrap [X] Foam [] Tin Can [] Other:

Date & Initials of Person Examining Contents: 8-29-22 MI

Comments:

Table with 13 rows of questions and checkboxes. Questions include Chain of Custody Present?, Chain of Custody Filled Out?, Chain of Custody Relinquished?, Sampler Name and/or Signature on COC?, Samples Arrived within Hold Time?, Short Hold Time Analysis (<72 hr)?, Rush Turn Around Time Requested?, Sufficient Volume?, Correct Containers Used?, Pace Containers Used?, Containers Intact?, Media: Air Can, Airbag, Is sufficient information available to reconcile samples to the COC?, Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946III)

Gauge #: [] 10AIR26 [] 10AIR34 [] 10AIR35 [] 10AIR17 [] 10AIR47 [X] 10AIR48

Table with 10 columns: Sample Number, Can ID, Flow Controller, Initial Pressure, Final Pressure, Sample Number, Can ID, Flow Controller, Initial Pressure, Final Pressure. Contains handwritten data for samples IA-2, -1, -B, SSV-1, and unused.

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? [] Yes [] No

Person Contacted: _____
Comments/Resolution: _____

Date/Time: _____

Project Manager Review:

Carolynne Trout

Date: 8/30/22

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers).