
PREPARED BY

EnviroForensics, LLC
N16W23390 Stone Ridge Drive, Suite G
Waukesha, WI 53188



October 20, 2022

Mr. Jeff Ackerman
Wisconsin Department of Natural Resources
3911 Fish Hatchery Rd
Fitchburg, WI 53711-5367

**Re: Project Update Report
Former Robinsons Cleaners
1036 4th Street
Beloit, Wisconsin 53511
BRRTS# 02-54-515602**

Dear Mr. Ackerman:

EnviroForensics, LLC (EnviroForensics) is pleased to submit this project update for the former Robinsons Cleaners located at 1036 4th Street in Beloit, Wisconsin. The purpose of this report is to provide the Wisconsin Department of Natural Resources with a comprehensive investigation and post-remediation monitoring data set for decision-making purposes.

A Remediation Site Operation, Maintenance, Monitoring and Optimization Report submitted on January 18, 2022 provided a summary of the soil vapor extraction (SVE) remedial action. This report focuses on monitoring that was completed during and after remediation to evaluate the magnitude and extents of contamination as well as exposure risk. Recent groundwater and vapor intrusion monitoring data collected since the SVE system was shut down on October 29, 2021 are included herein.

Groundwater Monitoring and Plume Dynamics

The direction of groundwater flow has been consistent over the course of the site investigation and remediation monitoring periods beginning in 2010. The consistency is demonstrated on **Figures 1 and 2**, which show water table contours in September 2013 and July 2022, respectively, approximately nine years apart. The indicated flow direction on both dates is south-southeast.

Cumulative groundwater monitoring data are summarized in **Table 1**, concentration trend charts for several monitoring wells are presented in **Attachment 1**. Laboratory reports associated with groundwater samples collected since submittal of the *Site Investigation Report*

in 2014 are presented in **Attachement 2**. As can be seen in the summary table and charts, the overall magnitude of impacts in groundwater has decreased substantially since the beginning of the investigation (2004). Tetrachloroethene (PCE) is the primary contaminant of concern, and the only compound detected at concentrations above its enforcement standard (ES) for the past four monitoring events. Definitive decreasing trends are evident in downgradient wells MW-1, MW-8, MW-14, and MW-15, and all other wells exhibit stable to decreasing concentrations.

The existing groundwater monitoring network, consisting of 14 water table monitoring wells and two (2) piezometers, was completed in 2013. **Figure 3** illustrates the change in plume extent between 2013 and 2022. The extent of PCE impacts in groundwater initially extended to at least MW-21, approximately 525 feet downgradient of the soil source near the southwest corner of the building. The extent of impacts now appears to be less than half that distance based on the non-detect results at well MW-14 for the past four (4) consecutive monitoring events. The contracting plume may be a beneficial effect of groundwater removal by the SVE system, which sent over 175,000 gallons of groundwater to the storm sewer (under WPDES permit) between September 2019 and October 2021.

Vapor Impacts

Figure 4 and **Table 2** have been prepared to summarize and illustrate analytical results and PCE concentration changes in samples collected from several monitoring points in the site building. Three (3) initial samples collected in 2010 indicated high concentrations of PCE, well above 100,000 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$). Vapor conditions were tested again in 2013 and concentrations remained high.

Three (3) permanent Vapor Pin[®] sample points were installed in January 2020, and vapor samples were collected to evaluate the potential change in conditions as a result of remediation. At that point, the SVE system had operated for 1,834 hours. PCE concentrations were significantly less than pre-remediation values but still above the vapor risk screening level (VRSL) for small commercial buildings. The SVE system was restarted and operated intermittently through October 2021, attaining a final run time of 7,269 hours.

Two (2) post-remediation vapor sampling events were subsequently completed, in early March and June 2022, respectively. As can be seen in **Table 2**, the concentrations of PCE and trichloroethene (TCE) were below their small commercial VRSLs in all samples collected in 2022. Laboratory reports are provided in **Attachement 3**.

Emerging Contaminant Evaluation

Per Wis Admin. Code § NR 716.07 and Wis. Admin. Code § NR 716.09, site investigation scoping should include evaluating potential emerging contaminants that were historically or are presently produced, used, handled, or stored at a site. Most notably, emerging contaminants include 1,4-dioxane and per- and poly-fluorinated alkyl substances (PFAS). The evaluation includes any available information on the use of any products containing these chemicals in any services process; the duration of the suspected chemical product use; the type of chemical contained in the product; and any areas of a site where products containing these chemicals may have been used, stored, managed, or discarded.

According to documents prepared by the U.S. Environmental Protection Agency, several State Regulatory Agencies, the Department of Defense, and various other sources of toxic chemical information, dioxane is typically used by industry as a catalytic solvent during the manufacturing of adhesives, resins, oils, waxes, pharmaceuticals, and certain plastics and rubbers. It is also used to stabilize chlorinated hydrocarbons when being transported in aluminum containers. Dioxane is also a known byproduct of the production of polyethylene terephthalate (PET) plastic.

PFAS are ubiquitous in the environment and occur in many common everyday products such as Teflon® coatings, fast food wrappers and popcorn bags, stain and water repellents, some cosmetics, some insect repellents, and some sunscreen products, to name a few. In the 1940s, the manufacturing of these products incorporated PFAS due to their inherent hydrophobic (water repellent) and non-stick properties. PFAS are also components of fire-fighting foams.

The site was purchased by RayChris, Inc. on April 3, 1981, from the estate of Arthur R. Furman. RayChris operated the Site as an active dry cleaning facility until 1990, at which time it was sold to Robin Inc. and converted to a customer service location for garments dry cleaned elsewhere. The property was sold in late 2006 and was unoccupied until approximately 2009. From 2009 to 2013, the east (office) portion of the building was occupied by a printing/copying business, and the remaining portion of the building was used primarily as a warehouse. Since 2014, the building has been occupied by a fabricator that produces metal guarding for industrial machinery.

There is no history of manufacturing, and no reason to suspect 1,4-dioxane would have been used, stored, or discarded at the site. The dry cleaning industry has been identified as a potential contributor to PFAS contamination because of suspected PFAS accumulation in dry cleaning waste. Our research of waterproofing/ stain repellent products used at other dry cleaner sites indicates that many of the commonly used products didn't contain PFAS compounds.

Considering the Site history and limited operations, the release of PFAS to the subsurface is unlikely. As such, no further evaluation or sampling assessments are recommended.

Conclusions and Recommendations

Concentrations of PCE in groundwater on the Site are stable to decreasing, and concentrations in downgradient wells show a clear decreasing trend. The PCE plume in groundwater is shrinking as indicated by data from the past four (4) consecutive monitoring events. The magnitude of residual groundwater impacts is relatively low, and shallow groundwater is not used as a resource for potable water. No further groundwater monitoring or remediation appears warranted.

Sub-slab vapor concentrations beneath the site building have decreased by two to four orders-of-magnitude since the beginning of the investigation and prior to the SVE remedial action. Recent sampling results, including the results of samples collected during winter heating conditions, indicated concentrations of the contaminants of concern are now below VRSLs for small commercial settings.

As described in previous documents, off-site structures positioned above the pre-remediation groundwater plume were also assessed for vapor intrusion risk and ruled-out by sampling. These properties were 142 Merrill Avenue (residential), and Beloit Body and Fender (small commercial) located at 958 4th Street. EnviroForensics attempted to gain access to the Autozone property (1004 North 4th Street); however, access was not obtained after several communications with property representatives. Off-Site vapor intrusion assessment results are illustrated on **Figure 5**.

Impacts to soil were also reported in previous documents. PCE was the only compound of concern detected in soil beneath and surrounding the Site building. The PCE concentrations in all soil samples collected during the investigation were less than the current non-industrial direct-contact residual contaminant level. Soil impacts are illustrated on **Figure 6**, included herein for reference.

The magnitude and extents of contamination in all media have been defined, remedial actions have been completed, and routes of exposure to residual contamination have been evaluated. EnviroForensics believes pursuing case closure is appropriate at this time. Continuing obligations related to maintenance of a cap over residual soil contamination is anticipated for closure.

Monitoring well MW-16 was covered and presumably destroyed when the former Beloit Service Garage property at 1003 4th Street was redeveloped into an O'Reilly Auto Parts store. This well historically exhibited PCE concentrations above the PAL but below the ES. MW-16 will be identified as a missing monitoring well in the case closure request.

If you have any questions/comments regarding this report or our planned future activities, please feel free to contact me at 414-326-4412.

Sincerely,
EnviroForensics LLC

A handwritten signature in blue ink, appearing to read "Brian Kappen".

Brian Kappen P.G.
Senior Geologist

Attachments:

Table 1: Summary of Monitoring Well Sample Analytical Results

Table 2: Summary of Sub-Slab Vapor Analytical Results

Figure 1: Groundwater Contour Map – 3rd Quarter 2013

Figure 2: Groundwater Contour Map – July 5, 2022

Figure 3: Groundwater Analytical Results and PCE Plume Extent – September 2013 to July 2022

Figure 4: Sub-Slab Vapor Sample Analytical Results

Figure 5: Off-Site Vapor Intrusion Sampling Locations and Analytical Results

Figure 6: Soil Boring Location and PCE Isoconcentration Map

Attachment 1: Groundwater Concentration Trend Charts

Attachment 2: Groundwater Laboratory Analytical Reports

Attachment 3: Vapor Laboratory Analytical Reports

CERTIFICATIONS

I, Brian Kappen, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.


Project Manager
Signature and title

10/20/2022
Date

TABLES

TABLE 1
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
Beloit, Wisconsin

Monitoring Well ID	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Benzene	n-Butylbenzene	sec-Butylbenzene	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	Naphthalene	n-Propylbenzene	Toluene	Trimethylbenzenes	Xylenes
		Chlorinated VOCs					Petroleum VOCs										
Enforcement Standard (µg/l)		5	5	70	100	0.2	5	NE	NE	700	NE	NE	100	NE	1,000	400	10,000
Preventive Action Limit (µg/l)		0.5	0.5	7	20	0.02	0.5	NE	NE	140	NE	NE	10	NE	200	96	1,000
MW-1	7/1/04	180	<5	<5	ND	ND	<5	PNR	PNR	<5	PNR	PNR	PNR	PNR	<5	PNR	<5
	9/1/04	350	<5	<5	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	12/1/04	320	<5	<5	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	1/1/05	76	0.56	<1.0	ND	ND	<4.0	<0.40	<0.50	<1.0	<0.40	<0.40	<0.50	<1.0	0.52	<0.80	<1.0
	3/1/05	240	<5	<5	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	6/1/05	180	<5	<5	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	8/1/06	260	1.3	<2.1	ND	ND	<1.0	<2.3	<2.2	<1.4	<1.5	<1.7	<1.8	<2.0	<1.7	<4.5	<6.6
	11/1/06	290	1.6	<0.83	ND	ND	<0.41	<0.93	<0.89	<0.54	<0.59	<0.67	<0.74	<0.81	<0.67	<1.8	<2.83
	4/1/08	117	0.63	<0.83	ND	ND	<0.41	<0.93	<0.89	<0.54	<0.59	<0.67	<0.74	<0.81	<0.67	PNR	<1.8
	7/1/11	231	1.5	<0.83	<0.89	<0.18	<0.41	<0.93	<0.89	<0.54	<0.59	<0.67	<0.89	<0.81	<0.67	<0.97	<1.8
	3/6/12	180	0.69	<0.83	<0.89	<0.18	<0.41	<0.93	<0.89	<0.54	<0.59	<0.67	<0.89	<0.81	<0.67	<0.97	<1.8
	6/7/12	140	0.54	<0.12	<0.25	<0.10	<0.074	<0.13	<0.15	<0.13	<0.14	<0.17	<0.16	<0.13	<0.11	<0.59	<0.068
	9/1/12	95.3	<5	<5	<5	<2	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
	12/12/12	100	<0.19	<0.12	<0.25	<0.10	<0.074	<0.13	<0.15	<0.13	<0.14	<0.17	<0.16	<0.13	<0.11	<0.14	<0.068
	3/20/13	83	0.43 J	<0.12	<0.25	<0.10	<0.074	<0.13	<0.15	<0.13	<0.14	<0.17	<0.16	<0.13	<0.11	<0.32	<0.068
	6/19/13	110	1.2	<0.12	<0.25	<0.10	<0.074	<0.13	<0.15	<0.13	<0.14	<0.17	<0.16	<0.13	<0.11	<0.32	<0.068
	9/18/13	210	1.4	<0.12	<0.25	<0.10	<0.074	<0.13	<0.15	<0.13	<0.14	<0.17	<0.16	<0.13	<0.11	<0.32	<0.068
	12/18/13	92	<3.3	<3.8	<3.5	<1.8	<2.4	<3.5	<3.3	<5.5	<3	<3.1	<17	<2.5	<6.9	<22	<6.9
	3/4/14	132	0.79 J	<0.38	<0.35	<0.18	<0.24	<0.35	<0.33	<0.55	<0.30	<0.31	<1.7	<0.25	<0.69	<2.2	<0.69
	6/25/14	114	0.78 J	<0.38	<0.35	<0.18	<0.24	<0.35	<0.33	<0.55	<0.30	<0.31	<1.7	<0.25	<0.69	<2.2	<0.69
9/25/14	168	1.06	<0.38	<0.35	<0.18	<0.24	<0.35	<0.33	<0.55	<0.30	<0.31	<1.7	<0.25	<0.69	<2.2	<0.69	
12/1/14	110	0.79 J	<0.38	<0.35	<0.18	<0.24	<0.35	<0.33	<0.55	<0.30	<0.31	<1.7	<0.25	<0.69	<2.2	<0.69	
9/19/16	150	1.07 J	<0.45	<0.54	<0.17	<0.44	<1	<1.2	<0.71	<0.82	<1.1	<1.6	<0.77	<0.44	<3.1	<3.1	
2/7/20	72	0.3 J	<0.37	<0.34	<0.2	<0.22	<0.71	<0.79	<0.26	<0.78	<0.24	<2.1	<0.61	<0.19	<1.43	0.56 J	
4/28/21	60	<0.47	<0.39	<0.6	<0.17	<0.38	<0.46	<0.31	<0.37	<0.3	<0.43	<1.4	<0.44	<0.42	<0.73	<1.21	
10/19/21	61	<0.47	<0.39	<0.6	<0.17	<0.38	<0.46	<0.31	<0.37	<0.3	<0.43	<1.4	<0.44	<0.42	<0.73	<1.21	
7/6/22	17.3	<0.38	<0.32	<0.5	<0.15	<0.3	<0.71	<0.33	<0.33	<0.34	<0.47	<1.4	<0.39	<0.33	<0.76	<1.01	
MW-3	7/1/04	<5	<5	<5	ND	ND	<5	PNR	PNR	<5	PNR	PNR	PNR	PNR	<5	PNR	<5
	9/1/04	<10	<5	<5	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	12/1/04	<5	<5	<5	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	1/1/05	1.7	0.56	<1.0	ND	ND	<2.0	<0.20	7.4	<5.0	1.6	2.1	0.38	11	1.1	1.12	<0.50
	3/1/05	<5	<5	<5	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	6/1/05	<5	<5	<5	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	8/1/06	0.92	1.3	<2.1	ND	ND	<0.41	<0.93	3	<0.54	<0.59	<0.67	<0.74	4	<0.67	<1.8	<2.63
	11/1/06	0.9	1.6	<0.83	ND	ND	<0.41	<0.93	3.4	<0.54	<0.59	<0.67	<0.74	1.5	<0.67	<1.8	<2.63
4/1/08	Well Destroyed																

TABLE 1
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
Beloit, Wisconsin

Monitoring Well ID	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Benzene	n-Butylbenzene	sec-Butylbenzene	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	Naphthalene	n-Propylbenzene	Toluene	Trimethylbenzenes	Xylenes
		Chlorinated VOCs					Petroleum VOCs										
Enforcement Standard (µg/l)		5	5	70	100	0.2	5	NE	NE	700	NE	NE	100	NE	1,000	400	10,000
Preventive Action Limit (µg/l)		0.5	0.5	7	20	0.02	0.5	NE	NE	140	NE	NE	10	NE	200	96	1,000
MW-4	7/1/04	<50	<5	<5	ND	ND	<50	PNR	PNR	740	PNR	PNR	PNR	PNR	95	PNR	1,990
	9/1/04	<100	<10	<10	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	12/1/04	<5	<5	<5	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	1/1/05	<2.5	<0.20	<0.50	ND	ND	2.0	8.9	4.6	180	15	1.5	48	47	13	64	220
	3/1/05	<5	<5	<5	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	6/1/05	<5	<5	<5	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	8/1/06	1.5	<0.48	<0.83	ND	ND	3.9	13	<2.2	400	26	<1.7	140	92	26	90	391
	11/1/06	<2.2	<0.48	<0.83	ND	ND	2.7	6.3	<4.4	300	20	<3.4	85	64	18	28	255
	4/1/08	<1.1	<1.2	4.9	ND	ND	1.4	13.9	5.6	433	34.1	PNR	122	95	42	<27.2	552
	7/1/11	3.7	<2.4	9.8	<4.4	<0.9	<2.0	10.1	<4.4	432	20.4	<3.4	139	81.6	39.6	31.2	79.9
	3/6/12	1.7 J	0.47 J	11	<4.4	<0.9	1.0 J	15	6.3	480	33	1.5 J	170	120	34	6.7	450
	6/7/12	<0.85	<0.95	11	<1.3	<0.50	<0.37	<0.65	5	420	27	<0.85	220	92	28	3.1 J	370
	12/12/12	0.96 J	<0.19	8.7	<0.25	<0.10	0.53	9.2	3.9	250	20	<0.17	120	66	11	3.9	140
	3/19/13	1.0 J	<0.19	9.6	<0.25	<0.10	<0.074	13	5.3	200	25	1.4 J	74	94	9.5	1.3 J	140
	6/19/13	1.4	0.85	9.9	<0.25	<0.10	0.51	11	4.7	280	23	1.3	120	78	20	4.05 J	220
	9/18/13	2.4	0.95	10	<0.25	<0.10	<0.074	8.7	4.3	190	20	1.1	89	66	9.4	<0.18	100
	12/18/13	<3.3	<3.3	12.2	<3.5	<1.8	<2.4	8.5 J	<3.3	287	19	<3.1	96	56	13.5 J	<22	190
	3/4/14	1.16	0.85 J	7.2	<0.35	<0.18	<0.24	10.8	4.7	226	22.6	1.14	104	79	2.53 J	13.9	203.4
	6/25/14	<3.3	<3.3	7.8	<0.35	<0.18	<0.24	8.1 J	4.1 J	283	20.4	<3.1	104	71	17.7 J	<22	192.1
	9/25/14	2.2 J	<1.65	11.8	<1.75	<0.9	<1.2	10.9	5.1	370	27.1	<1.55	112	84	17.2	<18	203.6
12/1/14	<1.65	<1.65	8.8	<1.75	<0.9	<1.2	4.2 J	1.8 J	133	11.4	<1.55	29.4	37	6.7 J	<11	69	
9/20/16	1.38 J	0.84 J	7.7	<0.54	<0.17	<0.44	12.3	5.2	255	27.1	<1.1	99	92	7.1	<3.1	156	
2/6/20	1.46 J	<0.6	11.4	<0.68	<0.4	<0.44	15.5	6.0	350	30.7	2.12	104	103	11.8	2.46 J	191.8	
4/29/21	<5.4	<4.7	9.3 J	<6	<1.7	<3.8	15.2 J	6.5 J	264	29.1	<4.3	78	112	7.9 J	<7.3	160	
10/22/21	<5.4	<4.7	8.7 J	<6	<1.7	<3.8	6.3 J	3.6 J	51	13.1	<4.3	46 J	51	<4.2	13 J	22.3 J	
7/7/22	<0.47	0.82 J	6.1	<0.5	<0.15	<0.3	6.7	3.4	38	12.7	0.88 J	12.5	49	0.88 J	0.47 J	20.9	
MW-5/5R	7/1/04	<100	<100	<100	ND	ND	<100	PNR	PNR	930	PNR	PNR	PNR	PNR	620	PNR	4,600
	9/1/04	<500	<500	<500	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	12/1/04	<50	<50	55	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	1/1/05	<10	<4.0	30	ND	ND	<4.0	<4.0	18	36	41	8.4	33	180	<4.0	940	90
	3/1/05	<50	<50	<50	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	6/1/05	<50	<50	<50	ND	ND	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR	PNR
	8/1/06	<2.2	<2.4	29	ND	ND	<2.0	<4.6	<4.4	28	31	16	36	170	<3.4	850	44
	11/1/06	1.2	<1.2	18	ND	ND	<1.0	<2.3	<2.2	4.8	11	9.6	11	40	<1.7	260	12
4/1/08	Well Destroyed																

TABLE 1
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
Beloit, Wisconsin

Monitoring Well ID	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Benzene	n-Butylbenzene	sec-Butylbenzene	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	Naphthalene	n-Propylbenzene	Toluene	Trimethylbenzenes	Xylenes
		Chlorinated VOCs					Petroleum VOCs										
Enforcement Standard (µg/l)		5	5	70	100	0.2	5	NE	NE	700	NE	NE	100	NE	1,000	400	10,000
Preventive Action Limit (µg/l)		0.5	0.5	7	20	0.02	0.5	NE	NE	140	NE	NE	10	NE	200	96	1,000
PZ-12	7/1/05	1.9	<0.48	<0.83	ND	ND	<0.41	<0.93	<0.89	<0.54	<0.59	<0.67	<0.74	<0.81	<0.67	<1.80	<2.63
	1/1/06	2.8	<0.48	<0.83	ND	ND	<0.41	<0.93	<0.89	<0.54	<0.59	<0.67	<0.74	<0.81	<0.67	<1.80	<2.63
	8/1/06	8.0	<0.48	<0.83	ND	ND	<0.41	<0.93	<0.89	<0.54	<0.59	<0.67	<0.74	<0.81	<0.67	<1.80	<2.63
	11/1/06	6.2	<0.48	<0.83	ND	ND	<0.41	<0.93	<0.89	<0.54	<0.59	<0.67	<0.74	<0.81	<0.67	<1.80	<2.63
	4/1/08	2.3	<0.48	<0.83	ND	ND	<0.41	<0.93	<0.89	<0.54	<0.59	<0.67	<0.74	<0.81	<0.67	<1.80	<2.63
	3/6/12	3.0	<0.48	<0.83	<0.19	<0.18	<0.41	<0.93	<0.89	<0.54	<0.59	<0.67	<0.74	<0.81	<0.67	<1.80	<2.63
	6/6/12	2.4	<0.19	<0.12	<0.25	<0.10	<0.074	<0.13	<0.15	<0.13	<0.14	<0.17	<0.16	<0.13	<0.11	<0.32	<0.068
	9/1/12	<5	<5	<5	<5	<2	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
	12/12/12	2.1	<0.19	<0.12	<0.25	<0.10	<0.074	<0.13	<0.15	<0.13	<0.14	<0.17	<0.16	<0.13	<0.11	<0.14	<0.068
	3/20/13	2.8	<0.19	<0.12	<0.25	<0.10	<0.074	<0.13	<0.15	<0.13	<0.14	<0.17	<0.16	<0.13	<0.11	<0.32	<0.068
	6/19/13	2.0	<0.19	<0.12	<0.25	<0.10	<0.074	<0.13	<0.15	<0.13	<0.14	<0.17	<0.16	<0.13	<0.11	<0.32	<0.068
	9/18/13	1.8	<0.19	<0.12	<0.25	<0.10	<0.074	<0.13	<0.15	<0.13	<0.14	<0.17	<0.16	<0.13	<0.11	<0.32	<0.068
	12/16/13 **	2.05	<0.33	<0.38	<0.35	<0.18	<0.24	<0.35	<0.33	<0.55	<0.3	<0.31	<1.7	<0.25	<0.69	<2.2	<0.69
	3/3/14	1.85	<0.33	<0.38	<0.35	<0.18	<0.24	<0.35	<0.33	<0.55	<0.3	<0.31	<1.7	<0.25	<0.69	<2.2	<0.69
	6/25/14 **	1.42	<0.33	<0.38	<0.35	<0.18	<0.24	<0.35	<0.33	<0.55	<0.3	<0.31	<1.7	<0.25	<0.69	<2.2	<0.69
	9/25/14**	3.9	<0.33	<0.38	<0.35	<0.18	<0.24	<0.35	<0.33	<0.55	<0.3	<0.31	<1.7	<0.25	<0.69	<2.2	<0.69
	12/1/14	1.63	<0.33	<0.38	<0.35	<0.18	<0.24	<0.35	<0.33	<0.55	<0.3	<0.31	<1.7	<0.25	<0.69	<2.2	<0.69
	9/19/16	2.06	<0.47	<0.45	<0.54	<0.17	<0.44	<1	<1.2	<0.71	<0.82	<1.1	<1.6	<0.77	<0.44	<3.1	<3.1
	2/6/20	1.2 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.71	<0.79	<0.26	<0.78	<0.24	<2.1	<0.61	<0.19	<1.43	<0.71
	4/29/21	1.13 J	<0.47	<0.39	<0.6	<0.17	<0.38	<0.46	<0.31	<0.37	<0.3	<0.43	<1.4	<0.44	<0.42	<0.73	<1.21
10/22/21	1.22 J	<0.47	<0.39	<0.6	<0.17	<0.38	<0.46	<0.31	<0.37	<0.3	<0.43	<1.4	<0.44	<0.42	<0.73	<1.21	
10/22/21 DUP	1.2 J	<0.47	<0.39	<0.6	<0.17	<0.38	<0.46	<0.31	<0.37	<0.3	<0.43	<1.4	<0.44	<0.42	<0.73	<1.21	
7/7/22	0.80 J	<0.38	<0.32	<0.5	<0.15	<0.3	<0.71	<0.33	<0.33	<0.34	<0.47	<1.4	<0.39	<0.33	<0.76	<1.01	
PZ-22	6/24/14	0.87 J	<0.33	<0.38	<0.35	<0.18	<0.24	<0.35	<0.33	<0.55	<0.3	<0.31	<1.7	<0.25	<0.69	<2.2	<0.69
	9/25/14 **	0.66 J	<0.33	<0.38	<0.35	<0.18	<0.24	<0.35	<0.33	<0.55	<0.3	<0.31	<1.7	<0.25	<0.69	<2.2	<0.69
	12/2/14	0.85 J	<0.33	<0.38	<0.35	<0.18	<0.24	<0.35	<0.33	<0.55	<0.3	<0.31	<1.7	<0.25	<0.69	<2.2	<0.69
	9/20/16	0.86 J	<0.47	<0.45	<0.54	<0.17	<0.44	<1	<1.2	<0.71	<0.82	<1.1	<1.6	<0.77	<0.44	<3.1	<3.1
	2/6/20	0.49 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.71	<0.79	<0.26	<0.78	<0.24	<2.1	<0.61	<0.19	<1.43	<0.71
	4/29/21	<0.54	<0.47	<0.39	<0.6	<0.17	<0.38	<0.46	<0.31	<0.37	<0.3	<0.43	<1.4	<0.44	<0.42	<0.73	<1.21
	10/22/21	<0.54	<0.47	<0.39	<0.6	<0.17	<0.38	<0.46	<0.31	<0.37	<0.3	<0.43	<1.4	<0.44	<0.42	<0.73	<1.21
7/6/22	0.47 J	<0.38	<0.32	<0.5	<0.15	<0.3	<0.71	<0.33	<0.33	<0.34	<0.47	<1.4	<0.39	<0.33	<0.76	<1.01	

Notes:

All concentrations reported in units of micrograms per liter (µg/L)
 Samples analyzed using EPA SW-846 Method 8260
 J = Approximate value; result is less than the reporting limit but greater than or equal to the method detection limit
 ND = Not Detected over laboratory detection limits as reported in Shaw Environmental's 2010 Summary Letter
 NE = No standard established
 PNR = Parameter Not Reported as read from Shaw Environmental's 2010 Summary Letter
 VOCs = Volatile Organic Compounds
 ** = Chloroform detected in sample
Bolded values are above detection limits
Bolded and blue shaded values are above Public Health Preventive Action Limits
Bolded and orange shaded values are above Public Health Enforcement Standards
 Petroleum VOCs are not related to the breakdown of PCE and are not subject to cleanup by Robinson Cleaners

TABLE 2
SUMMARY OF SUB-SLAB VAPOR SAMPLE ANALYTICAL RESULTS

Former Robinson's Cleaners
 Beloit, Wisconsin

Property Address (4th Street)	Sample Identification	Sample Date	SVE Remediation Status	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Benzene	Chloroform
Small Commercial Vapor Risk Screening Level				5,800	290	NL	5,800	930	520	180
1036	6154-SSB	2/25/2010	Pre	1,080,000	< 4,730	< 6,970	< 6,970	< 4,470	< 5,590	NA
		8/26/2010	Pre	180,000	35.8	< 0.87	< 0.87	< 0.87	1.6	NA
	6154-SSM	2/25/2010	Pre	1,410,000	< 9,460	< 13,900	< 13,900	< 8,950	< 11,200	NA
		8/26/2010	Pre	262,000	< 4,450	< 4,450	< 4,450	< 4,450	< 4,450	NA
	6154-SSF	2/25/2010	Pre	7,920	6.4	< 1.4	< 1.4	< 0.87	1.1	NA
		8/26/2010	Pre	34.3	< 0.87	< 0.87	< 0.87	< 0.87	< 0.87	NA
1036	6154-1036-SSV-WEST	8/14/2013	Pre	66,400	971	<198	<396	<12.8	<16.0	<8.30
		1/14/2020	Active (1,834 Hours)	36,800	74.7	<19.8	<39.6	<1.28	NA	NA
		3/2/2022	Post (7,269 Hours)	649	<10.7	<198	<396	<12.8	NA	NA
		6/6/2022	Post (7,269 Hours)	199	<10.7	<198	<396	<12.8	NA	NA
	6154-1036-SSV-MIDDLE	8/14/2013	Pre	797,000	470	<198	<396	<12.8	18.2	14.6
		1/14/2020	Active (1,834 Hours)	38,000	30.8	<19.8	<39.6	<1.28	NA	NA
		3/2/2022	Post (7,269 Hours)	760	<10.7	<198	<396	<12.8	NA	NA
		6/6/2022	Post (7,269 Hours)	1,840	25.3	<198	<396	<12.8	NA	NA
	6154-1036-SSV-EAST	8/14/2013	Pre	21,100	<10.7	<198	<396	<12.8	<16.0	<8.30
		1/14/2020	Active (1,834 Hours)	10,600	<1.07	<19.8	<39.6	<1.28	NA	NA
		3/2/2022	Post (7,269 Hours)	815	<10.7	<198	<396	<12.8	NA	NA
		6/6/2022	Post (7,269 Hours)	<31.9	<10.7	<198	<396	<12.8	NA	NA

Notes:

All concentrations reported in units in micrograms per cubic meter (µg/m³)

Soil Vapor Extraction (SVE) Remediation Status indicates hours of system operation since initial start up

Bolded and shaded values exceed WDNR Small Commercial Vapor Risk Screening Levels as defined in Publication RR-800


Bolded values are above detection limits

NL = No screening level established

NA = Not Analyzed

Compounds unrelated to the breakdown of PCE are not subject to cleanup by Robinson's Cleaners.

FIGURES



No.	Date	Revision	Approved


ENVIROforensics

825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Date:	6/16/14
Designed:	EB
Drawn:	EB
Checked:	BR
DWG file:	6154-0534

GROUNDWATER CONTOUR MAP
 3rd QUARTER 2013
 Robinson's Cleaners: Beloit
 1036 4th Street
 Beloit, Wisconsin

Figure	1
Project	6154




Legend

- Property boundary
- Fence line
- GAS
- WTR
- SAN
- Under ground storm utility line
- OVHD
- UGE
- UGT

- Fire Hydrant
- Utility Pole
- Gas Meter
- Gas Valve
- Manhole
- MW-1 Monitoring well location
- MW-3 Destroyed monitoring well location
- PZ-12 Piezometer location
- 738.80 Groundwater elevation contour
- 739.14 Groundwater elevation (feet above mean sea level)
- Approximate groundwater flow direction

* = MW-4 not used to generate potentiometric surface due to anomalous data.




No.	Date	Revision	Approved

825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Date: 7/15/22
 Designed: EB
 Drawn: EB
 Checked: BK
 DWG file: 6154-1509

GROUNDWATER CONTOUR MAP
 JULY 5, 2022
 Robinson's Cleaners: Beloit
 1036 4th Street
 Beloit, Wisconsin

Figure
2
Project
6154



Legend

- Property boundary
- x-x-x-x-x- Fence line
- GAS --- Underground gas utility line
- WTR --- Underground water utility line
- SAN --- Underground sanitary utility line
- --- Underground storm utility line
- OVHD --- Over head electrical utility line
- UGE --- Underground electrical utility line
- UGT --- Underground telephone utility line
- ⊙ Fire Hydrant
- ⊙ Utility Pole
- ⊙ G Gas Meter
- ⊙ GV Gas Valve
- ⊙ MH Manhole
- MW-1 ⊙ Monitoring well location
- MW-3 ⊙ Destroyed monitoring well location
- PZ-12 ⊙ Piezometer location

Analyte (ug/L)	Public Health Preventive Action Limit	Public Health Enforcement Standard
PCE	0.5	5
TCE	0.5	5
cis-1,2-DCE	7	70
trans-1,2-DCE	20	100
Vinyl Chloride	0.02	0.2
Benzene	0.5	5
Ethylbenzene	140	700
Toluene	200	1,000
Trimethylbenzene	96	400
Xylenes	1,000	10,000
Naphthalene	10	100
n-Butylbenzene	NE	NE
sec-Butylbenzene	NE	NE
Isopropylbenzene	NE	NE
p-Isopropyltoluene	NE	NE
n-Propylbenzene	NE	NE

Note:

- Bolded and orange shaded values exceed the Public Health Enforcement Standard
- Bolded and blue shaded values exceed the Public Health Preventive Action Limit
- Bolded values are above detection limits
- J = Estimated concentration less than laboratory reporting limit
- Samples analyzed using EPA SW-846 Method 8260
- All results reported in units of micrograms per liter (ug/L)
- PCE = Tetrachloroethene
- TCE = Trichloroethene
- cis-1,2-DCE = cis-1,2-Dichloroethene
- trans-1,2-DCE = trans-1,2-Dichloroethene
- ND = Not detected
- NI = Not installed
- NS = Not sampled
- Petroleum compounds are not subject to cleanup by Robinson's Cleaners

— Estimated extent of PCE concentrations above the enforcement standard based on September 2013 data
— Estimated extent of PCE concentrations above the enforcement standard based on July 2022 data

No.	Date	Revision	Approved

825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Date:	7/15/22
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6154-1508

GROUNDWATER ANALYTICAL RESULTS AND PCE PLUME EXTENT - SEPTEMBER 2013 TO JULY 2022
 Robinson's Cleaners: Beloit
 1036 4th Street
 Beloit, Wisconsin

Figure	3
Project	6154

Legend

- Property boundary
- Fence line
- GAS Underground gas utility line
- WTR Underground water utility line
- SAN Underground sanitary utility line
- Under ground storm utility line
- OVHD Over head electrical utility line
- UGE Underground electrical utility line
- UGT Underground telephone utility line
- Fire Hydrant
- Utility Pole
- Gas Meter
- Gas Valve
- Manhole
- Sub-slab sample location

Sub-Slab Vapor		
Analyte (ug/m ³)	Residential Vapor Risk Screening Level	Small Commercial Vapor Risk Screening Level
PCE	1,400	5,800
TCE	70	290

Note:

1. Bolded and shaded values exceed Vapor Risk Screening Levels
2. All results reported in micrograms per cubic meter (ug/m³)
3. NE = Not established
4. PCE = Tetrachloroethene
5. TCE = Trichloroethene
6. Only compounds PCE and TCE are shown
7. SVE system operation began September 4, 2019. "Active Remediation" vapor samples were collected after 1,827 hours of operation; post-remediation samples were collected after 7,262 hours of operation

6154-SSM	Pre-Remediation	
	2/25/10	8/26/10
PCE	1,140,000	262,000
TCE	<9,460	<4,450


6154-SSB	Pre-Remediation	
	2/25/10	8/26/10
PCE	1,080,000	180,000
TCE	<4,730	35.8

6154-SSF	Pre-Remediation	
	2/25/10	8/26/10
PCE	7,920	34.3
TCE	6.4	<0.87

6154-1036-SSV-WEST	Pre-Remediation	Active Remediation	Post-Remediation	
	8/14/13	1/14/20	3/2/22	6/6/22
PCE	66,400	36,800	649	199
TCE	971	74.7	<396	<396

6154-1036-SSV-MIDDLE	Pre-Remediation	Active Remediation	Post-Remediation	
	8/14/13	1/14/20	3/2/22	6/6/22
PCE	797,000	38,000	760	1,840
TCE	470	30.8	<10.7	25.3

6154-1036-SSV-EAST	Pre-Remediation	Active Remediation	Post-Remediation	
	8/14/13	1/14/20	3/2/22	6/6/22
PCE	21,100	10,600	815	<31.9
TCE	<10.7	<1.07	<10.7	<396





SUB-SLAB VAPOR SAMPLE ANALYTICAL RESULTS

Robinson's Cleaners: Beloit
1036 4th Street
Beloit, Wisconsin

Date:	7/15/22		Figure
Designed:	EB		4
Drawn:	EB		Project
Checked:	BK		6154
DWG file:	6154-1454		

825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com



Legend

- Property boundary
- Fence line
- GAS - Underground gas utility line
- WTR - Underground water utility line
- SAN - Underground sanitary utility line
- Underground storm utility line
- OVHD - Over head electrical utility line
- UGE - Underground electrical utility line
- UGT - Underground telephone utility line

- Fire Hydrant
- Utility Pole
- Gas Meter
- Gas Valve
- Manhole
- Sub-slab sample location
- Outdoor air sample location
- Indoor air sample location

Sub-slab vapor		
Analyte (ug/m ³)	Residential Vapor Risk Screening Level	Small Commercial Vapor Risk Screening Level
PCE	1,400	5,800
TCE	70	290

- Note:
- All results reported in micrograms per cubic meter (ug/m³)
 - 1 = Vapor risk screening level = US EPA Regional Screening Levels with an attenuation factor of 0.1 for sub-slab vapor to indoor air, and a 0.1 adjustment for carcinogens as described in WDNR Publication RR-800
 - PCE = Tetrachloroethene
 - TCE = Trichloroethene
 - Only compounds PCE and TCE are shown

Indoor Air		
Analyte (ug/m ³)	Residential Vapor Action Level	Small Commercial Vapor Action Level
PCE	42	180
TCE	2.1	8.8

- Note:
- Bold values equal or exceed laboratory detection limits
 - Results reported in micrograms per cubic meter (ug/m³)
 - PCE = Tetrachloroethene
 - TCE = Trichloroethene

Estimated extent of PCE concentrations above the enforcement standard based on July 2022 data

Location	Date
6154-142 MERRILL-OA	8/13/13
PCE	<3.19
TCE	<1.07

Location	Date
6154-142 MERRILL-IA-2nd FLOOR	8/13/13
PCE	<3.19
TCE	<1.07

Location	Date
6154-142 MERRILL-IA-1st FLOOR	8/13/13
PCE	<3.19
TCE	<1.07

Location	Date
6154-142 MERRILL-SSV-WEST	8/14/13
PCE	189
TCE	<10.7

Location	Date
6154-958-SSV-SOUTHEAST	8/14/13
PCE	142
TCE	17.2

Location	Date
6154-958-SSV-NORTHWEST	8/14/13
PCE	195
TCE	76.3

Location	Date
6154-142 MERRILL-SSV-EAST	8/14/13
PCE	250
TCE	<10.7

Location	Date
6154-142 MERRILL-IA-BASEMENT	8/13/13
PCE	<3.19
TCE	<1.07


No.	Date	Revision	Approved

825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Date: 10/13/22
Designed: EB
Drawn: EB
Checked: BK
DWG file: 6154-1617

OFF-SITE VAPOR INTRUSION SAMPLE LOCATIONS AND ANALYTICAL RESULTS
Robinson's Cleaners: Beloit
1036 4th Street
Beloit, Wisconsin

Figure
5
Project
6154



Soil Residual Contaminant Level			
Analyte	Industrial	Non-Industrial	Soil to Groundwater
PCE	145,000	33,000	4.5


Legend

- Property boundary
- Fence line
- MW-1 Monitoring well location
- MW-3 Abandoned monitoring well locations
- GP-6 Soil probe location
- GP-4 Soil probe/groundwater sample location
- PZ-12 Piezometer location

Notes:

- Bolded and shaded blue values exceed generic Residential Residual Containment Levels
- Samples analyzed using EPA SW-846 Method 8260
- PCE = Tetrachloroethene
- ft = feet below ground surface
- NA = Not analyzed
- Concentrations in micrograms per kilogram (ug/kg)

- PCE isocontour >10,000 ug/kg
- PCE isocontour >1,000 ug/kg
- PCE isocontour >25 ug/kg



No.	Date	Revision	Approved

ENVIROforensics

825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Date: 6/16/14
Designed: EB
Drawn: EB
Checked: BR
DWG file: 6154-0532

SOIL BORING LOCATION AND PCE ISOCONCENTRATION MAP

Robinson's Cleaners: Beloit
1036 4th Street
Beloit, Wisconsin


Figure
6
Project
6154

ATTACHMENT 1

Groundwater Concentration Trend Charts


MW-1

PCE Concentration and Groundwater Elevation vs. Time




MW-8

CVOC Concentration and Groundwater Elevation vs. Time




MW-10

PCE Concentration and Groundwater Elevation vs. Time




MW-13

PCE Concentration and Groundwater Elevation vs. Time




MW-14

PCE Concentration and Groundwater Elevation vs. Time




MW-15

PCE Concentration and Groundwater Elevation vs. Time



MW-17
PCE Concentration and Groundwater Elevation vs. Time



ATTACHMENT 2

Groundwater Laboratory Analytical Reports

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
602 N. CAPITOL AVENUE
INDIANAPOLIS, IN 46204

Report Date 03-Oct-14

Project Name ROBINSON'S CLEANERS
Project # 6154

Invoice # E27781

Lab Code 5027781A
Sample ID 6154-MW-1
Sample Matrix Water
Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B	10/2/2014	10/2/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	10/2/2014	10/2/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	10/2/2014	10/2/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	10/2/2014	10/2/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/2/2014	10/2/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B	10/2/2014	10/2/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/2/2014	10/2/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	10/2/2014	10/2/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	10/2/2014	10/2/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	10/2/2014	10/2/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	10/2/2014	10/2/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	10/2/2014	10/2/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	10/2/2014	10/2/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	10/2/2014	10/2/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	10/2/2014	10/2/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	10/2/2014	10/2/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	10/2/2014	10/2/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	10/2/2014	10/2/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/2/2014	10/2/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	10/2/2014	10/2/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	10/2/2014	10/2/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	10/2/2014	10/2/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	10/2/2014	10/2/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B	10/2/2014	10/2/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	10/2/2014	10/2/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	10/2/2014	10/2/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	10/2/2014	10/2/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	10/2/2014	10/2/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	10/2/2014	10/2/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	10/2/2014	10/2/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	10/2/2014	10/2/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	10/2/2014	10/2/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	10/2/2014	10/2/2014	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6154

Invoice # E27781

Lab Code 5027781A
Sample ID 6154-MW-1
Sample Matrix Water
Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/2/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/2/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/2/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/2/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/2/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Tetrachloroethene	168	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/2/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/2/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/2/2014	CJR	1
Trichloroethene (TCE)	1.06	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/2/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/2/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/2/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/2/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		10/2/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/2/2014	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/2/2014	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		10/2/2014	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6154

Invoice # E27781

Lab Code 5027781B
 Sample ID 6154-MW-4
 Sample Matrix Water
 Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.2	ug/l	1.2	3.85	5	8260B		10/2/2014	CJR	1
Bromobenzene	< 1.6	ug/l	1.6	5	5	8260B		10/2/2014	CJR	1
Bromodichloromethane	< 1.85	ug/l	1.85	6	5	8260B		10/2/2014	CJR	1
Bromoform	< 1.75	ug/l	1.75	5.5	5	8260B		10/2/2014	CJR	1
tert-Butylbenzene	< 1.8	ug/l	1.8	6	5	8260B		10/2/2014	CJR	1
sec-Butylbenzene	5.1	ug/l	1.65	5	5	8260B		10/2/2014	CJR	1
n-Butylbenzene	10.9	ug/l	1.75	5.5	5	8260B		10/2/2014	CJR	1
Carbon Tetrachloride	< 1.65	ug/l	1.65	5.5	5	8260B		10/2/2014	CJR	1
Chlorobenzene	< 1.2	ug/l	1.2	3.85	5	8260B		10/2/2014	CJR	1
Chloroethane	< 3.15	ug/l	3.15	10	5	8260B		10/2/2014	CJR	1
Chloroform	< 1.4	ug/l	1.4	4.4	5	8260B		10/2/2014	CJR	1
Chloromethane	< 4.05	ug/l	4.05	13	5	8260B		10/2/2014	CJR	1
2-Chlorotoluene	< 1.05	ug/l	1.05	3.3	5	8260B		10/2/2014	CJR	1
4-Chlorotoluene	< 1.05	ug/l	1.05	3.4	5	8260B		10/2/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 4.4	ug/l	4.4	14	5	8260B		10/2/2014	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.5	5	8260B		10/2/2014	CJR	1
1,4-Dichlorobenzene	< 1.5	ug/l	1.5	4.8	5	8260B		10/2/2014	CJR	1
1,3-Dichlorobenzene	< 1.4	ug/l	1.4	4.45	5	8260B		10/2/2014	CJR	1
1,2-Dichlorobenzene	< 1.8	ug/l	1.8	6	5	8260B		10/2/2014	CJR	1
Dichlorodifluoromethane	< 2.2	ug/l	2.2	7	5	8260B		10/2/2014	CJR	1
1,2-Dichloroethane	< 2.05	ug/l	2.05	6.5	5	8260B		10/2/2014	CJR	1
1,1-Dichloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		10/2/2014	CJR	1
1,1-Dichloroethene	< 2	ug/l	2	6.5	5	8260B		10/2/2014	CJR	1
cis-1,2-Dichloroethene	11.8	ug/l	1.9	6	5	8260B		10/2/2014	CJR	1
trans-1,2-Dichloroethene	< 1.75	ug/l	1.75	5.5	5	8260B		10/2/2014	CJR	1
1,2-Dichloropropane	< 1.6	ug/l	1.6	5	5	8260B		10/2/2014	CJR	1
2,2-Dichloropropane	< 1.8	ug/l	1.8	6	5	8260B		10/2/2014	CJR	1
1,3-Dichloropropane	< 1.65	ug/l	1.65	5	5	8260B		10/2/2014	CJR	1
Di-isopropyl ether	< 1.15	ug/l	1.15	3.65	5	8260B		10/2/2014	CJR	1
EDB (1,2-Dibromoethane)	< 2.2	ug/l	2.2	7	5	8260B		10/2/2014	CJR	1
Ethylbenzene	370	ug/l	2.75	8.5	5	8260B		10/2/2014	CJR	1
Hexachlorobutadiene	< 7.5	ug/l	7.5	24	5	8260B		10/2/2014	CJR	1
Isopropylbenzene	27.1	ug/l	1.5	4.8	5	8260B		10/2/2014	CJR	1
p-Isopropyltoluene	< 1.55	ug/l	1.55	4.9	5	8260B		10/2/2014	CJR	1
Methylene chloride	< 2.5	ug/l	2.5	8	5	8260B		10/2/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.15	ug/l	1.15	3.7	5	8260B		10/2/2014	CJR	1
Naphthalene	112	ug/l	8.5	27.5	5	8260B		10/2/2014	CJR	1
n-Propylbenzene	84	ug/l	1.25	4.05	5	8260B		10/2/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 2.25	ug/l	2.25	7	5	8260B		10/2/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 1.65	ug/l	1.65	5.5	5	8260B		10/2/2014	CJR	1
Tetrachloroethene	2.2 "J"	ug/l	1.65	5.5	5	8260B		10/2/2014	CJR	1
Toluene	17.2	ug/l	3.45	11	5	8260B		10/2/2014	CJR	1
1,2,4-Trichlorobenzene	< 4.9	ug/l	4.9	15.5	5	8260B		10/2/2014	CJR	1
1,2,3-Trichlorobenzene	< 9	ug/l	9	29	5	8260B		10/2/2014	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5	5	8260B		10/2/2014	CJR	1
1,1,2-Trichloroethane	< 1.7	ug/l	1.7	5.5	5	8260B		10/2/2014	CJR	1
Trichloroethene (TCE)	< 1.65	ug/l	1.65	5	5	8260B		10/2/2014	CJR	1
Trichlorofluoromethane	< 3.55	ug/l	3.55	11.5	5	8260B		10/2/2014	CJR	1
1,2,4-Trimethylbenzene	< 11	ug/l	11	34.5	5	8260B		10/2/2014	CJR	1
1,3,5-Trimethylbenzene	< 7	ug/l	7	22.5	5	8260B		10/2/2014	CJR	1
Vinyl Chloride	< 0.9	ug/l	0.9	2.85	5	8260B		10/2/2014	CJR	1
m&p-Xylene	194	ug/l	3.45	11	5	8260B		10/2/2014	CJR	1
o-Xylene	7.6 "J"	ug/l	3.15	10	5	8260B		10/2/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %				8260B		10/2/2014	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %				8260B		10/2/2014	CJR	1
SUR - Dibromofluoromethane	91	REC %				8260B		10/2/2014	CJR	1
SUR - Toluene-d8	102	REC %				8260B		10/2/2014	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6154

Invoice # E27781

Lab Code 5027781C
 Sample ID 6154-MW-8
 Sample Matrix Water
 Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/2/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
sec-Butylbenzene	0.84 "J"	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/2/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/2/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/2/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/2/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/2/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/2/2014	CJR	1
cis-1,2-Dichloroethene	38	ug/l	0.38	1.2	1	8260B		10/2/2014	CJR	1
trans-1,2-Dichloroethene	0.75 "J"	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/2/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/2/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/2/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/2/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/2/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/2/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/2/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/2/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Tetrachloroethene	14.5	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/2/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/2/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/2/2014	CJR	1
Trichloroethene (TCE)	0.62 "J"	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/2/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/2/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/2/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/2/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/2/2014	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		10/2/2014	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		10/2/2014	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		10/2/2014	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6154

Invoice # E27781

Lab Code 5027781D
 Sample ID 6154-MW-11
 Sample Matrix Water
 Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/2/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/2/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/2/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/2/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/2/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/2/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/2/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/2/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/2/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/2/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/2/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/2/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/2/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/2/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/2/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/2/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/2/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/2/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/2/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/2/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/2/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/2/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/2/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		10/2/2014	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		10/2/2014	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		10/2/2014	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/2/2014	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6154

Invoice # E27781

Lab Code 5027781E
 Sample ID 6154-MW-14
 Sample Matrix Water
 Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/2/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/2/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/2/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/2/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/2/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/2/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/2/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/2/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/2/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/2/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/2/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/2/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/2/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/2/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/2/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/2/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Tetrachloroethene	8.9	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/2/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/2/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/2/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/2/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/2/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/2/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/2/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		10/2/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		10/2/2014	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		10/2/2014	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		10/2/2014	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6154

Invoice # E27781

Lab Code 5027781F
 Sample ID 6154-MW-13
 Sample Matrix Water
 Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/2/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/2/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/2/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/2/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/2/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/2/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/2/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/2/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/2/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/2/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/2/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/2/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/2/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/2/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/2/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/2/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Tetrachloroethene	17.1	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/2/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/2/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/2/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/2/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/2/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/2/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/2/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		10/2/2014	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		10/2/2014	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		10/2/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		10/2/2014	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6154

Invoice # E27781

Lab Code 5027781G
 Sample ID 6154-MW-15
 Sample Matrix Water
 Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/2/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/2/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/2/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/2/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/2/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/2/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/2/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/2/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/2/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/2/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/2/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/2/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/2/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/2/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/2/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/2/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Tetrachloroethene	1.75	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/2/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/2/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/2/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/2/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/2/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/2/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/2/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/2/2014	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	8260B		10/2/2014	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		10/2/2014	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/2/2014	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6154

Invoice # E27781

Lab Code 5027781H
Sample ID 6154-MW-16
Sample Matrix Water
Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/2/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/2/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/2/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/2/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/2/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/2/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/2/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/2/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/2/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/2/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/2/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/2/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/2/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/2/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/2/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/2/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Tetrachloroethene	1.88	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/2/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/2/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/2/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/2/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/2/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/2/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/2/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/2/2014	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		10/2/2014	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		10/2/2014	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		10/2/2014	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6154

Invoice # E27781

Lab Code 502778II
Sample ID 6154-MW-17
Sample Matrix Water
Sample Date 9/24/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/3/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/3/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/3/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/3/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/3/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/3/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/3/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/3/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/3/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/3/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/3/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/3/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/3/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/3/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/3/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/3/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Tetrachloroethene	26.6	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/3/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/3/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/3/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/3/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/3/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/3/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/3/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		10/3/2014	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		10/3/2014	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		10/3/2014	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/3/2014	CJR	1

Lab Code 5027781J
Sample ID 6154-MW-18
Sample Matrix Water
Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/3/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/3/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/3/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/3/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/3/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/3/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/3/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/3/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/3/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/3/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/3/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/3/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/3/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/3/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/3/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/3/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/3/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/3/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/3/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/3/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/3/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/3/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/3/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		10/3/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		10/3/2014	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/3/2014	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/3/2014	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6154

Invoice # E27781

Lab Code 5027781K
 Sample ID 6154-MW-19
 Sample Matrix Water
 Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/3/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/3/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/3/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/3/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/3/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/3/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/3/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/3/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/3/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/3/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/3/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/3/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/3/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/3/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/3/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/3/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/3/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/3/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/3/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/3/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/3/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/3/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/3/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/3/2014	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		10/3/2014	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		10/3/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	113	REC %			1	8260B		10/3/2014	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6154

Invoice # E27781

Lab Code 5027781L
Sample ID 6154-MW-20
Sample Matrix Water
Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/3/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/3/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/3/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/3/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/3/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/3/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/3/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/3/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/3/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/3/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/3/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/3/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/3/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/3/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/3/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/3/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/3/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/3/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/3/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/3/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/3/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/3/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/3/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		10/3/2014	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			1	8260B		10/3/2014	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/3/2014	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/3/2014	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6154

Invoice # E27781

Lab Code 5027781M
 Sample ID 6154-MW-21
 Sample Matrix Water
 Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/3/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/3/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/3/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/3/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/3/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/3/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/3/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/3/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/3/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/3/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/3/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/3/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/3/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/3/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/3/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/3/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Tetrachloroethene	5.5	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/3/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/3/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/3/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/3/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/3/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/3/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/3/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		10/3/2014	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		10/3/2014	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		10/3/2014	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		10/3/2014	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6154

Invoice # E27781

Lab Code 5027781N
 Sample ID 6154-PZ-12
 Sample Matrix Water
 Sample Date 9/24/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/3/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
Chloroform	0.47 "J"	ug/l	0.28	0.88	1	8260B		10/3/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/3/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/3/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/3/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/3/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/3/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/3/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/3/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/3/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/3/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/3/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/3/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/3/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/3/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/3/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Tetrachloroethene	3.9	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/3/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/3/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/3/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/3/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/3/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/3/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/3/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/3/2014	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		10/3/2014	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/3/2014	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/3/2014	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6154

Invoice # E27781

Lab Code 5027781O
 Sample ID 6154-PZ-22
 Sample Matrix Water
 Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/3/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/3/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/3/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/3/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/3/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/3/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/3/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/3/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/3/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/3/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/3/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/3/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/3/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/3/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/3/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/3/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Tetrachloroethene	0.66 "J"	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/3/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/3/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/3/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/3/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/3/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/3/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/3/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		10/3/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/3/2014	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		10/3/2014	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/3/2014	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6154

Invoice # E27781

Lab Code 5027781P
Sample ID 6154-DUP-1
Sample Matrix Water
Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/3/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/3/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/3/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/3/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/3/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/3/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/3/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/3/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/3/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/3/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/3/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/3/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/3/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/3/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/3/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/3/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Tetrachloroethene	5.4	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/3/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/3/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/3/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/3/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/3/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/3/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/3/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/3/2014	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		10/3/2014	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		10/3/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	114	REC %			1	8260B		10/3/2014	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6154

Invoice # E27781

Lab Code 5027781Q
Sample ID 6154-DUP-2
Sample Matrix Water
Sample Date 9/24/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/3/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/3/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/3/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/3/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/3/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/3/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/3/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/3/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/3/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/3/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/3/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/3/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/3/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/3/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/3/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/3/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Tetrachloroethene	13.1	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/3/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/3/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/3/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/3/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/3/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/3/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/3/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/3/2014	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		10/3/2014	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		10/3/2014	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/3/2014	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6154

Invoice # E27781

Lab Code 5027781R
 Sample ID 6154-EB-1
 Sample Matrix Water
 Sample Date 9/24/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/2/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/2/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/2/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/2/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/2/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/2/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/2/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/2/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/2/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/2/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/2/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/2/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/2/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/2/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/2/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/2/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/2/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/2/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/2/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/2/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/2/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		10/2/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/2/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/2/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/2/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/2/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/2/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/2/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/2/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/2/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/2/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		10/2/2014	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		10/2/2014	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		10/2/2014	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		10/2/2014	CJR	1

Project Name ROBINSON'S CLEANERS
Project # 6154

Invoice # E27781

Lab Code 5027781S
Sample ID 6154-EB-2
Sample Matrix Water
Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/3/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/3/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/3/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/3/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/3/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/3/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/3/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/3/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/3/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/3/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/3/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/3/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/3/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/3/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/3/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/3/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/3/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/3/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/3/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/3/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/3/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/3/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/3/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/3/2014	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		10/3/2014	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		10/3/2014	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/3/2014	CJR	1

Project Name ROBINSON'S CLEANERS
 Project # 6154

Invoice # E27781

Lab Code 5027781T
 Sample ID 6154-TB-1
 Sample Matrix Water
 Sample Date 9/25/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		10/3/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		10/3/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		10/3/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		10/3/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		10/3/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		10/3/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		10/3/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		10/3/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		10/3/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		10/3/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		10/3/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		10/3/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		10/3/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		10/3/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		10/3/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		10/3/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		10/3/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		10/3/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		10/3/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		10/3/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		10/3/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		10/3/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		10/3/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		10/3/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		10/3/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		10/3/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		10/3/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		10/3/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		10/3/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		10/3/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		10/3/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2014	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/3/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/3/2014	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/3/2014	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		10/3/2014	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



A handwritten signature in blue ink, appearing to read "Michael J. [unclear]", is written over a horizontal line.

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: _____
Project #: **6154**
Sampler: (signature) *[Signature]*

Project (Name / Location): **Robinson's Cleaners, Beloit**
Reports To: **B. Kappen** Invoice To: _____
Company **Enviro Forensics** Company _____
Address **N16 W23390 Stone Ridge Dr** Address _____
City State Zip **Waukesha, WI 53188** City State Zip _____
Phone **(317) 972-7870** Phone _____
FAX _____ FAX _____

Analysis Requested										Other Analysis				
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID
												X		
												X		
												X		
												X		
												X		
												X		
												X		
												X		
												X		
												X		
												X		
												X		

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5027781 A	6154-MW-1	9/25	1614		X	N	3	GW	HCL
B	6154-MW-4	9/25	1823		X	N	3	GW	HCL
C	6154-MW-8	9/25	1746		X	N	3	GW	HCL
D	6154-MW-11	9/25	1642		X	N	3	GW	HCL
E	6154-MW-14	9/25	1251		X	N	3	GW	HCL
F	6154-MW-13	9/24	1838		X	N	3	GW	HCL
G	6154-MW-15	9/25	1715		X	N	3	GW	HCL
H	6154-MW-16	9/25	1027		X	N	3	GW	HCL
I	6154-MW-17	9/24	1729		X	N	3	GW	HCL
J	6154-MW-18	9/25	1049		X	N	3	GW	HCL

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: *Duh*
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *[Signature]* Time **14:44** Date **9/26/14**
Received By: (Sign) *[Signature]* Time **2:44** Date **9/26/14**

Received in Laboratory By: *[Signature]* Time: **10:00** Date: **9/27/14**

WPF

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. #
Account No. : Quote No.:
Project #: 6154
Sampler: (signature)

Project (Name / Location): Robinson's Cleaners, Beloit
Reports To: B. Krappen
Company: Enviro Forensics
Address: 116 W23390 Stone Ridge Dr
City State Zip: Waukesha, WI 53188
Phone: (317) 972-7870
FAX

Analysis Requested: DRO (Mod DRO Sep 95), GRO (Mod GRO Sep 95), LEAD, NITRATE/NITRITE, OIL & GREASE, PAH (EPA 8270), PCB, PVOC (EPA 8021), PVOC + NAPHTHALENE, SULFATE, TOTAL SUSPENDED SOLIDS, VOC DW (EPA 542.2), VOC (EPA 8260), 8-PCRA METALS, PID/FID

Table with columns: Lab I.D., Sample I.D., Collection Date Time, Comp, Grab, Filtered Y/N, No. of Containers, Sample Type (Matrix)*, Preservation, DRO, GRO, LEAD, NITRATE/NITRITE, OIL & GREASE, PAH, PCB, PVOC, PVOC + NAPHTHALENE, SULFATE, TOTAL SUSPENDED SOLIDS, VOC DW, VOC, 8-PCRA METALS, PID/FID

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment:
Temp. of Temp. Blank °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) Time Date Received By: (sign) Time Date
Received in Laboratory By: Time Date

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W23390 STONE RIDGE DRIVE
WAUKESHA, WI 53188

Report Date 15-Dec-14

Project Name ROBINSONS/BELOIT
Project # 6154

Invoice # E28187

Lab Code 5028187A
Sample ID 6154-MW-1
Sample Matrix Water
Sample Date 12/1/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B	12/10/2014	12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	12/10/2014	12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	12/10/2014	12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	12/10/2014	12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/10/2014	12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B	12/10/2014	12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/10/2014	12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	12/10/2014	12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	12/10/2014	12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	12/10/2014	12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	12/10/2014	12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	12/10/2014	12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	12/10/2014	12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	12/10/2014	12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	12/10/2014	12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	12/10/2014	12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	12/10/2014	12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	12/10/2014	12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/10/2014	12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	12/10/2014	12/10/2014	CJR	8
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	12/10/2014	12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	12/10/2014	12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	12/10/2014	12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B	12/10/2014	12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	12/10/2014	12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	12/10/2014	12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	12/10/2014	12/10/2014	CJR	8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	12/10/2014	12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	12/10/2014	12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	12/10/2014	12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	12/10/2014	12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	12/10/2014	12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	12/10/2014	12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
Project # 6154

Invoice # E28187

Lab Code 5028187A
Sample ID 6154-MW-1
Sample Matrix Water
Sample Date 12/1/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	8
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	110	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	0.79 "J"	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
 Project # 6154

Invoice # E28187

Lab Code 5028187B
 Sample ID 6154-MW-4
 Sample Matrix Water
 Sample Date 12/1/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.2	ug/l	1.2	3.85	5	8260B		12/11/2014	CJR	1
Bromobenzene	< 1.6	ug/l	1.6	5	5	8260B		12/11/2014	CJR	1
Bromodichloromethane	< 1.85	ug/l	1.85	6	5	8260B		12/11/2014	CJR	1
Bromoform	< 1.75	ug/l	1.75	5.5	5	8260B		12/11/2014	CJR	1
tert-Butylbenzene	< 1.8	ug/l	1.8	6	5	8260B		12/11/2014	CJR	1
sec-Butylbenzene	1.8 "J"	ug/l	1.65	5	5	8260B		12/11/2014	CJR	1
n-Butylbenzene	4.2 "J"	ug/l	1.75	5.5	5	8260B		12/11/2014	CJR	1
Carbon Tetrachloride	< 1.65	ug/l	1.65	5.5	5	8260B		12/11/2014	CJR	1
Chlorobenzene	< 1.2	ug/l	1.2	3.85	5	8260B		12/11/2014	CJR	1
Chloroethane	< 3.15	ug/l	3.15	10	5	8260B		12/11/2014	CJR	1
Chloroform	< 1.4	ug/l	1.4	4.4	5	8260B		12/11/2014	CJR	1
Chloromethane	< 4.05	ug/l	4.05	13	5	8260B		12/11/2014	CJR	1
2-Chlorotoluene	< 1.05	ug/l	1.05	3.3	5	8260B		12/11/2014	CJR	1
4-Chlorotoluene	< 1.05	ug/l	1.05	3.4	5	8260B		12/11/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 4.4	ug/l	4.4	14	5	8260B		12/11/2014	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.5	5	8260B		12/11/2014	CJR	1
1,4-Dichlorobenzene	< 1.5	ug/l	1.5	4.8	5	8260B		12/11/2014	CJR	1
1,3-Dichlorobenzene	< 1.4	ug/l	1.4	4.45	5	8260B		12/11/2014	CJR	1
1,2-Dichlorobenzene	< 1.8	ug/l	1.8	6	5	8260B		12/11/2014	CJR	1
Dichlorodifluoromethane	< 2.2	ug/l	2.2	7	5	8260B		12/11/2014	CJR	8
1,2-Dichloroethane	< 2.05	ug/l	2.05	6.5	5	8260B		12/11/2014	CJR	1
1,1-Dichloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		12/11/2014	CJR	1
1,1-Dichloroethene	< 2	ug/l	2	6.5	5	8260B		12/11/2014	CJR	1
cis-1,2-Dichloroethene	8.8	ug/l	1.9	6	5	8260B		12/11/2014	CJR	1
trans-1,2-Dichloroethene	< 1.75	ug/l	1.75	5.5	5	8260B		12/11/2014	CJR	1
1,2-Dichloropropane	< 1.6	ug/l	1.6	5	5	8260B		12/11/2014	CJR	1
2,2-Dichloropropane	< 1.8	ug/l	1.8	6	5	8260B		12/11/2014	CJR	8
1,3-Dichloropropane	< 1.65	ug/l	1.65	5	5	8260B		12/11/2014	CJR	1
Di-isopropyl ether	< 1.15	ug/l	1.15	3.65	5	8260B		12/11/2014	CJR	1
EDB (1,2-Dibromoethane)	< 2.2	ug/l	2.2	7	5	8260B		12/11/2014	CJR	1
Ethylbenzene	133	ug/l	2.75	8.5	5	8260B		12/11/2014	CJR	1
Hexachlorobutadiene	< 7.5	ug/l	7.5	24	5	8260B		12/11/2014	CJR	1
Isopropylbenzene	11.4	ug/l	1.5	4.8	5	8260B		12/11/2014	CJR	1
p-Isopropyltoluene	< 1.55	ug/l	1.55	4.9	5	8260B		12/11/2014	CJR	1
Methylene chloride	< 2.5	ug/l	2.5	8	5	8260B		12/11/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.15	ug/l	1.15	3.7	5	8260B		12/11/2014	CJR	8
Naphthalene	29.4	ug/l	8.5	27.5	5	8260B		12/11/2014	CJR	1
n-Propylbenzene	37	ug/l	1.25	4.05	5	8260B		12/11/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 2.25	ug/l	2.25	7	5	8260B		12/11/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 1.65	ug/l	1.65	5.5	5	8260B		12/11/2014	CJR	1
Tetrachloroethene	< 1.65	ug/l	1.65	5.5	5	8260B		12/11/2014	CJR	1
Toluene	6.7 "J"	ug/l	3.45	11	5	8260B		12/11/2014	CJR	1
1,2,4-Trichlorobenzene	< 4.9	ug/l	4.9	15.5	5	8260B		12/11/2014	CJR	1
1,2,3-Trichlorobenzene	< 9	ug/l	9	29	5	8260B		12/11/2014	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5	5	8260B		12/11/2014	CJR	1
1,1,2-Trichloroethane	< 1.7	ug/l	1.7	5.5	5	8260B		12/11/2014	CJR	1
Trichloroethene (TCE)	< 1.65	ug/l	1.65	5	5	8260B		12/11/2014	CJR	1
Trichlorofluoromethane	< 3.55	ug/l	3.55	11.5	5	8260B		12/11/2014	CJR	1
1,2,4-Trimethylbenzene	< 11	ug/l	11	34.5	5	8260B		12/11/2014	CJR	1
1,3,5-Trimethylbenzene	< 7	ug/l	7	22.5	5	8260B		12/11/2014	CJR	1
Vinyl Chloride	< 0.9	ug/l	0.9	2.85	5	8260B		12/11/2014	CJR	1
m&p-Xylene	69	ug/l	3.45	11	5	8260B		12/11/2014	CJR	1
o-Xylene	< 3.15	ug/l	3.15	10	5	8260B		12/11/2014	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				8260B		12/11/2014	CJR	1
SUR - Dibromofluoromethane	98	REC %				8260B		12/11/2014	CJR	1
SUR - Toluene-d8	101	REC %				8260B		12/11/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %				8260B		12/11/2014	CJR	1

Lab Code 5028187C
 Sample ID 6154-MW-8
 Sample Matrix Water
 Sample Date 12/1/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	1.06	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	0.60 "J"	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	8
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	58	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	1.02 "J"	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	8
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	6.8	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
Project # 6154

Invoice # E28187

Lab Code 5028187D
Sample ID 6154-MW-11
Sample Matrix Water
Sample Date 12/1/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	8
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	8
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		12/10/2014	CJR	1

Lab Code 5028187E
Sample ID 6154-MW-13
Sample Matrix Water
Sample Date 12/1/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	8
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	8
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	7.5	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
Project # 6154

Invoice # E28187

Lab Code 5028187F
Sample ID 6154-MW-14
Sample Matrix Water
Sample Date 12/2/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	2.53	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
Project # 6154

Invoice # E28187

Lab Code 5028187G
Sample ID 6154-MW-17
Sample Matrix Water
Sample Date 12/1/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	8.0	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
Project # 6154

Invoice # E28187

Lab Code 5028187H
Sample ID 6154-MW-18
Sample Matrix Water
Sample Date 12/2/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
Project # 6154

Invoice # E28187

Lab Code 5028187I
Sample ID 6154-MW-16
Sample Matrix Water
Sample Date 12/2/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	1.45	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
Project # 6154

Invoice # E28187

Lab Code 5028187J
Sample ID 6154-MW-19
Sample Matrix Water
Sample Date 12/2/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
 Project # 6154

Invoice # E28187

Lab Code 5028187K
 Sample ID 6154-MW-20
 Sample Matrix Water
 Sample Date 12/2/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	0.35 "J"	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
 Project # 6154

Invoice # E28187

Lab Code 5028187L
 Sample ID 6154-MW-21
 Sample Matrix Water
 Sample Date 12/2/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	5.5	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
 Project # 6154

Invoice # E28187

Lab Code 5028187M
 Sample ID 6154-DUP-1
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/13/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/13/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/13/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/13/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/13/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/13/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/13/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/13/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/13/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/13/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/13/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/13/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/13/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/13/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/13/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/13/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/13/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/13/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/13/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/13/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/13/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/13/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/13/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/13/2014	CJR	4 8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/13/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/13/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/13/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/13/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/13/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/13/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/13/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/13/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/13/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/13/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/13/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/13/2014	CJR	1
Tetrachloroethene	8.6	ug/l	0.33	1.1	1	8260B		12/13/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/13/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/13/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/13/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/13/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/13/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/13/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/13/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/13/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/13/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/13/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/13/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/13/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		12/13/2014	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		12/13/2014	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		12/13/2014	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		12/13/2014	CJR	1

Project Name ROBINSONS/BELOIT
 Project # 6154

Invoice # E28187

Lab Code 5028187N
 Sample ID 6154-DUP-2
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/13/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/13/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/13/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/13/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/13/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/13/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/13/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/13/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/13/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/13/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/13/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/13/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/13/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/13/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/13/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/13/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/13/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/13/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/13/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/13/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/13/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/13/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/13/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/13/2014	CJR	4 8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/13/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/13/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/13/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/13/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/13/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/13/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/13/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/13/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/13/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/13/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/13/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/13/2014	CJR	1
Tetrachloroethene	3.5	ug/l	0.33	1.1	1	8260B		12/13/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/13/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/13/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/13/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/13/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/13/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/13/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/13/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/13/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/13/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/13/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/13/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/13/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		12/13/2014	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		12/13/2014	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		12/13/2014	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/13/2014	CJR	1

Project Name ROBINSONS/BELOIT
 Project # 6154

Invoice # E28187

Lab Code 50281870
 Sample ID 6154-EB-1
 Sample Matrix Water
 Sample Date 12/1/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	8
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	8
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
 Project # 6154

Invoice # E28187

Lab Code 5028187P
 Sample ID 6154-EB-2
 Sample Matrix Water
 Sample Date 12/2/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	8
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	8
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
 Project # 6154

Invoice # E28187

Lab Code 5028187Q
 Sample ID 6154-MW-15
 Sample Matrix Water
 Sample Date 12/1/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	2.39	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
 Project # 6154

Invoice # E28187

Lab Code 5028187R
 Sample ID 6154-PZ-12
 Sample Matrix Water
 Sample Date 12/1/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	0.48 "J"	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	1.63	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/10/2014	CJR	1

Project Name ROBINSONS/BELOIT
 Project # 6154

Invoice # E28187

Lab Code 5028187S
 Sample ID 6154-PZ-22
 Sample Matrix Water
 Sample Date 12/2/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/10/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		12/10/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		12/10/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		12/10/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		12/10/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		12/10/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		12/10/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		12/10/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		12/10/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		12/10/2014	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		12/10/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/10/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/10/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		12/10/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		12/10/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		12/10/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		12/10/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Tetrachloroethene	0.85 "J"	ug/l	0.33	1.1	1	8260B		12/10/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		12/10/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		12/10/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		12/10/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		12/10/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		12/10/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		12/10/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2014	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		12/10/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		12/10/2014	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		12/10/2014	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		12/10/2014	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

- 1 Laboratory QC within limits.
- 4 The continuing calibration standard not within established limits.
- 8 Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



A handwritten signature in blue ink, appearing to read "Michael J. Steel", is written over a horizontal line.

Sample Handling Request

Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)

Normal Turn Around

Account No.: _____ Quote No.: _____
 Project #: 6154
 Sampler: (signature) *[Signature]*

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Project (Name / Location): *Robinsons / Beloit*
 Reports To: *B Kappen*
 Company: *Enviro Forensics*
 Address: *116 W2329C Stone Ridge Dr Suite 6*
 City State Zip: *Waukesha, WI 53188*
 Phone: _____
 FAX: *317.972.7870*

Analysis Requested		Other Analysis													
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<i>5028187A</i>	<i>6154-MW-1</i>	<i>12-1</i>	<i>1154</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>B</i>	<i>6154-MW-4</i>	<i>12-1</i>	<i>0858</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>C</i>	<i>6154-MW-8</i>	<i>12-1</i>	<i>1645</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
	<i>6154-MW-10</i>								
<i>D</i>	<i>6154-MW-11</i>	<i>12-1</i>	<i>1530</i>		<i>X</i>	<i>N</i>	<i>1</i>	<i>GW</i>	<i>HCL</i>
<i>E</i>	<i>6154-MW-13</i>	<i>12-1</i>	<i>1230</i>		<i>X</i>	<i>N</i>	<i>2</i>	<i>GW</i>	<i>HCL</i>
<i>F</i>	<i>6154-MW-14</i>	<i>12-2</i>	<i>0942</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>G</i>	<i>6154-MW-17</i>	<i>12-1</i>	<i>1847</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>H</i>	<i>6154-MW-18</i>	<i>12-2</i>	<i>1105</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>
<i>I</i>	<i>6154-MW-16</i>	<i>12-2</i>	<i>1340</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: *[Signature]*
 Temp. of Temp. Blank _____ °C On Ice

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign)

Time Date

Received By: (sign)

Time Date

[Signature] 1854 12-5-14
[Signature] 1041 12/8/14

[Signature] 1854 12/5/14
[Signature] 10:42 12/8/14

Received in Laboratory By: *[Signature]*

Time: *8:40*

Date: *12/9/14*

CHAIN OF CUSTODY RECORD

Synergy

Environmental Lab, Inc.

Chain # **No. 315**Page 2 of 2**Sample Handling Request**Rush Analysis Date Required _____
(Rushes accepted only with prior authorization) Normal Turn Around1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Lab I.D. # _____
 Account No. : _____ Quote No.: _____
 Project #: 6154
 Sampler: (signature) [Signature]

Project (Name / Location): Robinsons / Beloit
 Reports To: B. Kappen Invoice To: _____
 Company: Enviro Forensics Company: _____
 Address: N16 W23398 Stone Ridge Dr Sub 6 Address: _____
 City State Zip: Waukesha, WI 53188 City State Zip: _____
 Phone: 317-972-7870 Phone: _____
 FAX: _____ FAX: _____

Analysis Requested										Other Analysis					
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<u>5028187J</u>	<u>6154-MW-19</u>	<u>12-2</u>	<u>1309</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
<u>K</u>	<u>6154-MW-20</u>	<u>12-2</u>	<u>1232</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
<u>L</u>	<u>6154-MW-21</u>	<u>12-2</u>	<u>1150</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
<u>M</u>	<u>6154-DUP-1</u>	<u>/</u>	<u>/</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
<u>N</u>	<u>6154-DUP-2</u>	<u>/</u>	<u>/</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
<u>O</u>	<u>6154-EB-1</u>	<u>12-1</u>	<u>1154</u>		<u>X</u>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCL</u>
<u>P</u>	<u>6154-EB-2</u>	<u>12-2</u>	<u>1449</u>		<u>X</u>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCL</u>
<u>Q</u>	<u>6154-MW-15</u>	<u>12-1</u>	<u>1607</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
<u>R</u>	<u>6154-PZ-12</u>	<u>12-1</u>	<u>1255</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
<u>S</u>	<u>6154-PZ-22</u>	<u>12-2</u>	<u>1426</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: Dry Ice
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) <u>[Signature]</u>	Time <u>1854</u>	Date <u>12-5-14</u>	Received By: (sign) <u>[Signature]</u>	Time <u>1854</u>	Date <u>12/5/14</u>
	<u>1041</u>	<u>12/8/14</u>	<u>[Signature]</u>	<u>10:41</u>	<u>12/8/14</u>
Received in Laboratory By: <u>[Signature]</u>	Time: <u>8:00</u>	Date: <u>12/9/14</u>			

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRAIN KAPPEN
ENVIROFORENSICS
825 N. CAPITOL AVENUE
INDIANAPOLIS, IN 46204

Report Date 04-Oct-16

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756A
Sample ID 6154-MW-1
Sample Matrix Water
Sample Date 9/19/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B	9/24/2016	9/24/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B	9/24/2016	9/24/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B	9/24/2016	9/24/2016	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	9/24/2016	9/24/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B	9/24/2016	9/24/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	9/24/2016	9/24/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B	9/24/2016	9/24/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B	9/24/2016	9/24/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B	9/24/2016	9/24/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	9/24/2016	9/24/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B	9/24/2016	9/24/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B	9/24/2016	9/24/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B	9/24/2016	9/24/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	9/24/2016	9/24/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	9/24/2016	9/24/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B	9/24/2016	9/24/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B	9/24/2016	9/24/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B	9/24/2016	9/24/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B	9/24/2016	9/24/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B	9/24/2016	9/24/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B	9/24/2016	9/24/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B	9/24/2016	9/24/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B	9/24/2016	9/24/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B	9/24/2016	9/24/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B	9/24/2016	9/24/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B	9/24/2016	9/24/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B	9/24/2016	9/24/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B	9/24/2016	9/24/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B	9/24/2016	9/24/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B	9/24/2016	9/24/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	9/24/2016	9/24/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B	9/24/2016	9/24/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B	9/24/2016	9/24/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756A
Sample ID 6154-MW-1
Sample Matrix Water
Sample Date 9/19/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B	9/24/2016	9/24/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B	9/24/2016	9/24/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B	9/24/2016	9/24/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B	9/24/2016	9/24/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B	9/24/2016	9/24/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B	9/24/2016	9/24/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B	9/24/2016	9/24/2016	CJR	1
Tetrachloroethane	150	ug/l	0.49	1.5	1	8260B	9/24/2016	9/24/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B	9/24/2016	9/24/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B	9/24/2016	9/24/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B	9/24/2016	9/24/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B	9/24/2016	9/24/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B	9/24/2016	9/24/2016	CJR	1
Trichloroethene (TCE)	1.07 "J"	ug/l	0.47	1.5	1	8260B	9/24/2016	9/24/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B	9/24/2016	9/24/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B	9/24/2016	9/24/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B	9/24/2016	9/24/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B	9/24/2016	9/24/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B	9/24/2016	9/24/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B	9/24/2016	9/24/2016	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B	9/24/2016	9/24/2016	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B	9/24/2016	9/24/2016	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B	9/24/2016	9/24/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B	9/24/2016	9/24/2016	CJR	1

Lab Code 5031756B
 Sample ID 6154-MW-4
 Sample Matrix Water
 Sample Date 9/20/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	23
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/26/2016	CJR	1
sec-Butylbenzene	5.2	ug/l	1.2	3.8	1	8260B		9/26/2016	CJR	1
n-Butylbenzene	12.3	ug/l	1	3.3	1	8260B		9/26/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/26/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/26/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/26/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/26/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/26/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/26/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
cis-1,2-Dichloroethene	7.7	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/26/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/26/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/26/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/26/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
Ethylbenzene	255	ug/l	0.71	2.3	1	8260B		9/26/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/26/2016	CJR	1
Isopropylbenzene	27.1	ug/l	0.82	2.6	1	8260B		9/26/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/26/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/26/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/26/2016	CJR	1
Naphthalene	99	ug/l	1.6	5.2	1	8260B		9/26/2016	CJR	1
n-Propylbenzene	92	ug/l	0.77	2.4	1	8260B		9/26/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/26/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Tetrachloroethene	1.38 "J"	ug/l	0.49	1.5	1	8260B		9/26/2016	CJR	1
Toluene	7.1	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/26/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/26/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/26/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/26/2016	CJR	1
Trichloroethene (TCE)	0.84 "J"	ug/l	0.47	1.5	1	8260B		9/26/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/26/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/26/2016	CJR	1
m&p-Xylene	152	ug/l	2.2	6.9	1	8260B		9/26/2016	CJR	1
o-Xylene	4.0	ug/l	0.9	2.9	1	8260B		9/26/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		9/26/2016	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		9/26/2016	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		9/26/2016	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		9/26/2016	CJR	1

Lab Code 5031756C
 Sample ID 6154-MW-8
 Sample Matrix Water
 Sample Date 9/20/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	23
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/26/2016	CJR	1
sec-Butylbenzene	1.37 "J"	ug/l	1.2	3.8	1	8260B		9/26/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/26/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/26/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/26/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
Chloroform	1.02 "J"	ug/l	0.43	1.4	1	8260B		9/26/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/26/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/26/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/26/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
cis-1,2-Dichloroethene	52	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
trans-1,2-Dichloroethene	1.14 "J"	ug/l	0.54	1.7	1	8260B		9/26/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/26/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/26/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/26/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/26/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/26/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/26/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/26/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/26/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/26/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/26/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/26/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/26/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Tetrachloroethene	6.0	ug/l	0.49	1.5	1	8260B		9/26/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/26/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/26/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/26/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/26/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/26/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/26/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2016	CJR	1
Vinyl Chloride	0.24 "J"	ug/l	0.17	0.54	1	8260B		9/26/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/26/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/26/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		9/26/2016	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		9/26/2016	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/26/2016	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		9/26/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756D
Sample ID 6154-MW-10
Sample Matrix Water
Sample Date 9/19/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/24/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/24/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/24/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/24/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/24/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/24/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/24/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/24/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/24/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/24/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/24/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/24/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/24/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/24/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/24/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/24/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/24/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/24/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/24/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/24/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/24/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/24/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/24/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/24/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/24/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/24/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/24/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/24/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/24/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/24/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/24/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
Tetrachloroethene	8.6	ug/l	0.49	1.5	1	8260B		9/24/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/24/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/24/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/24/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/24/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/24/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/24/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/24/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/24/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/24/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/24/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/24/2016	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		9/24/2016	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		9/24/2016	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		9/24/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		9/24/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756E
Sample ID 6154-MW-11
Sample Matrix Water
Sample Date 9/19/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/24/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/24/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/24/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/24/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/24/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/24/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/24/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/24/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/24/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/24/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/24/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/24/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/24/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/24/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/24/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/24/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/24/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/24/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/24/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/24/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/24/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/24/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/24/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/24/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/24/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/24/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/24/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/24/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/24/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/24/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/24/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B		9/24/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/24/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/24/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/24/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/24/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/24/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/24/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/24/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/24/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/24/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/24/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/24/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		9/24/2016	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		9/24/2016	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		9/24/2016	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		9/24/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756F
Sample ID 6154-MW-13
Sample Matrix Water
Sample Date 9/19/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/24/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/24/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/24/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/24/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/24/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/24/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/24/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/24/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/24/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/24/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/24/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/24/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/24/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/24/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/24/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/24/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/24/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/24/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/24/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/24/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/24/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/24/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/24/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/24/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/24/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/24/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/24/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/24/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/24/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/24/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/24/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
Tetrachloroethene	7.5	ug/l	0.49	1.5	1	8260B		9/24/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/24/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/24/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/24/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/24/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/24/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/24/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/24/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/24/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/24/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/24/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/24/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		9/24/2016	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		9/24/2016	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		9/24/2016	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		9/24/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756G
Sample ID 6154-MW-14
Sample Matrix Water
Sample Date 9/20/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/24/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/24/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/24/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/24/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/24/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/24/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/24/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/24/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/24/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/24/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/24/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/24/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/24/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/24/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/24/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/24/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/24/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/24/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/24/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/24/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/24/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/24/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/24/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/24/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/24/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/24/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/24/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/24/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/24/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/24/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/24/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
Tetrachloroethene	4.1	ug/l	0.49	1.5	1	8260B		9/24/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/24/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/24/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/24/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/24/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/24/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/24/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/24/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/24/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/24/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/24/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/24/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		9/24/2016	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		9/24/2016	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		9/24/2016	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/24/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756H
Sample ID 6154-MW-15
Sample Matrix Water
Sample Date 9/19/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/24/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/24/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/24/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/24/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/24/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/24/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/24/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/24/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/24/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/24/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/24/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/24/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/24/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/24/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/24/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/24/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/24/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/24/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/24/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/24/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/24/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/24/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/24/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/24/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/24/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/24/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/24/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/24/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/24/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/24/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/24/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
Tetrachloroethene	0.66 "J"	ug/l	0.49	1.5	1	8260B		9/24/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/24/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/24/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/24/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/24/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/24/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/24/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/24/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/24/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/24/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/24/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/24/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		9/24/2016	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		9/24/2016	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/24/2016	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		9/24/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756I
Sample ID 6154-MW-16
Sample Matrix Water
Sample Date 9/20/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/24/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/24/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/24/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/24/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/24/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/24/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/24/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/24/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/24/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/24/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/24/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/24/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/24/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/24/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/24/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/24/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/24/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/24/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/24/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/24/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/24/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/24/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/24/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/24/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/24/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/24/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/24/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/24/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/24/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/24/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/24/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/24/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/24/2016	CJR	1
Tetrachloroethene	2.49	ug/l	0.49	1.5	1	8260B		9/24/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/24/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/24/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/24/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/24/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/24/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/24/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/24/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/24/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/24/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/24/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/24/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/24/2016	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		9/24/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		9/24/2016	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		9/24/2016	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		9/24/2016	CJR	1

Lab Code 5031756J
 Sample ID 6154-MW-17
 Sample Matrix Water
 Sample Date 9/19/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	23
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/26/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/26/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/26/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/26/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/26/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/26/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/26/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/26/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/26/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/26/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/26/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/26/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/26/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/26/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/26/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/26/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/26/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/26/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/26/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/26/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/26/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/26/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Tetrachloroethene	16.9	ug/l	0.49	1.5	1	8260B		9/26/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/26/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/26/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/26/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/26/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/26/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/26/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/26/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/26/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/26/2016	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		9/26/2016	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		9/26/2016	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		9/26/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		9/26/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756K
Sample ID 6154-MW-18
Sample Matrix Water
Sample Date 9/20/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	23
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/26/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/26/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/26/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/26/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/26/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/26/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/26/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/26/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/26/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/26/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/26/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/26/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/26/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/26/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/26/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/26/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/26/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/26/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/26/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/26/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/26/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/26/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B		9/26/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/26/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/26/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/26/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/26/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/26/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/26/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/26/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/26/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/26/2016	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		9/26/2016	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		9/26/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		9/26/2016	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		9/26/2016	CJR	1

Lab Code 5031756L
Sample ID 6154-MW-19
Sample Matrix Water
Sample Date 9/20/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	23
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/26/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/26/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/26/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/26/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/26/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/26/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/26/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/26/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/26/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/26/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/26/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/26/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/26/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/26/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/26/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/26/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/26/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/26/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/26/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/26/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/26/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/26/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B		9/26/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/26/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/26/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/26/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/26/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/26/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/26/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/26/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/26/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/26/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		9/26/2016	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		9/26/2016	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		9/26/2016	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		9/26/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756M
Sample ID 6154-MW-20
Sample Matrix Water
Sample Date 9/20/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	23
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/26/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/26/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/26/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/26/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/26/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/26/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/26/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/26/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/26/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/26/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/26/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/26/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/26/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/26/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/26/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/26/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/26/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/26/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/26/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/26/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/26/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/26/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B		9/26/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/26/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/26/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/26/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/26/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/26/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/26/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/26/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/26/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/26/2016	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		9/26/2016	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		9/26/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		9/26/2016	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		9/26/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756N
Sample ID 6154-MW-21
Sample Matrix Water
Sample Date 9/20/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	23
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/26/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/26/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/26/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/26/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/26/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/26/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/26/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/26/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/26/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/26/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/26/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/26/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/26/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/26/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/26/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/26/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/26/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/26/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/26/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/26/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/26/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/26/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Tetrachloroethene	5.9	ug/l	0.49	1.5	1	8260B		9/26/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/26/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/26/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/26/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/26/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/26/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/26/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/26/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/26/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/26/2016	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		9/26/2016	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		9/26/2016	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		9/26/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		9/26/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756O
Sample ID 6154-PZ-12
Sample Matrix Water
Sample Date 9/19/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	23
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/26/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/26/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/26/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/26/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/26/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/26/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/26/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/26/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/26/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/26/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/26/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/26/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/26/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/26/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/26/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/26/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/26/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/26/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/26/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/26/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/26/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/26/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Tetrachloroethene	2.06	ug/l	0.49	1.5	1	8260B		9/26/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/26/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/26/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/26/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/26/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/26/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/26/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/26/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/26/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/26/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		9/26/2016	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		9/26/2016	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		9/26/2016	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		9/26/2016	CJR	1

Lab Code 5031756P
 Sample ID 6154-PZ-22
 Sample Matrix Water
 Sample Date 9/20/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	23
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/26/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/26/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/26/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/26/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/26/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/26/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/26/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/26/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/26/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/26/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/26/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/26/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/26/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/26/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/26/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/26/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/26/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/26/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/26/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/26/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/26/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/26/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Tetrachloroethene	0.86 "J"	ug/l	0.49	1.5	1	8260B		9/26/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/26/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/26/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/26/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/26/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/26/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/26/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/26/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/26/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/26/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		9/26/2016	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		9/26/2016	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		9/26/2016	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		9/26/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756Q
Sample ID 6154-DUP-1
Sample Matrix Water
Sample Date 9/19/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	23
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/26/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/26/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/26/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/26/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/26/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/26/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/26/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/26/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/26/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/26/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/26/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/26/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/26/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/26/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/26/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/26/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/26/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/26/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/26/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/26/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/26/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/26/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Tetrachloroethene	8.4	ug/l	0.49	1.5	1	8260B		9/26/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/26/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/26/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/26/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/26/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/26/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/26/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/26/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/26/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/26/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		9/26/2016	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		9/26/2016	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		9/26/2016	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		9/26/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756R
Sample ID 6154-DUP-2
Sample Matrix Water
Sample Date 9/19/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	23
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/26/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/26/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/26/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/26/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/26/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/26/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/26/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/26/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/26/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/26/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/26/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/26/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/26/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/26/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/26/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/26/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/26/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/26/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/26/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/26/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/26/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/26/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/26/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/26/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/26/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/26/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/26/2016	CJR	1
Tetrachloroethene	167	ug/l	0.49	1.5	1	8260B		9/26/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/26/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/26/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/26/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/26/2016	CJR	1
Trichloroethene (TCE)	1.07 "J"	ug/l	0.47	1.5	1	8260B		9/26/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/26/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/26/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/26/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/26/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/26/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		9/26/2016	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		9/26/2016	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		9/26/2016	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		9/26/2016	CJR	1

Lab Code 5031756S
 Sample ID 6154-EB-1
 Sample Matrix Water
 Sample Date 9/19/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/29/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/29/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/29/2016	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/29/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/29/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/29/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/29/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/29/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/29/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/29/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/29/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/29/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/29/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/29/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/29/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/29/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/29/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/29/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/29/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/29/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/29/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/29/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/29/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/29/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/29/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/29/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/29/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/29/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/29/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/29/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/29/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/29/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/29/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/29/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/29/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/29/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/29/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/29/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/29/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/29/2016	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B		9/29/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/29/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/29/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/29/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/29/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/29/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/29/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/29/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/29/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/29/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/29/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/29/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/29/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		9/29/2016	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		9/29/2016	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		9/29/2016	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		9/29/2016	CJR	1

Lab Code 5031756T
 Sample ID 6154-EB-2
 Sample Matrix Water
 Sample Date 9/20/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/29/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/29/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/29/2016	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/29/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/29/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/29/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/29/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/29/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/29/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/29/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/29/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/29/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/29/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/29/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/29/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/29/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/29/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/29/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/29/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/29/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/29/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/29/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/29/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/29/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/29/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/29/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/29/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/29/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/29/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/29/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/29/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/29/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/29/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/29/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/29/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/29/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/29/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/29/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/29/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/29/2016	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B		9/29/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/29/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/29/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/29/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/29/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/29/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/29/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/29/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/29/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/29/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/29/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/29/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/29/2016	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		9/29/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		9/29/2016	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		9/29/2016	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		9/29/2016	CJR	1

Project Name FMR ROBINSON'S CLEANERS
 Project # 6154 PO#20169065

Invoice # E31756

Lab Code 5031756U
 Sample ID TRIP BLANK
 Sample Matrix Water
 Sample Date 9/20/2016

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/29/2016	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/29/2016	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/29/2016	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/29/2016	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/29/2016	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/29/2016	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/29/2016	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/29/2016	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/29/2016	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/29/2016	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/29/2016	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/29/2016	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/29/2016	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/29/2016	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/29/2016	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/29/2016	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/29/2016	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/29/2016	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/29/2016	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/29/2016	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/29/2016	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/29/2016	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/29/2016	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/29/2016	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/29/2016	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/29/2016	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/29/2016	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/29/2016	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/29/2016	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/29/2016	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/29/2016	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/29/2016	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/29/2016	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/29/2016	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/29/2016	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/29/2016	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/29/2016	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/29/2016	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/29/2016	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/29/2016	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B		9/29/2016	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/29/2016	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/29/2016	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/29/2016	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/29/2016	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/29/2016	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/29/2016	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/29/2016	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/29/2016	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/29/2016	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/29/2016	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/29/2016	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/29/2016	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		9/29/2016	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		9/29/2016	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		9/29/2016	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		9/29/2016	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

1	Laboratory QC within limits.
23	Area percent recovery less than 50%.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Michael J. Steel

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No.: _____ Quote No.: _____
Project #: 6154
Sampler: (signature) [Signature]

Project (Name / Location): Former Robinson's Cleaners / Beloit, WI
Reports To: B. Kopper / K. Heimstead Invoice To: _____
Company: Enviro Forensics Company: _____
Address: N16 W2330 Stem Ridge Dr. Address: _____
City State Zip: Waukesha WI 53188 City State Zip: _____
Phone: 317-972-7870 Phone: _____
FAX: _____ FAX: _____

Analysis Requested										Other Analysis									
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID					

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<u>SO31756A</u>	<u>6154-MW-1</u>	<u>9/19</u>	<u>1415</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>B</u>	<u>6154-MW-4</u>	<u>9/20</u>	<u>800</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>C</u>	<u>6154-MW-8</u>	<u>9/20</u>	<u>720</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>D</u>	<u>6154-MW-10</u>	<u>9/19</u>	<u>1040</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>E</u>	<u>6154-MW-11</u>	<u>9/19</u>	<u>1120</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>F</u>	<u>6154-MW-13</u>	<u>9/19</u>	<u>1205</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>G</u>	<u>6154-MW-14</u>	<u>9/20</u>	<u>1300</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>H</u>	<u>6154-MW-15</u>	<u>9/19</u>	<u>1505</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>I</u>	<u>6154-MW-16</u>	<u>9/20</u>	<u>845</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>
<u>J</u>	<u>6154-MW-17</u>	<u>9/19</u>	<u>1325</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 20169065

Sample Integrity - To be completed by receiving lab.

Method of Shipment: SEL

Temp. of Temp. Blank _____ °C On Ice:

Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) [Signature] Time 11:23 Date 9/21/16 Received By: (sign) [Signature] Time 16:20 Date 9/21/16
Received in Laboratory By: [Signature] Time 15:00 Date 9/21/16

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: _____
Project #: **6154**
Sampler: (signature) *[Signature]*

Project (Name / Location): **Former Robinson's**
Reports To: **B. Kupper / K. Hemstead**
Company: **Enviro Forensics**
Address: **N16 W23390 Stem Ridge Dr.**
City State Zip: **Waukesha WI 53188**
Phone: **317-972-7870**
FAX: _____

Analysis Requested		Other Analysis												
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID	
S031756k	6154-MW-18	9/20	1135		X	N	3	GW	HCl																
L	6154-MW-19	9/20	920		X	N	3	GW	HCl													X			
M	6154-MW-20	9/20	1005		X	N	3	GW	HCl													X			
N	6154-MW-21	9/20	1050		X	N	3	GW	HCl													X			
O	6154-P2-12	9/19	1245		X	N	3	GW	HCl													X			
P	6154-P2-22	9/20	1220		X	N	3	GW	HCl													X			
Q	6154-Dup-1	9/19	-		X	N	3	GW	HCl													X			
R	6154-Dup-2	9/19	-		X	N	3	GW	HCl													X			
S	6154-EB-1	9/19	1005		X	N	3	GW	HCl													X			
T	6154-EB-2	9/20	810		X	N	3	GW	HCl													X			

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 20169065

Sample Integrity - To be completed by receiving lab.
Method of Shipment: **SEL**
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *[Signature]* Time **1123** Date **9/21/16**
Received By: (sign) *[Signature]* Time **11:24** Date **9/21/16**

Received in Laboratory By: *[Signature]* Time: **15:00** Date: **9/21/16**

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: _____
Project #: 6154
Sampler: (signature) [Signature]

Project (Name / Location): Former Robinson's Cleaners / Beloit, WI
Reports To: B. Tapper / K. Humstead Invoice To: _____
Company: Enviro Forensics Company: _____
Address: 116 W23370 Stone Ridge Dr. Address: _____
City State Zip: Waukesha WI 53188 City State Zip: _____
Phone: 317-972-7870 Phone: _____
FAX: _____ FAX: _____

Analysis Requested										Other Analysis									
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID					

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<u>50317564</u>	<u>TRIP BLANK</u>	<u>-</u>	<u>-</u>				<u>1</u>	<u>Soil</u>	<u>HL</u>

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 20169065

Sample Integrity - To be completed by receiving lab.
Method of Shipment: SEL
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) [Signature] Time 11:23 Date 9/21/16
Received By: (sign) [Signature] Time 11:23 Date 9/21/16

Received in Laboratory By: [Signature] Time: 15:00 Date: 9/21/16

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 14-Feb-20

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480A
Sample ID 6154 MW-1
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480A
Sample ID 6154 MW-1
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	72	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	0.3 "J"	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	0.56 "J"	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480B
Sample ID 6154 MW-4
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.42	2	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.88	ug/l	0.88	2.76	2	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.66	ug/l	0.66	2.12	2	8260B		2/12/2020	CJR	1
Bromoform	< 0.9	ug/l	0.9	2.88	2	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.5	ug/l	0.5	1.6	2	8260B		2/12/2020	CJR	1
sec-Butylbenzene	6.0	ug/l	1.58	5.06	2	8260B		2/12/2020	CJR	1
n-Butylbenzene	15.5	ug/l	1.42	4.5	2	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.62	ug/l	0.62	1.96	2	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.52	ug/l	0.52	1.66	2	8260B		2/12/2020	CJR	1
Chloroethane	< 1.22	ug/l	1.22	3.9	2	8260B		2/12/2020	CJR	1
Chloroform	< 0.52	ug/l	0.52	1.64	2	8260B		2/12/2020	CJR	1
Chloromethane	< 1.08	ug/l	1.08	3.44	2	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.62	ug/l	0.62	1.96	2	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.52	ug/l	0.52	1.66	2	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 5.92	ug/l	5.92	18.86	2	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.44	ug/l	0.44	1.38	2	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 1.4	ug/l	1.4	4.44	2	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 1.7	ug/l	1.7	5.4	2	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 1.72	ug/l	1.72	5.48	2	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.64	ug/l	0.64	2.04	2	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.56	2	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.72	ug/l	0.72	2.28	2	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.84	ug/l	0.84	2.68	2	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	11.4	ug/l	0.74	2.32	2	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.14	2	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.88	ug/l	0.88	2.78	2	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.6	ug/l	0.6	1.88	2	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.64	ug/l	0.64	2.02	2	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.52	ug/l	0.52	1.62	2	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.42	ug/l	0.42	1.32	2	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.68	ug/l	0.68	2.18	2	8260B		2/12/2020	CJR	1
Ethylbenzene	350	ug/l	0.52	1.66	2	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 2.68	ug/l	2.68	8.56	2	8260B		2/12/2020	CJR	1
Isopropylbenzene	30.7	ug/l	1.56	4.94	2	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	2.12	ug/l	0.48	1.52	2	8260B		2/12/2020	CJR	1
Methylene chloride	< 2.64	ug/l	2.64	8.42	2	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.56	ug/l	0.56	1.78	2	8260B		2/12/2020	CJR	1
Naphthalene	104	ug/l	4.2	13.3	2	8260B		2/12/2020	CJR	1
n-Propylbenzene	103	ug/l	1.22	3.9	2	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.6	ug/l	0.6	1.94	2	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.26	2	8260B		2/12/2020	CJR	1
Tetrachloroethene	1.46 "J"	ug/l	0.76	2.42	2	8260B		2/12/2020	CJR	1
Toluene	11.8	ug/l	0.38	1.2	2	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.3	ug/l	2.3	7.34	2	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480B
Sample ID 6154 MW-4
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 3.42	ug/l	3.42	10.86	2	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.66	ug/l	0.66	2.1	2	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.84	ug/l	0.84	2.64	2	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.6	ug/l	0.6	1.88	2	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.7	ug/l	0.7	2.2	2	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	2.46 "J"	ug/l	1.6	5.1	2	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.26	ug/l	1.26	4	2	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.4	ug/l	0.4	1.3	2	8260B		2/12/2020	CJR	1
m&p-Xylene	188	ug/l	0.86	2.76	2	8260B		2/12/2020	CJR	1
o-Xylene	3.8	ug/l	0.58	1.86	2	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	95	REC %			2	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	101	REC %			2	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			2	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			2	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480C
Sample ID 6154 MW-8
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	7.1	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480C
Sample ID 6154 MW-8
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480D
Sample ID 6154 MW-10
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	1.35	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480D
Sample ID 6154 MW-10
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480E
Sample ID 6154 MW-13
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	109	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480E
Sample ID 6154 MW-13
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	0.32 "J"	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480F
Sample ID 6154 MW-14
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	0.26 "J"	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480F
Sample ID 6154 MW-14
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480G
Sample ID 6154 MW-15
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480G
Sample ID 6154 MW-15
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480H
Sample ID 6154 MW-17
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	36	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480H
Sample ID 6154 MW-17
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480I
Sample ID 6154 MW-20
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480I
Sample ID 6154 MW-20
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480J
Sample ID 6154 MW-21
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	3.3	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480J
Sample ID 6154 MW-21
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480K
Sample ID 6154 PZ-22
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	0.49 "J"	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480K
Sample ID 6154 PZ-22
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480L
Sample ID 6154 PZ-12
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	1.2 "J"	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480L
Sample ID 6154 PZ-12
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480M
Sample ID 6154 DUP-1
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		2/12/2020	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		2/12/2020	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		2/12/2020	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		2/12/2020	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		2/12/2020	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		2/12/2020	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		2/12/2020	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		2/12/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		2/12/2020	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		2/12/2020	CJR	1
Tetrachloroethene	< 3.8	ug/l	3.8	12.1	10	8260B		2/12/2020	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480M
Sample ID 6154 DUP-1
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		2/12/2020	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		2/12/2020	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	102	REC %				10	8260B	2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %				10	8260B	2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %				10	8260B	2/12/2020	CJR	1
SUR - Dibromofluoromethane	105	REC %				10	8260B	2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480N
Sample ID 6154 DUP-2
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		2/12/2020	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		2/12/2020	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		2/12/2020	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		2/12/2020	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		2/12/2020	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		2/12/2020	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		2/12/2020	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		2/12/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		2/12/2020	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		2/12/2020	CJR	1
Tetrachloroethene	81	ug/l	1.9	6.05	5	8260B		2/12/2020	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480N
Sample ID 6154 DUP-2
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 1.5	ug/l	1.5	4.7	5	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		2/12/2020	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		2/12/2020	CJR	1
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			5	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			5	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			5	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	102	REC %			5	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 50374800
Sample ID 6154 EB-1
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	0.6 "J"	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	1.48	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 50374800
Sample ID 6154 EB-1
Sample Matrix Water
Sample Date 2/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480P
Sample ID 6154 EB-2
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480P
Sample ID 6154 EB-2
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480Q
Sample ID 6154 TB
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/12/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/12/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/12/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/12/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/12/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/12/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/12/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/12/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/12/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/12/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/12/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/12/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/12/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/12/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/12/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/12/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/12/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/12/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/12/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/12/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/12/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/12/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/12/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/12/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/12/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/12/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/12/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/12/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/12/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/12/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/12/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/12/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/12/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/12/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/12/2020	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/12/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/12/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/12/2020	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2020-1298

Invoice # E37480

Lab Code 5037480Q
Sample ID 6154 TB
Sample Matrix Water
Sample Date 2/7/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/12/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/12/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/12/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/12/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/12/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/12/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/12/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/12/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/12/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/12/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		2/12/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		2/12/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		2/12/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		2/12/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Lab I.D. # _____
 Account No.: _____ Quote No.: 8242
 Project #: 6154
 Sampler: (signature) [Signature]

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location): AAA Robinson Cleanups / Beloit, WI
 Reports To: B. Kappan / W. Fassbender Invoice To: _____
 Company Enviroforensics Company _____
 Address Mile W 23390 Stone Ridge Dr. Address _____
 City State Zip Wautesha WI 53188 City State Zip _____
 Phone 414-982-3989 Phone _____
 FAX _____ FAX _____

										Analysis Requested										Other Analysis									
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID					
<u>5037400A</u>	<u>6154-MW-1</u>	<u>2-7-20</u>	<u>1200</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>																				
<u>B</u>	<u>6154-MW-4</u>	<u>2-6-20</u>	<u>1020</u>																										
<u>C</u>	<u>6154-MW-8</u>	<u>2-7-20</u>	<u>917</u>																										
<u>D</u>	<u>6154-MW-10</u>	<u>2-7-20</u>	<u>1125</u>																										
<u>E</u>	<u>6154-MW-13</u>	<u>2-7-20</u>	<u>954</u>																										
<u>F</u>	<u>6154-MW-14</u>	<u>2-6-20</u>	<u>1111</u>																										
<u>G</u>	<u>6154-MW-15</u>	<u>2-6-20</u>	<u>945</u>																										
<u>H</u>	<u>6154-MW-17</u>	<u>2-7-20</u>	<u>1030</u>																										
<u>I</u>	<u>6154-MW-20</u>	<u>2-6-20</u>	<u>905</u>																										
<u>J</u>	<u>6154-MW-21</u>	<u>2-6-20</u>	<u>1324</u>																										

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
POTH 2020-1298

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: Car
 Temp. of Temp. Blank _____ °C On Ice:
 Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) <u>[Signature]</u>	Time <u>1430</u>	Date <u>2/10/20</u>	Received By: (sign) <u>Gold Cross</u>	Time <u>1430</u>	Date <u>2/10/20</u>
Received in Laboratory By: <u>[Signature]</u> Time: <u>8:00</u> Date: <u>2/11/20</u>					

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No.: _____ Quote No.: 8242
Project #: 6154
Sampler: (signature) M. Dyer

Project (Name / Location): Robinsons' Cleaners / Deloit, WI

Reports To: B. Kappen W. Fasbender Invoice To: _____
Company: Enviro forensic Company: _____
Address: N16 W 23390 Stone Ridge Dr. Address: _____
City State Zip: Waukegan, WI 53180 City State Zip: _____
Phone: 414-982-3988 Phone: _____
FAX: _____ FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date Time		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID	
<u>5037480k</u>	<u>6154-P2-22</u>	<u>2-6-20</u>	<u>1145</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>																
<u>L</u>	<u>6154-P2-12</u>	<u>2-6-20</u>	<u>1245</u>																			<u>X</u>			
<u>M</u>	<u>6154-DUP-1</u>	<u>2-6-20</u>	<u>2-6-20</u>																						
<u>N</u>	<u>6154-DUP-2</u>	<u>2-7-20</u>	<u>—</u>																						
<u>O</u>	<u>6154-EB-1</u>	<u>2-6-20</u>	<u>1335</u>																						
<u>P</u>	<u>6154-EB-2</u>	<u>2-7-20</u>	<u>1215</u>																						
<u>Q</u>	<u>6154-TB</u>	<u>—</u>	<u>—</u>				<u>1</u>																		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
PO# 2020-1298

Sample Integrity - To be completed by receiving lab.
Method of Shipment: GC
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) [Signature] Time 1430 Date 2/10/20
Received By: (sign) Gold Cross Time 1430 Date 2/10/20

Received in Laboratory By: [Signature] Time: 8:00 Date: 2/11/20

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 11-May-21

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357A
Sample ID 6154-MW-1
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B	5/4/2021	5/4/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B	5/4/2021	5/4/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B	5/4/2021	5/4/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B	5/4/2021	5/4/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B	5/4/2021	5/4/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B	5/4/2021	5/4/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B	5/4/2021	5/4/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B	5/4/2021	5/4/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B	5/4/2021	5/4/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B	5/4/2021	5/4/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B	5/4/2021	5/4/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B	5/4/2021	5/4/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B	5/4/2021	5/4/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B	5/4/2021	5/4/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B	5/4/2021	5/4/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B	5/4/2021	5/4/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B	5/4/2021	5/4/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B	5/4/2021	5/4/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B	5/4/2021	5/4/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B	5/4/2021	5/4/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B	5/4/2021	5/4/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B	5/4/2021	5/4/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B	5/4/2021	5/4/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B	5/4/2021	5/4/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B	5/4/2021	5/4/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357A
Sample ID 6154-MW-1
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/4/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/4/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/4/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/4/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/4/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/4/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/4/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/4/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/4/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/4/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/4/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/4/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/4/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/4/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/4/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/4/2021	CJR	1
Tetrachloroethene	60	ug/l	0.54	2.22	1	8260B		5/4/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/4/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/4/2021	CJR	1
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/4/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/4/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/4/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/4/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/4/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/4/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/4/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/4/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/4/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/4/2021	CJR	1
SUR - 4-Bromofluorobenzene	125	REC %			1	8260B		5/4/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/4/2021	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/4/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/4/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357B
Sample ID 6154-MW-4
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.8	ug/l	3.8	15.5	10	8260B		5/6/2021	CJR	1
Bromobenzene	< 4	ug/l	4	16.5	10	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 4.7	ug/l	4.7	19.3	10	8260B		5/6/2021	CJR	1
Bromoform	< 4.6	ug/l	4.6	18.7	10	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 4.5	ug/l	4.5	18.4	10	8260B		5/6/2021	CJR	1
sec-Butylbenzene	6.5 "J"	ug/l	3.1	12.8	10	8260B		5/6/2021	CJR	1
n-Butylbenzene	15.2 "J"	ug/l	4.6	18.8	10	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 4.4	ug/l	4.4	17.9	10	8260B		5/6/2021	CJR	1
Chlorobenzene	< 3.8	ug/l	3.8	15.3	10	8260B		5/6/2021	CJR	1
Chloroethane	< 7.8	ug/l	7.8	31.6	10	8260B		5/6/2021	CJR	1
Chloroform	< 4	ug/l	4	16.4	10	8260B		5/6/2021	CJR	1
Chloromethane	< 8.4	ug/l	8.4	34.2	10	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 3.6	ug/l	3.6	14.7	10	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 4	ug/l	4	16.2	10	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 5.4	ug/l	5.4	22	10	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	18.5	10	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 4.8	ug/l	4.8	19.7	10	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 3.8	ug/l	3.8	15.4	10	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 4.4	ug/l	4.4	18.1	10	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 5.5	ug/l	5.5	22.4	10	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 4.4	ug/l	4.4	18.1	10	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 4.8	ug/l	4.8	19.5	10	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 5.5	ug/l	5.5	22.5	10	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	9.3 "J"	ug/l	3.9	15.9	10	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 6	ug/l	6	24.6	10	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	15.4	10	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 4	ug/l	4	16.4	10	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 4.5	ug/l	4.5	18.2	10	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 5.1	ug/l	5.1	20.7	10	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 4.7	ug/l	4.7	19.3	10	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 4.7	ug/l	4.7	19	10	8260B		5/6/2021	CJR	1
Ethylbenzene	264	ug/l	3.7	15.1	10	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 7.5	ug/l	7.5	30	10	8260B		5/6/2021	CJR	1
Isopropylbenzene	29.1	ug/l	3	12.4	10	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 4.3	ug/l	4.3	17.6	10	8260B		5/6/2021	CJR	1
Methylene chloride	< 8.9	ug/l	8.9	33.8	10	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.6	ug/l	4.6	18.8	10	8260B		5/6/2021	CJR	1
Naphthalene	78	ug/l	14	56.7	10	8260B		5/6/2021	CJR	1
n-Propylbenzene	112	ug/l	4.4	17.9	10	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 3.6	ug/l	3.6	14.6	10	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 7.6	ug/l	7.6	31	10	8260B		5/6/2021	CJR	1
Tetrachloroethene	< 5.4	ug/l	5.4	22.2	10	8260B		5/6/2021	CJR	1
Toluene	7.9 "J"	ug/l	4.2	17.1	10	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 6.7	ug/l	6.7	27.3	10	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357B
Sample ID 6154-MW-4
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 6.6	ug/l	6.6	28.2	10	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 4.1	ug/l	4.1	16.9	10	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	19.6	10	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	19.2	10	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 4.9	ug/l	4.9	20.1	10	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 3.5	ug/l	3.5	14	10	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 3.8	ug/l	3.8	15.5	10	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	6.5	10	8260B		5/6/2021	CJR	1
m&p-Xylene	160	ug/l	7.7	31.4	10	8260B		5/6/2021	CJR	1
o-Xylene	< 4.4	ug/l	4.4	18	10	8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	100	REC %			10	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	102	REC %			10	8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			10	8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			10	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357C
Sample ID 6154-MW-8
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/5/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/5/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/5/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/5/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/5/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/5/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/5/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/5/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/5/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/5/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/5/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/5/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/5/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/5/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/5/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/5/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/5/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/5/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/5/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/5/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/5/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/5/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/5/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/5/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/5/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/5/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/5/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/5/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/5/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/5/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/5/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/5/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/5/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/5/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/5/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/5/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/5/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/5/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/5/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/5/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/5/2021	CJR	1
Tetrachloroethene	10.7	ug/l	0.54	2.22	1	8260B		5/5/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/5/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/5/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357C
Sample ID 6154-MW-8
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/5/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/5/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/5/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/5/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/5/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/5/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/5/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/5/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/5/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/5/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/5/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/5/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/5/2021	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		5/5/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357D
Sample ID 6154-MW-10
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/5/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/5/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/5/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/5/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/5/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/5/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/5/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/5/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/5/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/5/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/5/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/5/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/5/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/5/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/5/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/5/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/5/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/5/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/5/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/5/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/5/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/5/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/5/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/5/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/5/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/5/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/5/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/5/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/5/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/5/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/5/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/5/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/5/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/5/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/5/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/5/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/5/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/5/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/5/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/5/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/5/2021	CJR	1
Tetrachloroethene	1.4 "J"	ug/l	0.54	2.22	1	8260B		5/5/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/5/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/5/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357D
Sample ID 6154-MW-10
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/5/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/5/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/5/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/5/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/5/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/5/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/5/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/5/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/5/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/5/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		5/5/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/5/2021	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/5/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/5/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357E
Sample ID 6154-MW-13
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/5/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/5/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/5/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/5/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/5/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/5/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/5/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/5/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/5/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/5/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/5/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/5/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/5/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/5/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/5/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/5/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/5/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/5/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/5/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/5/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/5/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/5/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/5/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/5/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/5/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/5/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/5/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/5/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/5/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/5/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/5/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/5/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/5/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/5/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/5/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/5/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/5/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/5/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/5/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/5/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/5/2021	CJR	1
Tetrachloroethene	1.5 "J"	ug/l	0.54	2.22	1	8260B		5/5/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/5/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/5/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357E
Sample ID 6154-MW-13
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/5/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/5/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/5/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/5/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/5/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/5/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/5/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/5/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/5/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/5/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		5/5/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/5/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/5/2021	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/5/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357F
Sample ID 6154-MW-14
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357F
Sample ID 6154-MW-14
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357G
Sample ID 6154-MW-15
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	1.59 "J"	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	0.64 "J"	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357G
Sample ID 6154-MW-15
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357H
Sample ID 6154-MW-17
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	14.2	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357H
Sample ID 6154-MW-17
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357I
Sample ID 6154-MW-20
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357I
Sample ID 6154-MW-20
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357J
Sample ID 6154-MW-21
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	3.09	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357J
Sample ID 6154-MW-21
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357K
Sample ID 6154-PZ-12
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	1.13 "J"	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357K
Sample ID 6154-PZ-12
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357L
Sample ID 6154-PZ-22
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357L
Sample ID 6154-PZ-22
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	101	REC %				1	8260B	5/6/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %				1	8260B	5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %				1	8260B	5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %				1	8260B	5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357M
Sample ID 6154-DUP-1
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	1.64	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	0.64 "J"	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357M
Sample ID 6154-DUP-1
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357N
Sample ID 6154-DUP-2
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	1.69 "J"	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357N
Sample ID 6154-DUP-2
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/6/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 50393570
Sample ID 6154-EB-1
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/5/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/5/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/5/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/5/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/5/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/5/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/5/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/5/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/5/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/5/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/5/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/5/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/5/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/5/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/5/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/5/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/5/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/5/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/5/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/5/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/5/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/5/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/5/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/5/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/5/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/5/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/5/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/5/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/5/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/5/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/5/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/5/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/5/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/5/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/5/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/5/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/5/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/5/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/5/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/5/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/5/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/5/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/5/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/5/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 50393570
Sample ID 6154-EB-1
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/5/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/5/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/5/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/5/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/5/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/5/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/5/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/5/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/5/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/5/2021	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		5/5/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/5/2021	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/5/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/5/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357P
Sample ID 6154-EB-2
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/5/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/5/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/5/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/5/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/5/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/5/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/5/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/5/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/5/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/5/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/5/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/5/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/5/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/5/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/5/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/5/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/5/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/5/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/5/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/5/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/5/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/5/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/5/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/5/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/5/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/5/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/5/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/5/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/5/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/5/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/5/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/5/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/5/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/5/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/5/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/5/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/5/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/5/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/5/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/5/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/5/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/5/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/5/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/5/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357P
Sample ID 6154-EB-2
Sample Matrix Water
Sample Date 4/29/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/5/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/5/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/5/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/5/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/5/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/5/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/5/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/5/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/5/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/5/2021	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/5/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/5/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/5/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/5/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357Q
Sample ID 6154-TB
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/5/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/5/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/5/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/5/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/5/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/5/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/5/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/5/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/5/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/5/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/5/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/5/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/5/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/5/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/5/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/5/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/5/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/5/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/5/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/5/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/5/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/5/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/5/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/5/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/5/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/5/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/5/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/5/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/5/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/5/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/5/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/5/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/5/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/5/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/5/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/5/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/5/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/5/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/5/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/5/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/5/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/5/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/5/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/5/2021	CJR	1

Project Name ROBINSONS CLEANERS
Project # 6154 PO#2020-0240

Invoice # E39357

Lab Code 5039357Q
Sample ID 6154-TB
Sample Matrix Water
Sample Date 4/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/5/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/5/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/5/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/5/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/5/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/5/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/5/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/5/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/5/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/5/2021	CJR	1
SUR - Toluene-d8	102	REC %				8260B		5/5/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %				8260B		5/5/2021	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %				8260B		5/5/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %				8260B		5/5/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcabc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. #
 QUOTE #: 8242
 Project #: 6154
 Sampler: (signature) RTL

Project (Name / Location): Robinson Cleaners - Beloit
 Reports To: Brian Kappen
 Invoice To: Accounts Payable
 Company: EnviroForensics
 Address: 216 W 233rd Store Ridge Dr Suite G
 City State Zip: Waukesha, WI 53188
 Phone: 262-290-4001
 Email: bkappen@enviroforensics.com

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 824.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	PID/ FID		
		Date	Time																						
5039357A	6154-MW-1	4-28-21	1450	N	3	GW	HCL																		
B	6154-MW-4	4-29-21	1026																						
C	6154-MW-8	4-29-21	955																						
D	6154-MW-10	4-28-21	1413																						
E	6154-MW-13	4-29-21	1141																						
F	6154-MW-14	4-28-21	1240																						
G	6154-MW-15	4-28-21	1325																						
H	6154-MW-17	4-29-21	1100																						
I	6154-MW-20	4-28-21	1138																						
J	6154-MW-21	4-28-21	1105																						
K	6154-PZ-12	4-29-21	1305																						
L	6154-PZ-22	4-29-21	1404																						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO: 2021-240

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: CS
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) RTL Time 1630 Date 4-30-21
 Received By: (sign) CS Logistics Time 1630 Date 4-30-21
 Received in Laboratory By: [Signature] Time: 8:00 Date: 5/3/21

Environmental Lab, Inc.

www.synergy-lab.net
1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcabc.com

Sample Handling Request
Rush Analysis Date Required:
(Normal Turn Around)

Lab I.D. #
QUOTE #: 8242
Project #: 6154
Sampler: (signature)

Project (Name / Location): Robinson Cleaners - Beloit

Reports To:
Company:
Address:
City State Zip:
Phone:
Email:

Analysis Requested Other Analysis

Table with columns: Lab I.D., Sample I.D., Collection Date, Time, Filtered, No. of Containers, Sample Type (Matrix)*, Preservation. Includes handwritten entries for samples 6154-DUP-1, 6154-DUP-2, 6154-EB-1, 6154-EB-2, and 6154-TB.

Table with columns for various analytes: DRO (Mod DRO Sep 95), GRO (Mod GRO Sep 95), LEAD, NITRATE/NITRITE, OIL & GREASE, PAH (EPA 8270), PCB, PVOC (EPA 8021), PVOC + NAPHTHALENE, SULFATE, TOTAL SUSPENDED SOLIDS, VOC DW (EPA 524.2), VOC (EPA 8260), VOC AIR (TO - 15), 8-RCRA METALS, PID/FID.

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO: 2021-240

Sample Integrity - To be completed by receiving lab.
Method of Shipment: CS
Temp. of Temp. Blank: °C On Ice: X
Cooler seal intact upon receipt: X Yes ___ No

Relinquished By: (sign) Time Date Received By: (sign) Time Date
Received in Laboratory By: Time Date

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 29-Oct-21

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106A
Sample ID 6154 MW-1
Sample Matrix Water
Sample Date 10/19/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/27/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106A
Sample ID 6154 MW-1
Sample Matrix Water
Sample Date 10/19/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/27/2021	CJR	1
Tetrachloroethene	61	ug/l	0.54	2.22	1	8260B		10/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/27/2021	CJR	1
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/27/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		10/27/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		10/27/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106B
Sample ID 6154 MW-4
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.8	ug/l	3.8	15.5	10	8260B		10/29/2021	CJR	1
Bromobenzene	< 4	ug/l	4	16.5	10	8260B		10/29/2021	CJR	1
Bromodichloromethane	< 4.7	ug/l	4.7	19.3	10	8260B		10/29/2021	CJR	1
Bromoform	< 4.6	ug/l	4.6	18.7	10	8260B		10/29/2021	CJR	1
tert-Butylbenzene	< 4.5	ug/l	4.5	18.4	10	8260B		10/29/2021	CJR	1
sec-Butylbenzene	3.6 "J"	ug/l	3.1	12.8	10	8260B		10/29/2021	CJR	1
n-Butylbenzene	6.3 "J"	ug/l	4.6	18.8	10	8260B		10/29/2021	CJR	1
Carbon Tetrachloride	< 4.4	ug/l	4.4	17.9	10	8260B		10/29/2021	CJR	1
Chlorobenzene	< 3.8	ug/l	3.8	15.3	10	8260B		10/29/2021	CJR	1
Chloroethane	< 7.8	ug/l	7.8	31.6	10	8260B		10/29/2021	CJR	1
Chloroform	< 4	ug/l	4	16.4	10	8260B		10/29/2021	CJR	1
Chloromethane	< 8.4	ug/l	8.4	34.2	10	8260B		10/29/2021	CJR	1
2-Chlorotoluene	< 3.6	ug/l	3.6	14.7	10	8260B		10/29/2021	CJR	1
4-Chlorotoluene	< 4	ug/l	4	16.2	10	8260B		10/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 5.4	ug/l	5.4	22	10	8260B		10/29/2021	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	18.5	10	8260B		10/29/2021	CJR	1
1,4-Dichlorobenzene	< 4.8	ug/l	4.8	19.7	10	8260B		10/29/2021	CJR	1
1,3-Dichlorobenzene	< 3.8	ug/l	3.8	15.4	10	8260B		10/29/2021	CJR	1
1,2-Dichlorobenzene	< 4.4	ug/l	4.4	18.1	10	8260B		10/29/2021	CJR	1
Dichlorodifluoromethane	< 5.5	ug/l	5.5	22.4	10	8260B		10/29/2021	CJR	1
1,2-Dichloroethane	< 4.4	ug/l	4.4	18.1	10	8260B		10/29/2021	CJR	1
1,1-Dichloroethane	< 4.8	ug/l	4.8	19.5	10	8260B		10/29/2021	CJR	1
1,1-Dichloroethene	< 5.5	ug/l	5.5	22.5	10	8260B		10/29/2021	CJR	1
cis-1,2-Dichloroethene	8.7 "J"	ug/l	3.9	15.9	10	8260B		10/29/2021	CJR	1
trans-1,2-Dichloroethene	< 6	ug/l	6	24.6	10	8260B		10/29/2021	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	15.4	10	8260B		10/29/2021	CJR	1
1,3-Dichloropropane	< 4	ug/l	4	16.4	10	8260B		10/29/2021	CJR	1
trans-1,3-Dichloropropene	< 4.5	ug/l	4.5	18.2	10	8260B		10/29/2021	CJR	1
cis-1,3-Dichloropropene	< 5.1	ug/l	5.1	20.7	10	8260B		10/29/2021	CJR	1
Di-isopropyl ether	< 4.7	ug/l	4.7	19.3	10	8260B		10/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 4.7	ug/l	4.7	19	10	8260B		10/29/2021	CJR	1
Ethylbenzene	51	ug/l	3.7	15.1	10	8260B		10/29/2021	CJR	1
Hexachlorobutadiene	< 7.5	ug/l	7.5	30	10	8260B		10/29/2021	CJR	1
Isopropylbenzene	13.1	ug/l	3	12.4	10	8260B		10/29/2021	CJR	1
p-Isopropyltoluene	< 4.3	ug/l	4.3	17.6	10	8260B		10/29/2021	CJR	1
Methylene chloride	< 8.9	ug/l	8.9	33.8	10	8260B		10/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.6	ug/l	4.6	18.8	10	8260B		10/29/2021	CJR	1
Naphthalene	46 "J"	ug/l	14	56.7	10	8260B		10/29/2021	CJR	1
n-Propylbenzene	51	ug/l	4.4	17.9	10	8260B		10/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 3.6	ug/l	3.6	14.6	10	8260B		10/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 7.6	ug/l	7.6	31	10	8260B		10/29/2021	CJR	1
Tetrachloroethene	< 5.4	ug/l	5.4	22.2	10	8260B		10/29/2021	CJR	1
Toluene	< 4.2	ug/l	4.2	17.1	10	8260B		10/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 6.7	ug/l	6.7	27.3	10	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106B
Sample ID 6154 MW-4
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 6.6	ug/l	6.6	28.2	10	8260B		10/29/2021	CJR	1
1,1,1-Trichloroethane	< 4.1	ug/l	4.1	16.9	10	8260B		10/29/2021	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	19.6	10	8260B		10/29/2021	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	19.2	10	8260B		10/29/2021	CJR	1
Trichlorofluoromethane	< 4.9	ug/l	4.9	20.1	10	8260B		10/29/2021	CJR	1
1,2,4-Trimethylbenzene	13 "J"	ug/l	3.5	14	10	8260B		10/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 3.8	ug/l	3.8	15.5	10	8260B		10/29/2021	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	6.5	10	8260B		10/29/2021	CJR	1
m&p-Xylene	22.3 "J"	ug/l	7.7	31.4	10	8260B		10/29/2021	CJR	1
o-Xylene	< 4.4	ug/l	4.4	18	10	8260B		10/29/2021	CJR	1
SUR - Toluene-d8	97	REC %			10	8260B		10/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			10	8260B		10/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			10	8260B		10/29/2021	CJR	1
SUR - Dibromofluoromethane	100	REC %			10	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106C
Sample ID 6154 MW-8
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/28/2021	CJR	1
sec-Butylbenzene	1.16 "J"	ug/l	0.31	1.28	1	8260B		10/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/28/2021	CJR	1
cis-1,2-Dichloroethene	46	ug/l	0.39	1.59	1	8260B		10/28/2021	CJR	1
trans-1,2-Dichloroethene	0.62 "J"	ug/l	0.6	2.46	1	8260B		10/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/28/2021	CJR	1
Tetrachloroethene	5.9	ug/l	0.54	2.22	1	8260B		10/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/28/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106C
Sample ID 6154 MW-8
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/28/2021	CJR	1
Trichloroethene (TCE)	0.76 "J"	ug/l	0.47	1.92	1	8260B		10/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/28/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		10/28/2021	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		10/28/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106D
Sample ID 6154 MW-10
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/28/2021	CJR	1
Tetrachloroethene	9.7	ug/l	0.54	2.22	1	8260B		10/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/28/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106D
Sample ID 6154 MW-10
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/28/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		10/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		10/28/2021	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		10/28/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106E
Sample ID 6154 MW-13
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/29/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/29/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/29/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/29/2021	CJR	1
Tetrachloroethene	1.53 "J"	ug/l	0.54	2.22	1	8260B		10/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106E
Sample ID 6154 MW-13
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/29/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/29/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/29/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		10/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/29/2021	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106F
Sample ID 6154 MW-14
Sample Matrix Water
Sample Date 10/19/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		10/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/27/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106F
Sample ID 6154 MW-14
Sample Matrix Water
Sample Date 10/19/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/27/2021	CJR	1
SUR - Toluene-d8	97	REC %				8260B		10/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				8260B		10/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %				8260B		10/27/2021	CJR	1
SUR - Dibromofluoromethane	103	REC %				8260B		10/27/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106G
Sample ID 6154 MW-15
Sample Matrix Water
Sample Date 10/19/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/27/2021	CJR	1
Tetrachloroethene	2.46	ug/l	0.54	2.22	1	8260B		10/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/27/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106G
Sample ID 6154 MW-15
Sample Matrix Water
Sample Date 10/19/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/27/2021	CJR	1
SUR - Toluene-d8	97	REC %				8260B		10/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				8260B		10/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %				8260B		10/27/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %				8260B		10/27/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106H
Sample ID 6154 MW-17
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/29/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/29/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/29/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/29/2021	CJR	1
Tetrachloroethene	8.1	ug/l	0.54	2.22	1	8260B		10/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106H
Sample ID 6154 MW-17
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/29/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/29/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/29/2021	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		10/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		10/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		10/29/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106I
Sample ID 6154 MW-20
Sample Matrix Water
Sample Date 10/19/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/29/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/29/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/29/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/29/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		10/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106I
Sample ID 6154 MW-20
Sample Matrix Water
Sample Date 10/19/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/29/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/29/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/29/2021	CJR	1
SUR - Toluene-d8	95	REC %				1 8260B		10/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %				1 8260B		10/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %				1 8260B		10/29/2021	CJR	1
SUR - Dibromofluoromethane	104	REC %				1 8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106J
Sample ID 6154 MW-21
Sample Matrix Water
Sample Date 10/19/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/29/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/29/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/29/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/29/2021	CJR	1
Tetrachloroethene	2.77	ug/l	0.54	2.22	1	8260B		10/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106J
Sample ID 6154 MW-21
Sample Matrix Water
Sample Date 10/19/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/29/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/29/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/29/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		10/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		10/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/29/2021	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106K
Sample ID 6154 PZ-12
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/29/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/29/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/29/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/29/2021	CJR	1
Tetrachloroethene	1.22 "J"	ug/l	0.54	2.22	1	8260B		10/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106K
Sample ID 6154 PZ-12
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/29/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/29/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/29/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		10/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		10/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/29/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106L
Sample ID 6154 PZ-22
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/29/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/29/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/29/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/29/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		10/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106L
Sample ID 6154 PZ-22
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/29/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/29/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/29/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		10/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		10/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/29/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106M
Sample ID 6154 DUP-1
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/29/2021	CJR	1
sec-Butylbenzene	0.96 "J"	ug/l	0.31	1.28	1	8260B		10/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/29/2021	CJR	1
cis-1,2-Dichloroethene	42	ug/l	0.39	1.59	1	8260B		10/29/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/29/2021	CJR	1
Tetrachloroethene	7.4	ug/l	0.54	2.22	1	8260B		10/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106M
Sample ID 6154 DUP-1
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/29/2021	CJR	1
Trichloroethene (TCE)	0.98 "J"	ug/l	0.47	1.92	1	8260B		10/29/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/29/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		10/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/29/2021	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106N
Sample ID 6154 DUP-2
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/29/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/29/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/29/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/29/2021	CJR	1
Tetrachloroethene	1.2 "J"	ug/l	0.54	2.22	1	8260B		10/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106N
Sample ID 6154 DUP-2
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/29/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/29/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/29/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		10/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/29/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		10/29/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106O
Sample ID 6154 EB-1
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		10/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/28/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106O
Sample ID 6154 EB-1
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/28/2021	CJR	1
SUR - Toluene-d8	96	REC %				1	8260B	10/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %				1	8260B	10/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				1	8260B	10/28/2021	CJR	1
SUR - Dibromofluoromethane	101	REC %				1	8260B	10/28/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106P
Sample ID 6154 EB-2
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		10/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		10/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		10/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		10/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		10/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		10/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		10/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		10/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		10/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		10/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		10/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		10/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		10/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		10/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		10/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		10/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		10/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		10/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		10/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		10/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		10/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		10/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		10/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		10/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		10/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		10/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		10/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		10/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		10/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		10/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		10/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		10/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		10/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		10/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		10/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		10/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		10/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		10/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		10/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		10/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		10/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		10/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		10/28/2021	CJR	1

Project Name ROBINSON CLEANERS-BELOIT
Project # 6154 PO#2021-0628

Invoice # E40106

Lab Code 5040106P
Sample ID 6154 EB-2
Sample Matrix Water
Sample Date 10/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		10/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		10/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		10/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		10/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		10/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		10/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		10/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		10/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		10/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		10/28/2021	CJR	1
SUR - Toluene-d8	97	REC %				1	8260B	10/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %				1	8260B	10/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				1	8260B	10/28/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %				1	8260B	10/28/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE #: 8242
 Project #: 6154
 Sampler: (signature) TLT

Project (Name / Location): Robinson Cleaners - Beloit
 Reports To: Brian Kappen Invoice To: Accounts Payable
 Company: EnviroForensics Company: _____
 Address: 116W23390 Stone Ridge Dr Address: _____
 City State Zip: Waukesha, WI 53188 City State Zip: _____
 Phone: 262-290-4001 Phone: _____
 Email: bkappen@enviroforensics.com Email: accounts payable@enviroforensics.com

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	PID/ FID	
		Date	Time																					
<u>5040106 A</u>	<u>6154-MW-1</u>	<u>10-19-21</u>	<u>1527</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>																	
<u>B</u>	<u>6154-MW-4</u>	<u>10-22-21</u>	<u>1056</u>																					
<u>C</u>	<u>6154-MW-8</u>	<u>10-22-21</u>	<u>1025</u>																					
<u>D</u>	<u>6154-MW-10</u>	<u>10-22-21</u>	<u>1318</u>																					
<u>E</u>	<u>6154-MW-13</u>	<u>10-22-21</u>	<u>1139</u>																					
<u>F</u>	<u>6154-MW-14</u>	<u>10-19-21</u>	<u>1438</u>																					
<u>G</u>	<u>6154-MW-15</u>	<u>10-19-21</u>	<u>1346</u>																					
<u>H</u>	<u>6154-MW-17</u>	<u>10-22-21</u>	<u>1248</u>																					
<u>I</u>	<u>6154-MW-20</u>	<u>10-19-21</u>	<u>1256</u>																					
<u>J</u>	<u>6154-MW-21</u>	<u>10-19-21</u>	<u>1222</u>																					
<u>K</u>	<u>6154-P2-12</u>	<u>10-22-21</u>	<u>1457</u>																					
<u>L</u>	<u>6154-P2-22</u>	<u>10-22-21</u>	<u>1424</u>																					

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO: 2021-0628

Sample Integrity - To be completed by receiving lab.

Method of Shipment: CS

Temp. of Temp. Blank: _____ °C On Ice:

Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign)

B. J. Z...

Time

1630

Date

10/25/21

Received By: (sign)

CS Logistics

Time

1630

Date

10/25/21

Received in Laboratory By: Ch. J. P...

Time:

8:00

Date:

10/26/21

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE # : 8242
 Project #: 6154
 Sampler: (signature) _____

Project (Name / Location): Robinson Cleaners-Bebit

Reports To:	Invoice To:
Company	Company
Address	Address
City State Zip	City State Zip
Phone	Phone
Email	Email

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	P VOC (EPA 8021)	P VOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	PID/ FID	
		Date	Time																					
<u>S040106M</u>	<u>6154-DUP-1</u>	<u>10-22-21</u>	<u>-</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>																	
<u>N</u>	<u>6154-DUP-2</u>	<u>↓</u>	<u>-</u>	<u>↓</u>	<u>↓</u>	<u>↓</u>	<u>↓</u>													<u>X</u>				
<u>O</u>	<u>6154-EB-1</u>	<u>↓</u>	<u>1025</u>	<u>↓</u>	<u>↓</u>	<u>↓</u>	<u>↓</u>																	
<u>P</u>	<u>6154-EB-2</u>	<u>↓</u>	<u>1505</u>	<u>↓</u>	<u>↓</u>	<u>↓</u>	<u>↓</u>																	

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: CS

Temp. of Temp. Blank: _____ °C On Ice:

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) <u>[Signature]</u>	Time <u>1630</u>	Date <u>10/25/21</u>	Received By: (sign) <u>CS Logistics</u>	Time <u>1630</u>	Date <u>10/25/21</u>
---	---------------------	-------------------------	--	---------------------	-------------------------

Received in Laboratory By: [Signature] Time: 8:00 Date: 10/26/21

Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 13-Jul-22

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180A
Sample ID 6154 MW-1
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/12/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180A
Sample ID 6154 MW-1
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/12/2022	CJR	1
Tetrachloroethene	17.3	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/12/2022	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		7/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		7/12/2022	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		7/12/2022	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		7/12/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180B
Sample ID 6154 MW-4
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/12/2022	CJR	1
sec-Butylbenzene	3.4	ug/l	0.33	1.34	1	8260B		7/12/2022	CJR	1
n-Butylbenzene	6.7	ug/l	0.71	2.9	1	8260B		7/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/12/2022	CJR	1
cis-1,2-Dichloroethene	6.1	ug/l	0.32	1.29	1	8260B		7/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/12/2022	CJR	1
Ethylbenzene	38	ug/l	0.33	1.37	1	8260B		7/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/12/2022	CJR	1
Isopropylbenzene	12.7	ug/l	0.34	1.38	1	8260B		7/12/2022	CJR	1
p-Isopropyltoluene	0.88 "J"	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Naphthalene	12.5	ug/l	1.4	5.56	1	8260B		7/12/2022	CJR	1
n-Propylbenzene	49	ug/l	0.39	1.6	1	8260B		7/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Toluene	0.88 "J"	ug/l	0.33	1.35	1	8260B		7/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/12/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180B
Sample ID 6154 MW-4
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/12/2022	CJR	1
Trichloroethene (TCE)	0.82 "J"	ug/l	0.38	1.55	1	8260B		7/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/12/2022	CJR	1
1,3,5-Trimethylbenzene	0.47 "J"	ug/l	0.41	1.66	1	8260B		7/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/12/2022	CJR	1
m&p-Xylene	19.9	ug/l	0.64	2.63	1	8260B		7/12/2022	CJR	1
o-Xylene	1.0 "J"	ug/l	0.37	1.51	1	8260B		7/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		7/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		7/12/2022	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		7/12/2022	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		7/12/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180C
Sample ID 6154 MW-8
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/12/2022	CJR	1
sec-Butylbenzene	0.50 "J"	ug/l	0.33	1.34	1	8260B		7/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/12/2022	CJR	1
cis-1,2-Dichloroethene	17.9	ug/l	0.32	1.29	1	8260B		7/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/12/2022	CJR	1
Tetrachloroethene	9.8	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/12/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180C
Sample ID 6154 MW-8
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/12/2022	CJR	1
Trichloroethene (TCE)	0.42 "J"	ug/l	0.38	1.55	1	8260B		7/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		7/12/2022	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		7/12/2022	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		7/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		7/12/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180D
Sample ID 6154 MW-10
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/12/2022	CJR	1
Tetrachloroethene	12.3	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/12/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180D
Sample ID 6154 MW-10
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/12/2022	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		7/12/2022	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		7/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		7/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		7/12/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180E
Sample ID 6154 MW-11
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180E
Sample ID 6154 MW-11
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180F
Sample ID 6154 MW-13
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	16.8	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180F
Sample ID 6154 MW-13
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180G
Sample ID 6154 MW-14
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180G
Sample ID 6154 MW-14
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180H
Sample ID 6154 MW-15
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	1.25 "J"	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180H
Sample ID 6154 MW-15
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
 Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180I
 Sample ID 6154 MW-17
 Sample Matrix Water
 Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	7.3	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180I
Sample ID 6154 MW-17
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180J
Sample ID 6154 MW-18
Sample Matrix Water
Sample Date 7/5/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180J
Sample ID 6154 MW-18
Sample Matrix Water
Sample Date 7/5/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180K
Sample ID 6154 MW-19
Sample Matrix Water
Sample Date 7/5/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180K
Sample ID 6154 MW-19
Sample Matrix Water
Sample Date 7/5/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180L
Sample ID 6154 MW-20
Sample Matrix Water
Sample Date 7/5/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180L
Sample ID 6154 MW-20
Sample Matrix Water
Sample Date 7/5/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180M
Sample ID 6154 MW-21
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	1.95	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180M
Sample ID 6154 MW-21
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180N
Sample ID 6154 PZ-12
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	0.80 "J"	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180N
Sample ID 6154 PZ-12
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 50411800
Sample ID 6154 PZ-22
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	0.47 "J"	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 50411800
Sample ID 6154 PZ-22
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180P
Sample ID 6154 DUP-1
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	1.22 "J"	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180P
Sample ID 6154 DUP-1
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180Q
Sample ID 6154 DUP-2
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/13/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/13/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/13/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/13/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/13/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/13/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/13/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/13/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/13/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/13/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/13/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/13/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/13/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/13/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/13/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/13/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/13/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/13/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/13/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/13/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/13/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/13/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/13/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/13/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/13/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/13/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/13/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/13/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/13/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/13/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/13/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/13/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/13/2022	CJR	1
Tetrachloroethene	17.3	ug/l	0.47	1.91	1	8260B		7/13/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180Q
Sample ID 6154 DUP-2
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/13/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/13/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/13/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/13/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/13/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/13/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/13/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/13/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/13/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/13/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		7/13/2022	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		7/13/2022	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		7/13/2022	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		7/13/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180R
Sample ID 6154 EB-1
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		7/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/12/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180R
Sample ID 6154 EB-1
Sample Matrix Water
Sample Date 7/6/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		7/12/2022	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		7/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		7/12/2022	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		7/12/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180S
Sample ID 6154 EB-2
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		7/12/2022	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		7/12/2022	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		7/12/2022	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		7/12/2022	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		7/12/2022	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		7/12/2022	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		7/12/2022	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		7/12/2022	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		7/12/2022	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		7/12/2022	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		7/12/2022	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		7/12/2022	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		7/12/2022	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		7/12/2022	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		7/12/2022	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/12/2022	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		7/12/2022	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/12/2022	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/12/2022	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		7/12/2022	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		7/12/2022	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		7/12/2022	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		7/12/2022	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		7/12/2022	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		7/12/2022	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		7/12/2022	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		7/12/2022	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/12/2022	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		7/12/2022	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		7/12/2022	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		7/12/2022	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		7/12/2022	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		7/12/2022	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		7/12/2022	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		7/12/2022	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		7/12/2022	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		7/12/2022	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		7/12/2022	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		7/12/2022	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		7/12/2022	CJR	1
Toluene	0.36 "J"	ug/l	0.33	1.35	1	8260B		7/12/2022	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		7/12/2022	CJR	1

Project Name ROBINSON CLEANERS
Project # 6154 PO#2022-0358

Invoice # E41180

Lab Code 5041180S
Sample ID 6154 EB-2
Sample Matrix Water
Sample Date 7/7/2022

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		7/12/2022	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		7/12/2022	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		7/12/2022	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		7/12/2022	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		7/12/2022	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		7/12/2022	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		7/12/2022	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		7/12/2022	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		7/12/2022	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		7/12/2022	CJR	1
SUR - Toluene-d8	94	REC %				8260B		7/12/2022	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				8260B		7/12/2022	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %				8260B		7/12/2022	CJR	1
SUR - Dibromofluoromethane	107	REC %				8260B		7/12/2022	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____

(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. #
 QUOTE #: 8242
 Project #: 6154
 Sampler: (signature) TR

Project (Name / Location): Robinson Cleaners - Beloit
 Reports To: Brian Kappen Invoice To: Accounts Payable
 Company: Enviro Forensics Company:
 Address: 16623 390 Stone Ridge Dr Address:
Suite 6
 City State Zip: Waukesha, WI 53188 City State Zip:
 Phone: 262-290-4001 Phone:
 Email: bkappene@enviroforensics.com Email: accounts.payable@enviroforensics.com

Analysis Requested											Other Analysis				
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	PID/FID
											X				

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5041180A	6154-MW-1	7-6-22	1420	N	3	GW	HCL
B	6154-MW-4	7-7-22	1634				
C	6154-MW-8	7-7-22	958				
D	6154-MW-10	7-6-22	1300				
E	6154-MW-11	7-6-22	1305				
F	6154-MW-13	7-7-22	1120				
G	6154-MW-14	7-6-22	1103				
H	6154-MW-15	7-6-22	1213				
I	6154-MW-17	7-7-22	1224				
J	6154-MW-18	7-5-22	1241				
K	6154-MW-19	7-5-22	1150				
L	6154-MW-20	7-5-22	1343				

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO: 2022-0358

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: CS
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) TR Time 1600 Date 7-8-22
 Received By: (sign) CS Logistics Time 1600 Date 7-8-22
 Received in Laboratory By: [Signature] Time: 10:00 Date: 7/9/22

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE #: 8242
 Project #: 6154
 Sampler: (signature) RL

Project (Name / Location): Robinson Cleaners - Beloit
 Reports To: Brian Kappen Invoice To: Accounts Payable
 Company: EnviroForensics Company: _____
 Address: 16623390 Stone Ridge Dr Address: _____
 City State Zip: Waukesha, WI 53188 City State Zip: _____
 Phone: 262-290-4001 Phone: _____
 Email: bkappen@enviroforensics.com Email: accounts payable@enviroforensics.com

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	PID/ FID	
		Date	Time																					
<u>S01180M</u>	<u>6154-MW-21</u>	<u>7-6-22</u>	<u>9:50</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>																	
<u>N</u>	<u>6154-PZ-12</u>	<u>7-7-22</u>	<u>11:50</u>																					
<u>O</u>	<u>6154-PZ-22</u>	<u>7-6-22</u>	<u>10:33</u>																					
<u>P</u>	<u>6154-DUP-1</u>	<u>7-6-22</u>	<u>-</u>																					
<u>Q</u>	<u>6154-DUP-2</u>	<u>7-7-22</u>	<u>-</u>																					
<u>R</u>	<u>6154-EB-1</u>	<u>7-6-22</u>	<u>14:35</u>																					
<u>S</u>	<u>6154-EB-2</u>	<u>7-7-22</u>	<u>12:35</u>																					

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO: 2022-0358

Sample Integrity - To be completed by receiving lab.

Method of Shipment: CS

Temp. of Temp. Blank: _____ °C On Ice:

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign)

RL

Time

1600
7-8-22

Date

7-8-22

Received By: (sign)

CS Logistics

Time

1600

Date

7-8-22

Received in Laboratory By:

[Signature]

Time:

10200

Date:

7/9/22

ATTACHMENT 3

Vapor Laboratory Analytical Reports



EnvisionAir
1441 Sadler Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Mr. Brian Kappen
Enviroforensics
N16 W. 23390 Stone Ridge Dr
Suite G
Waukesha, WI 53188

January 27, 2020

EnvisionAir Project Number: 2020-22
Client Project Name: 6154

Dear Mr. Kappen,

Please find the attached analytical report for the samples received January 17, 2020. All test methods performed were fully compliant with local, state, and federal EPA methods unless otherwise noted. The project was analyzed as requested on the enclosed chain of custody record. Please review the comments section for additional information about your results or Quality Control data.

Feel free to contact me if you have any questions or comments regarding your analytical report or service.

Thank you for your business. EnvisionAir looks forward to working with you on your next project.

Yours Sincerely,

A handwritten signature in black ink that reads "Stanley A. Hunnicutt".

Stanley A Hunnicutt

Project Manager
EnvisionAir, LLC



EnvisionAir
 1441 Sadlier Circle West Drive
 Indianapolis, IN 46239
 Ph: 317-351-0885
 Fax: 317-351-0882
 www.envision-air.com

Client Name: ENVIROFORENSICS
Project ID: 6154
Client Project Manager: BRIAN KAPPEN
EnvisionAir Project Number: 2020-22

Sample Summary

Canister Pressure / Vacuum

<u>Laboratory Sample Number:</u>	<u>Sample Description:</u>	<u>Matrix:</u>	<u>START</u>	<u>START</u>	<u>End Date</u>	<u>End Time</u>	<u>Date</u>	<u>Time</u>	<u>Initial Field</u>	<u>Final Field</u>	<u>Lab</u>
			<u>Date</u>	<u>Time</u>							<u>Collected:</u>
20-94	6154-1036-SSV-EAST	A	1/14/20	11:35			1/17/20	10:30	-30	-3	-3
20-95	6154-1036-SSV-MIDDLE	A	1/14/20	11:05			1/17/20	10:30	-26	-3	-3
20-96	6154-1036-SSV-WEST	A	1/14/20	12:20			1/17/20	10:30	-29	-3	-3



EnvisionAir
 1441 Sadlier Circle West Drive
 Indianapolis, IN 46239
 Ph: 317-351-0885
 Fax: 317-351-0882
 www.envision-air.com

Client Name: ENVIROFORENSICS

Project ID: 6154

Client Project Manager: BRIAN KAPPEN

EnvisionAir Project Number: 2020-22

Analytical Method: TO-15
Analytical Batch: 012020AIR

Client Sample ID: 6154-1036-SSV-EAST **Sample Collection START Date/Time:** 1/14/20 11:35

Sample Collection END Date/Time:

Envision Sample Number: 20-94

Sample Received Date/Time: 1/17/20 10:30

Sample Matrix: AIR

<u>Compounds</u>	<u>Sample Results ug/m³</u>	<u>Reporting Limit ug/m³</u>	<u>Flag</u>
cis-1,2-Dichloroethene	< 19.8	19.8	
Tetrachloroethene	10,600	1280	1
trans-1,2-Dichloroethene	< 39.6	39.6	
Trichloroethene	< 1.07	1.07	
Vinyl Chloride	< 1.28	1.28	
4-bromofluorobenzene (surrogate)	95%		
Analysis Date/Time:	1-21-20/11:48		
Analyst Initials	tjg		



EnvisionAir
 1441 Sadler Circle West Drive
 Indianapolis, IN 46239
 Ph: 317-351-0885
 Fax: 317-351-0882
 www.envision-air.com

Client Name: ENVIROFORENSICS

Project ID: 6154

Client Project Manager: BRIAN KAPPEN

EnvisionAir Project Number: 2020-22

Analytical Method: TO-15
Analytical Batch: 012020AIR

Client Sample ID: 6154-1036-SSV-MIDDLE **Sample Collection START Date/Time:** 1/14/20 11:05
Sample Collection END Date/Time:

Envision Sample Number: 20-95 **Sample Received Date/Time:** 1/17/20 10:30
Sample Matrix: AIR

<u>Compounds</u>	<u>Sample Results ug/m³</u>	<u>Reporting Limit ug/m³</u>	<u>Flag</u>
cis-1,2-Dichloroethene	< 19.8	19.8	
Tetrachloroethene	38,000	1280	1
trans-1,2-Dichloroethene	< 39.6	39.6	
Trichloroethene	30.8	1.07	
Vinyl Chloride	< 1.28	1.28	
4-bromofluorobenzene (surrogate)	113%		
Analysis Date/Time:	1-21-20/12:20		
Analyst Initials	tjg		



EnvisionAir
 1441 Sadler Circle West Drive
 Indianapolis, IN 46239
 Ph: 317-351-0885
 Fax: 317-351-0882
 www.envision-air.com

Client Name: ENVIROFORENSICS

Project ID: 6154

Client Project Manager: BRIAN KAPPEN

EnvisionAir Project Number: 2020-22

Analytical Method: TO-15
Analytical Batch: 012020AIR

Client Sample ID: 6154-1036-SSV-WEST **Sample Collection START Date/Time:** 1/14/20 12:20

Sample Collection END Date/Time:

Envision Sample Number: 20-96

Sample Received Date/Time: 1/17/20 10:30

Sample Matrix: AIR

<u>Compounds</u>	<u>Sample Results ug/m³</u>	<u>Reporting Limit ug/m³</u>	<u>Flag</u>
cis-1,2-Dichloroethene	< 19.8	19.8	
Tetrachloroethene	36,800	1280	1
trans-1,2-Dichloroethene	< 39.6	39.6	
Trichloroethene	74.7	1.07	
Vinyl Chloride	< 1.28	1.28	
4-bromofluorobenzene (surrogate)	106%		
Analysis Date/Time:	1-21-20/12:53		
Analyst Initials	tjg		

TO-15 Quality Control Data

EnvisionAir Batch Number: 012020AIR

<u>Method Blank (MB):</u>	<u>MB Results (ppbv)</u>	<u>Reporting Limit (ppbv)</u>	<u>Flags</u>
cis-1,2-Dichloroethene	< 5	5	
Tetrachloroethene	< 0.47	0.47	
trans-1,2-Dichloroethene	< 10	10	
Trichloroethene	< 0.2	0.2	
Vinyl Chloride	< 0.5	0.5	
4-bromofluorobenzene (surrogate)	96%		
Analysis Date/Time:	1-20-20/17:24		
Analyst Initials	tjg		

<u>LCS/LCSD</u>	<u>LCS Results (ppbv)</u>	<u>LCSD Results (ppbv)</u>	<u>LCS/D Conc(ppbv)</u>	<u>LCS Rec.</u>	<u>LCSD Rec.</u>	<u>RPD</u>	<u>Flag</u>
Vinyl Chloride	10.7	9.86	10	107%	99%	8.2%	
trans-1,2-Dichloroethene	8.65	10.1	10	87%	101%	15.5%	
cis-1,2-Dichloroethene	10.7	10.1	10	107%	101%	5.8%	
Trichloroethene	10.4	10.9	10	104%	109%	4.7%	
Tetrachloroethene	10.2	10.3	10	102%	103%	1.0%	
4-bromofluorobenzene (surrogate)	110%	108%					
Analysis Date/Time:	1-20-20/16:15	1-20-20/16:51					
Analyst Initials	tjg	tjg					



EnvisionAir
1441 Sadler Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Flag Number

1

Comments

Reported value is from a 400x dilution. TJG 1/23/20

CHAIN OF CUSTODY RECORD

EnvisionAir | 1441Sadlier Circle West Drive | Indianapolis, IN 46239 | Phone: (317) 351-0885 | Fax: (317) 351-0882

Client: <u>Enviroforensics</u>	P.O. Number: <u>2020-1235</u>
Report Address: <u>Bkappen@enviroforensics.com</u>	Project Name or Number: <u>6154</u>
Report To: <u>B. Kappen</u>	Sampled by: <u>B. Kappen</u>
Phone: <u>262-290-4001</u>	QA/QC Required: (circle if applicable) Level III Level IV
Invoice Address: <u>accounts payable @enviroforensics.com</u>	Reporting Units needed: (circle) <u>ug/m³</u> mg/m ³ PPBV PPMV
Desired TAT: (Please Circle One) 1 day 2 days 3 days Std (5 bus. days)	Media type: 1LC = 1 Liter Canister 6LC = 6 Liter Canister TB = Tedlar Bag TD = Thermal Desorption Tube

REQUESTED PARAMETERS

TO-15 Full List

TO-15 Short List (Specify in notes)



- Sampling Type:**
- Soil-Gas:
 - Sub-Slab:
 - Indoor-Air:

www.envision-air.com

Canister Pressure / Vacuum

Air Sample ID	Media Type <small>(see code above)</small>	Coll. Date <small>(Grab/Comp Start)</small>	Coll. Time <small>(Grab/Comp Start)</small>	Coll. Date <small>(Comp. End)</small>	Coll. Time <small>(Comp. End)</small>					Canister Serial #	Flow Controller Serial #	Initial Field (in. Hg)	Final Field (in. Hg)	Lab Received (in. Hg)	EnvisionAir Sample Number
6154-1036-SSV-East	1LC	1/14/20	1135							84047	0082	-30	-3	-3	20-94
6154-1036-SSV-Middle	1LC	1/14/20	1105							83835	0016	-26	-3	-3	20-95
6154-1036-SSV-West	1LC	1/14/20	1220							83982	0091	-29	-3	-3	20-96

Comments:

Relinquished by:	Date	Time	Received by:	Date	Time
	1/15/20	1645		1/15/20	1645
				1/17/20	1030



EnvisionAir
1441 Sadlier Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Mr. Brian Kappen
Enviroforensics
N16 W. 23390 Stone Ridge Dr
Suite G
Waukesha, WI 53188

March 15, 2022

EnvisionAir Project Number: 2022-177
Client Project Name: 6154 – Beloit Robinsons

Dear Mr. Kappen,

Please find the attached analytical report for the samples received March 4, 2022. All test methods performed were fully compliant with local, state, and federal EPA methods unless otherwise noted. The project was analyzed as requested on the enclosed chain of custody record. Please review the comments section for additional information about your results or Quality Control data.

Feel free to contact me if you have any questions or comments regarding your analytical report or service.

Thank you for your business. EnvisionAir looks forward to working with you on your next project.

Yours Sincerely,

A handwritten signature in black ink that reads "David Norris".

David Norris
Project Manager
EnvisionAir, LLC



EnvisionAir
 1441 Sadlier Circle West Drive
 Indianapolis, IN 46239
 Ph: 317-351-0885
 Fax: 317-351-0882
 www.envision-air.com

Client Name: ENVIROFORENSICS
Project ID: 6154 - BELOIT ROBINSONS
Client Project Manager: BRIAN KAPPEN
EnvisionAir Project Number: 2022-177

Sample Summary

Canister Pressure / Vacuum

<u>Laboratory Sample Number:</u>	<u>Sample Description:</u>	<u>Matrix:</u>	<u>START</u>	<u>START</u>	<u>End Date</u>	<u>End Time</u>	<u>Date</u>	<u>Time</u>	<u>Initial Field</u>	<u>Final Field</u>	<u>Lab</u>
			<u>Date</u>	<u>Time</u>							
22-916	6154-1036-SSV-WEST	A	3/2/22	9:58	3/2/22	10:03	3/4/22	12:15	-29	-3	-3
22-917	6154-1036-SSV-MIDDLE	A	3/2/22	10:14	3/2/22	10:19	3/4/22	12:15	-30	-3	-3
22-918	6154-1036-SSV-EAST	A	3/2/22	10:26	3/2/22	10:31	3/4/22	12:15	-27	-3	-3



EnvisionAir
 1441 Sadler Circle West Drive
 Indianapolis, IN 46239
 Ph: 317-351-0885
 Fax: 317-351-0882
 www.envision-air.com

Client Name: ENVIROFORENSICS
Project ID: 6154 - BELOIT ROBINSONS
Client Project Manager: BRIAN KAPPEN
EnvisionAir Project Number: 2022-177

Analytical Method: TO-15
Analytical Batch: 031022AIR

Client Sample ID: 6154-1036-SSV-WEST
EnvisionAir Sample Number: 22-916
Sample Matrix: AIR

Sample Collection START Date/Time: 3/2/22 9:58
Sample Collection END Date/Time: 3/2/22 10:03
Sample Received Date/Time: 3/4/22 12:15

<u>Compounds</u>	<u>Sample Results ug/m³</u>	<u>Reporting Limit ug/m³</u>	<u>Flag</u>
cis-1,2-Dichloroethene	< 198	198	
Tetrachloroethene	649	31.9	
trans-1,2-Dichloroethene	< 396	396	
Trichloroethene	< 10.7	10.7	
Vinyl Chloride	< 12.8	12.8	
4-bromofluorobenzene (surrogate)	119%		
Analysis Date/Time:	3-11-22/03:19		
Analyst Initials	tjg		



EnvisionAir
 1441 Sadler Circle West Drive
 Indianapolis, IN 46239
 Ph: 317-351-0885
 Fax: 317-351-0882
 www.envision-air.com

Client Name: ENVIROFORENSICS
Project ID: 6154 - BELOIT ROBINSONS
Client Project Manager: BRIAN KAPPEN
EnvisionAir Project Number: 2022-177

Analytical Method: TO-15
Analytical Batch: 031022AIR

Client Sample ID: 6154-1036-SSV-MIDDLE
EnvisionAir Sample Number: 22-917
Sample Matrix: AIR

Sample Collection START Date/Time: 3/2/22 10:14
Sample Collection END Date/Time: 3/2/22 10:19
Sample Received Date/Time: 3/4/22 12:15

<u>Compounds</u>	<u>Sample Results ug/m³</u>	<u>Reporting Limit ug/m³</u>	<u>Flag</u>
cis-1,2-Dichloroethene	< 198	198	
Tetrachloroethene	760	31.9	
trans-1,2-Dichloroethene	< 396	396	
Trichloroethene	< 10.7	10.7	
Vinyl Chloride	< 12.8	12.8	
4-bromofluorobenzene (surrogate)	101%		
Analysis Date/Time:	3-11-22/03:59		
Analyst Initials	tjg		



EnvisionAir
 1441 Sadler Circle West Drive
 Indianapolis, IN 46239
 Ph: 317-351-0885
 Fax: 317-351-0882
 www.envision-air.com

Client Name: ENVIROFORENSICS
Project ID: 6154 - BELOIT ROBINSONS
Client Project Manager: BRIAN KAPPEN
EnvisionAir Project Number: 2022-177

Analytical Method: TO-15
Analytical Batch: 031022AIR

Client Sample ID: 6154-1036-SSV-EAST
EnvisionAir Sample Number: 22-918
Sample Matrix: AIR

Sample Collection START Date/Time: 3/2/22 10:26
Sample Collection END Date/Time: 3/2/22 10:31
Sample Received Date/Time: 3/4/22 12:15

<u>Compounds</u>	<u>Sample Results ug/m³</u>	<u>Reporting Limit ug/m³</u>	<u>Flag</u>
cis-1,2-Dichloroethene	< 198	198	
Tetrachloroethene	815	31.9	
trans-1,2-Dichloroethene	< 396	396	
Trichloroethene	< 10.7	10.7	
Vinyl Chloride	< 12.8	12.8	
4-bromofluorobenzene (surrogate)	91%		
Analysis Date/Time:	3-11-22/04:37		
Analyst Initials	tjg		



EnvisionAir
 1441 Sadler Circle West Drive
 Indianapolis, IN 46239
 Ph: 317-351-0885
 Fax: 317-351-0882
 www.envision-air.com

Analytical Report

TO-15 Quality Control Data

EnvisionAir Batch Number: 031022AIR

<u>Method Blank (MB):</u>	<u>MB Results (ppbv)</u>	<u>Reporting Limit (ppbv)</u>	<u>Flags</u>
cis-1,2-Dichloroethene	< 5	5	
Tetrachloroethene	< 0.47	0.47	
trans-1,2-Dichloroethene	< 10	10	
Trichloroethene	< 0.2	0.2	
Vinyl Chloride	< 0.5	0.5	
4-bromofluorobenzene (surrogate)	102%		
Analysis Date/Time:	3-10-22/08:02		
Analyst Initials	tjg		

<u>LCS/LCSD</u>	<u>LCS Results (ppbv)</u>	<u>LCSD Results (ppbv)</u>	<u>LCS/D Conc(ppbv)</u>	<u>LCS Rec.</u>	<u>LCSD Rec.</u>	<u>RPD</u>	<u>Flag</u>
Vinyl Chloride	9.21	10.3	10	92%	103%	11.2%	
trans-1,2-Dichloroethene	9.66	9.57	10	97%	96%	0.9%	
cis-1,2-Dichloroethene	9.97	10.3	10	100%	103%	3.3%	
Trichloroethene	9.68	10.2	10	97%	102%	5.2%	
Tetrachloroethene	10.2	10	10	102%	100%	2.0%	
4-bromofluorobenzene (surrogate)	111%	99%					
Analysis Date/Time:	3-10-22/06:39	3-10-22/07:26					
Analyst Initials	tjg	tjg					



EnvisionAir
1441 Sadler Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Flag Number

1

Comments

Reporting limit is supported by MDL. TJG

CHAIN OF CUSTODY RECORD

EnvisionAir | 1441 Sadlier Circle West Drive | Indianapolis, IN 46239 | Phone: (317) 351-0885 | Fax: (317) 351-0882

Client: EnviroForensics	P.O. Number: 2022-0121
Report to: bkappen@enviroforensics.com Address: enviroforensics.com	Project Name or Number: 6154 Beloit Robinsons
Report To: Brian Kappen	Sampled by: B Kappen
Phone: 262-290-4001	QA/QC Required: (circle if applicable) Level III Level IV
Invoice Address: accounts payable@enviroforensics.com	Reporting Units needed: (circle) ug/m ³ mg/m ³ PPBV PPMV
Desired TAT: (Please Circle One) 1 day 2 days 3 days <u>Std (5 bus. days)</u>	Media type: 1LC = 1 Liter Canister 6LC = 6 Liter Canister TB = Tedlar Bag TD = Thermal Desorption Tube

REQUESTED PARAMETERS

TO-15 Full List

TO-15 Short List (Specify in notes)



Sampling Type:
 Soil-Gas:
 Sub-Slab:
 Indoor-Air:

www.envision-air.com

Canister Pressure / Vacuum

Air Sample ID	Media Type <small>(see code above)</small>	Coll. Date <small>(Grab/Comp Start)</small>	Coll. Time <small>(Grab/Comp Start)</small>	Coll. Date <small>(Comp. End)</small>	Coll. Time <small>(Comp. End)</small>				Canister Serial #	Flow Controller Serial #	Initial Field (in. Hg)	Final Field (in. Hg)	Lab Received (in. Hg)	EnvisionAir Sample Number
6154-1036-SSV-West	1LC	3-2-22	0958	3-2-22	1053		X		2235	0044	-29	-3	-3	22-916
6154-1036-SSV-Middle	↓	↓	1014	↓	1019		↓		2089	0137	-30	-3	-3	22-917
6154-1036-SSV-East	↓	↓	1026	↓	1031		↓		2213	0136	-27	-3	-3	22-918

Comments: Short List: PCE, TCE, CDCE, EDC, VC

Relinquished by:	Date	Time	Received by:	Date	Time
TKL	3-2-22	1600	FedEx	3-2-22	1600
			Chaudhry	3-4-22	12:15



EnvisionAir
1441 Sadler Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Mr. Brian Kappen
Enviroforensics
N16 W. 23390 Stone Ridge Dr
Suite G
Waukesha, WI 53188

June 15, 2022

EnvisionAir Project Number: 2022-339
Client Project Name: 6154 – Beloit Robinsons

Dear Mr. Kappen,

Please find the attached analytical report for the samples received June 8, 2022. All test methods performed were fully compliant with local, state, and federal EPA methods unless otherwise noted. The project was analyzed as requested on the enclosed chain of custody record. Please review the comments section for additional information about your results or Quality Control data.

Feel free to contact me if you have any questions or comments regarding your analytical report or service.

Thank you for your business. EnvisionAir looks forward to working with you on your next project.

Yours Sincerely,

A handwritten signature in black ink that reads "David Norris". The signature is written in a cursive style with a large, looped "D" and "N".

David Norris
Project Manager
EnvisionAir, LLC



EnvisionAir
 1441 Sadlier Circle West Drive
 Indianapolis, IN 46239
 Ph: 317-351-0885
 Fax: 317-351-0882
 www.envision-air.com

Client Name: ENVIROFORENSICS
Project ID: 6154 - BELOIT ROBINSONS
Client Project Manager: BRIAN KAPPEN
EnvisionAir Project Number: 2022-339

Sample Summary

Canister Pressure / Vacuum

<u>Laboratory Sample Number:</u>	<u>Sample Description:</u>	<u>Matrix:</u>	<u>START</u>	<u>START</u>	<u>End Date</u>	<u>End Time</u>	<u>Date</u>	<u>Time</u>	<u>Canister Pressure / Vacuum</u>		<u>Lab</u>
			<u>Date</u>	<u>Time</u>					<u>Initial Field</u>	<u>Final Field</u>	
			<u>Collected:</u>	<u>Collected:</u>	<u>Collected:</u>	<u>Collected:</u>	<u>Received:</u>	<u>Received:</u>	<u>(in. Hg)</u>	<u>(in. Hg)</u>	<u>(in. Hg)</u>
22-1786	6154-1036-SSV-WEST	A	6/6/22	10:31	6/6/22	10:52	6/8/22	10:55	-28	-5	-5
22-1787	6154-1036-SSV-MIDDLE	A	6/6/22	11:12	6/6/22	11:19	6/8/22	10:55	-29	-4	-4
22-1788	6154-1036-SSV-EAST	A	6/6/22	11:35	6/6/22	11:47	6/8/22	10:55	-28	-4	-4



EnvisionAir
1441 Sadler Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Client Name: ENVIROFORENSICS
Project ID: 6154 - BELOIT ROBINSONS
Client Project Manager: BRIAN KAPPEN
EnvisionAir Project Number: 2022-339

Analytical Method: TO-15
Analytical Batch: 061322CAIR

Client Sample ID: 6154-1036-SSV-WEST
EnvisionAir Sample Number: 22-1786
Sample Matrix: AIR

Sample Collection START Date/Time: 6/6/22 10:31
Sample Collection END Date/Time: 6/6/22 10:52
Sample Received Date/Time: 6/8/22 10:55

<u>Compounds</u>	<u>Sample Results ug/m³</u>	<u>Reporting Limit ug/m³</u>	<u>Flag</u>
cis-1,2-Dichloroethene	< 198	198	
Tetrachloroethene	199	31.9	
trans-1,2-Dichloroethene	< 396	396	
Trichloroethene	< 10.7	10.7	
Vinyl Chloride	< 12.8	12.8	
4-bromofluorobenzene (surrogate)	95%		
Analysis Date/Time:	6-13-22/14:51		
Analyst Initials	tjg		



EnvisionAir
1441 Sadler Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Client Name: ENVIROFORENSICS
Project ID: 6154 - BELOIT ROBINSONS
Client Project Manager: BRIAN KAPPEN
EnvisionAir Project Number: 2022-339

Analytical Method: TO-15
Analytical Batch: 061322CAIR

Client Sample ID: 6154-1036-SSV-MIDDLE
EnvisionAir Sample Number: 22-1787
Sample Matrix: AIR

Sample Collection START Date/Time: 6/6/22 11:12
Sample Collection END Date/Time: 6/6/22 11:19
Sample Received Date/Time: 6/8/22 10:55

<u>Compounds</u>	<u>Sample Results ug/m³</u>	<u>Reporting Limit ug/m³</u>	<u>Flag</u>
cis-1,2-Dichloroethene	< 198	198	
Tetrachloroethene	1,840	128	1
trans-1,2-Dichloroethene	< 396	396	
Trichloroethene	25.3	10.7	
Vinyl Chloride	< 12.8	12.8	
4-bromofluorobenzene (surrogate)	96%		
Analysis Date/Time:	6-13-22/21:43		
Analyst Initials	tjg		



EnvisionAir
 1441 Sadler Circle West Drive
 Indianapolis, IN 46239
 Ph: 317-351-0885
 Fax: 317-351-0882
 www.envision-air.com

Client Name: ENVIROFORENSICS
Project ID: 6154 - BELOIT ROBINSONS
Client Project Manager: BRIAN KAPPEN
EnvisionAir Project Number: 2022-339

Analytical Method: TO-15
Analytical Batch: 061322CAIR

Client Sample ID: 6154-1036-SSV-EAST
EnvisionAir Sample Number: 22-1788
Sample Matrix: AIR

Sample Collection START Date/Time: 6/6/22 11:35
Sample Collection END Date/Time: 6/6/22 11:47
Sample Received Date/Time: 6/8/22 10:55

<u>Compounds</u>	<u>Sample Results ug/m³</u>	<u>Reporting Limit ug/m³</u>	<u>Flag</u>
cis-1,2-Dichloroethene	< 198	198	
Tetrachloroethene	< 31.9	31.9	
trans-1,2-Dichloroethene	< 396	396	
Trichloroethene	< 10.7	10.7	
Vinyl Chloride	< 12.8	12.8	
4-bromofluorobenzene (surrogate)	100%		
Analysis Date/Time:	6-13-22/22:19		
Analyst Initials	tjg		

TO-15 Quality Control Data

EnvisionAir Batch Number: 061322CAIR

<u>Method Blank (MB):</u>	<u>MB Results (ppbv)</u>	<u>Reporting Limit (ppbv)</u>	<u>Flags</u>
cis-1,2-Dichloroethene	< 5	5	
Tetrachloroethene	< 0.47	0.47	
trans-1,2-Dichloroethene	< 10	10	
Trichloroethene	< 0.2	0.2	
Vinyl Chloride	< 0.5	0.5	
4-bromofluorobenzene (surrogate)	106%		
Analysis Date/Time:	6-13-22/14:13		
Analyst Initials	tjg		

<u>LCS/LCSD</u>	<u>LCS Results (ppbv)</u>	<u>LCSD Results (ppbv)</u>	<u>LCS/D Conc(ppbv)</u>	<u>LCS Rec.</u>	<u>LCSD Rec.</u>	<u>RPD</u>	<u>Flag</u>
Vinyl Chloride	9.79	9.49	10	98%	95%	3.1%	
trans-1,2-Dichloroethene	10.8	9.93	10	108%	99%	8.4%	
cis-1,2-Dichloroethene	9.94	10.4	10	99%	104%	4.5%	
Trichloroethene	9.63	8.68	10	96%	87%	10.4%	
Tetrachloroethene	9.26	9.66	10	93%	97%	4.2%	
4-bromofluorobenzene (surrogate)	99%	97%					
Analysis Date/Time:	6-13-22/12:58	6-13-22/13:36					
Analyst Initials	tjg	tjg					



EnvisionAir
1441 Sadler Circle West Drive
Indianapolis, IN 46239
Ph: 317-351-0885
Fax: 317-351-0882
www.envision-air.com

Flag Number

1

Comments

Reported value is from 40x dilution. TJK 06-15-22

CHAIN OF CUSTODY RECORD

EnvisionAir | 1441 Sadler Circle West Drive | Indianapolis, IN 46239 | Phone: (317) 351-0885 | Fax: (317) 351-0882

Client: EnviroForensics	P.O. Number: 2022-0313
Report bkappen Address: enviroforensics.com	Project Name or Number: 6154 Rebit Robinsons
Report To: Brian Kappen	Sampled by: R Brown
Phone: 262-290-4001	QA/QC Required: (circle if applicable) Level III Level IV
Invoice Address: accounts payable enviroforensics.com	Reporting Units needed: (circle) ug/m³ mg/m ³ PPBV PPMV
Desired TAT: (Please Circle One) 1 day 2 days 3 days Std (5 bus. days)	Media type: 1LC = 1 Liter Canister 6LC = 6 Liter Canister TB = Tedlar Bag TD = Thermal Desorption Tube

REQUESTED PARAMETERS

TO-15 Full List
 TO-15 Short List (Specify in notes)



Sampling Type:
 Soil-Gas:
 Sub-Slab:
 Indoor-Air:

www.envision-air.com

Canister Pressure / Vacuum

Air Sample ID	Media Type <small>(see code above)</small>	Coll. Date <small>(Grab/Comp Start)</small>	Coll. Time <small>(Grab/Comp Start)</small>	Coll. Date <small>(Comp. End)</small>	Coll. Time <small>(Comp. End)</small>					Canister Serial #	Flow Controller Serial #	Initial Field (in. Hg)	Final Field (in. Hg)	Lab Received (in. Hg)	EnvisionAir Sample Number
6154-1036-SSV-WEST	1LC	6-6-22	1031	6-6-22	1052		X			8372	0092	-28	-5	-5	22-1786
6154-1036-SSV-MIDDLE	↓	↓	1112	↓	1119		↓			83837	0097	-29	-4	-4	22-1787
6154-1036-SSV-EAST	↓	↓	1135	↓	1147		↓			83920	0021	-28	-4	-4	22-1788

Comments:

Relinquished by:	Date	Time	Received by:	Date	Time
<i>[Signature]</i>	6-6-22	1630	FedEx <i>[Signature]</i>	6-6-22	1630
				6-8-22	10:55