



Site Investigation Report

Former Mirro Plant #20

Chilton, Wisconsin

WDNR BRRTS Nos. 06-08-426946, 02-08-520157, and
07-08-402366

SEH No. A-NERUB0502.00

August 2006



Multidisciplined. Single Source.
Trusted solutions for more than 75 years.



August 21, 2006

RE: Former Mirro Plant #20
Site Investigation Report
Chilton, Wisconsin
WDNR BRRTS Nos. 06-08-426946,
02-08-520157, and 07-08-402366
SEH No. A-NERUB0502.00

Mr. Alan Nass, Hydrogeologist
Wisconsin Department of Natural Resources
2984 Shawano Avenue
P.O. Box 10448
Green Bay, WI 54313

Dear Mr. Nass:

On behalf of Newell Rubbermaid Inc. (Newell), Short Elliott Hendrickson Inc. (SEH[®]) is submitting this Site Investigation Report documenting the findings of site investigation activities conducted at the former Mirro Plant #20 facility located at 44 Walnut Street in Chilton, Wisconsin. Phase I and Phase II Environmental Site Assessments (ESAs) were previously completed at the site and were submitted to the Wisconsin Department of Natural Resources (WDNR) by others in 2001 and 2002.

In a May 27, 2004 response letter to Newell, you indicated several additional areas of investigation that needed to be addressed at the site. A site visit conducted on July 24, 2004 was used to assess past practices at the site and further refine the scope of additional investigation activities.

The purpose of the investigative activities performed was to assess degree and extent of apparent environmental impacts previously identified at the site, and to assess other potential areas of concern at the site. The supplemental investigation activities were performed from February through May 2006 in accordance with SEH's site work plan and your subsequent comments.

Please call me at 920.452.6603 or Mr. Louis Meschede, Director of Environmental Affairs for Newell, at 630.481.1665 if you have any questions or comments pertaining to this report or SEH's recommendations for the site.

Sincerely,

A handwritten signature in blue ink that reads "F. Jason Martin".

F. Jason Martin, PE
Project Manager

JEG/lS/FJM/BKO

q:\ko\nerub\050200\reports&specs\rep\si report.doc


Site Investigation Report

Former Mirro Plant #20
Chilton, Wisconsin


Prepared for:
Newell Rubbermaid Inc.
Oak Brook, Illinois

Prepared by:
Short Elliott Hendrickson Inc.
809 North 8th Street, Suite 205
Sheboygan, WI 53081-4032
920.452.6603

I, John E. Guhl, hereby certify that I am a Hydrogeologist as that term is defined in s. NR 712.03(1) Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

 120 August 21, 2006
John E. Guhl, PG PG Number Date
Hydrogeologist

I, F. Jason Martin, hereby certify that I am a registered professional engineer in the State of Wisconsin, registered in accordance with the requirements of ch. A-E 4, Wis. Adm. Code; that this document has been prepared in accordance with the Rules of Professional Conduct in ch. A-E 8, Wis. Adm. Code; and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

 32714 August 23, 2006
F. Jason Martin, PE PE Number Date
Project Manager

Distribution List

No. of Copies

Sent to

2

Alan Nass, Hydrogeologist
Wisconsin Department of Natural Resources
2984 Shawano Avenue
P.O. Box 10448
Green Bay, WI 54313

2

Louis Meschede
Newell Rubbermaid Inc.
2707 Butterfield Road
Suite 100
Oak Brook, IL 60523

1

Arthur Garcia
Newell Rubbermaid Inc.
29 East Stephenson Street
Freeport, IL 61032

Executive Summary

The Mirro Company manufactured aluminum, steel, and stainless steel cookware products from the 1920's until 2001 at their former Plant #20 facility located at 44 Walnut Street in Chilton, Wisconsin. Potential environmental concerns previously identified at the site included the former operation of several underground storage tanks (USTs) and aboveground storage tanks (ASTs), the presence of asbestos containing materials, water discharge points to the Manitowoc River, and various manufacturing process practices.

Envirogen, Inc. performed a Phase I Environmental Site Assessment (ESA) of the facility in 2001. TEMCO performed a Phase II ESA of the subject property in 2002. Reports prepared by Envirogen and TEMCO identified areas of concern and areas of contamination at the site. Based on these findings and after the site was entered into Wisconsin Voluntary Party Liability Exemption (VPLE) program, the Wisconsin Department of Natural Resources (WDNR) determined that additional investigation of the subject property was required to identify degree and extent of contamination, and to determine if other areas of contamination exist on the property.

A Site Work Plan was submitted to WDNR in August 2005 proposing a scope and methodology for additional investigation of the site. WDNR provided comments and a final agreement on investigation scope was provided by WDNR in January 2006. Field investigation activities began in February 2006. The investigation activities included the installation of six new groundwater monitoring wells/piezometers, collection of soil samples from several locations outside of the site building or below the building floor, installation of six slotted standpipes in the building basement for groundwater monitoring, collection of two rounds of groundwater samples from the site monitoring points, assessment of the floor drain and sump system, and assessment of the site discharges to the Manitowoc River.

Soil and groundwater impacts were identified at the site during the site investigation. Soil Residual Contamination Levels (RCLs) were exceeded at several locations for arsenic (industrial site standard). Suggested RCLs for several polynuclear aromatic hydrocarbons (PAH) were also exceeded in soil samples collected at several locations. However, the PAH RCL values have not been codified and are recommendations at this time. The groundwater enforcement standard (ES) for 1,1,2,2-tetrachloroethane was exceeded in water samples collected from B5 and B5A (collected beneath the building floor near the former chrome and tin plating room). The ES for vinyl chloride was exceeded in a groundwater sample collected from standpipe B12 (east side of basement). No other ESs were exceeded in groundwater samples collected during the site investigation. Groundwater preventive action limits (PALs) were exceeded for several analytes at various sampling locations. Also, a floating oily substance (free-phase liquid) was observed in the east sump located near the elevator shaft.

The groundwater surface below the plant is within six inches of the finished floor elevation. The floor trench system running to three sumps may have been installed to keep the basement from flooding due to high groundwater. All three basement sumps were operating periodically during the field investigation.

Four discharge pipes were observed leading from the plant to the Manitowoc River. The first and third pipes from the north discharge water from sumps located in the basement of the facility. The southernmost pipe appears to be connected to roof drainage pipes running down the side of the building (this pipe is now broken on the side of the building and is no longer functional). The second pipe from the north also appears to be used for roof drainage; however, the pipe connection was not observed.

The site investigation analytical results indicate that the extent of arsenic in site soils exceeding ch. NR 720, Wis. Adm. Code RCLs is widespread and generally does not appear to be associated with an on-site source area. The highest concentrations of arsenic in site soils were identified in near-surface soil samples collected near the railroad tracks on the south side of the site. The concentrations of arsenic appear to diminish both

Executive Summary (Continued)

with depth beneath the surface, and with distance from the south side of the site. It appears likely the source of elevated arsenic at this location is not associated with past on-site activities. The sporadic and widespread RCL exceedances for arsenic on the remainder of the site may be associated with background concentrations of this substance.

Groundwater ES exceedances at the site were limited to exceedances for 1,1,2,2-tetrachloroethane in the first round of samples collected from basement standpipes B5 and B5A, and a vinyl chloride exceedance in a groundwater sample collected from standpipe B12 during the second round of sampling. These locations are all beneath the site building. The VOC ES exceedances were only noted during one of two sampling events at a given location. No other groundwater ESs were exceeded during SEH's investigation. The ES exceedances identified at the site to-date are not consistent from sampling round to sampling round, and do not appear to be migrating off-site.

Based on the results of SEH's site investigation, it appears that limited soil and groundwater contamination is present at the Former Mirro Plant #20 site. However, the only potential ongoing source of contamination is a layer of floating oil identified in the east sump. The remaining site contaminants appear to be scattered, and not likely to migrate offsite. SEH's recommendations for the site are to address the floating oil layer by removing this substance from the sump, and monitoring its return during subsequent groundwater sampling events. One year of quarterly groundwater sampling (two additional quarterly rounds of sampling) from the existing monitoring points is also recommended to further assess groundwater contaminants and potential for offsite migration. No additional soil investigation at the site appears to be warranted. Recommendations for further action or site closure will be provided after the additional groundwater sampling is completed.

Table of Contents

Letter of Transmittal
Certification Page
Distribution List
Executive Summary
Table of Contents

	Page
1.0 Introduction.....	1
1.1 List of Contacts	1
1.1.1 Responsible Party Information.....	1
1.1.2 Regulator Information	1
1.1.3 Consultant Information.....	1
2.0 Background.....	2
3.0 Physiographical and Geological Setting.....	3
3.1 Topography/Surface Drainage	3
3.2 Geology.....	3
3.2.1 Regional Geology	3
3.2.2 Local Geology.....	4
3.3 Hydrogeology.....	4
3.3.1 Regional Hydrogeology	4
3.3.2 Local Hydrogeology.....	4
4.0 Potential Migration Pathways and Receptors.....	5
5.0 Site Investigation	5
5.1 Soil Borings, Monitoring Wells, and Piezometer Installation	6
5.2 Soil Sampling and Analysis	8
5.3 Groundwater Sampling and Analysis.....	8
5.4 Site Survey.....	9
6.0 Investigation Results.....	9
6.1 Site Stratigraphy.....	9
6.2 Soil Analytical Results	9
6.3 Groundwater Analytical Results	10
6.4 Sump Analytical Results.....	10
7.0 Discussion	10
8.0 Conclusions and Recommendations	11
9.0 Standard of Care.....	12
10.0 References	13

Table of Contents (Continued)

List of Tables

Table 1	Soil Analytical Results - DRO, PAHs, VOCs, and Metals
Table 2	Soil Analytical Results - Pesticides and PCBs
Table 3	Groundwater Analytical Results

List of Figures

Figure 1	Site Location
Figure 2	Outfalls to Manitowoc River
Figure 3	Sampling Locations
Figure 4	Groundwater Flow Map, 5/30/2006
Figure 5	Geologic Cross Sections

List of Appendices

Appendix A	Soil Boring, Monitoring Well, and Piezometer Documentation
Appendix B	Analytical Data

Site Investigation Report

Former Mirro Plant #20

Prepared for Newell Rubbermaid Inc.

1.0 Introduction

On behalf of Newell Rubbermaid Inc. (Newell), Short Elliott Hendrickson Inc. (SEH[®]) is submitting this Site Investigation Report to the Wisconsin Department of Natural Resources (WDNR) for the former Mirro Plant #20 facility (site) located at 44 Walnut Street, Chilton, Wisconsin (BRRTS #06-08-426946, #02-08-520157, and 07-08-402366). The site is located in the NW ¼ of Section 18, T18N, R20E in Calumet County, Wisconsin as shown on Figure 1, "Site Location." This report documents the findings of site investigation activities conducted at the site from February through May 2006.

1.1 List of Contacts

1.1.1 Responsible Party Information

Louis Meschede, Director of Environmental Affairs
Newell Rubbermaid Inc.
2707 Butterfield Road, Suite 100
Oak Brook, IL 60523
630.481.1665

1.1.2 Regulator Information

Alan Nass, Hydrogeologist
Wisconsin Department of Natural Resources
2984 Shawano Avenue
P.O. Box 10448
Green Bay, WI 54313
920.662.5161

1.1.3 Consultant Information

F. Jason Martin, PE, Project Manager
Short Elliott Hendrickson Inc.
809 North 8th Street, Suite 205
Sheboygan, WI 53081-4032
920.452.6603

2.0 Background

Manufacturing activities at the former Mirro site consisted of production of aluminum, stainless steel, and steel cookware and bakeware products beginning in the 1920's and ending in 2001. Process operations historically included metal stamping, buffing, tin dipping, parts washing, welding, and application of spray-on coatings. Several different owners operated the facility during this timeframe. The site has since been vacated by Mirro, and is now occupied by a firm utilizing the warehouse space for storage of agriculture products, and by a machine shop located in the southeast portion of the building. The basement of the building is now vacant.

During the Mirro plant operations, two 15,000-gallon fuel oil underground storage tanks (USTs) were located in the basement on the northeast side of the plant, and were reportedly abandoned in-place in 1996. Two small USTs (500-gallon and 250-gallon) formerly contained mineral spirits and were reportedly removed from the site in 1990. These USTs were reportedly located outside of the north building wall near the northwest corner of the building. Abandonment documentation was provided to regulatory agencies following removal and abandonment of the UST systems. Three above-ground storage tanks (ASTs) reportedly containing benzene were formerly located outside the southwest corner of the building.

Three sumps are located in the basement of the site building and are currently in operation. A large sump is located inside of the north wall of the building. A small sump is located on the east side of the building adjacent to the elevator shaft. Another small sump is located just inside the west wall of the building. For the purposes of this report, the sumps have been named large sump, east sump, and west sump with respect to the above description. A system of shallow floor trenches is present in the basement floor feeding the sumps. Several of the trench covers are stenciled with a fish and note "discharge to stream."

Four outfalls from the plant to the Manitowoc River are present at the site. Two outfalls discharge water from the three sumps located in the basement of the facility. The northernmost outfall discharges water from the large sump and east sump. The third outfall from the north discharges water from the west sump. The remaining two outfalls appear to be related to the roof drain system. The southernmost outfall is fed by an exterior roof drain pipe (now broken and no longer functioning). The second outfall from the north also appears to be fed by the roof drain system, although this connection was not directly observed. A wash water holding tank is present in the building basement, but discharge from this tank is to the City sanitary sewer system. The flow pattern of these outfalls is depicted on Figure 2, "Outfalls to Manitowoc River."

An asbestos survey of the facility was conducted in 1990. Several potential asbestos containing materials (ACM) were identified, and a program for maintaining the ACM in good condition was implemented.

A Phase I Environmental Site Assessment (ESA) was conducted on the site by Envirogen, Inc. in 2001. A Phase II ESA was conducted on the site in 2002 by TEMCO. Four groundwater monitoring wells were installed on the

site during the TEMCO Phase II and were utilized to collect groundwater data during the current investigation. Several areas of concern or areas of contamination were identified at the site during the previous investigation. Soil contaminants identified during the previous investigations included widespread arsenic at concentrations exceeding the residual contaminant level (RCL) for industrial sites for this substance. No groundwater contaminants exceeding their respective enforcement standards (ES) were identified during the Phase I/Phase II ESA. However, the preventive action limits (PALs) for several analytes were exceeded at the site.

The site was entered into the Voluntary Party Liability Exemption (VPLE) program in 2002 when the property was sold by Newell to Floor Space Development LLC. The WDNR reviewed the site data and toured the site in 2003 and 2004 to assess existing site conditions and make recommendations for additional site investigation. A May 27, 2004 letter submitted by WDNR to Newell outlined the scope of additional investigation activities to be performed at the site to address remaining areas of concern and to assess degree and extent of contamination at the site. SEH prepared a site work plan in accordance with ch. NR 716, Wis. Adm. Code, which was used along with WDNR comments to complete the site investigation. The following sections describe SEH's investigation of the site.

3.0 Physiographical and Geological Setting

Section 3.0 summarizes the physiographical and geological setting of the site, including topography, drainage, regional and local geology, and regional and local hydrogeology.

3.1 Topography/Surface Drainage

The topography of the site and vicinity is relatively flat. The area generally slopes to the west and northwest toward the Manitowoc River, which flows along the west and northwest site property line. Surface water at the site is generally expected to drain to the Manitowoc River. Surface elevation at the site is approximately 860 feet above mean sea level (MSL), as presented on Figure 1.

3.2 Geology

Geological conditions at and near the site are summarized in the following Sections 3.2.1 and 3.2.2.

3.2.1 Regional Geology

The Chilton area is underlain by glacial ground moraine deposits comprised of unstratified clays, silts, sand, gravel, and boulders (Skinner, 1973). Thickness of unconsolidated deposits in the Chilton area is generally less than 50 feet (Skinner, 1973). Silurian aged dolomite deposits underlie the unconsolidated deposits in the Chilton area (Ostrom, 1981). The Silurian dolomites are typically several hundred feet thick in Calumet County, and are underlain by the Ordovician aged Maquoketa Shale, which separates the Silurian deposits from a thick sequence of Ordovician and Cambrian sandstones and dolomites.

3.2.2 Local Geology

According to the United States Department of Agriculture (USDA), Natural Resources Conservation Service (NRCS) publication "Soil Survey of Calumet and Manitowoc Counties, Wisconsin (1980)," site soils have been classified as Lamartine (LmA) silt loam and Manawa (MbA) silt loam in the upper 20 inches of the soil profile. Generally, the LmA soils are located on the southern portion of the site, and the MbA soils are located on the northern portion of the site. These gently sloping, somewhat poorly drained soils form 0 to 3 percent slopes generally in drainageways or in till plains. The surficial layer (0 to 8 inches) generally consists of very dark brown to grayish-brown soils underlain by yellowish-brown to reddish-brown soils with depth. Permeability of these soils is moderate to slow.

The drilling program performed by SEH at the site provided subsurface information to a depth of 28 feet below ground surface (maximum depth penetrated during investigation activities). The soils at each boring location were classified in accordance with the Unified Soil Classification System (USCS). Fill materials consisting of sands with some gravels, gravels, and clays were encountered to depths ranging from 4.5 feet to 8 feet below ground surface in the area of investigation. On the northern and western portions of the site, and beneath the site building, the fill soils were underlain by layers of sand and silty sand (likely alluvial deposits). Soils underlying the fill on the southern and eastern portions of the site were underlain by lean clays and silts (likely glacial ground moraine deposits). Bedrock was not encountered during the site investigation.

3.3 Hydrogeology

Hydrogeological conditions at and near the site are summarized in the following Sections 3.3.1 and 3.3.2.

3.3.1 Regional Hydrogeology

Zaporozec and Cotter (1985) include the Chilton area in the "Eastern Drift - Paleozoic Hydrogeologic District." The district is typified by a deep high-capacity Cambrian and Ordovician sandstone aquifer and a shallower Silurian dolomite aquifer separated by the Maquoketa shale confining layer. The dolomite aquifer is the primary municipal water supply aquifer in the eastern portion of the district (in the site vicinity). Sand and gravel aquifers in the district are quite discontinuous, and are typically used as the primary source of water where these deposits are present in buried bedrock valleys.

3.3.2 Local Hydrogeology

A total of nine monitoring wells and one piezometer have been installed at the site to-date in order to assess groundwater conditions. In addition, five temporary screened standpipes and one deep standpipe were installed through the floor of the building basement in order to collect groundwater samples and monitor groundwater elevations at these locations. The water surface of the Manitowoc River was also surveyed at four locations so this data could be added to the subsurface flow patterns for the site. The locations of these monitoring points are provided on Figure 3, "Sampling Locations."

The static water table at the site was present at approximately 3 to 12 feet below ground surface. Data from monitoring well MW-5 and associated nested piezometer PZ-5 as well as standpipes B5 and B5A indicates an upward gradient at these two locations indicating a groundwater discharge zone. Direction of shallow groundwater flow at the site appears to be generally to the north and toward the Manitowoc River. However, it appears the pumping and discharge from the three sumps in the basement of the facility over time have created a slight groundwater depression underneath the building. The horizontal hydraulic gradient (disregarding the groundwater depression under the building) at the site is approximately 0.007 ft/ft toward the north. Groundwater elevation isocontours are presented on Figure 4, "Groundwater Flow Map, 5/30/2006."

4.0 Potential Migration Pathways and Receptors

Potential receptors appear to be limited to the shallow groundwater table and possibly direct contact to arsenic in shallow soils. Arsenic was detected exceeding its RCL at six unpaved locations within the upper four feet of soils. Surface water could be impacted if contaminants in groundwater migrated to the Manitowoc River or if contaminants are present in the sump discharge.

Exposure to groundwater is unlikely since contamination exceeding ESs was only identified at two locations beneath the site building and does not appear to be migrating offsite. Exposure to arsenic in soils may be occurring, but the concentrations of arsenic identified in soil samples collected at the site may be background concentrations and not related to past activities at the site. Significant contaminant discharge to the Manitowoc River does not appear to be occurring based on analytical results from perimeter wells MW-1, MW-2, and MW-3, and on the analytical results from the large sump and the west sump that discharge directly to the Manitowoc River.

Subsurface utility lines are not expected to be impacted due to the relatively shallow depth to groundwater and the granular site soils in most locations (i.e., utility trenches would not act as a conduit for migration).

5.0 Site Investigation

SEH's investigation was conducted from February through May 2006. The purpose of the investigation was to provide site data relating to the degree and extent of contamination at the site, and investigate several areas of concern remaining at the site. The field investigation included the following activities:

- Completion of ten direct-push soil borings on the outside of the site building to identify site stratigraphy and collect soil samples for analysis.
- Overdrilling at six of the boring locations with hollow-stem augers for installation of five shallow monitoring wells and one nested piezometer.
- Performance of ten soil borings beneath the building's basement floor using either a Macrocore® sampler or a power hand auger.
- Installation of six temporary slotted standpipes to serve as groundwater monitoring points in the basement boreholes.

-
- Collection of 23 soil samples and two rounds of 19 discreet groundwater samples for laboratory analysis of volatile organic compounds (VOCs), polynuclear aromatic hydrocarbons (PAHs), select metals, pesticides, polychlorinated biphenyls (PCBs), diesel range organics (DRO), and/or pH.
 - Site survey to determine the elevations and coordinates of the borings and piezometers.

5.1 Soil Borings, Monitoring Wells, and Piezometer Installation

Ten direct-push soil borings were performed on the site under the direction of an SEH geologist on February 13 and February 14, 2006 to assess subsurface soil conditions and collect soil samples. Soil samples were collected using direct-push methods at the five monitoring well and one piezometer location in advance of these borings being drilled with hollow-stem augers for well placement. The locations of the soil borings are presented on Figure 3. The direct push borings were performed using a skid-steer-mounted hydraulic probe rig by Soil Essentials, Ltd. of New Glarus, Wisconsin. Soil samples were collected continuously and observed during the drilling process and classified in accordance with the Unified Soil Classification System by a SEH geologist. Stratigraphic observations for each boring were recorded on soil boring logs (WDNR Form 4400-122), which are presented in Appendix A, "Soil Boring, Monitoring Well, and Piezometer Documentation." A borehole abandonment form (WDNR Form 3300-005) was completed for each direct-push boring not subsequently drilled and instrumented as a monitoring well, piezometer, or slotted standpipe (Appendix A).

The soil samples were screened in the field using a photoionization detector (PID) for relative concentrations of VOCs. PID measurements were recorded on the soil boring logs. Visual and/or olfactory evidence of soil impacts were also noted on the soil boring logs. Soil samples selected for laboratory analysis during the investigation were homogenized from the selected sample interval and placed in the appropriate laboratory-cleaned sample bottles, preserved as necessary, labeled, and chilled to 4 degrees C.

Boring B1 was performed outside a storage shed at the southwest corner of the building to assess soil conditions at this location related to activities in and around the shed. Borings B2 and B3 were performed south of the site building and north of the railroad tracks to assess potential offsite soil contamination migration in this direction. Boring B4 was drilled on the west side of the site building to assess a dark stain on the side of the site building at this location and adjacent to the apparent former elevator location within the building.

Five soil borings performed during the supplemental investigation were subsequently instrumented as monitoring wells (MW-5 through MW-9), and one boring was instrumented as a piezometer (PZ-5), and nested with newly installed monitoring well MW-5. Existing monitoring wells MW-1 through MW-4 were installed by a previous consultant (TEMCO).

Wells MW-5, MW-6, MW-7 and PZ-5 were installed outside the north side of the site building. Well MW-8 was installed outside the east side of the site building adjacent to the elevator. Well MW-9 was installed outside of the southeast corner of the site building. The monitoring wells and piezometer were installed to assess groundwater and hydrologic conditions in these portions of the site.

The new monitoring wells and piezometer were constructed and developed in accordance with ch. NR 141 Wis. Adm. Code requirements. A five-foot screened interval was used on the piezometer. Ten foot screened intervals were used on the monitoring wells. Monitoring well construction forms (WDNR Form 4400-113A) and well development forms (WDNR Form 4400-113B) were completed for each monitoring well and piezometer, and are included in Appendix A. The locations of the monitoring wells and piezometer are provided on Figure 3.

A total of nine borings (B5 through B12 and B5A) were performed in the basement of the site building. One additional boring (B13) was performed on the first floor of the building in a location where the basement was not present. These borings were performed by penetrating the concrete floor with a coring machine, and then completing the boring with a hand-driven Macrocore® sampler. One boring (B5) was completed using a power hand auger due to the depth required at this location. Six of the interior borings (B5, B5A, B6, B9, B11, and B12) were subsequently instrumented as temporary slotted standpipes to be used for groundwater monitoring. This was accomplished by inserting a 1-inch diameter slotted PVC pipe into the open borehole after soil sampling was completed. A ¾-inch diameter PVC pipe was installed in B5 so that a 1-foot long screened section could be installed and water samples could be collected with depth. Once the PVC pipe was in place, the temporary groundwater sampling points were backfilled with sand and capped with a PVC cap. No protective casing was utilized on these points.

The basement borings were installed at the following areas of concern:

- Borings B5 and B5A were installed immediately north of the former chrome and tin plating room adjacent to an area of floor trench drain system where the concrete was missing and the pipes were corroded. Sampling within the chrome/tin plating room was not possible due to confined space conditions and lack of room for sampling equipment.
- Boring B6 was installed inside the west wall line adjacent to an area of corroded pipes associated with the floor trench drain.
- Borings B7 and B8 were performed inside the former mineral spirits room located in the northwest corner of the basement.
- Boring B9 was installed adjacent to the main drainage trench, which runs east to west through the basement floor.
- B10 was installed in the transformer room.
- Boring B11 was installed adjacent to a corroded portion of the trench drain system.

-
- Boring B12 was installed at the eastern portion of the main trench drain system and somewhat close to the east elevator.
 - Boring B13 was installed in the pressroom directly beneath the former location of a press.

A soil boring planned for the loading dock area could not be performed due to the presence of a crawl space below the loading dock (inaccessible to sampling).

The groundwater sampling point installed in boring B5 was screened from 11.5 to 12.5 feet below ground surface. This was the maximum depth penetrable with hand-operated equipment due to wet flowing sands with depth at this location. The remaining basement locations utilized for groundwater sampling points were screened from the top of the basement floor to the bottom of the boring. The boring depths at these locations ranged from 3.0 to 3.5 feet. The temporary screens were left in place for potential future sample collection.

5.2 Soil Sampling and Analysis

During the drilling operation, 23 soil samples were collected for analysis by SEH from February 13 through February 15, 2006. Soil samples were collected continuously from below the pavement and/or base course layer to near the borehole terminus. Soil sample selection for analysis was based on field indications of contamination, depth below ground surface, and/or the proximity to the water table. Where possible, the soil sample intervals selected for analysis were collected from above the shallow water table. This was generally not possible in the building basement due to the shallow groundwater table (generally less than 6 inches below the basement floor elevation at the time of sample collection). The soil samples selected for analysis were homogenized and then placed in laboratory clean sample bottles. The samples were then preserved as necessary, labeled appropriately, and chilled to 4 degrees C. The soil samples were delivered directly to U.S. Filter's laboratory in Rothschild, Wisconsin on February 17, 2006 (Wisconsin Laboratory Certification No. 737053130). Standard chain-of-custody documentation was maintained during the soil sampling process.

5.3 Groundwater Sampling and Analysis

SEH collected two rounds of groundwater samples from the existing and newly installed monitoring wells, the newly installed piezometer, the temporary groundwater collection points in the basement, and the sumps in the basement. It should be noted that the existing wells MW-1 and MW-2 were inadvertently switched during sampling and have thus been renamed from the original TEMCO designations (i.e., TEMCO's MW-1 is SEH's MW-2, and TEMCO's MW-2 is SEH's MW-1). The SEH designations are shown on Figure 3.

The first round of groundwater samples was collected on February 16, 2006, and the second round was collected on May 30, 2006. The east sump was not sampled during the second sampling round due to the presence of a floating oil layer. The wells, piezometers, and temporary sampling points were purged and subsequently sampled using a peristaltic pump and sample-

dedicated tubing (the sumps were not purged prior to sampling). The samples requiring metals analysis were field filtered using sample-dedicated in-line disposable 0.45 micron filters. The samples were placed in appropriate laboratory bottles, labeled appropriately, preserved as necessary, and chilled to 4 degrees C. The first round of samples were delivered directly to U.S. Filter on February 17, 2006. The second round of samples were delivered to U.S. Filter via overnight courier. Standard chain-of-custody documentation was maintained during groundwater sample handling and shipment.

5.4 Site Survey

SEH's survey crew performed survey activities at the site on May 30, 2006. The site coordinates of the five new monitoring wells and one new piezometer were determined, and the elevations of the PVC well casings were established. In addition, elevations were determined on the tops of the six temporary well casings installed in the building basement. The elevations of the four existing monitoring wells were confirmed. Also, the water elevation of the Manitowoc River was surveyed at four locations to aid in determining the groundwater – surface water flow patterns at the site. These data were added to site drawings and used to determine groundwater flow patterns and gradients at the site.

6.0 Investigation Results

Results of the supplemental site investigation activities are summarized in Sections 6.1, 6.2, and 6.3.

6.1 Site Stratigraphy

The soil boring data collected during the site investigation indicates that soils located beneath pavement and/or fill soils on the northern portion of the site generally consist of fine sands and silty sands present to a depth of approximately 27 feet below ground surface, where silt was encountered in piezometer boring PZ-5. The fill soils and pavement on the southern and southeastern portion of the site are underlain by a layer of lean clay. The sand soils to the north were also found at several locations beneath the building, and are likely Holocene alluvial deposits from the Manitowoc River. The clay soils located on the southern and eastern portion of the property are likely Pleistocene glacial ground moraine deposits. Bedrock was not encountered during the site investigation. A vertical depiction of site stratigraphic conditions is presented on Figure 5, "Geologic Cross Sections."

6.2 Soil Analytical Results

As reflected on Table 1, "Soil Analytical Results - DRO, PAHs, VOCs, and Metals," the analytical laboratory detected concentrations of arsenic exceeding the residual contaminant level (RCL) for industrial sites in soil samples collected at several locations outside the site building and beneath the basement floor. In addition, the suggested RCL for several PAH compounds was exceeded in soil samples collected at several locations. The PAH RCL values have not been codified at this time and remain guideline values. No other analytes were detected at concentrations exceeding their respective RCL during SEH's investigation of site soils. As indicated on Table 2, "Soil Analytical Results - Pesticides and PCBs," no pesticides were detected in the samples analyzed for these parameters. One polychlorinated

biphenyl (PCB) compound (Arochlor 1254) was detected in B10 at a concentration of 18 µg/kg. No other PCBs were detected in the soil sample analyzed for these compounds. The complete analytical package containing the soil analytical results is provided in Appendix B, "Analytical Data."

6.3 Groundwater Analytical Results

The groundwater samples were analyzed for VOCs using U.S. EPA Method 8021 during the first round, and by EPA method 8260 during the second round. The groundwater analytical data is summarized on Table 3, "Groundwater Analytical Results." The complete analytical package is included in Appendix B.

As indicated on Table 3, groundwater ES exceedances were limited to detections for 1,1,2,2 tetrachloroethane in groundwater samples collected from points B5 and B5A during the first sampling round, and for vinyl chloride in a groundwater sample collected from point B12 during the second sampling round. The PALs for several parameters were exceeded in groundwater samples collected from several sampling points during both rounds of sampling. The parameters detected at concentrations exceeding their respective PAL but below their ES at one or more location include benzo-a-pyrene, chrysene, chloromethane, 1,2-dichloroethane, cis-1,2-dichloroethylene, 1,2-trichloroethane, trichloroethylene, vinyl chloride, arsenic, and cadmium. All remaining groundwater parameters were either not detected above the laboratory detection limit, or were detected at concentrations below their respective PAL.

6.4 Sump Analytical Results

As reflected on Table 3, elevated DRO concentrations were detected in the east sump due to the floating free-phase liquid observed on the groundwater surface at this location. However, no ES or PAL exceedances were identified in the groundwater sample analyzed from the east sump. No ES exceedances were identified in the samples from the large sump or the west sump. A PAL exceedance for trichloroethylene was identified in both rounds of samples analyzed from the large sump. A PAL exceedance for chrysene was detected in both rounds of samples analyzed from the west sump. No other PAL exceedances were identified in the groundwater samples analyzed from the three sumps.

7.0 Discussion

Based on the results of SEH's site investigation, it appears soil contamination is limited to concentrations of arsenic exceeding its RCL for industrial sites at several locations. The concentrations of arsenic at the site appear to be fairly consistent with no identifiable source area, except for the surficial soils collected from borings B2 and B3 where the concentrations are higher. It appears possible the higher concentrations of arsenic at this location are related to offsite activities because the concentration of arsenic quickly decreases in surface soils as you move north toward the building at boring B1 and throughout the rest of the site. The relatively uniform concentrations of arsenic on the remainder of the site do not indicate a concentrated source area, and possibly indicate these concentrations of arsenic are naturally occurring.

Groundwater analytical results indicate slight ES exceedances for vinyl chloride or 1,1,2,2-tetrachloroethane in three of the slotted standpipe collection points in the building basement. Each of these exceedances was only identified in one of two sampling rounds. No ES exceedances were identified in groundwater samples collected from the monitoring wells or piezometer located around the perimeter of the site building. Several scattered PAL exceedances were identified in groundwater samples collected from site groundwater monitoring points.

Groundwater appears generally to flow to the north at the site toward the Manitowoc River, with the exception of the slight groundwater depression created by the pumping and discharge from the three site sumps. Based on the groundwater analytical results, it appears offsite migration of groundwater contamination exceeding ESs is not occurring at this time.

The free phase oily floating substance identified in the east sump appears to be isolated at this location, and is likely related to operation of the nearby elevator. The pumping activity from the east sump does not appear to be mobilizing the floating free phase liquid based on observations and analysis of water in the large sump, into which the east sump discharges. No PAL or ES exceedances were identified in the east sump, and only one PAL exceedance for trichloroethylene was identified in the large sump.

8.0 Conclusions and Recommendations

Based on the results of SEH's site investigation activities, isolated ES exceedances were identified at the site. The isolated groundwater ES exceedances were identified below the basement floor, and do not appear to be migrating off site at this time. With the exception of elevated arsenic concentrations along the south side of the site (B2 and B3), arsenic detected in soil samples collected may be naturally occurring. No on-site source area of arsenic soils contamination appears to be present. The floating free-phase oil in the east sump was not identified at any other sampling points and does not appear to be moving into the large sump through ongoing groundwater pumping. However, SEH recommends removal of the free-phase liquid to limit potential future migration of this substance.

At this time, SEH does not believe further soil investigation at the site is warranted. SEH recommends completing one year of quarterly groundwater sampling at the existing sampling points (two additional quarterly sampling events) to assess groundwater concentrations over time, and to further assess groundwater migration characteristics. SEH also recommends removal of the floating free-phase liquid from the east sump. The oil layer will be removed from the sump and containerized during the August 2006 sampling event. Prior to or during the November 2006 sampling event, SEH will determine whether or not the oil layer has returned. If the oil layer appears to be a recurring condition, a permanent collection device such as an oil skimmer could be installed in the east sump. Once the additional quarterly sampling and assessment of oil layer removal is completed, SEH recommends reviewing the additional site data and making recommendations for additional activities or site closure based on the additional investigation results.

9.0 Standard of Care

The conclusions and recommendations contained in this report were arrived at in accordance with generally accepted professional practice at this time and location. Other than this, no warranty is implied or intended.

JEG/ls/FJM/BKO

10.0 References

Ostrom, M. E., 1981, "Bedrock Geology of Wisconsin, Wisconsin Geological and Natural History Survey.

Skinner, E. L., and R. G. Borman, 1973, "Water Resources of Wisconsin, Lake Michigan Basin," USGS.

United States Department of Agriculture, Natural Resources Conservation Service, 1980, "Soil Survey of Calumet and Manitowoc Counties, Wisconsin."

United States Geological Survey (USGS), 1973, "Chilton, Wisconsin 7.5 Minute Topographic Map."

Zaporozec, A. and R. D. Cotter, 1985, Major Groundwater Units of Wisconsin," Wisconsin Geological and Natural History Survey.

Tables

Table 1 – Soil Analytical Results - DRO, PAHs, VOCs, and Metals

Table 2 – Soil Analytical Results - Pesticides and PCBs

Table 3 – Groundwater Analytical Results

Table 1
Soil Analytical Results - DRO, PAHs, VOCs, and Metals

Analytical Parameters	Generic RCLs In Soil	Boring No./Depth (ft)/Date										
		B-1		B-2		B-3		B-4	B-5	B-6	B-7	B-8
		0-2	4-6	0-2	2-4	0-2	2-4	4-6	0.5-0.8	1.5-3.0	1.0-2.5	1.0-2.5
		2/13/06	2/13/06	2/13/06	2/13/06	2/13/06	2/13/06	2/14/06	2/14/06	2/14/06	2/14/06	2/14/06
DRO (mg/kg)	100	--	--	--	--	--	--	<6.77	--	--	--	--
pH	NSE	8.16	9.03	--	--	--	--	--	8.95	7.58	9.51	8.16
PAHs¹ (mg/kg)												
Acenaphthene	900	<0.0055	<0.00523	<0.00522	<0.00596	<0.00545	<0.00597	<0.00636	<0.00576	<0.00626	<0.00529	<0.00585
Acenaphthylene	18	<0.00773	<0.00735	<0.00733	<0.00837	<0.00766	<0.00839	<0.00893	<0.00809	<0.00879	<0.00743	<0.00821
Anthracene	5000	<0.00246	<0.00234	<0.00233	<0.00266	<0.00244	<0.00267	<0.00284	<0.00257	<0.0028	<0.00236	<0.00261
Benzo(a)Anthracene	0.088	<0.0048	0.00571	0.0362	<0.0052	0.0646	<0.00521	0.00861	<0.00502	<0.00546	<0.00462	<0.0051
Benzo(a)Pyrene	0.008	<0.00269	0.0106	0.0477	<0.00292	0.0821	<0.00292	<0.00311	<0.00282	<0.00306	<0.00259	<0.00286
Benzo(b)Fluoranthene	0.088	<0.00246	0.0092	0.084	0.011	0.196	<0.00267	<0.00284	<0.00257	<0.0028	<0.00236	<0.00261
Benzo(k)Fluoranthene	0.88	<0.0034	0.00453	0.0412	<0.00368	0.0893	<0.00368	<0.00392	<0.00355	<0.00386	<0.00327	<0.00361
Benzo(ghi)Perylene	18	<0.00468	0.0154	0.068	0.0214	0.198	<0.00508	0.0132	<0.0049	<0.00533	<0.0045	<0.00498
Chrysene	8.8	<0.00269	0.00978	0.107	0.0137	0.19	<0.00292	<0.00311	0.00452	<0.00306	<0.00259	<0.00286
Dibenzo(a,h)Anthracene	0.0088	<0.00316	<0.00301	<0.003	<0.00342	<0.00313	<0.00343	<0.00365	0.00875	<0.0036	<0.00304	<0.00336
Fluoranthene	600	<0.00304	0.0196	0.306	0.0224	0.535	<0.0033	0.03	<0.00319	<0.00346	<0.00293	<0.00323
Fluorene	600	<0.00386	<0.00367	<0.00367	<0.00418	<0.00383	<0.00419	<0.00447	<0.00404	<0.00439	<0.00372	<0.0041
Indeno(1,2,3-cd)Pyrene	0.088	0.021	0.00823	0.04	0.00744	0.137	<0.0028	0.00802	<0.0027	<0.00293	<0.00248	0.006
1-Methyl Naphthalene	1100	0.0326	<0.00412	0.0938	0.00515	0.0883	0.0428	<0.00501	<0.00453	<0.00493	<0.00417	0.0831
2-Methyl Naphthalene	600	0.0708	<0.00457	<0.00456	0.00875	<0.00476	<0.00521	<0.00555	<0.00502	<0.00546	<0.00462	0.0271
Naphthalene	20	0.0177	<0.00512	0.0493	<0.00583	0.059	<0.00584	<0.00622	<0.00564	<0.00613	<0.00518	0.099
Phenanthrene	18	<0.0048	0.00859	0.206	0.0128	0.238	<0.00521	0.0161	<0.00502	<0.00546	<0.00462	<0.0051
Pyrene	500	<0.00246	0.00506	<0.00233	<0.00266	0.0404	<0.00267	0.00537	<0.00257	<0.0028	<0.00236	<0.00261
VOCs² (mg/kg)												
Benzene	5.5	<0.025	<0.025	<0.025	<0.025	0.0905	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Bromobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Bromodichloromethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
n-Butylbenzene	NSE	<0.025	<0.025	0.0611	<0.025	0.0568	<0.025	0.153	<0.025	<0.025	2.73	23
sec-Butylbenzene	NSE	<0.025	<0.025	0.0889	<0.025	0.0638	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
tert-Butylbenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Carbon Tetrachloride	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Chlorobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Chlorodibromomethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Chloroethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Chloroform	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Chloromethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
o-Chlorotoluene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
p-Chlorotoluene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,2-Dibromo-3-chloropropane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,2-Dibromoethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,2-Dichlorobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,3-Dichlorobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,4-Dichlorobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Dichlorodifluoromethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,1-Dichloroethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,2-Dichloroethane	4.9	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,1-Dichloroethylene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
cis-1,2-Dichloroethylene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
trans-1,2-Dichloroethylene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50

Table 1 (Continued)
Soil Analytical Results - DRO, PAHs, VOCs, and Metals

Analytical Parameters	Generic RCLs In Soil	Boring No./Depth (ft)/Date										
		B-1		B-2		B-3		B-4	B-5	B-6	B-7	B-8
		0-2	4-6	0-2	2-4	0-2	2-4	4-6	0.5-0.8	1.5-3.0	1.0-2.5	1.0-2.5
		2/13/06	2/13/06	2/13/06	2/13/06	2/13/06	2/13/06	2/14/06	2/14/06	2/14/06	2/14/06	2/14/06
VOCs² (mg/kg)												
1,2-Dichloropropane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,3-Dichloropropane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
2,2-Dichloropropane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Ethylbenzene	2900	<0.025	<0.025	0.0689	<0.025	0.109	<0.025	0.0419	<0.025	<0.025	<0.5	<2.50
Hexachlorobutadiene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Isopropylbenzene	NSE	<0.025	<0.025	0.0533	<0.025	0.087	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Isopropyl Ether	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
p-Isopropyltoluene	NSE	<0.025	<0.025	0.0533	<0.025	0.0719	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Methyl tert Butyl Ether	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Methylene Chloride	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Naphthalene	0.02	0.0455	<0.025	0.317	<0.025	0.365	0.0445	0.0419	<0.025	<0.025	<0.5	3.69
n-Propylbenzene	NSE	<0.025	<0.025	0.0633	<0.025	0.0858	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Tetrachloroethylene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Toluene	1500	<0.025	<0.025	<0.025	<0.025	0.448	0.0394	0.046	<0.025	<0.025	0.822	<2.50
1,2,3-Trichlorobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,2,4-Trichlorobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,1,1-Trichloroethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,1,2-Trichloroethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Trichloroethylene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Trichlorofluoromethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
1,2,4-Trimethylbenzene	NSE	<0.025	<0.025	0.221	<0.025	0.367	<0.025	0.237	<0.025	<0.025	<0.5	91.9
1,3,5-Trimethylbenzene	NSE	<0.025	<0.025	0.09	<0.025	0.113	<0.025	0.123	<0.025	<0.025	<0.5	<2.50
Vinyl Chloride	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.5	<2.50
Total Xylenes	4100	<0.050	<0.050	0.349	0.0393	0.768	0.1258	0.346	0.0355	0.0399	4.29	4.74
RCRA Total Metals (mg/kg)												
Mercury	NSE	0.156	0.0245	0.0978	0.0659	0.0812	0.382	0.0934	<0.0172	0.0426	<0.0158	0.0348
Arsenic	1.6	3.48	2.34	42.6	4.93	28.1	5.34	2.98	0.875	2.41	<0.383	<0.42
Barium	NSE	53.4	91	36.4	100	57.5	62.9	78.5	5.47	16.4	10.7	17.5
Cadmium	510	0.113	0.0757	0.584	<0.0722	1.08	0.266	0.253	<0.0699	0.172	<0.0642	<0.0709
Chromium	NSE	15.9	16.9	8.03	30.5	19	16	21.4	2.23	12.7	8.73	7.67
Lead	500	20.6	9.02	134	9.48	184	58.4	9.45	1.06	5.83	1.82	3.87
Selenium	NSE	<0.703	<0.668	<0.667	<0.76	<0.696	<0.762	<0.812	<0.735	2.52	<0.676	<0.746
Silver	NSE	<0.234	<0.223	<0.222	<0.253	<0.232	<0.254	<0.271	<0.245	<0.266	<0.225	<0.249

Q:\KO\Werb050200\Reports&Specs\misc\Soil Analytical Results.xls

Table 1 (Continued)
Soil Analytical Results - DRO, PAHs, VOCs, and Metals

Analytical Parameters	Generic RCLs in Soil	Boring No./Depth (ft)/Date											
		B-9	B-10	B-11	B-12	B-13	MW-5/PZ-5	MW-6	MW-7	MW-8		MW-9	
		1.0-2.0 2/14/06	0.5-1.5 2/14/06	1-3 2/15/06	1-2 2/15/06	0.5-4.5 2/15/06	0-4 2/13/06	0-4 2/13/06	0-4 2/13/06	0-4 2/13/06	4-6 2/13/06	0-4 2/13/06	4-6 2/13/06
DRO (mg/kg)	100	--	--	--	--	--	--	--	--	--	--	--	--
pH		8.51	8.31	9.53	8.87	8.14	--	--	--	--	--	--	--
PAHs ¹ (mg/kg)													
Acenaphthene	900	<0.00535	<0.00643	<0.00575	<0.00517	<0.00499	<0.00617	<0.0081	<0.121	<0.00544	<0.00705	<0.00554	<0.00539
Acenaphthylene	18	<0.00752	<0.00903	<0.00807	<0.00726	<0.00701	<0.00866	<0.0114	<0.17	<0.00764	<0.0099	<0.00778	<0.00757
Anthracene	5000	<0.00239	<0.00287	<0.00257	<0.00231	<0.00223	<0.00276	<0.00362	0.275	<0.00243	<0.00315	<0.00248	<0.00241
Benzo(a)Anthracene	0.088	0.0166	0.0166	<0.00501	<0.00451	0.00485	<0.00538	0.0519	0.988	0.0122	<0.00615	0.0323	0.00823
Benzo(a)Pyrene	0.008	0.0175	0.0261	<0.00281	<0.00253	<0.00244	<0.00302	0.0678	0.815	<0.00266	<0.00345	0.052	0.0164
Benzo(b)Fluoranthene	0.088	0.0336	0.041	<0.00257	<0.00231	0.0219	<0.00276	0.114	1.01	0.0355	<0.00315	0.104	0.0292
Benzo(k)Fluoranthene	0.88	0.0231	0.0198	<0.00355	<0.00319	<0.00308	<0.00381	0.0391	0.537	0.0208	<0.00435	0.0459	0.0122
Benzo(ghi)Perylene	18	<0.00456	0.0328	<0.00489	<0.0044	0.092	<0.00525	0.106	0.471	<0.00463	<0.006	0.151	0.0509
Chrysene	8.8	0.033	0.0472	0.00528	0.00949	<0.00244	0.0056	0.084	1.09	0.0543	<0.00345	0.109	0.0292
Dibenzo(a,h)Anthracene	0.0088	<0.00308	0.00911	<0.0033	<0.00297	<0.00287	<0.00354	<0.00466	<0.0695	<0.00313	<0.00405	<0.00318	<0.0031
Fluoranthene	600	0.12	0.087	0.00858	0.0163	<0.00276	<0.00341	0.233	3.71	<0.00301	<0.0039	0.218	0.00586
Fluorene	600	<0.00376	<0.00451	<0.00403	<0.00363	<0.00351	<0.00433	0.0155	0.136	<0.00382	<0.00495	<0.00389	<0.00378
Indeno(1,2,3-cd)Pyrene	0.088	<0.00251	0.0222	0.00413	0.00707	0.0242	<0.00289	0.0614	0.726	0.0251	<0.0033	0.0802	0.0239
1-Methyl Naphthalene	1100	0.0116	0.0201	<0.00452	<0.00407	<0.00393	<0.00486	<0.00638	<0.0952	0.0566	<0.00555	<0.00436	0.013
2-Methyl Naphthalene	600	0.0131	0.028	<0.00501	<0.00451	<0.00436	<0.00538	<0.00707	<0.106	0.0635	<0.00615	<0.00483	0.0179
Naphthalene	20	0.00638	0.013	<0.00562	<0.00506	<0.00489	<0.00604	<0.00793	<0.118	0.0316	<0.0069	<0.00542	0.00857
Phenanthrene	18	0.0351	0.0491	<0.00501	0.00737	<0.00436	<0.00538	0.121	1.92	0.104	<0.00615	0.142	0.0347
Pyrene	500	0.00528	0.00763	0.00246	0.00337	0.00325	<0.00276	0.0621	1.33	<0.00243	<0.00315	<0.00248	<0.00241
VOCs ² (mg/kg)													
Benzene	5.5	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Bromobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Bromodichloromethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
n-Butylbenzene	NSE	0.0364	0.0739	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.0519	<0.025
sec-Butylbenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
tert-Butylbenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.0436	<0.025
Carbon Tetrachloride	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Chlorobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Chlorodibromomethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Chloroethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Chloroform	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Chloromethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
o-Chlorotoluene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
p-Chlorotoluene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,2-Dibromo-3-chloropropane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,2-Dibromoethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,2-Dichlorobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,3-Dichlorobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,4-Dichlorobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Dichlorodifluoromethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,1-Dichloroethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,2-Dichloroethane	4.9	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,1-Dichloroethylene	NSE	<0.025	0.171	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
cis-1,2-Dichloroethylene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
trans-1,2-Dichloroethylene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025

Table 1 (Continued)
Soil Analytical Results - DRO, PAHs, VOCs, and Metals

Analytical Parameters	Generic RCLs in Soil	Boring No./Depth (ft)/Date											
		B-9	B-10	B-11	B-12	B-13	MW-5/PZ-5	MW-6	MW-7	MW-8		MW-9	
		1.0-2.0	0.5-1.5	1-3	1-2	0.5-4.5	0-4	0-4	0-4	0-4	4-6	0-4	4-6
		2/14/06	2/14/06	2/15/06	2/15/06	2/15/06	2/13/06	2/13/06	2/13/06	2/13/06	2/13/06	2/13/06	2/13/06
VOCs² (mg/kg)													
1,2-Dichloropropane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,3-Dichloropropane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
2,2-Dichloropropane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Ethylbenzene	2900	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.154	<0.025
Hexachlorobutadiene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Isopropylbenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.0696	<0.025
Isopropyl Ether	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
p-Isopropyltoluene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.0578	<0.025
Methyl tert Butyl Ether	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Methylene Chloride	NSE	0.174	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Naphthalene	0.02	0.0353	0.0766	<0.025	<0.025	<0.025	<0.025	<0.025	0.045	<0.025	<0.025	0.307	<0.025
n-Propylbenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.0613	<0.025
Tetrachloroethylene	NSE	<0.025	0.133	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Toluene	1500	0.0342	0.0465	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,2,3-Trichlorobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,2,4-Trichlorobenzene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,1,1-Trichloroethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,1,2-Trichloroethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Trichloroethylene	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Trichlorofluoromethane	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,2,4-Trimethylbenzene	NSE	0.082	0.0547	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.217	<0.025
1,3,5-Trimethylbenzene	NSE	<0.025	0.0438	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.126	<0.025
Vinyl Chloride	NSE	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Total Xylenes	4100	0.0501	0.2052	0.033	0.0286	0.0276	<0.050	<0.050	<0.050	<0.050	<0.050	0.1062	<0.050
RCRA Total Metals (mg/kg)													
Mercury	NSE	0.0934	0.0684	0.0318	<0.0154	0.0489	0.0669	0.119	0.0849	0.16	0.078	0.0825	0.0264
Arsenic	1.6	2.02	1.94	0.531	1.45	1.47	2.57	2.59	2.43	3.38	2.29	3.84	2.82
Barium	NSE	17	39.5	18.9	15.1	21.1	98	75.3	70.4	47.1	105	48.1	37.5
Cadmium	510	0.0925	<0.078	<0.0697	0.155	<0.0606	0.189	<0.0983	0.13	0.288	0.804	0.297	<0.0654
Chromium	NSE	31.7	6.63	5.93	5.98	7.46	27.7	17.6	15.1	6.32	41.8	11.6	11.3
Lead	500	4.11	26.3	5.21	5.47	2.71	6.56	7.29	14.5	43.8	9.54	50.8	10.4
Selenium	NSE	<0.683	<0.821	<0.733	<0.66	<0.638	<0.787	<1.03	1.08	<0.694	<0.9	<0.708	<0.688
Silver	NSE	<0.228	0.33	<0.244	<0.22	<0.213	<0.262	<0.345	<0.257	<0.231	<0.3	<0.236	<0.229

RCL = Residual contaminant levels for soils published in ch. NR 720, Wis. Adm. Code

RCLs listed for RCRA metals are for industrial sites

NSE = No standard established

Bold = Exceeds ch. NR 720 soil cleanup standards

¹ = PAH list is not complete; PAHs not listed are BDL

² = VOC list is not complete; VOCs not listed are BDL

Compiled by: JEG Checked by: RJH

Q:\KO\Nerub\050200\Reports&Specs\misc\Soil Analytical Results-DRO,PAH.xls

Table 2
Soil Analytical Results - Pesticides and PCBs

Analytical Parameters	Boring No./Depth (ft)/Date		
	B-1	B-1	B-10
	0-2	4-6	0.5-1.5
	2/13/06	2/13/06	2/14/06
Pesticides (µg/kg)			
Alachlor	<2.28	<2.17	--
Atrazine	<2.18	<2.07	--
Butylate	<1.14	<1.08	--
Chlorpyrifos	<1.76	<1.67	--
Cyanazine	<2.25	<2.14	--
Desethyl atrazine	<2.32	<2.20	--
Desisopropyl atrazine	<3.51	<3.34	--
EPTC (Eptam)	<6.44	<6.12	--
Metolachlor	<2.42	<2.31	--
Metribuzin	<2.59	<2.46	--
Pendimethalin	<2.08	<1.98	--
Prometon	<3.27	<3.11	--
Propazine	<2.12	<2.02	--
Simazine	<2.05	<1.95	--
Trifluralin	<2.07	<1.97	--
Acetochlor	<5.85	<5.57	--
Dimethenamid	<3.86	<3.67	--
PCBs (µg/kg)			
Arochlor 1016	--	--	<6.4
Arochlor 1221	--	--	<5.3
Arochlor 1232	--	--	<5.2
Arochlor 1242	--	--	<5.6
Arochlor 1248	--	--	<4.1
Arochlor 1254	--	--	18
Arochlor 1260	--	--	<3.8
-- = Not analyzed for			
Compiled by: <u>JEG</u> Checked by: <u>RJH</u>			

Q:\KOWerub\050200\Reports&Specs\misc\Soil Analytical Results-Pesticides.xls

**Table 3
Groundwater Analytical Results**

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																			
			B-5		B-5A		B-6		B-9		B-11		B-12		MW-1		MW-2		MW-3		MW-4	
	ES	PAL	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06
pH	NSE	NSE	7.36	--	7.92	--	7.93	--	7.45	--	8.28	--	8.67	--	7.34	--	7.34	--	7.37	--	7.48	--
DRO (µg/l)	NSE	NSE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PAHs ¹ (µg/l)																						
Acenaphthene	NSE	NSE	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.061	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06
Acenaphthylene	NSE	NSE	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.061	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06
Anthracene	3,000	600	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.092	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09
Benzo(a)Anthracene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.102	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Benzo(a)Pyrene	0.2	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.048	<0.02	<0.02	<0.02	<0.02	<0.02
Benzo(b)Fluoranthene	NSE	NSE	0.066	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.097	<0.02	<0.02	<0.02	0.155	<0.02	0.052	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Benzo(k)Fluoranthene	NSE	NSE	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.071	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07
Benzo(g,h,i)Perylene	NSE	NSE	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	0.1	<0.06	<0.06	<0.06	<0.061	0.073	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06
Chrysene	0.2	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.15	0.090	0.131	<0.02	0.192	<0.02	0.054	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Dibenzo(a,h)Anthracene	NSE	NSE	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.112	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
Fluoranthene	400	80	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	0.157	<0.12	<0.12	0.383	<0.112	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12
Fluorene	400	80	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.112	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12
Indeno(1,2,3-cd)Pyrene	NSE	NSE	<0.12	<0.12	0.26	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	0.145	<0.112	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12
1-Methyl Naphthalene	NSE	NSE	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.082	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
2-Methyl Naphthalene	NSE	NSE	<0.11	<0.11	0.352	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.112	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
Naphthalene	40	8.0	<0.11	<0.11	0.194	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.112	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
Phenanthrene	NSE	NSE	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.112	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
Pyrene	250	50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.102	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
VOCs ² (µg/l)																						
Benzene	5	0.5	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	0.157	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Bromobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Bromochloromethane	NSE	NSE	--	<0.1	--	<0.1	--	0.2	--	<0.1	--	<0.1	--	<0.1	--	<0.1	--	<0.1	--	<0.1	--	<0.1
Bromodichloromethane	0.6	0.06	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
n-Butylbenzene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
sec-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
tert-Butylbenzene	NSE	NSE	0.236	<0.15	0.252	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Carbon Tetrachloride	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Chlorobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Chlorodibromomethane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Chloroethane	400	80	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6
Chloroform	6	0.6	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Chloromethane	3	0.3	<0.2	0.24	<0.2	<0.2	<0.2	<0.2	<0.2	0.49	<0.2	<0.2	<0.2	0.26	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
o-Chlorotoluene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
p-Chlorotoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,2-Dibromo-3-chloropropane	0.2	0.02	<0.3	<0.35	<0.3	<0.35	<0.3	<0.35	<0.3	<0.35	<0.3	<0.35	<0.3	<0.35	<0.3	<0.35	<0.3	<0.35	<0.3	<0.35	<0.3	<0.35
1,2-Dibromoethane	0.05	0.005	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,2-Dichlorobenzene	600	60	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75
1,3-Dichlorobenzene	1,250	125	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
1,4-Dichlorobenzene	75	15	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75
Dichlorodifluoromethane	1,000	200	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1-Dichloroethane	850	85	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
1,2-Dichloroethane	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.1	0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,1-Dichloroethylene	7	0.7	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	2.29	2.57
cis-1,2-Dichloroethylene	70	7	<0.2																			

Table 3 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																				
			B-5		B-5A		B-6		B-9		B-11		B-12		MW-1		MW-2		MW-3		MW-4		
	ES	PAL	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	
VOCs² (µg/l)																							
1,2-Dichloropropane	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
1,3-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
2,2-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
1,1-Dichloropropene	NSE	NSE	<0.2	<0.3	<0.2	<0.3	<0.2	<0.3	<0.2	<0.3	<0.2	<0.3	<0.2	<0.3	<0.2	<0.3	<0.2	<0.3	<0.2	<0.3	<0.2	<0.3	
cis-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
trans-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Ethylbenzene	700	140	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.269	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Hexachlorobutadiene	NSE	NSE	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	
Isopropylbenzene	NSE	NSE	<0.1	<0.1	0.602	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Isopropyl Ether	NSE	NSE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
p-Isopropyltoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	
Methyl tert Butyl Ether	60	12	<0.1	0.66	<0.1	0.36	<0.1	0.33	<0.1	1.49	<0.1	0.56	<0.1	<0.1	<0.1	<0.1	<0.1	0.14	<0.1	<0.1	0.112	0.22	
Methylene Chloride	5	0.5	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	
Naphthalene	40	8	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	
n-Propylbenzene	NSE	NSE	<0.1	<0.1	0.138	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Tetrachloroethylene	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.21	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
1,1,1,2-Tetrachloroethane	70	7	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
1,1,2,2-Tetrachloroethane	0.2	0.02	0.286	<0.1	0.51	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Toluene	1,000	200	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	0.512	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	
1,1,2-Trichloroethane	5	0.5	--	<u>0.58</u>	--	0.21	--	<0.1	--	<0.1	--	<0.1	--	<0.1	--	<0.1	--	<0.1	--	<0.1	--	<0.1	
Total Trimethylbenzenes	480	96	<0.3	0.22	3.93	<0.3	0.21	<0.3	0.445	<0.3	<0.3	<0.3	0.214	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	
1,2,3-Trichlorobenzene	NSE	NSE	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-Trichlorobenzene	70	14	<0.5	0.58	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,1,1-Trichloroethane	200	40	<0.2	<0.2	<0.2	0.21	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	
Trichloroethylene	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.415	<u>0.69</u>	<0.2	<u>2.11</u>	<0.2	<0.2	<0.2	<0.2	<0.2	<u>0.535</u>	<u>0.61</u>	<0.2	<0.2
Trichlorofluoromethane	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	
Vinyl Chloride	0.2	0.02	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	
Total Xylenes	10,000	1,000	<0.5	<0.5	0.112	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.984	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Metals (µg/l)																							
Arsenic	50	5	<0.6	--	1.4	--	0.8	--	0.8	--	1.3	--	1.8	--	<0.6	--	1.7	--	3.4	--	<0.6	--	
Barium	2000	400	69.3	--	57	--	29.9	--	48.6	--	60.5	--	40	--	62.5	--	34.5	--	33.7	--	48.2	--	
Cadmium	5	0.5	<0.2	--	<0.2	--	<0.2	--	<0.2	--	<0.2	--	<0.2	--	<0.2	--	<0.2	--	<0.2	--	<u>0.77</u>	--	
Chromium	100	10	<1.60	--	<1.60	--	<1.60	--	2.4	--	2.5	--	2	--	<1.60	--	<1.60	--	<1.60	--	2.8	--	
Lead	15	1.5	<0.3	--	<0.3	--	<0.3	--	<0.3	--	<0.3	--	<0.3	--	<0.3	--	<0.3	--	<0.3	--	<0.3	--	
Mercury	2	0.2	<0.07	--	<0.07	--	<0.07	--	<0.07	--	<0.07	--	<0.07	--	<0.07	--	<0.07	--	<0.07	--	<0.07	--	
Selenium	50	10	0.6	--	0.9	--	0.8	--	<0.6	--	0.97	--	1.3	--	0.6	--	0.6	--	<0.6	--	0.7	--	
Silver	50	10	<0.2	--	<0.2	--	<0.2	--	<0.2	--	<0.2	--	<0.2	--	<0.2	--	<0.2	--	<0.2	--	<0.2	--	

NSE = No standard established

-- = Not analyzed for

Bold = Exceeds ch. NR 140 Enforcement Standard (ES)

Underline = Exceeds ch. NR 140 Preventive Action Limit (PAL)

¹ = PAH list is not complete; PAHs not listed are BDL

² = VOC list is not complete; VOCs not listed are BDL

2/06 Results Compiled by: JEG Checked by: RJH

5/06 Results Compiled by: JEG Checked by: MFR

Q:\KOWerub\050200\Reports&Specs\misc\GW Analytical Results.xls

Table 3 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																	
	ES	PAL	MW-5			PZ-5		MW-6		MW-7		MW-8		MW-9		East Sump	Large Sump		West Sump	
			2/16/06	5/30/06	5/30/2006 Duplicate	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	2/16/06	5/30/06	2/16/06	5/30/06
pH	NSE	NSE	7.38	--	--	7.48	--	7.39	--	7.49	--	7.28	--	7.66	--	7.31	7.51	--	8.00	--
DRO (µg/l)	NSE	NSE	--	--	--	--	--	--	--	--	--	--	--	--	--	3,864,059	--	--	--	--
PAHs ¹ (µg/l)																				
Acenaphthene	NSE	NSE	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.061	<0.06	<0.06	0.081	<0.06	<6.90	<0.06	<0.06	<0.06	<0.06
Acenaphthylene	NSE	NSE	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.061	<0.06	<0.06	<0.06	<0.06	<6.90	<0.06	<0.06	<0.06	<0.06
Anthracene	3,000	600	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.092	<0.09	<0.09	<0.09	<0.09	<10.4	<0.09	<0.09	<0.09	<0.09
Benzo(a)Anthracene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.102	<0.1	<0.1	<0.1	<0.1	<11.5	<0.1	<0.1	<0.1	<0.1
Benzo(a)Pyrene	0.2	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<u>0.167</u>	<0.02	<2.3	<0.02	<0.02	<0.02	<0.02
Benzo(b)Fluoranthene	NSE	NSE	<0.02	<0.02	0.025	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<2.3	<0.02	<0.02	0.035	0.095
Benzo(k)Fluoranthene	NSE	NSE	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.071	<0.07	<0.07	<0.07	<0.07	<8.05	<0.07	<0.07	<0.07	<0.07
Benzo(g,h,i)Perylene	NSE	NSE	<0.06	0.230	0.17	<0.06	<0.06	<0.06	<0.06	<0.06	<0.061	<0.06	<0.06	<0.06	<0.06	<6.90	<0.06	<0.06	0.094	0.065
Chrysene	0.2	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.020	<0.02	<0.02	<0.02	<0.02	<2.30	<0.02	<0.02	<u>0.045</u>	<u>0.143</u>
Dibenzo(a,h)Anthracene	NSE	NSE	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.112	<0.11	<0.11	<0.11	<0.11	<12.7	<0.11	<0.11	<0.11	<0.11
Fluoranthene	400	80	<0.12	<0.12	<0.12	0.123	<0.12	<0.12	<0.12	<0.12	<0.122	<0.12	<0.12	<0.12	<0.12	<13.8	<0.12	<0.12	<0.12	0.162
Fluorene	400	80	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.122	<0.12	<0.12	<0.12	<0.12	<13.8	<0.12	<0.12	<0.12	<0.12
Indeno(1,2,3-cd)Pyrene	NSE	NSE	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.122	<0.12	<0.12	<0.12	<0.12	<13.8	<0.12	<0.12	<0.12	0.120
1-Methyl Naphthalene	NSE	NSE	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.082	<0.08	<0.08	1.31	<0.08	<9.2	<0.08	<0.08	<0.08	<0.08
2-Methyl Naphthalene	NSE	NSE	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.112	<0.11	<0.11	2.73	<0.11	<12.7	<0.11	<0.11	<0.11	<0.11
Naphthalene	40	8.0	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.112	<0.11	<0.11	1.05	<0.11	<12.7	<0.11	<0.11	<0.11	<0.11
Phenanthrene	NSE	NSE	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.112	<0.11	<0.11	<0.11	<0.11	<12.7	<0.11	<0.11	<0.11	<0.11
Pyrene	250	50	<0.1	<0.1	<0.1	0.169	<0.1	<0.1	<0.1	<0.1	<0.102	<0.1	<0.1	<0.1	<0.1	<11.5	<0.1	<0.1	<0.1	<0.1
VOCs ² (µg/l)																				
Benzene	5	0.5	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Bromobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.15	<0.1	<0.1
Bromochloromethane	NSE	NSE	--	<0.1	<0.1	--	<0.1	--	<0.1	--	<0.1	--	<0.1	--	<0.1	--	--	<0.1	--	<0.1
Bromodichloromethane	0.6	0.06	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
n-Butylbenzene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
sec-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
tert-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Carbon Tetrachloride	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Chlorobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Chlorodibromomethane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Chloroethane	400	80	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6
Chloroform	6	0.6	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Chloromethane	3	0.3	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.24	<0.2	<0.2	<0.2	0.28	<0.2	0.28	<0.2	<0.2	<0.2	<0.2	0.22
o-Chlorotoluene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
p-Chlorotoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
1,2-Dibromo-3-chloropropane	0.2	0.02	<0.3	<0.35	<0.35	<0.3	<0.35	<0.3	<0.35	<0.3	<0.35	<0.3	<0.35	<0.3	<0.35	<0.3	<0.3	<0.35	<0.3	<0.35
1,2-Dibromoethane	0.05	0.005	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,2-Dichlorobenzene	600	60	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75
1,3-Dichlorobenzene	1,250	125	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
1,4-Dichlorobenzene	75	15	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75
Dichlorodifluoromethane	1,000	200	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1-Dichloroethane	850	85	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	0.26	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
1,2-Dichloroethane	5	0.5	0.357	0.29	0.24	0.335	0.31	<u>0.678</u>	<u>0.67</u>	<u>0.786</u>	<u>0.53</u>	<0.1	0.11	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,1-Dichloroethylene	7	0.7	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
cis-1,2-Dichloroethylene	70	7	<u>8.26</u>	5.98	5.49	<0.2	0.21	0.869	0.81	1.82	1.38	5.06	<u>8.83</u>	<0.2	<0.2	2.06	1.46	1.67	<0.2	<0.2
trans-1,2-Dichloroethylene	100	20	0.262	0.46	0.48	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.22	<0.1	<0.1	<0.1	<0.1	0.14	<0.1	<0.1

Table 3 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																	
			MW-5			PZ-5		MW-6		MW-7		MW-8		MW-9		East Sump	Large Sump		West Sump	
	ES	PAL	2/16/06	5/30/06	5/30/2006 Duplicate	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	5/30/06	2/16/06	2/16/06	5/30/06	2/16/06	5/30/06
VOCs² (µg/l)																				
1,2-Dichloropropane	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,3-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
2,2-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,1-Dichloropropene	NSE	NSE	<0.2	<0.3	<0.3	<0.2	<0.3	<0.2	<0.3	<0.2	<0.3	<0.2	<0.3	<0.2	<0.3	<0.2	<0.2	<0.3	<0.2	<0.3
cis-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
trans-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Ethylbenzene	700	140	<0.1	<0.1	0.11	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.411	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Hexachlorobutadiene	NSE	NSE	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Isopropylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Isopropyl Ether	NSE	NSE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
p-Isopropyltoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Methyl tert Butyl Ether	60	12	<0.1	0.17	0.18	<0.1	0.14	<0.1	0.21	<0.1	0.13	<0.1	0.19	<0.1	0.30	<0.1	<0.1	1.01	<0.1	0.32
Methylene Chloride	5	0.5	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4
Naphthalene	40	8	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	1.87	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
n-Propylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.117	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Tetrachloroethylene	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.236	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,1,1,2-Tetrachloroethane	70	7	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Toluene	1,000	200	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4
1,1,2-Trichloroethane	5	0.5	--	<0.1	<0.1	--	<0.1	--	<0.1	--	<0.1	--	<0.1	--	<0.1	--	--	<0.1	--	<0.1
Total Trimethylbenzenes	480	96	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	2.049	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
1,2,3-Trichlorobenzene	NSE	NSE	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-Trichlorobenzene	70	14	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-Trichloroethane	200	40	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.241	<0.2	0.206	1.22	<0.2	<0.2	<0.2	<0.2	<0.2
Trichloroethylene	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.228	<u>2.66</u>	<0.2	<0.2	0.293	<u>0.645</u>	<u>0.95</u>	<0.2	<0.2
Trichlorofluoromethane	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Vinyl Chloride	0.2	0.02	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<u>0.16</u>	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Total Xylenes	10,000	1,000	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.335	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Metals (µg/l)																				
Arsenic	50	5	0.6	--	--	<u>10.3</u>	--	1.20	--	4.70	--	0.6	--	1.20	--	<0.125	2.00	--	1.00	--
Barium	2000	400	68.5	--	--	71.2	--	52.4	--	58.5	--	81	--	113	--	<0.0375	56	--	33.4	--
Cadmium	5	0.5	<0.2	--	--	<0.2	--	0.28	--	<0.2	--	<0.2	--	0.34	--	<0.0212	<0.2	--	<0.2	--
Chromium	100	10	1.90	--	--	<1.60	--	1.90	--	<1.60	--	3.20	--	4.90	--	<0.0351	<1.60	--	2.10	--
Lead	15	1.5	<0.3	--	--	<0.3	--	<0.3	--	<0.3	--	<0.3	--	<0.3	--	<0.2	<0.5	--	<0.3	--
Mercury	2	0.2	<0.07	--	--	<0.07	--	<0.07	--	<0.07	--	<0.07	--	<0.07	--	<0.07	<0.07	--	<0.07	--
Selenium	50	10	0.7	--	--	0.8	--	0.8	--	0.9	--	0.96	--	2.01	--	0.225	0.9	--	1.50	--
Silver	50	10	<0.2	--	--	<0.2	--	<0.2	--	<0.2	--	0.27	--	<0.2	--	<0.075	<0.2	--	<0.2	--

NSE = No standard established

-- = Not analyzed for

Bold = Exceeds ch. NR 140 Enforcement Standard (ES)

Underline = Exceeds ch. NR 140 Preventive Action Limit (PAL)

¹ = PAH list is not complete; PAHs not listed are BDL

² = VOC list is not complete; VOCs not listed are BDL

2/06 Results Compiled by: JEG Checked by: RJH

5/06 Results Compiled by: JEG Checked by: MFR

Q:\KONerub\050200\Reports&Specs\misc\GW Analytical Results.xls

Figures

Figure 1 – Site Location



Figure 2 – Outfalls to Manitowoc River

Figure 3 – Sampling Locations

Figure 4 – Groundwater Flow Map, 5/30/2006

Figure 5 – Geologic Cross Sections



REPRODUCED FROM
USGS CHILTON QUADRANGLE
 WISCONSIN - CALUMET CO. 7.5 MINUTE SERIES
 1973



DRAWING DIRECTORY: G:\KO\NERUB\050200\FIGURES\SITE INVESTIGATION REPORT\FIGURE 1 - SITE LOCATION



1	SITE INVESTIGATION REPORT			RJH 07/06	JEG 07/06			See B/C
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	FIELD REVIEW	QC CHECK		
SITE INVESTIGATION REPORT FORMER MIRRO PLANT #20 CHILTON, WISCONSIN				FIGURE 1 SITE LOCATION		PROJ. NO. NERUB050200	1	5
						DATE 07/17/06		




DRAWING DIRECTORY: Q:\V01\NERUB\060200\FIGURES\FIGURE 2 - OUTFALLS TO MANITOWOC RIVER

1	07/17/06	SITE INVESTIGATION REPORT	RJH	07/06	JEG	07/06	Yes	8/10/06
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	QC CHECK			



SITE INVESTIGATION REPORT
 FORMER MIRRO PLANT #20
 CHILTON, WISCONSIN

FIGURE 2 OUTFALLS TO MANITOWOC RIVER	PROJ. NO. NERUB050200	2
	DATE 07/17/06	5



DRAWING DIRECTORY: Q:\VOLUME8\062006\FIGURES\SITE INVESTIGATION REPORT\FIGURE 3 - SAMPLING LOCATIONS

1	07/17/06	SITE INVESTIGATION REPORT	RJM	07/06	JEG	07/06	JEG	8/06
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	QC CHECK			





SITE INVESTIGATION REPORT
FORMER MIRRO PLANT #20
CHILTON, WISCONSIN

FIGURE 3
SAMPLING LOCATIONS

PROJ. NO.	3
DATE	07/17/06
	5

DRAWING DIRECTORY: C:\VOL\NERUB\050200\FIGURES\SITE INVESTIGATION REPORT\FIGURE 4 - GROUNDWATER FLOW MAP



LEGEND:

- PZ-5 ⊕ = PIEZOMETER LOCATION AND NUMBER
- + = MANITOWOC RIVER SURFACE WATER ELEVATION ON 5/30/06 (SITE DATUM)
- MW-9 ⊕ = MONITORING WELL LOCATION, NUMBER AND GROUNDWATER ELEVATION ON 5/30/06 (SITE DATUM)
- B-1 ⊕ = SEH SOIL SAMPLE LOCATION AND NUMBER (NO GROUNDWATER DATA)
- B-6 ⊕ = SEH SOIL SAMPLE LOCATION, NUMBER AND GROUNDWATER ELEVATION ON 5/30/06 (SITE DATUM)
- 92.80— = GROUNDWATER ELEVATION ISOCONTOUR 5/30/06 (SITE DATUM)
- - - = APPROX. PROPERTY BOUNDARY
- ⋯ = RAILROAD TRACKS





1	07/17/06	SITE INVESTIGATION REPORT	RJH	07/06	JEG	07/06	364	B/06
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	QC CHECK			



SITE INVESTIGATION REPORT
FORMER MIRRO PLANT #20
CHILTON, WISCONSIN

FIGURE 4
GROUNDWATER FLOW MAP
05/30/2006

PROJ. NO. NERUB050200	4
DATE 07/17/06	5



- LEGEND:**
- = CONCRETE OR ASPHALT
 - = TOPSOIL
 - = FILL SOILS
 - = SAND (SP)
 - = SILTY SAND (SM)
 - = CLAYEY SAND (SC)
 - = SILT (ML)
 - = LEAN CLAY (CL)
 - = WATER TABLE (5/30/06)

DRAWING DIRECTORY: G:\V01052000\FIGURES\SITE INVESTIGATION REPORT\FIGURE 5 - GEOLOGIC CROSS SECTIONS

1	07/17/06	SITE INVESTIGATION REPORT	RJH	07/06	JEG	07/06	JEG	8/16/06
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	QC CHECK			



SITE INVESTIGATION REPORT
FORMER MIRRO PLANT #20
CHILTON, WISCONSIN

FIGURE 5
GEOLOGIC CROSS SECTIONS

PROJ. NO. 5
NERUB0502
DATE 07/17/05

Appendix A

Soil Boring, Monitoring Well, and Piezometer Documentation

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number B1	
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/13/2006	Date Drilling Completed 2/13/2006	Drilling Method Hydraulic Probe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 2.0 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Lat ° ' "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Long ° ' "		
Facility ID	County Calumet	County Code 8	Civil Town/City/ or Village Chilton		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1 COR	24 16		1	Dark Brown TOPSOIL	OL			0.0						
2 COR	24 16		2	FILL: Layers of Brown Sand and Gravel, Brick Pieces, Cinders, and Lean Clay				0.0						
3 COR	24 15		3					0.0						
4 COR	24 16		4					0.0						
			5					0.0						
			6	Brown Lean CLAY, Little Sand and Gravel	CL		▼	0.0						
			7											
			8	E.O.B. @ 8.0 ft.										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm SEH Inc 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com	Tel: 715.720.6200 Fax: 715.720.6300
-----------	-----------------------------------------------------------------------------------------	----------------------------------------

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number B2	
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/13/2006		Date Drilling Completed 2/13/2006
Drilling Method Hydraulic Probe	WI Unique Well No.	DNR Well ID No.	Common Well Name		Final Static Water Level Feet MSL
Surface Elevation Feet MSL	Borehole Diameter 2.0 inches	Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>	State Plane 0 N, 0 E S/C/N	Lat ° ' "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W
1/4 of NW 1/4 of Section 18, T 18 N, R 20 E	Long ° ' "	Facility ID	County Calumet	County Code 8	Civil Town/City/ or Village Chilton

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 COR	24 15		1	Dark Brown TOPSOIL	OL			0.0							
2 COR	24 15		2	FILL: Mixture of Brown Lean Clay, Light Brown Sand, and Occasional Cinders				0.0							
			4	E.O.B. @ 4.0 ft.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com
Tel: 715.720.6200 Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number B3	
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials		Date Drilling Started 2/13/2006		Date Drilling Completed 2/13/2006	
Drilling Method Hydraulic Probe		WI Unique Well No.		DNR Well ID No.	
Common Well Name		Final Static Water Level Feet MSL		Surface Elevation Feet MSL	
Borehole Diameter 2.0 inches		Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
1/4 of NW 1/4 of Section 18, T 18 N, R 20 E		Lat _____ ' _____ "		Long _____ ' _____ "	
Facility ID		County Calumet		County Code 8	
		Civil Town/City/ or Village Chilton			

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 CORE	24 12		1	Dark Brown TOPSOIL	OL			0.0							
2 CORE	24 12		2	FILL: Mixture of Brown Sand, Black Cinders, and Brown Lean Clay, Some Gravel				0.0							
			3												
			4	E.O.B. @ 4.0 ft.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *John C. Huff* Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com
Tel: 715.720.6200 Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number B4	
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/13/2006	Date Drilling Completed 2/13/2006	Drilling Method Hydraulic Probe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 2.0 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Lat _____ "	Long _____ "	
Facility ID	County Calumet	County Code 8	Civil Town/City/ or Village Chilton		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 CORE	48 32		1	Dark Brown TOPSOIL	OL			0.0							
			2	FILL:Mixture of Brown Sand and Gravel, Brown Clay, and Brick Pieces											
2 CORE	24 16		4	Probable FILL: Dark Brown Organic Clay, Probable Petroleum Odor				72							Petroleum Odor
3 CORE	24 16		6	Probable FILL: Black to Dark Brown Organic Clay Mixed wih Gravel				72							Petroleum Odor
			8	E.O.B. @ 8.0 ft.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *John E. Huff* Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com Tel: 715.720.6200 Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number B5		
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/14/2006		Date Drilling Completed 2/14/2006	
WI Unique Well No.		DNR Well ID No.	Common Well Name		Final Static Water Level Feet MSL	
					Surface Elevation Feet MSL	
					Borehole Diameter 3.0 inches	
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Lat ° ' "		Local Grid Location	
1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Long ° ' "		Feet <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County Calumet	County Code 8	Civil Town/City/ or Village Chilton		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 CORE	4		1	CONCRETE				3.0						No Staining noted Oil Stained	
	4		1	FILL: Light Gray Sand, Little Gravel				41							
2 CORE	24		2	FILL: Black Silty Sand and Gravel (Oil Stained)											
	24		2												
			3	Fine SAND (Based on Auger Behavior)											
			4												
			5												
			6												
			7												
			8		SP										
			9												
			10												
			11												
			12												
			13												
				E.O.B. @ 13.5 ft.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *John E. Guff* Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 Tel: 715.720.6200
www.sehinc.com Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number B5A	
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/14/2006	Date Drilling Completed 2/14/2006	Drilling Method Power Hand Auger
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 3.0 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Local Grid Location Lat _____ " <input type="checkbox"/> N <input type="checkbox"/> E Long _____ " Feet <input type="checkbox"/> S Feet <input type="checkbox"/> W		
Facility ID	County Calumet	County Code 8	Civil Town/City/ or Village Chilton		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
			1	CONCRETE										
			1-2	FILL: Light Gray Sand, Little Gravel										
			2-3	FILL: Black Silty Sand and Gravel (Oil Stained)										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 Tel: 715.720.6200
www.sehinc.com Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number B6	
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/14/2006	Date Drilling Completed 2/14/2006	Drilling Method Macrocore
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 2.0 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Local Grid Location Lat _____ ' _____ "		<input type="checkbox"/> N <input type="checkbox"/> E
1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Long _____ ' _____ "		Feet <input type="checkbox"/> S <input type="checkbox"/> W
Facility ID	County Calumet	County Code 8	Civil Town/City/ or Village Chilton		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1 COR	18 12		1	CONCRETE				5						
			2	FILL: Brown Rounded Gravel (Clear 1-Inch Stone)										
			3	FILL: Brown Lean Clay, Some Sand and Gravel, Possible Slight Petroleum Odor										
				E.O.B. @ 3.0 ft.										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com
Tel: 715.720.6200 Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 288, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20			License/Permit/Monitoring Number 00		Boring Number B7		
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/14/2006		Date Drilling Completed 2/14/2006		
WI Unique Well No.			DNR Well ID No.		Common Well Name		
Final Static Water Level Feet MSL			Surface Elevation Feet MSL		Borehole Diameter 2.0 inches		
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Lat _____ ' _____ "		Local Grid Location		
1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Long _____ ' _____ "		Feet <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID		County Calumet		County Code 8		Civil Town/City/ or Village Chilton	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 COR	18 8		1	CONCRETE				15							Slight Chemical Odor
				FILL: Brown Rounded Gravel (Clear 1-Inch Stone)											
			2	FILL: Dark Brown Lean Clay Mixed With Gravel, Little Sand											
				E.O.B. @ 2.5 ft.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: *John E. Seiff* Firm: **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com
Tel: 715.720.6200 Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number B8	
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/14/2006	Date Drilling Completed 2/14/2006	Drilling Method Macrocore
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 2.0 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N 1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Local Grid Location Lat _____ ° _____ ' _____ " <input type="checkbox"/> N <input type="checkbox"/> E Long _____ ° _____ ' _____ " <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID		County Calumet	County Code 8	Civil Town/City/ or Village Chilton	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 COR	18 8		1	CONCRETE				25						Slight Chemical Odor	
			2	FILL: Brown Rounded Gravel (Clear 1-Inch Stone) FILL: Dark Brown Clay Mixed with Gravel, Little Sand											
				E.O.B. @ 2.5 ft.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *John E. Gull* Firm **SEH Inc** 421 Frenette Drive
Chippewa Falls, WI 54729
www.sehinc.com Tel: 715.720.6200
Fax: 715.720.6300

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number B9	
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/14/2006	Date Drilling Completed 2/14/2006	Drilling Method Macrocore
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 2.0 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
1/4 of NW 1/4 of Section 18 , T 18 N, R 20 E		Lat _____ ° _____ ' _____ "			
Long _____ ° _____ ' _____ "		Feet _____ Feet _____ Feet _____ Feet _____			

Facility ID	County Calumet	County Code 8	Civil Town/City/ or Village Chilton
-------------	--------------------------	-------------------------	-----------------------------------------------

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 COR	12 12		1	CONCRETE				0.0							
			2	FILL: Brown Rounded Gravel (Clear 1-Inch Stone) FILL: Brown Lean Clay Mixed with Gravel, Little Sand											
			3	E.O.B. @ 3.0 ft.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm SEH Inc	421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com	Tel: 715.720.6200 Fax: 715.720.6300
-------------------------------------------------------------------------------------------------	------------------------	------------------------------------------------------------------	----------------------------------------

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number B10	
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/14/2006	Date Drilling Completed 2/14/2006	Drilling Method Macrocore
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 2.0 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N 1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Local Grid Location Lat _____" Long _____" Feet <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID		County Calumet	County Code 8	Civil Town/City/ or Village Chilton	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 COR	12			CONCRETE											
	12		1	FILL: Mixture of Brown Lean Clay, Brown Sand, and Gravel			▼	0.0							
			2	E.O.B. @ 2.0 ft.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *John E. Gull* Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com
Tel: 715.720.6200 Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number B11	
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/15/2006	Date Drilling Completed 2/15/2006	Drilling Method Macrocore
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 2.0 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N 1/4 of NW 1/4 of Section 18, T 18 N, R 20 E				Local Grid Location Lat _____ " _____ " Long _____ " _____ " Feet <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County Calumet	County Code 8	Civil Town/City/ or Village Chilton	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 CORC	24 14		1	CONCRETE				0.0							
			2	FILL: Brown Rounded Gravel (Clear 1-Inch Stone) FILL: Mixture of Brown Silty Sand and Clay Pieces, Little Gravel											
			3	E.O.B. @ 3.5 ft.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com
Tel: 715.720.6200 Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20			License/Permit/Monitoring Number 00		Boring Number B12		
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/15/2006		Date Drilling Completed 2/15/2006		
WI Unique Well No.		DNR Well ID No.	Common Well Name		Borehole Diameter 2.0 inches		
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Final Static Water Level Feet MSL		Surface Elevation Feet MSL		
1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Lat _____ " _____ "		Local Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
Long _____ " _____ "		County Calumet		County Code 8		Civil Town/City/ or Village Chilton	

Sample	Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1	COR	12 12		1 2 3	CONCRETE FILL: Brown Rounded Gravel (Clear 1-Inch Stone) FILL: Brown Silty Sand, Some Gravel E.O.B. @ 3.0 ft.				0.0							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *John E. Huff* Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com
Tel: 715.720.6200 Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20			License/Permit/Monitoring Number 00		Boring Number B13	
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Johnson Soil Essentials			Date Drilling Started 2/15/2006		Date Drilling Completed 2/15/2006	
WI Unique Well No.		DNR Well ID No.		Common Well Name		Borehole Diameter 2.0 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Final Static Water Level Feet MSL		Surface Elevation Feet MSL	
1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Lat _____ ' _____ "		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County Calumet		County Code 8	Civil Town/City/ or Village Chilton	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 CORC	48 20		1	CONCRETE											
			2	FILL: Brown Silty Sand and Gravel				0.0							
			4	E.O.B. @ 4.5 ft.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *John E. Seiff* Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com Tel: 715.720.6200 Fax: 715.720.6300

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number MW-5	
Boring Drilled By: Name of crew chief (first, last) and Firm David Paulson Soil Essentials			Date Drilling Started 2/13/2006	Date Drilling Completed 2/13/2006	Drilling Method hollow stem auger
WI Unique Well No. OX068	DNR Well ID No.	Common Well Name MW-5	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.2 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N 1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Local Grid Location Lat _____ ° _____ ' _____ " _____" Long _____ ° _____ ' _____ " _____"		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W

Facility ID	County Calumet	County Code 8	Civil Town/City/ or Village Chilton
-------------	--------------------------	-------------------------	-----------------------------------------------

Sample	Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
				1	Dark Brown TOPSOIL	OL										
				2	FILL: Brown Lean Clay, Little Sand and Gravel											
				4	Probable FILL: Gray Gravel and Sand											
				5	Gray to Brownish-Gray Silty SAND											
				9		SM										
				13	E.O.B. @ 13.0 ft.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com
Tel: 715.720.6200 Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number MW-6	
Boring Drilled By: Name of crew chief (first, last) and Firm David Paulson Soil Essentials			Date Drilling Started 2/14/2006	Date Drilling Completed 2/14/2006	Drilling Method hollow stem auger
WI Unique Well No. 0X069	DNR Well ID No.	Common Well Name MW-6	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.2 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
1/4 of NW 1/4 of Section 18, T 18 N, R 20 E		Lat _____" Long _____"			
Facility ID	County Calumet	County Code 8	Civil Town/City/ or Village Chilton		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 CORE	48		0	ASPHALT				0.0							
	32		1	Fill: Grayish-Brown Gravel and Sand Basecourse FILL: Layers of Sand and Gravel											
2 CORE	48		3	Probable FILL: Dark Brown Organic Clay, Occasional Wood Chips				0.0							Wet @ 5 ft.
	30		4	Probable FILL: Brown Gravel and Sand Grayish-Brown Silty SAND											
3 CORE	48		6		SM										
	48		7	Grayish-Brown Sand, Little Gravel				0.0							
4 CORE	12		10		SP										
	12		12	Grayish-Brown Silty Sand	SM			0.0							
			13	E.O.B. @ 13.0 ft.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 Tel: 715.720.6200
www.sehinc.com Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number MW-7	
Boring Drilled By: Name of crew chief (first, last) and Firm David Paulson Soil Essentials			Date Drilling Started 2/14/2006	Date Drilling Completed 2/14/2006	Drilling Method hollow stem auger
WI Unique Well No. 0X070	DNR Well ID No.	Common Well Name MW-7	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.2 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Local Grid Location Lat _____ ° _____ ' _____ " <input type="checkbox"/> N <input type="checkbox"/> E Long _____ ° _____ ' _____ " <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID		County Calumet	County Code 8	Civil Town/City/ or Village Chilton	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 CORE	48 39		0	ASPHALT				0.0							
			1	FILL: Light Brown Sand and Gravel (Basecourse)											
			2	FILL: Light Brown Sand and Gravel											
2 CORE	48 16		4	FILL: Dark Brown Organic Clay				0.0							
			5	FILL: Brown Gravel and Sand											
3 CORE	48 40		6	Brown Fine to Medium SAND				0.0							
			7												
			8												
			9												
4 CORE	18 18		12	E.O.B. @ 13.5 ft.				0.0							
			13												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **SEH Inc** 421 Frenette Drive
Chippewa Falls, WI 54729
www.sehinc.com
Tel: 715.720.6200
Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number MW-8	
Boring Drilled By: Name of crew chief (first, last) and Firm David Paulson Soil Essentials			Date Drilling Started 2/14/2006	Date Drilling Completed 2/14/2006	Drilling Method hollow stem auger
WI Unique Well No. 0X091	DNR Well ID No.	Common Well Name MW-8	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.2 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Local Grid Location Lat _____ " <input type="checkbox"/> N <input type="checkbox"/> E Long _____ " <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID		County Calumet	County Code 8	Civil Town/City/ or Village Chilton	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 CORE	48 28		1	ASPHALT				0.0							
				Grayish-Brown Gravel and Sand (Basecourse) FILL: Layers of Brown Sand and Gravel, Occasional Cinders											
2 CORE	48 16		4	FILL: Dark Brown Organic Clay				0.0							
				FILL: Brown Silty Gravel and Sand											
3 CORE	48 29		8	Brown Lean CLAY, Little Sand and Gravel, Occasional Silty Sand Layers	CL			0.0							
4 CORE	18 8		13	E.O.B. @ 13.5 ft.				0.0							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: *John E. Huff* Firm: **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com
Tel: 715.720.6200 Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20		License/Permit/Monitoring Number 00		Boring Number MW-9	
Boring Drilled By: Name of crew chief (first, last) and Firm David Paulson Soil Essentials			Date Drilling Started 2/14/2006	Date Drilling Completed 2/14/2006	Drilling Method hollow stem auger
WI Unique Well No. 0X092	DNR Well ID No.	Common Well Name MW-9	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.2 inches
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane 0 N, 0 E S/C/N			Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Lat _____ ' _____" Long _____ ' _____"		

Facility ID	County Calumet	County Code 8	Civil Town/City/ or Village Chilton
-------------	--------------------------	-------------------------	-----------------------------------------------

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 COR	48 30		1	ASPHALT FILL: Grayish-Brown Gravel and Sand (Basecourse)				0.0							
			2	FILL: Light Brown Gravel and Sand											
			3												
2 COR	48 30		4	FILL: Mixture of Sand, Gravel, Cinders, and Organic Clay				0.0							
			5												
			6												
			7												
3 COR	48 30		8	Brown Lean CLAY, Little Sand and Gravel				0.0							
			9												
			10												
			11												
			12												
			13												
4 COR	18 12			E.O.B. @ 13.5 ft.	CL			0.0							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **SEH Inc** 421 Frenette Drive
Chippewa Falls, WI 54729 Tel: 715.720.6200
www.sehinc.com Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, of imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20			License/Permit/Monitoring Number 00		Boring Number PZ-5	
Boring Drilled By: Name of crew chief (first, last) and Firm David Paulson Soil Essentials			Date Drilling Started 2/13/2006		Date Drilling Completed 2/13/2006	
WI Unique Well No. OX067		DNR Well ID No.	Common Well Name PZ-5	Final Static Water Level Feet MSL		Surface Elevation Feet MSL
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>		State Plane 0 N, 0 E S/C/N		Lat _____ ' _____ ''		Local Grid Location
1/4 of NW 1/4 of Section 18, T 18 N, R 20 E		County Code 8		Civil Town/City/ or Village Chilton		Feet <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W
Facility ID		County Calumet		County Code 8		Civil Town/City/ or Village Chilton

Sample	Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
CORE	48	35		1	Dark Brown TOPSOIL	OL			0.0							
				2	FILL: Brown Lean Clay, Little Sand and Gravel											
				3												
				4	Probable FILL: Gray Gravel and Sand				0.0							
CORE	48	24		5	Gray to Brownish-Gray Silty SAND											
				6												
				7												
				8					0.0							
CORE	48	48		9		SM										
				10												
				11												
				12					0.0							
CORE	48	48		13												
				14												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *John E. Seiff* Firm **SEH Inc** 421 Frenette Drive Chippewa Falls, WI 54729 www.sehinc.com Tel: 715.720.6200 Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number **PZ-5**

Use only as an attachment to Form 4400-122.

Page 2 of 2

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
CORC	48 48		15 16 17 18 19	Gray to Brownish-Gray Silty SAND				0.0						
	48 43		20 21 22		SM			0.0						Blowing Sand In Augers, Sampling Discontinued @ 24 ft.
			23 24 25 26	Coarse Sand Layer @ 23 ft.										
			27 28	Gray Silt, Some Fine Sand E.O.B. @ 28.0 ft.	ML									

Facility/Project Name Former Mirco Plant #20	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW-5
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>	Wis. Unique Well No. 0X068 DNR Well ID No.
Facility ID	Lat. _____ Long. _____ or _____	Date Well Installed 02/13/2006 m m d d y y y y
Type of Well Well Code 1	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. _____ <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm Cory Johnson David Pantel Soil Essentials, Ltd.
Distance from Waste/Source _____ ft.	Enf. Stds. Apply <input type="checkbox"/>	Gov. Lot Number _____
Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation 2.5 ft. MSL	2. Protective cover pipe: a. Inside diameter: 4 in. b. Length: 5 ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
C. Land surface elevation 2.3 ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom _____ ft. MSL or _____ ft.	3. Surface seal: Bentonite <input checked="" type="checkbox"/> 30 Concrete <input type="checkbox"/> 01 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	
13. Sieve analysis performed? <input type="checkbox"/> Yes <input type="checkbox"/> No	
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99	
16. Drilling additives used? <input type="checkbox"/> Yes <input type="checkbox"/> No Describe _____	
17. Source of water (attach analysis, if required): _____	
E. Bentonite seal, top _____ ft. MSL or 0.3 ft.	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/>
F. Fine sand, top _____ ft. MSL or _____ ft.	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
G. Filter pack, top _____ ft. MSL or 2.7 ft.	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. 1 Bag Other <input type="checkbox"/>
H. Screen joint, top _____ ft. MSL or 3.0 ft.	7. Fine sand material: Manufacturer, product name & mesh size a. _____ b. Volume added _____ ft ³
I. Well bottom _____ ft. MSL or 13.0 ft.	8. Filter pack material: Manufacturer, product name & mesh size a. RW sidley b. Volume added 5 Bags ft ³
J. Filter pack, bottom _____ ft. MSL or 13.5 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
K. Borehole, bottom _____ ft. MSL or 13.5 ft.	10. Screen material: PVC a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
L. Borehole, diameter 8.75 in.	b. Manufacturer munaflex c. Slot size: 0.210 in. d. Slotted length: 10.0 ft.
M. O.D. well casing 2.375 in.	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/>
N. I.D. well casing 2.00 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.
Signature John E. Gull Firm SEH Inc.

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name Former Micro Plant #20	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> E. <input type="checkbox"/> S. <input type="checkbox"/> W.	Well Name MW6
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>	Wis. Unique Well No. 0X009 DNR Well ID No.
Facility ID	Lat. _____ Long. _____ or _____	Date Well Installed 2/14/2000 m m d d y y y y
Type of Well Well Code 1	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N, R. <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm Cory Johnson David Paulson Soil Essentials, Ltd.
Distance from Waste/Source _____ ft.	Enf. Stds. Apply <input type="checkbox"/>	Gov. Lot Number _____
Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: Flush mt _____ in. b. Length: _____ ft. c. Material: Steel <input type="checkbox"/> 04 Other <input type="checkbox"/>
C. Land surface elevation _____ ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom _____ ft. MSL or 1.0 ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/>
13. Sieve analysis performed? <input type="checkbox"/> Yes <input type="checkbox"/> No	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud-weight ... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 32 c. 3/4 Bag Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99	7. Fine sand material: Manufacturer, product name & mesh size a. _____ b. Volume added _____ ft ³
16. Drilling additives used? <input type="checkbox"/> Yes <input type="checkbox"/> No Describe _____	8. Filter pack material: Manufacturer, product name & mesh size a. RW Sidley #30 b. Volume added 5 Bags ft ³
17. Source of water (attach analysis, if required): _____	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
E. Bentonite seal, top _____ ft. MSL or 1.0 ft.	10. Screen material: PVC a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
F. Fine sand, top _____ ft. MSL or _____ ft.	b. Manufacturer monoflex c. Slot size: 0.010 in. d. Slotted length: 1.00 ft.
G. Filter pack, top _____ ft. MSL or 2.6 ft.	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/>
H. Screen joint, top _____ ft. MSL or 2.9 ft.	
I. Well bottom _____ ft. MSL or 12.9 ft.	
J. Filter pack, bottom _____ ft. MSL or 13.5 ft.	
K. Borehole, bottom _____ ft. MSL or 13.5 ft.	
L. Borehole, diameter 6.25 in.	
M. O.D. well casing 2.375 in.	
N. I.D. well casing 2.00 in.	


I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature John E. Gull Firm SEH Inc.

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name Former Micro Plant #20	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> E. ft. <input type="checkbox"/> S. <input type="checkbox"/> W.	Well Name MW-7
Facility License, Permit or Monitoring No.	Local Grid Origin (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. " Long. " or	Wis. Unique Well No. 0X070 DNR Well ID No.
Facility ID	St. Plane ft. N. ft. E. S/C/N	Date Well Installed 2/14/2006 m m d d y y y y
Type of Well Well Code 1	Section Location of Waste/Source 1/4 of 1/4 of Sec. T. N. R. <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By Name (first, last) and Firm David Paulson Cory Johnson
Distance from Waste/Source ft.	Enf. Stds. Apply <input type="checkbox"/> u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number Soil Essentials, Ltd.

A. Protective pipe, top elevation ----- ft. MSL	1. Cap and lock? Flush <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation ----- ft. MSL -0.4'	2. Protective cover pipe: Flush a. Inside diameter: 9.0 in.
C. Land surface elevation ----- ft. MSL	b. Length: 1.0 ft.
D. Surface seal, bottom ----- ft. MSL or 1.0 ft.	c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	d. Additional protection? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, describe:
13. Sieve analysis performed? <input type="checkbox"/> Yes <input type="checkbox"/> No	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. Lbs/gal mud weight... Bentonite-sand slurry <input type="checkbox"/> 35 c. Lbs/gal mud weight... Bentonite slurry <input type="checkbox"/> 31 d. % Bentonite... Bentonite-cement grout <input type="checkbox"/> 50 e. Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
16. Drilling additives used? <input type="checkbox"/> Yes <input type="checkbox"/> No Describe	6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 32 c. 1.5 Bags Other <input type="checkbox"/>
17. Source of water (attach analysis, if required):	7. Fine sand material: Manufacturer, product name & mesh size RWSidley
E. Bentonite seal, top ----- ft. MSL or 1.0 ft.	b. Volume added ----- ft ³
F. Fine sand, top ----- ft. MSL or ----- ft.	8. Filter pack material: Manufacturer, product name & mesh size RWSidley #30
G. Filter pack, top ----- ft. MSL or 2.7 ft.	b. Volume added 5.5 Bags ft ³
H. Screen joint, top ----- ft. MSL or 3.0 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
I. Well bottom ----- ft. MSL or 13.0 ft.	10. Screen material: PVC
J. Filter pack, bottom ----- ft. MSL or 13.5 ft.	a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
K. Borehole, bottom 13.5 ft MSL or 13.5 ft.	b. Manufacturer monoflex
L. Borehole, diameter 8.25 in.	c. Slot size: 0.010 in.
M. O.D. well casing 2.275 in.	d. Slotted length: 10.2 ft.
N. I.D. well casing 2.00 in.	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/>



I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature John E. Gull Firm SEH Inc.

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name Former Micro Plant 20	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW-8
Facility License, Permit or Monitoring No.	Local Grid Origin (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or _____	Wis. Unique Well No: 0X09L DNR Well ID No. _____
Facility ID	St. Plane _____ ft. N. _____ ft. E. S/C/N	Date Well Installed: 2/14/2006 m m d d y y y y
Type of Well Well Code 1	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N, R. _____ <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm David Paulson Cory Johnson Soil Essentials Ltd.
Distance from Waste/Source _____ ft.	EnE Stds. Apply <input type="checkbox"/> u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: Flush
C. Land surface elevation _____ ft. MSL	a. Inside diameter: _____ 9 in.
D. Surface seal, bottom _____ ft. MSL or 1.0 ft.	b. Length: _____ 1 ft.
	c. Material: _____ Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
	d. Additional protection? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, describe: _____
	3. Surface seal: _____ Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
	4. Material between well casing and protective pipe: _____ Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/>
	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
	6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 32 c. 1-5 Bags Other <input type="checkbox"/>
	7. Fine sand material: Manufacturer, product name & mesh size a. _____ b. Volume added _____ ft ³
	8. Filter pack material: Manufacturer, product name & mesh size a. R.W. Sidley #30 b. Volume added 6 Bags ft ³
	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
	10. Screen material: PVC a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
	b. Manufacturer manaflex c. Slot size: 0.010 in. d. Slotted length: 12.0 ft.
	11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input type="checkbox"/>

12. USCS classification of soil near screen:
GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock

13. Sieve analysis performed? Yes No

14. Drilling method used: Rotary 50
Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis, if required): _____

E. Bentonite seal, top _____ ft. MSL or **1.0** ft.

F. Fine sand, top _____ ft. MSL or _____ ft.

G. Filter pack, top _____ ft. MSL or **2.6** ft.

H. Screen joint, top _____ ft. MSL or **3.0** ft.

I. Well bottom _____ ft. MSL or **13.0** ft.

J. Filter pack, bottom _____ ft. MSL or **13.6** ft.

K. Borehole, bottom _____ ft. MSL or **13.5** ft.

L. Borehole, diameter **6.25** in.

M. O.D. well casing **2.375** in.

N. I.D. well casing **2.00** in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature John E. Gull Firm SEH Inc.

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name Former Micro Plant #20	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name nw-9
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>	Wis. Unique Well No: 08092 DNR Well ID No.
Facility ID	Lat. _____ Long. _____ or _____	Date Well Installed 02/14/2006 m m d d y y y y
Type of Well Well Code 1	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. _____ <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm Cory Johnson David Paulsen Soil Essentials, Ltd.
Distance from Waste/Source _____ ft.	Enf. Stds. Apply <input type="checkbox"/>	
	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No														
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: Flush mt 9 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>														
C. Land surface elevation _____ ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, describe: _____														
D. Surface seal, bottom _____ ft. MSL or 1.0 ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>														
<table border="1"> <tr> <td colspan="2">12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/></td> </tr> <tr> <td>13. Sieve analysis performed?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No</td> </tr> <tr> <td>14. Drilling method used:</td> <td>Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/></td> </tr> <tr> <td>15. Drilling fluid used:</td> <td>Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99</td> </tr> <tr> <td>16. Drilling additives used?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No</td> </tr> <tr> <td colspan="2">Describe _____</td> </tr> <tr> <td colspan="2">17. Source of water (attach analysis, if required): _____</td> </tr> </table>		12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		13. Sieve analysis performed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	14. Drilling method used:	Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	15. Drilling fluid used:	Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99	16. Drilling additives used?	<input type="checkbox"/> Yes <input type="checkbox"/> No	Describe _____		17. Source of water (attach analysis, if required): _____	
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>															
13. Sieve analysis performed?	<input type="checkbox"/> Yes <input type="checkbox"/> No														
14. Drilling method used:	Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>														
15. Drilling fluid used:	Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99														
16. Drilling additives used?	<input type="checkbox"/> Yes <input type="checkbox"/> No														
Describe _____															
17. Source of water (attach analysis, if required): _____															
E. Bentonite seal, top _____ ft. MSL or 1.0 ft.	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/>														
F. Fine sand, top _____ ft. MSL or _____ ft.	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08														
G. Filter pack, top _____ ft. MSL or 3.0 ft.	6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 32 c. 1 Bag Other <input type="checkbox"/>														
H. Screen joint, top _____ ft. MSL or 3.5 ft.	7. Fine sand material: Manufacturer, product name & mesh size a. _____ b. Volume added 6 Bags ft ³														
I. Well bottom _____ ft. MSL or 13.5 ft.	8. Filter pack material: Manufacturer, product name & mesh size a. R.W. Sidley #30 b. Volume added 6 Bags ft ³														
J. Filter pack, bottom _____ ft. MSL or 12.5 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>														
K. Borehole, bottom _____ ft. MSL or 12.5 ft.	10. Screen material: PVC a. Screen type: Factory cut <input type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>														
L. Borehole, diameter 8.25 in.	b. Manufacturer Manalox c. Slot size: 0.020 in. d. Slotted length: 10.0 ft.														
M. O.D. well casing 2.275 in.	11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input type="checkbox"/>														
N. I.D. well casing 2.00 in.															

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature John E. Gull Firm SEH Inc.

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name Former Mirco Plant #20		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.		Well Name PZ 5	
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>		Wis. Unique Well No. 02067 DNR Well ID No.	
Facility ID		Lat. _____ Long. _____ "or"		Date Well Installed 2/13/2008 m m d d y y y y	
Type of Well Well Code 1		St. Plane _____ ft. N. _____ ft. E. S/C/N		Well Installed By: Name (first, last) and Firm Cory Johnson David Paulson Soil Essentials Ltd.	
Distance from Waste/Source _____ ft.		Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E <input type="checkbox"/> W		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	
Enf. Stds. Apply <input type="checkbox"/>		Gov. Lot Number			

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation _____ ft. MSL 2.5	2. Protective cover pipe: a. Inside diameter: 4.0 in. b. Length: 5.0 ft. c. Material: Steel <input type="checkbox"/> 04 Other <input type="checkbox"/>
C. Land surface elevation _____ ft. MSL 0.4	d. Additional protection? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom _____ ft. MSL or _____ ft.	3. Surface seal: Bentonite <input checked="" type="checkbox"/> 30 Concrete <input type="checkbox"/> 01 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	
13. Sieve analysis performed? <input type="checkbox"/> Yes <input type="checkbox"/> No	
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99	
16. Drilling additives used? <input type="checkbox"/> Yes <input type="checkbox"/> No Describe _____	
17. Source of water (attach analysis, if required): _____	
E. Bentonite seal, top _____ ft. MSL or 0.4 ft.	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/>
F. Fine sand, top _____ ft. MSL or 19.3 ft.	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
G. Filter pack, top _____ ft. MSL or 21.1 ft.	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. 6 Bags Other <input type="checkbox"/>
H. Screen joint, top _____ ft. MSL or 23.0 ft.	7. Fine sand material: Manufacturer, product name & mesh size a. B.W. Sidley 4000 b. Volume added 1 Bag ft ³
I. Well bottom _____ ft. MSL or 28.0 ft.	8. Filter pack material: Manufacturer, product name & mesh size a. B.W. Sidley #30 b. Volume added 3 Bags ft ³
J. Filter pack, bottom _____ ft. MSL or 28.5 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
K. Borehole, bottom _____ ft. MSL or 28.5 ft.	10. Screen material: PVC a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
L. Borehole, diameter 8.25 in.	b. Manufacturer _____ c. Slot size: 0.010 in. d. Slotted length: 5.2 ft.
M. O.D. well casing 2.25 in.	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/>
N. I.D. well casing 2.00 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.
Signature John E. Gull Firm SEH Inc.

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

WI Unique Well No. _____			DNR Well ID No. ---			County Calumet			Facility Name Newell Rubbermaid Former Plant #20		
Common Well Name B1			Gov't Lot # (if applicable)			Facility ID			License/Permit/Monitoring No		
City, Village or Town Chilton			Street Address of Well 44 Walnut Street			Present Well Owner Newell Rubbermaid			Original Well Owner Same		
1/4 1/4 NW 18			Section 18			Township 18 N			Range 20 E		
Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W			<input type="checkbox"/> Local Grid Origin			<input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location			Street Address or Route of Owner 2707 Butterfield Rd. Ste 100		
Latitude: DEG MIN SEC			Longitude: DEG MIN SEC			City Oak Brook			State ILL		
Reason For Abandonment Boring Completed			WI Unique Well No. of Replacement Well			ZIP Code 60523					

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date 2-13-2006 If a Well Construction Report is available, please attach.		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): Hydraulic Probe		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Total Well Depth From Groundsurface (ft.) 8		Casing Diameter (in.) N/A	
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.) N/A		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown N/A		If yes, to what depth (feet)?		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite		Surface	8	5 pounds (approx)	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Sealing Work Soil Essentials Ltd. / SELF		Date of Abandonment 2-13-2006	Date Received	Noted By
Street or Route 421 Franette Drive		Telephone Number (715) 720-6225	Comments	
City Chippewa Falls	State WI	ZIP Code 54729	Signature of Person Doing Work <i>John E. Huff</i>	Date Signed 7-13-06

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

WI Unique Well No. _____ DNR Well ID No. _____ County Calumet Facility Name Newell Rubbermaid Former Plant #20

Common Well Name BZ Gov't Lot # (if applicable) _____ Facility ID _____ License/Permit/Monitoring No. _____ City, Village or Town Chilton

1/4 NW Section 18 Township 18 N Range 20 E W Street Address of Well 44 Walnut Street

Grid Location Feet N E S W Local Grid Origin Present Well Owner Newell Rubbermaid Original Well Owner Same

Street Address or Route of Owner 2707 Butterfield Rd. Ste 100

Latitude: DEG MIN SEC _____ Longitude: DEG MIN SEC _____ City Oak Brook State ILL ZIP Code 60523

Reason For Abandonment Boring Completed WI Unique Well No. of Replacement Well _____ **4. Pump, Liner, Screen, Casing & Sealing Material**

Monitoring Well Water Well Borehole / Drillhole Original Construction Date 2-13-2006

Construction Type: Drilled Driven (Sandpoint) Dug Other (specify): Hydraulic Probe

Formation Type: Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.) 4 Casing Diameter (in.) N/A

Lower Drillhole Diameter (in.) 2 Casing Depth (ft.) N/A

Was well annular space grouted? N/A Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) _____

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	4	3 pounds (approx)	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Sealing Work Soil Essentials Ltd. / SEH Date of Abandonment 2-13-2006 Date Received _____ Noted By _____

Street or Route 421 Franette Drive Telephone Number (715) 720-6225 Comments _____

City Whippewa Falls State WI ZIP Code 54729 Signature of Person Doing Work John E. Kurlf Date Signed 7-13-06

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

WI Unique Well No. _____		DNR Well ID No. _____		County Calumet		Facility Name Newell Rubbermaid Former Plant #20	
Common Well Name B3		Gov't Lot # (if applicable) _____		Facility ID _____		License/Permit/Monitoring No. _____	
City, Village or Town Chilton		Street Address of Well 44 Walnut Street		Present Well Owner Newell Rubbermaid		Original Well Owner Same	
1/4 Section NW 18		Township 18 N		Range 20		<input checked="" type="checkbox"/> E <input type="checkbox"/> W	
Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W		Local Grid Origin <input type="checkbox"/>		(estimated) OR <input type="checkbox"/> Well Location		Street Address or Route of Owner 2707 Butterfield Rd. Ste 100	
Latitude: DEG MIN SEC _____		Longitude: DEG MIN SEC _____		City Oak Brook		State ILL	
Reason For Abandonment Boring Completed		WI Unique Well No. of Replacement Well _____		ZIP Code 60523			

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date 2-13-2006		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Pump and piping removed?	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): Hydraulic Probe		If a Well Construction Report is available, please attach.		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed?	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed?	
Total Well Depth From Groundsurface (ft.) 4		Casing Diameter (in.) N/A		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place?	
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.) N/A		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface?	
Was well annular space grouted? N/A		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface?	
If yes, to what depth (feet)?		Depth to Water (feet)		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours?	
				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source?	
				Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
				Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
				For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite		Surface	4	3 pounds (approx)	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Sealing Work Soil Essentials Ltd. / SELF		Date of Abandonment 2-13-2006	Date Received	Noted By
Street or Route 421 Franette Drive		Telephone Number (715) 720-6225	Comments	
City Whippena Falls	State WI	ZIP Code 54729	Signature of Person Doing Work <i>John E. Self</i>	Date Signed 7-13-06

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

WI Unique Well No. _____ DNR Well ID No. _____ County Calumet Facility Name Newell Rubbermaid Former Plant #20

Common Well Name B4 Gov't Lot # (if applicable) _____ Facility ID _____ License/Permit/Monitoring No. _____ City, Village or Town Chilton

1/4 1/4 Section NW 18 Township 18 N Range 20 E W Street Address of Well 44 Walnut Street

Grid Location Feet N S E W Local Grid Origin (estimated) OR Well Location Present Well Owner Newell Rubbermaid Original Well Owner Same

Street Address or Route of Owner 2707 Butterfield Rd. Ste 100

Latitude: DEG MIN SEC _____ Longitude: DEG MIN SEC _____ City Oak Brook State ILL ZIP Code 60523

Reason For Abandonment Boring Completed WI Unique Well No. of Replacement Well _____

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Monitoring Well Water Well Borehole / Drillhole Original Construction Date 2-13-2006
 If a Well Construction Report is available, please attach.

Construction Type: Drilled Driven (Sandpoint) Dug Other (specify): Hydraulic Probe

Formation Type: Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.) 8 Casing Diameter (in.) N/A

Lower Drillhole Diameter (in.) 2 Casing Depth (ft.) N/A

Was well annular space grouted? N/A Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) _____

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	8	Approx 5 pounds	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Sealing Work Soil Essentials Ltd. / SEIT Date of Abandonment 2-13-2006 Date Received _____ Noted By _____

Street or Route 421 Franette Drive Telephone Number (715) 720-6225 Comments _____

City Chippewa Falls State WI ZIP Code 54729 Signature of Person Doing Work John E. Serff Date Signed 7-13-06

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

WI Unique Well No. _____ DNR Well ID No. _____ County Calumet Facility Name Newell Rubbermaid Former Plant #20

Common Well Name B7 Gov't Lot # (if applicable) _____ Facility ID _____ License/Permit/Monitoring No. _____ City, Village or Town Chilton

1/4 NW Section 18 Township 18 N Range 20 E W Street Address of Well 44 Walnut Street

Grid Location _____ Present Well Owner Newell Rubbermaid Original Well Owner Same

Feet _____ (estimated) OR Well Location _____ Street Address or Route of Owner 2707 Butterfield Rd. Ste 100

Latitude: DEG MIN SEC _____ Longitude: DEG MIN SEC _____ City Oak Brook State ILL ZIP Code 60523

Reason For Abandonment Boring Completed WI Unique Well No. of Replacement Well _____ **4. Pump, Liner, Screen, Casing & Sealing Material**

3. Well / Drillhole / Borehole Information
 Monitoring Well Water Well Borehole / Drillhole
 Original Construction Date 2-14-2006
 If a Well Construction Report is available, please attach. _____

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): Hydraulic Probe

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.) 2.5 Casing Diameter (in.) N/A

Lower Drillhole Diameter (in.) 2 Casing Depth (ft.) N/A

Was well annular space grouted? N/A Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) _____

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>Granular Bentonite</u>	<u>Surface</u>	<u>2.5</u>	<u>2 pounds (approx)</u>	

6. Comments

7. Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Sealing Work <u>Soil Essentials Ltd. / SELF</u>	Date of Abandonment <u>2-14-2006</u>	Date Received	Noted By
Street or Route <u>421 Francis Drive</u>	Telephone Number <u>(715) 720-6225</u>	Comments	
City <u>Chippewa Falls</u>	State <u>WI</u>	ZIP Code <u>54729</u>	Signature of Person Doing Work <u>John E. Self</u>
			Date Signed <u>7-13-06</u>

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

WI Unique Well No.		DNR Well ID No.		County Calumet		Facility Name Newell Rubbermaid Former Plant #20	
Common Well Name B8		Gov't Lot # (if applicable)		Facility ID		License/Permit/Monitoring No Chilton	
1/4	1/4	Section 18	Township 18 N	Range 20	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Street Address of Well 44 Walnut Street	
Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S		Local Grid Origin <input type="checkbox"/> E <input type="checkbox"/> W		<input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location		Present Well Owner Newell Rubbermaid	
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC		City Oak Brook		Original Well Owner Same	
Reason For Abandonment Boring Completed		WI Unique Well No. of Replacement Well		Street Address or Route of Owner 2707 Butterfield Rd. Ste 100		State ILL	
ZIP Code 60523							

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date 2-14-2006		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Pump and piping removed?	
Construction Type:		If a Well Construction Report is available, please attach.		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed?	
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): Hydraulic Probe				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed?	
Formation Type:				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place?	
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface?	
Total Well Depth From Groundsurface (ft.) 2.5		Casing Diameter (in.) N/A		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface?	
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.) N/A		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours?	
Was well annular space grouted? N/A		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped?	
If yes, to what depth (feet)?		Depth to Water (feet)		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source?	
				Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
				Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
				For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite		Surface	2.5	2 pounds (approx)	

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Sealing Work Soil Essentials Ltd. / SEH		Date of Abandonment 2-14-2006	Date Received	Noted By
Street or Route 421 Franette Drive		Telephone Number (715) 720-6225	Comments	
City Whippena Falls	State WI	ZIP Code 54729	Signature of Person Doing Work <i>John E. Serff</i>	Date Signed 7-13-06

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

WI Unique Well No.	DNR Well ID No.	County	Facility Name
		Calumet	Newell Rubbermaid Former Plant #20
Common Well Name	Gov't Lot # (if applicable)	Facility ID	License/Permit/Monitoring No
B10			
City, Village or Town	Canton		
1/4	1/4	Section	Township
	NW	18	18 N
			20
			<input checked="" type="checkbox"/> E <input type="checkbox"/> W
Grid Location		Street Address of Well	
Feet	Local Grid Origin	44 Walnut Street	
<input type="checkbox"/> N <input type="checkbox"/> S	<input type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner	
		Newell Rubbermaid	
	(estimated) OR	Original Well Owner	
	Well Location	Same	
Latitude: DEG MIN SEC	Longitude: DEG MIN SEC		
	2707 Butterfield Rd. Ste 100		
		City	State
		Oak Brook	ILL
			ZIP Code
			60523

Reason For Abandonment **4. Pump, Liner, Screen, Casing & Sealing Material**

Boring Completed

<input type="checkbox"/> Monitoring Well	Original Construction Date	Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	2-14-2006	Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.	Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify):	Hydraulic Probe	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Formation Type:		Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Total Well Depth From Groundsurface (ft.)	Casing Diameter (in.)	If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
2	N/A	Required Method of Placing Sealing Material	
Lower Drillhole Diameter (in.)	Casing Depth (ft.)	<input checked="" type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
2	N/A	<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):
Was well annular space grouted?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Sealing Materials	
N/A		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
If yes, to what depth (feet)?	Depth to Water (feet)	<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
		<input checked="" type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	2	2 pounds (approx)	

6. Comments

7. Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Sealing Work	Date of Abandonment	Date Received	Noted By
Soil Essentials Ltd. / SEIT	2-14-2006		
Street or Route	Telephone Number	Comments	
421 Franette Drive	(715) 720-6225		
City	State	ZIP Code	Signature of Person Doing Work
Chippewa Falls	WI	54729	John E. Serff
			Date Signed
			7-13-06

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

WI Unique Well No. _____		DNR Well ID No. _____		County Calumet		Facility Name Newell Rubbermaid Former Plant #20	
Common Well Name B13		Gov't Lot # (if applicable) _____		Facility ID _____		License/Permit/Monitoring No. _____	
City, Village or Town Calumet		Street Address of Well 44 Walnut Street		Present Well Owner Newell Rubbermaid		Original Well Owner Same	
1/4 1/4 NW 18		Section 18		Township 18 N		Range 20	
Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W		Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location		Street Address or Route of Owner 2707 Butterfield Rd. Ste 100		City Oak Brook	
Latitude: DEG MIN SEC N		Longitude: DEG MIN SEC W		State ILL		ZIP Code 60523	

Reason For Abandonment **Boring Completed** WI Unique Well No. of Replacement Well _____

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well		Original Construction Date 2-15-06	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.	
<input checked="" type="checkbox"/> Borehole / Drillhole			
Construction Type:			
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)	
<input checked="" type="checkbox"/> Other (specify): Hydraulic Probe		<input type="checkbox"/> Dug	
Formation Type:			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock	
Total Well Depth From Groundsurface (ft.) 4.5		Casing Diameter (in.) N/A	
Lower Drillhole Diameter (in.) 2		Casing Depth (ft.) N/A	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown N/A			
If yes, to what depth (feet)?		Depth to Water (feet)	

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input checked="" type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	4.5	Approx 4 pounds	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work Soil Essentials Ltd. / SEH		Date of Abandonment 2-15-2006		Date Received		Noted By	
Street or Route 421 Franette Drive		Telephone Number (715) 720-6225		Comments			
City Chippewa Falls		State WI		ZIP Code 54729		Signature of Person Doing Work <i>John E. Herff</i>	
						Date Signed 7-13-06	

Appendix B

Analytical Data



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

March 13, 2006

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls , WI 54729

Attn: John Guhl

REPORT NO.: 195283

PROJECT NO.: NERUB0502.00

Please find enclosed the analytical report, including the Sample Summary, Sample Narrative and Chain of Custody for your sample set received February 17, 2006.

All analyses were performed in accordance with NELAC Standards using approved methods as indicated on this report.

If you have any questions about the results, please call. Thank you for using USFilter, Enviroscan Services for your analytical needs.

Sincerely,

USFilter, Enviroscan Services

James R. Salkowski
Laboratory Director

I certify that the data contained in this report has been generated and reviewed in accordance with the USFilter, Enviroscan Services Quality Assurance Program. Exceptions, if any, are discussed in the sample narrative. Samples will be retained for 30 days from the date of this report, then disposed in an appropriate manner. USFilter, Enviroscan Services reserves the right to return samples identified as hazardous. Release of this Final Report is authorized as verified by the following signature.

Approved by: _____

Certifications:

Wisconsin 737053130
Minnesota 055-999-302
Illinois 100317

RECEIVED

MAR 15 2006

**SHORT ELLIOTT HENDRICKSON
CHIPPEWA FALLS, WI**



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Sample Summary

195283.2

<u>Lab Id</u>	<u>Client Sample ID</u>	<u>Date/Time</u>	<u>Matrix</u>
195283	MW-3	02/16/06 10:30	GROUNDWATER
195284	MW-2	02/16/06 11:00	GROUNDWATER
195285	MW-1	02/16/06 11:30	GROUNDWATER
195286	EAST SUMP	02/16/06 11:30	GROUNDWATER
195287	B12	02/16/06 13:15	GROUNDWATER
195288	B11	02/16/06 13:45	GROUNDWATER
195289	LARGE SUMP	02/16/06 14:15	GROUNDWATER
195290	B9	02/16/06 14:45	GROUNDWATER
195291	B6	02/16/06 15:15	GROUNDWATER
195292	WEST SUMP	02/16/06 15:45	GROUNDWATER
195293	B5	02/16/06 16:15	GROUNDWATER
195294	B5A	02/16/06 16:45	GROUNDWATER
195295	MW-5 PZ-5 0-4'	02/13/06 10:30	SOIL
195296	MW-6 0-4'	02/13/06 11:45	SOIL
195297	MW-7 0-4'	02/13/06 12:30	SOIL
195298	MW-8 0-4'	02/13/06 14:30	SOIL
195299	MW-8 4-6'	02/13/06 14:45	SOIL
195300	MW-9 0-4'	02/13/06 15:15	SOIL
195301	MW-9 4-6'	02/13/06 15:30	SOIL
195302	B1 0-2'	02/13/06 16:15	SOIL
195303	B1 4-6'	02/13/06 16:30	SOIL
195304	B2 0-2'	02/13/06 16:45	SOIL
195305	B2 2-4'	02/13/06 16:45	SOIL
195306	B3 0-2'	02/13/06 17:00	SOIL
195307	B3 2-4'	02/13/06 17:00	SOIL
195308	B4 4-6'	02/13/06 17:30	SOIL
195309	B5 0.5-0.8'	02/14/06 11:00	SOIL
195310	B6 1.5-3.0'	02/14/06 15:00	SOIL
195311	B7 1.0-2.5'	02/14/06 15:30	SOIL
195312	B8 1.0-2.5'	02/14/06 15:45	SOIL
195313	B9 1.0-2.0'	02/14/06 16:30	SOIL
195314	B10 0.5-1.5'	02/14/06 17:15	SOIL
195315	B11 1-3'	02/15/06 08:30	SOIL
195316	B12 1-2'	02/15/06 09:15	SOIL
195317	B13 0.5-4.5'	02/15/06 11:15	SOIL
195318	MW-8	02/16/06 07:00	GROUNDWATER
195319	MW-9	02/16/06 07:30	GROUNDWATER
195320	MW-4	02/16/06 08:00	GROUNDWATER
195321	MW-6	02/16/06 08:30	GROUNDWATER
195322	MW-7	02/16/06 09:00	GROUNDWATER
195323	MW-5	02/16/06 09:30	GROUNDWATER
195324	PZ-5	02/16/06 10:00	GROUNDWATER



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Sample Narrative/Sample Status

LOGIN:

GENERAL:

ANALYSES:

195286 CANNOT RUN PNA'S AT A LOWER DILUTION DUE TO SAMPLE MATRIX.
OIL LAYER NOT RUN, NOT SOLUBLE IN WATER. OIL LAYER APPROX 10% OF TOTAL VOL
195294 decanted liquid off from mud layer kam

QA/QC:

REPORTING:

Definitions

_OD = Limit of Detection (Not dilution corrected)	$\mu\text{g/l}$ = Micrograms per liter = parts per billion (ppb)
LOQ = Limit of Quantitation (Not dilution corrected)	$\mu\text{g/kg}$ = Micrograms per kilogram = parts per billion (ppb)
< = Less Than	mg/l = Milligrams per liter = parts per million (ppm)
OMP = Complete	mg/kg = Milligrams per kilogram = parts per million (ppm)
SUBCON = Subcontracted analysis	NOT PRES = Not Present
mv = millivolts	ppth = Parts per thousand
pCi/l = picocurie per liter	(S) = Surrogate Compound
l/l = milliliters/Liter	mg/m^3 = Milligrams/meter cube
-g = milligrams	ng/l = Nanograms per liter



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195302.42
DATE REC'D: 02/17/06
REPORT DATE: 03/14/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B1 0-2'

Matrix: SOIL

Sample Date/Time: 02/13/06 16:15

Lab No. 195302

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	85.4	%	-	0.33	-		03/13/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	3.48	mg/kg	0.34	1.13	1		03/07/06	DJB
Total Barium	53.4	mg/kg	0.1	0.33	1		03/07/06	DJB
Total Cadmium	0.113	mg/kg	0.057	0.19	1	J	03/07/06	DJB
Total Chromium	15.9	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	20.6	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.703	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.234	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	0.156	mg/kg	0.014	0.047	1		03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
n-Butylbenzene	<0.025	mg/kg	0.012	0.04	1	LCL	02/21/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		02/21/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	LCL	02/21/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSH DUP	02/21/06	LMP
o-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
p-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	CSH LCL	02/21/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1	CSL LCL	02/21/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		02/21/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1	LCL	02/21/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL LCL DUP	02/21/06	LMP
Ethylbenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
p-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Methyl t-Butyl Ether(MTBE)	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195302.43
DATE REC'D : 02/17/06
REPORT DATE: 03/14/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B1 0-2'

Matrix: SOIL

Sample Date/Time: 02/13/06 16:15

Lab No. 195302

Table with columns: Result, Units, LOD, LOQ, Dilution Factor, Qualifiers, Date Analyzed, Analyst. Contains data for EPA 8021 (Methylene Chloride, Naphthalene, etc.), EPA 8141 (Alachlor, Atrazine, etc.), and EPA 8310 (Acenaphthene).

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195302.44
DATE REC'D : 02/17/06
REPORT DATE: 03/14/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B1 0-2'

Matrix: SOIL

Sample Date/Time: 02/13/06 16:15

Lab No. 195302

	<u>Result</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8310								
Acenaphthylene	<0.00773	mg/kg	0.0066	0.022	1		02/28/06	LMP
Anthracene	<0.00246	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(a)Anthracene	<0.0048	mg/kg	0.0041	0.014	1		02/28/06	LMP
Benzo(a)Pyrene	<0.00269	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Benzo(b)Fluoranthene	<0.00246	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(k)Fluoranthene	<0.0034	mg/kg	0.0029	0.0097	1		02/28/06	LMP
Benzo(ghi)Perylene	<0.00468	mg/kg	0.004	0.013	1		02/28/06	LMP
Chrysene	<0.00269	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Dibenzo(a,h)Anthracene	<0.00316	mg/kg	0.0027	0.009	1		02/28/06	LMP
Fluoranthene	<0.00304	mg/kg	0.0026	0.0087	1		02/28/06	LMP
Fluorene	<0.00386	mg/kg	0.0033	0.011	1		02/28/06	LMP
Indeno(1,2,3-cd)Pyrene	0.021	mg/kg	0.0022	0.0073	1		02/28/06	LMP
1-Methyl Naphthalene	0.0326	mg/kg	0.0037	0.012	1		02/28/06	LMP
2-Methyl Naphthalene	0.0708	mg/kg	0.0041	0.014	1		02/28/06	LMP
Naphthalene	0.0177	mg/kg	0.0046	0.015	1		02/28/06	LMP
Phenanthrene	<0.0048	mg/kg	0.0041	0.014	1		02/28/06	LMP
Pyrene	<0.00246	mg/kg	0.0021	0.007	1		02/28/06	LMP
9,10-Diphenylanthracene (S)	59.4	%	-	-	1		02/28/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM
EPA 9045								
pH - Laboratory	8.16		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:00		-	-	-		02/20/06	JJP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195302.45
DATE REC'D : 02/17/06
REPORT DATE: 03/14/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B1 4-6'

Matrix: SOIL

Sample Date/Time: 02/13/06 16:30

Lab No. 195303

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	89.8	%	-	0.33	-		03/13/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	2.34	mg/kg	0.34	1.13	1		03/07/06	DJB
Total Barium	91.0	mg/kg	0.1	0.33	1		03/07/06	DJB
Total Cadmium	0.0757	mg/kg	0.057	0.19	1	J	03/07/06	DJB
Total Chromium	16.9	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	9.02	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.668	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.223	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	0.0245	mg/kg	0.014	0.047	1		03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
n-Butylbenzene	<0.025	mg/kg	0.012	0.04	1	LCL	02/21/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		02/21/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	LCL	02/21/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSH DUP	02/21/06	LMP
p-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
m-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	CSH LCL	02/21/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1	CSL LCL	02/21/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		02/21/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1	LCL	02/21/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL LCL DUP	02/21/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
p-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Methyl t-Butyl Ether(MTBE)	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195302.46
DATE REC'D: 02/17/06
REPORT DATE: 03/14/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B1 4-6'

Matrix: SOIL

Sample Date/Time: 02/13/06 16:30

Lab No. 195303

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
Naphthalene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP
m- & p-Xylene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
o-Xylene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
PID Surrogate Recovery (S)	82.8	%	-	-	1		02/21/06	LMP
HALL Surrogate Recovery (S)	100.	%	-	-	1		02/21/06	LMP
EPA 8141								
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/24/06	MJG
Alachlor	<2.17	µg/kg	1.95	6.49	1		03/09/06	LMP
Atrazine	<2.07	µg/kg	1.86	6.19	1		03/09/06	LMP
Butylate	<1.08	µg/kg	0.97	3.23	1		03/09/06	LMP
Chlorpyrifos	<1.67	µg/kg	1.5	5.0	1		03/09/06	LMP
Cyanazine	<2.14	µg/kg	1.92	6.39	1	CSH	03/09/06	LMP
Desethyl atrazine	<2.20	µg/kg	1.98	6.59	1	CSH	03/09/06	LMP
Desisopropyl atrazine	<3.34	µg/kg	3.0	10.0	1	CSH	03/09/06	LMP
EPTC(Eptam)	<6.12	µg/kg	5.5	18.3	1		03/09/06	LMP
Metolachlor	<2.31	µg/kg	2.07	6.89	1	CSH	03/09/06	LMP
Metribuzin	<2.46	µg/kg	2.21	7.36	1	CSH	03/09/06	LMP
Metdimethalin	<1.98	µg/kg	1.78	5.93	1		03/09/06	LMP
Prometon	<3.11	µg/kg	2.79	9.29	1		03/09/06	LMP
Propazine	<2.02	µg/kg	1.81	6.03	1		03/09/06	LMP
Simazine	<1.95	µg/kg	1.75	5.83	1	CSH	03/09/06	LMP
Trifluralin	<1.97	µg/kg	1.77	5.89	1		03/09/06	LMP
Acetochlor	<5.57	µg/kg	5.0	16.7	1		03/09/06	LMP
Dimethenamid	<3.67	µg/kg	3.3	11.0	1		03/09/06	LMP
EPA 8310								
Acenaphthene	<0.00523	mg/kg	0.0047	0.016	1		03/01/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195302.47
DATE REC'D : 02/17/06
REPORT DATE: 03/14/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B1 4-6'

Matrix: SOIL

Sample Date/Time: 02/13/06 16:30

Lab No. 195303

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<u>EPA 8310</u>								
Acenaphthylene	<0.00735	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.00234	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(a)Anthracene	0.00571	mg/kg	0.0041	0.014	1	J	03/01/06	LMP
Benzo(a)Pyrene	0.0106	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Benzo(b)Fluoranthene	0.0092	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(k)Fluoranthene	0.00453	mg/kg	0.0029	0.0097	1	J	03/01/06	LMP
Benzo(ghi)Perylene	0.0154	mg/kg	0.004	0.013	1		03/01/06	LMP
Chrysene	0.00978	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.00301	mg/kg	0.0027	0.009	1		03/01/06	LMP
Fluoranthene	0.0196	mg/kg	0.0026	0.0087	1		03/01/06	LMP
Fluorene	<0.00367	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	0.00823	mg/kg	0.0022	0.0073	1		03/01/06	LMP
1-Methyl Naphthalene	<0.00412	mg/kg	0.0037	0.012	1		03/01/06	LMP
2-Methyl Naphthalene	<0.00457	mg/kg	0.0041	0.014	1		03/01/06	LMP
Naphthalene	<0.00512	mg/kg	0.0046	0.015	1		03/01/06	LMP
Phenanthrene	0.00859	mg/kg	0.0041	0.014	1	J	03/01/06	LMP
Pyrene	0.00506	mg/kg	0.0021	0.007	1	J	03/01/06	LMP
9,10-Diphenylanthracene (S)	52.3	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM
<u>EPA 9045</u>								
pH - Laboratory	9.03		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:00		-	-	-		02/20/06	JJP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.48
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B2 0-2' Matrix: SOIL Sample Date/Time: 02/13/06 16:45 Lab No. 195304

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	90.0	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	42.6	mg/kg	0.34	1.13	1		03/07/06	DJB
Total Barium	36.4	mg/kg	0.1	0.33	1		03/07/06	DJB
Total Cadmium	0.584	mg/kg	0.057	0.19	1		03/07/06	DJB
Total Chromium	8.03	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	134.	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.667	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.222	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	0.0978	mg/kg	0.014	0.047	1		03/03/06	MPM
PA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
n-Butylbenzene	0.0611	mg/kg	0.012	0.04	1	LCL	02/21/06	LMP
sec-Butylbenzene	0.0889	mg/kg	0.01	0.033	1		02/21/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		02/21/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	LCL	02/21/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSH DUP	02/21/06	LMP
o-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
p-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	CSH LCL	02/21/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1	CSL LCL	02/21/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		02/21/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1	LCL	02/21/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL LCL DUP	02/21/06	LMP
Ethylbenzene	0.0689	mg/kg	0.007	0.023	1		02/21/06	LMP
1,2-Dichlorobutadiene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
Isopropylbenzene	0.0533	mg/kg	0.009	0.03	1		02/21/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
p-Isopropyltoluene	0.0533	mg/kg	0.011	0.037	1		02/21/06	LMP
Methyl t-Butyl Ether (MTBE)	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP

...l results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Shippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.49
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B2 0-2' Matrix: SOIL Sample Date/Time: 02/13/06 16:45 Lab No. 195304

Table with columns: Result, Units, LOD, LOQ, Dilution Factor, Qualifiers, Date Analyzed, Analyst. Includes PA 8021 section with analytes like Methylene Chloride, Naphthalene, etc.

Table with columns: Result, Units, LOD, LOQ, Dilution Factor, Qualifiers, Date Analyzed, Analyst. Includes PA 8310 section with analytes like Acenaphthene, Anthracene, etc.

■ All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Shippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.50
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B2 2-4' Matrix: SOIL Sample Date/Time: 02/13/06 16:45 Lab No. 195305

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	78.9	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	4.93	mg/kg	0.34	1.13	1		03/07/06	DJB
Total Barium	100.	mg/kg	0.1	0.33	1		03/07/06	DJB
Total Cadmium	<0.0722	mg/kg	0.057	0.19	1		03/07/06	DJB
Total Chromium	30.5	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	9.48	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.76	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.253	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	0.0659	mg/kg	0.014	0.047	1		03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1	CSL	03/02/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
n-Butylbenzene	<0.025	mg/kg	0.012	0.04	1		03/02/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		03/02/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	CSL LCL	03/02/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSL DUP LCL	03/02/06	LMP
m-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
p-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		03/02/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,1-Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	LCL	03/02/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1		03/02/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		03/02/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL DUP LCL	03/02/06	LMP
1-Ethylbenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		03/02/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
p-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		03/02/06	LMP
Methyl t-Butyl Ether(MTBE)	<0.025	mg/kg	0.018	0.06	1	CSL DUP	03/02/06	LMP

LL results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.51
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B2 2-4'

Matrix: SOIL

Sample Date/Time: 02/13/06 16:45

Lab No. 195305

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
Naphthalene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		03/02/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	LCL	03/02/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		03/02/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		03/02/06	LMP
m- & p-Xylene	0.0393	mg/kg	0.015	0.05	1	MB J	03/02/06	LMP
o-Xylene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	03/02/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
PID Surrogate Recovery (S)	82.3	%	-	-	1		03/02/06	LMP
HALL Surrogate Recovery (S)	148.	%	-	-	1		03/02/06	LMP
EPA 8310								
Acenaphthene	<0.00596	mg/kg	0.0047	0.016	1		03/01/06	LMP
Acenaphthylene	<0.00837	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.00266	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(a)Anthracene	<0.0052	mg/kg	0.0041	0.014	1		03/01/06	LMP
Benzo(a)Pyrene	<0.00292	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Benzo(b)Fluoranthene	0.011	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(k)Fluoranthene	<0.00368	mg/kg	0.0029	0.0097	1		03/01/06	LMP
Benzo(ghi)Perylene	0.0214	mg/kg	0.004	0.013	1		03/01/06	LMP
Chrysene	0.0137	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.00342	mg/kg	0.0027	0.009	1		03/01/06	LMP
Fluoranthene	0.0224	mg/kg	0.0026	0.0087	1		03/01/06	LMP
Fluorene	<0.00418	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	0.00744	mg/kg	0.0022	0.0073	1	J	03/01/06	LMP
1-Methyl Naphthalene	0.00515	mg/kg	0.0037	0.012	1	J	03/01/06	LMP
2-Methyl Naphthalene	0.00875	mg/kg	0.0041	0.014	1	J	03/01/06	LMP
Naphthalene	<0.00583	mg/kg	0.0046	0.015	1		03/01/06	LMP
Phenanthrene	0.0128	mg/kg	0.0041	0.014	1	J	03/01/06	LMP
Pyrene	<0.00266	mg/kg	0.0021	0.007	1		03/01/06	LMP
1,10-Diphenylanthracene (S)	75.5	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Shippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.52
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B3 0-2'

Matrix: SOIL

Sample Date/Time: 02/13/06 17:00

Lab No. 195306

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
--	--------	-------	-----	-----	-----------------	------------	---------------	---------

EPA 160.3

Total Solids	86.2	%	-	0.33	-		02/20/06	AMR
--------------	------	---	---	------	---	--	----------	-----

EPA 3050

Metal Prep	COMP		-	-	-		02/27/06	DJB
------------	------	--	---	---	---	--	----------	-----

EPA 6010

Total Arsenic	28.1	mg/kg	0.34	1.13	1		03/07/06	DJB
Total Barium	57.5	mg/kg	0.1	0.33	1		03/07/06	DJB
Total Cadmium	1.08	mg/kg	0.057	0.19	1		03/07/06	DJB
Total Chromium	19.0	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	184.	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.696	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.232	mg/kg	0.2	0.67	1		03/07/06	DJB

EPA 7471

Total Mercury	0.0812	mg/kg	0.014	0.047	1		03/03/06	MPM
---------------	--------	-------	-------	-------	---	--	----------	-----

EPA 8021 (Only positively identified analytes are reported on a dry weight basis)

Benzene	0.0905	mg/kg	0.008	0.027	1	CSL	03/02/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
n-Butylbenzene	0.0568	mg/kg	0.012	0.04	1		03/02/06	LMP
sec-Butylbenzene	0.0638	mg/kg	0.01	0.033	1		03/02/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		03/02/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	CSL LCL	03/02/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSL DUP LCL	03/02/06	LMP
m-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
p-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		03/02/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	LCL	03/02/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1		03/02/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		03/02/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL DUP LCL	03/02/06	LMP
Ethylbenzene	0.109	mg/kg	0.007	0.023	1		03/02/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		03/02/06	LMP
Isopropylbenzene	0.087	mg/kg	0.009	0.03	1		03/02/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
p-Isopropyltoluene	0.0719	mg/kg	0.011	0.037	1		03/02/06	LMP
Methyl t-Butyl Ether(MTBE)	<0.025	mg/kg	0.018	0.06	1	CSL DUP	03/02/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.53
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B3 0-2'

Matrix: SOIL

Sample Date/Time: 02/13/06 17:00

Lab No. 195306

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
Naphthalene	0.365	mg/kg	0.01	0.033	1		03/02/06	LMP
n-Propylbenzene	0.0858	mg/kg	0.009	0.03	1		03/02/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Toluene	0.448	mg/kg	0.007	0.023	1		03/02/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		03/02/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	LCL	03/02/06	LMP
1,2,4-Trimethylbenzene	0.367	mg/kg	0.012	0.04	1		03/02/06	LMP
1,3,5-Trimethylbenzene	0.113	mg/kg	0.01	0.033	1		03/02/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		03/02/06	LMP
m- & p-Xylene	0.43	mg/kg	0.015	0.05	1	MB	03/02/06	LMP
o-Xylene	0.338	mg/kg	0.008	0.027	1		03/02/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	03/02/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
PID Surrogate Recovery (S)	90.0	%	-	-	1		03/02/06	LMP
ALL Surrogate Recovery (S)	145.	%	-	-	1		03/02/06	LMP
EPA 8310								
Acenaphthene	<0.00545	mg/kg	0.0047	0.016	1		03/01/06	LMP
Acenaphthylene	<0.00766	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.00244	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(a)Anthracene	0.0646	mg/kg	0.0041	0.014	1		03/01/06	LMP
Benzo(a)Pyrene	0.0821	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Benzo(b)Fluoranthene	0.196	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(k)Fluoranthene	0.0893	mg/kg	0.0029	0.0097	1		03/01/06	LMP
Benzo(ghi)Perylene	0.198	mg/kg	0.004	0.013	1		03/01/06	LMP
Chrysene	0.19	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.00313	mg/kg	0.0027	0.009	1		03/01/06	LMP
Fluoranthene	0.535	mg/kg	0.0026	0.0087	1		03/01/06	LMP
Fluorene	<0.00383	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	0.137	mg/kg	0.0022	0.0073	1		03/01/06	LMP
1-Methyl Naphthalene	0.0883	mg/kg	0.0037	0.012	1		03/01/06	LMP
2-Methyl Naphthalene	<0.00476	mg/kg	0.0041	0.014	1		03/01/06	LMP
Naphthalene	0.059	mg/kg	0.0046	0.015	1		03/01/06	LMP
Phenanthrene	0.238	mg/kg	0.0041	0.014	1		03/01/06	LMP
Pyrene	0.0404	mg/kg	0.0021	0.007	1		03/01/06	LMP
9,10-Diphenylanthracene (S)	32.8	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM

■ All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.55
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B3 2-4'

Matrix: SOIL

Sample Date/Time: 02/13/06 17:00

Lab No. 195307

Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
--------	-------	-----	-----	-----------------	------------	---------------	---------

EPA 8021 (Only positively identified analytes are reported on a dry weight basis)

Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
Naphthalene	0.0445	mg/kg	0.01	0.033	1		03/02/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Toluene	0.0394	mg/kg	0.007	0.023	1		03/02/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		03/02/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	LCL	03/02/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		03/02/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		03/02/06	LMP
m- & p-Xylene	0.0902	mg/kg	0.015	0.05	1	MB	03/02/06	LMP
o-Xylene	0.0356	mg/kg	0.008	0.027	1		03/02/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	03/02/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
PID Surrogate Recovery (S)	98.7	%	-	-	1		03/02/06	LMP
HALL Surrogate Recovery (S)	148.	%	-	-	1		03/02/06	LMP

EPA 8310

Acenaphthene	<0.00597	mg/kg	0.0047	0.016	1		03/01/06	LMP
Acenaphthylene	<0.00839	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.00267	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(a)Anthracene	<0.00521	mg/kg	0.0041	0.014	1		03/01/06	LMP
Benzo(a)Pyrene	<0.00292	mg/kg	0.0023	0.0077	1	CSL	03/01/06	LMP
Benzo(b)Fluoranthene	<0.00267	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(k)Fluoranthene	<0.00368	mg/kg	0.0029	0.0097	1		03/01/06	LMP
Benzo(ghi)Perylene	<0.00508	mg/kg	0.004	0.013	1		03/01/06	LMP
Chrysene	<0.00292	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.00343	mg/kg	0.0027	0.009	1		03/01/06	LMP
Fluoranthene	<0.0033	mg/kg	0.0026	0.0087	1		03/01/06	LMP
Fluorene	<0.00419	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.0028	mg/kg	0.0022	0.0073	1		03/01/06	LMP
1-Methyl Naphthalene	0.0428	mg/kg	0.0037	0.012	1		03/01/06	LMP
2-Methyl Naphthalene	<0.00521	mg/kg	0.0041	0.014	1		03/01/06	LMP
Naphthalene	<0.00584	mg/kg	0.0046	0.015	1		03/01/06	LMP
Phenanthrene	<0.00521	mg/kg	0.0041	0.014	1		03/01/06	LMP
Pyrene	<0.00267	mg/kg	0.0021	0.007	1		03/01/06	LMP
9,10-Diphenylanthracene (S)	30.7	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM

LL results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.54
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B3 2-4'

Matrix: SOIL

Sample Date/Time: 02/13/06 17:00

Lab No. 195307

Result Units LOD LOQ Dilution Factor Qualifiers Date Analyzed Analyst

EPA 160.3

Total Solids 78.7 % - 0.33 - 02/20/06 AMR

EPA 3050

Metal Prep COMP - - - 02/27/06 DJB

EPA 6010

Total Arsenic 5.34 mg/kg 0.34 1.13 1 03/07/06 DJB
Total Barium 62.9 mg/kg 0.1 0.33 1 03/07/06 DJB
Total Cadmium 0.266 mg/kg 0.057 0.19 1 03/07/06 DJB
Total Chromium 16.0 mg/kg 0.053 0.18 1 03/07/06 DJB
Total Lead 58.4 mg/kg 0.53 1.76 1 03/07/06 DJB
Total Selenium <0.762 mg/kg 0.6 2.0 1 03/07/06 DJB
Total Silver <0.254 mg/kg 0.2 0.67 1 03/07/06 DJB

EPA 7471

Total Mercury 0.382 mg/kg 0.014 0.047 1 03/03/06 MPM

EPA 8021 (Only positively identified analytes are reported on a dry weight basis)

Benzene <0.025 mg/kg 0.008 0.027 1 CSL 03/02/06 LMP
Bromobenzene <0.025 mg/kg 0.007 0.023 1 03/02/06 LMP
Bromodichloromethane <0.025 mg/kg 0.006 0.02 1 03/02/06 LMP
n-Butylbenzene <0.025 mg/kg 0.012 0.04 1 03/02/06 LMP
sec-Butylbenzene <0.025 mg/kg 0.01 0.033 1 03/02/06 LMP
tert-Butylbenzene <0.025 mg/kg 0.01 0.033 1 03/02/06 LMP
Carbon Tetrachloride <0.025 mg/kg 0.008 0.027 1 03/02/06 LMP
Chlorobenzene <0.025 mg/kg 0.007 0.023 1 03/02/06 LMP
Chlorodibromomethane <0.025 mg/kg 0.02 0.067 1 03/02/06 LMP
Chloroethane <0.025 mg/kg 0.09 0.30 1 CSL LCL 03/02/06 LMP
Chloroform <0.025 mg/kg 0.01 0.033 1 03/02/06 LMP
Chloromethane <0.025 mg/kg 0.01 0.033 1 CSL DUP LCL 03/02/06 LMP
1-Chlorotoluene <0.025 mg/kg 0.008 0.027 1 03/02/06 LMP
1-Chlorotoluene <0.025 mg/kg 0.008 0.027 1 03/02/06 LMP
1,2-Dibromo-3-chloropropane <0.025 mg/kg 0.009 0.03 1 03/02/06 LMP
1,2-Dibromoethane <0.025 mg/kg 0.012 0.04 1 03/02/06 LMP
1,2-Dichlorobenzene <0.025 mg/kg 0.008 0.027 1 03/02/06 LMP
1,3-Dichlorobenzene <0.025 mg/kg 0.008 0.027 1 03/02/06 LMP
1,4-Dichlorobenzene <0.025 mg/kg 0.008 0.027 1 03/02/06 LMP
1,1-Dichlorodifluoromethane <0.025 mg/kg 0.014 0.047 1 LCL 03/02/06 LMP
1,1-Dichloroethane <0.025 mg/kg 0.009 0.03 1 03/02/06 LMP
1,2-Dichloroethane <0.025 mg/kg 0.005 0.017 1 03/02/06 LMP
1,1-Dichloroethylene <0.025 mg/kg 0.016 0.053 1 03/02/06 LMP
cis-1,2-Dichloroethylene <0.025 mg/kg 0.007 0.023 1 03/02/06 LMP
trans-1,2-Dichloroethylene <0.025 mg/kg 0.01 0.033 1 03/02/06 LMP
1,2-Dichloropropane <0.025 mg/kg 0.007 0.023 1 03/02/06 LMP
1,3-Dichloropropane <0.025 mg/kg 0.008 0.027 1 03/02/06 LMP
2,2-Dichloropropane <0.025 mg/kg 0.008 0.027 1 CSL DUP LCL 03/02/06 LMP
1-Methylbenzene <0.025 mg/kg 0.007 0.023 1 03/02/06 LMP
Hexachlorobutadiene <0.025 mg/kg 0.015 0.05 1 03/02/06 LMP
Isopropylbenzene <0.025 mg/kg 0.009 0.03 1 03/02/06 LMP
Isopropyl Ether <0.025 mg/kg 0.014 0.047 1 03/02/06 LMP
p-Isopropyltoluene <0.025 mg/kg 0.011 0.037 1 03/02/06 LMP
1-Methyl t-Butyl Ether (MTBE) <0.025 mg/kg 0.018 0.06 1 CSL DUP 03/02/06 LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.57
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B4 4-6'

Matrix: SOIL

Sample Date/Time: 02/13/06 17:30

Lab No. 195308

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
Naphthalene	0.0419	mg/kg	0.01	0.033	1		03/02/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Toluene	0.046	mg/kg	0.007	0.023	1		03/02/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		03/02/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	LCL	03/02/06	LMP
1,2,4-Trimethylbenzene	0.237	mg/kg	0.012	0.04	1		03/02/06	LMP
1,3,5-Trimethylbenzene	0.123	mg/kg	0.01	0.033	1		03/02/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		03/02/06	LMP
m- & p-Xylene	0.254	mg/kg	0.015	0.05	1	MB	03/02/06	LMP
o-Xylene	0.092	mg/kg	0.008	0.027	1		03/02/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	03/02/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
PID Surrogate Recovery (S)	78.2	%	-	-	1		03/02/06	LMP
HALL Surrogate Recovery (S)	133.	%	-	-	1		03/02/06	LMP
PA 8310								
Acenaphthene	<0.00636	mg/kg	0.0047	0.016	1	ISL	03/01/06	LMP
Acenaphthylene	<0.00893	mg/kg	0.0066	0.022	1	ISL	03/01/06	LMP
Anthracene	<0.00284	mg/kg	0.0021	0.007	1	ISL	03/01/06	LMP
Benzo(a)Anthracene	0.00861	mg/kg	0.0041	0.014	1	ISL J	03/01/06	LMP
Benzo(a)Pyrene	<0.00311	mg/kg	0.0023	0.0077	1	ISL CSL	03/01/06	LMP
Benzo(b)Fluoranthene	<0.00284	mg/kg	0.0021	0.007	1	ISL	03/01/06	LMP
Benzo(k)Fluoranthene	<0.00392	mg/kg	0.0029	0.0097	1	ISL	03/01/06	LMP
Benzo(ghi)Perylene	0.0132	mg/kg	0.004	0.013	1	ISL J	03/01/06	LMP
Chrysene	<0.00311	mg/kg	0.0023	0.0077	1	ISL	03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.00365	mg/kg	0.0027	0.009	1	ISL	03/01/06	LMP
Fluoranthene	0.03	mg/kg	0.0026	0.0087	1	ISL	03/01/06	LMP
Fluorene	<0.00447	mg/kg	0.0033	0.011	1	ISL	03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	0.00802	mg/kg	0.0022	0.0073	1	ISL J	03/01/06	LMP
1-Methyl Naphthalene	<0.00501	mg/kg	0.0037	0.012	1	ISL	03/01/06	LMP
2-Methyl Naphthalene	<0.00555	mg/kg	0.0041	0.014	1	ISL	03/01/06	LMP
Naphthalene	<0.00622	mg/kg	0.0046	0.015	1	ISL	03/01/06	LMP
Phenanthrene	0.0161	mg/kg	0.0041	0.014	1	ISL J	03/01/06	LMP
Pyrene	0.00537	mg/kg	0.0021	0.007	1	ISL J	03/01/06	LMP
9,10-Diphenylanthracene (S)	12.7	%	-	-	1	ISL	03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM
DI DNR								
Soil Diesel Range Organics	<6.77	mg/kg	-	5.0	1	SPL DUP	02/24/06	LMP
Soil Org Ext - DRO	COMP		-	-	-		02/21/06	KAM

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.56
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B4 4-6'

Matrix: SOIL

Sample Date/Time: 02/13/06 17:30

Lab No. 195308

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	73.9	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	2.98	mg/kg	0.34	1.13	1		03/07/06	DJB
Total Barium	78.5	mg/kg	0.1	0.33	1		03/07/06	DJB
Total Cadmium	0.253	mg/kg	0.057	0.19	1	J	03/07/06	DJB
Total Chromium	21.4	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	9.45	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.812	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.271	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	0.0934	mg/kg	0.014	0.047	1		03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1	CSL	03/02/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
n-Butylbenzene	0.153	mg/kg	0.012	0.04	1		03/02/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		03/02/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	CSL LCL	03/02/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSL DUP LCL	03/02/06	LMP
m-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
p-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		03/02/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	LCL	03/02/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1		03/02/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		03/02/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL DUP LCL	03/02/06	LMP
Ethylbenzene	0.0419	mg/kg	0.007	0.023	1		03/02/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		03/02/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
o-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		03/02/06	LMP
Methyl t-Butyl Ether(MTBE)	<0.025	mg/kg	0.018	0.06	1	CSL DUP	03/02/06	LMP

■ All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
-21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.59
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B5 0.5-0.8'

Matrix: SOIL

Sample Date/Time: 02/14/06 11:00

Lab No. 195309

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
PA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
Naphthalene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		03/02/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	LCL	03/02/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		03/02/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		03/02/06	LMP
m- & p-Xylene	0.0355	mg/kg	0.015	0.05	1	MB J	03/02/06	LMP
o-Xylene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	03/02/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
PID Surrogate Recovery (S)	94.7	%	-	-	1		03/02/06	LMP
HALL Surrogate Recovery (S)	129.	%	-	-	1		03/02/06	LMP
PA 8310								
Acenaphthene	<0.00576	mg/kg	0.0047	0.016	1		03/01/06	LMP
Acenaphthylene	<0.00809	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.00257	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(a)Anthracene	<0.00502	mg/kg	0.0041	0.014	1		03/01/06	LMP
Benzo(a)Pyrene	<0.00282	mg/kg	0.0023	0.0077	1	CSL	03/01/06	LMP
Benzo(b)Fluoranthene	<0.00257	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(k)Fluoranthene	<0.00355	mg/kg	0.0029	0.0097	1		03/01/06	LMP
Benzo(ghi)Perylene	<0.0049	mg/kg	0.004	0.013	1		03/01/06	LMP
Chrysene	0.00452	mg/kg	0.0023	0.0077	1	J	03/01/06	LMP
Dibenzo(a,h)Anthracene	0.00875	mg/kg	0.0027	0.009	1	J	03/01/06	LMP
Fluoranthene	<0.00319	mg/kg	0.0026	0.0087	1		03/01/06	LMP
Fluorene	<0.00404	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.0027	mg/kg	0.0022	0.0073	1		03/01/06	LMP
1-Methyl Naphthalene	<0.00453	mg/kg	0.0037	0.012	1		03/01/06	LMP
2-Methyl Naphthalene	<0.00502	mg/kg	0.0041	0.014	1		03/01/06	LMP
Naphthalene	<0.00564	mg/kg	0.0046	0.015	1		03/01/06	LMP
Phenanthrene	<0.00502	mg/kg	0.0041	0.014	1		03/01/06	LMP
Pyrene	<0.00257	mg/kg	0.0021	0.007	1		03/01/06	LMP
7,10-Diphenylanthracene (S)	92.4	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM
PA 9045								
Lab - Laboratory	8.95		-	-	1		02/20/06	JJP
Lab - Laboratory Time	08:00		-	-	-		02/20/06	JJP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.58
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B5 0.5-0.8' Matrix: SOIL Sample Date/Time: 02/14/06 11:00 Lab No. 195309

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	81.6	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	0.875	mg/kg	0.34	1.13	1	J	03/07/06	DJB
Total Barium	5.47	mg/kg	0.1	0.33	1		03/07/06	DJB
Total Cadmium	<0.0699	mg/kg	0.057	0.19	1		03/07/06	DJB
Total Chromium	2.23	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	1.06	mg/kg	0.53	1.76	1	J	03/07/06	DJB
Total Selenium	<0.735	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.245	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	<0.0172	mg/kg	0.014	0.047	1		03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1	CSL	03/02/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
n-Butylbenzene	<0.025	mg/kg	0.012	0.04	1		03/02/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		03/02/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	CSL LCL	03/02/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSL DUP LCL	03/02/06	LMP
2-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
4-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		03/02/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	LCL	03/02/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1		03/02/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		03/02/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL DUP LCL	03/02/06	LMP
Ethylbenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		03/02/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
p-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		03/02/06	LMP
Methyl t-Butyl Ether(MTBE)	<0.025	mg/kg	0.018	0.06	1	CSL DUP	03/02/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.61
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B6 1.5-3.0' Matrix: SOIL Sample Date/Time: 02/14/06 15:00 Lab No. 195310

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
Naphthalene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		03/02/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	LCL	03/02/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		03/02/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		03/02/06	LMP
m- & p-Xylene	0.0399	mg/kg	0.015	0.05	1	MB J	03/02/06	LMP
m-Xylene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
monochloromethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	03/02/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
trans-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
PID Surrogate Recovery (S)	89.1	%	-	-	1		03/02/06	LMP
HALL Surrogate Recovery (S)	129.	%	-	-	1		03/02/06	LMP
EPA 8310								
Acenaphthene	<0.00626	mg/kg	0.0047	0.016	1		03/01/06	LMP
Acenaphthylene	<0.00879	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.0028	mg/kg	0.0021	0.007	1		03/01/06	LMP
benzo(a)Anthracene	<0.00546	mg/kg	0.0041	0.014	1		03/01/06	LMP
benzo(a)Pyrene	<0.00306	mg/kg	0.0023	0.0077	1	CSL	03/01/06	LMP
Benzo(b)Fluoranthene	<0.0028	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(k)Fluoranthene	<0.00386	mg/kg	0.0029	0.0097	1		03/01/06	LMP
benzo(ghi)Perylene	<0.00533	mg/kg	0.004	0.013	1		03/01/06	LMP
Chrysene	<0.00306	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.0036	mg/kg	0.0027	0.009	1		03/01/06	LMP
Fluoranthene	<0.00346	mg/kg	0.0026	0.0087	1		03/01/06	LMP
Fluorene	<0.00439	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.00293	mg/kg	0.0022	0.0073	1		03/01/06	LMP
1-Methyl Naphthalene	<0.00493	mg/kg	0.0037	0.012	1		03/01/06	LMP
2-Methyl Naphthalene	<0.00546	mg/kg	0.0041	0.014	1		03/01/06	LMP
Naphthalene	<0.00613	mg/kg	0.0046	0.015	1		03/01/06	LMP
Phenanthrene	<0.00546	mg/kg	0.0041	0.014	1		03/01/06	LMP
Pyrene	<0.0028	mg/kg	0.0021	0.007	1		03/01/06	LMP
9,10-Diphenylanthracene (S)	57.3	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM
EPA 9045								
pH - Laboratory	7.58		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:00		-	-	-		02/20/06	JJP

Results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.60
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B6 1.5-3.0' Matrix: SOIL Sample Date/Time: 02/14/06 15:00 Lab No. 195310

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	75.1	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	2.41	mg/l	0.34	1.13	1		03/07/06	DJB
Total Barium	16.4	mg/l	0.1	0.33	1		03/07/06	DJB
Total Cadmium	0.172	mg/kg	0.057	0.19	1	J	03/07/06	DJB
Total Chromium	12.7	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	5.83	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	2.52	mg/l	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.266	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	0.0426	mg/kg	0.014	0.047	1	J	03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1	CSL	03/02/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		03/02/06	LMP
n-Butylbenzene	<0.025	mg/kg	0.012	0.04	1		03/02/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		03/02/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	CSL LCL	03/02/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSL DUP LCL	03/02/06	LMP
2-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
4-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		03/02/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	LCL	03/02/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1		03/02/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		03/02/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1		03/02/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		03/02/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL DUP LCL	03/02/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.007	0.023	1		03/02/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		03/02/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		03/02/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		03/02/06	LMP
p-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		03/02/06	LMP
Methyl t-Butyl Ether (MTBE)	<0.025	mg/kg	0.018	0.06	1	CSL DUP	03/02/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.62
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B7 1.0-2.5' Matrix: SOIL Sample Date/Time: 02/14/06 15:30 Lab No. 195311

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	88.8	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	<0.383	mg/l	0.34	1.13	1		03/07/06	DJB
Total Barium	10.7	mg/l	0.1	0.33	1		03/07/06	DJB
Total Cadmium	<0.0642	mg/kg	0.057	0.19	1		03/07/06	DJB
Total Chromium	8.73	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	1.82	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.676	mg/l	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.225	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	<0.0158	mg/kg	0.014	0.047	1		03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.5	mg/kg	0.008	0.027	20		03/06/06	LMP
Bromobenzene	<0.5	mg/kg	0.007	0.023	20		03/06/06	LMP
Bromodichloromethane	<0.5	mg/kg	0.006	0.02	20		03/06/06	LMP
n-Butylbenzene	2.73	mg/kg	0.012	0.04	20		03/06/06	LMP
sec-Butylbenzene	<0.5	mg/kg	0.01	0.033	20		03/06/06	LMP
tert-Butylbenzene	<0.5	mg/kg	0.01	0.033	20		03/06/06	LMP
Carbon Tetrachloride	<0.5	mg/kg	0.008	0.027	20		03/06/06	LMP
Chlorobenzene	<0.5	mg/kg	0.007	0.023	20		03/06/06	LMP
Chlorodibromomethane	<0.5	mg/kg	0.02	0.067	20		03/06/06	LMP
Chloroethane	<0.5	mg/kg	0.09	0.30	20	CSL LCL	03/06/06	LMP
Chloroform	<0.5	mg/kg	0.01	0.033	20		03/06/06	LMP
Chloromethane	<0.5	mg/kg	0.01	0.033	20	CSL DUP LCL	03/06/06	LMP
2-Chlorotoluene	<0.5	mg/kg	0.008	0.027	20		03/06/06	LMP
4-Chlorotoluene	<0.5	mg/kg	0.008	0.027	20		03/06/06	LMP
1,2-Dibromo-3-chloropropane	<0.5	mg/kg	0.009	0.03	20	CSH	03/06/06	LMP
1,2-Dibromoethane	<0.5	mg/kg	0.012	0.04	20		03/06/06	LMP
1,2-Dichlorobenzene	<0.5	mg/kg	0.008	0.027	20		03/06/06	LMP
1,3-Dichlorobenzene	<0.5	mg/kg	0.008	0.027	20		03/06/06	LMP
1,4-Dichlorobenzene	<0.5	mg/kg	0.008	0.027	20		03/06/06	LMP
Dichlorodifluoromethane	<0.5	mg/kg	0.014	0.047	20	LCL	03/06/06	LMP
1,1-Dichloroethane	<0.5	mg/kg	0.009	0.03	20		03/06/06	LMP
1,2-Dichloroethane	<0.5	mg/kg	0.005	0.017	20		03/06/06	LMP
1,1-Dichloroethylene	<0.5	mg/kg	0.016	0.053	20		03/06/06	LMP
cis-1,2-Dichloroethylene	<0.5	mg/kg	0.007	0.023	20		03/06/06	LMP
trans-1,2-Dichloroethylene	<0.5	mg/kg	0.01	0.033	20		03/06/06	LMP
1,2-Dichloropropane	<0.5	mg/kg	0.007	0.023	20		03/06/06	LMP
1,3-Dichloropropane	<0.5	mg/kg	0.008	0.027	20	CSL	03/06/06	LMP
2,2-Dichloropropane	<0.5	mg/kg	0.008	0.027	20	DUP	03/06/06	LMP
1,4-Dichlorobenzene	<0.5	mg/kg	0.007	0.023	20		03/06/06	LMP
Hexachlorobutadiene	<0.5	mg/kg	0.015	0.05	20		03/06/06	LMP
Isopropylbenzene	<0.5	mg/kg	0.009	0.03	20		03/06/06	LMP
Isopropyl Ether	<0.5	mg/kg	0.014	0.047	20		03/06/06	LMP
o-Isopropyltoluene	<0.5	mg/kg	0.011	0.037	20		03/06/06	LMP
Methyl t-Butyl Ether (MTBE)	<0.5	mg/kg	0.018	0.06	20		03/06/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
-421 Frenette Drive
-Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.63
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B7 1.0-2.5' Matrix: SOIL Sample Date/Time: 02/14/06 15:30 Lab No. 195311

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.5	mg/kg	0.014	0.047	20		03/06/06	LMP
Naphthalene	<0.5	mg/kg	0.01	0.033	20		03/06/06	LMP
n-Propylbenzene	<0.5	mg/kg	0.009	0.03	20		03/06/06	LMP
Tetrachloroethylene	<0.5	mg/kg	0.009	0.03	20		03/06/06	LMP
1,1,2,2-Tetrachloroethane	<0.5	mg/kg	0.006	0.02	20		03/06/06	LMP
Toluene	0.822	mg/kg	0.007	0.023	20		03/06/06	LMP
1,2,3-Trichlorobenzene	<0.5	mg/kg	0.014	0.047	20		03/06/06	LMP
1,2,4-Trichlorobenzene	<0.5	mg/kg	0.014	0.047	20		03/06/06	LMP
1,1,1-Trichloroethane	<0.5	mg/kg	0.008	0.027	20		03/06/06	LMP
1,1,2-Trichloroethane	<0.5	mg/kg	0.006	0.02	20		03/06/06	LMP
Trichloroethylene	<0.5	mg/kg	0.011	0.037	20		03/06/06	LMP
Trichlorofluoromethane	<0.5	mg/kg	0.008	0.027	20		03/06/06	LMP
1,2,4-Trimethylbenzene	<0.5	mg/kg	0.012	0.04	20		03/06/06	LMP
1,3,5-Trimethylbenzene	<0.5	mg/kg	0.01	0.033	20		03/06/06	LMP
Vinyl Chloride	<0.5	mg/kg	0.018	0.06	20	LCL	03/06/06	LMP
m- & p-Xylene	4.29	mg/kg	0.015	0.05	20	MB	03/06/06	LMP
o-Xylene	<0.5	mg/kg	0.008	0.027	20		03/06/06	LMP
Bromochloromethane	<0.5	mg/kg	0.006	0.02	20		03/06/06	LMP
Bromoform	<0.5	mg/kg	0.008	0.027	20	CSH	03/06/06	LMP
Bromomethane	<0.5	mg/kg	0.009	0.03	20	LCL	03/06/06	LMP
Dibromomethane	<0.5	mg/kg	0.008	0.027	20	CSH	03/06/06	LMP
1,1-Dichloropropene	<0.5	mg/kg	0.008	0.027	20		03/06/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.5	mg/kg	0.008	0.027	20		03/06/06	LMP
Styrene	<0.5	mg/kg	0.007	0.023	20		03/06/06	LMP
1,1,1,2-Tetrachloroethane	<0.5	mg/kg	0.009	0.03	20		03/06/06	LMP
1,2,3-Trichloropropane	<0.5	mg/kg	0.007	0.023	20		03/06/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.5	mg/kg	0.007	0.023	20		03/06/06	LMP
PID Surrogate Recovery (S)	88.1	%	-	-	20		03/06/06	LMP
HALL Surrogate Recovery (S)	119.	%	-	-	20		03/06/06	LMP
EPA 8310								
Acenaphthene	<0.00529	mg/kg	0.0047	0.016	1		03/01/06	LMP
Acenaphthylene	<0.00743	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.00236	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(a)Anthracene	<0.00462	mg/kg	0.0041	0.014	1		03/01/06	LMP
Benzo(a)Pyrene	<0.00259	mg/kg	0.0023	0.0077	1	CSL	03/01/06	LMP
Benzo(b)Fluoranthene	<0.00236	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(k)Fluoranthene	<0.00327	mg/kg	0.0029	0.0097	1		03/01/06	LMP
Benzo(ghi)Perylene	<0.0045	mg/kg	0.004	0.013	1		03/01/06	LMP
Chrysene	<0.00259	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.00304	mg/kg	0.0027	0.009	1		03/01/06	LMP
Fluoranthene	<0.00293	mg/kg	0.0026	0.0087	1		03/01/06	LMP
Fluorene	<0.00372	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.00248	mg/kg	0.0022	0.0073	1		03/01/06	LMP
1-Methyl Naphthalene	<0.00417	mg/kg	0.0037	0.012	1		03/01/06	LMP
2-Methyl Naphthalene	<0.00462	mg/kg	0.0041	0.014	1		03/01/06	LMP
Naphthalene	<0.00518	mg/kg	0.0046	0.015	1		03/01/06	LMP
Phenanthrene	<0.00462	mg/kg	0.0041	0.014	1		03/01/06	LMP
Pyrene	<0.00236	mg/kg	0.0021	0.007	1		03/01/06	LMP
9,10-Diphenylanthracene (S)	56.7	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM
PA 9045								
H - Laboratory	9.51		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:00		-	-	-		02/20/06	JJP

LL results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Hippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.64
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B8 1.0-2.5'

Matrix: SOIL

Sample Date/Time: 02/14/06 15:45

Lab No. 195312

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
--	--------	-------	-----	-----	-----------------	------------	---------------	---------

PA 160.3

Total Solids	80.4	%	-	0.33	-		02/20/06	AMR
--------------	------	---	---	------	---	--	----------	-----

PA 3050

etal Prep	COMP		-	-	-		02/27/06	DJB
-----------	------	--	---	---	---	--	----------	-----

EPA 6010

Total Arsenic	<0.42	mg/l	0.34	1.13	1		03/07/06	DJB
Total Barium	17.5	mg/l	0.1	0.33	1		03/07/06	DJB
Total Cadmium	<0.0709	mg/kg	0.057	0.19	1		03/07/06	DJB
Total Chromium	7.67	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	3.87	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.746	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.249	mg/kg	0.2	0.67	1		03/07/06	DJB

EPA 7471

Total Mercury	0.0348	mg/kg	0.014	0.047	1	J	03/03/06	MPM
---------------	--------	-------	-------	-------	---	---	----------	-----

PA 8021 (Only positively identified analytes are reported on a dry weight basis)

Benzene	<2.50	mg/kg	0.008	0.027	100	CSL	03/03/06	LMP
Bromobenzene	<2.50	mg/kg	0.007	0.023	100		03/03/06	LMP
Bromodichloromethane	<2.50	mg/kg	0.006	0.02	100		03/03/06	LMP
n-Butylbenzene	23.0	mg/kg	0.012	0.04	100		03/03/06	LMP
sec-Butylbenzene	<2.50	mg/kg	0.01	0.033	100		03/03/06	LMP
tert-Butylbenzene	<2.50	mg/kg	0.01	0.033	100		03/03/06	LMP
Carbon Tetrachloride	<2.50	mg/kg	0.008	0.027	100		03/03/06	LMP
Chlorobenzene	<2.50	mg/kg	0.007	0.023	100		03/03/06	LMP
Chlorodibromomethane	<2.50	mg/kg	0.02	0.067	100		03/03/06	LMP
Chloroethane	<2.50	mg/kg	0.09	0.30	100	CSL LCL DUP	03/03/06	LMP
Chloroform	<2.50	mg/kg	0.01	0.033	100		03/03/06	LMP
Chloromethane	<2.50	mg/kg	0.01	0.033	100	CSL	03/03/06	LMP
o-Chlorotoluene	<2.50	mg/kg	0.008	0.027	100		03/03/06	LMP
p-Chlorotoluene	<2.50	mg/kg	0.008	0.027	100		03/03/06	LMP
1,2-Dibromo-3-chloropropane	<2.50	mg/kg	0.009	0.03	100	CSH LCH	03/03/06	LMP
1,2-Dibromoethane	<2.50	mg/kg	0.012	0.04	100		03/03/06	LMP
1,2-Dichlorobenzene	<2.50	mg/kg	0.008	0.027	100		03/03/06	LMP
1,3-Dichlorobenzene	<2.50	mg/kg	0.008	0.027	100		03/03/06	LMP
1,4-Dichlorobenzene	<2.50	mg/kg	0.008	0.027	100		03/03/06	LMP
Dichlorodifluoromethane	<2.50	mg/kg	0.014	0.047	100	LCL DUP	03/03/06	LMP
1,1-Dichloroethane	<2.50	mg/kg	0.009	0.03	100		03/03/06	LMP
1,2-Dichloroethane	<2.50	mg/kg	0.005	0.017	100		03/03/06	LMP
1,1-Dichloroethylene	<2.50	mg/kg	0.016	0.053	100	LCL	03/03/06	LMP
cis-1,2-Dichloroethylene	<2.50	mg/kg	0.007	0.023	100		03/03/06	LMP
trans-1,2-Dichloroethylene	<2.50	mg/kg	0.01	0.033	100		03/03/06	LMP
1,2-Dichloropropane	<2.50	mg/kg	0.007	0.023	100		03/03/06	LMP
1,3-Dichloropropane	<2.50	mg/kg	0.008	0.027	100		03/03/06	LMP
2,2-Dichloropropane	<2.50	mg/kg	0.008	0.027	100	CSL LCL DUP	03/03/06	LMP
Ethylbenzene	<2.50	mg/kg	0.007	0.023	100		03/03/06	LMP
Hexachlorobutadiene	<2.50	mg/kg	0.015	0.05	100		03/03/06	LMP
Isopropylbenzene	<2.50	mg/kg	0.009	0.03	100		03/03/06	LMP
Isopropyl Ether	<2.50	mg/kg	0.014	0.047	100		03/03/06	LMP
p-Isopropyltoluene	<2.50	mg/kg	0.011	0.037	100		03/03/06	LMP
Methyl t-Butyl Ether(MTBE)	<2.50	mg/kg	0.018	0.06	100		03/03/06	LMP

LL results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.65
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B8 1.0-2.5' Matrix: SOIL Sample Date/Time: 02/14/06 15:45 Lab No. 195312

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<2.50	mg/kg	0.014	0.047	100		03/03/06	LMP
Naphthalene	3.69	mg/kg	0.01	0.033	100		03/03/06	LMP
n-Propylbenzene	<2.50	mg/kg	0.009	0.03	100		03/03/06	LMP
Tetrachloroethylene	<2.50	mg/kg	0.009	0.03	100		03/03/06	LMP
1,1,2,2-Tetrachloroethane	<2.50	mg/kg	0.006	0.02	100	CSH	03/03/06	LMP
Toluene	<2.50	mg/kg	0.007	0.023	100		03/03/06	LMP
1,2,3-Trichlorobenzene	<2.50	mg/kg	0.014	0.047	100		03/03/06	LMP
1,2,4-Trichlorobenzene	<2.50	mg/kg	0.014	0.047	100		03/03/06	LMP
1,1,1-Trichloroethane	<2.50	mg/kg	0.008	0.027	100		03/03/06	LMP
1,1,2-Trichloroethane	<2.50	mg/kg	0.006	0.02	100		03/03/06	LMP
Trichloroethylene	<2.50	mg/kg	0.011	0.037	100		03/03/06	LMP
Trichlorofluoromethane	<2.50	mg/kg	0.008	0.027	100	LCL DUP	03/03/06	LMP
1,2,4-Trimethylbenzene	91.9	mg/kg	0.012	0.04	100		03/03/06	LMP
1,3,5-Trimethylbenzene	<2.50	mg/kg	0.01	0.033	100		03/03/06	LMP
Vinyl Chloride	<2.50	mg/kg	0.018	0.06	100	LCL DUP	03/03/06	LMP
m- & p-Xylene	4.74	mg/kg	0.015	0.05	100		03/03/06	LMP
o-Xylene	<2.50	mg/kg	0.008	0.027	100		03/03/06	LMP
Bromochloromethane	<2.50	mg/kg	0.006	0.02	100		03/03/06	LMP
Bromoform	<2.50	mg/kg	0.008	0.027	100	CSH LCH	03/03/06	LMP
Bromomethane	<2.50	mg/kg	0.009	0.03	100	LCL DUP	03/03/06	LMP
Dibromomethane	<2.50	mg/kg	0.008	0.027	100	CSH	03/03/06	LMP
1,1-Dichloropropene	<2.50	mg/kg	0.008	0.027	100		03/03/06	LMP
trans-1,3-dichloroprop(yl)ene	<2.50	mg/kg	0.008	0.027	100		03/03/06	LMP
Styrene	<2.50	mg/kg	0.007	0.023	100		03/03/06	LMP
1,1,1,2-Tetrachloroethane	<2.50	mg/kg	0.009	0.03	100		03/03/06	LMP
1,2,3-Trichloropropane	<2.50	mg/kg	0.007	0.023	100		03/03/06	LMP
cis-1,3-Dichloroprop(yl)ene	<2.50	mg/kg	0.007	0.023	100		03/03/06	LMP
PID Surrogate Recovery (S)	91.1	%	-	-	100		03/03/06	LMP
ALL Surrogate Recovery (S)	123.	%	-	-	100		03/03/06	LMP
EPA 8310								
Acenaphthene	<0.00585	mg/kg	0.0047	0.016	1		03/01/06	LMP
Acenaphthylene	<0.00821	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.00261	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(a)Anthracene	<0.0051	mg/kg	0.0041	0.014	1		03/01/06	LMP
Benzo(a)Pyrene	<0.00286	mg/kg	0.0023	0.0077	1	CSL	03/01/06	LMP
Benzo(b)Fluoranthene	<0.00261	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(k)Fluoranthene	<0.00361	mg/kg	0.0029	0.0097	1		03/01/06	LMP
Benzo(ghi)Perylene	<0.00498	mg/kg	0.004	0.013	1		03/01/06	LMP
Chrysene	<0.00286	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.00336	mg/kg	0.0027	0.009	1		03/01/06	LMP
Fluoranthene	<0.00323	mg/kg	0.0026	0.0087	1		03/01/06	LMP
Fluorene	<0.0041	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	0.006	mg/kg	0.0022	0.0073	1	J	03/01/06	LMP
1-Methyl Naphthalene	0.0831	mg/kg	0.0037	0.012	1		03/01/06	LMP
2-Methyl Naphthalene	0.0271	mg/kg	0.0041	0.014	1		03/01/06	LMP
Naphthalene	0.099	mg/kg	0.0046	0.015	1		03/01/06	LMP
Phenanthrene	<0.0051	mg/kg	0.0041	0.014	1		03/01/06	LMP
Pyrene	<0.00261	mg/kg	0.0021	0.007	1		03/01/06	LMP
9,10-Diphenylanthracene (S)	36.5	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM
EPA 9045								
pH - Laboratory	8.16		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:00		-	-	-		02/20/06	JJP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.66
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B9 1.0-2.0' Matrix: SOIL Sample Date/Time: 02/14/06 16:30 Lab No. 195313

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	87.8	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metals Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	2.02	mg/l	0.34	1.13	1		03/07/06	DJB
Total Barium	17.0	mg/l	0.1	0.33	1		03/07/06	DJB
Total Cadmium	0.0925	mg/kg	0.057	0.19	1	J	03/07/06	DJB
Total Chromium	31.7	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	4.11	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.683	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.228	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	0.0934	mg/kg	0.014	0.047	1		03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1	CSL	03/03/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
n-Butylbenzene	0.0364	mg/kg	0.012	0.04	1	J	03/03/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		03/03/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	CSL LCL	03/03/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSL DUP LCL	03/03/06	LMP
m-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
p-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		03/03/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	LCL	03/03/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1		03/03/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		03/03/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL DUP LCL	03/03/06	LMP
1-Tolylbenzene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		03/03/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
p-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		03/03/06	LMP
Methyl t-Butyl Ether(MTBE)	<0.025	mg/kg	0.018	0.06	1	CSL DUP	03/03/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.67
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B9 1.0-2.0' Matrix: SOIL Sample Date/Time: 02/14/06 16:30 Lab No. 195313

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	0.174	mg/kg	0.014	0.047	1		03/03/06	LMP
Naphthalene	0.0353	mg/kg	0.01	0.033	1		03/03/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
Toluene	0.0342	mg/kg	0.007	0.023	1		03/03/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		03/03/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	LCL	03/03/06	LMP
1,2,4-Trimethylbenzene	0.082	mg/kg	0.012	0.04	1		03/03/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		03/03/06	LMP
m- & p-Xylene	0.0501	mg/kg	0.015	0.05	1	MB	03/03/06	LMP
o-Xylene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	03/03/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
PID Surrogate Recovery (S)	91.1	%	-	-	1		03/03/06	LMP
HALL Surrogate Recovery (S)	146.	%	-	-	1		03/03/06	LMP
EPA 8310								
Acenaphthene	<0.00535	mg/kg	0.0047	0.016	1		03/01/06	LMP
Acenaphthylene	<0.00752	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.00239	mg/kg	0.0021	0.007	1	S1L	03/01/06	LMP
Benzo(a)Anthracene	0.0116	mg/kg	0.0041	0.014	1	J S1L	03/01/06	LMP
Benzo(a)Pyrene	0.0175	mg/kg	0.0023	0.0077	1	CSL S1L S2L	03/01/06	LMP
Benzo(b)Fluoranthene	0.0336	mg/kg	0.0021	0.007	1	S1L S2L	03/01/06	LMP
Benzo(k)Fluoranthene	0.0231	mg/kg	0.0029	0.0097	1	S1L S2L	03/01/06	LMP
Benzo(ghi)Perylene	<0.00456	mg/kg	0.004	0.013	1		03/01/06	LMP
Chrysene	0.033	mg/kg	0.0023	0.0077	1	S2L	03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.00308	mg/kg	0.0027	0.009	1	S1L	03/01/06	LMP
Fluoranthene	0.12	mg/kg	0.0026	0.0087	1	S2L DUP	03/01/06	LMP
Fluorene	<0.00376	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.00251	mg/kg	0.0022	0.0073	1	S1L	03/01/06	LMP
1-Methyl Naphthalene	0.0116	mg/kg	0.0037	0.012	1	J	03/01/06	LMP
2-Methyl Naphthalene	0.0131	mg/kg	0.0041	0.014	1	J	03/01/06	LMP
Naphthalene	0.00638	mg/kg	0.0046	0.015	1	J	03/01/06	LMP
Phenanthrene	0.0351	mg/kg	0.0041	0.014	1	S2L	03/01/06	LMP
Pyrene	0.00528	mg/kg	0.0021	0.007	1	J DUP	03/01/06	LMP
9,10-Diphenylanthracene (S)	58.4	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/24/06	MJG
EPA 9045								
pH - Laboratory	8.51		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:00		-	-	-		02/20/06	JJP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.68
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B10 0.5-1.5' Matrix: SOIL Sample Date/Time: 02/14/06 17:15 Lab No. 195314

Table with columns: Result, Units, LOD, LOQ, Dilution Factor, Qualifiers, Date Analyzed, Analyst. Rows include EPA 160.3 (Total Solids), EPA 3050 (Metal Prep), EPA 6010 (Total Arsenic, Barium, Cadmium, Chromium, Lead, Selenium, Silver), EPA 7471 (Total Mercury), and EPA 8021 (Benzene, Bromobenzene, Bromodichloromethane, n-Butylbenzene, sec-Butylbenzene, tert-Butylbenzene, Carbon Tetrachloride, Chlorobenzene, Chlorodibromomethane, Chloroethane, Chloroform, Chloromethane, 2-Chlorotoluene, 4-Chlorotoluene, 1,2-Dibromo-3-chloropropane, 1,2-Dibromoethane, 1,2-Dichlorobenzene, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, Dichlorodifluoromethane, 1,1-Dichloroethane, 1,2-Dichloroethane, 1,1-Dichloroethylene, cis-1,2-Dichloroethylene, trans-1,2-Dichloroethylene, 1,2-Dichloropropane, 1,3-Dichloropropane, 2,2-Dichloropropane, Ethylbenzene, Hexachlorobutadiene, Isopropylbenzene, Isopropyl Ether, p-Isopropyltoluene, Methyl t-Butyl Ether (MTBE)).

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.69
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B10 0.5-1.5' Matrix: SOIL Sample Date/Time: 02/14/06 17:15 Lab No. 195314

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
Naphthalene	0.0766	mg/kg	0.01	0.033	1		03/03/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
Tetrachloroethylene	0.133	mg/kg	0.009	0.03	1		03/03/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
Toluene	0.0465	mg/kg	0.007	0.023	1		03/03/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		03/03/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	LCL	03/03/06	LMP
1,2,4-Trimethylbenzene	0.0547	mg/kg	0.012	0.04	1		03/03/06	LMP
1,3,5-Trimethylbenzene	0.0438	mg/kg	0.01	0.033	1		03/03/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		03/03/06	LMP
m- & p-Xylene	0.156	mg/kg	0.015	0.05	1	MB	03/03/06	LMP
o-Xylene	0.0492	mg/kg	0.008	0.027	1		03/03/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	03/03/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
trans-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
PID Surrogate Recovery (S)	89.2	%	-	-	1		03/03/06	LMP
HALL Surrogate Recovery (S)	136.	%	-	-	1		03/03/06	LMP
EPA 8310								
Acenaphthene	<0.00643	mg/kg	0.0047	0.016	1		03/01/06	LMP
Acenaphthylene	<0.00903	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.00287	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(a)Anthracene	0.0166	mg/kg	0.0041	0.014	1	J	03/01/06	LMP
Benzo(a)Pyrene	0.0261	mg/kg	0.0023	0.0077	1	CSL	03/01/06	LMP
Benzo(b)Fluoranthene	0.041	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(k)Fluoranthene	0.0198	mg/kg	0.0029	0.0097	1		03/01/06	LMP
Benzo(ghi)Perylene	0.0328	mg/kg	0.004	0.013	1		03/01/06	LMP
Benzofluoranthene	0.0472	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Dibenzo(a,h)Anthracene	0.00911	mg/kg	0.0027	0.009	1	J	03/01/06	LMP
Fluoranthene	0.087	mg/kg	0.0026	0.0087	1		03/01/06	LMP
Fluorene	<0.00451	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	0.0222	mg/kg	0.0022	0.0073	1		03/01/06	LMP
1-Methyl Naphthalene	0.0201	mg/kg	0.0037	0.012	1		03/01/06	LMP
2-Methyl Naphthalene	0.028	mg/kg	0.0041	0.014	1		03/01/06	LMP
Naphthalene	0.013	mg/kg	0.0046	0.015	1	J	03/01/06	LMP
Phenanthrene	0.0491	mg/kg	0.0041	0.014	1		03/01/06	LMP
Pyrene	0.00763	mg/kg	0.0021	0.007	1	J	03/01/06	LMP
9,10-Diphenylanthracene (S)	48.7	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/24/06	MJG
EPA 9045								
pH - Laboratory	8.31		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:00		-	-	-		02/20/06	JJP
UBCON								
UBCs - Sub	COMP		-	-	-		02/28/06	EAL

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.70
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B11 1-3' Matrix: SOIL Sample Date/Time: 02/15/06 08:30 Lab No. 195315

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	81.8	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	0.531	mg/kg	0.34	1.13	1	J	03/03/06	DJB
Total Barium	18.9	mg/kg	0.1	0.33	1		03/03/06	DJB
Total Cadmium	<0.0697	mg/kg	0.057	0.19	1		03/03/06	DJB
Total Chromium	5.93	mg/kg	0.053	0.18	1	S1L S2L	03/03/06	DJB
Total Lead	5.21	mg/kg	0.53	1.76	1	S1L S2L	03/03/06	DJB
Total Selenium	<0.733	mg/kg	0.6	2.0	1		03/03/06	DJB
Total Silver	<0.244	mg/kg	0.2	0.67	1		03/03/06	DJB
EPA 7471								
Total Mercury	0.0318	mg/kg	0.014	0.047	1	J	03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1	CSL	03/03/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
n-Butylbenzene	<0.025	mg/kg	0.012	0.04	1		03/03/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		03/03/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	CSL LCL	03/03/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSL DUP LCL	03/03/06	LMP
1-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
4-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		03/03/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	LCL	03/03/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1		03/03/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		03/03/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL DUP LCL	03/03/06	LMP
Ethylbenzene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		03/03/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
p-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		03/03/06	LMP
Methyl t-Butyl Ether (MTBE)	<0.025	mg/kg	0.018	0.06	1	CSL DUP	03/03/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.71
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B11 1-3'

Matrix: SOIL

Sample Date/Time: 02/15/06 08:30

Lab No. 195315

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
Naphthalene	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		03/03/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	LCL	03/03/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		03/03/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		03/03/06	LMP
m- & p-Xylene	0.033	mg/kg	0.015	0.05	1	MB J	03/03/06	LMP
o-Xylene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
1,1-Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	03/03/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
PID Surrogate Recovery (S)	93.4	%	-	-	1		03/03/06	LMP
HALL Surrogate Recovery (S)	136.	%	-	-	1		03/03/06	LMP
EPA 8310								
Acenaphthene	<0.00575	mg/kg	0.0047	0.016	1		03/01/06	LMP
Acenaphthylene	<0.00807	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.00257	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(a)Anthracene	<0.00501	mg/kg	0.0041	0.014	1		03/01/06	LMP
Benzo(a)Pyrene	<0.00281	mg/kg	0.0023	0.0077	1	CSL	03/01/06	LMP
Benzo(b)Fluoranthene	<0.00257	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(k)Fluoranthene	<0.00355	mg/kg	0.0029	0.0097	1		03/01/06	LMP
Benzo(ghi)Perylene	<0.00489	mg/kg	0.004	0.013	1		03/01/06	LMP
Chrysene	0.00528	mg/kg	0.0023	0.0077	1	J	03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.0033	mg/kg	0.0027	0.009	1		03/01/06	LMP
Fluoranthene	0.00858	mg/kg	0.0026	0.0087	1	J	03/01/06	LMP
Fluorene	<0.00403	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	0.00413	mg/kg	0.0022	0.0073	1	J	03/01/06	LMP
1-Methyl Naphthalene	<0.00452	mg/kg	0.0037	0.012	1		03/01/06	LMP
2-Methyl Naphthalene	<0.00501	mg/kg	0.0041	0.014	1		03/01/06	LMP
Naphthalene	<0.00562	mg/kg	0.0046	0.015	1		03/01/06	LMP
Phenanthrene	<0.00501	mg/kg	0.0041	0.014	1		03/01/06	LMP
Pyrene	0.00246	mg/kg	0.0021	0.007	1	J	03/01/06	LMP
9,10-Diphenylanthracene (S)	80.8	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/24/06	MJG
EPA 9045								
pH - Laboratory	9.53		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:00		-	-	-		02/20/06	JJP

LL results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
hippewa Falls , WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.72
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B12 1-2'

Matrix: SOIL

Sample Date/Time: 02/15/06 09:15

Lab No. 195316

Result Units LOD LOQ Dilution Factor Qualifiers Date Analyzed Analyst

EPA 160.3

Total Solids 90.9 % - 0.33 - 02/20/06 AMR

PA 3050

etal Prep COMP - - - 02/27/06 DJB

EPA 6010

Total Arsenic 1.45 mg/kg 0.34 1.13 1 03/03/06 DJB
Total Barium 15.1 mg/kg 0.1 0.33 1 03/03/06 DJB
Total Cadmium 0.155 mg/kg 0.057 0.19 1 J 03/03/06 DJB
Total Chromium 5.98 mg/kg 0.053 0.18 1 03/03/06 DJB
Total Lead 5.47 mg/kg 0.53 1.76 1 03/03/06 DJB
Total Selenium <0.66 mg/kg 0.6 2.0 1 03/03/06 DJB
Total Silver <0.22 mg/kg 0.2 0.67 1 03/03/06 DJB

EPA 7471

Total Mercury <0.0154 mg/kg 0.014 0.047 1 03/03/06 MPM

PA 8021 (Only positively identified analytes are reported on a dry weight basis)

Benzene <0.025 mg/kg 0.008 0.027 1 CSL 03/03/06 LMP
Bromobenzene <0.025 mg/kg 0.007 0.023 1 03/03/06 LMP
Bromodichloromethane <0.025 mg/kg 0.006 0.02 1 03/03/06 LMP
n-Butylbenzene <0.025 mg/kg 0.012 0.04 1 03/03/06 LMP
sec-Butylbenzene <0.025 mg/kg 0.01 0.033 1 03/03/06 LMP
tert-Butylbenzene <0.025 mg/kg 0.01 0.033 1 03/03/06 LMP
Carbon Tetrachloride <0.025 mg/kg 0.008 0.027 1 03/03/06 LMP
Chlorobenzene <0.025 mg/kg 0.007 0.023 1 03/03/06 LMP
Chlorodibromomethane <0.025 mg/kg 0.02 0.067 1 03/03/06 LMP
Chloroethane <0.025 mg/kg 0.09 0.30 1 CSL LCL 03/03/06 LMP
Chloroform <0.025 mg/kg 0.01 0.033 1 03/03/06 LMP
Chloromethane <0.025 mg/kg 0.01 0.033 1 CSL DUP LCL 03/03/06 LMP
1-Chlorotoluene <0.025 mg/kg 0.008 0.027 1 03/03/06 LMP
4-Chlorotoluene <0.025 mg/kg 0.008 0.027 1 03/03/06 LMP
1,2-Dibromo-3-chloropropane <0.025 mg/kg 0.009 0.03 1 03/03/06 LMP
1,2-Dibromoethane <0.025 mg/kg 0.012 0.04 1 03/03/06 LMP
1,2-Dichlorobenzene <0.025 mg/kg 0.008 0.027 1 03/03/06 LMP
1,3-Dichlorobenzene <0.025 mg/kg 0.008 0.027 1 03/03/06 LMP
1,4-Dichlorobenzene <0.025 mg/kg 0.008 0.027 1 03/03/06 LMP
Dichlorodifluoromethane <0.025 mg/kg 0.014 0.047 1 LCL 03/03/06 LMP
1,1-Dichloroethane <0.025 mg/kg 0.009 0.03 1 03/03/06 LMP
1,2-Dichloroethane <0.025 mg/kg 0.005 0.017 1 03/03/06 LMP
1,1-Dichloroethylene <0.025 mg/kg 0.016 0.053 1 03/03/06 LMP
cis-1,2-Dichloroethylene <0.025 mg/kg 0.007 0.023 1 03/03/06 LMP
trans-1,2-Dichloroethylene <0.025 mg/kg 0.01 0.033 1 03/03/06 LMP
1,2-Dichloropropane <0.025 mg/kg 0.007 0.023 1 03/03/06 LMP
1,3-Dichloropropane <0.025 mg/kg 0.008 0.027 1 03/03/06 LMP
2,2-Dichloropropane <0.025 mg/kg 0.008 0.027 1 CSL DUP LCL 03/03/06 LMP
Ethylbenzene <0.025 mg/kg 0.007 0.023 1 03/03/06 LMP
Hexachlorobutadiene <0.025 mg/kg 0.015 0.05 1 03/03/06 LMP
Isopropylbenzene <0.025 mg/kg 0.009 0.03 1 03/03/06 LMP
Isopropyl Ether <0.025 mg/kg 0.014 0.047 1 03/03/06 LMP
p-Isopropyltoluene <0.025 mg/kg 0.011 0.037 1 03/03/06 LMP
Methyl t-Butyl Ether(MTBE) <0.025 mg/kg 0.018 0.06 1 CSL DUP 03/03/06 LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.73
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B12 1-2'

Matrix: SOIL

Sample Date/Time: 02/15/06 09:15

Lab No. 195316

Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
--------	-------	-----	-----	-----------------	------------	---------------	---------

EPA 8021 (Only positively identified analytes are reported on a dry weight basis)

Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
Naphthalene	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/03/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		03/03/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	LCL	03/03/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		03/03/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		03/03/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		03/03/06	LMP
m- & p-Xylene	0.0286	mg/kg	0.015	0.05	1	MB J	03/03/06	LMP
o-Xylene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1		03/03/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	03/03/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		03/03/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1		03/03/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		03/03/06	LMP
PID Surrogate Recovery (S)	90.5	%	-	-	1		03/03/06	LMP
HALL Surrogate Recovery (S)	138.	%	-	-	1		03/03/06	LMP

EPA 8310

Acenaphthene	<0.00517	mg/kg	0.0047	0.016	1		03/01/06	LMP
Acenaphthylene	<0.00726	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.00231	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(a)Anthracene	<0.00451	mg/kg	0.0041	0.014	1		03/01/06	LMP
Benzo(a)Pyrene	<0.00253	mg/kg	0.0023	0.0077	1	CSL	03/01/06	LMP
Benzo(b)Fluoranthene	<0.00231	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(k)Fluoranthene	<0.00319	mg/kg	0.0029	0.0097	1		03/01/06	LMP
Benzo(ghi)Perylene	<0.0044	mg/kg	0.004	0.013	1		03/01/06	LMP
Chrysene	0.00949	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.00297	mg/kg	0.0027	0.009	1		03/01/06	LMP
Fluoranthene	0.0163	mg/kg	0.0026	0.0087	1		03/01/06	LMP
Fluorene	<0.00363	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	0.00707	mg/kg	0.0022	0.0073	1	J	03/01/06	LMP
1-Methyl Naphthalene	<0.00407	mg/kg	0.0037	0.012	1		03/01/06	LMP
2-Methyl Naphthalene	<0.00451	mg/kg	0.0041	0.014	1		03/01/06	LMP
Naphthalene	<0.00506	mg/kg	0.0046	0.015	1		03/01/06	LMP
Phenanthrene	0.00737	mg/kg	0.0041	0.014	1	J	03/01/06	LMP
Pyrene	0.00337	mg/kg	0.0021	0.007	1	J	03/01/06	LMP
9,10-Diphenylanthracene (S)	58.8	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/24/06	MJG

EPA 9045

PH - Laboratory	8.87		-	-	1		02/20/06	JJP
PH - Laboratory Time	08:00		-	-	-		02/20/06	JJP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.74
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B13 0.5-4.5' Matrix: SOIL Sample Date/Time: 02/15/06 11:15 Lab No. 195317

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	94.1	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	1.47	mg/kg	0.34	1.13	1		03/03/06	DJB
Total Barium	21.1	mg/kg	0.1	0.33	1		03/03/06	DJB
Total Cadmium	<0.0606	mg/kg	0.057	0.19	1		03/03/06	DJB
Total Chromium	7.46	mg/kg	0.053	0.18	1		03/03/06	DJB
Total Lead	2.71	mg/kg	0.53	1.76	1		03/03/06	DJB
Total Selenium	<0.638	mg/kg	0.6	2.0	1		03/03/06	DJB
Total Silver	<0.213	mg/kg	0.2	0.67	1		03/03/06	DJB
EPA 7471								
Total Mercury	0.0489	mg/kg	0.014	0.047	1		03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1		03/06/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		03/06/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		03/06/06	LMP
n-Butylbenzene	<0.025	mg/kg	0.012	0.04	1		03/06/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/06/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		03/06/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		03/06/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		03/06/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		03/06/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	CSL LCL	03/06/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		03/06/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSL DUP LCL	03/06/06	LMP
m-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/06/06	LMP
p-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		03/06/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1	CSH	03/06/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		03/06/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/06/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/06/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		03/06/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	LCL	03/06/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		03/06/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1		03/06/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		03/06/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		03/06/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1		03/06/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1		03/06/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL	03/06/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	DUP	03/06/06	LMP
Ethylbenzene	<0.025	mg/kg	0.007	0.023	1		03/06/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		03/06/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		03/06/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		03/06/06	LMP
m-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		03/06/06	LMP
Methyl t-Butyl Ether (MTBE)	<0.025	mg/kg	0.018	0.06	1		03/06/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.75
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B13 0.5-4.5' Matrix: SOIL Sample Date/Time: 02/15/06 11:15 Lab No. 195317

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		03/06/06	LMP
Naphthalene	<0.025	mg/kg	0.01	0.033	1		03/06/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		03/06/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		03/06/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		03/06/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		03/06/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/06/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		03/06/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		03/06/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1		03/06/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		03/06/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1		03/06/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		03/06/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		03/06/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1	LCL	03/06/06	LMP
m- & p-Xylene	0.0276	mg/kg	0.015	0.05	1	MB	03/06/06	LMP
o-Xylene	<0.025	mg/kg	0.008	0.027	1		03/06/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1		03/06/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1	CSH	03/06/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1	LCL	03/06/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	03/06/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		03/06/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		03/06/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		03/06/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1		03/06/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1		03/06/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.007	0.023	1		03/06/06	LMP
PID Surrogate Recovery (S)	92.3	%	-	-	1		03/06/06	LMP
HALL Surrogate Recovery (S)	117.	%	-	-	1		03/06/06	LMP
EPA 8310								
Acenaphthene	<0.00499	mg/kg	0.0047	0.016	1		03/01/06	LMP
Acenaphthylene	<0.00701	mg/kg	0.0066	0.022	1		03/01/06	LMP
Anthracene	<0.00223	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(a)Anthracene	0.00485	mg/kg	0.0041	0.014	1	J	03/01/06	LMP
Benzo(a)Pyrene	<0.00244	mg/kg	0.0023	0.0077	1	CSL	03/01/06	LMP
Benzo(b)Fluoranthene	0.0219	mg/kg	0.0021	0.007	1		03/01/06	LMP
Benzo(k)Fluoranthene	<0.00308	mg/kg	0.0029	0.0097	1		03/01/06	LMP
Benzo(ghi)Perylene	0.092	mg/kg	0.004	0.013	1		03/01/06	LMP
Chrysene	<0.00244	mg/kg	0.0023	0.0077	1		03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.00287	mg/kg	0.0027	0.009	1		03/01/06	LMP
Fluoranthene	<0.00276	mg/kg	0.0026	0.0087	1		03/01/06	LMP
Fluorene	<0.00351	mg/kg	0.0033	0.011	1		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	0.0242	mg/kg	0.0022	0.0073	1		03/01/06	LMP
1-Methyl Naphthalene	<0.00393	mg/kg	0.0037	0.012	1		03/01/06	LMP
2-Methyl Naphthalene	<0.00436	mg/kg	0.0041	0.014	1		03/01/06	LMP
Naphthalene	<0.00489	mg/kg	0.0046	0.015	1		03/01/06	LMP
Phenanthrene	<0.00436	mg/kg	0.0041	0.014	1		03/01/06	LMP
Pyrene	0.00325	mg/kg	0.0021	0.007	1	J	03/01/06	LMP
9,10-Diphenylanthracene (S)	64.2	%	-	-	1		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/24/06	MJG
EPA 9045								
pH - Laboratory	8.14		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:15		-	-	-		02/20/06	JJP
DI DNR								
Soil Diesel Range Organics	<5.31	mg/kg	-	5.0	1	SPL DUP	02/24/06	LMP
Soil Org Ext - DRO	COMP		-	-	-		02/21/06	KAM

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.29
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-5 PZ-5 0-4'

Matrix: SOIL

Sample Date/Time: 02/13/06 10:30

Lab No. 195295

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
Naphthalene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP
m- & p-Xylene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
p-Xylene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
PID Surrogate Recovery (S)	81.1	%	-	-	1		02/21/06	LMP
ALL Surrogate Recovery (S)	103.	%	-	-	1		02/21/06	LMP
EPA 8310								
Acenaphthene	<0.00617	mg/kg	0.0047	0.016	1		02/28/06	LMP
Acenaphthylene	<0.00866	mg/kg	0.0066	0.022	1		02/28/06	LMP
Anthracene	<0.00276	mg/kg	0.0021	0.007	1	S1L S2L	02/28/06	LMP
Benzo(a)Anthracene	<0.00538	mg/kg	0.0041	0.014	1		02/28/06	LMP
Benzo(a)Pyrene	<0.00302	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Benzo(b)Fluoranthene	<0.00276	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(k)Fluoranthene	<0.00381	mg/kg	0.0029	0.0097	1		02/28/06	LMP
Benzo(ghi)Perylene	<0.00525	mg/kg	0.004	0.013	1		02/28/06	LMP
Chrysene	0.0056	mg/kg	0.0023	0.0077	1	J	02/28/06	LMP
Dibenzo(a,h)Anthracene	<0.00354	mg/kg	0.0027	0.009	1		02/28/06	LMP
Fluoranthene	<0.00341	mg/kg	0.0026	0.0087	1		02/28/06	LMP
Fluorene	<0.00433	mg/kg	0.0033	0.011	1		02/28/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.00289	mg/kg	0.0022	0.0073	1	S1L	02/28/06	LMP
1-Methyl Naphthalene	<0.00486	mg/kg	0.0037	0.012	1		02/28/06	LMP
2-Methyl Naphthalene	<0.00538	mg/kg	0.0041	0.014	1		02/28/06	LMP
Naphthalene	<0.00604	mg/kg	0.0046	0.015	1		02/28/06	LMP
Phenanthrene	<0.00538	mg/kg	0.0041	0.014	1		02/28/06	LMP
Pyrene	<0.00276	mg/kg	0.0021	0.007	1		02/28/06	LMP
9,10-Diphenylanthracene (S)	53.6	%	-	-	1		02/28/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.28
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-5 PZ-5 0-4' Matrix: SOIL Sample Date/Time: 02/13/06 10:30 Lab No. 195295

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	76.2	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metals Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	2.57	mg/kg	0.34	1.13	1		03/07/06	DJB
Total Barium	98.0	mg/kg	0.1	0.33	1	DUP	03/07/06	DJB
Total Cadmium	0.189	mg/kg	0.057	0.19	1	J	03/07/06	DJB
Total Chromium	27.7	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	6.56	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.787	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.262	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	0.0669	mg/kg	0.014	0.047	1		03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
n-Butylbenzene	<0.025	mg/kg	0.012	0.04	1	LCL	02/21/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		02/21/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	LCL	02/21/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSH DUP	02/21/06	LMP
o-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
p-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	CSH LCL	02/21/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1	CSL LCL	02/21/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		02/21/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1	LCL	02/21/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL LCL DUP	02/21/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
p-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
tert-Butyl t-Butyl Ether(MTBE)	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP

LCL results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Shippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.30
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-6 0-4'

Matrix: SOIL

Sample Date/Time: 02/13/06 11:45

Lab No. 195296

Result Units LOD LOQ Dilution Factor Qualifiers Date Analyzed Analyst

EPA 160.3

Total Solids 58.0 % - 0.33 - 02/20/06 AMR

EPA 3050

Metal Prep COMP - - - 02/27/06 DJB

EPA 6010

Total Arsenic 2.59 mg/kg 0.34 1.13 1 03/07/06 DJB
Total Barium 75.3 mg/kg 0.1 0.33 1 03/07/06 DJB
Total Cadmium <0.0983 mg/kg 0.057 0.19 1 03/07/06 DJB
Total Chromium 17.6 mg/kg 0.053 0.18 1 03/07/06 DJB
Total Lead 7.29 mg/kg 0.53 1.76 1 03/07/06 DJB
Total Selenium <1.03 mg/kg 0.6 2.0 1 03/07/06 DJB
Total Silver <0.345 mg/kg 0.2 0.67 1 03/07/06 DJB

EPA 7471

Total Mercury 0.119 mg/kg 0.014 0.047 1 03/03/06 MPM

EPA 8021 (Only positively identified analytes are reported on a dry weight basis)

Benzene <0.025 mg/kg 0.008 0.027 1 02/21/06 LMP
Bromobenzene <0.025 mg/kg 0.007 0.023 1 02/21/06 LMP
Bromodichloromethane <0.025 mg/kg 0.006 0.02 1 02/21/06 LMP
n-Butylbenzene <0.025 mg/kg 0.012 0.04 1 LCL 02/21/06 LMP
sec-Butylbenzene <0.025 mg/kg 0.01 0.033 1 02/21/06 LMP
tert-Butylbenzene <0.025 mg/kg 0.01 0.033 1 02/21/06 LMP
Carbon Tetrachloride <0.025 mg/kg 0.008 0.027 1 02/21/06 LMP
Chlorobenzene <0.025 mg/kg 0.007 0.023 1 02/21/06 LMP
Chlorodibromomethane <0.025 mg/kg 0.02 0.067 1 02/21/06 LMP
Chloroethane <0.025 mg/kg 0.09 0.30 1 LCL 02/21/06 LMP
Chloroform <0.025 mg/kg 0.01 0.033 1 02/21/06 LMP
Chloromethane <0.025 mg/kg 0.01 0.033 1 CSH DUP 02/21/06 LMP
1-Chlorotoluene <0.025 mg/kg 0.008 0.027 1 02/21/06 LMP
4-Chlorotoluene <0.025 mg/kg 0.008 0.027 1 02/21/06 LMP
1,2-Dibromo-3-chloropropane <0.025 mg/kg 0.009 0.03 1 02/21/06 LMP
1,2-Dibromoethane <0.025 mg/kg 0.012 0.04 1 02/21/06 LMP
1,2-Dichlorobenzene <0.025 mg/kg 0.008 0.027 1 02/21/06 LMP
1,3-Dichlorobenzene <0.025 mg/kg 0.008 0.027 1 02/21/06 LMP
1,4-Dichlorobenzene <0.025 mg/kg 0.008 0.027 1 02/21/06 LMP
Dichlorodifluoromethane <0.025 mg/kg 0.014 0.047 1 CSH LCL 02/21/06 LMP
1,1-Dichloroethane <0.025 mg/kg 0.009 0.03 1 02/21/06 LMP
1,2-Dichloroethane <0.025 mg/kg 0.005 0.017 1 CSL LCL 02/21/06 LMP
1,1-Dichloroethylene <0.025 mg/kg 0.016 0.053 1 02/21/06 LMP
cis-1,2-Dichloroethylene <0.025 mg/kg 0.007 0.023 1 02/21/06 LMP
trans-1,2-Dichloroethylene <0.025 mg/kg 0.01 0.033 1 LCL 02/21/06 LMP
1,2-Dichloropropane <0.025 mg/kg 0.007 0.023 1 CSH 02/21/06 LMP
1,3-Dichloropropane <0.025 mg/kg 0.008 0.027 1 02/21/06 LMP
2,2-Dichloropropane <0.025 mg/kg 0.008 0.027 1 CSL LCL DUP 02/21/06 LMP
Ethylbenzene <0.025 mg/kg 0.007 0.023 1 02/21/06 LMP
Hexachlorobutadiene <0.025 mg/kg 0.015 0.05 1 02/21/06 LMP
Isopropylbenzene <0.025 mg/kg 0.009 0.03 1 02/21/06 LMP
Isopropyl Ether <0.025 mg/kg 0.014 0.047 1 02/21/06 LMP
p-Isopropyltoluene <0.025 mg/kg 0.011 0.037 1 02/21/06 LMP
Methyl t-Butyl Ether(MTBE) <0.025 mg/kg 0.018 0.06 1 02/21/06 LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Whippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.31
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-6 0-4'

Matrix: SOIL

Sample Date/Time: 02/13/06 11:45

Lab No. 195296

Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
--------	-------	-----	-----	-----------------	------------	---------------	---------

EPA 8021 (Only positively identified analytes are reported on a dry weight basis)

Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
Naphthalene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP
m- & p-Xylene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
m-Xylene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
PID Surrogate Recovery (S)	78.9	%	-	-	1		02/21/06	LMP
ALL Surrogate Recovery (S)	107.	%	-	-	1		02/21/06	LMP

EPA 8310

Acenaphthene	<0.0081	mg/kg	0.0047	0.016	1		02/28/06	LMP
Acenaphthylene	<0.0114	mg/kg	0.0066	0.022	1		02/28/06	LMP
Anthracene	<0.00362	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(a)Anthracene	0.0519	mg/kg	0.0041	0.014	1		02/28/06	LMP
Benzo(a)Pyrene	0.0678	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Benzo(b)Fluoranthene	0.114	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(k)Fluoranthene	0.0391	mg/kg	0.0029	0.0097	1		02/28/06	LMP
Benzo(ghi)Perylene	0.106	mg/kg	0.004	0.013	1		02/28/06	LMP
Benzofluoranthene	0.084	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Fluorene	<0.00466	mg/kg	0.0027	0.009	1		02/28/06	LMP
Fluoranthene	0.233	mg/kg	0.0026	0.0087	1		02/28/06	LMP
Fluorene	0.0115	mg/kg	0.0033	0.011	1	J	02/28/06	LMP
Indeno(1,2,3-cd)Pyrene	0.0614	mg/kg	0.0022	0.0073	1		02/28/06	LMP
1-Methyl Naphthalene	<0.00638	mg/kg	0.0037	0.012	1		02/28/06	LMP
2-Methyl Naphthalene	<0.00707	mg/kg	0.0041	0.014	1		02/28/06	LMP
Naphthalene	<0.00793	mg/kg	0.0046	0.015	1		02/28/06	LMP
Phenanthrene	0.121	mg/kg	0.0041	0.014	1		02/28/06	LMP
Pyrene	0.0621	mg/kg	0.0021	0.007	1		02/28/06	LMP
9,10-Diphenylanthracene (S)	28.7	%	-	-	1		02/28/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM

...l results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.32
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-7 0-4'

Matrix: SOIL

Sample Date/Time: 02/13/06 12:30

Lab No. 195297

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	77.7	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	2.43	mg/kg	0.34	1.13	1		03/07/06	DJB
Total Barium	70.4	mg/kg	0.1	0.33	1		03/07/06	DJB
Total Cadmium	0.13	mg/kg	0.057	0.19	1	J	03/07/06	DJB
Total Chromium	15.1	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	14.5	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	1.08	mg/kg	0.6	2.0	1	J	03/07/06	DJB
Total Silver	<0.257	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	0.0849	mg/kg	0.014	0.047	1		03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
n-Butylbenzene	<0.025	mg/kg	0.012	0.04	1	LCL	02/21/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		02/21/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	LCL	02/21/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSH DUP	02/21/06	LMP
o-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
p-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	CSH LCL	02/21/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1	CSL LCL	02/21/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		02/21/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1	LCL	02/21/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL LCL DUP	02/21/06	LMP
Ethylbenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
p-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Methyl t-Butyl Ether (MTBE)	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.33
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-7 0-4'

Matrix: SOIL

Sample Date/Time: 02/13/06 12:30

Lab No. 195297

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
Naphthalene	0.045	mg/kg	0.01	0.033	1		02/21/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP
m- & p-Xylene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
o-Xylene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
PID Surrogate Recovery (S)	79.5	%	-	-	1		02/21/06	LMP
ALL Surrogate Recovery (S)	89.8	%	-	-	1		02/21/06	LMP
EPA 8310								
Acenaphthene	<0.121	mg/kg	0.0047	0.016	20		03/01/06	LMP
Acenaphthylene	<0.17	mg/kg	0.0066	0.022	20		03/01/06	LMP
Anthracene	0.275	mg/kg	0.0021	0.007	20		03/01/06	LMP
Benzo(a)Anthracene	0.988	mg/kg	0.0041	0.014	20		03/01/06	LMP
Benzo(a)Pyrene	0.815	mg/kg	0.0023	0.0077	20		03/01/06	LMP
Benzo(b)Fluoranthene	1.01	mg/kg	0.0021	0.007	20		03/01/06	LMP
Benzo(k)Fluoranthene	0.537	mg/kg	0.0029	0.0097	20		03/01/06	LMP
Benzo(ghi)Perylene	0.471	mg/kg	0.004	0.013	20		03/01/06	LMP
Chrysene	1.09	mg/kg	0.0023	0.0077	20		03/01/06	LMP
Dibenzo(a,h)Anthracene	<0.0695	mg/kg	0.0027	0.009	20		03/01/06	LMP
Fluoranthene	3.71	mg/kg	0.0026	0.0087	20		03/01/06	LMP
Fluorene	0.136	mg/kg	0.0033	0.011	20		03/01/06	LMP
Indeno(1,2,3-cd)Pyrene	0.726	mg/kg	0.0022	0.0073	20		03/01/06	LMP
1-Methyl Naphthalene	<0.0952	mg/kg	0.0037	0.012	20		03/01/06	LMP
2-Methyl Naphthalene	<0.106	mg/kg	0.0041	0.014	20		03/01/06	LMP
Naphthalene	<0.118	mg/kg	0.0046	0.015	20		03/01/06	LMP
Phenanthrene	1.92	mg/kg	0.0041	0.014	20		03/01/06	LMP
Pyrene	1.33	mg/kg	0.0021	0.007	20		03/01/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.35
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-8 0-4'

Matrix: SOIL

Sample Date/Time: 02/13/06 14:30

Lab No. 195298

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
Naphthalene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP
m- & p-Xylene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
o-Xylene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
PID Surrogate Recovery (S)	77.4	%	-	-	1		02/21/06	LMP
HALL Surrogate Recovery (S)	100.	%	-	-	1		02/21/06	LMP
EPA 8310								
Acenaphthene	<0.00544	mg/kg	0.0047	0.016	1		02/28/06	LMP
Acenaphthylene	<0.00764	mg/kg	0.0066	0.022	1		02/28/06	LMP
Anthracene	<0.00243	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(a)Anthracene	0.0122	mg/kg	0.0041	0.014	1	J	02/28/06	LMP
Benzo(a)Pyrene	<0.00266	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Benzo(b)Fluoranthene	0.0355	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(k)Fluoranthene	0.0208	mg/kg	0.0029	0.0097	1		02/28/06	LMP
Benzo(ghi)Perylene	<0.00463	mg/kg	0.004	0.013	1		02/28/06	LMP
Chrysene	0.0543	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Dibenzo(a,h)Anthracene	<0.00313	mg/kg	0.0027	0.009	1		02/28/06	LMP
Fluoranthene	<0.00301	mg/kg	0.0026	0.0087	1		02/28/06	LMP
Fluorene	<0.00382	mg/kg	0.0033	0.011	1		02/28/06	LMP
Indeno(1,2,3-cd)Pyrene	0.0251	mg/kg	0.0022	0.0073	1		02/28/06	LMP
1-Methyl Naphthalene	0.0566	mg/kg	0.0037	0.012	1		02/28/06	LMP
2-Methyl Naphthalene	0.0635	mg/kg	0.0041	0.014	1		02/28/06	LMP
Naphthalene	0.0316	mg/kg	0.0046	0.015	1		02/28/06	LMP
Phenanthrene	0.104	mg/kg	0.0041	0.014	1		02/28/06	LMP
Pyrene	<0.00243	mg/kg	0.0021	0.007	1		02/28/06	LMP
9,10-Diphenylanthracene (S)	45.0	%	-	-	1		02/28/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
-421 Frenette Drive
-Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.34
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-8 0-4'

Matrix: SOIL

Sample Date/Time: 02/13/06 14:30

Lab No. 195298

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	86.4	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	3.38	mg/kg	0.34	1.13	1		03/07/06	DJB
Total Barium	47.1	mg/kg	0.1	0.33	1		03/07/06	DJB
Total Cadmium	0.288	mg/kg	0.057	0.19	1		03/07/06	DJB
Total Chromium	6.32	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	43.8	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.694	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.231	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	0.16	mg/kg	0.014	0.047	1		03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
n-Butylbenzene	<0.025	mg/kg	0.012	0.04	1	LCL	02/21/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		02/21/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	LCL	02/21/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSH DUP	02/21/06	LMP
2-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
4-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	CSH LCL	02/21/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1	CSL LCL	02/21/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		02/21/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1	LCL	02/21/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL LCL DUP	02/21/06	LMP
Ethylbenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
p-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Methyl t-Butyl Ether(MTBE)	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.36
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-8 4-6' Matrix: SOIL Sample Date/Time: 02/13/06 14:45 Lab No. 195299

Table with columns: Result, Units, LOD, LOQ, Dilution Factor, Qualifiers, Date Analyzed, Analyst. Rows include EPA 160.3 (Total Solids), EPA 3050 (Metal Prep), EPA 6010 (Total Arsenic, Barium, Cadmium, Chromium, Lead, Selenium, Silver), EPA 7471 (Total Mercury), and EPA 8021 (Benzene, Bromobenzene, Bromodichloromethane, n-Butylbenzene, sec-Butylbenzene, tert-Butylbenzene, Carbon Tetrachloride, Chlorobenzene, Chlorodibromomethane, Chloroethane, Chloroform, Chloromethane, p-Chlorotoluene, m-Chlorotoluene, 1,2-Dibromo-3-chloropropane, 1,2-Dibromoethane, 1,2-Dichlorobenzene, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, Dichlorodifluoromethane, 1,1-Dichloroethane, 1,2-Dichloroethane, 1,1-Dichloroethylene, cis-1,2-Dichloroethylene, trans-1,2-Dichloroethylene, 1,2-Dichloropropane, 1,3-Dichloropropane, 2,2-Dichloropropane, Ethylbenzene, Hexachlorobutadiene, Isopropylbenzene, Isopropyl Ether, p-Isopropyltoluene, Methyl t-Butyl Ether (MTBE)).

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.37
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-8 4-6'

Matrix: SOIL

Sample Date/Time: 02/13/06 14:45

Lab No. 195299

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
Naphthalene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP
m- & p-Xylene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
o-Xylene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
trans-1,3-dichloroprop(yl)	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
PID Surrogate Recovery (S)	77.7	%	-	-	1		02/21/06	LMP
HALL Surrogate Recovery (S)	105.	%	-	-	1		02/21/06	LMP
EPA 8310								
Acenaphthene	<0.00705	mg/kg	0.0047	0.016	1		02/28/06	LMP
Acenaphthylene	<0.0099	mg/kg	0.0066	0.022	1		02/28/06	LMP
Anthracene	<0.00315	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(a)Anthracene	<0.00615	mg/kg	0.0041	0.014	1		02/28/06	LMP
Benzo(a)Pyrene	<0.00345	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Benzo(b)Fluoranthene	<0.00315	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(k)Fluoranthene	<0.00435	mg/kg	0.0029	0.0097	1		02/28/06	LMP
Benzo(ghi)Perylene	<0.006	mg/kg	0.004	0.013	1		02/28/06	LMP
Chrysene	<0.00345	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Dibenzo(a,h)Anthracene	<0.00405	mg/kg	0.0027	0.009	1		02/28/06	LMP
Fluoranthene	<0.0039	mg/kg	0.0026	0.0087	1		02/28/06	LMP
Fluorene	<0.00495	mg/kg	0.0033	0.011	1		02/28/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.0033	mg/kg	0.0022	0.0073	1		02/28/06	LMP
1-Methyl Naphthalene	<0.00555	mg/kg	0.0037	0.012	1		02/28/06	LMP
2-Methyl Naphthalene	<0.00615	mg/kg	0.0041	0.014	1		02/28/06	LMP
Naphthalene	<0.0069	mg/kg	0.0046	0.015	1		02/28/06	LMP
Phenanthrene	<0.00615	mg/kg	0.0041	0.014	1		02/28/06	LMP
Pyrene	<0.00315	mg/kg	0.0021	0.007	1		02/28/06	LMP
9,10-Diphenylanthracene (S)	31.4	%	-	-	1		02/28/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.39
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-9 0-4'

Matrix: SOIL

Sample Date/Time: 02/13/06 15:15

Lab No. 195300

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
Naphthalene	0.307	mg/kg	0.01	0.033	1		02/21/06	LMP
n-Propylbenzene	0.0613	mg/kg	0.009	0.03	1		02/21/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,2,4-Trimethylbenzene	0.217	mg/kg	0.012	0.04	1		02/21/06	LMP
1,3,5-Trimethylbenzene	0.126	mg/kg	0.01	0.033	1		02/21/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP
m- & p-Xylene	0.0472	mg/kg	0.015	0.05	1	J	02/21/06	LMP
o-Xylene	0.059	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
PID Surrogate Recovery (S)	74.6	%	-	-	1		02/21/06	LMP
HALL Surrogate Recovery (S)	88.9	%	-	-	1		02/21/06	LMP
EPA 8310								
Acenaphthene	<0.00554	mg/kg	0.0047	0.016	1		02/28/06	LMP
Acenaphthylene	<0.00778	mg/kg	0.0066	0.022	1		02/28/06	LMP
Anthracene	<0.00248	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(a)Anthracene	0.0323	mg/kg	0.0041	0.014	1		02/28/06	LMP
Benzo(a)Pyrene	0.052	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Benzo(b)Fluoranthene	0.104	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(k)Fluoranthene	0.0459	mg/kg	0.0029	0.0097	1		02/28/06	LMP
Benzo(ghi)Perylene	0.151	mg/kg	0.004	0.013	1		02/28/06	LMP
Chrysene	0.109	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Dibenzo(a,h)Anthracene	<0.00318	mg/kg	0.0027	0.009	1		02/28/06	LMP
Fluoranthene	0.218	mg/kg	0.0026	0.0087	1		02/28/06	LMP
Fluorene	<0.00389	mg/kg	0.0033	0.011	1		02/28/06	LMP
Indeno(1,2,3-cd)Pyrene	0.0802	mg/kg	0.0022	0.0073	1		02/28/06	LMP
1-Methyl Naphthalene	<0.00436	mg/kg	0.0037	0.012	1		02/28/06	LMP
2-Methyl Naphthalene	<0.00483	mg/kg	0.0041	0.014	1		02/28/06	LMP
Naphthalene	<0.00542	mg/kg	0.0046	0.015	1		02/28/06	LMP
Phenanthrene	0.142	mg/kg	0.0041	0.014	1		02/28/06	LMP
Pyrene	<0.00248	mg/kg	0.0021	0.007	1		02/28/06	LMP
9,10-Diphenylanthracene (S)	41.5	%	-	-	1		02/28/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM

all results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.38
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-9 0-4' Matrix: SOIL Sample Date/Time: 02/13/06 15:15 Lab No. 195300

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 160.3								
Total Solids	84.8	%	-	0.33	-		02/20/06	AMR
EPA 3050								
Metal Prep	COMP		-	-	-		02/27/06	DJB
EPA 6010								
Total Arsenic	3.84	mg/kg	0.34	1.13	1		03/07/06	DJB
Total Barium	48.1	mg/kg	0.1	0.33	1		03/07/06	DJB
Total Cadmium	0.297	mg/kg	0.057	0.19	1		03/07/06	DJB
Total Chromium	11.6	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	50.8	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.708	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.236	mg/kg	0.2	0.67	1		03/07/06	DJB
EPA 7471								
Total Mercury	0.0825	mg/kg	0.014	0.047	1		03/03/06	MPM
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Benzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
n-Butylbenzene	0.0519	mg/kg	0.012	0.04	1	LCL	02/21/06	LMP
sec-Butylbenzene	0.0436	mg/kg	0.01	0.033	1		02/21/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		02/21/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	LCL	02/21/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSH DUP	02/21/06	LMP
1-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
2-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	CSH	02/21/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1	CSL LCL	02/21/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		02/21/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1	LCL	02/21/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL LCL DUP	02/21/06	LMP
Ethylbenzene	0.154	mg/kg	0.007	0.023	1		02/21/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
Isopropylbenzene	0.0696	mg/kg	0.009	0.03	1		02/21/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
p-Isopropyltoluene	0.0578	mg/kg	0.011	0.037	1		02/21/06	LMP
Methyl t-Butyl Ether(MTBE)	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP

All results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.40
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-9 4-6'

Matrix: SOIL

Sample Date/Time: 02/13/06 15:30

Lab No. 195301

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
--	--------	-------	-----	-----	-----------------	------------	---------------	---------

EPA 160.3

Total Solids	87.2	%	-	0.33	-		02/20/06	AMR
--------------	------	---	---	------	---	--	----------	-----

EPA 3050

Metal Prep	COMP		-	-	-		02/27/06	DJB
------------	------	--	---	---	---	--	----------	-----

EPA 6010

Total Arsenic	2.82	mg/kg	0.34	1.13	1		03/07/06	DJB
Total Barium	37.5	mg/kg	0.1	0.33	1		03/07/06	DJB
Total Cadmium	<0.0654	mg/kg	0.057	0.19	1		03/07/06	DJB
Total Chromium	11.3	mg/kg	0.053	0.18	1		03/07/06	DJB
Total Lead	10.4	mg/kg	0.53	1.76	1		03/07/06	DJB
Total Selenium	<0.688	mg/kg	0.6	2.0	1		03/07/06	DJB
Total Silver	<0.229	mg/kg	0.2	0.67	1		03/07/06	DJB

EPA 7471

Total Mercury	0.0264	mg/kg	0.014	0.047	1	J	03/03/06	MPM
---------------	--------	-------	-------	-------	---	---	----------	-----

EPA 8021 (Only positively identified analytes are reported on a dry weight basis)

Benzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Bromodichloromethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
n-Butylbenzene	<0.025	mg/kg	0.012	0.04	1	LCL	02/21/06	LMP
sec-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
tert-Butylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Carbon Tetrachloride	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Chlorobenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Chlorodibromomethane	<0.025	mg/kg	0.02	0.067	1		02/21/06	LMP
Chloroethane	<0.025	mg/kg	0.09	0.30	1	LCL	02/21/06	LMP
Chloroform	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Chloromethane	<0.025	mg/kg	0.01	0.033	1	CSH DUP	02/21/06	LMP
m-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
p-Chlorotoluene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,2-Dibromo-3-chloropropane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dibromoethane	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,2-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,3-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,4-Dichlorobenzene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Dichlorodifluoromethane	<0.025	mg/kg	0.014	0.047	1	CSH	02/21/06	LMP
1,1-Dichloroethane	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,2-Dichloroethane	<0.025	mg/kg	0.005	0.017	1	CSL LCL	02/21/06	LMP
1,1-Dichloroethylene	<0.025	mg/kg	0.016	0.053	1		02/21/06	LMP
cis-1,2-Dichloroethylene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
trans-1,2-Dichloroethylene	<0.025	mg/kg	0.01	0.033	1	LCL	02/21/06	LMP
1,2-Dichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
1,3-Dichloropropane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
2,2-Dichloropropane	<0.025	mg/kg	0.008	0.027	1	CSL LCL DUP	02/21/06	LMP
Ethylbenzene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
Hexachlorobutadiene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
Isopropylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
Isopropyl Ether	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
p-Isopropyltoluene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Methyl t-Butyl Ether(MTBE)	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP

ll results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.41
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-9 4-6'

Matrix: SOIL

Sample Date/Time: 02/13/06 15:30

Lab No. 195301

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8021 (Only positively identified analytes are reported on a dry weight basis)								
Methylene Chloride	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
Naphthalene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
n-Propylbenzene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
Tetrachloroethylene	<0.025	mg/kg	0.009	0.03	1		02/21/06	LMP
1,1,2,2-Tetrachloroethane	<0.025	mg/kg	0.006	0.02	1		02/21/06	LMP
Toluene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,2,3-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.014	0.047	1		02/21/06	LMP
1,1,1-Trichloroethane	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
1,1,2-Trichloroethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Trichloroethylene	<0.025	mg/kg	0.011	0.037	1		02/21/06	LMP
Trichlorofluoromethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.012	0.04	1		02/21/06	LMP
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.01	0.033	1		02/21/06	LMP
Vinyl Chloride	<0.025	mg/kg	0.018	0.06	1		02/21/06	LMP
m- & p-Xylene	<0.025	mg/kg	0.015	0.05	1		02/21/06	LMP
o-Xylene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Bromochloromethane	<0.025	mg/kg	0.006	0.02	1	CSH	02/21/06	LMP
Bromoform	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
Bromomethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
Dibromomethane	<0.025	mg/kg	0.008	0.027	1	CSH	02/21/06	LMP
1,1-Dichloropropene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
trans-1,3-dichloroprop(yl)ene	<0.025	mg/kg	0.008	0.027	1		02/21/06	LMP
Styrene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
1,1,1,2-Tetrachloroethane	<0.025	mg/kg	0.009	0.03	1	CSH	02/21/06	LMP
1,2,3-Trichloropropane	<0.025	mg/kg	0.007	0.023	1	CSH	02/21/06	LMP
Cis-1,3-Dichloroprop(yl)ene	<0.025	mg/kg	0.007	0.023	1		02/21/06	LMP
PID Surrogate Recovery (S)	77.6	%	-	-	1		02/21/06	LMP
WALL Surrogate Recovery (S)	102.	%	-	-	1		02/21/06	LMP

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8310								
Acenaphthene	<0.00539	mg/kg	0.0047	0.016	1		02/28/06	LMP
Acenaphthylene	<0.00757	mg/kg	0.0066	0.022	1		02/28/06	LMP
Anthracene	<0.00241	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(a)Anthracene	0.00823	mg/kg	0.0041	0.014	1	J	02/28/06	LMP
Benzo(a)Pyrene	0.0164	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Benzo(b)Fluoranthene	0.0292	mg/kg	0.0021	0.007	1		02/28/06	LMP
Benzo(k)Fluoranthene	0.0122	mg/kg	0.0029	0.0097	1		02/28/06	LMP
Benzo(ghi)Perylene	0.0509	mg/kg	0.004	0.013	1		02/28/06	LMP
Chrysene	0.0292	mg/kg	0.0023	0.0077	1		02/28/06	LMP
Dibenzo(a,h)Anthracene	<0.0031	mg/kg	0.0027	0.009	1		02/28/06	LMP
Fluoranthene	0.00586	mg/kg	0.0026	0.0087	1	J	02/28/06	LMP
Fluorene	<0.00378	mg/kg	0.0033	0.011	1		02/28/06	LMP
Indeno(1,2,3-cd)Pyrene	0.0239	mg/kg	0.0022	0.0073	1		02/28/06	LMP
1-Methyl Naphthalene	0.013	mg/kg	0.0037	0.012	1	J	02/28/06	LMP
2-Methyl Naphthalene	0.0179	mg/kg	0.0041	0.014	1		02/28/06	LMP
Naphthalene	0.00857	mg/kg	0.0046	0.015	1	J	02/28/06	LMP
Phenanthrene	0.0347	mg/kg	0.0041	0.014	1		02/28/06	LMP
Pyrene	<0.00241	mg/kg	0.0021	0.007	1		02/28/06	LMP
9,10-Diphenylanthracene (S)	58.2	%	-	-	1		02/28/06	LMP
Method 3550 Ultrasonic Ext.	COMP		-	-	-		02/22/06	KAM

LL results calculated on a dry weight basis.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.24
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B5

Matrix: GRDWTR

Sample Date/Time: 02/16/06 16:15

Lab No. 195293

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	7.36		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:15		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	<0.6	µg/l	0.6	2.0	1		02/28/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
Diss. Chromium	<1.60	µg/l	1.6	5.33	1		02/28/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/28/06	JCH
Diss. Selenium	0.6	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Barium	69.3	µg/l	2.0	6.66	1		02/28/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
tert-Butylbenzene	0.236	µg/l	0.15	0.50	1	J	02/21/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/21/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
1-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1-Dibromochloroethane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/21/06	MRD
1,1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1-Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/21/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/21/06	MRD
1,1-Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/21/06	MRD
1,1,1-Trichloroethane	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1,1-Trichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
1,1,2-Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
1,1,2-Trichloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1,2-Trichloropropane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2,3-Trichloropropane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2,3-Trichloropropane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2,3-Trichloropropane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2,3-Trichloropropene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2,4-Trichlorobenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.25
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B5 Matrix: GRDWTR Sample Date/Time: 02/16/06 16:15 Lab No. 195293

Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
--------	-------	-----	-----	-----------------	------------	---------------	---------

EPA 8260

Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/21/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
4-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/21/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1	CSH	02/21/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1,2,2-Tetrachloroethane	0.286	µg/l	0.1	0.33	1	J	02/21/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/21/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/21/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/21/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/21/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
m-& p-Xylene	<0.4	µg/l	0.4	1.33	1		02/21/06	MRD

EPA 8310

Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/27/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/27/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1		02/27/06	LMP
Benzo(b)Fluoranthene	0.066	µg/l	0.02	0.067	1	J CSH	02/27/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/27/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Chrysene	<0.02	µg/l	0.02	0.067	1		02/27/06	LMP
Di benzo(a,h)Anthracene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Fluoranthene	<0.12	µg/l	0.12	0.40	1		02/27/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/27/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1	CSH	02/27/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/27/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1		02/27/06	LMP
1,10-Diphenylanthracene (S)	52.4	%	-	-	1		02/27/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/22/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.26
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B5A

Matrix: GRDWTR

Sample Date/Time: 02/16/06 16:45

Lab No. 195294

	<u>Result</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
EPA 150.1								
pH - Laboratory	7.92		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:15		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1	DUP	02/21/06	MPM
EPA 6020								
Diss. Arsenic	1.40	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
Diss. Chromium	<1.60	µg/l	1.6	5.33	1		02/28/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/28/06	JCH
Diss. Selenium	0.9	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Barium	57.0	µg/l	2.0	6.66	1		02/28/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
tert-Butylbenzene	0.252	µg/l	0.15	0.50	1	J	02/21/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/21/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
o-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
p-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/21/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/21/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/21/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/21/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
1,2-Dichloroethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
cis-1,2-Dichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
trans-1,2-Dichloroeth(yl)en	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
ethylbenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.27
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B5A Matrix: GRDWTR Sample Date/Time: 02/16/06 16:45 Lab No. 195294

Result Units LOD LOQ Dilution Factor Qualifiers Date Analyzed Analyst

EPA 8260

Table with 8 columns: Compound Name, Result, Units, LOD, LOQ, Dilution Factor, Qualifiers, Date Analyzed, Analyst. Lists various chemical compounds like Hexachlorobutadiene, Isopropylbenzene, etc.

EPA 8310

Table with 8 columns: Compound Name, Result, Units, LOD, LOQ, Dilution Factor, Qualifiers, Date Analyzed, Analyst. Lists various chemical compounds like Acenaphthene, Anthracene, Benzo(a)Anthracene, etc.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.20
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B6

Matrix: GRDWTR

Sample Date/Time: 02/16/06 15:15

Lab No. 195291

Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
--------	-------	-----	-----	-----------------	------------	---------------	---------

EPA 150.1

pH - Laboratory	7.93	-	-	1		02/20/06	JJP
pH - Laboratory Time	08:15	-	-	-		02/20/06	JJP

EPA 245.1

Diss. Mercury	<0.07	µg/l	0.07	0.23	1	02/21/06	MPM
---------------	-------	------	------	------	---	----------	-----

EPA 6020

Diss. Arsenic	0.8	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
Diss. Chromium	<1.60	µg/l	1.6	5.33	1		02/28/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/28/06	JCH
Diss. Selenium	0.8	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Barium	29.9	µg/l	2.0	6.66	1		02/28/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH

EPA 8260

Benzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/21/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
1-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1-Dibromochloroethane (DBCP)	<0.3	µg/l	0.3	1.0	1		02/21/06	MRD
1,1,2-Dibromoethane (EDB)	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1-Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/21/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/21/06	MRD
1,1-Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/21/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
1,2-Dichloroethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
1,1,2-Dichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
trans-1,2-Dichloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,4-Dichlorobenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Shippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.21
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B6

Matrix: GRDWTR

Sample Date/Time: 02/16/06 15:15

Lab No. 195291

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
PA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/21/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
p-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/21/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1	CSH	02/21/06	MRD
m-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/21/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/21/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/21/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1,2-Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
1,1,2-Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/21/06	MRD
1,2,4-Trimethylbenzene	0.21	µg/l	0.15	0.50	1	J	02/21/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1		02/21/06	MRD

PA 8310								
Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/23/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/23/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1	CSL	02/23/06	LMP
Benzo(b)Fluoranthene	<0.02	µg/l	0.02	0.067	1		02/23/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/23/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Chrysene	<0.02	µg/l	0.02	0.067	1	MB	02/23/06	LMP
Fluoranthene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/23/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1		02/23/06	LMP
1,10-Diphenylanthracene (S)	42.4	%	-	-	1		02/23/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/20/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.18
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B9

Matrix: GRDWTR

Sample Date/Time: 02/16/06 14:45

Lab No. 195290

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	7.45		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:15		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	0.8	µg/l	0.6	2.0	1	J	02/27/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/27/06	JCH
Diss. Chromium	2.40	µg/l	1.6	5.33	1	J	02/28/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/27/06	JCH
Diss. Selenium	<0.6	µg/l	0.6	2.0	1		02/27/06	JCH
Diss. Barium	48.6	µg/l	2.0	6.66	1		02/27/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1	MB	02/27/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/20/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/20/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,2-Dichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
trans-1,2-Dichloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
2,2-Dichloropropane	<0.1	µg/l	0.1	0.33	-	CSH	02/20/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	-	CSH	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Ethylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.19
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B9

Matrix: GRDWTR

Sample Date/Time: 02/16/06 14:45

Lab No. 195290

Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
--------	-------	-----	-----	-----------------	------------	---------------	---------

EPA 8260

Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
p-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
Methyl t-Butyl Ether (MTBE)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1	S2H	02/20/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/20/06	MRD
1,2,4-Trimethylbenzene	0.445	µg/l	0.15	0.50	1	J S2H	02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD

EPA 8310

Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/23/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/23/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1	CSL	02/23/06	LMP
Benzo(b)Fluoranthene	0.097	µg/l	0.02	0.067	1		02/23/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/23/06	LMP
Benzo(ghi)Perylene	0.1	µg/l	0.06	0.20	1	J	02/23/06	LMP
Chrysene	0.15	µg/l	0.02	0.067	1	MB	02/23/06	LMP
Dibenz(a,h)Anthracene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Fluoranthene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/23/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1		02/23/06	LMP
7,10-Diphenylanthracene (S)	32.0	%	-	-	1		02/23/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/20/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.14
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B11 Matrix: GRDWTR Sample Date/Time: 02/16/06 13:45 Lab No. 195288

Table with columns: Result, Units, LOD, LOQ, Dilution Factor, Qualifiers, Date Analyzed, Analyst. Rows include EPA 150.1 (pH), EPA 245.1 (Diss. Mercury), EPA 6020 (Diss. Arsenic, Cadmium, Chromium, Lead, Selenium, Barium, Silver), and EPA 8260 (Benzene, Bromobenzene, Chlorobenzene, etc.).



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
hippewa Falls , WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.15
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B11

Matrix: GRDWTR

Sample Date/Time: 02/16/06 13:45

Lab No. 195288

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Tetrachloroethylene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Trichloroethylene	0.415	µg/l	0.2	0.67	1	J	02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/20/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
EPA 8310								
Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/23/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/23/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1	CSL	02/23/06	LMP
Benzo(b)Fluoranthene	<0.02	µg/l	0.02	0.067	1		02/23/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/23/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Chrysene	0.131	µg/l	0.02	0.067	1	MB	02/23/06	LMP
Dibenzo(a,h)Anthracene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Fluoranthene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/23/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1		02/23/06	LMP
9,10-Diphenylanthracene (S)	54.2	%	-	-	1		02/23/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/20/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
521 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.12
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B12

Matrix: GRDWTR

Sample Date/Time: 02/16/06 13:15

Lab No. 195287

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	8.67		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:15		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	1.80	µg/l	0.6	2.0	1	J	02/20/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/20/06	JCH
Diss. Chromium	2.00	µg/l	1.6	5.33	1	J	02/20/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/20/06	JCH
Diss. Selenium	1.30	µg/l	0.6	2.0	1	J	02/20/06	JCH
Diss. Barium	40.0	µg/l	2.0	6.66	1		02/20/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1	MB	02/20/06	JCH
EPA 8260								
Benzene	0.157	µg/l	0.15	0.50	1	J	02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/20/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,1-Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/20/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,2-Dichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	2.77	µg/l	0.2	0.67	1		02/20/06	MRD
trans-1,2-Dichloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
2,2-Dichloropropane	<0.1	µg/l	0.1	0.33	-	CSH	02/20/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	-	CSH	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
o-thylbenzene	0.269	µg/l	0.1	0.33	1	J	02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
521 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.13
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: B12

Matrix: GRDWTR

Sample Date/Time: 02/16/06 13:15

Lab No. 195287

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Toluene	0.512	µg/l	0.4	1.33	1	J	02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/20/06	MRD
1,2,4-Trimethylbenzene	0.214	µg/l	0.15	0.50	1	J	02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
o-Xylene	0.188	µg/l	0.1	0.33	1	J	02/20/06	MRD
m- & p-Xylene	0.796	µg/l	0.4	1.33	1	J	02/20/06	MRD
EPA 8310								
Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/23/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/23/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1	CSL	02/23/06	LMP
Benzo(b)Fluoranthene	0.155	µg/l	0.02	0.067	1		02/23/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/23/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Chrysene	0.192	µg/l	0.02	0.067	1	MB	02/23/06	LMP
Di benzo(a,h)Anthracene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Fluoranthene	0.383	µg/l	0.12	0.40	1	J	02/23/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
Indeno(1,2,3-cd)Pyrene	0.145	µg/l	0.12	0.40	1	J	02/23/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/23/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
phenanthrene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
pyrene	<0.4	µg/l	0.1	0.33	1		02/23/06	LMP
Benzo(a)anthracene (S)	43.8	%	-	-	1		02/23/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/20/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Shippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.8
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Att: John Guhl

Sample ID: MW-1

Matrix: GRDWTR

Sample Date/Time: 02/16/06 11:30

Lab No. 195285

Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
--------	-------	-----	-----	-----------------	------------	---------------	---------

EPA 150.1

pH - Laboratory	7.34			1		02/20/06	JJP
pH - Laboratory Time	08:15					02/20/06	JJP

EPA 245.1

Diss. Mercury	<0.07	µg/l	0.07	0.23	1	02/21/06	MPM
---------------	-------	------	------	------	---	----------	-----

EPA 6020

Diss. Arsenic	<0.6	µg/l	0.6	2.0	1	02/20/06	JCH	
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1	02/20/06	JCH	
Diss. Chromium	<1.60	µg/l	1.6	5.33	1	02/20/06	JCH	
Diss. Lead	<0.3	µg/l	0.3	1.0	1	02/20/06	JCH	
Diss. Selenium	0.6	µg/l	0.6	2.0	1	J	02/20/06	JCH
Diss. Barium	62.5	µg/l	2.0	6.66	1	02/20/06	JCH	
Diss. Silver	<0.2	µg/l	0.2	0.67	1	MB	02/20/06	JCH

EPA 8260

Benzene	<0.15	µg/l	0.15	0.50	1	02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1	02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1	02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1	02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1	02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
m-Chlorotoluene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1	02/20/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1	02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1	02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1	02/20/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1	02/20/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1	02/20/06	MRD
1,2-Dichloroethane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1	02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
trans-1,2-Dichloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
2,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Ethylbenzene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Shippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.9
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Atttn: John Guhl

Sample ID: MW-1

Matrix: GRDWTR

Sample Date/Time: 02/16/06 11:30

Lab No. 195285

Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
--------	-------	-----	-----	-----------------	------------	---------------	---------

EPA 8260

Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1	02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
o-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1	02/20/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1	02/20/06	MRD
m-Propylbenzene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1	02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1	02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1	02/20/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1	02/20/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1	02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1	02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1	02/20/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1	02/20/06	MRD

EPA 8310

Acenaphthene	<0.06	µg/l	0.06	0.20	1	02/23/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1	02/23/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1	02/23/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1	02/23/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1	CSL	LMP
Benzo(b)Fluoranthene	0.052	µg/l	0.02	0.067	1	J	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1	02/23/06	LMP
Benzo(ghi)Perylene	0.073	µg/l	0.06	0.20	1	J	LMP
Chrysene	0.054	µg/l	0.02	0.067	1	J MB	LMP
Fluorene	<0.11	µg/l	0.11	0.37	1	02/23/06	LMP
Fluoranthene	<0.12	µg/l	0.12	0.40	1	02/23/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1	02/23/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1	02/23/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1	02/23/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1	02/23/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1	02/23/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1	02/23/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1	02/23/06	LMP
9,10-Diphenylanthracene (S)	46.4	%	-	-	1	02/23/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-	02/20/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Whippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.6
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-2

Matrix: GRDWTR

Sample Date/Time: 02/16/06 11:00

Lab No. 195284

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	7.34		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:15		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	1.70	µg/l	0.6	2.0	1	J	02/20/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/20/06	JCH
Diss. Chromium	<1.60	µg/l	1.6	5.33	1		02/20/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/20/06	JCH
Diss. Selenium	0.6	µg/l	0.6	2.0	1	J	02/20/06	JCH
Diss. Barium	34.5	µg/l	2.0	6.66	1		02/20/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1	MB	02/20/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
2-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/20/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/20/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,2-Dichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
trans-1,2-Dichloroeth(yl)en	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	-	CSH	02/20/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	-	CSH	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Ethylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.7
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-2

Matrix: GRDWTR

Sample Date/Time: 02/16/06 11:00

Lab No. 195284

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
p-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/20/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
EPA 8310								
Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/23/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/23/06	LMP
Benzo(a)Pyrene	0.048	µg/l	0.02	0.067	1	J CSL	02/23/06	LMP
Benzo(b)Fluoranthene	<0.02	µg/l	0.02	0.067	1		02/23/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/23/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Chrysene	<0.02	µg/l	0.02	0.067	1	MB	02/23/06	LMP
Dibenzo(a,h)Anthracene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Fluoranthene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/23/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1		02/23/06	LMP
9,10-Diphenylanthracene (S)	47.9	%	-	-	1		02/23/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/20/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.4
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-3

Matrix: GRDWTR

Sample Date/Time: 02/16/06 10:30

Lab No. 195283

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	7.37		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:15		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	3.40	µg/l	0.6	2.0	1		02/20/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/20/06	JCH
Diss. Chromium	<1.60	µg/l	1.6	5.33	1		02/20/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/20/06	JCH
Diss. Selenium	<0.6	µg/l	0.6	2.0	1		02/20/06	JCH
Diss. Barium	33.7	µg/l	2.0	6.66	1		02/20/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1	MB	02/20/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
2-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/20/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/20/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,2-Dichloroethane	2.29	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	2.22	µg/l	0.2	0.67	1		02/20/06	MRD
trans-1,2-Dichloroeth(yl)en	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
2,2-Dichloropropane	<0.1	µg/l	0.1	0.33	-	CSH	02/20/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	-	CSH	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Ethylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.5
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-3

Matrix: GRDWTR

Sample Date/Time: 02/16/06 10:30

Lab No. 195283

Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
--------	-------	-----	-----	-----------------	------------	---------------	---------

EPA 8260

Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1	02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
m-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1	02/20/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1	02/20/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1	02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1	02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1	02/20/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
Trichloroeth(yl)ene	0.535	µg/l	0.2	0.67	1	J 02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1	02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1	02/20/06	MRD
1,2,4-Trimethylbenzene	<0.19	µg/l	0.15	0.50	1	02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1	02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1	02/20/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1	02/20/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1	02/20/06	MRD

EPA 8310

Acenaphthene	<0.06	µg/l	0.06	0.20	1	02/23/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1	02/23/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1	02/23/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1	02/23/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1	CSL 02/23/06	LMP
Benzo(b)Fluoranthene	<0.02	µg/l	0.02	0.067	1	02/23/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1	02/23/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1	02/23/06	LMP
Chrysene	<0.02	µg/l	0.02	0.067	1	MB 02/23/06	LMP
Di benzo(a,h)Anthracene	<0.11	µg/l	0.11	0.37	1	02/23/06	LMP
Fluoranthene	<0.12	µg/l	0.12	0.40	1	02/23/06	LMP
Indene	<0.12	µg/l	0.12	0.40	1	02/23/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1	02/23/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1	02/23/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1	02/23/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1	02/23/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1	02/23/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1	02/23/06	LMP
Benzo(a)anthracene (S)	56.6	%	-	-	1	02/23/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-	02/20/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.80
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-4

Matrix: GRDWTR

Sample Date/Time: 02/16/06 08:00

Lab No. 195320

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	7.48		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:30		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	<0.6	µg/l	0.6	2.0	1		02/28/06	JCH
Diss. Cadmium	0.77	µg/l	0.2	0.67	1		02/28/06	JCH
Diss. Chromium	2.80	µg/l	1.6	5.33	1	J	02/28/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/28/06	JCH
Diss. Selenium	0.7	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Barium	48.2	µg/l	2.0	6.66	1		02/28/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/20/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/20/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,2-Dichloroethane	0.296	µg/l	0.1	0.33	1	J	02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	5.57	µg/l	0.2	0.67	1		02/20/06	MRD
trans-1,2-Dichloroeth(yl)ene	0.138	µg/l	0.1	0.33	1	J	02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	-	CSH	02/20/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	-	CSH	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.81
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-4

Matrix: GRDWTR

Sample Date/Time: 02/16/06 08:00

Lab No. 195320

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<u>EPA 8260</u>								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
p-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
Methyl t-Butyl Ether(MTBE)	0.112	µg/l	0.1	0.33	1	J	02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/20/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
<u>EPA 8310</u>								
Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/27/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/27/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1		02/27/06	LMP
Benzo(b)Fluoranthene	<0.02	µg/l	0.02	0.067	1	CSH	02/27/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/27/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Chrysene	<0.02	µg/l	0.02	0.067	1		02/27/06	LMP
Dibenzo(a,h)Anthracene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Fluoranthene	<0.12	µg/l	0.12	0.40	1		02/27/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/27/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1	CSH	02/27/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/27/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1		02/27/06	LMP
9,10-Diphenylanthracene (S)	63.8	%	-	-	1		02/27/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/22/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
-21 Frenette Drive
-hippewa Falls , WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.86
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-5

Matrix: GRDWTR

Sample Date/Time: 02/16/06 09:30

Lab No. 195323

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	7.38		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:30		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	0.6	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
Diss. Chromium	1.90	µg/l	1.6	5.33	1	J	02/28/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/28/06	JCH
Diss. Selenium	0.7	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Barium	68.5	µg/l	2.0	6.66	1		02/28/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
2-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/20/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/20/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,2-Dichloroethane	0.357	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	8.26	µg/l	0.2	0.67	1		02/20/06	MRD
trans-1,2-Dichloroeth(yl)en	0.262	µg/l	0.1	0.33	1	J	02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	-	CSH	02/20/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	-	CSH	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.87
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-5

Matrix: GRDWTR

Sample Date/Time: 02/16/06 09:30

Lab No. 195323

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
PA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
p-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/20/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
PA 8310								
Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/28/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/28/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/28/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/28/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1		02/28/06	LMP
Benzo(b)Fluoranthene	<0.02	µg/l	0.02	0.067	1		02/28/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/28/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/28/06	LMP
Chrysene	<0.02	µg/l	0.02	0.067	1		02/28/06	LMP
Dibenzo(a,h)Anthracene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Fluoranthene	<0.12	µg/l	0.12	0.40	1		02/28/06	LMP
Indene	<0.12	µg/l	0.12	0.40	1		02/28/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1		02/28/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/28/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1		02/28/06	LMP
9,10-Diphenylanthracene (S)	76.2	%	-	-	1		02/28/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/22/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.88
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: PZ-5

Matrix: GRDWTR

Sample Date/Time: 02/16/06 10:00

Lab No. 195324

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	7.48		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:30		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	10.3	µg/l	0.6	2.0	1		02/28/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
Diss. Chromium	<1.60	µg/l	1.6	5.33	1		02/28/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/28/06	JCH
Diss. Selenium	0.8	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Barium	71.2	µg/l	2.0	6.66	1		02/28/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/20/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/20/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,2-Dichloroethane	0.335	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
trans-1,2-Dichloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
2,2-Dichloropropane	<0.1	µg/l	0.1	0.33	-	CSH	02/20/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	-	CSH	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Ethylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Mippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.89
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: PZ-5

Matrix: GRDWTR

Sample Date/Time: 02/16/06 10:00

Lab No. 195324

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
PA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Ethylene Chloride	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/20/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
m-& p-Xylene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
PA 8310								
Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/28/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/28/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/28/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/28/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1		02/28/06	LMP
Benzo(b)Fluoranthene	<0.02	µg/l	0.02	0.067	1		02/28/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/28/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/28/06	LMP
Chrysene	<0.02	µg/l	0.02	0.067	1		02/28/06	LMP
Dibenzo(a,h)Anthracene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Fluoranthene	0.123	µg/l	0.12	0.40	1	J	02/28/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/28/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1		02/28/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/28/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Phenanthrene	<0.14	µg/l	0.11	0.37	1		02/28/06	LMP
Pyrene	0.169	µg/l	0.1	0.33	1	J	02/28/06	LMP
1,10-Diphenylanthracene (S)	68.4	%	-	-	1		02/28/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/22/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
-21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.82
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-6

Matrix: GRDWTR

Sample Date/Time: 02/16/06 08:30

Lab No. 195321

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	7.39		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:30		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	1.20	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Cadmium	0.28	µg/l	0.2	0.67	1	J	02/28/06	JCH
Diss. Chromium	1.90	µg/l	1.6	5.33	1	J	02/28/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/28/06	JCH
Diss. Selenium	0.8	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Barium	52.4	µg/l	2.0	6.66	1		02/28/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
o-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
p-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/20/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/20/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,2-Dichloroethane	0.678	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	0.869	µg/l	0.2	0.67	1		02/20/06	MRD
trans-1,2-Dichloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
2,2-Dichloropropane	<0.1	µg/l	0.1	0.33	-	CSH	02/20/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	-	CSH	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Triethylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.83
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-6

Matrix: GRDWTR

Sample Date/Time: 02/16/06 08:30

Lab No. 195321

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/20/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
EPA 8310								
Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/28/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/28/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/28/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/28/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1		02/28/06	LMP
Benzo(b)Fluoranthene	<0.02	µg/l	0.02	0.067	1		02/28/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/28/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/28/06	LMP
Chrysene	<0.02	µg/l	0.02	0.067	1		02/28/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/28/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1		02/28/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/28/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1		02/28/06	LMP
9,10-Diphenylanthracene (S)	66.4	%	-	-	1		02/28/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/22/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
-421 Frenette Drive
-Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.84
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-7

Matrix: GRDWTR

Sample Date/Time: 02/16/06 09:00

Lab No. 195322

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	7.49		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:30		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	4.70	µg/l	0.6	2.0	1		02/28/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
Diss. Chromium	<1.60	µg/l	1.6	5.33	1		02/28/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/28/06	JCH
Diss. Selenium	0.9	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Barium	58.5	µg/l	2.0	6.66	1		02/28/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
2-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromochloropropane (DBCP)	<0.3	µg/l	0.3	1.0	1		02/20/06	MRD
1,2-Dibromoethane (EDB)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/20/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,2-Dichloroethane	0.786	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	1.82	µg/l	0.2	0.67	1		02/20/06	MRD
trans-1,2-Dichloroeth(yl)en	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
2,2-Dichloropropane	<0.1	µg/l	0.1	0.33	-	CSH	02/20/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	-	CSH	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Ethylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.85
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-7

Matrix: GRDWTR

Sample Date/Time: 02/16/06 09:00

Lab No. 195322

	<u>Result</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/20/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
EPA 8310								
Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/28/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/28/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/28/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/28/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1		02/28/06	LMP
Benzo(b)Fluoranthene	<0.02	µg/l	0.02	0.067	1		02/28/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/28/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/28/06	LMP
Chrysene	<0.02	µg/l	0.02	0.067	1		02/28/06	LMP
Dibenzo(a,h)Anthracene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Fluoranthene	<0.12	µg/l	0.12	0.40	1		02/28/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/28/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1		02/28/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/28/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/28/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1		02/28/06	LMP
9,10-Diphenylanthracene (S)	55.9	%	-	-	1		02/28/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/22/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.76
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-8

Matrix: GRDWTR

Sample Date/Time: 02/16/06 07:00

Lab No. 195318

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	7.28		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:15		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	0.6	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
Diss. Chromium	3.20	µg/l	1.6	5.33	1	J	02/28/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/28/06	JCH
Diss. Selenium	0.96	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Barium	81.0	µg/l	2.0	6.66	1		02/28/06	JCH
Diss. Silver	0.27	µg/l	0.2	0.67	1	J	02/28/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromochloropropane (DBCP)	<0.3	µg/l	0.3	1.0	1		02/20/06	MRD
1,2-Dibromoethane (EDB)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/20/06	MRD
1,1-Dichloroethane	0.26	µg/l	0.15	0.50	1	J	02/20/06	MRD
1,2-Dichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	5.06	µg/l	0.2	0.67	1		02/20/06	MRD
trans-1,2-Dichloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
2,2-Dichloropropane	<0.1	µg/l	0.1	0.33	-	CSH	02/20/06	MRD
2,1-Dichloropropene	<0.2	µg/l	0.2	0.67	-	CSH	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
thylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.77
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-8

Matrix: GRDWTR

Sample Date/Time: 02/16/06 07:00

Lab No. 195318

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
p-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
Methyl t-Butyl Ether (MTBE)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Tetrachloroeth(yl)ene	0.236	µg/l	0.1	0.33	1	J	02/20/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,1,1-Trichloroethane	0.241	µg/l	0.2	0.67	1	J	02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Trichloroeth(yl)ene	0.228	µg/l	0.2	0.67	1	J	02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/20/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
EPA 8310								
Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/27/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/27/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1		02/27/06	LMP
Benzo(b)Fluoranthene	<0.02	µg/l	0.02	0.067	1	CSH	02/27/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/27/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Chrysene	<0.02	µg/l	0.02	0.067	1		02/27/06	LMP
Fluoranthene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/27/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1	CSH	02/27/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/27/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1		02/27/06	LMP
Fluoranthene (S)	45.8	%	-	-	1		02/27/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/22/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
-21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.79
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-9

Matrix: GRDWTR

Sample Date/Time: 02/16/06 07:30

Lab No. 195319

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Naphthalene	1.87	µg/l	1.0	3.33	1		02/20/06	MRD
n-Propylbenzene	0.117	µg/l	0.1	0.33	1	J	02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Toluene	0.4	µg/l	0.4	1.33	1	J	02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,1,1-Trichloroethane	0.206	µg/l	0.2	0.67	1	J	02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/20/06	MRD
1,2,4-Trimethylbenzene	1.64	µg/l	0.15	0.50	1		02/20/06	MRD
1,3,5-Trimethylbenzene	0.409	µg/l	0.15	0.50	1	J	02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
o-Xylene	0.685	µg/l	0.1	0.33	1		02/20/06	MRD
m- & p-Xylene	1.65	µg/l	0.4	1.33	1		02/20/06	MRD
EPA 8310								
Acenaphthene	0.081	µg/l	0.06	0.20	1	J	02/27/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/27/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/27/06	LMP
Benzo(a)Pyrene	0.167	µg/l	0.02	0.067	1		02/27/06	LMP
Benzo(b)Fluoranthene	<0.02	µg/l	0.02	0.067	1	CSH	02/27/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/27/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Chrysene	<0.02	µg/l	0.02	0.067	1		02/27/06	LMP
Di benzo(a,h)Anthracene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Fluoranthene	<0.12	µg/l	0.12	0.40	1		02/27/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/27/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1	CSH	02/27/06	LMP
1-Methyl Naphthalene	1.31	µg/l	0.08	0.27	1		02/27/06	LMP
2-Methyl Naphthalene	2.73	µg/l	0.11	0.37	1		02/27/06	LMP
Naphthalene	1.05	µg/l	0.11	0.37	1		02/27/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1		02/27/06	LMP
9,10-Diphenylanthracene (S)	76.6	%	-	-	1		02/27/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/22/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.78
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: MW-9

Matrix: GRDWTR

Sample Date/Time: 02/16/06 07:30

Lab No. 195319

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	7.66		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:30		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	1.20	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Cadmium	0.34	µg/l	0.2	0.67	1	J	02/28/06	JCH
Diss. Chromium	4.90	µg/l	1.6	5.33	1		02/28/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/28/06	JCH
Diss. Selenium	2.01	µg/l	0.6	2.0	1		02/28/06	JCH
Diss. Barium	113.	µg/l	2.0	6.66	1		02/28/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/20/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/20/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,2-Dichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
trans-1,2-Dichloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	-	CSH	02/20/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	-	CSH	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	0.411	µg/l	0.1	0.33	1		02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.10
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: EAST SUMP

Matrix: GRDWTR

Sample Date/Time: 02/16/06 11:30

Lab No. 195286

	<u>Result</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 150.1								
pH - Laboratory	7.31		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:15		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.7	µg/l	0.07	0.23	10		03/02/06	MPM
EPA 6010								
Diss. Arsenic	<0.125	mg/l	0.01	0.033	12.5	DUP	03/09/06	DJB
Diss. Barium	<0.0375	mg/l	0.003	0.01	12.5		03/09/06	DJB
Diss. Cadmium	<0.0212	mg/l	0.0017	0.0057	12.5	DUP	03/09/06	DJB
Diss. Chromium	0.0354	mg/l	0.0016	0.0053	12.5	J	03/09/06	DJB
Diss. Lead	<0.2	mg/l	0.016	0.053	12.5		03/09/06	DJB
Diss. Selenium	<0.225	mg/l	0.018	0.06	12.5		03/09/06	DJB
Diss. Silver	<0.075	mg/l	0.006	0.02	12.5		03/09/06	DJB
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		03/02/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		03/02/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		03/02/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		03/02/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		03/02/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		03/02/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		03/02/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		03/02/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		03/02/06	MRD
2-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
4-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		03/02/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Dibromochloropropane (DBCP)	<0.3	µg/l	0.3	1.0	1		03/02/06	MRD
1,2-Dibromoethane (EDB)	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		03/02/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		03/02/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		03/02/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		03/02/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		03/02/06	MRD
1,2-Dichloroethane	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		03/02/06	MRD
cis-1,2-Dichloroeth(yl)ene	2.06	µg/l	0.2	0.67	1		03/02/06	MRD
trans-1,2-Dichloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
2,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
2,1-Dichloropropene	<0.2	µg/l	0.2	0.67	1		03/02/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Ethylbenzene	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.11
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: EAST SUMP Matrix: GRDWTR Sample Date/Time: 02/16/06 11:30 Lab No. 195286

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		03/02/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
p-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		03/02/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		03/02/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1		03/02/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		03/02/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		03/02/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		03/02/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		03/02/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
Trichloroeth(yl)ene	0.293	µg/l	0.2	0.67	1	J	03/02/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		03/02/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		03/02/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		03/02/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		03/02/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		03/02/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		03/02/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1		03/02/06	MRD

EPA 8310								
Acenaphthene	<6.90	µg/l	0.06	0.20	115		02/23/06	LMP
Acenaphthylene	<6.90	µg/l	0.06	0.20	115		02/23/06	LMP
Anthracene	<10.4	µg/l	0.09	0.30	115		02/23/06	LMP
Benzo(a)Anthracene	<11.5	µg/l	0.1	0.33	115		02/23/06	LMP
Benzo(a)Pyrene	<2.30	µg/l	0.02	0.067	115	CSL	02/23/06	LMP
Benzo(b)Fluoranthene	<2.30	µg/l	0.02	0.067	115		02/23/06	LMP
Benzo(k)Fluoranthene	<8.05	µg/l	0.07	0.23	115		02/23/06	LMP
Benzo(ghi)Perylene	<6.90	µg/l	0.06	0.20	115		02/23/06	LMP
Chrysene	<2.30	µg/l	0.02	0.067	115	MB	02/23/06	LMP
Di benzo(a,h)Anthracene	<12.7	µg/l	0.11	0.37	115		02/23/06	LMP
Fluoranthene	<13.8	µg/l	0.12	0.40	115		02/23/06	LMP
Fluorene	<13.8	µg/l	0.12	0.40	115		02/23/06	LMP
Indeno(1,2,3-cd)Pyrene	<13.8	µg/l	0.12	0.40	115		02/23/06	LMP
1-Methyl Naphthalene	<9.20	µg/l	0.08	0.27	115		02/23/06	LMP
2-Methyl Naphthalene	<12.7	µg/l	0.11	0.37	115		02/23/06	LMP
Naphthalene	<12.7	µg/l	0.11	0.37	115		02/23/06	LMP
Phenanthrene	<12.7	µg/l	0.11	0.37	115		02/23/06	LMP
Pyrene	<11.5	µg/l	0.1	0.33	115		02/23/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/20/06	KAM

MI DNR								
Diesel Range Organics	3,864,059	µg/l	-	100.	50	D2B D5	02/24/06	LMP
Water Org Ext - DRO	COMP		-	-	-		02/21/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Shippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.16
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: LARGE SUMP

Matrix: GRDWTR

Sample Date/Time: 02/16/06 14:15

Lab No. 195289

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	7.51		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:15		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	2.00	µg/l	0.6	2.0	1		02/28/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
Diss. Chromium	<1.60	µg/l	1.6	5.33	1		02/28/06	JCH
Diss. Lead	0.5	µg/l	0.3	1.0	1	J	02/28/06	JCH
Diss. Selenium	0.9	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Barium	56.0	µg/l	2.0	6.66	1		02/28/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/20/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
m-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
p-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/20/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/20/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/20/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,2-Dichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
cis-1,2-Dichloroeth(yl)ene	1.46	µg/l	0.2	0.67	1		02/20/06	MRD
trans-1,2-Dichloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	-	CSH	02/20/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Thylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.17
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: LARGE SUMP

Matrix: GRDWTR

Sample Date/Time: 02/16/06 14:15

Lab No. 195289

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
4-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
Methyl t-Butyl Ether (MTBE)	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1		02/20/06	MRD
n-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/20/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
Trichloroeth(yl)ene	0.645	µg/l	0.2	0.67	1	J	02/20/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/20/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/20/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/20/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/20/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1		02/20/06	MRD
EPA 8310								
Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/23/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/23/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1	CSL	02/23/06	LMP
Benzo(b)Fluoranthene	<0.02	µg/l	0.02	0.067	1		02/23/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/23/06	LMP
Benzo(ghi)Perylene	<0.06	µg/l	0.06	0.20	1		02/23/06	LMP
Chrysene	<0.02	µg/l	0.02	0.067	1	MB	02/23/06	LMP
Di-benzo(a,h)Anthracene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Fluoranthene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1		02/23/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/23/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/23/06	LMP
Styrene	<0.1	µg/l	0.1	0.33	1		02/23/06	LMP
9,10-Diphenylanthracene (S)	75.1	%	-	-	1		02/23/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/20/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Chippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.22
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Attn: John Guhl

Sample ID: WEST SUMP

Matrix: GRDWTR

Sample Date/Time: 02/16/06 15:45

Lab No. 195292

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 150.1								
pH - Laboratory	8.00		-	-	1		02/20/06	JJP
pH - Laboratory Time	08:15		-	-	-		02/20/06	JJP
EPA 245.1								
Diss. Mercury	<0.07	µg/l	0.07	0.23	1		02/21/06	MPM
EPA 6020								
Diss. Arsenic	1.00	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Cadmium	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
Diss. Chromium	2.10	µg/l	1.6	5.33	1	J	02/28/06	JCH
Diss. Lead	<0.3	µg/l	0.3	1.0	1		02/28/06	JCH
Diss. Selenium	1.50	µg/l	0.6	2.0	1	J	02/28/06	JCH
Diss. Barium	33.4	µg/l	2.0	6.66	1		02/28/06	JCH
Diss. Silver	<0.2	µg/l	0.2	0.67	1		02/28/06	JCH
EPA 8260								
Benzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
Bromobenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Bromochloromethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Bromodichloromethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Bromoform	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Bromomethane	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
n-Butylbenzene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
sec-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
tert-Butylbenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
Carbon Tetrachloride	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Chlorobenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Chloroethane	<0.6	µg/l	0.6	2.0	1		02/21/06	MRD
Chloroform	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Chloromethane	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
m-Chlorotoluene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
p-Chlorotoluene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Dibromochloromethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Dibromochloropropane(DBCP)	<0.3	µg/l	0.3	1.0	1		02/21/06	MRD
1,2-Dibromoethane(EDB)	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Dibromomethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/21/06	MRD
1,3-Dichlorobenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
1,4-Dichlorobenzene	<0.75	µg/l	0.75	2.5	1		02/21/06	MRD
Dichlorodifluoromethane	<0.25	µg/l	0.25	0.83	1		02/21/06	MRD
1,1-Dichloroethane	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
1,2-Dichloroethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1-Dichloroeth(yl)ene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
cis-1,2-Dichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
trans-1,2-Dichloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,3-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
2,2-Dichloropropane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1-Dichloropropene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
cis-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
trans-1,3-Dichloropropene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Ethylbenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
21 Frenette Drive
Whippewa Falls, WI 54729

PROJECT NO.: NERUB0502.00
REPORT NO. : 195283.23
DATE REC'D : 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Atttn: John Guhl

Sample ID: WEST SUMP

Matrix: GRDWTR

Sample Date/Time: 02/16/06 15:45

Lab No. 195292

	Result	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8260								
Hexachlorobutadiene	<1.00	µg/l	1.0	3.33	1		02/21/06	MRD
Isopropylbenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
p-Isopropyltoluene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Methylene Chloride	<0.4	µg/l	0.4	1.33	1		02/21/06	MRD
Methyl t-Butyl Ether(MTBE)	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Naphthalene	<1.00	µg/l	1.0	3.33	1	CSH	02/21/06	MRD
m-Propylbenzene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Styrene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1,1,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
1,1,2,2-Tetrachloroethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Tetrachloroeth(yl)ene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Toluene	<0.4	µg/l	0.4	1.33	1		02/21/06	MRD
1,2,3-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/21/06	MRD
1,2,4-Trichlorobenzene	<0.5	µg/l	0.5	1.67	1		02/21/06	MRD
1,1,1-Trichloroethane	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
1,1,2-Trichloroethane	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
Trichloroeth(yl)ene	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
Trichlorofluoromethane	<0.2	µg/l	0.2	0.67	1		02/21/06	MRD
1,2,3-Trichloropropane	<0.55	µg/l	0.55	1.83	1		02/21/06	MRD
1,2,4-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
1,3,5-Trimethylbenzene	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
Vinyl Chloride	<0.15	µg/l	0.15	0.50	1		02/21/06	MRD
o-Xylene	<0.1	µg/l	0.1	0.33	1		02/21/06	MRD
m- & p-Xylene	<0.4	µg/l	0.4	1.33	1		02/21/06	MRD
EPA 8310								
Acenaphthene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Acenaphthylene	<0.06	µg/l	0.06	0.20	1		02/27/06	LMP
Anthracene	<0.09	µg/l	0.09	0.30	1		02/27/06	LMP
Benzo(a)Anthracene	<0.1	µg/l	0.1	0.33	1		02/27/06	LMP
Benzo(a)Pyrene	<0.02	µg/l	0.02	0.067	1		02/27/06	LMP
Benzo(b)Fluoranthene	0.035	µg/l	0.02	0.067	1	J CSH	02/27/06	LMP
Benzo(k)Fluoranthene	<0.07	µg/l	0.07	0.23	1		02/27/06	LMP
Benzo(ghi)Perylene	0.094	µg/l	0.06	0.20	1	J	02/27/06	LMP
Chrysene	0.045	µg/l	0.02	0.067	1	J	02/27/06	LMP
Fluorene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Fluoranthene	<0.12	µg/l	0.12	0.40	1		02/27/06	LMP
Fluorene	<0.12	µg/l	0.12	0.40	1		02/27/06	LMP
Indeno(1,2,3-cd)Pyrene	<0.12	µg/l	0.12	0.40	1	CSH	02/27/06	LMP
1-Methyl Naphthalene	<0.08	µg/l	0.08	0.27	1		02/27/06	LMP
2-Methyl Naphthalene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Naphthalene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Phenanthrene	<0.11	µg/l	0.11	0.37	1		02/27/06	LMP
Pyrene	<0.1	µg/l	0.1	0.33	1		02/27/06	LMP
9,10-Diphenylanthracene (S)	75.0	%	-	-	1		02/27/06	LMP
Method 3510 Liquid Ext.	COMP		-	-	-		02/22/06	KAM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Short Elliott Henderickson
421 Frenette Drive
Chippewa Falls, WI 54729

Attn: John Guhl

PROJECT NO.: NERUB0502.00
REPORT NO.: 195283.90
DATE REC'D: 02/17/06
REPORT DATE: 03/13/06
PREPARED BY: JRS

Qualifier Descriptions

MB	Analyte observed in method blank. Sample results may be biased high.
CSH	Check standard for this analyte exhibited a high bias. Sample results may also be biased high.
J	Estimated concentration below laboratory quantitation level.
CSL	Check standard for this analyte exhibited a low bias. Sample results may also be biased low.
DUP	Result of duplicate analysis in this quality assurance batch exceeds the limits for precision.
D2B	The chromatogram is characteristic for a heavier petroleum product other than diesel. (i.e. motor oil, hydraulic oil, etc.)
D5	The chromatogram contained significant peaks and a raised baseline outside the DRO window.
S2H	Sample matrix spike duplicate recovery was high. Sample result may be biased high.
LCL	The laboratory control sample for this analyte exhibited a low bias. Sample results may also be biased low.
S1L	Sample matrix spike recovery was low. Sample result may be biased low.
S2L	Sample matrix spike duplicate recovery was low. Sample result may be biased low.
ISL	Internal standard recovery below normal limits. Sample results may be biased high.
SPL	Matrix spike recovery within analytical batch was low. Sample matrix appears similar to your sample; result may be biased low.
LCH	The laboratory control sample for this analyte exhibited a high bias. Sample results may also be biased high.



STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com

SEVERN TRENT LABORATORIES
ANALYTICAL REPORT

JOB NUMBER: 244419

Prepared For:

USFilter, Enviroscan Services
 301 W. Military Road
 Rothschild, WI 54474

Project: Subcontract Lab Services

Attention: Eric Lorge

Date: 02/28/2006

Nancy S. McDonald
Signature

2/28/06
Date

Name: Nancy S. McDonald
Title: Project Manager
E-Mail: nmcdonald@stl-inc.com

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX: (708) 534-5211

This Report Contains (12) Pages

STL Chicago
PCB Case Narrative

USFilter, Enviroscan Services
Subcontract Lab Services
SEHCHI
Job #: 244419-1
PCBs

1. STL Chicago used the following Gas Chromatographic systems for the analysis of PCBs:

<u>ID#</u>	<u>INSTRUMENT</u>	<u>COLUMN TYPE</u>	<u>DETECTOR</u>
32	HP 6890	Rtx-Clp2 (Primary)	Electron Capture
31	HP 6890	Rtx-5 (confirmation)	Electron Capture

2. This soil sample was extracted based on SW846 method 3541. The extracts were analyzed for PCBs based on SW846 method 8082. All extracts received a sulfuric acid cleanup and a GPC cleanup in order to reduce matrix interference.
3. All required holding times were met for the extraction and for the analysis.
4. The method blank was below the reporting limits for all Aroclors.
5. The surrogate compounds used for this analysis were Decachlorobiphenyl (DCB) and Tetrachloro-m-xylene (TCX). All surrogate recoveries were within statistical control limits except DCB in method blank and blank spike, which had recoveries of 69% and 66%, respectively. No further action was taken since sample surrogate recoveries were in control.
6. A solution containing Aroclor 1016 and Aroclor 1260 was used for spiking.
7. All blank spike recoveries were within statistical control limits.
8. A matrix spike and a matrix spike duplicate were not performed on this sample.
9. All initial and continuing standard calibrations associated with this sample were in control on both columns. All SSV recoveries were within limits of 85%-115%.
10. Target compounds were confirmed using a second column. All results were reported from the primary column.



Patti Gibson
Organics Section Manager

2-28-06

Date

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 02/28/2006

Job Number.: 244419 Project Number.....: 20004567
Customer...: USfilter, Enviroscan Services Customer Project ID....: SEHCHI
Attn.....: Eric Lorge Project Description....: Subcontract Lab Services

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
244419-1	21195314	Soil	02/14/2006	05:15	02/18/2006	09:30

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 244419

Date: 02/28/2006

CUSTOMER: USFilter, Enviroscan Services

PROJECT: SECHI

ATTN: Eric Lorge

Customer Sample ID: 21195314
 Date Sampled.....: 02/14/2006
 Time Sampled.....: 05:15
 Sample Matrix.....: Soil

Laboratory Sample ID: 244419-1
 Date Received.....: 02/18/2006
 Time Received.....: 09:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	OT	DATE/TIME	TECH
8082	PCB Analysis											
	Aroclor 1016, 3541 Solid*	ND		U	6.4	19	1.00000	ug/Kg	174382		02/27/06 1812	bjt
	Aroclor 1221, 3541 Solid*	ND		U	5.3	19	1.00000	ug/Kg	174382		02/27/06 1812	bjt
	Aroclor 1232, 3541 Solid*	ND		U	5.2	19	1.00000	ug/Kg	174382		02/27/06 1812	bjt
	Aroclor 1242, 3541 Solid*	ND		U	5.6	19	1.00000	ug/Kg	174382		02/27/06 1812	bjt
	Aroclor 1248, 3541 Solid*	ND		U	4.1	19	1.00000	ug/Kg	174382		02/27/06 1812	bjt
	Aroclor 1254, 3541 Solid*	18		J	4.2	19	1.00000	ug/Kg	174382		02/27/06 1812	bjt
Aroclor 1260, 3541 Solid*	ND		U	3.8	19	1.00000	ug/Kg	174382		02/27/06 1812	bjt	
Method	% Solids Determination											
	% Solids, Solid	84.9			0.10	0.10	1	%	173702		02/20/06 2159	clb
	% Moisture, Solid	15.1			0.10	0.10	1	%	173702		02/20/06 2159	clb

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 244419

LABORATORY CHRONICLE

Date: 02/28/2006

CUSTOMER: USFilter, Enviroscan Services

PROJECT: SEHEH

ATTN: Eric Lorge

Lab ID: 244419-1	Client ID: 21195314	Date Recvd: 02/18/2006	Sample Date: 02/14/2006			DILUTION	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S)	DATE/TIME ANALYZED	DILUTION
Method	% Solids Determination	1	173702	173702		02/20/2006 2159	
3541	Extraction Soxhlet (PCBs)	1	173707			02/21/2006 0814	
8082	PCB Analysis	1	174382	173707		02/27/2006 1812	1.00000

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number.: 244419		SURROGATE RECOVERIES REPORT		Report Date.: 02/28/2006
CUSTOMER: US Filter, Enviroscan Services		PROJECT: SEHEAT		ATTN: Eric Lorge
Method.....: PCB Analysis Method Code....: 8082		Test Matrix...: 3541 Solid Batch(s).....: 174382		Prep Batch...: 173707

Lab ID	DT	Sample ID	Date	DCB	TCX
LCS			02/27/2006	66*	57
MB			02/27/2006	69*	52
244419- 1		21195314	02/27/2006	81	82

Test	Test Description	Limits
DCB	Decachlorobiphenyl (surr)	70 - 125
TCX	Tetrachloro-m-xylene (surr)	44 - 135

Job Number.: 244419

QUALITY CONTROL RESULTS

Report Date.: 02/28/2006

CUSTOMER: USRI, Inc., Environmental Services

PROJECT: SEHCMI

ATTN: Eric Large

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082

Equipment Code....: INST3132

Analyst...: bjt

Method Description.: PCB Analysis

Batch.....: 174382

LCS	Laboratory Control Sample	OCALPCBA	173707-002		02/27/2006	1747
-----	---------------------------	----------	------------	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aroclor 1016, 3541 Solid	ug/Kg	93.007		166.700	5.600	U 56	% 52-105	
Aroclor 1260, 3541 Solid	ug/Kg	114.317		167.000	3.300	U 68	% 63-122	

QUALITY CONTROL RESULTS

Job Number.: 244419

Report Date.: 02/28/2006

CUSTOMER: US Filter, Enviroscan Services

PROJECT: SEHCRI

ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8082

Equipment Code....: INST3132

Analyst....: bjt

Method Description.: PCB Analysis

Batch.....: 174382

MB	Method Blank		173707-001		02/27/2006	1722
----	--------------	--	------------	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Aroclor 1016, 3541 Solid	ug/Kg	5.600	U					
Aroclor 1221, 3541 Solid	ug/Kg	4.600	U					
Aroclor 1232, 3541 Solid	ug/Kg	4.500	U					
Aroclor 1242, 3541 Solid	ug/Kg	4.900	U					
Aroclor 1248, 3541 Solid	ug/Kg	3.600	U					
Aroclor 1254, 3541 Solid	ug/Kg	3.700	U					
Aroclor 1260, 3541 Solid	ug/Kg	3.300	U					

Job Number.: 244419

QUALITY CONTROL RESULTS

Report Date.: 02/28/2006

CUSTOMER: USE Filter, Enviroscan Services

PROJECT: SEHCHI

ATTN: Eric Lorge

Test Method: Method

Batch: 173702

Analyst: elb

Method Description: % Solids Determination

Equipment Code:

Test Code: %SOLID

Parameter: % Solids

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc. F	* Limits	Date	Time
HB	173702-001		%	0.1000	U					02/20/2006	2100

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 02/28/2006

REPORT COMMENTS

- 1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
- 2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
- 3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
- 4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
- 5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

- U Analyte was not detected at or above the stated limit.
- < Not detected at or above the reporting limit.
- J Result is less than the RL, but greater than or equal to the method detection limit.
- B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
- S Result was determined by the Method of Standard Additions.
- F AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

- ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
- * LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
- + MSA correlation coefficient is less than 0.995.
- 4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
- E SD: Serial dilution exceeds the control limits.
- H MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
- N MS, MSD: Spike recovery exceeds the upper or lower control limits.
- W AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

- U Analyte was not detected at or above the stated limit.
- ND Compound not detected.
- J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
- Q Result was qualitatively confirmed, but not quantified.
- C Pesticide identification was confirmed by GC/MS.
- Y The chromatographic response resembles a typical fuel pattern.
- Z The chromatographic response does not resemble a typical fuel pattern.
- E Result exceeded calibration range, secondary dilution required.
- F AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

- B MB: Batch QC is greater than reporting limit.
- * LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
- EB1, EB2, EB3, MLE: Batch QC is greater than reporting limit
- A Concentration exceeds the instrument calibration range
- a Concentration is below the method Reporting Limit (RL)
- B Compound was found in the blank and sample.
- D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
- H Alternate peak selection upon analytical review
- I Indicates the presence of an interference, recovery is not calculated.
- M Manually integrated compound.
- P The lower of the two values is reported when the % difference between the results of two GC columns is

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 02/28/2006

- RTW Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
- SCB Seeded Control Blank
- SD Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
- UCB Unseeded Control Blank
- SSV Second Source Verification Standard
- SLCS Solid Laboratory Control Standard(LCS)
- PHC pH Calibration Check LCSP pH Laboratory Control Sample
- LCDP pH Laboratory Control Sample Duplicate
- MDPH pH Sample Duplicate
- MDFP Flashpoint Sample Duplicate
- LCFP Flashpoint LCS
- G1 Gelex Check Standard Range 0-1
- G2 Gelex Check Standard Range 1-10
- G3 Gelex Check Standard Range 10-100
- G4 Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)

Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

244419

Subcontract Laboratory Services Request

Date: 2/17/06
Job Number: SEH-H1

Results Required By: / /

TO:
STL Chicago
2417 Bond Street
University Park, IL 60466
Ph. 708-534-5200
Fax. 708-534-5211 AR Fax.708-534-5270
PM: Nancy McDonald

WI Client (4°C)

Two Week Turn
 Three Week Turn

Report Format
 L2QFND
 L3QFND
 L4QFND

RUSH-1-2 DAY (2X)
 RUSH-3 DAY TAT (1.7X)
 RUSH-6 DAY TAT (1.3X)

Quotation No.
20004484 2/9/2004

Please analyze the enclosed samples for the analytes specified:
Special Instructions:

Sample ID	Sample Date & Time	Analysis Request
21195314	2/14/06 5:15	Soil [] Organochlorine Pesticides by EPA 8081A* [] Organochlorine Pesticides by EPA 608* <input checked="" type="checkbox"/> PCBs by EPA 8082 [] PCBs by EPA 608 [] PCBs by 3541WI extraction and clean-up [] Herbicides by EPA 8151A* [] TOX-Duplicate Analysis [] TOX-Quad Analysis [] TOC-Duplicate Analysis on Soil [] Total Carbon-Duplicate Analysis on Soil
		Perform same analyses as checked on all samples.

*See attached list for required compounds

REPORT TO:
USFilter, Enviroscan Services
301 W. Military Rd.
Rothschild, WI 54474
Attn: Eric Lorge
E-mail: eric.lorge@siemens.com

BILL TO:
USFilter, Enviroscan Services
301 W. Military Rd.
Rothschild, WI 54474
Attn: Accounts Payable

Any questions concerning the above request can be directed to Eric Lorge, Project Manager
or Jim Salkowski, General Manager. Phone 800-338-7226 or Fax 715-355-3221

Relinquished by: [Signature] Date: 2/17/06 Time: 1430

Received by Subcontractor: [Signature] Date: 2/18/06 Time: 0930

Received on Ice (circle one): YES NO Not Applicable Temp: 2.0°C

Comments: _____



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.usfilter.com

Sample Receipt Report

Client: SEH

Date Received: 2/17/06

Analytical No.: 21195283 Through 21195324

Check all deviations from EPA or WDNR sample protocol.

Sample(s) received at ____ °C which is above the EPA and WDNR limit of 4°C.

VOC vial(s) received with headspace. Explain: _____

Sample(s) received in bottles not furnished by Enviroscan. Preservation method, if used, is unknown.

Sample(s) not properly preserved per EPA/WDNR protocol for the following: _____

Sample(s) received beyond EPA holding time for: _____

Sample date/time not supplied by client. Actual holding time unknown.

GRO/PVOC/VOC/DRO (circle appropriate) sample(s) are < 19.5 gms and this report is the flag for that information. Sample(s) under-weight: _____

GRO/PVOC/VOC (circle appropriate) sample(s) were between 26.4-35.4 gms so methanol was added in a 1:1 ratio. Sample(s) included: 21195297 + 4ml, 195298 + 3ml, 195299 + 4ml, 195300 + 4ml, 195301 + 4ml, 195302 + 4ml, 195303 + 4ml, 195304 + 4ml, 195315 + 4ml, 195316 + 2ml, 195317 + 5ml, 195305 + 2ml, 195306 + 2ml,

GRO/PVOC/VOC/DRO (circle appropriate) sample(s) were > 35.4 gms and are required to be rejected. Sample(s) included: 195307 + 4ml

Other: 195308 + 3ml, 195309 + 2ml, 195310 + 5ml

Client contact concerning the above deviations:

Client _____ (contact name) notified of the above deviation(s) on 1/1/06 at _____ am/pm by _____ and the client ordered:

(signature)

Proceed with analyses as ordered.

Proceed with analyses after taking the following corrective action: _____

Do NOT proceed with analyses.

195311 + 3ml, 195313 + 3ml

195295 + 2ml, 195296 + 3ml

REQUEST FOR SERVICES



A Siemens Business

ENVIROSCAN SERVICES 301 W. MILITARY RD. ROTHSCHILD, WI 54474 1-800-338-SCAN

REPORT TO:

Name: John E. Guhl
 Company: SEH Inc.
 Address: 421 Frenette Drive
Chippewa Falls, WI
 Phone: (715) 720.6200
 P.O.# Miron Plant 20
 Project # NERUB0502.00 Quote # 2492
 Location CHILTON E30753

BILL TO: (if different from Report To info)

Name: _____
 Company: _____
 Address: _____
 Phone: (____) _____

ANALYTICAL REQUESTS

(use separate sheet if necessary)

- Sample Type**
 (Check all that apply)
- Groundwater
 - Wastewater
 - Soil/Solid
 - Drinking Water
 - Oil
 - Vapor
 - Other: _____

- Turnaround Time**
- Normal
 - Rush (Pre-approved by Lab)
- Date Needed _____
 Approved By _____

VOCs/PAHs
 PAH
 RCRA Metals (6)
 pH
 DRO
 3x 250ml
 1x 125ml NP
 1x 250ml HW03
 1-liter Amber NP

LAB USE ONLY	DATE	TIME	No. of Containers		SAMPLE ID	VOCs/PAHs	PAH	RCRA Metals (6)	pH	DRO	REMARKS
			COMP	GRAB							
21195283	2-16-08	10:30		6	MW-3	/	/	/	/	/	
21195284	2-16-08	11:00		6	MW-2	/	/	/	/	/	
21195285	2-16-08	11:30		6	MW-1	/	/	/	/	/	
21195286	2-16-08	12:45		7	EAST SUMP	/	/	/	/	/	Free Phase Oil Layer + liter under HCL
21195287	2-16-08	1:15		6	B12	/	/	/	/	/	
21195288	2-16-08	1:45		6	B11	/	/	/	/	/	
21195289	2-16-08	2:15		6	LARGE SUMP	/	/	/	/	/	
21195290	2-16-08	2:45		6	B9	/	/	/	/	/	
21195291	2-16-08	3:15		6	B6	/	/	/	/	/	
21195292	2-16-08	3:45		6	WEST SUMP	/	/	/	/	/	

CHAIN OF CUSTODY RECORD

SAMPLERS: (Signature) John E. Guhl

RELINQUISHED BY: (Signature) <u>John E. Guhl</u>	DATE/TIME <u>2-17-08 10:15</u>	RECEIVED BY: (Signature)
RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED BY: (Signature)
RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED FOR LABORATORY BY: (Signature) <u>Laura M. Anderson</u>

Del'v: Hand Comm

Ship. Cont. OK Y N N/A

Samples leaking? Y N N/A

Seals OK? Y N N/A ?

Rec'd on ice? Y N N/A C

Comments: Phoned Mr. Guhl
OK to test east sump

2-17-08

REQUEST FOR SERVICES



A Siemens Business

ENVIROSCAN SERVICES 301 W. MILITARY RD. ROTHSCHILD, WI 54474 1-800-338-SCAN

REPORT TO:

Name: John E. Gohl
 Company: SEH Inc.
 Address: 421 Franette Drive
Chippewa Falls, WI 54729
 Phone: (715) 720.6200
 P.O.# MIRRO PLANT #20
 Project # NERUB0502.00 Quote # _____
 Location CHILTON

BILL TO: (if different from Report To info)

Name: _____
 Company: _____
 Address: _____
 Phone: (____) _____

ANALYTICAL REQUESTS

(use separate sheet if necessary)

- Sample Type**
 (Check all that apply)
- Groundwater
 - Wastewater
 - Soil/Solid
 - Drinking Water
 - Oil
 - Vapor
 - Other
- Turnaround Time**
- Normal
 - Rush (Pre-approved by Lab)
- Date Needed _____
 Approved By _____

VOCs
 PAHs
 RECM Metals (8)
 pH

3 vials req
 1-250ppm H₂O₃ T. Head
 1-125ppm NP
 1-100ppm NP

LAB USE ONLY	DATE	TIME	No. of Containers		SAMPLE ID	REMARKS
			COMP	GRAB		
21195293	2-16-06	4:15		6	BS	
21195294	2-16-06	4:45		6	B5A	

CHAIN OF CUSTODY RECORD

SAMPLERS: (Signature) John E. Gohl

RELINQUISHED BY: (Signature) <u>John E. Gohl</u>	DATE/TIME <u>2-17-06/10:15</u>	RECEIVED BY: (Signature)
RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED BY: (Signature)
RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED FOR LABORATORY BY: (Signature) <u>Jessica A. De...</u>
		DATE/TIME <u>2-17-06/10:15</u>

Del'v: Hand Comm.

Ship. Cont. OK Y N N/A

Samples leaking? Y N N/A

Seals OK? Y N N/A

Rec'd on ice? Y N N/A 2°C

Comments: _____

REQUEST FOR SERVICES



A Siemens Business

ENVIROSCAN SERVICES 301 W. MILITARY RD. ROTHSCHILD, WI 54474 1-800-338-SCAN

REPORT TO:

Name: John Guhl
 Company: SGH Inc.
 Address: 421 Fremont Drive
Chippewa Falls, WI
 Phone: (715) 720-6200
 P.O.# MIRRO PLANT #20
 Project # NERUB0502.00 Quote # _____
 Location CHILTON, WI

BILL TO: (if different from Report To info)

Name: _____
 Company: _____
 Address: _____
 Phone: (____) _____

- Sample Type**
 (Check all that apply)
- Groundwater
 - Wastewater
 - Soil/Solid
 - Drinking Water
 - Oil
 - Vapor
 - Other
- Turnaround Time**
- Normal
 - Rush (Pre-approved by Lab)
- Date Needed _____
 Approved By _____

ANALYTICAL REQUESTS

(use separate sheet if necessary)

LAB USE ONLY	DATE	TIME	No. of Containers		SAMPLE ID	VOCs	PAHs	PCEA METALS (As, Br, Cd, Cr, Hg, Pb)	Inorganic (As, Br, Cd, Cr, Hg, Pb)	D.H.	REMARKS
			COMP	GRAB							
21195295	2-13-06	10:30		3	MW-5/P2-5 0-4 ft.	/	/	/	/	/	
21195296	2-13-06	11:45		3	MW-6 0-4 ft.	/	/	/	/	/	
21195297	2-13-06	12:30		3	MW-7 0-4 ft.	/	/	/	/	/	
21195298	2-13-06	2:30		3	MW-8 0-4 ft.	/	/	/	/	/	
21195299	2-13-06	2:45		3	MW-8 4-6	/	/	/	/	/	
21195300	2-13-06	3:15		3	MW-9 0-4 ft.	/	/	/	/	/	
21195301	2-13-06	3:30		3	MW-9 4-6 ft.	/	/	/	/	/	
21195302	2-13-06	4:15		4	B1 0-2 ft.	/	/	/	/	/	11-402 Jan
21195303	2-13-06			4	B1 4-6 ft.	/	/	/	/	/	
21195304	2-13-06	4:45		3	B2 0-2 ft.	/	/	/	/	/	

CHAIN OF CUSTODY RECORD

SAMPLERS: (Signature) John E. Guhl

RELINQUISHED BY: (Signature) <u>John E. Guhl</u>	DATE/TIME <u>2-17-06 10:15</u>	RECEIVED BY: (Signature) _____
RELINQUISHED BY: (Signature) _____	DATE/TIME _____	RECEIVED BY: (Signature) _____
RELINQUISHED BY: (Signature) _____	DATE/TIME _____	RECEIVED FOR LABORATORY BY: (Signature) <u>_____</u>

Deliv: Hand Comm.

Ship. Cont. OK Y N N/A

Samples leaking? Y N N/A

Seals OK? Y N N/A 2

Rec'd on ice? Y N N/A °C

Comments: _____

REQUEST FOR SERVICES



A Siemens Business

ENVIROSCAN SERVICES

301 W. MILITARY RD.

ROTHSCHILD, WI 54474

1-800-338-SCAN

REPORT TO:

Name: John Gull
 Company: SEH Inc
 Address: 421 Franklin Dr.
Chippewa Falls WI 54729
 Phone: (715) 720-6200
 P.O.# M220 2-20 Chilton
 Project # NERUB 1502.00 Quote # _____
 Location _____

BILL TO: (if different from Report To info)

Name: _____
 Company: _____
 Address: _____
 Phone: (____) _____

ANALYTICAL REQUESTS

(use separate sheet if necessary)

- Sample Type**
 (Check all that apply)
- Groundwater
 - Wastewater
 - Soil/Solid
 - Drinking Water
 - Oil
 - Vapor
 - Other
- Turnaround Time**
- Normal
 - Rush (Pre-approved by Lab)
- Date Needed _____
 Approved By _____

Handwritten notes in analytical requests section:
 VOL METALS
 PAH METALS
 PCBs
 PH
 ACBs
 1-Isopropyl
 1-Hexagls
 1-2,2,4-tri

LAB USE ONLY	DATE	TIME	No. of Containers		SAMPLE ID	ANALYTICAL REQUESTS					REMARKS	
			COMP	GRAB		VOL METALS	PAH METALS	PCBs	PH	ACBs		
21195305	2-13-06	4:45		3	B2 2-7'	/	/	/	/	/		
21195306	2-13-06	5:00		3	B3 0-2ft	/	/	/	/	/		
21195307	2-13-06	5:00		3	B3 2-4ft	/	/	/	/	/		
21195308	2-13-06	5:30		4	B4 4-6ft	/	/	/	/	/		+1-202 jar
21195309	2-14-06	11:00		3	B5 0.5-0.8ft	/	/	/	/	/		
21195310	2-14-06	3:00		3	B6 1.5-3.0ft	/	/	/	/	/		
21195311	2-14-06	3:30		3	B7 1.0-2.5ft	/	/	/	/	/		
21195312	2-14-06	3:45		3	B8 1.0-2.5ft	/	/	/	/	/		
21195313	2-14-06	4:30		3	B9 1.0-2.0ft	/	/	/	/	/		
21195314	2-14-06	5:15		4	B10 0.5-1.5ft	/	/	/	/	/		+1-402 jar

CHAIN OF CUSTODY RECORD

SAMPLERS: (Signature) John C. Gull

RELINQUISHED BY: (Signature) <u>John C. Gull</u>	DATE/TIME <u>2-17-06 10:15</u>	RECEIVED BY: (Signature) _____
RELINQUISHED BY: (Signature) _____	DATE/TIME _____	RECEIVED BY: (Signature) _____
RELINQUISHED BY: (Signature) _____	DATE/TIME _____	RECEIVED FOR LABORATORY BY: (Signature) <u>Jessica Fisher</u>

Del'v: Hand Comm. _____
 Shp. Cont. OK Y N N/A
 Samples leaking? Y N N/A
 Seals OK? Y N N/A 2
 Rec'd on ice? Y N N/A _____ °C

Comments: PCB sub st. check

REQUEST FOR SERVICES



A Siemens Business

ENVIROSCAN SERVICES 301 W. MILITARY RD. ROTHSCHILD, WI 54474 1-800-338-SCAN

REPORT TO:

Name: John E. Gull
 Company: SEH Inc.
 Address: 421 Franklin Dr
Chippewa Falls, WI 54724
 Phone: (715) 720-6200
 P.O.# FORMER MIRRO PLANT #20
 Project # NERUB0502.00 Quote # _____
 Location CHILTON

BILL TO: (if different from Report To info)

Name: _____
 Company: _____
 Address: _____
 Phone: (____) _____

ANALYTICAL REQUESTS

(use separate sheet if necessary)

- Sample Type**
 (Check all that apply)
- Groundwater
 - Wastewater
 - Soil/Solid
 - Drinking Water
 - Oil
 - Vapor
 - Other
- Turnaround Time**
- Normal
 - Rush (Pre-approved by Lab)
- Date Needed _____
 Approved By _____

Handwritten notes in analytical requests section:
 VOC'S (METHANOL, ETHANOL, ACETONE)
 PAH'S
 PCRA METALS
 PH
 DRG
 1-20-06/10:00
 1-4-06/10:00
 1-7-06/10:00

LAB USE ONLY	DATE	TIME	No. of Containers		SAMPLE ID	ANALYTICAL REQUESTS						REMARKS
			COMP	GRAB		VOC'S	PAH'S	PCRA METALS	PH	DRG	OTHER	
21195315	2-15-06	8:30		3	B11 1-3ft	/	/	/	/	/	/	
21195316	2-15-06	9:15		3	B12 1-2ft	/	/	/	/	/	/	
21195317	2-15-06	11:15		4	B13 0.5-4.5ft	/	/	/	/	/	/	+1-202 NP
21195318	2-16-06	7:00		6	MW-8	/	/	/	/	/	/	5/12/06
21195319	2-16-06	7:30		6	MW-9	/	/	/	/	/	/	1-12-5 PLUP
21195320	2-16-06	8:00		6	MW-4	/	/	/	/	/	/	1-11-06 rem build
21195321	2-16-06	8:30		6	MW-6	/	/	/	/	/	/	1-20-06 PHUS
21195322	2-16-06	9:00		6	MW-7	/	/	/	/	/	/	
21195323	2-16-06	9:30		6	MW-5	/	/	/	/	/	/	
21195324	2-16-06	10:00		6	AZ-5	/	/	/	/	/	/	

CHAIN OF CUSTODY RECORD

SAMPLERS: (Signature) John E. Gull

RELINQUISHED BY: (Signature) <u>John E. Gull</u>	DATE/TIME <u>2-17-06 10:15</u>	RECEIVED BY: (Signature)
RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED BY: (Signature)
RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED FOR LABORATORY BY: (Signature) <u>James M. Anderson</u>
		DATE/TIME <u>2-17-06 10:15</u>

Del'v: Hand Comm
 Ship. Cont. OK Y N N/A
 Samples leaking? Y N N/A
 Seals OK? Y N N/A
 Rec'd on ice? Y N N/A -C

Comments: _____



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.enviroscan.usfilter.com

June 14, 2006

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

Attn: John Guhl

REPORT NO.: 0606003

PROJECT NO.: ANERUB0502.00 Chilton

Please find enclosed the analytical report, including the Sample Summary, Sample Narrative and Chain of Custody for your sample set received June 1, 2006.

All analyses were performed in accordance with NELAC Standards using approved methods as indicated on this report.


If you have any questions about the results, please call. Thank you for using USFilter, Enviroscan Services for your analytical needs.

Sincerely,

USFilter, Enviroscan Services

James Salkowski
Lab Director

I certify that the data contained in this report has been generated and reviewed in accordance with the USFilter, Enviroscan Services Quality Assurance Program. Exceptions, if any, are discussed in the sample narrative. Samples will be retained for 30 days from the date of this report, then disposed in an appropriate manner. USFilter, Enviroscan Services reserves the right to return samples identified as hazardous. Release of this Final Report is authorized as verified by the following signature.

Approved by: 

Certifications:
Wisconsin 737053130
Minnesota 055-999-302
Illinois 100317



RECEIVED

JUN 19 2006

SHORT ELLIOTT HENDRICKSON
CHIPPewa FALLS WI



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.enviroscan.usfilter.com

SAMPLE SUMMARY

<u>Lab Id</u>	<u>Client Sample Id</u>	<u>Date/Time</u>	<u>Matrix</u>
0606003-01	MW-1	05/30/06 14:45	Ground Water
0606003-02	MW-2	05/30/06 15:15	Ground Water
0606003-03	MW-3	05/30/06 15:45	Ground Water
0606003-04	MW-4	05/30/06 17:15	Ground Water
0606003-05	MW-5	05/30/06 17:45	Ground Water
0606003-06	PZ-5	05/30/06 18:15	Ground Water
0606003-07	MW-6	05/30/06 16:45	Ground Water
0606003-08	MW-7	05/30/06 16:15	Ground Water
0606003-09	MW-8	05/30/06 18:45	Ground Water
0606003-10	MW-9	05/30/06 14:20	Ground Water
0606003-11	B-5	05/30/06 12:50	Ground Water
0606003-12	B-5A	05/30/06 13:10	Ground Water
0606003-13	B-6	05/30/06 12:05	Ground Water
0606003-14	B-9	05/30/06 11:45	Ground Water
0606003-15	B-11	05/30/06 11:05	Ground Water
0606003-16	B-12	05/30/06 10:35	Ground Water
0606003-17	Large Sump	05/30/06 11:20	Ground Water
0606003-18	West Sump	05/30/06 12:30	Ground Water
0606003-19	MW-5 Dup	05/30/06 17:45	Ground Water
0606003-20	Trip Blank	05/30/06 00:00	Water



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-1

Matrix: Ground Water

Sample Date/Time: 05/30/06 14:45

Lab No. 0606003-01

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	S2H, S1H	06/06/06	MPM
1,2-Dichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-1

Matrix: Ground Water

Sample Date/Time: 05/30/06 14:45

Lab No. 0606003-01

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: KAM

Date Prepared: 06/02/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/06/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/06/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/06/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/06/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/06/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-1

Matrix: Ground Water

Sample Date/Time: 05/30/06 14:45

Lab No. 0606003-01

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8310 Continued</u>								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: KAM</i>					<i>Date Prepared:</i>	<i>06/02/06</i>	
Fluoranthene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-2

Matrix: Ground Water

Sample Date/Time: 05/30/06 15:15

Lab No. 0606003-02

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	S2H, S1H	06/06/06	MPM
1,2-Dichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-2

Matrix: Ground Water

Sample Date/Time: 05/30/06 15:15

Lab No. 0606003-02

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	0.14	ug/L	0.10	0.50	1	J	06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: KAM

Date Prepared: 06/02/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/06/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/06/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/06/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/06/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/06/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-2

Matrix: Ground Water

Sample Date/Time: 05/30/06 15:15

Lab No. 0606003-02

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
EPA 8310 Continued								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: KAM</i>					<i>Date Prepared:</i>	06/02/06	
Fluoranthene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-3

Matrix: Ground Water

Sample Date/Time: 05/30/06 15:45

Lab No. 0606003-03

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	0.61	ug/L	0.20	0.67	1	J	06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: KAM

Date Prepared: 06/02/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/06/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/06/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/06/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/06/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/06/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/06/06	LMP



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-3

Matrix: Ground Water

Sample Date/Time: 05/30/06 15:45

Lab No. 0606003-03

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8310 Continued</u>								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: KAM</i>				<i>Date Prepared:</i>		<i>06/02/06</i>	
Fluoranthene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-3

Matrix: Ground Water

Sample Date/Time: 05/30/06 15:45

Lab No. 0606003-03

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	S2H, S1H	06/06/06	MPM
1,2-Dichloroethane	2.57	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,2-Dichloroethylene	2.55	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-4

Matrix: Ground Water

Sample Date/Time: 05/30/06 17:15

Lab No. 0606003-04

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	S2H, S1H	06/06/06	MPM
1,2-Dichloroethane	0.30	ug/L	0.10	0.50	1	J	06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,2-Dichloroethylene	4.55	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-4

Matrix: Ground Water

Sample Date/Time: 05/30/06 17:15

Lab No. 0606003-04

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	0.22	ug/L	0.10	0.50	1	J	06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	0.30	ug/L	0.10	0.50	1	J	06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: KAM

Date Prepared: 06/02/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1.01		06/06/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1.01		06/06/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1.01		06/06/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1.01		06/06/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1.01		06/06/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1.01		06/06/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1.01	LCH	06/06/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1.01		06/06/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1.01		06/06/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1.01		06/06/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1.01		06/06/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1.01		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-4

Matrix: Ground Water

Sample Date/Time: 05/30/06 17:15

Lab No. 0606003-04

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8310 Continued</u>								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: KAM</i>					<i>Date Prepared:</i>	<i>06/02/06</i>	
Fluoranthene	ND	ug/L	0.120	0.400	1.01		06/06/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1.01		06/06/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1.01		06/06/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1.01		06/06/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1.01		06/06/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1.01		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-5

Matrix: Ground Water

Sample Date/Time: 05/30/06 17:45

Lab No. 0606003-05

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	0.17	ug/L	0.10	0.50	1	J	06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	0.46	ug/L	0.10	0.50	1	J	06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/05/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/06/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/06/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/06/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/06/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Benzo(g,h,i)perylene	0.230	ug/L	0.060	0.200	1		06/06/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/06/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/06/06	LMP



ENVIROSCAN SERVICES
 301 WEST MILITARY ROAD
 ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
 FACSIMILE 715-355-3221
 WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
 421 Frenette Dr
 Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
 REPORT NO. : 0606003
 DATE REC'D : 06/01/06 08:21
 REPORT DATE : 06/14/06 13:55
 PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-5

Matrix: Ground Water

Sample Date/Time: 05/30/06 17:45

Lab No. 0606003-05

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8310 Continued</u>								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>					<i>Date Prepared:</i>	<i>06/05/06</i>	
Fluoranthene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-5

Matrix: Ground Water

Sample Date/Time: 05/30/06 17:45

Lab No. 0606003-05

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	S2H, S1H	06/06/06	MPM
1,2-Dichloroethane	0.29	ug/L	0.10	0.50	1	J	06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,2-Dichloroethylene	5.98	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES ·
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: PZ-5

Matrix: Ground Water

Sample Date/Time: 05/30/06 18:15

Lab No. 0606003-06

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	S2H, S1H	06/06/06	MPM
1,2-Dichloroethane	0.31	ug/L	0.10	0.50	1	J	06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,2-Dichloroethylene	0.21	ug/L	0.20	0.67	1	J	06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: PZ-5

Matrix: Ground Water

Sample Date/Time: 05/30/06 18:15

Lab No. 0606003-06

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	0.14	ug/L	0.10	0.50	1	J	06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/05/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/06/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/06/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/06/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/06/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/06/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: PZ-5

Matrix: Ground Water

Sample Date/Time: 05/30/06 18:15

Lab No. 0606003-06

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8310 Continued</u>								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>					<i>Date Prepared:</i>	<i>06/05/06</i>	
Fluoranthene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-6

Matrix: Ground Water

Sample Date/Time: 05/30/06 16:45

Lab No. 0606003-07

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	S2H, S1H	06/06/06	MPM
1,2-Dichloroethane	0.67	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	0.24	ug/L	0.20	0.67	1	J	06/06/06	MPM
cis-1,2-Dichloroethylene	0.81	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-6

Matrix: Ground Water

Sample Date/Time: 05/30/06 16:45

Lab No. 0606003-07

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	0.21	ug/L	0.10	0.50	1	J	06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/05/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/06/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/06/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/06/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/06/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/06/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-6

Matrix: Ground Water

Sample Date/Time: 05/30/06 16:45

Lab No. 0606003-07

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8310 Continued</u>								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>					<i>Date Prepared:</i>	<i>06/05/06</i>	
Fluoranthene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-7

Matrix: Ground Water

Sample Date/Time: 05/30/06 16:15

Lab No. 0606003-08

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	S2H, S1H	06/06/06	MPM
1,2-Dichloroethane	0.53	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,2-Dichloroethylene	1.38	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-7

Matrix: Ground Water

Sample Date/Time: 05/30/06 16:15

Lab No. 0606003-08

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	0.13	ug/L	0.10	0.50	1	J	06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction By: JEG

Date Prepared: 06/05/06

1-Methylnaphthalene	ND	ug/L	0.082	0.265	1.02		06/06/06	LMP
2-Methylnaphthalene	ND	ug/L	0.112	0.378	1.02		06/06/06	LMP
Acenaphthene	ND	ug/L	0.061	0.204	1.02		06/06/06	LMP
Acenaphthylene	ND	ug/L	0.061	0.204	1.02		06/06/06	LMP
Anthracene	ND	ug/L	0.092	0.306	1.02		06/06/06	LMP
Benzo(a)anthracene	ND	ug/L	0.102	0.337	1.02		06/06/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.068	1.02	LCH	06/06/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.068	1.02		06/06/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.061	0.204	1.02		06/06/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.071	0.238	1.02		06/06/06	LMP
Chrysene	ND	ug/L	0.020	0.068	1.02		06/06/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.112	0.378	1.02		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-7

Matrix: Ground Water

Sample Date/Time: 05/30/06 16:15

Lab No. 0606003-08

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8310 Continued</u>								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>					<i>Date Prepared:</i>	<i>06/05/06</i>	
Fluoranthene	ND	ug/L	0.122	0.408	1.02		06/06/06	LMP
Fluorene	ND	ug/L	0.122	0.408	1.02		06/06/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.122	0.408	1.02		06/06/06	LMP
Naphthalene	ND	ug/L	0.112	0.378	1.02		06/06/06	LMP
Phenanthrene	ND	ug/L	0.112	0.378	1.02		06/06/06	LMP
Pyrene	ND	ug/L	0.102	0.337	1.02		06/06/06	LMP



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-8

Matrix: Ground Water

Sample Date/Time: 05/30/06 18:45

Lab No. 0606003-09

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	S2H, S1H	06/06/06	MPM
1,2-Dichloroethane	0.11	ug/L	0.10	0.50	1	J	06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	0.28	ug/L	0.20	0.67	1	J	06/06/06	MPM
cis-1,2-Dichloroethylene	8.83	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-8

Matrix: Ground Water

Sample Date/Time: 05/30/06 18:45

Lab No. 0606003-09

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	0.19	ug/L	0.10	0.50	1	J	06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	0.22	ug/L	0.10	0.50	1	J	06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	2.66	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	0.16	ug/L	0.15	0.50	1	J	06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/05/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/06/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/06/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/06/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/06/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/06/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-8

Matrix: Ground Water

Sample Date/Time: 05/30/06 18:45

Lab No. 0606003-09

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8310 Continued</u>								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>					<i>Date Prepared:</i>	06/05/06	
Fluoranthene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-9

Matrix: Ground Water

Sample Date/Time: 05/30/06 14:20

Lab No. 0606003-10

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	1.22	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	S1H, S2H	06/06/06	MPM
1,2-Dichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	0.28	ug/L	0.20	0.67	1	J	06/06/06	MPM
cis-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-9

Matrix: Ground Water

Sample Date/Time: 05/30/06 14:20

Lab No. 0606003-10

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	0.30	ug/L	0.10	0.50	1	J	06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/05/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/06/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/06/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/06/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/06/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/06/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/06/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/06/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/06/06	LMP



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-9

Matrix: Ground Water

Sample Date/Time: 05/30/06 14:20

Lab No. 0606003-10

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
EPA 8310 Continued								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>					<i>Date Prepared:</i>	<i>06/05/06</i>	
Fluoranthene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/06/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/06/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/06/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-5

Matrix: Ground Water

Sample Date/Time: 05/30/06 12:50

Lab No. 0606003-11

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	0.58	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	0.22	ug/L	0.15	0.50	1	J	06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	SIH, S2H	06/06/06	MPM
1,2-Dichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	0.24	ug/L	0.20	0.67	1	J	06/06/06	MPM
cis-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-5

Matrix: Ground Water

Sample Date/Time: 05/30/06 12:50

Lab No. 0606003-11

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL, CSH	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	0.66	ug/L	0.10	0.50	1		06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/05/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/07/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/07/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/07/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/07/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/07/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/07/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/07/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/07/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-5

Matrix: Ground Water

Sample Date/Time: 05/30/06 12:50

Lab No. 0606003-11

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8310 Continued</u>								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>					<i>Date Prepared:</i>	<i>06/05/06</i>	
Fluoranthene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/07/06	LMP



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-5A

Matrix: Ground Water

Sample Date/Time: 05/30/06 13:10

Lab No. 0606003-12

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	0.21	ug/L	0.10	0.50	1	J	06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	SIH, S2H	06/06/06	MPM
1,2-Dichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-5A

Matrix: Ground Water

Sample Date/Time: 05/30/06 13:10

Lab No. 0606003-12

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL, CSH	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	0.36	ug/L	0.10	0.50	1	J	06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/05/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/07/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/07/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/07/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/07/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/07/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/07/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/07/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/07/06	LMP



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-5A

Matrix: Ground Water

Sample Date/Time: 05/30/06 13:10

Lab No. 0606003-12

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
EPA 8310 Continued								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>					<i>Date Prepared:</i>	<i>06/05/06</i>	
Fluoranthene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/07/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-6

Matrix: Ground Water

Sample Date/Time: 05/30/06 12:05

Lab No. 0606003-13

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	SIH, S2H	06/06/06	MPM
1,2-Dichloroethane	0.20	ug/L	0.10	0.50	1	J	06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	0.20	ug/L	0.10	0.50	1	J	06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,2-Dichloroethylene	0.34	ug/L	0.20	0.67	1	J	06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-6

Matrix: Ground Water

Sample Date/Time: 05/30/06 12:05

Lab No. 0606003-13

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL, CSH	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	0.33	ug/L	0.10	0.50	1	J	06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/05/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/07/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/07/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/07/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/07/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/07/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/07/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/07/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/07/06	LMP



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-6

Matrix: Ground Water

Sample Date/Time: 05/30/06 12:05

Lab No. 0606003-13

EPA 8310 Continued

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared:

06/05/06

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
Fluoranthene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/07/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-9

Matrix: Ground Water

Sample Date/Time: 05/30/06 11:45

Lab No. 0606003-14

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	S1H, S2H	06/06/06	MPM
1,2-Dichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	0.49	ug/L	0.20	0.67	1	J	06/06/06	MPM
cis-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-9

Matrix: Ground Water

Sample Date/Time: 05/30/06 11:45

Lab No. 0606003-14

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
EPA 8260B Continued								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL, CSH	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	1.49	ug/L	0.10	0.50	1		06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/05/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/07/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/07/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/07/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/07/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/07/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/07/06	LMP
Chrysene	0.090	ug/L	0.020	0.067	1		06/07/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/07/06	LMP



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-9

Matrix: Ground Water

Sample Date/Time: 05/30/06 11:45

Lab No. 0606003-14

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8310 Continued								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>				<i>Date Prepared:</i>		<i>06/05/06</i>	
Fluoranthene	0.157	ug/L	0.120	0.400	1	J	06/07/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/07/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-11

Matrix: Ground Water

Sample Date/Time: 05/30/06 11:05

Lab No. 0606003-15

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	SIH, S2H	06/06/06	MPM
1,2-Dichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,2-Dichloroethylene	0.95	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-11

Matrix: Ground Water

Sample Date/Time: 05/30/06 11:05

Lab No. 0606003-15

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL, CSH	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	0.56	ug/L	0.10	0.50	1		06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	0.69	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/05/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/07/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/07/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/07/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	LCH	06/07/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/07/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/07/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/07/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/07/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/07/06	LMP



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-11

Matrix: Ground Water

Sample Date/Time: 05/30/06 11:05

Lab No. 0606003-15

EPA 8310 Continued

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared:

06/05/06

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
Fluoranthene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/07/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/07/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/07/06	LMP



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-12

Matrix: Ground Water

Sample Date/Time: 05/30/06 10:35

Lab No. 0606003-16

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,1-Dichloroethylene	0.15	ug/L	0.15	0.50	1	J	06/06/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/06/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/06/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/06/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/06/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1	S1H, S2H	06/06/06	MPM
1,2-Dichloroethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/06/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL, S1L, S2L	06/06/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/06/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Chloromethane	0.26	ug/L	0.20	0.67	1	J	06/06/06	MPM
cis-1,2-Dichloroethylene	7.64	ug/L	0.20	0.67	1		06/06/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-12

Matrix: Ground Water

Sample Date/Time: 05/30/06 10:35

Lab No. 0606003-16

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSL, CSH	06/06/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/06/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/06/06	MPM
Methyl-tert-Butyl Ether	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1		06/06/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/06/06	MPM
Tetrachloroethene	0.21	ug/L	0.10	0.50	1	J	06/06/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/06/06	MPM
trans-1,2-Dichloroethylene	0.14	ug/L	0.10	0.50	1	J	06/06/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/06/06	MPM
Trichloroethene	2.11	ug/L	0.20	0.67	1		06/06/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1		06/06/06	MPM
Vinyl chloride	0.26	ug/L	0.15	0.50	1	J	06/06/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/06/06

1-Methylnaphthalene	ND	ug/L	0.082	0.265	1.02		06/10/06	LMP
2-Methylnaphthalene	ND	ug/L	0.112	0.378	1.02		06/10/06	LMP
Acenaphthene	ND	ug/L	0.061	0.204	1.02		06/10/06	LMP
Acenaphthylene	ND	ug/L	0.061	0.204	1.02		06/10/06	LMP
Anthracene	ND	ug/L	0.092	0.306	1.02		06/10/06	LMP
Benzo(a)anthracene	ND	ug/L	0.102	0.337	1.02		06/10/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.068	1.02	CSL, LCL	06/10/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.068	1.02		06/10/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.061	0.204	1.02		06/10/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.071	0.238	1.02		06/10/06	LMP
Chrysene	ND	ug/L	0.020	0.068	1.02		06/10/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.112	0.378	1.02		06/10/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: B-12

Matrix: Ground Water

Sample Date/Time: 05/30/06 10:35

Lab No. 0606003-16

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
EPA 8310 Continued								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>					<i>Date Prepared:</i>	<i>06/06/06</i>	
Fluoranthene	ND	ug/L	0.122	0.408	1.02		06/10/06	LMP
Fluorene	ND	ug/L	0.122	0.408	1.02		06/10/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.122	0.408	1.02		06/10/06	LMP
Naphthalene	ND	ug/L	0.112	0.378	1.02		06/10/06	LMP
Phenanthrene	ND	ug/L	0.112	0.378	1.02		06/10/06	LMP
Pyrene	ND	ug/L	0.102	0.337	1.02		06/10/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: **Large Sump**

Matrix: **Ground Water**

Sample Date/Time: **05/30/06 11:20**

Lab No. **0606003-17**

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/07/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/07/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1	CSH	06/07/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/07/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/07/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/07/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/07/06	MPM
1,2-Dichloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/07/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL	06/07/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/07/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/07/06	MPM
cis-1,2-Dichloroethylene	1.67	ug/L	0.20	0.67	1		06/07/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: Large Sump

Matrix: Ground Water

Sample Date/Time: 05/30/06 11:20

Lab No. 0606003-17

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSH	06/07/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/07/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/07/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/07/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/07/06	MPM
Methyl-tert-Butyl Ether	1.01	ug/L	0.10	0.50	1		06/07/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1	CSH	06/07/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/07/06	MPM
trans-1,2-Dichloroethylene	0.14	ug/L	0.10	0.50	1	J	06/07/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Trichloroethene	0.95	ug/L	0.20	0.67	1		06/07/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1	CSH	06/07/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/07/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/06/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/10/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/10/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/10/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/10/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/10/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/10/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	CSL, LCL	06/10/06	LMP
Benzo(b)fluoranthene	ND	ug/L	0.020	0.067	1		06/10/06	LMP
Benzo(g,h,i)perylene	ND	ug/L	0.060	0.200	1		06/10/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/10/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/10/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/10/06	LMP



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: **Large Sump**

Matrix: **Ground Water**

Sample Date/Time: **05/30/06 11:20**

Lab No. **0606003-17**

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8310 Continued</u>								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>		<i>Date Prepared: 06/06/06</i>					
Fluoranthene	ND	ug/L	0.120	0.400	1		06/10/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/10/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/10/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/10/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/10/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/10/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: **West Sump**

Matrix: **Ground Water**

Sample Date/Time: **05/30/06 12:30**

Lab No. **0606003-18**

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSH	06/07/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/07/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/07/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/07/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/07/06	MPM
Methyl-tert-Butyl Ether	0.32	ug/L	0.10	0.50	1	J	06/07/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1	CSH	06/07/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/07/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1	CSH	06/07/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/07/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/06/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/10/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/10/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/10/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/10/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/10/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/10/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	CSL, LCL	06/10/06	LMP
Benzo(b)fluoranthene	0.095	ug/L	0.020	0.067	1		06/10/06	LMP
Benzo(g,h,i)perylene	0.065	ug/L	0.060	0.200	1	J	06/10/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/10/06	LMP
Chrysene	0.143	ug/L	0.020	0.067	1		06/10/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/10/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: West Sump

Matrix: Ground Water

Sample Date/Time: 05/30/06 12:30

Lab No. 0606003-18

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/07/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/07/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1	CSH	06/07/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/07/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/07/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/07/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/07/06	MPM
1,2-Dichloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/07/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL	06/07/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/07/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Chloromethane	0.22	ug/L	0.20	0.67	1	J	06/07/06	MPM
cis-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: West Sump

Matrix: Ground Water

Sample Date/Time: 05/30/06 12:30

Lab No. 0606003-18

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8310 Continued</u>								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>				<i>Date Prepared:</i>		<i>06/06/06</i>	
Fluoranthene	0.162	ug/L	0.120	0.400	1	J	06/10/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/10/06	LMP
Indeno(1,2,3-cd)pyrene	0.120	ug/L	0.120	0.400	1	J	06/10/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/10/06	LMP
Phenanthrene	0.116	ug/L	0.110	0.370	1	J	06/10/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/10/06	LMP



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-5 Dup

Matrix: Ground Water

Sample Date/Time: 05/30/06 17:45

Lab No. 0606003-19

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/07/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/07/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1	CSH	06/07/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/07/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/07/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/07/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/07/06	MPM
1,2-Dichloroethane	0.24	ug/L	0.10	0.50	1	J	06/07/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/07/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL	06/07/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/07/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/07/06	MPM
cis-1,2-Dichloroethylene	5.49	ug/L	0.20	0.67	1		06/07/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-5 Dup

Matrix: Ground Water

Sample Date/Time: 05/30/06 17:45

Lab No. 0606003-19

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSH	06/07/06	MPM
Ethylbenzene	0.11	ug/L	0.10	0.50	1	J	06/07/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/07/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/07/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/07/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/07/06	MPM
Methyl-tert-Butyl Ether	0.18	ug/L	0.10	0.50	1	J	06/07/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1	CSH	06/07/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/07/06	MPM
trans-1,2-Dichloroethylene	0.48	ug/L	0.10	0.50	1	J	06/07/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1	CSH	06/07/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/07/06	MPM

EPA 8310

Prep Method: Method 3510C Liquid Extraction

By: JEG

Date Prepared: 06/06/06

1-Methylnaphthalene	ND	ug/L	0.080	0.260	1		06/10/06	LMP
2-Methylnaphthalene	ND	ug/L	0.110	0.370	1		06/10/06	LMP
Acenaphthene	ND	ug/L	0.060	0.200	1		06/10/06	LMP
Acenaphthylene	ND	ug/L	0.060	0.200	1		06/10/06	LMP
Anthracene	ND	ug/L	0.090	0.300	1		06/10/06	LMP
Benzo(a)anthracene	ND	ug/L	0.100	0.330	1		06/10/06	LMP
Benzo(a)pyrene	ND	ug/L	0.020	0.067	1	CSL, LCL	06/10/06	LMP
Benzo(b)fluoranthene	0.025	ug/L	0.020	0.067	1	J	06/10/06	LMP
Benzo(g,h,i)perylene	0.170	ug/L	0.060	0.200	1	J	06/10/06	LMP
Benzo(k)fluoranthene	ND	ug/L	0.070	0.233	1		06/10/06	LMP
Chrysene	ND	ug/L	0.020	0.067	1		06/10/06	LMP
Dibenzo(a,h)anthracene	ND	ug/L	0.110	0.370	1		06/10/06	LMP



A Siemens Business

ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: MW-5 Dup

Matrix: Ground Water

Sample Date/Time: 05/30/06 17:45

Lab No. 0606003-19

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<u>EPA 8310 Continued</u>								
<i>Prep Method: Method 3510C Liquid Extraction</i>	<i>By: JEG</i>					<i>Date Prepared:</i>	<i>06/06/06</i>	
Fluoranthene	ND	ug/L	0.120	0.400	1		06/10/06	LMP
Fluorene	ND	ug/L	0.120	0.400	1		06/10/06	LMP
Indeno(1,2,3-cd)pyrene	ND	ug/L	0.120	0.400	1		06/10/06	LMP
Naphthalene	ND	ug/L	0.110	0.370	1		06/10/06	LMP
Phenanthrene	ND	ug/L	0.110	0.370	1		06/10/06	LMP
Pyrene	ND	ug/L	0.100	0.330	1		06/10/06	LMP



ENVIROSCAN SERVICES ·
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: Trip Blank

Matrix: Water

Sample Date/Time: 05/30/06 0:00

Lab No. 0606003-20

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
EPA 8260B								
1,1,1,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,1,1-Trichloroethane	ND	ug/L	0.20	0.67	1		06/07/06	MPM
1,1,2,2-Tetrachloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,1,2-Trichloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,1-Dichloroethane	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,1-Dichloroethylene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,1-Dichloropropylene	ND	ug/L	0.30	1.00	1		06/07/06	MPM
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.70	1	CSH	06/07/06	MPM
1,2,3-Trichloropropane	ND	ug/L	0.55	1.80	1		06/07/06	MPM
1,2,4-Trichlorobenzene	ND	ug/L	0.50	1.70	1		06/07/06	MPM
1,2,4-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,2-Dibromo-3-chloropropane	ND	ug/L	0.35	1.17	1		06/07/06	MPM
1,2-Dibromoethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,2-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/07/06	MPM
1,2-Dichloroethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,3,5-Trimethylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,3-Dichlorobenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
1,3-Dichloropropane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
1,4-Dichlorobenzene	ND	ug/L	0.75	2.50	1		06/07/06	MPM
2,2-Dichloropropane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
2-Chlorotoluene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
4-Chlorotoluene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
4-Isopropyltoluene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Benzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
Bromobenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Bromochloromethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Bromodichloromethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Bromoform	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Bromomethane	ND	ug/L	0.15	0.50	1	CSL	06/07/06	MPM
Butylbenzene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Carbon Tetrachloride	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Chlorobenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Chloroethane	ND	ug/L	0.60	2.00	1		06/07/06	MPM
Chloroform	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Chloromethane	ND	ug/L	0.20	0.67	1		06/07/06	MPM
cis-1,2-Dichloroethylene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
cis-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226
FACSIMILE 715-355-3221
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Short Elliott Henderickson (Chipp Falls)
421 Frenette Dr
Chippewa Falls, WI 54729

PROJECT NO. : ANERUB0502.00 Chilton
REPORT NO. : 0606003
DATE REC'D : 06/01/06 08:21
REPORT DATE : 06/14/06 13:55
PREPARED BY : JRS

Attn: John Guhl

Sample ID: Trip Blank

Matrix: Water

Sample Date/Time: 05/30/06 0:00

Lab No. 0606003-20

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8260B Continued</u>								
Dibromochloromethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Dibromomethane	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Dichlorodifluoromethane	ND	ug/L	0.25	0.83	1	CSH	06/07/06	MPM
Ethylbenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/07/06	MPM
Isopropylbenzene (Cumene)	ND	ug/L	0.10	0.50	1		06/07/06	MPM
m,p-Xylenes	ND	ug/L	0.40	1.30	1		06/07/06	MPM
Methylene Chloride	ND	ug/L	0.40	1.30	1		06/07/06	MPM
Methyl-tert-Butyl Ether	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Naphthalene	ND	ug/L	1.00	3.30	1	CSH	06/07/06	MPM
o-Xylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Propylbenzene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
sec-Butylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
Styrene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
tert-Butylbenzene	ND	ug/L	0.15	0.50	1		06/07/06	MPM
Tetrachloroethene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Toluene	ND	ug/L	0.40	1.30	1		06/07/06	MPM
trans-1,2-Dichloroethylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
trans-1,3-Dichloropropylene	ND	ug/L	0.10	0.50	1		06/07/06	MPM
Trichloroethene	ND	ug/L	0.20	0.67	1		06/07/06	MPM
Trichlorofluoromethane	ND	ug/L	0.20	0.67	1	CSH	06/07/06	MPM
Vinyl chloride	ND	ug/L	0.15	0.50	1		06/07/06	MPM



ENVIROSCAN SERVICES
301 WEST MILITARY ROAD
ROTHSCHILD, WI 54474

TELEPHONE
FACSIMILE
WEBSITE

800-338-7226
715-355-3221
www.enviroscan.usfilter.com

A Siemens Business

Qualifer Descriptions

S2L	Second sample matrix spike recovery was low.
S2H	Second sample matrix spike recovery was high.
S1L	First sample matrix spike recovery was low.
S1H	First sample matrix spike recovery was high.
LCL	Laboratory control sample exhibited a low bias. Sample results may also be biased low.
LCH	Laboratory control sample exhibited a high bias. Sample results may also be biased high.
J	Estimated concentration below laboratory quantitation level.
CSL	Check standard for this analyte exhibited a low bias. Sample results may also be biased low.
CSH	Check standard for this analyte exhibited a high bias. Sample results may also be biased high.

Definitions

LOD = Limit of Detection (Dilution Corrected)
LOQ = Limit of Quantitation (Dilution Corrected)
ND = Not Detected
COMP = Complete
SUBCON = Subcontracted analysis
mv = millivolts
pci/L = picocurie per Liter
mL/L = milliliters/Liter
mg = milligram

ug/l = Microgram per Liter = parts per billion (ppb)
ug/kg = Microgram per kilogram = parts per billion (ppb)
mg/l = Milligram per liter parts per million (ppm)
mg/kg = Milligram per kilogram parts per million (ppm)
NOT PRES = Not Present
ppth = Parts per thousand
* = Result outside established limits.
mg/m³ = Milligrams/ meter cubed
ng/L = Nanograms per Liter = Parts per trillion (ppt)
> = Greater Than

When the word "dry" follows the units on the result page the sample results are dry weight corrected.

LODs and LOQs are dry weight corrected for all soils except methanol and methylene chloride preserved soils.

REQUEST FOR SERVICES



A Siemens Business

ENVIROSCAN SERVICES

301 W. MILITARY RD.

ROTHSCHILD, WI 54474

1-800-338-SCAN

REPORT TO:

Name: John Gohl
 Company: SEIT
 Address: 421 Frenette Drive
Chippewa Falls, WI 54729
 Phone: (715) 720.6225
 P.O.# _____
 Project # ANERUB0502.00 Quote # _____
 Location Chilton

BILL TO: (if different from Report To info)

Name: SAME
 Company: _____
 Address: _____
 Phone: (_____) _____

ANALYTICAL REQUESTS

(use separate sheet if necessary)

- Sample Type**
 (Check all that apply)
- Groundwater
 - Wastewater
 - Soil/Solid
 - Drinking Water
 - Oil
 - Vapor
 - Other
- Turnaround Time**
- Normal
 - Rush (Pre-approved by Lab)
- Date Needed _____
 Approved By _____
- 06 06 03

LAB USE ONLY		DATE	TIME	No. of Containers	SAMPLE ID	ANALYTICAL REQUESTS				REMARKS
				COMP	GRAB	VOC	PAH			
-1	530-06	2:45		4	MW-1					
-2		3:15			MW-2					
-3		3:45			MW-3					
-4		5:15			MW-4					
-5		5:45		✓	MW-5					
-6		6:15		4	PZ-5					
-7		4:45		4	MW-6					
-8		4:15			MW-7					
-9		6:45			MW-8					
-10		2:20		✓	MW-9					

PZ-60

VOC

PAH

3 vials w/HCl
1 + 2 - unpro anal.

CHAIN OF CUSTODY RECORD

SAMPLERS: (Signature) [Signature]

RELINQUISHED BY: (Signature) <u>[Signature]</u>	DATE/TIME 5-31-06 12:00	RECEIVED BY: (Signature) <u>[Signature]</u>
RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED BY: (Signature)
RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED FOR LABORATORY BY: (Signature) <u>[Signature]</u>

Del'v: Hand Comm Comm

Ship. Cont. OK Y N N/A

Samples leaking? Y N N/A

Seals OK? Y N N/A

Rec'd on ice? Y N N/A 22°C

Comments: verified method w/ client.

out

DATE/TIME
0-1-06 | 8:21

REQUEST FOR SERVICES



A Siemens Business

ENVIROSCAN SERVICES 301 W. MILITARY RD. ROTHSCCHILD, WI 54474 1-800-338-SCAN

REPORT TO:

Name: John Guhl
 Company: SEH
 Address: 421 Frenette Dr.
Chippewa Falls, WI 54729
 Phone: (715) 720-6225
 P.O.# _____
 Project # ANERUB0502.00 Quote # _____
 Location Chilton

BILL TO: (if different from Report To info)

Name: SAME
 Company: _____
 Address: _____
 Phone: (____) _____

ANALYTICAL REQUESTS

(use separate sheet if necessary)

- Sample Type**
 (Check all that apply)
- Groundwater
 - Wastewater
 - Soil/Solid
 - Drinking Water
 - Oil
 - Vapor
 - Other
- Turnaround Time**
- Normal
 - Rush (Pre-approved by Lab)
- Date Needed _____
 Approved By _____

0606003

LAB USE ONLY		DATE	TIME	No. of Containers		SAMPLE ID	REMARKS	
				COMP	GRAB			
	-11	5-30-06	12:50		4	B-5	VOC PAH	
	-12		1:10		1	B-5A		
	-13		12:05		1	B-6		
	-14		11:45		1	B-9		
	-15		11:05		1	B-11		
	-16		10:35		1	B-12		
	-17		11:20		1	Large Sump		
	-18		12:30		1	West Sump		
	-19	✓	5:45		6	MW-5 Dup	QA/QC	
	-20	—	—		2	Trip Blank		

TB112 4-7-06

CHAIN OF CUSTODY RECORD

SAMPLERS: (Signature) [Signature]

RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED BY: (Signature)
<u>[Signature]</u>	5-31-06 12:00	
RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED BY: (Signature)
RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED FOR LABORATORY BY: (Signature)
		<u>[Signature]</u>

Del'v: Hand Comm (Y) N/A
 Ship. Cont. OK (Y) N/A
 Samples leaking? (Y) N/A
 Seals OK? (Y) N/A
 Rec'd on ice? (Y) N/A

Comments: _____

DATE/TIME
 6-1-06 18:21