



Additional Site Investigation Report

Former Mirro Plant #20

Chilton, Wisconsin

WDNR BRRTS Nos. 06-08-426946, 02-08-520157, and
07-08-402366

SEH No. A-NERUB0502.01

September 2008



Multidisciplined. Single Source.
Trusted solutions for more than 75 years.



September 22, 2008

RE: Former Mirro Plant #20
Additional Site Investigation Report
Chilton, Wisconsin
WDNR BRRTS Nos. 06-08-426946,
02-08-520157, and 07-08-402366
SEH No. A-NERUB0502.01

Mr. Alan Nass, Hydrogeologist
Wisconsin Department of Natural Resources
2984 Shawano Drive
P.O. Box 10448
Green Bay, WI 54313

Dear Mr. Nass:

On behalf of Newell Rubbermaid Inc. (Newell), Short Elliott Hendrickson Inc. (SEH[®]) is submitting this Additional Site Investigation Report documenting the results of additional site investigation activities performed at the former Mirro Plant #20 facility located at 44 Walnut Street in Chilton, Wisconsin. Environmental investigation of the site has been ongoing since 2001. SEH began environmental investigation of the site in 2005, and submitted a Site Investigation (SI) Report to Wisconsin Department of Natural Resources (WDNR) in August 2006.

Based on subsequent discussions with WDNR, SEH prepared an Additional SI Work Plan. A modified work plan based on WDNR review comments was submitted to WDNR on October 30, 2007. The modified work plan was implemented during completion of the additional SI.

Please contact me at 920.452.6603 or Mr. Louis Meschede, Director, Global Sustainability and Environment for Newell at 630.481.1665 if you have any questions or comments regarding the contents of this report.

Sincerely,

A handwritten signature in blue ink that reads "F. Jason Martin".

F. Jason Martin, PE
Project Manager

JEG/lS/FJM/BKO

p:\ko\in\nerub\050201\feb08 as\additional si report draft29aug08.doc


Additional Site Investigation Report

Former Mirro Plant #20
Chilton, Wisconsin
WDNR BRRTS Nos. 06-08-426946, 02-08-520157, and 07-08-402366

Prepared for:
Newell Rubbermaid Inc.
Oak Brook, Illinois

Prepared by:
Short Elliott Hendrickson Inc.
809 North 8th Street, Suite 205
Sheboygan, WI 53081-4032
920.452.6603

I, John E. Guhl, PG, hereby certify that I am a Hydrogeologist as that term is defined in s. NR 712.03(1) Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.


John E. Guhl, PG
Hydrogeologist

120-013
PG Number

9-19-08
Date

I, F. Jason Martin, PE, hereby certify that I am a registered professional engineer in the State of Wisconsin, registered in accordance with the requirements of ch. A-E 4, Wis. Adm. Code; that this document has been prepared in accordance with the Rules of Professional Conduct in ch. A-E 8, Wis. Adm. Code; and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.


F. Jason Martin, PE
Project Manager

32714
PE Number

9/22/08
Date

Distribution List

No. of Copies	Sent to
1	Alan Nass, Hydrogeologist Wisconsin Department of Natural Resources 2984 Shawano Avenue Green Bay, WI 54313
1	Louis Mechede Newell Rubbermaid Inc. 2707 Butterfield Road Suite 100 Oak Brook, IL 60523
1	Arthur Garcia Newell Rubbermaid Inc. 29 East Stephenson Street Freeport, IL 61032
1 (electronic)	Hudson Green Patriot Environmental Management, LLC. PO Box 629 Douglassville, PA 19518

Executive Summary

The Mirro Company manufactured aluminum and steel cookware products from the 1920's until 2001 at their former Plant #20 Facility located at 44 Walnut Street in Chilton, Wisconsin. Environmental activities have occurred at the site since the 1990s, including underground storage tank removals, asbestos surveys, Phase I and II environmental assessments, and site investigations. Based on previous environmental findings, the site was entered into the Wisconsin Voluntary Party Liability Exemption (VPLE) program in 2002.

In 2006, Short Elliott Hendrickson Inc. (SEH[®]) completed an environmental site investigation (SI) at the site. In August 2006 SEH submitted a SI Report to the Wisconsin Department of Natural Resources (WDNR) presenting the findings of the study. Results of SI are summarized below:

- Vinyl chloride (VC) and Trichloroethylene (TCE) were detected in select groundwater samples at concentrations exceeding their respective groundwater enforcement standard (ES) concentrations.
- Arsenic detected in several soil samples exceeding the Residual Contaminant Level (RCL).
- Several polynuclear aromatic hydrocarbons (PAHs) were detected in select soil samples above their respective suggested RCL.
- A floating free-phase oily liquid was present in a basement sump.

Based on the results of the SI, the WDNR requested additional investigation activities be conducted at the site. During February through May 2008, the following investigative activities were completed:

- Installation of one monitoring well and two piezometers. Collection and analysis of two soil samples for volatile organic compounds (VOCs), PAHs, and metals from just above groundwater table during installation of the piezometers.
- Collection and analysis of eleven soil samples for arsenic (near previous detections).
- Collection and analysis of two soil samples near site transformer pad for PCBs .
- Collection and analysis of two additional rounds of groundwater samples from site monitoring wells and basement sump.

Results of the 2008 SI are summarized as following:

- Arsenic was measured in soil samples collected within the areas of investigation at concentrations exceeding the generic RCL for industrial sites, but lower than previously measured.
- No PCBs were identified in soil samples collected adjacent to the transformer pad.
- Groundwater flow direction remains generally to the north at the site. TCE, VE, and chrysene were measured above ESs in groundwater samples collected hydraulically side gradient and up gradient of the facility.
- No compounds were detected in groundwater samples collected from monitoring points down gradient of the facility or from the basement sumps at concentrations exceeding their respective ES concentrations

SEH believes no additional environmental investigation of the site is warranted. SEH recommends the isolated areas of elevated arsenic concentrations identified at well MW-3 and boring SB-4 -be excavated and removed, if possible during well abandonment at the site. The site should then be closed with a WDNR GIS Registry entry addressing the low-level groundwater contaminants.

Table of Contents

Letter of Transmittal
Certification Page
Distribution List
Executive Summary
Table of Contents

	Page
1.0 Introduction.....	1
1.1 List of Contacts.....	1
1.1.1 Responsible Party Information.....	1
1.1.2 Regulator Information.....	1
1.1.3 Consultant Information	1
2.0 Background.....	2
3.0 Physiographical and Geological Setting	3
3.1 Topography/Surface Drainage.....	3
3.2 Geology.....	3
3.2.1 Regional Geology	3
3.2.2 Local Geology.....	3
3.3 Hydrogeology	4
3.3.1 Regional Hydrogeology.....	4
3.3.2 Local Hydrogeology	4
4.0 Potential Migration Pathways and Receptors.....	5
5.0 Additional Site Investigation.....	5
5.1 Monitoring Well and Piezometer Installation, and Shallow Soil Sampling	5
5.2 Soil Sample Collection for Arsenic Analysis.....	6
5.3 Soil Sample Collection for Polychlorinated Biphenyl Analysis.....	6
5.4 Shallow Soil Sample Collection	6
5.5 Groundwater Sample Collection	6
5.6 Analytical Sample Handling and Transport.....	7
6.0 Additional Investigation Results.....	7
6.1 Soil Sample Arsenic Analytical Results.....	7
6.2 Soil Sample Polychlorinated Biphenyl Analytical Results.....	7
6.3 Shallow Soil Sample Analytical Results	7
6.4 Groundwater Analytical Results.....	8
7.0 Conclusions and Recommendations	8
8.0 Standard of Care	9
9.0 References	10

Table of Contents (Continued)

List of Tables

- | | |
|---------|--|
| Table 1 | Arsenic Soil Samples- Former Mirro Plant #20 |
| Table 2 | PCBs in Soil - Former Mirro Plant #20 |
| Table 3 | Volatile Organic Compounds, Semivolatile Organics and Metals in Soil |
| Table 4 | Groundwater Analytical Results |

List of Figures

- | | |
|----------|-----------------------------------|
| Figure 1 | Site Location |
| Figure 2 | Sampling Locations |
| Figure 3 | Groundwater Flow Map, 2/18/2008 |
| Figure 4 | Groundwater Flow Map, 5/21/2008 |
| Figure 5 | Groundwater Concentration Summary |

List of Appendices

- | | |
|------------|--------------------|
| Appendix A | Well Documentation |
| Appendix B | Analytical Results |

Additional Site Investigation Report

Former Mirro Plant #20

Prepared for Newell Rubbermaid Inc.

1.0 Introduction

On behalf of Newell Rubbermaid Inc. (Newell), Short Elliott Hendrickson Inc. (SEH[®]) is submitting this Additional Site Investigation (SI) Report to the Wisconsin Department of Natural Resources (WDNR) for the former Mirro Plant #20 facility (site) located at 44 Walnut Street in Chilton, Wisconsin (BRRTS #06-08-426946, #02-08-520157, and #07-08-402366). The site is located in the NW ¼ of Section 18, T18N, R20E in Calumet County, Wisconsin as shown on Figure 1, “Site Location.” This report documents the findings of additional SI activities conducted at the site from February through May, 2008.

1.1 List of Contacts

1.1.1 Responsible Party Information

Louis Meschede, Director, Global Sustainability and Environment
Newell Rubbermaid Inc.
2707 Butterfield Road, Suite 100
Oak Brook, IL 60523
630.481.1665

1.1.2 Regulator Information

Alan Nass, Hydrogeologist
Wisconsin Department of Natural Resources
2984 Shawano Avenue
Green Bay, WI 54313
920.662.5161

1.1.3 Consultant Information

F. Jason Martin, PE, Project Manager
Short Elliott Hendrickson Inc.
809 North 8th Street, Suite 205
Sheboygan, WI 53081-4032
920.452.6603

2.0 Background

Manufacturing activities at the former Mirro site consisted of production of aluminum, stainless steel, and steel cookware and bakeware products beginning in the 1920's and ending in 2001. Process operations historically included metal stamping, buffing, tin dipping, parts washing, welding, and applying spray-on coatings. Several different owners operated the facility during this timeframe. The site has since been vacated by Mirro, and is now occupied by a firm utilizing the warehouse space for storage of agricultural products, and by a machine shop located in the southeast portion of the building. The basement of the building is typically vacant, although it is used for additional storage of agricultural products when the space is needed.

Several potential environmental concerns have historically been identified at the site, and have been the subject of previous environmental work at the site. The previously investigated environmental concerns include former underground storage tanks (USTs) and above-ground storage tanks (ASTs) operated at the site and since removed, the presence of asbestos containing materials, water discharges to the Manitowoc River, and various manufacturing process practices.

Past environmental activities performed at the site include:

- An asbestos inspection in 1990, and subsequent implementation of an asbestos containing materials maintenance plan for the facility.
- A Phase I Environmental Site Assessment (ESA) of the facility performed in 2001 by Envirogen, Inc.
- A Phase II ESA of the facility performed in 2002 by TEMCO.
- A SI of the facility performed by SEH in 2006.

The site was entered into the Voluntary Party Liability Exemption (VPLE) program in 2002 when the property was sold by Newell to Floor Space Development LLC. Subsequent environmental activities have been performed in compliance with the VPLE program and regulated by the WDNR.

Upon receipt of SEH's 2006 SI report, WDNR requested additional investigation to address the following remaining environmental concerns:

- Assess deeper groundwater conditions up gradient of the site below the shallow groundwater surface.
- Provide additional groundwater and soils data down gradient of the site building.
- Provide two additional rounds of groundwater analytical data from the site.
- Assess extent of elevated arsenic concentrations previously identified at two locations on the west side of the facility building.

-
- Assess staining adjacent to a transformer pad on the west side of the facility building for potential polychlorinated biphenyl (PCB) contamination.

An Additional Investigation Work Plan was prepared by SEH to address these remaining concerns, and was submitted to WDNR on October 30, 2007. The following sections describe SEH's additional investigation of the site.

3.0 Physiographical and Geological Setting

Section 3.0 summarizes the physiographical and geological setting of the site, including topography, drainage, regional and local geology, and regional and local hydrogeology.

3.1 Topography/Surface Drainage

The topography of the site and vicinity is relatively flat. The area generally slopes to the west and northwest toward the Manitowoc River, which flows along the west and northwest site property line. Surface water at the site is generally expected to drain to the Manitowoc River. Surface elevation at the site is approximately 860 feet above mean sea level (MSL), as presented on Figure 1.

3.2 Geology

Geological conditions at and near the site are summarized in the following Sections 3.2.1 and 3.2.2.

3.2.1 Regional Geology

The Chilton area is underlain by glacial ground moraine deposits comprised of unstratified clays, silts, sand, gravel, and boulders (Skinner, 1973). Thickness of unconsolidated deposits in the Chilton area is generally less than 50 feet (Skinner, 1973). Silurian aged dolomite bedrock underlies the unconsolidated deposits in the Chilton area (Ostrom, 1981). The Silurian dolomites are typically several hundred feet thick in Calumet County, and are underlain by the Ordovician aged Maquoketa Shale, which separates the Silurian deposits from a thick sequence of Ordovician and Cambrian aged sandstones and dolomites.

3.2.2 Local Geology

According to the United States Department of Agriculture (USDA), Natural Resources Conservation Service (NRCS) publication "Soil Survey of Calumet and Manitowoc Counties, Wisconsin (1980)," site soils have been classified as Lamartine (LmA) silt loam and Manawa (MbA) silt loam in the upper 20 inches of the soil profile. Generally, the LmA soils are located on the southern portion of the site, and the MbA soils are located on the northern portion of the site. These gently sloping, somewhat poorly drained soils form 0 to 3 percent slopes generally in drainage ways or in till plains. The surficial layer (0 to 8 inches) generally consists of very dark brown to grayish-brown soils underlain by yellowish-brown to reddish-brown soils with depth. Permeability of these soils is moderate to slow.

The drilling program performed by SEH at the site has provided subsurface information at the site to a depth of 30 feet below ground surface (maximum depth penetrated to-date during site investigation activities). The soils at each boring location were classified in accordance with the Unified Soil Classification System (USCS). Fill soils consisting of sands with some gravels, gravels, and clays were encountered to depths ranging from 4.5 feet to 8 feet below ground surface in the area of investigation. On the northern and western portions of the site, and beneath the site building, the fill soils are underlain by layers of sand and silty sand (likely alluvial deposits). Soils underlying the fill on the southern and eastern portions of the site consist of lean clays and silts. At the PZ-9 location, the lean clay soils are underlain by layers of sand and silty sand below 15 feet. Bedrock was not encountered during the subsurface investigation activities.

3.3 Hydrogeology

Hydrogeological conditions at and near the site are summarized in the following Sections 3.3.1 and 3.3.2.

3.3.1 Regional Hydrogeology

Zaporozec and Cotter (1985) include the Chilton area in the “Eastern Drift – Paleozoic Hydrogeologic District.” This district is typified by a deep high-capacity Cambrian and Ordovician sandstone aquifer and a shallower Silurian dolomite aquifer separated by the Maquoketa shale confining layer. The dolomite aquifer is the primary municipal water supply aquifer in the eastern portion of the district (in the site vicinity). Sand and Gravel aquifers in the district are quite discontinuous, and are typically used as the primary source of water where these deposits are present in buried bedrock valleys.

3.3.2 Local Hydrogeology

3 piez

4 piez

A total of ten monitoring wells and three piezometers have been installed at the site to-date in order to assess groundwater conditions. In addition, five temporary screened standpipes and one deep standpipe were installed through the floor in the building basement in order to collect groundwater samples and monitor groundwater elevations at these locations. The water surface of the Manitowoc River was also surveyed during monitoring events at four locations so this data could be added to the subsurface flow patterns at the site. The locations of the groundwater monitoring points are provided on Figure 2, “Sampling Locations.” The static water table at the site was approximately 3 to 9 feet below site ground surface during the additional investigation. Historically, data from site wells and piezometers generally indicated an upward groundwater gradient indicating a groundwater discharge zone. However, in two of the four piezometer/well nests monitored in February 2008, and in three of the four piezometer/well nests monitored in May 2008, this trend was reversed indicating a recharge zone. The change may be due to short-term weather-related or seasonal fluctuations. The direction of groundwater flow at the site remains generally to the north, toward the Manitowoc River. The slight groundwater depressions previously present beneath the site building were not present during the additional SI. The horizontal hydraulic gradient at the site was approximately 0.005 ft/ft to the north during the February 2008 and May 2008 sampling rounds.

Groundwater elevation contours are provided on Figure 3, "Groundwater Flow Map, 2/18/2008," and Figure 4, "Groundwater Flow Map, 5/21/2008."

4.0 Potential Migration Pathways and Receptors

The potential receptors of contamination appear to be similar to those defined in SEH's 2006 SI report. Potential receptors of onsite arsenic contamination in soils would be individuals exposed to shallow (less than 4-foot depth) soils with elevated concentrations of arsenic.

The adjacent Manitowoc River is a potential receptor of groundwater contamination. However, groundwater enforcement standard exceedances have not been detected at groundwater monitoring wells located between the facility and river (MW-1, MW-2, and MW-3) or from hydraulically down gradient monitoring wells and piezometers.

5.0 Additional Site Investigation

SEH's additional SI was conducted at the site from February through May 2008. The additional SI field activities included the following:

- Installation of one monitoring well and two piezometers onsite to further assess groundwater conditions at the site.
- Collection and analysis of eleven soil samples along the west side of the site building to assess arsenic concentrations.
- Collection and analysis of two soil samples adjacent to the electrical transformer pad outside the west side of the building to assess potential PCB impacts at this location.
- Collection of two shallow soil samples from the newly installed piezometers for analysis of potential contaminants.
- Collection and analysis of two additional rounds of groundwater samples from the new and existing monitoring points at the site.
- Measurement of groundwater and surface water elevations at the site during two sampling events.

5.1 Monitoring Well and Piezometer Installation, and Shallow Soil Sampling

On February 7, 2008, a piezometer (PZ-9) was installed immediately adjacent to existing monitoring well MW-9 to further assess groundwater conditions hydraulically up gradient from the site building. A monitoring well (MW-10) and associated nested piezometer (PZ-10) were installed to the north of the site truck parking lot on February 6, 2008 in order to further assess groundwater conditions hydraulically down gradient from the site building. Stratigraphic conditions and observations were recorded on soil boring logs (WDNR Form 4400-122) by an SEH geologist. In addition, one shallow soil sample was collected from each nest location for laboratory analysis. Upon completion of drilling activities, each boring was instrumented with either a shallow monitoring well or a deep piezometer. These monitoring points were installed and developed in general accordance with ch. NR 141 Wis. Adm. Code requirements. Monitoring well

construction details (WDNR Form 4400-113A) and well development forms (WDNR form 4400-113B) were completed by an SEH geologist for each monitoring point. The locations of the new monitoring points are depicted on Figure 2. Copies of boring logs, monitoring well construction details and well development forms are included in Appendix A, "Well Documentation."

5.2 Soil Sample Collection for Arsenic Analysis

Eleven soil samples were collected outside the west side of the site building at locations near where arsenic was previously detected in shallow site soil samples at elevated concentrations. Four soil samples were collected from around monitoring well MW-3, and seven samples were collected from around former TEMCO soil boring SB-4. The soil samples were collected using a hand auger at the corners of approximately 20-foot long (north-south) by 10-foot wide (east-west) rectangles generally centered on the two areas in question. Samples collected around MW-3 were collected at 0 to 2 foot depth intervals. Samples collected around SB-4 were collected at the 0 to 2 foot depth interval and the 2 to 4 foot depth interval (except at the southwest corner, where the 2 to 4 foot interval could not be sampled due to a subsurface obstruction – likely concrete or a boulder). SEH attempted to penetrate the 2 to 4 foot depth at the southwest corner of SB-4 on two occasions, once when frost was present, and once when the frost was no longer in the ground. On both occasions, the obstruction could not be penetrated in an area of approximately 1 to 3 feet around the proposed sampling location. Sampling locations are depicted on Figure 2.

5.3 Soil Sample Collection for Polychlorinated Biphenyl Analysis

Two soil samples were collected adjacent to a transformer located on a concrete slab outside the west wall of the building and submitted to the laboratory for PCB analysis. The samples were collected at the northeast corner of the slab at a location adjacent to where staining was observed on the concrete slab. One sample was collected from a depth interval of 0 to 6 inches, and the second sample was collected at a depth interval of 6 to 18 inches at this location. The soil samples were collected using a hand auger. The sampling location is depicted on Figure 2.

5.4 Shallow Soil Sample Collection

One soil sample was collected for analysis of VOCs, PAHs, and RCRA metals at each of the newly installed piezometer borings. Each sample selected for analysis was collected from directly above the shallow groundwater surface using a decontaminated split barrel sampler.

5.5 Groundwater Sample Collection

SEH collected two additional rounds of groundwater samples upon completion of the installation of the new piezometers and monitoring well on the site. Samples were collected from three piezometers, ten monitoring wells, five shallow standpipes, one deep standpipe, and two basement sumps. The analytical parameters for each groundwater sample location were identified in the additional investigation work plan. The first sampling round was completed on February 18, 2008, and the second sampling round was completed on May 21, 2008. The samples were collected using a peristaltic pump and dedicated tubing at the existing sampling points as well as the new

sampling points. Elevation measurements were conducted on the groundwater table at each sampling point, and on the surface of the Manitowoc River at four locations adjacent to the site during each sampling round.

5.6 Analytical Sample Handling and Transport

Soil samples collected from each designated sample interval were placed in a zipper-locking plastic bag and homogenized prior to being placed in the appropriate laboratory-clean analytical bottles and labeled. Groundwater samples were pumped directly from the sampling point into the appropriate laboratory-clean analytical bottles, preserved as necessary, and labeled. All samples were immediately placed on ice after collection. The analytical samples were shipped via overnight courier to TestAmerica in Watertown, Wisconsin for analysis. Standard chain-of-custody documentation was maintained during sample collection and shipment.

6.0 Additional Investigation Results

Results of the additional SI are summarized in Sections 6.1, 6.2, 6.3, and 6.4.

6.1 Soil Sample Arsenic Analytical Results

A total of eleven soil samples were analyzed for concentrations of arsenic during the additional SI using EPA Method 6010. The soil sample arsenic analytical results are summarized on Table 1, “Arsenic Soil Samples- Former Mirro Plant #20.” Complete analytical packages are provided in Appendix B, “Analytical Results.” As presented on Table 1, the concentration of arsenic in the four soil samples collected around monitoring well MW-3 ranged from 4.1 to 6.6 mg/kg, well below the 17 mg/kg previously detected in the soil sample collected at MW-3. Concentrations of arsenic in the shallow (0 to 2-foot) sample interval around boring SB-4 ranged from 3.2 to 7.1 mg/kg. Concentrations of arsenic in the deep (2 to 4-foot) sampling interval around boring SB-4 ranged from 3.1 to 5.5 mg/kg, well below the 32 mg/kg previously detected in the soil sample collected at SB-4 from the 0 to 4-foot interval. The concentration of arsenic exceeds the generic residual contaminant levels for industrial sites in all soil samples analyzed for arsenic during the additional SI.

6.2 Soil Sample Polychlorinated Biphenyl Analytical Results

Two soil samples were analyzed for PCBs using EPA Method 8082. PCBs were not detected above the laboratory detection limit in either soil sample analyzed for PCBs during the additional SI. Results of the PCB analyses are presented in Table 2, “PCBs in Soil - Former Mirro Plant #20” and the analytical package containing the PCB analytical results is provided in Appendix B.

6.3 Shallow Soil Sample Analytical Results

Two shallow soil samples were collected from above the water table during the drilling program (one from PZ-9 and one from PZ-10) and analyzed for VOCs (EPA Method 8260B), SVOCs (EPA Method 8270), and RCRA metals (EPA Methods 6010B and 245.5). The only RCL exceedances recorded in the soil samples was for arsenic at both locations (7.2 and 6.9 mg/kg, respectively). The concentrations of arsenic were consistent with

other soil samples collected at widespread locations on the site. Naphthalene, trichloroethylene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene were also detected in shallow soil samples collected from PZ-9 and PZ-10. However, naphthalene is the only compound of the four with an established generic RCL and the concentration detected in the soil sample collected from PZ-10, 2-4' (62 ug/kg) was well below its generic RCL of 400 ug/kg. No SVOCs were detected in the soil samples. The analytical results for the shallow soil samples are included in Appendix B and summarized in Table 3, "Volatile Organic Compounds, Semivolatile Organics and Metals in Soil."

6.4 Groundwater Analytical Results

Groundwater samples were analyzed for VOCs (EPA Method 8260B), PAHs (EPA Method 8310), and/or one or more RCRA metal (EPA Methods 6020A and 245.1). Groundwater analytical results are summarized on Table 4, "Groundwater Analytical Results" and groundwater analytical packages are included in Appendix B.

As indicated on Table 4, the following compounds were detected at concentrations exceeding their respective ES concentrations in groundwater samples collected during the additional site investigation (presented as Feb. 08 data/May 08 data):

Compound	ES ($\mu\text{g/l}$)	B-11 ($\mu\text{g/l}$)	MW-8 ($\mu\text{g/l}$)	PZ-9 ($\mu\text{g/l}$)
Trichloroethylene	5	<0.20 / <0.20	1.6 / 16	12 / 16
Vinyl Chloride	0.2	<0.20 / 0.37	0.61 / 0.25	<0.20 / 0.28
Chrysene	0.2	<0.20 / <0.042	<0.048 / <0.11	<0.048 / 0.37

The PALs for several parameters were exceeded in groundwater samples collected from several sampling points during both rounds of sampling. The parameters detected at concentrations exceeding their respective PAL but below their ES in one or more sample included 1,2-Dichloroethane, cis-1,2-Dichloroethylene, Trichloroethylene, Arsenic, and Tetrachloroethylene. All remaining groundwater parameters were either not detected above the laboratory detection limit, or were detected at concentrations below their respective PAL.

Groundwater parameters detected at concentrations exceeding their respective ES or PAL are presented on Figure 5, "Groundwater Concentration Summary."

7.0 Conclusions and Recommendations

It appears the elevated concentrations of arsenic measured in soil samples collected near MW-3 (17 mg/kg) and SB-4 (32 mg/kg) during the 2002 Phase 2 Environmental Site Assessment are isolated and do not extend substantially beyond these points. Soil arsenic concentrations measured within approximately 10 feet of MW-3 and SB-4 during this investigation continue to indicate exceedances of the generic industrial RCL, but were well below the concentrations previously measured. The most recent arsenic sample results indicated concentrations similar to those measured from other areas of the site during previous investigations. SEH is not aware of historical arsenic sources from past industrial uses of the property.

Groundwater flow at the site remains generally to the north, toward the Manitowoc River. Groundwater analytical results indicate vinyl chloride, trichloroethylene, and chrysene were detected in groundwater samples at concentrations slightly exceeding their respective ES concentrations. The ES exceedances were limited to groundwater samples collected from standpipe B-11, well MW-8 and piezometer PZ-9. MW-8 and PZ-9 are located on the hydraulic up gradient or side gradient side of the site, B-11 is more centrally located.

Piezometer PZ-9 is located up gradient from the facility and is screened in a sand layer overlain by clay; no ES exceedances have historically been recorded in the nested monitoring well MW-9, constructed above the confining clay unit.

Groundwater quality ES exceedances have not been measured in groundwater samples collected from any monitoring well or piezometer located down gradient of the site or in water samples collected from the basement sumps. Intermittent PAL exceedances for select VOC and PAH compounds have been measured from several site monitoring wells and piezometers (including down gradient wells and site sumps). However, based on review of sample results dating back to 2006, it appears that concentrations are not increasing.

An off-site source is likely causing or contributing to these ES and PAL exceedances. The most likely source is the former Larsen's Spic and Span Cleaners site (BRRTS #02-08-221491), which is located less than 300 feet south (hydraulically up gradient) of the former Mirro #20 site. According to files reviewed by SEH at the DNR Green Bay office, the former Larsen's Spic and Span Cleaners site is a known source of perchloroethylene (PCE) contamination with ES exceedances for PCE, TCE, cis-1,2-DCE, and VC.

It is probable that some or all of the groundwater contaminants identified at the site originate from off-site sources. SEH recommends no additional groundwater investigation and that the site be closed with a groundwater entry in the WDNR GIS Registry. Limited soil removal from the area immediately around MW-3 and SB-4 is recommended to address the isolated elevated arsenic concentrations. Proper abandonment of existing groundwater monitoring points is recommended to complete site closure activities.

8.0 Standard of Care

The conclusions and recommendations contained in this report were arrived at in accordance with generally accepted professional practice at this time and location. Other than that, no warranty is implied or intended.

JEG/ls/FJM/BKO

9.0 References

- Ostrom, M. E., 1981, "Bedrock Geology of Wisconsin," Wisconsin Geological and Natural History Survey.
- Skinner, E. L., and R. G. Borman, 1973, "Water Resources of Wisconsin, Lake Michigan Basin," United States Geological Survey.
- United States Department of Agriculture, Natural Resources Conservation Service, 1980, "Soil Survey of Calumet and Manitowoc Counties, Wisconsin."
- United States Geological Survey, 1973, "Chilton, Wisconsin 7.5 Minute Topographic Map."
- Zaporozec, A. and R. D. Cotter, 1985, "Major Groundwater Units of Wisconsin," Wisconsin Geological and Natural History Survey.

Table 1
Arsenic Soil Samples - Former Mirro Plant #20

Sample ID	Depth (ft)	Arsenic Concentration (mg/kg)	
		0-2	2-4
10'S + 5'E of MW-3		4.1	NSC
10'S + 5'W of MW-3		6.6	NSC
10'N + 5'E of MW-3		4.8	NSC
10'N + 5'W of MW-3		5.5	NSC
10'S + 5'E of B4		5.2	2.5
10'S + 5'W of B4		7.1	Refusal, no sample
10'N + 5'E of B4		3.2	5.5
10'N + 5'W of B4		4.4	3.1

NSC - No Sample Collected

Compiled by: FJM, Checked by: JEG

Table 2
PCBs in Soil - Former Mirro Plant #20

Analyte	Transformer Pad Samples	
	0-6 inches	6-18 inches
PCB-1016	< 0.0672 mg/kg	< 0.0667 mg/kg
PCB-1221	< 0.0672 mg/kg	< 0.0667 mg/kg
PCB-1232	< 0.0672 mg/kg	< 0.0667 mg/kg
PCB-1242	< 0.0672 mg/kg	< 0.0667 mg/kg
PCB-1248	< 0.0672 mg/kg	< 0.0667 mg/kg
PCB-1254	< 0.0672 mg/kg	< 0.0667 mg/kg
PCB-1260	< 0.0672 mg/kg	< 0.0667 mg/kg
PCB-1268	< 0.0672 mg/kg	< 0.0667 mg/kg

Compiled by: FJM, Checked by: JEG

Table 3
Volatile Organic Compounds, Semivolatile Organics and Metals in Soil
Former Mirro Plant #20

Analyte	Generic RCLs in Soil	PZ-10 2-4 ft.	PZ-9 4-6 ft.
Metals (mg/kg)			
Arsenic	1.6	7.2	6.9
Barium	NSE	34	15
Cadmium	510	< 0.12	< 0.12
Chromium	200	6.9	6.5
Lead	500	6.5	6
Mercury	NSE	0.030	< 0.012
Selenium	NSE	< 4.8	< 4.9
Silver	NSE	0.18	< 0.13
VOCs¹ (µg/kg)			
Naphthalene	400	62	< 61
Trichloroethene	NSE	2600	1500
1,2,4-Trimethylbenzene	NSE	200	< 30
1,3,5-Trimethylbenzene	NSE	50	< 30
Semivolatile Organics			No SVOCs were detected in either sample

¹ Volatile Organic Compounds (VOCs) not detected in either sample are not included in this table

NSE - No Standard Established

Compiled by: FJM, Checked by: JEG

Table 4
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																		
			B-5						B-5A						B-6						
	ES	PAL	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	
pH	NSE	NSE	7.36	--	--	--	--	--	7.92	--	--	--	--	--	7.93	--	--	--	--	--	
DRO (µg/l)	NSE	NSE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PAHs ¹ (µg/l)																					
Acenaphthene	NSE	NSE	<0.06	<0.06	<0.06	<0.067	<0.41	<0.38	<0.06	<0.06	<0.06	<0.075	--	--	<0.06	<0.06	<0.06	<0.06	<0.42	<0.35	
Acenaphthylene	NSE	NSE	<0.06	<0.06	<0.06	<0.067	<0.85	<0.80	<0.06	<0.06	<0.06	<0.075	--	--	<0.06	<0.06	<0.06	<0.06	<0.87	<0.74	
Anthracene	3,000	600	<0.09	<0.09	<0.09	<0.1	<0.047	<0.044	<0.09	<0.09	<0.09	<0.122	--	--	<0.09	<0.09	<0.09	<0.09	<0.048	<0.041	
Benzo(a)Anthracene	NSE	NSE	<0.1	<0.1	<0.1	<0.111	<0.054	<0.051	<0.1	<0.1	<0.1	<0.125	--	--	<0.1	<0.1	<0.1	<0.1	<0.056	<0.047	
Benzo(a)Pyrene	0.2	0.02	<0.02	<0.02	<0.02	<0.022	<0.040	<0.037	<0.02	<0.02	<0.02	<0.025	--	--	<0.02	<0.02	<0.02	<0.02	<0.041	<0.034	
Benzo(b)Fluoranthene	0.2	0.02	<u>0.066</u>	<0.02	<0.02	<0.022	<0.12	<0.11	<0.02	<0.02	<0.02	<0.025	--	--	<0.02	<0.02	<0.02	<0.02	<0.12	<0.11	
Benzo(k)Fluoranthene	NSE	NSE	<0.07	<0.07	<0.07	<0.078	<0.060	<0.057	<0.07	<0.07	<0.07	<0.088	--	--	<0.07	<0.07	<0.07	<0.07	<0.062	<0.053	
Benzo(g,h,i)Perylene	NSE	NSE	<0.06	<0.06	<0.06	<0.067	<0.15	<0.14	<0.06	<0.06	<0.06	<0.075	--	--	<0.06	<0.06	<0.06	<0.06	<0.015	<0.13	
Chrysene	0.2	0.02	<0.02	<0.02	<0.02	<0.022	<0.051	<0.048	<0.02	<0.02	<0.02	<0.025	--	--	<0.02	<0.02	<u>0.062</u>	<0.02	<0.052	<0.044	
Dibenzo(a,h)Anthracene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	<0.16	<0.15	<0.11	<0.11	<0.11	<0.138	--	--	<0.11	<0.11	<0.11	<0.11	<0.16	<0.14	
Fluoranthene	400	80	<0.12	<0.12	<0.12	<0.133	<0.10	<0.094	<0.12	<0.12	<0.12	<0.15	--	--	<0.12	<0.12	<0.12	<0.12	<0.10	<0.087	
Fluorene	400	80	<0.12	<0.12	<0.12	<0.133	<0.077	<0.072	<0.12	<0.12	<0.12	<0.15	--	--	<0.12	<0.12	<0.12	<0.12	<0.078	<0.067	
Indeno(1,2,3-cd)Pyrene	NSE	NSE	<0.12	<0.12	<0.12	<0.133	<0.077	<0.072	0.26	<0.12	<0.12	<0.15	--	--	<0.12	<0.12	<0.12	<0.12	<0.078	<0.067	
1-Methyl Naphthalene	NSE	NSE	<0.08	<0.08	<0.08	<0.089	<0.40	<0.37	<0.08	<0.08	<0.08	<0.1	--	--	<0.08	<0.08	<0.08	<0.08	<0.41	<0.34	
2-Methyl Naphthalene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	<0.38	<0.36	0.352	<0.11	<0.11	<0.138	--	--	<0.11	<0.11	<0.11	<0.11	<0.39	<0.33	
Naphthalene	40	8.0	<0.11	<0.11	<0.11	<0.122	<0.49	<0.47	0.194	<0.11	<0.11	<0.138	--	--	<0.11	<0.11	<0.11	<0.11	<0.51	<0.43	
Phenanthrene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	<0.037	<0.035	<0.11	<0.11	<0.11	<0.138	--	--	<0.11	<0.11	<0.11	<0.11	<0.038	<0.032	
Pyrene	250	50	<0.1	<0.1	<0.1	<0.111	<0.054	<0.051	<0.1	<0.1	<0.1	<0.125	--	--	<0.1	<0.1	<0.1	<0.1	<0.056	<0.047	
VOCs ² (µg/l)																					
Benzene	5	0.5	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15		
Bromobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1		
Bromochlororomethane	NSE	NSE	--	<0.1	<0.1	<0.1	<0.50	<0.50	--	<0.1	<0.1	<0.50	<0.50	--	0.2	<0.1	<0.1	<0.1	<0.1		
Bromodichloromethane	0.6	0.06	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1		
Bromomethane	10	1	--	<0.15	<0.15	<0.15	<0.20	<0.20	--	<0.15	<0.15	<0.20	<0.20	--	<0.15	<0.15	<0.15	<0.15	<0.15		
n-Butylbenzene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2		
sec-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25	<0.15	<0.15	<0.15	<0.25	<0.25	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15		
tert-Butylbenzene	NSE	NSE	0.236	<0.15	<0.15	<0.15	<0.20	<0.20	0.252	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15		
Carbon Tetrachloride	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2		
Chlorobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1		
Chlorodibromomethane	NSE	NSE	<0.1	<0																	

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																				
			B-5					B-5A					B-6										
	ES	PAL	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/06	5/21/08			
VOCs ² (µg/l)																							
trans-1,2-Dichloroethylene	100	20	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
1,2-Dichloropropane	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	0.26	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
1,3-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
2,2-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
1,1-Dichloropropene	NSE	NSE	<0.2	<0.3	<0.3	<0.3	<0.50	<0.50	<0.2	<0.3	<0.3	<0.3	<0.50	<0.50	<0.2	<0.3	<0.3	<0.3	<0.3	<0.3	--	--	
cis-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
trans-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
Ethylbenzene	700	140	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	0.15	<0.50	<0.50	<0.1	<0.1	0.11	<0.1	<0.1	<0.1	--	--	
Hexachlorobutadiene	NSE	NSE	<1.00	<1.00	<1.00	<1.00	<0.50	<0.50	<1.00	<1.00	<1.00	<1.00	<0.50	<0.50	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	--	--	
Isopropylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	0.602	<0.1	<0.1	0.4	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
Isopropyl Ether	NSE	NSE	--	--	--	--	<0.50	<0.50	--	--	--	<0.50	<0.50	--	--	--	--	--	--	--	--	--	
p-Isopropyltoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	0.34	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	--	--	
Methyl tert Butyl Ether	60	12	<0.1	0.66	<0.1	<0.1	<0.50	<0.50	<0.1	0.36	<0.1	<0.1	<0.50	<0.50	<0.1	0.33	<0.1	<0.1	<0.1	<0.1	--	--	
Methylene Chloride	5	0.5	<0.4	<0.4	<0.4	<0.4	<1.0	<1.0	<0.4	<0.4	<0.4	<0.4	<1.0	<1.0	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	--	--	
Naphthalene	40	8	<1.00	<1.00	<1.00	<1.00	<0.25	<0.25	<1.00	<1.00	<1.00	<1.00	<0.25	<0.25	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	--	--	
n-Propylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	0.138	<0.1	<0.1	0.11	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
Tetrachloroethylene	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
1,1,1,2-Tetrachloroethane	70	7	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
1,1,2,2-Tetrachloroethane	0.2	0.02	0.286	<0.1	<0.1	<0.1	<0.20	<0.20	0.51	<0.1	<0.1	0.29	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
Toluene	1,000	200	<0.4	<0.4	<0.4	<0.4	<0.20	<0.20	<0.4	<0.4	<0.4	<0.4	<0.20	<0.20	<0.4	<0.4	0.42	<0.4	<0.4	<0.4	--	--	
1,1,2-Trichloroethane	5	0.5	--	0.58	<0.1	<0.1	<0.25	<0.25	--	0.21	<0.1	<0.1	<0.25	<0.25	--	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
Total Trimethylbenzenes	480	96	<0.3	0.22	0.15	<0.3	<0.40	<0.40	3.93	<0.3	<0.3	2.11	<0.40	<0.40	0.21	<0.3	0.66	<0.3	<0.3	<0.3	--	--	
1,2,3-Trichlorobenzene	NSE	NSE	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
1,2,4-Trichlorobenzene	70	14	<0.5	0.58	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
1,1,1-Trichloroethane	200	40	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	0.21	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	--	--	
Trichloroethylene	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	--	--	
Trichlorofluoromethane	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	--	--	
Vinyl Chloride	0.2	0.02	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	--	--	
Total Xylenes	10,000	1,000	<0.5	<0.5	<0.5	<0.5	<0.50	<0.50															

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																	
			B-9						B-11						B-12					
	ES	PAL	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08
pH	NSE	NSE	7.45	--	--	--	--	--	8.28	--	--	--	--	--	8.67	--	--	--	--	--
DRO ($\mu\text{g/l}$)	NSE	NSE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PAHs ¹ ($\mu\text{g/l}$)																				
Acenaphthene	NSE	NSE	<0.06	<0.06	<0.06	<0.067	<0.41	<0.36	<0.06	<0.06	<0.06	<0.067	<1.6	<0.34	<0.06	<0.061	<0.061	<0.077	<0.41	<0.35
Acenaphthylene	NSE	NSE	<0.06	<0.06	<0.06	<0.067	<0.85	<0.76	<0.06	<0.06	<0.06	<0.067	<3.4	<0.71	<0.06	<0.061	<0.061	<0.077	<0.85	<0.73
Anthracene	3,000	600	<0.09	<0.09	<0.09	<0.100	<0.047	<0.042	<0.09	<0.09	<0.09	<0.100	<0.19	<0.039	<0.09	<0.092	<0.092	<0.115	<0.047	<0.040
Benzo(a)Anthracene	NSE	NSE	<0.1	<0.1	<0.1	<0.111	<0.054	<0.048	<0.1	<0.1	<0.1	<0.111	<0.22	<0.045	<0.1	<0.102	<0.102	<0.128	<0.054	<0.047
Benzo(a)Pyrene	0.2	0.02	<0.02	<0.02	<0.02	<0.022	<0.040	<0.035	<0.02	<0.02	<0.02	<0.022	<0.16	<0.033	<0.02	<0.02	<0.02	<0.026	<0.040	<0.034
Benzo(b)Fluoranthene	0.2	0.02	<0.02	<0.02	<0.02	0.205	<0.12	<0.11	<0.02	<0.02	<0.02	<0.022	<0.49	<0.10	0.155	<0.02	<0.02	0.170	<0.12	<0.10
Benzo(k)Fluoranthene	NSE	NSE	<0.07	<0.07	<0.07	0.193	<0.060	<0.054	<0.07	<0.07	<0.07	<0.078	<0.24	<0.051	<0.07	<0.071	<0.071	<0.090	<0.060	<0.052
Benzo(g,h,i)Perylene	NSE	NSE	0.1	<0.06	<0.06	0.134	<0.15	<0.13	<0.06	<0.06	<0.067	<0.60	<0.12	<0.06	<0.061	<0.061	0.168	<0.15	<0.13	
Chrysene	0.2	0.02	0.15	0.090	<0.02	0.258	<0.051	<0.045	0.131	<0.02	<0.02	0.056	<0.20	<0.042	0.192	<0.02	<0.02	0.192	<0.051	<0.044
Dibenzo(a,h)Anthracene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	<0.16	<0.14	<0.11	<0.11	<0.11	<0.122	<0.65	<0.13	<0.11	<0.112	<0.112	<0.141	<0.16	<0.14
Fluoranthene	400	80	<0.12	0.157	<0.12	0.398	<0.10	<0.089	<0.12	<0.12	<0.12	0.134	<0.40	<0.084	0.383	<0.112	<0.112	<0.154	<0.10	<0.086
Fluorene	400	80	<0.12	<0.12	<0.12	<0.133	<0.077	<0.068	<0.12	<0.12	<0.12	<0.133	<0.31	<0.064	<0.12	<0.112	<0.112	<0.154	<0.077	<0.066
Indeno(1,2,3-cd)Pyrene	NSE	NSE	<0.12	<0.12	<0.12	<0.133	<0.077	<0.068	<0.12	<0.12	<0.12	<0.133	<0.31	<0.064	0.145	<0.112	<0.112	<0.154	<0.077	<0.066
1-Methyl Naphthalene	NSE	NSE	<0.08	<0.08	<0.08	<0.089	<0.40	<0.35	<0.08	<0.08	<0.08	<0.089	<1.6	<0.33	<0.08	<0.082	<0.082	<0.103	<0.40	<0.34
2-Methyl Naphthalene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	<0.38	<0.34	<0.11	<0.11	<0.11	<0.122	<1.6	<0.32	<0.11	<0.112	<0.112	<0.141	<0.38	<0.33
Naphthalene	40	8.0	<0.11	<0.11	<0.11	<0.122	<0.49	<0.44	<0.11	<0.11	<0.11	<0.122	<2.0	<0.41	<0.11	<0.112	0.131	<0.141	<0.49	<0.43
Phenanthrene	NSE	NSE	<0.11	<0.11	<0.11	0.186	<0.037	0.041	<0.11	<0.11	<0.11	<0.122	<0.15	<0.031	<0.11	<0.112	<0.112	0.211	<0.037	<0.032
Pyrene	250	50	<0.1	<0.1	<0.1	<0.111	<0.054	<0.048	<0.1	<0.1	<0.1	<0.111	<0.22	<0.045	<0.1	<0.102	<0.102	<0.128	<0.054	<0.047
VOCs ² ($\mu\text{g/l}$)																				
Benzene	5	0.5	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	0.157	<0.15	<0.15	<0.15	<0.20	<0.20
Bromobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20
Bromochlororomethane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	--	<0.1	<0.1	<0.1	<0.50	<0.50	--	<0.1	<0.1	<0.1	<0.50	<0.50
Bromodichloromethane	0.6	0.06	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20
Bromomethane	10	1	--	<0.15	<0.15	<0.15	<0.20	<0.20	--	<0.15	<0.15	<0.15	<0.20	<0.20	--	<0.15	<0.15	<0.15	<0.20	<0.20
n-Butylbenzene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20
sec-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25	<0.15	<0.15	<0.15	<0.25	<0.25	<0.25
tert-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.20	<0.20	<0.20
Carbon Tetrachloride	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<											

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																	
			B-9						B-11						B-12					
	ES	PAL	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08
VOCs ² ($\mu\text{g/l}$)																				
trans-1,2-Dichloroethylene	100	20	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	0.14	<0.1	<0.1	<0.50	<0.50
1,2-Dichloropropane	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50
1,3-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25
2,2-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50
1,1-Dichloropropene	NSE	NSE	<0.2	<0.3	<0.3	<0.3	<0.50	<0.50	<0.2	<0.3	<0.3	<0.3	<0.50	<0.50	<0.2	<0.3	<0.3	<0.50	<0.50	<0.50
cis-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20
trans-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20
Ethylbenzene	700	140	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	0.269	<0.1	0.26	<0.1	<0.50	<0.50
Hexachlorobutadiene	NSE	NSE	<1.00	<1.00	<1.00	<1.00	<0.50	<0.50	<1.00	<1.00	<1.00	<1.00	<0.50	<0.50	<1.00	<1.00	<1.00	<1.00	<0.50	<0.50
Isopropylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20
Isopropyl Ether	NSE	NSE	--	--	--	--	<0.50	<0.50	--	--	--	--	<0.50	<0.50	--	--	--	--	<0.50	<0.50
p-Isopropyltoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20
Methyl tert Butyl Ether	60	12	<0.1	1.49	<0.1	<0.1	<0.50	<0.50	<0.1	0.56	0.56	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50
Methylene Chloride	5	0.5	<0.4	<0.4	<0.4	<0.4	<1.0	<1.0	<0.4	<0.4	<0.4	<1.0	<1.0	<0.4	<0.4	<0.4	<0.4	<0.4	<1.0	<1.0
Naphthalene	40	8	<1.00	<1.00	<1.00	<1.00	<0.25	<0.25	<1.00	<1.00	<1.00	<1.00	<0.25	<0.25	<1.00	<1.00	<1.00	<1.00	<0.25	<0.25
n-Propylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50
Tetrachloroethylene	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50
1,1,1,2-Tetrachloroethane	70	7	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20
Toluene	1,000	200	<0.4	<0.4	<0.4	<0.4	<0.20	<0.20	<0.4	<0.4	<0.4	<0.4	0.58	<0.4	<0.20	<0.20	0.512	<0.4	1.13	<0.4
1,1,2-Trichloroethane	5	0.5	--	<0.1	<0.1	<0.1	<0.25	<0.25	--	<0.1	<0.1	<0.1	<0.25	<0.25	--	<0.1	<0.1	<0.1	<0.25	<0.25
Total Trimethylbenzenes	480	96	0.445	<0.3	<0.3	<0.3	<0.25	<0.25	<0.3	<0.3	0.21	<0.3	<0.40	<0.40	0.214	<0.3	0.67	<0.3	<0.40	<0.40
1,2,3-Trichlorobenzene	NSE	NSE	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25
1,2,4-Trichlorobenzene	70	14	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25
1,1,1-Trichloroethane	200	40	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50
Trichloroethylene	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	0.415	0.69	<0.2	<0.2	<0.20	<0.20	<0.2	2.11	<0.2	<0.2	<0.20	2.8
Trichlorofluoromethane	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50
Vinyl Chloride	0.2	0.02	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	0.61	<0.20	0.37	<0.15	0.26	<0.15	<0.15	<0.20
Total Xylenes	10,000	1,000	<0.5	<0.5	<0.5	<0.5	<0.50	<0.50	<0.5	<0.5	0.14	<0.5	<0.50	<0.50	0.984	<0.5	1.33	<0.5	<0.50	<0.50
Metals ($\mu\text{g/l}$)																				
Arsenic	50	5	0.8	--	--	--	--													

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																	
			MW-1						MW-2						MW-3					
	ES	PAL	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08
pH	NSE	NSE	7.34	--	--	--	--	--	7.34	--	--	--	--	--	7.37	--	--	--	--	--
DRO ($\mu\text{g/l}$)	NSE	NSE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PAHs ¹ ($\mu\text{g/l}$)																				
Acenaphthene	NSE	NSE	<0.06	<0.06	<0.06	<0.067	0.39	<0.36	<0.06	<0.06	<0.06	<0.077	<0.39	<0.34	<0.06	<0.06	<0.06	<0.067	--	--
Acenaphthylene	NSE	NSE	<0.06	<0.06	<0.06	<0.067	<0.81	<0.76	<0.06	<0.06	<0.06	<0.077	<0.82	<0.71	<0.06	<0.06	<0.06	<0.067	--	--
Anthracene	3,000	600	<0.09	<0.09	<0.09	<0.1	<0.045	<0.042	<0.09	<0.09	<0.09	<0.115	<0.045	<0.039	<0.09	<0.09	<0.09	<0.09	<0.1	--
Benzo(a)Anthracene	NSE	NSE	<0.1	<0.1	<0.1	<0.111	<0.052	<0.048	<0.1	<0.1	<0.1	<0.128	<0.052	<0.045	<0.1	<0.1	<0.1	<0.111	--	--
Benzo(a)Pyrene	0.2	0.02	<0.02	<0.02	<0.02	<0.022	<0.038	<0.035	0.048	<0.02	<0.02	<0.026	<0.038	<0.033	<0.02	<0.02	<0.02	<0.022	--	--
Benzo(b)Fluoranthene	0.2	0.02	0.052	<0.02	<0.02	<0.022	<0.12	<0.11	<0.02	<0.02	<0.026	<0.12	<0.10	<0.02	<0.02	<0.02	<0.022	--	--	
Benzo(k)Fluoranthene	NSE	NSE	<0.07	<0.07	<0.07	<0.078	<0.058	<0.054	<0.07	<0.07	<0.07	<0.090	<0.058	<0.051	<0.07	<0.07	<0.07	<0.078	--	--
Benzo(g,h,i)Perylene	NSE	NSE	0.073	<0.06	<0.06	<0.067	<0.14	<0.13	<0.06	<0.06	<0.077	<0.14	<0.12	<0.06	<0.06	<0.06	<0.067	--	--	
Chrysene	0.2	0.02	0.054	<0.02	<0.02	<0.022	<0.048	<0.045	<0.02	<0.02	<0.026	<0.049	<0.042	<0.02	<0.02	<0.02	<0.022	--	--	
Dibenzo(a,h)Anthracene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	<0.15	<0.14	<0.11	<0.11	<0.141	<0.15	<0.13	<0.11	<0.11	<0.11	<0.122	--	--	
Fluoranthene	400	80	<0.12	<0.12	<0.12	<0.133	<0.095	<0.089	<0.12	<0.12	<0.12	<0.154	<0.096	<0.084	<0.12	<0.12	<0.12	<0.133	--	--
Fluorene	400	80	<0.12	<0.12	<0.12	<0.133	<0.073	<0.068	<0.12	<0.12	<0.12	<0.154	<0.074	<0.064	<0.12	<0.12	<0.12	<0.133	--	--
Indeno(1,2,3-cd)Pyrene	NSE	NSE	<0.12	<0.12	<0.12	<0.133	<0.073	<0.068	<0.12	<0.12	<0.154	<0.074	<0.064	<0.12	<0.12	<0.12	<0.133	--	--	
1-Methyl Naphthalene	NSE	NSE	<0.08	<0.08	<0.08	<0.089	<0.38	<0.35	<0.08	<0.08	<0.103	<0.38	<0.33	<0.08	<0.08	<0.08	<0.089	--	--	
2-Methyl Naphthalene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	<0.36	<0.34	<0.11	<0.11	<0.141	<0.37	<0.32	<0.11	<0.11	<0.11	<0.122	--	--	
Naphthalene	40	8.0	<0.11	<0.11	<0.11	<0.122	<0.47	<0.44	<0.11	<0.11	<0.141	<0.48	<0.41	<0.11	<0.11	<0.11	<0.122	--	--	
Phenanthrene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	<0.035	<0.033	<0.11	<0.11	<0.141	0.13	<0.031	<0.11	<0.11	<0.11	<0.122	--	--	
Pyrene	250	50	<0.1	<0.1	<0.1	<0.111	<0.052	<0.048	<0.1	<0.1	<0.128	<0.052	<0.045	<0.1	<0.1	<0.111	--	--	--	
VOCs ² ($\mu\text{g/l}$)																				
Benzene	5	0.5	<0.15	<0.15	<0.15	<0.15	--	--	<0.15	<0.15	<0.15	<0.15	--	--	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20
Bromobenzene	NSE	NSE	<0.1	<0.1	<0.1	0.18	--	--	<0.1	<0.1	<0.1	0.10	--	--	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20
Bromochloromethane	NSE	NSE	--	<0.1	<0.1	<0.1	<0.1	--	<0.1	<0.1	<0.1	--	--	--	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50
Bromodichloromethane	0.6	0.06	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.1	<0.1	<0.1	--	--	--	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20
Bromomethane	10	1	--	<0.15	<0.15	<0.15	<0.15	--	--	<0.15	<0.15	<0.15	--	--	--	<0.15	<0.15	0.18	<0.20	<0.20
n-Butylbenzene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	--	--	<0.2	<0.2	<0.2	--	--	--	<0.2	<0.2	<0.2	<0.20	<0.20	
sec-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	--	--	<0.15	<0.15	<0.15	--	--	--	<0.15	<0.15	<0.15	<0.25	<0.25	
tert-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	--	--	<0.15	<0.15	<0.15	--	--	--	<0.15	<0.15	<0.15	<0.20	<0.20	
Carbon Tetrachloride	5	0.5	<0.2	<0.2	<0.2	<0.2	--	--	<0.2	<0.2	<0.2	--	--	--	<0.2	<0.2	<0.2	<0.50	<0.50	
Chlorobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	--	--	--	<0.1	<0.1	<0.1	<0.20	<0.20	
Chlorodibromomethane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	--	--	--	<0.1	<0.1	<0.1	<0.20	<0.20	
Chloroethane	400	80	<0.6	<0.6	<0.6	<0.6	--	--	<0.6	<0.6	<0.6	--	--	--	<0.6	<0.6	<0.6	<1.0	<1.0	

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																					
			MW-1					MW-2					MW-3											
	ES	PAL	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08				
VOCs ² ($\mu\text{g/l}$)																								
trans-1,2-Dichloroethylene	100	20	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50			
1,2-Dichloropropane	5	0.5	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50			
1,3-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25			
2,2-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50			
1,1-Dichloropropene	NSE	NSE	<0.2	<0.3	<0.3	<0.3	--	--	<0.2	<0.3	<0.3	<0.3	--	--	<0.2	<0.3	<0.3	<0.3	<0.3	<0.50	<0.50			
cis-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20			
trans-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20			
Ethylbenzene	700	140	<0.1	<0.1	<0.1	0.11	--	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50			
Hexachlorobutadiene	NSE	NSE	<1.00	<1.00	<1.00	<1.00	--	--	<1.00	<1.00	<1.00	<1.00	--	--	<1.00	<1.00	<1.00	<1.00	<1.00	<0.50	<0.50			
Isopropylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20			
Isopropyl Ether	NSE	NSE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<0.50	<0.50			
p-Isopropyltoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	--	--	<0.2	<0.2	<0.2	<0.2	--	--	<0.2	<0.2	<0.2	<0.2	<0.29	<0.20	<0.20			
Methyl tert Butyl Ether	60	12	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	0.14	<0.1	0.16	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50			
Methylene Chloride	5	0.5	<0.4	<0.4	<0.4	<0.4	--	--	<0.4	<0.4	<0.4	<0.4	--	--	<0.4	<0.4	<0.4	<0.4	<0.4	<1.0	<1.0			
Naphthalene	40	8	<1.00	<1.00	<1.00	<1.00	--	--	<1.00	<1.00	<1.00	<1.00	--	--	<1.00	<1.00	<1.00	<1.00	<1.00	<0.25	<0.25			
n-Propylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50			
Tetrachloroethylene	5	0.5	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50			
1,1,1,2-Tetrachloroethane	70	7	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25			
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20			
Toluene	1,000	200	<0.4	<0.4	<0.4	<0.4	--	--	<0.4	<0.4	<0.4	<0.4	--	--	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4			
1,1,2-Trichloroethane	5	0.5	--	<0.1	<0.1	<0.1	--	--	--	<0.1	<0.1	<0.1	<0.1	--	--	--	<0.1	<0.1	<0.1	<0.25	<0.25			
Total Trimethylbenzenes	480	96	<0.3	<0.3	<0.3	<0.3	--	--	<0.3	<0.3	<0.3	<0.3	--	--	<0.3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.40			
1,2,3-Trichlorobenzene	NSE	NSE	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25			
1,2,4-Trichlorobenzene	70	14	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25			
1,1,1-Trichloroethane	200	40	<0.2	<0.2	<0.2	<0.2	--	--	<0.2	<0.2	<0.2	<0.2	--	--	<0.2	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50			
Trichloroethylene	5	0.5	<0.2	<0.2	<0.2	<0.2	--	--	<0.2	<0.2	<0.2	<0.2	--	--	<0.535	0.61	0.80	0.39	0.30	0.67				
Trichlorofluoromethane	NSE	NSE	<0.2	<0.2	<0.2	<0.2	--	--	<0.2	<0.2	<0.2	<0.2	--	--	<0.2	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50			
Vinyl Chloride	0.2	0.02	<0.15	<0.15	<0.15	<0.15	--	--	<0.15	<0.15	<0.15	<0.15	--	--	<0.15	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20			
Total Xylenes	10,000	1,000	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.50	<0.50			
Metals ($\mu\text{g/l}$)																								
Arsenic	50	5	<0.6	--	--	--	--	--	1.7	--	--	--	--	--	3.4	--								

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																			
			MW-4						MW-5						PZ-5							
	ES	PAL	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	5/30/06 Dup.	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	
pH	NSE	NSE	7.48	--	--	--	--	--	7.38	--	--	--	--	--	--	7.48	--	--	--	--	--	
DRO (µg/l)	NSE	NSE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PAHs ¹ (µg/l)																						
Acenaphthene	NSE	NSE	<0.06	<0.06	<0.06	<0.067	--	--	<0.06	<0.06	<0.06	<0.067	<0.37	<0.35	<0.06	<0.06	<0.06	<0.06	<0.067	--	--	
Acenaphthylene	NSE	NSE	<0.06	<0.06	<0.06	<0.067	--	--	<0.06	<0.06	<0.06	<0.067	<0.77	<0.73	<0.06	<0.06	<0.06	<0.06	<0.067	--	--	
Anthracene	3,000	600	<0.09	<0.09	<0.09	<0.1	--	--	<0.09	<0.09	<0.09	<0.09	<0.1	<0.042	<0.040	<0.09	<0.09	<0.09	<0.1	<0.1	--	--
Benzo(a)Anthracene	NSE	NSE	<0.1	<0.1	<0.1	<0.111	--	--	<0.1	<0.1	<0.1	<0.111	<0.049	<0.047	<0.1	<0.1	<0.1	<0.1	<0.111	--	--	
Benzo(a)Pyrene	0.2	0.02	<0.02	<0.02	<0.02	<0.022	--	--	<0.02	<0.02	<0.02	<0.022	<0.036	<0.034	<0.02	<0.02	<0.02	<0.02	<0.022	--	--	
Benzo(b)Fluoranthene	0.2	0.02	<0.02	<0.02	<0.02	<0.022	--	--	<0.02	<0.02	<u>0.025</u>	<0.02	<0.022	<0.11	<0.10	<0.02	<0.02	<0.02	<0.022	--	--	
Benzo(k)Fluoranthene	NSE	NSE	<0.07	<0.07	<0.07	<0.078	--	--	<0.07	<0.07	<0.07	<0.078	<0.054	<0.052	<0.07	<0.07	<0.07	<0.078	--	--		
Benzo(g,h,i)Perylene	NSE	NSE	<0.06	<0.06	<0.06	<0.067	--	--	<0.06	0.230	0.17	<0.06	0.078	<0.13	<0.06	<0.06	<0.06	<0.067	--	--		
Chrysene	0.2	0.02	<0.02	<0.02	<0.02	<0.022	--	--	<0.02	<0.02	<0.02	<0.022	<0.046	<0.044	<0.02	<0.02	<0.02	<0.022	--	--		
Dibenzo(a,h)Anthracene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	--	--	<0.11	<0.11	<0.11	<0.122	<0.14	<0.14	<0.11	<0.11	<0.11	<0.122	--	--		
Fluoranthene	400	80	<0.12	<0.12	<0.12	<0.133	--	--	<0.12	<0.12	<0.12	<0.133	<0.090	<0.086	0.123	<0.12	<0.12	<0.133	--	--		
Fluorene	400	80	<0.12	<0.12	<0.12	<0.133	--	--	<0.12	<0.12	<0.12	<0.133	<0.069	<0.066	<0.12	<0.12	<0.12	<0.133	--	--		
Indeno(1,2,3-cd)Pyrene	NSE	NSE	<0.12	<0.12	<0.12	<0.133	--	--	<0.12	<0.12	<0.12	<0.133	<0.069	<0.066	<0.12	<0.12	<0.12	<0.133	--	--		
1-Methyl Naphthalene	NSE	NSE	<0.08	<0.08	<0.08	<0.089	--	--	<0.08	<0.08	<0.08	<0.089	<0.36	<0.34	<0.08	<0.08	<0.08	<0.089	--	--		
2-Methyl Naphthalene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	--	--	<0.11	<0.11	<0.11	<0.122	<0.34	<0.33	<0.11	<0.11	<0.11	<0.122	--	--		
Naphthalene	40	8.0	<0.11	<0.11	<0.11	<0.122	--	--	<0.11	<0.11	<0.11	<0.122	<0.44	<0.43	<0.11	<0.11	<0.11	<0.122	--	--		
Phenanthrene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	--	--	<0.11	<0.11	<0.11	<0.122	<0.033	<0.032	<0.11	<0.11	<0.11	<0.122	--	--		
Pyrene	250	50	<0.1	<0.1	<0.1	<0.111	--	--	<0.1	<0.1	<0.1	<0.111	<0.049	<0.047	0.169	<0.1	<0.111	--	--	--		
VOCs ² (µg/l)																						
Benzene	5	0.5	<0.15	<0.15	0.15	<0.15	--	--	<0.15	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	--	--	
Bromobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
Bromochlororomethane	NSE	NSE	--	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	--	<0.1	<0.1	<0.1	<0.1	--	--	
Bromodichloromethane	0.6	0.06	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
Bromomethane	10	1	--	<0.15	<0.15	<0.15	<0.15	--	--	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	--	<0.15	<0.15	<0.15	--	--	
n-Butylbenzene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	--	--	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.2	--	--	
sec-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	--	--	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25	<0.15	<0.15	<0.15	<0.15	<0.15	--	--	
tert-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	--	--	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	<0.15	--	--	
Carbon Tetrachloride	5	0.5	<0.2	<0.2	<0.2	<0.2	--	--	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.2	--	--	
Chlorobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	
Chlorodibromomethane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																		
			MW-4						MW-5						PZ-5						
	ES	PAL	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	5/30/06 Dup.	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08
VOCs ² (µg/l)																					
trans-1,2-Dichloroethylene	100	20	0.138	0.3	<0.1	0.3	--	--	0.262	0.46	0.48	0.2	0.53	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	--
1,2-Dichloropropane	5	0.5	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	--
1,3-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.1	--
2,2-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	0.12	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	--
1,1-Dichloropropene	NSE	NSE	<0.2	<0.3	<0.3	0.52	--	--	<0.2	<0.3	<0.3	<0.1	0.34	<0.50	<0.50	<0.2	<0.3	<0.3	<0.3	<0.3	--
cis-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	--
trans-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	--
Ethylbenzene	700	140	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.1	<0.1	0.11	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	--
Hexachlorobutadiene	NSE	NSE	<1.00	<1.00	<1.00	<1.00	<1.00	--	<1.00	<1.00	<1.00	<1.00	<1.00	<0.50	<0.50	<1.00	<1.00	<1.00	<1.00	<1.00	--
Isopropylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	--
Isopropyl Ether	NSE	NSE	--	--	--	--	--	--	--	--	--	--	--	<0.50	<0.50	--	--	--	--	--	--
p-Isopropyltoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	--	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.2	--
Methyl tert Butyl Ether	60	12	0.112	0.22	<0.1	0.27	--	--	<0.1	0.17	0.18	<0.10	0.18	<0.50	<0.50	<0.1	0.14	<0.1	0.12	--	--
Methylene Chloride	5	0.5	<0.4	<0.4	<0.4	<0.4	--	--	<0.4	<0.4	<0.4	<0.4	<0.4	<1.0	<1.0	<0.4	<0.4	<0.4	<0.4	<0.4	--
Naphthalene	40	8	<1.00	<1.00	<1.00	<1.00	<1.00	--	<1.00	<1.00	<1.00	<1.00	<1.00	<0.25	<0.25	<1.00	<1.00	<1.00	<1.00	<1.00	--
n-Propylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	--
Tetrachloroethylene	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	--
1,1,1,2-Tetrachloroethane	70	7	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.1	--
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	--
Toluene	1,000	200	<0.4	<0.4	0.44	<0.4	--	--	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	0.33	<0.20	<0.4	<0.4	<0.4	<0.4	--
1,1,2-Trichloroethane	5	0.5	--	<0.1	<0.1	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	--	<0.1	<0.1	<0.1	<0.1	--
Total Trimethylbenzenes	480	96	<0.3	<0.3	<0.3	<0.3	<0.3	--	<0.3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.40	<0.3	<0.3	<0.3	<0.3	<0.3	--
1,2,3-Trichlorobenzene	NSE	NSE	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.5	--
1,2,4-Trichlorobenzene	70	14	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.5	--
1,1,1-Trichloroethane	200	40	<0.2	<0.2	<0.2	<0.2	<0.2	--	<0.2	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.2	--
Trichloroethylene	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.2	--	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.2	--
Trichlorofluoromethane	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	--	<0.2	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.2	--
Vinyl Chloride	0.2	0.02	<0.15	<0.15	<0.15	<0.15	<0.15	--	<0.15	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	<0.15	--
Total Xylenes	10,000	1,000	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	<0.5	<0.5	--
Metals (µg/l)																					
Arsenic	50	5	<0.6	--	--	--	--	--	0.6	--	--	--	--	--	--	10.3	--	--	2.02	17	24
Barium	2000	400	48.2	--	--	--	--	0.020	<0.12												

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																		
			MW-6						MW-7						MW-8						
	ES	PAL	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	11/15/06 Dup.	2/19/08	5/21/08
pH	NSE	NSE	7.39	--	--	--	--	--	7.49	--	--	--	--	--	7.28	--	--	--	--	--	--
DRO (µg/l)	NSE	NSE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PAHs ¹ (µg/l)																					
Acenaphthene	NSE	NSE	<0.06	<0.06	<0.06	<0.067	--	--	<0.06	<0.061	<0.061	<0.067	--	--	<0.06	<0.06	<0.06	<0.067	<0.067	<0.38	<0.88
Acenaphthylene	NSE	NSE	<0.06	<0.06	<0.06	<0.067	--	--	<0.06	<0.061	<0.061	<0.067	--	--	<0.06	<0.06	<0.06	<0.067	<0.067	<0.80	<1.8
Anthracene	3,000	600	<0.09	<0.09	<0.09	<0.1	--	--	<0.09	<0.092	<0.092	<0.1	--	--	<0.09	<0.09	<0.09	<0.1	<0.1	<0.044	<0.10
Benzo(a)Anthracene	NSE	NSE	<0.1	<0.1	<0.1	<0.111	--	--	<0.1	<0.102	<0.102	<0.111	--	--	<0.1	<0.1	<0.1	<0.111	<0.111	<0.051	<0.12
Benzo(a)Pyrene	0.2	0.02	<0.02	<0.02	<0.02	<0.022	--	--	<0.02	<0.02	<0.02	<0.022	--	--	<0.02	<0.02	<0.02	<0.022	<0.022	<0.037	<0.085
Benzo(b)Fluoranthene	0.2	0.02	<0.02	<0.02	<0.02	<0.022	--	--	<0.02	<0.02	<0.02	<0.022	--	--	<0.02	<0.02	<u>0.068</u>	<0.022	<u>0.041</u>	<0.11	<0.26
Benzo(k)Fluoranthene	NSE	NSE	<0.07	<0.07	<0.07	<0.078	--	--	<0.07	<0.071	<0.071	<0.078	--	--	<0.07	<0.07	<0.07	<0.078	<0.078	<0.057	<0.13
Benzo(g,h,i)Perylene	NSE	NSE	<0.06	<0.06	<0.06	0.092	--	--	<0.06	<0.061	<0.061	<0.067	--	--	<0.06	<0.06	0.175	0.276	0.344	<0.14	<0.32
Chrysene	0.2	0.02	<0.02	<0.02	<0.02	<0.022	--	--	<0.02	<0.020	<0.020	<0.022	--	--	<0.02	<0.02	<u>0.029</u>	<u>0.049</u>	<0.048	<0.11	
Dibenzo(a,h)Anthracene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	--	--	<0.11	<0.112	<0.112	<0.122	--	--	<0.11	<0.11	<0.11	<0.122	<0.122	<0.15	<0.35
Fluoranthene	400	80	<0.12	<0.12	<0.12	<0.133	--	--	<0.12	<0.122	<0.122	<0.133	--	--	<0.12	<0.12	<0.12	<0.133	<0.133	<0.094	<0.22
Fluorene	400	80	<0.12	<0.12	<0.12	<0.133	--	--	<0.12	<0.122	<0.122	<0.133	--	--	<0.12	<0.12	<0.12	<0.133	<0.133	<0.072	<0.17
Indeno(1,2,3-cd)Pyrene	NSE	NSE	<0.12	<0.12	<0.12	<0.133	--	--	<0.12	<0.122	<0.122	<0.133	--	--	<0.12	<0.12	<0.12	<0.133	<0.133	<0.072	<0.17
1-Methyl Naphthalene	NSE	NSE	<0.08	<0.08	<0.08	<0.089	--	--	<0.08	<0.082	<0.082	<0.089	--	--	<0.08	<0.08	<0.08	<0.089	<0.089	<0.37	<0.85
2-Methyl Naphthalene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	--	--	<0.11	<0.112	<0.112	<0.122	--	--	<0.11	<0.11	<0.11	<0.122	<0.122	<0.36	<0.83
Naphthalene	40	8.0	<0.11	<0.11	<0.11	<0.122	--	--	<0.11	<0.112	<0.112	<0.122	--	--	<0.11	<0.11	<0.11	<0.122	<0.122	<0.47	<1.1
Phenanthrene	NSE	NSE	<0.11	<0.11	<0.11	<0.122	--	--	<0.11	<0.112	<0.112	<0.122	--	--	<0.11	<0.11	<0.11	<0.122	<0.122	<0.035	<0.80
Pyrene	250	50	<0.1	<0.1	<0.1	<0.111	--	--	<0.1	<0.102	<0.102	<0.111	--	--	<0.1	<0.1	<0.1	<0.111	<0.111	<0.051	<0.12
VOCs ² (µg/l)																					
Benzene	5	0.5	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	
Bromobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	
Bromochlororomethane	NSE	NSE	--	<0.1	<0.1	<0.1	<0.50	<0.50	--	<0.1	<0.1	<0.50	<0.50	--	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	
Bromodichloromethane	0.6	0.06	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	
Bromomethane	10	1	--	<0.15	<0.15	<0.15	<0.20	<0.20	--	<0.15	<0.15	<0.20	<0.20	--	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	
n-Butylbenzene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	
sec-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25	<0.15	<0.15	<0.15	<0.25	<0.25	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25	
tert-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	
Carbon Tetrachloride	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	
Chlorobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<									

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																		
			MW-6						MW-7						MW-8						
	ES	PAL	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	11/15/06 Dup.	2/19/08	5/21/08
VOCs ² ($\mu\text{g/l}$)																					
trans-1,2-Dichloroethylene	100	20	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	0.22	<0.1	<0.1	<0.1	<0.50	<0.50
1,2-Dichloropropane	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	
1,3-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25
2,2-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50
1,1-Dichloropropene	NSE	NSE	<0.2	<0.3	<0.3	<0.3	<0.50	<0.50	<0.2	<0.3	0.32	<0.50	<0.50	<0.2	<0.3	<0.3	<0.3	<0.3	<0.3	<0.50	<0.50
cis-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	
trans-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	
Ethylbenzene	700	140	<0.1	<0.1	0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50
Hexachlorobutadiene	NSE	NSE	<1.00	<1.00	<1.00	<1.00	<0.50	<0.50	<1.00	<1.00	<1.00	<1.00	<0.50	<0.50	<1.00	<1.00	<1.00	<1.00	<1.00	<0.50	<0.50
Isopropylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	
Isopropyl Ether	NSE	NSE	--	--	--	--	<0.50	<0.50	--	--	--	--	<0.50	<0.50	--	--	--	--	--	<0.50	<0.50
p-Isopropyltoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	
Methyl tert Butyl Ether	60	12	<0.1	0.21	<0.1	0.24	<0.50	<0.50	<0.1	0.13	0.13	<0.1	<0.50	<0.50	<0.1	0.19	<0.10	<0.10	<0.50	<0.50	
Methylene Chloride	5	0.5	<0.4	<0.4	<0.4	<0.4	<1.0	<1.0	<0.4	<0.4	<0.4	<0.4	<1.0	<1.0	<0.4	<0.4	<0.4	<0.4	<0.4	<1.0	<1.0
Naphthalene	40	8	<1.00	<1.00	<1.00	<1.00	<0.25	<0.25	<1.00	<1.00	<1.00	<1.00	<0.25	<0.25	<1.00	<1.00	<1.00	<1.00	<1.00	<0.25	<0.25
n-Propylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50
Tetrachloroethylene	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	0.12	0.16	0.20	<0.50	<0.50	
1,1,1,2-Tetrachloroethane	70	7	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	
Toluene	1,000	200	<0.4	<0.4	<0.4	<0.4	<0.20	<0.20	<0.4	<0.4	<0.4	<0.4	<0.20	<0.20	0.4	<0.4	<0.4	<0.4	<0.4	<0.20	<0.20
1,1,2-Trichloroethane	5	0.5	--	<0.1	<0.1	<0.1	<0.25	<0.25	--	<0.1	<0.1	<0.1	<0.25	<0.25	--	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25
Total Trimethylbenzenes	480	96	<0.3	<0.3	<0.3	<0.3	<0.40	<0.40	<0.3	<0.3	<0.3	<0.3	<0.40	<0.40	<0.3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.40
1,2,3-Trichlorobenzene	NSE	NSE	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25
1,2,4-Trichlorobenzene	70	14	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25
1,1,1-Trichloroethane	200	40	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	0.241	<0.2	0.29	<0.2	<0.2	<0.50	<0.50
Trichloroethylene	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	0.228	2.66	1.93	1.11	1.06	1.6	16
Trichlorofluoromethane	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50
Vinyl Chloride	0.2	0.02	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	0.16	<0.15	<0.15	<0.15	0.61	0.25
Total Xylenes	10,000	1,000	<0.5	<0.5	<0.5	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	<0.5	<0.50	<0.50	<0.5</						

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date													
			MW-9							PZ-9			MW-10		PZ-10	
	ES	PAL	2/16/06	5/30/06	8/29/06	8/29/06 Dup.	11/15/06	2/19/08	5/21/08	2/19/08	5/21/08	2/19/08	5/21/08	2/19/08	5/21/08	
pH	NSE	NSE	7.66	--	--	--	--	--	--	--	--	--	--	--	--	--
DRO (µg/l)	NSE	NSE	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PAHs ¹ (µg/l)																
Acenaphthene	NSE	NSE	0.081	<0.06	<0.06	<0.06	<0.067	<0.38	<0.38	<0.38	<1.1	<0.37	<0.35	<0.38	<0.35	
Acenaphthylene	NSE	NSE	<0.06	<0.06	<0.06	<0.06	<0.067	<0.79	<0.79	<0.80	<2.3	<0.77	<0.73	<0.80	<0.73	
Anthracene	3,000	600	<0.09	<0.09	<0.09	<0.09	<0.1	<0.044	<0.044	<0.044	0.39	<0.042	<0.040	<0.044	<0.040	
Benzo(a)Anthracene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.111	<0.051	<0.051	<0.051	1	<0.049	0.048	<0.051	<0.046	
Benzo(a)Pyrene	0.2	0.02	0.167	<0.02	<0.02	<0.02	<0.022	<0.037	<0.037	<0.037	<0.11	<0.036	<0.034	<0.037	<0.034	
Benzo(b)Fluoranthene	0.2	0.02	<0.02	<0.02	<0.02	<0.02	<0.022	<0.11	<0.11	<0.11	<0.33	<0.11	<0.10	<0.11	<0.10	
Benzo(k)Fluoranthene	NSE	NSE	<0.07	<0.07	<0.07	<0.07	<0.078	<0.056	<0.056	<0.057	<0.16	<0.054	<0.052	<0.057	<0.052	
Benzo(g,h,i)Perylene	NSE	NSE	<0.06	<0.06	<0.06	<0.06	<0.067	<0.14	<0.14	<0.14	<0.40	<0.13	<0.13	<0.14	<0.13	
Chrysene	0.2	0.02	<0.02	<0.02	<0.02	<0.02	<0.022	<0.047	<0.047	<0.048	0.37	<0.046	<0.044	<0.048	<0.043	
Dibenzo(a,h)Anthracene	NSE	NSE	<0.11	<0.11	<0.11	<0.11	<0.122	<0.15	<0.15	<0.15	<0.43	<0.14	<0.14	<0.15	<0.14	
Fluoranthene	400	80	<0.12	<0.12	<0.12	<0.12	<0.133	<0.093	<0.093	<0.094	3.2	<0.090	0.088	<0.094	<0.085	
Fluorene	400	80	<0.12	<0.12	<0.12	<0.12	<0.133	<0.071	<0.071	<0.072	<0.21	<0.069	<0.066	<0.072	<0.065	
Indeno(1,2,3-cd)Pyrene	NSE	NSE	<0.12	<0.12	<0.12	<0.12	<0.133	<0.071	<0.071	<0.072	<0.21	<0.069	<0.066	<0.072	<0.065	
1-Methyl Naphthalene	NSE	NSE	1.31	<0.08	<0.08	<0.08	<0.089	<0.37	<0.37	<0.37	<1.1	<0.36	<0.34	<0.37	<0.34	
2-Methyl Naphthalene	NSE	NSE	2.73	<0.11	<0.11	<0.11	<0.122	<0.36	<0.36	<0.36	<1.0	<0.34	<0.33	<0.36	<0.33	
Naphthalene	40	8.0	1.05	<0.11	<0.11	<0.11	<0.122	<0.46	<0.46	<0.47	<1.3	<0.44	<0.43	<0.47	<0.42	
Phenanthrene	NSE	NSE	<0.11	<0.11	<0.11	<0.11	<0.122	<0.034	<0.034	<0.035	1.2	<0.033	0.091	<0.035	<0.032	
Pyrene	250	50	<0.1	<0.1	<0.1	<0.1	<0.111	<0.051	<0.051	<0.051	2.2	<0.049	<0.047	<0.051	<0.046	
VOCs ² (µg/l)																
Benzene	5	0.5	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
Bromobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
Bromochloromethane	NSE	NSE	--	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	<0.50	<0.50	<0.50	<0.50	<0.50	
Bromodichloromethane	0.6	0.06	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
Bromomethane	10	1	--	<0.15	<0.15	<0.15	<0.15	<0.15	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
n-Butylbenzene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
sec-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	--	--	<0.25	<0.25	<0.25	<0.25	<0.25	
tert-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
Carbon Tetrachloride	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.2	0.52	--	--	<0.50	<0.50	<0.50	<0.50	<0.50	
Chlorobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
Chlorodibromomethane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
Chloroethane	400	80	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	--	--	<1.0	<1.0	<1.0	<1.0	<1.0	
Chloroform	6	0.6	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
Chloromethane	3	0.3	<0.2	0.28	<0.20	<0.20	<0.20	<0.20	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
o-Chlorotoluene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	<0.50	<0.50	<0.50	<0.50	<0.50	
p-Chlorotoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
1,2-Dibromo-3-chloropropane	0.2	0.02	<0.3	<0.35	<0.35	<0.35	<0.35	<0.35	--	--	<0.50	<0.50	<0.50	<0.50	<0.50	
1,2-Dibromoethane	0.05	0.005	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
1,2-Dichlorobenzene	600	60	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
1,3-Dichlorobenzene	1,250	125	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	--	--	<0.20	<0.20	<0.20	<0.20	<0.20	
1,4-Dichlorobenzene	75	15	<													

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date													
			MW-9							PZ-9			MW-10		PZ-10	
	ES	PAL	2/16/06	5/30/06	8/29/06	8/29/06 Dup.	11/15/06	2/19/08	5/21/08	2/19/08	5/21/08	2/19/08	5/21/08	2/19/08	5/21/08	
VOCs ² (µg/l)																
trans-1,2-Dichloroethylene	100	20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloropropane	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,3-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
2,2-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloropropene	NSE	NSE	<0.2	<0.3	<0.3	<0.3	<0.3	<0.3	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
trans-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Ethylbenzene	700	140	0.411	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Hexachlorobutadiene	NSE	NSE	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Isopropylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Isopropyl Ether	NSE	NSE	--	--	--	--	--	--	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
p-Isopropyltoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	--	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Methyl tert Butyl Ether	60	12	<0.1	0.3	<0.1	<0.1	<0.1	<0.1	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Methylene Chloride	5	0.5	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	--	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Naphthalene	40	8	1.87	<1.00	<1.00	<1.00	<1.00	<1.00	--	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
n-Propylbenzene	NSE	NSE	0.117	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethylene	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	1.1	0.93	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2-Tetrachloroethane	70	7	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Toluene	1,000	200	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	--	<0.20	<0.20	<0.20	<0.20	<0.20	0.26	0.26
1,1,2-Trichloroethane	5	0.5	--	<0.1	<0.1	<0.1	<0.1	<0.1	--	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
Total Trimethylbenzenes	480	96	2.049	<0.3	<0.3	<0.3	<0.3	<0.3	--	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
1,2,3-Trichlorobenzene	NSE	NSE	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,2,4-Trichlorobenzene	70	14	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
1,1,1-Trichloroethane	200	40	0.206	1.22	1.88	1.74	<0.2	--	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethylene	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	--	12	16	<0.20	<0.20	<0.20	<0.20	<0.20
Trichlorofluoromethane	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Vinyl Chloride	0.2	0.02	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	--	<0.20	0.28	<0.20	<0.20	<0.20	<0.20	<0.20
Total Xylenes	10,000	1,000	2.335	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Metals (µg/l)																
Arsenic	50	5	1.20	--	--	--	--	--	--	0.90	1.0	1.6	2.4	0.47	0.48	
Barium	2000	400	113	--	--	--	--	--	--	150	100	73	68	48	42	
Cadmium	5	0.5	0.34	--	--	--	--	--	--	0.010	<0.12	0.020	<0.12	0.040	<0.12	
Chromium	100	10	4.90	--	--	--	--	--	--	1.8	2.8	2.0	3.3	1.9	3.0	
Lead	15	1.5	<0.3	--	--	--	--	--	--	0.14	<0.12	0.090	<0.12	<0.040	<0.12	
Mercury	2	0.2	<0.07	--	--	--	--	--	--	0.00017	<0.000065	0.000092	0.000071	0.000091	<0.000065	
Selenium	50	10	2.01	--	--	--	--	--	--	0.27	<0.12	<0.17	0.37	<0.17	0.13	
Silver	50	10	<0.2	--	--	--	--	--	--	0.030	<0.12	0.020	<0.12	0.020	<0.12	

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date													
			East Sump		Large Sump						West Sump					
	ES	PAL	2/16/06	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	
pH	NSE	NSE	7.31	7.51	--	--	--	--	--	8.00	--	--	--	--	--	--
DRO (µg/l)	NSE	NSE	3,864,059	--	--	--	--	--	--	--	--	--	--	--	--	--
PAHs ¹ (µg/l)																
Acenaphthene	NSE	NSE	<6.90	<0.06	<0.06	<0.06	<0.071	--	--	<0.06	<0.06	<0.06	<0.067	<0.40	<0.34	
Acenaphthylene	NSE	NSE	<6.90	<0.06	<0.06	<0.06	<0.071	--	--	<0.06	<0.06	<0.06	<0.067	<0.84	<0.72	
Anthracene	3,000	600	<10.4	<0.09	<0.09	<0.09	<0.106	--	--	<0.09	<0.09	<0.09	<0.1	<0.046	<0.040	
Benzo(a)Anthracene	NSE	NSE	<11.5	<0.1	<0.1	<0.1	<0.118	--	--	<0.1	<0.1	<0.1	<0.111	<0.054	<0.046	
Benzo(a)Pyrene	0.2	0.02	<2.3	<0.02	<0.02	<0.02	<0.024	--	--	<0.02	<0.02	<0.02	<0.022	<0.039	<0.033	
Benzo(b)Fluoranthene	0.2	0.02	<2.3	<0.02	<0.02	<0.02	<0.024	--	--	<u>0.035</u>	<u>0.095</u>	<u>0.114</u>	<0.022	<0.12	<0.10	
Benzo(k)Fluoranthene	NSE	NSE	<8.05	<0.07	<0.07	<0.07	<0.082	--	--	<0.07	<0.07	<0.07	<0.078	<0.060	<0.051	
Benzo(g,h,i)Perylene	NSE	NSE	<6.90	<0.06	<0.06	<0.06	<0.071	--	--	0.094	0.065	<0.06	<0.067	<0.15	<0.12	
Chrysene	0.2	0.02	<2.30	<0.02	<0.02	<0.02	<0.024	--	--	<u>0.045</u>	<u>0.143</u>	<u>0.188</u>	<0.022	<0.05	<0.043	
Dibeno(a,h)Anthracene	NSE	NSE	<12.7	<0.11	<0.11	<0.11	<0.129	--	--	<0.11	<0.11	<0.11	<0.122	<0.16	<0.14	
Fluoranthene	400	80	<13.8	<0.12	<0.12	<0.12	<0.141	--	--	<0.12	0.162	<0.12	<0.133	<0.099	<0.084	
Fluorene	400	80	<13.8	<0.12	<0.12	<0.12	<0.141	--	--	<0.12	<0.12	<0.12	<0.133	<0.076	<0.065	
Indeno(1,2,3-cd)Pyrene	NSE	NSE	<13.8	<0.12	<0.12	<0.12	<0.141	--	--	<0.12	0.120	<0.12	<0.133	<0.076	<0.065	
1-Methyl Naphthalene	NSE	NSE	<9.2	<0.08	<0.08	<0.08	<0.094	--	--	<0.08	<0.08	<0.08	<0.089	<0.39	<0.33	
2-Methyl Naphthalene	NSE	NSE	<12.7	<0.11	<0.11	<0.11	<0.129	--	--	<0.11	<0.11	<0.11	<0.122	<0.38	<0.32	
Naphthalene	40	8.0	<12.7	<0.11	<0.11	<0.11	<0.129	--	--	<0.11	<0.11	<0.11	<0.122	<0.49	<0.42	
Phenanthrene	NSE	NSE	<12.7	<0.11	<0.11	<0.11	<0.129	--	--	<0.11	0.116	0.303	<0.122	<0.037	<0.031	
Pyrene	250	50	<11.5	<0.1	<0.1	<0.1	<0.118	--	--	<0.1	<0.1	<0.111	<0.054	<0.046		
VOCs ² (µg/l)																
Benzene	5	0.5	<0.15	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	--	--	
Bromobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	--	--	
Bromochloromethane	NSE	NSE	--	--	<0.1	<0.1	<0.1	<0.50	<0.50	--	<0.1	<0.1	<0.1	--	--	
Bromodichloromethane	0.6	0.06	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	--	--	
Bromomethane	10	1	--	--	<0.15	<0.15	<0.15	<0.20	<0.20	--	<0.15	<0.15	<0.15	--	--	
n-Butylbenzene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	--	--	
sec-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25	<0.25	<0.15	<0.15	<0.15	<0.15	--	--	
tert-Butylbenzene	NSE	NSE	<0.15	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	--	--	
Carbon Tetrachloride	5	0.5	<0.2	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	--	--	
Chlorobenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	--	--	
Chlorodibromomethane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	--	--	
Chloroethane	400	80	<0.6	<0.6	<0.6	<0.6	<0.6	<1.0	<1.0	<0.6	<0.6	<0.6	<0.6	--	--	
Chloroform	6	0.6	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	--	--	
Chloromethane	3	0.3	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	0.22	<0.2	<0.2	--	--	
o-Chlorotoluene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	--	--	
p-Chlorotoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	--	--	
1,2-Dibromo-3-chloropropane	0.2	0.02	<0.3	<0.3	<0.35	<0.35	<0.35	<0.50	<0.50	<0.3	<0.35	<0.35	<0.35	--	--	
1,2-Dibromoethane	0.05	0.005	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	--	--	
1,2-Dichlorobenzene	600	60	<0.75	<0.75	<0.75	<0.75	<0.75	<0.20	<0.20	<0.75	<0.75	<0.75	<0.75	--	--	
1,3-Dichlorobenzene	1,250	125	<0.15	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	--	--	
1,4-Dichlorobenzene	75	15	<0.75	<0.75	<0.75	<0.75	<0.75	<0.20	<0.20	<0.75	<0.75	<0.75	<0.75	--	--	
Dichlorodifluoromethane	1,000	200	<0.25	<0.25	<0.25	<0.25	<0.25	<0.50	<0.50	<0.25	<0.25	<0.25	<0.25			

Table 4 (Continued)
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date													
			East Sump		Large Sump						West Sump					
	ES	PAL	2/16/06	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	2/16/06	5/30/06	8/29/06	11/15/06	2/19/08	5/21/08	
VOCs² (µg/l)																
trans-1,2-Dichloroethylene	100	20	<0.1	<0.1	0.14	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	--	--	--
1,2-Dichloropropane	5	0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	--	--	--
1,3-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	--	--	--
2,2-Dichloropropane	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	--	--	--
1,1-Dichloropropene	NSE	NSE	<0.2	<0.2	<0.3	<0.3	<0.3	<0.50	<0.50	<0.2	<0.3	<0.3	<0.3	--	--	--
cis-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	--	--	--
trans-1,3-Dichloropropene	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	--	--	--
Ethylbenzene	700	140	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	--	--	--
Hexachlorobutadiene	NSE	NSE	<1.00	<1.00	<1.00	<1.00	<1.00	<0.50	<0.50	<1.00	<1.00	<1.00	<1.00	--	--	--
Isopropylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	--	--	--
Isopropyl Ether	NSE	NSE	--	--	--	--	--	<0.50	<0.50	--	--	--	--	--	--	--
p-Isopropyltoluene	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.20	<0.20	<0.2	<0.2	<0.2	<0.2	--	--	--
Methyl tert Butyl Ether	60	12	<0.1	<0.1	1.01	<0.1	0.14	<0.50	<0.50	<0.1	0.32	<0.1	<0.1	--	--	--
Methylene Chloride	5	0.5	<0.4	<0.4	<0.4	<0.4	<0.4	<1.0	<1.0	<0.4	<0.4	<0.4	<0.4	--	--	--
Naphthalene	40	8	<1.00	<1.00	<1.00	<1.00	<1.00	<0.25	<0.25	<1.00	<1.00	<1.00	<1.00	--	--	--
n-Propylbenzene	NSE	NSE	<0.1	<0.1	<0.1	<0.1	<0.1	<0.50	<0.50	<0.1	<0.1	<0.1	<0.1	--	--	--
Tetrachloroethylene	5	0.5	<0.1	<0.1	<0.1	0.17	0.27	<0.50	<u>0.87</u>	<0.1	<0.1	<0.1	<0.1	--	--	--
1,1,1,2-Tetrachloroethane	70	7	<0.1	<0.1	<0.1	<0.1	<0.1	<0.25	<0.25	<0.1	<0.1	<0.1	<0.1	--	--	--
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.1	<0.1	<0.1	<0.1	<0.1	<0.20	<0.20	<0.1	<0.1	<0.1	<0.1	--	--	--
Toluene	1,000	200	<0.4	<0.4	<0.4	0.5	<0.4	<0.20	<0.20	<0.4	<0.4	<0.4	<0.4	--	--	--
1,1,2-Trichloroethane	5	0.5	--	--	<0.1	<0.1	<0.1	<0.25	<0.25	--	<0.1	<0.1	<0.1	--	--	--
Total Trimethylbenzenes	480	96	<0.3	<0.3	<0.3	<0.3	<0.3	<0.40	<0.40	<0.3	<0.3	<0.3	<0.3	--	--	--
1,2,3-Trichlorobenzene	NSE	NSE	<0.5	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	--	--	--
1,2,4-Trichlorobenzene	70	14	<0.5	<0.5	<0.5	<0.5	<0.5	<0.25	<0.25	<0.5	<0.5	<0.5	<0.5	--	--	--
1,1,1-Trichloroethane	200	40	<0.2	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	--	--	--
Trichloroethylene	5	0.5	0.293	<u>0.645</u>	<u>0.95</u>	<u>1.97</u>	<u>2.11</u>	<u>1.9</u>	<u>4.6</u>	<0.2	<0.2	<0.2	<0.2	--	--	--
Trichlorofluoromethane	NSE	NSE	<0.2	<0.2	<0.2	<0.2	<0.2	<0.50	<0.50	<0.2	<0.2	<0.2	<0.2	--	--	--
Vinyl Chloride	0.2	0.02	<0.15	<0.15	<0.15	<0.15	<0.15	<0.20	<0.20	<0.15	<0.15	<0.15	<0.15	--	--	--
Total Xylenes	10,000	1,000	<0.5	<0.5	<0.5	0.11	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	<0.5	--	--	--
Metals (µg/l)																
Arsenic	50	5	<0.125	2.0	--	--	--	--	--	1.0	--	--	--	--	--	--
Barium	2000	400	<0.0375	56	--	--	--	--	--	33.4	--	--	--	--	--	--
Cadmium	5	0.5	<0.0212	<0.2	--	--	--	--	--	<0.2	--	--	--	--	--	--
Chromium	100	10	<0.0351	<1.60	--	--	--	--	--	2.10	--	--	--	--	--	--
Lead	15	1.5	<0.2	<0.5	--	--	--	--	--	<0.3	--	--	--	--	--	--
Mercury	2	0.2	<0.07	<0.07	--	--	--	--	--	<0.07	--	--	--	--	--	--
Selenium	50	10	0.225	0.9	--	--	--	--	--	1.50	--	--	--	--	--	--
Silver	50	10	<0.075	<0.2	--	--	--	--	--	<0.2	--	--	--	--	--	--

NSE = No standard established

-- = Not analyzed for

Bold = Exceeds ch. NR 140 Enforcement Standard (ES)

Underline = Exceeds ch. NR 140 Preventive Action Limit (PAL)

¹ = PAH list is not complete; PAHs not listed are BDL

² = VOC list is not complete; VOCs not listed are BDL

Compiled by: JEG Checked by: FJM

P:\KON\NNerub\050200\Reports\Specs\misGW Analytical Results.xls

REPRODUCED FROM
USGS CHILTON QUADRANGLE


WISCONSIN - CALUMET CO. 7.5 MINUTE SERIES

1973



SCALE IN FEET


0 500 1000 2000



DRAWING DIRECTORY: Q:\KO\NERUB\050200\FIGURES\FIGURE 1 - SITE LOCATION



1	SITE INVESTIGATION REPORT			RJH	07/06	JEG	07/06						
NO.	DATE	ISSUE/REVISONS		DRAWN BY	DESIGN	FIELD REVIEW		QC CHECK					
ASI REPORT FORMER MIRRO PLANT #20 CHILTON, WISCONSIN				FIGURE 1 SITE LOCATION				PROJ. NO. NERUB050201	1				
								DATE 8/25/08	5				



LEGEND

- PZ-5 - PIEZOMETER LOCATION AND NUMBER
- SB-4 + - SOIL SAMPLE COLLECTED BY PREVIOUS CONSULTANT
- MW-9 * - MONITORING WELL LOCATION AND NUMBER
- B-1 ⊕ - SEH SOIL SAMPLE LOCATION AND NUMBER
- B-6 ● - TEMPORARY STANDPIPE LOCATION AND NUMBER
- * - ARSENIC DELINEATION OR PCB SAMPLE LOCATION (2/08)
- — APPROX. PROPERTY BOUNDARY
- - - RAILROAD TRACKS

1	08/25/08	ASIREPORT	JPF	08 /08	FJM	08 /08		
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	QC CHECK			





ADDITIONAL SITE INVESTIGATION REPORT
FORMER MIRRO PLANT #20
CHILTON, WISCONSIN

FIGURE 2
SAMPLING LOCATIONS

PROJ. NO.
NERUB050201
DATE
07/17/06

2
5





LEGEND

- PZ-5 - PIEZOMETER LOCATION AND NUMBER
- + - MANITOWOC RIVER SURFACE WATER ELEVATION ON 5/21/08 (MSL)
- MW-9 845.10 - MONITORING WELL LOCATION, NUMBER AND GROUNDWATER ELEVATION ON 5/21/08 (MSL)
- B-1 ⊕ - SEH SOIL SAMPLE LOCATION AND NUMBER (NO GROUNDWATER DATA)
- B-6 843.19 ● - TEMPORARY STANDPIPE LOCATION, NUMBER AND GROUNDWATER ELEVATION ON 5/21/08 (MSL)
- ~ 843.8 ~ - GROUNDWATER ELEVATION ISOCONTOUR ON 5/21/08 (MSL), CONTOUR INTERVAL - 0.1 FT
- - APPROX. PROPERTY BOUNDARY
- - - - RAILROAD TRACKS

1	07/17/06	ASI REPORT	JPF	07/06	FJM	07/06	
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	QC CHECK		




ADDITIONAL SITE INVESTIGATION REPORT
FORMER MIRRO PLANT #20
CHILTON, WISCONSIN

FIGURE 4
GROUNDWATER FLOW MAP
5/21/2008

PROJ. NO.
NERUB050201
DATE
07/17/06

4
5



1	07/11/08	ASI REPORT	JPF	06/08	FJM	07/08	
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	QC CHECK	SEH	

ADDITIONAL SITE INVESTIGATION REPORT
FORMER MIRRO PLANT #20
CHILTON, WISCONSIN

FIGURE 5
GROUNDWATER CONCENTRATION SUMMARY

PROJ. NO. NERUB050201	5
DATE 07/11/08	5


Appendix A

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 1

Facility/Project Name Mirro Former Plant 20, Chilton, WI			License/Permit/Monitoring Number 000			Boring Number MW-10						
Boring Drilled By: Name of crew chief (first, last) and Firm Todd Fields Tetra Tech			Date Drilling Started 2/6/2008		Date Drilling Completed 2/6/2008		Drilling Method hollow stem auger					
WI Unique Well No. VT231	DNR Well ID No. MW-10	Common Well Name	Final Static Water Level Feet MSL		Surface Elevation Feet MSL		Borehole Diameter 8.2 inches					
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Lat ° ' "		Local Grid Location							
State Plane 1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Long ° ' "		<input type="checkbox"/> N Feet	<input type="checkbox"/> S Feet	<input type="checkbox"/> E Feet					
Facility ID		County Calumet	County Code 8	Civil Town/City/ or Village Chilton								
Sample		Soil/Rock Description And Geologic Origin For Each Major Unit				Soil Properties				RQD/ Comments		
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	U S C S	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content		Liquid Limit	Plasticity Index
			1	Boring MW-10 Blind Drilled to 15 feet, See Boring Log PZ-10 for Lithologic Description								
			2									
			3									
			4									
			5									
			6									
			7									
			8									
			9									
			10									
			11									
			12									
			13									
			14									
			15	End of Boring @ 15.0 ft.								

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **SEH Inc** 421 Frenette Drive
Chippewa Falls, WI 54729
www.sehinc.com Tel: 715.720.6200
Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater
Remediation/Redevelopment

Waste Management
Other

Page 1 of 2

Facility/Project Name Mirro Former Plant 20, Chilton, WI			License/Permit/Monitoring Number 000		Boring Number PZ-10							
Boring Drilled By: Name of crew chief (first, last) and Firm Todd Fields Tetra Tech			Date Drilling Started 2/6/2008	Date Drilling Completed 2/6/2008	Drilling Method hollow stem auger							
WI Unique Well No. VT230	DNR Well ID No.	Common Well Name PZ-10	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.2 inches							
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Local Grid Location									
State Plane N, E S/C/N 1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Lat <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	Long <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	□ N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W Feet <input type="checkbox"/>							
Facility ID		County Calumet	County Code 8	Civil Town/City/ or Village Chilton								
Sample		Soil/Rock Description And Geologic Origin For Each Major Unit			Soil Properties				RQD/ Comments			
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	U S C S	Graphic Log	Well Diagram	PID/FID	Compressive Strength		Moisture Content	Liquid Limit	Plasticity Index
1 SPT	24 1	10-8 7-7	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	FILL: Brown Clayey Sand and Gravel, Some Cobbles				0.0				
2 SPT	24 3	18-23 23-25		Very Loose to Medium Dense, Brown Silty Fine SAND				0.0				
3 SPT	24 9	6-8 6-8						0.0				
4 SPT	24 10	1-3 3-3						0.0				
5 SPT	24 5	1-1 1-5						0.0				
6 SPT	24 16	4-4 4-4						0.0				
7 SPT	24 24	2-4 9-9						0.0				
8 SPT	24 24	1-1 1-3		Trace Gravel at 16 feet				0.0				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

SEH Inc

421 Frenette Drive
Chippewa Falls, WI 54729
www.sehinc.com

Tel: 715.720.6200

Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number PZ-10

Use only as an attachment to Form 4400-122.

Page 2 of 2

Boring Number		Sample		Soil/Rock Description And Geologic Origin For Each Major Unit				U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/Comments
9 SPT	24 24	3-2 2-2	18 19	Very Loose to Medium Dense, Brown Silty Fine SAND				SM				0.0					
10 SPT	24 5	1-1 1-3	20 21									0.0					
11 SPT	24 16	5-4 4-4	22 23	Loose, Brown Fine to Medium SAND, Little Silt, Trace Gravel								0.0					
12 SPT	24 24	3-3 4-3	24 25					SP-SP				0.0					
13 SPT	24 24	1-3 3-3	26 27									0.0					
14 SPT	24 24	1-2 3-3	28 29 30	Loose, Brown Fine Silty SAND End of Boring @ 30.0 ft.				SM				0.0					

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Mirro Former Plant 20, Chilton, WI			License/Permit/Monitoring Number 000		Boring Number PZ-9							
Boring Drilled By: Name of crew chief (first, last) and Firm Todd Fields Tetra Tech			Date Drilling Started 2/7/2008	Date Drilling Completed 2/7/2008	Drilling Method hollow stem auger							
WI Unique Well No. VT232	DNR Well ID No.	Common Well Name PZ-9	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.2 inches							
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Local Grid Location									
State Plane N, E S/C/N 1/4 of NW 1/4 of Section 18, T 18 N, R 20 E			Lat ° ' "	N <input type="checkbox"/> E <input type="checkbox"/>								
			Long ° ' "	Feet <input type="checkbox"/> S	Feet <input type="checkbox"/> W							
Facility ID		County Calumet	County Code 8	Civil Town/City/ or Village Chilton								
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	Soil Properties				RQD/ Comments
								PID/FID	Compressive Strength	Moisture Content	Liquid Limit	
1 SPT	24	7	6-5 5-4	FILL: Brown to Dark Brown Silty Sand and Gravel		X		0.0				
2 SPT	24	11	9-11 13-12	FILL: Brown Silty Clay, Some Sand and Gravel		X		0.0				
3 SPT	24	1	6-8 9-9			X		0.0				
4 SPT	24	8	4-7 8-8	Stiff to Very Stiff, Brown Lean CLAY, Little to Some Sand and Gravel		X		0.0				
5 SPT	24	10	2-3 6-6		CL	X		0.0				
6 SPT	24	24	4-6 8-8			X		0.0				
7 SPT	24	24	7-14 17-17			X		0.0				
8 SPT	24	19	13-18 20-21	Medium Dense to Dense, Brown Fine to Medium SAND, Trace Gravel and Silt	SP	X		0.0				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

SEH Inc

421 Frenette Drive

Chippewa Falls, WI 54729

www.sehinc.com

Tel: 715.720.6200

Fax: 715.720.6300

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number PZ-9

Use only as an attachment to Form 4400-122.

Page 2 of 2

Sample		Soil/Rock Description And Geologic Origin For Each Major Unit				U S C S	Graphic Log	Well Diagram	P/D/FID	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet							Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
9 SPT	24 10	6-6 8-10	18 19	Medium Dense to Dense, Brown Fine to Medium SAND, Trace Gravel and Silt		SP				0.0					
10 SPT	24 22	6-6 6-6	20 21	Alternating Layers of Brown Fine Silty Sand, and Brown Fine to Medium Sand, Little Gravel		SM				0.0					
11 SPT	24 24	1-3 7-6	24 25	Medium, Brown Lean CLAY, Little Sand and Gravel		CL				0.0					
12 SPT	24 16	9-10 10-11	26 27 28 29 30	End of Boring @30.0 ft.						0.0					

Facility/Project Name <i>Mirro Plant ZO</i>	Local Grid Location of Well ft. N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <i>PZ-10</i>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. <i>1T230</i> DNR Well ID No. <i>1T230</i>
Facility ID	St. Plane ft. N. ft. E. S/C/N	Date Well Installed <i>02/06/2008</i> m m d d y y y y
Type of Well	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N.R. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Installed By: Name (first, last) and Firm <i>Todd Fields</i>
Distance from Waste/ Source ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient Gov. Lot Number d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: Name (first, last) and Firm <i>Tetra Tech</i>
A. Protective pipe, top elevation	ft. MSL	1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	ft. MSL	2. Protective cover pipe: a. Inside diameter: <i>4.0 in.</i> b. Length: <i>5.0 ft.</i> c. Material: <input type="checkbox"/> Steel <i>04</i> <input type="checkbox"/> Other <i>[checkmark]</i> <input type="checkbox"/> Yes <input type="checkbox"/> No
C. Land surface elevation	ft. MSL	
D. Surface seal, bottom	ft. MSL or <i>30 ft.</i>	3. Surface seal: <input type="checkbox"/> Bentonite <i>30</i> <input type="checkbox"/> Concrete <i>01</i> <input type="checkbox"/> Other <i>[checkmark]</i>
12. USCS classification of soil near screen:	<i>GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/></i>	4. Material between well casing and protective pipe: <input type="checkbox"/> Bentonite <i>30</i> <input type="checkbox"/> Other <i>[checkmark]</i>
13. Sieve analysis performed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 33 b. Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. Lbs/gal mud weight Bentonite slurry <input checked="" type="checkbox"/> 31 d. % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 e. ft^3 volume added for any of the above <i>Tremie 0.1</i> f. How installed: <input type="checkbox"/> Tremie pumped <input checked="" type="checkbox"/> 02 <input type="checkbox"/> Gravity <i>0.8</i>
14. Drilling method used:	<input type="checkbox"/> Rotary <i>50</i> <input type="checkbox"/> Hollow Stem Auger <i>41</i> <input type="checkbox"/> Other <i>[checkmark]</i>	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 32 c. <input type="checkbox"/> Other <i>[checkmark]</i>
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9		7. Fine sand material: Manufacturer, product name & mesh size a. <i>Red Flint 45-55</i> b. Volume added <i>3/4 bag ft³</i>
16. Drilling additives used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	8. Filter pack material: Manufacturer, product name & mesh size a. <i>Red Flint 45-55 30-120</i> b. Volume added <i>2 bags ft³</i>
Describe _____		9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <i>[checkmark]</i>
17. Source of water (attach analysis, if required): _____		10. Screen material: Flush threaded PVC Sch. 40 <i>Monoflex</i> a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 0.1 Other <i>[checkmark]</i> b. Manufacturer <i>Monoflex</i> c. Slot size: <i>0.03 in.</i> d. Slotted length: <i>5.0 ft.</i>
E. Bentonite seal, top	ft. MSL or <i>30 ft.</i>	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 14 Other <i>[checkmark]</i>
F. Fine sand, top	ft. MSL or <i>19.0 ft.</i>	
G. Filter pack, top	ft. MSL or <i>21.0 ft.</i>	
H. Screen joint, top	ft. MSL or <i>23.0 ft.</i>	
I. Well bottom	ft. MSL or <i>28.0 ft.</i>	
J. Filter pack, bottom	ft. MSL or <i>30.0 ft.</i>	
K. Borehole, bottom	ft. MSL or <i>30.0 ft.</i>	
L. Borehole, diameter	<i>8.2 in.</i>	
M. O.D. well casing	<i>2.40 in.</i>	
N. I.D. well casing	<i>2.00 in.</i>	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Julian E. Gaff

Firm

SEH Inc.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Mirro Plant #20	County Name Calumet	Well Name PZ-10
Facility License, Permit or Monitoring Number	County Code 00	Wis. Unique Well Number VF230
DNR Well ID Number		

1. Can this well be purged dry? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	11. Depth to Water (from top of well casing) a. <u>152</u> ft. _____ ft.
2. Well development method surged with bailer and bailed surged with bailer and pumped surged with block and bailed surged with block and pumped surged with block, bailed and pumped compressed air bailed only pumped only pumped slowly Other _____	Date <u>b. 07/07/2008</u> <u>07/07/2008</u> m m d d y y y y m m d d y y y y Time <u>c. 12:25</u> <input type="checkbox"/> a.m. <u>2:45</u> <input type="checkbox"/> p.m.
3. Time spent developing well <u>95</u> min.	12. Sediment in well bottom _____ inches _____ inches
4. Depth of well (from top of well casing) <u>20.6</u> ft.	13. Water clarity Clear <input type="checkbox"/> 10 <u>20</u> <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 15 <input type="checkbox"/> 25 (Describe) _____
5. Inside diameter of well <u>7.0</u> in.	Fill in if drilling fluids were used and well is at solid waste facility:
6. Volume of water in filter pack and well casing <u>15.5</u> gal.	14. Total suspended solids mg/l mg/l
7. Volume of water removed from well <u>15.0</u> gal.	15. COD mg/l mg/l
8. Volume of water added (if any) <u>0.0</u> gal.	16. Well developed by: Name (first, last) and Firm First Name: <u>John</u> Last Name: <u>Guhl</u> Firm: <u>SEH Inc.</u>
9. Source of water added <u>NONE</u>	
10. Analysis performed on water added? (If yes, attach results) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
17. Additional comments on development:	

Name and Address of Facility Contact/Owner/Responsible Party First Name: _____ Last Name: _____	I hereby certify that the above information is true and correct to the best of my knowledge.
Facility/Firm: <u>Mirro Plant #20 - Newell</u>	Signature: <u>John E. Guhl</u>
Street: <u>44 Walnut St.</u>	Print Name: <u>John E. Guhl</u>
City/State/Zip: <u>Chilton, WI</u>	Firm: <u>SEH Inc.</u>

See instructions for more information including a list of county codes and well type codes.

Facility/Project Name <i>Mirro Plant</i>		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		Well Name <i>MW-10</i>
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or		Wis. Unique Well No. <i>VTZ31</i> DNR Well ID No. _____
Facility ID		St. Plane _____ ft. N. _____ ft. E. _____ S/C/N _____		Date Well Installed <i>02/06/2008</i>
Type of Well		Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N.R. <input type="checkbox"/> E. <input type="checkbox"/> W.		Well Installed By: Name (first, last) and Firm <i>Todd Fire Tech</i> <i>Tetra Tech</i>
Distance from Waste/ Source _____ ft.	Env. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____	
<p>A. Protective pipe, top elevation _____ ft. MSL <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>B. Well casing, top elevation _____ ft. MSL <input type="checkbox"/> 4.0 in.</p> <p>C. Land surface elevation _____ ft. MSL <input type="checkbox"/> 5.0 in.</p> <p>D. Surface seal, bottom _____ ft. MSL or <i>1.0</i> ft. <input type="checkbox"/> Steel <input checked="" type="checkbox"/> 04 <input type="checkbox"/> Other <input type="checkbox"/> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/></p> <p>13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): _____</p> <p>E. Bentonite seal, top _____ ft. MSL or <i>1.0</i> ft. <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> 30 <input type="checkbox"/> Other <input type="checkbox"/></p> <p>F. Fine sand, top _____ ft. MSL or _____ ft. <input type="checkbox"/> Concrete <input type="checkbox"/> 01 <input type="checkbox"/> Other <input type="checkbox"/></p> <p>G. Filter pack, top _____ ft. MSL or _____ ft. <input type="checkbox"/> Other <input type="checkbox"/></p> <p>H. Screen joint, top _____ ft. MSL or _____ ft. <input type="checkbox"/> Gravity <input type="checkbox"/> 08</p> <p>I. Well bottom _____ ft. MSL or _____ ft. <input type="checkbox"/> Tremie <input type="checkbox"/> 01</p> <p>J. Filter pack, bottom _____ ft. MSL or _____ ft. <input type="checkbox"/> Tremie pumped <input type="checkbox"/> 02</p> <p>K. Borehole, bottom _____ ft. MSL or _____ ft. <input type="checkbox"/> Gravity <input type="checkbox"/> 08</p> <p>L. Borehole, diameter <i>8.8</i> in. <input type="checkbox"/> Other <input type="checkbox"/></p> <p>M. O.D. well casing <i>2.50</i> in. <input type="checkbox"/> Tremie <input type="checkbox"/> 01</p> <p>N. I.D. well casing <i>2.00</i> in. <input type="checkbox"/> Other <input type="checkbox"/></p>				
<p>1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: <i>4.0 in.</i> b. Length: <i>5.0 in.</i> c. Material: <input checked="" type="checkbox"/> Steel <input type="checkbox"/> 04 <input type="checkbox"/> Other <input type="checkbox"/> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>3. Surface seal: <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> 30 <input type="checkbox"/> Concrete <input type="checkbox"/> 01 <input type="checkbox"/> Other <input type="checkbox"/></p> <p>4. Material between well casing and protective pipe: <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> 30 <input type="checkbox"/> Other <input type="checkbox"/></p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft³ volume added for any of the above f. How installed: <input type="checkbox"/> Tremie <input type="checkbox"/> 01 <input type="checkbox"/> Tremie pumped <input type="checkbox"/> 02 <input type="checkbox"/> Gravity <input type="checkbox"/> 08</p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 c. <input type="checkbox"/> Other <input type="checkbox"/></p> <p>7. Fine sand material: Manufacturer, product name & mesh size <i>Red Flint 45-55</i></p> <p>8. Filter pack material: Manufacturer, product name & mesh size <i>Red Flint 80-120</i></p> <p>9. Well casing: Flush threaded PVC schedule 40 <input type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/></p> <p>10. Screen material: Flush threaded PVC Schedule 40 a. Screen type: <input type="checkbox"/> Factory cut <input checked="" type="checkbox"/> 1.1 <input type="checkbox"/> Continuous slot <input type="checkbox"/> 0.1 <input type="checkbox"/> Other <input type="checkbox"/></p> <p>b. Manufacturer <i>Marin Filter</i> c. Slot size: <i>0.91 in.</i> d. Slotted length: <i>60.9 ft.</i></p> <p>11. Backfill material (below filter pack): <input type="checkbox"/> None <input checked="" type="checkbox"/> 14 <input type="checkbox"/> Other <input type="checkbox"/></p>				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *John P. Haff* Firm *SEH Inc.*


Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name <i>Mirro Plant #20</i>	County Name <i>Calumet</i>	Well Name <i>MW-10</i>	
Facility License, Permit or Monitoring Number	County Code <i>08</i>	Wis. Unique Well Number <i>VT231</i>	DNR Well ID Number

1. Can this well be purged dry?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Before Development	After Development
2. Well development method		11. Depth to Water (from top of well casing)	a. <u>6.75</u> ft.
surged with bailer and bailed	<input type="checkbox"/> 41	Date	b. <u>0.40</u> <u>0.08</u> <u>0.20</u> <u>0.71</u> <u>2.00</u> <u>8</u> m m d d y y y m m d d y y y
surged with bailer and pumped	<input type="checkbox"/> 61	Time	c. <u>2:00</u> <input type="checkbox"/> a.m. <u>3:30</u> <input type="checkbox"/> p.m.
surged with block and bailed	<input type="checkbox"/> 42	12. Sediment in well bottom	inches
surged with block and pumped	<input type="checkbox"/> 62	13. Water clarity	Clear <input type="checkbox"/> 10 <input checked="" type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 15 <input type="checkbox"/> 25 (Describe) _____
surged with block, bailed and pumped	<input type="checkbox"/> 70		
compressed air	<input type="checkbox"/> 20		
bailed only	<input type="checkbox"/> 10		
pumped only	<input type="checkbox"/> 51		
pumped slowly	<input type="checkbox"/> 50		
Other _____	<input type="checkbox"/>		
3. Time spent developing well	_____ <u>90</u> min.	Fill in if drilling fluids were used and well is at solid waste facility:	
4. Depth of well (from top of well casing)	_____ <u>15.4</u> ft.	14. Total suspended solids	mg/l mg/l
5. Inside diameter of well	_____ <u>2.0</u> in.	15. COD	mg/l mg/l
6. Volume of water in filter pack and well casing	_____ <u>9.0</u> gal.	16. Well developed by: Name (first, last) and Firm	
7. Volume of water removed from well	_____ <u>90.0</u> gal.	First Name: <u>John</u> Last Name: <u>Guth</u>	
8. Volume of water added (if any)	_____ <u>0.0</u> gal.	Firm: <u>SETH Inc.</u>	
9. Source of water added _____			
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
17. Additional comments on development:			

Name and Address of Facility Contact/Owner/Responsible Party	I hereby certify that the above information is true and correct to the best of my knowledge.
First Name: _____ Last Name: _____	
Facility/Firm: <u>Mirro Plant #20 - Naval Reli</u>	Signature: <u>John P. Guth</u>
Street: <u>44 Walnut St.</u>	Print Name: <u>John Guth</u>
City/State/Zip: <u>Chilton, WI</u>	Firm: <u>SETH Inc.</u>

*: See instructions for more information including a list of county codes and well type codes.

Facility/Project Name <i>Mirco Plant #20</i>	Local Grid Location of Well ft. N. <input type="checkbox"/> S. <input type="checkbox"/> ft. E. <input type="checkbox"/> W.	Well Name <i>PZ-7</i>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. <input type="checkbox"/> Long. <input type="checkbox"/> " or	Wis. Unique Well No. <i>WT232</i> DNR Well ID No. <i>210712003</i>
Facility ID	St. Plane <input type="checkbox"/> ft. N. <input type="checkbox"/> ft. E. <input type="checkbox"/> S/C/N	Date Well Installed <i>2/10/2003</i>
Type of Well	Section Location of Waste/Source 1/4 of <input type="checkbox"/> Sec. <input type="checkbox"/> T. <input type="checkbox"/> N. R. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Installed By: Name (first, last) and Firm <i>Todd Fields Tetra Tech</i>
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/> u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number
<p>A. Protective pipe, top elevation - - - - - ft. MSL</p> <p>B. Well casing, top elevation - - - - - ft. MSL</p> <p>C. Land surface elevation - - - - - ft. MSL</p> <p>D. Surface seal, bottom - - - - - ft. MSL or <i>10 ft.</i></p> <p>12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/></p> <p>13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): _____</p> <p>E. Bentonite seal, top - - - - - ft. MSL or <i>18.0 ft.</i></p> <p>F. Fine sand, top - - - - - ft. MSL or <i>19.0 ft.</i></p> <p>G. Filter pack, top - - - - - ft. MSL or <i>21.0 ft.</i></p> <p>H. Screen joint, top - - - - - ft. MSL or <i>23.0 ft.</i></p> <p>I. Well bottom - - - - - ft. MSL or <i>28.0 ft.</i></p> <p>J. Filter pack, bottom - - - - - ft. MSL or <i>30.0 ft.</i></p> <p>K. Borehole, bottom - - - - - ft. MSL or <i>30.0 ft.</i></p> <p>L. Borehole, diameter <i>8.2 in.</i></p> <p>M. O.D. well casing <i>2.40 in.</i></p> <p>N. I.D. well casing <i>2.24 in.</i></p> 		
<p>1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: <i>Flush-mount</i> <i>8.0 in.</i> b. Length: <i>1.0 ft.</i> c. Material: <i>Steel</i> <input type="checkbox"/> 04 Other <input type="checkbox"/> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>d. Additional protection? If yes, describe: _____</p> <p>3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/></p> <p>4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/></p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 33 b. Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. Lbs/gal mud weight Bentonite slurry <input checked="" type="checkbox"/> 31 d. % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 e. <i>ft³</i> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input checked="" type="checkbox"/> 02 Gravity <input type="checkbox"/> 0.8</p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3.2 c. Other <input type="checkbox"/></p> <p>7. Fine sand material: Manufacturer, product name & mesh size a. <i>Red Flint 80-170 45-55</i> <input type="checkbox"/> b. Volume added <i>2 bags ft³</i></p> <p>8. Filter pack material: Manufacturer, product name & mesh size a. <i>Red Flint 80-170</i> <input type="checkbox"/> b. Volume added <i>7 bags ft³</i></p> <p>9. Well casing: Flush threaded PVC schedule 40 <input type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/></p> <p>10. Screen material: <i>Flush-threaded PVC sch. 40</i> <input type="checkbox"/> a. Screen type: Factory cut <input type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> b. Manufacturer <i>Monoflex</i> c. Slot size: <i>0.010 in.</i> d. Slotted length: <i>15.0 ft.</i></p> <p>11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input type="checkbox"/></p>		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *John P. Haff* Firm *SGH Inc.*

Route 10: Watershed/Wastewater

Waste Management

Remediation/Redevelopment

Other

Facility/Project Name	County Name	Well Name	
Mirro Plant #20	Columbia	PZ-9	
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number	DNR Well ID Number
	DR	VI 232	

1. Can this well be purged dry? Yes No

2. Well development method

- surged with bailer and bailed
- surged with bailer and pumped
- surged with block and bailed
- surged with block and pumped
- surged with block, bailed and pumped
- compressed air
- bailed only
- pumped only
- pumped slowly
- Other _____

- 41
- 61
- 42
- 62
- 70
- 20
- 10
- 51
- 50
- [diagonal lines]

3. Time spent developing well _____ 70 min.

4. Depth of well (from top of well casing) _____ 26.8 ft.

5. Inside diameter of well _____ 2.00 in.

6. Volume of water in filter pack and well casing _____ 90 gal.

7. Volume of water removed from well _____ 90 gal.

8. Volume of water added (if any) _____ 0 gal.

9. Source of water added _____

10. Analysis performed on water added? Yes No
(If yes, attach results)

17. Additional comments on development:

Before Development		After Development	
11. Depth to Water (from top of well casing)	a. 7.20 ft.		ft.
Date	b. 07/01/2008	m m / d d / y y y y	/ / / /
Time	c. 12:10 a.m.	12:10 p.m.	12:10 p.m.
12. Sediment in well bottom	2.0 inches	0.0 inches	
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe)	Clear <input checked="" type="checkbox"/> 20 Turbid <input type="checkbox"/> 25 (Describe)	

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids _____ mg/l _____ mg/l

15. COD _____ mg/l _____ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: John Last Name: Gunk

Firm: SGT Inc.

Name and Address of Facility Contact/Owner/Responsible Party

First Name: _____ Last Name: _____

Facility/Firm: Mirro Plant #20

Street: 44 Walnut St.

City/State/Zip: Chilton, WI

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: John E. Gunk

Print Name: John E. Gunk

Firm: SGT Inc.

February 19, 2008

Client: SEH - CHIPPEWA FALLS
421 Frenette Drive
Chippewa Falls, WI 54729-3374 Work Order: WRB0235
Project Name: Mirro Plant #20
Project Number: NERUB 0502.00

Attn: Mr. Jason Martin Date Received: 02/11/08

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
PZ-10 2-4'	WRB0235-01	02/06/08 13:00
PZ-9 4-6'	WRB0235-02	02/07/08 09:00
Transformer Pad 0-6in	WRB0235-03	02/07/08 12:15
Transformer Pad 6-18in	WRB0235-04	02/07/08 12:20
10'S + 5'E of MW-3 0-2'	WRB0235-05	02/07/08 14:50
10'S + 5'W of MW-3 0-2'	WRB0235-06	02/07/08 15:10
10'N + 5'E of MW-3 0-2'	WRB0235-07	02/07/08 15:20
10'N + 5'W of MW-3 0-2'	WRB0235-08	02/07/08 15:30
10'S + 5'E of B4 0-2'	WRB0235-09	02/07/08 15:50
10'S + 5'E of B4 2-4'	WRB0235-10	02/07/08 16:10
10'N + 5'W of B4 0-2'	WRB0235-11	02/07/08 16:30
10'N + 5'E of B4 0-2'	WRB0235-12	02/07/08 16:45
10'N + 5'E of B4 2-4'	WRB0235-13	02/07/08 16:55
10'N + 5'W of B4 0-2'	WRB0235-14	02/07/08 17:10
10'N + 5'W of B4 2-4'	WRB0235-15	02/07/08 17:25

SW 8082, SW 8270C, SW 5035 analysis performed at Lab ID: 999917270


Samples were received into laboratory at a temperature of 2 °C.

Wisconsin Certification Number: 128053530

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Watertown

Brian DeJong For Warren L. Topel

Project Manager

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0235-01 (PZ-10 2-4' - Solid/Soil)									
General Chemistry Parameters									
Sampled: 02/06/08 13:00									
% Solids	83		%	NA	1	02/12/08 15:14	kls	8020194	SW 5035
Metals									
Arsenic	7.2		mg/kg dry	1.7	1	02/12/08 16:39	gaf	8020171	SW 6010B
Barium	34		mg/kg dry	0.13	1	02/12/08 16:39	gaf	8020171	SW 6010B
Cadmium	<0.12		mg/kg dry	0.12	1	02/12/08 16:39	gaf	8020171	SW 6010B
Chromium	6.9		mg/kg dry	0.22	1	02/12/08 16:39	gaf	8020171	SW 6010B
Lead	6.5		mg/kg dry	1.5	1	02/12/08 16:39	gaf	8020171	SW 6010B
Mercury	0.030		mg/kg dry	0.012	1	02/15/08 12:06	mmmm	8020232	EPA 245.5
Selenium	<4.8		mg/kg dry	4.8	1	02/12/08 16:39	gaf	8020171	SW 6010B
Silver	0.18		mg/kg dry	0.13	1	02/12/08 16:39	gaf	8020171	SW 6010B
VOCs by SW8260B									
Benzene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Bromobenzene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Bromochloromethane	<42		ug/kg dry	42	1	02/12/08 17:54	ABA	8020177	SW 8260B
Bromodichloromethane	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Bromoform	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Bromomethane	<120		ug/kg dry	120	1	02/12/08 17:54	ABA	8020177	SW 8260B
n-Butylbenzene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
sec-Butylbenzene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
tert-Butylbenzene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Carbon Tetrachloride	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Chlorobenzene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Chlorodibromomethane	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Chloroethane	<61		ug/kg dry	61	1	02/12/08 17:54	ABA	8020177	SW 8260B
Chloroform	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Chloromethane	<61		ug/kg dry	61	1	02/12/08 17:54	ABA	8020177	SW 8260B
2-Chlorotoluene	<61		ug/kg dry	61	1	02/12/08 17:54	ABA	8020177	SW 8260B
4-Chlorotoluene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
1,2-Dibromo-3-chloropropane	<61		ug/kg dry	61	1	02/12/08 17:54	ABA	8020177	SW 8260B
1,2-Dibromoethane (EDB)	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Dibromomethane	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
1,2-Dichlorobenzene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
1,3-Dichlorobenzene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
1,4-Dichlorobenzene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Dichlorodifluoromethane	<61		ug/kg dry	61	1	02/12/08 17:54	ABA	8020177	SW 8260B
1,1-Dichloroethane	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
1,2-Dichloroethane	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
1,1-Dichloroethene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
cis-1,2-Dichloroethene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
trans-1,2-Dichloroethene	<30	C9	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
1,2-Dichloropropane	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
1,3-Dichloropropane	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
2,2-Dichloropropane	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
1,1-Dichloropropene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
cis-1,3-Dichloropropene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
trans-1,3-Dichloropropene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
2,3-Dichloropropene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Isopropyl Ether	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Ethylbenzene	<30		ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B
Hexachlorobutadiene	<42		ug/kg dry	42	1	02/12/08 17:54	ABA	8020177	SW 8260B

TestAmerica Watertown

Brian DeJong For Warren L. Topel

Project Manager

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0235-01 (PZ-10 2-4' - Solid/Soil) - cont.									
Sampled: 02/06/08 13:00									
VOCs by SW8260B - cont.									
Isopropylbenzene	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
p-Isopropyltoluene	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
Methylene Chloride	<61	ug/kg dry	61	1	02/12/08 17:54	ABA	8020177	SW 8260B	
Methyl tert-Butyl Ether	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
Naphthalene	62	ug/kg dry	61	1	02/12/08 17:54	ABA	8020177	SW 8260B	
n-Propylbenzene	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
Styrene	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
1,1,1,2-Tetrachloroethane	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
1,1,2,2-Tetrachloroethane	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
Tetrachloroethene	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
Toluene	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
1,2,3-Trichlorobenzene	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
1,2,4-Trichlorobenzene	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
1,1,1-Trichloroethane	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
1,1,2-Trichloroethane	<42	ug/kg dry	42	1	02/12/08 17:54	ABA	8020177	SW 8260B	
Trichloroethene	2600	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
Trichlorofluoromethane	<30	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
1,2,3-Trichloropropane	<61	ug/kg dry	61	1	02/12/08 17:54	ABA	8020177	SW 8260B	
1,2,4-Trimethylbenzene	200	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
1,3,5-Trimethylbenzene	50	ug/kg dry	30	1	02/12/08 17:54	ABA	8020177	SW 8260B	
Vinyl chloride	<42	ug/kg dry	42	1	02/12/08 17:54	ABA	8020177	SW 8260B	
Xylenes, total	<100	ug/kg dry	100	1	02/12/08 17:54	ABA	8020177	SW 8260B	
Surr: Dibromoformmethane (82-112%)	105 %								
Surr: Toluene-d8 (91-106%)	100 %								
Surr: 4-Bromofluorobenzene (89-110%)	102 %								
General Chemistry Parameters									
% Solids	82.6	%	0.100	1	02/12/08 00:00	am	8020514	SM 2540 G	
Semivolatile Organics by GC/MS									
Acenaphthene	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Acenaphthylene	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Anthracene	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Benzidine	<4.00	mg/kg dry	4.00	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Benzo (a) anthracene	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Benzo (b) fluoranthene	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Benzo (k) fluoranthene	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Benzo (a) pyrene	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Benzo (g,h,i) perylene	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Benzyl alcohol	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Butyl benzyl phthalate	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Bis(2-chloroethyl)ether	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Bis(2-chloroethoxy)methane	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Bis(2-ethylhexyl)phthalate	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Bis(2-chloroisopropyl) ether	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
4-Bromophenyl phenyl ether	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Carbazole	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
4-Chloroaniline	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
2-Chloronaphthalene	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
4-Chlorophenyl phenyl ether	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Chrysene	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Dibenzo (a,h) anthracene	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Dibenzofuran	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	
Di-n-butyl phthalate	<0.400	mg/kg dry	0.400	0.991	02/15/08 14:14	dmd	8020505	SW 8270C	

SEH - CHIPPEWA FALLS
421 Frenette Drive
Chippewa Falls, WI 54729-3374
Mr. Jason Martin

Work Order: WRB0235
Project: Mirro Plant #20
Project Number: NERUB 0502.00

Received: 02/11/08
Reported: 02/19/08 09:01

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0235-01 (PZ-10 2-4' - Solid/Soil) - cont.									
Semivolatile Organics by GC/MS - cont.									
1,2-Dichlorobenzene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
1,3-Dichlorobenzene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
1,4-Dichlorobenzene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
3,3'-Dichlorobenzidine	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Diethyl phthalate	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Dimethyl phthalate	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
2,4-Dinitrotoluene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
2,6-Dinitrotoluene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Di-n-octyl phthalate	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Fluoranthene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Fluorene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Hexachlorobenzene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Hexachlorobutadiene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Hexachlorocyclopentadiene	<0.799		mg/kg dry	0.799	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Hexachloroethane	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Indeno (1,2,3-cd) pyrene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Isophorone	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
2-Methylnaphthalene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Naphthalene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
2-Nitroaniline	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
3-Nitroaniline	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
4-Nitroaniline	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Nitrobenzene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
N-Nitrosodimethylamine	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
N-Nitrosodiphenylamine	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
N-Nitrosodi-n-propylamine	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Phenanthrene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Pyrene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Pyridine	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
1,2,4-Trichlorobenzene	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Benzoic acid	<0.799		mg/kg dry	0.799	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
4-Chloro-3-methylphenol	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
2-Chlorophenol	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Cresol(s)	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
2,4-Dichlorophenol	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
2,4-Dimethylphenol	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
2,4-Dinitrophenol	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
4,6-Dinitro-2-methylphenol	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
2-Methylphenol (o-Cresol)	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
4-Methylphenol (p-Cresol)	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
2-Nitrophenol	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
4-Nitrophenol	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Pentachlorophenol	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Phenol	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
2,4,5-Trichlorophenol	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
2,4,6-Trichlorophenol	<0.400		mg/kg dry	0.400	0.991	02/15/08 14:14	mdm	8020505	SW 8270C
Surr: Nitrobenzene-d5 (25-110%)	51 %								
Surr: 2-Fluorobiphenyl (20-115%)	46 %								
Surr: Terphenyl-d14 (40-135%)	62 %								
Surr: Phenol-d6 (30-125%)	57 %								
Surr: 2-Fluorophenol (25-120%)	52 %								
Surr: 2,4,6-Tribromophenol (35-130%)	53 %								

TestAmerica Watertown

Brian DeJong For Warren L. Topel
Project Manager

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0235-02 (PZ-9 4-6' - Solid/Soil)									
General Chemistry Parameters									
% Solids	82		%	NA	1	02/12/08 15:14	kls	8020194	SW 5035
Metals									
Arsenic	6.9		mg/kg dry	1.7	1	02/12/08 16:43	gaf	8020171	SW 6010B
Barium	15		mg/kg dry	0.13	1	02/12/08 16:43	gaf	8020171	SW 6010B
Cadmium	<0.12		mg/kg dry	0.12	1	02/12/08 16:43	gaf	8020171	SW 6010B
Chromium	6.5		mg/kg dry	0.22	1	02/12/08 16:43	gaf	8020171	SW 6010B
Lead	6.0		mg/kg dry	1.5	1	02/12/08 16:43	gaf	8020171	SW 6010B
Mercury	<0.012		mg/kg dry	0.012	1	02/15/08 12:06	mmm	8020232	EPA 245.5
Selenium	<4.9		mg/kg dry	4.9	1	02/12/08 16:43	gaf	8020171	SW 6010B
Silver	<0.13		mg/kg dry	0.13	1	02/12/08 16:43	gaf	8020171	SW 6010B
VOCs by SW8260B									
Benzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Bromobenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Bromochloromethane	<43		ug/kg dry	43	1	02/12/08 18:24	ABA	8020177	SW 8260B
Bromodichloromethane	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Bromoform	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Bromomethane	<120		ug/kg dry	120	1	02/12/08 18:24	ABA	8020177	SW 8260B
n-Butylbenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
sec-Butylbenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
tert-Butylbenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Carbon Tetrachloride	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Chlorobenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Chlorodibromomethane	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Chloroethane	<61		ug/kg dry	61	1	02/12/08 18:24	ABA	8020177	SW 8260B
Chloroform	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Chloromethane	<61		ug/kg dry	61	1	02/12/08 18:24	ABA	8020177	SW 8260B
2-Chlorotoluene	<61		ug/kg dry	61	1	02/12/08 18:24	ABA	8020177	SW 8260B
4-Chlorotoluene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,2-Dibromo-3-chloropropane	<61		ug/kg dry	61	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,2-Dibromoethane (EDB)	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Dibromomethane	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,2-Dichlorobenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,3-Dichlorobenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,4-Dichlorobenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Dichlorodifluoromethane	<61		ug/kg dry	61	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,1-Dichloroethane	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,2-Dichloroethane	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,1-Dichloroethene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
cis-1,2-Dichloroethene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
trans-1,2-Dichloroethene	<30	C9	ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,2-Dichloropropane	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,3-Dichloropropane	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
2,2-Dichloropropane	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,1-Dichloropropene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
cis-1,3-Dichloropropene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
trans-1,3-Dichloropropene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
2,3-Dichloropropene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Isopropyl Ether	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Ethylbenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Hexachlorobutadiene	<43		ug/kg dry	43	1	02/12/08 18:24	ABA	8020177	SW 8260B
Isopropylbenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
p-Isopropyltoluene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0235-02 (PZ-9 4-6' - Solid/Soil) - cont.									
Sampled: 02/07/08 09:00									
VOCs by SW8260B - cont.									
Methylene Chloride	<61		ug/kg dry	61	1	02/12/08 18:24	ABA	8020177	SW 8260B
Methyl tert-Butyl Ether	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Naphthalene	<61		ug/kg dry	61	1	02/12/08 18:24	ABA	8020177	SW 8260B
n-Propylbenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Styrene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,1,1,2-Tetrachloroethane	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,1,2,2-Tetrachloroethane	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Tetrachloroethene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Toluene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,2,3-Trichlorobenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,2,4-Trichlorobenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,1,1-Trichloroethane	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,1,2-Trichloroethane	<43		ug/kg dry	43	1	02/12/08 18:24	ABA	8020177	SW 8260B
Trichloroethene	1500		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Trichlorofluoromethane	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,2,3-Trichloropropane	<61		ug/kg dry	61	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,2,4-Trimethylbenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
1,3,5-Trimethylbenzene	<30		ug/kg dry	30	1	02/12/08 18:24	ABA	8020177	SW 8260B
Vinyl chloride	<43		ug/kg dry	43	1	02/12/08 18:24	ABA	8020177	SW 8260B
Xylenes, total	<100		ug/kg dry	100	1	02/12/08 18:24	ABA	8020177	SW 8260B
Surr: Dibromoformmethane (82-112%)	112 %								
Surr: Toluene-d8 (91-106%)	99 %								
Surr: 4-Bromofluorobenzene (89-110%)	105 %								
General Chemistry Parameters									
% Solids	82.3	%		0.100	1	02/12/08 00:00	am	8020514	SM 2540 G
Semivolatile Organics by GC/MS									
Acenaphthene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Acenaphthylene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Anthracene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Benzidine	<4.01		mg/kg dry	4.01	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Benzo (a) anthracene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Benzo (b) fluoranthene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Benzo (k) fluoranthene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Benzo (a) pyrene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Benzo (g,h,i) perylene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Benzyl alcohol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Butyl benzyl phthalate	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Bis(2-chloroethyl)ether	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Bis(2-chloroethoxy)methane	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Bis(2-ethylhexyl)phthalate	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Bis(2-chloroisopropyl) ether	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
4-Bromophenyl phenyl ether	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Carbazole	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
4-Chloroaniline	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
2-Chloronaphthalene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
4-Chlorophenyl phenyl ether	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Chrysene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Dibenzo (a,h) anthracene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Dibenzofuran	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
Di-n-butyl phthalate	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
1,2-Dichlorobenzene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C
1,3-Dichlorobenzene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C

SEH - CHIPPEWA FALLS
421 Frenette Drive
Chippewa Falls, WI 54729-3374
Mr. Jason Martin

Work Order: WRB0235
Project: Mirro Plant #20
Project Number: NERUB 0502.00

Received: 02/11/08
Reported: 02/19/08 09:01

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method		
Sample ID: WRB0235-02 (PZ-9 4-6' - Solid/Soil) - cont.								Sampled: 02/07/08 09:00			
Semivolatile Organics by GC/MS - cont.											
1,4-Dichlorobenzene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
3,3'-Dichlorobenzidine	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Diethyl phthalate	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Dimethyl phthalate	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
2,4-Dinitrotoluene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
2,6-Dinitrotoluene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Di-n-octyl phthalate	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Fluoranthene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Fluorene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Hexachlorobenzene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Hexachlorobutadiene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Hexachlorocyclopentadiene	<0.802		mg/kg dry	0.802	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Hexachloroethane	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Indeno (1,2,3-cd) pyrene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Isophorone	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
2-Methylnaphthalene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Naphthalene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
2-Nitroaniline	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
3-Nitroaniline	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
4-Nitroaniline	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Nitrobenzene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
N-Nitrosodimethylamine	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
N-Nitrosodiphenylamine	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
N-Nitrosodi-n-propylamine	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Phenanthrene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Pyrene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Pyridine	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
1,2,4-Trichlorobenzene	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Benzoic acid	<0.802		mg/kg dry	0.802	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
4-Chloro-3-methylphenol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
2-Chlorophenol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Cresol(s)	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
2,4-Dichlorophenol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
2,4-Dimethylphenol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
2,4-Dinitrophenol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
4,6-Dinitro-2-methylphenol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
2-Methylphenol (o-Cresol)	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
4-Methylphenol (p-Cresol)	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
2-Nitrophenol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
4-Nitrophenol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Pentachlorophenol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Phenol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
2,4,5-Trichlorophenol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
2,4,6-Trichlorophenol	<0.401		mg/kg dry	0.401	0.987	02/15/08 14:51	dmd	8020505	SW 8270C		
Surr: Nitrobenzene-d5 (25-110%)	74 %										
Surr: 2-Fluorobiphenyl (20-115%)	76 %										
Surr: Terphenyl-d14 (40-135%)	93 %										
Surr: Phenol-d6 (30-125%)	76 %										
Surr: 2-Fluorophenol (25-120%)	70 %										
Surr: 2,4,6-Tribromophenol (35-130%)	78 %										

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0235-03 (Transformer Pad 0-6in - Solid/Soil)									
General Chemistry Parameters									
% Solids	74.4		%	0.100	1	02/12/08 14:07	sas	8020422	SM 2540 G
Organochlorine Pesticides/PCBs									
PCB-1016	<0.0672		mg/kg dry	0.0672	0.975	02/13/08 16:16	slt	8020366	SW 8082
PCB-1221	<0.0672		mg/kg dry	0.0672	0.975	02/13/08 16:16	slt	8020366	SW 8082
PCB-1232	<0.0672		mg/kg dry	0.0672	0.975	02/13/08 16:16	slt	8020366	SW 8082
PCB-1242	<0.0672		mg/kg dry	0.0672	0.975	02/13/08 16:16	slt	8020366	SW 8082
PCB-1248	<0.0672		mg/kg dry	0.0672	0.975	02/13/08 16:16	slt	8020366	SW 8082
PCB-1254	<0.0672		mg/kg dry	0.0672	0.975	02/13/08 16:16	slt	8020366	SW 8082
PCB-1260	<0.0672		mg/kg dry	0.0672	0.975	02/13/08 16:16	slt	8020366	SW 8082
PCB-1268	<0.0672		mg/kg dry	0.0672	0.975	02/13/08 16:16	slt	8020366	SW 8082
Surr: Decachlorobiphenyl (59-140%)	61 %								
Surr: Tetrachloro-meta-xylene (46-136%)	52 %								
Sample ID: WRB0235-04 (Transformer Pad 6-18in - Solid/Soil)									
General Chemistry Parameters									
% Solids	75.0		%	0.100	1	02/12/08 14:07	sas	8020422	SM 2540 G
Organochlorine Pesticides/PCBs									
PCB-1016	<0.0667		mg/kg dry	0.0667	0.991	02/13/08 16:26	slt	8020366	SW 8082
PCB-1221	<0.0667		mg/kg dry	0.0667	0.991	02/13/08 16:26	slt	8020366	SW 8082
PCB-1232	<0.0667		mg/kg dry	0.0667	0.991	02/13/08 16:26	slt	8020366	SW 8082
PCB-1242	<0.0667		mg/kg dry	0.0667	0.991	02/13/08 16:26	slt	8020366	SW 8082
PCB-1248	<0.0667		mg/kg dry	0.0667	0.991	02/13/08 16:26	slt	8020366	SW 8082
PCB-1254	<0.0667		mg/kg dry	0.0667	0.991	02/13/08 16:26	slt	8020366	SW 8082
PCB-1260	<0.0667		mg/kg dry	0.0667	0.991	02/13/08 16:26	slt	8020366	SW 8082
PCB-1268	<0.0667		mg/kg dry	0.0667	0.991	02/13/08 16:26	slt	8020366	SW 8082
Surr: Decachlorobiphenyl (59-140%)	82 %								
Surr: Tetrachloro-meta-xylene (46-136%)	68 %								
Sample ID: WRB0235-05 (10'S + 5'E of MW-3 0-2' - Solid/Soil)									
General Chemistry Parameters									
% Solids	83		%	NA	1	02/12/08 15:14	klz	8020194	SW 5035
Metals									
Arsenic	4.1		mg/kg dry	1.7	1	02/12/08 16:47	gaf	8020171	SW 6010B
Sample ID: WRB0235-06 (10'S + 5'W of MW-3 0-2' - Solid/Soil)									
General Chemistry Parameters									
% Solids	84		%	NA	1	02/12/08 15:14	klz	8020194	SW 5035
Metals									
Arsenic	6.6		mg/kg dry	1.7	1	02/12/08 16:51	gaf	8020171	SW 6010B
Sample ID: WRB0235-07 (10'N + 5'E of MW-3 0-2' - Solid/Soil)									
General Chemistry Parameters									
% Solids	73		%	NA	1	02/12/08 15:15	klz	8020195	SW 5035
Metals									
Arsenic	4.8		mg/kg dry	1.9	1	02/12/08 16:55	gaf	8020171	SW 6010B
Sample ID: WRB0235-08 (10'N + 5'W of MW-3 0-2' - Solid/Soil)									
General Chemistry Parameters									
% Solids	83		%	NA	1	02/12/08 15:15	klz	8020195	SW 5035
Metals									
Arsenic	5.5		mg/kg dry	1.7	1	02/12/08 17:10	gaf	8020171	SW 6010B

SEH - CHIPPEWA FALLS
421 Frenette Drive
Chippewa Falls, WI 54729-3374
Mr. Jason Martin

Work Order: WRB0235
Project: Mirro Plant #20
Project Number: NERUB 0502.00

Received: 02/11/08
Reported: 02/19/08 09:01

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0235-09 (10'S + 5'E of B4 0-2' - Solid/Soil)									
General Chemistry Parameters									
% Solids	77		%	NA	1	02/12/08 15:15	kls	8020195	SW 5035
Metals									
Arsenic	5.2		mg/kg dry	1.8	1	02/12/08 17:14	gaf	8020171	SW 6010B
Sample ID: WRB0235-10 (10'S + 5'E of B4 2-4' - Solid/Soil)									
General Chemistry Parameters									
% Solids	79		%	NA	1	02/12/08 15:15	kls	8020195	SW 5035
Metals									
Arsenic	2.5		mg/kg dry	1.8	1	02/12/08 17:18	gaf	8020171	SW 6010B
Sample ID: WRB0235-11 (10'S + 5'W of B4 0-2' - Solid/Soil)									
General Chemistry Parameters									
% Solids	78		%	NA	1	02/12/08 15:15	kls	8020195	SW 5035
Metals									
Arsenic	7.1		mg/kg dry	1.8	1	02/12/08 17:22	gaf	8020171	SW 6010B
Sample ID: WRB0235-12 (10'N + 5'E of B4 0-2' - Solid/Soil)									
General Chemistry Parameters									
% Solids	72		%	NA	1	02/12/08 15:15	kls	8020195	SW 5035
Metals									
Arsenic	3.2		mg/kg dry	1.9	1	02/12/08 17:26	gaf	8020171	SW 6010B
Sample ID: WRB0235-13 (10'N + 5'E of B4 2-4' - Solid/Soil)									
General Chemistry Parameters									
% Solids	80		%	NA	1	02/12/08 15:15	kls	8020195	SW 5035
Metals									
Arsenic	5.5		mg/kg dry	1.8	1	02/12/08 17:30	gaf	8020171	SW 6010B
Sample ID: WRB0235-14 (10'N + 5'W of B4 0-2' - Solid/Soil)									
General Chemistry Parameters									
% Solids	74		%	NA	1	02/12/08 15:15	kls	8020195	SW 5035
Metals									
Arsenic	4.4		mg/kg dry	1.9	1	02/12/08 17:34	gaf	8020171	SW 6010B
Sample ID: WRB0235-15 (10'N + 5'W of B4 2-4' - Solid/Soil)									
General Chemistry Parameters									
% Solids	78		%	NA	1	02/12/08 15:15	kls	8020195	SW 5035
Metals									
Arsenic	3.1		mg/kg dry	1.8	1	02/12/08 17:38	gaf	8020171	SW 6010B

SEH - CHIPPEWA FALLS
421 Frenette Drive
Chippewa Falls, WI 54729-3374
Mr. Jason Martin

Work Order: WRB0235
Project: Mirro Plant #20
Project Number: NERUB 0502.00

Received: 02/11/08
Reported: 02/19/08 09:01

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Organochlorine Pesticides/PCBs							
SW 8082	8020366	WRB0235-03	31	10	02/12/08 13:21	RCJ	SW 3550B GC
SW 8082	8020366	WRB0235-04	30	10	02/12/08 13:21	RCJ	SW 3550B GC
Semivolatile Organics by GC/MS							
SW 8270C	8020505	WRB0235-01	30	1	02/15/08 08:04	AM	SW 3550B GCMS
SW 8270C	8020505	WRB0235-02	30	1	02/15/08 08:04	AM	SW 3550B GCMS

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
Metals													
Arsenic	8020171			mg/kg wet	N/A	1.4	<1.4						
Barium	8020171			mg/kg wet	N/A	0.11	<0.11						
Cadmium	8020171			mg/kg wet	N/A	0.10	<0.10						
Chromium	8020171			mg/kg wet	N/A	0.18	<0.18						
Lead	8020171			mg/kg wet	N/A	1.2	<1.2						
Selenium	8020171			mg/kg wet	N/A	4.0	<4.0						
Silver	8020171			mg/kg wet	N/A	0.11	<0.11						
Mercury	8020232			mg/kg wet	N/A	0.010	<0.010						
VOCs by SW8260B													
Benzene	8020177			ug/kg wet	N/A	25	<25						
Bromobenzene	8020177			ug/kg wet	N/A	25	<25						
Bromoform	8020177			ug/kg wet	N/A	35	<35						
Bromochloromethane	8020177			ug/kg wet	N/A	25	<25						
Bromodichloromethane	8020177			ug/kg wet	N/A	25	<25						
Bromoform	8020177			ug/kg wet	N/A	25	<25						
Bromomethane	8020177			ug/kg wet	N/A	100	<100						
n-Butylbenzene	8020177			ug/kg wet	N/A	25	<25						
sec-Butylbenzene	8020177			ug/kg wet	N/A	25	<25						
tert-Butylbenzene	8020177			ug/kg wet	N/A	25	<25						
Carbon Tetrachloride	8020177			ug/kg wet	N/A	25	<25						
Chlorobenzene	8020177			ug/kg wet	N/A	25	<25						
Chlorodibromomethane	8020177			ug/kg wet	N/A	25	<25						
Chloroethane	8020177			ug/kg wet	N/A	50	<50						
Chloroform	8020177			ug/kg wet	N/A	25	<25						
Chloromethane	8020177			ug/kg wet	N/A	50	<50						
2-Chlorotoluene	8020177			ug/kg wet	N/A	50	<50						
4-Chlorotoluene	8020177			ug/kg wet	N/A	25	<25						
1,2-Dibromo-3-chloropropane	8020177			ug/kg wet	N/A	50	<50						
1,2-Dibromoethane (EDB)	8020177			ug/kg wet	N/A	25	<25						
Dibromomethane	8020177			ug/kg wet	N/A	25	<25						
1,2-Dichlorobenzene	8020177			ug/kg wet	N/A	25	<25						
1,3-Dichlorobenzene	8020177			ug/kg wet	N/A	25	<25						
1,4-Dichlorobenzene	8020177			ug/kg wet	N/A	25	<25						
Dichlorodifluoromethane	8020177			ug/kg wet	N/A	50	<50						
1,1-Dichloroethane	8020177			ug/kg wet	N/A	25	<25						
1,2-Dichloroethane	8020177			ug/kg wet	N/A	25	<25						
1,1-Dichloroethene	8020177			ug/kg wet	N/A	25	<25						
cis-1,2-Dichloroethene	8020177			ug/kg wet	N/A	25	<25						
trans-1,2-Dichloroethene	8020177			ug/kg wet	N/A	25	<25						
1,2-Dichloropropane	8020177			ug/kg wet	N/A	25	<25						
1,3-Dichloropropane	8020177			ug/kg wet	N/A	25	<25						
2,2-Dichloropropane	8020177			ug/kg wet	N/A	25	<25						
1,1-Dichloropropene	8020177			ug/kg wet	N/A	25	<25						
cis-1,3-Dichloropropene	8020177			ug/kg wet	N/A	25	<25						
trans-1,3-Dichloropropene	8020177			ug/kg wet	N/A	25	<25						
2,3-Dichloropropene	8020177			ug/kg wet	N/A	25	<25						

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD Limits	RPD Limit	Q
VOCs by SW8260B													
Isopropyl Ether	8020177			ug/kg wet	N/A	25	<25						
Ethylbenzene	8020177			ug/kg wet	N/A	25	<25						
Hexachlorobutadiene	8020177			ug/kg wet	N/A	35	<35						
Isopropylbenzene	8020177			ug/kg wet	N/A	25	<25						
p-Isopropyltoluene	8020177			ug/kg wet	N/A	25	<25						
Methylene Chloride	8020177			ug/kg wet	N/A	50	<50						
Methyl tert-Butyl Ether	8020177			ug/kg wet	N/A	25	<25						
Naphthalene	8020177			ug/kg wet	N/A	50	<50						
n-Propylbenzene	8020177			ug/kg wet	N/A	25	<25						
Styrene	8020177			ug/kg wet	N/A	25	<25						
1,1,1,2-Tetrachloroethane	8020177			ug/kg wet	N/A	25	<25						
1,1,2,2-Tetrachloroethane	8020177			ug/kg wet	N/A	25	<25						
Tetrachloroethene	8020177			ug/kg wet	N/A	25	<25						
Toluene	8020177			ug/kg wet	N/A	25	<25						
1,2,3-Trichlorobenzene	8020177			ug/kg wet	N/A	25	<25						
1,2,4-Trichlorobenzene	8020177			ug/kg wet	N/A	25	<25						
1,1,1-Trichloroethane	8020177			ug/kg wet	N/A	25	<25						
1,1,2-Trichloroethane	8020177			ug/kg wet	N/A	35	<35						
Trichloroethene	8020177			ug/kg wet	N/A	25	<25						
Trichlorofluoromethane	8020177			ug/kg wet	N/A	25	<25						
1,2,3-Trichloropropane	8020177			ug/kg wet	N/A	50	<50						
1,2,4-Trimethylbenzene	8020177			ug/kg wet	N/A	25	<25						
1,3,5-Trimethylbenzene	8020177			ug/kg wet	N/A	25	<25						
Vinyl chloride	8020177			ug/kg wet	N/A	35	<35						
Xylenes, total	8020177			ug/kg wet	N/A	85	<85						
Surrogate: Dibromofluoromethane	8020177			ug/kg wet				109		82-112			
Surrogate: Toluene-d8	8020177			ug/kg wet				98		91-106			
Surrogate: 4-Bromo fluoro benzene	8020177			ug/kg wet				104		89-110			
Semivolatile Organics by GC/MS													
Acenaphthene	8020505			mg/kg wet	N/A	0.330	<0.330						
Acenaphthylene	8020505			mg/kg wet	N/A	0.330	<0.330						
Anthracene	8020505			mg/kg wet	N/A	0.330	<0.330						
Benzidine	8020505			mg/kg wet	N/A	3.30	<3.30						
Benzo (a) anthracene	8020505			mg/kg wet	N/A	0.330	<0.330						
Benzo (b) fluoranthene	8020505			mg/kg wet	N/A	0.330	<0.330						I
Benzo (k) fluoranthene	8020505			mg/kg wet	N/A	0.330	<0.330						I
Benzo (a) pyrene	8020505			mg/kg wet	N/A	0.330	<0.330						I
Benzo (g,h,i) perylene	8020505			mg/kg wet	N/A	0.330	<0.330						I
Benzyl alcohol	8020505			mg/kg wet	N/A	0.330	<0.330						
Butyl benzyl phthalate	8020505			mg/kg wet	N/A	0.330	<0.330						
Bis(2-chloroethyl)ether	8020505			mg/kg wet	N/A	0.330	<0.330						
Bis(2-chloroethoxy)methane	8020505			mg/kg wet	N/A	0.330	<0.330						
Bis(2-ethylhexyl)phthalate	8020505			mg/kg wet	N/A	0.330	<0.330						
Bis(2-chloroisopropyl) ether	8020505			mg/kg wet	N/A	0.330	<0.330						

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC Result	Dup % REC Limits	RPD Limit	RPD Limit	Q
Semivolatile Organics by GC/MIS												
4-Bromophenyl phenyl ether	8020505			mg/kg wet	N/A	0.330	<0.330					
Carbazole	8020505			mg/kg wet	N/A	0.330	<0.330					
4-Chloroaniline	8020505			mg/kg wet	N/A	0.330	<0.330					
2-Chloronaphthalene	8020505			mg/kg wet	N/A	0.330	<0.330					
4-Chlorophenyl phenyl ether	8020505			mg/kg wet	N/A	0.330	<0.330					
Chrysene	8020505			mg/kg wet	N/A	0.330	<0.330					
Dibenz(a,h) anthracene	8020505			mg/kg wet	N/A	0.330	<0.330					I
Dibenzofuran	8020505			mg/kg wet	N/A	0.330	<0.330					
Di-n-butyl phthalate	8020505			mg/kg wet	N/A	0.330	<0.330					
1,2-Dichlorobenzene	8020505			mg/kg wet	N/A	0.330	<0.330					
1,3-Dichlorobenzene	8020505			mg/kg wet	N/A	0.330	<0.330					
1,4-Dichlorobenzene	8020505			mg/kg wet	N/A	0.330	<0.330					
3,3'-Dichlorobenzidine	8020505			mg/kg wet	N/A	0.330	<0.330					
Diethyl phthalate	8020505			mg/kg wet	N/A	0.330	<0.330					
Dimethyl phthalate	8020505			mg/kg wet	N/A	0.330	<0.330					
2,4-Dinitrotoluene	8020505			mg/kg wet	N/A	0.330	<0.330					
2,6-Dinitrotoluene	8020505			mg/kg wet	N/A	0.330	<0.330					
Di-n-octyl phthalate	8020505			mg/kg wet	N/A	0.330	<0.330					I
Fluoranthene	8020505			mg/kg wet	N/A	0.330	<0.330					
Fluorene	8020505			mg/kg wet	N/A	0.330	<0.330					
Hexachlorobenzene	8020505			mg/kg wet	N/A	0.330	<0.330					
Hexachlorobutadiene	8020505			mg/kg wet	N/A	0.330	<0.330					
Hexachlorocyclopentadiene	8020505			mg/kg wet	N/A	0.660	<0.660					
Hexachloroethane	8020505			mg/kg wet	N/A	0.330	<0.330					
Indeno (1,2,3-cd) pyrene	8020505			mg/kg wet	N/A	0.330	<0.330					I
Isophorone	8020505			mg/kg wet	N/A	0.330	<0.330					
2-Methylnaphthalene	8020505			mg/kg wet	N/A	0.330	<0.330					
Naphthalene	8020505			mg/kg wet	N/A	0.330	<0.330					
2-Nitroaniline	8020505			mg/kg wet	N/A	0.330	<0.330					
3-Nitroaniline	8020505			mg/kg wet	N/A	0.330	<0.330					
4-Nitroaniline	8020505			mg/kg wet	N/A	0.330	<0.330					
Nitrobenzene	8020505			mg/kg wet	N/A	0.330	<0.330					
N-Nitrosodimethylamine	8020505			mg/kg wet	N/A	0.330	<0.330					
N-Nitrosodiphenylamine	8020505			mg/kg wet	N/A	0.330	<0.330					
N-Nitrosodi-n-propylamine	8020505			mg/kg wet	N/A	0.330	<0.330					
Phenanthrene	8020505			mg/kg wet	N/A	0.330	<0.330					
Pyrene	8020505			mg/kg wet	N/A	0.330	<0.330					
Pyridine	8020505			mg/kg wet	N/A	0.330	<0.330					
1,2,4-Trichlorobenzene	8020505			mg/kg wet	N/A	0.330	<0.330					
Benzoic acid	8020505			mg/kg wet	N/A	0.660	<0.660					
4-Chloro-3-methylphenol	8020505			mg/kg wet	N/A	0.330	<0.330					
2-Chlorophenol	8020505			mg/kg wet	N/A	0.330	<0.330					
Cresol(s)	8020505			mg/kg wet	N/A	0.330	<0.330					
2,4-Dichlorophenol	8020505			mg/kg wet	N/A	0.330	<0.330					
2,4-Dimethylphenol	8020505			mg/kg wet	N/A	0.330	<0.330					

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD	RPD Limit	Q
Semivolatile Organics by GC/MS													
2,4-Dinitrophenol	8020505			mg/kg wet	N/A	0.330	<0.330						
4,6-Dinitro-2-methylphenol	8020505			mg/kg wet	N/A	0.330	<0.330						
2-Methylphenol (o-Cresol)	8020505			mg/kg wet	N/A	0.330	<0.330						
4-Methylphenol (p-Cresol)	8020505			mg/kg wet	N/A	0.330	<0.330						
2-Nitrophenol	8020505			mg/kg wet	N/A	0.330	<0.330						
4-Nitrophenol	8020505			mg/kg wet	N/A	0.330	<0.330						
Pentachlorophenol	8020505			mg/kg wet	N/A	0.330	<0.330						
Phenol	8020505			mg/kg wet	N/A	0.330	<0.330						
2,4,5-Trichlorophenol	8020505			mg/kg wet	N/A	0.330	<0.330						
2,4,6-Trichlorophenol	8020505			mg/kg wet	N/A	0.330	<0.330						
<i>Surrogate: Nitrobenzene-d5</i>	8020505			mg/kg wet				61		25-110			
<i>Surrogate: 2-Fluorobiphenyl</i>	8020505			mg/kg wet				120		20-115		Z6	
<i>Surrogate: Terphenyl-d14</i>	8020505			mg/kg wet				73		40-135			
<i>Surrogate: Phenol-d6</i>	8020505			mg/kg wet				9		30-125		Z6	
<i>Surrogate: 2-Fluorophenol</i>	8020505			mg/kg wet				56		25-120			
<i>Surrogate: 2,4,6-Tribromophenol</i>	8020505			mg/kg wet				125		35-130			
Organochlorine Pesticides/PCBs													
PCB-1016	8020366			mg/kg wet	N/A	0.0500	<0.0500						
PCB-1221	8020366			mg/kg wet	N/A	0.0500	<0.0500						
PCB-1232	8020366			mg/kg wet	N/A	0.0500	<0.0500						
PCB-1242	8020366			mg/kg wet	N/A	0.0500	<0.0500						
PCB-1248	8020366			mg/kg wet	N/A	0.0500	<0.0500						
PCB-1254	8020366			mg/kg wet	N/A	0.0500	<0.0500						
PCB-1260	8020366			mg/kg wet	N/A	0.0500	<0.0500						
PCB-1268	8020366			mg/kg wet	N/A	0.0500	<0.0500						
<i>Surrogate: Decachlorobiphenyl</i>	8020366			mg/kg wet				96		59-140			
<i>Surrogate: Tetrachloro-meta-xylene</i>	8020366			mg/kg wet				74		46-136			

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Metals														
Barium	8B12010	5.0000	mg/L	N/A	N/A	N/A	5.28	106			90-110			
Silver	8B12010	1.0000	mg/L	N/A	N/A	N/A	1.05	105			90-110			
Arsenic	8B12010	5.0000	mg/L	N/A	N/A	N/A	5.31	106			90-110			
Cadmium	8B12010	5.0000	mg/L	N/A	N/A	N/A	5.42	108			90-110			
Chromium	8B12010	5.0000	mg/L	N/A	N/A	N/A	5.25	105			90-110			
Lead	8B12010	5.0000	mg/L	N/A	N/A	N/A	5.32	106			90-110			
Selenium	8B12010	5.0000	mg/L	N/A	N/A	N/A	5.31	106			90-110			
VOCs by SW8260B														
Benzene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2640	106			80-120			
Bromobenzene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2560	102			80-120			
Bromoform	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2660	106			80-120			
Bromochloromethane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2640	106			80-120			
Bromodichloromethane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2640	106			80-120			
Bromoform	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2710	108			80-120			
Bromomethane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2650	106			80-120			
n-Butylbenzene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2700	108			80-120			
sec-Butylbenzene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2710	108			80-120			
tert-Butylbenzene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2510	100			80-120			
Carbon Tetrachloride	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2830	113			80-120			
Chlorobenzene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2450	98			80-120			
Chlorodibromomethane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2540	102			80-120			
Chloroethane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2480	99			80-120			
Chloroform	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2760	110			80-120			
Chloromethane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2620	105			80-120			
2-Chlorotoluene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2620	105			80-120			
4-Chlorotoluene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2700	108			80-120			
1,2-Dibromo-3-chloropropane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2720	109			80-120			
1,2-Dibromoethane (EDB)	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2520	101			80-120			
Dibromomethane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2670	107			80-120			
1,2-Dichlorobenzene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2440	98			80-120			
1,3-Dichlorobenzene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2500	100			80-120			
1,4-Dichlorobenzene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2480	99			80-120			
Dichlorodifluoromethane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2790	111			80-120			
1,1-Dichloroethane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2750	110			80-120			
1,2-Dichloroethane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2740	109			80-120			
1,1-Dichloroethene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2740	109			80-120			
cis-1,2-Dichloroethene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2710	108			80-120			
trans-1,2-Dichloroethene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	3200	128			80-120			C9
1,2-Dichloropropane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2620	105			80-120			
1,3-Dichloropropane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2630	105			80-120			
2,2-Dichloropropane	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2800	112			80-120			
1,1-Dichloropropene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2780	111			80-120			
cis-1,3-Dichloropropene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2680	107			80-120			
trans-1,3-Dichloropropene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2640	106			80-120			
2,3-Dichloropropene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2580	103			80-120			
Isopropyl Ether	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2520	101			80-120			
Ethylbenzene	8B12006	2500.0	ug/kg wet	N/A	N/A	N/A	2540	102			80-120			

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

CCV QC DATA

Analyte	Seq/ Batch	Source	Spike Result	Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
Hexachlorobutadiene	8B12006		2500.0	ug/kg wet	N/A	N/A	2530		101		80-120			
Isopropylbenzene	8B12006		2500.0	ug/kg wet	N/A	N/A	2590		104		80-120			
p-Isopropyltoluene	8B12006		2500.0	ug/kg wet	N/A	N/A	2620		105		80-120			
Methylene Chloride	8B12006		2500.0	ug/kg wet	N/A	N/A	2650		106		80-120			
Methyl tert-Butyl Ether	8B12006		2500.0	ug/kg wet	N/A	N/A	2700		108		80-120			
Naphthalene	8B12006		2500.0	ug/kg wet	N/A	N/A	2580		103		80-120			
n-Propylbenzene	8B12006		2500.0	ug/kg wet	N/A	N/A	2540		102		80-120			
Styrene	8B12006		2500.0	ug/kg wet	N/A	N/A	2540		101		80-120			
1,1,1,2-Tetrachloroethane	8B12006		2500.0	ug/kg wet	N/A	N/A	2380		95		80-120			
1,1,2,2-Tetrachloroethane	8B12006		2500.0	ug/kg wet	N/A	N/A	2710		108		80-120			
Tetrachloroethene	8B12006		2500.0	ug/kg wet	N/A	N/A	2540		101		80-120			
Toluene	8B12006		2500.0	ug/kg wet	N/A	N/A	2520		101		80-120			
1,2,3-Trichlorobenzene	8B12006		2500.0	ug/kg wet	N/A	N/A	2610		104		80-120			
1,2,4-Trichlorobenzene	8B12006		2500.0	ug/kg wet	N/A	N/A	2730		109		80-120			
1,1,1-Trichloroethane	8B12006		2500.0	ug/kg wet	N/A	N/A	2720		109		80-120			
1,1,2-Trichloroethane	8B12006		2500.0	ug/kg wet	N/A	N/A	2480		99		80-120			
Trichloroethene	8B12006		2500.0	ug/kg wet	N/A	N/A	2590		103		80-120			
Trichlorofluoromethane	8B12006		2500.0	ug/kg wet	N/A	N/A	2870		115		80-120			
1,2,3-Trichloropropane	8B12006		2500.0	ug/kg wet	N/A	N/A	2620		105		80-120			
1,2,4-Trimethylbenzene	8B12006		2500.0	ug/kg wet	N/A	N/A	2730		109		80-120			
1,3,5-Trimethylbenzene	8B12006		2500.0	ug/kg wet	N/A	N/A	2760		111		80-120			
Vinyl chloride	8B12006		2500.0	ug/kg wet	N/A	N/A	2770		111		80-120			
Xylenes, total	8B12006		7500.0	ug/kg wet	N/A	N/A	7670		102		80-120			
Surrogate: Dibromofluoromethane	8B12006			ug/kg wet					108		80-120			
Surrogate: Toluene-d8	8B12006			ug/kg wet					99		80-120			
Surrogate: 4-Bromofluorobenzene	8B12006			ug/kg wet					104		80-120			

SEH - CHIPPEWA FALLS
421 Frenette Drive
Chippewa Falls, WI 54729-3374
Mr. Jason Martin

Work Order: WRB0235
Project: Mirro Plant #20
Project Number: NERUB 0502.00

Received: 02/11/08
Reported: 02/19/08 09:01

LABORATORY DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters													
QC Source Sample: WRB0229-16													
% Solids	8020194	87.1		%	N/A	N/A	86.4				1	20	
QC Source Sample: WRB0235-06													
% Solids	8020194	83.6		%	N/A	N/A	81.9				2	20	
QC Source Sample: WRB0235-15													
% Solids	8020195	78.2		%	N/A	N/A	78.2				0	20	
QC Source Sample: WRB0200-01													
% Solids	8020195	100		%	N/A	N/A	100				0	20	
General Chemistry Parameters													
QC Source Sample: CRB0396-01													
% Solids	8020422	98.7		%	N/A	0.100	98.9				0	10	

SEH - CHIPPEWA FALLS
421 Frenette Drive
Chippewa Falls, WI 54729-3374
Mr. Jason Martin

Work Order: WRB0235
Project: Mirro Plant #20
Project Number: NERUB 0502.00

Received: 02/11/08
Reported: 02/19/08 09:01

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Metals													
Arsenic	8020171	50.000	mg/kg wet	N/A	1.4	49.1	98			85-112			
Barium	8020171	25.000	mg/kg wet	N/A	0.11	25.0	100			78-110			
Cadmium	8020171	25.000	mg/kg wet	N/A	0.10	24.7	99			83-109			
Chromium	8020171	25.000	mg/kg wet	N/A	0.18	24.9	100			84-110			
Lead	8020171	50.000	mg/kg wet	N/A	1.2	49.5	99			84-110			
Selenium	8020171	100.00	mg/kg wet	N/A	4.0	96.5	97			79-104			
Silver	8020171	25.000	mg/kg wet	N/A	0.11	25.3	101			74-116			
Mercury	8020232	0.2500	mg/kg wet	N/A	0.010	0.232	93			76-133			
		0											
VOCs by SW8260B													
Benzene	8020177	2500.0	ug/kg wet	N/A	N/A	2390	96			64-124			
Bromobenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2450	98			70-130			
Bromochloromethane	8020177	2500.0	ug/kg wet	N/A	N/A	2570	103			70-130			
Bromodichloromethane	8020177	2500.0	ug/kg wet	N/A	N/A	2510	100			70-130			
Bromoform	8020177	2500.0	ug/kg wet	N/A	N/A	2650	106			70-130			
Bromomethane	8020177	2500.0	ug/kg wet	N/A	N/A	3120	125			70-130			
n-Butylbenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2470	99			70-130			
sec-Butylbenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2450	98			70-130			
tert-Butylbenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2290	92			70-130			
Carbon Tetrachloride	8020177	2500.0	ug/kg wet	N/A	N/A	2570	103			70-130			
Chlorobenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2300	92			80-123			
Chlorodibromomethane	8020177	2500.0	ug/kg wet	N/A	N/A	2470	99			70-130			
Chloroethane	8020177	2500.0	ug/kg wet	N/A	N/A	2720	109			70-130			
Chloroform	8020177	2500.0	ug/kg wet	N/A	N/A	2530	101			70-130			
Chloromethane	8020177	2500.0	ug/kg wet	N/A	N/A	2790	111			70-130			
2-Chlorotoluene	8020177	2500.0	ug/kg wet	N/A	N/A	2490	99			70-130			
4-Chlorotoluene	8020177	2500.0	ug/kg wet	N/A	N/A	2570	103			70-130			
1,2-Dibromo-3-chloropropane	8020177	2500.0	ug/kg wet	N/A	N/A	2490	99			70-130			
1,2-Dibromoethane (EDB)	8020177	2500.0	ug/kg wet	N/A	N/A	2330	93			70-130			
Dibromomethane	8020177	2500.0	ug/kg wet	N/A	N/A	2610	104			70-130			
1,2-Dichlorobenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2330	93			70-130			
1,3-Dichlorobenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2380	95			70-130			
1,4-Dichlorobenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2350	94			70-130			
Dichlorodifluoromethane	8020177	2500.0	ug/kg wet	N/A	N/A	3220	129			70-130			
1,1-Dichloroethane	8020177	2500.0	ug/kg wet	N/A	N/A	2590	104			70-130			
1,2-Dichloroethane	8020177	2500.0	ug/kg wet	N/A	N/A	2530	101			70-130			
1,1-Dichloroethene	8020177	2500.0	ug/kg wet	N/A	N/A	2810	112			43-141			
cis-1,2-Dichloroethene	8020177	2500.0	ug/kg wet	N/A	N/A	2550	102			70-130			
trans-1,2-Dichloroethene	8020177	2500.0	ug/kg wet	N/A	N/A	2550	102			70-130			C9
1,2-Dichloropropane	8020177	2500.0	ug/kg wet	N/A	N/A	2330	93			70-130			
1,3-Dichloropropane	8020177	2500.0	ug/kg wet	N/A	N/A	2460	99			70-130			
2,2-Dichloropropane	8020177	2500.0	ug/kg wet	N/A	N/A	2430	97			70-130			
1,1-Dichloropropene	8020177	2500.0	ug/kg wet	N/A	N/A	2390	95			70-130			
cis-1,3-Dichloropropene	8020177	2500.0	ug/kg wet	N/A	N/A	2470	99			70-130			
trans-1,3-Dichloropropene	8020177	2500.0	ug/kg wet	N/A	N/A	2480	99			70-130			
Ethylbenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2350	94			79-122			
Hexachlorobutadiene	8020177	2500.0	ug/kg wet	N/A	N/A	2360	95			70-130			

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Isopropylbenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2400		96		70-130			
p-Isopropyltoluene	8020177	2500.0	ug/kg wet	N/A	N/A	2410		96		70-130			
Methylene Chloride	8020177	2500.0	ug/kg wet	N/A	N/A	2520		101		70-130			
Methyl tert-Butyl Ether	8020177	2406.2	ug/kg wet	N/A	N/A	2370		98		55-137			
Naphthalene	8020177	2500.0	ug/kg wet	N/A	N/A	2460		98		70-130			
n-Propylbenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2350		94		70-130			
Styrene	8020177	2500.0	ug/kg wet	N/A	N/A	2420		97		70-130			
1,1,1,2-Tetrachloroethane	8020177	2500.0	ug/kg wet	N/A	N/A	2210		88		70-130			
1,1,2,2-Tetrachloroethane	8020177	2500.0	ug/kg wet	N/A	N/A	2540		102		70-130			
Tetrachloroethene	8020177	2500.0	ug/kg wet	N/A	N/A	2320		93		70-130			
Toluene	8020177	2500.0	ug/kg wet	N/A	N/A	2310		92		78-120			
1,2,3-Trichlorobenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2590		103		70-130			
1,2,4-Trichlorobenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2660		106		70-130			
1,1,1-Trichloroethane	8020177	2500.0	ug/kg wet	N/A	N/A	2510		100		70-130			
1,1,2-Trichloroethane	8020177	2500.0	ug/kg wet	N/A	N/A	2320		93		70-130			
Trichloroethene	8020177	2500.0	ug/kg wet	N/A	N/A	2360		95		78-124			
Trichlorofluoromethane	8020177	2500.0	ug/kg wet	N/A	N/A	2710		109		70-130			
1,2,3-Trichloropropane	8020177	2500.0	ug/kg wet	N/A	N/A	2450		98		70-130			
1,2,4-Trimethylbenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2620		105		75-128			
1,3,5-Trimethylbenzene	8020177	2500.0	ug/kg wet	N/A	N/A	2610		104		76-127			
Vinyl chloride	8020177	2500.0	ug/kg wet	N/A	N/A	2850		114		70-130			
Xylenes, total	8020177	7500.0	ug/kg wet	N/A	N/A	7170		96		79-122			
Surrogate: Dibromoformmethane	8020177		ug/kg wet					106		82-112			
Surrogate: Toluene-d8	8020177		ug/kg wet					98		91-106			
Surrogate: 4-Bromofluorobenzene	8020177		ug/kg wet					106		89-110			
Semivolatile Organics by GC/MS													
Acenaphthene	8020505	3.33	mg/kg wet	N/A	0.330	2.27	2.47	68	74	55-120	9	35	
Acenaphthylene	8020505	3.33	mg/kg wet	N/A	0.330	2.31	2.48	69	75	45-130	7	35	
Anthracene	8020505	3.33	mg/kg wet	N/A	0.330	2.43	2.51	73	75	60-130	3	35	
Benzidine	8020505	3.33	mg/kg wet	N/A	3.30	1.44	0.846	43	25	35-130	52	35	L1,R2
Benzo (a) anthracene	8020505	3.33	mg/kg wet	N/A	0.330	2.37	2.46	71	74	60-140	4	35	
Benzo (b) fluoranthene	8020505	3.33	mg/kg wet	N/A	0.330	2.37	2.52	71	76	60-135	6	35	
Benzo (k) fluoranthene	8020505	3.33	mg/kg wet	N/A	0.330	2.47	2.52	74	76	55-135	2	35	
Benzo (a) pyrene	8020505	3.33	mg/kg wet	N/A	0.330	2.42	2.54	73	76	60-135	5	35	
Benzo (g,h,i) perylene	8020505	3.33	mg/kg wet	N/A	0.330	2.35	2.53	71	76	60-130	7	35	
Benzyl alcohol	8020505	3.33	mg/kg wet	N/A	0.330	2.01	2.26	60	68	35-120	11	35	
Butyl benzyl phthalate	8020505	3.33	mg/kg wet	N/A	0.330	2.41	2.66	72	80	55-140	10	35	
Bis(2-chloroethyl)ether	8020505	3.33	mg/kg wet	N/A	0.330	2.03	2.13	61	64	35-105	4	35	
Bis(2-chloroethoxy)methane	8020505	3.33	mg/kg wet	N/A	0.330	2.00	2.27	60	68	40-105	12	35	
Bis(2-ethylhexyl)phthalate	8020505	3.33	mg/kg wet	N/A	0.330	2.34	2.59	70	78	55-140	10	35	
Bis(2-chloroisopropyl) ether	8020505	3.33	mg/kg wet	N/A	0.330	1.96	2.13	59	64	35-105	8	35	
4-Bromophenyl phenyl ether	8020505	3.33	mg/kg wet	N/A	0.330	2.34	2.52	70	76	60-135	7	35	
Carbazole	8020505	3.33	mg/kg wet	N/A	0.330	2.39	2.63	72	79	50-145	10	35	
4-Chloroaniline	8020505	3.33	mg/kg wet	N/A	0.330	1.93	2.20	58	66	35-120	13	35	

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Semivolatile Organics by GC/MS													
2-Chloronaphthalene	8020505	3.33	mg/kg wet	N/A	0.330	2.11	2.40	63	72	55-115	13	35	
4-Chlorophenyl phenyl ether	8020505	3.33	mg/kg wet	N/A	0.330	2.31	2.59	69	78	60-130	12	35	
Chrysene	8020505	3.33	mg/kg wet	N/A	0.330	2.44	2.58	73	77	60-140	5	35	
Dibenzo (a,h) anthracene	8020505	3.33	mg/kg wet	N/A	0.330	2.40	2.54	72	76	60-135	5	35	
Dibenzofuran	8020505	3.33	mg/kg wet	N/A	0.330	2.35	2.67	70	80	60-135	13	35	
Di-n-butyl phthalate	8020505	3.33	mg/kg wet	N/A	0.330	2.39	2.50	72	75	60-135	5	35	
1,2-Dichlorobenzene	8020505	3.33	mg/kg wet	N/A	0.330	1.95	2.11	58	63	40-100	8	35	
1,3-Dichlorobenzene	8020505	3.33	mg/kg wet	N/A	0.330	1.96	2.02	59	60	35-100	3	35	
1,4-Dichlorobenzene	8020505	3.33	mg/kg wet	N/A	0.330	1.95	2.02	59	60	35-100	3	35	
3,3'-Dichlorobenzidine	8020505	3.33	mg/kg wet	N/A	0.330	2.47	2.56	74	77	60-140	3	35	
Diethyl phthalate	8020505	3.33	mg/kg wet	N/A	0.330	2.42	2.72	73	82	60-140	12	35	
Dimethyl phthalate	8020505	3.33	mg/kg wet	N/A	0.330	2.39	2.68	72	81	60-130	12	35	
2,4-Dinitrotoluene	8020505	3.33	mg/kg wet	N/A	0.330	2.36	2.72	71	82	65-140	14	35	
2,6-Dinitrotoluene	8020505	3.33	mg/kg wet	N/A	0.330	2.44	2.73	73	82	65-140	11	35	
Di-n-octyl phthalate	8020505	3.33	mg/kg wet	N/A	0.330	2.45	2.70	74	81	50-145	10	35	
Fluoranthene	8020505	3.33	mg/kg wet	N/A	0.330	2.43	2.55	73	76	60-135	4	35	
Fluorene	8020505	3.33	mg/kg wet	N/A	0.330	2.39	2.51	72	75	60-125	5	35	
Hexachlorobenzene	8020505	3.33	mg/kg wet	N/A	0.330	2.38	2.55	72	77	65-140	7	35	
Hexachlorobutadiene	8020505	3.33	mg/kg wet	N/A	0.330	1.93	2.23	58	67	35-110	14	35	
Hexachlorocyclopentadiene	8020505	3.33	mg/kg wet	N/A	0.660	1.73	2.16	52	65	20-115	23	35	
Hexachloroethane	8020505	3.33	mg/kg wet	N/A	0.330	1.95	2.08	58	63	35-105	7	35	
Indeno (1,2,3-cd) pyrene	8020505	3.33	mg/kg wet	N/A	0.330	2.35	2.53	71	76	60-135	7	35	
Isophorone	8020505	3.33	mg/kg wet	N/A	0.330	2.15	2.46	64	74	45-120	14	35	
2-Methylnaphthalene	8020505	3.33	mg/kg wet	N/A	0.330	2.06	2.40	62	72	45-110	15	35	
Naphthalene	8020505	3.33	mg/kg wet	N/A	0.330	2.11	2.31	63	69	40-100	9	35	
2-Nitroaniline	8020505	3.33	mg/kg wet	N/A	0.330	2.30	2.59	69	78	50-145	12	35	
3-Nitroaniline	8020505	3.33	mg/kg wet	N/A	0.330	2.33	2.59	70	78	50-145	11	35	
4-Nitroaniline	8020505	3.33	mg/kg wet	N/A	0.330	2.29	2.58	69	77	50-145	12	35	
Nitrobenzene	8020505	3.33	mg/kg wet	N/A	0.330	1.94	2.28	58	68	40-105	16	35	
N-Nitrosodimethylamine	8020505	3.33	mg/kg wet	N/A	0.330	1.94	1.81	58	54	35-105	7	35	
N-Nitrosodiphenylamine	8020505	3.33	mg/kg wet	N/A	0.330	2.32	2.53	70	76	50-130	8	35	
N-Nitrosodi-n-propylamine	8020505	3.33	mg/kg wet	N/A	0.330	2.06	2.28	62	68	45-115	10	35	
Phenanthrene	8020505	3.33	mg/kg wet	N/A	0.330	2.40	2.51	72	75	60-130	4	35	
Pyrene	8020505	3.33	mg/kg wet	N/A	0.330	2.52	2.58	76	77	55-135	3	35	
Pyridine	8020505	3.33	mg/kg wet	N/A	0.330	1.51	1.42	45	43	25-90	6	35	
1,2,4-Trichlorobenzene	8020505	3.33	mg/kg wet	N/A	0.330	1.99	2.25	60	67	40-105	12	35	
Benzoic acid	8020505	3.33	mg/kg wet	N/A	0.660	0.509	0.244	15	7	10-75	70	35	L1,R2
4-Chloro-3-methylphenol	8020505	3.33	mg/kg wet	N/A	0.330	2.35	2.51	70	75	55-115	7	35	
2-Chlorophenol	8020505	3.33	mg/kg wet	N/A	0.330	2.05	2.05	61	61	45-100	0	35	
Cresol(s)	8020505	6.67	mg/kg wet	N/A	0.330	4.25	4.36	64	65	45-110	2	35	
2,4-Dichlorophenol	8020505	3.33	mg/kg wet	N/A	0.330	2.04	2.29	61	69	50-105	12	35	
2,4-Dimethylphenol	8020505	3.33	mg/kg wet	N/A	0.330	1.93	2.20	58	66	45-100	13	35	
2,4-Dinitrophenol	8020505	3.33	mg/kg wet	N/A	0.330	1.54	0.911	46	27	10-100	51	35	R7
4,6-Dinitro-2-methylphenol	8020505	3.33	mg/kg wet	N/A	0.330	2.07	1.49	62	45	15-110	33	35	
2-Methylphenol (o-Cresol)	8020505	3.33	mg/kg wet	N/A	0.330	2.10	2.17	63	65	45-105	3	35	

SEH - CHIPPEWA FALLS
 421 Frenette Drive
 Chippewa Falls, WI 54729-3374
 Mr. Jason Martin

Work Order: WRB0235
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00

Received: 02/11/08
 Reported: 02/19/08 09:01

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Semivolatile Organics by GC/MS													
4-Methylphenol (p-Cresol)	8020505	3.33	mg/kg wet	N/A	0.330	2.15	2.19	64	66	50-105	2	35	
2-Nitrophenol	8020505	3.33	mg/kg wet	N/A	0.330	1.96	2.15	59	64	45-100	9	35	
4-Nitrophenol	8020505	3.33	mg/kg wet	N/A	0.330	2.19	2.34	66	70	50-145	7	35	
Pentachlorophenol	8020505	3.33	mg/kg wet	N/A	0.330	1.83	1.88	55	56	25-120	3	35	
Phenol	8020505	3.33	mg/kg wet	N/A	0.330	2.02	2.05	61	61	45-100	1	35	
2,4,5-Trichlorophenol	8020505	3.33	mg/kg wet	N/A	0.330	2.27	2.41	68	72	65-125	6	35	
2,4,6-Trichlorophenol	8020505	3.33	mg/kg wet	N/A	0.330	2.19	2.38	66	71	60-120	8	35	
<i>Surrogate: Nitrobenzene-d5</i>	8020505		mg/kg wet					60	66	40-100			
<i>Surrogate: 2-Fluorobiphenyl</i>	8020505		mg/kg wet					65	71	55-115			
<i>Surrogate: Terphenyl-d14</i>	8020505		mg/kg wet					76	79	65-140			
<i>Surrogate: Phenol-d6</i>	8020505		mg/kg wet					62	62	45-105			
<i>Surrogate: 2-Fluorophenol</i>	8020505		mg/kg wet					57	53	40-95			
<i>Surrogate: 2,4,6-Tribromophenol</i>	8020505		mg/kg wet					70	73	55-150			
Organochlorine Pesticides/PCBs													
PCB-1260	8020366	0.0833	mg/kg wet	N/A	0.0500	0.110	0.101	132	122	41-131	8	20	L
<i>Surrogate: Decachlorobiphenyl</i>	8020366		mg/kg wet					111	105	59-140			
<i>Surrogate: Tetrachloro-meta-xylene</i>	8020366		mg/kg wet					77	69	46-136			

SEH - CHIPPEWA FALLS
421 Frenette Drive
Chippewa Falls, WI 54729-3374
Mr. Jason Martin

Work Order: WRB0235
Project: Mirro Plant #20
Project Number: NERUB 0502.00

Received: 02/11/08
Reported: 02/19/08 09:01

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Metals													
QC Source Sample: WRB0216-01													
Arsenic	8020171	4.68	58.480	mg/kg dry	N/A	1.6	66.5	63.7	106	101	67-127	4	21
Barium	8020171	6.30	29.240	mg/kg dry	N/A	0.13	34.4	33.7	96	94	57-124	2	32
Cadmium	8020171	<0.10	29.240	mg/kg dry	N/A	0.12	26.6	26.4	91	90	65-118	1	18
Chromium	8020171	3.85	29.240	mg/kg dry	N/A	0.21	31.7	31.2	95	94	63-122	2	21
Lead	8020171	6.42	58.480	mg/kg dry	N/A	1.4	62.6	62.1	96	95	67-120	1	18
Selenium	8020171	<4.0	116.96	mg/kg dry	N/A	4.7	119	118	102	101	63-120	1	21
Silver	8020171	0.0241	29.240	mg/kg dry	N/A	0.13	31.1	30.5	106	104	65-121	2	30
QC Source Sample: WRB0058-02													
Mercury	8020232	0.0129	0.2794	mg/kg dry	N/A	0.011	0.282	0.283	96	97	56-140	0	24
			5										

SEH - CHIPPEWA FALLS
421 Frenette Drive
Chippewa Falls, WI 54729-3374
Mr. Jason Martin

Work Order: WRB0235
Project: Mirro Plant #20
Project Number: NERUB 0502.00

Received: 02/11/08
Reported: 02/19/08 09:01

CERTIFICATION SUMMARY

TestAmerica Watertown

Method	Matrix	Nelac	Wisconsin
EPA 245.5	Solid/Soil		X
SW 5035	Solid/Soil	X	X
SW 6010B	Solid/Soil	X	X
SW 8260B	Solid/Soil	X	X

Subcontracted Laboratories

TestAmerica Analytical - Cedar Falls NELAC Cert #000668, Wisconsin Cert #999917270, Illinois Cert #000668, Minnesota Cert #019-999-319, Iowa Cert #007

704 Enterprise Drive - Cedar Falls, IA 50613

Method Performed: SM 2540 G

Samples: WRB0235-01, WRB0235-02, WRB0235-03, WRB0235-04

Method Performed: SW 8082

Samples: WRB0235-03, WRB0235-04

Method Performed: SW 8270C

Samples: WRB0235-01, WRB0235-02

DATA QUALIFIERS AND DEFINITIONS

- C9** Calibration Verification recovery was outside the method control limits for this analyte. The LCS for this analyte met CCV acceptance criteria, and was used to validate the batch.
- I** Internal Standard recovery was outside of method limits. Matrix interference was confirmed by reanalysis.
- L** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above the control limits. Analyte not detected, data not impacted.
- L1** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was outside control limits.
- R2** LCS duplicate RPD exceeded the laboratory control limit.
- R7** LCS/LCSD RPD exceeded the acceptance limit. Recovery met acceptance criteria.
- Z6** Surrogate recovery was outside control limits.

ADDITIONAL COMMENTS

Results are reported on a wet weight basis unless otherwise noted.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

W12B0035
To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?

Compliance Monitoring

Client Name SEH Inc Client #: _____

Address: 421 Frenette Drive

City/State/Zip Code: Chippewa Falls, WI 54729

Project Manager: Jason Martin

Telephone Number: 715.720.6200 Fax: 715.720.6300

Sampler Name: (Print Name) John G. Guhl

Sampler Signature: John E. Guhl

Project Name: Mirra Plant #20

Project #: NERUB0502.00

Site/Location ID: Chilton State: WI

Report To: Jason Martin / SEH

Invoice To: " " "

Quote #: _____ PO#: _____

E-mail address: _____

TAT Standard

Rush (surcharges may apply)

Date Needed: _____

Fax Results: Y N

E-mail: Y N

SAMPLE ID

TAT		Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix	Preservation & # of Containers				Analyze For:				QC Deliverables					
							SL - Sludge	DW - Drinking Water	GW - Groundwater	S - Soil/Solid	Specify Other	HNO ₃	HCl	NaOH	H ₂ SO ₄	Methanol	None	Other (Specify)		
PZ-10	2-4'	2-07-08	11:00	G		S						1	2		/	/	/			None
PZ-9	4-6'	2-07-08	9:00	G		S						1	2		/	/	/			Level 2 (Batch QC)
Transformer Pad 0-6"	2-07-08	12:15		G		S						1	1							Level 3
Transformer Pad 6-19"	2-07-08	12:20		G		S						1	1							Level 4
10'S + 5'E of MW-3 0-2'	2-07-08	2:50		G		S						1	1							Other: _____
10'S + 5'W of MW-3 0-2'	2-07-08	3:10		G		S						1	1							
10'S + 5'E of MW-3 0-2'	2-07-08	3:20		G		S						1	1							
10'S + 5'W of MW-3 0-2'	2-07-08	3:30		G		S						1	1							
10'S + 5'E of B4 0-2'	2-07-08	3:50		G		S						1	1							
10'S + 5'E of B4 2-4'	2-07-08	4:10		G		S						1	1							

Special Instructions:

Relinquished By: <u>John E. Guhl</u>	Date: <u>02/08/08</u>	Time: <u>8:00 AM</u>	Received By: <u>T. Spradlin</u>	Date: <u>02/11/08</u>	Time: <u>11:00</u>
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

LABORATORY COMMENTS:

Init Lab Temp:

Rec Lab Temp: 24

Custody Seals: N N/A

Bottles Supplied by TestAmerica: Y N

Method of Shipment: Delivery

***Chain of
Custody Record***

T65T
AMERICA

**SEVERN
TRENT** **STL**
Severn Trent Laboratories, Inc.

~~STL Denver
4955 Yarrow Street
Arvada, CO 80002~~

STL-4124 (0901)

Client SEH Inc.			Project Manager Jason Martin			Date 2-07-08	Chain of Custody Number 349280								
Address 421 Frenetts Drive			Telephone Number (Area Code)/Fax Number 715.720.6200 / 715.720.6300			Lab Number									
City Chippewa Falls	State WI	Zip Code 54729	Site Contact	Lab Contact		Analysis (Attach list if more space is needed)			Special Instructions/ Conditions of Receipt						
Project Name and Location (State) Mirro Plant #20			Carrier/Waybill Number												
Contract/Purchase Order/Quote No.			Matrix		Containers & Preservatives										
Sample I.D. No. and Description (Containers for each sample may be combined on one line)		Date	Time	Air	Aqueous	Sed.	Soil	Unpres.		H ₂ SO ₄	HNO ₃	HCl	NaOH	ZnAc ₂	NaClH
10's + 5' w of BY 0-2'		2-07-08	4:30 pm		/	/									
10'N + 5'E of BY 0-2'		2-07-08	4:45 pm		/	/									
10'N + 5'E of BY 2-4'		2-07-08	4:55 pm		/	/									
10'N + 5'W of BY 0-2'		2-07-08	5:10pm		/	/									
10'N + 5'W of BY 2-4'		2-07-08	5:25pm		/	/									
<p>Possible Hazard Identification</p> <p><input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months</p> <p>(A fee may be assessed if samples are retained longer than 1 month)</p> <p>Turn Around Time Required</p> <p><input type="checkbox"/> 24 Hours <input type="checkbox"/> 48 Hours <input type="checkbox"/> 7 Days <input type="checkbox"/> 14 Days <input type="checkbox"/> 21 Days <input type="checkbox"/> Other _____</p> <p>QC Requirements (Specify)</p> <p>1. Relinquished By John E. Goff Date 02/08/08 Time 8:00am 1. Received By T. Grana Date 2/11/08 Time 9:00</p> <p>2. Relinquished By _____ Date _____ Time _____ 2. Received By _____ Date _____ Time _____</p> <p>3. Relinquished By _____ Date _____ Time _____ 3. Received By _____ Date _____ Time _____</p>															

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

February 29, 2008

Client: SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081 Work Order: WRB0538
Project Name: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Attn: Mr. Jason Martin Date Received: 02/20/08

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
B-12	WRB0538-01	02/18/08 09:55
B-11	WRB0538-02	02/18/08 10:05
B-9	WRB0538-03	02/18/08 10:15
B-6	WRB0538-04	02/18/08 10:20
B-5	WRB0538-05	02/18/08 10:25
B-5A	WRB0538-06	02/18/08 10:30
West Sump	WRB0538-07	02/18/08 10:40
Large Sump	WRB0538-08	02/18/08 10:50
PZ-9	WRB0538-09	02/18/08 11:05
MW-9	WRB0538-10	02/18/08 12:15
MW-4	WRB0538-11	02/18/08 12:40
MW-5	WRB0538-12	02/18/08 12:51
PZ-5	WRB0538-13	02/18/08 13:00
MW-8	WRB0538-14	02/18/08 13:15
MW-6	WRB0538-15	02/18/08 13:35
MW-1	WRB0538-16	02/18/08 13:50
MW-2	WRB0538-17	02/18/08 13:55
MW-3	WRB0538-18	02/18/08 13:56
MW-7	WRB0538-19	02/18/08 14:00
MW-10	WRB0538-20	02/18/08 14:20
PZ-10	WRB0538-21	02/18/08 14:40

Samples were received into laboratory at a temperature of 1 °C.

Wisconsin Certification Number: 128053530

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Watertown
Brian DeJong For Warren L. Topel
Project Manager

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRB0538-01 (B-12 - Ground Water)										Sampled: 02/18/08 09:55
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 03:29	mae	8020424	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 03:29	mae	8020424	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
cis-1,2-Dichloroethene	10		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 03:29	mae	8020424	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 03:29	mae	8020424	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 03:29	mae	8020424	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 03:29	mae	8020424	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 03:29	mae	8020424	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-01 (B-12 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 03:29	mae	8020424	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 03:29	mae	8020424	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 03:29	mae	8020424	SW 8260B
Trichloroethylene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	02/26/08 03:29	mae	8020424	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 03:29	mae	8020424	SW 8260B
Surr: Dibromo fluromethane (89-119%)	102 %									
Surr: Toluene-d8 (91-109%)	96 %									
Surr: 4-Bromo fluoro benzene (89-114%)	104 %									
PNAs by SW8310										
Acenaphthene	<0.41		ug/L	0.41	1.4	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Acenaphthylene	<0.85		ug/L	0.85	2.8	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Anthracene	<0.047		ug/L	0.047	0.16	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.054		ug/L	0.054	0.18	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.12		ug/L	0.12	0.40	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.060		ug/L	0.060	0.20	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.040		ug/L	0.040	0.13	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Benzo (g,h,i) perylene	<0.15		ug/L	0.15	0.49	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Chrysene	<0.051		ug/L	0.051	0.17	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Dibenzo (a,h) anthracene	<0.16		ug/L	0.16	0.53	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Fluoranthene	<0.10		ug/L	0.10	0.33	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Fluorene	<0.077		ug/L	0.077	0.25	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.077		ug/L	0.077	0.25	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.40		ug/L	0.40	1.3	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.38		ug/L	0.38	1.3	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Naphthalene	<0.49		ug/L	0.49	1.6	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Phenanthrene	<0.037		ug/L	0.037	0.12	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Pyrene	<0.054		ug/L	0.054	0.18	1.23	02/28/08 15:38	CLJ	8020400	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	100 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-02 (B-11 - Ground Water)										
Sampled: 02/18/08 10:05										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 03:57	mae	8020424	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 03:57	mae	8020424	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
cis-1,2-Dichloroethene	0.97	J	ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 03:57	mae	8020424	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 03:57	mae	8020424	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 03:57	mae	8020424	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 03:57	mae	8020424	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 03:57	mae	8020424	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 03:57	mae	8020424	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 03:57	mae	8020424	SW 8260B

TestAmerica Watertown

Brian DeJong For Warren L. Topel
Project Manager

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-02 (B-11 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 03:57	mae	8020424	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
1,2,3-Trichloroproppane	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	02/26/08 03:57	mae	8020424	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 03:57	mae	8020424	SW 8260B
<i>Surr: Dibromofluoromethane (89-119%)</i>	102 %									
<i>Surr: Toluene-d8 (91-109%)</i>	96 %									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	103 %									
PNAs by SW8310										
Acenaphthene	<1.6		ug/L	1.6	5.5	5	02/28/08 16:10	CLJ	8020400	SW 8310
Acenaphthylene	<3.4		ug/L	3.4	11	5	02/28/08 16:10	CLJ	8020400	SW 8310
Anthracene	<0.19		ug/L	0.19	0.63	5	02/28/08 16:10	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.22		ug/L	0.22	0.73	5	02/28/08 16:10	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.49		ug/L	0.49	1.6	5	02/28/08 16:10	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.24		ug/L	0.24	0.82	5	02/28/08 16:10	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.16		ug/L	0.16	0.53	5	02/28/08 16:10	CLJ	8020400	SW 8310
Benzo (g,h,i) perylene	<0.60		ug/L	0.60	2.0	5	02/28/08 16:10	CLJ	8020400	SW 8310
Chrysene	<0.20		ug/L	0.20	0.68	5	02/28/08 16:10	CLJ	8020400	SW 8310
Dibenzo (a,h) anthracene	<0.65		ug/L	0.65	2.2	5	02/28/08 16:10	CLJ	8020400	SW 8310
Fluoranthene	<0.40		ug/L	0.40	1.3	5	02/28/08 16:10	CLJ	8020400	SW 8310
Fluorene	<0.31		ug/L	0.31	1.0	5	02/28/08 16:10	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.31		ug/L	0.31	1.0	5	02/28/08 16:10	CLJ	8020400	SW 8310
1-Methylnaphthalene	<1.6		ug/L	1.6	5.3	5	02/28/08 16:10	CLJ	8020400	SW 8310
2-Methylnaphthalene	<1.6		ug/L	1.6	5.2	5	02/28/08 16:10	CLJ	8020400	SW 8310
Naphthalene	<2.0		ug/L	2.0	6.7	5	02/28/08 16:10	CLJ	8020400	SW 8310
Phenanthrene	<0.15		ug/L	0.15	0.50	5	02/28/08 16:10	CLJ	8020400	SW 8310
Pyrene	<0.22		ug/L	0.22	0.73	5	02/28/08 16:10	CLJ	8020400	SW 8310
<i>Surr: 2-Fluorobiphenyl (16-138%)</i>	96 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-03 (B-9 - Ground Water)										Sampled: 02/18/08 10:15
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 04:24	mae	8020424	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 04:24	mae	8020424	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 04:24	mae	8020424	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 04:24	mae	8020424	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 04:24	mae	8020424	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 04:24	mae	8020424	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 04:24	mae	8020424	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 04:24	mae	8020424	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 04:24	mae	8020424	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-03 (B-9 - Ground Water) - cont.									Sampled: 02/18/08 10:15	
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 04:24	mae	8020424	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	02/26/08 04:24	mae	8020424	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 04:24	mae	8020424	SW 8260B
Surr: Dibromofluoromethane (89-119%)	102 %									
Surr: Toluene-d8 (91-109%)	96 %									
Surr: 4-Bromofluorobenzene (89-114%)	105 %									
PNAs by SW8310										
Acenaphthene	<0.41		ug/L	0.41	1.4	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Acenaphthylene	<0.85		ug/L	0.85	2.8	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Anthracene	<0.047		ug/L	0.047	0.16	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.054		ug/L	0.054	0.18	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.12		ug/L	0.12	0.40	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.060		ug/L	0.060	0.20	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.040		ug/L	0.040	0.13	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Benzo (g,h,i) perylene	<0.15		ug/L	0.15	0.49	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Chrysene	<0.051		ug/L	0.051	0.17	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Dibenzo (a,h) anthracene	<0.16		ug/L	0.16	0.53	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Fluoranthene	<0.10		ug/L	0.10	0.33	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Fluorene	<0.077		ug/L	0.077	0.25	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.077		ug/L	0.077	0.25	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.40		ug/L	0.40	1.3	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.38		ug/L	0.38	1.3	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Naphthalene	<0.49		ug/L	0.49	1.6	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Phenanthrene	<0.037		ug/L	0.037	0.12	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Pyrene	<0.054		ug/L	0.054	0.18	1.23	02/28/08 16:42	CLJ	8020400	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	101 %									

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRB0538
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
 Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-04 (B-6 - Ground Water)										
Sampled: 02/18/08 10:20										
PNAs by SW8310										
Acenaphthene	<0.42		ug/L	0.42	1.4	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Acenaphthylene	<0.87		ug/L	0.87	2.9	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Anthracene	<0.048		ug/L	0.048	0.16	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.056		ug/L	0.056	0.19	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.12		ug/L	0.12	0.41	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.062		ug/L	0.062	0.21	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.041		ug/L	0.041	0.13	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Benzo (g,h,i) perylene	<0.15		ug/L	0.15	0.51	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Chrysene	<0.052		ug/L	0.052	0.17	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Dibenz (a,h) anthracene	<0.16		ug/L	0.16	0.55	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Fluoranthene	<0.10		ug/L	0.10	0.34	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Fluorene	<0.078		ug/L	0.078	0.26	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.078		ug/L	0.078	0.26	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.41		ug/L	0.41	1.3	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.39		ug/L	0.39	1.3	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Naphthalene	<0.51		ug/L	0.51	1.7	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Phenanthrene	<0.038		ug/L	0.038	0.13	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Pyrene	<0.056		ug/L	0.056	0.19	1.27	02/28/08 17:14	CLJ	8020400	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	99 %									
Sample ID: WRB0538-05 (B-5 - Ground Water)										
Sampled: 02/18/08 10:25										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 04:52	mae	8020424	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 04:52	mae	8020424	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-05 (B-5 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 04:52	mae	8020424	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 04:52	mae	8020424	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 04:52	mae	8020424	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 04:52	mae	8020424	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 04:52	mae	8020424	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 04:52	mae	8020424	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 04:52	mae	8020424	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 04:52	mae	8020424	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	02/26/08 04:52	mae	8020424	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 04:52	mae	8020424	SW 8260B
Surr: Dibromo fluoro methane (89-119%)	100 %									
Surr: Toluene-d8 (91-109%)	96 %									
Surr: 4-Bromofluorobenzene (89-114%)	104 %									
PNAs by SW8310										
Acenaphthene	<0.41		ug/L	0.41	1.4	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Acenaphthylene	<0.85		ug/L	0.85	2.8	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Anthracene	<0.047		ug/L	0.047	0.16	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.054		ug/L	0.054	0.18	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.12		ug/L	0.12	0.40	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.060		ug/L	0.060	0.20	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.040		ug/L	0.040	0.13	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Benzo (g,h,i) perylene	<0.15		ug/L	0.15	0.49	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Chrysene	<0.051		ug/L	0.051	0.17	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Dibenzo (a,h) anthracene	<0.16		ug/L	0.16	0.53	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Fluoranthene	<0.10		ug/L	0.10	0.33	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Fluorene	<0.077		ug/L	0.077	0.25	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.077		ug/L	0.077	0.25	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.40		ug/L	0.40	1.3	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.38		ug/L	0.38	1.3	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Naphthalene	<0.49		ug/L	0.49	1.6	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
Phenanthrene	<0.037		ug/L	0.037	0.12	1.23	02/28/08 17:46	CLJ	8020400	SW 8310

TestAmerica Watertown

Brian DeJong For Warren L. Topel
Project Manager

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRB0538
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
 Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-05 (B-5 - Ground Water) - cont.										
PNAs by SW8310 - cont.										
Pyrene	<0.054		ug/L	0.054	0.18	1.23	02/28/08 17:46	CLJ	8020400	SW 8310
	Surr: 2-Fluorobiphenyl (16-138%)	100 %								
Sample ID: WRB0538-06 (B-5A - Ground Water)										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 05:20	mae	8020424	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 05:20	mae	8020424	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 05:20	mae	8020424	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 05:20	mae	8020424	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 05:20	mae	8020424	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 05:20	mae	8020424	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 05:20	mae	8020424	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
---------	---------------	-----------------	-------	-----	-----	-----------------	---------------	---------	-----------	--------

Sample ID: WRB0538-06 (B-5A - Ground Water) - cont.

Sampled: 02/18/08 10:30

VOCs by SW8260B - cont.

1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 05:20	mae	8020424	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 05:20	mae	8020424	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 05:20	mae	8020424	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	02/26/08 05:20	mae	8020424	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 05:20	mae	8020424	SW 8260B
Surr: Dibromoformmethane (89-119%)	102 %									
Surr: Toluene-d8 (91-109%)	95 %									
Surr: 4-Bromofluorobenzene (89-114%)	105 %									

Sample ID: WRB0538-07 (West Sump - Ground Water)

Sampled: 02/18/08 10:40

PNAs by SW8310

Acenaphthene	<0.40		ug/L	0.40	1.3	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Acenaphthylene	<0.84		ug/L	0.84	2.8	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Anthracene	<0.046		ug/L	0.046	0.15	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.054		ug/L	0.054	0.18	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.12		ug/L	0.12	0.40	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.060		ug/L	0.060	0.20	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.039		ug/L	0.039	0.13	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Benzo (g,h,i) perylene	<0.15		ug/L	0.15	0.49	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Chrysene	<0.050		ug/L	0.050	0.17	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Dibenzo (a,h) anthracene	<0.16		ug/L	0.16	0.53	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Fluoranthene	<0.099		ug/L	0.099	0.33	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Fluorene	<0.076		ug/L	0.076	0.25	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.076		ug/L	0.076	0.25	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.39		ug/L	0.39	1.3	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.38		ug/L	0.38	1.3	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Naphthalene	<0.49		ug/L	0.49	1.6	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Phenanthrene	<0.037		ug/L	0.037	0.12	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Pyrene	<0.054		ug/L	0.054	0.18	1.22	02/28/08 18:18	CLJ	8020400	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	99 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-08 (Large Sump - Ground Water)										Sampled: 02/18/08 10:50
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 05:47	mae	8020424	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 05:47	mae	8020424	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
cis-1,2-Dichloroethene	2.5		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 05:47	mae	8020424	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 05:47	mae	8020424	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 05:47	mae	8020424	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 05:47	mae	8020424	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 05:47	mae	8020424	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 05:47	mae	8020424	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 05:47	mae	8020424	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
---------	---------------	-----------------	-------	-----	-----	-----------------	---------------	---------	-----------	--------

Sample ID: WRB0538-08 (Large Sump - Ground Water) - cont.

Sampled: 02/18/08 10:50

VOCs by SW8260B - cont.

1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 05:47	mae	8020424	SW 8260B
Trichloroethene	1.9		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	02/26/08 05:47	mae	8020424	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 05:47	mae	8020424	SW 8260B
<i>Surr: Dibromoformmethane (89-119%)</i>	<i>104 %</i>									
<i>Surr: Toluene-d8 (91-109%)</i>	<i>96 %</i>									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	<i>106 %</i>									

Sample ID: WRB0538-09 (PZ-9 - Ground Water)

Sampled: 02/18/08 11:05

Metals Dissolved

Arsenic	0.90		ug/L	0.070	0.23	1	02/29/08 10:43	gaf	8020542	SW 6020A
Barium	150		ug/L	0.12	0.40	2	02/29/08 10:43	gaf	8020542	SW 6020A
Cadmium	0.010	J	ug/L	0.010	0.033	1	02/29/08 10:43	gaf	8020542	SW 6020A
Chromium	1.8		ug/L	0.070	0.23	1	02/29/08 10:43	gaf	8020542	SW 6020A
Lead	0.14		ug/L	0.040	0.13	1	02/29/08 10:43	gaf	8020542	SW 6020A
Mercury	0.00017	J, B	mg/L	0.000065	0.00022	1	02/27/08 12:51	mmm	8020473	EPA 245.1
Selenium	0.27	J	ug/L	0.17	0.57	1	02/29/08 10:43	gaf	8020542	SW 6020A
Silver	0.030	J	ug/L	0.020	0.067	1	02/29/08 10:43	gaf	8020542	SW 6020A

VOCs by SW8260B

Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 06:14	mae	8020424	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 06:14	mae	8020424	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
cis-1,2-Dichloroethene	5.3		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B

TestAmerica Watertown

Brian DeJong For Warren L. Topel

Project Manager

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-09 (PZ-9 - Ground Water) - cont.										
Sampled: 02/18/08 11:05										
VOCs by SW8260B - cont.										
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 06:14	mae	8020424	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 06:14	mae	8020424	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 06:14	mae	8020424	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 06:14	mae	8020424	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 06:14	mae	8020424	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Tetrachloroethene	1.1	J	ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 06:14	mae	8020424	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 06:14	mae	8020424	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 06:14	mae	8020424	SW 8260B
Trichloroethene	12		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	02/26/08 06:14	mae	8020424	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 06:14	mae	8020424	SW 8260B
Surr: Dibromoformmethane (89-119%)	104 %									
Surr: Toluene-d8 (91-109%)	97 %									
Surr: 4-Bromofluorobenzene (89-114%)	104 %									
PNAs by SW8310										
Acenaphthene	<0.38		ug/L	0.38	1.3	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Acenaphthylene	<0.80		ug/L	0.80	2.7	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Anthracene	<0.044		ug/L	0.044	0.15	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.051		ug/L	0.051	0.17	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.11		ug/L	0.11	0.38	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.057		ug/L	0.057	0.19	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.037		ug/L	0.037	0.12	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Benzo (g,h,i) perylene	<0.14		ug/L	0.14	0.46	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Chrysene	<0.048		ug/L	0.048	0.16	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Dibenzo (a,h) anthracene	<0.15		ug/L	0.15	0.50	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Fluoranthene	<0.094		ug/L	0.094	0.31	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Fluorene	<0.072		ug/L	0.072	0.24	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.072		ug/L	0.072	0.24	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.37		ug/L	0.37	1.2	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.36		ug/L	0.36	1.2	1.16	02/28/08 18:50	CLJ	8020400	SW 8310

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-09 (PZ-9 - Ground Water) - cont.										
PNAs by SW8310 - cont.										
Naphthalene	<0.47		ug/L	0.47	1.5	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Phenanthrene	<0.035		ug/L	0.035	0.12	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
Pyrene	<0.051		ug/L	0.051	0.17	1.16	02/28/08 18:50	CLJ	8020400	SW 8310
<i>Surr: 2-Fluorobiphenyl (16-138%)</i>	98 %									
Sample ID: WRB0538-10 (MW-9 - Ground Water)										
PNAs by SW8310										
Acenaphthene	<0.38		ug/L	0.38	1.3	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Acenaphthylene	<0.79		ug/L	0.79	2.6	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Anthracene	<0.044		ug/L	0.044	0.15	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.051		ug/L	0.051	0.17	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.11		ug/L	0.11	0.38	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.056		ug/L	0.056	0.19	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.037		ug/L	0.037	0.12	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Benzo (g,h,i) perlylene	<0.14		ug/L	0.14	0.46	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Chrysene	<0.047		ug/L	0.047	0.16	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Dibenzo (a,h) anthracene	<0.15		ug/L	0.15	0.50	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Fluoranthene	<0.093		ug/L	0.093	0.31	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Fluorene	<0.071		ug/L	0.071	0.24	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.071		ug/L	0.071	0.24	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.37		ug/L	0.37	1.2	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.36		ug/L	0.36	1.2	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Naphthalene	<0.46		ug/L	0.46	1.5	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Phenanthrene	<0.034		ug/L	0.034	0.11	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
Pyrene	<0.051		ug/L	0.051	0.17	1.15	02/28/08 19:22	CLJ	8020400	SW 8310
<i>Surr: 2-Fluorobiphenyl (16-138%)</i>	97 %									
Sample ID: WRB0538-11 (MW-4 - Ground Water)										
Metals Dissolved										
Cadmium	0.020	J	ug/L	0.010	0.033	1	02/29/08 10:43	gaf	8020542	SW 6020A
Sample ID: WRB0538-12 (MW-5 - Ground Water)										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Bromoform	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
Bromochloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 10:22	mae	8020463	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 10:22	mae	8020463	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B

TestAmerica Watertown

Brian DeJong For Warren L. Topel

Project Manager

Page 15 of 42

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-12 (MW-5 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
cis-1,2-Dichloroethene	6.5		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 10:22	mae	8020463	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 10:22	mae	8020463	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 10:22	mae	8020463	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 10:22	mae	8020463	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 10:22	mae	8020463	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
Toluene	0.33	J	ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 10:22	mae	8020463	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 10:22	mae	8020463	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 10:22	mae	8020463	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Vinyl chloride	<0.20	C4	ug/L	0.20	0.67	1	02/26/08 10:22	mae	8020463	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 10:22	mae	8020463	SW 8260B
Surr: Dibromoefluoromethane (89-119%)	100 %									
Surr: Toluene-d8 (91-109%)	98 %									
Surr: 4-Bromofluorobenzene (89-114%)	105 %									
PNAs by SW8310										
Acenaphthene	<0.37		ug/L	0.37	1.2	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Acenaphthylene	<0.77		ug/L	0.77	2.6	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Anthracene	<0.042		ug/L	0.042	0.14	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.049		ug/L	0.049	0.16	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.11		ug/L	0.11	0.36	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.054		ug/L	0.054	0.18	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.036		ug/L	0.036	0.12	1.11	02/28/08 19:54	CLJ	8020400	SW 8310

TestAmerica Watertown

Brian DeJong For Warren L. Topel

Project Manager

Page 16 of 42

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-12 (MW-5 - Ground Water) - cont.									Sampled: 02/18/08 12:51	
PNAs by SW8310 - cont.										
Benzo (g,h,i) perylene	<0.13		ug/L	0.13	0.44	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Chrysene	<0.046		ug/L	0.046	0.15	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Dibenzo (a,h) anthracene	<0.14		ug/L	0.14	0.48	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Fluoranthene	<0.090		ug/L	0.090	0.30	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Fluorene	<0.069		ug/L	0.069	0.23	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.069		ug/L	0.069	0.23	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.36		ug/L	0.36	1.2	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.34		ug/L	0.34	1.1	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Naphthalene	<0.44		ug/L	0.44	1.5	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Phenanthrene	<0.033		ug/L	0.033	0.11	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
Pyrene	<0.049		ug/L	0.049	0.16	1.11	02/28/08 19:54	CLJ	8020400	SW 8310
<i>Surr: 2-Fluorobiphenyl (16-138%)</i>	98 %									
Sample ID: WRB0538-13 (PZ-5 - Ground Water)									Sampled: 02/18/08 13:00	
Metals Dissolved										
Arsenic	17		ug/L	0.070	0.23	1	02/29/08 10:43	gaf	8020542	SW 6020A
Sample ID: WRB0538-14 (MW-8 - Ground Water)									Sampled: 02/18/08 13:15	
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 10:50	mae	8020463	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 10:50	mae	8020463	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
cis-1,2-Dichloroethene	21		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 10:50	mae	8020463	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-14 (MW-8 - Ground Water) - cont.										
Sampled: 02/18/08 13:15										
VOCs by SW8260B - cont.										
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 10:50	mae	8020463	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 10:50	mae	8020463	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 10:50	mae	8020463	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 10:50	mae	8020463	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 10:50	mae	8020463	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 10:50	mae	8020463	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 10:50	mae	8020463	SW 8260B
Trichloroethene	1.6		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Vinyl chloride	0.61	C4, J	ug/L	0.20	0.67	1	02/26/08 10:50	mae	8020463	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 10:50	mae	8020463	SW 8260B
Surr: Dibromoformmethane (89-119%)	100 %									
Surr: Toluene-d8 (91-109%)	97 %									
Surr: 4-Bromofluorobenzene (89-114%)	104 %									
PNAs by SW8310										
Acenaphthene	<0.38		ug/L	0.38	1.3	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Acenaphthylene	<0.80		ug/L	0.80	2.7	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Anthracene	<0.044		ug/L	0.044	0.15	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.051		ug/L	0.051	0.17	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.11		ug/L	0.11	0.38	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.057		ug/L	0.057	0.19	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.037		ug/L	0.037	0.12	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Benzo (g,h,i) perylene	<0.14		ug/L	0.14	0.46	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Chrysene	<0.048		ug/L	0.048	0.16	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Dibenzo (a,h) anthracene	<0.15		ug/L	0.15	0.50	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Fluoranthene	<0.094		ug/L	0.094	0.31	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Fluorene	<0.072		ug/L	0.072	0.24	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.072		ug/L	0.072	0.24	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.37		ug/L	0.37	1.2	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.36		ug/L	0.36	1.2	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Naphthalene	<0.47		ug/L	0.47	1.5	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Phenanthrene	<0.035		ug/L	0.035	0.12	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Pyrene	<0.051		ug/L	0.051	0.17	1.16	02/28/08 20:26	CLJ	8020400	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	96 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-15 (MW-6 - Ground Water)										
Sampled: 02/18/08 13:35										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 11:18	mae	8020463	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 11:18	mae	8020463	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
cis-1,2-Dichloroethene	2.2		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 11:18	mae	8020463	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 11:18	mae	8020463	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 11:18	mae	8020463	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 11:18	mae	8020463	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 11:18	mae	8020463	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 11:18	mae	8020463	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 11:18	mae	8020463	SW 8260B

TestAmerica Watertown

Brian DeJong For Warren L. Topel
Project Manager

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-15 (MW-6 - Ground Water) - cont.									Sampled: 02/18/08 13:35	
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 11:18	mae	8020463	SW 8260B
Trichloroethylene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Vinyl chloride	<0.20	C4	ug/L	0.20	0.67	1	02/26/08 11:18	mae	8020463	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 11:18	mae	8020463	SW 8260B
Surr: Dibromoformmethane (89-119%)	100 %									
Surr: Toluene-d8 (91-109%)	97 %									
Surr: 4-Bromofluorobenzene (89-114%)	104 %									
Sample ID: WRB0538-16 (MW-1 - Ground Water)									Sampled: 02/18/08 13:50	
PNAs by SW8310										
Acenaphthene	<0.39		ug/L	0.39	1.3	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Acenaphthylene	<0.81		ug/L	0.81	2.7	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Anthracene	<0.045		ug/L	0.045	0.15	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.052		ug/L	0.052	0.17	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.12		ug/L	0.12	0.38	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.058		ug/L	0.058	0.19	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.038		ug/L	0.038	0.13	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Benzo (g,h,i) perylene	<0.14		ug/L	0.14	0.47	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Chrysene	<0.048		ug/L	0.048	0.16	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Dibenzo (a,h) anthracene	<0.15		ug/L	0.15	0.51	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Fluoranthene	<0.095		ug/L	0.095	0.32	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Fluorene	<0.073		ug/L	0.073	0.24	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.073		ug/L	0.073	0.24	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.38		ug/L	0.38	1.3	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.36		ug/L	0.36	1.2	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Naphthalene	<0.47		ug/L	0.47	1.6	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Phenanthrene	<0.035		ug/L	0.035	0.12	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Pyrene	<0.052		ug/L	0.052	0.17	1.18	02/28/08 20:58	CLJ	8020400	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	98 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-17 (MW-2 - Ground Water)										
Sampled: 02/18/08 13:55										
PNAs by SW8310										
Acenaphthene	<0.39		ug/L	0.39	1.3	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Acenaphthylene	<0.82		ug/L	0.82	2.7	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Anthracene	<0.045		ug/L	0.045	0.15	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.052		ug/L	0.052	0.17	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.12		ug/L	0.12	0.39	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.058		ug/L	0.058	0.19	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.038		ug/L	0.038	0.13	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Benzo (g,h,i) perylene	<0.14		ug/L	0.14	0.48	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Chrysene	<0.049		ug/L	0.049	0.16	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Dibenz (a,h) anthracene	<0.15		ug/L	0.15	0.52	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Fluoranthene	<0.096		ug/L	0.096	0.32	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Fluorene	<0.074		ug/L	0.074	0.25	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.074		ug/L	0.074	0.25	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.38		ug/L	0.38	1.3	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.37		ug/L	0.37	1.2	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Naphthalene	<0.48		ug/L	0.48	1.6	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Phenanthrene	0.13	J	ug/L	0.036	0.12	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Pyrene	<0.052		ug/L	0.052	0.17	1.19	02/28/08 21:30	CLJ	8020400	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	97 %									
Sample ID: WRB0538-18 (MW-3 - Ground Water)										
Sampled: 02/18/08 13:56										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mac	8020463	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 11:46	mae	8020463	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 11:46	mae	8020463	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
1,2-Dichloroethane	2.7		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
cis-1,2-Dichloroethene	2.2		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-18 (MW-3 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 11:46	mae	8020463	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 11:46	mae	8020463	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 11:46	mae	8020463	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 11:46	mae	8020463	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 11:46	mae	8020463	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
Toluene	0.29	J	ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 11:46	mae	8020463	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 11:46	mae	8020463	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 11:46	mae	8020463	SW 8260B
Trichloroethene	0.30	J	ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Vinyl chloride	<0.20	C4	ug/L	0.20	0.67	1	02/26/08 11:46	mae	8020463	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 11:46	mae	8020463	SW 8260B
Surr: Dibromofluoromethane (89-119%)	99 %									
Surr: Toluene-d8 (91-109%)	97 %									
Surr: 4-Bromofluorobenzene (89-114%)	105 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-19 (MW-7 - Ground Water)										
Sampled: 02/18/08 14:00										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 12:14	mae	8020463	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 12:14	mae	8020463	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
1,2-Dichloroethane	0.73	J	ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
cis-1,2-Dichloroethene	1.6	J	ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 12:14	mae	8020463	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 12:14	mae	8020463	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 12:14	mae	8020463	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 12:14	mae	8020463	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 12:14	mae	8020463	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 12:14	mae	8020463	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 12:14	mae	8020463	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-19 (MW-7 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 12:14	mae	8020463	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Vinyl chloride	<0.20	C4	ug/L	0.20	0.67	1	02/26/08 12:14	mae	8020463	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 12:14	mae	8020463	SW 8260B
Surr: Dibromofluoromethane (89-119%)	99 %									
Surr: Toluene-d8 (91-109%)	96 %									
Surr: 4-Bromofluorobenzene (89-114%)	104 %									
Sample ID: WRB0538-20 (MW-10 - Ground Water)										
Metals Dissolved										
Arsenic	1.6		ug/L	0.070	0.23	1	02/29/08 10:43	gaf	8020542	SW 6020A
Barium	73		ug/L	0.060	0.20	1	02/29/08 10:43	gaf	8020542	SW 6020A
Cadmium	0.020	J	ug/L	0.010	0.033	1	02/29/08 10:43	gaf	8020542	SW 6020A
Chromium	2.0		ug/L	0.070	0.23	1	02/29/08 10:43	gaf	8020542	SW 6020A
Lead	0.090	J	ug/L	0.040	0.13	1	02/29/08 10:43	gaf	8020542	SW 6020A
Mercury	0.000092	J, B	mg/L	0.000065	0.00022	1	02/27/08 12:51	mmmm	8020473	EPA 245.1
Selenium	<0.17		ug/L	0.17	0.57	1	02/29/08 10:43	gaf	8020542	SW 6020A
Silver	0.020	J	ug/L	0.020	0.067	1	02/29/08 10:43	gaf	8020542	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Bromo-chloromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
Bromo-dichloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Bromo-methane	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 12:40	mae	8020463	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Chloro-dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 12:40	mae	8020463	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Chloro-methane	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Dichloro-difluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B

TestAmerica Watertown

Brian DeJong For Warren L. Topel
Project Manager

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-20 (MW-10 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 12:40	mae	8020463	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 12:40	mae	8020463	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 12:40	mae	8020463	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 12:40	mae	8020463	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 12:40	mae	8020463	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 12:40	mae	8020463	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 12:40	mae	8020463	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 12:40	mae	8020463	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Vinyl chloride	<0.20	C4	ug/L	0.20	0.67	1	02/26/08 12:40	mae	8020463	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 12:40	mae	8020463	SW 8260B
Surr: Dibromoformate (89-119%)	100 %									
Surr: Toluene-d8 (91-109%)	97 %									
Surr: 4-Bromofluorobenzene (89-114%)	104 %									
PNAs by SW8310										
Acenaphthene	<0.37		ug/L	0.37	1.2	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Acenaphthylene	<0.77		ug/L	0.77	2.6	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Anthracene	<0.042		ug/L	0.042	0.14	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.049		ug/L	0.049	0.16	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.11		ug/L	0.11	0.36	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.054		ug/L	0.054	0.18	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.036		ug/L	0.036	0.12	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Benzo (g,h,i) perylene	<0.13		ug/L	0.13	0.44	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Chrysene	<0.046		ug/L	0.046	0.15	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Dibenzo (a,h) anthracene	<0.14		ug/L	0.14	0.48	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Fluoranthene	<0.090		ug/L	0.090	0.30	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Fluorene	<0.069		ug/L	0.069	0.23	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.069		ug/L	0.069	0.23	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.36		ug/L	0.36	1.2	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.34		ug/L	0.34	1.1	1.11	02/28/08 22:02	CLJ	8020400	SW 8310

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-20 (MW-10 - Ground Water) - cont.										
PNAs by SW8310 - cont.										
Naphthalene	<0.44		ug/L	0.44	1.5	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Phenanthrene	<0.033		ug/L	0.033	0.11	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Pyrene	<0.049		ug/L	0.049	0.16	1.11	02/28/08 22:02	CLJ	8020400	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	79 %									
Sample ID: WRB0538-21 (PZ-10 - Ground Water)										
Metals Dissolved										
Arsenic	0.47		ug/L	0.070	0.23	1	02/29/08 10:43	gaf	8020542	SW 6020A
Barium	48		ug/L	0.060	0.20	1	02/29/08 10:43	gaf	8020542	SW 6020A
Cadmium	0.040		ug/L	0.010	0.033	1	02/29/08 10:43	gaf	8020542	SW 6020A
Chromium	1.9		ug/L	0.070	0.23	1	02/29/08 10:43	gaf	8020542	SW 6020A
Lead	<0.040		ug/L	0.040	0.13	1	02/29/08 10:43	gaf	8020542	SW 6020A
Mercury	0.000091	J, B	mg/L	0.000065	0.00022	1	02/27/08 12:51	mmm	8020473	EPA 245.1
Selenium	<0.17		ug/L	0.17	0.57	1	02/29/08 10:43	gaf	8020542	SW 6020A
Silver	0.020	J	ug/L	0.020	0.067	1	02/29/08 10:43	gaf	8020542	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 13:08	mae	8020463	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	02/26/08 13:08	mae	8020463	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
1,2-Dichloroethane	1.8		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	02/26/08 13:08	mae	8020463	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	02/26/08 13:08	mae	8020463	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRB0538-21 (PZ-10 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	02/26/08 13:08	mae	8020463	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	02/26/08 13:08	mae	8020463	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 13:08	mae	8020463	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
Toluene	0.26	J	ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 13:08	mae	8020463	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	02/26/08 13:08	mae	8020463	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	02/26/08 13:08	mae	8020463	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Vinyl chloride	<0.20	C4	ug/L	0.20	0.67	1	02/26/08 13:08	mae	8020463	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	02/26/08 13:08	mae	8020463	SW 8260B
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Toluene-d8 (91-109%)	96 %									
Surr: 4-Bromofluorobenzene (89-114%)	104 %									
PNAs by SW8310										
Acenaphthene	<0.38		ug/L	0.38	1.3	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Acenaphthylene	<0.80		ug/L	0.80	2.7	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Anthracene	<0.044		ug/L	0.044	0.15	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Benzo (a) anthracene	<0.051		ug/L	0.051	0.17	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Benzo (b) fluoranthene	<0.11		ug/L	0.11	0.38	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Benzo (k) fluoranthene	<0.057		ug/L	0.057	0.19	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Benzo (a) pyrene	<0.037		ug/L	0.037	0.12	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Benzo (g,h,i) perylene	<0.14		ug/L	0.14	0.46	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Chrysene	<0.048		ug/L	0.048	0.16	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Dibenzo (a,h) anthracene	<0.15		ug/L	0.15	0.50	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Fluoranthene	<0.094		ug/L	0.094	0.31	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Fluorene	<0.072		ug/L	0.072	0.24	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Indeno (1,2,3-cd) pyrene	<0.072		ug/L	0.072	0.24	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
1-Methylnaphthalene	<0.37		ug/L	0.37	1.2	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
2-Methylnaphthalene	<0.36		ug/L	0.36	1.2	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Naphthalene	<0.47		ug/L	0.47	1.5	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Phenanthrene	<0.035		ug/L	0.035	0.12	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Pyrene	<0.051		ug/L	0.051	0.17	1.16	02/28/08 22:34	CLJ	8020400	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	94 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
PNAs by SW8310							
SW 8310	8020400	WRB0538-01	810	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-02	200	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-03	810	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-04	790	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-05	810	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-07	820	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-09	860	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-10	870	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-12	900	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-14	860	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-16	850	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-17	840	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-20	900	2	02/22/08 09:18	TLH	PNA8310/610
SW 8310	8020400	WRB0538-21	860	2	02/22/08 09:18	TLH	PNA8310/610

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
Metals Dissolved													
Mercury	8020473			mg/L	0.000065	0.00023	0.0000910						J
VOCs by SW8260B													
Benzene	8020424			ug/L	0.20	0.67	<0.20						
Bromobenzene	8020424			ug/L	0.20	0.67	<0.20						
Bromochloromethane	8020424			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	8020424			ug/L	0.20	0.67	<0.20						
Bromoform	8020424			ug/L	0.20	0.67	<0.20						
Bromomethane	8020424			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	8020424			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	8020424			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	8020424			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	8020424			ug/L	0.50	1.7	<0.50						
Chlorobenzene	8020424			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	8020424			ug/L	0.20	0.67	<0.20						
Chloroethane	8020424			ug/L	1.0	3.3	<1.0						
Chloroform	8020424			ug/L	0.20	0.67	<0.20						
Chloromethane	8020424			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	8020424			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	8020424			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	8020424			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	8020424			ug/L	0.20	0.67	<0.20						
Dibromomethane	8020424			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	8020424			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	8020424			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	8020424			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	8020424			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	8020424			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	8020424			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	8020424			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	8020424			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	8020424			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	8020424			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	8020424			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	8020424			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	8020424			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	8020424			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	8020424			ug/L	0.20	0.67	<0.20						
2,3-Dichloropropene	8020424			ug/L	0.25	0.83	<0.25						
Isopropyl Ether	8020424			ug/L	0.50	1.7	<0.50						
Ethylbenzene	8020424			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	8020424			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	8020424			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	8020424			ug/L	0.20	0.67	<0.20						
Methylene Chloride	8020424			ug/L	1.0	3.3	<1.0						

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD	RPD Limit	Q
VOCs by SW8260B													
Methyl tert-Butyl Ether	8020424			ug/L	0.50	1.7	<0.50						
Naphthalene	8020424			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	8020424			ug/L	0.50	1.7	<0.50						
Styrene	8020424			ug/L	0.20	0.67	<0.20						
1,1,1,2-Tetrachloroethane	8020424			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	8020424			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	8020424			ug/L	0.50	1.7	<0.50						
Toluene	8020424			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	8020424			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	8020424			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	8020424			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	8020424			ug/L	0.25	0.83	<0.25						
Trichloroethylene	8020424			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	8020424			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	8020424			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	8020424			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	8020424			ug/L	0.20	0.67	<0.20						
Vinyl chloride	8020424			ug/L	0.20	0.67	<0.20						
Xylenes, Total	8020424			ug/L	0.50	1.7	<0.50						
<i>Surrogate: Dibromo fluromethane</i>	8020424			ug/L				102					
<i>Surrogate: Toluene-d8</i>	8020424			ug/L				98					
<i>Surrogate: 4-Bromo fluoro benzene</i>	8020424			ug/L				104					
Benzene	8020463			ug/L	0.20	0.67	<0.20						
Bromobenzene	8020463			ug/L	0.20	0.67	<0.20						
Bromochloromethane	8020463			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	8020463			ug/L	0.20	0.67	<0.20						
Bromoform	8020463			ug/L	0.20	0.67	<0.20						
Bromomethane	8020463			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	8020463			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	8020463			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	8020463			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	8020463			ug/L	0.50	1.7	<0.50						
Chlorobenzene	8020463			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	8020463			ug/L	0.20	0.67	<0.20						
Chloroethane	8020463			ug/L	1.0	3.3	<1.0						
Chloroform	8020463			ug/L	0.20	0.67	<0.20						
Chloromethane	8020463			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	8020463			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	8020463			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	8020463			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	8020463			ug/L	0.20	0.67	<0.20						
Dibromomethane	8020463			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	8020463			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	8020463			ug/L	0.20	0.67	<0.20						

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD	RPD Limit	Q
VOCs by SW8260B													
1,4-Dichlorobenzene	8020463			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	8020463			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	8020463			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	8020463			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	8020463			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	8020463			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	8020463			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	8020463			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	8020463			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	8020463			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	8020463			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	8020463			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	8020463			ug/L	0.20	0.67	<0.20						
2,3-Dichloropropene	8020463			ug/L	0.25	0.83	<0.25						
Isopropyl Ether	8020463			ug/L	0.50	1.7	<0.50						
Ethylbenzene	8020463			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	8020463			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	8020463			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	8020463			ug/L	0.20	0.67	<0.20						
Methylene Chloride	8020463			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	8020463			ug/L	0.50	1.7	<0.50						
Naphthalene	8020463			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	8020463			ug/L	0.50	1.7	<0.50						
Styrene	8020463			ug/L	0.20	0.67	<0.20						
1,1,1,2-Tetrachloroethane	8020463			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	8020463			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	8020463			ug/L	0.50	1.7	<0.50						
Toluene	8020463			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	8020463			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	8020463			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	8020463			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	8020463			ug/L	0.25	0.83	<0.25						
Trichloroethene	8020463			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	8020463			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	8020463			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	8020463			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	8020463			ug/L	0.20	0.67	<0.20						
Vinyl chloride	8020463			ug/L	0.20	0.67	<0.20						
Xylenes, Total	8020463			ug/L	0.50	1.7	<0.50						
Surrogate: Dibromofluoromethane	8020463			ug/L				100		89-119			
Surrogate: Toluene-d8	8020463			ug/L				98		91-109			
Surrogate: 4-Bromofluorobenzene	8020463			ug/L				104		89-114			C4

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD	RPD Limit	Q
PNAs by SW8310													
Acenaphthene	8020400			ug/L	0.33	1.3	<0.33						
Acenaphthylene	8020400			ug/L	0.69	2.5	<0.69						
Anthracene	8020400			ug/L	0.038	0.13	<0.038						
Benzo (a) anthracene	8020400			ug/L	0.044	0.13	<0.044						
Benzo (b) fluoranthene	8020400			ug/L	0.098	0.25	<0.098						
Benzo (k) fluoranthene	8020400			ug/L	0.049	0.13	<0.049						
Benzo (a) pyrene	8020400			ug/L	0.032	0.13	<0.032						
Benzo (g,h,i) perylene	8020400			ug/L	0.12	0.25	<0.12						
Chrysene	8020400			ug/L	0.041	0.13	<0.041						
Dibenz (a,h) anthracene	8020400			ug/L	0.13	0.25	<0.13						
Fluoranthene	8020400			ug/L	0.081	0.25	<0.081						
Fluorene	8020400			ug/L	0.062	1.3	<0.062						
Indeno (1,2,3-cd) pyrene	8020400			ug/L	0.062	0.13	<0.062						
1-Methylnaphthalene	8020400			ug/L	0.32	1.3	<0.32						
2-Methylnaphthalene	8020400			ug/L	0.31	1.3	<0.31						
Naphthalene	8020400			ug/L	0.40	1.3	<0.40						
Phenanthrene	8020400			ug/L	0.030	0.13	<0.030						
Pyrene	8020400			ug/L	0.044	0.13	<0.044						
<i>Surrogate: 2-Fluorobiphenyl</i>	8020400			ug/L					95	16-138			

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	8B25002	50.000	ug/L	N/A	N/A	54.2	108			80-120			
Bromobenzene	8B25002	50.000	ug/L	N/A	N/A	51.1	102			80-120			
Bromochloromethane	8B25002	50.000	ug/L	N/A	N/A	53.8	108			80-120			
Bromodichloromethane	8B25002	50.000	ug/L	N/A	N/A	56.1	112			80-120			
Bromoform	8B25002	50.000	ug/L	N/A	N/A	53.8	108			80-120			
Bromomethane	8B25002	50.000	ug/L	N/A	N/A	51.1	102			80-120			
n-Butylbenzene	8B25002	50.000	ug/L	N/A	N/A	49.2	98			80-120			
sec-Butylbenzene	8B25002	50.000	ug/L	N/A	N/A	49.6	99			80-120			
tert-Butylbenzene	8B25002	50.000	ug/L	N/A	N/A	50.2	100			80-120			
Carbon Tetrachloride	8B25002	50.000	ug/L	N/A	N/A	55.4	111			80-120			
Chlorobenzene	8B25002	50.000	ug/L	N/A	N/A	51.1	102			80-120			
Chlorodibromomethane	8B25002	50.000	ug/L	N/A	N/A	55.8	112			80-120			
Chloroethane	8B25002	50.000	ug/L	N/A	N/A	47.9	96			80-120			
Chloroform	8B25002	50.000	ug/L	N/A	N/A	56.2	112			80-120			
Chloromethane	8B25002	50.000	ug/L	N/A	N/A	49.2	98			80-120			
2-Chlorotoluene	8B25002	50.000	ug/L	N/A	N/A	50.9	102			80-120			
4-Chlorotoluene	8B25002	50.000	ug/L	N/A	N/A	51.4	103			80-120			
1,2-Dibromo-3-chloropropane	8B25002	50.000	ug/L	N/A	N/A	49.1	98			80-120			
1,2-Dibromoethane (EDB)	8B25002	50.000	ug/L	N/A	N/A	53.3	107			80-120			
Dibromomethane	8B25002	50.000	ug/L	N/A	N/A	54.6	109			80-120			
1,2-Dichlorobenzene	8B25002	50.000	ug/L	N/A	N/A	50.2	100			80-120			
1,3-Dichlorobenzene	8B25002	50.000	ug/L	N/A	N/A	49.6	99			80-120			
1,4-Dichlorobenzene	8B25002	50.000	ug/L	N/A	N/A	48.8	98			80-120			
Dichlorodifluoromethane	8B25002	50.000	ug/L	N/A	N/A	54.1	108			80-120			
1,1-Dichloroethane	8B25002	50.000	ug/L	N/A	N/A	53.6	107			80-120			
1,2-Dichloroethane	8B25002	50.000	ug/L	N/A	N/A	58.0	116			80-120			
1,1-Dichloroethene	8B25002	50.000	ug/L	N/A	N/A	50.4	101			80-120			
cis-1,2-Dichloroethene	8B25002	50.000	ug/L	N/A	N/A	55.7	111			80-120			
trans-1,2-Dichloroethene	8B25002	50.000	ug/L	N/A	N/A	54.1	108			80-120			
1,2-Dichloropropane	8B25002	50.000	ug/L	N/A	N/A	51.7	103			80-120			
1,3-Dichloropropane	8B25002	50.000	ug/L	N/A	N/A	53.5	107			80-120			
2,2-Dichloropropane	8B25002	50.000	ug/L	N/A	N/A	51.6	103			80-120			
1,1-Dichloropropene	8B25002	50.000	ug/L	N/A	N/A	54.2	108			80-120			
cis-1,3-Dichloropropene	8B25002	50.000	ug/L	N/A	N/A	53.0	106			80-120			
trans-1,3-Dichloropropene	8B25002	50.000	ug/L	N/A	N/A	53.8	108			80-120			
2,3-Dichloropropene	8B25002	50.000	ug/L	N/A	N/A	54.6	109			80-120			
Isopropyl Ether	8B25002	50.000	ug/L	N/A	N/A	50.2	100			80-120			
Ethylbenzene	8B25002	50.000	ug/L	N/A	N/A	50.8	102			80-120			
Hexachlorobutadiene	8B25002	50.000	ug/L	N/A	N/A	47.5	95			80-120			
Isopropylbenzene	8B25002	50.000	ug/L	N/A	N/A	50.9	102			80-120			
p-Isopropyltoluene	8B25002	50.000	ug/L	N/A	N/A	49.9	100			80-120			
Methylene Chloride	8B25002	50.000	ug/L	N/A	N/A	54.0	108			80-120			
Methyl tert-Butyl Ether	8B25002	50.000	ug/L	N/A	N/A	54.0	108			80-120			
Naphthalene	8B25002	50.000	ug/L	N/A	N/A	53.4	107			80-120			
n-Propylbenzene	8B25002	50.000	ug/L	N/A	N/A	50.9	102			80-120			

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Styrene	8B25002		50.000	ug/L	N/A	N/A	50.5	101		80-120			
1,1,1,2-Tetrachloroethane	8B25002		50.000	ug/L	N/A	N/A	51.9	104		80-120			
1,1,2,2-Tetrachloroethane	8B25002		50.000	ug/L	N/A	N/A	50.8	102		80-120			
Tetrachloroethene	8B25002		50.000	ug/L	N/A	N/A	50.2	100		80-120			
Toluene	8B25002		50.000	ug/L	N/A	N/A	50.4	101		80-120			
1,2,3-Trichlorobenzene	8B25002		50.000	ug/L	N/A	N/A	51.8	104		80-120			
1,2,4-Trichlorobenzene	8B25002		50.000	ug/L	N/A	N/A	47.8	96		80-120			
1,1,1-Trichloroethane	8B25002		50.000	ug/L	N/A	N/A	57.1	114		80-120			
1,1,2-Trichloroethane	8B25002		50.000	ug/L	N/A	N/A	55.1	110		80-120			
Trichloroethene	8B25002		50.000	ug/L	N/A	N/A	54.3	109		80-120			
Trichlorofluoromethane	8B25002		50.000	ug/L	N/A	N/A	53.0	106		80-120			
1,2,3-Trichloropropane	8B25002		50.000	ug/L	N/A	N/A	51.4	103		80-120			
1,2,4-Trimethylbenzene	8B25002		50.000	ug/L	N/A	N/A	50.6	101		80-120			
1,3,5-Trimethylbenzene	8B25002		50.000	ug/L	N/A	N/A	51.0	102		80-120			
Vinyl chloride	8B25002		50.000	ug/L	N/A	N/A	46.0	92		80-120			
Xylenes, Total	8B25002		150.00	ug/L	N/A	N/A	152	101		80-120			
Surrogate: Dibromofluoromethane	8B25002			ug/L				103		80-120			
Surrogate: Toluene-d8	8B25002			ug/L				96		80-120			
Surrogate: 4-Bromofluorobenzene	8B25002			ug/L				104		80-120			
Benzene	8B26001		50.000	ug/L	N/A	N/A	51.1	102		80-120			
Bromobenzene	8B26001		50.000	ug/L	N/A	N/A	47.5	95		80-120			
Bromochloromethane	8B26001		50.000	ug/L	N/A	N/A	49.4	99		80-120			
Bromodichloromethane	8B26001		50.000	ug/L	N/A	N/A	52.8	106		80-120			
Bromoform	8B26001		50.000	ug/L	N/A	N/A	48.6	97		80-120			
Bromomethane	8B26001		50.000	ug/L	N/A	N/A	41.5	83		80-120			
n-Butylbenzene	8B26001		50.000	ug/L	N/A	N/A	47.6	95		80-120			
sec-Butylbenzene	8B26001		50.000	ug/L	N/A	N/A	47.1	94		80-120			
tert-Butylbenzene	8B26001		50.000	ug/L	N/A	N/A	47.5	95		80-120			
Carbon Tetrachloride	8B26001		50.000	ug/L	N/A	N/A	52.2	104		80-120			
Chlorobenzene	8B26001		50.000	ug/L	N/A	N/A	47.6	95		80-120			
Chlorodibromomethane	8B26001		50.000	ug/L	N/A	N/A	52.0	104		80-120			
Chloroethane	8B26001		50.000	ug/L	N/A	N/A	44.6	89		80-120			
Chloroform	8B26001		50.000	ug/L	N/A	N/A	52.1	104		80-120			
Chloromethane	8B26001		50.000	ug/L	N/A	N/A	45.0	90		80-120			
2-Chlorotoluene	8B26001		50.000	ug/L	N/A	N/A	48.5	97		80-120			
4-Chlorotoluene	8B26001		50.000	ug/L	N/A	N/A	48.3	97		80-120			
1,2-Dibromo-3-chloropropane	8B26001		50.000	ug/L	N/A	N/A	44.2	88		80-120			
1,2-Dibromoethane (EDB)	8B26001		50.000	ug/L	N/A	N/A	48.4	97		80-120			
Dibromomethane	8B26001		50.000	ug/L	N/A	N/A	50.3	101		80-120			
1,2-Dichlorobenzene	8B26001		50.000	ug/L	N/A	N/A	47.1	94		80-120			
1,3-Dichlorobenzene	8B26001		50.000	ug/L	N/A	N/A	46.7	93		80-120			
1,4-Dichlorobenzene	8B26001		50.000	ug/L	N/A	N/A	46.1	92		80-120			
Dichlorodifluoromethane	8B26001		50.000	ug/L	N/A	N/A	56.0	112		80-120			
1,1-Dichloroethane	8B26001		50.000	ug/L	N/A	N/A	48.6	97		80-120			

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRB0538
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
 Reported: 02/29/08 14:22

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
1,2-Dichloroethane	8B26001	50.000	ug/L	N/A	N/A	54.6	109			80-120			
1,1-Dichloroethene	8B26001	50.000	ug/L	N/A	N/A	48.1	96			80-120			
cis-1,2-Dichloroethene	8B26001	50.000	ug/L	N/A	N/A	51.1	102			80-120			
trans-1,2-Dichloroethene	8B26001	50.000	ug/L	N/A	N/A	50.3	101			80-120			
1,2-Dichloropropane	8B26001	50.000	ug/L	N/A	N/A	48.4	97			80-120			
1,3-Dichloropropane	8B26001	50.000	ug/L	N/A	N/A	51.1	102			80-120			
2,2-Dichloropropane	8B26001	50.000	ug/L	N/A	N/A	52.9	106			80-120			
1,1-Dichloropropene	8B26001	50.000	ug/L	N/A	N/A	51.9	104			80-120			
cis-1,3-Dichloropropene	8B26001	50.000	ug/L	N/A	N/A	51.0	102			80-120			
trans-1,3-Dichloropropene	8B26001	50.000	ug/L	N/A	N/A	51.6	103			80-120			
2,3-Dichloropropene	8B26001	50.000	ug/L	N/A	N/A	51.3	103			80-120			
Isopropyl Ether	8B26001	50.000	ug/L	N/A	N/A	46.1	92			80-120			
Ethylbenzene	8B26001	50.000	ug/L	N/A	N/A	46.2	92			80-120			
Hexachlorobutadiene	8B26001	50.000	ug/L	N/A	N/A	44.8	90			80-120			
Isopropylbenzene	8B26001	50.000	ug/L	N/A	N/A	48.0	96			80-120			
p-Isopropyltoluene	8B26001	50.000	ug/L	N/A	N/A	47.7	95			80-120			
Methylene Chloride	8B26001	50.000	ug/L	N/A	N/A	50.1	100			80-120			
Methyl tert-Butyl Ether	8B26001	50.000	ug/L	N/A	N/A	50.7	101			80-120			
Naphthalene	8B26001	50.000	ug/L	N/A	N/A	46.6	93			80-120			
n-Propylbenzene	8B26001	50.000	ug/L	N/A	N/A	48.5	97			80-120			
Styrene	8B26001	50.000	ug/L	N/A	N/A	47.2	94			80-120			
1,1,1,2-Tetrachloroethane	8B26001	50.000	ug/L	N/A	N/A	47.6	95			80-120			
1,1,2,2-Tetrachloroethane	8B26001	50.000	ug/L	N/A	N/A	47.9	96			80-120			
Tetrachloroethene	8B26001	50.000	ug/L	N/A	N/A	47.7	95			80-120			
Toluene	8B26001	50.000	ug/L	N/A	N/A	46.9	94			80-120			
1,2,3-Trichlorobenzene	8B26001	50.000	ug/L	N/A	N/A	47.1	94			80-120			
1,2,4-Trichlorobenzene	8B26001	50.000	ug/L	N/A	N/A	44.0	88			80-120			
1,1,1-Trichloroethane	8B26001	50.000	ug/L	N/A	N/A	53.6	107			80-120			
1,1,2-Trichloroethane	8B26001	50.000	ug/L	N/A	N/A	51.8	104			80-120			
Trichloroethene	8B26001	50.000	ug/L	N/A	N/A	50.9	102			80-120			
Trichlorofluoromethane	8B26001	50.000	ug/L	N/A	N/A	52.4	105			80-120			
1,2,3-Trichloropropene	8B26001	50.000	ug/L	N/A	N/A	48.1	96			80-120			
1,2,4-Trimethylbenzene	8B26001	50.000	ug/L	N/A	N/A	47.6	95			80-120			
1,3,5-Trimethylbenzene	8B26001	50.000	ug/L	N/A	N/A	47.8	96			80-120			
Vinyl chloride	8B26001	50.000	ug/L	N/A	N/A	39.2	78			80-120			
Xylenes, Total	8B26001	150.00	ug/L	N/A	N/A	141	94			80-120			
Surrogate: Dibromo fluromethane	8B26001		ug/L				100			80-120			
Surrogate: Toluene-d8	8B26001		ug/L				95			80-120			
Surrogate: 4-Bromo fluoro benzene	8B26001		ug/L				103			80-120			C4

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
PNAs by SW8310													
Acenaphthene	8B28004	5.0000	ug/kg wet	N/A	N/A	4.95	99			85-115			
Acenaphthylene	8B28004	10.000	ug/kg wet	N/A	N/A	9.44	94			85-115			
Anthracene	8B28004	0.5000	ug/kg wet	N/A	N/A	0.561	112			85-115			
		0											
Benzo (a) anthracene	8B28004	0.5000	ug/kg wet	N/A	N/A	0.467	93			85-115			
		0											
Benzo (b) fluoranthene	8B28004	1.0000	ug/kg wet	N/A	N/A	1.04	104			85-115			
Benzo (k) fluoranthene	8B28004	0.5000	ug/kg wet	N/A	N/A	0.546	109			85-115			
		0											
Benzo (a) pyrene	8B28004	0.5000	ug/kg wet	N/A	N/A	0.527	105			85-115			
		0											
Benzo (g,h,i) perylene	8B28004	1.0000	ug/kg wet	N/A	N/A	1.06	106			85-115			
Chrysene	8B28004	0.5000	ug/kg wet	N/A	N/A	0.445	89			85-115			
		0											
Dibeno (a,h) anthracene	8B28004	1.0000	ug/kg wet	N/A	N/A	1.04	104			85-115			
Fluoranthene	8B28004	1.0000	ug/kg wet	N/A	N/A	1.04	104			85-115			
Fluorene	8B28004	1.0000	ug/kg wet	N/A	N/A	0.982	98			85-115			
Indeno (1,2,3-cd) pyrene	8B28004	0.5000	ug/kg wet	N/A	N/A	0.534	107			85-115			
		0											
1-Methylnaphthalene	8B28004	5.0000	ug/kg wet	N/A	N/A	5.04	101			85-115			
2-Methylnaphthalene	8B28004	5.0000	ug/kg wet	N/A	N/A	5.36	107			85-115			
Naphthalene	8B28004	5.0000	ug/kg wet	N/A	N/A	5.32	106			85-115			
Phenanthrene	8B28004	0.5000	ug/kg wet	N/A	N/A	0.542	108			85-115			
		0											
Pyrene	8B28004	0.5000	ug/kg wet	N/A	N/A	0.472	94			85-115			
		0											
<i>Surrogate: 2-Fluorobiphenyl</i>	8B28004		ug/kg wet				108			85-115			

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Metals Dissolved													
Mercury	8020473	0.0025 000	mg/L	0.000065	0.00023	0.00220		88		79-128			B
PNAs by SW8310													
Acenaphthene	8020400	10.000	ug/L	0.33	1.3	8.81		88		41-126			
Acenaphthylene	8020400	20.000	ug/L	0.69	2.5	16.7		83		42-126			
Anthracene	8020400	1.0000	ug/L	0.038	0.13	1.01		101		34-128			
Benzo (a) anthracene	8020400	1.0000	ug/L	0.044	0.13	0.837		84		62-115			
Benzo (b) fluoranthene	8020400	2.0000	ug/L	0.098	0.25	1.84		92		72-127			
Benzo (k) fluoranthene	8020400	1.0000	ug/L	0.049	0.13	1.01		101		73-124			
Benzo (a) pyrene	8020400	1.0000	ug/L	0.032	0.13	0.849		85		41-126			
Benzo (g,h,i) perylene	8020400	2.0000	ug/L	0.12	0.25	1.81		90		69-120			
Chrysene	8020400	1.0000	ug/L	0.041	0.13	0.813		81		66-118			
Dibenz (a,h) anthracene	8020400	2.0000	ug/L	0.13	0.25	1.82		91		71-123			
Fluoranthene	8020400	2.0000	ug/L	0.081	0.25	1.93		97		60-128			
Fluorene	8020400	2.0000	ug/L	0.062	1.3	1.86		93		43-140			
Indeno (1,2,3-cd) pyrene	8020400	1.0000	ug/L	0.062	0.13	0.946		95		67-118			
1-Methylnaphthalene	8020400	10.000	ug/L	0.32	1.3	8.80		88		34-123			
2-Methylnaphthalene	8020400	10.000	ug/L	0.31	1.3	8.68		87		28-119			
Naphthalene	8020400	10.000	ug/L	0.40	1.3	9.08		91		34-120			
Phenanthrene	8020400	1.0000	ug/L	0.030	0.13	1.01		101		54-133			
Pyrene	8020400	1.0000	ug/L	0.044	0.13	0.875		87		56-121			
<i>Surrogate: 2-Fluorobiphenyl</i>	8020400		ug/L					92		52-116			

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
Metals Dissolved													
QC Source Sample: WRB0538-09													
Mercury	8020473	0.000171 000	0.0025	mg/L	0.000065	0.00023	0.00267	100	0.00268	100	67-141	0	13
QC Source Sample: WRB0475-01													
Arsenic	8020542	3.66	50.000	ug/L	0.070	0.22	58.4	109	59.0	111	75-125	1	20
Barium	8020542	59.6	50.000	ug/L	0.060	0.19	113	107	113	107	75-125	0	32
Cadmium	8020542	0.0500	50.000	ug/L	0.010	0.032	51.7	103	52.1	104	75-125	1	18
Chromium	8020542	1.78	50.000	ug/L	0.070	0.22	47.0	90	47.9	92	75-125	2	20
Lead	8020542	0.0700	50.000	ug/L	0.040	0.13	48.0	96	48.1	96	75-125	0	20
Selenium	8020542	0.310	50.000	ug/L	0.17	0.54	57.3	114	57.0	113	75-125	1	20
Silver	8020542	<0.020	50.000	ug/L	0.020	0.064	44.5	89	45.1	90	75-125	1	20
VOCs by SW8260B													
QC Source Sample: WRB0475-01													
Benzene	8020424	<0.20	50.000	ug/L	0.20	0.67	53.2	106	51.2	102	80-121	4	11
Bromobenzene	8020424	<0.20	50.000	ug/L	0.20	0.67	50.1	98	48.8	100	70-130	3	20
Bromochloromethane	8020424	<0.50	50.000	ug/L	0.50	1.7	53.3	107	50.7	101	70-130	5	20
Bromodichloromethane	8020424	<0.20	50.000	ug/L	0.20	0.67	55.7	111	52.6	105	70-130	6	20
Bromoform	8020424	<0.20	50.000	ug/L	0.20	0.67	52.7	99	51.6	103	70-130	2	20
Bromomethane	8020424	<0.20	50.000	ug/L	0.20	0.67	50.2	99	49.3	100	70-130	2	20
n-Butylbenzene	8020424	<0.20	50.000	ug/L	0.20	0.67	48.6	97	45.8	99	70-130	6	20
sec-Butylbenzene	8020424	<0.25	50.000	ug/L	0.25	0.83	49.4	99	47.0	99	70-130	5	20
tert-Butylbenzene	8020424	<0.20	50.000	ug/L	0.20	0.67	50.1	99	48.0	100	70-130	4	20
Carbon Tetrachloride	8020424	<0.50	50.000	ug/L	0.50	1.7	54.0	108	51.8	104	70-130	4	20
Chlorobenzene	8020424	<0.20	50.000	ug/L	0.20	0.67	50.1	99	48.9	100	98	85-116	2
Chlorodibromomethane	8020424	<0.20	50.000	ug/L	0.20	0.67	55.0	110	52.8	106	70-130	4	20
Chloroethane	8020424	<1.0	50.000	ug/L	1.0	3.3	47.2	94	46.1	92	70-130	2	20
Chloroform	8020424	<0.20	50.000	ug/L	0.20	0.67	55.2	104	52.2	110	70-130	6	20
Chloromethane	8020424	<0.20	50.000	ug/L	0.20	0.67	46.4	93	46.2	99	70-130	0	20
2-Chlorotoluene	8020424	<0.50	50.000	ug/L	0.50	1.7	48.9	98	44.3	98	70-130	10	20
4-Chlorotoluene	8020424	<0.20	50.000	ug/L	0.20	0.67	50.1	94	46.9	100	94	70-130	7
1,2-Dibromo-3-chloropropane	8020424	<0.50	50.000	ug/L	0.50	1.7	49.9	97	48.4	100	97	70-130	3
1,2-Dibromoethane (EDB)	8020424	<0.20	50.000	ug/L	0.20	0.67	52.4	105	50.8	102	70-130	3	20
Dibromomethane	8020424	<0.20	50.000	ug/L	0.20	0.67	54.0	108	51.8	104	70-130	4	20
1,2-Dichlorobenzene	8020424	<0.20	50.000	ug/L	0.20	0.67	50.1	99	48.1	100	96	70-130	4
1,3-Dichlorobenzene	8020424	<0.20	50.000	ug/L	0.20	0.67	49.4	99	47.3	103	95	70-130	4
1,4-Dichlorobenzene	8020424	<0.20	50.000	ug/L	0.20	0.67	48.7	97	46.5	103	93	70-130	5
Dichlorodifluoromethane	8020424	<0.50	50.000	ug/L	0.50	1.7	50.8	102	48.2	104	96	70-130	5
1,1-Dichloroethane	8020424	<0.50	50.000	ug/L	0.50	1.7	52.5	105	50.2	105	100	70-130	4
1,2-Dichloroethane	8020424	<0.50	50.000	ug/L	0.50	1.7	57.4	109	54.4	115	109	70-130	5
1,1-Dichloroethene	8020424	<0.50	50.000	ug/L	0.50	1.7	49.8	97	48.6	100	97	72-131	3
cis-1,2-Dichloroethene	8020424	<0.50	50.000	ug/L	0.50	1.7	54.9	105	52.3	110	105	70-130	5
trans-1,2-Dichloroethene	8020424	<0.50	50.000	ug/L	0.50	1.7	53.8	108	51.7	103	103	70-130	4
1,2-Dichloropropane	8020424	<0.50	50.000	ug/L	0.50	1.7	51.3	103	49.5	103	99	70-130	4
1,3-Dichloropropane	8020424	<0.25	50.000	ug/L	0.25	0.83	53.4	107	51.3	103	107	70-130	4
2,2-Dichloropropane	8020424	<0.50	50.000	ug/L	0.50	1.7	49.1	98	46.9	102	94	70-130	5
1,1-Dichloropropene	8020424	<0.50	50.000	ug/L	0.50	1.7	53.5	107	51.4	103	103	70-130	4
cis-1,3-Dichloropropene	8020424	<0.20	50.000	ug/L	0.20	0.67	53.0	106	50.5	101	101	70-130	5
trans-1,3-Dichloropropene	8020424	<0.20	50.000	ug/L	0.20	0.67	52.9	106	51.1	102	102	70-130	4
Isopropyl Ether	8020424	<0.50	50.000	ug/L	0.50	1.7	49.7	99	48.4	97	97	68-128	3
TestAmerica Watertown													
Brian DeJong For Warren L. Topel Project Manager													

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRB0538
 Project: Mirro Plant #20
 Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
 Reported: 02/29/08 14:22

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WRB0475-01													
Ethylbenzene	8020424	<0.50	50.000	ug/L	0.50	1.7	51.5	47.8	103	96	83-118	7	13
Hexachlorobutadiene	8020424	<0.50	50.000	ug/L	0.50	1.7	49.3	46.0	99	92	70-130	7	20
Isopropylbenzene	8020424	<0.20	50.000	ug/L	0.20	0.67	50.0	48.3	100	97	70-130	3	20
p-Isopropyltoluene	8020424	<0.20	50.000	ug/L	0.20	0.67	48.5	47.1	97	94	70-130	3	20
Methylene Chloride	8020424	<1.0	50.000	ug/L	1.0	3.3	53.9	51.8	108	104	70-130	4	20
Methyl tert-Butyl Ether	8020424	<0.50	50.000	ug/L	0.50	1.7	54.2	52.3	108	105	71-127	4	22
Naphthalene	8020424	<0.25	50.000	ug/L	0.25	0.83	52.6	50.7	105	101	70-130	4	20
n-Propylbenzene	8020424	<0.50	50.000	ug/L	0.50	1.7	49.6	48.3	99	97	70-130	3	20
Styrene	8020424	<0.20	50.000	ug/L	0.20	0.67	49.1	48.0	98	96	70-130	2	20
1,1,1,2-Tetrachloroethane	8020424	<0.25	50.000	ug/L	0.25	0.83	50.7	49.4	101	99	70-130	2	20
1,1,2,2-Tetrachloroethane	8020424	<0.20	50.000	ug/L	0.20	0.67	50.3	49.5	101	99	70-130	2	20
Tetrachloroethene	8020424	<0.50	50.000	ug/L	0.50	1.7	49.3	47.8	99	96	70-130	3	20
Toluene	8020424	<0.20	50.000	ug/L	0.20	0.67	49.4	48.1	99	96	82-116	3	11
1,2,3-Trichlorobenzene	8020424	<0.25	50.000	ug/L	0.25	0.83	51.6	49.6	103	99	70-130	4	20
1,2,4-Trichlorobenzene	8020424	<0.25	50.000	ug/L	0.25	0.83	47.8	45.4	96	91	70-130	5	20
1,1,1-Trichloroethane	8020424	<0.50	50.000	ug/L	0.50	1.7	56.1	53.5	112	107	70-130	5	20
1,1,2-Trichloroethane	8020424	<0.25	50.000	ug/L	0.25	0.83	54.7	52.5	109	105	70-130	4	20
Trichloroethene	8020424	<0.20	50.000	ug/L	0.20	0.67	54.2	51.6	108	103	80-117	5	13
Trichlorofluoromethane	8020424	<0.50	50.000	ug/L	0.50	1.7	50.6	48.7	101	97	70-130	4	20
1,2,3-Trichloropropane	8020424	<0.50	50.000	ug/L	0.50	1.7	50.8	50.1	102	100	70-130	1	20
1,2,4-Trimethylbenzene	8020424	<0.20	50.000	ug/L	0.20	0.67	48.9	47.5	98	95	80-122	3	14
1,3,5-Trimethylbenzene	8020424	<0.20	50.000	ug/L	0.20	0.67	49.2	47.5	98	95	83-122	4	12
Vinyl chloride	8020424	<0.20	50.000	ug/L	0.20	0.67	45.8	42.5	92	85	70-130	8	20
Xylenes, Total	8020424	<0.50	150.00	ug/L	0.50	1.7	147	143	98	95	84-119	3	12
Surrogate: Dibromo fluoro methane	8020424			ug/L					101	100	89-119		
Surrogate: Toluene-d8	8020424			ug/L					95	96	91-109		
Surrogate: 4-Bromo fluoro benzene	8020424			ug/L					101	102	89-114		
QC Source Sample: WRB0538-14													
Benzene	8020463	<0.20	50.000	ug/L	0.20	0.67	54.5	54.3	109	109	80-121	1	11
Bromobenzene	8020463	<0.20	50.000	ug/L	0.20	0.67	50.9	50.3	102	101	70-130	1	20
Bromochloromethane	8020463	<0.50	50.000	ug/L	0.50	1.7	52.8	52.9	106	106	70-130	0	20
Bromodichloromethane	8020463	<0.20	50.000	ug/L	0.20	0.67	55.9	55.3	112	111	70-130	1	20
Bromoform	8020463	<0.20	50.000	ug/L	0.20	0.67	53.1	52.4	106	105	70-130	1	20
Bromomethane	8020463	<0.20	50.000	ug/L	0.20	0.67	49.9	50.4	100	101	70-130	1	20
n-Butylbenzene	8020463	<0.20	50.000	ug/L	0.20	0.67	50.2	50.8	100	102	70-130	1	20
sec-Butylbenzene	8020463	<0.25	50.000	ug/L	0.25	0.83	50.0	51.0	100	102	70-130	2	20
tert-Butylbenzene	8020463	<0.20	50.000	ug/L	0.20	0.67	50.3	51.0	101	102	70-130	1	20
Carbon Tetrachloride	8020463	<0.50	50.000	ug/L	0.50	1.7	56.2	55.8	112	112	70-130	1	20
Chlorobenzene	8020463	<0.20	50.000	ug/L	0.20	0.67	51.5	50.5	103	101	85-116	2	9
Chlorodibromomethane	8020463	<0.20	50.000	ug/L	0.20	0.67	55.1	54.7	110	109	70-130	1	20
Chloroethane	8020463	<1.0	50.000	ug/L	1.0	3.3	48.5	48.2	97	96	70-130	1	20
Chloroform	8020463	<0.20	50.000	ug/L	0.20	0.67	55.4	54.8	111	110	70-130	1	20
Chloromethane	8020463	<0.20	50.000	ug/L	0.20	0.67	44.6	47.7	89	95	70-130	7	20
2-Chlorotoluene	8020463	<0.50	50.000	ug/L	0.50	1.7	51.7	47.3	103	95	70-130	9	20
4-Chlorotoluene	8020463	<0.20	50.000	ug/L	0.20	0.67	51.3	48.6	103	97	70-130	5	20

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WRB0538-14													
1,2-Dibromo-3-chloropropane	8020463	<0.50	50.000	ug/L	0.50	1.7	50.4	51.0	101	102	70-130	1	20
1,2-Dibromoethane (EDB)	8020463	<0.20	50.000	ug/L	0.20	0.67	52.9	52.4	106	105	70-130	1	20
Dibromomethane	8020463	<0.20	50.000	ug/L	0.20	0.67	54.1	54.4	108	109	70-130	1	20
1,2-Dichlorobenzene	8020463	<0.20	50.000	ug/L	0.20	0.67	50.3	50.0	101	100	70-130	1	20
1,3-Dichlorobenzene	8020463	<0.20	50.000	ug/L	0.20	0.67	50.0	50.0	100	100	70-130	0	20
1,4-Dichlorobenzene	8020463	<0.20	50.000	ug/L	0.20	0.67	49.2	49.1	98	98	70-130	0	20
Dichlorodifluoromethane	8020463	<0.50	50.000	ug/L	0.50	1.7	58.7	58.0	117	116	70-130	1	20
1,1-Dichloroethane	8020463	<0.50	50.000	ug/L	0.50	1.7	52.2	52.0	104	104	70-130	0	20
1,2-Dichloroethane	8020463	<0.50	50.000	ug/L	0.50	1.7	57.8	56.6	116	113	70-130	2	20
1,1-Dichloroethene	8020463	<0.50	50.000	ug/L	0.50	1.7	52.4	52.2	105	104	72-131	0	17
cis-1,2-Dichloroethene	8020463	21.0	50.000	ug/L	0.50	1.7	74.9	75.4	108	109	70-130	1	20
trans-1,2-Dichloroethene	8020463	<0.50	50.000	ug/L	0.50	1.7	54.8	54.8	110	110	70-130	0	20
1,2-Dichloropropane	8020463	<0.50	50.000	ug/L	0.50	1.7	50.9	51.2	102	102	70-130	1	20
1,3-Dichloropropane	8020463	<0.25	50.000	ug/L	0.25	0.83	54.4	53.6	109	107	70-130	2	20
2,2-Dichloropropane	8020463	<0.50	50.000	ug/L	0.50	1.7	57.0	56.5	114	113	70-130	1	20
1,1-Dichloropropene	8020463	<0.50	50.000	ug/L	0.50	1.7	55.8	55.4	112	111	70-130	1	20
cis-1,3-Dichloropropene	8020463	<0.20	50.000	ug/L	0.20	0.67	54.5	54.0	109	108	70-130	1	20
trans-1,3-Dichloropropene	8020463	<0.20	50.000	ug/L	0.20	0.67	55.0	54.0	110	108	70-130	2	20
Isopropyl Ether	8020463	<0.50	50.000	ug/L	0.50	1.7	49.7	49.4	99	99	68-128	1	16
Ethylbenzene	8020463	<0.50	50.000	ug/L	0.50	1.7	54.0	51.7	108	103	83-118	4	13
Hexachlorobutadiene	8020463	<0.50	50.000	ug/L	0.50	1.7	50.3	49.8	101	100	70-130	1	20
Isopropylbenzene	8020463	<0.20	50.000	ug/L	0.20	0.67	51.5	50.7	103	101	70-130	2	20
p-Isopropyltoluene	8020463	<0.20	50.000	ug/L	0.20	0.67	50.5	50.1	101	100	70-130	1	20
Methylene Chloride	8020463	<1.0	50.000	ug/L	1.0	3.3	52.6	50.5	105	101	70-130	4	20
Methyl tert-Butyl Ether	8020463	<0.50	50.000	ug/L	0.50	1.7	54.9	54.2	110	108	71-127	1	22
Naphthalene	8020463	<0.25	50.000	ug/L	0.25	0.83	53.0	52.2	106	104	70-130	2	20
n-Propylbenzene	8020463	<0.50	50.000	ug/L	0.50	1.7	51.7	51.5	103	103	70-130	0	20
Styrene	8020463	<0.20	50.000	ug/L	0.20	0.67	50.9	50.0	102	100	70-130	2	20
1,1,1,2-Tetrachloroethane	8020463	<0.25	50.000	ug/L	0.25	0.83	51.3	50.9	103	102	70-130	1	20
1,1,2,2-Tetrachloroethane	8020463	<0.20	50.000	ug/L	0.20	0.67	52.3	51.3	105	103	70-130	2	20
Tetrachloroethene	8020463	<0.50	50.000	ug/L	0.50	1.7	52.1	51.5	104	103	70-130	1	20
Toluene	8020463	<0.20	50.000	ug/L	0.20	0.67	50.9	49.9	102	100	82-116	2	11
1,2,3-Trichlorobenzene	8020463	<0.25	50.000	ug/L	0.25	0.83	52.3	51.0	105	102	70-130	3	20
1,2,4-Trichlorobenzene	8020463	<0.25	50.000	ug/L	0.25	0.83	48.6	47.3	97	95	70-130	3	20
1,1,1-Trichloroethane	8020463	<0.50	50.000	ug/L	0.50	1.7	57.2	56.5	114	113	70-130	1	20
1,1,2-Trichloroethane	8020463	<0.25	50.000	ug/L	0.25	0.83	55.0	54.5	110	109	70-130	1	20
Trichloroethene	8020463	1.60	50.000	ug/L	0.20	0.67	56.5	56.8	110	110	80-117	1	13
Trichlorofluoromethane	8020463	<0.50	50.000	ug/L	0.50	1.7	56.4	55.6	113	111	70-130	1	20
1,2,3-Trichloropropane	8020463	<0.50	50.000	ug/L	0.50	1.7	52.0	52.0	104	104	70-130	0	20
1,2,4-Trimethylbenzene	8020463	<0.20	50.000	ug/L	0.20	0.67	50.8	49.5	102	99	80-122	2	14
1,3,5-Trimethylbenzene	8020463	<0.20	50.000	ug/L	0.20	0.67	50.7	50.1	101	100	83-122	1	12
Vinyl chloride	8020463	0.610	50.000	ug/L	0.20	0.67	41.6	41.1	82	81	70-130	1	20
Xylenes, Total	8020463	<0.50	150.00	ug/L	0.50	1.7	150	150	100	100	84-119	0	12
Surrogate: Dibromofluoromethane	8020463			ug/L					100	100	89-119		
Surrogate: Toluene-d8	8020463			ug/L					96	94	91-109		C4

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
QC Source Sample: WRB0538-14														
<i>Surrogate: 4-Bromofluorobenzene</i>														
PNAs by SW8310														
QC Source Sample: WRB0538-02														
Acenaphthene	8020400	<0.33	33.333	ug/L	1.1	4.3	29.7	30.8	89	92	34-125	4	40	
Acenaphthylene	8020400	<0.69	66.667	ug/L	2.3	8.3	56.1	58.9	84	88	36-129	5	41	
Anthracene	8020400	<0.038	3.3333	ug/L	0.13	0.43	3.50	3.59	105	108	37-130	3	48	
Benzo (a) anthracene	8020400	<0.044	3.3333	ug/L	0.15	0.43	2.90	3.06	87	92	36-133	6	38	
Benzo (b) fluoranthene	8020400	<0.098	6.6667	ug/L	0.33	0.83	6.60	6.80	99	102	54-133	3	30	
Benzo (k) fluoranthene	8020400	<0.049	3.3333	ug/L	0.16	0.43	3.61	3.68	108	110	39-143	2	31	
Benzo (a) pyrene	8020400	<0.032	3.3333	ug/L	0.11	0.43	3.05	3.15	92	94	25-139	3	36	
Benzo (g,h,i) perlylene	8020400	<0.12	6.6667	ug/L	0.40	0.83	6.50	6.70	98	100	51-133	3	39	
Chrysene	8020400	<0.041	3.3333	ug/L	0.14	0.43	2.45	2.74	74	82	40-130	11	33	
Dibenzo (a,h) anthracene	8020400	<0.13	6.6667	ug/L	0.43	0.83	6.46	6.67	97	100	39-143	3	31	
Fluoranthene	8020400	<0.081	6.6667	ug/L	0.27	0.83	6.67	6.79	100	102	42-134	2	34	
Fluorene	8020400	<0.062	6.6667	ug/L	0.21	4.3	6.56	6.83	98	102	38-135	4	40	
Indeno (1,2,3-cd) pyrene	8020400	<0.062	3.3333	ug/L	0.21	0.43	3.37	3.47	101	104	47-129	3	32	
1-Methylnaphthalene	8020400	<0.32	33.333	ug/L	1.1	4.3	29.6	30.8	89	92	24-124	4	42	
2-Methylnaphthalene	8020400	<0.31	33.333	ug/L	1.0	4.3	29.0	30.1	87	90	22-121	4	42	
Naphthalene	8020400	<0.40	33.333	ug/L	1.3	4.3	31.4	32.1	94	96	25-122	2	44	
Phenanthrene	8020400	<0.030	3.3333	ug/L	0.10	0.43	3.49	3.55	105	107	40-138	2	37	
Pyrene	8020400	<0.044	3.3333	ug/L	0.15	0.43	3.06	3.16	92	95	33-128	3	46	
<i>Surrogate: 2-Fluorobiphenyl</i>														
				ug/L					90	95	50-107			

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRB0538
Project: Mirro Plant #20
Project Number: NERUB 0502.00 Chilton, WI

Received: 02/20/08
Reported: 02/29/08 14:22

CERTIFICATION SUMMARY

TestAmerica Watertown

Method	Matrix	Nelac	Wisconsin
EPA 245.1	Water - NonPotable	X	X
SW 6020A	Water - NonPotable		
SW 8260B	Water - NonPotable	X	X
SW 8310	Water - NonPotable		X

DATA QUALIFIERS AND DEFINITIONS

- B** Analyte was detected in the associated Method Blank.
C4 Calibration Verification recovery was below the method control limit for this analyte.
J Results reported between the Method Detection Limit (MDL) and Limit of Quantitation (LOQ) are less certain than results at or above the LOQ.

ADDITIONAL COMMENTS

Results are reported on a wet weight basis unless otherwise noted.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?

Compliance Monitoring

WRB0538

Client Name: SEH Inc.

Client #: _____

Address: 809 N. 8th Street Suite 205

Project Name: Mirro Plant #20, Chilton

City/State/Zip Code: Sheboygan, WI 53081

Project #: NERUB0502.01

Project Manager: Jason Martin

Site/Location ID: Chilton State: WI

Telephone Number: 920.452.6603 Fax: 920.452.6035

Report To: F. Jason Martin

Sampler Name: (Print Name) John E. Guhl

Leann Froehleman

Invoice To: Same

Sampler Signature: *John E. Guhl*

Quote #: _____ PO#: _____

E-mail address: _____

Standard

Rush (surcharges may apply)

Date Needed: _____

Fax Results: Y N

E-mail: Y N

SAMPLE ID

TAT		Date Sampled	Time Sampled	G = Grab, C = Composite Field Filtered	Matrix	Preservation & # of Containers					Analyze For:					QC Deliverables			
						Sludge DW - Drinking Water GW - Groundwater S - Soil/Solid WW - Wastewater	Specify Other	HNO ₃	HCl	NaOH	H ₂ SO ₄	Methanol	None	Other (Specify)	VOCs	PAHs	(FILTERED) RCRA METALS	METALS	
01	B-12	7-18-08	9:55	G N	GW	3	7			1						/	/		
02	B-11		10:05	G N	GW	3				1						/	/		
03	B-109		10:15	G N	GW	3				1						/	/		
04	B-6		10:20	G N	GW					1						/	/		
05	B-5		10:25	G N	GW	3				1						/	/		
06	B-5A		10:30	G N	GW	3													
07	West Sump		10:40	G N	GW					1									
08	Large Sump		10:50	G N	GW	3													
09	PZ-9		11:05	G Y	GW	1	3			1						/	/		
10	MW-9		12:15	G	GW					1									

Special Instructions:

LABORATORY COMMENTS:

Init Lab Temp:

1C

Rec Lab Temp:

John C. Guhl
Relinquished By: Date: 7-19-08 Time: 4:00 pm Received By: T. Spence

Date: 7/20/08 Time: 10:22

Custody Seals: Y N N/A

Bottles Supplied by TestAmerica: N

Relinquished By: Date: Time: Received By:

Date: Time:

Relinquished By: Date: Time: Received By:

Date: Time:

Method of Shipment: *Airborne*

TAL-0020 (1207)

7/20/08

**Chain of
Custody Record**

Test America

**SEVERN
TRENT**
~~STL~~
Severn Trent Laboratories, Inc.

WR00538
STL Denver
4955 Yarrow Street
Arvada, CO 80002

STL-4124 (0901)

Client SEH Inc.			Project Manager F. Jason Martin						Date 2-18-08	Chain of Custody Number 349282					
Address 809 N 8th Street, Ste 205			Telephone Number (Area Code)/Fax Number 920.452.6603						Lab Number	Page _____ of _____					
City Sheboygan	State WI	Zip Code 53081	Site Contact John Guhl	Lab Contact					Analysis (Attach list if more space is needed)			Special Instructions/ Conditions of Receipt			
Project Name and Location (State) Mirro Plant #20, Chilton, WI			Carrier/Waybill Number												
Contract/Purchase Order/Quote No.			Matrix			Containers & Preservatives			VOCs	DATs	RCRA Metals	Total As	Total Cd		
Sample I.D. No. and Description (Containers for each sample may be combined on one line)			Date	Time	Air	Aqueous	Sed.	Soln	Unpres.	H ₂ SO ₄	HNO ₃	HCl	NaOH	ZnAc/NaOH	
11	MW-4		2-18-08	12:40	/	/	/	/	/	/	/	/	/	/	Filtered
12	MW-5			12:51	/	/	/	/	1	3	/	/	/	/	1:00pm
13	* PZ-5			1:00 pm	/	/	/	/	/	1	/	/	/	/	Filtered Label PZ-9
14	MW-8			1:15 pm	/	/	/	/	1	3	/	/	/	/	
15	MW-6			1:35pm	/	/	/	/	/	3	/	/	/	/	
16	MW-1			1:50pm	/	/	/	/	1	/	/	/	/	/	
17	MW-2			1:55pm	/	/	/	/	1	/	/	/	/	/	
18	MW-3			1:56pm	/	/	/	/	/	3	/	/	/	/	
19	MW-7			2:02pm	/	/	/	/	/	3	/	/	/	/	
20	MW-10			2:20pm	/	/	/	/	1	1	3	/	/	/	Metals Filtered
21	PZ-10			2:40pm	/	/	/	/	1	1	3	/	/	/	Metals Filtered

Possible Hazard Identification					Sample Disposal			(A fee may be assessed if samples are retained longer than 1 month)					
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown					<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months								
Turn Around Time Required					QC Requirements (Specify)								
<input type="checkbox"/> 24 Hours <input type="checkbox"/> 48 Hours <input type="checkbox"/> 7 Days <input type="checkbox"/> 14 Days <input type="checkbox"/> 21 Days <input type="checkbox"/> Other _____													
1. Relinquished By <i>John E. Guhl</i>					Date 2-19-08	Time 4:00pm	1. Received By <i>T. Spanke</i>		Date 2/20/08		Time 10:22		
2. Relinquished By					Date	Time	2. Received By		Date		Time		
3. Relinquished By					Date	Time	3. Received By		Date		Time		

Comments

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

2/20/08

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

May 30, 2008

Client:	SEH - SHEBOYGAN 809 N. 8th Street; Suite 205 Sheboygan, WI 53081	Work Order:	WRE0803
		Project Name:	Mirro Plant #20
		Project Number:	NERUB 0502.01
Attn:	Mr. Jason Martin	Date Received:	05/22/08

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
B-12	WRE0803-01	05/21/08 09:20
B-11	WRE0803-02	05/21/08 09:40
B-9	WRE0803-03	05/21/08 10:00
B-6	WRE0803-04	05/21/08 10:20
B-5	WRE0803-05	05/21/08 10:40
B-5A	WRE0803-06	05/21/08 11:00
West Sump	WRE0803-07	05/21/08 11:20
Large Sump	WRE0803-08	05/21/08 11:40
MW-1	WRE0803-09	05/21/08 12:00
MW-2	WRE0803-10	05/21/08 12:00
MW-3	WRE0803-11	05/21/08 12:40
MW-7	WRE0803-12	05/21/08 13:20
MW-6	WRE0803-13	05/21/08 13:40
MW-10	WRE0803-14	05/21/08 14:00
PZ-10	WRE0803-15	05/21/08 14:20
PZ-5	WRE0803-16	05/21/08 14:40
MW-5	WRE0803-17	05/21/08 15:00
MW-4	WRE0803-18	05/21/08 15:20
MW-8	WRE0803-19	05/21/08 15:40
PZ-9	WRE0803-20	05/21/08 16:00
MW-9	WRE0803-21	05/21/08 16:20


Samples were received into laboratory at a temperature of 3 °C.

Wisconsin Certification Number: 128053530

The Chain(s) of Custody, 3 pages, are included and are an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Watertown

Brian DeJong For Warren L. Topel
Project Manager

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRE0803
 Project: Mirro Plant #20
 Project Number: NERUB 0502.01

Received: 05/22/08
 Reported: 05/30/08 15:44

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-01 (B-12 - Ground Water)										
Sampled: 05/21/08 09:20										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 11:52	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 11:52	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	31		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/28/08 11:52	aba	8050699	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 11:52	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 11:52	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 11:52	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 11:52	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B

TestAmerica Watertown

Brian DeJong For Warren L. Topel
 Project Manager

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-01 (B-12 - Ground Water) - cont.										
Sampled: 05/21/08 09:20										
VOCs by SW8260B - cont.										
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 11:52	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 11:52	aba	8050699	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 11:52	aba	8050699	SW 8260B
Trichloroethene	2.8		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/28/08 11:52	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 11:52	aba	8050699	SW 8260B
Surr: Dibromofluoromethane (89-119%)	93 %									
Surr: Toluene-d8 (91-109%)	93 %									
Surr: 4-Bromofluorobenzene (89-114%)	91 %									
PNAs by SW8310										
Acenaphthene	<0.35		ug/L	0.35	1.2	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Acenaphthylene	<0.73		ug/L	0.73	2.4	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Anthracene	<0.040		ug/L	0.040	0.13	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Benzo (a) anthracene	<0.047		ug/L	0.047	0.16	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Benzo (b) fluoranthene	<0.10		ug/L	0.10	0.35	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Benzo (k) fluoranthene	<0.052		ug/L	0.052	0.17	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Benzo (a) pyrene	<0.034		ug/L	0.034	0.11	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Benzo (g,h,i) perylene	<0.13		ug/L	0.13	0.43	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Chrysene	<0.044		ug/L	0.044	0.15	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Dibenzo (a,h) anthracene	<0.14		ug/L	0.14	0.46	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Fluoranthene	<0.086		ug/L	0.086	0.29	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Fluorene	<0.066		ug/L	0.066	0.22	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Indeno (1,2,3-cd) pyrene	<0.066		ug/L	0.066	0.22	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
1-Methylnaphthalene	<0.34		ug/L	0.34	1.1	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
2-Methylnaphthalene	<0.33		ug/L	0.33	1.1	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Naphthalene	<0.43		ug/L	0.43	1.4	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Phenanthrene	<0.032		ug/L	0.032	0.11	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Pyrene	<0.047		ug/L	0.047	0.16	1.06	05/24/08 15:02	CLJ	8050608	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	95 %									

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRE0803
 Project: Mirro Plant #20
 Project Number: NERUB 0502.01

Received: 05/22/08
 Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-02 (B-11 - Ground Water)										
Sampled: 05/21/08 09:40										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 12:20	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 12:20	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	1.2	J	ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/28/08 12:20	aba	8050699	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 12:20	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 12:20	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 12:20	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 12:20	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 12:20	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 12:20	aba	8050699	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-02 (B-11 - Ground Water) - cont.										
Sampled: 05/21/08 09:40										
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 12:20	aba	8050699	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Vinyl chloride	0.37	J	ug/L	0.20	0.67	1	05/28/08 12:20	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 12:20	aba	8050699	SW 8260B
<i>Surr: Dibromoiodomethane (89-119%)</i>	92 %									
<i>Surr: Toluene-d8 (91-109%)</i>	94 %									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	91 %									
PNAs by SW8310										
Acenaphthene	<0.34		ug/L	0.34	1.1	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Acenaphthylene	<0.71		ug/L	0.71	2.4	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Anthracene	<0.039		ug/L	0.039	0.13	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Benzo (a) anthracene	<0.045		ug/L	0.045	0.15	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Benzo (b) fluoranthene	<0.10		ug/L	0.10	0.34	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Benzo (k) fluoranthene	<0.051		ug/L	0.051	0.17	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Benzo (a) pyrene	<0.033		ug/L	0.033	0.11	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Benzo (g,h,i) perylene	<0.12		ug/L	0.12	0.41	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Chrysene	<0.042		ug/L	0.042	0.14	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Dibenzo (a,h) anthracene	<0.13		ug/L	0.13	0.45	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Fluoranthene	<0.084		ug/L	0.084	0.28	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Fluorene	<0.064		ug/L	0.064	0.21	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Indeno (1,2,3-cd) pyrene	<0.064		ug/L	0.064	0.21	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
1-Methylnaphthalene	<0.33		ug/L	0.33	1.1	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
2-Methylnaphthalene	<0.32		ug/L	0.32	1.1	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Naphthalene	<0.41		ug/L	0.41	1.4	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Phenanthrene	<0.031		ug/L	0.031	0.10	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
Pyrene	<0.045		ug/L	0.045	0.15	1.03	05/24/08 15:35	CLJ	8050608	SW 8310
<i>Surr: 2-Fluorobiphenyl (16-138%)</i>	96 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-03 (B-9 - Ground Water)										
Sampled: 05/21/08 10:00										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 12:49	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 12:49	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/28/08 12:49	aba	8050699	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 12:49	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 12:49	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 12:49	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 12:49	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 12:49	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 12:49	aba	8050699	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-03 (B-9 - Ground Water) - cont.										
Sampled: 05/21/08 10:00										
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 12:49	aba	8050699	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/28/08 12:49	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 12:49	aba	8050699	SW 8260B
Surr: Dibromo ^f luoromethane (89-119%)	92 %									
Surr: Toluene-d8 (91-109%)	93 %									
Surr: 4-Bromo ^f luorobenzene (89-114%)	90 %									
PNAs by SW8310										
Acenaphthene	<0.36		ug/L	0.36	1.2	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Acenaphthylene	<0.76		ug/L	0.76	2.5	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Anthracene	<0.042		ug/L	0.042	0.14	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Benzo (a) anthracene	<0.048		ug/L	0.048	0.16	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Benzo (b) fluoranthene	<0.11		ug/L	0.11	0.36	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Benzo (k) fluoranthene	<0.054		ug/L	0.054	0.18	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Benzo (a) pyrene	<0.035		ug/L	0.035	0.12	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Benzo (g,h,i) perylene	<0.13		ug/L	0.13	0.44	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Chrysene	<0.045		ug/L	0.045	0.15	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Dibenzo (a,h) anthracene	<0.14		ug/L	0.14	0.48	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Fluoranthene	<0.089		ug/L	0.089	0.30	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Fluorene	<0.068		ug/L	0.068	0.23	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Indeno (1,2,3-cd) pyrene	<0.068		ug/L	0.068	0.23	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
1-Methylnaphthalene	<0.35		ug/L	0.35	1.2	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
2-Methylnaphthalene	<0.34		ug/L	0.34	1.1	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Naphthalene	<0.44		ug/L	0.44	1.5	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Phenanthrene	0.041	J	ug/L	0.033	0.11	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Pyrene	<0.048		ug/L	0.048	0.16	1.1	05/24/08 16:08	CLJ	8050608	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	88 %									

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRE0803
 Project: Mirro Plant #20
 Project Number: NERUB 0502.01

Received: 05/22/08
 Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-04 (B-6 - Ground Water)										
Sampled: 05/21/08 10:20										
PNAs by SW8310										
Acenaphthene	<0.35		ug/L	0.35	1.2	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Acenaphthylene	<0.74		ug/L	0.74	2.5	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Anthracene	<0.041		ug/L	0.041	0.14	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Benzo (a) anthracene	<0.047		ug/L	0.047	0.16	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Benzo (b) fluoranthene	<0.11		ug/L	0.11	0.35	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Benzo (k) fluoranthene	<0.053		ug/L	0.053	0.18	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Benzo (a) pyrene	<0.034		ug/L	0.034	0.11	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Benzo (g,h,i) perylene	<0.13		ug/L	0.13	0.43	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Chrysene	<0.044		ug/L	0.044	0.15	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Dibenzo (a,h) anthracene	<0.14		ug/L	0.14	0.47	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Fluoranthene	<0.087		ug/L	0.087	0.29	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Fluorene	<0.067		ug/L	0.067	0.22	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Indeno (1,2,3-cd) pyrene	<0.067		ug/L	0.067	0.22	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
I-Methylnaphthalene	<0.34		ug/L	0.34	1.1	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
2-Methylnaphthalene	<0.33		ug/L	0.33	1.1	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Naphthalene	<0.43		ug/L	0.43	1.4	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Phenanthrene	<0.032		ug/L	0.032	0.11	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Pyrene	<0.047		ug/L	0.047	0.16	1.08	05/24/08 16:41	CLJ	8050608	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	99 %									
Sample ID: WRE0803-05 (B-5 - Ground Water)										
Sampled: 05/21/08 10:40										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 13:18	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 13:18	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-05 (B-5 - Ground Water) - cont.										
Sampled: 05/21/08 10:40										
VOCs by SW8260B - cont.										
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/28/08 13:18	aba	8050699	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 13:18	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 13:18	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 13:18	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 13:18	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 13:18	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 13:18	aba	8050699	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 13:18	aba	8050699	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/28/08 13:18	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 13:18	aba	8050699	SW 8260B
Surr: Dibromoformmethane (89-119%)	93 %									
Surr: Toluene-d8 (91-109%)	93 %									
Surr: 4-Bromofluorobenzene (89-114%)	91 %									
PNAs by SW8310										
Acenaphthene	<0.38		ug/L	0.38	1.3	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Acenaphthylene	<0.80		ug/L	0.80	2.7	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Anthracene	<0.044		ug/L	0.044	0.15	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Benzo (a) anthracene	<0.051		ug/L	0.051	0.17	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Benzo (b) fluoranthene	<0.11		ug/L	0.11	0.38	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Benzo (k) fluoranthene	<0.057		ug/L	0.057	0.19	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Benzo (a) pyrene	<0.037		ug/L	0.037	0.12	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Benzo (g,h,i) perlylene	<0.14		ug/L	0.14	0.46	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Chrysene	<0.048		ug/L	0.048	0.16	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Dibenzo (a,h) anthracene	<0.15		ug/L	0.15	0.50	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Fluoranthene	<0.094		ug/L	0.094	0.31	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Fluorene	<0.072		ug/L	0.072	0.24	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Indeno (1,2,3-cd) pyrene	<0.072		ug/L	0.072	0.24	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
1-Methylnaphthalene	<0.37		ug/L	0.37	1.2	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
2-Methylnaphthalene	<0.36		ug/L	0.36	1.2	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Naphthalene	<0.47		ug/L	0.47	1.5	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
Phenanthrene	<0.035		ug/L	0.035	0.12	1.16	05/24/08 17:14	CLJ	8050608	SW 8310

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-05 (B-5 - Ground Water) - cont.										
PNAs by SW8310 - cont.										
Pyrene	<0.051		ug/L	0.051	0.17	1.16	05/24/08 17:14	CLJ	8050608	SW 8310
<i>Surr: 2-Fluorobiphenyl (16-138%)</i>	89 %									
Sample ID: WRE0803-06 (B-5A - Ground Water)										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 13:47	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 13:47	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/28/08 13:47	aba	8050699	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 13:47	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 13:47	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 13:47	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 13:47	aba	8050699	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
---------	---------------	-----------------	-------	-----	-----	-----------------	---------------	---------	-----------	--------

Sample ID: WRE0803-06 (B-5A - Ground Water) - cont.

Sampled: 05/21/08 11:00

VOCs by SW8260B - cont.

1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 13:47	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 13:47	aba	8050699	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 13:47	aba	8050699	SW 8260B
Trichloroethylene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/28/08 13:47	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 13:47	aba	8050699	SW 8260B
Surr: Dibromoiodomethane (89-119%)	93 %									
Surr: Toluene-d8 (91-109%)	93 %									
Surr: 4-Bromofluorobenzene (89-114%)	90 %									

Sample ID: WRE0803-07 (West Sump - Ground Water)

Sampled: 05/21/08 11:20

PNAs by SW8310

Acenaphthene	<0.34		ug/L	0.34	1.1	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Acenaphthylene	<0.72		ug/L	0.72	2.4	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Anthracene	<0.040		ug/L	0.040	0.13	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Benzo (a) anthracene	<0.046		ug/L	0.046	0.15	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Benzo (b) fluoranthene	<0.10		ug/L	0.10	0.34	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Benzo (k) fluoranthene	<0.051		ug/L	0.051	0.17	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Benzo (a) pyrene	<0.033		ug/L	0.033	0.11	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Benzo (g,h,i) perylene	<0.12		ug/L	0.12	0.42	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Chrysene	<0.043		ug/L	0.043	0.14	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Dibenzo (a,h) anthracene	<0.14		ug/L	0.14	0.45	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Fluoranthene	<0.084		ug/L	0.084	0.28	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Fluorene	<0.065		ug/L	0.065	0.22	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Indeno (1,2,3-cd) pyrene	<0.065		ug/L	0.065	0.22	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
1-Methylnaphthalene	<0.33		ug/L	0.33	1.1	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
2-Methylnaphthalene	<0.32		ug/L	0.32	1.1	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Naphthalene	<0.42		ug/L	0.42	1.4	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Phenanthrene	<0.031		ug/L	0.031	0.10	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Pyrene	<0.046		ug/L	0.046	0.15	1.04	05/24/08 17:47	CLJ	8050608	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	97 %									

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRE0803
 Project: Mirro Plant #20
 Project Number: NERUB 0502.01

Received: 05/22/08
 Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-08 (Large Sump - Ground Water)										
Sampled: 05/21/08 11:40										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 14:16	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 14:16	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	3.3		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/28/08 14:16	aba	8050699	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 14:16	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 14:16	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 14:16	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 14:16	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Tetrachloroethene	0.87	J	ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 14:16	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 14:16	aba	8050699	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
---------	---------------	-----------------	-------	-----	-----	-----------------	---------------	---------	-----------	--------

Sample ID: WRE0803-08 (Large Sump - Ground Water) - cont.

Sampled: 05/21/08 11:40

VOCs by SW8260B - cont.

1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 14:16	aba	8050699	SW 8260B
Trichloroethene	4.6		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/28/08 14:16	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 14:16	aba	8050699	SW 8260B
<i>Surr: Dibromofluoromethane (89-119%)</i>	<i>93 %</i>									
<i>Surr: Toluene-d8 (91-109%)</i>	<i>92 %</i>									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	<i>89 %</i>									

Sample ID: WRE0803-09 (MW-1 - Ground Water)

Sampled: 05/21/08 12:00

PNAs by SW8310

Acenaphthene	<0.36		ug/L	0.36	1.2	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Acenaphthylene	<0.76		ug/L	0.76	2.5	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Anthracene	<0.042		ug/L	0.042	0.14	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Benzo (a) anthracene	<0.048		ug/L	0.048	0.16	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Benzo (b) fluoranthene	<0.11		ug/L	0.11	0.36	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Benzo (k) fluoranthene	<0.054		ug/L	0.054	0.18	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Benzo (a) pyrene	<0.035		ug/L	0.035	0.12	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Benzo (g,h,i) perylene	<0.13		ug/L	0.13	0.44	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Chrysene	<0.045		ug/L	0.045	0.15	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Dibenzo (a,h) anthracene	<0.14		ug/L	0.14	0.48	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Fluoranthene	<0.089		ug/L	0.089	0.30	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Fluorene	<0.068		ug/L	0.068	0.23	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Indeno (1,2,3-cd) pyrene	<0.068		ug/L	0.068	0.23	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
1-Methylnaphthalene	<0.35		ug/L	0.35	1.2	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
2-Methylnaphthalene	<0.34		ug/L	0.34	1.1	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Naphthalene	<0.44		ug/L	0.44	1.5	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Phenanthrene	<0.033		ug/L	0.033	0.11	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
Pyrene	<0.048		ug/L	0.048	0.16	1.1	05/24/08 18:20	CLJ	8050608	SW 8310
<i>Surr: 2-Fluorobiphenyl (16-138%)</i>	<i>97 %</i>									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-10 (MW-2 - Ground Water)										
Sampled: 05/21/08 12:00										
PNAs by SW8310										
Acenaphthene	<0.34		ug/L	0.34	1.1	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Acenaphthylene	<0.71		ug/L	0.71	2.4	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Anthracene	<0.039		ug/L	0.039	0.13	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Benzo (a) anthracene	<0.045		ug/L	0.045	0.15	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Benzo (b) fluoranthene	<0.10		ug/L	0.10	0.34	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Benzo (k) fluoranthene	<0.051		ug/L	0.051	0.17	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Benzo (a) pyrene	<0.033		ug/L	0.033	0.11	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Benzo (g,h,i) perylene	<0.12		ug/L	0.12	0.41	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Chrysene	<0.042		ug/L	0.042	0.14	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Dibenz (a,h) anthracene	<0.13		ug/L	0.13	0.45	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Fluoranthene	<0.084		ug/L	0.084	0.28	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Fluorene	<0.064		ug/L	0.064	0.21	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Indeno (1,2,3-cd) pyrene	<0.064		ug/L	0.064	0.21	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
1-Methylnaphthalene	<0.33		ug/L	0.33	1.1	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
2-Methylnaphthalene	<0.32		ug/L	0.32	1.1	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Naphthalene	<0.41		ug/L	0.41	1.4	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Phenanthrene	<0.031		ug/L	0.031	0.10	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Pyrene	<0.045		ug/L	0.045	0.15	1.03	05/24/08 18:53	CLJ	8050608	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	97 %									
Sample ID: WRE0803-11 (MW-3 - Ground Water)										
Sampled: 05/21/08 12:40										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 14:45	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 14:45	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	3.1		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
1,2-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-11 (MW-3 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/28/08 14:45	aba	8050699	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 14:45	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 14:45	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 14:45	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 14:45	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 14:45	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 14:45	aba	8050699	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 14:45	aba	8050699	SW 8260B
Trichloroethene	0.67		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/28/08 14:45	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 14:45	aba	8050699	SW 8260B
Surr: Dibromofluoromethane (89-119%)	93 %									
Surr: Toluene-d8 (91-109%)	93 %									
Surr: 4-Bromofluorobenzene (89-114%)	90 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-12 (MW-7 - Ground Water)										
Sampled: 05/21/08 13:20										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 15:14	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 15:14	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	1.3	J	ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/28/08 15:14	aba	8050699	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 15:14	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 15:14	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 15:14	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 15:14	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 15:14	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 15:14	aba	8050699	SW 8260B

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRE0803
 Project: Mirro Plant #20
 Project Number: NERUB 0502.01

Received: 05/22/08
 Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-12 (MW-7 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 15:14	aba	8050699	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/28/08 15:14	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 15:14	aba	8050699	SW 8260B
Surr: Dibromoform (89-119%)	92 %									
Surr: Toluene-d8 (91-109%)	92 %									
Surr: 4-Bromofluorobenzene (89-114%)	89 %									
Sample ID: WRE0803-13 (MW-6 - Ground Water)										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 15:43	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 15:43	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	1.2	J	ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/28/08 15:43	aba	8050699	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 15:43	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRE0803
 Project: Mirro Plant #20
 Project Number: NERUB 0502.01

Received: 05/22/08
 Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-13 (MW-6 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 15:43	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 15:43	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 15:43	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 15:43	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 15:43	aba	8050699	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 15:43	aba	8050699	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/28/08 15:43	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 15:43	aba	8050699	SW 8260B
Surr: Dibromoform (89-119%)	92 %									
Surr: Toluene-d8 (91-109%)	93 %									
Surr: 4-Bromoform (89-114%)	90 %									

Sample ID: WRE0803-14 (MW-10 - Ground Water)
Sampled: 05/21/08 14:00

Metals Dissolved

Arsenic	2.4		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Barium	68		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Cadmium	<0.12		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Chromium	3.3		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Lead	<0.12		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Mercury	0.000071	J	mg/L	0.000065	0.00022	1	05/23/08 12:51	jej	8050618	EPA 245.1
Selenium	0.37	J	ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Silver	<0.12		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A

VOCs by SW8260B

Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 16:12	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 16:12	aba	8050699	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-14 (MW-10 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/28/08 16:12	aba	8050699	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 16:12	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 16:12	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 16:12	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 16:12	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 16:12	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 16:12	aba	8050699	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 16:12	aba	8050699	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/28/08 16:12	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 16:12	aba	8050699	SW 8260B
Surr: Dibromofluoromethane (89-119%)	93 %									
Surr: Toluene-d8 (91-109%)	93 %									
Surr: 4-Bromofluorobenzene (89-114%)	90 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-14 (MW-10 - Ground Water) - cont.										
Sampled: 05/21/08 14:00										
PNAs by SW8310										
Acenaphthene	<0.35		ug/L	0.35	1.2	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Acenaphthylene	<0.73		ug/L	0.73	2.4	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Anthracene	<0.040		ug/L	0.040	0.13	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Benzo (a) anthracene	0.048	J	ug/L	0.047	0.16	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Benzo (b) fluoranthene	<0.10		ug/L	0.10	0.35	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Benzo (k) fluoranthene	<0.052		ug/L	0.052	0.17	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Benzo (a) pyrene	<0.034		ug/L	0.034	0.11	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Benzo (g,h,i) perylene	<0.13		ug/L	0.13	0.43	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Chrysene	<0.044		ug/L	0.044	0.15	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Dibenz (a,h) anthracene	<0.14		ug/L	0.14	0.46	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Fluoranthene	0.088	J	ug/L	0.086	0.29	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Fluorene	<0.066		ug/L	0.066	0.22	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Indeno (1,2,3-cd) pyrene	<0.066		ug/L	0.066	0.22	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
1-Methylnaphthalene	<0.34		ug/L	0.34	1.1	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
2-Methylnaphthalene	<0.33		ug/L	0.33	1.1	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Naphthalene	<0.43		ug/L	0.43	1.4	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Phenanthrene	0.091	J	ug/L	0.032	0.11	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Pyrene	<0.047		ug/L	0.047	0.16	1.06	05/24/08 19:26	CLJ	8050608	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	97 %									
Sample ID: WRE0803-15 (PZ-10 - Ground Water)										
Sampled: 05/21/08 14:20										
Metals Dissolved										
Arsenic	0.48		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Barium	42		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Cadmium	<0.12		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Chromium	3.0		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Lead	<0.12		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	05/23/08 12:51	jej	8050618	EPA 245.1
Selenium	0.13	J	ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Silver	<0.12		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 16:40	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 16:40	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-15 (PZ-10 - Ground Water) - cont.										
Sampled: 05/21/08 14:20										
VOCs by SW8260B - cont.										
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
1,2-Dichloroethane	1.3	J	ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	0.56	J	ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/28/08 16:40	aba	8050699	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 16:40	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 16:40	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 16:40	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 16:40	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 16:40	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 16:40	aba	8050699	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 16:40	aba	8050699	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/28/08 16:40	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 16:40	aba	8050699	SW 8260B
Surr: Dibromofluoromethane (89-119%)	91 %									
Surr: Toluene-d8 (91-109%)	92 %									
Surr: 4-Bromofluorobenzene (89-114%)	90 %									
PNAs by SW8310										
Acenaphthene	<0.35		ug/L	0.35	1.2	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Acenaphthylene	<0.73		ug/L	0.73	2.4	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Anthracene	<0.040		ug/L	0.040	0.13	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Benzo (a) anthracene	<0.046		ug/L	0.046	0.15	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Benzo (b) fluoranthene	<0.10		ug/L	0.10	0.34	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Benzo (k) fluoranthene	<0.052		ug/L	0.052	0.17	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Benzo (a) pyrene	<0.034		ug/L	0.034	0.11	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Benzo (g,h,i) perylene	<0.13		ug/L	0.13	0.42	1.05	05/24/08 19:59	CLJ	8050608	SW 8310

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-15 (PZ-10 - Ground Water) - cont.										
PNAs by SW8310 - cont.										
Chrysene	<0.043		ug/L	0.043	0.14	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Dibenzo (a,h) anthracene	<0.14		ug/L	0.14	0.46	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Fluoranthene	<0.085		ug/L	0.085	0.28	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Fluorene	<0.065		ug/L	0.065	0.22	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Indeno (1,2,3-cd) pyrene	<0.065		ug/L	0.065	0.22	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
1-Methylnaphthalene	<0.34		ug/L	0.34	1.1	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
2-Methylnaphthalene	<0.33		ug/L	0.33	1.1	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Naphthalene	<0.42		ug/L	0.42	1.4	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Phenanthrene	<0.032		ug/L	0.032	0.11	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Pyrene	<0.046		ug/L	0.046	0.15	1.05	05/24/08 19:59	CLJ	8050608	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	78 %									
Sample ID: WRE0803-16 (PZ-5 - Ground Water)										
Metals Dissolved										
Arsenic	24		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Sample ID: WRE0803-17 (MW-5 - Ground Water)										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 17:09	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 17:09	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	8.6		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
1,2-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
1,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 17:09	aba	8050699	SW 8260B
2,2-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-17 (MW-5 - Ground Water) - cont.										
Sampled: 05/21/08 15:00										
VOCs by SW8260B - cont.										
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 17:09	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 17:09	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 17:09	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 17:09	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 17:09	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 17:09	aba	8050699	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 17:09	aba	8050699	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/28/08 17:09	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 17:09	aba	8050699	SW 8260B
Surr: Dibromofluoromethane (89-119%)	92 %									
Surr: Toluene-d8 (91-109%)	92 %									
Surr: 4-Bromofluorobenzene (89-114%)	90 %									
PNAs by SW8310										
Acenaphthene	<0.35		ug/L	0.35	1.2	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Acenaphthylene	<0.73		ug/L	0.73	2.4	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Anthracene	<0.040		ug/L	0.040	0.13	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Benzo (a) anthracene	<0.047		ug/L	0.047	0.16	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Benzo (b) fluoranthene	<0.10		ug/L	0.10	0.35	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Benzo (k) fluoranthene	<0.052		ug/L	0.052	0.17	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Benzo (a) pyrene	<0.034		ug/L	0.034	0.11	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Benzo (g,h,i) perylene	<0.13		ug/L	0.13	0.43	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Chrysene	<0.044		ug/L	0.044	0.15	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Dibenzo (a,h) anthracene	<0.14		ug/L	0.14	0.46	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Fluoranthene	<0.086		ug/L	0.086	0.29	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Fluorene	<0.066		ug/L	0.066	0.22	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Indeno (1,2,3-cd) pyrene	<0.066		ug/L	0.066	0.22	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
1-Methylnaphthalene	<0.34		ug/L	0.34	1.1	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
2-Methylnaphthalene	<0.33		ug/L	0.33	1.1	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Naphthalene	<0.43		ug/L	0.43	1.4	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Phenanthrene	<0.032		ug/L	0.032	0.11	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Pyrene	<0.047		ug/L	0.047	0.16	1.06	05/24/08 20:32	CLJ	8050608	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	90 %									

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRE0803
 Project: Mirro Plant #20
 Project Number: NERUB 0502.01

Received: 05/22/08
 Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-18 (MW-4 - Ground Water)										
Metals Dissolved										
Cadmium	<0.12		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Sample ID: WRE0803-19 (MW-8 - Ground Water)										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Bromo(chloromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
Bromo(dichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 17:38	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 17:38	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	21		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
1,2-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
1,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 17:38	aba	8050699	SW 8260B
2,2-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 17:38	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 17:38	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 17:38	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 17:38	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-19 (MW-8 - Ground Water) - cont.										
Sampled: 05/21/08 15:40										
VOCs by SW8260B - cont.										
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 17:38	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 17:38	aba	8050699	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 17:38	aba	8050699	SW 8260B
Trichloroethene	16		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Vinyl chloride	0.25	J	ug/L	0.20	0.67	1	05/28/08 17:38	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 17:38	aba	8050699	SW 8260B
Surr: Dibromofluoromethane (89-119%)	91 %									
Surr: Toluene-d8 (91-109%)	92 %									
Surr: 4-Bromofluorobenzene (89-114%)	90 %									
PNAs by SW8310										
Acenaphthene	<0.88		ug/L	0.88	2.9	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Acenaphthylene	<1.8		ug/L	1.8	6.1	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Anthracene	<0.10		ug/L	0.10	0.34	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Benzo (a) anthracene	<0.12		ug/L	0.12	0.39	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Benzo (b) fluoranthene	<0.26		ug/L	0.26	0.87	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Benzo (k) fluoranthene	<0.13		ug/L	0.13	0.44	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Benzo (a) pyrene	<0.085		ug/L	0.085	0.28	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Benzo (g,h,i) perylene	<0.32		ug/L	0.32	1.1	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Chrysene	<0.11		ug/L	0.11	0.36	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Dibenzo (a,h) anthracene	<0.35		ug/L	0.35	1.2	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Fluoranthene	<0.22		ug/L	0.22	0.72	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Fluorene	<0.17		ug/L	0.17	0.55	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Indeno (1,2,3-cd) pyrene	<0.17		ug/L	0.17	0.55	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
1-Methylnaphthalene	<0.85		ug/L	0.85	2.8	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
2-Methylnaphthalene	<0.83		ug/L	0.83	2.8	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Naphthalene	<1.1		ug/L	1.1	3.6	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Phenanthrene	<0.080		ug/L	0.080	0.27	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Pyrene	<0.12		ug/L	0.12	0.39	2.67	05/24/08 21:05	CLJ	8050608	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	101 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-20 (PZ-9 - Ground Water)										
Metals Dissolved										
Arsenic	1.0		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Barium	100		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Cadmium	<0.12		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Chromium	2.8		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Lead	<0.12		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	05/23/08 12:51	jej	8050618	EPA 245.1
Selenium	<0.12		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
Silver	<0.12		ug/L	0.12	0.40	1	05/28/08 08:58	gaf	8050676	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Bromoform	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
Bromochloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/28/08 18:07	aba	8050699	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/28/08 18:07	aba	8050699	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
cis-1,2-Dichloroethene	10		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/28/08 18:07	aba	8050699	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/28/08 18:07	aba	8050699	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
Hexachlorobutadiene	<0.50	C	ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/28/08 18:07	aba	8050699	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-20 (PZ-9 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/28/08 18:07	aba	8050699	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 18:07	aba	8050699	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Tetrachloroethylene	0.93	J	ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
1,2,3-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 18:07	aba	8050699	SW 8260B
1,2,4-Trichlorobenzene	<0.25	C	ug/L	0.25	0.83	1	05/28/08 18:07	aba	8050699	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/28/08 18:07	aba	8050699	SW 8260B
Trichloroethylene	16		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Trichlorofluoromethane	<0.50	C4	ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Vinyl chloride	0.28	J	ug/L	0.20	0.67	1	05/28/08 18:07	aba	8050699	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/28/08 18:07	aba	8050699	SW 8260B
Surr: Dibromoiodomethane (89-119%)	90 %									
Surr: Toluene-d8 (91-109%)	92 %									
Surr: 4-Bromofluorobenzene (89-114%)	90 %									
PNAs by SW8310										
Acenaphthene	<1.1		ug/L	1.1	3.7	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Acenaphthylene	<2.3		ug/L	2.3	7.7	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Anthracene	0.39	J	ug/L	0.13	0.42	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Benzo (a) anthracene	1.0		ug/L	0.15	0.49	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Benzo (b) fluoranthene	<0.33		ug/L	0.33	1.1	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Benzo (k) fluoranthene	<0.16		ug/L	0.16	0.54	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Benzo (a) pyrene	<0.11		ug/L	0.11	0.36	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Benzo (g,h,i) perylene	<0.40		ug/L	0.40	1.3	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Chrysene	0.37	J	ug/L	0.14	0.46	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Dibenzo (a,h) anthracene	<0.43		ug/L	0.43	1.4	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Fluoranthene	3.2		ug/L	0.27	0.90	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Fluorene	<0.21		ug/L	0.21	0.69	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Indeno (1,2,3-cd) pyrene	<0.21		ug/L	0.21	0.69	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
1-Methylnaphthalene	<1.1		ug/L	1.1	3.6	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
2-Methylnaphthalene	<1.0		ug/L	1.0	3.4	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Naphthalene	<1.3		ug/L	1.3	4.4	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Phenanthrene	1.2		ug/L	0.10	0.33	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Pyrene	2.2		ug/L	0.15	0.49	3.33	05/30/08 13:24	CLJ	8050704	SW 8310
Surr: 2-Fluorobiphenyl (16-138%)	82 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRE0803-21 (MW-9 - Ground Water)										Sampled: 05/21/08 16:20
PNAs by SW8310										
Acenaphthene	<0.38		ug/L	0.38	1.3	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Acenaphthylene	<0.79		ug/L	0.79	2.6	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Anthracene	<0.044		ug/L	0.044	0.15	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Benzo (a) anthracene	<0.051		ug/L	0.051	0.17	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Benzo (b) fluoranthene	<0.11		ug/L	0.11	0.38	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Benzo (k) fluoranthene	<0.056		ug/L	0.056	0.19	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Benzo (a) pyrene	<0.037		ug/L	0.037	0.12	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Benzo (g,h,i) perylene	<0.14		ug/L	0.14	0.46	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Chrysene	<0.047		ug/L	0.047	0.16	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Dibenzo (a,h) anthracene	<0.15		ug/L	0.15	0.50	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Fluoranthene	<0.093		ug/L	0.093	0.31	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Fluorene	<0.071		ug/L	0.071	0.24	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Indeno (1,2,3-cd) pyrene	<0.071		ug/L	0.071	0.24	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
1-Methylnaphthalene	<0.37		ug/L	0.37	1.2	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
2-Methylnaphthalene	<0.36		ug/L	0.36	1.2	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Naphthalene	<0.46		ug/L	0.46	1.5	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Phenanthrene	<0.034		ug/L	0.034	0.11	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
Pyrene	<0.051		ug/L	0.051	0.17	1.15	05/30/08 13:56	CLJ	8050704	SW 8310
<i>Surr: 2-Fluorobiphenyl (16-138%)</i>	88 %									

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
PNAs by SW8310							
SW 8310	8050608	WRE0803-01	940	2	05/23/08 07:27	CLJ	PNA8310/610
SW 8310	8050608	WRE0803-02	970	2	05/23/08 07:27	CLJ	PNA8310/610
SW 8310	8050608	WRE0803-03	910	2	05/23/08 07:27	CLJ	PNA8310/610
SW 8310	8050608	WRE0803-04	930	2	05/23/08 07:27	CLJ	PNA8310/610
SW 8310	8050608	WRE0803-05	860	2	05/23/08 07:27	CLJ	PNA8310/610
SW 8310	8050608	WRE0803-07	960	2	05/23/08 07:27	CLJ	PNA8310/610
SW 8310	8050608	WRE0803-09	910	2	05/23/08 07:27	CLJ	PNA8310/610
SW 8310	8050608	WRE0803-10	970	2	05/23/08 07:27	CLJ	PNA8310/610
SW 8310	8050608	WRE0803-14	940	2	05/23/08 07:27	CLJ	PNA8310/610
SW 8310	8050608	WRE0803-15	950	2	05/23/08 07:27	CLJ	PNA8310/610
SW 8310	8050608	WRE0803-17	940	2	05/23/08 07:27	CLJ	PNA8310/610
SW 8310	8050608	WRE0803-19	375	2	05/23/08 07:27	CLJ	PNA8310/610
SW 8310	8050704	WRE0803-20	300	2	05/28/08 09:14	JTS	PNA8310/610
SW 8310	8050704	WRE0803-21	870	2	05/28/08 09:14	JTS	PNA8310/610

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD RPD	Q
Metals Dissolved												
Mercury	8050618			mg/L	0.000065	0.00023	<0.000065					
VOCs by SW8260B												
Benzene	8050699			ug/L	0.20	0.67	<0.20					
Bromobenzene	8050699			ug/L	0.20	0.67	<0.20					
Bromo(chloromethane	8050699			ug/L	0.50	1.7	<0.50					
Bromo(dichloromethane	8050699			ug/L	0.20	0.67	<0.20					
Bromoform	8050699			ug/L	0.20	0.67	<0.20					
Bromomethane	8050699			ug/L	0.20	0.67	<0.20					
n-Butylbenzene	8050699			ug/L	0.20	0.67	<0.20					
sec-Butylbenzene	8050699			ug/L	0.25	0.83	<0.25					
tert-Butylbenzene	8050699			ug/L	0.20	0.67	<0.20					
Carbon Tetrachloride	8050699			ug/L	0.50	1.7	<0.50					
Chlorobenzene	8050699			ug/L	0.20	0.67	<0.20					
Chloro(dibromomethane	8050699			ug/L	0.20	0.67	<0.20					
Chloroethane	8050699			ug/L	1.0	3.3	<1.0					
Chloroform	8050699			ug/L	0.20	0.67	<0.20					
Chloromethane	8050699			ug/L	0.20	0.67	<0.20					
2-Chlorotoluene	8050699			ug/L	0.50	1.7	<0.50					
4-Chlorotoluene	8050699			ug/L	0.20	0.67	<0.20					
1,2-Dibromo-3-chloropropane	8050699			ug/L	0.50	1.7	<0.50					
1,2-Dibromoethane (EDB)	8050699			ug/L	0.20	0.67	<0.20					
Dibromomethane	8050699			ug/L	0.20	0.67	<0.20					
1,2-Dichlorobenzene	8050699			ug/L	0.20	0.67	<0.20					
1,3-Dichlorobenzene	8050699			ug/L	0.20	0.67	<0.20					
1,4-Dichlorobenzene	8050699			ug/L	0.20	0.67	<0.20					
Dichlorodifluoromethane	8050699			ug/L	0.50	1.7	<0.50					
1,1-Dichloroethane	8050699			ug/L	0.50	1.7	<0.50					
1,2-Dichloroethane	8050699			ug/L	0.50	1.7	<0.50					
1,1-Dichloroethene	8050699			ug/L	0.50	1.7	<0.50					
cis-1,2-Dichloroethene	8050699			ug/L	0.50	1.7	<0.50					
trans-1,2-Dichloroethene	8050699			ug/L	0.50	1.7	<0.50					
1,2-Dichloropropane	8050699			ug/L	0.50	1.7	<0.50					
1,3-Dichloropropane	8050699			ug/L	0.25	0.83	<0.25					
2,2-Dichloropropane	8050699			ug/L	0.50	1.7	<0.50					
1,1-Dichloropropene	8050699			ug/L	0.50	1.7	<0.50					
cis-1,3-Dichloropropene	8050699			ug/L	0.20	0.67	<0.20					
trans-1,3-Dichloropropene	8050699			ug/L	0.20	0.67	<0.20					
2,3-Dichloropropene	8050699			ug/L	0.25	0.83	<0.25					
Isopropyl Ether	8050699			ug/L	0.50	1.7	<0.50					
Ethylbenzene	8050699			ug/L	0.50	1.7	<0.50					
Hexachlorobutadiene	8050699			ug/L	0.50	1.7	<0.50					
Isopropylbenzene	8050699			ug/L	0.20	0.67	<0.20					
p-Isopropyltoluene	8050699			ug/L	0.20	0.67	<0.20					
Methylene Chloride	8050699			ug/L	1.0	3.3	<1.0					

C

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC Result	Dup % REC Limits	% REC RPD	RPD Limit	Q
VOCs by SW8260B												
Methyl tert-Butyl Ether	8050699			ug/L	0.50	1.7	<0.50					
Naphthalene	8050699			ug/L	0.25	0.83	<0.25					
n-Propylbenzene	8050699			ug/L	0.50	1.7	<0.50					
Styrene	8050699			ug/L	0.20	0.67	<0.20					
1,1,1,2-Tetrachloroethane	8050699			ug/L	0.25	0.83	<0.25					
1,1,2,2-Tetrachloroethane	8050699			ug/L	0.20	0.67	<0.20					
Tetrachloroethene	8050699			ug/L	0.50	1.7	<0.50					
Toluene	8050699			ug/L	0.20	0.67	<0.20					
1,2,3-Trichlorobenzene	8050699			ug/L	0.25	0.83	<0.25					C
1,2,4-Trichlorobenzene	8050699			ug/L	0.25	0.83	<0.25					C
1,1,1-Trichloroethane	8050699			ug/L	0.50	1.7	<0.50					
1,1,2-Trichloroethane	8050699			ug/L	0.25	0.83	<0.25					
Trichloroethene	8050699			ug/L	0.20	0.67	<0.20					
Trichlorofluoromethane	8050699			ug/L	0.50	1.7	<0.50					C4
1,2,3-Trichloropropane	8050699			ug/L	0.50	1.7	<0.50					
1,2,4-Trimethylbenzene	8050699			ug/L	0.20	0.67	<0.20					
1,3,5-Trimethylbenzene	8050699			ug/L	0.20	0.67	<0.20					
Vinyl chloride	8050699			ug/L	0.20	0.67	<0.20					
Xylenes, Total	8050699			ug/L	0.50	1.7	<0.50					
Surrogate: Dibromoformmethane	8050699			ug/L				91		89-119		
Surrogate: Toluene-d8	8050699			ug/L				91		91-109		
Surrogate: 4-Bromofluorobenzene	8050699			ug/L				89		89-114		
PNAs by SW8310												
Acenaphthene	8050608			ug/L	0.33	1.3	<0.33					
Acenaphthylene	8050608			ug/L	0.69	2.5	<0.69					
Anthracene	8050608			ug/L	0.038	0.13	<0.038					
Benzo (a) anthracene	8050608			ug/L	0.044	0.13	<0.044					
Benzo (b) fluoranthene	8050608			ug/L	0.098	0.25	<0.098					
Benzo (k) fluoranthene	8050608			ug/L	0.049	0.13	<0.049					
Benzo (a) pyrene	8050608			ug/L	0.032	0.13	<0.032					
Benzo (g,h,i) perylene	8050608			ug/L	0.12	0.25	<0.12					
Chrysene	8050608			ug/L	0.041	0.13	<0.041					
Dibenzo (a,h) anthracene	8050608			ug/L	0.13	0.25	<0.13					
Fluoranthene	8050608			ug/L	0.081	0.25	<0.081					
Fluorene	8050608			ug/L	0.062	1.3	<0.062					
Indeno (1,2,3-cd) pyrene	8050608			ug/L	0.062	0.13	<0.062					
1-Methylnaphthalene	8050608			ug/L	0.32	1.3	<0.32					
2-Methylnaphthalene	8050608			ug/L	0.31	1.3	<0.31					
Naphthalene	8050608			ug/L	0.40	1.3	<0.40					
Phenanthrene	8050608			ug/L	0.030	0.13	<0.030					
Pyrene	8050608			ug/L	0.044	0.13	<0.044					
Surrogate: 2-Fluorobiphenyl	8050608			ug/L				89		16-138		

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	Limit Limit	Q
VOCs by SW8260B													
Benzene	8E28002		50.000	ug/L	N/A	N/A	52.1		104	80-120			
Bromobenzene	8E28002		50.000	ug/L	N/A	N/A	52.1		104	80-120			
Bromochloromethane	8E28002		50.000	ug/L	N/A	N/A	54.3		109	80-120			
Bromodichloromethane	8E28002		50.000	ug/L	N/A	N/A	48.9		98	80-120			
Bromoform	8E28002		50.000	ug/L	N/A	N/A	51.7		103	80-120			
Bromomethane	8E28002		50.000	ug/L	N/A	N/A	46.0		92	80-120			
n-Butylbenzene	8E28002		50.000	ug/L	N/A	N/A	46.3		93	80-120			
sec-Butylbenzene	8E28002		50.000	ug/L	N/A	N/A	50.0		100	80-120			
tert-Butylbenzene	8E28002		50.000	ug/L	N/A	N/A	51.9		104	80-120			
Carbon Tetrachloride	8E28002		50.000	ug/L	N/A	N/A	48.5		97	80-120			
Chlorobenzene	8E28002		50.000	ug/L	N/A	N/A	54.1		108	80-120			
Chlorodibromomethane	8E28002		50.000	ug/L	N/A	N/A	54.6		109	80-120			
Chloroethane	8E28002		50.000	ug/L	N/A	N/A	45.1		90	80-120			
Chloroform	8E28002		50.000	ug/L	N/A	N/A	46.2		92	80-120			
Chloromethane	8E28002		50.000	ug/L	N/A	N/A	44.3		89	80-120			
2-Chlorotoluene	8E28002		50.000	ug/L	N/A	N/A	52.1		104	80-120			
4-Chlorotoluene	8E28002		50.000	ug/L	N/A	N/A	44.1		88	80-120			
1,2-Dibromo-3-chloropropane	8E28002		50.000	ug/L	N/A	N/A	54.2		108	80-120			
1,2-Dibromoethane (EDB)	8E28002		50.000	ug/L	N/A	N/A	51.0		102	80-120			
Dibromomethane	8E28002		50.000	ug/L	N/A	N/A	57.7		115	80-120			
1,2-Dichlorobenzene	8E28002		50.000	ug/L	N/A	N/A	54.2		108	80-120			
1,3-Dichlorobenzene	8E28002		50.000	ug/L	N/A	N/A	54.6		109	80-120			
1,4-Dichlorobenzene	8E28002		50.000	ug/L	N/A	N/A	52.5		105	80-120			
Dichlorodifluoromethane	8E28002		50.000	ug/L	N/A	N/A	45.7		91	80-120			
1,1-Dichloroethane	8E28002		50.000	ug/L	N/A	N/A	46.1		92	80-120			
1,2-Dichloroethane	8E28002		50.000	ug/L	N/A	N/A	42.2		84	80-120			
1,1-Dichloroethene	8E28002		50.000	ug/L	N/A	N/A	42.6		85	80-120			
cis-1,2-Dichloroethene	8E28002		50.000	ug/L	N/A	N/A	50.3		101	80-120			
trans-1,2-Dichloroethene	8E28002		50.000	ug/L	N/A	N/A	47.9		96	80-120			
1,2-Dichloropropane	8E28002		50.000	ug/L	N/A	N/A	52.8		106	80-120			
1,3-Dichloropropane	8E28002		50.000	ug/L	N/A	N/A	51.4		103	80-120			
2,2-Dichloropropane	8E28002		50.000	ug/L	N/A	N/A	45.6		91	80-120			
1,1-Dichloropropene	8E28002		50.000	ug/L	N/A	N/A	47.9		96	80-120			
cis-1,3-Dichloropropene	8E28002		50.000	ug/L	N/A	N/A	53.6		107	80-120			
trans-1,3-Dichloropropene	8E28002		50.000	ug/L	N/A	N/A	52.1		104	80-120			
2,3-Dichloropropene	8E28002		50.000	ug/L	N/A	N/A	52.6		105	80-120			
Isopropyl Ether	8E28002		50.000	ug/L	N/A	N/A	44.5		89	80-120			
Ethylbenzene	8E28002		50.000	ug/L	N/A	N/A	52.9		106	80-120			
Hexachlorobutadiene	8E28002		50.000	ug/L	N/A	N/A	65.0		130	80-120			C
Isopropylbenzene	8E28002		50.000	ug/L	N/A	N/A	50.6		101	80-120			
p-Isopropyltoluene	8E28002		50.000	ug/L	N/A	N/A	54.2		108	80-120			
Methylene Chloride	8E28002		50.000	ug/L	N/A	N/A	46.6		93	80-120			
Methyl tert-Butyl Ether	8E28002		50.000	ug/L	N/A	N/A	45.6		91	80-120			
Naphthalene	8E28002		50.000	ug/L	N/A	N/A	58.7		117	80-120			
n-Propylbenzene	8E28002		50.000	ug/L	N/A	N/A	53.1		106	80-120			

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRE0803
 Project: Mirro Plant #20
 Project Number: NERUB 0502.01

Received: 05/22/08
 Reported: 05/30/08 15:44

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
Styrene	8E28002		50.000	ug/L	N/A	N/A	51.8	104			80-120			
1,1,1,2-Tetrachloroethane	8E28002		50.000	ug/L	N/A	N/A	52.0	104			80-120			
1,1,2,2-Tetrachloroethane	8E28002		50.000	ug/L	N/A	N/A	43.5	87			80-120			
Tetrachloroethene	8E28002		50.000	ug/L	N/A	N/A	55.8	112			80-120			
Toluene	8E28002		50.000	ug/L	N/A	N/A	50.3	101			80-120			
1,2,3-Trichlorobenzene	8E28002		50.000	ug/L	N/A	N/A	60.4	121			80-120			C
1,2,4-Trichlorobenzene	8E28002		50.000	ug/L	N/A	N/A	62.4	125			80-120			C
1,1,1-Trichloroethane	8E28002		50.000	ug/L	N/A	N/A	46.5	93			80-120			
1,1,2-Trichloroethane	8E28002		50.000	ug/L	N/A	N/A	51.6	103			80-120			
Trichloroethene	8E28002		50.000	ug/L	N/A	N/A	59.6	119			80-120			
Trichlorofluoromethane	8E28002		50.000	ug/L	N/A	N/A	37.6	75			80-120			C4
1,2,3-Trichloropropane	8E28002		50.000	ug/L	N/A	N/A	46.4	93			80-120			
1,2,4-Trimethylbenzene	8E28002		50.000	ug/L	N/A	N/A	46.7	93			80-120			
1,3,5-Trimethylbenzene	8E28002		50.000	ug/L	N/A	N/A	48.0	96			80-120			
Vinyl chloride	8E28002		50.000	ug/L	N/A	N/A	47.4	95			80-120			
Xylenes, Total	8E28002		150.00	ug/L	N/A	N/A	154	102			80-120			
<i>Surrogate: Dibromoformmethane</i>	8E28002			ug/L					89		80-120			
<i>Surrogate: Toluene-d8</i>	8E28002			ug/L					92		80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	8E28002			ug/L					87		80-120			
PNAs by SW8310														
Acenaphthene	8E24001		5.0000	ug/kg wet	N/A	N/A	4.97	99			85-115			
Acenaphthylene	8E24001		10.000	ug/kg wet	N/A	N/A	9.41	94			85-115			
Anthracene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.567	113			85-115			
0														
Benzo (a) anthracene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.457	91			85-115			
0														
Benzo (b) fluoranthene	8E24001		1.0000	ug/kg wet	N/A	N/A	1.03	103			85-115			
Benzo (k) fluoranthene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.569	114			85-115			
0														
Benzo (a) pyrene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.519	104			85-115			
0														
Benzo (g,h,i) perylene	8E24001		1.0000	ug/kg wet	N/A	N/A	1.04	104			85-115			
Chrysene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.437	87			85-115			
0														
Dibenzo (a,h) anthracene	8E24001		1.0000	ug/kg wet	N/A	N/A	1.02	102			85-115			
Fluoranthene	8E24001		1.0000	ug/kg wet	N/A	N/A	1.03	103			85-115			
Fluorene	8E24001		1.0000	ug/kg wet	N/A	N/A	1.01	101			85-115			
Indeno (1,2,3-cd) pyrene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.545	109			85-115			
0														
1-Methylnaphthalene	8E24001		5.0000	ug/kg wet	N/A	N/A	5.03	101			85-115			
2-Methylnaphthalene	8E24001		5.0000	ug/kg wet	N/A	N/A	5.16	103			85-115			
Naphthalene	8E24001		5.0000	ug/kg wet	N/A	N/A	5.39	108			85-115			
Phenanthrene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.535	107			85-115			
0														
Pyrene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.469	94			85-115			
0														
<i>Surrogate: 2-Fluorobiphenyl</i>	8E24001			ug/kg wet				111			85-115			

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	Limit	Q
PNAs by SW8310													
Acenaphthene	8E24001		5.0000	ug/kg wet	N/A	N/A	4.76	95		85-115			
Acenaphthylene	8E24001		10.000	ug/kg wet	N/A	N/A	9.12	91		85-115			
Anthracene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.546	109		85-115			
0													
Benzo (a) anthracene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.449	90		85-115			
0													
Benzo (b) fluoranthene	8E24001		1.0000	ug/kg wet	N/A	N/A	1.00	100		85-115			
Benzo (k) fluoranthene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.550	110		85-115			
0													
Benzo (a) pyrene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.496	99		85-115			
0													
Benzo (g,h,i) perylene	8E24001		1.0000	ug/kg wet	N/A	N/A	1.01	101		85-115			
Chrysene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.423	85		85-115			
0													
Dibenzo (a,h) anthracene	8E24001		1.0000	ug/kg wet	N/A	N/A	0.987	99		85-115			
Fluoranthene	8E24001		1.0000	ug/kg wet	N/A	N/A	0.991	99		85-115			
Fluorene	8E24001		1.0000	ug/kg wet	N/A	N/A	0.937	94		85-115			
Indeno (1,2,3-cd) pyrene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.510	102		85-115			
0													
1-Methylnaphthalene	8E24001		5.0000	ug/kg wet	N/A	N/A	4.83	97		85-115			
2-Methylnaphthalene	8E24001		5.0000	ug/kg wet	N/A	N/A	4.97	99		85-115			
Naphthalene	8E24001		5.0000	ug/kg wet	N/A	N/A	5.19	104		85-115			
Phenanthrene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.518	104		85-115			
0													
Pyrene	8E24001		0.5000	ug/kg wet	N/A	N/A	0.452	90		85-115			
0													
<i>Surrogate: 2-Fluorobiphenyl</i>													
Acenaphthene	8E30009		5.0000	ug/kg wet	N/A	N/A	4.79	96		85-115			
Acenaphthylene	8E30009		10.000	ug/kg wet	N/A	N/A	9.04	90		85-115			
Anthracene	8E30009		0.5000	ug/kg wet	N/A	N/A	0.546	109		85-115			
0													
Benzo (a) anthracene	8E30009		0.5000	ug/kg wet	N/A	N/A	0.440	88		85-115			
0													
Benzo (b) fluoranthene	8E30009		1.0000	ug/kg wet	N/A	N/A	0.994	99		85-115			
Benzo (k) fluoranthene	8E30009		0.5000	ug/kg wet	N/A	N/A	0.552	110		85-115			
0													
Benzo (a) pyrene	8E30009		0.5000	ug/kg wet	N/A	N/A	0.487	97		85-115			
0													
Benzo (g,h,i) perylene	8E30009		1.0000	ug/kg wet	N/A	N/A	0.994	99		85-115			
Chrysene	8E30009		0.5000	ug/kg wet	N/A	N/A	0.434	87		85-115			
0													
Dibenzo (a,h) anthracene	8E30009		1.0000	ug/kg wet	N/A	N/A	0.974	97		85-115			
Fluoranthene	8E30009		1.0000	ug/kg wet	N/A	N/A	0.988	99		85-115			
Fluorene	8E30009		1.0000	ug/kg wet	N/A	N/A	0.940	94		85-115			
Indeno (1,2,3-cd) pyrene	8E30009		0.5000	ug/kg wet	N/A	N/A	0.517	103		85-115			
0													
1-Methylnaphthalene	8E30009		5.0000	ug/kg wet	N/A	N/A	4.83	97		85-115			
2-Methylnaphthalene	8E30009		5.0000	ug/kg wet	N/A	N/A	4.95	99		85-115			
Naphthalene	8E30009		5.0000	ug/kg wet	N/A	N/A	5.21	104		85-115			
Phenanthrene	8E30009		0.5000	ug/kg wet	N/A	N/A	0.517	103		85-115			
0													
Pyrene	8E30009		0.5000	ug/kg wet	N/A	N/A	0.448	90		85-115			
0													

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

PNA_s by SW8310

Surrogate: 2-Fluorobiphenyl

8E30009

ug/kg wet

106

85-115

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	Limit	Q
Metals Dissolved													
Mercury	8050618		0.0025 000	mg/L	0.000065	0.00023	0.00247		99		79-128		
PNAs by SW8310													
Acenaphthene	8050608		10.000	ug/L	0.33	1.3	6.59		66		41-126		
Acenaphthylene	8050608		20.000	ug/L	0.69	2.5	12.4		62		42-126		
Anthracene	8050608		1.0000	ug/L	0.038	0.13	0.814		81		34-128		
Benzo (a) anthracene	8050608		1.0000	ug/L	0.044	0.13	0.763		76		62-115		
Benzo (b) fluoranthene	8050608		2.0000	ug/L	0.098	0.25	1.53		77		72-127		
Benzo (k) fluoranthene	8050608		1.0000	ug/L	0.049	0.13	0.816		82		73-124		
Benzo (a) pyrene	8050608		1.0000	ug/L	0.032	0.13	0.746		75		41-126		
Benzo (g,h,i) perylene	8050608		2.0000	ug/L	0.12	0.25	1.46		73		69-120		
Chrysene	8050608		1.0000	ug/L	0.041	0.13	0.658		66		66-118		
Dibenzo (a,h) anthracene	8050608		2.0000	ug/L	0.13	0.25	1.44		72		71-123		
Fluoranthene	8050608		2.0000	ug/L	0.081	0.25	1.99		99		60-128		
Fluorene	8050608		2.0000	ug/L	0.062	1.3	1.43		72		43-140		
Indeno (1,2,3-cd) pyrene	8050608		1.0000	ug/L	0.062	0.13	0.759		76		67-118		
1-Methylnaphthalene	8050608		10.000	ug/L	0.32	1.3	6.39		64		34-123		
2-Methylnaphthalene	8050608		10.000	ug/L	0.31	1.3	6.53		65		28-119		
Naphthalene	8050608		10.000	ug/L	0.40	1.3	6.93		69		34-120		
Phenanthrene	8050608		1.0000	ug/L	0.030	0.13	0.848		85		54-133		
Pyrene	8050608		1.0000	ug/L	0.044	0.13	0.752		75		56-121		
<i>Surrogate: 2-Fluorobiphenyl</i>	8050608			ug/L					70		52-116		

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRE0803
 Project: Mirro Plant #20
 Project Number: NERUB 0502.01

Received: 05/22/08
 Reported: 05/30/08 15:44

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD Limit	RPD Limit	Q
Metals Dissolved													
QC Source Sample: WRE0803-14													
Mercury	8050618	0.0000710	0.0025000	mg/L	0.000065	0.00023	0.00273	0.00271	106	106	67-141	1	13
QC Source Sample: WRE0803-14													
Arsenic	8050676	2.35	50.000	ug/L	0.12	0.40	65.3	66.0	126	127	75-125	1	20
Barium	8050676	68.2	50.000	ug/L	0.12	0.40	124	125	113	114	57-124	1	32
Cadmium	8050676	<0.12	50.000	ug/L	0.12	0.40	58.4	57.6	117	115	65-118	1	18
Chromium	8050676	3.27	50.000	ug/L	0.12	0.40	51.1	51.2	96	96	75-125	0	20
Lead	8050676	<0.12	50.000	ug/L	0.12	0.40	44.9	45.0	90	90	75-125	0	20
Selenium	8050676	0.370	50.000	ug/L	0.12	0.40	64.5	66.8	128	133	70-123	4	20
Silver	8050676	<0.12	50.000	ug/L	0.12	0.40	48.0	47.7	96	95	70-124	1	20
VOCs by SW8260B													
QC Source Sample: WRE0877-01													
Benzene	8050699	<0.20	50.000	ug/L	0.20	0.67	50.6	50.3	101	101	80-121	1	11
Bromobenzene	8050699	<0.20	50.000	ug/L	0.20	0.67	49.6	48.4	99	97	70-130	2	20
Bromochloromethane	8050699	<0.50	50.000	ug/L	0.50	1.7	52.7	53.3	105	107	70-130	1	20
Bromodichloromethane	8050699	<0.20	50.000	ug/L	0.20	0.67	46.6	46.6	93	93	70-130	0	20
Bromoform	8050699	<0.20	50.000	ug/L	0.20	0.67	48.6	51.0	97	102	70-130	5	20
Bromomethane	8050699	<0.20	50.000	ug/L	0.20	0.67	44.3	43.6	89	87	70-130	1	20
n-Butylbenzene	8050699	<0.20	50.000	ug/L	0.20	0.67	46.8	45.4	94	91	70-130	3	20
sec-Butylbenzene	8050699	<0.25	50.000	ug/L	0.25	0.83	50.6	49.2	101	98	70-130	3	20
tert-Butylbenzene	8050699	<0.20	50.000	ug/L	0.20	0.67	53.1	52.6	106	105	70-130	1	20
Carbon Tetrachloride	8050699	<0.50	50.000	ug/L	0.50	1.7	48.1	48.3	96	97	70-130	0	20
Chlorobenzene	8050699	<0.20	50.000	ug/L	0.20	0.67	52.1	51.4	104	103	85-116	1	9
Chlorodibromomethane	8050699	<0.20	50.000	ug/L	0.20	0.67	51.7	52.7	103	105	70-130	2	20
Chloroethane	8050699	<1.0	50.000	ug/L	1.0	3.3	44.3	42.4	89	85	70-130	4	20
Chloroform	8050699	<0.20	50.000	ug/L	0.20	0.67	44.5	44.9	89	90	70-130	1	20
Chloromethane	8050699	<0.20	50.000	ug/L	0.20	0.67	41.7	40.9	83	82	70-130	2	20
2-Chlorotoluene	8050699	<0.50	50.000	ug/L	0.50	1.7	49.5	48.6	99	97	70-130	2	20
4-Chlorotoluene	8050699	<0.20	50.000	ug/L	0.20	0.67	42.4	40.7	85	81	70-130	4	20
1,2-Dibromo-3-chloropropane	8050699	<0.50	50.000	ug/L	0.50	1.7	51.8	59.3	104	119	70-130	13	20
1,2-Dibromoethane (EDB)	8050699	<0.20	50.000	ug/L	0.20	0.67	48.3	50.5	97	101	70-130	4	20
Dibromomethane	8050699	<0.20	50.000	ug/L	0.20	0.67	54.6	56.4	109	113	70-130	3	20
1,2-Dichlorobenzene	8050699	<0.20	50.000	ug/L	0.20	0.67	52.4	51.6	105	103	70-130	2	20
1,3-Dichlorobenzene	8050699	<0.20	50.000	ug/L	0.20	0.67	53.0	52.3	106	105	70-130	1	20
1,4-Dichlorobenzene	8050699	<0.20	50.000	ug/L	0.20	0.67	51.0	49.7	102	99	70-130	3	20
Dichlorodifluoromethane	8050699	<0.50	50.000	ug/L	0.50	1.7	44.2	43.8	88	88	70-130	1	20
1,1-Dichloroethane	8050699	<0.50	50.000	ug/L	0.50	1.7	45.1	45.2	90	90	70-130	0	20
1,2-Dichloroethane	8050699	<0.50	50.000	ug/L	0.50	1.7	40.1	41.2	80	82	70-130	3	20
1,1-Dichloroethene	8050699	<0.50	50.000	ug/L	0.50	1.7	41.7	41.0	83	82	72-131	2	17
cis-1,2-Dichloroethene	8050699	<0.50	50.000	ug/L	0.50	1.7	49.8	49.9	100	100	70-130	0	20
trans-1,2-Dichloroethene	8050699	<0.50	50.000	ug/L	0.50	1.7	47.6	48.1	95	96	70-130	1	20
1,2-Dichloropropane	8050699	<0.50	50.000	ug/L	0.50	1.7	50.5	49.8	101	100	70-130	1	20
1,3-Dichloropropane	8050699	<0.25	50.000	ug/L	0.25	0.83	48.3	49.3	97	99	70-130	2	20
2,2-Dichloropropane	8050699	<0.50	50.000	ug/L	0.50	1.7	44.8	44.8	90	90	70-130	0	20
1,1-Dichloropropene	8050699	<0.50	50.000	ug/L	0.50	1.7	47.8	47.6	96	95	70-130	1	20
cis-1,3-Dichloropropene	8050699	<0.20	50.000	ug/L	0.20	0.67	51.0	50.8	102	102	70-130	0	20
trans-1,3-Dichloropropene	8050699	<0.20	50.000	ug/L	0.20	0.67	49.2	49.5	98	99	70-130	1	20
Isopropyl Ether	8050699	<0.50	50.000	ug/L	0.50	1.7	42.6	42.6	85	85	68-128	0	16

SEH - SHEBOYGAN
 809 N. 8th Street; Suite 205
 Sheboygan, WI 53081
 Mr. Jason Martin

Work Order: WRE0803
 Project: Mirro Plant #20
 Project Number: NERUB 0502.01

Received: 05/22/08
 Reported: 05/30/08 15:44

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD Limit	Q
VOCs by SW8260B												
QC Source Sample: WRE0877-01												
Ethylbenzene	8050699	<0.50	50.000	ug/L	0.50	1.7	51.5	50.7	103	101	83-118	2
Hexachlorobutadiene	8050699	<0.50	50.000	ug/L	0.50	1.7	67.2	64.4	134	129	70-130	4
Isopropylbenzene	8050699	<0.20	50.000	ug/L	0.20	0.67	49.5	48.2	99	96	70-130	3
p-Isopropyltoluene	8050699	<0.20	50.000	ug/L	0.20	0.67	54.3	52.9	109	106	70-130	3
Methylene Chloride	8050699	<1.0	50.000	ug/L	1.0	3.3	44.7	44.1	89	88	70-130	1
Methyl tert-Butyl Ether	8050699	<0.50	50.000	ug/L	0.50	1.7	43.6	46.2	87	92	71-127	6
Naphthalene	8050699	<0.25	50.000	ug/L	0.25	0.83	57.7	61.5	115	123	70-130	6
n-Propylbenzene	8050699	<0.50	50.000	ug/L	0.50	1.7	52.4	49.7	105	99	70-130	5
Styrene	8050699	<0.20	50.000	ug/L	0.20	0.67	49.6	48.1	99	96	70-130	3
1,1,1,2-Tetrachloroethane	8050699	<0.25	50.000	ug/L	0.25	0.83	49.6	49.9	99	100	70-130	1
1,1,2,2-Tetrachloroethane	8050699	<0.20	50.000	ug/L	0.20	0.67	41.0	44.2	82	88	70-130	8
Tetrachloroethene	8050699	<0.50	50.000	ug/L	0.50	1.7	54.8	53.8	110	108	70-130	2
Toluene	8050699	<0.20	50.000	ug/L	0.20	0.67	49.0	48.4	98	97	82-116	1
1,2,3-Trichlorobenzene	8050699	<0.25	50.000	ug/L	0.25	0.83	58.0	58.5	116	117	70-130	1
1,2,4-Trichlorobenzene	8050699	<0.25	50.000	ug/L	0.25	0.83	60.0	58.7	120	117	70-130	2
1,1,1-Trichloroethane	8050699	<0.50	50.000	ug/L	0.50	1.7	45.9	45.5	92	91	70-130	1
1,1,2-Trichloroethane	8050699	<0.25	50.000	ug/L	0.25	0.83	48.3	49.7	97	99	70-130	3
Trichloroethene	8050699	<0.20	50.000	ug/L	0.20	0.67	58.7	58.7	117	117	80-117	0
Trichlorofluoromethane	8050699	<0.50	50.000	ug/L	0.50	1.7	35.5	34.2	71	68	70-130	4
1,2,3-Trichloropropane	8050699	<0.50	50.000	ug/L	0.50	1.7	42.9	47.3	86	95	70-130	10
1,2,4-Trimethylbenzene	8050699	<0.20	50.000	ug/L	0.20	0.67	45.4	44.0	91	88	80-122	3
1,3,5-Trimethylbenzene	8050699	<0.20	50.000	ug/L	0.20	0.67	46.6	44.7	93	89	83-122	4
Vinyl chloride	8050699	<0.20	50.000	ug/L	0.20	0.67	46.7	45.2	93	90	70-130	3
Xylenes, Total	8050699	<0.50	150.00	ug/L	0.50	1.7	149	144	100	96	84-119	3
<i>Surrogate: Dibromo fluromethane</i>	8050699			ug/L					89	91	89-119	
<i>Surrogate: Toluene-d8</i>	8050699			ug/L					92	91	91-109	
<i>Surrogate: 4-Bromo fluoro benzene</i>	8050699			ug/L					84	83	89-114	Z6
PNAs by SW8310												
QC Source Sample: WRE0803-19												
Acenaphthene	8050608	<0.33	33.333	ug/L	1.1	4.3	30.8	26.9	92	81	34-125	13
Acenaphthylene	8050608	<0.69	66.667	ug/L	2.3	8.3	58.6	51.1	88	77	36-129	14
Anthracene	8050608	<0.038	3.3333	ug/L	0.13	0.43	3.63	3.27	109	98	37-130	10
Benzo (a) anthracene	8050608	<0.044	3.3333	ug/L	0.15	0.43	3.04	2.89	91	87	36-133	5
Benzo (b) fluoranthene	8050608	<0.098	6.6667	ug/L	0.33	0.83	6.71	6.50	101	98	54-133	3
Benzo (k) fluoranthene	8050608	<0.049	3.3333	ug/L	0.16	0.43	3.70	3.58	111	107	39-143	3
Benzo (a) pyrene	8050608	<0.032	3.3333	ug/L	0.11	0.43	3.28	3.15	98	94	25-139	4
Benzo (g,h,i) perylene	8050608	<0.12	6.6667	ug/L	0.40	0.83	6.56	6.29	98	94	51-133	4
Chrysene	8050608	<0.041	3.3333	ug/L	0.14	0.43	2.82	2.74	85	82	40-130	3
Dibenzo (a,h) anthracene	8050608	<0.13	6.6667	ug/L	0.43	0.83	6.45	6.28	97	94	39-143	3
Fluoranthene	8050608	<0.081	6.6667	ug/L	0.27	0.83	7.21	6.87	108	103	42-134	5
Fluorene	8050608	<0.062	6.6667	ug/L	0.21	4.3	6.37	5.78	96	87	38-135	10
Indeno (1,2,3-cd) pyrene	8050608	<0.062	3.3333	ug/L	0.21	0.43	3.46	3.35	104	101	47-129	3
1-Methylnaphthalene	8050608	<0.32	33.333	ug/L	1.1	4.3	29.6	26.1	89	78	24-124	12
2-Methylnaphthalene	8050608	<0.31	33.333	ug/L	1.0	4.3	30.4	26.7	91	80	22-121	13
Naphthalene	8050608	<0.40	33.333	ug/L	1.3	4.3	32.1	28.0	96	84	25-122	13

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
PNAs by SW8310													
QC Source Sample: WRE0803-19													
Phenanthrene	8050608	<0.030	3.3333	ug/L	0.10	0.43	3.58	3.20	107	96	40-138	11	37
Pyrene	8050608	<0.044	3.3333	ug/L	0.15	0.43	3.05	2.82	91	85	33-128	8	46
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>8050608</i>			ug/L					<i>90</i>	<i>81</i>	<i>50-107</i>		

SEH - SHEBOYGAN
809 N. 8th Street; Suite 205
Sheboygan, WI 53081
Mr. Jason Martin

Work Order: WRE0803
Project: Mirro Plant #20
Project Number: NERUB 0502.01

Received: 05/22/08
Reported: 05/30/08 15:44

CERTIFICATION SUMMARY

TestAmerica Watertown

Method	Matrix	Nelac	Wisconsin
EPA 245.1	Water - NonPotable	X	X
SW 6020A	Water - NonPotable		
SW 8260B	Water - NonPotable	X	X
SW 8310	Water - NonPotable		X

DATA QUALIFIERS AND DEFINITIONS

- C** Calibration Verification recovery was above the method control limit for this analyte. Analyte not detected, data not impacted.
- C4** Calibration Verification recovery was below the method control limit for this analyte.
- J** Results reported between the Method Detection Limit (MDL) and Limit of Quantitation (LOQ) are less certain than results at or above the LOQ.
- M11** The MS and/or MSD were above the acceptance limits. See calibration verification (CCV)
- Z6** Surrogate recovery was below acceptance limits.

ADDITIONAL COMMENTS

Results are reported on a wet weight basis unless otherwise noted.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Watertown Division
602 Commerce Drive
Watertown, WI 53094

WR40803

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?

Compliance Monitoring

Client Name SCH Inc.

Client #: _____

Address: 421 Frenette Dr.

City/State/Zip Code: Chippewa Falls, WI 54729

Project Manager: Jason Martin

Telephone Number: 715.720.6200 Fax: 715.720.6300

Sampler Name: (Print Name) John E. Schaff

Sampler Signature: John E. Schaff

E-mail address: _____

Standard
 Rush (surcharges may apply)

Date Needed: _____

Fax Results: Y N

E-mail: Y N

SAMPLE ID

Date Sampled

Time Sampled

G = Grab, C = Composite

Field Filtered

Matrix
SL - Sludge DW - Drinking Water
GW - Groundwater S - Soil/Solid
WW - Wastewater Other

Preservation & # of Containers
HNO₃ HCl NaOH H₂SO₄ Methanol None Other (Specify)

Analyze For:
VOC PAH

QC Deliverables
None
Level 2
(Batch QC)
Level 3
Level 4
Other: _____

REMARKS

-01 B-12 5-21-08 9:20 G
-02 B-11 5-21-08 9:40 G
-03 B-9 5-21-08 10:00 G
-04 B-6 5-21-08 10:20 G
-05 B-5 5-21-08 10:40 G
-06 B-5A 5-21-08 11:00 G
-07 West Sump 5-21-08 11:20 G
-08 Large Sump 5-21-08 11:40 G
-09 MW-1 5-21-08 12:00 G
-10 MW-2 5-21-08 12:20 G

Special Instructions:

Detection Limits \leq PALS/ESS

Relinquished By: John E. Schaff

Date: 5-21-08 Time: 5:00 pm

Received By: T Barde Date: 5-22-08 Time: 9:44

Relinquished By: _____

Date: _____ Time: _____

Received By: _____ Date: _____ Time: _____

Relinquished By: _____

Date: _____ Time: _____

Received By: _____ Date: _____ Time: _____

LABORATORY COMMENTS:

Init Lab Temp:

34

Rec Lab Temp:

34

Custody Seals: Y N N/A
Bottles Supplied by TestAmerica: Y N

Method of Shipment: Dunkin

TAL-0020 (1207)

25/2/2008

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

P.2 WR40803

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?

Compliance Monitoring

Client Name: Skt Inc

Client #: _____

Address: 421 Frenette Drive

City/State/Zip Code: Chippewa Falls, WI 54729

Project Manager: Jason Martin

Telephone Number: 715.720.6200 Fax: 715.720.6300

Sampler Name: (Print Name) Shane Gault

Sampler Signature: Shane Gault

E-mail address: _____

- Standard
 Rush (surcharges may apply)

Date Needed: _____

Fax Results: Y N

E-mail: Y N

SAMPLE ID

-11
-12
-13
-14
-15
-16
-17
-18
-19
-20

	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix	Preservation & # of Containers	Analyze For:	QC Deliverables
					SL - Sludge DW - Drinking Water GW - Groundwater S - Soil/Solid WW - Wastewater	Specify Other	VOC PATH RCRA METALS TOTAL ARSENIC TOTAL CADMIUM	None Level 2 (Batch QC) Level 3 Level 4 Other: _____
-11	MW-3	5-21-08 12:40	G	✓	GW	3	/	
-12	MW-7	5-21-08 1:20	G	✓	GW	8	/	
-13	MW-6	5-21-08 1:40	G	✓	GW	3	/	
-14	MW-10	5-21-08 2:00	G	✓	GW	13	/	
-15	PZ-10	5-21-08 2:20	G	✓	GW	13	/	
-16	PZ-5	5-21-08 2:40	G	✓	GW	1	/	
-17	MW-5	5-21-08 3:00	G	✓	GW	3	/	
-18	MW-4	5-21-08 3:20	G	✓	GW	1	/	
-19	MW-8	5-21-08 3:40	G	✓	GW	3	/	
-20	PZ-9	5-21-08 4:00	G	✓	GW	13	/	

Special Instructions:

Detection limits ≤ PALS / ES

Relinquished By: <u>Shane Gault</u>	Date: 5-21-08	Time: 3:00pm	Received By: <u>T Spawle</u>	Date: 5/22/08	Time: 9:44
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

LABORATORY COMMENTS:

Init Lab Temp:

3C

Rec Lab Temp:

Custody Seals: Y N T/A
Bottles Supplied by TestAmerica: N

Method of Shipment: Dunkham

TAL-0020 (1207)

AR 5/22/08

TestAmerica

ANALYTICAL TESTING CORPORATION

**Watertown Division
602 Commerce Drive
Watertown, WI 53094**

**Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120**

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring

Pg 3

Client Name: SEH Inc Client #: _____
Address: 421 Franklin Dr #6
City/State/Zip Code: Chippewa falls, WI 54729
Project Manager: Tessa Martin
Telephone Number: 715.720.6700 Fax: 715.720.6300
Sampler Name: (Print Name) John E. Grubel
Sampler Signature: John E. Grubel

Project Name: Mirro Plant #20
Project #: NFRUB030Z00
Site/Location ID: Chill for State: WI
Report To: Jason Martin
Invoice To: Mark Sams
Quote #: PO#:

R 5/22/08