

Received 10-03-11



Stantec

Stantec Consulting Services Inc.
12075 Corporate Parkway, Suite 200
Mequon WI 53092
Tel: (262) 241-4466
Fax: (262) 241-4901

Bonestroo

September 30, 2011
File: 004230-09001-0

Mr. Joe Rabideau
1461 West Mason Street
Green Bay, WI 54303

Dear: Mr. Rabideau

Reference: Groundwater Monitoring Results
Former Econocare Cleaners, 719 South Fisk Street, Green Bay, WI
WDNR BRRTS #: 02-05-521419

Bonestroo, Incorporated now known as Stantec Consulting Services, Incorporated (Stantec) continues to monitor groundwater quality at the former Econocare Cleaners located at 719 South Fisk Street, Green Bay, Wisconsin (the Site). This letter report summarizes groundwater monitoring activities completed at the Site since November 2009.

BACKGROUND INFORMATION

The Site, owned by Mr. Joe Rabideau, is the former location of a dry cleaning business, which operated from approximately 1965 to 1995. The adjacent parcel (1458 Shirley Street) to the east is owned by the responsible party and, for the purpose of this clean-up, is considered part of the Site. The site layout is shown in Figure 1.

During December 2003, Alpha Terra Science completed a Phase II environmental site assessment (ESA) to determine if chlorinated solvents had been released during dry cleaning operations at the Site. The Phase II ESA documented the presence of tetrachloroethylene (PCE) in soil and groundwater at the Site. Based on the results of the Phase II ESA, a release was reported to the WDNR. The WDNR required a site investigation to evaluate the extent of released chlorinated volatile organic compounds (CVOCs).

During 2004, Mr. Rabideau retained Giles to investigate the extent of the chlorinated solvent release. Between July 2004 and December 2006, Giles collected soil samples from 38 boreholes, and installed sixteen monitoring wells/piezometers. Giles collected groundwater samples from the monitoring wells and piezometer during four sampling events between 2004 and 2006. Based on the results of the site investigation, the WDNR agreed that the extent of chlorinated solvent contamination in soil and groundwater had been adequately defined.

During June 2006, Giles also conducted air monitoring at four adjacent properties to evaluate the potential for vapor intrusion into residential structures. PCE was detected in an air sample collected from a sealed basement sump in the residence located at 1457 Shirley Street. During December 2006, vapor mitigation systems (sub-slab depressurization) were installed in the 1457 Shirley Street residence to mitigate PCE vapors present in the basement and the 805 South Fisk Street residence to prevent the potential migration of PCE vapors into the basement.

September 30, 2011

Page 2 of 6

Reference: **Groundwater Monitoring Results**
Former Econocare Cleaners, 719 South Fisk Street, Green Bay, WI

On May 8, 2007, the WDNR approved the site investigation report and authorized Mr. Rabideau to proceed with remedial action. Mr. Rabideau retained Northern Environmental Technologies, Inc., now known as Stantec Consulting Services, Inc. (Stantec), to complete a remedial action, perform post-excavation groundwater monitoring, and vapor intrusion assessment. During December 2008 a remedial excavation removed approximately 312 tons of soil containing high PCE concentrations.

Soil containing PCE concentrations above USEPA soil screening levels remained at the Site. During 2009, Stantec collected ambient indoor air quality samples from the basements of residences near the Site to evaluate if CVOCs were entering the basements. CVOCs were not detected in indoor air above the USEPA Risk-Based Screening Levels.

During 2009, Stantec continued monitoring groundwater quality at the Site. PCE-contaminated groundwater was present adjacent to and hydraulically downgradient from the remedial excavation area. During November 2009, Stantec submitted a report to the WDNR summarizing the results of the remedial action, groundwater monitoring, and vapor intrusion assessment. Stantec recommended additional groundwater monitoring to evaluate natural attenuation of CVOCs as an acceptable final remedial alternative.

During September 2010, Mr. Joe Rabideau began planning the construction of a new slab-on-grade building at the Site. Since contaminated soil associated with historic dry cleaning operations at the Site might be encountered during construction of the new building, Stantec recommended additional near-surface soil sampling. During September 2010, Stantec received approval from the Wisconsin Department of Natural Resources (WDNR) to complete the additional soil investigation. Based on the analytical results of the soil samples collected, near-surface soil within the area of the proposed building contained low to no detectable concentrations of VOCs. The highest detected PCE concentration in near-surface soil was 60 micrograms per kilogram.

Redevelopment of the entire Site and adjacent property north of the Site began during Spring 2011. The Auto Mart building (711 Fisk Street) located adjacent to the Site was razed and construction of a new building began. From April through September 2011 the new building was constructed at the Property in the location shown in Figure 1.

GROUNDWATER MONITORING WELL ABANDONMENT

A portion of the new building extended onto the Property and over monitoring wells MW3 and MW6. Therefore, on April 4, 2011 (prior to building construction), Stantec personnel abandoned monitoring wells MW3 and MW6. On August 12, 2011 Stantec personnel abandoned monitoring wells MW1, MW4, and PZ1 due to continued building construction and site development. All wells were abandoned in accordance with Chapter NR 141.25 Wisconsin Administrative Code (Wis. Adm. Code). Monitoring well abandonment forms are included in Attachment A.

Stantec continued to monitor groundwater at the Site through July 2011. The following report summarizes the groundwater quality monitoring conducted since November 2009.

GROUNDWATER MONITORING METHODS

The groundwater monitoring well network was sampled during December 2009, March and July 2010, and July 2011 to evaluate groundwater quality. Before well sampling, Stantec personnel measured the depth to water in the monitoring well network to determine shallow groundwater flow direction and hydraulic gradient. All wells were sampled using low-flow sampling techniques in general conformance to WDNR guidelines. During sampling, Stantec collected field measurements for temperature, pH, conductivity, oxygen reduction

September 30, 2011

Page 3 of 6

Reference: Groundwater Monitoring Results
Former Econocare Cleaners, 719 South Fisk Street, Green Bay, WI

potential (ORP), dissolved oxygen (DO), and/or carbon dioxide. Select monitoring wells were laboratory analyzed for VOCs using EPA Method 8260B. Select wells were also laboratory analyzed for nitrate, sulfate, ethane, ethene, methane, and/or chlorides during each sampling event.

GROUNDWATER MONITORING RESULTS

GROUNDWATER FLOW CONDITIONS

Flow at the groundwater table is generally to the southeast at and downgradient of the Site. Groundwater flow in the piezometers (deeper groundwater) is generally east-southeast across the Site. The horizontal hydraulic gradient of the groundwater table ranged from approximately 0.022 to 0.033 foot/foot. The horizontal hydraulic gradient of the potentiometric surface ranged from approximately 0.027 to 0.57 foot/foot. Vertical hydraulic gradients of groundwater elevation measurements from water table monitoring wells adjacent to piezometers show the following.

PZ1/MW1 – no gradient to slightly upward gradient

PZ2/MW7 – slightly downward gradient

PZ3/MW9 – downward gradient

PZ4/MW10 – slightly downward gradient

PZ5/MW11 – no gradient to slightly upward gradient

Groundwater table flow on March 30 and July 13, 2010 and July 7, 2011 are illustrated in Figures 2 through 4, respectively and are generally consistent with historic groundwater flow. Potentiometric surface groundwater flow is illustrated in Figure 5. Groundwater elevation data is summarized in Table 1.

GROUNDWATER VOC RESULTS

The primary and most highly concentrated CVOC present in groundwater is PCE. Elevated PCE concentrations that significantly exceed the Chapter NR 140 Wis. Adm. Code enforcement standard (ES) in groundwater are consistently present in monitoring well MW2. PCE concentrations in MW1, MW3, MW6, MW7, MW9, PZ1, and PZ2 also exceed the NR 140 Wis. Adm. Code ES. PCE concentrations above the NR 140 preventive action limit (PAL) but below the ES were detected in monitoring well MW4 and MW8.

Highly elevated PCE concentrations were detected in monitoring well PZ5 during the July 7, 2011 sampling event. Since PCE had never been detected in PZ5 previously, Stantec resampled the well on August 2, 2011. No VOCs were present above laboratory detection limits in the August 2011 sample from PZ5. Therefore, the elevated PCE concentrations in PZ5 during July 2011 were very likely due to a field collection or laboratory error.

Lesser concentrations of cis 1,2-dichloroethene (cis 1,2-DCE), trans 1,2-dichloroethene (trans 1,2-DCE), and trichloroethene (TCE) were also detected in various monitoring wells. Cis 1,2-DCE and/or TCE concentrations in groundwater above the NR 140 Wis. Adm. Code ES were present in MW7, PZ1, and PZ2. The remainder of the monitoring wells did not contain VOC concentrations above their respective NR 140 Wis. Adm. Code PAL. Groundwater analytical results are summarized in Table 2. Groundwater sample analytical reports are included in Attachment B.


September 30, 2011

Page 4 of 6

Reference: Groundwater Monitoring Results
Former Econocare Cleaners, 719 South Fisk Street, Green Bay, WI

GROUNDWATER VOC CONCENTRATION TRENDS AND ANALYSIS

PCE concentrations in groundwater since 2009 are graphically illustrated below.



Some trends can be observed in analyzing the above graph of groundwater data since 2009. Although PCE concentrations in MW2 are relatively stable, the concentrations continue to be well above the ES. PCE concentrations in MW7 have decreased significantly since 2009. PCE concentrations in MW1, MW6, and PZ2 are either stable or slightly decreasing while concentrations in PZ1 appear to be increasing since December 2009.

Although PCE and TCE concentrations in PZ2 have decreased since March 2010, cis 1,2-DCE concentrations have been increasing. The accumulation of cis 1,2-DCE is likely due to anaerobic degradation of PCE and TCE. TCE concentrations have decreased significantly in MW7 since 2009. Detected CVOCs have remained relatively stable in the remainder of the monitoring wells.

The extent of PCE in water table wells during March and July 2010, and July 2011 are depicted in Figures 2 through 4, respectively. The extent of PCE in piezometers during July 2010 is depicted in Figure 5.

September 30, 2011

Page 5 of 6

Reference: **Groundwater Monitoring Results**
Former Econocare Cleaners, 719 South Fisk Street, Green Bay, WI

GROUNDWATER CVOC NATURAL ATTENUATION ANALYSIS

Inorganic parameters in groundwater were also measured to evaluate the effectiveness of natural attenuation processes in reducing CVOC contaminant concentrations at the Site. Dissolved Oxygen (DO) concentrations of less than 1 milligram per liter and Oxidation Reduction Potential (ORP) measurements less than 0 indicate groundwater conditions commonly favorable for anaerobic degradation of CVOCs (i.e., PCE and TCE) and are the strongest indicators of the reducing environment in required groundwater for reductive dechlorination of CVOCs. The other measured inorganic parameters can also provide additional evidence of reductive dechlorination.

DO concentrations and ORP were depressed in groundwater monitoring wells within the contaminant plume compared to background location (MW4) and suggest slightly reducing groundwater conditions. The other inorganic parameters measured do not provide clear evidence of reductive dechlorination of chlorinated compounds. Ethene, commonly the final breakdown product of TCE was not detected. However, slightly elevated methane concentrations coupled with reducing conditions in MW7 may suggest that methanogenesis biodegradation processes are occurring within the contaminant plume. Natural attenuation parameters are summarized in Table 3.

CONCLUSIONS AND RECOMMENDATIONS

Although the majority of highly contaminated soil was excavated as part of the remedial action completed during 2008, CVOC concentrations (especially PCE) continue to be highly elevated in groundwater at and downgradient of the Site. Although PCE concentrations have generally remained stable or decreased slightly, strong evidence of natural attenuation of PCE was not readily apparent, especially in shallow groundwater. The relatively stable PCE concentrations and lack of detectable concentrations of common PCE breakdown products such as TCE, cis 1,2-DCE, trans 1,2-DCE, and vinyl chloride in MW2, MW3, and MW6 suggest that natural attenuation of CVOCs is limited in the shallow groundwater at the Site.

In contrast to the shallow groundwater, CVOCs in PZ1, PZ2 show evidence of natural attenuation of PCE by the presence of common breakdown products TCE and cis 1,2-DCE. However, increasing cis 1,2-DCE concentrations in PZ2 with a corresponding lack of vinyl chloride suggest that natural attenuation may be stalled.

Additional groundwater monitoring has been approved by the WDNR and is required to further evaluate natural attenuation of CVOCs. However, given the data collected to date, remediation of groundwater may be required to stimulate reductions of CVOCs in groundwater. A re-evaluation of the groundwater monitoring program and possible additional remediation is recommended. **Stantec requests the WDNR review the data provided in this submittal and correspond with Stantec to determine a plan of action that will most quickly, efficiently, and cost effectively reduce CVOC concentrations in groundwater so that case closure can be obtained.** Stantec intends to discontinue groundwater monitoring until a revised course of action is evaluated.

September 30, 2011

Page 6 of 6

**Reference: Groundwater Monitoring Results
Former Econocare Cleaners, 719 South Fisk Street, Green Bay, WI**

We trust this information meets your needs. Please contact us if you have any questions or require additional information.

Respectfully,

STANTEC CONSULTING SERVICES INC.



Christopher C. Hatfield, PG
Project Manager
Tel: 262-643-9171
Fax: 262-241-4901
Email: Christopher.hatfield@stantec.com


Attachments

c. Kristin Dufresne, Wisconsin Department of Natural Resources



Stantec

FIGURES



Bonestroo

12075 CORPORATE PKWY, STE 200
MEQUON, Wisconsin 53092
P: 262-241-4466 F: 262-241-4901

This drawing and all information contained thereon is the property of Bonestroo. Bonestroo will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.


SITE LAYOUT

FORMER ECONOCARE CLEANERS
719 SOUTH FISK STREET
GREEN BAY, WISCONSIN

DATE: 01/20/09 DRAWN BY: NLB REVISED: 09/20/2011 AJS

PROJECT NUMBER: 004230-09001-0

FIGURE 1



12075 CORPORATE PKWY, STE 200
MEQUON, WISCONSIN 53092
P: 262-241-4466 F: 262-241-4901

GROUNDWATER ELEVATION CONTOUR MAP & EXTENT OF PCE IN GROUNDWATER MARCH 30, 2010

FORMER ECONOCARE CLEANERS
719 SOUTH FISK STREET
GREEN BAY, WISCONSIN

MW1 GROUNDWATER MONITORING
WELL LOCATION & GROUNDWATER
ELEVATION (FT) & PCE CONCENTRATION
IN GROUNDWATER (MICROGRAMS PER LITER)
420

PZ5 PIEZOMETER LOCATION (GILES)

UTILITY POLE LOCATION
CATCH BASIN LOCATION
MANHOLE LOCATION


(A) FORMER DRYCLEANING
MACHINE LOCATION
(B) FORMER VACUUM
(C) FORMER SHED

This drawing and all information contained thereon is the property of Bonestroo. Bonestroo will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 01/20/09 DRAWN BY: NLB REVISED: 09/26/2011 AJS

PROJECT NUMBER: 004230-09001-0

FIGURE 2



MW1 651.98 420 GROUNDWATER MONITORING WELL LOCATION & GROUNDWATER ELEVATION (FT) & PCE CONCENTRATION IN GROUNDWATER (MICROGRAMS PER LITER)

PZ5 PIEZOMETER LOCATION (GILES)

UTILITY POLE LOCATION
CATCH BASIN LOCATION
MANHOLE LOCATION



This drawing and all information contained therein is the property of Bonestroo. Bonestroo will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 01/20/09 DRAWN BY: NLB REVISED: 09/26/2011 AJS



GROUNDWATER ELEVATION CONTOUR MAP & EXTENT OF PCE IN GROUNDWATER JULY 13, 2010

FORMER ECONOCARE CLEANERS
719 SOUTH FISK STREET
GREEN BAY, WISCONSIN

PROJECT NUMBER: 004230-09001-0

FIGURE 3

SCALE IN FEET
20 0 20 40



Former Objects

- (A) FORMER DRYCLEANING MACHINE LOCATION
- (B) FORMER VACUUM
- (C) FORMER SHED

Former Objects

- (A) FORMER DRYCLEANING MACHINE LOCATION
- (B) FORMER VACUUM
- (C) FORMER SHED

Former Objects

- (A) FORMER DRYCLEANING MACHINE LOCATION
- (B) FORMER VACUUM
- (C) FORMER SHED

12075 CORPORATE PKWY, STE 200
MEQUON, Wisconsin 53092
P: 262-241-4466 F: 262-241-4901

GROUNDWATER ELEVATION CONTOUR MAP & EXTENT OF PCE IN GROUNDWATER JULY 10, 2011

FORMER ECONOCARE CLEANERS
719 SOUTH FISK STREET
GREEN BAY, WISCONSIN

PROJECT NUMBER: 004230-09001-0

FIGURE 4

DATE: 01/20/09 DRAWN BY: NLB REVISED: 09/26/2011 AJS

Utility Pole Location
Catch Basin Location
Manhole Location

Former Objects


- (A) FORMER DRYCLEANING MACHINE LOCATION
- (B) FORMER VACUUM
- (C) FORMER SHED

Former Objects

- (A) FORMER DRYCLEANING MACHINE LOCATION
- (B) FORMER VACUUM
- (C) FORMER SHED

Former Objects

- (A) FORMER DRYCLEANING MACHINE LOCATION
- (B) FORMER VACUUM
- (C) FORMER SHED





TABLES

Table 1 Water Level Data, Former EconoCare Cleaners, Green Bay, Wisconsin

Well I.D.	Ground Surface Elevation (msl)	Reference Point Elevation (msl)	Top/Bottom Well Screen Elevation (msl/fbg)	Date	Depth to Water (feet)		Water Table Elevation (feet)
					Below Riser	Below Grade	
MW1	654.87	654.47	651.77 / 641.77	03/25/09	0.74	1.14	653.73
				06/26/09	3.95	4.35	650.52
				09/29/09	6.66	7.06	647.81
				12/08/09	4.69	5.09	649.78
				03/30/09	4.70	5.10	649.77
				07/13/10	2.49	2.89	651.98
MW2	654.53	654.02	651.52 / 641.52	03/25/09	2.37	2.88	651.65
				06/26/09	4.58	5.09	649.44
				09/29/09	6.61	7.12	647.41
				12/08/09	4.95	5.46	649.07
				03/30/09	4.35	4.86	649.67
				07/13/10	3.44	3.95	650.58
MW3	654.28	653.85	651.35 / 641.35	03/25/09	0.42	0.85	653.43
				06/26/09	4.10	4.53	649.75
				09/29/09	6.52	6.95	647.33
				12/08/09	4.93	5.36	648.92
				03/30/09	3.66	4.09	650.19
				07/13/10	2.60	3.03	651.25
MW4	656.07	655.56	652.86 / 642.86	03/25/09	3.20	3.71	652.36
				06/26/09	4.90	5.41	650.66
				09/29/09	7.83	8.34	647.73
				12/08/09	5.75	6.26	649.81
				03/30/09	4.70	5.21	650.86
				07/13/10	3.64	4.15	651.92
MW5	655.85	655.46	652.96 / 642.96	03/25/09	3.70	4.09	651.76
				06/26/09	5.15	5.54	650.31
				09/29/09	7.30	7.69	648.16
				12/08/09	5.69	6.08	649.77
				03/30/09	4.87	5.26	650.59
				07/13/10	3.60	3.99	651.86
MW6	652.02	651.54	648.04 / 638.04	03/25/09	0.90	1.38	650.64
				06/26/09	3.15	3.63	648.39
				09/29/09	4.52	5.00	647.02
				12/08/09	3.98	4.46	647.56
				03/30/09	2.85	3.33	648.69
				07/13/10	1.90	2.38	649.64
MW7	653.83	653.27	649.77 / 639.77	03/25/09	3.29	3.85	649.98
				06/26/09	5.02	5.58	648.25
				09/29/09	6.56	7.12	646.71
				12/08/09	5.02	5.58	648.25
				03/30/09	4.68	5.24	648.59
				07/13/10	3.38	3.94	649.89
MW8	655.45	654.89	651.39 / 641.39	03/25/09	4.58	5.14	650.31
				06/26/09	5.91	6.47	648.98
				09/29/09	7.36	7.92	647.53
				12/08/09	6.15	6.71	648.74
				03/30/09	5.78	6.34	649.11
				07/13/10	4.70	5.26	650.19
MW9	650.67	650.29	646.79 / 636.79	03/25/09	0.92	1.30	649.37
				06/26/09	3.14	3.52	647.15
				09/29/09	3.75	4.13	646.54
				12/08/09	3.31	3.69	646.98
				03/30/09	2.60	2.98	647.69
				07/13/10	1.46	1.84	648.83
				07/07/11	2.36	2.74	647.93

Table 1 Water Level Data, Former EconoCare Cleaners, Green Bay, Wisconsin

Well I.D.	Ground Surface Elevation (msl)	Reference Point Elevation (msl)	Top/Bottom Well Screen Elevation (msl/fbg)	Date	Depth to Water (feet)		Water Table Elevation (feet)
					Below Riser	Below Grade	
MW10	651.88	651.51	648.01 / 638.01	03/25/09	4.22	4.59	647.29
				06/26/09	5.85	6.22	645.66
				09/29/09	8.35	8.72	643.16
				12/08/09	6.23	6.60	645.28
				03/30/09	5.50	5.87	646.01
				07/13/10	4.57	4.94	646.94
				07/07/11	5.68	6.05	645.83
MW11	648.01	647.63	644.13 / 634.13	03/25/09	0.30	0.68	647.33
				06/26/09	3.21	3.59	644.42
				09/29/09	8.07	8.45	639.56
				12/08/09	5.37	5.75	642.26
				03/30/09	1.54	1.92	646.09
				07/13/10	0.56	0.94	647.07
				07/07/11	1.75	2.13	645.88
PZ1	654.85	654.55	635.35 / 630.35	03/25/09	1.35	1.65	653.20
				06/26/09	4.13	4.43	650.42
				09/29/09	6.64	6.94	647.91
				12/08/09	4.93	5.23	649.62
				03/30/09	3.77	4.07	650.78
				07/13/10	2.71	3.01	651.84
				07/07/11			
PZ2	653.73	653.23	633.23 / 628.23	03/25/09	3.83	4.33	649.40
				06/26/09	5.29	5.79	647.94
				09/29/09	6.70	7.20	646.53
				12/08/09	5.33	5.83	647.90
				03/30/09	4.97	5.47	648.26
				07/13/10	4.16	4.66	649.07
				07/07/11	4.79	5.29	648.44
PZ3	650.65	650.11	630.11 / 625.11	03/25/09	7.42	7.96	642.69
				06/26/09	7.57	8.11	642.54
				09/29/09	8.80	9.34	641.31
				12/08/09	7.06	7.60	643.05
				03/30/09	6.89	7.43	643.22
				07/13/10	5.86	6.40	644.25
				07/07/11	4.96	5.50	645.15
PZ4	652.46	652.01	632.01 / 627.01	03/25/09	5.92	6.37	646.09
				06/26/09	6.82	7.27	645.19
				09/29/09	9.62	10.07	642.39
				12/08/09	8.51	8.96	643.50
				03/30/09	7.56	8.01	644.45
				07/13/10	5.41	5.86	646.60
				07/07/11	5.95	6.40	646.06
PZ5	647.99	647.67	627.67 / 622.67	03/25/09	0.50	0.82	647.17
				06/26/09	3.43	3.75	644.24
				09/29/09	8.10	8.42	639.57
				12/08/09	5.46	5.78	642.21
				03/30/09	1.88	2.20	645.79
				07/13/10	1.80	2.12	645.87
				07/07/11	1.83	2.15	645.84

Notes

* = Well Screen Submerged
 msl = Mean Sea Level
 fbg = Feet Below Grade
 --- = Not Collected

Note: 1) Benchmark is XXX
 2) Reference Point is XXX

Table 2 Groundwater Analytical Results, Former EconoCare Cleaners, Green Bay, Wisconsin

Well ID	Date Sampled	Water Table Elevation (feet below grade)	Relevant and Significant Volatile Organic Compounds Analytical Results (micrograms per liter)													
			Benzene	Chloromethane	1,2-Dichlorobenzene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Methyl-Tert-Butyl-Ether	Tetrachloroethene (PCE)	Toluene	Trichloroethene (TCE)	Trimethylbenzene	Vinyl Chloride	Xylenes
Chapter NR 140, Wisconsin Administrative Code PAL		0.5	0.3	60	0.7	7	20	140	12	0.5	200	0.5	96	0.02	1000	
Chapter NR 140, Wisconsin Administrative Code ES		5	3	600	7	70	100	700	60	5	1000	5	480	0.2	10,000	
MW1	07/09/04	---	< 291	< 358	880	---	< 252	< 288	---	---	44,200	< 271	< 232	< 783	---	---
	10/19/05	---	< 200	< 200	< 200	---	< 500	< 500	---	---	57,000	< 200	< 200	< 400	---	---
	06/15/06	---	< 4.0	< 4.0	< 4.0	---	< 10	< 10	---	---	1200	< 4.0	< 4.0	< 8.0	---	---
	12/5&6/06	---	< 5.0	< 5.0	< 5.0	---	< 12	< 12	---	---	50,000	< 5.0	23	< 10.0	---	---
	03/27/09	653.73	< 12	< 25	< 44	< 25	< 22	< 30.5	< 17.5	< 35	2950	< 19.5	< 23.5	< 37	< 10	< 83.5
	06/26/09	650.52	< 20.5	< 25	< 33	< 23.5	< 34	< 30.5	< 43.5	< 25	1470	< 25.5	< 19.5	< 130	< 10	< 106.5
	* 06/26/09	650.52	< 20.5	< 25	< 33	< 23.5	< 34	< 30.5	< 43.5	< 25	1010	< 25.5	< 19.5	< 130	< 10	< 106.5
	09/29/09	647.81	<205	<250	<330	<235	<340	<305	<435	<250	20,300	<255	<195	<1300	<100	<1065
	12/08/09	649.78	<82	<100	<132	<94	<136	<122	<174	<100	6000	<102	<78	<520	<40	<426
	03/30/10	649.77	<41	<50	<66	<47	<68	<61	<87	<50	420	<51	<39	<260	<20	<213
	07/13/10	651.98	<76	<240	<168	<140	<156	<260	<110	<50	420	<144	<78	<240	<38	<324
MW2	07/08/04	---	< 291	< 356	< 741	---	< 252	< 288	---	---	122,000	< 271	< 232	< 783	---	---
	10/19/05	---	< 400	< 400	< 400	---	< 1000	< 1000	---	---	120,000	< 400	< 400	< 800	---	---
	06/16/06	---	< 400	< 400	< 400	---	< 1000	< 1000	---	---	80,000	< 400	< 400	< 800	---	---
	12/5&6/06	---	< 320	< 320	< 320	---	< 800	< 800	---	---	80,000	< 320	< 320	< 640	---	---
	03/27/09	651.65	< 0.24	< 50	< 88	< 50	< 44	< 61	< 35	< 70	7800	< 39	< 47	< 74	< 20	< 167
	06/26/09	649.44	< 41	< 50	< 66	< 47	< 68	< 61	< 87	< 50	131,000	< 51	63 "J"	< 260	< 20	< 213
	09/29/09	647.41	<410	<500	<660	<470	<680	<610	<870	<500	92,000	<510	<390	<2600	<200	<2130
	12/08/09	649.07	<410	<500	<660	<470	<680	<610	<870	<500	108,000	<510	<390	<2600	<200	<2130
	03/30/10	649.67	<410	<500	<660	<470	<680	<610	<870	<500	101,000	<510	<390	<2600	<200	<2130
	07/13/10	650.58	<380	<1200	<840	<700	<780	<1300	<550	<250	177,000	<720	<390	<1200	<190	<1620
MW3	07/07/11	649.24	<500	<1900	<760	<600	<740	<790	<780	<800	108,000	<530	<470	<1540	<180	<1900
	7/7/2011*	649.24	<2500	<9500	<4350	<3000	<3700	<3950	<3900	<4000	81,000	<2650	<2350	<7700	<900	<9500
	07/08/04	---	5.3	< 3.56	< 7.41	---	< 2.52	< 2.88	---	---	80.2	< 2.71	< 2.32	5.0 "J"	---	---
	10/19/05	---	< 0.80	< 0.80	< 0.80	---	< 2.0	< 2.0	---	---	170	< 0.80	< 0.80	< 1.6	---	---
	06/15/06	---	< 0.40	< 1.0	< 0.40	---	< 1.0	< 1.0	---	---	94	< 0.40	< 0.40	< 0.80	---	---
	12/5&6/06	---	< 0.40	< 0.40	< 0.40	---	< 1.0	< 1.0	---	---	200	< 0.40	< 0.40	< 0.80	---	---
	03/27/09	653.43	< 0.24	< 0.5	< 0.88	< 0.5	< 0.44	< 0.61	< 0.35	< 0.7	55	< 0.39	< 0.47	< 0.74	< 0.2	< 1.67
	06/26/09	649.75	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	45	< 0.51	< 0.39	< 2.6	< 0.2	< 2.13
	09/29/09	647.33	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	196	< 0.51	< 0.39	< 2.6	< 0.2	< 2.13
	12/08/09	648.92	<2.05	<2.5	<3.3	<2.35	<3.4	<3.05	<4.35	<2.5	82	<2.55	<1.95	<13	<1	<10.65
	03/30/10	650.19	<0.41	<0.5	<0.66	<0.47	<0.68	<0.61	<0.87	<0.5	64	<0.51	<0.39	<2.6	<0.2	<2.13
	07/13/10	651.25	<0.38	<1.2	<0.84	<0.7	<0.78	<1.3	<0.55	<0.25	38	<0.72	<0.39	<1.20	<0.19	<1.62
MW4	07/08/04	---	< 0.291	< 0.356	< 0.741	---	< 0.252	< 0.288	---	---	3.42	0.670 "J"	< 0.232	< 0.783	---	---
	10/19/05	---	< 0.20	< 0.20	< 0.20	---	< 0.50	< 0.50	---	---	4.6	< 0.20	< 0.20	< 0.40	---	---
	06/15/06	---	< 0.20	0.61 "J"	< 0.20	---	< 0.50	< 0.50	---	---	2.5	< 0.20	< 0.20	< 0.40	---	---
	12/5&6/06	---	< 0.20	< 0.20	< 0.20	---	< 0.50	< 0.50	---	---	3.5	< 0.20	< 0.20	< 0.40	---	---
	03/27/09	652.36	< 0.24	< 0.5	< 0.88	< 0.5	< 0.44	< 0.61	< 0.35	< 0.7	1.61	< 0.39	< 0.47	< 0.74	< 0.2	< 1.67
	06/26/09	650.66</														

Table 2 Groundwater Analytical Results, Former EconoCare Cleaners, Green Bay, Wisconsin

Well ID	Date Sampled	Water Table Elevation (feet below grade)	Relevant and Significant Volatile Organic Compounds Analytical Results (micrograms per liter)													
			Benzene	Chloromethane	1,2-Dichlorobenzene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Methyl-Tert-Butyl-Ether	Tetrachloroethene (PCE)	Toluene	Trichloroethene (TCE)	Trimethylbenzene	Vinyl Chloride	Xylenes
Chapter NR 140, Wisconsin Administrative Code PAL		0.5	0.3	60	0.7	7	20	140	12	0.5	200	0.5	96	0.02	1000	
Chapter NR 140, Wisconsin Administrative Code ES		5	3	600	7	70	100	700	60	5	1000	5	480	0.2	10,000	
MW8	10/19/05	---	< 0.20	< 0.20	< 0.20	---	< 0.50	< 0.50	---	---	6.4	< 0.20	0.23 "J"	< 0.40	---	---
	06/16/06	---	< 0.20	0.61 "J"	< 0.20	---	< 0.50	< 0.50	---	---	4.9	< 0.20	0.38 "J"	< 0.40	---	---
	12/5&6/06	---	< 0.20	< 0.20	< 0.20	---	< 0.20	< 0.20	---	---	3.4	< 0.20	0.53 "J"	< 0.40	---	---
	03/27/09	650.31	< 0.24	< 0.5	< 0.88	< 0.5	< 0.44	< 0.61	< 0.35	< 0.7	0.75 "J"	< 0.39	< 0.47	< 0.74	< 0.2	< 1.67
	06/26/09	648.98	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	4.4	< 0.51	0.48 "J"	< 2.6	< 0.2	< 2.13
	09/29/09	647.53	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	4.7	< 0.51	0.45 "J"	< 2.6	< 0.2	< 2.13
	12/08/09	648.74	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	6.0	< 0.51	0.89 "J"	< 2.6	< 0.2	< 2.13
	03/30/10	649.11	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	3.7	< 0.51	0.47 "J"	< 2.6	< 0.2	< 2.13
	07/13/10	650.19	< 0.38	< 1.2	< 0.84	< 0.7	< 0.78	< 1.3	< 0.55	< 0.25	1.53	< 0.72	< 0.39	< 1.20	< 0.19	< 1.62
	07/07/11	649.23	< 0.5	< 1.9	< 0.76	< 0.6	< 0.74	< 0.79	< 0.78	< 0.8	3.5	< 0.53	< 0.47	< 1.54	< 0.18	< 1.9
MW9	06/17/06	---	< 0.20	0.61 "J"	< 0.20	---	1.1 "J"	< 0.50	---	---	4.7	< 0.20	0.98	< 0.40	---	---
	12/5&6/06	---	< 0.20	< 0.20	< 0.20	---	< 0.50	< 0.50	---	---	2.8	< 0.20	0.33 J	< 0.40	---	---
	03/27/09	649.37	< 0.24	< 0.5	< 0.88	< 0.5	< 0.44	< 0.61	< 0.35	< 0.7	3.09	< 0.39	< 0.47	< 0.74	< 0.2	< 1.67
	06/26/09	647.15	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	5.4	< 0.51	< 0.39	< 2.6	< 0.2	< 2.13
	09/29/09	646.54	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	4.0	< 0.51	< 0.39	< 2.6	< 0.2	< 2.13
	12/08/09	646.98	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	2.6	< 0.51	< 0.39	< 2.6	< 0.2	< 2.13
	03/30/10	647.69	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	2.26	< 0.51	< 0.39	< 2.6	< 0.2	< 2.13
	07/13/10	648.83	< 0.38	< 1.2	< 0.84	< 0.7	< 0.78	< 1.3	< 0.55	< 0.25	4.3	< 0.72	< 0.39	< 1.20	< 0.19	< 1.62
	07/07/11	647.93	< 0.5	< 1.9	< 0.76	< 0.6	< 0.74	< 0.79	< 0.78	< 0.8	6.4	< 0.53	0.66 J	< 1.54	< 0.18	< 1.9
MW10	06/29/06	---	< 0.20	< 0.20	< 0.20	---	< 0.50	< 0.50	---	---	< 0.50	< 0.20	< 0.20	< 0.40	---	---
	12/5&6/06	---	< 0.20	< 0.20	< 0.20	---	< 0.50	< 0.50	---	---	< 0.50	< 0.20	< 0.20	< 0.40	---	---
	03/27/09	647.29	< 0.24	< 0.5	< 0.88	< 0.5	< 0.44	< 0.61	< 0.35	< 0.7	< 0.5	< 0.39	< 0.47	< 0.74	< 0.2	< 1.67
	06/26/09	645.66	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	< 0.42	< 0.51	< 0.39	< 2.6	< 0.2	< 2.13
	07/07/11	645.83	< 0.5	< 1.9	< 0.76	< 0.6	< 0.74	< 0.79	< 0.78	< 0.8	< 0.44	< 0.53	< 0.47	< 1.54	< 0.18	< 1.9
MW11	06/16/06	---	< 0.20	< 1.0	< 0.20	---	< 0.50	< 0.50	---	---	< 0.50	< 0.20	< 0.20	< 0.40	---	---
	12/5&6/06	---	< 0.20	< 0.20	< 0.20	---	< 0.50	< 0.50	---	---	< 0.50	< 0.20	< 0.20	< 0.40	---	---
	03/27/09	647.33	< 0.24	< 0.5	< 0.88	< 0.5	< 0.44	< 0.61	< 0.35	< 0.7	< 0.5	< 0.39	< 0.47	< 0.74	< 0.2	< 1.67
	06/26/09	644.42	< 0.41	< 0.5	< 0.66	< 0.47	< 0.68	< 0.61	< 0.87	< 0.5	< 0.42	< 0.51	< 0.39	< 2.6	< 0.2	< 2.13
	07/07/11	645.88	< 0.5	< 1.9	< 0.76	< 0.6	< 0.74	< 0.79	< 0.78	< 0.8	< 0.44	< 0.53	< 0.47	< 1.54	< 0.18	< 1.9
PZ1	07/09/04	---	< 2.91	< 3.56	< 7.41	---	6.4 "J"	< 2.86	---	---	1470	9.20 "J"	11.6	< 7.83	---	---
	10/19/05	---	< 0.20	---	< 0.20	---	1.6 "J"	---	---	---	86	< 0.20	10	< 0.40	---	---
	06/15/06	---	< 0.20	< 1.0	< 0.20	---	7.1	1.2 "J"	---	---	58	< 0.20	23	< 0.40	---	---
	12/5&6/06	---	< 0.20	< 0.20	< 0.20	---	3.4	< 0.50	---	---	30	< 0.20	14	< 0.40	---	---
	03/27/09	653.20	< 0.24	< 0.5	< 0.88	< 0.5	8.2	1.93 "J"	< 0.35	< 0.7	6.8	< 0.39	45	< 0.74	< 0.2	< 1.67
	06/26/09	650.42	< 0.41	< 0.5	< 0.66	< 0.47	7.4	1.89 "J"	< 0.87	< 0.5	14.2	< 0.51	70	< 2.6	< 0.2	< 2.13
	09/29/09	647.91	< 0.41	< 0.5	< 0.66	< 0.47	6.0	2.91	< 0.87	< 0.5	11.7	< 0.51	55	< 2.6	< 0.2	< 2.13
	12/08/09															

Table 3 Inorganic Groundwater Quality Data, Former EconoCare Cleaners, Green Bay, Wisconsin

Well Number	Sample Date	Temperature (°F)	pH (su)	Conductivity (µS/cm)	O.R.P. (mV)	Dissolved Oxygen (mg/l)	Carbon Dioxide (mg/l)	Nitrate (mg/l)	Kjeldahl Nitrogen (µg/l)	Iron (mg/l)	Manganese (mg/l)	Sulfate (mg/l)	Alkalinity (mg/l)	Total Organic Carbon (µg/l)	Ethane (µg/l)	Ethene (µg/l)	Methane (µg/l)	Phosphorus (µg/l)	Total Chloride (mg/l)
MW1	03/27/09	35.74	8.37	166	17.6	19.34	< 10	0.1 J	760	140 J	< 4.8	7.02	60	2200	< 1	< 1	< 2	380	7
	06/26/09	51.49	7.8	372	8.7	4.5	10	0.33	1500	>10	0.35	14.8	220	4600	< 1	< 1	< 1	2200	5.26 "J"
	09/29/09	57.74	6.63	727	47	1.25	35	---	---	---	---	104	---	3200	< 1	< 1	< 1	---	55
	12/08/09	48.02	6.89	157	4	3.97	25	---	---	---	---	18.8	---	---	< 1	< 1	< 1	---	6.47 "J"
	03/30/10	44.03	6.22	513	-116.9	11.16	---	---	---	---	---	44.2	---	---	---	---	---	---	140
	07/13/10	57.95	6.77	323	-64.2	8.03	25	0.39	---	---	---	17.3	---	---	< 1	< 1	< 1	---	<3.4
MW2	03/27/09	40.35	6.94	667	44.7	26.04	16	1.61	1200	< 60	< 4.8	96.6	340	5700	< 1	< 1	< 2	< 19	158
	09/29/09	60.77	6.59	1670	15.6	0.85	50	---	---	---	769	---	5600	< 1	< 1	2.9 "J"	---	83	
	12/08/09	50.48	6.59	1187	15.2	0.93	60	---	---	---	858	---	---	< 1	< 1	3.1	---	90.5	
	03/30/10	44.83	5.92	1444	17.4	5.44	---	---	---	---	934	---	---	---	---	---	---	99.5	
	07/13/10	55.20	6.73	2228	-109.4	4.24	35	15.80	---	---	1360	---	---	< 1	< 1	< 1	---	78.5	
	07/07/11	51.57	6.73	1563	-20.2	1.78	60	3.20	---	---	784	---	---	< 1	< 1	< 1	---	76	
MW3	03/27/09	38.02	6.9	23.5	23.5	8.17	19	2.84	1100	< 60	< 4.8	305	380	4000	< 1	< 1	< 2	< 19	118
	06/26/09	50.92	6.84	1270	17.3	2.26	90	2.62	190	0	0.1	159	400	3600	< 1	< 1	1.1 "J"	<19	80.4
	09/29/09	59.87	6.6	812	23.9	2.21	30	---	---	---	135	---	---	< 1	< 1	< 1	---	69	
	12/08/09	47.77	6.49	470	26.4	2.73	25	---	---	---	116	---	---	---	---	---	---	77.8	
	03/30/10	44.78	5.95	925	15.7	7.89	---	---	---	---	289	---	---	---	---	---	---	118	
	07/13/10	56.18	6.75	1040	-116.3	2.80	65	1.14	---	---	164	---	---	< 1	< 1	< 1	---	67.3	
MW4	03/27/09	41.36	6.78	688	50.7	16.97	13	2.04	610	< 60	< 4.8	226	230	2200	< 1	< 1	< 2	< 19	290
	06/26/09	53.99	7.14	807	37.8	6.32	50	1.85	1000	0	0.1	42.1	280	1600	< 1	< 1	< 1	77 "J"	92.1
	09/29/09	60.99	6.72	611	58.6	4.03	35	---	---	---	29	---	---	< 1	< 1	< 1	---	79	
	12/08/09	49.53	6.58	395	30	3.75	45	---	---	---	36.1	---	---	---	---	---	---	83.0	
	03/30/10	44.72	5.94	575	-116.7	8.86	---	---	---	---	53.7	---	---	---	---	---	---	74.0	
	07/13/10	63.40	6.06	834	-4.9	12.10	45	3.47	---	---	66	---	---	< 1	< 1	< 1	---	73.3	
MW5	07/07/11	50.92	6.82	668	-13.2	7.00	40	1.2	---	---	12.7	---	---	< 1	< 1	< 1	---	47.8	
MW6	03/27/09	39.81	6.91	624	-26.7	1.48	15	0.42	400	< 60	10.3	81.9	190	18,000	< 1	< 1	4.8	110	83
	06/26/09	53.66	7.05	839	-12.9	1.46	90	2.19	800	0	0.1	34.8	390	5400	< 1	< 1	< 1	< 19	37.9
	09/29/09	64.26	6.05	441	17.5	0.62	65	---	---	---	39	---	---	< 1	< 1	< 1	---	22	
	12/08/09	48.55	6.49	366	1.3	1.38	50	---	---	---	84.7	---	---	---	---	---	---	30.0	
	03/30/10	45.99	6.02	730	-22.7	1.34	---	---	---	---	130	---	---	---	---	---	---	38.3	
	07/13/10	60.63	6.89	731	-130.4	1.88	60	1.92	---	---	39.9	---	---	< 1	< 1	1.0 J	---	33.3	
MW7	03/27/09	42.96	6.84	1116	16.4	5.71	15	< 0.1	310	< 60	24.4	212	700	8500	< 1	< 1	2.6 "J"	< 19	297
	06/26/09	49.2	6.8	2117	-39.1	1.39	>100	< 0.1	590	2	0.3	87.3	600	8800	< 1	< 1	2.8 "J"	110	311
	09/29/09	56.75	6.51	1152	-33.9	0.49	45	---	---	---	93	---	2700	< 1	< 1	< 1	---	276	
	12/08/09	50.09	6.56	1168	-13.2	0.55	35	---	---	---	119	---	---	< 1	< 1	16.8	---	443	
	03/30/10	44.89	6.13	1506	-8.7	1.98	---	---	---	---	112	---	---	---	---	---	---	376	
	07/13/10	53.16	6.65	1203	-140.5	1.88	>100	0.11 J	---	---	69.1	---	---	< 1	< 1	1.3 J	---	122	
MW8	07/07/11	50.82	6.79	1535	-24.2	1.95	60	0.1 J	---	---	82.8	---	---	< 1	< 1	3.7	---	201	
	09/29/09	59.07	6.61	6035	-26.6	0.43	50	---	---	---	97	---	---	< 1	< 1	< 1	---	233 "J"	
	12/08/09	50.19	6.69	4795	-104.4	0.77	65	---	---	---	88.6	---	---	---	---	---	---	173	
	03/30/10	43.90	6.34	5892	-59.5	3.09	---	---	---	---	81.5	---	---	---	---	---	---	2070	
	07/13/10	53.56	6.76	6696	-138.2	1.15	65	0.10 J	---	---	27.1	---	---	< 1	< 1	< 1	---	465	
	07/07/11	53.59	6.95	3874	-19.5	2.15	45	<0.1	---	---	23.8	---	---	< 1	< 1	< 1	---	321	

Well Number	Sample Date	Temperature (°F)	pH (su)	Conductivity (μS/cm)	O.R.P. (mV)	Dissolved Oxygen (mg/l)	Carbon Dioxide (mg/l)	Nitrate (mg/l)	Kjeldahl Nitrogen (μg/l)	Iron (mg/l)	Manganese (mg/l)	Sulfate (mg/l)	Alkalinity (mg/l)	Total Organic Carbon (μg/l)	Ethane (μg/l)	Ethene (μg/l)	Methane (μg/l)	Phosphorus (μg/l)	Total Chloride (mg/l)
MW9	09/29/09	62.49	6.57	879	-3.5	0.41	50	---	---	---	---	27	---	---	<1	<1	<1	---	150
	12/08/09	45.97	6.58	385	-39.1	0.76	60	---	---	---	---	29.1	---	---	---	---	---	94.3	
	03/30/10	41.72	6.04	710	34.7	3.9	---	---	---	---	---	32.2	---	---	---	---	---	157	
	07/13/10	54.65	6.78	927	-137.4	1.34	35	1.14	---	---	---	22.7	---	---	<1	<1	<1	---	115
	07/07/11	52.58	6.31	917	-11	1.78	50	2.92	---	---	---	19.0	---	---	<1	<1	<1	---	168
MW10	07/07/11	51.29	6.12	1050	-6.7	2.76	---	---	---	---	---	---	---	---	---	---	---	---	---
MW11	03/27/09	41.56	7.19	881	11.9	5.34	10	< 0.1	360	150 J	67.3	66	280	8400	< 1	< 1	2.8 J	< 19	171
	06/26/09	50.02	6.93	1399	-45.2	1.66	60	< 0.1	390	0.4	0.1	77.6	420	720	<1	<1	<1	53 "J"	252
	07/07/11	50.27	5.95	932	3.8	2.13	---	---	---	---	---	---	---	---	---	---	---	---	
PZ1	03/27/09	47.64	7.66	585	41.9	2.97	< 10	< 0.1	180	< 60	7.2	269	270	3500	< 1	< 1	3.8	< 19	92.6
	06/26/09	51.85	7.43	624	-23.8	1.51	20	< 0.1	1100	0	0.1	104	240	1300	< 1	< 1	1.4 "J"	31 "J"	24.6
	09/29/09	56.59	6.92	495	23.5	1.47	20	---	---	---	---	97	---	---	<1	<1	<1	---	30
	12/08/09	48.81	6.90	305	3.4	4.87	20	---	---	---	---	97.1	---	---	---	---	---	41.6	
	03/30/10	47.05	6.37	541	-160.4	1.56	---	---	---	---	---	103	---	---	---	---	---	73.1	
	07/13/10	56.42	6.46	622	-66.6	9.02	25	0.20 J	---	---	---	106	---	---	<1	<1	<1	---	52.1
PZ2	03/27/09	49.47	7.33	1440	-61.7	1.04	13	< 0.1	65 J	< 60	156	163	350	3900	< 1	< 1	37.9	< 19	351
	06/26/09	49.65	6.9	1405	32.7	1.4	55	< 0.1	530	0	0.15	53.4	320	4700	< 1	< 1	1.3 "J"	< 19	325
	09/29/09	54.57	6.7	1164	-20.5	1.47	35	---	---	---	---	63	---	2300	<1	<1	<1	---	273
	12/08/09	51.38	6.84	657	-41.4	2.31	25	---	---	---	---	89.7	---	---	<1	<1	5.1	---	212
	03/30/10	47.65	6.42	1024	-22.0	3.74	---	---	---	---	---	77.6	---	---	---	---	---	225	
	07/13/10	49.35	6.78	1351	-146.2	1.24	35	0.18 J	---	---	---	68.1	---	---	<1	<1	<1	---	294
	07/07/11	49.6	6.84	1390	-30.6	1.79	---	---	---	---	---	---	---	---	---	---	---	---	
PZ5	03/27/09	48.05	7.64	718	-11.6	1.72	10	< 0.1	500	< 60	129	186	220	9600	< 1	< 1	4.1	< 19	141
	06/26/09	47.33	7.33	535	-169.6	1.8	20	< 0.1	360	0.6	0.1	45.6	210	4200	<1	<1	<1	23 "J"	65.4

Key:

D.O. = dissolved oxygen

mV = millivolts

O.R.P. = oxygen-reduction potential

μS/cm = microsiemens per centimeter

T.O.C. = Total Organic Carbon

su = standard units

mg/l = milligrams per liter

NR = Not reported

μg/l = micrograms per liter

J = Estimated concentration below laboratory quantitation level.



ATTACHMENT A

MONITORING WELL ABANDONMENT FORMS

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER INFORMATION		
WI Unique Well No.	DNR Well ID No.	County <i>Brown</i>	Facility Name <i>Former Econocare Cleaners</i>	Facility ID	License/Permit/Monitoring No.
Common Well Name <u>MW 1</u> Gov't Lot (If applicable)			Street Address of Well <i>719 South Fiske Street</i>		
Grid Location <i>NE 1/4 of SW 1/4 of Sec. 27; T. 24 N; R. 20 E</i>			City, Village, or Town <i>Green Bay</i>		
ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.			Present Well Owner <i>Joe Rabideau</i>		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>			Original Owner		
Lat. _____	Long. _____	St. Plane ft. N. ft. E. <input type="checkbox"/> C <input type="checkbox"/> N Zone	Street Address or Route of Owner <i>1461 West Mason St.</i>		
Reason For Abandonment <i>Damaged</i>			City, State, Zip Code <i>Green Bay WI 54303</i>		
(3) WELL/DRILLHOLE/BOREHOLE INFORMATION					
Original Construction Date <u>7-1-04</u>			Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable		
<input checked="" type="checkbox"/> Monitoring Well			Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable		
<input type="checkbox"/> Water Well			Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable		
<input type="checkbox"/> Borehole / Drillhole			Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug			Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No		
<input type="checkbox"/> Other (Specify) _____			Did Scaling Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Total Well Depth (ft.) <u>13.5</u> Casing Diameter (in.) <u>2.04</u> (From ground surface)			If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No		
Casing Depth (ft.) <u>13.5</u>			Required Method of Placing Scaling Material		
Lower Drillhole Diameter (in.) <u>6</u>			<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped		
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown			<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain) _____		
If Yes, To What Depth? _____ Feet			Sealing Materials		
Depth to Water (Feet) _____			For monitoring wells and monitoring well borholes only		
(5) Material Used To Fill Well/Drillhole			From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (Circle One)
<i>Asphalt</i>			Surface	0.25	<u>0.07 ft³</u>
<i>Gravel</i>			0.25	2	<u>0.04 ft³</u>
<i>Bentonite</i>			2	13.5	<u>0.25 ft³</u>

(6) Comments: _____

(7) Name of Person or Firm Doing Sealing Work <i>Bonestroo</i>		Date of Abandonment <u>8-12-11</u>
Signature of Person Doing Work <i>Jeff Bonstroo</i>		Date Signed <u>8-12-11</u>
Street or Route <i>954 Circle Drive</i>	Telephone Number <u>(920) 592-8400</u>	
City, State, Zip Code <i>Green Bay, WI 54304</i>		

DNR OR COUNTY USE ONLY	
Date Received <u>8-12-11</u>	Noted By <i>[Signature]</i>
Comments <i>[Large area for comments]</i>	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION

WI Unique Well No.	DNR Well ID No.	County
_____	_____	Brown

Common Well Name MW 4 Gov't Lot (If applicable)
NE 1/4 of SW 1/4 of Sec. 27; T. 24 N; R. 20 E
 W
Grid Location _____ ft. N. S. _____ ft. E. W.

Local Grid Origin (estimated:) or Well Location
Lat. _____ Long. _____ or
St. Plane _____ ft. N. _____ ft. E. S. C. N. Zone _____

Reason For Abandonment Damaged WI Unique Well No.
 of Replacement Well _____

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date 7-1-04
 Monitoring Well
 Water Well
 Borehole / Drillhole
If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (Specify) _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth (ft.) 13.5 Casing Diameter (in.) 2.04
(From ground surface) Casing Depth (ft.) 13.5

Lower Drillhole Diameter (in.) 6

Was Well Annular Space Grouted? Yes No Unknown

If Yes, To What Depth? _____ Feet

Depth to Water (Feet) _____

(5) Material Used To Fill Well/Drillhole

From (Ft.)	To (Ft.)	No. Yards, Sacks-Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
Surface	0.25	0.09 ft ³		
0.25	1	0.02 ft ³		
1	13.5	0.27 ft ³		

(6) Comments: _____

(7) Name of Person or Firm Doing Sealing Work

Signature of Person Doing Work	Date of Abandonment
<u>Bonestroo</u>	<u>8-12-11</u>

Date Signed	Noted By
<u>8-22-11</u>	

Street or Route	Telephone Number
<u>954 Circle Drive</u>	<u>(920) 592-8400</u>

City, State, Zip Code
<u>Green Bay, WI 54304</u>

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Admin. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION

WI Unique Well No.	DNR Well ID No.	County
Common Well Name <u>PZ 1</u>		
Gov't Lot (If applicable)		
<u>NE</u> 1/4 of <u>SW</u> 1/4 of Sec. <u>27</u> ; T. <u>24</u> N; R. <u>20</u> <input checked="" type="checkbox"/> E Grid Location		
ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>		
Lat. <u>45</u> " Long <u>88</u> " or		
St. Plane ft. N. ft. E. <input type="checkbox"/> C <input type="checkbox"/> N Zone		
Reason For Abandonment <u>Damaged</u>		WI Unique Well No. of Replacement Well _____

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION

Original Construction Date <u>7-1-04</u>	
<input checked="" type="checkbox"/> Monitoring Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	
Construction Type:	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug
<input type="checkbox"/> Other (Specify) _____	
Formation Type:	
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock
Total Well Depth (ft.) <u>25</u> (From ground surface)	Casing Diameter (in.) <u>2.04</u> Casing Depth (ft.) <u>25</u>
Lower Drillhole Diameter (in.) <u>6</u>	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If Yes, To What Depth? _____ Feet	
Depth to Water (Feet) _____	

(5) Material Used To Fill Well/Drillhole

Asphalt
Gravel
Bentonite

(6) Comments: _____

Name of Person or Firm Doing Sealing Work <u>Bonestroo</u>	Date of Abandonment <u>8-12-11</u>
Signature of Person Doing Work <u>J. Bonstroo</u>	Date Signed <u>8-22-11</u>
Street or Route <u>954 Circle Drive</u>	Telephone Number <u>(920) 572-8400</u>
City, State, Zip Code <u>Green Bay, WI 54304</u>	

(2) FACILITY / OWNER INFORMATION

Facility Name <u>Former Econocare Cleaners</u>	
Facility ID	License/Permit/Monitoring No.
Street Address of Well <u>719 South Fiske Street</u>	
City, Village, or Town <u>Green Bay</u>	
Present Well Owner <u>Joe Rabideau</u>	Original Owner
Street Address or Route of Owner <u>1461 West Mason St.</u>	
City, State, Zip Code <u>Green Bay WI 54303</u>	

(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL

Pump & Piping Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
Liner(s) Removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
Screen Removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
Casing Left in Place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Was Casing Cut Off Below Surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Did Sealing Material Rise to Surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Did Material Settle After 24 Hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
If Yes, Was Hole Retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain) _____
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	For monitoring wells and monitoring well boreholes only
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input checked="" type="checkbox"/> Bentonite Chips
<input type="checkbox"/> Concrete	<input type="checkbox"/> Granular Bentonite
<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Bentonite-Sand Slurry " "	<input type="checkbox"/> Bentonite - Sand Slurry
<input type="checkbox"/> Bentonite Chips	

From (Ft.)	To (Ft.)	No. Yards, Sacks-Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
Surface	0.25	0.09 ft ³		
0.25	2	0.04 ft ³		
2	25	0.50 ft ³		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other:

1. General Information

WI Unique Well No.	DNR Well ID No.	County <i>Brown</i>	Facility Name <i>Former EconoCare Cleaners</i>
Common Well Name <i>MW 3</i>		Gov't Lot # (if applicable)	Facility ID
1/4 1/4 NE	1/4 SW	Section 27	Township 24 N Range 20 E
Well Location <input type="checkbox"/> (Local Grid <input type="checkbox"/>)		Datum	
<i>N / S</i>		<i>E / W</i>	
WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> Latitude/Longitude- <input type="checkbox"/> State Plane- <input type="checkbox"/>		Zone <i>S C N</i>	
Local Grid Origin <i>ft. / m</i>		Datum	
<i>N. _____</i>		<i>E / W</i>	
WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> Latitude/Longitude- <input type="checkbox"/> State Plane- <input type="checkbox"/>		Zone <i>S C N</i>	
Reason For Abandonment <i>Within New Bldg. Footprint</i>		WI Unique Well No. of Replacement Well _____	

3. Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date <i>7/01/04</i>	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Borehole / Drillhole		Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type:		Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Other (specify): _____		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type:		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation		If yes, was hole retapped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Bedrock		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Groundsurface (ft.) <i>13.5</i>	Casing Diameter (in.) <i>2</i>	Required Method of Placing Sealing Material	
Lower Drillhole Diameter (in.) <i>6</i>	Casing Depth (ft.) <i>13.5</i>	<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
If yes, to what depth (feet)? _____		Sealing Materials	
Depth to Water (feet)		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry *	
		<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input checked="" type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole

Bentonite	From (ft.) <i>Surface</i>	To (ft.) <i>13.5</i>	No. Yards, Sacks Sealant or Volume (circle one) <i>0.29 ft³</i>	Mix Ratio or Mud Weight

6. Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Sealing Work <i>Bonestroo</i>		Date of Abandonment <i>4-4-11</i>	Date Received	Noted By
Street or Route <i>954 Circle Drive</i>		Telephone Number <i>(920) 592-8400</i>	Comments	
City <i>Green Bay</i>	State <i>WI</i>	ZIP Code <i>54304</i>	Signature of Person Doing Work <i>Jeff Brue</i>	
				Date Signed <i>4-8-11</i>

Well / Drillhole / Borehole Abandonment

Form 3300-005 (R 12/04)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other:

1. General Information

WI Unique Well No.	DNR Well ID No.	County			Facility Name				
		<i>Brown</i>			<i>Former EconoCare Cleaners</i>				
Common Well Name		Gov't Lot # (if applicable)					Facility ID	License/Permit/Monitoring No.	
<i>MW 6</i>									
1/4	1/4	Section	Township	Range	E <input checked="" type="checkbox"/>	W <input type="checkbox"/>	Street Address of Well	<i>719 South Fisk Street</i>	
NE	SW	27	24	N	20		City, Village or Town	<i>Green Bay</i>	
Well Location		ft. / M		(Local Grid <input type="checkbox"/>		Datum	Present Well Owner	Original Well Owner	
		<i>N / S</i>		<i>E / W</i>			<i>Joe Rabideau</i>		
Local Grid Origin		ft. / M				Datum	Street Address or Route of Present Owner	<i>1461 West Mason St.</i>	
		<i>N.</i>		<i>E / W</i>			City	State	ZIP Code
WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> Latitude/Longitude- <input type="checkbox"/> State Plane- <input type="checkbox"/>		<input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N				Zone	<i>Green Bay</i>	<i>WI</i>	<i>54303</i>
WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> Latitude/Longitude- <input type="checkbox"/> State Plane- <input type="checkbox"/>		<input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N				Zone			
Reason For Abandonment		WI Unique Well No. of Replacement Well							
<i>Within New Bldg. Footprint</i>									

3. Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Original Construction Date	
	<i>10/05/05</i>	
If a Well Construction Report is available, please attach.		
Construction Type:		
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug
<input type="checkbox"/> Other (specify): _____		
Formation Type:		
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	
Total Well Depth From Groundsurface (ft.)	Casing Diameter (in.)	
<i>14</i>	<i>2</i>	
Lower Drillhole Diameter (in.)	Casing Depth (ft.)	
<i>6</i>	<i>14</i>	
Was well annular space grouted?		
<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Unknown
If yes, to what depth (feet)?	Depth to Water (feet)	

5. Material Used To Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<i>Bentonite</i>		<i>Surface</i>	<i>14</i>	<i>0.31 ft³</i>	

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Sealing Work		Date of Abandonment		Date Received	Noted By
<i>Bonestroo</i>		<i>4-4-11</i>			
Street or Route		Telephone Number		Comments	
<i>954 Circle Drive</i>		<i>(920) 592-8400</i>			
City	State	ZIP Code	Signature of Person Doing Work		Date Signed
<i>Green Bay</i>	<i>WI</i>	<i>54304</i>	<i>Jeff Brue</i>		<i>4-8-11</i>



ATTACHMENT B

LABORATORY ANALYTICAL REPORTS & CHAIN-OF-CUSTODY RECORDS

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

CHRIS HATFIELD
BONESTROO
954 CIRCLE DRIVE
GREEN BAY WI 54304

Report Date 17-Dec-09

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047A

Sample ID MW1

Sample Matrix Water

Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic GASES										
VOC's										
Ethane	< 1	ug/l	1	3	1	8015		12/17/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		12/17/2009	MJR	1
Methane	< 1	ug/l	1	3	1	8015		12/17/2009	MJR	1
Benzene	< 82	ug/l	82	260	200	8260B		12/12/2009	CJR	1
Bromobenzene	< 86	ug/l	86	280	200	8260B		12/12/2009	CJR	1
Bromodichloromethane	< 82	ug/l	82	260	200	8260B		12/12/2009	CJR	1
Bromoform	< 92	ug/l	92	300	200	8260B		12/12/2009	CJR	1
tert-Butylbenzene	< 92	ug/l	92	300	200	8260B		12/12/2009	CJR	1
sec-Butylbenzene	< 86	ug/l	86	280	200	8260B		12/12/2009	CJR	1
n-Butylbenzene	< 300	ug/l	300	960	200	8260B		12/12/2009	CJR	1
Carbon Tetrachloride	< 86	ug/l	86	280	200	8260B		12/12/2009	CJR	1
Chlorobenzene	< 78	ug/l	78	240	200	8260B		12/12/2009	CJR	1
Chloroethane	< 300	ug/l	300	960	200	8260B		12/12/2009	CJR	1
Chloroform	< 96	ug/l	96	300	200	8260B		12/12/2009	CJR	1
Chloromethane	< 100	ug/l	100	320	200	8260B		12/12/2009	CJR	1
2-Chlorotoluene	< 74	ug/l	74	240	200	8260B		12/12/2009	CJR	1
4-Chlorotoluene	< 126	ug/l	126	400	200	8260B		12/12/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 400	ug/l	400	1260	200	8260B		12/12/2009	CJR	1
Dibromochloromethane	< 152	ug/l	152	480	200	8260B		12/12/2009	CJR	1
1,4-Dichlorobenzene	< 154	ug/l	154	500	200	8260B		12/12/2009	CJR	1
1,3-Dichlorobenzene	< 68	ug/l	68	220	200	8260B		12/12/2009	CJR	1
1,2-Dichlorobenzene	< 132	ug/l	132	420	200	8260B		12/12/2009	CJR	1
Dichlorodifluoromethane	< 90	ug/l	90	280	200	8260B		12/12/2009	CJR	1
1,2-Dichloroethane	< 86	ug/l	86	280	200	8260B		12/12/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047A
Sample ID MW1
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1-Dichloroethane	< 88	ug/l	88	280	200	8260B		12/12/2009	CJR	1
1,1-Dichloroethene	< 94	ug/l	94	300	200	8260B		12/12/2009	CJR	1
cis-1,2-Dichloroethene	< 136	ug/l	136	440	200	8260B		12/12/2009	CJR	1
trans-1,2-Dichloroethene	< 122	ug/l	122	380	200	8260B		12/12/2009	CJR	1
1,2-Dichloropropane	< 52	ug/l	52	164	200	8260B		12/12/2009	CJR	1
2,2-Dichloropropane	< 178	ug/l	178	560	200	8260B		12/12/2009	CJR	1
1,3-Dichloropropane	< 98	ug/l	98	320	200	8260B		12/12/2009	CJR	1
Di-isopropyl ether	< 64	ug/l	64	200	200	8260B		12/12/2009	CJR	1
EDB (1,2-Dibromoethane)	< 104	ug/l	104	320	200	8260B		12/12/2009	CJR	1
Ethylbenzene	< 174	ug/l	174	560	200	8260B		12/12/2009	CJR	1
Hexachlorobutadiene	< 300	ug/l	300	940	200	8260B		12/12/2009	CJR	1
Isopropylbenzene	< 78	ug/l	78	240	200	8260B		12/12/2009	CJR	1
p-Isopropyltoluene	< 114	ug/l	114	360	200	8260B		12/12/2009	CJR	1
Methylene chloride	< 300	ug/l	300	960	200	8260B		12/12/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 100	ug/l	100	320	200	8260B		12/12/2009	CJR	1
Naphthalene	< 340	ug/l	340	1080	200	8260B		12/12/2009	CJR	1
n-Propylbenzene	< 66	ug/l	66	200	200	8260B		12/12/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 110	ug/l	110	360	200	8260B		12/12/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 108	ug/l	108	340	200	8260B		12/12/2009	CJR	1
Tetrachloroethene	6000	ug/l	84	260	200	8260B		12/12/2009	CJR	1
Toluene	< 102	ug/l	102	320	200	8260B		12/12/2009	CJR	1
1,2,4-Trichlorobenzene	< 420	ug/l	420	1320	200	8260B		12/12/2009	CJR	1
1,2,3-Trichlorobenzene	< 320	ug/l	320	1020	200	8260B		12/12/2009	CJR	1
1,1,1-Trichloroethane	< 92	ug/l	92	280	200	8260B		12/12/2009	CJR	1
1,1,2-Trichloroethane	< 82	ug/l	82	260	200	8260B		12/12/2009	CJR	1
Trichloroethene (TCE)	< 78	ug/l	78	240	200	8260B		12/12/2009	CJR	1
Trichlorofluoromethane	< 144	ug/l	144	460	200	8260B		12/12/2009	CJR	1
1,2,4-Trimethylbenzene	< 220	ug/l	220	700	200	8260B		12/12/2009	CJR	1
1,3,5-Trimethylbenzene	< 300	ug/l	300	980	200	8260B		12/12/2009	CJR	1
Vinyl Chloride	< 40	ug/l	40	128	200	8260B		12/12/2009	CJR	1
m&p-Xylene	< 320	ug/l	320	1020	200	8260B		12/12/2009	CJR	1
o-Xylene	< 106	ug/l	106	340	200	8260B		12/12/2009	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			200	8260B		12/12/2009	CJR	1
SUR - Toluene-d8	102	REC %			200	8260B		12/12/2009	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			200	8260B		12/12/2009	CJR	1
SUR - Dibromofluoromethane	102	REC %			200	8260B		12/12/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	18.8	mg/L	3.4	10.6	2	300.0	12/14/2009	CWT	1
Total Chlorides	6.47 "J"	mg/l	3.4	10.6	2	300.0	12/14/2009	CWT	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047B
Sample ID MW2
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		12/17/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		12/17/2009	MJR	1
Methane	3.1	ug/l	1	3	1	8015		12/17/2009	MJR	1
VOC's										
Benzene	< 410	ug/l	410	1300	1000	8260B		12/12/2009	CJR	1
Bromobenzene	< 430	ug/l	430	1400	1000	8260B		12/12/2009	CJR	1
Bromodichloromethane	< 410	ug/l	410	1300	1000	8260B		12/12/2009	CJR	1
Bromoform	< 460	ug/l	460	1500	1000	8260B		12/12/2009	CJR	1
tert-Butylbenzene	< 460	ug/l	460	1500	1000	8260B		12/12/2009	CJR	1
sec-Butylbenzene	< 430	ug/l	430	1400	1000	8260B		12/12/2009	CJR	1
n-Butylbenzene	< 1500	ug/l	1500	4800	1000	8260B		12/12/2009	CJR	1
Carbon Tetrachloride	< 430	ug/l	430	1400	1000	8260B		12/12/2009	CJR	1
Chlorobenzene	< 390	ug/l	390	1200	1000	8260B		12/12/2009	CJR	1
Chloroethane	< 1500	ug/l	1500	4800	1000	8260B		12/12/2009	CJR	1
Chloroform	< 480	ug/l	480	1500	1000	8260B		12/12/2009	CJR	1
Chloromethane	< 500	ug/l	500	1600	1000	8260B		12/12/2009	CJR	1
2-Chlorotoluene	< 370	ug/l	370	1200	1000	8260B		12/12/2009	CJR	1
4-Chlorotoluene	< 630	ug/l	630	2000	1000	8260B		12/12/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2000	ug/l	2000	6300	1000	8260B		12/12/2009	CJR	1
Dibromochloromethane	< 760	ug/l	760	2400	1000	8260B		12/12/2009	CJR	1
1,4-Dichlorobenzene	< 770	ug/l	770	2500	1000	8260B		12/12/2009	CJR	1
1,3-Dichlorobenzene	< 340	ug/l	340	1100	1000	8260B		12/12/2009	CJR	1
1,2-Dichlorobenzene	< 660	ug/l	660	2100	1000	8260B		12/12/2009	CJR	1
Dichlorodifluoromethane	< 450	ug/l	450	1400	1000	8260B		12/12/2009	CJR	1
1,2-Dichloroethane	< 430	ug/l	430	1400	1000	8260B		12/12/2009	CJR	1
1,1-Dichloroethane	< 440	ug/l	440	1400	1000	8260B		12/12/2009	CJR	1
1,1-Dichloroethene	< 470	ug/l	470	1500	1000	8260B		12/12/2009	CJR	1
cis-1,2-Dichloroethene	< 680	ug/l	680	2200	1000	8260B		12/12/2009	CJR	1
trans-1,2-Dichloroethene	< 610	ug/l	610	1900	1000	8260B		12/12/2009	CJR	1
1,2-Dichloropropane	< 260	ug/l	260	820	1000	8260B		12/12/2009	CJR	1
2,2-Dichloropropane	< 890	ug/l	890	2800	1000	8260B		12/12/2009	CJR	1
1,3-Dichloropropane	< 490	ug/l	490	1600	1000	8260B		12/12/2009	CJR	1
Di-isopropyl ether	< 320	ug/l	320	1000	1000	8260B		12/12/2009	CJR	1
EDB (1,2-Dibromoethane)	< 520	ug/l	520	1600	1000	8260B		12/12/2009	CJR	1
Ethylbenzene	< 870	ug/l	870	2800	1000	8260B		12/12/2009	CJR	1
Hexachlorobutadiene	< 1500	ug/l	1500	4700	1000	8260B		12/12/2009	CJR	1
Isopropylbenzene	< 390	ug/l	390	1200	1000	8260B		12/12/2009	CJR	1
p-Isopropyltoluene	< 570	ug/l	570	1800	1000	8260B		12/12/2009	CJR	1
Methylene chloride	< 1500	ug/l	1500	4800	1000	8260B		12/12/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 500	ug/l	500	1600	1000	8260B		12/12/2009	CJR	1
Naphthalene	< 1700	ug/l	1700	5400	1000	8260B		12/12/2009	CJR	1
n-Propylbenzene	< 330	ug/l	330	1000	1000	8260B		12/12/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 550	ug/l	550	1800	1000	8260B		12/12/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 540	ug/l	540	1700	1000	8260B		12/12/2009	CJR	1
Tetrachloroethene	108000	ug/l	420	1300	1000	8260B		12/12/2009	CJR	1
Toluene	< 510	ug/l	510	1600	1000	8260B		12/12/2009	CJR	1
1,2,4-Trichlorobenzene	< 2100	ug/l	2100	6600	1000	8260B		12/12/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047B
Sample ID MW2
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1600	ug/l	1600	5100	1000	8260B		12/12/2009	CJR	1
1,1,1-Trichloroethane	< 460	ug/l	460	1400	1000	8260B		12/12/2009	CJR	1
1,1,2-Trichloroethane	< 410	ug/l	410	1300	1000	8260B		12/12/2009	CJR	1
Trichloroethylene (TCE)	< 390	ug/l	390	1200	1000	8260B		12/12/2009	CJR	1
Trichlorofluoromethane	< 720	ug/l	720	2300	1000	8260B		12/12/2009	CJR	1
1,2,4-Trimethylbenzene	< 1100	ug/l	1100	3500	1000	8260B		12/12/2009	CJR	1
1,3,5-Trimethylbenzene	< 1500	ug/l	1500	4900	1000	8260B		12/12/2009	CJR	1
Vinyl Chloride	< 200	ug/l	200	640	1000	8260B		12/12/2009	CJR	1
m&p-Xylene	< 1600	ug/l	1600	5100	1000	8260B		12/12/2009	CJR	1
o-Xylene	< 530	ug/l	530	1700	1000	8260B		12/12/2009	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1000	8260B		12/12/2009	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1000	8260B		12/12/2009	CJR	1
SUR - Toluene-d8	99	REC %			1000	8260B		12/12/2009	CJR	1
SUR - Dibromofluoromethane	97	REC %			1000	8260B		12/12/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	858	mg/L	42.5	132.5	25	300.0		12/15/2009	CWT	1
Total Chlorides	90.5	mg/l	3.4	10.6	2	300.0		12/14/2009	CWT	1

Lab Code 5020047C
Sample ID MW3
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 2.05	ug/l	2.05	6.5	5	8260B		12/14/2009	CJR	1
Bromobenzene	< 2.15	ug/l	2.15	7	5	8260B		12/14/2009	CJR	1
Bromodichloromethane	< 2.05	ug/l	2.05	6.5	5	8260B		12/14/2009	CJR	1
Bromoform	< 2.3	ug/l	2.3	7.5	5	8260B		12/14/2009	CJR	1
tert-Butylbenzene	< 2.3	ug/l	2.3	7.5	5	8260B		12/14/2009	CJR	1
sec-Butylbenzene	< 2.15	ug/l	2.15	7	5	8260B		12/14/2009	CJR	1
n-Butylbenzene	< 7.5	ug/l	7.5	24	5	8260B		12/14/2009	CJR	1
Carbon Tetrachloride	< 2.15	ug/l	2.15	7	5	8260B		12/14/2009	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		12/14/2009	CJR	1
Chloroethane	< 7.5	ug/l	7.5	24	5	8260B		12/14/2009	CJR	1
Chloroform	< 2.4	ug/l	2.4	7.5	5	8260B		12/14/2009	CJR	1
Chloromethane	< 2.5	ug/l	2.5	8	5	8260B		12/14/2009	CJR	1
2-Chlorotoluene	< 1.85	ug/l	1.85	6	5	8260B		12/14/2009	CJR	1
4-Chlorotoluene	< 3.15	ug/l	3.15	10	5	8260B		12/14/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 10	ug/l	10	31.5	5	8260B		12/14/2009	CJR	1
Dibromochloromethane	< 3.8	ug/l	3.8	12	5	8260B		12/14/2009	CJR	1
1,4-Dichlorobenzene	< 3.85	ug/l	3.85	12.5	5	8260B		12/14/2009	CJR	1
1,3-Dichlorobenzene	< 1.7	ug/l	1.7	5.5	5	8260B		12/14/2009	CJR	1
1,2-Dichlorobenzene	< 3.3	ug/l	3.3	10.5	5	8260B		12/14/2009	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		12/14/2009	CJR	1
1,2-Dichloroethane	< 2.15	ug/l	2.15	7	5	8260B		12/14/2009	CJR	1
1,1-Dichloroethane	< 2.2	ug/l	2.2	7	5	8260B		12/14/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047C
Sample ID MW3
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1-Dichloroethene	< 2.35	ug/l	2.35	7.5	5	8260B		12/14/2009	CJR	1
cis-1,2-Dichloroethene	< 3.4	ug/l	3.4	11	5	8260B		12/14/2009	CJR	1
trans-1,2-Dichloroethene	< 3.05	ug/l	3.05	9.5	5	8260B		12/14/2009	CJR	1
1,2-Dichloropropane	< 1.3	ug/l	1.3	4.1	5	8260B		12/14/2009	CJR	1
2,2-Dichloropropane	< 4.45	ug/l	4.45	14	5	8260B		12/14/2009	CJR	1
1,3-Dichloropropane	< 2.45	ug/l	2.45	8	5	8260B		12/14/2009	CJR	1
Di-isopropyl ether	< 1.6	ug/l	1.6	5	5	8260B		12/14/2009	CJR	1
EDB (1,2-Dibromoethane)	< 2.6	ug/l	2.6	8	5	8260B		12/14/2009	CJR	1
Ethylbenzene	< 4.35	ug/l	4.35	14	5	8260B		12/14/2009	CJR	1
Hexachlorobutadiene	< 7.5	ug/l	7.5	23.5	5	8260B		12/14/2009	CJR	1
Isopropylbenzene	< 1.95	ug/l	1.95	6	5	8260B		12/14/2009	CJR	1
p-Isopropyltoluene	< 2.85	ug/l	2.85	9	5	8260B		12/14/2009	CJR	1
Methylene chloride	< 7.5	ug/l	7.5	24	5	8260B		12/14/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.5	ug/l	2.5	8	5	8260B		12/14/2009	CJR	1
Naphthalene	< 8.5	ug/l	8.5	27	5	8260B		12/14/2009	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5	5	8260B		12/14/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 2.75	ug/l	2.75	9	5	8260B		12/14/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 2.7	ug/l	2.7	8.5	5	8260B		12/14/2009	CJR	1
Tetrachloroethene	82	ug/l	2.1	6.5	5	8260B		12/14/2009	CJR	1
Toluene	< 2.55	ug/l	2.55	8	5	8260B		12/14/2009	CJR	1
1,2,4-Trichlorobenzene	< 10.5	ug/l	10.5	33	5	8260B		12/14/2009	CJR	1
1,2,3-Trichlorobenzene	< 8	ug/l	8	25.5	5	8260B		12/14/2009	CJR	1
1,1,1-Trichloroethane	< 2.3	ug/l	2.3	7	5	8260B		12/14/2009	CJR	1
1,1,2-Trichloroethane	< 2.05	ug/l	2.05	6.5	5	8260B		12/14/2009	CJR	1
Trichloroethene (TCE)	< 1.95	ug/l	1.95	6	5	8260B		12/14/2009	CJR	1
Trichlorofluoromethane	< 3.6	ug/l	3.6	11.5	5	8260B		12/14/2009	CJR	1
1,2,4-Trimethylbenzene	< 5.5	ug/l	5.5	17.5	5	8260B		12/14/2009	CJR	1
1,3,5-Trimethylbenzene	< 7.5	ug/l	7.5	24.5	5	8260B		12/14/2009	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.2	5	8260B		12/14/2009	CJR	1
m&p-Xylene	< 8	ug/l	8	25.5	5	8260B		12/14/2009	CJR	1
o-Xylene	< 2.65	ug/l	2.65	8.5	5	8260B		12/14/2009	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			5	8260B		12/14/2009	CJR	1
SUR - Dibromofluoromethane	104	REC %			5	8260B		12/14/2009	CJR	1
SUR - Toluene-d8	99	REC %			5	8260B		12/14/2009	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			5	8260B		12/14/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	116	mg/L	3.4	10.6	2	300.0		12/14/2009	CWT	1
Total Chlorides	77.8	mg/l	3.4	10.6	2	300.0		12/14/2009	CWT	1

Lab Code 5020047D
Sample ID MW4
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		12/11/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047D
Sample ID MW4
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		12/11/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/11/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		12/11/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		12/11/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		12/11/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/11/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		12/11/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/11/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		12/11/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		12/11/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		12/11/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		12/11/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		12/11/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		12/11/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		12/11/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		12/11/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		12/11/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/11/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		12/11/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/11/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		12/11/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		12/11/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		12/11/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		12/11/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		12/11/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		12/11/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		12/11/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		12/11/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		12/11/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/11/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		12/11/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		12/11/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		12/11/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		12/11/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/11/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		12/11/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		12/11/2009	CJR	1
Tetrachloroethene	2.31	ug/l	0.42	1.3	1	8260B		12/11/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/11/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		12/11/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		12/11/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		12/11/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/11/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		12/11/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		12/11/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		12/11/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		12/11/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047D
Sample ID MW4
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B	12/11/2009	CJR	1	
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B	12/11/2009	CJR	1	
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B	12/11/2009	CJR	1	
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B	12/11/2009	CJR	1	
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B	12/11/2009	CJR	1	
SUR - Dibromofluoromethane	99	REC %			1	8260B	12/11/2009	CJR	1	
SUR - Toluene-d8	99	REC %			1	8260B	12/11/2009	CJR	1	

Wet Chemistry

General

Sulfate, Dissolved	36.1	mg/L	3.4	10.6	2	300.0	12/14/2009	CWT	1
Total Chlorides	83.0	mg/l	3.4	10.6	2	300.0	12/14/2009	CWT	1

Lab Code 5020047E
Sample ID MW6
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 0.41	ug/l	0.41	1.3	1	8260B	12/11/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B	12/11/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B	12/11/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B	12/11/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B	12/11/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B	12/11/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B	12/11/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B	12/11/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B	12/11/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	12/11/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B	12/11/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B	12/11/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B	12/11/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/11/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B	12/11/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/11/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B	12/11/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B	12/11/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	12/11/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B	12/11/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B	12/11/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B	12/11/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B	12/11/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B	12/11/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047E
Sample ID MW6
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		12/11/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		12/11/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		12/11/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/11/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		12/11/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		12/11/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		12/11/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		12/11/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/11/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		12/11/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		12/11/2009	CJR	1
Tetrachloroethene	25.8	ug/l	0.42	1.3	1	8260B		12/11/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/11/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		12/11/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		12/11/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		12/11/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/11/2009	CJR	1
Trichloroethene (TCE)	0.81 "J"	ug/l	0.39	1.2	1	8260B		12/11/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		12/11/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		12/11/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		12/11/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		12/11/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		12/11/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		12/11/2009	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		12/11/2009	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		12/11/2009	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		12/11/2009	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		12/11/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	84.7	mg/L	3.4	10.6	2	300.0		12/14/2009	CWT	1
Total Chlorides	30.0	mg/l	3.4	10.6	2	300.0		12/14/2009	CWT	1

Lab Code 5020047F
Sample ID MW7
Sample Matrix Water
Sample Date 12/8/2009

Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

GASES

Ethane	< 1	ug/l	1	3	1	8015		12/17/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		12/17/2009	MJR	1
Methane	16.8	ug/l	1	3	1	8015		12/17/2009	MJR	1

VOC's

Benzene	< 41	ug/l	41	130	100	8260B		12/11/2009	CJR	1
Bromobenzene	< 43	ug/l	43	140	100	8260B		12/11/2009	CJR	1
Bromodichloromethane	< 41	ug/l	41	130	100	8260B		12/11/2009	CJR	1
Bromoform	< 46	ug/l	46	150	100	8260B		12/11/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047F
Sample ID MW7
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
tert-Butylbenzene	< 46	ug/l	46	150	100	8260B	12/11/2009	CJR	1	
sec-Butylbenzene	< 43	ug/l	43	140	100	8260B	12/11/2009	CJR	1	
n-Butylbenzene	< 150	ug/l	150	480	100	8260B	12/11/2009	CJR	1	
Carbon Tetrachloride	< 43	ug/l	43	140	100	8260B	12/11/2009	CJR	1	
Chlorobenzene	< 39	ug/l	39	120	100	8260B	12/11/2009	CJR	1	
Chloroethane	< 150	ug/l	150	480	100	8260B	12/11/2009	CJR	1	
Chloroform	< 48	ug/l	48	150	100	8260B	12/11/2009	CJR	1	
Chloromethane	< 50	ug/l	50	160	100	8260B	12/11/2009	CJR	1	
2-Chlorotoluene	< 37	ug/l	37	120	100	8260B	12/11/2009	CJR	1	
4-Chlorotoluene	< 63	ug/l	63	200	100	8260B	12/11/2009	CJR	1	
1,2-Dibromo-3-chloropropane	< 200	ug/l	200	630	100	8260B	12/11/2009	CJR	1	
Dibromochloromethane	< 76	ug/l	76	240	100	8260B	12/11/2009	CJR	1	
1,4-Dichlorobenzene	< 77	ug/l	77	250	100	8260B	12/11/2009	CJR	1	
1,3-Dichlorobenzene	< 34	ug/l	34	110	100	8260B	12/11/2009	CJR	1	
1,2-Dichlorobenzene	< 66	ug/l	66	210	100	8260B	12/11/2009	CJR	1	
Dichlorodifluoromethane	< 45	ug/l	45	140	100	8260B	12/11/2009	CJR	1	
1,2-Dichloroethane	< 43	ug/l	43	140	100	8260B	12/11/2009	CJR	1	
1,1-Dichloroethane	< 44	ug/l	44	140	100	8260B	12/11/2009	CJR	1	
1,1-Dichloroethene	< 47	ug/l	47	150	100	8260B	12/11/2009	CJR	1	
cis-1,2-Dichloroethene	86 "J"	ug/l	68	220	100	8260B	12/11/2009	CJR	1	
trans-1,2-Dichloroethene	< 61	ug/l	61	190	100	8260B	12/11/2009	CJR	1	
1,2-Dichloropropane	< 26	ug/l	26	82	100	8260B	12/11/2009	CJR	1	
2,2-Dichloropropane	< 89	ug/l	89	280	100	8260B	12/11/2009	CJR	1	
1,3-Dichloropropane	< 49	ug/l	49	160	100	8260B	12/11/2009	CJR	1	
Di-isopropyl ether	< 32	ug/l	32	100	100	8260B	12/11/2009	CJR	1	
EDB (1,2-Dibromoethane)	< 52	ug/l	52	160	100	8260B	12/11/2009	CJR	1	
Ethylbenzene	< 87	ug/l	87	280	100	8260B	12/11/2009	CJR	1	
Hexachlorobutadiene	< 150	ug/l	150	470	100	8260B	12/11/2009	CJR	1	
Isopropylbenzene	< 39	ug/l	39	120	100	8260B	12/11/2009	CJR	1	
p-Isopropyltoluene	< 57	ug/l	57	180	100	8260B	12/11/2009	CJR	1	
Methylene chloride	< 150	ug/l	150	480	100	8260B	12/11/2009	CJR	1	
Methyl tert-butyl ether (MTBE)	< 50	ug/l	50	160	100	8260B	12/11/2009	CJR	1	
Naphthalene	< 170	ug/l	170	540	100	8260B	12/11/2009	CJR	1	
n-Propylbenzene	< 33	ug/l	33	100	100	8260B	12/11/2009	CJR	1	
1,1,2,2-Tetrachloroethane	< 55	ug/l	55	180	100	8260B	12/11/2009	CJR	1	
1,1,1,2-Tetrachloroethane	< 54	ug/l	54	170	100	8260B	12/11/2009	CJR	1	
Tetrachloroethene	5600	ug/l	42	130	100	8260B	12/11/2009	CJR	1	
Toluene	< 51	ug/l	51	160	100	8260B	12/11/2009	CJR	1	
1,2,4-Trichlorobenzene	< 210	ug/l	210	660	100	8260B	12/11/2009	CJR	1	
1,2,3-Trichlorobenzene	< 160	ug/l	160	510	100	8260B	12/11/2009	CJR	1	
1,1,1-Trichloroethane	< 46	ug/l	46	140	100	8260B	12/11/2009	CJR	1	
1,1,2-Trichloroethane	< 41	ug/l	41	130	100	8260B	12/11/2009	CJR	1	
Trichloroethene (TCE)	400	ug/l	39	120	100	8260B	12/11/2009	CJR	1	
Trichlorofluoromethane	< 72	ug/l	72	230	100	8260B	12/11/2009	CJR	1	
1,2,4-Trimethylbenzene	< 110	ug/l	110	350	100	8260B	12/11/2009	CJR	1	
1,3,5-Trimethylbenzene	< 150	ug/l	150	490	100	8260B	12/11/2009	CJR	1	
Vinyl Chloride	< 20	ug/l	20	64	100	8260B	12/11/2009	CJR	1	
m&p-Xylene	< 160	ug/l	160	510	100	8260B	12/11/2009	CJR	1	
o-Xylene	< 53	ug/l	53	170	100	8260B	12/11/2009	CJR	1	

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047F
Sample ID MW7
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Toluene-d8	97	REC %			100	8260B		12/11/2009	CJR	1
SUR - Dibromofluoromethane	98	REC %			100	8260B		12/11/2009	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			100	8260B		12/11/2009	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			100	8260B		12/11/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	119	mg/L	3.4	10.6	2	300.0		12/14/2009	CWT	1
Total Chlorides	443	mg/L	17	53	10	300.0		12/15/2009	CWT	1

Lab Code 5020047G

Sample ID MW8

Sample Matrix Water

Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		12/12/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		12/12/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/12/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		12/12/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		12/12/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		12/12/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/12/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		12/12/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/12/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		12/12/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		12/12/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		12/12/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		12/12/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		12/12/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		12/12/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		12/12/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		12/12/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		12/12/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		12/12/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/12/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		12/12/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/12/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		12/12/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		12/12/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		12/12/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		12/12/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		12/12/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		12/12/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		12/12/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		12/12/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		12/12/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		12/12/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047G
Sample ID MW8
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/12/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		12/12/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		12/12/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		12/12/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		12/12/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/12/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		12/12/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		12/12/2009	CJR	1
Tetrachloroethene	6.0	ug/l	0.42	1.3	1	8260B		12/12/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/12/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		12/12/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		12/12/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		12/12/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/12/2009	CJR	1
Trichloroethene (TCE)	0.89 "J"	ug/l	0.39	1.2	1	8260B		12/12/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		12/12/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		12/12/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		12/12/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		12/12/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		12/12/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		12/12/2009	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/12/2009	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		12/12/2009	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		12/12/2009	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		12/12/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	88.6	mg/L	3.4	10.6	2	300.0		12/14/2009	CWT	1
Total Chlorides	173	mg/l	42.5	132.5	25	300.0		12/15/2009	CWT	1

Lab Code 5020047H

Sample ID MW9

Sample Matrix Water

Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		12/12/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		12/12/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/12/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		12/12/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		12/12/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		12/12/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/12/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		12/12/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/12/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		12/12/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		12/12/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047H
Sample ID MW9
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		12/12/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		12/12/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		12/12/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		12/12/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		12/12/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		12/12/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		12/12/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		12/12/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/12/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		12/12/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/12/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		12/12/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		12/12/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		12/12/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		12/12/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		12/12/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		12/12/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		12/12/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		12/12/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		12/12/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		12/12/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/12/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		12/12/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		12/12/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		12/12/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		12/12/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/12/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		12/12/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		12/12/2009	CJR	1
Tetrachloroethene	2.55	ug/l	0.42	1.3	1	8260B		12/12/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/12/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		12/12/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		12/12/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		12/12/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/12/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		12/12/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		12/12/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		12/12/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		12/12/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		12/12/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		12/12/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		12/12/2009	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		12/12/2009	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		12/12/2009	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/12/2009	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		12/12/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	29.1	mg/L	3.4	10.6	2	300.0	12/14/2009	CWT	1
--------------------	------	------	-----	------	---	-------	------------	-----	---

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047H
Sample ID MW9
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Total Chlorides	94.3	mg/l	3.4	10.6	2	300.0		12/14/2009	CWT	1

Lab Code 5020047I
Sample ID PZ1
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

**Organic
VOC's**

Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		12/14/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		12/14/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/14/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		12/14/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		12/14/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		12/14/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/14/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		12/14/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/14/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		12/14/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		12/14/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		12/14/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		12/14/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		12/14/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		12/14/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		12/14/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		12/14/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		12/14/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		12/14/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/14/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		12/14/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		12/14/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		12/14/2009	CJR	1
cis-1,2-Dichloroethene	8.2	ug/l	0.68	2.2	1	8260B		12/14/2009	CJR	1
trans-1,2-Dichloroethene	2.51	ug/l	0.61	1.9	1	8260B		12/14/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		12/14/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		12/14/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		12/14/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		12/14/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		12/14/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		12/14/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		12/14/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/14/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		12/14/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		12/14/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		12/14/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		12/14/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		12/14/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		12/14/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		12/14/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047I
Sample ID PZ1
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Tetrachloroethene	12.6	ug/l	0.42	1.3	1	8260B		12/14/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/14/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		12/14/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		12/14/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		12/14/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		12/14/2009	CJR	1
Trichloroethene (TCE)	62	ug/l	0.39	1.2	1	8260B		12/14/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		12/14/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		12/14/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		12/14/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		12/14/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		12/14/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		12/14/2009	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/14/2009	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		12/14/2009	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		12/14/2009	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		12/14/2009	CJR	1

Wet Chemistry

General

Sulfate. Dissolved	97.1	mg/L	3.4	10.6	2	300.0		12/14/2009	CWT	1
Total Chlorides	41.6	mg/l	3.4	10.6	2	300.0		12/14/2009	CWT	1

Lab Code 5020047J
Sample ID PZ2
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		12/17/2009	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		12/17/2009	MJR	1
Methane	5.1	ug/l	1	3	1	8015		12/17/2009	MJR	1
VOC's										
Benzene	< 20.5	ug/l	20.5	65	50	8260B		12/15/2009	CJR	1
Bromobenzene	< 21.5	ug/l	21.5	70	50	8260B		12/15/2009	CJR	1
Bromodichloromethane	< 20.5	ug/l	20.5	65	50	8260B		12/15/2009	CJR	1
Bromoform	< 23	ug/l	23	75	50	8260B		12/15/2009	CJR	1
tert-Butylbenzene	< 23	ug/l	23	75	50	8260B		12/15/2009	CJR	1
sec-Butylbenzene	< 21.5	ug/l	21.5	70	50	8260B		12/15/2009	CJR	1
n-Butylbenzene	< 75	ug/l	75	240	50	8260B		12/15/2009	CJR	1
Carbon Tetrachloride	< 21.5	ug/l	21.5	70	50	8260B		12/15/2009	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		12/15/2009	CJR	1
Chloroethane	< 75	ug/l	75	240	50	8260B		12/15/2009	CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B		12/15/2009	CJR	1
Chloromethane	< 25	ug/l	25	80	50	8260B		12/15/2009	CJR	1
2-Chlorotoluene	< 18.5	ug/l	18.5	60	50	8260B		12/15/2009	CJR	2
4-Chlorotoluene	< 31.5	ug/l	31.5	100	50	8260B		12/15/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 100	ug/l	100	315	50	8260B		12/15/2009	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047J
Sample ID PZ2
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Dibromochloromethane	< 38	ug/l	38	120	50	8260B		12/15/2009	CJR	1
1,4-Dichlorobenzene	< 38.5	ug/l	38.5	125	50	8260B		12/15/2009	CJR	2
1,3-Dichlorobenzene	< 17	ug/l	17	55	50	8260B		12/15/2009	CJR	1
1,2-Dichlorobenzene	< 33	ug/l	33	105	50	8260B		12/15/2009	CJR	1
Dichlorodifluoromethane	< 22.5	ug/l	22.5	70	50	8260B		12/15/2009	CJR	1
1,2-Dichloroethane	< 21.5	ug/l	21.5	70	50	8260B		12/15/2009	CJR	1
1,1-Dichloroethane	< 22	ug/l	22	70	50	8260B		12/15/2009	CJR	1
1,1-Dichloroethene	< 23.5	ug/l	23.5	75	50	8260B		12/15/2009	CJR	1
cis-1,2-Dichloroethene	240	ug/l	34	110	50	8260B		12/15/2009	CJR	2
trans-1,2-Dichloroethene	< 30.5	ug/l	30.5	95	50	8260B		12/15/2009	CJR	1
1,2-Dichloropropane	< 13	ug/l	13	41	50	8260B		12/15/2009	CJR	1
2,2-Dichloropropane	< 44.5	ug/l	44.5	140	50	8260B		12/15/2009	CJR	1
1,3-Dichloropropane	< 24.5	ug/l	24.5	80	50	8260B		12/15/2009	CJR	1
Di-isopropyl ether	< 16	ug/l	16	50	50	8260B		12/15/2009	CJR	1
EDB (1,2-Dibromoethane)	< 26	ug/l	26	80	50	8260B		12/15/2009	CJR	1
Ethylbenzene	< 43.5	ug/l	43.5	140	50	8260B		12/15/2009	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	235	50	8260B		12/15/2009	CJR	1
Isopropylbenzene	< 19.5	ug/l	19.5	60	50	8260B		12/15/2009	CJR	1
p-Isopropyltoluene	< 28.5	ug/l	28.5	90	50	8260B		12/15/2009	CJR	1
Methylene chloride	< 75	ug/l	75	240	50	8260B		12/15/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/l	25	80	50	8260B		12/15/2009	CJR	1
Naphthalene	< 85	ug/l	85	270	50	8260B		12/15/2009	CJR	1
n-Propylbenzene	< 16.5	ug/l	16.5	50	50	8260B		12/15/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 27.5	ug/l	27.5	90	50	8260B		12/15/2009	CJR	2
1,1,1,2-Tetrachloroethane	< 27	ug/l	27	85	50	8260B		12/15/2009	CJR	1
Tetrachloroethene	3700	ug/l	21	65	50	8260B		12/15/2009	CJR	1
Toluene	< 25.5	ug/l	25.5	80	50	8260B		12/15/2009	CJR	1
1,2,4-Trichlorobenzene	< 105	ug/l	105	330	50	8260B		12/15/2009	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	255	50	8260B		12/15/2009	CJR	1
1,1,1-Trichloroethane	< 23	ug/l	23	70	50	8260B		12/15/2009	CJR	1
1,1,2-Trichloroethane	< 20.5	ug/l	20.5	65	50	8260B		12/15/2009	CJR	1
Trichloroethene (TCE)	880	ug/l	19.5	60	50	8260B		12/15/2009	CJR	2
Trichlorofluoromethane	< 36	ug/l	36	115	50	8260B		12/15/2009	CJR	1
1,2,4-Trimethylbenzene	< 55	ug/l	55	175	50	8260B		12/15/2009	CJR	1
1,3,5-Trimethylbenzene	< 75	ug/l	75	245	50	8260B		12/15/2009	CJR	1
Vinyl Chloride	< 10	ug/l	10	32	50	8260B		12/15/2009	CJR	1
m&p-Xylene	< 80	ug/l	80	255	50	8260B		12/15/2009	CJR	2
o-Xylene	< 26.5	ug/l	26.5	85	50	8260B		12/15/2009	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			50	8260B		12/15/2009	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			50	8260B		12/15/2009	CJR	1
SUR - Dibromofluoromethane	100	REC %			50	8260B		12/15/2009	CJR	1
SUR - Toluene-d8	100	REC %			50	8260B		12/15/2009	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	89.7	mg/L	3.4	10.6	2	300.0		12/14/2009	CWT	1
Total Chlorides	212	mg/l	8.5	26.5	5	300.0		12/15/2009	CWT	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047K
Sample ID DUP
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 410	ug/l	410	1300	1000	8260B			CJR	1
Bromobenzene	< 430	ug/l	430	1400	1000	8260B			CJR	1
Bromodichloromethane	< 410	ug/l	410	1300	1000	8260B			CJR	1
Bromoform	< 460	ug/l	460	1500	1000	8260B			CJR	1
tert-Butylbenzene	< 460	ug/l	460	1500	1000	8260B			CJR	1
sec-Butylbenzene	< 430	ug/l	430	1400	1000	8260B			CJR	1
n-Butylbenzene	< 1500	ug/l	1500	4800	1000	8260B			CJR	1
Carbon Tetrachloride	< 430	ug/l	430	1400	1000	8260B			CJR	1
Chlorobenzene	< 390	ug/l	390	1200	1000	8260B			CJR	1
Chloroethane	< 1500	ug/l	1500	4800	1000	8260B			CJR	1
Chloroform	< 480	ug/l	480	1500	1000	8260B			CJR	1
Chloromethane	< 500	ug/l	500	1600	1000	8260B			CJR	1
2-Chlorotoluene	< 370	ug/l	370	1200	1000	8260B			CJR	1
4-Chlorotoluene	< 630	ug/l	630	2000	1000	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 2000	ug/l	2000	6300	1000	8260B			CJR	1
Dibromochloromethane	< 760	ug/l	760	2400	1000	8260B			CJR	1
1,4-Dichlorobenzene	< 770	ug/l	770	2500	1000	8260B			CJR	1
1,3-Dichlorobenzene	< 340	ug/l	340	1100	1000	8260B			CJR	1
1,2-Dichlorobenzene	< 660	ug/l	660	2100	1000	8260B			CJR	1
Dichlorodifluoromethane	< 450	ug/l	450	1400	1000	8260B			CJR	1
1,2-Dichloroethane	< 430	ug/l	430	1400	1000	8260B			CJR	1
1,1-Dichloroethane	< 440	ug/l	440	1400	1000	8260B			CJR	1
1,1-Dichloroethene	< 470	ug/l	470	1500	1000	8260B			CJR	1
cis-1,2-Dichloroethene	< 680	ug/l	680	2200	1000	8260B			CJR	1
trans-1,2-Dichloroethene	< 610	ug/l	610	1900	1000	8260B			CJR	1
1,2-Dichloropropane	< 260	ug/l	260	820	1000	8260B			CJR	1
2,2-Dichloropropane	< 890	ug/l	890	2800	1000	8260B			CJR	1
1,3-Dichloropropane	< 490	ug/l	490	1600	1000	8260B			CJR	1
Di-isopropyl ether	< 320	ug/l	320	1000	1000	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 520	ug/l	520	1600	1000	8260B			CJR	1
Ethylbenzene	< 870	ug/l	870	2800	1000	8260B			CJR	1
Hexachlorobutadiene	< 1500	ug/l	1500	4700	1000	8260B			CJR	1
Isopropylbenzene	< 390	ug/l	390	1200	1000	8260B			CJR	1
p-Isopropyltoluene	< 570	ug/l	570	1800	1000	8260B			CJR	1
Methylene chloride	< 1500	ug/l	1500	4800	1000	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	< 500	ug/l	500	1600	1000	8260B			CJR	1
Naphthalene	< 1700	ug/l	1700	5400	1000	8260B			CJR	1
n-Propylbenzene	< 330	ug/l	330	1000	1000	8260B			CJR	1
1,1,2,2-Tetrachloroethane	< 550	ug/l	550	1800	1000	8260B			CJR	1
1,1,1,2-Tetrachloroethane	< 540	ug/l	540	1700	1000	8260B			CJR	1
Tetrachloroethene	5900	ug/l	420	1300	1000	8260B			CJR	1
Toluene	< 510	ug/l	510	1600	1000	8260B			CJR	1
1,2,4-Trichlorobenzene	< 2100	ug/l	2100	6600	1000	8260B			CJR	1
1,2,3-Trichlorobenzene	< 1600	ug/l	1600	5100	1000	8260B			CJR	1
1,1,1-Trichloroethane	< 460	ug/l	460	1400	1000	8260B			CJR	1
1,1,2-Trichloroethane	< 410	ug/l	410	1300	1000	8260B			CJR	1
Trichloroethene (TCE)	400 "J"	ug/l	390	1200	1000	8260B			CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20047

Lab Code 5020047K
Sample ID DUP
Sample Matrix Water
Sample Date 12/8/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 720	ug/l	720	2300	1000	8260B		12/14/2009	CJR	1
1,2,4-Trimethylbenzene	< 1100	ug/l	1100	3500	1000	8260B		12/14/2009	CJR	1
1,3,5-Trimethylbenzene	< 1500	ug/l	1500	4900	1000	8260B		12/14/2009	CJR	1
Vinyl Chloride	< 200	ug/l	200	640	1000	8260B		12/14/2009	CJR	1
m&p-Xylene	< 1600	ug/l	1600	5100	1000	8260B		12/14/2009	CJR	1
o-Xylene	< 530	ug/l	530	1700	1000	8260B		12/14/2009	CJR	1
SUR - Toluene-d8	98	REC %			1000	8260B		12/14/2009	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1000	8260B		12/14/2009	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1000	8260B		12/14/2009	CJR	1
SUR - Dibromofluoromethane	101	REC %			1000	8260B		12/14/2009	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
2 Relative percent difference failed for laboratory spiked samples.

CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael J. Ricker

CHAIN OF CUSTODY

CORD REQUEST FOR ANALYSIS

Page 1 of 2

Date: 6/20/01
No:

854 Circle Drive
Green Bay, WI 54316
920-502-8400
FAX 920-502-8404

1207 South 4th Avenue
Park Falls, WI 54527
715-782-1568
Fax 715-782-1568

145 Remond Street Suite H
Northbrook, IL 60062
847-272-8522
FAX 847-272-8522

2140 Southgate Court NW #107
Circle Pines, MN 55314
763-385-0406
FAX 763-385-0406

12075 N. Laramie Avenue
Milwaukee, WI 53215
414-768-1111
FAX 414-768-1111

12075 N. Laramie Avenue, Suite 210
Milwaukee, WI 53215
414-768-1111
FAX 414-768-1111

12075 Shabbonka Drive
Milwaukee, WI 53263
414-768-1111
FAX 414-768-1111

101 W 4th Street, Suite 100
Madison, WI 53701
608-255-1300
FAX 608-255-1300

15851 S. U.S. 77, P.O. Box 318
Lancaster, MI 48910
517-729-4470
FAX 517-729-4477

715 S. Lombard Avenue, Suite 200
Austin, WI 54211
715-482-1111

Project No.
0047A-C-96010

Task No.

Green Bay

Chris Rector

Kevin R. Lichtenholz

Ken E. Shaff

14/8/01

Reports in the
Send to Chris. Rector or Kevin R. Lichtenholz

Lab ID No. Sample No. Collection Date Time No. of Contaminants Size & Type

Lab ID No.	Sample No.	Collection Date	Time	No. of Contaminants	Size & Type
0047A-mu1	12/10/01	8-10ml, 1-25ml	plate	X	
B-mu2			↓	X	
C-mu3		3-4ml, 1-25ml	plate	X	
D-mu4			↓	X	
E-mu5			↓	X	
F-mu6		5-10ml, 1-25ml	plate	X	
G-mu8		3-4ml and 1-25ml	plate	X	
H-mu1			↓	X	
I-P21			↓	X	
J-P22		5-10ml, 1-25ml	plate	X	

Markout for Shipping by

Reinforcement

Reinforcement by
Benton
Company

Reinforcement by
Mud
Company

Laboratory 21 NCL
Whitewater DRIF
Certification # 4450 37560

Laboratory Certified

Mike Rector
proj. Director

TURNAROUND TIME REQUIRED

overnight same day

Data Needed

Volume Description

Weight % Solids Color

Observation

Sample Integrity To be completed by receiving lab
Sample intact upon receipt yes no

Method of shipment

Constant Temperature yes no

ANALYSES REQUESTED

Sample Received Method

QPC (by Modified Method)

BTX (by Modified Method)

PROC (by Standard Method)

VOC (by Standard Method)

PAN (by EPA Method)

PAH (by EPA Method)

Sulfur

Chloride

Methane

Ammonium

Phosphorus

Nitrogen

Lead

Mercury

Cadmium

Chromium

nickel

zinc

copper

manganese

iron

tin

CHAIN OF CUSTODY

CORD REQUEST FOR ANALYSIS

Page 2 of 2
6/16/03
Mo

Check off all originating locations:

954 Circle Drive
Green Bay, WI 54304
920-492-8400
FAX 920-492-8460

330 South 4th Avenue
Park Falls, WI 54552
715-752-1541
FAX 715-752-1844

85 Brown Drive, Suite H
Northbrook, IL 60062
847-282-8571
FAX 847-282-8562

3249 Southgate Court SW #103
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-0464

12075 N Corporate Park, Suite 210
Menomonie, WI 54751
262-241-2121
FAX 262-241-8222

1203 Starboard Drive
Waupun, WI 53963
920-324-8000
FAX 920-324-3023

101 W. 4th Street, Suite 101
Marinette, WI 54149
715-786-1200
FAX 715-786-1313

15851 S. U.S. 27 - Big 30, Suite 318
Lansing, MI 48906
517-702-0470
FAX 517-702-0477

315 S. Barnum Avenue, Suite 200
Astoria, WI 54002
715-682-1118

Project No.
064220-0900150

Tank No.

Laboratory
Synergy

Sample Integrity - To be completed by receiving lab

Good intact upon receipt Yes No

SPC

Method of shipment:

Refrigerator No.

24162

Contents Temperature:

ANALYSES REQUESTED

Project Locations
Green Bay

City:

Project Manager
Chris Hatfield

Laboratory Contact
Rebecca Dittman

Method of shipping (check one):

Air Mail

Ground

Sea Freight

Rail

Motor Carrier

Pipeline

Other

None

Air Mail

Hand Carried

Sea Freight

Truck

Motor Carrier

Train

Pipeline

None

Other

None

Air Mail

Hand Carried

Sea Freight

Truck

Motor Carrier

Train

Pipeline

None

Other

None

Air Mail

Hand Carried

Sea Freight

Truck

Motor Carrier

Train

Pipeline

None

Other

None

Air Mail

Hand Carried

Sea Freight

Truck

Motor Carrier

Train

Pipeline

None

Other

None

Sampler (initials)

Karen R. Elberfeld

Sampler (Signature)

Karen R. Elberfeld

Sampling Dates:

12/8/04

Comments to be sent to:

Chris.Hatfield@Bennetco.com

TURNAROUND TIME REQUIRED

Normal Rush

Date Needed:

Report to be sent to:

Chris.Hatfield@Bennetco.com

Lab ID No.

Sample No.

Collection Date

Time

No. of Containers

Size & Type

Description

Water

Gas

Other

Preservative

0047k DLP

12/8/04

- 3.40ml

X

HCl

Cold Chain Required

X

Cold

RT

X

Packed for Shipping by:

Comments:

Shipment Date:

Relinquished By:

Date:

Time:

Relinquished By:

Date:

Time:

Relinquished By:

Date:

Time:

Company:

Date:

Time:

Received By:

Date:

Time:

Received By:

Date:

Time:

Company:

Date:

Time:

Company:

Date:

Time:

Company:

Date:

Time:

Company:

Date:

Time:

Date:

Time:

Date:

Time:

Company:

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

CHRIS HATFIELD
BONESTROO
12075 N. CORPORATE PARKWAY
MEQUON WI 53092

Report Date 12-Apr-10

Project Name	GREEN BAY	Invoice #	E20501						
Project #	004230-09001-0								
Lab Code	5020501A								
Sample ID	MW1								
Sample Matrix	Water								
Sample Date	3/30/2010								
	Result	Unit	Method						
Ext Date	Run Date	Analyst	Code						
Organic									
VOC's									
Benzene	< 41	ug/l	41	130	100	8260B	4/1/2010	CJR	1
Bromobenzene	< 43	ug/l	43	140	100	8260B	4/1/2010	CJR	1
Bromodichloromethane	< 41	ug/l	41	130	100	8260B	4/1/2010	CJR	1
Bromoform	< 46	ug/l	46	150	100	8260B	4/1/2010	CJR	1
tert-Butylbenzene	< 46	ug/l	46	150	100	8260B	4/1/2010	CJR	1
sec-Butylbenzene	< 43	ug/l	43	140	100	8260B	4/1/2010	CJR	1
n-Butylbenzene	< 150	ug/l	150	480	100	8260B	4/1/2010	CJR	1
Carbon Tetrachloride	< 43	ug/l	43	140	100	8260B	4/1/2010	CJR	1
Chlorobenzene	< 39	ug/l	39	120	100	8260B	4/1/2010	CJR	1
Chloroethane	< 150	ug/l	150	480	100	8260B	4/1/2010	CJR	1
Chloroform	< 48	ug/l	48	150	100	8260B	4/1/2010	CJR	1
Chloromethane	< 50	ug/l	50	160	100	8260B	4/1/2010	CJR	1
2-Chlorotoluene	< 37	ug/l	37	120	100	8260B	4/1/2010	CJR	1
4-Chlorotoluene	< 63	ug/l	63	200	100	8260B	4/1/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 200	ug/l	200	630	100	8260B	4/1/2010	CJR	1
Dibromochloromethane	< 76	ug/l	76	240	100	8260B	4/1/2010	CJR	1
1,4-Dichlorobenzene	< 77	ug/l	77	250	100	8260B	4/1/2010	CJR	1
1,3-Dichlorobenzene	< 34	ug/l	34	110	100	8260B	4/1/2010	CJR	1
1,2-Dichlorobenzene	< 66	ug/l	66	210	100	8260B	4/1/2010	CJR	1
Dichlorodifluoromethane	< 45	ug/l	45	140	100	8260B	4/1/2010	CJR	1
1,2-Dichloroethane	< 43	ug/l	43	140	100	8260B	4/1/2010	CJR	1
1,1-Dichloroethane	< 44	ug/l	44	140	100	8260B	4/1/2010	CJR	1
1,1-Dichloroethene	< 47	ug/l	47	150	100	8260B	4/1/2010	CJR	1
cis-1,2-Dichloroethene	< 68	ug/l	68	220	100	8260B	4/1/2010	CJR	1
trans-1,2-Dichloroethene	< 61	ug/l	61	190	100	8260B	4/1/2010	CJR	1
1,2-Dichloropropane	< 26	ug/l	26	82	100	8260B	4/1/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501A
Sample ID MW1
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
2,2-Dichloropropane	< 89	ug/l	89	280	100	8260B		4/1/2010	CJR	1	
1,3-Dichloropropane	< 49	ug/l	49	160	100	8260B		4/1/2010	CJR	1	
Di-isopropyl ether	< 32	ug/l	32	100	100	8260B		4/1/2010	CJR	1	
EDB (1,2-Dibromoethane)	< 52	ug/l	52	160	100	8260B		4/1/2010	CJR	1	
Ethylbenzene	< 87	ug/l	87	280	100	8260B		4/1/2010	CJR	1	
Hexachlorobutadiene	< 150	ug/l	150	470	100	8260B		4/1/2010	CJR	1	
Isopropylbenzene	< 39	ug/l	39	120	100	8260B		4/1/2010	CJR	1	
p-Isopropyltoluene	< 57	ug/l	57	180	100	8260B		4/1/2010	CJR	1	
Methylene chloride	< 150	ug/l	150	480	100	8260B		4/1/2010	CJR	1	
Methyl tert-butyl ether (MTBE)	< 50	ug/l	50	160	100	8260B		4/1/2010	CJR	1	
Naphthalene	< 170	ug/l	170	540	100	8260B		4/1/2010	CJR	1	
n-Propylbenzene	< 33	ug/l	33	100	100	8260B		4/1/2010	CJR	1	
1,1,2,2-Tetrachloroethane	< 55	ug/l	55	180	100	8260B		4/1/2010	CJR	1	
1,1,1,2-Tetrachloroethane	< 54	ug/l	54	170	100	8260B		4/1/2010	CJR	1	
Tetrachloroethene	420	ug/l	42	130	100	8260B		4/1/2010	CJR	1	
Toluene	< 51	ug/l	51	160	100	8260B		4/1/2010	CJR	1	
1,2,4-Trichlorobenzene	< 210	ug/l	210	660	100	8260B		4/1/2010	CJR	1	
1,2,3-Trichlorobenzene	< 160	ug/l	160	510	100	8260B		4/1/2010	CJR	1	
1,1,1-Trichloroethane	< 46	ug/l	46	140	100	8260B		4/1/2010	CJR	1	
1,1,2-Trichloroethane	< 41	ug/l	41	130	100	8260B		4/1/2010	CJR	1	
Trichloroethene (TCE)	< 39	ug/l	39	120	100	8260B		4/1/2010	CJR	1	
Trichlorofluoromethane	< 72	ug/l	72	230	100	8260B		4/1/2010	CJR	1	
1,2,4-Trimethylbenzene	< 110	ug/l	110	350	100	8260B		4/1/2010	CJR	1	
1,3,5-Trimethylbenzene	< 150	ug/l	150	490	100	8260B		4/1/2010	CJR	1	
Vinyl Chloride	< 20	ug/l	20	64	100	8260B		4/1/2010	CJR	1	
m&p-Xylene	< 160	ug/l	160	510	100	8260B		4/1/2010	CJR	1	
o-Xylene	< 53	ug/l	53	170	100	8260B		4/1/2010	CJR	1	
SUR - Dibromofluoromethane	97	REC %				100	8260B		4/1/2010	CJR	1
SUR - Toluene-d8	104	REC %				100	8260B		4/1/2010	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %				100	8260B		4/1/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				100	8260B		4/1/2010	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	44.2	mg/L	3.4	10.6	2	300.0		4/7/2010	CWT	1
Total Chlorides	140	mg/l	17	53	10	300.0		4/7/2010	CWT	1

Lab Code 5020501B
Sample ID MW2
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 410	ug/l	410	1300	1000	8260B		4/1/2010	CJR	1
Bromobenzene	< 430	ug/l	430	1400	1000	8260B		4/1/2010	CJR	1
Bromodichloromethane	< 410	ug/l	410	1300	1000	8260B		4/1/2010	CJR	1
Bromoform	< 460	ug/l	460	1500	1000	8260B		4/1/2010	CJR	1
tert-Butylbenzene	< 460	ug/l	460	1500	1000	8260B		4/1/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501B
Sample ID MW2
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
sec-Butylbenzene	< 430	ug/l	430	1400	1000	8260B		4/1/2010	CJR	1
n-Butylbenzene	< 1500	ug/l	1500	4800	1000	8260B		4/1/2010	CJR	1
Carbon Tetrachloride	< 430	ug/l	430	1400	1000	8260B		4/1/2010	CJR	1
Chlorobenzene	< 390	ug/l	390	1200	1000	8260B		4/1/2010	CJR	1
Chloroethane	< 1500	ug/l	1500	4800	1000	8260B		4/1/2010	CJR	1
Chloroform	< 480	ug/l	480	1500	1000	8260B		4/1/2010	CJR	1
Chloromethane	< 500	ug/l	500	1600	1000	8260B		4/1/2010	CJR	1
2-Chlorotoluene	< 370	ug/l	370	1200	1000	8260B		4/1/2010	CJR	1
4-Chlorotoluene	< 630	ug/l	630	2000	1000	8260B		4/1/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 2000	ug/l	2000	6300	1000	8260B		4/1/2010	CJR	1
Dibromochloromethane	< 760	ug/l	760	2400	1000	8260B		4/1/2010	CJR	1
1,4-Dichlorobenzene	< 770	ug/l	770	2500	1000	8260B		4/1/2010	CJR	1
1,3-Dichlorobenzene	< 340	ug/l	340	1100	1000	8260B		4/1/2010	CJR	1
1,2-Dichlorobenzene	< 660	ug/l	660	2100	1000	8260B		4/1/2010	CJR	1
Dichlorodifluoromethane	< 450	ug/l	450	1400	1000	8260B		4/1/2010	CJR	1
1,2-Dichloroethane	< 430	ug/l	430	1400	1000	8260B		4/1/2010	CJR	1
1,1-Dichloroethane	< 440	ug/l	440	1400	1000	8260B		4/1/2010	CJR	1
1,1-Dichloroethene	< 470	ug/l	470	1500	1000	8260B		4/1/2010	CJR	1
cis-1,2-Dichloroethene	< 680	ug/l	680	2200	1000	8260B		4/1/2010	CJR	1
trans-1,2-Dichloroethene	< 610	ug/l	610	1900	1000	8260B		4/1/2010	CJR	1
1,2-Dichloropropane	< 260	ug/l	260	820	1000	8260B		4/1/2010	CJR	1
2,2-Dichloropropane	< 890	ug/l	890	2800	1000	8260B		4/1/2010	CJR	1
1,3-Dichloropropane	< 490	ug/l	490	1600	1000	8260B		4/1/2010	CJR	1
Di-isopropyl ether	< 320	ug/l	320	1000	1000	8260B		4/1/2010	CJR	1
EDB (1,2-Dibromoethane)	< 520	ug/l	520	1600	1000	8260B		4/1/2010	CJR	1
Ethylbenzene	< 870	ug/l	870	2800	1000	8260B		4/1/2010	CJR	1
Hexachlorobutadiene	< 1500	ug/l	1500	4700	1000	8260B		4/1/2010	CJR	1
Isopropylbenzene	< 390	ug/l	390	1200	1000	8260B		4/1/2010	CJR	1
p-Isopropyltoluene	< 570	ug/l	570	1800	1000	8260B		4/1/2010	CJR	1
Methylene chloride	< 1500	ug/l	1500	4800	1000	8260B		4/1/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 500	ug/l	500	1600	1000	8260B		4/1/2010	CJR	1
Naphthalene	< 1700	ug/l	1700	5400	1000	8260B		4/1/2010	CJR	1
n-Propylbenzene	< 330	ug/l	330	1000	1000	8260B		4/1/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 550	ug/l	550	1800	1000	8260B		4/1/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 540	ug/l	540	1700	1000	8260B		4/1/2010	CJR	1
Tetrachloroethene	101000	ug/l	420	1300	1000	8260B		4/1/2010	CJR	1
Toluene	< 510	ug/l	510	1600	1000	8260B		4/1/2010	CJR	1
1,2,4-Trichlorobenzene	< 2100	ug/l	2100	6600	1000	8260B		4/1/2010	CJR	1
1,2,3-Trichlorobenzene	< 1600	ug/l	1600	5100	1000	8260B		4/1/2010	CJR	1
1,1,1-Trichloroethane	< 460	ug/l	460	1400	1000	8260B		4/1/2010	CJR	1
1,1,2-Trichloroethane	< 410	ug/l	410	1300	1000	8260B		4/1/2010	CJR	1
Trichloroethene (TCE)	< 390	ug/l	390	1200	1000	8260B		4/1/2010	CJR	1
Trichlorofluoromethane	< 720	ug/l	720	2300	1000	8260B		4/1/2010	CJR	1
1,2,4-Trimethylbenzene	< 1100	ug/l	1100	3500	1000	8260B		4/1/2010	CJR	1
1,3,5-Trimethylbenzene	< 1500	ug/l	1500	4900	1000	8260B		4/1/2010	CJR	1
Vinyl Chloride	< 200	ug/l	200	640	1000	8260B		4/1/2010	CJR	1
m&p-Xylene	< 1600	ug/l	1600	5100	1000	8260B		4/1/2010	CJR	1
o-Xylene	< 530	ug/l	530	1700	1000	8260B		4/1/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	85	REC %			1000	8260B		4/1/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501B
Sample ID MW2
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 4-Bromofluorobenzene	107	REC %			1000	8260B		4/1/2010	CJR	1
SUR - Dibromofluoromethane	100	REC %			1000	8260B		4/1/2010	CJR	1
SUR - Toluene-d8	106	REC %			1000	8260B		4/1/2010	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	934	mg/L	17	53	10	300.0		4/7/2010	CWT	1
Total Chlorides	99.5	mg/l	8.5	26.5	5	300.0		4/7/2010	CWT	1

Lab Code 5020501C
Sample ID MW3
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		4/1/2010	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		4/1/2010	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/1/2010	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2010	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/1/2010	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		4/1/2010	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/1/2010	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		4/1/2010	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/1/2010	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		4/1/2010	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		4/1/2010	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/1/2010	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		4/1/2010	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/1/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		4/1/2010	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/1/2010	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		4/1/2010	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		4/1/2010	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		4/1/2010	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/1/2010	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		4/1/2010	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		4/1/2010	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		4/1/2010	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		4/1/2010	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		4/1/2010	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		4/1/2010	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		4/1/2010	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		4/1/2010	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		4/1/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		4/1/2010	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/1/2010	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		4/1/2010	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/1/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501C
Sample ID MW3
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		4/1/2010	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		4/1/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		4/1/2010	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		4/1/2010	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		4/1/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/1/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/1/2010	CJR	1
Tetrachloroethene	64	ug/l	0.42	1.3	1	8260B		4/1/2010	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		4/1/2010	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		4/1/2010	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		4/1/2010	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		4/1/2010	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/1/2010	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		4/1/2010	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		4/1/2010	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/1/2010	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		4/1/2010	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		4/1/2010	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		4/1/2010	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		4/1/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		4/1/2010	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		4/1/2010	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		4/1/2010	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		4/1/2010	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	289	mg/L	8.5	26.5	5	300.0		4/7/2010	CWT	1
Total Chlorides	118	mg/l	8.5	26.5	5	300.0		4/7/2010	CWT	1

Lab Code 5020501D
Sample ID MW4
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/5/2010	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/5/2010	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		4/5/2010	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/5/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501D
Sample ID MW4
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		4/5/2010	CJR	1	
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/5/2010	CJR	1	
1,2-Dibromo-3-chloropropane	< 2	ug/l		2	6.3	1	8260B		4/5/2010	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/5/2010	CJR	1	
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		4/5/2010	CJR	1	
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		4/5/2010	CJR	1	
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		4/5/2010	CJR	1	
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/5/2010	CJR	1	
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1	
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		4/5/2010	CJR	1	
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		4/5/2010	CJR	1	
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		4/5/2010	CJR	1	
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		4/5/2010	CJR	1	
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		4/5/2010	CJR	1	
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		4/5/2010	CJR	4 8	
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		4/5/2010	CJR	1	
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		4/5/2010	CJR	1	
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		4/5/2010	CJR	1	
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/5/2010	CJR	1	
Hexachlorobutadiene	< 1.5	ug/l		1.5	4.7	1	8260B		4/5/2010	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1	
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		4/5/2010	CJR	1	
Methylene chloride	< 1.5	ug/l		1.5	4.8	1	8260B		4/5/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		4/5/2010	CJR	1	
Naphthalene	< 1.7	ug/l		1.7	5.4	1	8260B		4/5/2010	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		4/5/2010	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/5/2010	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/5/2010	CJR	1	
Tetrachloroethene	1.69	ug/l	0.42	1.3	1	8260B		4/5/2010	CJR	1	
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		4/5/2010	CJR	1	
1,2,4-Trichlorobenzene	< 2.1	ug/l		2.1	6.6	1	8260B		4/5/2010	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l		1.6	5.1	1	8260B		4/5/2010	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		4/5/2010	CJR	1	
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1	
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1	
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		4/5/2010	CJR	1	
1,2,4-Trimethylbenzene	< 1.1	ug/l		1.1	3.5	1	8260B		4/5/2010	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l		1.5	4.9	1	8260B		4/5/2010	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		4/5/2010	CJR	1	
m&p-Xylene	< 1.6	ug/l		1.6	5.1	1	8260B		4/5/2010	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		4/5/2010	CJR	1	
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		4/5/2010	CJR	1	
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		4/5/2010	CJR	1	
SUR - Dibromofluoromethane	96	REC %			1	8260B		4/5/2010	CJR	1	
SUR - Toluene-d8	98	REC %			1	8260B		4/5/2010	CJR	1	

Wet Chemistry

General

Sulfate, Dissolved	53.7	mg/L	3.4	10.6	2	300.0	4/7/2010	CWT	1
Total Chlorides	74.0	mg/l	3.4	10.6	2	300.0	4/7/2010	CWT	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501E
Sample ID MW6
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/5/2010	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/5/2010	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		4/5/2010	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/5/2010	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		4/5/2010	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/5/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		4/5/2010	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/5/2010	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		4/5/2010	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		4/5/2010	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		4/5/2010	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/5/2010	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		4/5/2010	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		4/5/2010	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		4/5/2010	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		4/5/2010	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		4/5/2010	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		4/5/2010	CJR	4.8
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		4/5/2010	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		4/5/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		4/5/2010	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/5/2010	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		4/5/2010	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		4/5/2010	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		4/5/2010	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		4/5/2010	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		4/5/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/5/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/5/2010	CJR	1
Tetrachloroethene	18.3	ug/l	0.42	1.3	1	8260B		4/5/2010	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		4/5/2010	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		4/5/2010	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		4/5/2010	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		4/5/2010	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Trichloroethene (TCE)	0.73 "J"	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501E
Sample ID MW6
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		4/5/2010	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/5/2010	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		4/5/2010	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		4/5/2010	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		4/5/2010	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		4/5/2010	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		4/5/2010	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		4/5/2010	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		4/5/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		4/5/2010	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	130	mg/L	3.4	10.6	2	300.0		4/7/2010	CWT	1
Total Chlorides	38.3	mg/l	3.4	10.6	2	300.0		4/7/2010	CWT	1

Lab Code 5020501F
Sample ID MW7
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 41	ug/l	41	130	100	8260B		4/5/2010	CJR	1
Bromobenzene	< 43	ug/l	43	140	100	8260B		4/5/2010	CJR	1
Bromodichloromethane	< 41	ug/l	41	130	100	8260B		4/5/2010	CJR	1
Bromoform	< 46	ug/l	46	150	100	8260B		4/5/2010	CJR	1
tert-Butylbenzene	< 46	ug/l	46	150	100	8260B		4/5/2010	CJR	1
sec-Butylbenzene	< 43	ug/l	43	140	100	8260B		4/5/2010	CJR	1
n-Butylbenzene	< 150	ug/l	150	480	100	8260B		4/5/2010	CJR	1
Carbon Tetrachloride	< 43	ug/l	43	140	100	8260B		4/5/2010	CJR	1
Chlorobenzene	< 39	ug/l	39	120	100	8260B		4/5/2010	CJR	1
Chloroethane	< 150	ug/l	150	480	100	8260B		4/5/2010	CJR	1
Chloroform	< 48	ug/l	48	150	100	8260B		4/5/2010	CJR	1
Chloromethane	< 50	ug/l	50	160	100	8260B		4/5/2010	CJR	1
2-Chlorotoluene	< 37	ug/l	37	120	100	8260B		4/5/2010	CJR	1
4-Chlorotoluene	< 63	ug/l	63	200	100	8260B		4/5/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 200	ug/l	200	630	100	8260B		4/5/2010	CJR	1
Dibromochloromethane	< 76	ug/l	76	240	100	8260B		4/5/2010	CJR	1
1,4-Dichlorobenzene	< 77	ug/l	77	250	100	8260B		4/5/2010	CJR	1
1,3-Dichlorobenzene	< 34	ug/l	34	110	100	8260B		4/5/2010	CJR	1
1,2-Dichlorobenzene	< 66	ug/l	66	210	100	8260B		4/5/2010	CJR	1
Dichlorodifluoromethane	< 45	ug/l	45	140	100	8260B		4/5/2010	CJR	1
1,2-Dichloroethane	< 43	ug/l	43	140	100	8260B		4/5/2010	CJR	1
1,1-Dichloroethane	< 44	ug/l	44	140	100	8260B		4/5/2010	CJR	1
1,1-Dichloroethene	< 47	ug/l	47	150	100	8260B		4/5/2010	CJR	1
cis-1,2-Dichloroethene	< 68	ug/l	68	220	100	8260B		4/5/2010	CJR	1
trans-1,2-Dichloroethene	< 61	ug/l	61	190	100	8260B		4/5/2010	CJR	1
1,2-Dichloropropane	< 26	ug/l	26	82	100	8260B		4/5/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501F
Sample ID MW7
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
2,2-Dichloropropane	< 89	ug/l	89	280	100	8260B		4/5/2010	CJR	4 8
1,3-Dichloropropane	< 49	ug/l	49	160	100	8260B		4/5/2010	CJR	1
Di-isopropyl ether	< 32	ug/l	32	100	100	8260B		4/5/2010	CJR	1
EDB (1,2-Dibromoethane)	< 52	ug/l	52	160	100	8260B		4/5/2010	CJR	1
Ethylbenzene	< 87	ug/l	87	280	100	8260B		4/5/2010	CJR	1
Hexachlorobutadiene	< 150	ug/l	150	470	100	8260B		4/5/2010	CJR	1
Isopropylbenzene	< 39	ug/l	39	120	100	8260B		4/5/2010	CJR	1
p-Isopropyltoluene	< 57	ug/l	57	180	100	8260B		4/5/2010	CJR	1
Methylene chloride	< 150	ug/l	150	480	100	8260B		4/5/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 50	ug/l	50	160	100	8260B		4/5/2010	CJR	1
Naphthalene	< 170	ug/l	170	540	100	8260B		4/5/2010	CJR	2
n-Propylbenzene	< 33	ug/l	33	100	100	8260B		4/5/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 55	ug/l	55	180	100	8260B		4/5/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 54	ug/l	54	170	100	8260B		4/5/2010	CJR	1
Tetrachloroethene	1170	ug/l	42	130	100	8260B		4/5/2010	CJR	1
Toluene	< 51	ug/l	51	160	100	8260B		4/5/2010	CJR	1
1,2,4-Trichlorobenzene	< 210	ug/l	210	660	100	8260B		4/5/2010	CJR	1
1,2,3-Trichlorobenzene	< 160	ug/l	160	510	100	8260B		4/5/2010	CJR	2
1,1,1-Trichloroethane	< 46	ug/l	46	140	100	8260B		4/5/2010	CJR	1
1,1,2-Trichloroethane	< 41	ug/l	41	130	100	8260B		4/5/2010	CJR	1
Trichloroethene (TCE)	133	ug/l	39	120	100	8260B		4/5/2010	CJR	1
Trichlorofluoromethane	< 72	ug/l	72	230	100	8260B		4/5/2010	CJR	1
1,2,4-Trimethylbenzene	< 110	ug/l	110	350	100	8260B		4/5/2010	CJR	1
1,3,5-Trimethylbenzene	< 150	ug/l	150	490	100	8260B		4/5/2010	CJR	1
Vinyl Chloride	< 20	ug/l	20	64	100	8260B		4/5/2010	CJR	1
m&p-Xylene	< 160	ug/l	160	510	100	8260B		4/5/2010	CJR	1
o-Xylene	< 53	ug/l	53	170	100	8260B		4/5/2010	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %		100		8260B		4/5/2010	CJR	1
SUR - Toluene-d8	98	REC %		100		8260B		4/5/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %		100		8260B		4/5/2010	CJR	1
SUR - Dibromofluoromethane	91	REC %		100		8260B		4/5/2010	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	112	mg/L	3.4	10.6	2	300.0		4/7/2010	CWT	1
Total Chlorides	376	mg/l	34	106	20	300.0		4/7/2010	CWT	1

Lab Code 5020501G

Sample ID MW8

Sample Matrix Water

Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/5/2010	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/5/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501G
Sample ID MW8
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		4/5/2010	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/5/2010	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		4/5/2010	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/5/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		4/5/2010	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/5/2010	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		4/5/2010	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		4/5/2010	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		4/5/2010	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/5/2010	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		4/5/2010	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		4/5/2010	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		4/5/2010	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		4/5/2010	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		4/5/2010	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		4/5/2010	CJR	4.8
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		4/5/2010	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		4/5/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		4/5/2010	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/5/2010	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		4/5/2010	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		4/5/2010	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		4/5/2010	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		4/5/2010	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		4/5/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/5/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/5/2010	CJR	1
Tetrachloroethene	3.7	ug/l	0.42	1.3	1	8260B		4/5/2010	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		4/5/2010	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		4/5/2010	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		4/5/2010	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		4/5/2010	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Trichloroethene (TCE)	0.47 "J"	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		4/5/2010	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/5/2010	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		4/5/2010	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		4/5/2010	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		4/5/2010	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		4/5/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		4/5/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501G
Sample ID MW8
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Toluene-d8	98	REC %			1	8260B		4/5/2010	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		4/5/2010	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		4/5/2010	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	81.5	mg/L	3.4	10.6	2	300.0		4/7/2010	CWT	1
Total Chlorides	2070	mg/l	85	265	50	300.0		4/7/2010	CWT	1

Lab Code 5020501H
Sample ID MW9
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/5/2010	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/5/2010	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		4/5/2010	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/5/2010	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		4/5/2010	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/5/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		4/5/2010	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/5/2010	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		4/5/2010	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		4/5/2010	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		4/5/2010	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/5/2010	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		4/5/2010	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		4/5/2010	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		4/5/2010	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		4/5/2010	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		4/5/2010	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		4/5/2010	CJR	4 8
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		4/5/2010	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		4/5/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		4/5/2010	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/5/2010	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		4/5/2010	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501H
Sample ID MW9
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		4/5/2010	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		4/5/2010	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		4/5/2010	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		4/5/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/5/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/5/2010	CJR	1
Tetrachloroethene	2.26	ug/l	0.42	1.3	1	8260B		4/5/2010	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		4/5/2010	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		4/5/2010	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		4/5/2010	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		4/5/2010	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		4/5/2010	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/5/2010	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		4/5/2010	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		4/5/2010	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		4/5/2010	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		4/5/2010	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		4/5/2010	CJR	1
SUR - Dibromofluoromethane	88	REC %			1	8260B		4/5/2010	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		4/5/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		4/5/2010	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	32.2	mg/L	3.4	10.6	2	300.0		4/7/2010	CWT	1
Total Chlorides	157	mg/l	17	53	10	300.0		4/7/2010	CWT	1

Lab Code 5020501I
Sample ID PZ1
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		4/5/2010	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		4/5/2010	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		4/5/2010	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/5/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 50205011
Sample ID PZ1
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		4/5/2010	CJR	1	
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		4/5/2010	CJR	1	
1,2-Dibromo-3-chloropropane	< 2	ug/l		2	6.3	1	8260B		4/5/2010	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		4/5/2010	CJR	1	
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		4/5/2010	CJR	1	
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		4/5/2010	CJR	1	
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		4/5/2010	CJR	1	
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/5/2010	CJR	1	
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		4/5/2010	CJR	1	
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		4/5/2010	CJR	1	
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		4/5/2010	CJR	1	
cis-1,2-Dichloroethene	8.4	ug/l	0.68	2.2	1	8260B		4/5/2010	CJR	1	
trans-1,2-Dichloroethene	3.12	ug/l	0.61	1.9	1	8260B		4/5/2010	CJR	1	
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		4/5/2010	CJR	1	
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		4/5/2010	CJR	48	
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		4/5/2010	CJR	1	
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		4/5/2010	CJR	1	
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		4/5/2010	CJR	1	
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/5/2010	CJR	1	
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		4/5/2010	CJR	1	
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1	
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		4/5/2010	CJR	1	
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		4/5/2010	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		4/5/2010	CJR	1	
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		4/5/2010	CJR	1	
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		4/5/2010	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/5/2010	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		4/5/2010	CJR	1	
Tetrachloroethene	61	ug/l	0.42	1.3	1	8260B		4/5/2010	CJR	1	
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		4/5/2010	CJR	1	
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		4/5/2010	CJR	1	
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		4/5/2010	CJR	1	
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		4/5/2010	CJR	1	
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/5/2010	CJR	1	
Trichloroethene (TCE)	67	ug/l	0.39	1.2	1	8260B		4/5/2010	CJR	1	
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		4/5/2010	CJR	1	
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		4/5/2010	CJR	1	
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		4/5/2010	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		4/5/2010	CJR	1	
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		4/5/2010	CJR	1	
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		4/5/2010	CJR	1	
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		4/5/2010	CJR	1	
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		4/5/2010	CJR	1	
SUR - Dibromofluoromethane	87	REC %			1	8260B		4/5/2010	CJR	1	
SUR - Toluene-d8	96	REC %			1	8260B		4/5/2010	CJR	1	

Wet Chemistry

General						
Sulfate, Dissolved	103	mg/L	3.4	10.6	2	300.0
Total Chlorides	73.1	mg/l	3.4	10.6	2	300.0

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501J
Sample ID PZ2
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 20.5	ug/l	20.5	65	50	8260B			CJR	1
Bromobenzene	< 21.5	ug/l	21.5	70	50	8260B			CJR	1
Bromodichloromethane	< 20.5	ug/l	20.5	65	50	8260B			CJR	1
Bromoform	< 23	ug/l	23	75	50	8260B			CJR	1
tert-Butylbenzene	< 23	ug/l	23	75	50	8260B			CJR	1
sec-Butylbenzene	< 21.5	ug/l	21.5	70	50	8260B			CJR	1
n-Butylbenzene	< 75	ug/l	75	240	50	8260B			CJR	1
Carbon Tetrachloride	< 21.5	ug/l	21.5	70	50	8260B			CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B			CJR	1
Chloroethane	< 75	ug/l	75	240	50	8260B			CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B			CJR	1
Chloromethane	< 25	ug/l	25	80	50	8260B			CJR	1
2-Chlorotoluene	< 18.5	ug/l	18.5	60	50	8260B			CJR	1
4-Chlorotoluene	< 31.5	ug/l	31.5	100	50	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 100	ug/l	100	315	50	8260B			CJR	1
Dibromochloromethane	< 38	ug/l	38	120	50	8260B			CJR	1
1,4-Dichlorobenzene	< 38.5	ug/l	38.5	125	50	8260B			CJR	1
1,3-Dichlorobenzene	< 17	ug/l	17	55	50	8260B			CJR	1
1,2-Dichlorobenzene	< 33	ug/l	33	105	50	8260B			CJR	1
Dichlorodifluoromethane	< 22.5	ug/l	22.5	70	50	8260B			CJR	1
1,2-Dichloroethane	< 21.5	ug/l	21.5	70	50	8260B			CJR	1
1,1-Dichloroethane	< 22	ug/l	22	70	50	8260B			CJR	1
1,1-Dichloroethylene	< 23.5	ug/l	23.5	75	50	8260B			CJR	1
cis-1,2-Dichloroethene	690	ug/l	34	110	50	8260B			CJR	1
trans-1,2-Dichloroethene	< 30.5	ug/l	30.5	95	50	8260B			CJR	1
1,2-Dichloropropane	< 13	ug/l	13	41	50	8260B			CJR	1
2,2-Dichloropropane	< 44.5	ug/l	44.5	140	50	8260B			CJR	4.8
1,3-Dichloropropane	< 24.5	ug/l	24.5	80	50	8260B			CJR	1
Di-isopropyl ether	< 16	ug/l	16	50	50	8260B			CJR	1
EDB (1,2-Dibromoethane)	< 26	ug/l	26	80	50	8260B			CJR	1
Ethylbenzene	< 43.5	ug/l	43.5	140	50	8260B			CJR	1
Hexachlorobutadiene	< 75	ug/l	75	235	50	8260B			CJR	1
Isopropylbenzene	< 19.5	ug/l	19.5	60	50	8260B			CJR	1
p-Isopropyltoluene	< 28.5	ug/l	28.5	90	50	8260B			CJR	1
Methylene chloride	< 75	ug/l	75	240	50	8260B			CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/l	25	80	50	8260B			CJR	1
Naphthalene	< 85	ug/l	85	270	50	8260B			CJR	1
n-Propylbenzene	< 16.5	ug/l	16.5	50	50	8260B			CJR	1
1,1,2,2-Tetrachloroethane	< 27.5	ug/l	27.5	90	50	8260B			CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/l	27	85	50	8260B			CJR	1
Tetrachloroethene	1480	ug/l	21	65	50	8260B			CJR	1
Toluene	< 25.5	ug/l	25.5	80	50	8260B			CJR	1
1,2,4-Trichlorobenzene	< 105	ug/l	105	330	50	8260B			CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	255	50	8260B			CJR	1
1,1,1-Trichloroethane	< 23	ug/l	23	70	50	8260B			CJR	1
1,1,2-Trichloroethane	< 20.5	ug/l	20.5	65	50	8260B			CJR	1
Trichloroethene (TCE)	1000	ug/l	19.5	60	50	8260B			CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501J
Sample ID PZ2
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 36	ug/l	36	115	50	8260B		4/5/2010	CJR	1
1,2,4-Trimethylbenzene	< 55	ug/l	55	175	50	8260B		4/5/2010	CJR	1
1,3,5-Trimethylbenzene	< 75	ug/l	75	245	50	8260B		4/5/2010	CJR	1
Vinyl Chloride	< 10	ug/l	10	32	50	8260B		4/5/2010	CJR	1
m&p-Xylene	< 80	ug/l	80	255	50	8260B		4/5/2010	CJR	1
o-Xylene	< 26.5	ug/l	26.5	85	50	8260B		4/5/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			50	8260B		4/5/2010	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			50	8260B		4/5/2010	CJR	1
SUR - Dibromofluoromethane	94	REC %			50	8260B		4/5/2010	CJR	1
SUR - Toluene-d8	98	REC %			50	8260B		4/5/2010	CJR	1

Wet Chemistry

General

Sulfate, Dissolved	77.6	mg/L	3.4	10.6	2	300.0		4/7/2010	CWT	1
Total Chlorides	225	mg/l	17	53	10	300.0		4/7/2010	CWT	1

Lab Code 5020501K

Sample ID DUPLICATE

Sample Matrix Water

Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 20.5	ug/l	20.5	65	50	8260B		4/5/2010	CJR	1
Bromobenzene	< 21.5	ug/l	21.5	70	50	8260B		4/5/2010	CJR	1
Bromodichloromethane	< 20.5	ug/l	20.5	65	50	8260B		4/5/2010	CJR	1
Bromoform	< 23	ug/l	23	75	50	8260B		4/5/2010	CJR	1
tert-Butylbenzene	< 23	ug/l	23	75	50	8260B		4/5/2010	CJR	1
sec-Butylbenzene	< 21.5	ug/l	21.5	70	50	8260B		4/5/2010	CJR	1
n-Butylbenzene	< 75	ug/l	75	240	50	8260B		4/5/2010	CJR	1
Carbon Tetrachloride	< 21.5	ug/l	21.5	70	50	8260B		4/5/2010	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		4/5/2010	CJR	1
Chloroethane	< 75	ug/l	75	240	50	8260B		4/5/2010	CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B		4/5/2010	CJR	1
Chloromethane	< 25	ug/l	25	80	50	8260B		4/5/2010	CJR	1
2-Chlorotoluene	< 18.5	ug/l	18.5	60	50	8260B		4/5/2010	CJR	1
4-Chlorotoluene	< 31.5	ug/l	31.5	100	50	8260B		4/5/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 100	ug/l	100	315	50	8260B		4/5/2010	CJR	1
Dibromochloromethane	< 38	ug/l	38	120	50	8260B		4/5/2010	CJR	1
1,4-Dichlorobenzene	< 38.5	ug/l	38.5	125	50	8260B		4/5/2010	CJR	1
1,3-Dichlorobenzene	< 17	ug/l	17	55	50	8260B		4/5/2010	CJR	1
1,2-Dichlorobenzene	< 33	ug/l	33	105	50	8260B		4/5/2010	CJR	1
Dichlorodifluoromethane	< 22.5	ug/l	22.5	70	50	8260B		4/5/2010	CJR	1
1,2-Dichloroethane	< 21.5	ug/l	21.5	70	50	8260B		4/5/2010	CJR	1
1,1-Dichloroethane	< 22	ug/l	22	70	50	8260B		4/5/2010	CJR	1
1,1-Dichloroethene	< 23.5	ug/l	23.5	75	50	8260B		4/5/2010	CJR	1
cis-1,2-Dichloroethene	49 "J"	ug/l	34	110	50	8260B		4/5/2010	CJR	1
trans-1,2-Dichloroethene	< 30.5	ug/l	30.5	95	50	8260B		4/5/2010	CJR	1
1,2-Dichloropropane	< 13	ug/l	13	41	50	8260B		4/5/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001-0

Invoice # E20501

Lab Code 5020501K
Sample ID DUPLICATE
Sample Matrix Water
Sample Date 3/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
2,2-Dichloropropane	< 44.5	ug/l	44.5	140	50	8260B		4/5/2010	CJR	4 8
1,3-Dichloropropane	< 24.5	ug/l	24.5	80	50	8260B		4/5/2010	CJR	1
Di-isopropyl ether	< 16	ug/l	16	50	50	8260B		4/5/2010	CJR	1
EDB (1,2-Dibromoethane)	< 26	ug/l	26	80	50	8260B		4/5/2010	CJR	1
Ethylbenzene	< 43.5	ug/l	43.5	140	50	8260B		4/5/2010	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	235	50	8260B		4/5/2010	CJR	1
Isopropylbenzene	< 19.5	ug/l	19.5	60	50	8260B		4/5/2010	CJR	1
p-Isopropyltoluene	< 28.5	ug/l	28.5	90	50	8260B		4/5/2010	CJR	1
Methylene chloride	< 75	ug/l	75	240	50	8260B		4/5/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/l	25	80	50	8260B		4/5/2010	CJR	1
Naphthalene	< 85	ug/l	85	270	50	8260B		4/5/2010	CJR	1
n-Propylbenzene	< 16.5	ug/l	16.5	50	50	8260B		4/5/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 27.5	ug/l	27.5	90	50	8260B		4/5/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/l	27	85	50	8260B		4/5/2010	CJR	1
Tetrachloroethene	1070	ug/l	21	65	50	8260B		4/5/2010	CJR	1
Toluene	< 25.5	ug/l	25.5	80	50	8260B		4/5/2010	CJR	1
1,2,4-Trichlorobenzene	< 105	ug/l	105	330	50	8260B		4/5/2010	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	255	50	8260B		4/5/2010	CJR	1
1,1,1-Trichloroethane	< 23	ug/l	23	70	50	8260B		4/5/2010	CJR	1
1,1,2-Trichloroethane	< 20.5	ug/l	20.5	65	50	8260B		4/5/2010	CJR	1
Trichloroethene (TCE)	112	ug/l	19.5	60	50	8260B		4/5/2010	CJR	1
Trichlorofluoromethane	< 36	ug/l	36	115	50	8260B		4/5/2010	CJR	1
1,2,4-Trimethylbenzene	< 55	ug/l	55	175	50	8260B		4/5/2010	CJR	1
1,3,5-Trimethylbenzene	< 75	ug/l	75	245	50	8260B		4/5/2010	CJR	1
Vinyl Chloride	< 10	ug/l	10	32	50	8260B		4/5/2010	CJR	1
m&p-Xylene	< 80	ug/l	80	255	50	8260B		4/5/2010	CJR	1
o-Xylene	< 26.5	ug/l	26.5	85	50	8260B		4/5/2010	CJR	1
SUR - Toluene-d8	98	REC %			50	8260B		4/5/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			50	8260B		4/5/2010	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			50	8260B		4/5/2010	CJR	1
SUR - Dibromofluoromethane	91	REC %			50	8260B		4/5/2010	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code	Comment
1	Laboratory QC within limits.
2	Relative percent difference failed for laboratory spiked samples.
4	The continuing calibration standard not within established limits.
8	Closing calibration standard not within established limits.

CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael J. Ricker

CHAIN OF CUSTODY / CORD REQUEST FOR ANALYSIS

Page 1 of 7

3/3/07
No.

Check office originating request:

954 Circle Drive
Green Bay, WI 54304
920-460-8400
FAX 920-460-8444

330 South 4th Avenue
Park Falls, WI 54562
715-762-1544
Fax 715-762-1844

45 Alpine Drive, Suite H
Northbrook, IL 60062
847-562-8527
FAX 847-562-8550

3349 Southgate Court SW #102
Cedar Rapids, IA 52402
319-365-0466
FAX 319-365-0184

12075 N Corporate Pkwy, Suite 210
Minocqua, WI 54548
920-241-3131
FAX 920-241-8227

1203 Stockton Drive
Wayzata, MN 55391
920-824-8800
Fax 920-824-3023

101 W. 4th Street, Suite 101
Menomonie, WI 54452
715-585-1300
FAX 715-585-1313

15851 S. U.S. 27 - Big. 30, Suite 318
Lansing, MI 48906
517-702-0470
FAX 517-702-0477

315 Sanborn Avenue, Suite 200
Ashland, WI 54806
715-682-1116

Project No. 004030-01001-0	Task No.	Laboratory Synergy	Sample Integrity - To be completed by receiving lab Send intact upon receipt <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No									
Project Location Green Bay	Whichever DNA Certification # 445037560	Method of shipment Contents Temperature	°C Refrigerator No.									
Project Manager Chris Hoffield	Laboratory Contact Mike Ricker	Price Quote Syrn Audit 1843	ANALYSES REQUESTED									
Sampler Name Kevin R. Eberle	Phone Quote Syrn Audit 1843	TURNAROUND TIME REQUIRED										
Sampler (Signature) Ken R. Eberle	Date Needed	Normal	Rush									
Sampling Date(s) 3/30/07		<input checked="" type="checkbox"/>	<input type="checkbox"/>									
Reports to be Sent to Chris.Hoffield@Burostroo.com		CRD/OMA Method Number	EPA Method 8021									
Lab ID No.	Sample No.	Collection Date	No. of Containers, Size & Type	Description	Water	Soil	Other	Preservative	Normal	Rush	Normal	Rush
A	mw1	3/30/07	1493	3-40ml, T-250ml	X			ACQ	X	X	X	X
B	mw2				X				X	X	X	X
C	mw3				X				X	X	X	X
D	mw4				X				X	X	X	X
E	mw5				X				X	X	X	X
F	mw6				X				X	X	X	X
G	mw7				X				X	X	X	X
H	mw8				V				X	X	X	X
I	mw9				V				X	X	X	X
J	P21				X				X	X	X	X
K	P22				V				X	X	X	X
Packer for Shipping By			Comments: Please invoice per synergy lab Audit # 1843.									

Shipment Date

Requester/Shipper Ken R. Eberle	Date 3/30	Received By Company Burostroo	Date 5/3/07	Requester/Shipper Company SEL	Date 5/7/07
Receiving Mike Company SEL	Date 3/30	Received By Company	Date 5/7/07	Receiving Company	Date 5/7/07



CHAIN OF CUSTODY: CORD REQUEST FOR ANALYSIS

Sampling • Transport • Storage • Analysis

Page 1 of 2

88

Check all locations being analyzed:

100 Cedar Drive
Green Bay, WI 54304
414.222.8400
FAX 414.222.8444

100 South 3rd Avenue
Park Falls, WI 54467
715.782.1544
FAX 715.782.1544

300 University Street, Suite 111
Milwaukee, WI 53207
414.767.8231
FAX 414.767.8231

1049 Southgate Court SW #102
Cedar Rapids, IA 52404
219.365.0468
FAX 219.365.0468

10175 N Corporate Park Dr., Ste. 210
Milwaukee, WI 53227
414.241.3173
FAX 414.241.3173

1013 Starboard Drive
Waukesha, WI 53187
414.251.8200
FAX 414.251.8200

111 W 3rd Street, Suite 107
Milwaukee, WI 53204
715.246.1587
FAX 715.246.1587

1601 S. 17th St., Bldg. 207, Suite 11A [] 115 Northern Avenue, Suite 210
Milwaukee, WI 53207
414.767.0470
FAX 414.767.0477

Project No.

OB4220-01031-2

Project Location

Green Bay

Project Manager

Chris Hofffield

Sampled From:

Kevin P. E. Bergfeld

Sampler (Signature)

Kris E. Clark

Sampling Date(s):

3/30/10

Reports to the

Send to:

Chris.Hofffield@bcbsm.com

Lab ID No.	Sample No.	Collection Date / Time	Box or Container Size & Type
604k	Duplicate	3/29/10	3.40 mL

Laboratory

Wisconsin DNA

Certification #: 445037560

Laboratory Contact

Mike Richter

Phone/Email:

Syn. Quick # 1843
TURNAROUND TIME REQUIRED

[X] Normal [] Rush

Date Needed:

Within

30 days

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

CHRIS HATFIELD
BONESTROO
954 CIRCLE DRIVE
GREEN BAY WI 54304

Report Date 30-Jul-10

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014A
Sample ID MW1
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	----------	---------	------

Organic

GASES

Ethane	< 1	ug/l	1	3	1	8015	7/14/2010	MJR	1
Ethene	< 1	ug/l	1	3	1	8015	7/14/2010	MJR	1
Methane	< 1	ug/l	1	3	1	8015	7/14/2010	MJR	1

VOC's

Benzene	< 76	ug/l	76	240	200	8260B	7/20/2010	CJR	1
Bromobenzene	< 200	ug/l	200	660	200	8260B	7/20/2010	CJR	1
Bromodichloromethane	< 128	ug/l	128	400	200	8260B	7/20/2010	CJR	1
Bromoform	< 78	ug/l	78	240	200	8260B	7/20/2010	CJR	1
tert-Butylbenzene	< 110	ug/l	110	340	200	8260B	7/20/2010	CJR	1
sec-Butylbenzene	< 118	ug/l	118	380	200	8260B	7/20/2010	CJR	1
n-Butylbenzene	< 188	ug/l	188	600	200	8260B	7/20/2010	CJR	1
Carbon Tetrachloride	< 50	ug/l	50	160	200	8260B	7/20/2010	CJR	1
Chlorobenzene	< 182	ug/l	182	580	200	8260B	7/20/2010	CJR	1
Chloroethane	< 134	ug/l	134	420	200	8260B	7/20/2010	CJR	1
Chloroform	< 64	ug/l	64	200	200	8260B	7/20/2010	CJR	1
Chloromethane	< 240	ug/l	240	760	200	8260B	7/20/2010	CJR	1
2-Chlorotoluene	< 102	ug/l	102	320	200	8260B	7/20/2010	CJR	1
4-Chlorotoluene	< 148	ug/l	148	460	200	8260B	7/20/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 380	ug/l	380	1240	200	8260B	7/20/2010	CJR	1
Dibromochloromethane	< 220	ug/l	220	680	200	8260B	7/20/2010	CJR	1
1,4-Dichlorobenzene	< 190	ug/l	190	600	200	8260B	7/20/2010	CJR	1
1,3-Dichlorobenzene	< 158	ug/l	158	500	200	8260B	7/20/2010	CJR	1
1,2-Dichlorobenzene	< 168	ug/l	168	540	200	8260B	7/20/2010	CJR	1
Dichlorodifluoromethane	< 140	ug/l	140	440	200	8260B	7/20/2010	CJR	1
1,2-Dichloroethane	< 76	ug/l	76	240	200	8260B	7/20/2010	CJR	1
1,1-Dichloroethane	< 138	ug/l	138	440	200	8260B	7/20/2010	CJR	1
1,1-Dichloroethene	< 140	ug/l	140	440	200	8260B	7/20/2010	CJR	1
cis-1,2-Dichloroethene	< 156	ug/l	156	500	200	8260B	7/20/2010	CJR	1

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014A
Sample ID MW1
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
trans-1,2-Dichloroethene	< 260	ug/l	260	820	200	8260B		7/20/2010	CJR	1	
1,2-Dichloropropane	< 68	ug/l	68	220	200	8260B		7/20/2010	CJR	1	
2,2-Dichloropropane	< 92	ug/l	92	300	200	8260B		7/20/2010	CJR	1	
1,3-Dichloropropane	< 194	ug/l	194	620	200	8260B		7/20/2010	CJR	1	
Di-isopropyl ether	< 140	ug/l	140	440	200	8260B		7/20/2010	CJR	1	
EDB (1,2-Dibromoethane)	< 190	ug/l	190	600	200	8260B		7/20/2010	CJR	1	
Ethylbenzene	< 110	ug/l	110	360	200	8260B		7/20/2010	CJR	1	
Hexachlorobutadiene	< 360	ug/l	360	1180	200	8260B		7/20/2010	CJR	1	
Isopropylbenzene	< 142	ug/l	142	460	200	8260B		7/20/2010	CJR	1	
p-Isopropyltoluene	< 182	ug/l	182	580	200	8260B		7/20/2010	CJR	1	
Methylene chloride	< 94	ug/l	94	300	200	8260B		7/20/2010	CJR	1	
Methyl tert-butyl ether (MTBE)	< 50	ug/l	50	160	200	8260B		7/20/2010	CJR	1	
Naphthalene	< 480	ug/l	480	1540	200	8260B		7/20/2010	CJR	1	
n-Propylbenzene	< 134	ug/l	134	420	200	8260B		7/20/2010	CJR	1	
1,1,2,2-Tetrachloroethane	< 100	ug/l	100	320	200	8260B		7/20/2010	CJR	1	
1,1,1,2-Tetrachloroethane	< 140	ug/l	140	440	200	8260B		7/20/2010	CJR	1	
Tetrachloroethene	420	ug/l	86	280	200	8260B		7/20/2010	CJR	1	
Toluene	< 144	ug/l	144	460	200	8260B		7/20/2010	CJR	1	
1,2,4-Trichlorobenzene	< 300	ug/l	300	960	200	8260B		7/20/2010	CJR	1	
1,2,3-Trichlorobenzene	< 560	ug/l	560	1760	200	8260B		7/20/2010	CJR	1	
1,1,1-Trichloroethane	< 106	ug/l	106	340	200	8260B		7/20/2010	CJR	1	
1,1,2-Trichloroethane	< 94	ug/l	94	300	200	8260B		7/20/2010	CJR	1	
Trichloroethene (TCE)	< 78	ug/l	78	240	200	8260B		7/20/2010	CJR	1	
Trichlorofluoromethane	< 112	ug/l	112	360	200	8260B		7/20/2010	CJR	1	
1,2,4-Trimethylbenzene	< 130	ug/l	130	420	200	8260B		7/20/2010	CJR	1	
1,3,5-Trimethylbenzene	< 110	ug/l	110	360	200	8260B		7/20/2010	CJR	1	
Vinyl Chloride	< 38	ug/l	38	122	200	8260B		7/20/2010	CJR	1	
m&p-Xylene	< 220	ug/l	220	720	200	8260B		7/20/2010	CJR	1	
o-Xylene	< 104	ug/l	104	340	200	8260B		7/20/2010	CJR	1	
SUR - 4-Bromofluorobenzene	120	REC %				200	8260B		7/20/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %				200	8260B		7/20/2010	CJR	1
SUR - Toluene-d8	145	REC %				200	8260B		7/20/2010	CJR	1
SUR - Dibromofluoromethane	91	REC %				200	8260B		7/20/2010	CJR	1

Wet Chemistry

General

Chlorides, Dissolved	< 3.4	mg/l	3.4	10.6	2	300.0		7/15/2010	CWT	1
Nitrite Plus Nitrate, Dissolved	0.39	mg/L	0.1	0.31	1	4500B/F		7/19/2010	CWT	1
Sulfate, Dissolved	17.3	mg/L	3.4	10.6	2	300.0		7/15/2010	CWT	1

Lab Code 5021014B
Sample ID MW2
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
VOC's										
Benzene	< 380	ug/l	380	1200	1000	8260B		7/20/2010	CJR	1

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014B
Sample ID MW2
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromobenzene	< 1000	ug/l	1000	3300	1000	8260B		7/20/2010	CJR	1
Bromodichloromethane	< 640	ug/l	640	2000	1000	8260B		7/20/2010	CJR	1
Bromoform	< 390	ug/l	390	1200	1000	8260B		7/20/2010	CJR	1
tert-Butylbenzene	< 550	ug/l	550	1700	1000	8260B		7/20/2010	CJR	1
sec-Butylbenzene	< 590	ug/l	590	1900	1000	8260B		7/20/2010	CJR	1
n-Butylbenzene	< 940	ug/l	940	3000	1000	8260B		7/20/2010	CJR	1
Carbon Tetrachloride	< 250	ug/l	250	800	1000	8260B		7/20/2010	CJR	1
Chlorobenzene	< 910	ug/l	910	2900	1000	8260B		7/20/2010	CJR	1
Chloroethane	< 670	ug/l	670	2100	1000	8260B		7/20/2010	CJR	1
Chloroform	< 320	ug/l	320	1000	1000	8260B		7/20/2010	CJR	1
Chloromethane	< 1200	ug/l	1200	3800	1000	8260B		7/20/2010	CJR	1
2-Chlorotoluene	< 510	ug/l	510	1600	1000	8260B		7/20/2010	CJR	1
4-Chlorotoluene	< 740	ug/l	740	2300	1000	8260B		7/20/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1900	ug/l	1900	6200	1000	8260B		7/20/2010	CJR	1
Dibromochloromethane	< 1100	ug/l	1100	3400	1000	8260B		7/20/2010	CJR	1
1,4-Dichlorobenzene	< 950	ug/l	950	3000	1000	8260B		7/20/2010	CJR	1
1,3-Dichlorobenzene	< 790	ug/l	790	2500	1000	8260B		7/20/2010	CJR	1
1,2-Dichlorobenzene	< 840	ug/l	840	2700	1000	8260B		7/20/2010	CJR	1
Dichlorodifluoromethane	< 700	ug/l	700	2200	1000	8260B		7/20/2010	CJR	1
1,2-Dichloroethane	< 380	ug/l	380	1200	1000	8260B		7/20/2010	CJR	1
1,1-Dichloroethane	< 690	ug/l	690	2200	1000	8260B		7/20/2010	CJR	1
1,1-Dichloroethene	< 700	ug/l	700	2200	1000	8260B		7/20/2010	CJR	1
cis-1,2-Dichloroethene	< 780	ug/l	780	2500	1000	8260B		7/20/2010	CJR	1
trans-1,2-Dichloroethene	< 1300	ug/l	1300	4100	1000	8260B		7/20/2010	CJR	1
1,2-Dichloropropane	< 340	ug/l	340	1100	1000	8260B		7/20/2010	CJR	1
2,2-Dichloropropane	< 460	ug/l	460	1500	1000	8260B		7/20/2010	CJR	1
1,3-Dichloropropane	< 970	ug/l	970	3100	1000	8260B		7/20/2010	CJR	1
Di-isopropyl ether	< 700	ug/l	700	2200	1000	8260B		7/20/2010	CJR	1
EDB (1,2-Dibromoethane)	< 950	ug/l	950	3000	1000	8260B		7/20/2010	CJR	1
Ethylbenzene	< 550	ug/l	550	1800	1000	8260B		7/20/2010	CJR	1
Hexachlorobutadiene	< 1800	ug/l	1800	5900	1000	8260B		7/20/2010	CJR	1
Isopropylbenzene	< 710	ug/l	710	2300	1000	8260B		7/20/2010	CJR	1
p-Isopropyltoluene	< 910	ug/l	910	2900	1000	8260B		7/20/2010	CJR	1
Methylene chloride	< 470	ug/l	470	1500	1000	8260B		7/20/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 250	ug/l	250	800	1000	8260B		7/20/2010	CJR	1
Naphthalene	< 2400	ug/l	2400	7700	1000	8260B		7/20/2010	CJR	1
n-Propylbenzene	< 670	ug/l	670	2100	1000	8260B		7/20/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 500	ug/l	500	1600	1000	8260B		7/20/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 700	ug/l	700	2200	1000	8260B		7/20/2010	CJR	1
Tetrachloroethene	177000	ug/l	430	1400	1000	8260B		7/20/2010	CJR	1
Toluene	< 720	ug/l	720	2300	1000	8260B		7/20/2010	CJR	1
1,2,4-Trichlorobenzene	< 1500	ug/l	1500	4800	1000	8260B		7/20/2010	CJR	1
1,2,3-Trichlorobenzene	< 2800	ug/l	2800	8800	1000	8260B		7/20/2010	CJR	1
1,1,1-Trichloroethane	< 530	ug/l	530	1700	1000	8260B		7/20/2010	CJR	1
1,1,2-Trichloroethane	< 470	ug/l	470	1500	1000	8260B		7/20/2010	CJR	1
Trichloroethene (TCE)	< 390	ug/l	390	1200	1000	8260B		7/20/2010	CJR	1
Trichlorofluoromethane	< 560	ug/l	560	1800	1000	8260B		7/20/2010	CJR	1
1,2,4-Trimethylbenzene	< 650	ug/l	650	2100	1000	8260B		7/20/2010	CJR	1
1,3,5-Trimethylbenzene	< 550	ug/l	550	1800	1000	8260B		7/20/2010	CJR	1
Vinyl Chloride	< 190	ug/l	190	610	1000	8260B		7/20/2010	CJR	1
m&p-Xylene	< 1100	ug/l	1100	3600	1000	8260B		7/20/2010	CJR	1
o-Xylene	< 520	ug/l	520	1700	1000	8260B		7/20/2010	CJR	1

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014B
Sample ID MW2
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 4-Bromofluorobenzene	105	REC %			1000	8260B		7/20/2010	CJR	1
SUR - Toluene-d8	111	REC %			1000	8260B		7/20/2010	CJR	1
SUR - Dibromofluoromethane	82	REC %			1000	8260B		7/20/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	73	REC %			1000	8260B		7/20/2010	CJR	1

Wet Chemistry

General

Chlorides, Dissolved	78.5	mg/l	3.4	10.6	2	300.0		7/15/2010	CWT	1
Nitrite Plus Nitrate, Dissolved	15.8	mg/L	0.2	0.62	2	4500B/F		7/19/2010	CWT	1
Sulfate, Dissolved	1360	mg/L	42.5	132.5	25	300.0		7/15/2010	CWT	1

Lab Code 5021014C
Sample ID MW3
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

GASES

Ethane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1

VOC's

Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		7/20/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		7/20/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		7/20/2010	CJR	1
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		7/20/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		7/20/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/20/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		7/20/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		7/20/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		7/20/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		7/20/2010	CJR	1
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		7/20/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		7/20/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		7/20/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		7/20/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		7/20/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		7/20/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		7/20/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		7/20/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		7/20/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		7/20/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		7/20/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		7/20/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B		7/20/2010	CJR	1
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.5	1	8260B		7/20/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		7/20/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		7/20/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		7/20/2010	CJR	1
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		7/20/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		7/20/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		7/20/2010	CJR	1

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014C
Sample ID MW3
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/20/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		7/20/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/20/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		7/20/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/20/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		7/20/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		7/20/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		7/20/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/20/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		7/20/2010	CJR	1
Tetrachloroethene	38	ug/l	0.43	1.4	1	8260B		7/20/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		7/20/2010	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		7/20/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		7/20/2010	CJR	1
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/20/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/20/2010	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		7/20/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		7/20/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		7/20/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/20/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		7/20/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B		7/20/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		7/20/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		7/20/2010	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		7/20/2010	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		7/20/2010	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		7/20/2010	CJR	1

Wet Chemistry

General

Chlorides, Dissolved	67.3	mg/l	3.4	10.6	2	300.0		7/15/2010	CWT	1
Nitrite Plus Nitrate, Dissolved	1.14	mg/L	0.1	0.31	1	4500B/F		7/19/2010	CWT	1
Sulfate, Dissolved	164	mg/L	3.4	10.6	2	300.0		7/15/2010	CWT	1

Lab Code 5021014D
Sample ID MW4
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
VOC's										
Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		7/20/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		7/20/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		7/20/2010	CJR	1
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		7/20/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		7/20/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/20/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		7/20/2010	CJR	1

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014D
Sample ID MW4
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		7/20/2010	CJR	1	
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		7/20/2010	CJR	1	
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		7/20/2010	CJR	1	
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		7/20/2010	CJR	1	
Chloromethane	< 1.2	ug/l		1.2	3.8	1	8260B		7/20/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		7/20/2010	CJR	1	
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		7/20/2010	CJR	1	
1,2-Dibromo-3-chloropropane	< 1.9	ug/l		1.9	6.2	1	8260B		7/20/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l		1.1	3.4	1	8260B		7/20/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95		3	1	8260B		7/20/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		7/20/2010	CJR	1	
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		7/20/2010	CJR	1	
Dichlorodifluoromethane	< 0.7	ug/l		0.7	2.2	1	8260B		7/20/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		7/20/2010	CJR	1	
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		7/20/2010	CJR	1	
1,1-Dichloroethene	< 0.7	ug/l		0.7	2.2	1	8260B		7/20/2010	CJR	1
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.5	1	8260B		7/20/2010	CJR	1	
trans-1,2-Dichloroethene	< 1.3	ug/l		1.3	4.1	1	8260B		7/20/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		7/20/2010	CJR	1	
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		7/20/2010	CJR	1	
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		7/20/2010	CJR	1	
Di-isopropyl ether	< 0.7	ug/l		0.7	2.2	1	8260B		7/20/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95		3	1	8260B		7/20/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/20/2010	CJR	1	
Hexachlorobutadiene	< 1.8	ug/l		1.8	5.9	1	8260B		7/20/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/20/2010	CJR	1	
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		7/20/2010	CJR	1	
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/20/2010	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		7/20/2010	CJR	1	
Naphthalene	< 2.4	ug/l		2.4	7.7	1	8260B		7/20/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		7/20/2010	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.5	ug/l		0.5	1.6	1	8260B		7/20/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l		0.7	2.2	1	8260B		7/20/2010	CJR	1
Tetrachloroethene	2.85	ug/l	0.43	1.4	1	8260B		7/20/2010	CJR	1	
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		7/20/2010	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l		1.5	4.8	1	8260B		7/20/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		7/20/2010	CJR	1	
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/20/2010	CJR	1	
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/20/2010	CJR	1	
Trichlorethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		7/20/2010	CJR	1	
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		7/20/2010	CJR	1	
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		7/20/2010	CJR	1	
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/20/2010	CJR	1	
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		7/20/2010	CJR	1	
m&p-Xylene	< 1.1	ug/l		1.1	3.6	1	8260B		7/20/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		7/20/2010	CJR	1	
SUR - 1,2-Dichloroethane-d4	114	REC %			1	8260B		7/20/2010	CJR	1	
SUR - 4-Bromofluorobenzene	121	REC %			1	8260B		7/20/2010	CJR	1	
SUR - Dibromofluoromethane	102	REC %			1	8260B		7/20/2010	CJR	1	
SUR - Toluene-d8	67	REC %			1	8260B		7/20/2010	CJR	1	

Wet Chemistry

General

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014D
Sample ID MW4
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chlorides, Dissolved	73.3	mg/l	3.4	10.6	2	300.0		7/15/2010	CWT	1
Nitrite Plus Nitrate, Dissolved	3.47	mg/L	0.1	0.31	1	4500B/F		7/19/2010	CWT	1
Sulfate, Dissolved	66.0	mg/L	3.4	10.6	2	300.0		7/15/2010	CWT	1

Lab Code 5021014E
Sample ID MW6
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

GASES

Ethane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Methane	1.0 "J"	ug/l	1	3	1	8015		7/14/2010	MJR	1

VOC's

Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		7/20/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		7/20/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		7/20/2010	CJR	1
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		7/20/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		7/20/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/20/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		7/20/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		7/20/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		7/20/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		7/20/2010	CJR	1
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		7/20/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		7/20/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		7/20/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		7/20/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		7/20/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		7/20/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		7/20/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		7/20/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		7/20/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		7/20/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		7/20/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		7/20/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B		7/20/2010	CJR	1
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.5	1	8260B		7/20/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		7/20/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		7/20/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		7/20/2010	CJR	1
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		7/20/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		7/20/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		7/20/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/20/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		7/20/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/20/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		7/20/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/20/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		7/20/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		7/20/2010	CJR	1

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014E
Sample ID MW6
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		7/20/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/20/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		7/20/2010	CJR	1
Tetrachloroethene	47	ug/l	0.43	1.4	1	8260B		7/20/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		7/20/2010	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		7/20/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		7/20/2010	CJR	1
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/20/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/20/2010	CJR	1
Trichloroethene (TCE)	1.24	ug/l	0.39	1.2	1	8260B		7/20/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		7/20/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		7/20/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/20/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		7/20/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B		7/20/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		7/20/2010	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		7/20/2010	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		7/20/2010	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		7/20/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	87	REC %			1	8260B		7/20/2010	CJR	1

Wet Chemistry

General

Chlorides, Dissolved	33.3	mg/l	3.4	10.6	2	300.0		7/15/2010	CWT	1
Nitrite Plus Nitrate, Dissolved	1.92	mg/L	0.1	0.31	1	4500B/F		7/19/2010	CWT	1
Sulfate, Dissolved	39.9	mg/L	3.4	10.6	2	300.0		7/15/2010	CWT	1

Lab Code 5021014F
Sample ID MW7
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Methane	1.3 "J"	ug/l	1	3	1	8015		7/14/2010	MJR	1
VOC's										
Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		7/26/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		7/26/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		7/26/2010	CJR	1
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		7/26/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		7/26/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/26/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		7/26/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		7/26/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		7/26/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		7/26/2010	CJR	1
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		7/26/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		7/26/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		7/26/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		7/26/2010	CJR	1

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014F
Sample ID MW7
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		7/26/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		7/26/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		7/26/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		7/26/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		7/26/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		7/26/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		7/26/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		7/26/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B		7/26/2010	CJR	1
cis-1,2-Dichloroethene	5.5	ug/l	0.78	2.5	1	8260B		7/26/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		7/26/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		7/26/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		7/26/2010	CJR	4
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		7/26/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		7/26/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		7/26/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/26/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		7/26/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/26/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		7/26/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/26/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		7/26/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		7/26/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		7/26/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/26/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		7/26/2010	CJR	1
Tetrachloroethene	59	ug/l	0.43	1.4	1	8260B		7/26/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		7/26/2010	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		7/26/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		7/26/2010	CJR	1
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/26/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/26/2010	CJR	1
Trichloroethene (TCE)	14.4	ug/l	0.39	1.2	1	8260B		7/26/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		7/26/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		7/26/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/26/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		7/26/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B		7/26/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		7/26/2010	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		7/26/2010	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		7/26/2010	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		7/26/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		7/26/2010	CJR	1

Wet Chemistry

General

Chlorides, Dissolved	122	mg/l	6.8	21.2	4	300.0		7/15/2010	CWT	1
Nitrite Plus Nitrate, Dissolved	0.11 "J"	mg/L	0.1	0.31	1	4500B/F		7/19/2010	CWT	1
Sulfate, Dissolved	69.1	mg/L	3.4	10.6	2	300.0		7/15/2010	CWT	1

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014G
Sample ID MW8
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
VOC's										
Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		7/20/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		7/20/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		7/20/2010	CJR	1
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		7/20/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		7/20/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/20/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		7/20/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		7/20/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		7/20/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		7/20/2010	CJR	1
Chloroform	0.34 "J"	ug/l	0.32	1	1	8260B		7/20/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		7/20/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		7/20/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		7/20/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		7/20/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		7/20/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		7/20/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		7/20/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		7/20/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		7/20/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		7/20/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		7/20/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B		7/20/2010	CJR	1
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.5	1	8260B		7/20/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		7/20/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		7/20/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		7/20/2010	CJR	1
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		7/20/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		7/20/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		7/20/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/20/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		7/20/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/20/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		7/20/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/20/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		7/20/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		7/20/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		7/20/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/20/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		7/20/2010	CJR	1
Tetrachloroethene	1.53	ug/l	0.43	1.4	1	8260B		7/20/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		7/20/2010	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		7/20/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		7/20/2010	CJR	1
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/20/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/20/2010	CJR	1

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014G
Sample ID MW8
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		7/20/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		7/20/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		7/20/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/20/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		7/20/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B		7/20/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		7/20/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		7/20/2010	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		7/20/2010	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		7/20/2010	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		7/20/2010	CJR	1

Wet Chemistry

General

Chlorides, Dissolved	465	mg/l	42.5	132.5	25	300.0		7/15/2010	CWT	1
Nitrite Plus Nitrate, Dissolved	0.10 "J"	mg/L	0.1	0.31	1	4500B/F		7/19/2010	CWT	1
Sulfate, Dissolved	27.1	mg/L	3.4	10.6	2	300.0		7/15/2010	CWT	1

Lab Code 5021014H

Sample ID MW9

Sample Matrix Water

Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

GASES

Ethane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1

VOC's

Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		7/22/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		7/22/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		7/22/2010	CJR	1
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		7/22/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		7/22/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/22/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		7/22/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		7/22/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		7/22/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		7/22/2010	CJR	1
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		7/22/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		7/22/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		7/22/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		7/22/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		7/22/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		7/22/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		7/22/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		7/22/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		7/22/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		7/22/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		7/22/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		7/22/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B		7/22/2010	CJR	1

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014H
Sample ID MW9
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.5	1	8260B		7/22/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		7/22/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		7/22/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		7/22/2010	CJR	1
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		7/22/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		7/22/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		7/22/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/22/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		7/22/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/22/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		7/22/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/22/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		7/22/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		7/22/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		7/22/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/22/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		7/22/2010	CJR	1
Tetrachloroethene	4.3	ug/l	0.43	1.4	1	8260B		7/22/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		7/22/2010	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		7/22/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		7/22/2010	CJR	1
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/22/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/22/2010	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		7/22/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		7/22/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		7/22/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/22/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		7/22/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B		7/22/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		7/22/2010	CJR	1
SUR - 4-Bromofluorobenzene	120	REC %			1	8260B		7/22/2010	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		7/22/2010	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		7/22/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		7/22/2010	CJR	1

Wet Chemistry

General

Chlorides, Dissolved	115	mg/l	5.1	15.9	3	300.0		7/15/2010	CWT	1
Nitrite Plus Nitrate, Dissolved	1.14	mg/L	0.1	0.31	1	4500B/F		7/19/2010	CWT	1
Sulfate, Dissolved	22.7	mg/L	3.4	10.6	2	300.0		7/15/2010	CWT	1

Lab Code 5021014I
Sample ID PZ1
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

GASES

Ethane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1

VOC's

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014I
Sample ID PZ1
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Benzene	< 0.38	ug/l	0.38	1.2	1	8260B	7/22/2010	CJR	1	
Bromobenzene	< 1	ug/l	1	3.3	1	8260B	7/22/2010	CJR	1	
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B	7/22/2010	CJR	1	
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B	7/22/2010	CJR	1	
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	7/22/2010	CJR	1	
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B	7/22/2010	CJR	1	
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B	7/22/2010	CJR	1	
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B	7/22/2010	CJR	1	
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B	7/22/2010	CJR	1	
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B	7/22/2010	CJR	1	
Chloroform	< 0.32	ug/l	0.32	1	1	8260B	7/22/2010	CJR	1	
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B	7/22/2010	CJR	1	
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B	7/22/2010	CJR	1	
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B	7/22/2010	CJR	1	
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B	7/22/2010	CJR	1	
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B	7/22/2010	CJR	1	
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B	7/22/2010	CJR	1	
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B	7/22/2010	CJR	1	
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B	7/22/2010	CJR	1	
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B	7/22/2010	CJR	1	
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B	7/22/2010	CJR	1	
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B	7/22/2010	CJR	1	
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B	7/22/2010	CJR	1	
cis-1,2-Dichloroethene	7.1	ug/l	0.78	2.5	1	8260B	7/22/2010	CJR	1	
trans-1,2-Dichloroethene	2.07 "J"	ug/l	1.3	4.1	1	8260B	7/22/2010	CJR	1	
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B	7/22/2010	CJR	1	
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B	7/22/2010	CJR	1	
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B	7/22/2010	CJR	1	
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B	7/22/2010	CJR	1	
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B	7/22/2010	CJR	1	
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B	7/22/2010	CJR	1	
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B	7/22/2010	CJR	1	
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	7/22/2010	CJR	1	
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B	7/22/2010	CJR	1	
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B	7/22/2010	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B	7/22/2010	CJR	1	
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B	7/22/2010	CJR	1	
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B	7/22/2010	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	7/22/2010	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B	7/22/2010	CJR	1	
Tetrachloroethene	1080	ug/l	22	70	50	8260B	7/26/2010	CJR	1	
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B	7/22/2010	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B	7/22/2010	CJR	1	
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B	7/22/2010	CJR	1	
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B	7/22/2010	CJR	1	
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	7/22/2010	CJR	1	
Trichloroethene (TCE)	67	ug/l	0.39	1.2	1	8260B	7/22/2010	CJR	1	
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B	7/22/2010	CJR	1	
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B	7/22/2010	CJR	1	
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B	7/22/2010	CJR	1	
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B	7/22/2010	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B	7/22/2010	CJR	1	

Project Name GREEN BAY
Project # 4230-09001
Lab Code 50210141
Sample ID PZ1
Sample Matrix Water
Sample Date 7/13/2010

Invoice # E21014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		7/22/2010	CJR	1
SUR - 4-Bromofluorobenzene	120	REC %			1	8260B		7/22/2010	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		7/22/2010	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		7/22/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		7/22/2010	CJR	1

Wet Chemistry

General

Chlorides, Dissolved	52.1	mg/l	3.4	10.6	2	300.0		7/15/2010	CWT	1
Nitrite Plus Nitrate, Dissolved	0.20 "J"	mg/L	0.1	0.31	1	4500B/F		7/19/2010	CWT	1
Sulfate, Dissolved	106	mg/L	3.4	10.6	2	300.0		7/15/2010	CWT	1

Lab Code 5021014J

Sample ID PZ2

Sample Matrix Water

Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic GASES

VOC's

Ethane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/14/2010	MJR	1
Benzene	< 3.8	ug/l	3.8	12	10	8260B		7/23/2010	CJR	1
Bromobenzene	< 10	ug/l	10	33	10	8260B		7/23/2010	CJR	1
Bromodichloromethane	< 6.4	ug/l	6.4	20	10	8260B		7/23/2010	CJR	1
Bromoform	< 3.9	ug/l	3.9	12	10	8260B		7/23/2010	CJR	1
tert-Butylbenzene	< 5.5	ug/l	5.5	17	10	8260B		7/23/2010	CJR	1
sec-Butylbenzene	< 5.9	ug/l	5.9	19	10	8260B		7/23/2010	CJR	1
n-Butylbenzene	< 9.4	ug/l	9.4	30	10	8260B		7/23/2010	CJR	1
Carbon Tetrachloride	< 2.5	ug/l	2.5	8	10	8260B		7/23/2010	CJR	1
Chlorobenzene	< 9.1	ug/l	9.1	29	10	8260B		7/23/2010	CJR	1
Chloroethane	< 6.7	ug/l	6.7	21	10	8260B		7/23/2010	CJR	1
Chloroform	< 3.2	ug/l	3.2	10	10	8260B		7/23/2010	CJR	1
Chloromethane	< 12	ug/l	12	38	10	8260B		7/23/2010	CJR	1
2-Chlorotoluene	< 5.1	ug/l	5.1	16	10	8260B		7/23/2010	CJR	1
4-Chlorotoluene	< 7.4	ug/l	7.4	23	10	8260B		7/23/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 19	ug/l	19	62	10	8260B		7/23/2010	CJR	1
Dibromochloromethane	< 11	ug/l	11	34	10	8260B		7/23/2010	CJR	1
1,4-Dichlorobenzene	< 9.5	ug/l	9.5	30	10	8260B		7/23/2010	CJR	1
1,3-Dichlorobenzene	< 7.9	ug/l	7.9	25	10	8260B		7/23/2010	CJR	1
1,2-Dichlorobenzene	< 8.4	ug/l	8.4	27	10	8260B		7/23/2010	CJR	1
Dichlorodifluoromethane	< 7	ug/l	7	22	10	8260B		7/23/2010	CJR	1
1,2-Dichloroethane	< 3.8	ug/l	3.8	12	10	8260B		7/23/2010	CJR	1
1,1-Dichloroethane	< 6.9	ug/l	6.9	22	10	8260B		7/23/2010	CJR	1
1,1-Dichloroethene	< 7	ug/l	7	22	10	8260B		7/23/2010	CJR	1
cis-1,2-Dichloroethene	1310	ug/l	7.8	25	10	8260B		7/23/2010	CJR	1
trans-1,2-Dichloroethene	45	ug/l	13	41	10	8260B		7/23/2010	CJR	1
1,2-Dichloropropene	< 3.4	ug/l	3.4	11	10	8260B		7/23/2010	CJR	1
2,2-Dichloropropene	< 4.6	ug/l	4.6	15	10	8260B		7/23/2010	CJR	1
1,3-Dichloropropene	< 9.7	ug/l	9.7	31	10	8260B		7/23/2010	CJR	1
Di-isopropyl ether	< 7	ug/l	7	22	10	8260B		7/23/2010	CJR	1

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

Lab Code 5021014J
Sample ID PZ2
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
EDB (1,2-Dibromoethane)	< 9.5	ug/l	9.5	30	10	8260B		7/23/2010	CJR	1	
Ethylbenzene	< 5.5	ug/l	5.5	18	10	8260B		7/23/2010	CJR	1	
Hexachlorobutadiene	< 18	ug/l		18	59	10	8260B		7/23/2010	CJR	1
Isopropylbenzene	< 7.1	ug/l	7.1	23	10	8260B		7/23/2010	CJR	1	
p-Isopropyltoluene	< 9.1	ug/l	9.1	29	10	8260B		7/23/2010	CJR	1	
Methylene chloride	< 4.7	ug/l	4.7	15	10	8260B		7/23/2010	CJR	1	
Methyl tert-butyl ether (MTBE)	< 2.5	ug/l	2.5	8	10	8260B		7/23/2010	CJR	1	
Naphthalene	< 24	ug/l	24	77	10	8260B		7/23/2010	CJR	1	
n-Propylbenzene	< 6.7	ug/l	6.7	21	10	8260B		7/23/2010	CJR	1	
1,1,2,2-Tetrachloroethane	< 5	ug/l		5	16	10	8260B		7/23/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 7	ug/l		7	22	10	8260B		7/23/2010	CJR	1
Tetrachloroethene	340	ug/l	4.3	14	10	8260B		7/23/2010	CJR	1	
Toluene	< 7.2	ug/l	7.2	23	10	8260B		7/23/2010	CJR	1	
1,2,4-Trichlorobenzene	< 15	ug/l	15	48	10	8260B		7/23/2010	CJR	1	
1,2,3-Trichlorobenzene	< 28	ug/l	28	88	10	8260B		7/23/2010	CJR	1	
1,1,1-Trichloroethane	< 5.3	ug/l	5.3	17	10	8260B		7/23/2010	CJR	1	
1,1,2-Trichloroethane	< 4.7	ug/l	4.7	15	10	8260B		7/23/2010	CJR	1	
Trichloroethene (TCE)	790	ug/l	3.9	12	10	8260B		7/23/2010	CJR	1	
Trichlorofluoromethane	< 5.6	ug/l	5.6	18	10	8260B		7/23/2010	CJR	1	
1,2,4-Trimethylbenzene	< 6.5	ug/l	6.5	21	10	8260B		7/23/2010	CJR	1	
1,3,5-Trimethylbenzene	< 5.5	ug/l	5.5	18	10	8260B		7/23/2010	CJR	1	
Vinyl Chloride	< 1.9	ug/l	1.9	6.1	10	8260B		7/23/2010	CJR	1	
m&p-Xylene	< 11	ug/l	11	36	10	8260B		7/23/2010	CJR	1	
o-Xylene	< 5.2	ug/l	5.2	17	10	8260B		7/23/2010	CJR	1	
SUR - Dibromofluoromethane	93	REC %			10	8260B		7/23/2010	CJR	1	
SUR - Toluene-d8	107	REC %			10	8260B		7/23/2010	CJR	1	
SUR - 4-Bromofluorobenzene	103	REC %			10	8260B		7/23/2010	CJR	1	
SUR - 1,2-Dichloroethane-d4	95	REC %			10	8260B		7/23/2010	CJR	1	

Wet Chemistry

General

Chlorides, Dissolved	294	mg/l	17	53	10	300.0		7/15/2010	CWT	1
Nitrite Plus Nitrate, Dissolved	0.18 "J"	mg/L	0.1	0.31	1	4500B/F		7/19/2010	CWT	1
Sulfate, Dissolved	68.1	mg/L	3.4	10.6	2	300.0		7/15/2010	CWT	1

Lab Code 5021014K
Sample ID DUP
Sample Matrix Water
Sample Date 7/13/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Organic											
VOC's											
Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		7/27/2010	CJR	1	
Bromobenzene	< 1	ug/l		1	3.3	1	8260B		7/27/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		7/27/2010	CJR	1	
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		7/27/2010	CJR	1	
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		7/27/2010	CJR	1	
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/27/2010	CJR	1	
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		7/27/2010	CJR	1	
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		7/27/2010	CJR	1	
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		7/27/2010	CJR	1	
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		7/27/2010	CJR	1	

Project Name GREEN BAY
Project # 4230-09001
Lab Code 5021014K
Sample ID DUP
Sample Matrix Water
Sample Date 7/13/2010

Invoice # E21014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		7/27/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		7/27/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		7/27/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		7/27/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		7/27/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		7/27/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		7/27/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		7/27/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		7/27/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		7/27/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		7/27/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		7/27/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B		7/27/2010	CJR	1
cis-1,2-Dichloroethene	5.6	ug/l	0.78	2.5	1	8260B		7/27/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		7/27/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		7/27/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		7/27/2010	CJR	1
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		7/27/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		7/27/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		7/27/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/27/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		7/27/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/27/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		7/27/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/27/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		7/27/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		7/27/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		7/27/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/27/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		7/27/2010	CJR	1
Tetrachloroethene	57	ug/l	0.43	1.4	1	8260B		7/27/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		7/27/2010	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		7/27/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		7/27/2010	CJR	1
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/27/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/27/2010	CJR	1
Trichloroethene (TCE)	14.9	ug/l	0.39	1.2	1	8260B		7/27/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		7/27/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		7/27/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		7/27/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		7/27/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B		7/27/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		7/27/2010	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		7/27/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	88	REC %			1	8260B		7/27/2010	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		7/27/2010	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		7/27/2010	CJR	1

Project Name GREEN BAY
Project # 4230-09001

Invoice # E21014

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
4 The continuing calibration standard not within established limits.

CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.


Authorized Signature

Michael J. Ricker



Hydrogeologists • Engineers • Surveyors • Scientists

Check office originating document



CHAIN OF CUSTODY

CORD REQUEST FOR ANALYSIS

Page 1 of 2

Rev.

330 South 4th Avenue
Park Falls, WI 54550
715-782-1544
Fax 715-782-1544

115 Novato Drive, Suite H
Northbrook, IL 60062
847-662-8172
FAX 847-662-8552

3340 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-1464

1000 University Street, Suite 1000
Seattle, WA 98101
206-467-1000
FAX 206-467-1000

19025 N Corporate Place Suite 210
Milwaukee, WI 53217
414-241-3133
FAX 414-241-8722

1207 Shorthair Drive
Waukesha, WI 53186
920-224-4600
FAX 920-224-3020

101 W 4th Street, Suite 101
Marinette, WI 54148
715-486-1300
FAX 715-486-1313

15851 S US 27 - Big 30, Suite 318
Lansing, MI 48906
517-702-0470
FAX 517-702-0477

Project No. 4230-09001	Task No. Green Bay	Laboratory <i>Signature</i> Wisconsin DNR Certification # 445037560	Sample Integrity - To be completed by receiving lab: Seal intact upon receipt <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Method of shipment Content Temperature 23°C <input type="checkbox"/> Refrigerator No.													
Project Location WI	Project Manager Chris Hartfield	Laboratory Contact Mike Ricker	ANALYSES REQUESTED													
Sampler Name Jeff Brandt	Sampler Signature Jeff B.	Phone Number 7-13-10	<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush													
Sampling Dates: 7-13-10			TURNAROUND TIME REQUIRED													
			Date Needed	Normal	Rush	24 hr	48 hr	72 hr	96 hr	120 hr	144 hr	168 hr	192 hr	216 hr	240 hr	
Lab ID No.	Sample No.	Collection Date	Collection Time	No. of Containers	Size & Type	Description	Water	Soil	Other	Preservation	COD	PCP	PCP	PCP	PCP	PCP
1014A	MW1	7-13-10	1055	4-40-1	3.86-1	<input checked="" type="checkbox"/>				HCl, H ₂ S, SO ₄	<input checked="" type="checkbox"/>					
	MW2		1123			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>					
	MW3		1153			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>					
	MW4		950			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>					
	MW6		1229			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>					
	MW7		1410			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>					
	MW8		1333			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>					
	MW9		1304			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>					
	Pz 1		1027			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>					
	Pz 2		1450			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>					

Packer for Shipping by


Jeff Brandt

Shipment Date

Comments

Refrigerated By	Date	Refrigerated By	Date	Refrigerated By	Date
Company	Time	Company	Time	Company	Time
<i>Jeff B.</i>	7/14/10				
Bonestroo	7:42 AM				
Received By	Date	Received By	Date	Received By	Date
<i>Jeff B.</i>	7/14/10				
Company	Time	Company	Time	Company	Time
<i>Jeff B.</i>	7:42				

Check office originating request



CHAIN OF CUSTODY CORD REQUEST FOR ANALYSIS

Page 2 of 2
6/123

- 330 South 4th Avenue
Park Falls, WI 54552
715-762-1544
Fax 715-762-1844
- 85 Florence Drive, Suite A
Northbrook, IL 60062
847-562-8577
FAX 847-562-8552
- 3349 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-0464

- 12075 N. Corporate Pkwy, Suite 210
Mequon, WI 53092
262-241-3133
FAX 262-241-8222
- 1203 Storbeck Drive
Waukesha, WI 531963
920-324-8600
FAX 920-324-3023
- 101 W. 4th Street, Suite 101
Marshfield, WI 54449
715-486-1200
FAX 715-486-1313
- 15851 S. U.S. 27 - Rte. 30, Suite 318
Lansing, MI 48906
517-702-0470
FAX 517-702-0477
- 315 Sanborn Avenue, Suite 200
Ashtabula, OH 44210
716-682-1116

Project No. 4230-09001	Task No.	Laboratory: <i>Sauer</i> Wisconsin DNR Certification #: 495037566	Sample Integrity - To be completed by receiving lab: Seal intact upon receipt <input checked="" type="checkbox"/> yes <input type="checkbox"/> no <i>SEL</i>										
Project Location (city) <i>Green Bay</i>	Project Manager: <i>Chris Hatchell</i>	Laboratory Contact: <i>Mike Richter</i>	Method of shipment: <i>C</i> Refrigerator No. 34162										
Sampler Name: <i>Jeff Broad</i>	Sampler (Signature): <i>Jeff Broad</i>	Price Quote:	Contents Temperature: <i>34°C</i> °C Refrigerator No. 34162										
Sampling Date(s): 7-13-10	Reports to be Sent to: <i>Jeff Broad</i>	ANALYSES REQUESTED											
TURNAROUND TIME REQUIRED													
<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush													
Date Needed													
Lab ID No. 10144-D07	Sample No. D07	Collection Date 7-13-10	Time	No. of Containers, Size & Type 3-40-1	Description Water Soil Other	Preservative HCl	<input type="checkbox"/> OBD <input type="checkbox"/> OBD (in Modified Method) <input type="checkbox"/> BTEX (EPA Method 8020) <input type="checkbox"/> VOC (EPA Method 8021) <input type="checkbox"/> PAH (EPA Method 8021) <input type="checkbox"/> PCB (EPA Method 8021)						
							<input checked="" type="checkbox"/> X	<input type="checkbox"/>					
Packed for Shipping by <i>Jeff Broad</i>				Comments									
Shipment Date													
Refrigerated <i>Jeff Broad</i>	Date 7/14/10	Refrigerated By:		Date	Refrigerated By:		Refrigerated By:		Refrigerated By:		Refrigerated By:		
	Time 7:40 AM	Company		Time	Company		Time		Company		Time		
Received By <i>Melvin</i>	Date 7/14/10	Received By		Date	Received By		Received By		Received By		Received By		
	Time 7:40 AM	Company		Time	Company		Time		Company		Time		

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

CHRIS HATFIELD
BONESTROO
954 CIRCLE DRIVE
GREEN BAY WI 54304

Report Date 07-Oct-10

Project Name GREEN BAY
Project # 004230-09001

Invoice # E21410

Lab Code 5021410A
Sample ID S102
Sample Matrix soil
Sample Date 9/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	88.5	%			1	5021		10/1/2010	MDK	1
Organic										
VOC's										
Benzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
Bromobenzene	< 55	ug/kg	55	174	1	8260B		10/6/2010	CJR	1
Bromodichloromethane	< 31	ug/kg	31	100	1	8260B		10/6/2010	CJR	1
Bromoform	< 18	ug/kg	18	59	1	8260B		10/6/2010	CJR	1
tert-Butylbenzene	< 41	ug/kg	41	130	1	8260B		10/6/2010	CJR	1
sec-Butylbenzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
n-Butylbenzene	< 46	ug/kg	46	145	1	8260B		10/6/2010	CJR	1
Carbon Tetrachloride	< 28	ug/kg	28	91	1	8260B		10/6/2010	CJR	1
Chlorobenzene	< 40	ug/kg	40	126	1	8260B		10/6/2010	CJR	1
Chloroethane	< 80	ug/kg	80	255	1	8260B		10/6/2010	CJR	1
Chloroform	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
Chloromethane	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
2-Chlorotoluene	< 46	ug/kg	46	146	1	8260B		10/6/2010	CJR	1
4-Chlorotoluene	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 67	ug/kg	67	213	1	8260B		10/6/2010	CJR	1
Dibromochloromethane	< 42	ug/kg	42	133	1	8260B		10/6/2010	CJR	1
1,4-Dichlorobenzene	< 20	ug/kg	20	64	1	8260B		10/6/2010	CJR	1
1,3-Dichlorobenzene	< 37	ug/kg	37	117	1	8260B		10/6/2010	CJR	1
1,2-Dichlorobenzene	< 41	ug/kg	41	131	1	8260B		10/6/2010	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	48
1,2-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
cis-1,2-Dichloroethene	< 44	ug/kg	44	139	1	8260B		10/6/2010	CJR	1
trans-1,2-Dichloroethene	< 43	ug/kg	43	138	1	8260B		10/6/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001

Invoice # E21410

Lab Code 5021410A
Sample ID S102
Sample Matrix soil
Sample Date 9/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 38	ug/kg	38	122	1	8260B		10/6/2010	CJR	1
2,2-Dichloropropane	< 87	ug/kg	87	276	1	8260B		10/6/2010	CJR	4 8
1,3-Dichloropropane	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
Di-isopropyl ether	< 31	ug/kg	31	97	1	8260B		10/6/2010	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	62	1	8260B		10/6/2010	CJR	1
Ethylbenzene	< 56	ug/kg	56	178	1	8260B		10/6/2010	CJR	1
Hexachlorobutadiene	< 79	ug/kg	79	251	1	8260B		10/6/2010	CJR	1
Isopropylbenzene	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
p-Isopropyltoluene	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
Methylene chloride	< 52	ug/kg	52	165	1	8260B		10/6/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 27	ug/kg	27	87	1	8260B		10/6/2010	CJR	1
Naphthalene	< 53	ug/kg	53	167	1	8260B		10/6/2010	CJR	1
n-Propylbenzene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 29	ug/kg	29	91	1	8260B		10/6/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 29	ug/kg	29	92	1	8260B		10/6/2010	CJR	1
Tetrachloroethene	< 53	ug/kg	53	170	1	8260B		10/6/2010	CJR	1
Toluene	< 51	ug/kg	51	164	1	8260B		10/6/2010	CJR	1
1,2,4-Trichlorobenzene	< 48	ug/kg	48	153	1	8260B		10/6/2010	CJR	1
1,2,3-Trichlorobenzene	< 58	ug/kg	58	186	1	8260B		10/6/2010	CJR	1
1,1,1-Trichloroethane	< 28	ug/kg	28	90	1	8260B		10/6/2010	CJR	1
1,1,2-Trichloroethane	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1
Trichloroethene (TCE)	< 50	ug/kg	50	158	1	8260B		10/6/2010	CJR	1
Trichlorofluoromethane	< 35	ug/kg	35	113	1	8260B		10/6/2010	CJR	1
1,2,4-Trimethylbenzene	< 73	ug/kg	73	232	1	8260B		10/6/2010	CJR	1
1,3,5-Trimethylbenzene	< 57	ug/kg	57	182	1	8260B		10/6/2010	CJR	1
Vinyl Chloride	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
m&p-Xylene	< 73	ug/kg	73	231	1	8260B		10/6/2010	CJR	1
o-Xylene	< 51	ug/kg	51	162	1	8260B		10/6/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	109	Rec %			1	8260B		10/6/2010	CJR	1
SUR - 4-Bromofluorobenzene	100	Rec %			1	8260B		10/6/2010	CJR	1
SUR - Dibromofluoromethane	94	Rec %			1	8260B		10/6/2010	CJR	1
SUR - Toluene-d8	99	Rec %			1	8260B		10/6/2010	CJR	1

Lab Code 5021410B

Sample ID S202
Sample Matrix soil
Sample Date 9/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent										
	84.2	%			1	5021		10/1/2010	MDK	1
Organic										
VOC's										
Benzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
Bromobenzene	< 55	ug/kg	55	174	1	8260B		10/6/2010	CJR	1
Bromodichloromethane	< 31	ug/kg	31	100	1	8260B		10/6/2010	CJR	1
Bromoform	< 18	ug/kg	18	59	1	8260B		10/6/2010	CJR	1
tert-Butylbenzene	< 41	ug/kg	41	130	1	8260B		10/6/2010	CJR	1
sec-Butylbenzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
n-Butylbenzene	< 46	ug/kg	46	145	1	8260B		10/6/2010	CJR	1
Carbon Tetrachloride	< 28	ug/kg	28	91	1	8260B		10/6/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001
Lab Code 5021410B
Sample ID S202
Sample Matrix soil
Sample Date 9/30/2010

Invoice # E21410

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chlorobenzene	< 40	ug/kg	40	126	1	8260B		10/6/2010	CJR	1
Chloroethane	< 80	ug/kg	80	255	1	8260B		10/6/2010	CJR	1
Chloroform	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
Chloromethane	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
2-Chlorotoluene	< 46	ug/kg	46	146	1	8260B		10/6/2010	CJR	1
4-Chlorotoluene	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 67	ug/kg	67	213	1	8260B		10/6/2010	CJR	1
Dibromochloromethane	< 42	ug/kg	42	133	1	8260B		10/6/2010	CJR	1
1,4-Dichlorobenzene	< 20	ug/kg	20	64	1	8260B		10/6/2010	CJR	1
1,3-Dichlorobenzene	< 37	ug/kg	37	117	1	8260B		10/6/2010	CJR	1
1,2-Dichlorobenzene	< 41	ug/kg	41	131	1	8260B		10/6/2010	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	4 8
1,2-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
cis-1,2-Dichloroethene	< 44	ug/kg	44	139	1	8260B		10/6/2010	CJR	1
trans-1,2-Dichloroethene	< 43	ug/kg	43	138	1	8260B		10/6/2010	CJR	1
1,2-Dichloropropene	< 38	ug/kg	38	122	1	8260B		10/6/2010	CJR	1
2,2-Dichloropropene	< 87	ug/kg	87	276	1	8260B		10/6/2010	CJR	4 8
1,3-Dichloropropene	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
Di-isopropyl ether	< 31	ug/kg	31	97	1	8260B		10/6/2010	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	62	1	8260B		10/6/2010	CJR	1
Ethylbenzene	< 56	ug/kg	56	178	1	8260B		10/6/2010	CJR	1
Hexachlorobutadiene	< 79	ug/kg	79	251	1	8260B		10/6/2010	CJR	1
Isopropylbenzene	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
p-Isopropyltoluene	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
Methylene chloride	< 52	ug/kg	52	165	1	8260B		10/6/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 27	ug/kg	27	87	1	8260B		10/6/2010	CJR	1
Naphthalene	< 53	ug/kg	53	167	1	8260B		10/6/2010	CJR	1
n-Propylbenzene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 29	ug/kg	29	91	1	8260B		10/6/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 29	ug/kg	29	92	1	8260B		10/6/2010	CJR	1
Tetrachloroethene	60 "J"	ug/kg	53	170	1	8260B		10/6/2010	CJR	1
Toluene	< 51	ug/kg	51	164	1	8260B		10/6/2010	CJR	1
1,2,4-Trichlorobenzene	< 48	ug/kg	48	153	1	8260B		10/6/2010	CJR	1
1,2,3-Trichlorobenzene	< 58	ug/kg	58	186	1	8260B		10/6/2010	CJR	1
1,1,1-Trichloroethane	< 28	ug/kg	28	90	1	8260B		10/6/2010	CJR	1
1,1,2-Trichloroethane	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1
Trichloroethene (TCE)	< 50	ug/kg	50	158	1	8260B		10/6/2010	CJR	1
Trichlorofluoromethane	< 35	ug/kg	35	113	1	8260B		10/6/2010	CJR	1
1,2,4-Trimethylbenzene	< 73	ug/kg	73	232	1	8260B		10/6/2010	CJR	1
1,3,5-Trimethylbenzene	< 57	ug/kg	57	182	1	8260B		10/6/2010	CJR	1
Vinyl Chloride	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
m&p-Xylene	< 73	ug/kg	73	231	1	8260B		10/6/2010	CJR	1
o-Xylene	< 51	ug/kg	51	162	1	8260B		10/6/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	107	Rec %			1	8260B		10/6/2010	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		10/6/2010	CJR	1
SUR - 4-Bromofluorobenzene	94	Rec %			1	8260B		10/6/2010	CJR	1
SUR - Dibromofluoromethane	98	Rec %			1	8260B		10/6/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001

Invoice # E21410

Lab Code 5021410C
Sample ID S302
Sample Matrix soil
Sample Date 9/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	90.7	%			1	5021		10/1/2010	MDK	1
Organic										
VOC's										
Benzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
Bromobenzene	< 55	ug/kg	55	174	1	8260B		10/6/2010	CJR	1
Bromodichloromethane	< 31	ug/kg	31	100	1	8260B		10/6/2010	CJR	1
Bromoform	< 18	ug/kg	18	59	1	8260B		10/6/2010	CJR	1
tert-Butylbenzene	< 41	ug/kg	41	130	1	8260B		10/6/2010	CJR	1
sec-Butylbenzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
n-Butylbenzene	< 46	ug/kg	46	145	1	8260B		10/6/2010	CJR	1
Carbon Tetrachloride	< 28	ug/kg	28	91	1	8260B		10/6/2010	CJR	1
Chlorobenzene	< 40	ug/kg	40	126	1	8260B		10/6/2010	CJR	1
Chloroethane	< 80	ug/kg	80	255	1	8260B		10/6/2010	CJR	1
Chloroform	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
Chloromethane	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
2-Chlorotoluene	< 46	ug/kg	46	146	1	8260B		10/6/2010	CJR	1
4-Chlorotoluene	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 67	ug/kg	67	213	1	8260B		10/6/2010	CJR	1
Dibromochloromethane	< 42	ug/kg	42	133	1	8260B		10/6/2010	CJR	1
1,4-Dichlorobenzene	< 20	ug/kg	20	64	1	8260B		10/6/2010	CJR	1
1,3-Dichlorobenzene	< 37	ug/kg	37	117	1	8260B		10/6/2010	CJR	1
1,2-Dichlorobenzene	< 41	ug/kg	41	131	1	8260B		10/6/2010	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	4.8
1,2-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
cis-1,2-Dichloroethene	< 44	ug/kg	44	139	1	8260B		10/6/2010	CJR	1
trans-1,2-Dichloroethene	< 43	ug/kg	43	138	1	8260B		10/6/2010	CJR	1
1,2-Dichloropropane	< 38	ug/kg	38	122	1	8260B		10/6/2010	CJR	1
2,2-Dichloropropane	< 87	ug/kg	87	276	1	8260B		10/6/2010	CJR	4.8
1,3-Dichloropropane	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
Di-isopropyl ether	< 31	ug/kg	31	97	1	8260B		10/6/2010	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	62	1	8260B		10/6/2010	CJR	1
Ethylbenzene	< 56	ug/kg	56	178	1	8260B		10/6/2010	CJR	1
Hexachlorobutadiene	< 79	ug/kg	79	251	1	8260B		10/6/2010	CJR	1
Isopropylbenzene	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
p-Isopropyltoluene	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
Methylene chloride	< 52	ug/kg	52	165	1	8260B		10/6/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 27	ug/kg	27	87	1	8260B		10/6/2010	CJR	1
Naphthalene	< 53	ug/kg	53	167	1	8260B		10/6/2010	CJR	1
n-Propylbenzene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 29	ug/kg	29	91	1	8260B		10/6/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 29	ug/kg	29	92	1	8260B		10/6/2010	CJR	1
Tetrachloroethene	< 53	ug/kg	53	170	1	8260B		10/6/2010	CJR	1
Toluene	< 51	ug/kg	51	164	1	8260B		10/6/2010	CJR	1
1,2,4-Trichlorobenzene	< 48	ug/kg	48	153	1	8260B		10/6/2010	CJR	1
1,2,3-Trichlorobenzene	< 58	ug/kg	58	186	1	8260B		10/6/2010	CJR	1
1,1,1-Trichloroethane	< 28	ug/kg	28	90	1	8260B		10/6/2010	CJR	1
1,1,2-Trichloroethane	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001

Invoice # E21410

Lab Code 5021410C
Sample ID S302
Sample Matrix soil
Sample Date 9/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichloroethene (TCE)	< 50	ug/kg	50	158	1	8260B		10/6/2010	CJR	1
Trichlorofluoromethane	< 35	ug/kg	35	113	1	8260B		10/6/2010	CJR	1
1,2,4-Trimethylbenzene	< 73	ug/kg	73	232	1	8260B		10/6/2010	CJR	1
1,3,5-Trimethylbenzene	< 57	ug/kg	57	182	1	8260B		10/6/2010	CJR	1
Vinyl Chloride	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
m&p-Xylene	< 73	ug/kg	73	231	1	8260B		10/6/2010	CJR	1
o-Xylene	< 51	ug/kg	51	162	1	8260B		10/6/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	111	Rec %			1	8260B		10/6/2010	CJR	1
SUR - 4-Bromofluorobenzene	93	Rec %			1	8260B		10/6/2010	CJR	1
SUR - Dibromofluoromethane	103	Rec %			1	8260B		10/6/2010	CJR	1
SUR - Toluene-d8	99	Rec %			1	8260B		10/6/2010	CJR	1

Lab Code 5021410D
Sample ID S401
Sample Matrix soil
Sample Date 9/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent										
	92.8	%			1	5021		10/1/2010	MDK	1
Organic										
VOC's										
Benzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
Bromobenzene	< 55	ug/kg	55	174	1	8260B		10/6/2010	CJR	1
Bromodichloromethane	< 31	ug/kg	31	100	1	8260B		10/6/2010	CJR	1
Bromoform	< 18	ug/kg	18	59	1	8260B		10/6/2010	CJR	1
tert-Butylbenzene	< 41	ug/kg	41	130	1	8260B		10/6/2010	CJR	1
sec-Butylbenzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
n-Butylbenzene	< 46	ug/kg	46	145	1	8260B		10/6/2010	CJR	1
Carbon Tetrachloride	< 28	ug/kg	28	91	1	8260B		10/6/2010	CJR	1
Chlorobenzene	< 40	ug/kg	40	126	1	8260B		10/6/2010	CJR	1
Chloroethane	< 80	ug/kg	80	255	1	8260B		10/6/2010	CJR	1
Chloroform	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
Chloromethane	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
2-Chlorotoluene	< 46	ug/kg	46	146	1	8260B		10/6/2010	CJR	1
4-Chlorotoluene	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 67	ug/kg	67	213	1	8260B		10/6/2010	CJR	1
Dibromochloromethane	< 42	ug/kg	42	133	1	8260B		10/6/2010	CJR	1
1,4-Dichlorobenzene	< 20	ug/kg	20	64	1	8260B		10/6/2010	CJR	1
1,3-Dichlorobenzene	< 37	ug/kg	37	117	1	8260B		10/6/2010	CJR	1
1,2-Dichlorobenzene	< 41	ug/kg	41	131	1	8260B		10/6/2010	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	4 8
1,2-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
cis-1,2-Dichloroethene	< 44	ug/kg	44	139	1	8260B		10/6/2010	CJR	1
trans-1,2-Dichloroethene	< 43	ug/kg	43	138	1	8260B		10/6/2010	CJR	1
1,2-Dichloropropane	< 38	ug/kg	38	122	1	8260B		10/6/2010	CJR	1
2,2-Dichloropropane	< 87	ug/kg	87	276	1	8260B		10/6/2010	CJR	4 8
1,3-Dichloropropane	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
Di-isopropyl ether	< 31	ug/kg	31	97	1	8260B		10/6/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001

Invoice # E21410

Lab Code 5021410D
Sample ID S401
Sample Matrix soil
Sample Date 9/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	62	1	8260B		10/6/2010	CJR	1
Ethylbenzene	< 56	ug/kg	56	178	1	8260B		10/6/2010	CJR	1
Hexachlorobutadiene	< 79	ug/kg	79	251	1	8260B		10/6/2010	CJR	1
Isopropylbenzene	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
p-Isopropyltoluene	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
Methylene chloride	< 52	ug/kg	52	165	1	8260B		10/6/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 27	ug/kg	27	87	1	8260B		10/6/2010	CJR	1
Naphthalene	< 53	ug/kg	53	167	1	8260B		10/6/2010	CJR	1
n-Propylbenzene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 29	ug/kg	29	91	1	8260B		10/6/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 29	ug/kg	29	92	1	8260B		10/6/2010	CJR	1
Tetrachloroethene	< 53	ug/kg	53	170	1	8260B		10/6/2010	CJR	1
Toluene	< 51	ug/kg	51	164	1	8260B		10/6/2010	CJR	1
1,2,4-Trichlorobenzene	< 48	ug/kg	48	153	1	8260B		10/6/2010	CJR	1
1,2,3-Trichlorobenzene	< 58	ug/kg	58	186	1	8260B		10/6/2010	CJR	1
1,1,1-Trichloroethane	< 28	ug/kg	28	90	1	8260B		10/6/2010	CJR	1
1,1,2-Trichloroethane	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1
Trichloroethene (TCE)	< 50	ug/kg	50	158	1	8260B		10/6/2010	CJR	1
Trichlorofluoromethane	< 35	ug/kg	35	113	1	8260B		10/6/2010	CJR	1
1,2,4-Trimethylbenzene	< 73	ug/kg	73	232	1	8260B		10/6/2010	CJR	1
1,3,5-Trimethylbenzene	< 57	ug/kg	57	182	1	8260B		10/6/2010	CJR	1
Vinyl Chloride	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
m&p-Xylene	< 73	ug/kg	73	231	1	8260B		10/6/2010	CJR	1
o-Xylene	< 51	ug/kg	51	162	1	8260B		10/6/2010	CJR	1
SUR - Toluene-d8	101	Rec %			1	8260B		10/6/2010	CJR	1
SUR - Dibromofluoromethane	95	Rec %			1	8260B		10/6/2010	CJR	1
SUR - 4-Bromofluorobenzene	105	Rec %			1	8260B		10/6/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	105	Rec %			1	8260B		10/6/2010	CJR	1

Lab Code 5021410E
Sample ID S502
Sample Matrix soil
Sample Date 9/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.1	%			1	5021		10/1/2010	MDK	1
Organic										
VOC's										
Benzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
Bromobenzene	< 55	ug/kg	55	174	1	8260B		10/6/2010	CJR	1
Bromodichloromethane	< 31	ug/kg	31	100	1	8260B		10/6/2010	CJR	1
Bromoform	< 18	ug/kg	18	59	1	8260B		10/6/2010	CJR	1
tert-Butylbenzene	< 41	ug/kg	41	130	1	8260B		10/6/2010	CJR	1
sec-Butylbenzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
n-Butylbenzene	< 46	ug/kg	46	145	1	8260B		10/6/2010	CJR	1
Carbon Tetrachloride	< 28	ug/kg	28	91	1	8260B		10/6/2010	CJR	1
Chlorobenzene	< 40	ug/kg	40	126	1	8260B		10/6/2010	CJR	1
Chloroethane	< 80	ug/kg	80	255	1	8260B		10/6/2010	CJR	1
Chloroform	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
Chloromethane	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001

Invoice # E21410

Lab Code 5021410E
Sample ID S502
Sample Matrix soil
Sample Date 9/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
2-Chlorotoluene	< 46	ug/kg	46	146	1	8260B		10/6/2010	CJR	1
4-Chlorotoluene	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 67	ug/kg	67	213	1	8260B		10/6/2010	CJR	1
Dibromochloromethane	< 42	ug/kg	42	133	1	8260B		10/6/2010	CJR	1
1,4-Dichlorobenzene	< 20	ug/kg	20	64	1	8260B		10/6/2010	CJR	1
1,3-Dichlorobenzene	< 37	ug/kg	37	117	1	8260B		10/6/2010	CJR	1
1,2-Dichlorobenzene	< 41	ug/kg	41	131	1	8260B		10/6/2010	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	4 8
1,2-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
cis-1,2-Dichloroethene	< 44	ug/kg	44	139	1	8260B		10/6/2010	CJR	1
trans-1,2-Dichloroethene	< 43	ug/kg	43	138	1	8260B		10/6/2010	CJR	1
1,2-Dichloropropane	< 38	ug/kg	38	122	1	8260B		10/6/2010	CJR	1
2,2-Dichloropropane	< 87	ug/kg	87	276	1	8260B		10/6/2010	CJR	4 8
1,3-Dichloropropane	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
Di-isopropyl ether	< 31	ug/kg	31	97	1	8260B		10/6/2010	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	62	1	8260B		10/6/2010	CJR	1
Ethylbenzene	< 56	ug/kg	56	178	1	8260B		10/6/2010	CJR	1
Hexachlorobutadiene	< 79	ug/kg	79	251	1	8260B		10/6/2010	CJR	1
Isopropylbenzene	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
p-Isopropyltoluene	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
Methylene chloride	< 52	ug/kg	52	165	1	8260B		10/6/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 27	ug/kg	27	87	1	8260B		10/6/2010	CJR	1
Naphthalene	< 53	ug/kg	53	167	1	8260B		10/6/2010	CJR	1
n-Propylbenzene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 29	ug/kg	29	91	1	8260B		10/6/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 29	ug/kg	29	92	1	8260B		10/6/2010	CJR	1
Tetrachloroethene	< 53	ug/kg	53	170	1	8260B		10/6/2010	CJR	1
Toluene	< 51	ug/kg	51	164	1	8260B		10/6/2010	CJR	1
1,2,4-Trichlorobenzene	< 48	ug/kg	48	153	1	8260B		10/6/2010	CJR	1
1,2,3-Trichlorobenzene	< 58	ug/kg	58	186	1	8260B		10/6/2010	CJR	1
1,1,1-Trichloroethane	< 28	ug/kg	28	90	1	8260B		10/6/2010	CJR	1
1,1,2-Trichloroethane	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1
Trichloroethene (TCE)	< 50	ug/kg	50	158	1	8260B		10/6/2010	CJR	1
Trichlorofluoromethane	< 35	ug/kg	35	113	1	8260B		10/6/2010	CJR	1
1,2,4-Trimethylbenzene	< 73	ug/kg	73	232	1	8260B		10/6/2010	CJR	1
1,3,5-Trimethylbenzene	< 57	ug/kg	57	182	1	8260B		10/6/2010	CJR	1
Vinyl Chloride	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
m&p-Xylene	< 73	ug/kg	73	231	1	8260B		10/6/2010	CJR	1
o-Xylene	< 51	ug/kg	51	162	1	8260B		10/6/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	105	Rec %			1	8260B		10/6/2010	CJR	1
SUR - 4-Bromofluorobenzene	93	Rec %			1	8260B		10/6/2010	CJR	1
SUR - Dibromofluoromethane	100	Rec %			1	8260B		10/6/2010	CJR	1
SUR - Toluene-d8	95	Rec %			1	8260B		10/6/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001

Invoice # E21410

Lab Code 5021410F
Sample ID S602
Sample Matrix soil
Sample Date 9/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	79.9	%			1	5021		10/1/2010	MDK	1
Organic										
VOC's										
Benzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
Bromobenzene	< 55	ug/kg	55	174	1	8260B		10/6/2010	CJR	1
Bromodichloromethane	< 31	ug/kg	31	100	1	8260B		10/6/2010	CJR	1
Bromoform	< 18	ug/kg	18	59	1	8260B		10/6/2010	CJR	1
tert-Butylbenzene	< 41	ug/kg	41	130	1	8260B		10/6/2010	CJR	1
sec-Butylbenzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
n-Butylbenzene	< 46	ug/kg	46	145	1	8260B		10/6/2010	CJR	1
Carbon Tetrachloride	< 28	ug/kg	28	91	1	8260B		10/6/2010	CJR	1
Chlorobenzene	< 40	ug/kg	40	126	1	8260B		10/6/2010	CJR	1
Chloroethane	< 80	ug/kg	80	255	1	8260B		10/6/2010	CJR	1
Chloroform	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
Chloromethane	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
2-Chlorotoluene	< 46	ug/kg	46	146	1	8260B		10/6/2010	CJR	1
4-Chlorotoluene	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 67	ug/kg	67	213	1	8260B		10/6/2010	CJR	1
Dibromochloromethane	< 42	ug/kg	42	133	1	8260B		10/6/2010	CJR	1
1,4-Dichlorobenzene	< 20	ug/kg	20	64	1	8260B		10/6/2010	CJR	1
1,3-Dichlorobenzene	< 37	ug/kg	37	117	1	8260B		10/6/2010	CJR	1
1,2-Dichlorobenzene	< 41	ug/kg	41	131	1	8260B		10/6/2010	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	4.8
1,2-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
cis-1,2-Dichloroethene	< 44	ug/kg	44	139	1	8260B		10/6/2010	CJR	1
trans-1,2-Dichloroethene	< 43	ug/kg	43	138	1	8260B		10/6/2010	CJR	1
1,2-Dichloropropane	< 38	ug/kg	38	122	1	8260B		10/6/2010	CJR	1
2,2-Dichloropropane	< 87	ug/kg	87	276	1	8260B		10/6/2010	CJR	4.8
1,3-Dichloropropane	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
Di-isopropyl ether	< 31	ug/kg	31	97	1	8260B		10/6/2010	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	62	1	8260B		10/6/2010	CJR	1
Ethylbenzene	< 56	ug/kg	56	178	1	8260B		10/6/2010	CJR	1
Hexachlorobutadiene	< 79	ug/kg	79	251	1	8260B		10/6/2010	CJR	1
Isopropylbenzene	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
p-Isopropyltoluene	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
Methylene chloride	< 52	ug/kg	52	165	1	8260B		10/6/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 27	ug/kg	27	87	1	8260B		10/6/2010	CJR	1
Naphthalene	< 53	ug/kg	53	167	1	8260B		10/6/2010	CJR	1
n-Propylbenzene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 29	ug/kg	29	91	1	8260B		10/6/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 29	ug/kg	29	92	1	8260B		10/6/2010	CJR	1
Tetrachloroethene	< 53	ug/kg	53	170	1	8260B		10/6/2010	CJR	1
Toluene	< 51	ug/kg	51	164	1	8260B		10/6/2010	CJR	1
1,2,4-Trichlorobenzene	< 48	ug/kg	48	153	1	8260B		10/6/2010	CJR	1
1,2,3-Trichlorobenzene	< 58	ug/kg	58	186	1	8260B		10/6/2010	CJR	1
1,1,1-Trichloroethane	< 28	ug/kg	28	90	1	8260B		10/6/2010	CJR	1
1,1,2-Trichloroethane	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001

Invoice # E21410

Lab Code 5021410F
Sample ID S602
Sample Matrix soil
Sample Date 9/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichloroethene (TCE)	< 50	ug/kg	50	158	1	8260B		10/6/2010	CJR	1
Trichlorofluoromethane	< 35	ug/kg	35	113	1	8260B		10/6/2010	CJR	1
1,2,4-Trimethylbenzene	< 73	ug/kg	73	232	1	8260B		10/6/2010	CJR	1
1,3,5-Trimethylbenzene	< 57	ug/kg	57	182	1	8260B		10/6/2010	CJR	1
Vinyl Chloride	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
m&p-Xylene	< 73	ug/kg	73	231	1	8260B		10/6/2010	CJR	1
o-Xylene	< 51	ug/kg	51	162	1	8260B		10/6/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	105	Rec %			1	8260B		10/6/2010	CJR	1
SUR - 4-Bromofluorobenzene	97	Rec %			1	8260B		10/6/2010	CJR	1
SUR - Dibromofluoromethane	98	Rec %			1	8260B		10/6/2010	CJR	1
SUR - Toluene-d8	97	Rec %			1	8260B		10/6/2010	CJR	1

Lab Code 5021410G

Sample ID S702

Sample Matrix soil

Sample Date 9/30/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

General

General

Solids Percent	86.8	%			1	5021		10/1/2010	MDK	1
----------------	------	---	--	--	---	------	--	-----------	-----	---

Organic

VOC's

Benzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
Bromobenzene	< 55	ug/kg	55	174	1	8260B		10/6/2010	CJR	1
Bromodichloromethane	< 31	ug/kg	31	100	1	8260B		10/6/2010	CJR	1
Bromoform	< 18	ug/kg	18	59	1	8260B		10/6/2010	CJR	1
tert-Butylbenzene	< 41	ug/kg	41	130	1	8260B		10/6/2010	CJR	1
sec-Butylbenzene	< 35	ug/kg	35	110	1	8260B		10/6/2010	CJR	1
n-Butylbenzene	< 46	ug/kg	46	145	1	8260B		10/6/2010	CJR	1
Carbon Tetrachloride	< 28	ug/kg	28	91	1	8260B		10/6/2010	CJR	1
Chlorobenzene	< 40	ug/kg	40	126	1	8260B		10/6/2010	CJR	1
Chloroethane	< 80	ug/kg	80	255	1	8260B		10/6/2010	CJR	1
Chloroform	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
Chloromethane	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
2-Chlorotoluene	< 46	ug/kg	46	146	1	8260B		10/6/2010	CJR	1
4-Chlorotoluene	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 67	ug/kg	67	213	1	8260B		10/6/2010	CJR	1
Dibromochloromethane	< 42	ug/kg	42	133	1	8260B		10/6/2010	CJR	1
1,4-Dichlorobenzene	< 20	ug/kg	20	64	1	8260B		10/6/2010	CJR	1
1,3-Dichlorobenzene	< 37	ug/kg	37	117	1	8260B		10/6/2010	CJR	1
1,2-Dichlorobenzene	< 41	ug/kg	41	131	1	8260B		10/6/2010	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	4.8
1,2-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethane	< 45	ug/kg	45	142	1	8260B		10/6/2010	CJR	1
1,1-Dichloroethene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
cis-1,2-Dichloroethene	< 44	ug/kg	44	139	1	8260B		10/6/2010	CJR	1
trans-1,2-Dichloroethene	< 43	ug/kg	43	138	1	8260B		10/6/2010	CJR	1
1,2-Dichloropropene	< 38	ug/kg	38	122	1	8260B		10/6/2010	CJR	1
2,2-Dichloropropene	< 87	ug/kg	87	276	1	8260B		10/6/2010	CJR	4.8
1,3-Dichloropropene	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
Di-isopropyl ether	< 31	ug/kg	31	97	1	8260B		10/6/2010	CJR	1

Project Name GREEN BAY
Project # 004230-09001
Lab Code 5021410G
Sample ID S702
Sample Matrix soil
Sample Date 9/30/2010

Invoice # E21410

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	62	1	8260B		10/6/2010	CJR	1
Ethylbenzene	< 56	ug/kg	56	178	1	8260B		10/6/2010	CJR	1
Hexachlorobutadiene	< 79	ug/kg	79	251	1	8260B		10/6/2010	CJR	1
Isopropylbenzene	< 39	ug/kg	39	123	1	8260B		10/6/2010	CJR	1
p-Isopropyltoluene	< 43	ug/kg	43	137	1	8260B		10/6/2010	CJR	1
Methylene chloride	< 52	ug/kg	52	165	1	8260B		10/6/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 27	ug/kg	27	87	1	8260B		10/6/2010	CJR	1
Naphthalene	< 53	ug/kg	53	167	1	8260B		10/6/2010	CJR	1
n-Propylbenzene	< 44	ug/kg	44	140	1	8260B		10/6/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 29	ug/kg	29	91	1	8260B		10/6/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 29	ug/kg	29	92	1	8260B		10/6/2010	CJR	1
Tetrachloroethene	< 53	ug/kg	53	170	1	8260B		10/6/2010	CJR	1
Toluene	< 51	ug/kg	51	164	1	8260B		10/6/2010	CJR	1
1,2,4-Trichlorobenzene	< 48	ug/kg	48	153	1	8260B		10/6/2010	CJR	1
1,2,3-Trichlorobenzene	< 58	ug/kg	58	186	1	8260B		10/6/2010	CJR	1
1,1,1-Trichloroethane	< 28	ug/kg	28	90	1	8260B		10/6/2010	CJR	1
1,1,2-Trichloroethane	< 36	ug/kg	36	115	1	8260B		10/6/2010	CJR	1
Trichloroethene (TCE)	< 50	ug/kg	50	158	1	8260B		10/6/2010	CJR	1
Trichlorofluoromethane	< 35	ug/kg	35	113	1	8260B		10/6/2010	CJR	1
1,2,4-Trimethylbenzene	< 73	ug/kg	73	232	1	8260B		10/6/2010	CJR	1
1,3,5-Trimethylbenzene	< 57	ug/kg	57	182	1	8260B		10/6/2010	CJR	1
Vinyl Chloride	< 33	ug/kg	33	104	1	8260B		10/6/2010	CJR	1
m&p-Xylene	< 73	ug/kg	73	231	1	8260B		10/6/2010	CJR	1
o-Xylene	< 51	ug/kg	51	162	1	8260B		10/6/2010	CJR	1
SUR - Toluene-d8	100	Rec %			1	8260B		10/6/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	99	Rec %			1	8260B		10/6/2010	CJR	1
SUR - 4-Bromofluorobenzene	97	Rec %			1	8260B		10/6/2010	CJR	1
SUR - Dibromofluoromethane	89	Rec %			1	8260B		10/6/2010	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
- 4 The continuing calibration standard not within established limits.
- 8 Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael J. Ricker

Check office originating request

954 Circle Drive
Green Bay, WI 54304
920-592-8400
FAX 920-592-8444

CHAIN OF CUSTODY RECORD REQUEST FOR ANALYSIS

Page 1 of 1

No. 6137

330 South 4th Avenue
Park Falls, WI 54552
715-762-1544
Fax 715-762-1844

85 Howard Drive, Suite 111
Northbrook, IL 60062
847-562-8577
FAX 847-562-8562

3349 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-0464

12025 N. Corporate Pkwy, Suite 210
Mequon, WI 53092
262-241-3133
FAX 262-241-8222

1203 Starbeck Drive
Waupun, WI 53963
920-324-8600
FAX 920-324-3023

101 W. 4th Street, Suite 101
Marshfield, WI 54449
715-496-1300
FAX 715-496-1313

15851 S. U.S. 27 - Blg. 30, Suite 318
Lansing, MI 48906
517-702-0470
FAX 517-702-0477

315 Sanburn Avenue, Suite 200
Ashland, WI 54806
715-682-1116

Project No. 004230-05001	Task No.	Laboratory <i>Sigmet</i>	Sample Integrity - To be completed by receiving lab		
Project Location (City) <i>Green Bay</i>	Wisconsin DNR Certification # 445037568	Method of shipment <i>ice</i>	Seal intact upon receipt <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Contents Temperature <i>ice</i>	
Project Manager <i>Chris H. Fischel</i>	Laboratory Contact <i>Mike Richter</i>	ANALYSES REQUESTED			
Sampler Name <i>Jeff B.</i>	Price Quote				
Sampler Signature <i>Jeff B.</i>	TURNAROUND TIME REQUIRED				
Sampling Dates <i>9-30-10</i>	Date Received <i>10-8-10</i>	<input type="checkbox"/> Normal	<input type="checkbox"/> Rush		
Reports to be sent to <i>Jeff B.</i>	Description	Water	Soil	Other	
Lab ID No.					
GRO (WI Modified Method)					
GETX (EPA Method 8020)					
PVOC (EPA Method 8020)					
VOC (EPA Method 8020)					
PAH (EPA Method)					
PCB (EPA Method)					
Packed for Shipping by <i>Jeff B.</i>					
Comments <i>* Have analysis by 10-8-10</i>					
Relinquished By <i>Jeff B.</i>	Date	Relinquished By:		Date	Relinquished By
Company <i>Boggs & Associates</i>	Time	Company:		Time	Company:
Received By <i>Mark Miller</i>	Date <i>9/30/10</i>	Received By:		Date	Received By
Company <i>SEC</i>	Time <i>1700</i>	Company:		Time	Company:

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

CHRIS HATFIELD
BONESTROO
954 CIRCLE DRIVE
GREEN BAY WI 54304

Report Date 22-Jul-11

Project Name	Invoice # E22473										
Project #	4230-9001	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic											
GASES											
Ethane	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1	
Ethene	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1	
Methane	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1	
VOC's											
Benzene	< 500	ug/l	500	1600	1000	8260B		7/13/2011	CJR	1	
Bromobenzene	< 740	ug/l	740	2400	1000	8260B		7/13/2011	CJR	1	
Bromodichloromethane	< 680	ug/l	680	2200	1000	8260B		7/13/2011	CJR	1	
Bromoform	< 430	ug/l	430	1400	1000	8260B		7/13/2011	CJR	1	
tert-Butylbenzene	< 710	ug/l	710	2300	1000	8260B		7/13/2011	CJR	1	
sec-Butylbenzene	< 1000	ug/l	1000	3300	1000	8260B		7/13/2011	CJR	1	
n-Butylbenzene	< 900	ug/l	900	2900	1000	8260B		7/13/2011	CJR	1	
Carbon Tetrachloride	< 470	ug/l	470	1500	1000	8260B		7/13/2011	CJR	1	
Chlorobenzene	< 510	ug/l	510	1600	1000	8260B		7/13/2011	CJR	1	
Chloroethane	< 1400	ug/l	1400	4500	1000	8260B		7/13/2011	CJR	1	
Chloroform	< 490	ug/l	490	1500	1000	8260B		7/13/2011	CJR	1	
Chloromethane	< 1900	ug/l	1900	6100	1000	8260B		7/13/2011	CJR	1	
2-Chlorotoluene	< 700	ug/l	700	2200	1000	8260B		7/13/2011	CJR	1	
4-Chlorotoluene	< 440	ug/l	440	1400	1000	8260B		7/13/2011	CJR	1	
1,2-Dibromo-3-chloropropane	< 2800	ug/l	2800	8900	1000	8260B		7/13/2011	CJR	1	
Dibromochloromethane	< 550	ug/l	550	1800	1000	8260B		7/13/2011	CJR	1	
1,4-Dichlorobenzene	< 980	ug/l	980	3100	1000	8260B		7/13/2011	CJR	1	
1,3-Dichlorobenzene	< 870	ug/l	870	2800	1000	8260B		7/13/2011	CJR	1	
1,2-Dichlorobenzene	< 760	ug/l	760	2400	1000	8260B		7/13/2011	CJR	1	
Dichlorodifluoromethane	< 1800	ug/l	1800	5900	1000	8260B		7/13/2011	CJR	1	
1,2-Dichloroethane	< 500	ug/l	500	1600	1000	8260B		7/13/2011	CJR	1	
1,1-Dichloroethane	< 980	ug/l	980	3100	1000	8260B		7/13/2011	CJR	1	
1,1-Dichloroethene	< 600	ug/l	600	1900	1000	8260B		7/13/2011	CJR	1	
cis-1,2-Dichloroethene	< 740	ug/l	740	2400	1000	8260B		7/13/2011	CJR	1	

Project Name 4230-9001
Project #

Invoice # E22473

Lab Code 5022473A
Sample ID MW2
Sample Matrix Water
Sample Date 7/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
trans-1,2-Dichloroethene	< 790	ug/l	790	2500	1000	8260B		7/13/2011	CJR	1	
1,2-Dichloropropane	< 400	ug/l	400	1300	1000	8260B		7/13/2011	CJR	1	
2,2-Dichloropropane	< 1900	ug/l	1900	5900	1000	8260B		7/13/2011	CJR	4 8	
1,3-Dichloropropane	< 710	ug/l	710	2300	1000	8260B		7/13/2011	CJR	1	
Di-isopropyl ether	< 690	ug/l	690	2200	1000	8260B		7/13/2011	CJR	1	
EDB (1,2-Dibromoethane)	< 630	ug/l	630	2000	1000	8260B		7/13/2011	CJR	1	
Ethylbenzene	< 780	ug/l	780	2500	1000	8260B		7/13/2011	CJR	1	
Hexachlorobutadiene	< 2200	ug/l	2200	6800	1000	8260B		7/13/2011	CJR	1	
Isopropylbenzene	< 920	ug/l	920	2900	1000	8260B		7/13/2011	CJR	1	
p-Isopropyltoluene	< 920	ug/l	920	2900	1000	8260B		7/13/2011	CJR	1	
Methylene chloride	< 1100	ug/l	1100	3400	1000	8260B		7/13/2011	CJR	1	
Methyl tert-butyl ether (MTBE)	< 800	ug/l	800	2500	1000	8260B		7/13/2011	CJR	1	
Naphthalene	< 2100	ug/l	2100	6800	1000	8260B		7/13/2011	CJR	1	
n-Propylbenzene	< 590	ug/l	590	1900	1000	8260B		7/13/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 530	ug/l	530	1700	1000	8260B		7/13/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 1000	ug/l	1000	3200	1000	8260B		7/13/2011	CJR	1	
Tetrachloroethene	108000	ug/l	440	1400	1000	8260B		7/13/2011	CJR	3	
Toluene	< 530	ug/l	530	1700	1000	8260B		7/13/2011	CJR	1	
1,2,4-Trichlorobenzene	< 1500	ug/l	1500	4600	1000	8260B		7/13/2011	CJR	1	
1,2,3-Trichlorobenzene	< 1300	ug/l	1300	4200	1000	8260B		7/13/2011	CJR	1	
1,1,1-Trichloroethane	< 850	ug/l	850	2700	1000	8260B		7/13/2011	CJR	1	
1,1,2-Trichloroethane	< 470	ug/l	470	1500	1000	8260B		7/13/2011	CJR	1	
Trichloroethene (TCE)	< 470	ug/l	470	1500	1000	8260B		7/13/2011	CJR	1	
Trichlorofluoromethane	< 1700	ug/l	1700	5300	1000	8260B		7/13/2011	CJR	1	
1,2,4-Trimethylbenzene	< 800	ug/l	800	2500	1000	8260B		7/13/2011	CJR	1	
1,3,5-Trimethylbenzene	< 740	ug/l	740	2400	1000	8260B		7/13/2011	CJR	1	
Vinyl Chloride	< 180	ug/l	180	560	1000	8260B		7/13/2011	CJR	1	
m&p-Xylene	< 1100	ug/l	1100	3500	1000	8260B		7/13/2011	CJR	1	
o-Xylene	< 800	ug/l	800	2600	1000	8260B		7/13/2011	CJR	1	
SUR - Dibromofluoromethane	92	REC %				1000	8260B		7/13/2011	CJR	1
SUR - Toluene-d8	99	REC %				1000	8260B		7/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %				1000	8260B		7/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %				1000	8260B		7/13/2011	CJR	1

Wet Chemistry

General

Chlorides, Dissolved	76.0	mg/l	8.5	26.5	5	300.0		7/11/2011	CWT	1
Nitrite Plus Nitrate, Dissolved	3.2	mg/l	0.1	0.31	1	4500B/F		7/11/2011	CWT	1
Sulfate, Dissolved	784	mg/l	17	53	10	300.0		7/11/2011	CWT	1

Lab Code 5022473B

Sample ID MWS

Sample Matrix Water

Sample Date 7/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		7/12/2011	CJR	1

Project Name
Project # 4230-9001
Lab Code 5022473B
Sample ID MW5
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B	7/12/2011	CJR	1	
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B	7/12/2011	CJR	1	
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B	7/12/2011	CJR	1	
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	7/12/2011	CJR	1	
sec-Butylbenzene	< 1	ug/l		3.3	1	8260B	7/12/2011	CJR	1	
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B	7/12/2011	CJR	1	
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B	7/12/2011	CJR	1	
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B	7/12/2011	CJR	1	
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B	7/12/2011	CJR	1	
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B	7/12/2011	CJR	1	
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B	7/12/2011	CJR	1	
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B	7/12/2011	CJR	1	
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B	7/12/2011	CJR	1	
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B	7/12/2011	CJR	1	
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B	7/12/2011	CJR	1	
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	7/12/2011	CJR	1	
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B	7/12/2011	CJR	1	
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B	7/12/2011	CJR	1	
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B	7/12/2011	CJR	1	
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	7/12/2011	CJR	1	
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B	7/12/2011	CJR	1	
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B	7/12/2011	CJR	1	
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B	7/12/2011	CJR	1	
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B	7/12/2011	CJR	1	
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B	7/12/2011	CJR	1	
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B	7/12/2011	CJR	4.8	
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B	7/12/2011	CJR	1	
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B	7/12/2011	CJR	1	
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B	7/12/2011	CJR	1	
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B	7/12/2011	CJR	1	
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B	7/12/2011	CJR	1	
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B	7/12/2011	CJR	1	
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B	7/12/2011	CJR	1	
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B	7/12/2011	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B	7/12/2011	CJR	1	
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B	7/12/2011	CJR	1	
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B	7/12/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B	7/12/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B	7/12/2011	CJR	1	
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B	7/12/2011	CJR	1	
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B	7/12/2011	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	7/12/2011	CJR	1	
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B	7/12/2011	CJR	1	
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B	7/12/2011	CJR	1	
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	7/12/2011	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B	7/12/2011	CJR	1	
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B	7/12/2011	CJR	1	
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B	7/12/2011	CJR	1	
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B	7/12/2011	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B	7/12/2011	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B	7/12/2011	CJR	1	
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B	7/12/2011	CJR	1	

Project Name
Project # 4230-9001
Lab Code 5022473B
Sample ID MW5
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		7/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		7/12/2011	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		7/12/2011	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		7/12/2011	CJR	1

Wet Chemistry

General

Chlorides, Dissolved	47.8	mg/l	3.4	10.6	2	300.0		7/11/2011	CWT	1
Nitrite Plus Nitrate, Dissolved	1.2	mg/l	0.1	0.31	1	4500B/F		7/11/2011	CWT	1
Sulfate, Dissolved	12.7	mg/l	3.4	10.6	2	300.0		7/11/2011	CWT	1

Lab Code 5022473C

Sample ID MW7
Sample Matrix Water
Sample Date 7/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1
Methane	3.7	ug/l	1	3	1	8015		7/21/2011	MJR	1
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		7/14/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		7/14/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		7/14/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		7/14/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/14/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		7/14/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		7/14/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/14/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		7/14/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		7/14/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		7/14/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		7/14/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		7/14/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		7/14/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		7/14/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		7/14/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		7/14/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		7/14/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		7/14/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		7/14/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/14/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		7/14/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		7/14/2011	CJR	1
cis-1,2-Dichloroethene	15.3	ug/l	0.74	2.4	1	8260B		7/14/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		7/14/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		7/14/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		7/14/2011	CJR	1
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		7/14/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		7/14/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		7/14/2011	CJR	1

Project Name
Project # 4230-9001
Lab Code 5022473C
Sample ID MW7
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		7/14/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		7/14/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		7/14/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		7/14/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		7/14/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		7/14/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		7/14/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/14/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/14/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		7/14/2011	CJR	1
Tetrachloroethene	7.3	ug/l	0.44	1.4	1	8260B		7/14/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		7/14/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		7/14/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		7/14/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		7/14/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/14/2011	CJR	1
Trichloroethene (TCE)	10.7	ug/l	0.47	1.5	1	8260B		7/14/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		7/14/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		7/14/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		7/14/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		7/14/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		7/14/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		7/14/2011	CJR	1
SUR - Toluene-d8	84	REC %			1	8260B		7/14/2011	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		7/14/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		7/14/2011	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		7/14/2011	CJR	1

Wet Chemistry

General

Chlorides, Dissolved	201	mg/l	8.5	26.5	5	300.0		7/11/2011	CWT	1
Nitrite Plus Nitrate, Dissolved	0.1 "J"	mg/l	0.1	0.31	1	4500B/F		7/11/2011	CWT	1
Sulfate, Dissolved	82.8	mg/l	3.4	10.6	2	300.0		7/11/2011	CWT	1

Lab Code 5022473D

Sample ID MW8

Sample Matrix Water

Sample Date 7/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		7/12/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		7/12/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		7/12/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/12/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		7/12/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		7/12/2011	CJR	1

Project Name
Project # 4230-9001
Lab Code 5022473D
Sample ID MW8
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		7/12/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		7/12/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		7/12/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		7/12/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		7/12/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		7/12/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		7/12/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		7/12/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		7/12/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		7/12/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		7/12/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		7/12/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/12/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		7/12/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		7/12/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		7/12/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		7/12/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		7/12/2011	CJR	4 8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		7/12/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		7/12/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		7/12/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		7/12/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		7/12/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		7/12/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		7/12/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		7/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		7/12/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		7/12/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/12/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/12/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		7/12/2011	CJR	1
Tetrachloroethene	3.5	ug/l	0.44	1.4	1	8260B		7/12/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		7/12/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		7/12/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		7/12/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		7/12/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		7/12/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		7/12/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		7/12/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		7/12/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		7/12/2011	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		7/12/2011	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		7/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		7/12/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		7/12/2011	CJR	1

Wet Chemistry

General

Project Name
Project # 4230-9001

Invoice # E22473

Lab Code 5022473D
Sample ID MW8
Sample Matrix Water
Sample Date 7/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chlorides, Dissolved	321	mg/l	17	53	10	300.0		7/11/2011	CWT	1
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/l	0.1	0.31	1	4500B/F		7/11/2011	CWT	1
Sulfate, Dissolved	23.8	mg/l	3.4	10.6	2	300.0		7/11/2011	CWT	1

Lab Code 5022473E
Sample ID MW9
Sample Matrix Water
Sample Date 7/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

GASES

Ethane	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1
Ethene	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1
Methane	< 1	ug/l	1	3	1	8015		7/21/2011	MJR	1

VOC's

Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		7/12/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		7/12/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		7/12/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/12/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		7/12/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		7/12/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		7/12/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		7/12/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		7/12/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		7/12/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		7/12/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		7/12/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		7/12/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		7/12/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		7/12/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		7/12/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		7/12/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		7/12/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/12/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		7/12/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		7/12/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		7/12/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		7/12/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		7/12/2011	CJR	4.8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		7/12/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		7/12/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		7/12/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		7/12/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		7/12/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		7/12/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		7/12/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		7/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		7/12/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		7/12/2011	CJR	1

Project Name
Project # 4230-9001
Lab Code 5022473E
Sample ID MW9
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/12/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/12/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l		3.2	1	8260B		7/12/2011	CJR	1
Tetrachloroethene	6.4	ug/l	0.44	1.4	1	8260B		7/12/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		7/12/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		7/12/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		7/12/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		7/12/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1
Trichloroethene (TCE)	0.66 "J"	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		7/12/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		7/12/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		7/12/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		7/12/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		7/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		7/12/2011	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		7/12/2011	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		7/12/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		7/12/2011	CJR	1

Wet Chemistry

General

Chlorides, Dissolved	168	mg/l	8.5	26.5	5	300.0		7/11/2011	CWT	1
Nitrite Plus Nitrate, Dissolved	2.92	mg/l	0.1	0.31	1	4500B/F		7/11/2011	CWT	1
Sulfate, Dissolved	19.0	mg/l	3.4	10.6	2	300.0		7/11/2011	CWT	1

Lab Code 5022473F

Sample ID MW10

Sample Matrix Water

Sample Date 7/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		7/12/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		7/12/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		7/12/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/12/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		7/12/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		7/12/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		7/12/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		7/12/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		7/12/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		7/12/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		7/12/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		7/12/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		7/12/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		7/12/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		7/12/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		7/12/2011	CJR	1

Project Name	
Project #	4230-9001
Lab Code	5022473B
Sample ID	MW10
Sample Matrix	Water
Sample Date	7/7/2011

Invoice # E22473

Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichlorobenzene	ug/l	< 0.76	0.76	2.4	1	8260B	7/12/2011	CJR	1
Dichlorodifluoromethane	ug/l	< 1.8	1.8	5.9	1	8260B	7/12/2011	CJR	1
1,2-Dichloroethane	ug/l	< 0.5	0.5	1.6	1	8260B	7/12/2011	CJR	1
1,1-Dichloroethane	ug/l	< 0.98	0.98	3.1	1	8260B	7/12/2011	CJR	1
1,1-Dichloroethene	ug/l	< 0.6	0.6	1.9	1	8260B	7/12/2011	CJR	1
cis-1,2-Dichloroethene	ug/l	< 0.74	0.74	2.4	1	8260B	7/12/2011	CJR	1
trans-1,2-Dichloroethene	ug/l	< 0.79	0.79	2.5	1	8260B	7/12/2011	CJR	1
1,2-Dichloropropane	ug/l	< 0.4	0.4	1.3	1	8260B	7/12/2011	CJR	1
2,2-Dichloropropane	ug/l	< 1.9	1.9	5.9	1	8260B	7/12/2011	CJR	4 8
1,3-Dichloropropane	ug/l	< 0.71	0.71	2.3	1	8260B	7/12/2011	CJR	1
Di-isopropyl ether	ug/l	< 0.69	0.69	2.2	1	8260B	7/12/2011	CJR	1
EDB (1,2-Dibromoethane)	ug/l	< 0.63	0.63	2	1	8260B	7/12/2011	CJR	1
Ethylbenzene	ug/l	< 0.78	0.78	2.5	1	8260B	7/12/2011	CJR	1
Hexachlorobutadiene	ug/l	< 2.2	2.2	6.8	1	8260B	7/12/2011	CJR	1
Isopropylbenzene	ug/l	< 0.92	0.92	2.9	1	8260B	7/12/2011	CJR	1
p-Isopropyltoluene	ug/l	< 0.92	0.92	2.9	1	8260B	7/12/2011	CJR	1
Methylene chloride	ug/l	< 1.1	1.1	3.4	1	8260B	7/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	ug/l	< 0.8	0.8	2.5	1	8260B	7/12/2011	CJR	1
Naphthalene	ug/l	< 2.1	2.1	6.8	1	8260B	7/12/2011	CJR	1
n-Propylbenzene	ug/l	< 0.59	0.59	1.9	1	8260B	7/12/2011	CJR	1
1,1,2,2-Tetrachloroethane	ug/l	< 0.53	0.53	1.7	1	8260B	7/12/2011	CJR	1
1,1,1,2-Tetrachloroethane	ug/l	< 1	1	3.2	1	8260B	7/12/2011	CJR	1
Tetrachloroethene	ug/l	< 0.44	0.44	1.4	1	8260B	7/12/2011	CJR	1
Toluene	ug/l	< 0.53	0.53	1.7	1	8260B	7/12/2011	CJR	1
1,2,4-Trichlorobenzene	ug/l	< 1.5	1.5	4.6	1	8260B	7/12/2011	CJR	1
1,2,3-Trichlorobenzene	ug/l	< 1.3	1.3	4.2	1	8260B	7/12/2011	CJR	1
1,1,1-Trichloroethane	ug/l	< 0.85	0.85	2.7	1	8260B	7/12/2011	CJR	1
1,1,2-Trichloroethane	ug/l	< 0.47	0.47	1.5	1	8260B	7/12/2011	CJR	1
Trichloroethene (TCE)	ug/l	< 0.47	0.47	1.5	1	8260B	7/12/2011	CJR	1
Trichlorofluoromethane	ug/l	< 1.7	1.7	5.3	1	8260B	7/12/2011	CJR	1
1,2,4-Trimethylbenzene	ug/l	< 0.8	0.8	2.5	1	8260B	7/12/2011	CJR	1
1,3,5-Trimethylbenzene	ug/l	< 0.74	0.74	2.4	1	8260B	7/12/2011	CJR	1
Vinyl Chloride	ug/l	< 0.18	0.18	0.56	1	8260B	7/12/2011	CJR	1
m&p-Xylene	ug/l	< 1.1	1.1	3.5	1	8260B	7/12/2011	CJR	1
o-Xylene	ug/l	< 0.8	0.8	2.6	1	8260B	7/12/2011	CJR	1
SUR - Toluene-d8	REC %	101			1	8260B	7/12/2011	CJR	1
SUR - Dibromofluoromethane	REC %	92			1	8260B	7/12/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	REC %	92			1	8260B	7/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	REC %	103			1	8260B	7/12/2011	CJR	1

Lab Code 5022473G
Sample ID MW11
Sample Matrix Water
Sample Date 7/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B	7/12/2011	CJR	1	
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B	7/12/2011	CJR	1	
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B	7/12/2011	CJR	1	
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B	7/12/2011	CJR	1	
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	7/12/2011	CJR	1	

Project Name
Project # 4230-9001
Lab Code 5022473G
Sample ID MW11
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
sec-Butylbenzene	< i	ug/l	1	3.3	1	8260B		7/12/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		7/12/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		7/12/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		7/12/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		7/12/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		7/12/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		7/12/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		7/12/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		7/12/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		7/12/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		7/12/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		7/12/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		7/12/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		7/12/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/12/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		7/12/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		7/12/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		7/12/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		7/12/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		7/12/2011	CJR	4 8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		7/12/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		7/12/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		7/12/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		7/12/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		7/12/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		7/12/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		7/12/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		7/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		7/12/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		7/12/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/12/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/12/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		7/12/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		7/12/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		7/12/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		7/12/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		7/12/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		7/12/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		7/12/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		7/12/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		7/12/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		7/12/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		7/12/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		7/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		7/12/2011	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		7/12/2011	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		7/12/2011	CJR	1

Project Name
Project # 4230-9001
Lab Code 5022473H
Sample ID PZ2
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene										
Benzene	< 5	ug/l	5	16	10	8260B	7/14/2011	CJR	1	
Bromobenzene	< 7.4	ug/l	7.4	24	10	8260B	7/14/2011	CJR	1	
Bromodichloromethane	< 6.8	ug/l	6.8	22	10	8260B	7/14/2011	CJR	1	
Bromoform	< 4.3	ug/l	4.3	14	10	8260B	7/14/2011	CJR	1	
tert-Butylbenzene	< 7.1	ug/l	7.1	23	10	8260B	7/14/2011	CJR	1	
sec-Butylbenzene	< 10	ug/l	10	33	10	8260B	7/14/2011	CJR	1	
n-Butylbenzene	< 9	ug/l	9	29	10	8260B	7/14/2011	CJR	1	
Carbon Tetrachloride	< 4.7	ug/l	4.7	15	10	8260B	7/14/2011	CJR	1	
Chlorobenzene	< 5.1	ug/l	5.1	16	10	8260B	7/14/2011	CJR	1	
Chloroethane	< 14	ug/l	14	45	10	8260B	7/14/2011	CJR	1	
Chloroform	< 4.9	ug/l	4.9	15	10	8260B	7/14/2011	CJR	1	
Chloromethane	< 19	ug/l	19	61	10	8260B	7/14/2011	CJR	1	
2-Chlorotoluene	< 7	ug/l	7	22	10	8260B	7/14/2011	CJR	1	
4-Chlorotoluene	< 4.4	ug/l	4.4	14	10	8260B	7/14/2011	CJR	1	
1,2-Dibromo-3-chloropropane	< 28	ug/l	28	89	10	8260B	7/14/2011	CJR	1	
Dibromochloromethane	< 5.5	ug/l	5.5	18	10	8260B	7/14/2011	CJR	1	
1,4-Dichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B	7/14/2011	CJR	1	
1,3-Dichlorobenzene	< 8.7	ug/l	8.7	28	10	8260B	7/14/2011	CJR	1	
1,2-Dichlorobenzene	< 7.6	ug/l	7.6	24	10	8260B	7/14/2011	CJR	1	
Dichlorodifluoromethane	< 18	ug/l	18	59	10	8260B	7/14/2011	CJR	1	
1,2-Dichloroethane	< 5	ug/l	5	16	10	8260B	7/14/2011	CJR	1	
1,1-Dichloroethane	< 9.8	ug/l	9.8	31	10	8260B	7/14/2011	CJR	1	
1,1-Dichloroethene	< 6	ug/l	6	19	10	8260B	7/14/2011	CJR	1	
cis-1,2-Dichloroethene	1160	ug/l	7.4	24	10	8260B	7/14/2011	CJR	1	
trans-1,2-Dichloroethene	12.8 "J"	ug/l	7.9	25	10	8260B	7/14/2011	CJR	1	
1,2-Dichloropropane	< 4	ug/l	4	13	10	8260B	7/14/2011	CJR	1	
2,2-Dichloropropane	< 19	ug/l	19	59	10	8260B	7/14/2011	CJR	1	
1,3-Dichloropropane	< 7.1	ug/l	7.1	23	10	8260B	7/14/2011	CJR	1	
Di-isopropyl ether	< 6.9	ug/l	6.9	22	10	8260B	7/14/2011	CJR	1	
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B	7/14/2011	CJR	1	
Ethylbenzene	< 7.8	ug/l	7.8	25	10	8260B	7/14/2011	CJR	1	
Hexachlorobutadiene	< 22	ug/l	22	68	10	8260B	7/14/2011	CJR	1	
Isopropylbenzene	< 9.2	ug/l	9.2	29	10	8260B	7/14/2011	CJR	1	
p-Isopropyltoluene	< 9.2	ug/l	9.2	29	10	8260B	7/14/2011	CJR	1	
Methylene chloride	14.1 "J"	ug/l	11	34	10	8260B	7/14/2011	CJR	1	
Methyl tert-butyl ether (MTBE)	< 8	ug/l	8	25	10	8260B	7/14/2011	CJR	1	
Naphthalene	< 21	ug/l	21	68	10	8260B	7/14/2011	CJR	1	
n-Propylbenzene	< 5.9	ug/l	5.9	19	10	8260B	7/14/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 5.3	ug/l	5.3	17	10	8260B	7/14/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 10	ug/l	10	32	10	8260B	7/14/2011	CJR	1	
Tetrachloroethene	44	ug/l	4.4	14	10	8260B	7/14/2011	CJR	1	
Toluene	< 5.3	ug/l	5.3	17	10	8260B	7/14/2011	CJR	1	
1,2,4-Trichlorobenzene	< 15	ug/l	15	46	10	8260B	7/14/2011	CJR	1	
1,2,3-Trichlorobenzene	< 13	ug/l	13	42	10	8260B	7/14/2011	CJR	1	
1,1,1-Trichloroethane	< 8.5	ug/l	8.5	27	10	8260B	7/14/2011	CJR	1	
1,1,2-Trichloroethane	< 4.7	ug/l	4.7	15	10	8260B	7/14/2011	CJR	1	
Trichloroethene (TCE)	45	ug/l	4.7	15	10	8260B	7/14/2011	CJR	1	
Trichlorofluoromethane	< 17	ug/l	17	53	10	8260B	7/14/2011	CJR	1	
1,2,4-Trimethylbenzene	< 8	ug/l	8	25	10	8260B	7/14/2011	CJR	1	
1,3,5-Trimethylbenzene	< 7.4	ug/l	7.4	24	10	8260B	7/14/2011	CJR	1	

Project Name
Project # 4230-9001
Lab Code 5022473H
Sample ID PZ2
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Vinyl Chloride	< 1.8	ug/l	1.8	5.6	10	8260B		7/14/2011	CJR	1
m&p-Xylene	< 11	ug/l	11	35	10	8260B		7/14/2011	CJR	1
o-Xylene	< 8	ug/l	8	26	10	8260B		7/14/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			10	8260B		7/14/2011	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			10	8260B		7/14/2011	CJR	1
SUR - Dibromofluoromethane	101	REC %			10	8260B		7/14/2011	CJR	1
SUR - Toluene-d8	81	REC %			10	8260B		7/14/2011	CJR	1

Lab Code 5022473I
Sample ID PZ3
Sample Matrix Water
Sample Date 7/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		7/12/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		7/12/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		7/12/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/12/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		7/12/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		7/12/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		7/12/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		7/12/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		7/12/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		7/12/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		7/12/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		7/12/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		7/12/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		7/12/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		7/12/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		7/12/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		7/12/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		7/12/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/12/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		7/12/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		7/12/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		7/12/2011	CJR	1
1,2-Dichloropropene	< 0.4	ug/l	0.4	1.3	1	8260B		7/12/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		7/12/2011	CJR	4 8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		7/12/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		7/12/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		7/12/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		7/12/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		7/12/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		7/12/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		7/12/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		7/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		7/12/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		7/12/2011	CJR	1

Project Name
Project # 4230-9001
Lab Code 5022473I
Sample ID PZ3
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/12/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/12/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 1	ug/l		1	3.2	1	8260B		7/12/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		7/12/2011	CJR	1	
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		7/12/2011	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		7/12/2011	CJR	1	
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		7/12/2011	CJR	1	
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		7/12/2011	CJR	1	
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1	
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		7/12/2011	CJR	1	
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		7/12/2011	CJR	1	
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		7/12/2011	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		7/12/2011	CJR	1	
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		7/12/2011	CJR	1	
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		7/12/2011	CJR	1	
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		7/12/2011	CJR	1	
SUR - Dibromofluoromethane	92	REC %			1	8260B		7/12/2011	CJR	1	
SUR - Toluene-d8	99	REC %			1	8260B		7/12/2011	CJR	1	

Lab Code 5022473J
Sample ID PZ4
Sample Matrix Water
Sample Date 7/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		7/12/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		7/12/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		7/12/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		7/12/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		7/12/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		7/12/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		7/12/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		7/12/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		7/12/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		7/12/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		7/12/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		7/12/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		7/12/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		7/12/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		7/12/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		7/12/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		7/12/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		7/12/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/12/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		7/12/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		7/12/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1

Project Name
Project # 4230-9001
Lab Code 5022473J
Sample ID PZ4
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		7/12/2011	CJR	1	
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		7/12/2011	CJR	1	
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		7/12/2011	CJR	48	
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		7/12/2011	CJR	1	
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		7/12/2011	CJR	1	
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		7/12/2011	CJR	1	
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		7/12/2011	CJR	1	
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		7/12/2011	CJR	1	
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		7/12/2011	CJR	1	
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		7/12/2011	CJR	1	
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		7/12/2011	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		7/12/2011	CJR	1	
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		7/12/2011	CJR	1	
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		7/12/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		7/12/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 1	ug/l		1	3.2	1	8260B		7/12/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		7/12/2011	CJR	1	
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		7/12/2011	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		7/12/2011	CJR	1	
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		7/12/2011	CJR	1	
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		7/12/2011	CJR	1	
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		7/12/2011	CJR	1	
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		7/12/2011	CJR	1	
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		7/12/2011	CJR	1	
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		7/12/2011	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		7/12/2011	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		7/12/2011	CJR	1	
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		7/12/2011	CJR	1	
SUR - 1,2-Dichloroethane-d4	88	REC %			1	8260B		7/12/2011	CJR	1	
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		7/12/2011	CJR	1	
SUR - Dibromofluoromethane	90	REC %			1	8260B		7/12/2011	CJR	1	
SUR - Toluene-d8	99	REC %			1	8260B		7/12/2011	CJR	1	

Lab Code 5022473K
Sample ID PZ5
Sample Matrix Water
Sample Date 7/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 2500	ug/l	2500	8000	5000	8260B		7/13/2011	CJR	1
Bromobenzene	< 3700	ug/l	3700	12000	5000	8260B		7/13/2011	CJR	1
Bromodichloromethane	< 3400	ug/l	3400	11000	5000	8260B		7/13/2011	CJR	1
Bromoform	< 2150	ug/l	2150	7000	5000	8260B		7/13/2011	CJR	1
tert-Butylbenzene	< 3550	ug/l	3550	11500	5000	8260B		7/13/2011	CJR	1
sec-Butylbenzene	< 5000	ug/l	5000	16500	5000	8260B		7/13/2011	CJR	1
n-Butylbenzene	< 4500	ug/l	4500	14500	5000	8260B		7/13/2011	CJR	1
Carbon Tetrachloride	< 2350	ug/l	2350	7500	5000	8260B		7/13/2011	CJR	1
Chlorobenzene	< 2550	ug/l	2550	8000	5000	8260B		7/13/2011	CJR	1
Chloroethane	< 7000	ug/l	7000	22500	5000	8260B		7/13/2011	CJR	1
Chloroform	< 2450	ug/l	2450	7500	5000	8260B		7/13/2011	CJR	1

Project Name
Project # 4230-9001
Lab Code 5022473K
Sample ID PZ5
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloromethane	< 9500	ug/l	9500	30500	5000	8260B		7/13/2011	CJR	1
2-Chlorotoluene	< 3500	ug/l	3500	11000	5000	8260B		7/13/2011	CJR	1
4-Chlorotoluene	< 2200	ug/l	2200	7000	5000	8260B		7/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 14000	ug/l	14000	44500	5000	8260B		7/13/2011	CJR	1
Dibromochloromethane	< 2750	ug/l	2750	9000	5000	8260B		7/13/2011	CJR	1
1,4-Dichlorobenzene	< 4900	ug/l	4900	15500	5000	8260B		7/13/2011	CJR	1
1,3-Dichlorobenzene	< 4350	ug/l	4350	14000	5000	8260B		7/13/2011	CJR	1
1,2-Dichlorobenzene	< 3800	ug/l	3800	12000	5000	8260B		7/13/2011	CJR	1
Dichlorodifluoromethane	< 9000	ug/l	9000	29500	5000	8260B		7/13/2011	CJR	1
1,2-Dichloroethane	< 2500	ug/l	2500	8000	5000	8260B		7/13/2011	CJR	1
1,1-Dichloroethane	< 4900	ug/l	4900	15500	5000	8260B		7/13/2011	CJR	1
1,1-Dichloroethene	< 3000	ug/l	3000	9500	5000	8260B		7/13/2011	CJR	1
cis-1,2-Dichloroethene	< 3700	ug/l	3700	12000	5000	8260B		7/13/2011	CJR	1
trans-1,2-Dichloroethene	< 3950	ug/l	3950	12500	5000	8260B		7/13/2011	CJR	1
1,2-Dichloropropane	< 2000	ug/l	2000	6500	5000	8260B		7/13/2011	CJR	1
2,2-Dichloropropane	< 9500	ug/l	9500	29500	5000	8260B		7/13/2011	CJR	4.8
1,3-Dichloropropane	< 3550	ug/l	3550	11500	5000	8260B		7/13/2011	CJR	1
Di-isopropyl ether	< 3450	ug/l	3450	11000	5000	8260B		7/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 3150	ug/l	3150	10000	5000	8260B		7/13/2011	CJR	1
Ethylbenzene	< 3900	ug/l	3900	12500	5000	8260B		7/13/2011	CJR	1
Hexachlorobutadiene	< 11000	ug/l	11000	34000	5000	8260B		7/13/2011	CJR	1
Isopropylbenzene	< 4600	ug/l	4600	14500	5000	8260B		7/13/2011	CJR	1
p-Isopropyltoluene	< 4600	ug/l	4600	14500	5000	8260B		7/13/2011	CJR	1
Methylene chloride	< 5500	ug/l	5500	17000	5000	8260B		7/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 4000	ug/l	4000	12500	5000	8260B		7/13/2011	CJR	1
Naphthalene	< 10500	ug/l	10500	34000	5000	8260B		7/13/2011	CJR	1
n-Propylbenzene	< 2950	ug/l	2950	9500	5000	8260B		7/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 2650	ug/l	2650	8500	5000	8260B		7/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 5000	ug/l	5000	16000	5000	8260B		7/13/2011	CJR	1
Tetrachloroethene	68000	ug/l	2200	7000	5000	8260B		7/13/2011	CJR	1
Toluene	< 2650	ug/l	2650	8500	5000	8260B		7/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 7500	ug/l	7500	23000	5000	8260B		7/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 6500	ug/l	6500	21000	5000	8260B		7/13/2011	CJR	1
1,1,1-Trichloroethane	< 4250	ug/l	4250	13500	5000	8260B		7/13/2011	CJR	1
1,1,2-Trichloroethane	< 2350	ug/l	2350	7500	5000	8260B		7/13/2011	CJR	1
Trichloroethene (TCE)	< 2350	ug/l	2350	7500	5000	8260B		7/13/2011	CJR	1
Trichlorofluoromethane	< 8500	ug/l	8500	26500	5000	8260B		7/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 4000	ug/l	4000	12500	5000	8260B		7/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 3700	ug/l	3700	12000	5000	8260B		7/13/2011	CJR	1
Vinyl Chloride	< 900	ug/l	900	2800	5000	8260B		7/13/2011	CJR	1
m&p-Xylene	< 5500	ug/l	5500	17500	5000	8260B		7/13/2011	CJR	1
o-Xylene	< 4000	ug/l	4000	13000	5000	8260B		7/13/2011	CJR	1
SUR - Toluene-d8	100	REC %			5000	8260B		7/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			5000	8260B		7/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			5000	8260B		7/13/2011	CJR	1
SUR - Dibromofluoromethane	92	REC %			5000	8260B		7/13/2011	CJR	1

Project Name
Project # 4230-9001
Lab Code 5022473L
Sample ID DUP
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene										
Benzene	< 2500	ug/l	2500	8000	5000	8260B	7/14/2011	CJR	1	
Bromobenzene	< 3700	ug/l	3700	12000	5000	8260B	7/14/2011	CJR	1	
Bromodichloromethane	< 3400	ug/l	3400	11000	5000	8260B	7/14/2011	CJR	1	
Bromoform	< 2150	ug/l	2150	7000	5000	8260B	7/14/2011	CJR	1	
tert-Butylbenzene	< 3550	ug/l	3550	11500	5000	8260B	7/14/2011	CJR	1	
sec-Butylbenzene	< 5000	ug/l	5000	16500	5000	8260B	7/14/2011	CJR	1	
n-Butylbenzene	< 4500	ug/l	4500	14500	5000	8260B	7/14/2011	CJR	1	
Carbon Tetrachloride	< 2350	ug/l	2350	7500	5000	8260B	7/14/2011	CJR	1	
Chlorobenzene	< 2550	ug/l	2550	8000	5000	8260B	7/14/2011	CJR	1	
Chloroethane	< 7000	ug/l	7000	22500	5000	8260B	7/14/2011	CJR	1	
Chloroform	< 2450	ug/l	2450	7500	5000	8260B	7/14/2011	CJR	1	
Chloromethane	< 9500	ug/l	9500	30500	5000	8260B	7/14/2011	CJR	1	
2-Chlorotoluene	< 3500	ug/l	3500	11000	5000	8260B	7/14/2011	CJR	1	
4-Chlorotoluene	< 2200	ug/l	2200	7000	5000	8260B	7/14/2011	CJR	1	
1,2-Dibromo-3-chloropropane	< 14000	ug/l	14000	44500	5000	8260B	7/14/2011	CJR	1	
Dibromochloromethane	< 2750	ug/l	2750	9000	5000	8260B	7/14/2011	CJR	1	
1,4-Dichlorobenzene	< 4900	ug/l	4900	15500	5000	8260B	7/14/2011	CJR	1	
1,3-Dichlorobenzene	< 4350	ug/l	4350	14000	5000	8260B	7/14/2011	CJR	1	
1,2-Dichlorobenzene	< 3800	ug/l	3800	12000	5000	8260B	7/14/2011	CJR	1	
Dichlorodifluoromethane	< 9000	ug/l	9000	29500	5000	8260B	7/14/2011	CJR	1	
1,2-Dichloroethane	< 2500	ug/l	2500	8000	5000	8260B	7/14/2011	CJR	1	
1,1-Dichloroethane	< 4900	ug/l	4900	15500	5000	8260B	7/14/2011	CJR	1	
1,1-Dichloroethene	< 3000	ug/l	3000	9500	5000	8260B	7/14/2011	CJR	1	
cis-1,2-Dichloroethene	< 3700	ug/l	3700	12000	5000	8260B	7/14/2011	CJR	1	
trans-1,2-Dichloroethene	< 3950	ug/l	3950	12500	5000	8260B	7/14/2011	CJR	1	
1,2-Dichloropropane	< 2000	ug/l	2000	6500	5000	8260B	7/14/2011	CJR	1	
2,2-Dichloropropane	< 9500	ug/l	9500	29500	5000	8260B	7/14/2011	CJR	1	
1,3-Dichloropropane	< 3550	ug/l	3550	11500	5000	8260B	7/14/2011	CJR	1	
Di-isopropyl ether	< 3450	ug/l	3450	11000	5000	8260B	7/14/2011	CJR	1	
EDB (1,2-Dibromoethane)	< 3150	ug/l	3150	10000	5000	8260B	7/14/2011	CJR	1	
Ethylbenzene	< 3900	ug/l	3900	12500	5000	8260B	7/14/2011	CJR	1	
Hexachlorobutadiene	< 11000	ug/l	11000	34000	5000	8260B	7/14/2011	CJR	1	
Isopropylbenzene	< 4600	ug/l	4600	14500	5000	8260B	7/14/2011	CJR	1	
p-Isopropyltoluene	< 4600	ug/l	4600	14500	5000	8260B	7/14/2011	CJR	1	
Methylene chloride	7100 "J"	ug/l	5500	17000	5000	8260B	7/14/2011	CJR	1	42
Methyl tert-butyl ether (MTBE)	< 4000	ug/l	4000	12500	5000	8260B	7/14/2011	CJR	1	
Naphthalene	< 10500	ug/l	10500	34000	5000	8260B	7/14/2011	CJR	1	
n-Propylbenzene	< 2950	ug/l	2950	9500	5000	8260B	7/14/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 2650	ug/l	2650	8500	5000	8260B	7/14/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 5000	ug/l	5000	16000	5000	8260B	7/14/2011	CJR	1	
Tetrachloroethene	81000	ug/l	2200	7000	5000	8260B	7/14/2011	CJR	1	
Toluene	< 2650	ug/l	2650	8500	5000	8260B	7/14/2011	CJR	1	
1,2,4-Trichlorobenzene	< 7500	ug/l	7500	23000	5000	8260B	7/14/2011	CJR	1	
1,2,3-Trichlorobenzene	< 6500	ug/l	6500	21000	5000	8260B	7/14/2011	CJR	1	
1,1,1-Trichloroethane	< 4250	ug/l	4250	13500	5000	8260B	7/14/2011	CJR	1	
1,1,2-Trichloroethane	< 2350	ug/l	2350	7500	5000	8260B	7/14/2011	CJR	1	
Trichloroethene (TCE)	< 2350	ug/l	2350	7500	5000	8260B	7/14/2011	CJR	1	
Trichlorofluoromethane	< 8500	ug/l	8500	26500	5000	8260B	7/14/2011	CJR	1	
1,2,4-Trimethylbenzene	< 4000	ug/l	4000	12500	5000	8260B	7/14/2011	CJR	1	
1,3,5-Trimethylbenzene	< 3700	ug/l	3700	12000	5000	8260B	7/14/2011	CJR	1	

Project Name
Project # 4230-9001
Lab Code 5022473L
Sample ID DUP
Sample Matrix Water
Sample Date 7/7/2011

Invoice # E22473

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Vinyl Chloride	< 900	ug/l	900	2800	5000	8260B		7/14/2011	CJR	1
m&p-Xylene	< 5500	ug/l	5500	17500	5000	8260B		7/14/2011	CJR	1
o-Xylene	< 4000	ug/l	4000	13000	5000	8260B		7/14/2011	CJR	1
SUR - Toluene-d8	83	REC %			5000	8260B		7/14/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			5000	8260B		7/14/2011	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			5000	8260B		7/14/2011	CJR	1
SUR - Dibromofluoromethane	104	REC %			5000	8260B		7/14/2011	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
- 3 The matrix spike not within established limits.
- 4 The continuing calibration standard not within established limits.
- 8 Closing calibration standard not within established limits.
- 42 Result reported possibly due to laboratory contamination.

CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael J. Ricker



Mathematicians • Engineers • Scientists

CHAIN OF CUSTODY CORD REQUEST FOR ANALYSIS

Chronic effects of hypoxia-reoxygenation

954 Cresta Drive
Granite Flats, WI 54019
920-842-8400
Fax 920-842-8444

- | | | |
|---|---|---|
| <input type="checkbox"/> 330 South 4th Avenue
Park Falls, WI 54852
715-782-1544
Fax 715-782-1844 | <input type="checkbox"/> 45 Pleasant Drive, Suite 1A
Northwood, IA 50459
641-462-8677
FAX 641-462-8673 | <input type="checkbox"/> 3349 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-3444 |
|---|---|---|

- 12025 N Corporate Drive, Suite 210
Waukesha, WI 53189-2222
262-241-3720
FAX 262-241-8222

1203 Stroheck Drive
Waukesha, WI 53189-2222
920-324-4800
FAX 920-324-4801

- 111 W 4th Street Suite 101
Brentwood, CA 94513
(415) 486-1337
FAX (415) 486-1338

- 2309 Southgate Court STE #11
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-0464

- 16851 S US 27 - Blg M Subm 218 315 Sanborn Avenue Subm 201
Lansing, MI 48906 Ashland, WI 54003
517-702-0470 715-682-1116
FAX 517-702-0477

Project No.	4230-700-1	Task No.									
Project Location (City)	Green Bay	Laboratory	Sigler's Wisconsin PTM Certification # 445033560								
Project Manager	Chris Hatfield	Laboratory Contact	Mike Ricker								
Sampler (Name)	Jeff Brandt	Price Quote									
Sampler Signature											
Sampling Date(s)	7-7-11	TURNAROUND TIME REQUIRED									
		<input checked="" type="checkbox"/> Normal	<input type="checkbox"/> Rush								
		Date Received _____									
		Date Analyzed _____									
Lab ID No.	Sample No.	Collection Date	No. of Containers, Size & Type	Description	Dimension	Normal	24-48 hours	48-72 hours	72-96 hours	96-120 hours	120+ hours
A	mw 2	7-7-11	1712	4-40-1 2-250-1	X	HCl H2SO4	X	X	X	X	X
B	mw 5		1700		X		X	X	X	X	X
C	mw 7		1541		X		X	X	X	X	X
D	mw 8		1630		X		X	X	X	X	X
E	mw 9		1350		X		X	X	X	X	X
F	mw 10		1224	3-40-1	X	HCl	X	X	X	X	X
G	mw 11		1047		X		X	X	X	X	X
H	Pz 2		1450		X		X	X	X	X	X
I	Pz 3		1326		X		X	X	X	X	X
J	Pz 4		1140		X		X	X	X	X	X
Comments:											
Packed for Shipping by											
Jeff Brandt											
Shipment Date											
Prepared by		Date		Prepared by		Date		Prepared by		Date	
		7/8/11		Jeff Brandt		7/8/11		Jeff Brandt		7/8/11	
Title		745 AM		Company		Time		Company		Time	
Reviewed by		7/8/11		Reviewed by		Date		Reviewed by		Date	
Comments		4:30 PM		Company		Time		Comments		Time	



CHAIN OF CUSTODY

CORD REQUEST FOR ANALYSIS

Page **1** of **1**No. **6211**

Check office originating request

954 Circle Drive
Green Bay, WI 54304
920-592-8400
FAX 920-592-8444

330 South 4th Avenue
Park Falls, WI 54552
715-762-1544
Fax 715-762-1844

86 Reserve Drive, Suite H
Northbrook, IL 60062
847-562-8077
FAX 847-562-8352

3349 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-0464

12075 N. Corporate Pkwy, Suite 210
Mequon, WI 53092
262-241-3133
FAX 262-241-8222

1203 Starbeck Drive
Waupun, WI 53963
920-324-8600
FAX 920-324-3020

101 W. 4th Street, Suite 101
Marshfield, WI 54449
715-486-1300
FAX 715-486-1313

15801 S. U.S. 27 - Blg. 30, Suite 308
Lansing, MI 48906
517-702-0470
FAX 517-702-0477

315 Sanborn Avenue, Suite 200
Ashland, WI 54806
715-682-1116

Project No. 4230-9001	Task No.	Laboratory: Sigerson	Sample Integrity - To be completed by receiving lab: Seal intact upon receipt <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				
Project Location (City) Green Bay		Wisconsin DNR Certification # 4Y5Q37260	Method of shipment Overland Contents Temperature Out of °C Refrigerator No.				
Project Manager Chris Hartfeld		Laboratory Contact: m.k.Rinker	ANALYSES REQUESTED				
Sampler (Name) Jeff Brand		Price Quote					
Sampler (Signature) Jeff Brand							
Sampling Date(s) 7-7-11		TURNAROUND TIME REQUIRED					
		<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush					
		Date Needed:					
Lab ID No.	Sample No.	Collection Date	Time	Description		Preservative	
				Water	Soil		
22473K	P25	7-7-11	1000	3-40-1	X	HCl	<input type="checkbox"/>
	DUP			L	X	L	<input checked="" type="checkbox"/>
Packed for Shipping by: Jeff Brand				Comments			

Shipment Date:

Relinquished By: Jeff Brand	Date: 7/8/11	Relinquished By:	Date:	Relinquished By:	Date:
Company: Benestcon	Time: 745 AM	Company:	Time:	Company:	Time:
Received By: J. Miller	Date: 7/8/11	Received By:	Date:	Received By:	Date:
Company: SFC	Time: 745 AM	Company:	Time:	Company:	Time:

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

CHRIS HATFIELD
BONESTROO
954 CIRCLE DRIVE
GREEN BAY WI 54304

Report Date 12-Aug-11

Project Name GREEN BAY
Project # 4230-9001

Invoice # E22595

Lab Code 5022595A
Sample ID PZ 5
Sample Matrix Water
Sample Date 8/2/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B	8/9/2011	8/10/2011	MJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B	8/9/2011	8/10/2011	MJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B	8/9/2011	8/10/2011	MJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B	8/9/2011	8/10/2011	MJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	8/9/2011	8/10/2011	MJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B	8/9/2011	8/10/2011	MJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B	8/9/2011	8/10/2011	MJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B	8/9/2011	8/10/2011	MJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B	8/9/2011	8/10/2011	MJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B	8/9/2011	8/10/2011	MJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B	8/9/2011	8/10/2011	MJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B	8/9/2011	8/10/2011	MJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B	8/9/2011	8/10/2011	MJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B	8/9/2011	8/10/2011	MJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B	8/9/2011	8/10/2011	MJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B	8/9/2011	8/10/2011	MJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	8/9/2011	8/10/2011	MJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B	8/9/2011	8/10/2011	MJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B	8/9/2011	8/10/2011	MJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B	8/9/2011	8/10/2011	MJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	8/9/2011	8/10/2011	MJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B	8/9/2011	8/10/2011	MJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B	8/9/2011	8/10/2011	MJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B	8/9/2011	8/10/2011	MJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B	8/9/2011	8/10/2011	MJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B	8/9/2011	8/10/2011	MJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B	8/9/2011	8/10/2011	MJR	1
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B	8/9/2011	8/10/2011	MJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B	8/9/2011	8/10/2011	MJR	1

Project Name GREEN BAY
Project # 4230-9001
Lab Code 5022595A
Sample ID PZ 5
Sample Matrix Water
Sample Date 8/2/2011

Invoice # E22595

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B	8/9/2011	8/10/2011	MJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B	8/9/2011	8/10/2011	MJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B	8/9/2011	8/10/2011	MJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B	8/9/2011	8/10/2011	MJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B	8/9/2011	8/10/2011	MJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B	8/9/2011	8/10/2011	MJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B	8/9/2011	8/10/2011	MJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B	8/9/2011	8/10/2011	MJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B	8/9/2011	8/10/2011	MJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B	8/9/2011	8/10/2011	MJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B	8/9/2011	8/10/2011	MJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B	8/9/2011	8/10/2011	MJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B	8/9/2011	8/10/2011	MJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	8/9/2011	8/10/2011	MJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B	8/9/2011	8/10/2011	MJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B	8/9/2011	8/10/2011	MJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	8/9/2011	8/10/2011	MJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B	8/9/2011	8/10/2011	MJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B	8/9/2011	8/10/2011	MJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B	8/9/2011	8/10/2011	MJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B	8/9/2011	8/10/2011	MJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B	8/9/2011	8/10/2011	MJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B	8/9/2011	8/10/2011	MJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B	8/9/2011	8/10/2011	MJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B	8/9/2011	8/10/2011	MJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B	8/9/2011	8/10/2011	MJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B	8/9/2011	8/10/2011	MJR	1
SUR - Toluene-d8	100	REC %			1	8260B	8/9/2011	8/10/2011	MJR	1

Lab Code 5022595B
Sample ID Dup.
Sample Matrix Water
Sample Date 8/2/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B	8/11/2011	8/11/2011	MJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B	8/11/2011	8/11/2011	MJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B	8/11/2011	8/11/2011	MJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B	8/11/2011	8/11/2011	MJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	8/11/2011	8/11/2011	MJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B	8/11/2011	8/11/2011	MJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B	8/11/2011	8/11/2011	MJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B	8/11/2011	8/11/2011	MJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B	8/11/2011	8/11/2011	MJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B	8/11/2011	8/11/2011	MJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B	8/11/2011	8/11/2011	MJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B	8/11/2011	8/11/2011	MJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B	8/11/2011	8/11/2011	MJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B	8/11/2011	8/11/2011	MJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B	8/11/2011	8/11/2011	MJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B	8/11/2011	8/11/2011	MJR	1

Project Name GREEN BAY
Project # 4230-9001

Invoice # E22595

Lab Code 5022595B
Sample ID Dup.
Sample Matrix Water
Sample Date 8/2/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	8/11/2011	8/11/2011	MJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B	8/11/2011	8/11/2011	MJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B	8/11/2011	8/11/2011	MJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B	8/11/2011	8/11/2011	MJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	8/11/2011	8/11/2011	MJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B	8/11/2011	8/11/2011	MJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B	8/11/2011	8/11/2011	MJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B	8/11/2011	8/11/2011	MJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B	8/11/2011	8/11/2011	MJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B	8/11/2011	8/11/2011	MJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B	8/11/2011	8/11/2011	MJR	1
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B	8/11/2011	8/11/2011	MJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B	8/11/2011	8/11/2011	MJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B	8/11/2011	8/11/2011	MJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B	8/11/2011	8/11/2011	MJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B	8/11/2011	8/11/2011	MJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B	8/11/2011	8/11/2011	MJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B	8/11/2011	8/11/2011	MJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B	8/11/2011	8/11/2011	MJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B	8/11/2011	8/11/2011	MJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B	8/11/2011	8/11/2011	MJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B	8/11/2011	8/11/2011	MJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B	8/11/2011	8/11/2011	MJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B	8/11/2011	8/11/2011	MJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B	8/11/2011	8/11/2011	MJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B	8/11/2011	8/11/2011	MJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	8/11/2011	8/11/2011	MJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B	8/11/2011	8/11/2011	MJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B	8/11/2011	8/11/2011	MJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	8/11/2011	8/11/2011	MJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B	8/11/2011	8/11/2011	MJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B	8/11/2011	8/11/2011	MJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B	8/11/2011	8/11/2011	MJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B	8/11/2011	8/11/2011	MJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B	8/11/2011	8/11/2011	MJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B	8/11/2011	8/11/2011	MJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B	8/11/2011	8/11/2011	MJR	1
SUR - Toluene-d8	99	REC %			1	8260B	8/11/2011	8/11/2011	MJR	1
SUR - 1,2-Dichloroethane-d4	111	REC %			1	8260B	8/11/2011	8/11/2011	MJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B	8/11/2011	8/11/2011	MJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B	8/11/2011	8/11/2011	MJR	1

Project Name GREEN BAY
Project # 4230-9001

Invoice # E22595

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code *Comment*

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael J. Ricker

