### Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

■ Verification Only	of Fill a	and Seal			rinking	Water			Watershed/W	/astewater	Remedia	ation/Redevelop	oment			
	41			v	Vaste N	/lanager										
1. Well Location Infor County		ue Well # of	f I	Hicap #				2. Facility / Owner Information Facility Name								
Wood	Removed		'	псар #			L	Pioneer Bank Facility ID (FID or PWS)								
Latitude / Longitude (see ir			ormat (	Code	Metho	od Code	e F	Facility ID (F	FID or PWS)							
· · ·		N		D		GPS008	- 1.	iconos/Dor	mit/Monitoring	. #						
		W		DM		SCR002 OTH001	- 1	icense/Fei	THICHNOTHOTHS	) #						
14 / 14 NW 14 SV or Gov't Lot #	V	Section 08		nship 25 N	Range 03			Original Well Owner Pioneer Bank								
Well Street Address				25 N			VV L	Present Well Owner								
701 S Central Avenue	е							Pioneer Bank								
Well City, Village or Town					ZIP Co	de		Mailing Address of Present Owner 701 S. Central Ave								
Marshfield				544				City of Prese		<del></del>	State	ZID Codo				
Subdivision Name				Lot #	!			Marshfie			WI					
Reason for Removal from	Service	WI Uniqu	ue Well	# of Re	placen	nent We	ell 4	4. Pump, Liner, Screen, Casing & Sealing Material								
Sampling Complete									d piping remov	ved?	=	res No	N/A			
3. Filled & Sealed Wel								Liner(s) removed?								
Monitoring Well  Original Construction Date (mm/dd/yyyy)								Liner(s) perforated?								
Water Well 10/15/2007											<b>=</b>	Yes ■ No L	JN/A			
If a Well Construction Report is available,									ft in place?			Yes ∐ No ∐	N/A			
Borehole / Drillhole	I	lease attac							ng cut off belo			res No	N/A			
Construction Type:									ng material rise		=	res No	N/A			
Drilled [	Driven (Sa	andpoint)		Dug	g				rial settle after		<b>=</b>	Yes ∐ No ∐	N/A			
Other (specify):							_	-	, was hole ret			Yes ∐ No ∐	N/A			
Formation Type:										used, were they hyd n safe source?		res 🗌 No 📗	N/A			
Unconsolidated Form	ation		Bedro	ck			F	Required Me	ethod of Placir	ng Sealing Material						
Total Well Depth From Gro	ound Surfa	ace (ft.)	asing D	Diamete	r (in.)		$\dashv$	Conductor Pipe-Gravity Conductor Pipe-Pumped								
20					2			Screened & Poured (Bentonite Chips)  Other (Explain):								
Lower Drillhole Diameter (i	in.)	C	asing D	Depth (ft	t.)		S	Sealing Materials								
								Neat C	Cement Grout		Concrete					
				<u> </u>			$\dashv$	Sand-	Cement (Cond	crete) Grout	Bentonite	Chips				
Was well annular space gro				No No		Unknov	Wn F	or Monitori	ing Wells and	Monitoring Well Bore	holes Only	:				
If yes, to what depth (feet)	?	Depth	to Wate	` ,				Bentor	nite Chips	Bento	nite - Ceme	nt Grout				
				9.91	1			Granu	lar Bentonite	Bento	nite - Sand	Slurry				
5. Material Used to Fi	II Well / I	Drillhole						From (ft.)	To (ft.)	No. Yards, Sacks S Volume (circle		Mix Ratio o Mud Weigl				
Bentonite Chip								Surface	20	0.5 bags	, and the second	iviud vveigi	IIL			
								Surrace	20	010 11 11 11						
6. Comments																
o. comments																
7. Supervision of Wor	rk										ONR Use	Only				
Name of Person or Firm D		g & Sealing	Lice	ense #				_	g or Verificatio			Noted By				
REI Engineering, Inc (mm/dd/yy																
						Telephone Number Comments										
						(715 ) 675-9784										
City State ZIP Code Wausau WI 54401							•	f Person Doing La Bushar	g vvork	Dat	e Signed 06/01/2020	<b>1</b>				
Wausau   WI   54401							Pau	i ousnar			00/01/2020	•				

# Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

		R	Route to DNR Bureau:											
■ Verification Only	of Fill and	d Seal	[	Drinkin	g Water		Watershed/W	/astewater	Remed	diation/Redev	elopment			
			[	Waste	Manageme	nt [	Other:							
1. Well Location Inforn	nation					2. Facilit	y / Owner Inf	ormation						
	WI Unique \		Hic	ap#		Facility Name								
Wood	Removed W M\	/ен <b>N-</b> 3				Pioneer								
Latitude / Longitude (see ins	structions)		ormat Co		od Code GPS008	Facility ID	(FID or PWS)							
		_ N _ W			SCR002 OTH001	License/Pe	ermit/Monitoring	#						
1/4 / 1/4 NW 1/4 SW	Se	ction	Townsl			Original W								
or Gov't Lot #		80	25	N 03	3 🔲 W	Pionee								
Well Street Address 701 S Central Avenue				•		Present Well Owner Pioneer Bank								
Well City, Village or Town				Well ZIP C	ode	_	Idress of Presen							
Marshfield				54449			Central Ave	<del>)</del>	State	ZIP Code				
Subdivision Name				Lot #		Marshf	ield		WI	54449				
Reason for Removal from S	ervice \	NI Uniqu	ıe Well #	of Replace	ment Well	4. Pump, Liner, Screen, Casing & Sealing Material								
Sampling Complete		_				Pump and piping removed?  Yes No No No								
3. Filled & Sealed Well						Liner(s) removed?  Liner(s) perforated?  Yes No N/A  Yes No N/A								
Monitoring Well	Origi	nai Cons		Date (mm/d	ia/yyyy)	I ' '	removed?			Yes No				
Water Well			10/15/	2007			left in place?			Yes No	=			
Borehole / Drillhole		Well Cor		Report is a	available,	I —	sing cut off below	w surface?		Yes No				
Construction Type:	pica	30 attaci	11.			_	ling material rise			Yes No	=			
	riven (Sand	point)		Dug		Did mat	terial settle after	24 hours?		Yes No	N/A			
Other (specify):	•	. ,		] Day		If ye	es, was hole reto	opped?		Yes No	N/A			
Formation Type:							nite chips were เ ter from a knowr	used, were they	hydrated	Yes No	N/A			
Unconsolidated Forma	ition		Bedrock					ng Sealing Mater	ial					
Total Well Depth From Grou		(ft.) C	l	meter (in.)		1 —	ductor Pipe-Grav		ctor Pipe-Pum	ped				
20		(14.)	aomg Dia	2		Screened & Poured Other (Explain):								
Lower Drillhole Diameter (in	)	C	asing Der			(Bentonite Chips) Uniter (Explain).  Sealing Materials								
Zerrer Zrimiere Zierrieter (in	,		g 2 0 p	· · · · · · · · ·		1 — •	t Cement Grout		Concrete	)				
						- I ☐ Sand	d-Cement (Conc	rete) Grout	Bentonite	e Chips				
Was well annular space grou	uted?	Y	es 🔳	No 🗌	Unknown	1 —	,	Monitoring Well L		•				
If yes, to what depth (feet)?		Depth to	o Water (	feet)		┪	onite Chips		entonite - Cem	-				
				10.39		Gran	nular Bentonite	Be	entonite - Sand	d Slurry				
5. Material Used to Fill	Well / Dri	illhole				From (ft.	) To (ft.)	No. Yards, Sac						
Bentonite Chip						Surface		Volume (ci		Mud W	/eight			
- Domestice Only						Surface	20	1.2.	49					
6. Comments														
7. Supervision of Work	(								DNR Use	Only				
Name of Person or Firm Do	ing Filling &	Sealing	Licens	se #	1	_	ing or Verification	n Date Receive	ed	Noted By				
REI Engineering, Inc (mm/dd/y							5/14/2020							
Street or Route 4080 N 20th Avenue,						elephone No 715)67		Comments						
City State ZIP						Signature of Person Doing Wor		Work	Da	ate Signed				
Wausau WI 54401						Paul Bushar 06/01/2020					020			

# Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

				F	Route 1											
■ Verification	n Only	of Fill a	and Seal			rinking Water		Watershed/W	'astewater	Remediation/Redevelopment						
					∐ W	/aste Manageme		Other:								
1. Well Location	on Infor							y / Owner Inf	ormation							
County		WI Uniqu Remove	ue Well # o	f H	icap#		Facility Na									
Wood			MW-4				Pioneer									
Latitude / Longitu	ıde (see ir	nstructions	<i>'</i>	ormat C		Method Code	-Facility ID	(FID or PWS)								
			N			SCR002	License/Pe	ermit/Monitoring	#							
	1		W			OTH001	1									
1/4 / 1/4 NW	⅓ SV	V	Section	Town		Range E	Original Well Owner Pioneer Bank									
or Gov't Lot #			08	25	N	03 🔲 w	Present W									
Well Street Addre		Э					Pioneer Bank									
Well City, Village	or Town					ZIP Code	1 -	Mailing Address of Present Owner								
Marshfield					544	49		Central Ave		lo	7700					
Subdivision Nam	е				Lot #		Marshfi	sent Owner eld		State WI	ZIP Code 54449					
Reason for Remo	oval from	Service	WI Uniq	ue Well #	of Re	placement Well			en, Casing & Se		$\overline{}$	N/A				
Sampling Cor	mplete															
3. Filled & Sea	aled Wel						Liner(s) removed?  Liner(s) perforated?  Yes No No									
Monitoring	Well	0	riginal Cor		,	(mm/dd/yyyy)	1 '	removed?		=	Yes No	N/A				
Water Well				10/16	5/2007	7	1	left in place?		=	Yes No	□ N/A				
					n Repo	ort is available,	I —					<u> </u>				
Borehole / Drillhole please attach.							_	sing cut off belo		=	Yes No	N/A				
Construction Type:						1	ling material rise erial settle after		=	Yes No	N/A N/A					
Drilled		Oriven (Sa	andpoint)	L	Dug	9	1	es, was hole reto		= =	Yes No	N/A				
Other (spec	cify):						1		used, were they hy	drated						
Formation Type:			_	,				ter from a know			Yes No	N/A				
Unconsolida			L	Bedroc			I		g Sealing Material							
Total Well Depth		und Surfa	ace (ft.)	Casing Di		` '		ductor Pipe-Grav	<i>'</i> 🗀	r Pipe-Pump	ed					
	20					2	Screened & Poured (Bentonite Chips)  Other (Explain):									
Lower Drillhole D	iameter (i	n.)	C	Casing De	epth (ft	.)	Sealing Materials									
							1 ==	Cement Grout	L	Concrete						
Was well annular	space are	utod2		V00 [	No	Unknown	Sand	d-Cement (Conc	rete) Grout	Bentonite	Chips					
						OTIKITOWIT	For Monito	oring Wells and I	Monitoring Well Bo	reholes Only	:					
If yes, to what de	epth (feet)?	?	Depth	to Water	, ,		Bente	onite Chips	Bent	tonite - Ceme	ent Grout					
					7.75	)	Gran	ular Bentonite		tonite - Sand						
5. Material Us	ed to Fil	l Well /	Drillhole				From (ft.)	) To (ft.)	No. Yards, Sacks Volume (circ		Mix Ration  Mud We					
Bentonite Chip							Surface	20	0.75 ba		maa vvo	igiii				
6. Comments																
7. Supervision										DNR Use						
Name of Person or Firm Doing Filling & Sealing License # Date of F REI Engineering, Inc (mm/dd/)							•	ng or Verificatio 5/14/2020	n Date Received		Noted By					
Street or Route							elephone Nu		Comments							
4080 N 20th Avenue,						(	( 715 ) 675-9784									
City State ZIP Code						Signature of Person Doing Work  Date Signed										
Wausau	au   WI   54401						Paul Bushar 06/01/202					20				

# Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

					Route	to DNR	Bure	au:		_								
■ Verificatio	n Only	of Fill	and Seal			rinking	Water	r	L	Watershed/V	Vastewater	Reme	Remediation/Redevelopment					
					∨	Vaste M	lanage	emer	ıt	Other:								
1. Well Location	on Infori	matior	1	-	"					y / Owner In	formation							
County			que Well # o	ıt	Hicap #				Facility Na Pioneer									
		<u> </u>	MW-5			1			Facility ID	(FID or PWS)								
Latitude / Longitu	ide (see in	structio	<i>'</i>	Format ⊓⊓	Code DD	Metho	d Cod SPS00											
			N W		DDM		CR00		License/Pe	ermit/Monitoring	g #							
1/4 / 1/4 NW	½ SV	V	Section	Tov	nship	Range	•	E	Original Well Owner									
or Gov't Lot #			08	2	25 N	03		W	Propert Well Owner									
Well Street Addre		e	•	•		•			Present Well Owner Pioneer Bank									
Well City, Village	or Town				Well	ZIP Cod	de		Mailing Address of Present Owner									
Marshfield					544	49			701 S.	710.0.1.								
Subdivision Name	е				Lot #	1			Marshfi	sent Owner <b>eld</b>		State WI	ZIP Code 54449					
Reason for Remo	oval from S	Service	WI Uniq	ue We	I # of Re	placem	ent W	ell			en, Casing & Se	ealing Ma						
Sampling Cor							_		Pump and piping removed?  Yes No									
3. Filled & Sea	aled Wel	l / Dril					(t)		Liner(s) removed?									
Monitoring \	Well		Original Cor			•	/уууу)		Screen removed?									
Water Well					16/200				Casing I	left in place?			Yes No	∏ N/A				
Borehole / Drillhole If a Well Construction Report is available please attach.							€,	Was cas	sing cut off belo	ow surface?		Yes No	N/A					
Construction Type:								Did seal	ling material ris	e to surface?		Yes No	N/A					
Drilled		Oriven (	Sandpoint)		Dug	g				erial settle after			Yes No	N/A				
Other (spec	cify):							_	1	es, was hole ret	• •		Yes No	N/A				
Formation Type:											used, were they hy on safe source?	ydrated _	Yes No	N/A				
Unconsolida	ated Forma	ation		Bedro	ock				Required N	Method of Placi	ng Sealing Materia	I						
Total Well Depth	From Gro	und Su	rface (ft.)	Casing	Diamete	r (in.)			Conductor Pipe-Gravity Conductor Pipe-Pumped									
	20					2				ened & Poured tonite Chips)	Other (E	xplain):						
Lower Drillhole D	iameter (ii	n.)	(	Casing	Depth (ft	t.)			Sealing Ma		-							
										Cement Grout		Concrete						
Was well annular	space gro	uted?		Yes	No.	П	Jnkno	wn	Sand-Cement (Concrete) Grout Bentonite Chips  For Monitoring Wells and Monitoring Well Boreholes Only:									
If yes, to what de			Depth	to Wat	er (feet)				l —	oring Weils and onite Chips		o <i>renoles On</i> Itonite - Cen	•					
,,	p (1001).				9.84	1				ular Bentonite		itonite - Cen itonite - San						
5. Material Use	ad ta Fil	l Wall	/ Drillbolo								No. Yards, Sack			tio or				
	eu to Fii	i vveii							From (ft.)		Volume (circ	cle one)	Mud W	eight				
Bentonite Chip									Surface	20	1 baş	9						
6. Comments																		
7. Supervision	າ of Wor	k										DNR Us	e Onlv					
Name of Person	or Firm Do		ing & Sealin	g Lic	ense #				-	ng or Verificatio	on Date Received		Noted By					
REI Engineering, Inc (mm/dd/y									5/14/2020									
Street or Route 4080 N 20th A	Avenue,							Telephone Number Comments (715) 675-9784										
City				State		Code		Signature of Person Doing Work Date Signed										
Wausau	WI 54401						Paul Bushar 06/01/202					)20						

# Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

			Route	to DNR Bureau:										
■ Verification Only	of Fill and	l Seal		Drinking Water	Γ	Watershed/W	astewater	Remedi	emediation/Redevelopment					
• Vermeation only	or i ili alik	Jocai		Waste Manageme	nt [	Other:	•							
1. Well Location Infor	mation				2. Facilit	y / Owner Info	ormation							
County	WI Unique \		Hicap #	<i>‡</i>	Facility Name									
Wood	Removed W	/ell N-6			Pioneer	Bank								
Latitude / Longitude (see in			at Code	Method Code	Facility ID	(FID or PWS)								
		_ N   _	]DD	GPS008	License/Da	ermit/Monitoring	#							
		Twl r	DDM	SCR002	LICENSE/F	eminationing	#							
1/4 / 1/4 NW 1/4 SV	y Se	ction To	wnship	Range E	Original W	ell Owner								
or Gov't Lot #	•	08	25 <sub>N</sub>		Pionee	r Bank								
Well Street Address			11	<u> </u>	Present W	ell Owner								
701 S Central Avenue	е				Pionee									
Well City, Village or Town			Wel	I ZIP Code	1 -	dress of Present								
Marshfield			544	449		Central Ave	<del> </del>	1-	I					
Subdivision Name			Lot :	#	City of Pre Marshf	sent Owner		State WI	ZIP Code 54449					
							n Coolna <sup>o</sup> Coo							
Reason for Removal from S	Service \	VI Unique W	ell # of R	eplacement Well			en, Casing & Sea			N/A				
Sampling Complete		<u> </u>			Pump and piping removed?  Liner(s) removed?  Yes N  Yes N									
3. Filled & Sealed Wel				mation (mm/dd/yyyy)	` ′	perforated?		=	Yes No					
Monitoring Well	Oligi		/16/200		Screen	removed?		=	Yes No					
Water Well					Casing	left in place?			Yes No	∏ N/A				
Borehole / Drillhole		Well Constru se attach.	ction Rep	oort is available,	Was ca	sing cut off belov	w surface?		Yes No	N/A				
Construction Type:	Pica	oc attaon.			_	ling material rise			Yes No	=				
	Driven (Sand	noint)	Du	ıa	Did mat	erial settle after	24 hours?	H.	Yes No	N/A				
Other (specify):	`	,	ш	-9	If ye	es, was hole reto	ppped?		Yes 🔲 No	N/A				
Formation Type:							used, were they hyd	Irated	 Yes ∏No	N/A				
	. 41					ter from a knowr				IN/A				
Unconsolidated Form		<u> </u>	drock	(; )	1 —	viethod of Placin ductor Pipe-Grav	g Sealing Material	Pipe-Pump	od					
Total Well Depth From Gro	und Surface	(ft.)  Casin	g Diamete	* *		ened & Poured	, <u> </u>		eu					
20				2	(Ben	tonite Chips)	Other (Exp	olain):						
Lower Drillhole Diameter (in	n.)	Casin	g Depth (	ft.)	Sealing Ma			7 -						
						Cement Grout	L	Concrete						
Was well annular space gro	uted?	Yes	■ No	Unknown	1 —	d-Cement (Conc	· _	Bentonite						
					<b>┤</b>	J	Monitoring Well Bor	,						
If yes, to what depth (feet)?	?	Depth to W	` '			onite Chips	☐ Bento	onite - Ceme	ent Grout					
			8.4	<u> </u>	Grar	ular Bentonite		onite - Sand						
5. Material Used to Fil	l Well / Dri	llhole			From (ft.)	) To (ft.)	No. Yards, Sacks Volume (circle		Mix Ra Mud W					
Bentonite Chip					Surface	20	0.75 bag							
6. Comments														
7. Supervision of Wor	k							DNR Use	Only					
Name of Person or Firm Do	oing Filling &	Sealing L	icense #		-	ng or Verification			Noted By					
REI Engineering, Inc				(mm/dd/y		5/14/2020								
Street or Route				Telephone Number Comments										
4080 N 20th Avenue,		10.		,	715 ) 67		NA code	15	0:-					
City		Stat \/\/I	I	Code IAN1	_	of Person Doing	VVOIK	Dat	e Signed 06/01/20	n20				

### Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

■ Verification Only of	D	rinking Water	er Watershed/Wastewater Remediation/Redevelopme										
•			W	/aste Managem	ent	Other:							
1. Well Location Informa	ation				2. Facility	/ Owner Inf	ormation						
	I Unique Well # of	f H	Hicap#		Facility Nam	е							
Wood	emoved Well MW-8				Pioneer E	Bank							
	<del></del>		0 - 1 -	M. H. J O. J.	Facility ID (F	ID or PWS)							
Latitude / Longitude (see instr	ŕ	ormat (		Method Code									
	N		ט	SCR002	License/Peri	mit/Monitoring	#						
	W		DM	☐OTH001									
1/4 / 1/4 NW 1/4 SW	Section	Towi	nship	Range E	Original Well Owner								
or Gov't Lot #	08	2	5 N	03 🕅 w	Pioneer Bank								
Well Street Address					Present Wel								
701 S Central Avenue					Pioneer Bank								
Well City, Village or Town			Well	ZIP Code	Mailing Address of Present Owner								
Marshfield			544	49	701 S. C	entral Ave	9						
Subdivision Name			Lot #		City of Prese			State	ZIP Code				
					Marshfie			WI	54449				
Reason for Removal from Ser	vice WI Uniqu	ue Well	# of Re	placement Well		•	en, Casing & Sea						
Sampling Complete						d piping remov	/ed?	=	Yes No N/A Yes No N/A				
3. Filled & Sealed Well /	Drillhole / Bor	ehole	Inform	ation									
Monitoring Well	Original Con	structio	n Date (	mm/dd/yyyy)	Liner(s) perforated?  Yes No No N/								
		05/0	2/2008	3	1	Screen removed?							
Water Well	If a Well Co	nstructio	on Repo	ort is available,	Casing let	It in place?			Yes No N/A				
Borehole / Drillhole	please attac		·	•	Was casir	ng cut off belo	w surface?		Yes No N/A				
Construction Type:		Did sealin	ig material rise	e to surface?	□\	Yes No N/A							
Drilled Driv	en (Sandpoint)		Dug	9	Did mater	ial settle after	24 hours?	□'	Yes No N/A				
Other (specify):					1	, was hole ret			Yes No N/A				
Formation Type:							used, were they hydr n safe source?	ated \( \bigcup\)	Yes No No N/A				
Unconsolidated Formation	on $\Box$	Bedro	ck				ng Sealing Material						
Total Well Depth From Ground		1	Diameter	(in )	Conductor Pipe-Gravity Conductor Pipe-Pumped								
20	d Surface (it.)	asing L		2	Scropped & Poured								
					(Bentonite Chips)								
Lower Drillhole Diameter (in.)	C	asing D	Depth (ft	.)	Sealing Materials								
					Neat Cement Grout Concrete								
Was well annular space groute	N42	⁄es	■ No	Unknown		Cement (Cond	crete) Grout	Bentonite	Chips				
			No	OTKHOWN	_For Monitori	-	Monitoring Well Bore	holes Only:	:				
If yes, to what depth (feet)?	Depth 1	to Wate	, ,		■ Bentor	nite Chips	Bentoi	nite - Ceme	ent Grout				
			6.60	)	Granul	lar Bentonite	Bentor	nite - Sand	Slurry				
5. Material Used to Fill V	Vell / Drillhole				From (ft.)	To (ft.)	No. Yards, Sacks S		Mix Ratio or				
Bentonite Chip					Surface	20	Volume (circle 0.75 bag	one)	Mud Weight				
Dontonico Onip					Surface	20	0.70 549						
6. Comments													
7. Supervision of Work	Data of F	illing & Spaling	a or Vorificatio		ONR Use	Only Noted By							
Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc   License #   Date of F					Filling & Sealing	14/2020	Date Neceived	ľ	voted by				
Street or Route (mm/dc					Telephone Number Comments								
4080 N 20th Avenue,					( 715 ) 675-9784								
City State ZIP Code					Signature of Person Doing Work   Date Signed				e Sianed				
Wausau WI 54401						Paul Bushar 06/01/2020							

# Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

			Rou	ite to DNR Bureau:										
<b>■</b> Verification Only	of Fill and	d Spal		Drinking Water	Γ	Watershed/W	/astewater	Remedi	Remediation/Redevelopment					
verification only	OI I III ain	u Ocai		☐ Waste Manageme	nt [	 Other:								
1. Well Location Infor	mation				2 Facilit	y / Owner Inf	ormation							
County	WI Unique		Hica	p #	Facility Name									
Wood	Removed V	√ell VB-7			Pioneer	Bank								
			_	IM. H I O . I.	Facility ID	(FID or PWS)								
Latitude / Longitude (see in	istructions)	-	nat Code	Method Code										
		_ N   _	_	SCR002	License/Pe	ermit/Monitoring	#							
		_ w   L	DDM	OTH001										
1/4 / 1/4 NW 1/4 SV	y Se		ownship		Original W									
or Gov't Lot#		80	25	N 03 W	Pionee									
Well Street Address				•	Present W Pionee									
701 S Central Avenue	Э					Idress of Presen	t Owner							
Well City, Village or Town				ell ZIP Code	_	Central Ave								
Marshfield				4449		sent Owner	<b>,</b>	State	ZIP Code					
Subdivision Name			Lo	ot#	Marshf			WI	54449					
Reason for Removal from S	Contino II	MI Unique M	Voll # of	Replacement Well			en, Casing & Sea	aling Mate						
Sampling Complete	Service	Wi Offique v	veii # Oi	Replacement Well		nd piping remov	·		Yes No	N/A				
3. Filled & Sealed Wel	I / Drillbol	a / Borobo	la Info	rmation	Liner(s)	removed?			Yes 🔲 No	N/A				
				ate (mm/dd/yyyy)	Liner(s)	perforated?			Yes No	N/A				
Monitoring Well		10	0/23/20	007	Screen removed?									
Water Well	lf o			eport is available,	Casing	left in place?			Yes No	N/A				
Borehole / Drillhole		ise attach.	ucuon K	eport is available,	Was ca	sing cut off belov	w surface?		Yes No	N/A				
Construction Type:					Did sea	ling material rise	e to surface?		Yes No	N/A				
Drilled	Driven (Sand	point)		Dug	Did mat	erial settle after	24 hours?		Yes No	N/A				
Other (specify):				-	1	es, was hole reto	• •		Yes No	N/A				
Formation Type:						nite chips were เ ter from a knowr	used, were they hyd	drated	Yes No	N/A				
Unconsolidated Form	ation	□Re	drock				ng Sealing Material							
Total Well Depth From Gro				eter (in.)	1 —	ductor Pipe-Grav	· _ ·	r Pipe-Pump	ed					
18	una ounacc	(it.) Joani	ig Diairi	2	Scre	ened & Poured	Other (Ex							
	\	Oin	- D 4b		<u> </u>	tonite Chips)	Other (EX	лант). <u></u>						
Lower Drillhole Diameter (i	n.)	Casir	ng Depth	1 (II.)	Sealing Ma	Cement Grout		Concrete						
					1 ==			_	Oh:					
Was well annular space gro	outed?	Yes		No Unknown	1 —	d-Cement (Conc	,	Bentonite						
If yes, to what depth (feet)?		Depth to W			<b>⊣</b> ⊢	o .	Monitoring Well Bor	•						
ii yes, to what depth (icet):		Deptil to Vi	•	.51	I =	onite Chips		onite - Ceme						
			-	.01	Gran	nular Bentonite		onite - Sand		tio or				
5. Material Used to Fil	l Well / Dr	illhole			From (ft.)	) To (ft.)	No. Yards, Sacks Volume (circl		Mix Ra Mud W					
Bentonite Chip					Surface	18	0.75 ba	9						
6. Comments														
7. Supervision of Wor								DNR Use	Only					
Name of Person or Firm Do	oing Filling &	Sealing	License		_	ng or Verification	n Date Received		Noted By					
REI Engineering, Inc			(mm/dd/y											
Street or Route			T,	Telephone Number Comments (715 ) 675-9784										
4080 N 20th Avenue,		Sta	to 1-	IP Code			1 Mork	ID-	to Cianad					
City		M/		1P Code 54401	_	of Person Doing	VVOIK	Dat	te Signed 06/01/20	020				

# Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

■ Verification Only of Fill and Seal						Drii	nking V ste Ma	Vater		Watershed/Wastewater					emediation/Redevelopment			
1. Well Location	on Infor	mation				vva	oto ivia	magoi			/ / Owner							
County			u que Well # c	of	Hicap :	#				Facility Nar		IIIIOIIII	iation					
Wood			ed Well PZ-1							Pioneer		.,						
Latitude / Longitu	ıde (see ir	structio	ns)	Format	Code	N	Method			racility ID (	LID OI LANS	)						
			N		DD			PS008 CR002	- 1	License/Pe	rmit/Monitor	ina #						
			W		DDM			TH001	- 1	Elocitoc/i o	TITILE WIGHTED	mig n						
1/4 / 1/4 NW	⅓ SV	V	Section		vnship		Range		- I	Original We								
or Gov't Lot #			08		25 <sub>N</sub>	N	03	Ш \	VV L	Pioneer Bank Present Well Owner								
Well Street Addre		е								Pioneer Bank								
Well City, Village	or Town				We	II ZI	P Code	е	ಠ	Mailing Address of Present Owner 701 S. Central Ave								
Marshfield					54	54449						ve		lo, ,	- 1-	"D 0 1		
Subdivision Name	е				Lot	#				City of Pres				State WI	- 1	IP Code 54449		
Reason for Remo	oval from S	Service	WI Unio	ue We	II # of R	Repl	aceme	nt We	ell				Casing & S	ealing N	lateri	al		
Sampling Cor	mplete							_		Pump and piping removed?								
3. Filled & Sea	aled Wel																	
Monitoring '	Well		Original Cor	nstructi	on Date	e (m	ım/dd/y	уууу)		Liner(s) perforated?  Screen removed?  Liner(s) perforated?  Yes No N/								
Water Well				04/2	25/200	80					emoved <i>?</i> eft in place?				Ye		=	
		Ī	If a Well Co		tion Re <sub>l</sub>	port	is ava	ilable,	,				f 0		=			
Borehole / [			please atta	ch.					_		ing cut off b ng material				Ye	=		
Construction Type:  Driven (Sandpoint)  Dug									rial settle at				Y∈ □ Y∈	=				
Drilled		,	. ,		ш	ug					s, was hole				∐ Y∈	=	=	
Other (spec	city):									If benton	ite chips we	re used	I, were they h	ydrated	<u> </u>			
Formation Type:				<b>7</b>							er from a kn				Ye	s No	N/A	
Unconsolida			· (5)	Bedr		· · · · /			_		lethod of Pla uctor Pipe-G		ealing Materia	al or Pipe-Pi	ımnoo	ı		
Total Well Depth	From Gro	ouna Sur	Tace (II.)	Jasing	Diamet	,	in.)				ened & Pour	-	=	•	umpec	1		
					D "	2			_	(Bente	onite Chips)		Other (E	xpiain):				
Lower Drillhole D	nameter (II	n.)		Jasing	Depth (	(ft.)				Sealing Materials  Neat Cement Grout  Concrete								
									$\Box$	ш			\			aina		
Was well annular	space gro	uted?		Yes	■ N	0	Uı	nknov	vn	Sand-Cement (Concrete) Grout Bentonite Chips  For Monitoring Wells and Monitoring Well Boreholes Only:								
If yes, to what de	pth (feet)?	?	Depth	to Wat	er (feet	t)			$\dashv$		nite Chips	iu ivioiii	_	ntonite - C	-	Grout		
<b>,</b> ,	()				13.	•					ular Bentoni	to		ntonite - S				
5 Material He		1 VA/- II	/ D.::!!! ! -									No	. Yards, Sack			Mix Ra	itio or	
5. Material Us	ea to Fii	ı vveii	Drillnole							From (ft.)	To (ft.)		Volume (cir	cle one)		Mud V		
Bentonite Chip										Surface	40		1.25 b	ag				
6. Comments																		
7. Supervision														DNR U	lse O	nly		
Name of Person	or Firm Do		ng & Sealin	g Lic	ense #	ŧ				-	g or Verifica	ation D	Date Received			ted By		
REI Engineering, Inc   (mm/dd/y Street or Route   T.																		
							Telephone Number Comments ( 715 ) 675-9784											
City State ZIP Code						Signature of Person Doing Work  Date Signed												
Wausau WI 54401						Paul Bushar 06/01/2020												

# Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

F F		F	Route t	to DNR Bureau									
■ Verification Only of Fill	and Seal		D	rinking Water		Watershed/W	/astewater		Remedi	emediation/Redevelopment			
Tormoution only or i in	una ooan		$\square$ w	aste Manageme	ent =	Other:							
1. Well Location Information	1				2. Facility	/ / Owner Inf	ormation	1					
County WI Uni	que Well # of	Hi	cap#		Facility Name								
Wood	red Well PZ-2				Pioneer	Bank							
Latitude / Longitude (see instruction	<del></del>	 ormat C	odo	Method Code	Facility ID (	FID or PWS)							
Latitude / Lorigitude (see mistruction	N N			GPS008									
		_		SCR002	License/Pe	rmit/Monitoring	#						
	W			OTH001									
1/4 / 1/4 NW 1/4 SW	Section	Towns		Range E	Original We								
or Gov't Lot #	08	25	N	03 🗌 w	Pioneer								
Well Street Address	•				Present Well Owner Pioneer Bank								
701 S Central Avenue					Pioneer Bank  Mailing Address of Present Owner								
Well City, Village or Town			1	ZIP Code	_	Central Ave							
Marshfield			544	49		sent Owner	7		State	7ID Codo	—		
Subdivision Name			Lot #		Marshfi				WI	ZIP Code 54449			
		147 11 /				Liner, Scree	n Casin	n & Saa					
Reason for Removal from Service	WI Uniqu	ie vveii #	of Rep	placement Well				ig a oca			I/A		
Sampling Complete				-4:	Pump and piping removed?  Liner(s) removed?  Yes No								
3. Filled & Sealed Well / Dril	Original Cons				` ′	perforated?			H.		I/A I/A		
Monitoring Well	Original Coris	10/17	•		1	Screen removed?							
Water Well					Casing l	eft in place?				Yes No N	I/A		
Borehole / Drillhole	If a Well Cor please attacl	n Repo	rt is available,	Was cas	ing cut off belo	w surface?	)		Yes No No	 I/A			
Construction Type:	picase attaci	1.			_	ing material rise					I/A		
	Sandpoint)	Г	Dug		1	erial settle after			=		I/A		
	. ,	L	Dug		If ye	s, was hole reto	opped?			Yes No No			
Other (specify):				_		ite chips were			ated		1/4		
Formation Type:						er from a know				Yes No No	I/A		
Unconsolidated Formation		Bedroc			Required Method of Placing Sealing Material								
Total Well Depth From Ground Su	rface (ft.) C	asing Di	ameter	(in.)	Conductor Pipe-Gravity Conductor Pipe-Pumped								
40			2	2	(Bent	ened & Poured onite Chips)		ther (Expl	ain):		_		
Lower Drillhole Diameter (in.)	C	asing De	epth (ft.	.)	Sealing Ma						_		
					☐ Neat	Cement Grout			Concrete				
					Sand	-Cement (Cond	rete) Grou	t 🔳	Bentonite	Chips			
Was well annular space grouted?	Y	es	No	Unknown	For Monito	ring Wells and I	Monitoring	Well Bore	holes Only				
If yes, to what depth (feet)?	Depth to	o Water	(feet)		■ Bento	onite Chips	-	Bentor	nite - Ceme	ent Grout			
			15.11	1	Gran	ular Bentonite	Ī	Bentor	nite - Sand	Slurry			
5. Material Used to Fill Well	/ Drillhola				From (ft.)	To (ft.)		s, Sacks S		Mix Ratio or			
	Diminole						Volu	me (circle	one)	Mud Weight			
Bentonite Chip					Surface	40		1.25 bag					
6. Comments													
o. Comments													
7. Supervision of Work						ONR Use							
						of Filling & Sealing or Verification Date Received Noted By							
REI Engineering, Inc (mm/dd/y)													
						Telephone Number Comments (715 ) 675-9784							
	Codo					o Signed							
City State ZIP Code WI 54401						Signature of Person Doing Work  Date Signed  06/01/2020							