



COPY

*Excellence through experience™*

709 Gillette Street, Suite 3 ♦ La Crosse, WI 54603 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

December 20, 2013

BRRTS #: 02-42-525072

Gina Keenan  
Wisconsin Department of Natural Resources  
1300 West Clairemont Avenue  
Eau Claire, WI 54701

Subject: Band Box Cleaners (Tomah) – Vapor Sampling and Groundwater Monitoring Report

Dear Ms. Keenan,

Enclosed is the report for the Band Box Cleaners site located in Tomah, Wisconsin. **This completes the workscope approved by the WDNR on July 31, 2012.**

### **Indoor Air Sampling**

On June 18-19, 2013, indoor air samples were collected from the first floor of the Tattoo Parlor (IA-1) at 1120 Superior Avenue and from the crawl space beneath A Wild Hair Solon (IA-2) at 1202 Superior Avenue. The air samples were collected using a Suma canister with a flow regulator that allowed the air sample to be collected over a 24-hour period for VOC analysis.

The Tattoo Parlor building had no basement and the building was constructed on an on-grade concrete slab. Odors of cigarette smoke and incense were noted in the Tattoo Parlor building.

The crawl space beneath A Wild Hair Solon extended approximately 3 feet beneath the first floor and was constructed with concrete walls and a dirt floor. The crawl space could only be accessed through the basement of the adjacent building at 1200 Superior Street. Nothing was noted in this area that could have affected the vapor sampling results.

### **Indoor Air Sampling Results**

The indoor air sampling results for the Tattoo Parlor at 1120 Superior Avenue (IA-1) showed residential air standard exceedances on the first floor for 1,3-Butadiene (1.05 ug/m<sup>3</sup>) and Benzene (7.14 ug/m<sup>3</sup>). Odors of cigarette smoke and incense were noted in the Tattoo Parlor building, which may have affected the sampling results.

The indoor air sampling results for A Wild Hair Salon at 1202 Superior Street (IA-2) showed several VOC detects, but none exceeded the residential air standards.

The indoor air sampling results are summarized in the attached data table.

## Sub Slab Vapor Sampling

On June 18, 2013, Braun Intertec of La Crosse, Wisconsin installed two sub-slab vapor sampling ports in the Band Box Cleaners building at 1215 Superior Avenue (SS-4 and SS-5). Braun Intertec also installed sub-slab vapor sampling ports in six other nearby buildings including Hardware Hank at 1118 Superior Avenue (SS-1), The Trophy Place at 1204 Superior Avenue (SS-2), Associated Accounting Services at 1200 Superior Avenue (SS-3), Crow Bar at 1206 Superior Avenue (SS-6), Callahan's Pub at 1119 Superior Avenue (SS-7), and Franny's Bar at 1115 Superior Avenue (SS-8). The sub-slab vapor sampling ports were constructed by drilling a ½-inch pilot hole through the concrete slab and several inches into the sub slab material with a hammer drill. A 1½-inch outer hole was then drilled to depths ranging from ¾ -inch to 1-inch, depending on the concrete slab thickness. The holes were cleaned of dust and drilling debris using a shop-vac. Stainless steel tubing was cut to extend ¼ to ½ inch below the slab and connected to a Swagelok compression female adapter. Modeling clay was placed at the tubing/adaptor joint, where the 1½-inch hole is reduced to a ½-inch hole. The remainder of the hole was concreted in, leaving the Swagelok adapter flush with the floor surface. A flush mounted plug was then screwed into the top of the Swagelok adapter for protection.

On June 18-19, 2013, Braun Intertec collected vapor samples from the sub-slab sampling ports for VOC analysis. Vapor samples were collected by screwing a male adapter with a short length of Teflon tubing into the sampling port. A Suma canister was connected to the other end of the Teflon tubing. The valve on the Suma canister was opened slightly and a vapor sample is slowly drawn in from the sampling port over a 5-minute time period. Prior to collecting the sub-slab vapor samples, the vapor sampling ports were checked for leaks using a helium shroud. Minor leaks were detected in sub-slab sampling ports SS-7 and SS-8. A crack in the concrete was noted near SS-7. The sub-slab soil vapor sampling results are summarized in the attached data table.

## Sub Slab Vapor Sampling Results

The sub-slab vapor sampling results from the basement of Hardware Hank at 1118 Superior Avenue (SS-1) showed several VOC detects, but none exceeded the residential sub-slab vapor standards.

The sub-slab vapor sampling results from The Trophy Place (no basement) at 1204 Superior Avenue (SS-2) showed several VOC detects, but none exceeded the residential sub-slab vapor standards.

The sub-slab vapor sampling results from the basement of Associated Accounting Services at 1200 Superior Avenue (SS-3) showed several VOC detects, but none exceeded the residential sub-slab vapor standards.

The sub-slab vapor sampling results from the main level of Band Box Cleaners at 1215 Superior Avenue (SS-4) showed residential sub-slab vapor standard exceedances for Chloroform (94.6 ug/m<sup>3</sup>) and PCE (47,000 ug/m<sup>3</sup>).

The sub-slab vapor sampling results from the basement of Band Box Cleaners at 1215 Superior Avenue (SS-5) showed residential sub-slab vapor standard exceedances for Chloroform (114 ug/m<sup>3</sup>), PCE (476,000 ug/m<sup>3</sup>), and TCE (581 ug/m<sup>3</sup>).

The sub-slab vapor sampling results from the basement of Crow Bar at 1206 Superior Avenue (SS-6) showed a residential sub-slab vapor standard exceedance for Chloroform (57.1 ug/m<sup>3</sup>).

The sub-slab vapor sampling results from the basement of Callahan's Bar at 1119 Superior Avenue (SS-7) showed several VOC detects, but none exceeded the residential sub-slab vapor standards.

The sub-slab vapor sampling results from the basement of Franny's Bar at 1115 Superior Avenue (SS-8) showed several VOC detects, but none exceeded the residential sub-slab vapor standards.

The sub slab air sampling results are summarized in the attached data tables.

### **Free Product**

On June 18, 2013, METCO checked monitoring well MW-A-1 for free product. The absorbent sock had accumulated 36 inches of free product and an additional 3 inches was encountered when checked with the bailer. METCO removed approximately 0.27 gallons of free product by use of an absorbent sock and hand bailing. Free product levels and recovery are summarized in the attached free product recovery table.

On September 18, 2013, monitoring well MW-A-1 could not be located. The sidewalk in which the well existed had been replaced and it appears that the well was destroyed during the sidewalk replacement.

The free product is likely from one or more upgradient sources. The free product has a consistency of clean motor oil or hydraulic oil. Groundwater samples from MW-A-1 show no detects for VOC compounds and this product does not appear to be gasoline or diesel fuel. The state will need to determine if an investigation of the unknown free product will be required of the upgradient property owner or owners.

### **Groundwater Monitoring**

On June 18, 2013, METCO collected groundwater samples from twenty-one of the monitoring wells (MW-12, MW-13, MW-14, MW-14P, MW-15, MW-16, MW-17, MW-17P, MW-18, MW-18P, MW-19, MW-19P, MW-A-1, MW-A-2, MW-A-3, MW-A-4, PZ-A-3, PZ-4-4, PZ-B-3, PZ-B-4, and PZ-1) for VOC, Dissolved Iron, Dissolved Manganese, TOC, COD, and Alkalinity analysis. Field measurements for DO, pH, ORP, Temperature, Specific Conductance and water levels were collected from all site wells. Monitoring well CMW-2 could not be located during the sampling event.

On September 18, 2013, METCO collected groundwater samples from twenty-one of the monitoring wells (CMW-2, MW-12, MW-13, MW-14, MW-14P, MW-15, MW-16, MW-17, MW-17P, MW-18, MW-18P, MW-19, MW-19P, MW-A-2, MW-A-3, MW-A-4, PZ-A-3, PZ-4-4, PZ-B-3, PZ-B-4, and PZ-1) for VOC, Dissolved Iron, Dissolved Manganese, TOC, COD, and Alkalinity analysis. Field measurements for DO, pH, ORP, Temperature, Specific Conductance and water levels were collected from all site wells. Monitoring well MW-A-1 could not be located during the sampling event and appears to have been destroyed during sidewalk construction.

### **Groundwater Monitoring Results**

Monitoring well MW-A-2 currently shows an ES exceedance for PCE (7.7 ppb). The PCE levels in MW-A-2 appear to be decreasing.

Piezometer well PZ-A-3 currently shows a NR140 ES exceedance for Benzene (261 ppb) and NR140 PAL exceedances for Ethylbenzene (370 ppb), Naphthalene (43 ppb), Trimethylbenzene (212 ppb), and Xylene (656 ppb). There were no detects for PCE or TCE and the PVOC's and Naphthalene detected in PZ-A-3 can be attributed to a petroleum release at the Badger Cafe LUST site.

Piezometer well PZ-B-3 currently shows a NR140 ES exceedance for PCE (13.7) and a NR140 PAL exceedance for Benzene (1.36 ppb). The PVOC's detected in PZ-B-3 can be attributed to a petroleum release at the Badger Cafe LUST site.

Monitoring well CMW-2 currently shows NR140 PAL exceedances for Ethylbenzene (330 ppb), Naphthalene (28 ppb), Trimethylbenzene (318 ppb), and Xylene (872 ppb). There were no detects for PCE or TCE and the PVOC's and Naphthalene detected in CMW-2 can be attributed to a petroleum release at the Badger Cafe LUST site.

Monitoring well MW-14 currently shows an ES exceedance for PCE (218 ppb) and a PAL exceedance for TCE (0.51 ppb). The PCE and TCE levels are the highest ever encountered in this well.

Piezometer well MW-14P currently shows an ES exceedance for PCE (1,240 ppb). The PCE levels in MW-14P appear to be decreasing.

Monitoring well MW-16 currently shows an ES exceedance for PCE (7.8 ppb) and a PAL exceedance for Chloroform (0.79 ppb). The contaminant levels in MW-16 appear to be decreasing.

Monitoring well MW-17 currently shows an ES exceedance for PCE (430 ppb). The PCE levels in MW-17 appear to be stable to decreasing.

Piezometer well PZ-1 currently shows NR140 PAL exceedances for Benzene (0.87 ppb) and Naphthalene (11.6 ppb). There were no detects for PCE or TCE and the PVOC's and Naphthalene detected in PZ-1 can be attributed to a petroleum release at the Badger Cafe LUST site.

Groundwater results are summarized in the attached data tables.

### **Conclusions/Recommendations**

Exceedances of the residential indoor air standards for Benzene and 1,3-Butadiene were noted in the indoor air sample collected at the Tattoo Parlor (IA-1). However, odors of cigarette smoke and incense were noted in the building and cigarette smoke is a known source for both Benzene and 1,3-Butadiene. 1,3-Butadiene is also common in automobile exhaust. Because Benzene and 1,3-Butadiene are not used in the dry cleaning process and because of the potential for cross contamination of the indoor air sample, METCO does not believe this warrants further investigation.

The sub-slab vapor samples collected beneath the Band box building (SS-4 and SS-5) showed high levels of PCE and other chlorinated compounds. This area may require further investigation and/or remediation.

The only other sub-slab vapor sample to exceed the residential sub-slab vapor samples was SS-6, which was collected beneath the Crow Bar. This sample showed 57.1 ppb Chloroform, but should not likely require further investigation because Chloroform is a common laboratory cross-contaminant.

Based on the groundwater monitoring results, the extent and degree of chlorinated solvent contamination in groundwater has been adequately defined. The levels of chlorinated solvents in groundwater appear to be stable to decreasing with the exception of MW-14, which showed an increase in its PCE levels during the most recent groundwater sampling event. Because of this, the WDNR may require additional groundwater monitoring.

If the WDNR determines that further investigation and/or remediation is required, please contact METCO to discuss a workscope and budget. However, if the WDNR determines the Closure is a viable option at this time, please contact METCO for closure related costs.

An Updated Site Layout Map, Groundwater Flow Maps, Groundwater Isoconcentration Map, Vapor Intrusion Map, Data Tables, Vapor Sampling Notes, and Laboratory Documents have been attached.

If you have any questions or comments please feel free to call (608-781-8879) or email at [jasonp@metcohq.com](mailto:jasonp@metcohq.com).


Sincerely,

A handwritten signature in black ink that reads "Jason T. Powell". The signature is fluid and cursive, with a long horizontal stroke extending to the left.

Jason T. Powell  
Staff Scientist

#### Attachments

c: John Tessmann – Band Box Cleaners



**SITE LAYOUT MAP**


**BAND BOX CLEANERS & LAUNDRY SUPERIOR AVENUE FACILITY**

**METCO**  
 229 Gravel Street  
 Tomah, WI 54687  
 Phone: (715) 719-8275  
 Fax: (715) 719-8275


1217 SUPERIOR AVENUE  
 TOMAH, WISCONSIN

DRAWN BY: TTP DATE: 04/25/07  
 MODIFIED BY: TTP DATE: 1/15/12

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.




- BAND BOX PROPERTY
- MONITORING WELL SAMPLED - THIS STUDY
- OLDER MONITORING WELL - NOT SAMPLED [BADGER RESTAURANT SITE]
- GEOPROBE SOIL SAMPLE POINT [2/15/07]
- INDOOR AIR SAMPLING LOCATION
- SUB-SLAB VAPOR SAMPLING LOCATION
- UTILITY POLE
- FIRE HYDRANT
- SANITARY SEWER
- STORM SEWER
- NATURAL GAS
- FIBER OPTICS
- WATER
- OVERHEAD UTILITY
- PROPERTY BOUNDARIES



**GROUNDWATER FLOW  
DIRECTION JUNE 18, 2013**

**BAND BOX CLEANERS & LAUNDRY  
SUPERIOR AVENUE FACILITY**




208 Clinton Street  
Suite 3  
425 North Wisconsin  
Tomah, WI 54687  
Tel: (715) 791-8875  
Fax: (715) 791-9275


Excellence through experience

1217 SUPERIOR AVENUE  
TOMAH, WISCONSIN

DRAWN BY: TFP DATE: 06/28/07  
MODIFIED BY: TFP DATE: 1/5/12




NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.




- BAND BOX PROPERTY
- MONITORING WELL SAMPLED - THIS STUDY
- OLDER MONITORING WELL - NOT SAMPLED [BADGER RESTAURANT SITE]
- GEOPROBE SOIL SAMPLE POINT [2/15/07]
- INDOOR AIR SAMPLING LOCATION
- SUB-SLAB VAPOR SAMPLING LOCATION
- UTILITY POLE
- FIRE HYDRANT
- SANITARY SEWER
- STORM SEWER
- NATURAL GAS
- FIBER OPTICS
- WATER
- OVERHEAD UTILITY
- PROPERTY BOUNDRIES

ELEVATION DATA IS RELATIVE TO AN ON-SITE BENCHMARK, ASSUMED ELEVATION = 100 FEET.



**GROUNDWATER FLOW  
DIRECTION, SEPTEMBER 18, 2013**

**BAND BOX CLEANERS & LAUNDRY  
SUPERIOR AVENUE FACILITY**




193 Olinde Street  
Eau Claire, WI 54601  
Tel: (715) 781-8675  
Fax: (715) 781-8675


Excellence through experience

1217 SUPERIOR AVENUE  
TOMAH, WISCONSIN

DRAWN BY: TTP DATE: 06/28/07  
MODIFIED BY: M1 DATE: 1/5/12



NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.



- BAND BOX PROPERTY
- MONITORING WELL SAMPLED - THIS STUDY
- OLDER MONITORING WELL - NOT SAMPLED [BADGER RESTAURANT SITE]
- GEOPROBE SOIL SAMPLE POINT [2/15/07]
- INDOOR AIR SAMPLING LOCATION
- SUB-SLAB VAPOR SAMPLING LOCATION
- UTILITY POLE
- FIRE HYDRANT
- SANITARY SEWER
- STORM SEWER
- NATURAL GAS
- FIBER OPTICS
- WATER
- OVERHEAD UTILITY
- PROPERTY BOUNDARIES

ELEVATION DATA IS RELATIVE TO AN ON-SITE BENCHMARK, ASSUMED ELEVATION = 100 FEET.



GROUNDWATER ISOCONCENTRATION FOR PCE, SEPTEMBER 18, 2013

BAND BOX CLEANERS & LAUNDRY SUPERIOR AVENUE FACILITY

**METCO**  
228 O'Brien Street  
La Crosse, WI 54601  
Phone: (608) 785-8225

1217 SUPERIOR AVENUE  
TOMAH, WISCONSIN


DRAWN BY: TFP DATE: 05/28/07  
CHECKED BY: JH DATE: 1/5/12

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

SCALE 1 INCH = 80 FEET

- BAND BOX PROPERTY
- MONITORING WELL SAMPLED - THIS STUDY
- OLDER MONITORING WELL - NOT SAMPLED [BADGER RESTAURANT SITE]
- GEOPROBE SOIL SAMPLE POINT [2/15/07]
- INDOOR AIR SAMPLING LOCATION
- SUB-SLAB VAPOR SAMPLING LOCATION
- UTILITY POLE
- FIRE HYDRANT
- SANITARY SEWER
- STORM SEWER
- NATURAL GAS
- FIBER OPTICS
- WATER
- OVERHEAD UTILITY
- PROPERTY BOUNDARIES

**NOTE:**  
**THIS PLUME MAP REPRESENTS RESULTS FROM ALL THE MONITORING/PIEZOMETER WELLS. HOWEVER, PLEASE NOTE THAT TWO OF THE WATERTABLE MONITORING WELLS (MW-A-3 AND MW-15) ARE LOCATED WITHIN THE ES PLUME BUT SHOWED "NO DETECT" LEVELS. THUS THIS SCENARIO LIKELY REPRESENTS A DIVING PLUME.**



*Oak Avenue*

*Hwy 12*

VAPOR INTRUSION MAP  
VOC - JUNE 18, 2013

BAND BOX CLEANERS & LAUNDRY  
SUPERIOR AVENUE FACILITY
















METCO  
1217 Superior Avenue  
TOMAH, WISCONSIN


DRAWN BY: TYP DATE: 06/20/13  
MODIFIED BY: TYP DATE: 6/18/13



NOTE: INFORMATION BASED ON AVAILABLE DATA.  
ACTUAL CONDITIONS MAY DIFFER.

SCALE: 1 INCH = 80 FEET

-  BAND BOX PROPERTY
  -  MONITORING WELL SAMPLED - THIS STUDY
  -  OLDER MONITORING WELL - NOT SAMPLED [BADGER RESTAURANT SITE]
  -  GEOPROBE SOIL SAMPLE POINT [2/15/07]
  -  INDOOR AIR SAMPLING LOCATION
  -  SUB-SLAB VAPOR SAMPLING LOCATION
  -  UTILITY POLE
  -  FIRE HYDRANT
  -  SANITARY SEWER
  -  STORM SEWER
  -  NATURAL GAS
  -  FIBER OPTICS
  -  WATER
  -  OVERHEAD UTILITY
  -  PROPERTY BOUNDRIES
- VAPOR ANALYTICAL RESULTS ARE PRESENTED IN PARTS PER BILLION (PPB).
- - RESIDENTIAL SUB-SLAB VAPOR STANDARD EXCEEDANCE
  - - RESIDENTIAL INDOOR AIR STANDARD EXCEEDANCE



6.67 2-BUTANONE  
1.95 2-PROPANOL  
39.3 ACETONE  
2.42 CARBON DISULFIDE  
6.29 DICHLORODIFLUOROMETHANE  
9.16 ETHANOL  
15.4 PCE  
5.22 TOLUENE  
4.2 TRICHLORODIFLUOROMETHANE

6.26 2,4-TRIMETHYLBENZENE  
1.05 1,3-BUTADIENE  
2.3 2-BUTANONE  
12.4 2-PROPANOL  
46.7 ACETONE  
7.14 BENZENE  
1.72 CHLOROMETHANE  
2.4 CYCLOHEXANE  
2.58 DICHLORODIFLUOROMETHANE  
17.9 ETHANOL  
4.46 ETHYLBENZENE  
15.2 MP-XYLENES  
3.41 N-HEPTANE  
13.2 N-HEXANE  
5.52 O-XYLENE  
37.2 PROPYLENE  
23.8 TOLUENE

2.5 2-BUTANONE  
2.9 ACETONE  
3.73 DICHLORODIFLUOROMETHANE  
1.65 PCE  
7.14 TRICHLORODIFLUOROMETHANE

7.9 1,2,4-TRIMETHYLBENZENE  
2.3 1,3,5-TRIMETHYLBENZENE  
6.14 1,4-DICHLOROBENZENE  
8.49 2-BUTANONE  
2.62 2-HEXANONE  
5.02 2-PROPANOL  
2.44 4-ETHYLTOLUENE  
27.2 ACETONE  
5.97 CARBON DISULFIDE  
2.22 CHLOROMETHANE  
80.6 DICHLORODIFLUOROMETHANE  
5.81 ETHANOL  
2.25 ETHYL ACETATE  
2.4 N-HEPTANE  
1.66 N-HEXANE  
1.6 PCE  
4.31 TETRAHYDROFURAN  
12.7 TOLUENE

9.16 2-BUTANONE  
2.13 2-HEXANONE  
2.34 2-PROPANOL  
2.35 ACETONE  
3.82 DICHLORODIFLUOROMETHANE  
3.59 ETHANOL  
2.35 N-HEPTANE  
1.72 N-HEXANE  
4.17 PCE  
8.17 TOLUENE

4.65 2-BUTANONE  
3.6 2-PROPANOL  
29.8 ACETONE  
1.4 CHLOROFORM  
5.3 CIS 1,2-DICHLOROETHENE  
1.67 CYCLOHEXANE  
1.21 DICHLORODIFLUOROMETHANE  
4.54 ETHYL ACETATE  
1.99 N-HEPTANE  
3.04 N-HEXANE  
47.6000 PCE  
4.21 TOLUENE  
5.81 TCE

5.73 2-BUTANONE  
14.77 2-HEXANONE  
2.72 2-PROPANOL  
4.8 4-METHYL 2-PENTANONE  
2.67 ACETONE  
2.89 DICHLORODIFLUOROMETHANE  
33.7 ETHANOL  
4.26 TOLUENE

2.27 2-BUTANONE  
7.47 ACETONE  
5.71 CHLOROFORM  
3.42 DICHLORODIFLUOROMETHANE  
1.73 PCE  
2.46 TOLUENE

2.33 2-BUTANONE  
15.3 ACETONE  
94.6 CHLOROFORM  
8.17 DICHLORODIFLUOROMETHANE  
4.22 ETHANOL  
2.1 ETHYL ACETATE  
47.000 PCE  
2.19 TOLUENE  
12.7 TCE

**A.5 Vapor Analytical Table  
Band Box Cleaners - Tomah**

Sample Address Sample ID Sample Date	CAS No.	1215 Superior Avenue	1217 Superior Avenue	1120 Superior Avenue	1202 Superior Avenue	INDOOR AIR VAPOR ACTION LEVELS
		<b>1215</b> 2/14/2011	<b>1217</b> 2/14/2011	<b>IA-1</b> 6/19/2013	<b>IA-2</b> 6/21/2013	
1,1,1-Trichloroethane-ug/m	71-55-6	<2.53	<2.48	<2.42	<2.87	5200
1,1,2,2-Tetrachloroethane-ug/m	79-34-5	<3.31	<3.24	<3.17	<3.75	42  c
1,1,2-Trichloroethane-ug/m	79-00-5	<2.53	<2.48	<2.42	<2.87	1.5  c
1,1,2-Trichlorotrifluoroethane-ug/m	76-13-1	<3.69	<3.61	<3.53	<4.19	31000
1,1-Dichloroethane-ug/m	75-34-3	<1.95	<1.91	<1.80	<2.13	15  c
1,1-Dichloroethene-ug/m	75-35-4	<1.98	<1.94	<1.83	<2.17	210
1,2,4-Trichlorobenzene-ug/m	120-82-1	<3.57	<3.50	<3.30	<3.90	21  c
1,2,4-Trimethylbenzene-ug/m	95-63-6	<b>5.24</b>	<b>37.6</b>	<b>6.26</b>	<5.17	7.3
1,2-Dibromoethane-ug/m	106-93-4	<3.70	<3.62	<3.41	<4.04	0.0410  c
1,2-Dichlorobenzene-ug/m	95-50-1	<2.79	3.41	<2.57	<3.04	210
1,2-Dichloroethane-ug/m	107-06-2	<1.95	<1.91	<1.87	<2.21	0.94  c
1,2-Dichloropropane-ug/m	78-87-5	<2.14	<2.10	<2.05	<2.43	2.4  c
1,2-Dichlorotetrafluoroethane-ug/m	76-14-2	<3.37	<3.29	<3.22	<3.82	no standard
1,3,5-Trimethylbenzene-ug/m	108-67-8	<2.37	<b>13.3</b>	<2.18	<2.59	no standard
1,3-Butadiene-ug/m	106-99-0	<1.11	<1.08	<b>1.05</b>	<1.21	0.810  c
1,3-Dichlorobenzene-ug/m	541-73-1	<2.79	<2.73	<2.57	<3.04	no standard
1,4-Dichlorobenzene-ug/m	106-46-7	<2.90	<2.83	<2.67	<3.16	2.2  c
1,4-Dioxane-ug/m	123-91-1	<1.74	<1.70	<1.60	<1.90	3.2  c
2-Butanone-ug/m	78-93-3	<b>2.22</b>	<b>1.88</b>	<b>2.3</b>	<1.61	5200
2-Hexanone-ug/m	591-78-6	<2.05	<2.00	<1.89	<2.24	31
2-Propanol-ug/m	67-63-0	<b>34.7</b>	<b>109</b>	<b>124</b>	<b>9.37</b>	7300
4-Ethyltoluene-ug/m	622-96-8	<2.37	<b>12.4</b>	<2.18	<2.59	no standard
4-Methyl-2-pentanone-ug/m	108-10-1	<1.97	<b>12.5</b>	<1.82	<2.15	3100
Acetone-ug/m	67-64-1	<b>16.1</b>	<b>17.7</b>	<b>46.7</b>	<b>28.1</b>	32000
Benzene-ug/m	71-43-2	<3.08	<3.01	<b>7.14</b>	<3.49	3.1  c
Benzyl chloride-ug/m	100-44-7	<2.40	<2.35	<2.21	<2.62	0.5  c
Bromodichloromethane-ug/m	75-27-4	<b>3.86</b>	<3.04	<2.98	<3.52	0.660  c
Bromoform-ug/m	75-25-2	<19.2	<18.8	<17.5	<20.7	22  c
Bromomethane-ug/m	74-83-9	<1.87	<1.83	<1.79	<2.12	5.2
Carbon disulfide-ug/m	75-15-0	<1.44	<b>2.14</b>	<1.38	<1.64	730
Carbon Tetrachloride-ug/m	56-23-5	<2.92	<2.86	<2.79	<3.31	4.1  c
Chlorobenzene-ug/m	108-90-7	<4.43	<4.34	<2.12	<2.51	52
Chloroethane-ug/m	75-00-3	<1.27	<1.24	<2.43	<2.88	10000
Chloroform-ug/m	67-66-3	<b>222</b>	<b>401</b>	<2.17	<2.57	1.1  c
Chloromethane-ug/m	74-87-3	<b>1.89</b>	<b>2.03</b>	<b>1.72</b>	<b>1.44</b>	94
cis-1,2-Dichloroethene-ug/m	156-59-2	<1.91	<1.87	<1.83	<2.17	no standard
cis-1,3-Dichloropropene-ug/m	10061-01-5	<2.11	<2.06	<2.09	<2.48	no standard
Cyclohexane-ug/m	110-82-7	<1.60	<1.56	<b>2.4</b>	<1.81	6300
Dibromochloromethane-ug/m	124-48-1	<3.95	<3.87	<3.78	<4.48	0.9  c
Dichlorodifluoromethane-ug/m	75-71-8	<b>2.68</b>	<b>3.11</b>	<b>2.58</b>	<2.70	100
Ethanol-ug/m	64-17-5	<b>29.3</b>	<b>45.5</b>	<b>17.9</b>	<b>192</b>	no standard
Ethyl Acetate-ug/m	141-78-6	<1.67	<1.64	<1.60	<1.90	310
Ethylbenzene-ug/m	100-41-4	<2.09	<2.05	<b>4.46</b>	<2.37	9.7  c
Hexachloro-1,3-butadiene-ug/m	87-68-3	<5.14	<5.03	<4.74	<5.61	1.1  c
m,p-Xylenes-ug/m	179601-23-1	<4.03	<b>5.52</b>	<b>15.2</b>	<4.66	100
Methylene chloride-ug/m	75-09-2	<1.67	<b>2.62</b>	<3.20	<3.79	630  c
Methyl-t-butyl ether-ug/m	1634-04-4	<1.67	<1.64	<1.60	<1.90	94  c
Naphthalene-ug/m	91-20-3	<5.05	<4.94	<4.66	<5.51	0.72  c
n-Heptane-ug/m	142-82-5	<1.90	<1.86	<b>3.41</b>	<2.16	no standard
n-Hexane-ug/m	110-54-3	<1.70	<1.66	<b>13.2</b>	<1.85	730
o-Xylene-ug/m	95-47-6	<2.09	<b>4.56</b>	<b>5.52</b>	<2.37	100
Propylene-ug/m	115-07-1	<b>16.7</b>	<b>9.65</b>	<b>37.2</b>	<3.62	3100
Styrene-ug/m	100-42-5	<2.05	<2.01	<1.89	<2.24	1000
Tetrachloroethene-ug/m	127-18-4	<b>25.3</b>	<b>29.2</b>	<3.01	<3.57	42  c
Tetrahydrofuran-ug/m	109-99-9	<1.42	<1.39	<1.31	<1.55	no standard
Toluene-ug/m	108-88-3	<b>3.91</b>	<b>2.82</b>	<b>23.8</b>	<2.06	5200
trans-1,2-Dichloroethene-ug/m	156-60-5	<1.84	<1.80	<1.76 <sup>[2]</sup>	<2.09 <sup>[2]</sup>	63
trans-1,3-Dichloropropene-ug/m	10061-02-6	<2.27	<2.22	<2.17	<2.57	no standard
Trichloroethene-ug/m	79-01-6	<2.49	<2.44	<2.39	<2.83	2.1  c
Trichlorofluoromethane-ug/m	75-69-4	<2.71	<2.65	<2.69	<3.18	730
Vinyl acetate-ug/m	108-05-4	<1.76	<1.72	<1.56	<1.85	210
Vinyl chloride-ug/m	75-01-4	<1.23	<1.20	<1.18	<1.40	1.6  c

**Tentatively Identified Compounds - Volatile Compounds (ug/m<sup>3</sup>)**

+++ TICs not detected +++				----	----	
1,1-Difluoroethane	75-37-6			----	<b>63</b> <sup>[3][4]</sup>	42000
2-Nitropropane	79-46-9			----	----	no standard
2-Pentene	109-68-2			----	----	no standard
Unknown analyte	NA			<b>85</b> <sup>[3][4][5]</sup>	<b>100</b> <sup>[3][4][5]</sup>	

**Notes:**

- <sup>[1]</sup> The daily calibration verification standard did not meet the method specified criteria for Ethyl acetate. The percent difference in the relative response factors was 33.9%. The method requires +/-30%. There may be a high bias for this compound.
- <sup>[3]</sup> The initial calibration failed for Acetone. One calibration level recovered at 76.5% (limits are 80-120%). There may be a bias.
- <sup>[4]</sup> The concentration indicated for this analyte is an estimated value above the calibration range of the instrument. This value is considered an estimate.
- <sup>[5]</sup> The laboratory control sample recovery is outside of laboratory control limits.
- <sup>[6]</sup> See case narrative section for further information.
- <sup>[7]</sup> One or more surrogate recoveries reported with this sample analysis are outside of the laboratory control limits.
- <sup>[8]</sup> Compounds were tentatively identified by comparison to the NIST (NBS) database of mass spectra. These identifications represent the best fit obtained from the database search, subject to the interpretation of the analyst.
- <sup>[9]</sup> Concentrations are estimated values calculated relative to the closest eluting internal standard using peak areas from the total ion chromatogram and a relative response factor of one.
- <sup>[10]</sup> The reported value for the unknown analyte is based on a molecular weight of 100 because the actual molecular weight is not known.
- <sup>[11]</sup> The method reporting limit (MRL) was raised for one or more analytes; a dilution of the sample was necessary due to high analyte levels and/or matrix interferences.

ug/m<sup>3</sup> = Micrograms per cubic meter.

< = Less than the reporting limit indicated in parentheses.

---- = Not analyzed or calculated for this parameter

<sup>a</sup> Criteria for mixture of o, m and p-xylenes.

**Bold = detects**

**c = Carcinogen**

**Underline = Indoor Residential Air Standard Exceedance**

A.5 Vapor Analytical Table  
Band Box Cleaners - Tomah

Sample Address	Sample ID	Sample Date	Compound/Parameter	CAS No.	1118 Superior Avenue	1204 Superior Avenue	1200 Superior Avenue	1215 Superior Avenue	1215 Superior Avenue	1206 Superior Avenue	1119 Superior Avenue	1115 Superior Avenue	SUB-SLAB RESIDENTIAL
					SS-1	SS-2	SS-3	SS-4	SS-5	SS-6	SS-7	SS-8	
					6/18/2013	6/19/2013	6/18/2013	6/19/2013	6/19/2013	6/19/2013	6/19/2013	6/19/2013	AIR STANDARD
					1303204	1303204	1303204	1303204	1303204	1303204	1303204	1303204	

Volatile Organic Compounds (ug/m<sup>3</sup>)

1,1,1-Trichloroethane	71-55-6	<2.52	<2.56	<2.58	<2.58	<2.56	<2.65	<2.53	<2.47	52000	
1,1,2,2-Tetrachloroethane	79-34-5	<3.29	<3.35	<3.37	<3.37	<3.34	<3.46	<3.31	<3.23	4.2	c
1,1,2-Trichloroethane	79-00-5	<2.52	<2.56	<2.58	<2.58	<2.56	<2.65	<2.53	<2.47	15	c
1,1,2-Trichlorotrifluoroethane	76-13-1	<3.67	<3.74	<3.76	<3.76	<3.73	<3.86	<3.69	<3.60	310000	
1,1-Dichloroethane	75-34-3	<1.87	<1.90	<1.91	<1.91	<1.90	<1.97	<1.88	<1.83	150	c
1,1-Dichloroethene	75-35-4	<1.90	<1.93	<1.95	<1.95	<1.93	<2.00	<1.91	<1.86	2100	
1,2,4-Trichlorobenzene	120-82-1	<3.42	<3.48	<3.51	<3.51	<3.48	<3.60	<3.44	<3.36	210	c
1,2,4-Trimethylbenzene	95-63-6	<4.53	<4.62	<4.64	<4.65	<4.60	<4.77	7.9	<4.45	73	
1,2-Dibromoethane	106-93-4	<3.54	<3.61	<3.63	<3.63	<3.60	<3.73	<3.57	<3.48	0.0041	c
1,2-Dichlorobenzene	95-50-1	<2.67	<2.71	<2.73	<2.73	<2.71	<2.81	<2.68	<2.62	2100	
1,2-Dichloroethane	107-06-2	<1.94	<1.97	<1.99	<1.99	<1.97	<2.04	<1.95	<1.90	9.400	c
1,2-Dichloropropane	78-87-5	<2.13	<2.17	<2.18	<2.19	<2.16	<2.24	<2.14	<2.09	24	c
1,2-Dichlorotetrafluoroethane	76-14-2	<3.35	<3.41	<3.43	<3.43	<3.40	<3.53	<3.37	<3.28	no standard	
1,3,5-Trimethylbenzene	108-67-8	<2.27	<2.31	<2.32	<2.33	<2.30	<2.39	2.3	<2.22	no standard	
1,3-Butadiene	106-99-0	<1.06	<1.08	<1.09	<1.09	<1.08	<1.12	<1.07	<1.04	8.1	c
1,3-Dichlorobenzene	541-73-1	<2.67	<2.71	<2.73	<2.73	<2.71	<2.81	<2.68	<2.62	no standard	
1,4-Dichlorobenzene	106-46-7	<2.77	<2.82	<2.84	<2.84	<2.82	<2.92	6.14	<2.72	22	c
1,4-Dioxane	123-91-1	<1.66	<1.69	<1.70	<1.70	<1.69	<1.75	<1.67	<1.63	32	c
2-Butanone (MEK)	78-93-3	2.15	5.73	9.16	2.33	4.65	2.27	8.49	6.67	52000	
2-Hexanone	591-78-6	<1.96	4.77	2.13	<2.01	<1.99	<2.07	2.62	<1.92	310	
2-Propanol	67-63-0	<1.18	2.72	2.34	<1.21	1.36	<1.24	5.02	1.95	73000	
4-Ethyltoluene	622-96-8	<2.27	<2.31	<2.32	<2.33	<2.30	<2.39	2.44	<2.22	no standard	
4-Methyl-2-pentanone	108-10-1	<1.89	14.8	<1.94	<1.94	<1.92	<1.99	<1.90	<1.85	31000	
Acetone	67-64-1	12.9	26.7	23.5	15.3	29.8	7.47	27.2	39.3	320000	
Benzene	71-43-2	<3.06	<3.12	<3.13	<3.14	<3.11	<3.22	<3.08	<3.00	31	c
Benzyl chloride	100-44-7	<2.30	<2.34	<2.35	<2.35	<2.33	<2.42	<2.31	<2.25	5	c
Bromodichloromethane	75-27-4	<3.09	<3.15	<3.17	<3.17	<3.14	<3.25	<3.11	<3.03	6.6	c
Bromoform	75-25-2	<18.2	<18.5	<18.6	<18.6	<18.4	<19.1	<18.3	<17.8	220	c
Bromomethane	74-83-9	<1.86	<1.89	<1.90	<1.91	<1.89	<1.96	<1.87	<1.82	52	
Carbon disulfide	75-15-0	<1.44	<1.46	<1.47	<1.47	<1.46	<1.51	5.97	2.42	7300	
Carbon Tetrachloride	56-23-5	<2.90	<2.95	<2.97	<2.98	<2.95	<3.05	<2.92	<2.85	41	c
Chlorobenzene	108-90-7	<2.21	<2.24	<2.26	<2.26	<2.24	<2.32	<2.22	<2.16	520	
Chloroethane	75-00-3	<2.53	<2.57	<2.59	<2.59	<2.57	<2.66	<2.54	<2.48	100000	
Chloroform	67-66-3	<2.25	<2.29	<2.31	94.6	114	57.1	<2.27	<2.21	11	c
Chloromethane	74-87-3	<0.989	<1.01	<1.01	<1.01	<1.00	<1.04	2.22	<0.970	940	
cis-1,2-Dichloroethene	156-59-2	<1.90	<1.93	<1.95	<1.95	13.3	<2.00	<1.91	<1.86	no standard	
cis-1,3-Dichloropropene	10061-01-5	<2.17	<2.21	<2.23	<2.23	<2.21	<2.29	<2.19	<2.13	no standard	
Cyclohexane	110-82-7	<1.59	<1.62	<1.63	<1.63	1.67	<1.67	<1.60	<1.56	63000	
Dibromochloromethane	124-48-1	<3.93	<4.00	<4.02	<4.03	<3.99	<4.14	<3.95	<3.85	9	c
Dichlorodifluoromethane	75-71-8	3.73	2.89	3.82	8.17	12.1	3.42	80.6	6.29	1000	
Ethanol	64-17-5	<3.48	33.7	3.59	4.22	<3.53	<3.66	561 [6]	9.16	no standard	
Ethyl Acetate	141-78-6	<1.66	<1.69	<1.70	2.11	4.54	<1.75	2.25	<1.63	3100	
Ethylbenzene	100-41-4	<2.08	<2.12	<2.13	<2.13	<2.11	<2.19	<2.09	<2.04	97	c
Hexachloro-1,3-butadiene	87-68-3	<4.92	<5.01	<5.04	<5.05	<5.00	<5.18	<4.95	<4.83	11	c
m,p-Xylenes	179601-23-1	<4.08	<4.16	<4.18	<4.19	<4.15	<4.30	<4.11	<4.01	1000	
Methylene chloride	75-09-2	<3.33	<3.39	<3.41	<3.41	<3.38	<3.50	<16.7	<3.26	6300	c
Methyl-t-butyl ether	1634-04-4	<1.66	<1.69	<1.70	<1.71	<1.69	<1.75	<1.67	<1.63	940	c
Naphthalene	91-20-3	<4.84	<4.92	<4.95	<4.96	<4.91	<5.09	<4.87	<4.74	7.2	c
n-Heptane	142-82-5	<1.89	<1.92	2.35	<1.94	1.99	<1.99	2.4	<1.85	no standard	
n-Hexane	110-54-3	<1.63	<1.65	1.72	<1.67	3.04	<1.71	1.66	<1.59	7300	
o-Xylene	95-47-6	<2.08	<2.12	<2.13	<2.13	<2.11	<2.19	<2.09	<2.04	1000	
Propylene	115-07-1	<3.18	<3.23	<3.25	<3.26	<3.22	<3.34	<3.19	<3.11	31000	
Styrene	100-42-5	<1.96	<2.00	<2.01	<2.02	<2.00	<2.07	<1.98	<1.93	10000	
Tetrachloroethene	127-18-4	4.85	<3.18	4.17	47000 [6]	476000 [6]	17.3	16	15.4	420	c
Tetrahydrofuran	109-99-9	<1.36	<1.38	<1.39	<1.40	<1.38	<1.43	4.31	<1.33	no standard	
Toluene	108-88-3	<1.81	4.26	8.17	2.19	4.21	2.46	12.7	5.22	52000	
trans-1,2-Dichloroethene	156-60-5	<1.83 [2]	<1.86 [2]	<1.87 [2]	<1.88 [2]	<1.86 [2]	<1.93 [2]	<1.84 [2]	<1.79 [2]	630	
trans-1,3-Dichloropropene	10061-02-6	<2.25	<2.29	<2.31	<2.31	<2.29	<2.37	<2.27	<2.21	no standard	
Trichloroethene	79-01-6	<2.48	<2.52	<2.54	12.7	581	<2.61	<2.49	<2.43	21	c
Trichlorofluoromethane	75-69-4	7.14	<2.84	<2.86	<2.86	<2.83	<2.94	<2.81	4.2	7300	
Vinyl acetate	108-05-4	<1.62	<1.65	<1.66	<1.67	<1.65	<1.71	<1.63	<1.59	2100	
Vinyl chloride	75-01-4	<1.22	<1.25	<1.25	<1.26	<1.24	<1.29	<1.23	<1.20	16	c

Tentatively Identified Compounds - Volatile Compounds (ug/m<sup>3</sup>)

+++ TICs not detected +++		----	----	----	----	<0.0 [3][4]	----	----	----		
1,1-Difluoroethane	75-37-6	----	----	----	----	----	----	----	----	420000	
2-Nitropropane	79-46-9	----	----	----	----	----	410 [3][4]	----	----	no standard	
2-Pentene	109-68-2	----	----	----	----	----	----	42 [3][4]	27 [3][4]	no standard	
Unknown analyte	NA	310 [3][4][5]	120 [3][4][5]	170 [3][4][5]	330 [3][4][5]	----	----	71 [3][4][5]	140 [3][4][5]		

- Notes:
- [2] The initial calibration failed to meet requirements for trans-1,2-Dichloroethene. This analyte was not detected in the sample.
  - [3] Compounds were tentatively identified by comparison to the NIST (NBS) database of mass spectra. These identifications represent the best fit obtained from the database search, subject to the interpretation of the analyst.
  - [4] Concentrations are estimated values calculated relative to the closest eluting internal standard using peak areas from the total ion chromatogram and a relative response factor of one.
  - [5] The reported value for the unknown analyte is based on a molecular weight of 100 because the actual molecular weight is not known.
  - [6] The method reporting limit (MRL) was raised for one or more analytes; a dilution of the sample was necessary due to high analyte levels and/or matrix interferences.
- ug/m<sup>3</sup> = Micrograms per cubic meter.  
 < = Less than the reporting limit indicated in parentheses.  
 ---- = Not analyzed or calculated for this parameter  
 NE = Not Established  
 \* Criteria for mixture of o, m and p-xylenes.

**Summary of Free Product Levels & Recovery**  
**Band Box - Tomah DERF Project BRRTS #02-42-525072**

DATE		MW-A1	GALS REC./PERIOD	TOT GALS RECOVERED
08/02/07	Inches of FP	2.5	0.02	0.02
	Inches of Sock Saturated	No Sock		
	Gals Recovered	0.02		
10/09/08	Inches of FP	6	0.38	0.40
	Inches of Sock Saturated	36		
	Gals Recovered	0.13		
01/12/09	Inches of FP	5	0.32	0.72
	Inches of Sock Saturated	36		
	Gals Recovered	0.07		
05/19/10	Inches of FP	10	0.30	1.02
	Inches of Sock Saturated	24		
	Gals Recovered	0.3		
10/18/10	Inches of FP	0	0.25	1.27
	Inches of Sock Saturated	36		
	Gals Recovered	0.25		
02/14/11	Inches of FP	0	0.21	1.48
	Inches of Sock Saturated	30		
	Gals Recovered	0.21		
06/18/13	Inches of FP	3	0.27	1.75
	Inches of Sock Saturated	36		
	Gals Recovered	0.27		
09/18/13	Inches of FP	Could	--	1.75
	Inches of Sock Saturated	Not		
	Gals Recovered	Locate		

NOTES                      low odor - more like clean motor or hydraulic oil - yellow-tan

A.1 Groundwater Analytical Table  
 Bandbox Cleaners - Tomah BRRS #02-42-525072

Well Sampling Conducted on June 18, 2013

VOC's

Well Name	MW-A1	MW-A2	MW-A3	MW-A4	MW-13	MW-14	MW-14P	MW-15	MW16	MW-17	MW-17P	MW-18	MW-18P	MW-19	MW-19P	PZ-1	PZ-A-3	PZ-A-4	PZ-B-3	PZ-B-4 (Badger Cafe)	MW-12	ENFORCEMENT STANDARD ES - Bold	PREVENTIVE ACTION LIMIT PAL - Italics	
Iron, Dissolved/ppb	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	< 0.06	0.11 "J"	< 0.06	< 0.06	< 0.06	< 0.06	0.06 "J"	300	60	
Manganese, Dissolved/ppb	107	178	222	77.5	26.7	6.1 "J"	260	16.2	26	110	244	40.2	15.3 "J"	62.2	96.1	13.3 "J"	25.1	155	282	39.2	670			
Benzene/ppb	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	3.01	5	0.5	
Bromobenzene/ppb	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	==	==	
Bromodichloromethane/ppb	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	==	==	
Bromoforn/ppb	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	==	==	
tert-Butylbenzene/ppb	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	==	==	
sec-Butylbenzene/ppb	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	1.16	==	==
n-Butylbenzene/ppb	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	0.51 "J"	3.5 "J"	< 0.35	< 0.35	< 0.35	< 0.35	3.3	==	==
Carbon Tetrachloride/ppb	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	5	0.5	
Chlorobenzene/ppb	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	==	==	
Chloroethane/ppb	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	==	==	
Chloroform/ppb	< 0.28	0.42 "J"	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	6	0.6	
Chloromethane/ppb	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	==	==	
2-Chlorotoluene/ppb	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	==	==	
4-Chlorotoluene/ppb	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	==	==	
1,2-Dibromo-3-chloropropane/ppb	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	==	==	
Dibromochloromethane/ppb	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	==	==	
1,4-Dichlorobenzene/ppb	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	==	==	
1,3-Dichlorobenzene/ppb	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	==	==	
1,2-Dichlorobenzene/ppb	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	==	==	
Dichlorodifluoromethane/ppb	< 0.44	0.95 "J"	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	1000	200	
1,2-Dichloroethane/ppb	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	5	0.5	
1,1-Dichloroethane/ppb	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	==	==	
1,1-Dichloroethane/ppb	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	==	==	
cis-1,2-Dichloroethane/ppb	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	70	7	
trans-1,2-Dichloroethane/ppb	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	==	==	
1,2-Dichloropropane/ppb	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	==	==	
2,2-Dichloropropane/ppb	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	==	==	
1,3-Dichloropropane/ppb	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	==	==	
Di-isopropyl ether/ppb	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	==	==	
EDB (1,2-Dibromoethane)/ppb	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	0.05	0.005	
Ethylbenzene/ppb	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	9.8	700	140
Hexachlorobutadiene/ppb	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	==	==	
Isopropylbenzene/ppb	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	1.58	==	==
p-Isopropyltoluene/ppb	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	0.70 "J"	==	==
Methylene chloride/ppb	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	==	==	
Methyl tert-butyl ether (MTBE)/ppb	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	60	12	
Naphthalene/ppb	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	1.84 "J"	31.1 "J"	< 1.7	< 1.7	< 1.7	< 1.7	2.37 "J"	100	10
n-Propylbenzene/ppb</																								

A.1 Groundwater Analytical Table  
 Bandbox Cleaners - Tomah BRRS #02-42-525072

Well Sampling Conducted on September 18, 2013

Well Name	MW-A2	MW-A3	MW-A4	MW-13	MW-14	MW-14P	MW-15	MW-16	MW-17	MW-17P	MW-18	MW-18P	MW-19	MW-19P	PZ-1	PZ-A-3	PZ-A-4	PZ-B-3	PZ-B-4 (Badger Cafe)	MW-12 (Badger Cafe)	CMW-2 (Badger Cafe)
Iron, Dissolved/ppb	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	< 0.12	4.62	5.15
Manganese, Dissolved/ppb	203	162	77.9	34.7	26.2	206	21.8	21.9	176	263	172	67.34	34.5	68.8	19.6	149	153	336	71.3	589	255
Benzene/ppb	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 2.4	< 0.24	< 0.24	< 2.4	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	0.87	261	< 0.24	1.36	< 0.24	< 0.24	< 2.4
Bromobenzene/ppb	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 3.2	< 0.32	< 0.32	< 3.2	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 3.2	< 0.32	< 0.32	< 0.32	< 0.32	< 3.2
Bromodichloromethane/ppb	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 3.7	< 0.37	< 0.37	< 3.7	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 3.7	< 0.37	< 0.37	< 0.37	< 0.37	< 3.7
Bromoform/ppb	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 3.5	< 0.35	< 0.35	< 3.5	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 3.5	< 0.35	< 0.35	< 0.35	< 0.35	< 3.5
tert-Butylbenzene/ppb	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 3.6	< 0.36	< 0.36	< 3.6	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 3.6	< 0.36	< 0.36	< 0.36	< 0.36	< 3.6
sec-Butylbenzene/ppb	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 3.3	< 0.33	< 0.33	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	1.65	< 3.3	< 0.33	< 0.33	< 0.33	0.82 "J"	< 3.3
n-Butylbenzene/ppb	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 3.5	< 0.35	< 0.35	< 3.5	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	3.2	4.7 "J"	< 0.35	< 0.35	< 0.35	2.37	6.6 "J"
Carbon Tetrachloride/ppb	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 3.3	< 0.33	< 0.33	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 3.3
Chlorobenzene/ppb	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 2.4	< 0.24	< 0.24	< 2.4	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 2.4	< 0.24	< 0.24	< 0.24	< 0.24	< 2.4
Chloroethane/ppb	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 6.3	< 0.63	< 0.63	< 6.3	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 0.63	< 6.3	< 0.63	< 0.63	< 0.63	< 0.63	< 6.3
Chloroform/ppb	0.28 "J"	< 0.28	< 0.28	< 0.28	< 0.28	< 2.8	< 0.28	0.79 "J"	< 2.8	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 2.8	< 0.28	< 0.28	< 0.28	< 0.28	< 2.8
Chloromethane/ppb	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 8.1	< 0.81	< 0.81	< 8.1	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 8.1	< 0.81	< 0.81	< 0.81	< 0.81	< 8.1
2-Chlorotoluene/ppb	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 2.1	< 0.21	< 0.21	< 2.1	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 2.1	< 0.21	< 0.21	< 0.21	< 0.21	< 2.1
4-Chlorotoluene/ppb	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 2.1	< 0.21	< 0.21	< 2.1	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 0.21	< 2.1	< 0.21	< 0.21	< 0.21	< 0.21	< 2.1
1,2-Dibromo-3-chloropropane/ppb	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 8.8	< 0.88	< 0.88	< 8.8	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 0.88	< 8.8	< 0.88	< 0.88	< 0.88	< 0.88	< 8.8
Dibromochloromethane/ppb	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 2.2	< 0.22	< 0.22	< 2.2	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 2.2	< 0.22	< 0.22	< 0.22	< 0.22	< 2.2
1,4-Dichlorobenzene/ppb	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 3	< 0.3	< 0.3	< 3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 3	< 0.3	< 0.3	< 0.3	< 0.3	< 3
1,3-Dichlorobenzene/ppb	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 2.8	< 0.28	< 0.28	< 2.8	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	< 2.8	< 0.28	< 0.28	< 0.28	< 0.28	< 2.8
1,2-Dichlorobenzene/ppb	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 3.6	< 0.36	< 0.36	< 3.6	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 3.6	< 0.36	< 0.36	< 0.36	< 0.36	< 3.6
Dichlorodifluoromethane/ppb	1.07 "J"	< 0.44	< 0.44	< 0.44	< 0.44	< 4.4	< 0.44	< 0.44	< 4.4	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 4.4	< 0.44	< 0.44	< 0.44	< 0.44	< 4.4
1,2-Dichloroethane/ppb	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 4.1	< 0.41	< 0.41	< 4.1	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 4.1	< 0.41	< 0.41	< 0.41	< 0.41	< 4.1
1,1-Dichloroethane/ppb	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 3	< 0.3	< 0.3	< 3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 3	< 0.3	< 0.3	< 0.3	< 0.3	< 3
1,1-Dichloroethene/ppb	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 4	< 0.4	< 0.4	< 4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 4	< 0.4	< 0.4	< 0.4	< 0.4	< 4
cis-1,2-Dichloroethene/ppb	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 3.8	< 0.38	< 0.38	< 3.8	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 3.8	< 0.38	< 0.38	< 0.38	< 0.38	< 3.8
trans-1,2-Dichloroethene/ppb	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 3.5	< 0.35	< 0.35	< 3.5	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 3.5	< 0.35	< 0.35	< 0.35	< 0.35	< 3.5
1,2-Dichloropropane/ppb	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 3.2	< 0.32	< 0.32	< 3.2	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 3.2	< 0.32	< 0.32	< 0.32	< 0.32	< 3.2
2,2-Dichloropropane/ppb	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 3.6	< 0.36	< 0.36	< 3.6	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 3.6	< 0.36	< 0.36	< 0.36	< 0.36	< 3.6
1,3-Dichloropropane/ppb	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 3.3	< 0.33	< 0.33	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 3.3
Di-isopropyl ether/ppb	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 2.3	< 0.23	< 0.23	< 2.3	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 2.3	< 0.23	< 0.23	< 0.23	< 0.23	< 2.3
EDB (1,2-Dibromoethane)/ppb	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 4.4	< 0.44	< 0.44	< 4.4	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 4.4	< 0.44	1.81	< 0.44	< 0.44	< 4.4
Ethylbenzene/ppb	< 0.55	< 0.55	< 0.55	3.12	< 0.55	< 5.5	< 0.55	< 0.55	< 5.5	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	5.8	370	< 0.55	< 0.55	< 0.55	2.47	330
Hexachlorobutadiene/ppb	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 15	< 1.5	< 1.5	< 15	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 15	< 1.5	< 1.5	< 1.5	< 1.5	< 15
Isopropylbenzene/ppb	< 0.3	< 0.3	< 0.3	0.72 "J"	< 0.3	< 3	< 0.3	< 0.3	< 3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	10	14.8	< 0.3	< 0.3	< 0.3	1.15	21
p-Isopropyltoluene/ppb	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	< 3.1	< 0.31	< 0.31	< 3.1	< 0.31	< 0.31	< 0.31	< 0.31	< 0.31	0.49 "J"	< 3.1	< 0.31	< 0.31	< 0.31	0.38 "J"	< 3.1
Methylene chloride/ppb	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 5	< 0.5	< 0.5	< 5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 5	< 0.5	< 0.5	< 0.5	< 0.5	< 5
Methyl tert-butyl ether (MTBE)/ppb	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 2.3	< 0.23	< 0.23	< 2.3	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 2.3	< 0.23	< 0.23	< 0.23	< 0.23	< 2.3
Naphthalene/ppb	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 17	< 1.7	< 1.7	< 17	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	11.6	43 "J"	< 1.7	< 1.7	< 1.7	< 1.7	28 "J"
n-Propylbenzene/ppb	< 0.25	< 0.25	< 0.25	0.78 "J"	< 0.25	< 2.5	< 0.25	< 0.25	< 2.5	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25	12.2	38	< 0.25	< 0.25	< 0.25	4.1	57
1,1,2,2-Tetrachloroethane/ppb	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 4.5	< 0.45	< 0.45	< 4.5	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 4.5	< 0.45	< 0.45	< 0.45	< 0.45	< 4.5
1,1,1,2-Tetrachloroethane/ppb	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 3.3	< 0.33	< 0.33	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 3.3	< 0.33	< 0.33	< 0.33	< 0.33	< 3.3
Tetrachloroethene (PCE)/ppb	7.7	< 0.33	< 0.33	< 0.33																	

**A.1 Groundwater Analytical Table**  
**Bandbox Cleaners – Tomah BRRTS #02-42-525072**

**Well MW-A1**  
**PVC Elevation = 102.32 ft (site specific)**

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
3/29/2007	81.54	20.78	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99	<0.46	<0.48	<0.46	<0.68	<0.52	<0.44
8/2/2007	81.63	20.69	2.56	0.90	<0.52	<1.8	4.60	<1.57	3.17	<0.46	<0.48	<0.46	<0.68	<0.52	<0.44
10/9/2008	NM	NM	<0.24	<0.35	<0.7	<1.8	0.45	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	NM	NM	0.24	<0.35	<0.7	<1.8	1.33	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
5/19/2010	NM	NM	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	83.71	18.61	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	0.63	<0.39
2/14/2011	82.57	19.75	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	0.44	<0.47
6/18/2013	COULD NOT MEASURE		<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
09/18/13			COULD NOT LOCATE												
<b>ENFORCEMENT STANDARD ES = Bold</b>			<b>5</b>	<b>700</b>	<b>60</b>	<b>100</b>	<b>800</b>	<b>480</b>	<b>2000</b>	<b>5</b>	<b>6</b>	<b>1000</b>	<b>70</b>	<b>5</b>	<b>5</b>
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>	<i>0.5</i>	<i>0.6</i>	<i>200</i>	<i>7</i>	<i>0.5</i>	<i>0.5</i>

(ppb) = parts per billion

NS = Not Sampled      NM = Not Measured

**Well MW-A2**  
**PVC Elevation = 98.26 ft (site specific)**

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
3/29/2007	80.50	17.76	<4.7	<3.8	<5.2	<1.8	<4.6	<15.7	<9.9	<4.6	<4.8	<4.6	<6.8	190	<4.4
8/2/2007 (dup)	80.29	17.97	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99	<0.46	<0.48	1.39	<0.68	170	<0.44
10/9/2008	81.74	16.52	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	1.14	<0.44	47	<0.47
1/12/2009	80.71	17.55	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	29.6	<0.47
5/19/2010	80.95	17.31	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	11.6	<0.39
10/18/2010	82.18	16.08	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	5.4	<0.39
2/14/2011	80.94	17.32	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	7.5	<0.47
6/18/2013	83.61	14.65	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	0.42	0.95	<0.38	41	<0.33
09/18/13	81.86	16.40	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	0.28	1.07	<0.38	7.7	<0.33
<b>ENFORCEMENT STANDARD ES = Bold</b>			<b>5</b>	<b>700</b>	<b>60</b>	<b>100</b>	<b>800</b>	<b>480</b>	<b>2000</b>	<b>5</b>	<b>6</b>	<b>1000</b>	<b>70</b>	<b>5</b>	<b>5</b>
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>	<i>0.5</i>	<i>0.6</i>	<i>200</i>	<i>7</i>	<i>0.5</i>	<i>0.5</i>

(ppb) = parts per billion

NS = Not Sampled      NM = Not Measured



**A.1 Groundwater Analytical Table**  
**Bandbox Cleaners – Tomah BRRTS #02-42-525072**

**Well MW-A3**

PVC Elevation = 95.06 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichloro-difluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloroethene (PCE) (ppb)	Trichloroethene (TCE) (ppb)
3/29/2007	79.77	15.29	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99	<0.46	<0.48	<0.46	<0.68	<0.52	<0.44
8/2/2007	79.42	15.64	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99	<0.46	<0.48	<0.46	<0.68	<0.52	<0.44
10/9/2008	80.69	14.37	0.32	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	79.75	15.31	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
5/19/2010	80.03	15.03	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	81.17	13.89	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
2/14/2011	79.98	15.08	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	<0.44	<0.47
6/18/2013	82.76	12.30	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
09/18/13	80.80	14.26	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
<b>ENFORCEMENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled

NM = Not Measured

**Well MW-A4**

PVC Elevation = 97.52 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichloro-difluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloroethene (PCE) (ppb)	Trichloroethene (TCE) (ppb)
3/29/2007	80.50	17.02	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99	<0.46	<0.48	<0.46	<0.68	<0.52	<0.44
8/2/2007	80.15	17.37	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99	<0.46	<0.48	<0.46	<0.68	<0.52	<0.44
10/9/2008	81.44	16.08	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	80.54	16.98	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
5/19/2010	80.56	16.96	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	81.94	15.58	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
2/14/2011	80.68	16.84	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	<0.44	<0.47
6/18/2013	83.32	14.20	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
09/18/13	81.57	15.95	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
<b>ENFORCEMENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled

NM = Not Measured

**A.1 Groundwater Analytical Table**  
**Bandbox Cleaners – Tomah BRRTS #02-42-525072**

Well MW-13  
PVC Elevation = 97.95 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
3/29/2007															
WELL INACCESSIBLE															
8/2/2007	80.13	17.82	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99	<0.46	<0.48	<0.46	<0.68	<0.52	<0.44
10/9/2008	81.47	16.48	<0.24	0.53	<0.7	<1.8	0.44	1.96	5.2-5.87	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	80.44	17.51	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
5/19/2010	80.59	17.36	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	81.99	15.96	<0.38	3.30	<0.25	<2.4	<0.72	2.27-2.92	4.9-5.42	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
2/14/2011	80.58	17.37	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	<0.44	<0.47
6/18/2013	83.42	14.53	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
09/18/13	81.58	16.37	<0.24	3.12	<0.23	<1.7	2.27	6.22	20.3	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
ENFORCEMENT STANDARD ES = Bold			5	700	60	100	800	480	2000	5	6	1000	70	5	5
PREVENTIVE ACTION LIMIT PAL = Italics			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion  
NS = Not Sampled      NM = Not Measured

Well MW-14  
PVC Elevation = 98.09 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
3/29/2007	80.33	17.76	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99	<0.46	<0.48	<0.46	<0.68	2.87	<0.44
8/2/2007	79.99	18.10	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99	<0.46	<0.48	<0.46	<0.68	16.4	<0.44
10/9/2008	81.28	16.81	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	16.6	<0.47
1/12/2009	80.38	17.71	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	7.8	<0.47
5/19/2010	80.42	17.67	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	81.79	16.30	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	0.45	<0.39
2/14/2011	80.50	17.59	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	<0.44	<0.47
6/18/2013	83.21	14.88	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	1.03	<0.33
09/18/13	81.39	16.70	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	218.00	0.51
ENFORCEMENT STANDARD ES = Bold			5	700	60	100	800	480	2000	5	6	1000	70	5	5
PREVENTIVE ACTION LIMIT PAL = Italics			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion  
NS = Not Sampled      NM = Not Measured

**A.1 Groundwater Analytical Table**  
**Bandbox Cleaners – Tomah BRRTS #02-42-525072**

**Well MW-14P**

**PVC Elevation = 98.40 ft (site specific)**

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
3/29/2007	80.05	18.35	<23.5	<19	<26	<90	<23	<78.5	<49.5	<23	<24	<23	<34	3100	<22
8/2/2007	80.02	18.38	<23.5	<19	<26	<90	<23	<78.5	<49.5	<23	<24	<23	<34	4600	<22
10/9/2008	81.57	16.83	<24	<35	<70	<180	<39	<74	<167	<30	<47	<76	<44	3600	<47
1/12/2009	80.41	17.99	<24	<35	<70	<180	<39	<74	<167	<30	<47	<76	<44	4300	<47
5/19/2010	80.47	17.93	<38	<55	<25	<240	<72	<120	<162	<0.25	<0.32	<0.7	<0.78	2690	<0.39
10/18/2010	81.88	16.52	<19	<27.5	<12.5	<120	<36	<60	<81	<12.5	<16	<35	<39	2140	<19.5
2/14/2011	80.62	17.78	<25	<39	<40	<105	<26.5	<77	<95	<23.5	<24.5	<90	<37	1170	<23.5
6/18/2013	83.25	15.15	<2.4	<5.5	<2.3	<17	<6.9	<36	<13.2	<3.3	<2.8	<2.2	<3.8	1270	<3.3
09/18/13	81.69	16.71	<2.4	<5.5	<2.3	<17	<6.9	<36	<13.2	<3.3	<2.8	<4.4	<3.8	1240	<3.3
<b>ENFORCE MENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled

NM = Not Measured

**Well MW-15**

**PVC Elevation = 96.45 ft (site specific)**

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
3/29/2007	80.21	16.24	<4.7	6.4	<5.2	<18	<4.6	113.1	188.7	<4.6	<4.8	<4.6	<6.8	<5.2	<4.4
8/2/2007	79.87	16.58	<0.47	<0.38	<0.52	<1.8	<0.46	48.4	3.96	<0.58	<0.46	<0.46	<0.68	<0.52	<0.44
10/9/2008	81.18	15.27	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	80.22	16.23	<0.24	<0.35	<0.7	<1.8	<0.39	7.94	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
5/19/2010	80.34	16.11	<0.38	<0.55	<0.25	<2.4	<0.72	14.03	2.01-2.53	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	81.65	14.80	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
2/14/2011	80.37	16.08	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	<0.44	<0.47
6/18/2013	83.14	13.31	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
09/18/13	81.27	15.18	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
<b>ENFORCE MENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled

NM = Not Measured

**A.1 Groundwater Analytical Table**  
**Bandbox Cleaners – Tomah BRRTS #02-42-525072**

**Well MW-16**

**PVC Elevation = 99.19 ft (site specific)**

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
3/29/2007	80.56	18.63	<4.7	<3.8	<5.2	<18	<4.6	<15.7	<9.9	<4.6	<4.8	<4.6	<6.8	52	<4.4
8/2/2007	80.29	18.90	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99	<0.46	2.29	<0.46	4.80	45	1.68
10/9/2008	81.61	17.58	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	0.63	<0.76	0.98	18.8	0.63
1/12/2009	80.64	18.55	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	0.78	<0.76	0.81	36	0.66
5/19/2010	80.65	18.54	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	0.48	<0.7	<0.78	30	<0.39
10/18/2010	82.11	17.08	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	10.5	<0.39
2/14/2011	80.77	18.42	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	1.02	<1.8	<0.74	58	0.49
6/18/2013	83.52	15.67	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	0.38	<0.33
09/18/13	81.74	17.45	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	0.79	<0.44	<0.38	7.80	<0.33
<b>ENFORCE MENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled

NM = Not Measured

**Well MW-17**

**PVC Elevation = 101.91 ft (site specific)**

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
3/29/2007 (dup)	80.93	20.98	<23.5	<19	<26	<90	<23	<78.5	<49.5	<23	<24	<23	<34	370	<22
8/2/2007	80.66	21.25	5.2	<3.8	<5.2	<18	<4.6	<15.7	<9.9	<4.6	<4.8	<4.6	<6.8	390	<4.4
10/9/2008	82.00	19.91	<2.4	<3.5	<7	<18	<3.9	<7.4	<16.7	<3	<4.7	<7.6	<4.4	500	<4.7
1/12/2009	80.98	20.93	<2.4	<3.5	<7	<18	<3.9	<7.4	<16.7	<3	<4.7	<7.6	<4.4	370	<4.7
5/19/2010	81.05	20.86	<3.8	<5.5	<2.5	<24	<7.2	<12	<16.2	<0.25	<0.32	<0.7	<0.78	330	<0.39
10/18/2010	82.47	19.44	<3.8	<5.5	<2.5	<24	<7.2	<12	<16.2	<2.5	<3.2	<7	<7.8	620	<3.9
2/14/2011	81.20	20.71	<5	<7.8	<8	<21	<5.3	<15.4	<19	<4.7	<4.9	<18	<7.4	430	<4.7
6/18/2013	83.90	18.01	<2.4	<5.5	<2.3	<17	<6.9	<36	<13.2	<3.3	<2.8	<2.2	<3.8	870	<3.3
09/18/13	82.10	19.81	<2.4	<5.5	<2.3	<17	<6.9	<36	<13.2	<3.3	<2.8	<4.4	<3.8	430	<3.3
<b>ENFORCE MENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled

NM = Not Measured

**A.1 Groundwater Analytical Table**  
**Bandbox Cleaners – Tomah BRRTS #02-42-525072**

Well MW-17P

PVC Elevation = 101.63 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
3/29/2007	80.88	20.75	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99	<0.46	<0.48	<0.46	<0.68	<0.52	<0.44
8/2/2007	80.61	21.02	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99	<0.46	<0.48	<0.46	<0.68	<0.52	<0.44
10/9/2008	81.97	19.66	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	80.94	20.69	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
5/19/2010	81.05	20.58	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	82.46	19.17	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
2/14/2011	81.18	20.45	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	<0.44	<0.47
6/18/2013	83.81	17.82	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
09/18/13	82.07	19.56	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
<b>ENFORCEMENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled

NM = Not Measured

Well MW-18

PVC Elevation = 99.84 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
10/9/2008	81.83	18.01	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	80.73	19.11	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
5/19/2010	80.63	19.21	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	82.21	17.63	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
2/14/2011	81.01	18.83	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	<0.44	<0.47
6/18/2013	83.70	16.14	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
09/18/13	81.88	17.96	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
<b>ENFORCEMENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled

NM = Not Measured

**A.1 Groundwater Analytical Table**  
**Bandbox Cleaners – Tomah BRRS #02-42-525072**

Well MW-18P

PVC Elevation = 99.77 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
10/9/2008	81.87	17.90	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	80.69	19.08	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
5/19/2010	80.66	19.11	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	82.10	17.67	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
2/14/2011	81.05	18.72	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	<0.44	<0.47
6/18/2013	83.71	16.06	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
09/18/13	81.81	17.96	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
<b>ENFORCEMENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled

NM = Not Measured

Well MW-19

PVC Elevation = 96.91 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
10/9/2008	81.88	15.03	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	80.62	16.29	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
5/19/2010	80.47	16.44	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	82.11	14.80	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
2/14/2011	80.75	16.16	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	<0.44	<0.47
6/18/2013	83.33	13.58	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
09/18/13	82.11	14.80	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
<b>ENFORCEMENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled

NM = Not Measured

**A.1 Groundwater Analytical Table**  
**Bandbox Cleaners – Tomah BRRTS #02-42-525072**

**Well MW-19P**

**PVC Elevation = 96.88 ft (site specific)**

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichloro-di-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
10/9/2008	81.05	15.83	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	80.02	16.86	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	2.92	<0.47
5/19/2010	80.04	16.84	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	1.97	<0.39
10/18/2010	81.47	15.41	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	1.13	<0.39
2/14/2011	80.42	16.46	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	0.57	<0.47
6/18/2013	82.96	13.92	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	0.35	<0.33
09/18/13	81.15	15.73	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
<b>ENFORCEMENT STANDARD ES = Bold</b>			<b>5</b>	<b>700</b>	<b>60</b>	<b>100</b>	<b>800</b>	<b>480</b>	<b>2000</b>	<b>5</b>	<b>6</b>	<b>1000</b>	<b>70</b>	<b>5</b>	<b>5</b>
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>	<i>0.5</i>	<i>0.6</i>	<i>200</i>	<i>7</i>	<i>0.5</i>	<i>0.5</i>

(ppb) = parts per billion

NS = Not Sampled      NM = Not Measured

**Well PZ-1**

**PVC Elevation = 97.99 ft (site specific)**

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichloro-di-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
3/29/2007															
8/2/2007	80.04	17.95	2.16	0.76	<0.52	3.16	3.06	6.3-6.67	16.4	<0.46	<0.48	<0.46	<0.68	<0.52	<0.44
10/9/2008	81.34	16.65	2.63	<0.35	<0.7	12.00	1.05	19.2-19.43	40.6	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	80.42	17.57	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
5/19/2010	80.51	17.48	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	81.87	16.12	2.85	<0.55	<0.25	24.5	<0.72	10.43	62.7	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
2/14/2011	80.71	17.28	1.58	<0.78	<0.8	<2.1	1.61	<1.54	0.94-2.04	<0.47	<0.49	<1.8	<0.74	<0.44	<0.47
6/18/2013	83.19	14.80	<0.24	<0.55	<0.23	1.84	<0.69	4.75	16.7	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
09/18/13	81.37	16.62	0.87	5.80	<0.23	11.60	22.10	13.70	73	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
<b>ENFORCEMENT STANDARD ES = Bold</b>			<b>5</b>	<b>700</b>	<b>60</b>	<b>100</b>	<b>800</b>	<b>480</b>	<b>2000</b>	<b>5</b>	<b>6</b>	<b>1000</b>	<b>70</b>	<b>5</b>	<b>5</b>
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			<i>0.5</i>	<i>140</i>	<i>12</i>	<i>10</i>	<i>160</i>	<i>96</i>	<i>400</i>	<i>0.5</i>	<i>0.6</i>	<i>200</i>	<i>7</i>	<i>0.5</i>	<i>0.5</i>

(ppb) = parts per billion

NS = Not Sampled      NM = Not Measured

**A.1 Groundwater Analytical Table**  
**Bandbox Cleaners – Tomah BRRTS #02-42-525072**

Well PZ-A-3

PVC Elevation = 95.05 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
10/9/2008	80.63	14.42	290	138	<35	<90	99	79.50	268-301.5	<15	<23.5	<20.5	<22	27.50	<23.5
1/12/2009	79.69	15.36	44	4	<7	<18	4.5	7.2-9.5	31-37.7	<3	<4.7	<7.6	<4.4	36	<4.7
5/19/2010	80.02	15.03	73	92	<0.25	12.4	104	57.3	225.6	<0.25	<0.32	<0.7	<0.78	4.3	<0.39
10/18/2010	81.09	13.96	980	750	<5	96	440	413	1869	<5	<6.4	<14	<15.6	<8.6	<7.8
2/14/2011	79.79	15.26	1460	1280	<8	127	1860	864	3710	<4.7	<4.9	<18	<7.4	4.7	<4.7
6/18/2013	82.56	12.49	500	285	<2.3	37.1	69	133.7	316.6	<3.3	<2.8	<2.2	<3.8	<3.3	<3.3
09/18/13	80.65	14.40	261	370	<2.3	43.0	109	272	656	<3.3	<2.8	<4.4	<3.8	<3.3	<3.3
ENFORCE MENT STANDARD ES = Bold			5	700	60	100	800	480	2000	5	6	1000	70	5	5
PREVENTIVE ACTION LIMIT PAL = <i>Italics</i>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled

NM = Not Measured

Well PZ-A-4

PVC Elevation = 97.48 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
10/9/2008	81.45	16.03	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	80.53	16.95	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	9.5	<0.47
5/19/2010	80.52	16.96	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	81.94	15.54	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	3.5	<0.39
2/14/2011	80.72	16.76	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	<0.44	<0.47
6/18/2013	83.36	14.12	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	0.42	<0.33
09/18/13	81.56	15.92	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
ENFORCE MENT STANDARD ES = Bold			5	700	60	100	800	480	2000	5	6	1000	70	5	5
PREVENTIVE ACTION LIMIT PAL = <i>Italics</i>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled

NM = Not Measured



**A.1 Groundwater Analytical Table**  
**Bandbox Cleaners – Tomah BRRS #02-42-525072**

Well PZ-B-3

PVC Elevation = 95.09 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
10/9/2008	80.59	14.50	3.50	<0.35	<0.7	<1.8	<0.39	0.51-0.74	2.78	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	79.69	15.40	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	8.4	<0.47
5/19/2010	79.87	15.22	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	7.7	<0.39
10/18/2010	81.07	14.02	21.80	<0.55	<0.25	6.30	<0.72	7.5-8.05	18.7	<0.25	<0.32	<0.7	<0.78	35	<0.39
2/14/2011	79.91	15.18	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	5	<0.47
6/18/2013	82.52	12.57	0.93	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	21.9	<0.33
09/18/13	80.63	14.46	1.36	<0.55	<0.23	<1.7	<0.69	<3.6	0.89-1.58	<0.33	<0.28	<0.44	<0.38	13.70	<0.33
<b>ENFORCEMENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled                      NM = Not Measured

Well PZ-B-4

PVC Elevation = 97.62 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
10/9/2008	81.45	16.17	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	<0.5	<0.47
1/12/2009	80.51	17.11	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67	<0.3	<0.47	<0.76	<0.44	0.96	<0.47
5/19/2010	80.56	17.06	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
10/18/2010	81.92	15.70	<0.38	<0.55	<0.25	<2.4	<0.72	<1.20	<1.62	<0.25	<0.32	<0.7	<0.78	<0.43	<0.39
2/14/2011	80.70	16.92	<0.5	<0.78	<0.8	<2.1	<0.53	<1.54	<1.9	<0.47	<0.49	<1.8	<0.74	<0.44	<0.47
6/18/2013	83.33	14.29	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
09/18/13	81.53	16.09	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
<b>ENFORCEMENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = Italics</b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled                      NM = Not Measured

**A.1 Groundwater Analytical Table**  
**Bandbox Cleaners – Tomah BRRTS #02-42-525072**

**Well MW-12 (Badger Cafe)**

PVC Elevation = 101.12 ft (site specific)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
09/06/00	81.07	20.05	44	473	<0.500	27.3	1490	791	2430	NS	NS	NS	NS	NS	NS
07/13/01	81.89	19.23	10	52	<9.2	NS	170	196	590	NS	NS	NS	NS	NS	NS
10/30/01	81.04	20.08	6.2	29	<9.2	NS	45	307	440	NS	NS	NS	NS	NS	NS
02/13/02	80.40	20.72	4.4	24	<0.46	NS	21	262	310	NS	NS	NS	NS	NS	NS
3/23/2004	80.53	20.59	<0.41	5.6	<0.62	NS	2	67	31.8	NS	NS	NS	NS	NS	NS
07/02/12	80.93	20.19	NOT SAMPLED												
06/18/13	83.64	17.48	3.01	9.8	<0.23	2.37	38	38.05	118	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
09/18/13	81.90	19.22	<0.24	2.47	<0.23	<1.7	1.86	18.1	8	<0.33	<0.28	<0.44	<0.38	<0.33	<0.33
<b>ENFORCEMENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = <i>Italics</i></b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled      NM = Not Measured

**Well CMW-2 (Badger Cafe)**

PVC Elevation = 105.74 (feet)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	Carbon Tetrachloride (ppb)	Chloroform (ppb)	Dichlorodi-fluoromethane (ppb)	cis-1,2 Dichloroethene (ppb)	Tetrachloro ethene (PCE) (ppb)	Trichloro-ethene (TCE) (ppb)
07/01/99	81.23	24.51	18	350	<3.2	46	200	450	1430	NS	NS	NS	NS	NS	NS
09/06/00	81.13	24.61	73.7	173	41.3	NS	69.2	256.6	529	NS	NS	NS	NS	NS	NS
07/13/01	81.94	23.80	<21	1000	<46	<69	2200	980	5200	NS	NS	NS	NS	NS	NS
10/30/01	81.10	24.64	9.5	190	<4.6	69	81	150	410	NS	NS	NS	NS	NS	NS
02/13/02	80.43	25.31	8.4	130	<0.46	60	35	50	82	NS	NS	NS	NS	NS	NS
07/02/12	80.99	24.75	16	159	<0.57	21.7	20.4	175	226.6	NS	NS	NS	NS	NS	NS
06/18/13	COULD NOT LOCATE														
09/18/13	82.00	23.74	<2.4	330	<2.3	28	39	318	872	<3.3	<2.8	<4.4	<3.8	<3.3	<3.3
<b>ENFORCEMENT STANDARD ES = Bold</b>			5	700	60	100	800	480	2000	5	6	1000	70	5	5
<b>PREVENTIVE ACTION LIMIT PAL = <i>Italics</i></b>			0.5	140	12	10	160	96	400	0.5	0.6	200	7	0.5	0.5

(ppb) = parts per billion

NS = Not Sampled      NM = Not Measured

**A.8 Other**

**Groundwater NA Indicator Results**

**Bandbox Cleaners- Tomah BRRTS #02-42-525072**

**Well MW-A1**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
03/29/07	2.56	7.61	75	11.7	820.0	40	68	10000	530	770	680	<1	<1	<1	2900	NS	NS
08/02/07	1.23	7.51	322	17.1	1113.0												
10/09/08	1.41	6.01	197	14.2	339.0	1.9	31	NS	160	NS	113	<1	<1	<1	5800	NS	NS
01/12/09	2.42	5.61	164	7.2	338.0												
05/19/10	1.92	5.82	184	7.5	605.0	NS	NS	NS	<60	NS	211	NS	NS	NS	33000	820000	4000
10/18/10	0.62	6.44	223	15.2	1405.0	NS	NS	NS	80	NS	112	NS	NS	NS	97000	830000	380000
02/14/11	1.67	5.73	191	8.5	402.1	NS	NS	NS	580	NS	117	NS	NS	NS	17000	720000	39000
06/18/13	3.15	7.02	247	14.1	722.0	NS	NS	NS	<60	NS	107	NS	NS	NS	23000	370000	170000
09/18/13																	
COULD NOT LOCATE																	
ENFORCEMENT STANDARD = ES - Bold						10	-	-	-	300	-	-	-	-	-	-	-
PREVENTIVE ACTION LIMIT = PAL - Italics						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well MW-A2**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
03/29/07	4.32	7.64	63	12.1	1270.0												
08/02/07	1.92	7.93	273	19.1	3066.0												
10/09/08	2.66	6.2	109	17.5	2070.0												
01/12/09	1.91	6.28	204	11.5	1314.0												
05/19/10	3.72	6.56	188	15.0	955.0	NS	NS	NS	290	NS	319	NS	NS	NS	49000	370000	41000
10/18/10	2.68	5.92	214	18.2	1831.0	NS	NS	NS	<60	NS	185	NS	NS	NS	30000	280000	160000
02/14/11	1.89	5.68	163	11.7	943.0	NS	NS	NS	1380	NS	285	NS	NS	NS	23000	260000	60000
06/18/13	4.54	5.97	332	15.8	15.83	NS	NS	NS	<60	NS	178	NS	NS	NS	21000	80000	46000
09/18/13	2.68	6.32	38	17.3	2077.0	NS	NS	NS	<120	NS	203	NS	NS	NS	35000	110000	67000
ENFORCEMENT STANDARD = ES - Bold						10	-	-	-	300	-	-	-	-	-	-	-
PREVENTIVE ACTION LIMIT = PAL - Italics						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well MW-A3**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
03/29/07	3.87	7.63	76	10.4	1780.0	34	43	52000	<60	260	54	<1	<1	<1	5700	NS	NS
08/02/07	2.36	8.21	286	17.2	3166.0												
10/09/08	2.01	6.35	132	16.6	2059.0	52	66	NS	<60	NS	45.7	<1	<1	<1	40000	NS	NS
01/12/09	3.97	6.65	278	11.4	1144.0												
05/19/10	3.51	6.52	221	13.2	3686.0	NS	NS	NS	<60	NS	104	NS	NS	NS	10000	130000	170000
10/18/10	2.47	6.36	179	16.7	3678.0	NS	NS	NS	<60	NS	37.2	NS	NS	NS	7000	250000	110000
02/14/11	3.94	5.82	228	11.3	673.0	NS	NS	NS	<60	NS	30.8	NS	NS	NS	5300	120000	140000
06/18/13	4.06	7.01	217	14.8	14.48	NS	NS	NS	<60	NS	222	NS	NS	NS	21000	130000	97000
09/18/13	2.51	6.94	5	19.1	3192.0	NS	NS	NS	<120	NS	162	NS	NS	NS	40000	180000	58000
ENFORCEMENT STANDARD = ES - Bold						10	-	-	-	300	-	-	-	-	-	-	-
PREVENTIVE ACTION LIMIT = PAL - Italics						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

A.8 Other

Groundwater NA Indicator Results

Bandbox Cleaners – Tomah BRRTS #02-42-525072

Well MW-A4

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
03/29/07	4.98	7.63	75	10.8	3150.0												
08/02/07	2.63	8.17	243	17.0	4510.0												
10/09/08	2.38	6.53	159	15.8	2587.0												
01/12/09	3.08	6.59	230	13.2	2160.0												
05/19/10	0.03	6.58	201	13.3	3940.0	NS	NS	NS	<60	NS	71.3	NS	NS	NS	8800	400000	420000
10/18/10	1.87	6.57	167	16.2	3684.0	NS	NS	NS	<60	NS	87.7	NS	NS	NS	6400	670000	420000
02/14/11	3.02	5.83	248	12.0	741.0	NS	NS	NS	80	NS	26.3	NS	NS	NS	4900	96000	340000
06/18/13	2.30	7.03	246	15.0	4686.0	NS	NS	NS	<60	NS	77.5	NS	NS	NS	8600	90000	360000
09/18/13	1.44	7.04	61	19.1	3898.0	NS	NS	NS	<120	NS	77.9	NS	NS	NS	5700	78000	360000
ENFORCEMENT STANDARD = ES – Bold						10	-	-	-	300	-	-	-	-	-	-	-
PREVENTIVE ACTION LIMIT = PAL - <i>Italics</i>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

Well MW-13

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
03/29/07																	
08/02/07	0.52	8.53	270	15.7	1082.0												
10/09/08	0.92	6.76	170	16.2	901.0												
01/12/09	1.82	6.85	190	12.4	459.0												
05/19/10	2.88	6.83	182	12.7	1117.0	NS	NS	NS	<60	NS	30.1	NS	NS	NS	4900	44000	270000
10/18/10	2.35	6.63	226	16.0	1028.0	NS	NS	NS	<60	NS	20.3	NS	NS	NS	5200	120000	330000
02/14/11	1.37	5.25	238	11.7	411.2	NS	NS	NS	<60	NS	29.2	NS	NS	NS	7600	130000	310000
06/18/13	2.52	7.03	283	14.3	663.0	NS	NS	NS	<60	NS	26.7	NS	NS	NS	6200	29000	240000
09/18/13	2.18	6.6	-18	18.1	865.0	NS	NS	NS	<120	NS	34.7	NS	NS	NS	6100	35000	240000
ENFORCEMENT STANDARD = ES – Bold						10	-	-	-	300	-	-	-	-	-	-	-
PREVENTIVE ACTION LIMIT = PAL - <i>Italics</i>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**A.8 Other**

**Groundwater NA Indicator Results  
Bandbox Cleaners – Tomah BRRTS #02-42-525072**

**Well MW-14**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
03/29/07	2.82	7.65	72	10.9	530.0	13	22	18000	<60	1600	2200	<1	<1	<1	2500	NS	NS
09/02/07	0.97	7.58	320	13.8	2046.0												
10/09/08	1.62	6.14	184	14.9	931.0	11	35	NS	<60	NS	60.6	<1	<1	<1	3400	NS	NS
01/12/09	1.67	5.85	218	12.6	837.0												
05/19/10	1.47	6.35	161	13.3	1160.0	NS	NS	NS	<60	NS	343	NS	NS	NS	1800	540000	3600
10/18/10	4.41	6.61	263	15.4	330.0	NS	NS	NS	<60	NS	10.8	NS	NS	NS	2500	180000	41000
02/14/11	1.98	5.6	120	11.4	430.5	NS	NS	NS	<60	NS	130	NS	NS	NS	2000	14000	13000
06/18/13	3.29	6.49	277	14.1	655.0	NS	NS	NS	<60	NS	6.1	NS	NS	NS	3500	7700	100000
09/18/13	3.22	7.31	18	18.7	748.0	NS	NS	NS	<120	NS	26.2	NS	NS	NS	2300	18000	37000
<b>ENFORCEMENT STANDARD = ES - Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

ns = not sampled nm = not measured  
Note: Elevations are presented in feet mean sea level (msl).

**Well MW-14P**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
03/29/07	3.02	7.65	70	11.4	810.0	18	58	59000	820	800	590	<1	<1	<1	4600	NS	NS
08/02/07	0.21	7.47	112	15.6	1913.0												
10/09/08	0.43	5.66	179	14.9	1428.0	21	49	NS	<60	NS	256	<1	<1	<1	3800	NS	NS
01/12/09	1.25	5.94	198	11.3	1090.0												
05/19/10	2.20	7.09	284	13.8	1831.0	NS	NS	NS	130	NS	260	NS	NS	NS	2400	37000	40000
10/18/10	1.85	5.83	286	14.8	2089.0	NS	NS	NS	<60	NS	194	NS	NS	NS	3500	15000	<20000
02/14/11	1.79	5.65	280	11.5	889.0	NS	NS	NS	87	NS	353	NS	NS	NS	3600	19000	21000
06/18/13	4.00	6.65	295	15.1	1478.0	NS	NS	NS	<60	NS	266	NS	NS	NS	5600	39000	<2600
09/18/13	0.54	6.88	23	17.4	1179.0	NS	NS	NS	<120	NS	206	NS	NS	NS	3600	38000	<20000
<b>ENFORCEMENT STANDARD = ES - Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

ns = not sampled nm = not measured  
Note: Elevations are presented in feet mean sea level (msl).

**Well MW-15**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
03/29/07	3.67	7.63	77	10.6	690.0												
08/02/07	2.12	8.44	259	14.3	952.0												
10/09/08	2.65	6.73	173	15.3	684.0												
01/12/09	4.27	6.84	161	10.4	319.0												
05/19/10	3.68	6.79	169	12.2	750.0	NS	NS	NS	<60	NS	118	NS	NS	NS	5300	6000	190000
10/18/10	2.55	6.51	189	16.7	1071.0	NS	NS	NS	<60	NS	212	NS	NS	NS	5900	160000	150000
02/14/11	4.50	5.29	250	11.2	429.5	NS	NS	NS	<60	NS	13.5	NS	NS	NS	5000	86000	150000
06/18/13	4.33	7.03	313	12.9	1426.0	NS	NS	NS	<60	NS	16.2	NS	NS	NS	6400	15000	150000
09/18/13	3.08	6.67	-2	18.8	1341.0	NS	NS	NS	<120	NS	21.8	NS	NS	NS	5200	34000	150000
<b>ENFORCEMENT STANDARD = ES - Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

ns = not sampled nm = not measured  
Note: Elevations are presented in feet mean sea level (msl).

A.8 Other

Groundwater NA Indicator Results  
Bandbox Cleaners – Tomah BRRTS #02-42-525072

Well MW-16

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
03/29/07	4.24	7.64	89	11.5	620.0												
08/02/07	1.02	8.39	222	16.6	1105.0												
10/09/08	2.64	6.54	144	15.8	972.0												
01/12/09	1.81	6.75	168	11.5	1065.0												
05/19/10	2.59	6.45	103	13.6	1320.0	NS	NS	NS	<60	NS	104	NS	NS	NS	5600	<1700	140000
10/18/10	2.10	6.47	248	16.0	655.0	NS	NS	NS	<60	NS	59.8	NS	NS	NS	4200	120000	160000
02/14/11	2.52	5.62	208	12.1	778.0	NS	NS	NS	380	NS	113	NS	NS	NS	4200	160000	98000
06/18/13	4.96	7.15	232	14.6	10.14	NS	NS	NS	<60	NS	26	NS	NS	NS	3000	8700	220000
09/18/13	3.02	7.26	21	18.8	978.0	NS	NS	NS	<120	NS	21.9	NS	NS	NS	3400	20000	140000
ENFORCEMENT STANDARD = ES – Bold						10	-	-	-	300	-	-	-	-	-	-	-
PREVENTIVE ACTION LIMIT = PAL - <i>Italics</i>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
ns = not sampled nm = not measured  
Note: Elevations are presented in feet mean sea level (msl).

Well MW-17

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
03/29/07	4.92	7.65	72	13.5	680.0	18	59	29000	<60	220	93	<1	<1	<1	2100	NS	NS
08/02/07	3.49	8.19	342	15.9	955.0												
10/09/08	2.76	5.21	161	16.7	1165.0	15	39	NS	<60	NS	214	<1	<1	<1	2300	NS	NS
01/12/09	3.82	5.54	231	15.1	579.0												
05/19/10	5.12	7.11	242	14.8	1331.0	NS	NS	NS	<60	NS	188	NS	NS	NS	3000	70000	<3000
10/18/10	3.27	5.24	251	16.7	1357.0	NS	NS	NS	<60	NS	154	NS	NS	NS	1700	120000	<20000
02/14/11	4.03	5.63	132	13.4	622.0	NS	NS	NS	<60	NS	134	NS	NS	NS	1300	130000	<3000
06/18/13	4.49	5.46	353	16.2	1724.0	NS	NS	NS	<60	NS	110	NS	NS	NS	2000	22000	<2600
09/18/13	3.28	5.53	40	17.7	1738.0	NS	NS	NS	<120	NS	176	NS	NS	NS	1300	18000	<20000
ENFORCEMENT STANDARD = ES – Bold						10	-	-	-	300	-	-	-	-	-	-	-
PREVENTIVE ACTION LIMIT = PAL - <i>Italics</i>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
ns = not sampled nm = not measured  
Note: Elevations are presented in feet mean sea level (msl).

Well MW-17P

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
03/29/07	4.76	7.65	71	13.9	220.0	4.8	42	34000	<60	470	290	<1	<1	<1	2700	NS	NS
08/02/07	2.59	7.62	208	16.4	423.0												
10/09/08	2.72	5.39	143	16.3	340.0	5.8	39	NS	<60	NS	230	<1	2.5	<1	2500	NS	NS
01/12/09	4.38	6.00	168	13.7	236.0												
05/19/10	3.31	5.71	158	14.8	481.0	NS	NS	NS	70	NS	239	NS	NS	NS	3100	22000	11000
10/18/10	3.31	5.4	248	16.0	460.0	NS	NS	NS	<60	NS	175	NS	NS	NS	1300	27000	<20000
02/14/11	4.54	5.45	226	14.1	316.3	NS	NS	NS	<60	NS	135	NS	NS	NS	1800	<1400	7100
06/18/13	3.82	7.02	339	14.5	466.0	NS	NS	NS	<60	NS	244	NS	NS	NS	1400	12000	<2600
09/18/13	2.83	6.21	51	18.9	228.0	NS	NS	NS	<120	NS	263	NS	NS	NS	1800	36000	<20000
ENFORCEMENT STANDARD = ES – Bold						10	-	-	-	300	-	-	-	-	-	-	-
PREVENTIVE ACTION LIMIT = PAL - <i>Italics</i>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
ns = not sampled nm = not measured  
Note: Elevations are presented in feet mean sea level (msl).

**A.8 Other**

**Groundwater NA Indicator Results  
Bandbox Cleaners – Tomah BRRTS #02-42-525072**

**Well MW-18**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
10/09/08	1.75	5.44	138	14.9	875.0												
01/12/09	4.19	5.39	143	11.9	311.0												
05/19/10	3.33	5.41	141	11.3	855.0	NS	NS	NS	<60	NS	650	NS	NS	NS	2000	21000	33000
10/18/10	3.06	5.38	227	14.9	1230.0	NS	NS	NS	<60	NS	446	NS	NS	NS	2900	120000	<20000
02/14/11	3.36	5.69	202	11.3	633.0	NS	NS	NS	<60	NS	578	NS	NS	NS	3400	92000	7700
06/18/13	5.44	7.05	287	10.9	954.0	NS	NS	NS	<60	NS	40.2	NS	NS	NS	4200	10000	150000
09/18/13	3.24	6.41	60	16.6	894.0	NS	NS	NS	<120	NS	172	NS	NS	NS	2900	18000	28000
<b>ENFORCEMENT STANDARD = ES – Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well MW-18P**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
10/09/08	3.17	6.36	47	14.1	253.0												
01/12/09	4.59	6.43	122	10.9	130.0												
05/19/10	3.54	6.4	91	10.5	710.0	NS	NS	NS	<60	NS	99.3	NS	NS	NS	810	<1700	30000
10/18/10	3.26	6.01	198	14.6	613.0	NS	NS	NS	<60	NS	12	NS	NS	NS	1200	40000	33000
02/14/11	3.49	5.46	190	11.6	331.5	NS	NS	NS	<60	NS	61.5	NS	NS	NS	1700	<1400	34000
06/18/13	3.50	7.04	332	11.0	940.0	NS	NS	NS	<60	NS	15.3	NS	NS	NS	3900	32000	29000
09/18/13	2.99	6.19	67	15.6	847.0	NS	NS	NS	<120	NS	67.34	NS	NS	NS	1700	26000	34000
<b>ENFORCEMENT STANDARD = ES – Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well MW-19**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
10/09/08	2.31	6.8	30	18.3	2442.0												
01/12/09	3.60	6.93	82	14.5	612.0												
05/19/10	4.65	6.85	58	13.4	4699.0	NS	NS	NS	<60	NS	39.8	NS	NS	NS	4400	77000	230000
10/18/10	2.84	6.75	150	18.8	4618.0	NS	NS	NS	<60	NS	12.7	NS	NS	NS	3600	140000	280000
02/14/11	4.24	5.74	177	13.1	1530.0	NS	NS	NS	<60	NS	12.2	NS	NS	NS	6700	73000	240000
06/18/13	4.74	7.03	273	15.0	3554.0	NS	NS	NS	<60	NS	62.2	NS	NS	NS	7900	61000	240000
09/18/13	3.21	7.54	-11	21.0	3507.0	NS	NS	NS	<120	NS	34.5	NS	NS	NS	4600	61000	270000
<b>ENFORCEMENT STANDARD = ES – Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**A.8 Other**  
**Groundwater NA Indicator Results**  
**Bandbox Cleaners – Tomah BRRTS #02-42-525072**

**Well MW-19P**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
10/09/08	4.03	5.69	58	18.4	613.0												
01/12/09	3.45	6.05	79	15.0	220.0												
05/19/10	3.48	6.79	181	15.9	781.0	NS	NS	NS	<60	NS	101	NS	NS	NS	1300	8000	24000
10/18/10	2.62	5.97	191	19.1	938.0	NS	NS	NS	<60	NS	49.6	NS	NS	NS	1800	29000	<20000
02/14/11	4.83	5.53	246	12.2	403.6	NS	NS	NS	<60	NS	78.3	NS	NS	NS	1400	3400	18000
06/18/13	4.26	5.68	316	18.2	818.0	NS	NS	NS	<60	NS	96.1	NS	NS	NS	2700	<3500	<2600
09/18/13	2.25	6.02	24	20.6	764.0	NS	NS	NS	<120	NS	68.8	NS	NS	NS	1600	14000	<20000
<b>ENFORCEMENT STANDARD = ES – Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = Parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well PZ-1**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
03/29/07	UNDER BLACK TOP																
08/02/07	0.35	7.86	323	14.4	897.0												
10/09/08	0.42	5.68	160	16.5	523.0												
01/12/09	0.82	5.8	152	12.4	300.0												
05/19/10	0.38	5.77	158	13.0	836.0	NS	NS	NS	<60	NS	586	NS	NS	NS	4000	170000	17000
10/18/10	1.08	5.41	230	15.5	593.0	NS	NS	NS	<60	NS	538	NS	NS	NS	7700	51000	<20000
02/14/11	1.66	5.57	161	9.3	450.5	NS	NS	NS	210	NS	303	NS	NS	NS	5400	120000	44000
06/18/13	2.92	7.07	266	11.7	293.1	NS	NS	NS	110	NS	13.3	NS	NS	NS	3900	57000	<2600
09/18/13	1.72	7.23	-44	17.1	300.0	NS	NS	NS	<120	NS	19.6	NS	NS	NS	4800	41000	<20000
<b>ENFORCEMENT STANDARD = ES – Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well PZ-A-3**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
10/09/08	0.91	3.27	83	16.6	968.0												
01/12/09	0.69	6.18	262	12.7	578.0												
05/19/10	0.76	7.33	268	13.1	285.5	NS	NS	NS	100	NS	64.6	NS	NS	NS	15000	46000	130000
10/18/10	0.74	6.86	71	16.7	649.0	NS	NS	NS	240	NS	152	NS	NS	NS	15000	260000	110000
02/14/11	1.21	5.7	67	12.3	630.0	NS	NS	NS	13900	NS	1040	NS	NS	NS	20000	180000	220000
06/18/13	1.78	7.34	269	16.0	355.6	NS	NS	NS	<60	NS	25.1	NS	NS	NS	83000	460000	130000
09/18/13	0.68	7.61	-41	18.6	530.0	NS	NS	NS	<120	NS	149	NS	NS	NS	11000	180000	170000
<b>ENFORCEMENT STANDARD = ES – Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).



**A.8 Other**

**Groundwater NA Indicator Results  
Bandbox Cleaners – Tomah BRRTS #02-42-525072**

**Well PZ-A-4**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
10/09/08	1.92	5.61	152	15.9	251.0												
01/12/09	3.34	5.98	229	13.7	209.0												
05/19/10	4.44	7.03	124	14.0	180.2	NS	NS	NS	<60	NS	77.3	NS	NS	NS	490	<1700	16000
10/18/10	2.78	5.98	242	16.5	199.0	NS	NS	NS	<60	NS	55.1	NS	NS	NS	<1000	35000	<20000
02/14/11	3.80	5.66	180	12.5	337.2	NS	NS	NS	140	NS	92.6	NS	NS	NS	1400	4000	18000
06/18/13	4.24	7.01	350	15.2	246.0	NS	NS	NS	<60	NS	155	NS	NS	NS	1800	<3500	<2600
09/18/13	3.17	7.06	-31	18.9	115.0	NS	NS	NS	<120	NS	153	NS	NS	NS	1100	<10000	<20000
<b>ENFORCEMENT STANDARD = ES – Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well PZ-B-3**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
10/09/08	2.39	5.91	128	16.5	850.0												
01/12/09	2.62	5.66	298	13.1	472.0												
05/19/10	5.73	6.53	231	13.9	730.0	NS	NS	NS	100	NS	411	NS	NS	NS	2100	510000	5900
10/18/10	2.75	5.86	201	16.7	1059.0	NS	NS	NS	<60	NS	220	NS	NS	NS	7100	34000	<20000
02/14/11	3.43	5.58	220	12.5	433.0	NS	NS	NS	90	NS	306	NS	NS	NS	3600	15000	13000
06/18/13	2.63	5.16	322	16.1	925.0	NS	NS	NS	<60	NS	282	NS	NS	NS	3400	<3500	<2600
09/18/13	2.09	6.26	-11	18.4	913.0	NS	NS	NS	<120	NS	336	NS	NS	NS	2000	23000	<20000
<b>ENFORCEMENT STANDARD = ES – Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well PZ-B-4**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
10/09/08	3.91	5.85	148	15.6	180.0												
01/12/09	3.96	6.38	172	13.0	160.0												
05/19/10	4.13	7.56	89	14.0	192.1	NS	NS	NS	<60	NS	94.1	NS	NS	NS	840	<1700	14000
10/18/10	2.94	6.22	214	16.5	265.0	NS	NS	NS	<60	NS	43.6	NS	NS	NS	<1000	29000	<20000
02/14/11	3.64	5.58	195	12.2	151.9	NS	NS	NS	<60	NS	35	NS	NS	NS	1100	4000	12000
06/18/13	4.21	7.03	297	15.1	197.5	NS	NS	NS	<60	NS	39.2	NS	NS	NS	1400	45000	<2600
09/18/13	3.04	7.2	-27	18.5	189.0	NS	NS	NS	<120	NS	71.3	NS	NS	NS	1100	<10000	<20000
<b>ENFORCEMENT STANDARD = ES – Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**A.8 Other**

**Groundwater NA Indicator Results  
Bandbox Cleaners – Tomah BRRTS #02-42-52072**

**Well MW-12 (Badger Cafe)**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)
06/18/13	0.30	7.04	315	13.0	1106.0	NS	NS	NS	60	NS	670	NS	NS	NS	9400	74000	92000
09/18/13	0.79	6.51	-38	19.6	173.0	NS	NS	NS	4620	NS	589	NS	NS	NS	14000	54000	58000
<b>ENFORCEMENT STANDARD = ES – Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**Well CMW-2 (Badger Cafe)**

Date	Dissolved Oxygen (ppm)	pH	ORP (mv)	Temp (C)	Specific Conductance (us)	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Total Iron (ppb)	Dissolved Iron (ppb)	Total Manganese (ppb)	Dissolved Manganese (ppb)	Ethane (ppb)	Ethene (ppb)	Methane (ppb)	TOC (ppb)	COD (ppb)	Alkalinity (ppb)			
06/18/13								COULD NOT LOCATE												
09/18/13	1.04	6.55	-45	17.1	333.0	NS	NS	NS	5150	NS	255	NS	NS	NS	4800	28000	60000			
<b>ENFORCEMENT STANDARD = ES – Bold</b>						10	-	-	-	300	-	-	-	-	-	-	-			
<b>PREVENTIVE ACTION LIMIT = PAL - Italics</b>						2	-	-	-	60	-	-	-	-	-	-	-			

(ppb) = parts per billion (ppm) = parts per million  
 ns = not sampled nm = not measured  
 Note: Elevations are presented in feet mean sea level (msl).

**A.7 Water Level Elevations**  
**Bandbox Cleaners – Tomah BRRTS #02-42-525072**  
 Tomah, Wisconsin

	MW-A1	MW-A2	MW-A3	MW-A4	MW-13	PZ-1	MW-14	MW-14P	MW-15	MW-16	MW-17	MW-17P	MW-18	MW-18P	MW-19	MW-19P	PZ-A-3	PZ-A-4	PZ-B-3	PZ-B-4	Badger Cafe MW-12	Badger Cafe CMW-2
<b>pvc top (ft)</b>	102.32	98.26	95.06	97.52	97.95	97.99	98.09	98.40	96.45	99.19	101.91	101.63	99.84	99.77	96.91	96.88	95.05	97.48	95.09	97.62	101.12	105.74
<b>screen top (ft)</b>	87.11	85.55	82.35	84.81	85.74	86.34	85.79	88.69	84.33	87.63	89.38	86.92	NM	NM	NM	NM	NM	NM	NM	NM	87.72	85.36
<b>screen bottom (ft)</b>	77.11	75.55	72.35	74.81	75.74	81.34	70.79	53.69	69.33	77.63	79.38	51.92	NM	NM	NM	NM	NM	NM	NM	NM	28.40	30.38

Date	Water Elevations																					
03/29/07	81.54	80.50	79.77	80.50	NM	NM	80.33	80.05	80.21	80.56	80.93	80.88	NI	NI	NI	NI	NI	NI	NI	NI	NM	NM
08/02/07	81.63	80.29	79.42	80.15	80.13	80.04	79.99	80.02	79.87	80.29	80.66	80.61	NI	NI	NI	NI	NI	NI	NI	NI	NM	NM
10/09/08	NM	81.74	80.69	81.44	81.47	81.34	81.28	81.57	81.18	81.61	82.00	81.97	81.83	81.87	81.88	81.05	80.63	81.45	80.59	81.45	NM	NM
01/12/09	NM	80.71	79.75	80.54	80.44	80.38	80.41	80.22	80.64	80.98	80.94	80.73	80.69	80.62	80.02	80.42	79.69	80.53	79.69	80.51	NM	NM
05/19/10	NM	80.95	80.03	80.56	80.59	80.51	80.42	80.47	80.34	80.65	81.05	81.05	80.63	80.66	80.47	80.04	79.86	80.60	79.87	80.56	NM	NM
10/18/10	83.71	82.18	81.17	81.94	81.99	81.79	81.88	81.65	82.11	82.47	82.46	82.21	82.10	82.11	81.47	81.87	81.09	81.94	81.07	81.92	NM	NM
02/14/11	82.57	80.94	79.98	80.68	80.58	80.50	80.62	80.37	80.77	81.20	81.18	81.01	81.05	80.75	80.42	80.71	79.79	80.72	79.91	80.70	NM	NM
06/18/13	CNM	83.61	82.76	83.32	83.42	83.19	83.21	83.25	83.14	83.52	83.90	83.81	83.70	83.71	83.33	82.96	82.56	83.36	82.52	83.33	83.64	CNL
09/18/13	CNM	81.86	80.80	81.57	81.58	81.37	81.39	81.69	81.27	81.74	82.10	82.07	81.88	81.81	82.11	81.15	80.65	81.56	80.63	81.53	81.90	82.00

	MW-A1	MW-A2	MW-A3	MW-A4	MW-13	PZ-1	MW-14	MW-14P	MW-15	MW-16	MW-17	MW-17P	MW-18	MW-18P	MW-19	MW-19P	PZ-A-3	PZ-A-4	PZ-B-3	PZ-B-4	
<b>Depth to Water (Ft)</b>																					
03/29/07	20.78	17.76	15.29	17.02	NM	NM	17.76	18.35	16.24	18.63	20.98	20.75	NI	NI	NI	NI	NI	NI	NI	NI	NI
08/02/07	20.69	17.97	15.64	17.37	17.82	17.95	18.10	18.38	16.58	18.90	21.25	21.02	NI	NI	NI	NI	NI	NI	NI	NI	NI
10/09/08	NM	16.52	14.37	16.08	16.48	16.65	16.81	16.83	15.27	17.58	19.91	19.66	18.01	17.9	15.03	15.83	14.42	16.03	14.50	16.17	
01/12/09	NM	17.55	15.31	16.98	17.51	17.71	17.99	16.23	18.55	20.93	20.69	19.11	19.08	16.29	16.86	17.57	15.36	16.95	15.40	17.11	
05/19/10	NM	17.31	15.03	16.96	17.36	17.48	17.67	17.93	16.11	18.54	20.86	20.58	19.21	19.11	16.44	16.84	15.19	16.88	15.22	17.06	
10/18/10	18.61	16.08	13.89	15.58	15.96	16.30	16.52	14.80	17.08	19.44	19.17	17.63	17.67	14.80	15.41	16.12	13.96	15.54	14.02	15.70	
02/14/11	19.75	17.32	15.08	16.84	17.37	17.59	17.78	16.08	18.42	20.71	20.45	18.83	18.72	16.16	16.46	17.28	15.26	16.76	15.18	16.92	
06/18/13	CNM	14.65	12.30	14.20	14.53	14.80	14.88	15.15	13.31	15.67	18.01	17.82	16.14	16.06	13.58	13.92	12.49	14.12	12.57	14.29	
09/18/13	CNM	16.40	14.26	15.95	16.37	16.62	16.70	16.71	15.18	17.45	19.81	19.56	17.96	17.96	14.80	15.73	14.40	15.92	14.46	16.09	

**Vertical Hydraulic Gradient Information (ft differential)**

Date	PZ-1 - MW-13	MW-14P - MW-14	MW-17P - MW-17
03/29/07	NM	-0.28	-0.05
08/02/07	-0.09	0.03	-0.05
10/09/08	-0.13	0.29	-0.03
01/12/09	-0.06	-0.19	-0.21
05/19/10	-0.08	0.05	0.00
10/18/10	-0.20	-0.23	-0.25
02/14/11	-0.08	-0.25	-0.17
06/18/13	-0.23	0.04	-0.09
09/18/13	-0.21	0.30	-0.03

Note: Elevations are given relative to a site specific benchmark of 100 ft  
 NM = Not Measured  
 CNM = Could Not Measure

6-19-13  
NJS

Weather: sunny 74°F

7:30 Arrived at site  
Met Matt w/METCO who showed us where vapor probes were required

SUB-SLAB VAPOR PROBE INSTALLATION

Sample	Location	Concrete Depth	Probe Depth	Notes
SS-1	Hardware Hank	2 1/2"	2 1/2"	Slab Area
SS-2	The Trophy Room	7"	7"	No Basement
SS-3	Associated Accounting Service	2 1/2"	2 1/2"	No concrete on 1/2 Basement
SS-4	Band Box	5 1/2"	5 1/2"	Sub on Grad
SS-5	Band Box	9"	9"	Basement
SS-6	Crow Bar	3 3/8"	3 3/8"	Basement
SS-7	Callahan's Pub	3 1/2"	3 1/2"	Basement
SS-8	Framy's	1 1/2"	1 1/2"	Basement (3/3 co)

SUB-SLAB VAPOR SAMPLING

10:30: Calibrated Thermo 580 OVM w/0-100 ppm

Leak Detection - Helium Shroud

Sample	He Conc. in shroud	He Conc. in slab	Leaks?
SS-1	29.4%	0 ppm	No
SS-3	14.1%	0 ppm	No
6-19-13 SS-2	13.5%	0 ppm	No
SS-4	17.6%	0 ppm	No
KN SS-5	23.3%	0 ppm	No
KN SS-6	11.8%	0 ppm	No
KN SS-7	21.4%	4025 ppm	Yes (Minor)
SS-8	18.8%	550 ppm	Yes (Minor)

\*NOTE: KN SS-7 had cracked concrete at testing area

LC-12-03519

6-18-13

Band Box Cleaners, Tomah, WI

SUB- SLAB VAPOR SAMPLING							Pressure ("Hg)		
	Sample	Can ID	Filter ID	Max PCP (ppm)	Start	Stop	Temp (°F)	Start	Stop
6-18-13	SS-1	1051	003	0.0	15:11	15:26	65°	-28	0
↓	SS-3	G1222	010	0.0	15:38	15:53	65°	-27	0
6-19-13	SS-2	1051	017	0.0	10:09	10:14	68°	-28	0
↓	SS-4	1044	028	0.0	10:52	11:07	72°	-30	-1
	SS-5	1050	027	0.0	11:35	11:50	72°	-28	-1
	SS-6	1058	020	0.0	13:04	13:19	65°	-28	-1
	SS-7	1061	014	0.0	14:49	14:58	65°	-30	-2
↓	SS-8	1063	019	0.0	15:25	15:40	65°	-30	0

24-Hour Composite Sampling							Can Pressure ("Hg)		
	Sample	Can ID	Filter ID	Max PCP (ppm)	Start	Stop	Temp (°F)	Start	Stop
Tattoo	IA-1	2613	7340887	0.0	13:18	12:31	65°	-31	0
Wild Hair Salon	IA-2	1661	7342515	0.0	09:54	09:15	65°	-31	-5

NOTES: Main Floor of Tattoo Parlor contained incense and cigarette smoke odor.

6-18-13


LC-12-03519

Band Box Cleaners, Tomah, WI

PHOTO LOG


1	SS-1 Probe	24	Helium shroud at SS-5
2	SS-1 Probe installed	25	Helium reading at SS-5
3	SS-2 Probe	26	Helium shroud at SS-6
4	SS-2 Probe installed	27	Helium reading at SS-6
5	SS-3 Probe	28	Helium shroud at SS-7
6	SS-3 Probe installed	29	Helium reading at SS-7
7	SS-4 Probe	30	Helium shroud at SS-7 (w/clay)
8	SS-5 Probe	31	Helium reading at SS-7
9	SS-5 Probe installed	32	crack by SS-7
10	SS-6 Probe	33	" "
11	SS-6 Probe installed	34	Helium shroud at SS-8
12	SS-7 Probe	35	Helium reading at SS-8
13	SS-7 Probe installed	36	IA-2 sample in crawl space beneath Wild Hair Slab
14	SS-8 Probe		
15	SS-8 Probe installed		
16	Helium shroud at SS-1		
17	Helium reading at SS-1		
18	Helium shroud at SS-3		
19	Helium reading at SS-3		
20	Helium shroud at SS-2		
21	Helium reading at SS-2		
22	Helium shroud at SS-4		
23	Helium reading at SS-4		
































# **BRAUN INTERTEC**

Braun Intertec Corporation  
11001 Hampshire Avenue S.  
Minneapolis, MN 55438

Phone: 952.995.2000  
Fax: 952.995.2020  
Web: braunintertec.com

Mr. Kevin Nestingen  
Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

July 08, 2013

Report #: 1303204

RE: Band Box Cleaners - Tomah  
LC-12-03519

Dear Kevin Nestingen:


Braun Intertec Corporation received samples for the project identified above on June 21, 2013. Analytical results are summarized in the following report.

All routine quality assurance procedures were followed, unless otherwise noted.

We appreciate your decision to use Braun Intertec Corporation for this project. We are committed to being your vendor of choice to meet your analytical chemistry needs.

If you have any questions please contact me at the above phone number.

Sincerely,



Thomas P. Wagner  
Project Manager

*Providing engineering and environmental solutions since 1957*



Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Qualifiers and Abbreviations

vm	The surrogate recovery is above the laboratory generated control limits.
vfa	The method reporting limit (MRL) was raised for one or more analytes; a dilution of the sample was necessary due to high analyte levels and/or matrix interferences.
tu	The reported value for the unknown analyte is based on a molecular weight of 100 because the actual molecular weight is not known.
tt	Concentrations are estimated values calculated relative to the closest eluting internal standard using peak areas from the total ion chromatogram and a relative response factor of one.
tic	Compounds were tentatively identified by comparison to the NIST (NBS) database of mass spectra. These identifications represent the best fit obtained from the database search, subject to the interpretation of the analyst.
qd	The initial calibration failed to meet requirements for trans-1,2-Dichloroethene. This analyte was not detected in the sample.
E	The concentration indicated for this analyte is an estimated value above the calibration range of the instrument. This value is considered an estimate.
COC	Chain of Custody
MRL	Method Reporting Limit
NA	Not Applicable
ND	Analyte NOT DETECTED
NR	Not Reported
%Rec	Percent Recovery
RPD	Relative Percent Difference
VOC	Volatile Organic Compound



11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

Sample Summary

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SS-1	1303204-01	Air	06/18/13 15:26	06/21/13 13:00
SS-2	1303204-02	Air	06/19/13 10:14	06/21/13 13:00
SS-3	1303204-03	Air	06/18/13 15:53	06/21/13 13:00
SS-4	1303204-04	Air	06/19/13 11:07	06/21/13 13:00
SS-5	1303204-05	Air	06/19/13 11:50	06/21/13 13:00
SS-6	1303204-06	Air	06/19/13 13:19	06/21/13 13:00
SS-7	1303204-07	Air	06/19/13 14:58	06/21/13 13:00
SS-8	1303204-08	Air	06/19/13 15:40	06/21/13 13:00
IA-1	1303204-09	Air	06/19/13 12:31	06/21/13 13:00
IA-2	1303204-10	Air	06/21/13 09:15	06/21/13 13:00



11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

Conditions Upon Receipt

<b>COC Included:</b> Yes	<b>Hand Delivered by Client:</b> No	<b>Custody Seals Used:</b> No
<b>COC Complete:</b> Yes	<b>Sufficient Sample Provided:</b> Yes	<b>Custody Seals Intact:</b> NA
<b>COC &amp; Labels Agree:</b> Yes		

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

SS-1

1303204-01 (Air)  
6/18/13 15:26

## Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
1,1,1-Trichloroethane (71-55-6)	< 2.52	2.52	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,1,2,2-Tetrachloroethane (79-34-5)	< 3.29	3.29	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,1,2-Trichloroethane (79-00-5)	< 2.52	2.52	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,1,2-Trichlorotrifluoroethane (76-13-1)	< 3.67	3.67	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,1-Dichloroethane (75-34-3)	< 1.87	1.87	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,1-Dichloroethene (75-35-4)	< 1.90	1.90	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,2,4-Trichlorobenzene (120-82-1)	< 3.42	3.42	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,2,4-Trimethylbenzene (95-63-6)	< 4.53	4.53	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,2-Dibromoethane (106-93-4)	< 3.54	3.54	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,2-Dichlorobenzene (95-50-1)	< 2.67	2.67	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,2-Dichloroethane (107-06-2)	< 1.94	1.94	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,2-Dichloropropane (78-87-5)	< 2.13	2.13	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,2-Dichlorotetrafluoroethane (76-14-2)	< 3.35	3.35	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,3,5-Trimethylbenzene (108-67-8)	< 2.27	2.27	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,3-Butadiene (106-99-0)	< 1.06	1.06	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,3-Dichlorobenzene (541-73-1)	< 2.67	2.67	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,4-Dichlorobenzene (106-46-7)	< 2.77	2.77	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
1,4-Dioxane (123-91-1)	< 1.66	1.66	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
<b>2-Butanone (MEK) (78-93-3)</b>	<b>2.15</b>	1.41	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
2-Hexanone (591-78-6)	< 1.96	1.96	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
2-Propanol (67-63-0)	< 1.18	1.18	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
4-Ethyltoluene (622-96-8)	< 2.27	2.27	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
4-Methyl-2-pentanone (108-10-1)	< 1.89	1.89	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
<b>Acetone (67-64-1)</b>	<b>12.9</b>	4.38	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
Benzene (71-43-2)	< 3.06	3.06	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
Benzyl chloride (100-44-7)	< 2.30	2.30	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
Bromodichloromethane (75-27-4)	< 3.09	3.09	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
Bromoform (75-25-2)	< 18.2	18.2	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
Bromomethane (74-83-9)	< 1.86	1.86	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
Carbon disulfide (75-15-0)	< 1.44	1.44	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
Carbon Tetrachloride (56-23-5)	< 2.90	2.90	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
Chlorobenzene (108-90-7)	< 2.21	2.21	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
Chloroethane (75-00-3)	< 2.53	2.53	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
Chloroform (67-66-3)	< 2.25	2.25	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
Chloromethane (74-87-3)	< 0.989	0.989	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
cis-1,2-Dichloroethene (156-59-2)	< 1.90	1.90	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
cis-1,3-Dichloropropene (10061-01-5)	< 2.17	2.17	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15
Cyclohexane (110-82-7)	< 1.59	1.59	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47	bg	EPA TO-15

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

# BRAUN INTERTEC

11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## SS-1

1303204-01 (Air)  
6/18/13 15:26

### Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analvzed/Analyst	Method	Notes
Dibromochloromethane (124-48-1)	< 3.93	3.93	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
<b>Dichlorodifluoromethane (75-71-8)</b>	<b>3.73</b>	2.37	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Ethanol (64-17-5)	< 3.48	3.48	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Ethyl Acetate (141-78-6)	< 1.66	1.66	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Ethylbenzene (100-41-4)	< 2.08	2.08	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Hexachloro-1,3-butadiene (87-68-3)	< 4.92	4.92	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
m,p-Xylenes (179601-23-1)	< 4.08	4.08	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Methylene chloride (75-09-2)	< 3.33	3.33	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Methyl-t-butyl ether (1634-04-4)	< 1.66	1.66	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Naphthalene (91-20-3)	< 4.84	4.84	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
n-Heptane (142-82-5)	< 1.89	1.89	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
n-Hexane (110-54-3)	< 1.63	1.63	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
o-Xylene (95-47-6)	< 2.08	2.08	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Propylene (115-07-1)	< 3.18	3.18	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Styrene (100-42-5)	< 1.96	1.96	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
<b>Tetrachloroethene (127-18-4)</b>	<b>4.85</b>	3.13	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Tetrahydrofuran (109-99-9)	< 1.36	1.36	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Toluene (108-88-3)	< 1.81	1.81	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
trans-1,2-Dichloroethene (156-60-5)	< 1.83	1.83	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	qd
trans-1,3-Dichloropropene (10061-02-6)	< 2.25	2.25	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Trichloroethene (79-01-6)	< 2.48	2.48	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
<b>Trichlorofluoromethane (75-69-4)</b>	<b>7.14</b>	2.79	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Vinyl acetate (108-05-4)	< 1.62	1.62	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
Vinyl chloride (75-01-4)	< 1.22	1.22	ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>139 %</i>	<i>Limits: 70-150%</i>			<i>B3F0639</i>	<i>6/25/13</i>	<i>6/26/13 13:47 bg</i>	<i>EPA TO-15</i>	
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>78.6 %</i>	<i>Limits: 70-115%</i>			<i>B3F0639</i>	<i>6/25/13</i>	<i>6/26/13 13:47 bg</i>	<i>EPA TO-15</i>	
<i>Surrogate: Toluene-d8</i>	<i>97.1 %</i>	<i>Limits: 70-110%</i>			<i>B3F0639</i>	<i>6/25/13</i>	<i>6/26/13 13:47 bg</i>	<i>EPA TO-15</i>	



11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-1

1303204-01 (Air)  
6/18/13 15:26

**Tentatively Identified Compounds - Volatile Compounds**

Sample Note(s): tic, tt

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
Unknown analyte (NA)	310		ug/m <sup>3</sup>	1.78	B3F0639	6/25/13	6/26/13 13:47 bg	EPA TO-15	tu

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-2

1303204-02 (Air)  
6/19/13 10:14

## Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
1,1,1-Trichloroethane (71-55-6)	< 2.56	2.56	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,1,2,2-Tetrachloroethane (79-34-5)	< 3.35	3.35	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,1,2-Trichloroethane (79-00-5)	< 2.56	2.56	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,1,2-Trichlorotrifluoroethane (76-13-1)	< 3.74	3.74	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,1-Dichloroethane (75-34-3)	< 1.90	1.90	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,1-Dichloroethene (75-35-4)	< 1.93	1.93	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,2,4-Trichlorobenzene (120-82-1)	< 3.48	3.48	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,2,4-Trimethylbenzene (95-63-6)	< 4.62	4.62	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,2-Dibromoethane (106-93-4)	< 3.61	3.61	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,2-Dichlorobenzene (95-50-1)	< 2.71	2.71	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,2-Dichloroethane (107-06-2)	< 1.97	1.97	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,2-Dichloropropane (78-87-5)	< 2.17	2.17	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,2-Dichlorotetrafluoroethane (76-14-2)	< 3.41	3.41	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,3,5-Trimethylbenzene (108-67-8)	< 2.31	2.31	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,3-Butadiene (106-99-0)	< 1.08	1.08	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,3-Dichlorobenzene (541-73-1)	< 2.71	2.71	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,4-Dichlorobenzene (106-46-7)	< 2.82	2.82	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
1,4-Dioxane (123-91-1)	< 1.69	1.69	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
2-Butanone (MEK) (78-93-3)	5.73	1.44	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
2-Hexanone (591-78-6)	4.77	2.00	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
2-Propanol (67-63-0)	2.72	1.20	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
4-Ethyltoluene (622-96-8)	< 2.31	2.31	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
4-Methyl-2-pentanone (108-10-1)	14.8	1.92	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Acetone (67-64-1)	26.7	4.46	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Benzene (71-43-2)	< 3.12	3.12	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Benzyl chloride (100-44-7)	< 2.34	2.34	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Bromodichloromethane (75-27-4)	< 3.15	3.15	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Bromoform (75-25-2)	< 18.5	18.5	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Bromomethane (74-83-9)	< 1.89	1.89	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Carbon disulfide (75-15-0)	< 1.46	1.46	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Carbon Tetrachloride (56-23-5)	< 2.95	2.95	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Chlorobenzene (108-90-7)	< 2.24	2.24	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Chloroethane (75-00-3)	< 2.57	2.57	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Chloroform (67-66-3)	< 2.29	2.29	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Chloromethane (74-87-3)	< 1.01	1.01	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
cis-1,2-Dichloroethene (156-59-2)	< 1.93	1.93	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
cis-1,3-Dichloropropene (10061-01-5)	< 2.21	2.21	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	
Cyclohexane (110-82-7)	< 1.62	1.62	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPA TO-15	

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reports\RPT 05.06

Page 8 of 87

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-2

1303204-02 (Air)  
6/19/13 10:14

## Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analvzed/Analvst	Method	Notes
Dibromochloromethane (124-48-1)	< 4.00	4.00	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Dichlorodifluoromethane (75-71-8)	2.89	2.41	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Ethanol (64-17-5)	33.7	3.54	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
EthylAcetate (141-78-6)	< 1.69	1.69	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Ethylbenzene (100-41-4)	< 2.12	2.12	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Hexachloro-1,3-butadiene (87-68-3)	< 5.01	5.01	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
m,p-Xylenes (179601-23-1)	< 4.16	4.16	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Methylene chloride (75-09-2)	< 3.39	3.39	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Methyl-t-butyl ether (1634-04-4)	< 1.69	1.69	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Naphthalene (91-20-3)	< 4.92	4.92	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
n-Heptane (142-82-5)	< 1.92	1.92	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
n-Hexane (110-54-3)	< 1.65	1.65	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
o-Xylene (95-47-6)	< 2.12	2.12	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Propylene (115-07-1)	< 3.23	3.23	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Styrene (100-42-5)	< 2.00	2.00	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Tetrachloroethene (127-18-4)	< 3.18	3.18	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Tetrahydrofuran (109-99-9)	< 1.38	1.38	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
<b>Toluene (108-88-3)</b>	4.26	1.84	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
trans-1,2-Dichloroethene (156-60-5)	< 1.86	1.86	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15 qd
trans-1,3-Dichloropropene (10061-02-6)	< 2.29	2.29	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Trichloroethene (79-01-6)	< 2.52	2.52	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Trichlorofluoromethane (75-69-4)	< 2.84	2.84	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Vinyl acetate (108-05-4)	< 1.65	1.65	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
Vinyl chloride (75-01-4)	< 1.25	1.25	ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
<i>Surrogate: 1,2-Dichloroethane-d4</i>	140 %	<i>Limits: 70-150%</i>			B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
<i>Surrogate: 4-Bromofluorobenzene</i>	85.4 %	<i>Limits: 70-115%</i>			B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15
<i>Surrogate: Toluene-d8</i>	98.3 %	<i>Limits: 70-110%</i>			B3F0639	6/25/13	6/26/13 16:01	bg	EPA TO-15





11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

SS-2

1303204-02 (Air)  
6/19/13 10:14

**Tentatively Identified Compounds - Volatile Compounds**

Sample Note(s): tic, tt

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
Unknown analyte (NA)	120		ug/m <sup>3</sup>	1.81	B3F0639	6/25/13	6/26/13 16:01 bg	EPATO-15	tu

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-3

1303204-03 (Air)  
6/18/13 15:53

## Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
1,1,1-Trichloroethane (71-55-6)	< 2.58	2.58	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,1,2,2-Tetrachloroethane (79-34-5)	< 3.37	3.37	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,1,2-Trichloroethane (79-00-5)	< 2.58	2.58	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,1,2-Trichlorotrifluoroethane (76-13-1)	< 3.76	3.76	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,1-Dichloroethane (75-34-3)	< 1.91	1.91	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,1-Dichloroethene (75-35-4)	< 1.95	1.95	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,2,4-Trichlorobenzene (120-82-1)	< 3.51	3.51	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,2,4-Trimethylbenzene (95-63-6)	< 4.64	4.64	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,2-Dibromoethane (106-93-4)	< 3.63	3.63	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,2-Dichlorobenzene (95-50-1)	< 2.73	2.73	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,2-Dichloroethane (107-06-2)	< 1.99	1.99	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,2-Dichloropropane (78-87-5)	< 2.18	2.18	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,2-Dichlorotetrafluoroethane (76-14-2)	< 3.43	3.43	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,3,5-Trimethylbenzene (108-67-8)	< 2.32	2.32	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,3-Butadiene (106-99-0)	< 1.09	1.09	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,3-Dichlorobenzene (541-73-1)	< 2.73	2.73	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,4-Dichlorobenzene (106-46-7)	< 2.84	2.84	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
1,4-Dioxane (123-91-1)	< 1.70	1.70	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
2-Butanone (MEK) (78-93-3)	9.16	1.45	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
2-Hexanone (591-78-6)	2.13	2.01	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
2-Propanol (67-63-0)	2.34	1.21	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
4-Ethyltoluene (622-96-8)	< 2.32	2.32	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
4-Methyl-2-pentanone (108-10-1)	< 1.94	1.94	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Acetone (67-64-1)	23.5	4.49	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Benzene (71-43-2)	< 3.13	3.13	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Benzyl chloride (100-44-7)	< 2.35	2.35	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Bromodichloromethane (75-27-4)	< 3.17	3.17	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Bromoform (75-25-2)	< 18.6	18.6	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Bromomethane (74-83-9)	< 1.90	1.90	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Carbon disulfide (75-15-0)	< 1.47	1.47	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Carbon Tetrachloride (56-23-5)	< 2.97	2.97	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Chlorobenzene (108-90-7)	< 2.26	2.26	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Chloroethane (75-00-3)	< 2.59	2.59	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Chloroform (67-66-3)	< 2.31	2.31	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Chloromethane (74-87-3)	< 1.01	1.01	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
cis-1,2-Dichloroethene (156-59-2)	< 1.95	1.95	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
cis-1,3-Dichloropropene (10061-01-5)	< 2.23	2.23	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15
Cyclohexane (110-82-7)	< 1.63	1.63	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09	bg	EPA TO-15

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-3

1303204-03 (Air)  
6/18/13 15:53

## Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
Dibromochloromethane (124-48-1)	< 4.02	4.02	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Dichlorodifluoromethane (75-71-8)	3.82	2.43	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Ethanol (64-17-5)	3.59	3.56	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Ethyl Acetate (141-78-6)	< 1.70	1.70	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Ethylbenzene (100-41-4)	< 2.13	2.13	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Hexachloro-1,3-butadiene (87-68-3)	< 5.04	5.04	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
m,p-Xylenes (179601-23-1)	< 4.18	4.18	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Methylene chloride (75-09-2)	< 3.41	3.41	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Methyl-t-butyl ether (1634-04-4)	< 1.70	1.70	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Naphthalene (91-20-3)	< 4.95	4.95	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
n-Heptane (142-82-5)	2.35	1.94	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
n-Hexane (110-54-3)	1.72	1.67	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
o-Xylene (95-47-6)	< 2.13	2.13	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Propylene (115-07-1)	< 3.25	3.25	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Styrene (100-42-5)	< 2.01	2.01	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Tetrachloroethene (127-18-4)	4.17	3.20	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Tetrahydrofuran (109-99-9)	< 1.39	1.39	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Toluene (108-88-3)	8.17	1.85	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
trans-1,2-Dichloroethene (156-60-5)	< 1.87	1.87	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	qd
trans-1,3-Dichloropropene (10061-02-6)	< 2.31	2.31	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Trichloroethene (79-01-6)	< 2.54	2.54	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Trichlorofluoromethane (75-69-4)	< 2.86	2.86	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Vinyl acetate (108-05-4)	< 1.66	1.66	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Vinyl chloride (75-01-4)	< 1.25	1.25	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Surrogate: 1,2-Dichloroethane-d4	138 %	Limits: 70-150%			B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Surrogate: 4-Bromofluorobenzene	82.0 %	Limits: 70-115%			B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	
Surrogate: Toluene-d8	97.0 %	Limits: 70-110%			B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	



11001 Hampshire Ave. S.  
 Minneapolis, MN 55438  
 952.995.2000 Phone  
 952.995.2020 Fax

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

SS-3

1303204-03 (Air)  
6/18/13 15:53

**Tentatively Identified Compounds - Volatile Compounds**

Sample Note(s): tic, tt

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analvzed/Analvst	Method	Notes
Unknown analyte (NA)	170		ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 17:09 bg	EPA TO-15	tu

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-4

1303204-04 (Air)  
6/19/13 11:07

## Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
1,1,1-Trichloroethane (71-55-6)	< 2.58	2.58	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,1,2,2-Tetrachloroethane (79-34-5)	< 3.37	3.37	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,1,2-Trichloroethane (79-00-5)	< 2.58	2.58	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,1,2-Trichlorotrifluoroethane (76-13-1)	< 3.76	3.76	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,1-Dichloroethane (75-34-3)	< 1.91	1.91	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,1-Dichloroethene (75-35-4)	< 1.95	1.95	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,2,4-Trichlorobenzene (120-82-1)	< 3.51	3.51	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,2,4-Trimethylbenzene (95-63-6)	< 4.65	4.65	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,2-Dibromoethane (106-93-4)	< 3.63	3.63	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,2-Dichlorobenzene (95-50-1)	< 2.73	2.73	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,2-Dichloroethane (107-06-2)	< 1.99	1.99	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,2-Dichloropropane (78-87-5)	< 2.19	2.19	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,2-Dichlorotetrafluoroethane (76-14-2)	< 3.43	3.43	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,3,5-Trimethylbenzene (108-67-8)	< 2.33	2.33	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,3-Butadiene (106-99-0)	< 1.09	1.09	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,3-Dichlorobenzene (541-73-1)	< 2.73	2.73	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,4-Dichlorobenzene (106-46-7)	< 2.84	2.84	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
1,4-Dioxane (123-91-1)	< 1.70	1.70	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
<b>2-Butanone (MEK) (78-93-3)</b>	<b>2.33</b>	1.45	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
2-Hexanone (591-78-6)	< 2.01	2.01	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
2-Propanol (67-63-0)	< 1.21	1.21	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
4-Ethyltoluene (622-96-8)	< 2.33	2.33	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
4-Methyl-2-pentanone (108-10-1)	< 1.94	1.94	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
<b>Acetone (67-64-1)</b>	<b>15.3</b>	4.49	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Benzene (71-43-2)	< 3.14	3.14	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Benzyl chloride (100-44-7)	< 2.35	2.35	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Bromodichloromethane (75-27-4)	< 3.17	3.17	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Bromoform (75-25-2)	< 18.6	18.6	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Bromomethane (74-83-9)	< 1.91	1.91	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Carbon disulfide (75-15-0)	< 1.47	1.47	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Carbon Tetrachloride (56-23-5)	< 2.98	2.98	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Chlorobenzene (108-90-7)	< 2.26	2.26	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Chloroethane (75-00-3)	< 2.59	2.59	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
<b>Chloroform (67-66-3)</b>	<b>94.6</b>	2.31	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Chloromethane (74-87-3)	< 1.01	1.01	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
cis-1,2-Dichloroethene (156-59-2)	< 1.95	1.95	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
cis-1,3-Dichloropropene (10061-01-5)	< 2.23	2.23	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Cyclohexane (110-82-7)	< 1.63	1.63	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reports\RPT 05.06

Page 14 of 87

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-4

1303204-04 (Air)  
6/19/13 11:07

## Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
Dibromochloromethane (124-48-1)	< 4.03	4.03	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Dichlorodifluoromethane (75-71-8)	8.17	2.43	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Ethanol (64-17-5)	4.22	3.57	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Ethyl Acetate (141-78-6)	2.11	1.70	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Ethylbenzene (100-41-4)	< 2.13	2.13	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Hexachloro-1,3-butadiene (87-68-3)	< 5.05	5.05	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
m,p-Xylenes (179601-23-1)	< 4.19	4.19	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Methylene chloride (75-09-2)	< 3.41	3.41	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Methyl-t-butyl ether (1634-04-4)	< 1.71	1.71	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Naphthalene (91-20-3)	< 4.96	4.96	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
n-Heptane (142-82-5)	< 1.94	1.94	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
n-Hexane (110-54-3)	< 1.67	1.67	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
o-Xylene (95-47-6)	< 2.13	2.13	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Propylene (115-07-1)	< 3.26	3.26	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Styrene (100-42-5)	< 2.02	2.02	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Tetrachloroethene (127-18-4)	47000	937	ug/m <sup>3</sup>	532	B3F0694	6/27/13	6/27/13 22:44 kr	EPA TO-15	vfa
Tetrahydrofuran (109-99-9)	< 1.40	1.40	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Toluene (108-88-3)	2.19	1.85	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
trans-1,2-Dichloroethene (156-60-5)	< 1.88	1.88	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	qd
trans-1,3-Dichloropropene (10061-02-6)	< 2.31	2.31	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Trichloroethene (79-01-6)	12.7	2.54	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Trichlorofluoromethane (75-69-4)	< 2.86	2.86	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Vinyl acetate (108-05-4)	< 1.67	1.67	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Vinyl chloride (75-01-4)	< 1.26	1.26	ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Surrogate: 1,2-Dichloroethane-d4	139 %	Limits: 70-150%			B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Surrogate: 4-Bromofluorobenzene	81.8 %	Limits: 70-115%			B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	
Surrogate: Toluene-d8	96.6 %	Limits: 70-110%			B3F0639	6/25/13	6/26/13 18:16 bg	EPA TO-15	

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

SS-4

1303204-04 (Air)

6/19/13 11:07

### Tentatively Identified Compounds - Volatile Compounds

Sample Note(s): tic, tt

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
Unknown analyte (NA)	330		ug/m <sup>3</sup>	1.82	B3F0639	6/25/13	6/26/13 18:16 bg	EPATO-15	tu

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

SS-5

1303204-05 (Air)  
6/19/13 11:50

## Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
1,1,1-Trichloroethane (71-55-6)	< 2.56	2.56	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,1,2,2-Tetrachloroethane (79-34-5)	< 3.34	3.34	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,1,2-Trichloroethane (79-00-5)	< 2.56	2.56	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,1,2-Trichlorotrifluoroethane (76-13-1)	< 3.73	3.73	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,1-Dichloroethane (75-34-3)	< 1.90	1.90	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,1-Dichloroethene (75-35-4)	< 1.93	1.93	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,2,4-Trichlorobenzene (120-82-1)	< 3.48	3.48	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,2,4-Trimethylbenzene (95-63-6)	< 4.60	4.60	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,2-Dibromoethane (106-93-4)	< 3.60	3.60	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,2-Dichlorobenzene (95-50-1)	< 2.71	2.71	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,2-Dichloroethane (107-06-2)	< 1.97	1.97	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,2-Dichloropropane (78-87-5)	< 2.16	2.16	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,2-Dichlorotetrafluoroethane (76-14-2)	< 3.40	3.40	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,3,5-Trimethylbenzene (108-67-8)	< 2.30	2.30	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,3-Butadiene (106-99-0)	< 1.08	1.08	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,3-Dichlorobenzene (541-73-1)	< 2.71	2.71	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,4-Dichlorobenzene (106-46-7)	< 2.82	2.82	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
1,4-Dioxane (123-91-1)	< 1.69	1.69	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
2-Butanone (MEK) (78-93-3)	4.65	1.43	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
2-Hexanone (591-78-6)	< 1.99	1.99	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
2-Propanol (67-63-0)	1.36	1.20	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
4-Ethyltoluene (622-96-8)	< 2.30	2.30	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
4-Methyl-2-pentanone (108-10-1)	< 1.92	1.92	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Acetone (67-64-1)	29.8	4.45	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Benzene (71-43-2)	< 3.11	3.11	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Benzyl chloride (100-44-7)	< 2.33	2.33	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Bromodichloromethane (75-27-4)	< 3.14	3.14	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Bromoform (75-25-2)	< 18.4	18.4	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Bromomethane (74-83-9)	< 1.89	1.89	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Carbon disulfide (75-15-0)	< 1.46	1.46	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Carbon Tetrachloride (56-23-5)	< 2.95	2.95	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Chlorobenzene (108-90-7)	< 2.24	2.24	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Chloroethane (75-00-3)	< 2.57	2.57	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Chloroform (67-66-3)	114	2.29	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Chloromethane (74-87-3)	< 1.00	1.00	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
cis-1,2-Dichloroethene (156-59-2)	13.3	1.93	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
cis-1,3-Dichloropropene (10061-01-5)	< 2.21	2.21	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	
Cyclohexane (110-82-7)	1.67	1.61	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	



Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-5

1303204-05 (Air)  
6/19/13 11:50

### Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analvzed/Analvst	Method	Notes
Dibromochloromethane (124-48-1)	< 3.99	3.99	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Dichlorodifluoromethane (75-71-8)	12.1	2.41	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Ethanol (64-17-5)	< 3.53	3.53	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Ethyl Acetate (141-78-6)	4.54	1.69	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Ethylbenzene (100-41-4)	< 2.11	2.11	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Hexachloro-1,3-butadiene (87-68-3)	< 5.00	5.00	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
m,p-Xylenes (179601-23-1)	< 4.15	4.15	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Methylene chloride (75-09-2)	< 3.38	3.38	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Methyl-t-butyl ether (1634-04-4)	< 1.69	1.69	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Naphthalene (91-20-3)	< 4.91	4.91	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
n-Heptane (142-82-5)	1.99	1.92	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
n-Hexane (110-54-3)	3.04	1.65	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
o-Xylene (95-47-6)	< 2.11	2.11	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Propylene (115-07-1)	< 3.22	3.22	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Styrene (100-42-5)	< 2.00	2.00	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Tetrachloroethene (127-18-4)	476000	2690	ug/m <sup>3</sup>	1,520	B3F0694	6/27/13	6/27/13 23:54	kr	EPA TO-15 vfa
Tetrahydrofuran (109-99-9)	< 1.38	1.38	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Toluene (108-88-3)	4.21	1.83	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
trans-1,2-Dichloroethene (156-60-5)	< 1.86	1.86	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15 qd
trans-1,3-Dichloropropene (10061-02-6)	< 2.29	2.29	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Trichloroethene (79-01-6)	581	2.52	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Trichlorofluoromethane (75-69-4)	< 2.83	2.83	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Vinyl acetate (108-05-4)	< 1.65	1.65	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Vinyl chloride (75-01-4)	< 1.24	1.24	ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Surrogate: 1,2-Dichloroethane-d4	141 %	Limits: 70-150%			B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Surrogate: 4-Bromofluorobenzene	84.3 %	Limits: 70-115%			B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15
Surrogate: Toluene-d8	96.5 %	Limits: 70-110%			B3F0639	6/25/13	6/26/13 19:23	bg	EPA TO-15



11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-5

1303204-05 (Air)  
6/19/13 11:50

**Tentatively Identified Compounds - Volatile Compounds**

Sample Note(s): tic, tt

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
+++ TICs not detected +++	< 0.0		ug/m <sup>3</sup>	1.8	B3F0639	6/25/13	6/26/13 19:23 bg	EPA TO-15	

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-6

1303204-06 (Air)  
6/19/13 13:19

**Volatile Organic Compounds**

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
1,1,1-Trichloroethane (71-55-6)	< 2.65	2.65	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,1,2,2-Tetrachloroethane (79-34-5)	< 3.46	3.46	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,1,2-Trichloroethane (79-00-5)	< 2.65	2.65	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,1,2-Trichlorotrifluoroethane (76-13-1)	< 3.86	3.86	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,1-Dichloroethane (75-34-3)	< 1.97	1.97	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,1-Dichloroethene (75-35-4)	< 2.00	2.00	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,2,4-Trichlorobenzene (120-82-1)	< 3.60	3.60	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,2,4-Trimethylbenzene (95-63-6)	< 4.77	4.77	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,2-Dibromoethane (106-93-4)	< 3.73	3.73	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,2-Dichlorobenzene (95-50-1)	< 2.81	2.81	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,2-Dichloroethane (107-06-2)	< 2.04	2.04	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,2-Dichloropropane (78-87-5)	< 2.24	2.24	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,2-Dichlorotetrafluoroethane (76-14-2)	< 3.53	3.53	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,3,5-Trimethylbenzene (108-67-8)	< 2.39	2.39	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,3-Butadiene (106-99-0)	< 1.12	1.12	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,3-Dichlorobenzene (541-73-1)	< 2.81	2.81	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,4-Dichlorobenzene (106-46-7)	< 2.92	2.92	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
1,4-Dioxane (123-91-1)	< 1.75	1.75	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
<b>2-Butanone (MEK) (78-93-3)</b>	<b>2.27</b>	1.49	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
2-Hexanone (591-78-6)	< 2.07	2.07	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
2-Propanol (67-63-0)	< 1.24	1.24	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
4-Ethyltoluene (622-96-8)	< 2.39	2.39	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
4-Methyl-2-pentanone (108-10-1)	< 1.99	1.99	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
<b>Acetone (67-64-1)</b>	<b>7.47</b>	4.61	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
Benzene (71-43-2)	< 3.22	3.22	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
Benzyl chloride (100-44-7)	< 2.42	2.42	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
Bromodichloromethane (75-27-4)	< 3.25	3.25	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
Bromoform (75-25-2)	< 19.1	19.1	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
Bromomethane (74-83-9)	< 1.96	1.96	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
Carbon disulfide (75-15-0)	< 1.51	1.51	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
Carbon Tetrachloride (56-23-5)	< 3.05	3.05	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
Chlorobenzene (108-90-7)	< 2.32	2.32	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
Chloroethane (75-00-3)	< 2.66	2.66	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
<b>Chloroform (67-66-3)</b>	<b>57.1</b>	2.37	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
Chloromethane (74-87-3)	< 1.04	1.04	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
cis-1,2-Dichloroethene (156-59-2)	< 2.00	2.00	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
cis-1,3-Dichloropropene (10061-01-5)	< 2.29	2.29	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15
Cyclohexane (110-82-7)	< 1.67	1.67	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31	bg	EPA TO-15

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-6

1303204-06 (Air)  
6/19/13 13:19

**Volatile Organic Compounds**

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
Dibromochloromethane (124-48-1)	< 4.14	4.14	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
<b>Dichlorodifluoromethane (75-71-8)</b>	<b>3.42</b>	2.49	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Ethanol (64-17-5)	< 3.66	3.66	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Ethyl Acetate (141-78-6)	< 1.75	1.75	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Ethylbenzene (100-41-4)	< 2.19	2.19	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Hexachloro-1,3-butadiene (87-68-3)	< 5.18	5.18	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
m,p-Xylenes (179601-23-1)	< 4.30	4.30	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Methylene chloride (75-09-2)	< 3.50	3.50	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Methyl-t-butyl ether (1634-04-4)	< 1.75	1.75	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Naphthalene (91-20-3)	< 5.09	5.09	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
n-Heptane (142-82-5)	< 1.99	1.99	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
n-Hexane (110-54-3)	< 1.71	1.71	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
o-Xylene (95-47-6)	< 2.19	2.19	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Propylene (115-07-1)	< 3.34	3.34	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Styrene (100-42-5)	< 2.07	2.07	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
<b>Tetrachloroethene (127-18-4)</b>	<b>17.3</b>	3.29	ug/m <sup>3</sup>	1.87	B3F0694	6/27/13	6/27/13 21:35 kr	EPA TO-15	
Tetrahydrofuran (109-99-9)	< 1.43	1.43	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
<b>Toluene (108-88-3)</b>	<b>2.46</b>	1.90	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
trans-1,2-Dichloroethene (156-60-5)	< 1.93	1.93	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	qd
trans-1,3-Dichloropropene (10061-02-6)	< 2.37	2.37	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Trichloroethene (79-01-6)	< 2.61	2.61	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Trichlorofluoromethane (75-69-4)	< 2.94	2.94	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Vinyl acetate (108-05-4)	< 1.71	1.71	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
Vinyl chloride (75-01-4)	< 1.29	1.29	ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>143 %</i>	<i>Limits: 70-150%</i>			<i>B3F0639</i>	<i>6/25/13</i>	<i>6/26/13 20:31 bg</i>	<i>EPA TO-15</i>	
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>84.5 %</i>	<i>Limits: 70-115%</i>			<i>B3F0639</i>	<i>6/25/13</i>	<i>6/26/13 20:31 bg</i>	<i>EPA TO-15</i>	
<i>Surrogate: Toluene-d8</i>	<i>97.5 %</i>	<i>Limits: 70-110%</i>			<i>B3F0639</i>	<i>6/25/13</i>	<i>6/26/13 20:31 bg</i>	<i>EPA TO-15</i>	



11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-6

1303204-06 (Air)  
6/19/13 13:19

**Tentatively Identified Compounds - Volatile Compounds**

Sample Note(s): tic, tt

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
2-Nitropropane (79-46-9)	410		ug/m <sup>3</sup>	1.87	B3F0639	6/25/13	6/26/13 20:31 bg	EPA TO-15	

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-7

1303204-07 (Air)  
6/19/13 14:58

## Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
1,1,1-Trichloroethane (71-55-6)	<2.53	2.53	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
1,1,2,2-Tetrachloroethane (79-34-5)	<3.31	3.31	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
1,1,2-Trichloroethane (79-00-5)	<2.53	2.53	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
1,1,2-Trichlorotrifluoroethane (76-13-1)	<3.69	3.69	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
1,1-Dichloroethane (75-34-3)	<1.88	1.88	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
1,1-Dichloroethene (75-35-4)	<1.91	1.91	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
1,2,4-Trichlorobenzene (120-82-1)	<3.44	3.44	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
<b>1,2,4-Trimethylbenzene (95-63-6)</b>	<b>7.90</b>	<b>4.56</b>	<b>ug/m<sup>3</sup></b>	<b>1.79</b>	<b>B3F0639</b>	<b>6/25/13</b>	<b>6/26/13 21:38 bg</b>	<b>EPA TO-15</b>	
1,2-Dibromoethane (106-93-4)	<3.57	3.57	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
1,2-Dichlorobenzene (95-50-1)	<2.68	2.68	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
1,2-Dichloroethane (107-06-2)	<1.95	1.95	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
1,2-Dichloropropane (78-87-5)	<2.14	2.14	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
1,2-Dichlorotetrafluoroethane (76-14-2)	<3.37	3.37	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
<b>1,3,5-Trimethylbenzene (108-67-8)</b>	<b>2.30</b>	<b>2.28</b>	<b>ug/m<sup>3</sup></b>	<b>1.79</b>	<b>B3F0639</b>	<b>6/25/13</b>	<b>6/26/13 21:38 bg</b>	<b>EPA TO-15</b>	
1,3-Butadiene (106-99-0)	<1.07	1.07	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
1,3-Dichlorobenzene (541-73-1)	<2.68	2.68	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
<b>1,4-Dichlorobenzene (106-46-7)</b>	<b>6.14</b>	<b>2.79</b>	<b>ug/m<sup>3</sup></b>	<b>1.79</b>	<b>B3F0639</b>	<b>6/25/13</b>	<b>6/26/13 21:38 bg</b>	<b>EPA TO-15</b>	
1,4-Dioxane (123-91-1)	<1.67	1.67	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
<b>2-Butanone (MEK) (78-93-3)</b>	<b>8.49</b>	<b>1.42</b>	<b>ug/m<sup>3</sup></b>	<b>1.79</b>	<b>B3F0639</b>	<b>6/25/13</b>	<b>6/26/13 21:38 bg</b>	<b>EPA TO-15</b>	
<b>2-Hexanone (591-78-6)</b>	<b>2.62</b>	<b>1.97</b>	<b>ug/m<sup>3</sup></b>	<b>1.79</b>	<b>B3F0639</b>	<b>6/25/13</b>	<b>6/26/13 21:38 bg</b>	<b>EPA TO-15</b>	
<b>2-Propanol (67-63-0)</b>	<b>5.02</b>	<b>1.18</b>	<b>ug/m<sup>3</sup></b>	<b>1.79</b>	<b>B3F0639</b>	<b>6/25/13</b>	<b>6/26/13 21:38 bg</b>	<b>EPA TO-15</b>	
<b>4-Ethyltoluene (622-96-8)</b>	<b>2.44</b>	<b>2.28</b>	<b>ug/m<sup>3</sup></b>	<b>1.79</b>	<b>B3F0639</b>	<b>6/25/13</b>	<b>6/26/13 21:38 bg</b>	<b>EPA TO-15</b>	
4-Methyl-2-pentanone (108-10-1)	<1.90	1.90	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
<b>Acetone (67-64-1)</b>	<b>27.2</b>	<b>4.41</b>	<b>ug/m<sup>3</sup></b>	<b>1.79</b>	<b>B3F0639</b>	<b>6/25/13</b>	<b>6/26/13 21:38 bg</b>	<b>EPA TO-15</b>	
Benzene (71-43-2)	<3.08	3.08	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
Benzyl chloride (100-44-7)	<2.31	2.31	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
Bromodichloromethane (75-27-4)	<3.11	3.11	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
Bromoform (75-25-2)	<18.3	18.3	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
Bromomethane (74-83-9)	<1.87	1.87	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
<b>Carbon disulfide (75-15-0)</b>	<b>5.97</b>	<b>1.44</b>	<b>ug/m<sup>3</sup></b>	<b>1.79</b>	<b>B3F0639</b>	<b>6/25/13</b>	<b>6/26/13 21:38 bg</b>	<b>EPA TO-15</b>	
Carbon Tetrachloride (56-23-5)	<2.92	2.92	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
Chlorobenzene (108-90-7)	<2.22	2.22	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
Chloroethane (75-00-3)	<2.54	2.54	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
Chloroform (67-66-3)	<2.27	2.27	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
<b>Chloromethane (74-87-3)</b>	<b>2.22</b>	<b>0.995</b>	<b>ug/m<sup>3</sup></b>	<b>1.79</b>	<b>B3F0639</b>	<b>6/25/13</b>	<b>6/26/13 21:38 bg</b>	<b>EPA TO-15</b>	
cis-1,2-Dichloroethene (156-59-2)	<1.91	1.91	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
cis-1,3-Dichloropropene (10061-01-5)	<2.19	2.19	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
Cyclohexane (110-82-7)	<1.60	1.60	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	

# BRAUN INTERTEC

11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-I2-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-7

1303204-07 (Air)  
6/19/13 14:58

## Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
Dibromochloromethane (124-48-1)	< 3.95	3.95	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Dichlorodifluoromethane (75-71-8)	80.6	2.38	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Ethanol (64-17-5)	561	35.0	ug/m <sup>3</sup>	17.9	B3G0073	7/2/13	7/3/13 21:47	bg	EPA TO-15 vfa
Ethyl Acetate (141-78-6)	2.25	1.67	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Ethylbenzene (100-41-4)	< 2.09	2.09	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Hexachloro-1,3-butadiene (87-68-3)	< 4.95	4.95	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
m,p-Xylenes (179601-23-1)	< 4.11	4.11	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Methylene chloride (75-09-2)	< 16.7	16.7	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Methyl-t-butyl ether (1634-04-4)	< 1.67	1.67	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Naphthalene (91-20-3)	< 4.87	4.87	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
n-Heptane (142-82-5)	2.40	1.90	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
n-Hexane (110-54-3)	1.66	1.64	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
o-Xylene (95-47-6)	< 2.09	2.09	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Propylene (115-07-1)	< 3.19	3.19	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Styrene (100-42-5)	< 1.98	1.98	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Tetrachloroethene (127-18-4)	16.0	3.15	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Tetrahydrofuran (109-99-9)	4.31	1.37	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Toluene (108-88-3)	12.7	1.82	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
trans-1,2-Dichloroethene (156-60-5)	< 1.84	1.84	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15 qd
trans-1,3-Dichloropropene (10061-02-6)	< 2.27	2.27	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Trichloroethene (79-01-6)	< 2.49	2.49	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Trichlorofluoromethane (75-69-4)	< 2.81	2.81	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Vinyl acetate (108-05-4)	< 1.63	1.63	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Vinyl chloride (75-01-4)	< 1.23	1.23	ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Surrogate: 1,2-Dichloroethane-d4	141 %	Limits: 70-150%			B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Surrogate: 4-Bromofluorobenzene	85.3 %	Limits: 70-115%			B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15
Surrogate: Toluene-d8	97.3 %	Limits: 70-110%			B3F0639	6/25/13	6/26/13 21:38	bg	EPA TO-15



11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

SS-7

1303204-07 (Air)  
6/19/13 14:58

Tentatively Identified Compounds - Volatile Compounds

Sample Note(s): tic, tt

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
2-Pentene (109-68-2)	42		ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	
Unknown analyte (NA)	71		ug/m <sup>3</sup>	1.79	B3F0639	6/25/13	6/26/13 21:38 bg	EPA TO-15	tu



Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-8

1303204-08 (Air)  
6/19/13 15:40

## Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
1,1,1-Trichloroethane (71-55-6)	< 2.47	2.47	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,1,2,2-Tetrachloroethane (79-34-5)	< 3.23	3.23	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,1,2-Trichloroethane (79-00-5)	< 2.47	2.47	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,1,2-Trichlorotrifluoroethane (76-13-1)	< 3.60	3.60	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,1-Dichloroethane (75-34-3)	< 1.83	1.83	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,1-Dichloroethene (75-35-4)	< 1.86	1.86	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,2,4-Trichlorobenzene (120-82-1)	< 3.36	3.36	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,2,4-Trimethylbenzene (95-63-6)	< 4.45	4.45	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,2-Dibromoethane (106-93-4)	< 3.48	3.48	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,2-Dichlorobenzene (95-50-1)	< 2.62	2.62	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,2-Dichloroethane (107-06-2)	< 1.90	1.90	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,2-Dichloropropane (78-87-5)	< 2.09	2.09	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,2-Dichlorotetrafluoroethane (76-14-2)	< 3.28	3.28	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,3,5-Trimethylbenzene (108-67-8)	< 2.22	2.22	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,3-Butadiene (106-99-0)	< 1.04	1.04	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,3-Dichlorobenzene (541-73-1)	< 2.62	2.62	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,4-Dichlorobenzene (106-46-7)	< 2.72	2.72	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
1,4-Dioxane (123-91-1)	< 1.63	1.63	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
2-Butanone (MEK) (78-93-3)	6.67	1.39	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
2-Hexanone (591-78-6)	< 1.92	1.92	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
2-Propanol (67-63-0)	1.95	1.15	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
4-Ethyltoluene (622-96-8)	< 2.22	2.22	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
4-Methyl-2-pentanone (108-10-1)	< 1.85	1.85	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Acetone (67-64-1)	39.3	4.30	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Benzene (71-43-2)	< 3.00	3.00	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Benzyl chloride (100-44-7)	< 2.25	2.25	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Bromodichloromethane (75-27-4)	< 3.03	3.03	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Bromoform (75-25-2)	< 17.8	17.8	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Bromomethane (74-83-9)	< 1.82	1.82	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Carbon disulfide (75-15-0)	2.42	1.41	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Carbon Tetrachloride (56-23-5)	< 2.85	2.85	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Chlorobenzene (108-90-7)	< 2.16	2.16	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Chloroethane (75-00-3)	< 2.48	2.48	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Chloroform (67-66-3)	< 2.21	2.21	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Chloromethane (74-87-3)	< 0.970	0.970	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
cis-1,2-Dichloroethene (156-59-2)	< 1.86	1.86	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
cis-1,3-Dichloropropene (10061-01-5)	< 2.13	2.13	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Cyclohexane (110-82-7)	< 1.56	1.56	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-8

1303204-08 (Air)  
6/19/13 15:40

## Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
Dibromochloromethane (124-48-1)	< 3.85	3.85	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Dichlorodifluoromethane (75-71-8)	6.29	2.32	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Ethanol (64-17-5)	9.16	3.41	ug/m <sup>3</sup>	1.74	B3G0073	6/25/13	7/3/13 20:38 bg	EPA TO-15	
Ethyl Acetate (141-78-6)	< 1.63	1.63	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Ethylbenzene (100-41-4)	< 2.04	2.04	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Hexachloro-1,3-butadiene (87-68-3)	< 4.83	4.83	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
m,p-Xylenes (179601-23-1)	< 4.01	4.01	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Methylene chloride (75-09-2)	< 3.26	3.26	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Methyl-t-butyl ether (1634-04-4)	< 1.63	1.63	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Naphthalene (91-20-3)	< 4.74	4.74	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
n-Heptane (142-82-5)	< 1.85	1.85	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
n-Hexane (110-54-3)	< 1.59	1.59	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
o-Xylene (95-47-6)	< 2.04	2.04	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Propylene (115-07-1)	< 3.11	3.11	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Styrene (100-42-5)	< 1.93	1.93	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Tetrachloroethene (127-18-4)	15.4	3.07	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Tetrahydrofuran (109-99-9)	< 1.33	1.33	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Toluene (108-88-3)	5.22	1.77	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
trans-1,2-Dichloroethene (156-60-5)	< 1.79	1.79	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	qd
trans-1,3-Dichloropropene (10061-02-6)	< 2.21	2.21	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Trichloroethene (79-01-6)	< 2.43	2.43	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Trichlorofluoromethane (75-69-4)	4.20	2.74	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Vinyl acetate (108-05-4)	< 1.59	1.59	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Vinyl chloride (75-01-4)	< 1.20	1.20	ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Surrogate: 1,2-Dichloroethane-d4	141 %	Limits: 70-150%			B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Surrogate: 4-Bromofluorobenzene	84.1 %	Limits: 70-115%			B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Surrogate: Toluene-d8	101 %	Limits: 70-110%			B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	

# BRAUN INTERTEC

11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

SS-8

1303204-08 (Air)  
6/19/13 15:40

## Tentatively Identified Compounds - Volatile Compounds

Sample Note(s): tic, tt

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
2-Pentene (109-68-2)	27		ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	
Unknown analyte (NA)	140		ug/m <sup>3</sup>	1.74	B3F0639	6/25/13	6/26/13 22:45 bg	EPA TO-15	tu

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## IA-1

1303204-09 (Air)  
6/19/13 12:31

### Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
1,1,1-Trichloroethane (71-55-6)	< 2.42	2.42	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,1,2,2-Tetrachloroethane (79-34-5)	< 3.17	3.17	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,1,2-Trichloroethane (79-00-5)	< 2.42	2.42	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,1,2-Trichlorotrifluoroethane (76-13-1)	< 3.53	3.53	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,1-Dichloroethane (75-34-3)	< 1.80	1.80	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,1-Dichloroethene (75-35-4)	< 1.83	1.83	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,2,4-Trichlorobenzene (120-82-1)	< 3.30	3.30	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
<b>1,2,4-Trimethylbenzene (95-63-6)</b>	<b>6.26</b>	4.37	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,2-Dibromoethane (106-93-4)	< 3.41	3.41	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,2-Dichlorobenzene (95-50-1)	< 2.57	2.57	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,2-Dichloroethane (107-06-2)	< 1.87	1.87	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,2-Dichloropropane (78-87-5)	< 2.05	2.05	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,2-Dichlorotetrafluoroethane (76-14-2)	< 3.22	3.22	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,3,5-Trimethylbenzene (108-67-8)	< 2.18	2.18	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
<b>1,3-Butadiene (106-99-0)</b>	<b>1.05</b>	1.02	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,3-Dichlorobenzene (541-73-1)	< 2.57	2.57	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,4-Dichlorobenzene (106-46-7)	< 2.67	2.67	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
1,4-Dioxane (123-91-1)	< 1.60	1.60	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
<b>2-Butanone (MEK) (78-93-3)</b>	<b>2.30</b>	1.36	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
2-Hexanone (591-78-6)	< 1.89	1.89	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
<b>2-Propanol (67-63-0)</b>	<b>124</b>	1.13	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
4-Ethyltoluene (622-96-8)	< 2.18	2.18	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
4-Methyl-2-pentanone (108-10-1)	< 1.82	1.82	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
<b>Acetone (67-64-1)</b>	<b>46.7</b>	4.22	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
<b>Benzene (71-43-2)</b>	<b>7.14</b>	2.95	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Benzyl chloride (100-44-7)	< 2.21	2.21	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Bromodichloromethane (75-27-4)	< 2.98	2.98	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Bromoform (75-25-2)	< 17.5	17.5	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Bromomethane (74-83-9)	< 1.79	1.79	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Carbon disulfide (75-15-0)	< 1.38	1.38	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Carbon Tetrachloride (56-23-5)	< 2.79	2.79	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Chlorobenzene (108-90-7)	< 2.12	2.12	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Chloroethane (75-00-3)	< 2.43	2.43	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Chloroform (67-66-3)	< 2.17	2.17	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
<b>Chloromethane (74-87-3)</b>	<b>1.72</b>	0.952	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
cis-1,2-Dichloroethene (156-59-2)	< 1.83	1.83	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
cis-1,3-Dichloropropene (10061-01-5)	< 2.09	2.09	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
<b>Cyclohexane (110-82-7)</b>	<b>2.40</b>	1.53	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	



11001 Hampshire Ave. S.  
 Minneapolis, MN 55438  
 952.995.2000 Phone  
 952.995.2020 Fax

Braun Intertec-LaCrosse  
 2309 Palace Street  
 La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
 Client Contact: Mr. Kevin Nestingen  
 PO Number: LC-12-03519

Report #: 1303204  
 Project Mgr: Thomas P. Wagner  
 Account ID:

IA-1

1303204-09 (Air)  
 6/19/13 12:31

Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
Dibromochloromethane (124-48-1)	< 3.78	3.78	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPATO-15	
Dichlorodifluoromethane (75-71-8)	2.58	2.28	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Ethanol (64-17-5)	17.9	3.35	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Ethyl Acetate (141-78-6)	< 1.60	1.60	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Ethylbenzene (100-41-4)	4.46	2.00	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Hexachloro-1,3-butadiene (87-68-3)	< 4.74	4.74	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
m,p-Xylenes (179601-23-1)	15.2	3.93	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Methylene chloride (75-09-2)	< 3.20	3.20	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Methyl-t-butyl ether (1634-04-4)	< 1.60	1.60	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Naphthalene (91-20-3)	< 4.66	4.66	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
n-Heptane (142-82-5)	3.41	1.82	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
n-Hexane (110-54-3)	13.2	1.57	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
o-Xylene (95-47-6)	5.52	2.00	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Propylene (115-07-1)	37.2	3.06	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Styrene (100-42-5)	< 1.89	1.89	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Tetrachloroethene (127-18-4)	< 3.01	3.01	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Tetrahydrofuran (109-99-9)	< 1.31	1.31	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Toluene (108-88-3)	23.8	1.74	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
trans-1,2-Dichloroethene (156-60-5)	< 1.76	1.76	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	qd
trans-1,3-Dichloropropene (10061-02-6)	< 2.17	2.17	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Trichloroethene (79-01-6)	< 2.39	2.39	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Trichlorofluoromethane (75-69-4)	< 2.69	2.69	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Vinyl acetate (108-05-4)	< 1.56	1.56	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Vinyl chloride (75-01-4)	< 1.18	1.18	ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Surrogate: 1,2-Dichloroethane-d4	135 %	Limits: 70-150%			B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Surrogate: 4-Bromofluorobenzene	82.2 %	Limits: 70-115%			B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	
Surrogate: Toluene-d8	97.0 %	Limits: 70-110%			B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	



11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

**IA-1**

1303204-09 (Air)  
6/19/13 12:31

**Tentatively Identified Compounds - Volatile Compounds**

Sample Note(s): tic, tt

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
Unknown analyte (NA)	85		ug/m <sup>3</sup>	1.71	B3F0639	6/25/13	6/26/13 23:53 bg	EPA TO-15	tu

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

**IA-2**

**1303204-10 (Air)**  
**6/21/13 9:15**

**Volatile Organic Compounds**

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
1,1,1-Trichloroethane (71-55-6)	< 2.87	2.87	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,1,2,2-Tetrachloroethane (79-34-5)	< 3.75	3.75	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,1,2-Trichloroethane (79-00-5)	< 2.87	2.87	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,1,2-Trichlorotrifluoroethane (76-13-1)	< 4.19	4.19	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,1-Dichloroethane (75-34-3)	< 2.13	2.13	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,1-Dichloroethene (75-35-4)	< 2.17	2.17	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,2,4-Trichlorobenzene (120-82-1)	< 3.90	3.90	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,2,4-Trimethylbenzene (95-63-6)	< 5.17	5.17	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,2-Dibromoethane (106-93-4)	< 4.04	4.04	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,2-Dichlorobenzene (95-50-1)	< 3.04	3.04	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,2-Dichloroethane (107-06-2)	< 2.21	2.21	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,2-Dichloropropane (78-87-5)	< 2.43	2.43	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,2-Dichlorotetrafluoroethane (76-14-2)	< 3.82	3.82	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,3,5-Trimethylbenzene (108-67-8)	< 2.59	2.59	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,3-Butadiene (106-99-0)	< 1.21	1.21	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,3-Dichlorobenzene (541-73-1)	< 3.04	3.04	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,4-Dichlorobenzene (106-46-7)	< 3.16	3.16	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
1,4-Dioxane (123-91-1)	< 1.90	1.90	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
2-Butanone (MEK) (78-93-3)	< 1.61	1.61	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
2-Hexanone (591-78-6)	< 2.24	2.24	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
<b>2-Propanol (67-63-0)</b>	<b>9.37</b>	1.34	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
4-Ethyltoluene (622-96-8)	< 2.59	2.59	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
4-Methyl-2-pentanone (108-10-1)	< 2.15	2.15	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
<b>Acetone (67-64-1)</b>	<b>28.1</b>	5.00	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Benzene (71-43-2)	< 3.49	3.49	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Benzyl chloride (100-44-7)	< 2.62	2.62	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Bromodichloromethane (75-27-4)	< 3.52	3.52	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Bromoform (75-25-2)	< 20.7	20.7	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Bromomethane (74-83-9)	< 2.12	2.12	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Carbon disulfide (75-15-0)	< 1.64	1.64	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Carbon Tetrachloride (56-23-5)	< 3.31	3.31	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Chlorobenzene (108-90-7)	< 2.51	2.51	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Chloroethane (75-00-3)	< 2.88	2.88	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Chloroform (67-66-3)	< 2.57	2.57	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
<b>Chloromethane (74-87-3)</b>	<b>1.44</b>	1.13	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
cis-1,2-Dichloroethene (156-59-2)	< 2.17	2.17	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
cis-1,3-Dichloropropene (10061-01-5)	< 2.48	2.48	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Cyclohexane (110-82-7)	< 1.81	1.81	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

IA-2

1303204-10 (Air)  
6/21/13 9:15

Volatile Organic Compounds

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analvzed/Analvst	Method	Notes
Dibromochloromethane (124-48-1)	< 4.48	4.48	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Dichlorodifluoromethane (75-71-8)	< 2.70	2.70	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
<b>Ethanol (64-17-5)</b>	<b>192</b>	3.96	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Ethyl Acetate (141-78-6)	< 1.90	1.90	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Ethylbenzene (100-41-4)	< 2.37	2.37	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Hexachloro-1,3-butadiene (87-68-3)	< 5.61	5.61	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
m,p-Xylenes (179601-23-1)	< 4.66	4.66	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Methylene chloride (75-09-2)	< 3.79	3.79	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Methyl-t-butyl ether (1634-04-4)	< 1.90	1.90	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Naphthalene (91-20-3)	< 5.51	5.51	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
n-Heptane (142-82-5)	< 2.16	2.16	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
n-Hexane (110-54-3)	< 1.85	1.85	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
o-Xylene (95-47-6)	< 2.37	2.37	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Propylene (115-07-1)	< 3.62	3.62	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Styrene (100-42-5)	< 2.24	2.24	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Tetrachloroethene (127-18-4)	< 3.57	3.57	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Tetrahydrofuran (109-99-9)	< 1.55	1.55	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Toluene (108-88-3)	< 2.06	2.06	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
trans-1,2-Dichloroethene (156-60-5)	< 2.09	2.09	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	qd
trans-1,3-Dichloropropene (10061-02-6)	< 2.57	2.57	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Trichloroethene (79-01-6)	< 2.83	2.83	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Trichlorofluoromethane (75-69-4)	< 3.18	3.18	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Vinyl acetate (108-05-4)	< 1.85	1.85	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Vinyl chloride (75-01-4)	< 1.40	1.40	ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>145 %</i>	<i>Limits: 70-150%</i>			<i>B3F0639</i>	<i>6/25/13</i>	<i>6/27/13 1:00 bg</i>	<i>EPA TO-15</i>	
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>83.1 %</i>	<i>Limits: 70-115%</i>			<i>B3F0639</i>	<i>6/25/13</i>	<i>6/27/13 1:00 bg</i>	<i>EPA TO-15</i>	
<i>Surrogate: Toluene-d8</i>	<i>95.9 %</i>	<i>Limits: 70-110%</i>			<i>B3F0639</i>	<i>6/25/13</i>	<i>6/27/13 1:00 bg</i>	<i>EPA TO-15</i>	





11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

**IA-2**

**1303204-10 (Air)**  
**6/21/13 9:15**

**Tentatively Identified Compounds - Volatile Compounds**

Sample Note(s): tic, tt

Analyte	Result	MRL	Units	Dilution	Batch	Prepared	Analyzed/Analyst	Method	Notes
1,1-Difluoroethane (75-37-6)	63		ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	
Unknown analyte (NA)	100		ug/m <sup>3</sup>	2.02	B3F0639	6/25/13	6/27/13 1:00 bg	EPA TO-15	tu

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0639 - TO-15

Method Blank (B3F0639-BLK1)

Prepared: 06/25/13 Analyzed: 06/26/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	< 1.42	1.42	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	< 1.85	1.85	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	< 1.42	1.42	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1,2-Trichlorotrifluoroethane	< 2.07	2.07	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	< 1.05	1.05	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	< 1.07	1.07	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	< 1.93	1.93	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	< 2.55	2.55	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	< 2.00	2.00	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	< 1.50	1.50	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	< 1.09	1.09	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	< 1.20	1.20	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dichlorotetrafluoroethane	< 1.89	1.89	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	< 1.28	1.28	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,3-Butadiene	< 0.597	0.597	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	< 1.50	1.50	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,4-Dichlorobenzene	< 1.56	1.56	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,4-Dioxane	< 0.936	0.936	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	< 0.796	0.796	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
2-Hexanone	< 1.11	1.11	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
2-Propanol	< 0.663	0.663	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
4-Ethyltoluene	< 1.28	1.28	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
4-Methyl-2-pentanone	< 1.06	1.06	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Acetone	< 2.47	2.47	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Benzene	< 1.72	1.72	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Benzyl chloride	< 1.29	1.29	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	< 1.74	1.74	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Bromoform	< 10.2	10.2	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Bromomethane	< 1.05	1.05	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Carbon disulfide	< 0.809	0.809	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	< 1.63	1.63	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Chlorobenzene	< 1.24	1.24	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Chloroethane	< 1.42	1.42	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Chloroform	< 1.27	1.27	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Chloromethane	< 0.557	0.557	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
cis-1,2-Dichloroethene	< 1.07	1.07	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
cis-1,3-Dichloropropene	< 1.22	1.22	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Cyclohexane	< 0.894	0.894	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0639 - TO-15

#### Method Blank (B3F0639-BLK1)

Prepared: 06/25/13 Analyzed: 06/26/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Dibromochloromethane	< 2.21	2.21	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane	< 1.33	1.33	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Ethanol	< 1.96	1.96	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Ethyl Acetate	< 0.936	0.936	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Ethylbenzene	< 1.17	1.17	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Hexachloro-1,3-butadiene	< 2.77	2.77	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
m,p-Xylenes	< 2.30	2.30	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Methylene chloride	< 1.87	1.87	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Methyl-t-butyl ether	< 0.937	0.937	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Naphthalene	< 2.72	2.72	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
n-Heptane	< 1.06	1.06	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
n-Hexane	< 0.916	0.916	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
o-Xylene	< 1.17	1.17	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Propylene	< 1.79	1.79	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Styrene	< 1.11	1.11	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	< 1.76	1.76	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Tetrahydrofuran	< 0.766	0.766	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Toluene	< 1.02	1.02	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	< 1.03	1.03	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
trans-1,3-Dichloropropene	< 1.27	1.27	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Trichloroethene	< 1.40	1.40	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Trichlorofluoromethane	< 1.57	1.57	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Vinyl acetate	< 0.915	0.915	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Vinyl chloride	< 0.690	0.690	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Surrogate: 1,2-Dichloroethane-d4	26.7		ug/m <sup>3</sup>	21.0	NA	127	70-150			
Surrogate: 4-Bromofluorobenzene	36.2		ug/m <sup>3</sup>	35.8	NA	101	70-115			
Surrogate: Toluene-d8	23.9		ug/m <sup>3</sup>	20.5	NA	117	70-110			viii

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0639 - TO-15

Laboratory Control Sample (B3F0639-BS1)

Prepared: 06/25/13 Analyzed: 06/26/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	57.8	1.42	ug/m <sup>3</sup>	57.3	NA	101	70-130	NA	NA	
1,1,2,2-Tetrachloroethane	70.6	1.85	ug/m <sup>3</sup>	72.7	NA	97.1	70-130	NA	NA	
1,1,2-Trichloroethane	57.9	1.42	ug/m <sup>3</sup>	56.7	NA	102	70-130	NA	NA	
1,1,2-Trichlorotrifluoroethane	79.8	2.07	ug/m <sup>3</sup>	81.2	NA	98.3	70-130	NA	NA	
1,1-Dichloroethane	44.1	1.05	ug/m <sup>3</sup>	42.5	NA	104	70-130	NA	NA	
1,1-Dichloroethene	41.9	1.07	ug/m <sup>3</sup>	43.2	NA	97.1	70-130	NA	NA	
1,2,4-Trichlorobenzene	74.0	1.93	ug/m <sup>3</sup>	77.9	NA	95.0	70-130	NA	NA	
1,2,4-Trimethylbenzene	49.0	2.55	ug/m <sup>3</sup>	50.6	NA	96.9	70-130	NA	NA	
1,2-Dibromoethane	79.8	2.00	ug/m <sup>3</sup>	80.6	NA	99.0	70-130	NA	NA	
1,2-Dichlorobenzene	58.2	1.50	ug/m <sup>3</sup>	60.7	NA	95.9	70-130	NA	NA	
1,2-Dichloroethane	44.5	1.09	ug/m <sup>3</sup>	42.9	NA	104	70-130	NA	NA	
1,2-Dichloropropane	49.5	1.20	ug/m <sup>3</sup>	48.5	NA	102	70-130	NA	NA	
1,2-Dichlorotetrafluoroethane	72.5	1.89	ug/m <sup>3</sup>	74.1	NA	98.0	70-130	NA	NA	
1,3,5-Trimethylbenzene	50.5	1.28	ug/m <sup>3</sup>	51.1	NA	98.8	70-130	NA	NA	
1,3-Butadiene	22.1	0.597	ug/m <sup>3</sup>	24.1	NA	91.8	70-130	NA	NA	
1,3-Dichlorobenzene	59.1	1.50	ug/m <sup>3</sup>	60.7	NA	97.5	70-130	NA	NA	
1,4-Dichlorobenzene	60.4	1.56	ug/m <sup>3</sup>	61.9	NA	97.5	70-130	NA	NA	
1,4-Dioxane	38.2	0.936	ug/m <sup>3</sup>	36.7	NA	104	70-130	NA	NA	
2-Butanone (MEK)	32.1	0.796	ug/m <sup>3</sup>	31.2	NA	103	70-130	NA	NA	
2-Hexanone	44.8	1.11	ug/m <sup>3</sup>	43.8	NA	102	70-130	NA	NA	
2-Propanol	22.1	0.663	ug/m <sup>3</sup>	26.8	NA	82.5	70-130	NA	NA	
4-Ethyltoluene	50.9	1.28	ug/m <sup>3</sup>	51.6	NA	98.7	70-130	NA	NA	
4-Methyl-2-pentanone	42.9	1.06	ug/m <sup>3</sup>	41.8	NA	103	70-130	NA	NA	
Acetone	24.3	2.47	ug/m <sup>3</sup>	24.7	NA	98.4	70-130	NA	NA	
Benzene	32.6	1.72	ug/m <sup>3</sup>	34.2	NA	95.5	70-130	NA	NA	
Benzyl chloride	52.3	1.29	ug/m <sup>3</sup>	52.3	NA	100	70-130	NA	NA	
Bromodichloromethane	67.3	1.74	ug/m <sup>3</sup>	68.3	NA	98.5	70-130	NA	NA	
Bromoform	438	10.2	ug/m <sup>3</sup>	410	NA	107	70-130	NA	NA	
Bromomethane	39.6	1.05	ug/m <sup>3</sup>	41.9	NA	94.4	70-130	NA	NA	
Carbon disulfide	31.5	0.809	ug/m <sup>3</sup>	32.4	NA	97.3	70-130	NA	NA	
Carbon Tetrachloride	64.7	1.63	ug/m <sup>3</sup>	65.4	NA	99.0	70-130	NA	NA	
Chlorobenzene	47.5	1.24	ug/m <sup>3</sup>	49.2	NA	96.6	70-130	NA	NA	
Chloroethane	25.6	1.42	ug/m <sup>3</sup>	27.9	NA	91.7	70-130	NA	NA	
Chloroform	51.0	1.27	ug/m <sup>3</sup>	51.2	NA	99.5	70-130	NA	NA	
Chloromethane	22.3	0.557	ug/m <sup>3</sup>	21.9	NA	102	70-130	NA	NA	
cis-1,2-Dichloroethene	44.5	1.07	ug/m <sup>3</sup>	42.0	NA	106	70-130	NA	NA	
cis-1,3-Dichloropropene	50.2	1.22	ug/m <sup>3</sup>	48.5	NA	103	70-130	NA	NA	
Cyclohexane	34.5	0.894	ug/m <sup>3</sup>	35.1	NA	98.3	70-130	NA	NA	
Dibromochloromethane	87.2	2.21	ug/m <sup>3</sup>	87.7	NA	99.5	70-130	NA	NA	
Dichlorodifluoromethane	51.0	1.33	ug/m <sup>3</sup>	52.4	NA	97.3	70-130	NA	NA	

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0639 - TO-15

Laboratory Control Sample (B3F0639-BS1)

Prepared: 06/25/13 Analyzed: 06/26/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Ethanol	17.4	1.96	ug/m <sup>3</sup>	19.6	NA	88.6	70-130	NA	NA	
Ethyl Acetate	37.9	0.936	ug/m <sup>3</sup>	37.8	NA	100	70-130	NA	NA	
Ethylbenzene	45.7	1.17	ug/m <sup>3</sup>	46.4	NA	98.4	70-130	NA	NA	
Hexachloro-1,3-butadiene	110	2.77	ug/m <sup>3</sup>	112	NA	98.0	70-130	NA	NA	
m,p-Xylenes	89.0	2.30	ug/m <sup>3</sup>	92.0	NA	96.8	70-130	NA	NA	
Methylene chloride	32.0	1.87	ug/m <sup>3</sup>	37.5	NA	85.4	70-130	NA	NA	
Methyl-t-butyl ether	37.9	0.937	ug/m <sup>3</sup>	37.1	NA	102	70-130	NA	NA	
Naphthalene	56.5	2.72	ug/m <sup>3</sup>	55.0	NA	103	70-130	NA	NA	
n-Heptane	41.3	1.06	ug/m <sup>3</sup>	42.6	NA	97.1	70-130	NA	NA	
n-Hexane	35.7	0.916	ug/m <sup>3</sup>	36.6	NA	97.5	70-130	NA	NA	
o-Xylene	45.5	1.17	ug/m <sup>3</sup>	46.0	NA	98.9	70-130	NA	NA	
Propylene	13.6	1.79	ug/m <sup>3</sup>	17.9	NA	76.2	70-130	NA	NA	
Styrene	40.7	1.11	ug/m <sup>3</sup>	44.7	NA	91.1	70-130	NA	NA	
Tetrachloroethene	68.0	1.76	ug/m <sup>3</sup>	70.5	NA	96.5	70-130	NA	NA	
Tetrahydrofuran	32.6	0.766	ug/m <sup>3</sup>	30.9	NA	105	70-130	NA	NA	
Toluene	39.2	1.02	ug/m <sup>3</sup>	40.7	NA	96.4	70-130	NA	NA	
trans-1,2-Dichloroethene	46.2	1.03	ug/m <sup>3</sup>	40.8	NA	113	70-130	NA	NA	
trans-1,3-Dichloropropene	50.2	1.27	ug/m <sup>3</sup>	49.9	NA	101	70-130	NA	NA	
Trichloroethene	56.0	1.40	ug/m <sup>3</sup>	54.8	NA	102	70-130	NA	NA	
Trichlorofluoromethane	61.0	1.57	ug/m <sup>3</sup>	61.8	NA	98.8	70-130	NA	NA	
Vinyl acetate	40.1	0.915	ug/m <sup>3</sup>	36.9	NA	108	70-130	NA	NA	
Vinyl chloride	25.1	0.690	ug/m <sup>3</sup>	27.6	NA	90.8	70-130	NA	NA	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>19.2</i>		<i>ug/m<sup>3</sup></i>	<i>18.9</i>	<i>NA</i>	<i>102</i>	<i>70-150</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>30.3</i>		<i>ug/m<sup>3</sup></i>	<i>32.2</i>	<i>NA</i>	<i>94.2</i>	<i>70-115</i>			
<i>Surrogate: Toluene-d8</i>	<i>18.7</i>		<i>ug/m<sup>3</sup></i>	<i>18.4</i>	<i>NA</i>	<i>101</i>	<i>70-110</i>			

Laboratory Control Sample Duplicate (B3F0639-BSD1)

Prepared: 06/25/13 Analyzed: 06/26/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	57.8	1.42	ug/m <sup>3</sup>	57.3	NA	101	70-130	0.00	25	
1,1,2,2-Tetrachloroethane	72.4	1.85	ug/m <sup>3</sup>	72.7	NA	99.5	70-130	2.42	25	
1,1,2-Trichloroethane	58.6	1.42	ug/m <sup>3</sup>	56.7	NA	103	70-130	1.28	25	
1,1,2-Trichlorotrifluoroethane	81.2	2.07	ug/m <sup>3</sup>	81.2	NA	100	70-130	1.73	25	
1,1-Dichloroethane	42.4	1.05	ug/m <sup>3</sup>	42.5	NA	99.9	70-130	3.85	25	
1,1-Dichloroethene	42.9	1.07	ug/m <sup>3</sup>	43.2	NA	99.3	70-130	2.28	25	
1,2,4-Trichlorobenzene	75.6	1.93	ug/m <sup>3</sup>	77.9	NA	97.0	70-130	2.12	25	
1,2,4-Trimethylbenzene	50.4	2.55	ug/m <sup>3</sup>	50.6	NA	99.7	70-130	2.80	25	
1,2-Dibromoethane	81.3	2.00	ug/m <sup>3</sup>	80.6	NA	101	70-130	1.89	25	
1,2-Dichlorobenzene	59.6	1.50	ug/m <sup>3</sup>	60.7	NA	98.2	70-130	2.40	25	
1,2-Dichloroethane	43.7	1.09	ug/m <sup>3</sup>	42.9	NA	102	70-130	1.93	25	

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reports\RPT 05.06

Page 38 of 87

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0639 - TO-15

Laboratory Control Sample Duplicate (B3F0639-BSD1)

Prepared: 06/25/13 Analyzed: 06/26/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,2-Dichloropropane	48.7	1.20	ug/m <sup>3</sup>	48.5	NA	100	70-130	1.61	25	
1,2-Dichlorotetrafluoroethane	73.4	1.89	ug/m <sup>3</sup>	74.1	NA	99.2	70-130	1.23	25	
1,3,5-Trimethylbenzene	50.8	1.28	ug/m <sup>3</sup>	51.1	NA	99.5	70-130	0.650	25	
1,3-Butadiene	24.2	0.597	ug/m <sup>3</sup>	24.1	NA	100	70-130	9.00	25	
1,3-Dichlorobenzene	60.4	1.50	ug/m <sup>3</sup>	60.7	NA	99.5	70-130	2.08	25	
1,4-Dichlorobenzene	61.8	1.56	ug/m <sup>3</sup>	61.9	NA	99.9	70-130	2.42	25	
1,4-Dioxane	38.4	0.936	ug/m <sup>3</sup>	36.7	NA	105	70-130	0.573	25	
2-Butanone (MEK)	31.4	0.796	ug/m <sup>3</sup>	31.2	NA	101	70-130	2.12	25	
2-Hexanone	45.4	1.11	ug/m <sup>3</sup>	43.8	NA	104	70-130	1.27	25	
2-Propanol	21.6	0.663	ug/m <sup>3</sup>	26.8	NA	80.6	70-130	2.28	25	
4-Ethyltoluene	52.2	1.28	ug/m <sup>3</sup>	51.6	NA	101	70-130	2.43	25	
4-Methyl-2-pentanone	43.9	1.06	ug/m <sup>3</sup>	41.8	NA	105	70-130	2.17	25	
Acetone	23.9	2.47	ug/m <sup>3</sup>	24.7	NA	96.8	70-130	1.65	25	
Benzene	33.2	1.72	ug/m <sup>3</sup>	34.2	NA	97.2	70-130	1.77	25	
Benzyl chloride	51.8	1.29	ug/m <sup>3</sup>	52.3	NA	99.2	70-130	0.775	25	
Bromodichloromethane	67.6	1.74	ug/m <sup>3</sup>	68.3	NA	99.0	70-130	0.437	25	
Bromoform	454	10.2	ug/m <sup>3</sup>	410	NA	111	70-130	3.55	25	
Bromomethane	41.2	1.05	ug/m <sup>3</sup>	41.9	NA	98.4	70-130	4.08	25	
Carbon disulfide	32.1	0.809	ug/m <sup>3</sup>	32.4	NA	99.1	70-130	1.77	25	
Carbon Tetrachloride	65.6	1.63	ug/m <sup>3</sup>	65.4	NA	100	70-130	1.33	25	
Chlorobenzene	47.8	1.24	ug/m <sup>3</sup>	49.2	NA	97.1	70-130	0.608	25	
Chloroethane	24.7	1.42	ug/m <sup>3</sup>	27.9	NA	88.2	70-130	3.87	25	
Chloroform	51.5	1.27	ug/m <sup>3</sup>	51.2	NA	101	70-130	0.981	25	
Chloromethane	23.0	0.557	ug/m <sup>3</sup>	21.9	NA	105	70-130	3.34	25	
cis-1,2-Dichloroethene	43.4	1.07	ug/m <sup>3</sup>	42.0	NA	103	70-130	2.58	25	
cis-1,3-Dichloropropene	49.2	1.22	ug/m <sup>3</sup>	48.5	NA	101	70-130	1.89	25	
Cyclohexane	34.6	0.894	ug/m <sup>3</sup>	35.1	NA	98.7	70-130	0.428	25	
Dibromochloromethane	86.1	2.21	ug/m <sup>3</sup>	87.7	NA	98.1	70-130	1.35	25	
Dichlorodifluoromethane	51.8	1.33	ug/m <sup>3</sup>	52.4	NA	98.8	70-130	1.51	25	
Ethanol	17.7	1.96	ug/m <sup>3</sup>	19.6	NA	90.3	70-130	1.87	25	
Ethyl Acetate	37.6	0.936	ug/m <sup>3</sup>	37.8	NA	99.4	70-130	0.840	25	
Ethylbenzene	46.3	1.17	ug/m <sup>3</sup>	46.4	NA	99.8	70-130	1.37	25	
Hexachloro-1,3-butadiene	113	2.77	ug/m <sup>3</sup>	112	NA	101	70-130	3.29	25	
m,p-Xylenes	91.9	2.30	ug/m <sup>3</sup>	92.0	NA	99.9	70-130	3.17	25	
Methylene chloride	30.8	1.87	ug/m <sup>3</sup>	37.5	NA	82.3	70-130	3.69	25	
Methyl-t-butyl ether	38.6	0.937	ug/m <sup>3</sup>	37.1	NA	104	70-130	1.72	25	
Naphthalene	56.7	2.72	ug/m <sup>3</sup>	55.0	NA	103	70-130	0.380	25	
n-Heptane	40.4	1.06	ug/m <sup>3</sup>	42.6	NA	94.8	70-130	2.34	25	
n-Hexane	36.2	0.916	ug/m <sup>3</sup>	36.6	NA	98.9	70-130	1.41	25	
o-Xylene	45.7	1.17	ug/m <sup>3</sup>	46.0	NA	99.4	70-130	0.495	25	

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reports\RPT 05.06

Page 39 of 87

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0639 - TO-15

#### Laboratory Control Sample Duplicate (B3F0639-BSD1)

Prepared: 06/25/13 Analyzed: 06/26/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Propylene	14.1	1.79	ug/m <sup>3</sup>	17.9	NA	78.7	70-130	3.23	25	
Styrene	41.3	1.11	ug/m <sup>3</sup>	44.7	NA	92.3	70-130	1.36	25	
Tetrachloroethene	68.8	1.76	ug/m <sup>3</sup>	70.5	NA	97.6	70-130	1.13	25	
Tetrahydrofuran	31.4	0.766	ug/m <sup>3</sup>	30.9	NA	101	70-130	3.85	25	
Toluene	39.5	1.02	ug/m <sup>3</sup>	40.7	NA	97.1	70-130	0.813	25	
trans-1,2-Dichloroethene	47.6	1.03	ug/m <sup>3</sup>	40.8	NA	117	70-130	2.97	25	
trans-1,3-Dichloropropene	51.1	1.27	ug/m <sup>3</sup>	49.9	NA	102	70-130	1.88	25	
Trichloroethene	55.5	1.40	ug/m <sup>3</sup>	54.8	NA	101	70-130	0.876	25	
Trichlorofluoromethane	61.8	1.57	ug/m <sup>3</sup>	61.8	NA	100	70-130	1.30	25	
Vinyl acetate	38.0	0.915	ug/m <sup>3</sup>	36.9	NA	103	70-130	5.39	25	
Vinyl chloride	24.2	0.690	ug/m <sup>3</sup>	27.6	NA	87.6	70-130	3.58	25	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>18.6</i>		ug/m <sup>3</sup>	<i>18.9</i>	<i>NA</i>	<i>98.3</i>	<i>70-150</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>31.4</i>		ug/m <sup>3</sup>	<i>32.2</i>	<i>NA</i>	<i>97.5</i>	<i>70-115</i>			
<i>Surrogate: Toluene-d8</i>	<i>18.5</i>		ug/m <sup>3</sup>	<i>18.4</i>	<i>NA</i>	<i>101</i>	<i>70-110</i>			

#### Duplicate (B3F0639-DUP1)

Source: 1303204-01

Prepared: 06/25/13 Analyzed: 06/26/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	<2.52	2.52	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1,2,2-Tetrachloroethane	<3.29	3.29	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1,2-Trichloroethane	<2.52	2.52	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1,2-Trichlorotrifluoroethane	<3.67	3.67	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1-Dichloroethane	<1.87	1.87	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1-Dichloroethene	<1.90	1.90	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2,4-Trichlorobenzene	<3.42	3.42	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2,4-Trimethylbenzene	<4.53	4.53	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dibromoethane	<3.54	3.54	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dichlorobenzene	<2.67	2.67	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dichloroethane	<1.94	1.94	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dichloropropane	<2.13	2.13	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dichlorotetrafluoroethane	<3.35	3.35	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,3,5-Trimethylbenzene	<2.27	2.27	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,3-Butadiene	<1.06	1.06	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,3-Dichlorobenzene	<2.67	2.67	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,4-Dichlorobenzene	<2.77	2.77	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,4-Dioxane	<1.66	1.66	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
2-Butanone (MEK)	2.18	1.41	ug/m <sup>3</sup>	NA	2.15	NA	NA	1.45	25	
2-Hexanone	<1.96	1.96	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
2-Propanol	<1.18	1.18	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
4-Ethyltoluene	<2.27	2.27	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0639 - TO-15

Duplicate (B3F0639-DUP1)

Source: 1303204-01

Prepared: 06/25/13 Analyzed: 06/26/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
4-Methyl-2-pentanone	< 1.89	1.89	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Acetone	12.8	4.38	ug/m <sup>3</sup>	NA	12.9	NA	NA	0.492	25	
Benzene	< 3.06	3.06	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Benzyl chloride	< 2.30	2.30	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Bromodichloromethane	< 3.09	3.09	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Bromoform	< 18.2	18.2	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Bromomethane	< 1.86	1.86	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Carbon disulfide	< 1.44	1.44	ug/m <sup>3</sup>	NA	0.945	NA	NA	7.32	25	
Carbon Tetrachloride	< 2.90	2.90	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Chlorobenzene	< 2.21	2.21	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Chloroethane	< 2.53	2.53	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Chloroform	< 2.25	2.25	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Chloromethane	< 0.989	0.989	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
cis-1,2-Dichloroethene	< 1.90	1.90	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
cis-1,3-Dichloropropene	< 2.17	2.17	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Cyclohexane	< 1.59	1.59	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Dibromochloromethane	< 3.93	3.93	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Dichlorodifluoromethane	3.88	2.37	ug/m <sup>3</sup>	NA	3.73	NA	NA	3.92	25	
Ethanol	< 3.48	3.48	ug/m <sup>3</sup>	NA	2.92	NA	NA	4.58	25	
Ethyl Acetate	< 1.66	1.66	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Ethylbenzene	< 2.08	2.08	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Hexachloro-1,3-butadiene	< 4.92	4.92	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
m,p-Xylenes	< 4.08	4.08	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Methylene chloride	< 3.33	3.33	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Methyl-t-butyl ether	< 1.66	1.66	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Naphthalene	< 4.84	4.84	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
n-Heptane	< 1.89	1.89	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
n-Hexane	< 1.63	1.63	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
o-Xylene	< 2.08	2.08	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Propylene	< 3.18	3.18	ug/m <sup>3</sup>	NA	1.06	NA	NA	3.51	25	
Styrene	< 1.96	1.96	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Tetrachloroethene	4.95	3.13	ug/m <sup>3</sup>	NA	4.85	NA	NA	1.97	25	
Tetrahydrofuran	< 1.36	1.36	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Toluene	< 1.81	1.81	ug/m <sup>3</sup>	NA	1.08	NA	NA	1.83	25	
trans-1,2-Dichloroethene	< 1.83	1.83	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
trans-1,3-Dichloropropene	< 2.25	2.25	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Trichloroethene	< 2.48	2.48	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Trichlorofluoromethane	7.34	2.79	ug/m <sup>3</sup>	NA	7.14	NA	NA	2.75	25	
Vinyl acetate	< 1.62	1.62	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Vinyl chloride	< 1.22	1.22	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	



Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0639 - TO-15

Duplicate (B3F0639-DUP1)

Source: 1303204-01

Prepared: 06/25/13 Analyzed: 06/26/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Surrogate: 1,2-Dichloroethane-d4	225		ug/m <sup>3</sup>	163	NA	138	70-150			
Surrogate: 4-Bromofluorobenzene	223		ug/m <sup>3</sup>	277	NA	80.5	70-115			
Surrogate: Toluene-d8	155		ug/m <sup>3</sup>	159	NA	97.4	70-110			

### Batch B3F0694 - TO-15

Method Blank (B3F0694-BLK1)

Prepared & Analyzed: 06/27/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	< 1.42	1.42	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	< 1.85	1.85	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	< 1.42	1.42	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1,2-Trichlorotrifluoroethane	< 2.07	2.07	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	< 1.05	1.05	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	< 1.07	1.07	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	< 1.93	1.93	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	< 2.55	2.55	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	< 2.00	2.00	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	< 1.50	1.50	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	< 1.09	1.09	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	< 1.20	1.20	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dichlorotetrafluoroethane	< 1.89	1.89	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	< 1.28	1.28	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,3-Butadiene	< 0.597	0.597	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	< 1.50	1.50	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,4-Dichlorobenzene	< 1.56	1.56	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,4-Dioxane	< 0.936	0.936	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	< 0.796	0.796	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
2-Hexanone	< 1.11	1.11	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
2-Propanol	< 0.663	0.663	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
4-Ethyltoluene	< 1.28	1.28	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
4-Methyl-2-pentanone	< 1.06	1.06	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Acetone	< 2.47	2.47	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Benzene	< 1.72	1.72	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Benzyl chloride	< 1.29	1.29	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	< 1.74	1.74	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Bromoform	< 10.2	10.2	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Bromomethane	< 1.05	1.05	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Carbon disulfide	< 0.809	0.809	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	< 1.63	1.63	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Chlorobenzene	< 1.24	1.24	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0694 - TO-15

Method Blank (B3F0694-BLK1)

Prepared & Analyzed: 06/27/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Chloroethane	< 1.42	1.42	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Chloroform	< 1.27	1.27	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Chloromethane	< 0.557	0.557	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
cis-1,2-Dichloroethene	< 1.07	1.07	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
cis-1,3-Dichloropropene	< 1.22	1.22	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Cyclohexane	< 0.894	0.894	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Dibromochloromethane	< 2.21	2.21	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane	< 1.33	1.33	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Ethanol	< 1.96	1.96	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Ethyl Acetate	< 0.936	0.936	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Ethylbenzene	< 1.17	1.17	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Hexachloro-1,3-butadiene	< 2.77	2.77	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
m,p-Xylenes	< 2.30	2.30	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Methylene chloride	< 1.87	1.87	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Methyl-t-butyl ether	< 0.937	0.937	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Naphthalene	< 2.72	2.72	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
n-Heptane	< 1.06	1.06	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
n-Hexane	< 0.916	0.916	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
o-Xylene	< 1.17	1.17	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Propylene	< 1.79	1.79	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Styrene	< 1.11	1.11	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	< 1.76	1.76	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Tetrahydrofuran	< 0.766	0.766	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Toluene	< 1.02	1.02	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	< 1.03	1.03	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
trans-1,3-Dichloropropene	< 1.27	1.27	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Trichloroethene	< 1.40	1.40	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Trichlorofluoromethane	< 1.57	1.57	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Vinyl acetate	< 0.915	0.915	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Vinyl chloride	< 0.690	0.690	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Surrogate: 1,2-Dichloroethane-d4	26.6		ug/m <sup>3</sup>	21.0	NA	126	70-150			
Surrogate: 4-Bromofluorobenzene	36.1		ug/m <sup>3</sup>	35.8	NA	101	70-115			
Surrogate: Toluene-d8	23.6		ug/m <sup>3</sup>	20.5	NA	115	70-110			vm

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

## Volatile Organic Compounds - Quality Control

### Batch B3F0694 - TO-15

Laboratory Control Sample (B3F0694-BS1)

Prepared & Analyzed: 06/27/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	57.5	1.42	ug/m <sup>3</sup>	57.3	NA	100	70-130	NA	NA	
1,1,2,2-Tetrachloroethane	70.4	1.85	ug/m <sup>3</sup>	72.7	NA	96.8	70-130	NA	NA	
1,1,2-Trichloroethane	57.5	1.42	ug/m <sup>3</sup>	56.7	NA	101	70-130	NA	NA	
1,1,2-Trichlorotrifluoroethane	81.1	2.07	ug/m <sup>3</sup>	81.2	NA	99.9	70-130	NA	NA	
1,1-Dichloroethane	45.0	1.05	ug/m <sup>3</sup>	42.5	NA	106	70-130	NA	NA	
1,1-Dichloroethene	42.0	1.07	ug/m <sup>3</sup>	43.2	NA	97.2	70-130	NA	NA	
1,2,4-Trichlorobenzene	76.0	1.93	ug/m <sup>3</sup>	77.9	NA	97.5	70-130	NA	NA	
1,2,4-Trimethylbenzene	49.5	2.55	ug/m <sup>3</sup>	50.6	NA	97.9	70-130	NA	NA	
1,2-Dibromoethane	79.2	2.00	ug/m <sup>3</sup>	80.6	NA	98.2	70-130	NA	NA	
1,2-Dichlorobenzene	58.7	1.50	ug/m <sup>3</sup>	60.7	NA	96.7	70-130	NA	NA	
1,2-Dichloroethane	44.7	1.09	ug/m <sup>3</sup>	42.9	NA	104	70-130	NA	NA	
1,2-Dichloropropane	49.4	1.20	ug/m <sup>3</sup>	48.5	NA	102	70-130	NA	NA	
1,2-Dichlorotetrafluoroethane	72.7	1.89	ug/m <sup>3</sup>	74.1	NA	98.2	70-130	NA	NA	
1,3,5-Trimethylbenzene	50.6	1.28	ug/m <sup>3</sup>	51.1	NA	99.1	70-130	NA	NA	
1,3-Butadiene	24.8	0.597	ug/m <sup>3</sup>	24.1	NA	103	70-130	NA	NA	
1,3-Dichlorobenzene	59.3	1.50	ug/m <sup>3</sup>	60.7	NA	97.7	70-130	NA	NA	
1,4-Dichlorobenzene	58.3	1.56	ug/m <sup>3</sup>	61.9	NA	94.3	70-130	NA	NA	
1,4-Dioxane	39.1	0.936	ug/m <sup>3</sup>	36.7	NA	107	70-130	NA	NA	
2-Butanone (MEK)	31.5	0.796	ug/m <sup>3</sup>	31.2	NA	101	70-130	NA	NA	
2-Hexanone	47.2	1.11	ug/m <sup>3</sup>	43.8	NA	108	70-130	NA	NA	
2-Propanol	22.1	0.663	ug/m <sup>3</sup>	26.8	NA	82.5	70-130	NA	NA	
4-Ethyltoluene	50.3	1.28	ug/m <sup>3</sup>	51.6	NA	97.5	70-130	NA	NA	
4-Methyl-2-pentanone	46.9	1.06	ug/m <sup>3</sup>	41.8	NA	112	70-130	NA	NA	
Acetone	24.4	2.47	ug/m <sup>3</sup>	24.7	NA	98.7	70-130	NA	NA	
Benzene	33.8	1.72	ug/m <sup>3</sup>	34.2	NA	99.0	70-130	NA	NA	
Benzyl chloride	51.4	1.29	ug/m <sup>3</sup>	52.3	NA	98.3	70-130	NA	NA	
Bromodichloromethane	67.0	1.74	ug/m <sup>3</sup>	68.3	NA	98.1	70-130	NA	NA	
Bromoform	433	10.2	ug/m <sup>3</sup>	410	NA	106	70-130	NA	NA	
Bromomethane	41.8	1.05	ug/m <sup>3</sup>	41.9	NA	99.6	70-130	NA	NA	
Carbon disulfide	32.0	0.809	ug/m <sup>3</sup>	32.4	NA	98.9	70-130	NA	NA	
Carbon Tetrachloride	64.0	1.63	ug/m <sup>3</sup>	65.4	NA	97.8	70-130	NA	NA	
Chlorobenzene	46.5	1.24	ug/m <sup>3</sup>	49.2	NA	94.5	70-130	NA	NA	
Chloroethane	25.9	1.42	ug/m <sup>3</sup>	27.9	NA	92.8	70-130	NA	NA	
Chloroform	50.4	1.27	ug/m <sup>3</sup>	51.2	NA	98.3	70-130	NA	NA	
Chloromethane	21.0	0.557	ug/m <sup>3</sup>	21.9	NA	96.1	70-130	NA	NA	
cis-1,2-Dichloroethene	43.8	1.07	ug/m <sup>3</sup>	42.0	NA	104	70-130	NA	NA	
cis-1,3-Dichloropropene	49.3	1.22	ug/m <sup>3</sup>	48.5	NA	102	70-130	NA	NA	
Cyclohexane	34.8	0.894	ug/m <sup>3</sup>	35.1	NA	99.1	70-130	NA	NA	
Dibromochloromethane	86.6	2.21	ug/m <sup>3</sup>	87.7	NA	98.7	70-130	NA	NA	
Dichlorodifluoromethane	50.9	1.33	ug/m <sup>3</sup>	52.4	NA	97.1	70-130	NA	NA	

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0694 - TO-15

Laboratory Control Sample (B3F0694-BS1)

Prepared & Analyzed: 06/27/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Ethanol	18.7	1.96	ug/m <sup>3</sup>	19.6	NA	95.6	70-130	NA	NA	
Ethyl Acetate	36.8	0.936	ug/m <sup>3</sup>	37.8	NA	97.3	70-130	NA	NA	
Ethylbenzene	46.2	1.17	ug/m <sup>3</sup>	46.4	NA	99.4	70-130	NA	NA	
Hexachloro-1,3-butadiene	111	2.77	ug/m <sup>3</sup>	112	NA	99.0	70-130	NA	NA	
m,p-Xylenes	90.9	2.30	ug/m <sup>3</sup>	92.0	NA	98.8	70-130	NA	NA	
Methylene chloride	32.1	1.87	ug/m <sup>3</sup>	37.5	NA	85.7	70-130	NA	NA	
Methyl-t-butyl ether	38.7	0.937	ug/m <sup>3</sup>	37.1	NA	104	70-130	NA	NA	
Naphthalene	56.0	2.72	ug/m <sup>3</sup>	55.0	NA	102	70-130	NA	NA	
n-Heptane	42.1	1.06	ug/m <sup>3</sup>	42.6	NA	98.9	70-130	NA	NA	
n-Hexane	35.9	0.916	ug/m <sup>3</sup>	36.6	NA	98.0	70-130	NA	NA	
o-Xylene	46.2	1.17	ug/m <sup>3</sup>	46.0	NA	100	70-130	NA	NA	
Propylene	13.4	1.79	ug/m <sup>3</sup>	17.9	NA	75.2	70-130	NA	NA	
Styrene	41.2	1.11	ug/m <sup>3</sup>	44.7	NA	92.2	70-130	NA	NA	
Tetrachloroethene	67.0	1.76	ug/m <sup>3</sup>	70.5	NA	95.0	70-130	NA	NA	
Tetrahydrofuran	32.1	0.766	ug/m <sup>3</sup>	30.9	NA	104	70-130	NA	NA	
Toluene	38.9	1.02	ug/m <sup>3</sup>	40.7	NA	95.5	70-130	NA	NA	
trans-1,2-Dichloroethene	46.4	1.03	ug/m <sup>3</sup>	40.8	NA	114	70-130	NA	NA	
trans-1,3-Dichloropropene	50.1	1.27	ug/m <sup>3</sup>	49.9	NA	101	70-130	NA	NA	
Trichloroethene	55.8	1.40	ug/m <sup>3</sup>	54.8	NA	102	70-130	NA	NA	
Trichlorofluoromethane	61.4	1.57	ug/m <sup>3</sup>	61.8	NA	99.4	70-130	NA	NA	
Vinyl acetate	40.6	0.915	ug/m <sup>3</sup>	36.9	NA	110	70-130	NA	NA	
Vinyl chloride	27.4	0.690	ug/m <sup>3</sup>	27.6	NA	99.5	70-130	NA	NA	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>19.3</i>		<i>ug/m<sup>3</sup></i>	<i>18.9</i>	<i>NA</i>	<i>102</i>	<i>70-150</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>29.6</i>		<i>ug/m<sup>3</sup></i>	<i>32.2</i>	<i>NA</i>	<i>91.9</i>	<i>70-115</i>			
<i>Surrogate: Toluene-d8</i>	<i>18.4</i>		<i>ug/m<sup>3</sup></i>	<i>18.4</i>	<i>NA</i>	<i>99.8</i>	<i>70-110</i>			

Laboratory Control Sample Duplicate (B3F0694-BSD1)

Prepared & Analyzed: 06/27/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	56.8	1.42	ug/m <sup>3</sup>	57.3	NA	99.2	70-130	1.20	25	
1,1,2,2-Tetrachloroethane	71.6	1.85	ug/m <sup>3</sup>	72.7	NA	98.4	70-130	1.64	25	
1,1,2-Trichloroethane	58.2	1.42	ug/m <sup>3</sup>	56.7	NA	103	70-130	1.25	25	
1,1,2-Trichlorotrifluoroethane	81.5	2.07	ug/m <sup>3</sup>	81.2	NA	100	70-130	0.509	25	
1,1-Dichloroethane	43.4	1.05	ug/m <sup>3</sup>	42.5	NA	102	70-130	3.55	25	
1,1-Dichloroethene	41.8	1.07	ug/m <sup>3</sup>	43.2	NA	96.8	70-130	0.435	25	
1,2,4-Trichlorobenzene	75.8	1.93	ug/m <sup>3</sup>	77.9	NA	97.3	70-130	0.264	25	
1,2,4-Trimethylbenzene	50.6	2.55	ug/m <sup>3</sup>	50.6	NA	100	70-130	2.26	25	
1,2-Dibromoethane	82.2	2.00	ug/m <sup>3</sup>	80.6	NA	102	70-130	3.79	25	
1,2-Dichlorobenzene	59.7	1.50	ug/m <sup>3</sup>	60.7	NA	98.4	70-130	1.80	25	
1,2-Dichloroethane	43.4	1.09	ug/m <sup>3</sup>	42.9	NA	101	70-130	2.92	25	

EPA Lab ID: MN00063

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Reports/RPT 05.06

Page 45 of 87

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: BandBox Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0694 - TO-15

Laboratory Control Sample Duplicate (B3F0694-BSD1)

Prepared & Analyzed: 06/27/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,2-Dichloropropane	49.6	1.20	ug/m <sup>3</sup>	48.5	NA	102	70-130	0.466	25	
1,2-Dichlorotetrafluoroethane	72.7	1.89	ug/m <sup>3</sup>	74.1	NA	98.1	70-130	0.0961	25	
1,3,5-Trimethylbenzene	51.7	1.28	ug/m <sup>3</sup>	51.1	NA	101	70-130	2.06	25	
1,3-Butadiene	24.1	0.597	ug/m <sup>3</sup>	24.1	NA	100	70-130	2.76	25	
1,3-Dichlorobenzene	59.5	1.50	ug/m <sup>3</sup>	60.7	NA	98.1	70-130	0.455	25	
1,4-Dichlorobenzene	60.3	1.56	ug/m <sup>3</sup>	61.9	NA	97.4	70-130	3.26	25	
1,4-Dioxane	38.0	0.936	ug/m <sup>3</sup>	36.7	NA	103	70-130	2.94	25	
2-Butanone (MEK)	30.4	0.796	ug/m <sup>3</sup>	31.2	NA	97.4	70-130	3.54	25	
2-Hexanone	47.3	1.11	ug/m <sup>3</sup>	43.8	NA	108	70-130	0.251	25	
2-Propanol	23.2	0.663	ug/m <sup>3</sup>	26.8	NA	86.5	70-130	4.70	25	
4-Ethyltoluene	52.4	1.28	ug/m <sup>3</sup>	51.6	NA	102	70-130	4.11	25	
4-Methyl-2-pentanone	46.2	1.06	ug/m <sup>3</sup>	41.8	NA	111	70-130	1.57	25	
Acetone	23.4	2.47	ug/m <sup>3</sup>	24.7	NA	95.0	70-130	3.83	25	
Benzene	33.8	1.72	ug/m <sup>3</sup>	34.2	NA	98.9	70-130	0.0756	25	
Benzyl chloride	52.6	1.29	ug/m <sup>3</sup>	52.3	NA	101	70-130	2.34	25	
Bromodichloromethane	66.6	1.74	ug/m <sup>3</sup>	68.3	NA	97.6	70-130	0.561	25	
Bromofonn	437	10.2	ug/m <sup>3</sup>	410	NA	107	70-130	1.00	25	
Bromomethane	40.9	1.05	ug/m <sup>3</sup>	41.9	NA	97.5	70-130	2.14	25	
Carbon disulfide	31.6	0.809	ug/m <sup>3</sup>	32.4	NA	97.6	70-130	1.32	25	
Carbon Tetrachloride	64.1	1.63	ug/m <sup>3</sup>	65.4	NA	98.1	70-130	0.245	25	
Chlorobenzene	48.3	1.24	ug/m <sup>3</sup>	49.2	NA	98.0	70-130	3.68	25	
Chloroethane	24.5	1.42	ug/m <sup>3</sup>	27.9	NA	87.6	70-130	5.82	25	
Chlorofonn	51.4	1.27	ug/m <sup>3</sup>	51.2	NA	100	70-130	1.96	25	
Chloromethane	21.4	0.557	ug/m <sup>3</sup>	21.9	NA	97.7	70-130	1.71	25	
cis-1,2-Dichloroethene	43.5	1.07	ug/m <sup>3</sup>	42.0	NA	104	70-130	0.662	25	
cis-1,3-Dichloropropene	49.1	1.22	ug/m <sup>3</sup>	48.5	NA	101	70-130	0.341	25	
Cyclohexane	34.2	0.894	ug/m <sup>3</sup>	35.1	NA	97.5	70-130	1.62	25	
Dibromochloromethane	87.6	2.21	ug/m <sup>3</sup>	87.7	NA	99.9	70-130	1.16	25	
Dichlorodifluoromethane	51.5	1.33	ug/m <sup>3</sup>	52.4	NA	98.4	70-130	1.30	25	
Ethanol	17.4	1.96	ug/m <sup>3</sup>	19.6	NA	89.0	70-130	7.11	25	
Ethyl Acetate	36.9	0.936	ug/m <sup>3</sup>	37.8	NA	97.6	70-130	0.293	25	
Ethylbenzene	46.4	1.17	ug/m <sup>3</sup>	46.4	NA	100	70-130	0.590	25	
Hexachloro-1,3-butadiene	113	2.77	ug/m <sup>3</sup>	112	NA	101	70-130	1.75	25	
m,p-Xylenes	92.1	2.30	ug/m <sup>3</sup>	92.0	NA	100	70-130	1.25	25	
Methylene chloride	32.0	1.87	ug/m <sup>3</sup>	37.5	NA	85.5	70-130	0.314	25	
Methyl-t-butyl ether	37.4	0.937	ug/m <sup>3</sup>	37.1	NA	101	70-130	3.42	25	
Naphthalene	57.8	2.72	ug/m <sup>3</sup>	55.0	NA	105	70-130	3.24	25	
n-Heptane	42.6	1.06	ug/m <sup>3</sup>	42.6	NA	99.9	70-130	0.986	25	
n-Hexane	35.5	0.916	ug/m <sup>3</sup>	36.6	NA	97.0	70-130	1.09	25	
o-Xylene	46.1	1.17	ug/m <sup>3</sup>	46.0	NA	100	70-130	0.122	25	

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0694 - TO-15

Laboratory Control Sample Duplicate (B3F0694-BSD1)

Prepared & Analyzed: 06/27/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Propylene	13.5	1.79	ug/m <sup>3</sup>	17.9	NA	75.7	70-130	0.638	25	
Styrene	42.2	1.11	ug/m <sup>3</sup>	44.7	NA	94.3	70-130	2.26	25	
Tetrachloroethene	68.5	1.76	ug/m <sup>3</sup>	70.5	NA	97.2	70-130	2.34	25	
Tetrahydrofuran	32.1	0.766	ug/m <sup>3</sup>	30.9	NA	104	70-130	0.275	25	
Toluene	39.9	1.02	ug/m <sup>3</sup>	40.7	NA	98.1	70-130	2.62	25	
trans-1,2-Dichloroethene	47.7	1.03	ug/m <sup>3</sup>	40.8	NA	117	70-130	2.64	25	
trans-1,3-Dichloropropene	50.6	1.27	ug/m <sup>3</sup>	49.9	NA	101	70-130	0.927	25	
Trichloroethene	54.9	1.40	ug/m <sup>3</sup>	54.8	NA	100	70-130	1.65	25	
Trichlorofluoromethane	60.9	1.57	ug/m <sup>3</sup>	61.8	NA	98.6	70-130	0.725	25	
Vinyl acetate	36.5	0.915	ug/m <sup>3</sup>	36.9	NA	98.8	70-130	10.7	25	
Vinyl chloride	25.5	0.690	ug/m <sup>3</sup>	27.6	NA	92.4	70-130	7.31	25	
Surrogate: 1,2-Dichloroethane-d4	19.1		ug/m <sup>3</sup>	18.9	NA	101	70-150			
Surrogate: 4-Bromofluorobenzene	30.0		ug/m <sup>3</sup>	32.2	NA	93.2	70-115			
Surrogate: Toluene-d8	18.6		ug/m <sup>3</sup>	18.4	NA	101	70-110			

### Duplicate (B3F0694-DUP1)

Source: 1303238-01

Prepared & Analyzed: 06/27/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	< 2.50	2.50	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1,2,2-Tetrachloroethane	< 3.27	3.27	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1,2-Trichloroethane	< 2.50	2.50	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1,2-Trichlorotrifluoroethane	< 3.65	3.65	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1-Dichloroethane	< 1.86	1.86	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1-Dichloroethene	< 1.89	1.89	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2,4-Trichlorobenzene	< 3.40	3.40	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2,4-Trimethylbenzene	14.0	4.51	ug/m <sup>3</sup>	NA	13.4	NA	NA	4.75	25	
1,2-Dibromoethane	< 3.52	3.52	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dichlorobenzene	< 2.65	2.65	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dichloroethane	< 1.93	1.93	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dichloropropane	< 2.12	2.12	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dichlorotetrafluoroethane	< 3.33	3.33	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,3,5-Trimethylbenzene	3.68	2.25	ug/m <sup>3</sup>	NA	3.57	NA	NA	2.87	25	
1,3-Butadiene	12.1	1.05	ug/m <sup>3</sup>	NA	12.0	NA	NA	1.46	25	
1,3-Dichlorobenzene	< 2.65	2.65	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,4-Dichlorobenzene	< 2.76	2.76	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,4-Dioxane	< 1.65	1.65	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
2-Butanone (MEK)	34.8	1.40	ug/m <sup>3</sup>	NA	34.1	NA	NA	1.84	25	
2-Hexanone	5.31	1.95	ug/m <sup>3</sup>	NA	5.11	NA	NA	3.88	25	
2-Propanol	31.0	1.17	ug/m <sup>3</sup>	NA	30.6	NA	NA	1.32	25	
4-Ethyltoluene	5.32	2.25	ug/m <sup>3</sup>	NA	5.07	NA	NA	4.84	25	

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reports\RPT 05.06

Page 47 of 87



11001 Hampshire Ave. S.  
 Minneapolis, MN 55438  
 952.995.2000 Phone  
 952.995.2020 Fax

Braun Intertec-LaCrosse  
 2309 Palace Street  
 La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
 Client Contact: Mr. Kevin Nestingen  
 PO Number: LC-12-03519

Report #: 1303204  
 Project Mgr: Thomas P. Wagner  
 Account ID:

**Volatile Organic Compounds - Quality Control**

**Batch B3F0694 - TO-15**

Duplicate (B3F0694-DUP1)

Source: 1303238-01

Prepared & Analyzed: 06/27/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
4-Methyl-2-pentanone	3.45	1.88	ug/m <sup>3</sup>	NA	3.47	NA	NA	0.627	25	
Acetone	75.3	4.36	ug/m <sup>3</sup>	NA	73.7	NA	NA	2.12	25	
Benzene	9.02	3.04	ug/m <sup>3</sup>	NA	9.46	NA	NA	4.76	25	
Benzyl chloride	< 2.28	2.28	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Bromodichloromethane	< 3.07	3.07	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Bromoform	< 18.0	18.0	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Bromomethane	< 1.85	1.85	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Carbon disulfide	5.49	1.43	ug/m <sup>3</sup>	NA	5.50	NA	NA	0.300	25	
Carbon Tetrachloride	< 2.88	2.88	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Chlorobenzene	< 2.19	2.19	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Chloroethane	< 2.51	2.51	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Chloroform	24.1	2.24	ug/m <sup>3</sup>	NA	23.7	NA	NA	1.55	25	
Chloromethane	< 0.983	0.983	ug/m <sup>3</sup>	NA	0.677	NA	NA	4.21	25	
cis-1,2-Dichloroethene	< 1.89	1.89	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
cis-1,3-Dichloropropene	< 2.16	2.16	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Cyclohexane	3.36	1.58	ug/m <sup>3</sup>	NA	3.28	NA	NA	2.37	25	
Dibromochloromethane	< 3.91	3.91	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Dichlorodifluoromethane	2070	2.35	ug/m <sup>3</sup>	NA	2010	NA	NA	3.30	25	E
Ethanol	7.84	3.46	ug/m <sup>3</sup>	NA	7.64	NA	NA	2.58	25	
Ethyl Acetate	< 1.65	1.65	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Ethylbenzene	10.7	2.07	ug/m <sup>3</sup>	NA	10.4	NA	NA	2.46	25	
Hexachloro-1,3-butadiene	< 4.89	4.89	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
m,p-Xylenes	33.4	4.06	ug/m <sup>3</sup>	NA	32.5	NA	NA	2.95	25	
Methylene chloride	< 3.31	3.31	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Methyl-t-butyl ether	< 1.65	1.65	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Naphthalene	< 4.81	4.81	ug/m <sup>3</sup>	NA	2.68	NA	NA	0.345	25	
n-Heptane	23.6	1.88	ug/m <sup>3</sup>	NA	23.4	NA	NA	0.860	25	
n-Hexane	27.2	1.62	ug/m <sup>3</sup>	NA	27.4	NA	NA	0.729	25	
o-Xylene	12.6	2.07	ug/m <sup>3</sup>	NA	12.5	NA	NA	0.794	25	
Propylene	122	3.16	ug/m <sup>3</sup>	NA	120	NA	NA	2.14	25	
Styrene	< 1.95	1.95	ug/m <sup>3</sup>	NA	1.26	NA	NA	4.65	25	
Tetrachloroethene	< 3.11	3.11	ug/m <sup>3</sup>	NA	2.81	NA	NA	9.82	25	
Tetrahydrofuran	< 1.35	1.35	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Toluene	27.6	1.79	ug/m <sup>3</sup>	NA	27.4	NA	NA	1.04	25	
trans-1,2-Dichloroethene	< 1.82	1.82	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
trans-1,3-Dichloropropene	< 2.24	2.24	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Trichloroethene	< 2.46	2.46	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Trichlorofluoromethane	1380	2.77	ug/m <sup>3</sup>	NA	1380	NA	NA	0.664	25	E
Vinyl acetate	< 1.61	1.61	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Vinyl chloride	< 1.22	1.22	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	

EPA Lab ID: MN00063

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Reports\RPT 05.06

Page 48 of 87

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3F0694 - TO-15

Duplicate (B3F0694-DUP1)

Source: 1303238-01

Prepared & Analyzed: 06/27/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Surrogate: 1,2-Dichloroethane-d4	228		ug/m <sup>3</sup>	161	NA	142	70-150			
Surrogate: 4-Bromofluorobenzene	230		ug/m <sup>3</sup>	274	NA	84.3	70-115			
Surrogate: Toluene-d8	154		ug/m <sup>3</sup>	157	NA	98.2	70-110			

### Batch B3G0073 - TO-15

Method Blank (B3G0073-BLK1)

Prepared: 07/02/13 Analyzed: 07/03/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	< 1.42	1.42	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1,2,2-Tetrachloroethane	< 1.85	1.85	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1,2-Trichloroethane	< 1.42	1.42	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1,2-Trichlorotrifluoroethane	< 2.07	2.07	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethane	< 1.05	1.05	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,1-Dichloroethene	< 1.07	1.07	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	< 1.93	1.93	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2,4-Trimethylbenzene	< 2.55	2.55	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dibromoethane	< 2.00	2.00	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dichlorobenzene	< 1.50	1.50	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dichloroethane	< 1.09	1.09	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dichloropropane	< 1.20	1.20	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,2-Dichlorotetrafluoroethane	< 1.89	1.89	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,3,5-Trimethylbenzene	< 1.28	1.28	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,3-Butadiene	< 0.597	0.597	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	< 1.50	1.50	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,4-Dichlorobenzene	< 1.56	1.56	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
1,4-Dioxane	< 0.936	0.936	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
2-Butanone (MEK)	< 0.796	0.796	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
2-Hexanone	< 1.11	1.11	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
2-Propanol	< 0.663	0.663	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
4-Ethyltoluene	< 1.28	1.28	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
4-Methyl-2-pentanone	< 1.06	1.06	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Acetone	< 2.47	2.47	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Benzene	< 1.72	1.72	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Benzyl chloride	< 1.29	1.29	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	< 1.74	1.74	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Bromoform	< 10.2	10.2	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Bromomethane	< 1.05	1.05	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Carbon disulfide	< 0.809	0.809	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Carbon Tetrachloride	< 1.63	1.63	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Chlorobenzene	< 1.24	1.24	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3G0073 - TO-15

#### Method Blank (B3G0073-BLK1)

Prepared: 07/02/13 Analyzed: 07/03/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Chloroethane	< 1.42	1.42	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Chloroform	< 1.27	1.27	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Chloromethane	< 0.557	0.557	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
cis-1,2-Dichloroethene	< 1.07	1.07	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
cis-1,3-Dichloropropene	< 1.22	1.22	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Cyclohexane	< 0.894	0.894	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Dibromochloromethane	< 2.21	2.21	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Dichlorodifluoromethane	< 1.33	1.33	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Ethanol	< 1.96	1.96	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Ethyl Acetate	< 0.936	0.936	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Ethylbenzene	< 1.17	1.17	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Hexachloro-1,3-butadiene	< 2.77	2.77	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
m,p-Xylenes	< 2.30	2.30	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Methylene chloride	< 9.37	9.37	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Methyl-t-butyl ether	< 0.937	0.937	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Naphthalene	< 2.72	2.72	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
n-Heptane	< 1.06	1.06	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
n-Hexane	< 0.916	0.916	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
o-Xylene	< 1.17	1.17	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Propylene	< 1.79	1.79	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Styrene	< 1.11	1.11	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Tetrachloroethene	< 1.76	1.76	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Tetrahydrofuran	< 0.766	0.766	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Toluene	< 1.02	1.02	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
trans-1,2-Dichloroethene	< 1.03	1.03	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
trans-1,3-Dichloropropene	< 1.27	1.27	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Trichloroethene	< 1.40	1.40	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Trichlorofluoromethane	< 1.57	1.57	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Vinyl acetate	< 0.915	0.915	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
Vinyl chloride	< 0.690	0.690	ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	24.4		ug/m <sup>3</sup>	21.0	NA	116	70-150			
<i>Surrogate: 4-Bromofluorobenzene</i>	37.5		ug/m <sup>3</sup>	35.8	NA	105	70-115			
<i>Surrogate: Toluene-d8</i>	23.6		ug/m <sup>3</sup>	20.5	NA	115	70-110			vm

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

## Volatile Organic Compounds - Quality Control

### Batch B3G0073 - TO-15

Laboratory Control Sample (B3G0073-BS1)

Prepared: 07/02/13 Analyzed: 07/03/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	58.4	1.42	ug/m <sup>3</sup>	57.3	NA	102	70-130	NA	NA	
1,1,2,2-Tetrachloroethane	71.1	1.85	ug/m <sup>3</sup>	72.7	NA	97.8	70-130	NA	NA	
1,1,2-Trichloroethane	56.6	1.42	ug/m <sup>3</sup>	56.7	NA	99.8	70-130	NA	NA	
1,1,2-Trichlorotrifluoroethane	81.9	2.07	ug/m <sup>3</sup>	81.2	NA	101	70-130	NA	NA	
1,1-Dichloroethane	42.2	1.05	ug/m <sup>3</sup>	42.5	NA	99.3	70-130	NA	NA	
1,1-Dichloroethene	42.1	1.07	ug/m <sup>3</sup>	43.2	NA	97.4	70-130	NA	NA	
1,2,4-Trichlorobenzene	76.5	1.93	ug/m <sup>3</sup>	77.9	NA	98.2	70-130	NA	NA	
1,2,4-Trimethylbenzene	49.8	2.55	ug/m <sup>3</sup>	50.6	NA	98.5	70-130	NA	NA	
1,2-Dibromoethane	80.6	2.00	ug/m <sup>3</sup>	80.6	NA	100	70-130	NA	NA	
1,2-Dichlorobenzene	59.9	1.50	ug/m <sup>3</sup>	60.7	NA	98.7	70-130	NA	NA	
1,2-Dichloroethane	43.6	1.09	ug/m <sup>3</sup>	42.9	NA	102	70-130	NA	NA	
1,2-Dichloropropane	49.9	1.20	ug/m <sup>3</sup>	48.5	NA	103	70-130	NA	NA	
1,2-Dichlorotetrafluoroethane	74.1	1.89	ug/m <sup>3</sup>	74.1	NA	100	70-130	NA	NA	
1,3,5-Trimethylbenzene	49.7	1.28	ug/m <sup>3</sup>	51.1	NA	97.3	70-130	NA	NA	
1,3-Butadiene	23.7	0.597	ug/m <sup>3</sup>	24.1	NA	98.2	70-130	NA	NA	
1,3-Dichlorobenzene	60.1	1.50	ug/m <sup>3</sup>	60.7	NA	99.1	70-130	NA	NA	
1,4-Dichlorobenzene	61.0	1.56	ug/m <sup>3</sup>	61.9	NA	98.6	70-130	NA	NA	
1,4-Dioxane	38.9	0.936	ug/m <sup>3</sup>	36.7	NA	106	70-130	NA	NA	
2-Butanone (MEK)	31.4	0.796	ug/m <sup>3</sup>	31.2	NA	101	70-130	NA	NA	
2-Hexanone	46.8	1.11	ug/m <sup>3</sup>	43.8	NA	107	70-130	NA	NA	
2-Propanol	21.7	0.663	ug/m <sup>3</sup>	26.8	NA	81.1	70-130	NA	NA	
4-Ethyltoluene	49.8	1.28	ug/m <sup>3</sup>	51.6	NA	96.6	70-130	NA	NA	
4-Methyl-2-pentanone	42.3	1.06	ug/m <sup>3</sup>	41.8	NA	101	70-130	NA	NA	
Acetone	22.6	2.47	ug/m <sup>3</sup>	24.7	NA	91.4	70-130	NA	NA	
Benzene	33.8	1.72	ug/m <sup>3</sup>	34.2	NA	98.8	70-130	NA	NA	
Benzyl chloride	50.0	1.29	ug/m <sup>3</sup>	52.3	NA	95.7	70-130	NA	NA	
Bromodichloromethane	66.7	1.74	ug/m <sup>3</sup>	68.3	NA	97.6	70-130	NA	NA	
Bromoform	451	10.2	ug/m <sup>3</sup>	410	NA	110	70-130	NA	NA	
Bromomethane	38.8	1.05	ug/m <sup>3</sup>	41.9	NA	92.7	70-130	NA	NA	
Carbon disulfide	33.0	0.809	ug/m <sup>3</sup>	32.4	NA	102	70-130	NA	NA	
Carbon Tetrachloride	66.0	1.63	ug/m <sup>3</sup>	65.4	NA	101	70-130	NA	NA	
Chlorobenzene	48.3	1.24	ug/m <sup>3</sup>	49.2	NA	98.1	70-130	NA	NA	
Chloroethane	25.1	1.42	ug/m <sup>3</sup>	27.9	NA	89.8	70-130	NA	NA	
Chloroform	51.6	1.27	ug/m <sup>3</sup>	51.2	NA	101	70-130	NA	NA	
Chloromethane	21.1	0.557	ug/m <sup>3</sup>	21.9	NA	96.3	70-130	NA	NA	
cis-1,2-Dichloroethene	43.8	1.07	ug/m <sup>3</sup>	42.0	NA	104	70-130	NA	NA	
cis-1,3-Dichloropropene	48.6	1.22	ug/m <sup>3</sup>	48.5	NA	100	70-130	NA	NA	
Cyclohexane	35.5	0.894	ug/m <sup>3</sup>	35.1	NA	101	70-130	NA	NA	
Dibromochloromethane	87.3	2.21	ug/m <sup>3</sup>	87.7	NA	99.5	70-130	NA	NA	
Dichlorodifluoromethane	52.8	1.33	ug/m <sup>3</sup>	52.4	NA	101	70-130	NA	NA	



11001 Hampshire Ave. S.  
 Minneapolis, MN 55438  
 952.995.2000 Phone  
 952.995.2020 Fax

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

**Volatile Organic Compounds - Quality Control**

**Batch B3G0073 - TO-15**

**Laboratory Control Sample (B3G0073-BS1)**

Prepared: 07/02/13 Analyzed: 07/03/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Ethanol	18.1	1.96	ug/m <sup>3</sup>	19.6	NA	92.5	70-130	NA	NA	
Ethyl Acetate	38.0	0.936	ug/m <sup>3</sup>	37.8	NA	101	70-130	NA	NA	
Ethylbenzene	45.8	1.17	ug/m <sup>3</sup>	46.4	NA	98.7	70-130	NA	NA	
Hexachloro-1,3-butadiene	109	2.77	ug/m <sup>3</sup>	112	NA	97.0	70-130	NA	NA	
m,p-Xylenes	91.1	2.30	ug/m <sup>3</sup>	92.0	NA	99.1	70-130	NA	NA	
Methylene chloride	34.4	9.37	ug/m <sup>3</sup>	37.5	NA	91.7	70-130	NA	NA	
Methyl-t-butyl ether	35.5	0.937	ug/m <sup>3</sup>	37.1	NA	95.7	70-130	NA	NA	
Naphthalene	57.5	2.72	ug/m <sup>3</sup>	55.0	NA	104	70-130	NA	NA	
n-Heptane	41.6	1.06	ug/m <sup>3</sup>	42.6	NA	97.7	70-130	NA	NA	
n-Hexane	35.7	0.916	ug/m <sup>3</sup>	36.6	NA	97.5	70-130	NA	NA	
o-Xylene	45.5	1.17	ug/m <sup>3</sup>	46.0	NA	98.9	70-130	NA	NA	
Propylene	13.8	1.79	ug/m <sup>3</sup>	17.9	NA	77.4	70-130	NA	NA	
Styrene	41.9	1.11	ug/m <sup>3</sup>	44.7	NA	93.8	70-130	NA	NA	
Tetrachloroethene	67.1	1.76	ug/m <sup>3</sup>	70.5	NA	95.3	70-130	NA	NA	
Tetrahydrofuran	33.2	0.766	ug/m <sup>3</sup>	30.9	NA	107	70-130	NA	NA	
Toluene	40.1	1.02	ug/m <sup>3</sup>	40.7	NA	98.6	70-130	NA	NA	
trans-1,2-Dichloroethene	48.8	1.03	ug/m <sup>3</sup>	40.8	NA	119	70-130	NA	NA	
trans-1,3-Dichloropropene	49.8	1.27	ug/m <sup>3</sup>	49.9	NA	99.7	70-130	NA	NA	
Trichloroethene	56.3	1.40	ug/m <sup>3</sup>	54.8	NA	103	70-130	NA	NA	
Trichlorofluoromethane	63.1	1.57	ug/m <sup>3</sup>	61.8	NA	102	70-130	NA	NA	
Vinyl acetate	39.1	0.915	ug/m <sup>3</sup>	36.9	NA	106	70-130	NA	NA	
Vinyl chloride	23.5	0.690	ug/m <sup>3</sup>	27.6	NA	85.2	70-130	NA	NA	
Surrogate: 1,2-Dichloroethane-d4	18.2		ug/m <sup>3</sup>	18.9	NA	96.2	70-150			
Surrogate: 4-Bromofluorobenzene	29.0		ug/m <sup>3</sup>	32.2	NA	90.2	70-115			
Surrogate: Toluene-d8	18.2		ug/m <sup>3</sup>	18.4	NA	98.8	70-110			

**Laboratory Control Sample Duplicate (B3G0073-BSD1)**

Prepared: 07/02/13 Analyzed: 07/03/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	56.5	1.42	ug/m <sup>3</sup>	57.3	NA	98.6	70-130	3.35	25	
1,1,2,2-Tetrachloroethane	71.2	1.85	ug/m <sup>3</sup>	72.7	NA	97.8	70-130	0.0482	25	
1,1,2-Trichloroethane	57.2	1.42	ug/m <sup>3</sup>	56.7	NA	101	70-130	1.10	25	
1,1,2-Trichlorotrifluoroethane	80.7	2.07	ug/m <sup>3</sup>	81.2	NA	99.4	70-130	1.41	25	
1,1-Dichloroethane	45.5	1.05	ug/m <sup>3</sup>	42.5	NA	107	70-130	7.65	25	
1,1-Dichloroethene	42.8	1.07	ug/m <sup>3</sup>	43.2	NA	99.0	70-130	1.63	25	
1,2,4-Trichlorobenzene	75.8	1.93	ug/m <sup>3</sup>	77.9	NA	97.3	70-130	0.916	25	
1,2,4-Trimethylbenzene	50.7	2.55	ug/m <sup>3</sup>	50.6	NA	100	70-130	1.67	25	
1,2-Dibromoethane	79.8	2.00	ug/m <sup>3</sup>	80.6	NA	98.9	70-130	1.04	25	
1,2-Dichlorobenzene	60.0	1.50	ug/m <sup>3</sup>	60.7	NA	98.9	70-130	0.170	25	
1,2-Dichloroethane	45.9	1.09	ug/m <sup>3</sup>	42.9	NA	107	70-130	5.17	25	

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3G0073 - TO-15

Laboratory Control Sample Duplicate (B3G0073-BSD1)

Prepared: 07/02/13 Analyzed: 07/03/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,2-Dichloropropane	48.5	1.20	ug/m <sup>3</sup>	48.5	NA	100	70-130	2.81	25	
1,2-Dichlorotetrafluoroethane	71.1	1.89	ug/m <sup>3</sup>	74.1	NA	96.0	70-130	4.08	25	
1,3,5-Trimethylbenzene	50.7	1.28	ug/m <sup>3</sup>	51.1	NA	99.2	70-130	1.95	25	
1,3-Butadiene	25.1	0.597	ug/m <sup>3</sup>	24.1	NA	104	70-130	6.00	25	
1,3-Dichlorobenzene	59.5	1.50	ug/m <sup>3</sup>	60.7	NA	98.0	70-130	1.04	25	
1,4-Dichlorobenzene	61.1	1.56	ug/m <sup>3</sup>	61.9	NA	98.8	70-130	0.177	25	
1,4-Dioxane	38.3	0.936	ug/m <sup>3</sup>	36.7	NA	104	70-130	1.37	25	
2-Butanone (MEK)	31.7	0.796	ug/m <sup>3</sup>	31.2	NA	102	70-130	0.886	25	
2-Hexanone	48.4	1.11	ug/m <sup>3</sup>	43.8	NA	110	70-130	3.35	25	
2-Propanol	23.0	0.663	ug/m <sup>3</sup>	26.8	NA	86.0	70-130	5.81	25	
4-Ethyltoluene	51.5	1.28	ug/m <sup>3</sup>	51.6	NA	99.8	70-130	3.25	25	
4-Methyl-2-pentanone	44.8	1.06	ug/m <sup>3</sup>	41.8	NA	107	70-130	5.81	25	
Acetone	23.6	2.47	ug/m <sup>3</sup>	24.7	NA	95.7	70-130	4.59	25	
Benzene	33.5	1.72	ug/m <sup>3</sup>	34.2	NA	98.2	70-130	0.674	25	
Benzyl chloride	48.2	1.29	ug/m <sup>3</sup>	52.3	NA	92.3	70-130	3.66	25	
Bromodichloromethane	66.3	1.74	ug/m <sup>3</sup>	68.3	NA	97.1	70-130	0.604	25	
Bromoforn	446	10.2	ug/m <sup>3</sup>	410	NA	109	70-130	1.04	25	
Bromomethane	41.9	1.05	ug/m <sup>3</sup>	41.9	NA	100	70-130	7.60	25	
Carbon disulfide	31.9	0.809	ug/m <sup>3</sup>	32.4	NA	98.6	70-130	3.37	25	
Carbon Tetrachloride	63.1	1.63	ug/m <sup>3</sup>	65.4	NA	96.4	70-130	4.62	25	
Chlorobenzene	47.2	1.24	ug/m <sup>3</sup>	49.2	NA	95.9	70-130	2.25	25	
Chloroethane	29.3	1.42	ug/m <sup>3</sup>	27.9	NA	105	70-130	15.4	25	
Chloroform	50.2	1.27	ug/m <sup>3</sup>	51.2	NA	97.9	70-130	2.88	25	
Chloromethane	22.0	0.557	ug/m <sup>3</sup>	21.9	NA	100	70-130	4.23	25	
cis-1,2-Dichloroethene	43.7	1.07	ug/m <sup>3</sup>	42.0	NA	104	70-130	0.118	25	
cis-1,3-Dichloropropene	48.6	1.22	ug/m <sup>3</sup>	48.5	NA	100	70-130	0.00933	25	
Cyclohexane	34.3	0.894	ug/m <sup>3</sup>	35.1	NA	97.6	70-130	3.64	25	
Dibromochloromethane	88.5	2.21	ug/m <sup>3</sup>	87.7	NA	101	70-130	1.41	25	
Dichlorodifluoromethane	50.5	1.33	ug/m <sup>3</sup>	52.4	NA	96.4	70-130	4.47	25	
Ethanol	17.8	1.96	ug/m <sup>3</sup>	19.6	NA	90.7	70-130	1.96	25	
Ethyl Acetate	38.7	0.936	ug/m <sup>3</sup>	37.8	NA	102	70-130	1.77	25	
Ethylbenzene	47.1	1.17	ug/m <sup>3</sup>	46.4	NA	101	70-130	2.64	25	
Hexachloro-1,3-butadiene	110	2.77	ug/m <sup>3</sup>	112	NA	98.0	70-130	0.948	25	
m,p-Xylenes	94.2	2.30	ug/m <sup>3</sup>	92.0	NA	102	70-130	3.35	25	
Methylene chloride	38.4	9.37	ug/m <sup>3</sup>	37.5	NA	102	70-130	11.1	25	
Methyl-t-butyl ether	35.9	0.937	ug/m <sup>3</sup>	37.1	NA	96.6	70-130	0.949	25	
Naphthalene	55.8	2.72	ug/m <sup>3</sup>	55.0	NA	101	70-130	2.90	25	
n-Heptane	42.5	1.06	ug/m <sup>3</sup>	42.6	NA	99.9	70-130	2.20	25	
n-Hexane	36.1	0.916	ug/m <sup>3</sup>	36.6	NA	98.6	70-130	1.19	25	
o-Xylene	46.8	1.17	ug/m <sup>3</sup>	46.0	NA	102	70-130	2.90	25	

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reports\RPT 05.06

Page 53 of 87

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3G0073 - TO-15

#### Laboratory Control Sample Duplicate (B3G0073-BSD1)

Prepared: 07/02/13 Analyzed: 07/03/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Propylene	13.6	1.79	ug/m <sup>3</sup>	17.9	NA	76.1	70-130	1.68	25	
Styrene	42.4	1.11	ug/m <sup>3</sup>	44.7	NA	94.9	70-130	1.14	25	
Tetrachloroethene	68.6	1.76	ug/m <sup>3</sup>	70.5	NA	97.3	70-130	2.09	25	
Tetrahydrofuran	33.2	0.766	ug/m <sup>3</sup>	30.9	NA	107	70-130	0.124	25	
Toluene	40.4	1.02	ug/m <sup>3</sup>	40.7	NA	99.3	70-130	0.721	25	
trans-1,2-Dichloroethene	39.0	1.03	ug/m <sup>3</sup>	40.8	NA	95.4	70-130	22.4	25	
trans-1,3-Dichloropropene	51.0	1.27	ug/m <sup>3</sup>	49.9	NA	102	70-130	2.40	25	
Trichloroethene	55.9	1.40	ug/m <sup>3</sup>	54.8	NA	102	70-130	0.757	25	
Trichlorofluoromethane	62.6	1.57	ug/m <sup>3</sup>	61.8	NA	101	70-130	0.839	25	
Vinyl acetate	40.1	0.915	ug/m <sup>3</sup>	36.9	NA	109	70-130	2.61	25	
Vinyl chloride	27.5	0.690	ug/m <sup>3</sup>	27.6	NA	99.6	70-130	15.5	25	
Surrogate: 1,2-Dichloroethane-d4	18.7		ug/m <sup>3</sup>	18.9	NA	98.6	70-150			
Surrogate: 4-Bromofluorobenzene	28.7		ug/m <sup>3</sup>	32.2	NA	89.2	70-115			
Surrogate: Toluene-d8	17.6		ug/m <sup>3</sup>	18.4	NA	95.5	70-110			

#### Duplicate (B3G0073-DUP1)

Source: 1303204-07RE1

Prepared: 07/02/13 Analyzed: 07/03/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
1,1,1-Trichloroethane	< 25.3	25.3	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1,2,2-Tetrachloroethane	< 33.1	33.1	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1,2-Trichloroethane	< 25.3	25.3	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1,2-Trichlorotrifluoroethane	< 36.9	36.9	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1-Dichloroethane	< 18.8	18.8	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,1-Dichloroethene	< 19.1	19.1	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2,4-Trichlorobenzene	< 34.4	34.4	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2,4-Trimethylbenzene	< 45.6	45.6	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dibromoethane	< 35.7	35.7	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dichlorobenzene	< 26.8	26.8	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dichloroethane	< 19.5	19.5	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dichloropropane	< 21.4	21.4	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,2-Dichlorotetrafluoroethane	< 33.7	33.7	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,3,5-Trimethylbenzene	< 22.8	22.8	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,3-Butadiene	< 10.7	10.7	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,3-Dichlorobenzene	< 26.8	26.8	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,4-Dichlorobenzene	< 27.9	27.9	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
1,4-Dioxane	< 16.7	16.7	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
2-Butanone (MEK)	< 14.2	14.2	ug/m <sup>3</sup>	NA	9.74	NA	NA	0.542	25	
2-Hexanone	< 19.7	19.7	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
2-Propanol	< 11.8	11.8	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
4-Ethyltoluene	< 22.8	22.8	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## Volatile Organic Compounds - Quality Control

### Batch B3G0073 - TO-15

Duplicate (B3G0073-DUP1)

Source: 1303204-07RE1

Prepared: 07/02/13 Analyzed: 07/03/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
4-Methyl-2-pentanone	< 19.0	19.0	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Acetone	< 44.1	44.1	ug/m <sup>3</sup>	NA	38.2	NA	NA	2.13	25	
Benzene	< 30.8	30.8	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Benzyl chloride	< 23.1	23.1	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Bromodichloromethane	< 31.1	31.1	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Bromoforn	< 183	183	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Bromomethane	< 18.7	18.7	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Carbon disulfide	< 14.4	14.4	ug/m <sup>3</sup>	NA	11.1	NA	NA	1.00	25	
Carbon Tetrachloride	< 29.2	29.2	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Chlorobenzene	< 22.2	22.2	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Chloroethane	< 25.4	25.4	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Chloroform	< 22.7	22.7	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Chloromethane	< 9.95	9.95	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
cis-1,2-Dichloroethene	< 19.1	19.1	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
cis-1,3-Dichloropropene	< 21.9	21.9	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Cyclohexane	< 16.0	16.0	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Dibromochloromethane	< 39.5	39.5	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Dichlorodifluoromethane	98.6	23.8	ug/m <sup>3</sup>	NA	97.9	NA	NA	0.719	25	
Ethanol	564	35.0	ug/m <sup>3</sup>	NA	561	NA	NA	0.412	25	
Ethyl Acetate	< 16.7	16.7	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Ethylbenzene	< 20.9	20.9	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Hexachloro-1,3-butadiene	< 49.5	49.5	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
m,p-Xylenes	< 41.1	41.1	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Methylene chloride	< 167	167	ug/m <sup>3</sup>	NA	22.6	NA	NA	2.22	25	
Methyl-t-butyl ether	< 16.7	16.7	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Naphthalene	< 48.7	48.7	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
n-Heptane	< 19.0	19.0	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
n-Hexane	< 16.4	16.4	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
o-Xylene	< 20.9	20.9	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Propylene	< 31.9	31.9	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Styrene	< 19.8	19.8	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Tetrachloroethene	< 31.5	31.5	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Tetrahydrofuran	< 13.7	13.7	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Toluene	< 18.2	18.2	ug/m <sup>3</sup>	NA	15.1	NA	NA	3.08	25	
trans-1,2-Dichloroethene	< 18.4	18.4	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
trans-1,3-Dichloropropene	< 22.7	22.7	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Trichloroethene	< 24.9	24.9	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Trichlorofluoromethane	< 28.1	28.1	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Vinyl acetate	< 16.3	16.3	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	
Vinyl chloride	< 12.3	12.3	ug/m <sup>3</sup>	NA	ND	NA	NA	NA	25	

EPA Lab ID: MN00063

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reports\RPT 05.06

Page 55 of 87



11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

### Volatile Organic Compounds - Quality Control

#### Batch B3G0073 - TO-15

Duplicate (B3G0073-DUP1)

Source: 1303204-07RE1

Prepared: 07/02/13 Analyzed: 07/03/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Surrogate: 1,2-Dichloroethane-d4	211		ug/m <sup>3</sup>	165	NA	128	70-150			
Surrogate: 4-Bromofluorobenzene	299		ug/m <sup>3</sup>	281	NA	106	70-115			
Surrogate: Toluene-d8	195		ug/m <sup>3</sup>	161	NA	121	70-110			vm



11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

**Tentatively Identified Compounds - Volatile Compounds - Quality Control**

**Batch B3F0639 - TO-15**

Method Blank (B3F0639-BLK1)

Prepared: 06/25/13 Analyzed: 06/26/13

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
+++ TICs not detected +++	< 0.0		ug/m <sup>3</sup>	NA	NA	NA	NA	NA	NA	



# BRAUN INTERTEC

11001 Hampshire Ave. S.  
Minneapolis, MN 55438  
952.995.2000 Phone  
952.995.2020 Fax

Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

For Braun Intertec Use Only Laboratory Work Order No.  1303204	<b>BRAUN INTERTEC</b> Braun Intertec Corporation 11001 Hampshire Ave. S Minneapolis, MN 55438	<b>REQUEST FOR AIR CANISTER ANALYTICAL SERVICES</b> Canister orders and sampling inquiries: labservices@braunintertec.com Phone: 952-995-2600 Fax: 952-995-2601	<b>IMPORTANT</b> Date Results Requested: Time: Rush Charges Authorized? <input type="checkbox"/> Yes <input type="checkbox"/> No Rush / Quote #	Page 1 of 1
---	--	--	---	-------------

<b>REPORT RESULTS TO</b>	Contact Name <u>Kevin Nestingen</u>	Project ID/Name <u>Band Box Cleaners - Tomah</u>	P.O. #/Project # <u>LC-12-03519</u>
	Company <u>Braun Intertec</u>	Contact Name	Company
	Mailing Address <u>2309 Palace St.</u>	Address	
	City, State, Zip <u>La Crosse, WI 54603</u>	City, State, Zip <u>SAME</u>	
	Telephone # <u>(608) 781-9227</u> Fax #	Telephone #	Fax #

**ANALYSIS REQUESTED**  
(Enter an 'X' in the box below to indicate request)

SAMPLE TYPES:  
A = Ambient Air  
I = Indoor Air  
L = Landfill Gas  
S = Soil Gas

CLIENT SAMPLE IDENTIFICATION	Canister ID Number	Flow Contr. ID Number	Max. PID (ppm)	Date(s) Sampled	Start Time	Stop Time	Temp Range (°F)	Canister Vacuum Start (in "Hg)	Canister Vacuum Stop (in "Hg)	ANALYSIS REQUESTED		FOR LAB USE ONLY
										A	I	
1 SS-1	1089 <sup>0075</sup>	003	0.0	6/18/13	1511	1526	65	-28	0	Sub-stab	X	
2 SS-2	1081 <sup>0031</sup>	017	0.0	6/19/13	1004	1014	68	-28	0		X	
3 SS-3	6122 <sup>0014</sup>	010	0.0	6/18/13	1538	1553	65	-27	0		X	
4 SS-4	1044 <sup>0001</sup>	028	0.0	6/19/13	1052	1107	72	-30	-1		X	
5 SS-5	1050 <sup>0014</sup>	027	0.0		1135	1150	72	-28	-1		X	
6 SS-6	1058 <sup>0013</sup>	020	0.0		1304	1319	65	-28	-1		X	
7 SS-7	1061 <sup>0013</sup>	014	0.0		1443	1458	65	-30	-2		X	
8 SS-8	1063 <sup>0015</sup>	019	0.0	↓	1525	1540	65	-30	0	↓	X	
9 IA-1	2613 <sup>0010</sup>	7340887	0.0	6/18-19/13	1318 <sup>6/18</sup>	1231 <sup>6/19</sup>	65	-31	0	I	X	
10 IA-2	1661 <sup>0011</sup>	7342515	0.0	6/20-21/13	0954 <sup>6/20</sup>	0915 <sup>6/21</sup>	65	-31	-5	I	X	

<b>CHAIN OF CUSTODY</b>	Collected by: (Print) <u>Kevin Nestingen + Nick Stengl</u>	Collector's Signature: <u>[Signatures]</u>
	Relinquished by: <u>Nick Stengl</u>	Date/Time: <u>6/21 12:57</u>
	Relinquished by:	Date/Time:
	Received Contents Not Verified:	Date/Time:
Custody Seal Intact <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Received Contents Verified: <u>ck</u>	Date/Time: <u>6/21/13</u>
Sample Kit Equipment Returned <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Comments:		

Form # CS10.01 F:\Groups\CA-QO\Ferries\sample control\COCC-CS10 Effective 11/15/05

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\ws\data\3177\1303204-01@1 6-26-2013 1-47-21 PM TO-15\_ Calibration File: C:\Varian\WS\Data\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
Acquisition Date: 6/26/2013 13:47 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-01 Operator: bg  
Lab Sample ID: 1303204-01@1 Dilution: 1



Approved

Date

07 27 13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519


Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

2

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\sw\data\3177\1303204-01@1 6-26-2013 11-47-21 PM TO-15\_ Calibration File: C:\Varian\SW\Data\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
Acquisition Date: 6/26/2013 13:47 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-01 Operator: bg  
Lab Sample ID: 1303204-01@1 Dilution: 1



Approved BG

Date 07 27 13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519


Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

3

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varianws\data\3177\1303204-02@16-26-2013 4-01-40 PM TO-15\_ Calibration File: C:\varianws\data\3154\CAL\_Quant\3F04016-cal9@16-4-2013 11  
Acquisition Date: 6/26/2013 16:01 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-02 Operator: bg  
Lab Sample ID: 1303204-02@1 Dilution: 1



Approved \_\_\_\_\_

Date 07/07/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\ws\data\3177\1303204-02@1 6-26-2013 4-01-40 PM TO-15\_ Calibration File: C:\Varian\WSData\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
Acquisition Date: 6/26/2013 16:01 Cat. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-02 Operato : bg  
Lab Sample ID: 1303204-02@1 Dilution: 1



Approved *[Signature]*

Date *07 27 13*

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varianws\data\31771\1303204-03@1 6-26-2013 5-09-00 PM TO-15\_ Calibration File: C:\VarianWSData\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
Acquisition Date: 6/26/2013 17:09 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-03 Operator: bg  
Lab Sample ID: 1303204-03@1 Dilution: 1



Approved 66

Date 07/27/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\ws\data\3177\1303204-03@1 6-26-2013 5-09-00 PM TO-15\_ Calibration File: C:\varian\WS\Data\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
Acquisition Date: 6/26/2013 17:09 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-03 Operator: bg  
Lab Sample ID: 1303204-03@1 Dilution: 1



Approved *[Signature]*

Date *07 27 13*

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varianw\data\3177\1303204-04@1 6-26-2013 6-16-16 PM TO-15\_ Calibration File: C:\Varian\WSD\data\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
Acquisition Date: 6/26/2013 18:16 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-04 Operator: bg  
Lab Sample ID: 1303204-04@1 Dilution: 1



Approved

*bg*

Date

07/27/13



Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\ws\data\3177\1303204-04@1 6-26-2013 6-16-18 PM TO-15\_ Calibration File: C:\varian\WSData\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
Acquisition Date: 6/26/2013 18:16 Cat. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-04 Operator: bg  
Lab Sample ID: 1303204-04@1 Dilution: 1



Approved: *[Signature]*

Date: 07/27/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814



Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varianw\data\13177\1303204-05@1 6-26-2013 7-23-41 PM TO-15\_ Calibration File: C:\Varian\WSI\Data\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
Acquisition Date: 6/26/2013 19:23 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-05 Operator: bg  
Lab Sample ID: 1303204-05@1 Dilution: 1



Approved         

Date 07/20/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varianws\data\31771\1303204-05@1 6-26-2013 7-23-41 PM TO-15\_ Calibration File: C:\varianws\data\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
Acquisition Date: 6/26/2013 19:23 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-05 Operator: bg  
Lab Sample ID: 1303204-05@1 Dilution: 1



Approved *[Signature]*

Date *07 27 13*



Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\ws\data\131771\1303204-06@1 6-26-2013 8-31-04 PM TO-15\_ Calibration File: C:\Varian\WS\Data\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
Acquisition Date: 6/26/2013 20:31 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-06 Operator: bg  
Lab Sample ID: 1303204-06@1 Dilution: 1



Approved: *[Signature]*

Date: 07/27/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519


Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

13

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varianws\data\13171\1303204-07@16-26-2013 9-38-22 PM TO-15\_ Calibration File: C:\VarianWSData\3154\CAL\_Quant\3F04016-cal9@16-4-2013 11  
 Acquisition Date: 6/26/2013 21:38 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
 EPA Sample No: 1303204-07 Operator: bg  
 Lab Sample ID: 1303204-07@1 Dilution: 1



Approved

*[Signature]*

Date

07/01/13



Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varianws\data\3184\1303204-07RE1@10 7-3-2013 9-47-47 PM TO Calibration File: C:\VarianWS\Data\3154\CAL\_Quant\3F04016-cat9@16-4-2013 11  
Acquisition Date: 7/3/2013 21:47 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-07 Operator: bg  
Lab Sample ID: 1303204-07RE1@10 Dilution: 1



Approved: [Signature] Date: 07/05/13



Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519


Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

16

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\ws\data\3184\1303204-07RE1@10 7-3-2013 9-47-47 PM TO Calibration File: C:\Varian\WS\Data\3154\CAL\_Quant\3F04016-cat9@16-4-2013 11  
Acquisition Date: 7/3/2013 21:47 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPASample No: 1303204-07 Operator: bg  
Lab Sample ID: 1303204-07RE1@10 Dilution: 1



Approved *Clawson*

Date *07/05/13*

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519


Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

17

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varianws\data\13177\1303204-08@1 6-26-2013 10-45-42 PM TO-15  
 Acquisition Date: 6/26/2013 22:45  
 EPA Sample No: 1303204-08  
 Lab Sample ID: 1303204-08@1  
 Calibration File: C:\VarianWS\Data\3154\CAL\_Quant\3F04016-cal@1 6-4-2013 11  
 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
 Operator: bg  
 Dilution: 1



Approved

*bg*

Date

07/27/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\sw\data\131771\1303204-08@1 6-26-2013 10:45:42 PM TO-15  
 Acquisition Date: 6/26/2013 22:45  
 EPA Sample No: 1303204-08  
 Lab Sample ID: 1303204-08@1  
 Calibration File: C:\Varian\SW\Data\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
 Operator: bg  
 Dilution: 1



Approved

Date 07 27 13



Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\sw\data\3184\1303204-08RE1@1 7-3-2013 8:38-17 PM TO-15  
 Acquisition Date: 7/3/2013 20:36  
 EPA Sample No: 1303204-08  
 Lab Sample ID: 1303204-08RE1@1  
 Calibration File: C:\Varian\SWData\3154\GAL\_Quant\3F04016-cal9@1 6-4-2013 11  
 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
 Operator: bg  
 Dilution: 1



Approved 

Date 07/05/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varlanws\data\13177\1303204-09@1 6-26-2013 11-53-01 PM TO-15  
 Acquisition Date: 6/26/2013 23:53  
 EPA Sample No: 1303204-09  
 Lab Sample ID: 1303204-09@1  
 Calibration File: C:\Varian\WS\Data\13154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
 Operator: bg  
 Dilution: 1



Approved *[Signature]*

Date 07/27/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\wsi\data\13177\1303204-09@1 6-26-2013 11-53-01 PM TO-15  
 Acquisition Date: 6/26/2013 23:53  
 EPA Sample No: 1303204-09  
 Lab Sample ID: 1303204-09@1  
 Calibration File: C:\varian\wsi\data\13154\CAL\_Quant\13F04016-cal9@1 6-4-2013 11  
 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
 Operator: bg  
 Dilution: 1



Approve

Date 07/27/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519


Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

23

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\sw\data\3177\1303204-10@1 6-27-2013 1:00-22 AM TO-15\_ Calibration File: C:\Varian\WS\Data\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
Acquisition Date: 6/27/2013 1:00 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-10 Operator: bg  
Lab Sample ID: 1303204-10@1 Dilution: 1



Approved         

Date 07/07/13




Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

24

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varianws\data\31771\1303204-10@1 6-27-2013 1:00-22 AM TO-15\_ Calibration File: C:\VarianWS\Data\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
 Acquisition Date: 6/27/2013 1:00 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
 EPA Sample No: 1303204-10 Operator: bg  
 Lab Sample ID: 1303204-10@1 Dilution: 1



Approved: 86 Date: 6/27/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519


Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

25

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\sw\data\3178\1303238-04RE2@10 6-27-2013 10-44-34 PM  
Acquisition Date: 6/27/2013 22:44 7/2 KK  
EPA Sample No: 1303238-04  
Lab Sample ID: 1303238-04RE2@10  
Calibration File: C:\Varian\SW\Data\3154\CAL\_Quant\13F04016-cal9@1 6-4-2013 11  
Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
Operator: kr  
Dilution: 1



Approved \_\_\_\_\_

KK Date 7/2/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

26

## CHROMATOGRAM REPORT

Lab File ID: c:\varian\ws\data\131781\1303238-04RE2@10 6-27-2013 10-44-34 PM TIC  
 Acquisition Date: 6/27/2013 22:44  
 EPA Sample No: 1303238-04  
 Lab Sample ID: 1303238-04RE2@10  
 EPA Method TO-15  
 Calibration File: C:\Varian\WS\Data\13154\CAL\_Quant\13F04016-cal9@1 6-4-2013 11  
 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
 Operator: kr  
 Dilution: 1



Approved \_\_\_\_\_

kr Date 7/2/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814


Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519

Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

27

## CHROMATOGRAM REPORT

Lab File ID: c:\varian\ws\data\3178\1303238-05RE1@30 6-27-2013 11:54:01 PM  
Acquisition Date: 6/27/2013 23:54  
EPA Sample No: 1303238-05  
Lab Sample ID: 1303238-05RE1@30  
EPA Method TO-15  
Calibration File: C:\Varian\WS\Data\3154\CAL\_Quant\F04016-cal9@1 6-4-2013 11  
Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
Operator: kr  
Dilution: 1



Approved

ICR Date 7/2/13


Braun Intertec-LaCrosse 2309 Palace Street La Crosse, WI 54603-1814	Client Ref: Band Box Cleaners - Tomah Client Contact: Mr. Kevin Nestingen PO Number: LC-12-03519	Report #: 1303204 Project Mgr: Thomas P. Wagner Account ID:
---	--	---

29

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\ws\data\13178\1303204-06RE1@1 6-27-2013 9-35-07 PM TO Calibration File: C:\varian\WS\data\3154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
 Acquisition Date: 6/27/2013 21:35 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
 EPA Sample No: 1303204-06 Operator: kr  
 Lab Sample ID: 1303204-06RE1@1 Dilution: 1



Approved \_\_\_\_\_

164 Date 7/21/13

Braun Intertec-LaCrosse  
2309 Palace Street  
La Crosse, WI 54603-1814

Client Ref: Band Box Cleaners - Tomah  
Client Contact: Mr. Kevin Nestingen  
PO Number: LC-12-03519


Report #: 1303204  
Project Mgr: Thomas P. Wagner  
Account ID:

30

## CHROMATOGRAM REPORT

EPA Method TO-15

Lab File ID: c:\varian\sw\data\1303204-06RE1@1 6-27-2013 9-35-07 PM TO Calibration File: C:\Varian\SW\data\13154\CAL\_Quant\3F04016-cal9@1 6-4-2013 11  
Acquisition Date: 6/27/2013 21:35 Cal. Sample Date Range: 6/4/2013 13:55 6/4/2013 23:10  
EPA Sample No: 1303204-06 Operator: kr  
Lab Sample ID: 1303204-06RE1@1 Dilution: 1



Approved \_\_\_\_\_

16x Date 7/2/13

# Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

JASON POWELL  
 METCO  
 709 GILLETTE ST  
 LA CROSSE, WI 54603-2382

Report Date 19-Dec-13

Project Name BAND BOX CLEANERS-TOMAH  
 Project #

Invoice # E25333

Lab Code 5025333A  
 Sample ID MW-12  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	0.06 "J"	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	670	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	3.01	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/25/2013	CJR	1
Bromoforn	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
sec-Butylbenzene	1.16	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
n-Butylbenzene	3.3	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/25/2013	CJR	1
Chloroforn	< 0.28	ug/l	0.28	0.88	1	8260B		6/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1

## Project #

Lab Code 5025333A  
 Sample ID MW-12  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	6/25/2013	6/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	6/25/2013	6/25/2013	CJR	1
Ethylbenzene	9.8	ug/l	0.55	1.7	1	8260B	6/25/2013	6/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	6/25/2013	6/25/2013	CJR	1
Isopropylbenzene	1.58	ug/l	0.3	0.96	1	8260B	6/25/2013	6/25/2013	CJR	1
p-Isopropyltoluene	0.70 "J"	ug/l	0.31	0.98	1	8260B	6/25/2013	6/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B	6/25/2013	6/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B	6/25/2013	6/25/2013	CJR	1
Naphthalene	2.37 "J"	ug/l	1.7	5.5	1	8260B	6/25/2013	6/25/2013	CJR	1
n-Propylbenzene	4.9	ug/l	0.25	0.81	1	8260B	6/25/2013	6/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	6/25/2013	6/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	6/25/2013	6/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B	6/25/2013	6/25/2013	CJR	1
Toluene	38	ug/l	0.69	2.2	1	8260B	6/25/2013	6/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	6/25/2013	6/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	6/25/2013	6/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	6/25/2013	6/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	6/25/2013	6/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B	6/25/2013	6/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	6/25/2013	6/25/2013	CJR	1
1,2,4-Trimethylbenzene	36	ug/l	2.2	6.9	1	8260B	6/25/2013	6/25/2013	CJR	1
1,3,5-Trimethylbenzene	2.05 "J"	ug/l	1.4	4.5	1	8260B	6/25/2013	6/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B	6/25/2013	6/25/2013	CJR	1
m&p-Xylene	76	ug/l	0.69	2.2	1	8260B	6/25/2013	6/25/2013	CJR	1
o-Xylene	42	ug/l	0.63	2	1	8260B	6/25/2013	6/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B	6/25/2013	6/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B	6/25/2013	6/25/2013	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B	6/25/2013	6/25/2013	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B	6/25/2013	6/25/2013	CJR	1

## Wet Chemistry

## General

Alkalinity, Total Filtered	92	mg/l	2.6	20	1	SM 2320B	6/27/2013	6/27/2013	ESC	1
COD, Unfiltered	74	mg/l	3.5	10	1	410.4	6/25/2013	6/25/2013	ESC	1
Total Organic Carbon	9.4	mg/l	0.19	1	1	EPA 9060	6/25/2013	6/25/2013	ESC	1



## Project #

Lab Code 5025333B

Sample ID MW-19

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	62.2	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/24/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/24/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/24/2013	CJR	1
Bromoforn	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/24/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/24/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		6/24/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/24/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/24/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/24/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/24/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/24/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/24/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/24/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/24/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/24/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/24/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/24/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/24/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		6/24/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		6/24/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/24/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		6/24/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		6/24/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		6/24/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		6/24/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		6/24/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		6/24/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		6/24/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		6/24/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		6/24/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		6/24/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		6/24/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		6/24/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		6/24/2013	CJR	1

Project #

Lab Code 5025333B

Sample ID MW-19

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/24/2013	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %				1 8260B		6/24/2013	CJR	1
SUR - Toluene-d8	99	REC %				1 8260B		6/24/2013	CJR	1
SUR - Dibromofluoromethane	97	REC %				1 8260B		6/24/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %				1 8260B		6/24/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	240	mg/l	2.6		20	1 SM 2320B		6/27/2013	ESC	1
COD, Unfiltered	61	mg/l	3.5		10	1 410.4		6/25/2013	ESC	1
Total Organic Carbon	7.9	mg/l	0.19		1	1 EPA 9060		6/25/2013	ESC	1

Project #

Lab Code 5025333C  
 Sample ID MW-18  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	40.2	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/24/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/24/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/24/2013	CJR	1
Bromoforn	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/24/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/24/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		6/24/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/24/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/24/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/24/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/24/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/24/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/24/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/24/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/24/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/24/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/24/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/24/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/24/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		6/24/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/i	0.44	1.4	1	8260B		6/24/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		6/24/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/24/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		6/24/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		6/24/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		6/24/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		6/24/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		6/24/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		6/24/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		6/24/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		6/24/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		6/24/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		6/24/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		6/24/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		6/24/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		6/24/2013	CJR	1

Project #

Lab Code 5025333C  
 Sample ID MW-18  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	<0.63	ug/l	0.63		2	1 8260B		6/24/2013	CJR	1
SUR - Toluene-d8	98	REC %				1 8260B		6/24/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %				1 8260B		6/24/2013	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %				1 8260B		6/24/2013	CJR	1
SUR - Dibromofluoromethane	103	REC %				1 8260B		6/24/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	150	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	10	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	4.2	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1

## Project #

Lab Code 5025333D

Sample ID MW-18P

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	15.3 "J"	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/24/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/24/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/24/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/24/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/24/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		6/24/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/24/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/24/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/24/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/24/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/24/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/24/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/24/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/24/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/24/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/24/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/24/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/24/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		6/24/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		6/24/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/24/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		6/24/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		6/24/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		6/24/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		6/24/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		6/24/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		6/24/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		6/24/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		6/24/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		6/24/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		6/24/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		6/24/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		6/24/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		6/24/2013	CJR	1

Project Name BAND BOX CLEANERS-TOMAH  
Project #

Invoice # E25333

Lab Code 5025333D  
Sample ID MW-18P  
Sample Matrix water  
Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/24/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				1 8260B		6/24/2013	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %				1 8260B		6/24/2013	CJR	1
SUR - Dibromofluoromethane	104	REC %				1 8260B		6/24/2013	CJR	1
SUR - Toluene-d8	96	REC %				1 8260B		6/24/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	29	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	32	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	3.9	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1

## Project #

Lab Code 5025333E  
 Sample ID MW-A-1  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	107	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/24/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/24/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/24/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/24/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/24/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		6/24/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/24/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/24/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/24/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/24/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/24/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/24/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/24/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/24/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/24/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/24/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/24/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/24/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		6/24/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/i	0.44	1.4	1	8260B		6/24/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		6/24/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/24/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		6/24/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		6/24/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		6/24/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		6/24/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		6/24/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		6/24/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		6/24/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		6/24/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		6/24/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		6/24/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		6/24/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		6/24/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		6/24/2013	CJR	1

Project Name BAND BOX CLEANERS-TOMAH  
Project #

Invoice # E25333

Lab Code 5025333E  
Sample ID MW-A-1  
Sample Matrix water  
Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/24/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %				1 8260B		6/24/2013	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %				1 8260B		6/24/2013	CJR	1
SUR - Dibromofluoromethane	102	REC %				1 8260B		6/24/2013	CJR	1
SUR - Toluene-d8	100	REC %				1 8260B		6/24/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	170	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	370	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	23	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1



Project #

Lab Code 5025333F  
 Sample ID MW-17P  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	244	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
<b>Organic</b>										
<b>VOC's</b>										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/24/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/24/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/24/2013	CJR	1
Bromoforn	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/24/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/24/2013	CJR	1
Chloroforn	< 0.28	ug/l	0.28	0.88	1	8260B		6/24/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/24/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/24/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/24/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/24/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/24/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/24/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/24/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/24/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/24/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/24/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/24/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/24/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		6/24/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		6/24/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/24/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		6/24/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		6/24/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		6/24/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		6/24/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		6/24/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		6/24/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		6/24/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		6/24/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		6/24/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		6/24/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		6/24/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		6/24/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		6/24/2013	CJR	1

Project #

Lab Code 5025333F

Sample ID MW-17P

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/24/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	1 8260B		6/24/2013	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	1 8260B		6/24/2013	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	1 8260B		6/24/2013	CJR	1
SUR - Toluene-d8	97	REC %			1	1 8260B		6/24/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	< 2.6	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	12	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	14	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1

## Project #

Lab Code 5025333G

Sample ID MW-13

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	<0.06	mg/l	0.06	0.21	1	200.7	6/20/2013	6/20/2013	CWT	1
Manganese, Dissolved	26.7	ug/L	4.8	15.4	1	200.7	6/20/2013	6/20/2013	CWT	1
Organic										
VOC's										
Benzene	<0.24	ug/l	0.24	0.77	1	8260B	6/24/2013	6/24/2013	CJR	1
Bromobenzene	<0.32	ug/l	0.32	1	1	8260B	6/24/2013	6/24/2013	CJR	1
Bromodichloromethane	<0.37	ug/l	0.37	1.2	1	8260B	6/24/2013	6/24/2013	CJR	1
Bromoform	<0.35	ug/l	0.35	1.1	1	8260B	6/24/2013	6/24/2013	CJR	1
tert-Butylbenzene	<0.36	ug/l	0.36	1.2	1	8260B	6/24/2013	6/24/2013	CJR	1
sec-Butylbenzene	<0.33	ug/l	0.33	1	1	8260B	6/24/2013	6/24/2013	CJR	1
n-Butylbenzene	<0.35	ug/l	0.35	1.1	1	8260B	6/24/2013	6/24/2013	CJR	1
Carbon Tetrachloride	<0.33	ug/l	0.33	1.1	1	8260B	6/24/2013	6/24/2013	CJR	1
Chlorobenzene	<0.24	ug/l	0.24	0.77	1	8260B	6/24/2013	6/24/2013	CJR	1
Chloroethane	<0.63	ug/l	0.63	2	1	8260B	6/24/2013	6/24/2013	CJR	1
Chloroform	<0.28	ug/l	0.28	0.88	1	8260B	6/24/2013	6/24/2013	CJR	1
Chloromethane	<0.81	ug/l	0.81	2.6	1	8260B	6/24/2013	6/24/2013	CJR	1
2-Chlorotoluene	<0.21	ug/l	0.21	0.66	1	8260B	6/24/2013	6/24/2013	CJR	1
4-Chlorotoluene	<0.21	ug/l	0.21	0.68	1	8260B	6/24/2013	6/24/2013	CJR	1
1,2-Dibromo-3-chloropropane	<0.88	ug/l	0.88	2.8	1	8260B	6/24/2013	6/24/2013	CJR	1
Dibromochloromethane	<0.22	ug/l	0.22	0.7	1	8260B	6/24/2013	6/24/2013	CJR	1
1,4-Dichlorobenzene	<0.3	ug/l	0.3	0.96	1	8260B	6/24/2013	6/24/2013	CJR	1
1,3-Dichlorobenzene	<0.28	ug/l	0.28	0.89	1	8260B	6/24/2013	6/24/2013	CJR	1
1,2-Dichlorobenzene	<0.36	ug/l	0.36	1.2	1	8260B	6/24/2013	6/24/2013	CJR	1
Dichlorodifluoromethane	<0.44	ug/l	0.44	1.4	1	8260B	6/24/2013	6/24/2013	CJR	1
1,2-Dichloroethane	<0.41	ug/l	0.41	1.3	1	8260B	6/24/2013	6/24/2013	CJR	1
1,1-Dichloroethane	<0.3	ug/l	0.3	0.97	1	8260B	6/24/2013	6/24/2013	CJR	1
1,1-Dichloroethene	<0.4	ug/l	0.4	1.3	1	8260B	6/24/2013	6/24/2013	CJR	1
cis-1,2-Dichloroethene	<0.38	ug/l	0.38	1.2	1	8260B	6/24/2013	6/24/2013	CJR	1
trans-1,2-Dichloroethene	<0.35	ug/l	0.35	1.1	1	8260B	6/24/2013	6/24/2013	CJR	1
1,2-Dichloropropane	<0.32	ug/l	0.32	1	1	8260B	6/24/2013	6/24/2013	CJR	1
2,2-Dichloropropane	<0.36	ug/l	0.36	1.2	1	8260B	6/24/2013	6/24/2013	CJR	1
1,3-Dichloropropane	<0.33	ug/l	0.33	1	1	8260B	6/24/2013	6/24/2013	CJR	1
Di-isopropyl ether	<0.23	ug/l	0.23	0.73	1	8260B	6/24/2013	6/24/2013	CJR	1
EDB (1,2-Dibromoethane)	<0.44	ug/l	0.44	1.4	1	8260B	6/24/2013	6/24/2013	CJR	1
Ethylbenzene	<0.55	ug/l	0.55	1.7	1	8260B	6/24/2013	6/24/2013	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.8	1	8260B	6/24/2013	6/24/2013	CJR	1
Isopropylbenzene	<0.3	ug/l	0.3	0.96	1	8260B	6/24/2013	6/24/2013	CJR	1
p-Isopropyltoluene	<0.31	ug/l	0.31	0.98	1	8260B	6/24/2013	6/24/2013	CJR	1
Methylene chloride	<0.5	ug/l	0.5	1.6	1	8260B	6/24/2013	6/24/2013	CJR	1
Methyl tert-butyl ether (MTBE)	<0.23	ug/l	0.23	0.74	1	8260B	6/24/2013	6/24/2013	CJR	1
Naphthalene	<1.7	ug/l	1.7	5.5	1	8260B	6/24/2013	6/24/2013	CJR	1
n-Propylbenzene	<0.25	ug/l	0.25	0.81	1	8260B	6/24/2013	6/24/2013	CJR	1
1,1,2,2-Tetrachloroethane	<0.45	ug/l	0.45	1.4	1	8260B	6/24/2013	6/24/2013	CJR	1
1,1,1,2-Tetrachloroethane	<0.33	ug/l	0.33	1.1	1	8260B	6/24/2013	6/24/2013	CJR	1
Tetrachloroethene	<0.33	ug/l	0.33	1.1	1	8260B	6/24/2013	6/24/2013	CJR	1
Toluene	<0.69	ug/l	0.69	2.2	1	8260B	6/24/2013	6/24/2013	CJR	1
1,2,4-Trichlorobenzene	<0.98	ug/l	0.98	3.1	1	8260B	6/24/2013	6/24/2013	CJR	1
1,2,3-Trichlorobenzene	<1.8	ug/l	1.8	5.8	1	8260B	6/24/2013	6/24/2013	CJR	1
1,1,1-Trichloroethane	<0.33	ug/l	0.33	1	1	8260B	6/24/2013	6/24/2013	CJR	1
1,1,2-Trichloroethane	<0.34	ug/l	0.34	1.1	1	8260B	6/24/2013	6/24/2013	CJR	1
Trichloroethene (TCE)	<0.33	ug/l	0.33	1	1	8260B	6/24/2013	6/24/2013	CJR	1
Trichlorofluoromethane	<0.71	ug/l	0.71	2.3	1	8260B	6/24/2013	6/24/2013	CJR	1
1,2,4-Trimethylbenzene	<2.2	ug/l	2.2	6.9	1	8260B	6/24/2013	6/24/2013	CJR	1
1,3,5-Trimethylbenzene	<1.4	ug/l	1.4	4.5	1	8260B	6/24/2013	6/24/2013	CJR	1
Vinyl Chloride	<0.18	ug/l	0.18	0.57	1	8260B	6/24/2013	6/24/2013	CJR	1
m&p-Xylene	<0.69	ug/l	0.69	2.2	1	8260B	6/24/2013	6/24/2013	CJR	1

Project #

Lab Code 5025333G

Sample ID MW-13

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/24/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				1 8260B		6/24/2013	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %				1 8260B		6/24/2013	CJR	1
SUR - Dibromofluoromethane	103	REC %				1 8260B		6/24/2013	CJR	1
SUR - Toluene-d8	99	REC %				1 8260B		6/24/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	240	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	29	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	6.2	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1

## Project #

Lab Code 5025333H

Sample ID MW-15

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	16.2	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/24/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/24/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/24/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/24/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/24/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		6/24/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/24/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/24/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/24/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/24/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/24/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/24/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/24/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/24/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/24/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/24/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/24/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/24/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/24/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/24/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		6/24/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		6/24/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/24/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		6/24/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		6/24/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		6/24/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		6/24/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		6/24/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		6/24/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		6/24/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		6/24/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		6/24/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		6/24/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		6/24/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		6/24/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		6/24/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		6/24/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		6/24/2013	CJR	1

Project #

Lab Code 5025333H

Sample ID MW-15

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	<0.63	ug/l	0.63		2	1 8260B		6/24/2013	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				1 8260B		6/24/2013	CJR	1
SUR - Dibromofluoromethane	103	REC %				1 8260B		6/24/2013	CJR	1
SUR - Toluene-d8	101	REC %				1 8260B		6/24/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %				1 8260B		6/24/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	150	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	15	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	6.4	mg/l	0.19		1	1 EPA 9060		6/25/2013	ESC	1

## Project #

Lab Code 5025333I  
 Sample ID MW-A-4  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	77.5	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		6/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		6/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		6/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		6/25/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		6/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		6/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		6/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		6/25/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		6/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		6/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		6/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		6/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		6/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		6/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		6/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		6/25/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1

Project #

Lab Code 5025333I  
 Sample ID MW-A-4  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/25/2013	CJR	1
SUR - Toluene-d8	97	REC %				1 8260B		6/25/2013	CJR	1
SUR - Dibromofluoromethane	103	REC %				1 8260B		6/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %				1 8260B		6/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %				1 8260B		6/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	360	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	90	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	8.6	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1



## Project #

Lab Code 5025333J  
 Sample ID MW-A-3  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	<0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	222	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	<0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Bromobenzene	<0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
Bromodichloromethane	<0.37	ug/l	0.37	1.2	1	8260B		6/25/2013	CJR	1
Bromoform	<0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
tert-Butylbenzene	<0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
sec-Butylbenzene	<0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
n-Butylbenzene	<0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
Carbon Tetrachloride	<0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Chlorobenzene	<0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Chloroethane	<0.63	ug/l	0.63	2	1	8260B		6/25/2013	CJR	1
Chloroform	<0.28	ug/l	0.28	0.88	1	8260B		6/25/2013	CJR	1
Chloromethane	<0.81	ug/l	0.81	2.6	1	8260B		6/25/2013	CJR	1
2-Chlorotoluene	<0.21	ug/l	0.21	0.66	1	8260B		6/25/2013	CJR	1
4-Chlorotoluene	<0.21	ug/l	0.21	0.68	1	8260B		6/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	<0.88	ug/l	0.88	2.8	1	8260B		6/25/2013	CJR	1
Dibromochloromethane	<0.22	ug/l	0.22	0.7	1	8260B		6/25/2013	CJR	1
1,4-Dichlorobenzene	<0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
1,3-Dichlorobenzene	<0.28	ug/l	0.28	0.89	1	8260B		6/25/2013	CJR	1
1,2-Dichlorobenzene	<0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
Dichlorodifluoromethane	<0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
1,2-Dichloroethane	<0.41	ug/l	0.41	1.3	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethane	<0.3	ug/l	0.3	0.97	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethene	<0.4	ug/l	0.4	1.3	1	8260B		6/25/2013	CJR	1
cis-1,2-Dichloroethene	<0.38	ug/l	0.38	1.2	1	8260B		6/25/2013	CJR	1
trans-1,2-Dichloroethene	<0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
1,2-Dichloropropane	<0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
2,2-Dichloropropane	<0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
1,3-Dichloropropane	<0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Di-isopropyl ether	<0.23	ug/l	0.23	0.73	1	8260B		6/25/2013	CJR	1
EDB (1,2-Dibromoethane)	<0.44	ug/i	0.44	1.4	1	8260B		6/25/2013	CJR	1
Ethylbenzene	<0.55	ug/l	0.55	1.7	1	8260B		6/25/2013	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.8	1	8260B		6/25/2013	CJR	1
Isopropylbenzene	<0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
p-Isopropyltoluene	<0.31	ug/l	0.31	0.98	1	8260B		6/25/2013	CJR	1
Methylene chloride	<0.5	ug/l	0.5	1.6	1	8260B		6/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	<0.23	ug/l	0.23	0.74	1	8260B		6/25/2013	CJR	1
Naphthalene	<1.7	ug/l	1.7	5.5	1	8260B		6/25/2013	CJR	1
n-Propylbenzene	<0.25	ug/l	0.25	0.81	1	8260B		6/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	<0.45	ug/l	0.45	1.4	1	8260B		6/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	<0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Tetrachloroethene	<0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Toluene	<0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1
1,2,4-Trichlorobenzene	<0.98	ug/l	0.98	3.1	1	8260B		6/25/2013	CJR	1
1,2,3-Trichlorobenzene	<1.8	ug/l	1.8	5.8	1	8260B		6/25/2013	CJR	1
1,1,1-Trichloroethane	<0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
1,1,2-Trichloroethane	<0.34	ug/l	0.34	1.1	1	8260B		6/25/2013	CJR	1
Trichloroethene (TCE)	<0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Trichlorofluoromethane	<0.71	ug/l	0.71	2.3	1	8260B		6/25/2013	CJR	1
1,2,4-Trimethylbenzene	<2.2	ug/l	2.2	6.9	1	8260B		6/25/2013	CJR	1
1,3,5-Trimethylbenzene	<1.4	ug/l	1.4	4.5	1	8260B		6/25/2013	CJR	1
Vinyl Chloride	<0.18	ug/l	0.18	0.57	1	8260B		6/25/2013	CJR	1
m&p-Xylene	<0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1

Project #

Lab Code 5025333J  
 Sample ID MW-A-3  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/25/2013	CJR	1
SUR - Toluene-d8	99	REC %				1 8260B		6/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %				1 8260B		6/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				1 8260B		6/25/2013	CJR	1
SUR - Dibromofluoromethane	100	REC %				1 8260B		6/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	97	mg/l	2.6		20	1 SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	130	mg/l	3.5		10	1 410.4		6/25/2013	ESC	1
Total Organic Carbon	21	mg/l	0.19		1	1 EPA 9060		6/25/2013	ESC	1

## Project #

Lab Code 5025333K  
 Sample ID PZ-1  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	0.11 "J"	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	13.3 "J"	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
n-Butylbenzene	0.51 "J"	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		6/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		6/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		6/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		6/25/2013	CJR	1
Isopropylbenzene	1.67	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		6/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		6/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		6/25/2013	CJR	1
Naphthalene	1.84 "J"	ug/l	1.7	5.5	1	8260B		6/25/2013	CJR	1
n-Propylbenzene	2.28	ug/l	0.25	0.81	1	8260B		6/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		6/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		6/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		6/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		6/25/2013	CJR	1
1,2,4-Trimethylbenzene	2.9 "J"	ug/l	2.2	6.9	1	8260B		6/25/2013	CJR	1
1,3,5-Trimethylbenzene	1.85 "J"	ug/l	1.4	4.5	1	8260B		6/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		6/25/2013	CJR	1
m&p-Xylene	8.0	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1

Project Name BAND BOX CLEANERS-TOMAH  
Project #

Invoice # E25333

Lab Code 5025333K  
Sample ID PZ-1  
Sample Matrix water  
Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	8.7	ug/l	0.63		2	1 8260B		6/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %				1 8260B		6/25/2013	CJR	1
SUR - Dibromofluoromethane	103	REC %				1 8260B		6/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %				1 8260B		6/25/2013	CJR	1
SUR - Toluene-d8	96	REC %				1 8260B		6/25/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	< 2.6	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	57	mg/l	3.5	10	1	410.4		6/25/2013	ESC	2
Total Organic Carbon	3.9	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1

## Project #

Lab Code 5025333L  
 Sample ID PZ-B-4  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	39.2	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/25/2013	CJR	1
Bromoforn	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		6/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		6/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		6/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		6/25/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		6/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		6/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		6/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		6/25/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		6/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		6/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		6/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		6/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		6/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		6/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		6/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		6/25/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1

Project #

Lab Code 5025333L  
 Sample ID PZ-B-4  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %				1 8260B		6/25/2013	CJR	1
SUR - Toluene-d8	99	REC %				1 8260B		6/25/2013	CJR	1
SUR - Dibromofluoromethane	107	REC %				1 8260B		6/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %				1 8260B		6/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	< 2.6	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	45	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	1.4	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1

Lab Code 5025333M  
 Sample ID PZ-A-4  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	155	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
<b>Organic</b>										
<b>VOC's</b>										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		6/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		6/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/i	0.44	1.4	1	8260B		6/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		6/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		6/25/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		6/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		6/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		6/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		6/25/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		6/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Tetrachloroethene	0.42 "J"	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		6/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		6/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		6/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		6/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		6/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		6/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		6/25/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1

Project Name BAND BOX CLEANERS-TOMAH  
Project #

Invoice # E25333

Lab Code 5025333M  
Sample ID PZ-A-4  
Sample Matrix water  
Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	<0.63	ug/l	0.63		2	1 8260B		6/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	1 8260B		6/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	1 8260B		6/25/2013	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	1 8260B		6/25/2013	CJR	1
SUR - Toluene-d8	99	REC %			1	1 8260B		6/25/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	< 2.6	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	< 3.5	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	1.8	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1



Project #

Lab Code 5025333N  
 Sample ID MW-19P  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	<0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	96.1	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	<0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Bromobenzene	<0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
Bromodichloromethane	<0.37	ug/l	0.37	1.2	1	8260B		6/25/2013	CJR	1
Bromoform	<0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
tert-Butylbenzene	<0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
sec-Butylbenzene	<0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
n-Butylbenzene	<0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
Carbon Tetrachloride	<0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Chlorobenzene	<0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Chloroethane	<0.63	ug/l	0.63	2	1	8260B		6/25/2013	CJR	1
Chloroform	<0.28	ug/l	0.28	0.88	1	8260B		6/25/2013	CJR	1
Chloromethane	<0.81	ug/l	0.81	2.6	1	8260B		6/25/2013	CJR	1
2-Chlorotoluene	<0.21	ug/l	0.21	0.66	1	8260B		6/25/2013	CJR	1
4-Chlorotoluene	<0.21	ug/l	0.21	0.68	1	8260B		6/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	<0.88	ug/l	0.88	2.8	1	8260B		6/25/2013	CJR	1
Dibromochloromethane	<0.22	ug/l	0.22	0.7	1	8260B		6/25/2013	CJR	1
1,4-Dichlorobenzene	<0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
1,3-Dichlorobenzene	<0.28	ug/l	0.28	0.89	1	8260B		6/25/2013	CJR	1
1,2-Dichlorobenzene	<0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
Dichlorodifluoromethane	<0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
1,2-Dichloroethane	<0.41	ug/l	0.41	1.3	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethane	<0.3	ug/l	0.3	0.97	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethene	<0.4	ug/l	0.4	1.3	1	8260B		6/25/2013	CJR	1
cis-1,2-Dichloroethene	<0.38	ug/l	0.38	1.2	1	8260B		6/25/2013	CJR	1
trans-1,2-Dichloroethene	<0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
1,2-Dichloropropane	<0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
2,2-Dichloropropane	<0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
1,3-Dichloropropane	<0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Di-isopropyl ether	<0.23	ug/l	0.23	0.73	1	8260B		6/25/2013	CJR	1
EDB (1,2-Dibromoethane)	<0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
Ethylbenzene	<0.55	ug/l	0.55	1.7	1	8260B		6/25/2013	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.8	1	8260B		6/25/2013	CJR	1
Isopropylbenzene	<0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
p-Isopropyltoluene	<0.31	ug/l	0.31	0.98	1	8260B		6/25/2013	CJR	1
Methylene chloride	<0.5	ug/l	0.5	1.6	1	8260B		6/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	<0.23	ug/l	0.23	0.74	1	8260B		6/25/2013	CJR	1
Naphthalene	<1.7	ug/l	1.7	5.5	1	8260B		6/25/2013	CJR	1
n-Propylbenzene	<0.25	ug/l	0.25	0.81	1	8260B		6/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	<0.45	ug/l	0.45	1.4	1	8260B		6/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	<0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Tetrachloroethene	0.35 "J"	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Toluene	<0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1
1,2,4-Trichlorobenzene	<0.98	ug/l	0.98	3.1	1	8260B		6/25/2013	CJR	1
1,2,3-Trichlorobenzene	<1.8	ug/l	1.8	5.8	1	8260B		6/25/2013	CJR	1
1,1,1-Trichloroethane	<0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
1,1,2-Trichloroethane	<0.34	ug/l	0.34	1.1	1	8260B		6/25/2013	CJR	1
Trichloroethene (TCE)	<0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Trichlorofluoromethane	<0.71	ug/l	0.71	2.3	1	8260B		6/25/2013	CJR	1
1,2,4-Trimethylbenzene	<2.2	ug/l	2.2	6.9	1	8260B		6/25/2013	CJR	1
1,3,5-Trimethylbenzene	<1.4	ug/l	1.4	4.5	1	8260B		6/25/2013	CJR	1
Vinyl Chloride	<0.18	ug/l	0.18	0.57	1	8260B		6/25/2013	CJR	1
m&p-Xylene	<0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1

Project #

Lab Code 5025333N

Sample ID MW-19P

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/25/2013	CJR	1
SUR - Dibromofluoromethane	106	REC %				1 8260B		6/25/2013	CJR	1
SUR - Toluene-d8	98	REC %				1 8260B		6/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %				1 8260B		6/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %				1 8260B		6/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	< 2.6	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	< 3.5	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	2.7	mg/l	0.19		1	1 EPA 9060		6/25/2013	ESC	1

## Project #

Lab Code 50253330  
 Sample ID PZ-B-3  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	282	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	0.93	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		6/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		6/25/2013	CJR	1
EDB (1,2-Dibromoethane)	1.88	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		6/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		6/25/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		6/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		6/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		6/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		6/25/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		6/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Tetrachloroethene	21.9	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		6/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		6/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		6/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		6/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		6/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		6/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		6/25/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1

Project #

Lab Code 50253330  
 Sample ID PZ-B-3  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/25/2013	CJR	1
SUR - Toluene-d8	99	REC %				1 8260B		6/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %				1 8260B		6/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %				1 8260B		6/25/2013	CJR	1
SUR - Dibromofluoromethane	105	REC %				1 8260B		6/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	< 2.6	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	< 3.5	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	3.4	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1

Project #

Lab Code 5025333P  
 Sample ID PZ-A-3  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7	6/20/2013	6/20/2013	CWT	1
Manganese, Dissolved	25.1	ug/L	4.8	15.4	1	200.7	6/20/2013	6/20/2013	CWT	1
<b>Organic</b>										
<b>VOC's</b>										
Benzene	500	ug/l	2.4	7.7	10	8260B	6/26/2013	6/26/2013	CJR	1
Bromobenzene	< 3.2	ug/l	3.2	10	10	8260B	6/26/2013	6/26/2013	CJR	1
Bromodichloromethane	< 3.7	ug/l	3.7	12	10	8260B	6/26/2013	6/26/2013	CJR	1
Bromoforn	< 3.5	ug/l	3.5	11	10	8260B	6/26/2013	6/26/2013	CJR	1
tert-Butylbenzene	< 3.6	ug/l	3.6	12	10	8260B	6/26/2013	6/26/2013	CJR	1
sec-Butylbenzene	< 3.3	ug/l	3.3	10	10	8260B	6/26/2013	6/26/2013	CJR	1
n-Butylbenzene	3.5 "J"	ug/l	3.5	11	10	8260B	6/26/2013	6/26/2013	CJR	1
Carbon Tetrachloride	< 3.3	ug/l	3.3	11	10	8260B	6/26/2013	6/26/2013	CJR	1
Chlorobenzene	< 2.4	ug/l	2.4	7.7	10	8260B	6/26/2013	6/26/2013	CJR	1
Chloroethane	< 6.3	ug/l	6.3	20	10	8260B	6/26/2013	6/26/2013	CJR	1
Chloroform	< 2.8	ug/l	2.8	8.8	10	8260B	6/26/2013	6/26/2013	CJR	1
Chloromethane	< 8.1	ug/l	8.1	26	10	8260B	6/26/2013	6/26/2013	CJR	1
2-Chlorotoluene	< 2.1	ug/l	2.1	6.6	10	8260B	6/26/2013	6/26/2013	CJR	1
4-Chlorotoluene	< 2.1	ug/l	2.1	6.8	10	8260B	6/26/2013	6/26/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 8.8	ug/l	8.8	28	10	8260B	6/26/2013	6/26/2013	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	7	10	8260B	6/26/2013	6/26/2013	CJR	1
1,4-Dichlorobenzene	< 3	ug/l	3	9.6	10	8260B	6/26/2013	6/26/2013	CJR	1
1,3-Dichlorobenzene	< 2.8	ug/l	2.8	8.9	10	8260B	6/26/2013	6/26/2013	CJR	1
1,2-Dichlorobenzene	< 3.6	ug/l	3.6	12	10	8260B	6/26/2013	6/26/2013	CJR	1
Dichlorodifluoromethane	< 4.4	ug/l	4.4	14	10	8260B	6/26/2013	6/26/2013	CJR	1
1,2-Dichloroethane	< 4.1	ug/l	4.1	13	10	8260B	6/26/2013	6/26/2013	CJR	1
1,1-Dichloroethane	< 3	ug/l	3	9.7	10	8260B	6/26/2013	6/26/2013	CJR	1
1,1-Dichloroethene	< 4	ug/l	4	13	10	8260B	6/26/2013	6/26/2013	CJR	1
cis-1,2-Dichloroethene	< 3.8	ug/l	3.8	12	10	8260B	6/26/2013	6/26/2013	CJR	1
trans-1,2-Dichloroethene	< 3.5	ug/l	3.5	11	10	8260B	6/26/2013	6/26/2013	CJR	1
1,2-Dichloropropane	< 3.2	ug/l	3.2	10	10	8260B	6/26/2013	6/26/2013	CJR	1
2,2-Dichloropropane	< 3.6	ug/l	3.6	12	10	8260B	6/26/2013	6/26/2013	CJR	1
1,3-Dichloropropane	< 3.3	ug/l	3.3	10	10	8260B	6/26/2013	6/26/2013	CJR	1
Di-isopropyl ether	< 2.3	ug/l	2.3	7.3	10	8260B	6/26/2013	6/26/2013	CJR	1
EDB (1,2-Dibromoethane)	< 4.4	ug/l	4.4	14	10	8260B	6/26/2013	6/26/2013	CJR	1
Ethylbenzene	285	ug/l	5.5	17	10	8260B	6/26/2013	6/26/2013	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	48	10	8260B	6/26/2013	6/26/2013	CJR	1
Isopropylbenzene	11.4	ug/l	3	9.6	10	8260B	6/26/2013	6/26/2013	CJR	1
p-Isopropyltoluene	< 3.1	ug/l	3.1	9.8	10	8260B	6/26/2013	6/26/2013	CJR	1
Methylene chloride	< 5	ug/l	5	16	10	8260B	6/26/2013	6/26/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.3	ug/l	2.3	7.4	10	8260B	6/26/2013	6/26/2013	CJR	1
Naphthalene	31.1 "J"	ug/l	17	55	10	8260B	6/26/2013	6/26/2013	CJR	8 29
n-Propylbenzene	22.9	ug/l	2.5	8.1	10	8260B	6/26/2013	6/26/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 4.5	ug/l	4.5	14	10	8260B	6/26/2013	6/26/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 3.3	ug/l	3.3	11	10	8260B	6/26/2013	6/26/2013	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	11	10	8260B	6/26/2013	6/26/2013	CJR	1
Toluene	69	ug/l	6.9	22	10	8260B	6/26/2013	6/26/2013	CJR	1
1,2,4-Trichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B	6/26/2013	6/26/2013	CJR	1
1,2,3-Trichlorobenzene	< 18	ug/l	18	58	10	8260B	6/26/2013	6/26/2013	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10	10	8260B	6/26/2013	6/26/2013	CJR	1
1,1,2-Trichloroethane	< 3.4	ug/l	3.4	11	10	8260B	6/26/2013	6/26/2013	CJR	1
Trichloroethene (TCE)	< 3.3	ug/l	3.3	10	10	8260B	6/26/2013	6/26/2013	CJR	1
Trichlorofluoromethane	< 7.1	ug/l	7.1	23	10	8260B	6/26/2013	6/26/2013	CJR	1
1,2,4-Trimethylbenzene	105	ug/l	22	69	10	8260B	6/26/2013	6/26/2013	CJR	8 29
1,3,5-Trimethylbenzene	28.7 "J"	ug/l	14	45	10	8260B	6/26/2013	6/26/2013	CJR	8 29
Vinyl Chloride	< 1.8	ug/l	1.8	5.7	10	8260B	6/26/2013	6/26/2013	CJR	1
m&p-Xylene	301	ug/l	6.9	22	10	8260B	6/26/2013	6/26/2013	CJR	1

Project #

Lab Code 5025333P

Sample ID PZ-A-3

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	15.6 "J"	ug/l	6.3	20	10	8260B		6/26/2013	CJR	1
SUR - Toluene-d8	98	REC %			10	8260B		6/26/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			10	8260B		6/26/2013	CJR	1
SUR - Dibromofluoromethane	102	REC %			10	8260B		6/26/2013	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			10	8260B		6/26/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	130	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	460	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	83	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1

Lab Code 5025333Q  
 Sample ID MW-A-2  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	178	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/26/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/26/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/26/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		6/26/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/26/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		6/26/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		6/26/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		6/26/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		6/26/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		6/26/2013	CJR	1
Chloroform	0.42 "J"	ug/l	0.28	0.88	1	8260B		6/26/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		6/26/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		6/26/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		6/26/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		6/26/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		6/26/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/26/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/26/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		6/26/2013	CJR	1
Dichlorodifluoromethane	0.95 "J"	ug/l	0.44	1.4	1	8260B		6/26/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		6/26/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		6/26/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		6/26/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		6/26/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		6/26/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		6/26/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		6/26/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		6/26/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		6/26/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		6/26/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		6/26/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		6/26/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/26/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		6/26/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		6/26/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		6/26/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		6/26/2013	CJR	8 29
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		6/26/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/26/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		6/26/2013	CJR	1
Tetrachloroethene	41	ug/l	0.33	1.1	1	8260B		6/26/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		6/26/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		6/26/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		6/26/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		6/26/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		6/26/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		6/26/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		6/26/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		6/26/2013	CJR	8 29
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		6/26/2013	CJR	8 29
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		6/26/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		6/26/2013	CJR	1

Project #

Lab Code 5025333Q

Sample ID MW-A-2

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/26/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %				1 8260B		6/26/2013	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %				1 8260B		6/26/2013	CJR	1
SUR - Dibromofluoromethane	100	REC %				1 8260B		6/26/2013	CJR	1
SUR - Toluene-d8	95	REC %				1 8260B		6/26/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	46	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	80	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	21	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1



Project #

Lab Code 5025333R  
 Sample ID MW-16  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7	6/20/2013	6/20/2013	CWT	I
Manganese, Dissolved	26.0	ug/L	4.8	15.4	1	200.7	6/20/2013	6/20/2013	CWT	I
<b>Organic</b>										
<b>VOC's</b>										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B	6/25/2013	6/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1.1	1	8260B	6/25/2013	6/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	6/25/2013	6/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B	6/25/2013	6/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	6/25/2013	6/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B	6/25/2013	6/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	6/25/2013	6/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	6/25/2013	6/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	6/25/2013	6/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	6/25/2013	6/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	6/25/2013	6/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	6/25/2013	6/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	6/25/2013	6/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	6/25/2013	6/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	6/25/2013	6/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	6/25/2013	6/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	6/25/2013	6/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	6/25/2013	6/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	6/25/2013	6/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	6/25/2013	6/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	6/25/2013	6/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	6/25/2013	6/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	6/25/2013	6/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B	6/25/2013	6/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	6/25/2013	6/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	6/25/2013	6/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	6/25/2013	6/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	6/25/2013	6/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	6/25/2013	6/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	6/25/2013	6/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	6/25/2013	6/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	6/25/2013	6/25/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	6/25/2013	6/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B	6/25/2013	6/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B	6/25/2013	6/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B	6/25/2013	6/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B	6/25/2013	6/25/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B	6/25/2013	6/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	6/25/2013	6/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	6/25/2013	6/25/2013	CJR	1
Tetrachloroethene	0.38 "J"	ug/l	0.33	1.1	1	8260B	6/25/2013	6/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B	6/25/2013	6/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	6/25/2013	6/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	6/25/2013	6/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	6/25/2013	6/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	6/25/2013	6/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B	6/25/2013	6/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	6/25/2013	6/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B	6/25/2013	6/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	6/25/2013	6/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B	6/25/2013	6/25/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B	6/25/2013	6/25/2013	CJR	1

Project #

Lab Code 5025333R

Sample ID MW-16

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				1 8260B		6/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %				1 8260B		6/25/2013	CJR	1
SUR - Dibromofluoromethane	104	REC %				1 8260B		6/25/2013	CJR	1
SUR - Toluene-d8	96	REC %				1 8260B		6/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	220	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	8.7 "J"	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	3.0	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1

Project #

Lab Code 5025333S  
 Sample ID MW-17  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	110	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	< 2.4	ug/l	2.4	7.7	10	8260B		6/25/2013	CJR	1
Bromobenzene	< 3.2	ug/l	3.2	10	10	8260B		6/25/2013	CJR	1
Bromodichloromethane	< 3.7	ug/l	3.7	12	10	8260B		6/25/2013	CJR	1
Bromoforn	< 3.5	ug/l	3.5	11	10	8260B		6/25/2013	CJR	1
tert-Butylbenzene	< 3.6	ug/l	3.6	12	10	8260B		6/25/2013	CJR	1
sec-Butylbenzene	< 3.3	ug/l	3.3	10	10	8260B		6/25/2013	CJR	1
n-Butylbenzene	< 3.5	ug/l	3.5	11	10	8260B		6/25/2013	CJR	1
Carbon Tetrachloride	< 3.3	ug/l	3.3	11	10	8260B		6/25/2013	CJR	1
Chlorobenzene	< 2.4	ug/l	2.4	7.7	10	8260B		6/25/2013	CJR	1
Chloroethane	< 6.3	ug/l	6.3	20	10	8260B		6/25/2013	CJR	1
Chloroform	< 2.8	ug/l	2.8	8.8	10	8260B		6/25/2013	CJR	1
Chloromethane	< 8.1	ug/l	8.1	26	10	8260B		6/25/2013	CJR	1
2-Chlorotoluene	< 2.1	ug/l	2.1	6.6	10	8260B		6/25/2013	CJR	1
4-Chlorotoluene	< 2.1	ug/l	2.1	6.8	10	8260B		6/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 8.8	ug/l	8.8	28	10	8260B		6/25/2013	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	7	10	8260B		6/25/2013	CJR	1
1,4-Dichlorobenzene	< 3	ug/l	3	9.6	10	8260B		6/25/2013	CJR	1
1,3-Dichlorobenzene	< 2.8	ug/l	2.8	8.9	10	8260B		6/25/2013	CJR	1
1,2-Dichlorobenzene	< 3.6	ug/l	3.6	12	10	8260B		6/25/2013	CJR	1
Dichlorodifluoromethane	< 4.4	ug/l	4.4	14	10	8260B		6/25/2013	CJR	1
1,2-Dichloroethane	< 4.1	ug/l	4.1	13	10	8260B		6/25/2013	CJR	1
1,1-Dichloroethane	< 3	ug/l	3	9.7	10	8260B		6/25/2013	CJR	1
1,1-Dichloroethene	< 4	ug/l	4	13	10	8260B		6/25/2013	CJR	1
cis-1,2-Dichloroethene	< 3.8	ug/l	3.8	12	10	8260B		6/25/2013	CJR	1
trans-1,2-Dichloroethene	< 3.5	ug/l	3.5	11	10	8260B		6/25/2013	CJR	1
1,2-Dichloropropane	< 3.2	ug/l	3.2	10	10	8260B		6/25/2013	CJR	1
2,2-Dichloropropane	< 3.6	ug/l	3.6	12	10	8260B		6/25/2013	CJR	1
1,3-Dichloropropane	< 3.3	ug/l	3.3	10	10	8260B		6/25/2013	CJR	1
Di-isopropyl ether	< 2.3	ug/l	2.3	7.3	10	8260B		6/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 4.4	ug/l	4.4	14	10	8260B		6/25/2013	CJR	1
Ethylbenzene	< 5.5	ug/l	5.5	17	10	8260B		6/25/2013	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	48	10	8260B		6/25/2013	CJR	1
Isopropylbenzene	< 3	ug/l	3	9.6	10	8260B		6/25/2013	CJR	1
p-Isopropyltoluene	< 3.1	ug/l	3.1	9.8	10	8260B		6/25/2013	CJR	1
Methylene chloride	< 5	ug/l	5	16	10	8260B		6/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.3	ug/l	2.3	7.4	10	8260B		6/25/2013	CJR	1
Naphthalene	< 17	ug/l	17	55	10	8260B		6/25/2013	CJR	1
n-Propylbenzene	< 2.5	ug/l	2.5	8.1	10	8260B		6/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 4.5	ug/l	4.5	14	10	8260B		6/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 3.3	ug/l	3.3	11	10	8260B		6/25/2013	CJR	1
Tetrachloroethene	870	ug/l	3.3	11	10	8260B		6/25/2013	CJR	1
Toluene	< 6.9	ug/l	6.9	22	10	8260B		6/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B		6/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 18	ug/l	18	58	10	8260B		6/25/2013	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10	10	8260B		6/25/2013	CJR	1
1,1,2-Trichloroethane	< 3.4	ug/l	3.4	11	10	8260B		6/25/2013	CJR	1
Trichloroethene (TCE)	< 3.3	ug/l	3.3	10	10	8260B		6/25/2013	CJR	1
Trichlorofluoromethane	< 7.1	ug/l	7.1	23	10	8260B		6/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 22	ug/l	22	69	10	8260B		6/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 14	ug/l	14	45	10	8260B		6/25/2013	CJR	1
Vinyl Chloride	< 1.8	ug/l	1.8	5.7	10	8260B		6/25/2013	CJR	1
m&p-Xylene	< 6.9	ug/l	6.9	22	10	8260B		6/25/2013	CJR	1

Project #

Lab Code 5025333S  
 Sample ID MW-17  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 6.3	ug/l	6.3	20	10	8260B		6/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			10	8260B		6/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			10	8260B		6/25/2013	CJR	1
SUR - Dibromofluoromethane	101	REC %			10	8260B		6/25/2013	CJR	1
SUR - Toluene-d8	96	REC %			10	8260B		6/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	< 2.6	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	22	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	2.0	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1

Project #

Lab Code 5025333T  
 Sample ID MW-14P  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7		6/20/2013	CWT	1
Manganese, Dissolved	266	ug/L	4.8	15.4	1	200.7		6/20/2013	CWT	1
Organic										
VOC's										
Benzene	< 2.4	ug/l	2.4	7.7	10	8260B		6/25/2013	CJR	1
Bromobenzene	< 3.2	ug/l	3.2	10	10	8260B		6/25/2013	CJR	1
Bromodichloromethane	< 3.7	ug/l	3.7	12	10	8260B		6/25/2013	CJR	1
Bromoforn	< 3.5	ug/l	3.5	11	10	8260B		6/25/2013	CJR	1
tert-Butylbenzene	< 3.6	ug/l	3.6	12	10	8260B		6/25/2013	CJR	1
sec-Butylbenzene	< 3.3	ug/l	3.3	10	10	8260B		6/25/2013	CJR	1
n-Butylbenzene	< 3.5	ug/l	3.5	11	10	8260B		6/25/2013	CJR	1
Carbon Tetrachloride	< 3.3	ug/l	3.3	11	10	8260B		6/25/2013	CJR	1
Chlorobenzene	< 2.4	ug/l	2.4	7.7	10	8260B		6/25/2013	CJR	1
Chloroethane	< 6.3	ug/l	6.3	20	10	8260B		6/25/2013	CJR	1
Chloroform	< 2.8	ug/l	2.8	8.8	10	8260B		6/25/2013	CJR	1
Chloromethane	< 8.1	ug/l	8.1	26	10	8260B		6/25/2013	CJR	1
2-Chlorotoluene	< 2.1	ug/l	2.1	6.6	10	8260B		6/25/2013	CJR	1
4-Chlorotoluene	< 2.1	ug/l	2.1	6.8	10	8260B		6/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 8.8	ug/l	8.8	28	10	8260B		6/25/2013	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	7	10	8260B		6/25/2013	CJR	1
1,4-Dichlorobenzene	< 3	ug/l	3	9.6	10	8260B		6/25/2013	CJR	1
1,3-Dichlorobenzene	< 2.8	ug/l	2.8	8.9	10	8260B		6/25/2013	CJR	1
1,2-Dichlorobenzene	< 3.6	ug/l	3.6	12	10	8260B		6/25/2013	CJR	1
Dichlorodifluoromethane	< 4.4	ug/l	4.4	14	10	8260B		6/25/2013	CJR	1
1,2-Dichloroethane	< 4.1	ug/l	4.1	13	10	8260B		6/25/2013	CJR	1
1,1-Dichloroethane	< 3	ug/l	3	9.7	10	8260B		6/25/2013	CJR	1
1,1-Dichloroethene	< 4	ug/l	4	13	10	8260B		6/25/2013	CJR	1
cis-1,2-Dichloroethene	< 3.8	ug/l	3.8	12	10	8260B		6/25/2013	CJR	1
trans-1,2-Dichloroethene	< 3.5	ug/l	3.5	11	10	8260B		6/25/2013	CJR	1
1,2-Dichloropropane	< 3.2	ug/l	3.2	10	10	8260B		6/25/2013	CJR	1
2,2-Dichloropropane	< 3.6	ug/l	3.6	12	10	8260B		6/25/2013	CJR	1
1,3-Dichloropropane	< 3.3	ug/l	3.3	10	10	8260B		6/25/2013	CJR	1
Di-isopropyl ether	< 2.3	ug/l	2.3	7.3	10	8260B		6/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 4.4	ug/l	4.4	14	10	8260B		6/25/2013	CJR	1
Ethylbenzene	< 5.5	ug/l	5.5	17	10	8260B		6/25/2013	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	48	10	8260B		6/25/2013	CJR	1
Isopropylbenzene	< 3	ug/l	3	9.6	10	8260B		6/25/2013	CJR	1
p-Isopropyltoluene	< 3.1	ug/l	3.1	9.8	10	8260B		6/25/2013	CJR	1
Methylene chloride	< 5	ug/l	5	16	10	8260B		6/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.3	ug/l	2.3	7.4	10	8260B		6/25/2013	CJR	1
Naphthalene	< 17	ug/l	17	55	10	8260B		6/25/2013	CJR	1
n-Propylbenzene	< 2.5	ug/l	2.5	8.1	10	8260B		6/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 4.5	ug/l	4.5	14	10	8260B		6/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 3.3	ug/l	3.3	11	10	8260B		6/25/2013	CJR	1
Tetrachloroethene	1270	ug/l	3.3	11	10	8260B		6/25/2013	CJR	1
Toluene	< 6.9	ug/l	6.9	22	10	8260B		6/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B		6/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 18	ug/l	18	58	10	8260B		6/25/2013	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10	10	8260B		6/25/2013	CJR	1
1,1,2-Trichloroethane	< 3.4	ug/l	3.4	11	10	8260B		6/25/2013	CJR	1
Trichloroethene (TCE)	< 3.3	ug/l	3.3	10	10	8260B		6/25/2013	CJR	1
Trichlorofluoromethane	< 7.1	ug/l	7.1	23	10	8260B		6/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 22	ug/l	22	69	10	8260B		6/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 14	ug/l	14	45	10	8260B		6/25/2013	CJR	1
Vinyl Chloride	< 1.8	ug/l	1.8	5.7	10	8260B		6/25/2013	CJR	1
m&p-Xylene	< 6.9	ug/l	6.9	22	10	8260B		6/25/2013	CJR	1

Project #

Lab Code 5025333T  
 Sample ID MW-14P  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 6.3	ug/l	6.3	20	10	8260B		6/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			10	8260B		6/25/2013	CJR	1
SUR - Dibromofluoromethane	102	REC %			10	8260B		6/25/2013	CJR	1
SUR - Toluene-d8	98	REC %			10	8260B		6/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			10	8260B		6/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	< 2.6	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	39	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	5.6	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1

## Project #

Lab Code 5025333U

Sample ID MW-14

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.06	mg/l	0.06	0.21	1	200.7	6/20/2013	6/20/2013	CWT	1
Manganese, Dissolved	6.1 "J"	ug/L	4.8	15.4	1	200.7	6/20/2013	6/20/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B	6/26/2013	6/26/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B	6/26/2013	6/26/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B	6/26/2013	6/26/2013	CJR	1
Bromofonn	< 0.35	ug/l	0.35	1.1	1	8260B	6/26/2013	6/26/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	6/26/2013	6/26/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B	6/26/2013	6/26/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	6/26/2013	6/26/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B	6/26/2013	6/26/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B	6/26/2013	6/26/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B	6/26/2013	6/26/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B	6/26/2013	6/26/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B	6/26/2013	6/26/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B	6/26/2013	6/26/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B	6/26/2013	6/26/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B	6/26/2013	6/26/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B	6/26/2013	6/26/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B	6/26/2013	6/26/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B	6/26/2013	6/26/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B	6/26/2013	6/26/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B	6/26/2013	6/26/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	6/26/2013	6/26/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	6/26/2013	6/26/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B	6/26/2013	6/26/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B	6/26/2013	6/26/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B	6/26/2013	6/26/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B	6/26/2013	6/26/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B	6/26/2013	6/26/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B	6/26/2013	6/26/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B	6/26/2013	6/26/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B	6/26/2013	6/26/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B	6/26/2013	6/26/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B	6/26/2013	6/26/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B	6/26/2013	6/26/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B	6/26/2013	6/26/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B	6/26/2013	6/26/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B	6/26/2013	6/26/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B	6/26/2013	6/26/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B	6/26/2013	6/26/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	6/26/2013	6/26/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B	6/26/2013	6/26/2013	CJR	1
Tetrachloroethene	1.03 "J"	ug/l	0.33	1.1	1	8260B	6/26/2013	6/26/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B	6/26/2013	6/26/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	6/26/2013	6/26/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B	6/26/2013	6/26/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B	6/26/2013	6/26/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B	6/26/2013	6/26/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B	6/26/2013	6/26/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B	6/26/2013	6/26/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B	6/26/2013	6/26/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B	6/26/2013	6/26/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B	6/26/2013	6/26/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B	6/26/2013	6/26/2013	CJR	1

Project #

Lab Code 5025333U

Sample ID MW-14

Sample Matrix water

Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		6/26/2013	CJR	1
SUR - Toluene-d8	96	REC %				1 8260B		6/26/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				1 8260B		6/26/2013	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %				1 8260B		6/26/2013	CJR	1
SUR - Dibromofluoromethane	103	REC %				1 8260B		6/26/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	100	mg/l	2.6	20	1	SM 2320B		6/28/2013	ESC	1
COD, Unfiltered	7.7 "J"	mg/l	3.5	10	1	410.4		6/25/2013	ESC	1
Total Organic Carbon	3.5	mg/l	0.19	1	1	EPA 9060		6/25/2013	ESC	1



Project #

Lab Code 5025333V  
 Sample ID TB  
 Sample Matrix water  
 Sample Date 6/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Bromobenzene	<0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
Bromodichloromethane	<0.37	ug/l	0.37	1.2	1	8260B		6/25/2013	CJR	1
Bromofom	<0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
tert-Butylbenzene	<0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
sec-Butylbenzene	<0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
n-Butylbenzene	<0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
Carbon Tetrachloride	<0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Chlorobenzene	<0.24	ug/l	0.24	0.77	1	8260B		6/25/2013	CJR	1
Chloroethane	<0.63	ug/l	0.63	2	1	8260B		6/25/2013	CJR	1
Chloroform	<0.28	ug/l	0.28	0.88	1	8260B		6/25/2013	CJR	1
Chloromethane	<0.81	ug/l	0.81	2.6	1	8260B		6/25/2013	CJR	1
2-Chlorotoluene	<0.21	ug/l	0.21	0.66	1	8260B		6/25/2013	CJR	1
4-Chlorotoluene	<0.21	ug/l	0.21	0.68	1	8260B		6/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	<0.88	ug/l	0.88	2.8	1	8260B		6/25/2013	CJR	1
Dibromochloromethane	<0.22	ug/l	0.22	0.7	1	8260B		6/25/2013	CJR	1
1,4-Dichlorobenzene	<0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
1,3-Dichlorobenzene	<0.28	ug/l	0.28	0.89	1	8260B		6/25/2013	CJR	1
1,2-Dichlorobenzene	<0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
Dichlorodifluoromethane	<0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
1,2-Dichloroethane	<0.41	ug/l	0.41	1.3	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethane	<0.3	ug/l	0.3	0.97	1	8260B		6/25/2013	CJR	1
1,1-Dichloroethene	<0.4	ug/l	0.4	1.3	1	8260B		6/25/2013	CJR	1
cis-1,2-Dichloroethene	<0.38	ug/l	0.38	1.2	1	8260B		6/25/2013	CJR	1
trans-1,2-Dichloroethene	<0.35	ug/l	0.35	1.1	1	8260B		6/25/2013	CJR	1
1,2-Dichloropropane	<0.32	ug/l	0.32	1	1	8260B		6/25/2013	CJR	1
2,2-Dichloropropane	<0.36	ug/l	0.36	1.2	1	8260B		6/25/2013	CJR	1
1,3-Dichloropropane	<0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Di-isopropyl ether	<0.23	ug/l	0.23	0.73	1	8260B		6/25/2013	CJR	1
EDB (1,2-Dibromoethane)	<0.44	ug/l	0.44	1.4	1	8260B		6/25/2013	CJR	1
Ethylbenzene	<0.55	ug/l	0.55	1.7	1	8260B		6/25/2013	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.8	1	8260B		6/25/2013	CJR	1
Isopropylbenzene	<0.3	ug/l	0.3	0.96	1	8260B		6/25/2013	CJR	1
p-Isopropyltoluene	<0.31	ug/l	0.31	0.98	1	8260B		6/25/2013	CJR	1
Methylene chloride	<0.5	ug/l	0.5	1.6	1	8260B		6/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	<0.23	ug/l	0.23	0.74	1	8260B		6/25/2013	CJR	1
Naphthalene	<1.7	ug/l	1.7	5.5	1	8260B		6/25/2013	CJR	1
n-Propylbenzene	<0.25	ug/l	0.25	0.81	1	8260B		6/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	<0.45	ug/l	0.45	1.4	1	8260B		6/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	<0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Tetrachloroethene	<0.33	ug/l	0.33	1.1	1	8260B		6/25/2013	CJR	1
Toluene	<0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1
1,2,4-Trichlorobenzene	<0.98	ug/l	0.98	3.1	1	8260B		6/25/2013	CJR	1
1,2,3-Trichlorobenzene	<1.8	ug/l	1.8	5.8	1	8260B		6/25/2013	CJR	1
1,1,1-Trichloroethane	<0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
1,1,2-Trichloroethane	<0.34	ug/l	0.34	1.1	1	8260B		6/25/2013	CJR	1
Trichloroethene (TCE)	<0.33	ug/l	0.33	1	1	8260B		6/25/2013	CJR	1
Trichlorofluoromethane	<0.71	ug/l	0.71	2.3	1	8260B		6/25/2013	CJR	1
1,2,4-Trimethylbenzene	<2.2	ug/l	2.2	6.9	1	8260B		6/25/2013	CJR	1
1,3,5-Trimethylbenzene	<1.4	ug/l	1.4	4.5	1	8260B		6/25/2013	CJR	1
Vinyl Chloride	<0.18	ug/l	0.18	0.57	1	8260B		6/25/2013	CJR	1
m&p-Xylene	<0.69	ug/l	0.69	2.2	1	8260B		6/25/2013	CJR	1
o-Xylene	<0.63	ug/l	0.63	2	1	8260B		6/25/2013	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		6/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		6/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		6/25/2013	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/25/2013	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.
2	Relative percent difference failed for laboratory spiked samples.
8	Closing calibration standard not within established limits.
29	Closing continuing calibration verification failed due to instrument carryover. CWT denotes sub contract lab - Certification #445126660 ESC denotes sub contract lab - Certification #998093910

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

**Authorized Signature**

*Michael Ricker*



# CHAIN OF CUSTODY RECORD

# Synergy

Chain # No. 392

Page 2 of 3

## Environmental Lab, Inc.

 1990 Prospect Ct. • Appleton, WI 54914  
 920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
 \_\_\_ Rush Analysis Date Required \_\_\_  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_  
 Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
 Project #: \_\_\_\_\_  
 Sampler: (signature) *Matthew C. Miller*

Project (Name / Location): *Bond Box Cleaners - Torch*

Reports To: *John Tessmann* Invoice To: \_\_\_\_\_  
 Company *Bond Box* Company \_\_\_\_\_  
 Address *1217 Superior Ave* Address *Same*  
 City State Zip *Torch, WI 54660* City State Zip \_\_\_\_\_  
 Phone \_\_\_\_\_ Phone \_\_\_\_\_  
 FAX \_\_\_\_\_ FAX \_\_\_\_\_

Analysis Requested		Other Analysis				PID/ FID										
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	IRON (Dissolved)	LEAD	NITRATE / NITRITE	PAH (EPA 8270)		PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	Manganese (Dissolved)	TOC	COB	Alkalinity
		<input checked="" type="checkbox"/>								<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5025333k	P2-1	6/18	12:55		X	Y	7	GW	
L	P2-B-4		2:20						
M	P2-A-4		2:55						
N	MW-19P		4:55						
O	P2-B-3		3:55						
P	P2-A-3		4:25						
Q	MW-A-2		5:25						
R	MW-16		5:45						
S	MW-17		6:35						
T	MW-14P		6:35						

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

*Lab to send copy of report + invoice to METCO/Jason P.*

Sample Integrity - To be completed by receiving lab.  
 Method of Shipment: *Refrigeration*  
 Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice:   
 Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) *Matthew C. Miller* Time: *7:00 am* Date: *6/19/13*  
 Received By: (sign) \_\_\_\_\_ Time: *8:00* Date: *6-20-13*  
 Received in Laboratory By: *Quinn/Dan* Time: \_\_\_\_\_ Date: \_\_\_\_\_

CHAIN OF CUSTODY RECORD

# Synergy

## Environmental Lab, Inc.

Chain # No. 393

Page 3 of 3

Lab I.D. # \_\_\_\_\_  
 Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
 Project #: \_\_\_\_\_  
 Sampler: (signature) *Matt C. [unclear]*

1990 Prospect Ct. • Appleton, WI 54914  
 920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
 Rush Analysis Date Required \_\_\_\_\_  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Project (Name / Location): <i>Bard Box Cleaners - Tomah</i>					Analysis Requested					Other Analysis				
Reports To: <i>John Tessmann</i>					Invoice To:									
Company: <i>Bard Box</i>					Company:									
Address: <i>117 Superior Ave</i>					Address: <i>Same</i>									
City State Zip: <i>Tomah, WI 54660</i>					City State Zip:									
Phone: <i>(608) 372-5642</i>					Phone:									
FAX:					FAX:									

Lab I.D.	Sample I.D.	Collection Date	Time	Comp.	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	IRON (Dissolved)	LEAD	NITRATE / NITRITE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	VOC DW (EPA 824.2)	VOC (EPA 8260)	8-PCRA METALS	Manganese (Dissolved)	TOC	COD	Alkalinity	PID/ FID
<i>502533U</i>	<i>MW-14</i>	<i>6/18</i>	<i>6:05</i>		<i>2</i>	<i>Y</i>	<i>2</i>	<i>GW</i>				<input checked="" type="checkbox"/>							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<i>V</i>	<i>TB</i>						<i>1</i>												<input checked="" type="checkbox"/>							

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)  
*Lab to send copy of Report & Invoice to METCO / Jason P.*

Sample Integrity - To be completed by receiving lab. Method of Shipment: <i>Rush</i> Temp. of Temp. Blank: _____ °C On Ice: <input checked="" type="checkbox"/> Cooler seal intact upon receipt: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Relinquished By: (sign) <i>Matt C. [unclear]</i> Time Date: <i>7:00 am 6/19</i>	Received By: (sign) _____ Time Date: _____
	Received in Laboratory By: <i>[Signature]</i> Time: <i>8:00</i> Date: <i>6/20/17</i>	

# Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

JASON POWELL  
METCO  
709 GILLETTE ST  
LA CROSSE, WI 54603-2382

Report Date 07-Oct-13

Project Name BAND BOX CLEANERS  
Project #

Invoice # E25785

Lab Code 5025785A  
Sample ID CMW-2  
Sample Matrix Water  
Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Iron, Dissolved	5.15	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	255	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
<b>Organic</b>										
<b>VOC's</b>										
Benzene	<2.4	ug/l	2.4	7.7	10	8260B		9/26/2013	CJR	1
Bromobenzene	<3.2	ug/l	3.2	10	10	8260B		9/26/2013	CJR	1
Bromodichloromethane	<3.7	ug/l	3.7	12	10	8260B		9/26/2013	CJR	1
Bromoform	<3.5	ug/l	3.5	11	10	8260B		9/26/2013	CJR	1
tert-Butylbenzene	<3.6	ug/l	3.6	12	10	8260B		9/26/2013	CJR	1
sec-Butylbenzene	<3.3	ug/l	3.3	10	10	8260B		9/26/2013	CJR	1
n-Butylbenzene	6.6 "J"	ug/l	3.5	11	10	8260B		9/26/2013	CJR	1
Carbon Tetrachloride	<3.3	ug/l	3.3	11	10	8260B		9/26/2013	CJR	1
Chlorobenzene	<2.4	ug/l	2.4	7.7	10	8260B		9/26/2013	CJR	1
Chloroethane	<6.3	ug/l	6.3	20	10	8260B		9/26/2013	CJR	1
Chloroform	<2.8	ug/l	2.8	8.8	10	8260B		9/26/2013	CJR	1
Chloromethane	<8.1	ug/l	8.1	26	10	8260B		9/26/2013	CJR	1
2-Chlorotoluene	<2.1	ug/l	2.1	6.6	10	8260B		9/26/2013	CJR	1
4-Chlorotoluene	<2.1	ug/l	2.1	6.8	10	8260B		9/26/2013	CJR	1
1,2-Dibromo-3-chloropropane	<8.8	ug/l	8.8	28	10	8260B		9/26/2013	CJR	1
Dibromochloromethane	<2.2	ug/l	2.2	7	10	8260B		9/26/2013	CJR	1
1,4-Dichlorobenzene	<3	ug/l	3	9.6	10	8260B		9/26/2013	CJR	1
1,3-Dichlorobenzene	<2.8	ug/l	2.8	8.9	10	8260B		9/26/2013	CJR	1
1,2-Dichlorobenzene	<3.6	ug/l	3.6	12	10	8260B		9/26/2013	CJR	1
Dichlorodifluoromethane	<4.4	ug/l	4.4	14	10	8260B		9/26/2013	CJR	1
1,2-Dichloroethane	<4.1	ug/l	4.1	13	10	8260B		9/26/2013	CJR	1
1,1-Dichloroethane	<3	ug/l	3	9.7	10	8260B		9/26/2013	CJR	8
1,1-Dichloroethene	<4	ug/l	4	13	10	8260B		9/26/2013	CJR	1
cis-1,2-Dichloroethene	<3.8	ug/l	3.8	12	10	8260B		9/26/2013	CJR	1
trans-1,2-Dichloroethene	<3.5	ug/l	3.5	11	10	8260B		9/26/2013	CJR	1
1,2-Dichloropropane	<3.2	ug/l	3.2	10	10	8260B		9/26/2013	CJR	1
2,2-Dichloropropane	<3.6	ug/l	3.6	12	10	8260B		9/26/2013	CJR	8
1,3-Dichloropropane	<3.3	ug/l	3.3	10	10	8260B		9/26/2013	CJR	1

Project #

Lab Code 5025785A  
 Sample ID CMW-2  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Di-isopropyl ether	< 2.3	ug/l	2.3	7.3	10	8260B		9/26/2013	CJR	1
EDB (1,2-Dibromoethane)	< 4.4	ug/l	4.4	14	10	8260B		9/26/2013	CJR	1
Ethylbenzene	330	ug/l	5.5	17	10	8260B		9/26/2013	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	48	10	8260B		9/26/2013	CJR	1
Isopropylbenzene	21	ug/l	3	9.6	10	8260B		9/26/2013	CJR	1
p-Isopropyltoluene	< 3.1	ug/l	3.1	9.8	10	8260B		9/26/2013	CJR	1
Methylene chloride	< 5	ug/l	5	16	10	8260B		9/26/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.3	ug/l	2.3	7.4	10	8260B		9/26/2013	CJR	1
Naphthalene	28 "J"	ug/l	17	55	10	8260B		9/26/2013	CJR	1
n-Propylbenzene	57	ug/l	2.5	8.1	10	8260B		9/26/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 4.5	ug/l	4.5	14	10	8260B		9/26/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 3.3	ug/l	3.3	11	10	8260B		9/26/2013	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	11	10	8260B		9/26/2013	CJR	1
Toluene	39	ug/l	6.9	22	10	8260B		9/26/2013	CJR	1
1,2,4-Trichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B		9/26/2013	CJR	1
1,2,3-Trichlorobenzene	< 18	ug/l	18	58	10	8260B		9/26/2013	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10	10	8260B		9/26/2013	CJR	1
1,1,2-Trichloroethane	< 3.4	ug/l	3.4	11	10	8260B		9/26/2013	CJR	1
Trichloroethene (TCE)	< 3.3	ug/l	3.3	10	10	8260B		9/26/2013	CJR	1
Trichlorofluoromethane	< 7.1	ug/l	7.1	23	10	8260B		9/26/2013	CJR	1
1,2,4-Trimethylbenzene	249	ug/l	22	69	10	8260B		9/26/2013	CJR	1
1,3,5-Trimethylbenzene	69	ug/l	14	45	10	8260B		9/26/2013	CJR	1
Vinyl Chloride	< 1.8	ug/l	1.8	5.7	10	8260B		9/26/2013	CJR	1
m&p-Xylene	790	ug/l	6.9	22	10	8260B		9/26/2013	CJR	1
o-Xylene	82	ug/l	6.3	20	10	8260B		9/26/2013	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			10	8260B		9/26/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			10	8260B		9/26/2013	CJR	1
SUR - Toluene-d8	102	REC %			10	8260B		9/26/2013	CJR	1
SUR - Dibromofluoromethane	96	REC %			10	8260B		9/26/2013	CJR	1

Wet Chemistry

General

Alkalinity, Total Filtered	60	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	28	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	4.8	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

## Project #

Lab Code 5025785B

Sample ID MW-12

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	4.62	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	589	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	0.82 "J"	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	2.37	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	2.47	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	1.15	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	0.38 "J"	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	4.1	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	1.86 "J"	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	12.8	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	5.3	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	3.9	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1



Project #

Lab Code 5025785B

Sample ID MW-12

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	4.1	ug/l	0.63		2	1 8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %				1 8260B		9/25/2013	CJR	1
SUR - Toluene-d8	102	REC %				1 8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	103	REC %				1 8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %				1 8260B		9/25/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	58	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	54	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	14	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

Project #

Lab Code 5025785C  
 Sample ID MW-19  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	34.5	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1

Project #

Lab Code 5025785C  
 Sample ID MW-19  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	<0.63	ug/l	0.63		2	1 8260B		9/25/2013	CJR	1
SUR - Toluene-d8	100	REC %				1 8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %				1 8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %				1 8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	94	REC %				1 8260B		9/25/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	270	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	61	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	4.6	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

Project #

Lab Code 5025785D  
 Sample ID MW-18  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	<0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	172	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	<0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	<0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	<0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoforn	<0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	<0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	<0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	<0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	<0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	<0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	<0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroform	<0.28	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	<0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	<0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	<0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	<0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	<0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	<0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	<0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	<0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	<0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	<0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	<0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	<0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	<0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	<0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	<0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	<0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	<0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	<0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	<0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	<0.55	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	<0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	<0.31	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	<0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	<0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	<1.7	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	<0.25	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	<0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	<0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	<0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	<0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	<0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	<1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	<0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	<0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	<0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	<0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	<2.2	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	<1.4	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	<0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	<0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1

Project #

Lab Code 5025785D  
 Sample ID MW-18  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %				1 8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %				1 8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	101	REC %				1 8260B		9/25/2013	CJR	1
SUR - Toluene-d8	103	REC %				1 8260B		9/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	28	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	18	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	2.9	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

## Project #

Lab Code 5025785E  
 Sample ID MW-18P  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	67.34	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1

Project #

Lab Code 5025785E  
 Sample ID MW-18P  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %				1 8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %				1 8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	100	REC %				1 8260B		9/25/2013	CJR	1
SUR - Toluene-d8	99	REC %				1 8260B		9/25/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	34	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	26	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	1.7	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

## Project #

Lab Code 5025785F  
 Sample ID MW-17P  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	263	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoforn	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1



Project #

Lab Code 5025785F  
 Sample ID MW-17P  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %				1 8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %				1 8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	98	REC %				1 8260B		9/25/2013	CJR	1
SUR - Toluene-d8	104	REC %				1 8260B		9/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	< 20	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	36	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	1.8	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

## Project #

Lab Code 5025785G  
 Sample ID MW-13  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	34.7	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoforn	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroforn	< 0.28	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	3.12	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	0.72 "J"	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	0.78 "J"	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	2.27	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	4.7 "J"	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	1.52 "J"	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	12.4	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1

Project #

Lab Code 5025785G

Sample ID MW-13

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	7.9	ug/l	0.63		2 .1	8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		9/25/2013	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		9/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	240	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	35	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	6.1	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

## Project #

Lab Code 5025785H  
 Sample ID MW-15  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	21.8	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1

Project #

Lab Code 5025785H  
 Sample ID MW-15  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		9/25/2013	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		9/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	150	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	34	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	5.2	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

## Project #

Lab Code 5025785I  
 Sample ID MW-A-4  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	<0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	77.9	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	<0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	<0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	<0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoforn	<0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	<0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	<0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	<0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	<0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	<0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	<0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroform	<0.28	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	<0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	<0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	<0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	<0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	<0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	<0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	<0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	<0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	<0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	<0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	<0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	<0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	<0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	<0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	<0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	<0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	<0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	<0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	<0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	<0.55	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	<0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	<0.31	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	<0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	<0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	<1.7	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	<0.25	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	<0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	<0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	<0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	<0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	<0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	<1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	<0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	<0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	<0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	<0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	<2.2	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	<1.4	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	<0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	<0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1

Project #

Lab Code 5025785I  
 Sample ID MW-A-4  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		9/25/2013	CJR	1
SUR - Toluene-d8	103	REC %				1 8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	102	REC %				1 8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %				1 8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %				1 8260B		9/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	360	mg/l	2.6		20	1 SM 2320B		9/26/2013	ESC	1
COD, Filtered	78	mg/l	3.1		10	1 410.4		9/27/2013	ESC	1
Total Organic Carbon	5.7	mg/l	1		1	1 SM 5310B		9/27/2013	ESC	1

## Project #

Lab Code 5025785J  
 Sample ID MW-A-3  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	162	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1



Project #

Lab Code 5025785J

Sample ID MW-A-3

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		9/25/2013	CJR	1
SUR - Toluene-d8	103	REC %				1 8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %				1 8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %				1 8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	101	REC %				1 8260B		9/25/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	58	mg/l	2.6		20	1 SM 2320B		9/26/2013	ESC	1
COD, Filtered	180	mg/l	3.1		10	1 410.4		9/27/2013	ESC	1
Total Organic Carbon	40	mg/l	1		1	1 SM 5310B		9/27/2013	ESC	1

## Project #

Lab Code 5025785K

Sample ID PZ-1

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	19.6	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	0.87	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	1.55	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	3.2	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	5.8	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	10	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	0.49 "J"	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	11.6	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	12.2	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	22.1	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	6.7 "J"	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	7.0	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	22	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1

Project #

Lab Code 5025785K

Sample ID PZ-1

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	51	ug/l	0.63		2	1 8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %				1 8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	101	REC %				1 8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %				1 8260B		9/25/2013	CJR	1
SUR - Toluene-d8	101	REC %				1 8260B		9/25/2013	CJR	1

Wet Chemistry

General

Alkalinity, Total Filtered	<20	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	41	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	4.8	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

Project #

Lab Code 5025785L  
 Sample ID PZ-B-4  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	<0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	71.3	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	<0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	<0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	<0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoform	<0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	<0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	<0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	<0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	<0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	<0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	<0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroform	<0.28	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	<0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	<0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	<0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	<0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	<0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	<0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	<0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	<0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	<0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	<0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	<0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	<0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	<0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	<0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	<0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	<0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	<0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	<0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	<0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	<0.55	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	<0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	<0.31	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	<0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	<0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	<1.7	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	<0.25	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	<0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	<0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	<0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	<0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	<0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	<1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	<0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	<0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	<0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	<0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	<2.2	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	<1.4	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	<0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	<0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1

Project Name BAND BOX CLEANERS

Invoice # E25785

Project #

Lab Code 5025785L

Sample ID PZ-B-4

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	<0.63	ug/l	0.63		2	1 8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %				1 8260B		9/25/2013	CJR	1
SUR - Toluene-d8	102	REC %				1 8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	102	REC %				1 8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %				1 8260B		9/25/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	<20	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	<10	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	1.1	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

Project #

Lab Code 5025785M  
 Sample ID MW-19P  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	68.8	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1

Project Name BAND BOX CLEANERS

Invoice # E25785

Project #

Lab Code 5025785M

Sample ID MW-19P

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				1 8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %				1 8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	99	REC %				1 8260B		9/25/2013	CJR	1
SUR - Toluene-d8	102	REC %				1 8260B		9/25/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	< 20	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	14	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	1.6	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

## Project #

Lab Code 5025785N

Sample ID MW-16

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	21.9	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/25/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/25/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		9/25/2013	CJR	1
Chloroform	0.79 "J"	ug/l	0.28	0.88	1	8260B		9/25/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/25/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		9/25/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		9/25/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		9/25/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2013	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		9/25/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		9/25/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		9/25/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		9/25/2013	CJR	1
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		9/25/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		9/25/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		9/25/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		9/25/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/25/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		9/25/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		9/25/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		9/25/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		9/25/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/25/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Tetrachloroethene	7.8	ug/l	0.33	1.1	1	8260B		9/25/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		9/25/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		9/25/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		9/25/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		9/25/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		9/25/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		9/25/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		9/25/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		9/25/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		9/25/2013	CJR	1



Project Name BAND BOX CLEANERS

Invoice # E25785

Project #

Lab Code 5025785N

Sample ID MW-16

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Cod
o-Xylene	<0.63	ug/l	0.63		2	1 8260B		9/25/2013	CJR	1
SUR - Dibromofluoromethane	99	REC %				1 8260B		9/25/2013	CJR	1
SUR - Toluene-d8	101	REC %				1 8260B		9/25/2013	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %				1 8260B		9/25/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				1 8260B		9/25/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	140	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	20	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	3.4	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

Project Name BAND BOX CLEANERS

Invoice # E25785

Project #

Lab Code 50257850

Sample ID MW-14

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		9/26/2013	CJR	1
SUR - Toluene-d8	105	REC %				1 8260B		9/26/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				1 8260B		9/26/2013	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %				1 8260B		9/26/2013	CJR	1
SUR - Dibromofluoromethane	99	REC %				1 8260B		9/26/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	37	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	18	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	2.3	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

Project #

Lab Code 5025785P  
 Sample ID PZ-A-4  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	153	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/26/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/26/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/26/2013	CJR	1
Bromoforn	< 0.35	ug/l	0.35	1.1	1	8260B		9/26/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/26/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/26/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		9/26/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/26/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		9/26/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		9/26/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/26/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		9/26/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		9/26/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		9/26/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		9/26/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/26/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/26/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/26/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/26/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/26/2013	CJR	8
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		9/26/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		9/26/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		9/26/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		9/26/2013	CJR	8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		9/26/2013	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		9/26/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/26/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/26/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		9/26/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		9/26/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		9/26/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		9/26/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		9/26/2013	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		9/26/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		9/26/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		9/26/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		9/26/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		9/26/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		9/26/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		9/26/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		9/26/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		9/26/2013	CJR	1

Project #

Lab Code 5025785P  
 Sample ID PZ-A-4  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		9/26/2013	CJR	1
SUR - Toluene-d8	102	REC %				1 8260B		9/26/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				1 8260B		9/26/2013	CJR	1
SUR - Dibromofluoromethane	100	REC %				1 8260B		9/26/2013	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %				1 8260B		9/26/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	< 20	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	< 10	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	1.1	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

## Project #

Lab Code 5025785Q

Sample ID PZ-B-3

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	336	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	1.36	ug/l	0.24	0.77	1	8260B		9/26/2013	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/26/2013	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/26/2013	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		9/26/2013	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/26/2013	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/26/2013	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		9/26/2013	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		9/26/2013	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		9/26/2013	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		9/26/2013	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/26/2013	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		9/26/2013	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		9/26/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		9/26/2013	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		9/26/2013	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/26/2013	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/26/2013	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		9/26/2013	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		9/26/2013	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/26/2013	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/26/2013	CJR	8
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		9/26/2013	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		9/26/2013	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		9/26/2013	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		9/26/2013	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		9/26/2013	CJR	8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		9/26/2013	CJR	1
EDB (1,2-Dibromoethane)	1.81	ug/l	0.44	1.4	1	8260B		9/26/2013	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		9/26/2013	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		9/26/2013	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/26/2013	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/26/2013	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		9/26/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		9/26/2013	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		9/26/2013	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		9/26/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/26/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		9/26/2013	CJR	1
Tetrachloroethene	13.7	ug/l	0.33	1.1	1	8260B		9/26/2013	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		9/26/2013	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		9/26/2013	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		9/26/2013	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		9/26/2013	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		9/26/2013	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		9/26/2013	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		9/26/2013	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		9/26/2013	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		9/26/2013	CJR	1

Project #

Lab Code 5025785Q

Sample ID PZ-B-3

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	0.89 "J"	ug/l	0.63		2	1 8260B		9/26/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %				1 8260B		9/26/2013	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %				1 8260B		9/26/2013	CJR	1
SUR - Dibromofluoromethane	98	REC %				1 8260B		9/26/2013	CJR	1
SUR - Toluene-d8	103	REC %				1 8260B		9/26/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	< 20	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	23	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	2.0	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

## Project #

Lab Code 5025785R

Sample ID PZ-A-3

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	149	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	261	ug/l	2.4	7.7	10	8260B		9/27/2013	CJR	1
Bromobenzene	< 3.2	ug/l	3.2	10	10	8260B		9/27/2013	CJR	1
Bromodichloromethane	< 3.7	ug/l	3.7	12	10	8260B		9/27/2013	CJR	1
Bromoform	< 3.5	ug/l	3.5	11	10	8260B		9/27/2013	CJR	1
tert-Butylbenzene	< 3.6	ug/l	3.6	12	10	8260B		9/27/2013	CJR	1
sec-Butylbenzene	< 3.3	ug/l	3.3	10	10	8260B		9/27/2013	CJR	1
n-Butylbenzene	4.7 "J"	ug/l	3.5	11	10	8260B		9/27/2013	CJR	1
Carbon Tetrachloride	< 3.3	ug/l	3.3	11	10	8260B		9/27/2013	CJR	1
Chlorobenzene	< 2.4	ug/l	2.4	7.7	10	8260B		9/27/2013	CJR	1
Chloroethane	< 6.3	ug/l	6.3	20	10	8260B		9/27/2013	CJR	1
Chloroform	< 2.8	ug/l	2.8	8.8	10	8260B		9/27/2013	CJR	1
Chloromethane	< 8.1	ug/l	8.1	26	10	8260B		9/27/2013	CJR	1
2-Chlorotoluene	< 2.1	ug/l	2.1	6.6	10	8260B		9/27/2013	CJR	1
4-Chlorotoluene	< 2.1	ug/l	2.1	6.8	10	8260B		9/27/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 8.8	ug/l	8.8	28	10	8260B		9/27/2013	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	7	10	8260B		9/27/2013	CJR	1
1,4-Dichlorobenzene	< 3	ug/l	3	9.6	10	8260B		9/27/2013	CJR	1
1,3-Dichlorobenzene	< 2.8	ug/l	2.8	8.9	10	8260B		9/27/2013	CJR	1
1,2-Dichlorobenzene	< 3.6	ug/l	3.6	12	10	8260B		9/27/2013	CJR	1
Dichlorodifluoromethane	< 4.4	ug/l	4.4	14	10	8260B		9/27/2013	CJR	1
1,2-Dichloroethane	< 4.1	ug/l	4.1	13	10	8260B		9/27/2013	CJR	1
1,1-Dichloroethane	< 3	ug/l	3	9.7	10	8260B		9/27/2013	CJR	8
1,1-Dichloroethene	< 4	ug/l	4	13	10	8260B		9/27/2013	CJR	1
cis-1,2-Dichloroethene	< 3.8	ug/l	3.8	12	10	8260B		9/27/2013	CJR	1
trans-1,2-Dichloroethene	< 3.5	ug/l	3.5	11	10	8260B		9/27/2013	CJR	1
1,2-Dichloropropane	< 3.2	ug/l	3.2	10	10	8260B		9/27/2013	CJR	1
2,2-Dichloropropane	< 3.6	ug/l	3.6	12	10	8260B		9/27/2013	CJR	8
1,3-Dichloropropane	< 3.3	ug/l	3.3	10	10	8260B		9/27/2013	CJR	1
Di-isopropyl ether	< 2.3	ug/l	2.3	7.3	10	8260B		9/27/2013	CJR	1
EDB (1,2-Dibromoethane)	< 4.4	ug/l	4.4	14	10	8260B		9/27/2013	CJR	1
Ethylbenzene	370	ug/l	5.5	17	10	8260B		9/27/2013	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	48	10	8260B		9/27/2013	CJR	1
Isopropylbenzene	14.8	ug/l	3	9.6	10	8260B		9/27/2013	CJR	1
p-Isopropyltoluene	< 3.1	ug/l	3.1	9.8	10	8260B		9/27/2013	CJR	1
Methylene chloride	< 5	ug/l	5	16	10	8260B		9/27/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.3	ug/l	2.3	7.4	10	8260B		9/27/2013	CJR	1
Naphthalene	43 "J"	ug/l	17	55	10	8260B		9/27/2013	CJR	1
n-Propylbenzene	38	ug/l	2.5	8.1	10	8260B		9/27/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 4.5	ug/l	4.5	14	10	8260B		9/27/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 3.3	ug/l	3.3	11	10	8260B		9/27/2013	CJR	1
Tetrachloroethene	< 3.3	ug/l	3.3	11	10	8260B		9/27/2013	CJR	1
Toluene	109	ug/l	6.9	22	10	8260B		9/27/2013	CJR	1
1,2,4-Trichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B		9/27/2013	CJR	1
1,2,3-Trichlorobenzene	< 18	ug/l	18	58	10	8260B		9/27/2013	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10	10	8260B		9/27/2013	CJR	1
1,1,2-Trichloroethane	< 3.4	ug/l	3.4	11	10	8260B		9/27/2013	CJR	1
Trichloroethene (TCE)	< 3.3	ug/l	3.3	10	10	8260B		9/27/2013	CJR	1
Trichlorofluoromethane	< 7.1	ug/l	7.1	23	10	8260B		9/27/2013	CJR	1
1,2,4-Trimethylbenzene	169	ug/l	22	69	10	8260B		9/27/2013	CJR	1
1,3,5-Trimethylbenzene	43 "J"	ug/l	14	45	10	8260B		9/27/2013	CJR	1
Vinyl Chloride	< 1.8	ug/l	1.8	5.7	10	8260B		9/27/2013	CJR	1
m&p-Xylene	570	ug/l	6.9	22	10	8260B		9/27/2013	CJR	1

Project Name BAND BOX CLEANERS

Invoice # E25785

Project #

Lab Code 5025785R

Sample ID PZ-A-3

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	86	ug/l	6.3	20	10	8260B		9/27/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			10	8260B		9/27/2013	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			10	8260B		9/27/2013	CJR	1
SUR - Dibromofluoromethane	98	REC %			10	8260B		9/27/2013	CJR	1
SUR - Toluene-d8	102	REC %			10	8260B		9/27/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	170	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	180	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	11	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1



## Project #

Lab Code 5025785S

Sample ID MW-A-2

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	<0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	203	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	<0.24	ug/l	0.24	0.77	1	8260B		9/26/2013	CJR	1
Bromobenzene	<0.32	ug/l	0.32	1	1	8260B		9/26/2013	CJR	1
Bromodichloromethane	<0.37	ug/l	0.37	1.2	1	8260B		9/26/2013	CJR	1
Bromoform	<0.35	ug/l	0.35	1.1	1	8260B		9/26/2013	CJR	1
tert-Butylbenzene	<0.36	ug/l	0.36	1.2	1	8260B		9/26/2013	CJR	1
sec-Butylbenzene	<0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
n-Butylbenzene	<0.35	ug/l	0.35	1.1	1	8260B		9/26/2013	CJR	1
Carbon Tetrachloride	<0.33	ug/l	0.33	1.1	1	8260B		9/26/2013	CJR	1
Chlorobenzene	<0.24	ug/l	0.24	0.77	1	8260B		9/26/2013	CJR	1
Chloroethane	<0.63	ug/l	0.63	2	1	8260B		9/26/2013	CJR	1
Chloroform	0.28 "J"	ug/l	0.28	0.88	1	8260B		9/26/2013	CJR	1
Chloromethane	<0.81	ug/l	0.81	2.6	1	8260B		9/26/2013	CJR	1
2-Chlorotoluene	<0.21	ug/l	0.21	0.66	1	8260B		9/26/2013	CJR	1
4-Chlorotoluene	<0.21	ug/l	0.21	0.68	1	8260B		9/26/2013	CJR	1
1,2-Dibromo-3-chloropropane	<0.88	ug/l	0.88	2.8	1	8260B		9/26/2013	CJR	1
Dibromochloromethane	<0.22	ug/l	0.22	0.7	1	8260B		9/26/2013	CJR	1
1,4-Dichlorobenzene	<0.3	ug/l	0.3	0.96	1	8260B		9/26/2013	CJR	1
1,3-Dichlorobenzene	<0.28	ug/l	0.28	0.89	1	8260B		9/26/2013	CJR	1
1,2-Dichlorobenzene	<0.36	ug/l	0.36	1.2	1	8260B		9/26/2013	CJR	1
Dichlorodifluoromethane	1.07 "J"	ug/l	0.44	1.4	1	8260B		9/26/2013	CJR	1
1,2-Dichloroethane	<0.41	ug/l	0.41	1.3	1	8260B		9/26/2013	CJR	1
1,1-Dichloroethane	<0.3	ug/l	0.3	0.97	1	8260B		9/26/2013	CJR	8
1,1-Dichloroethene	<0.4	ug/l	0.4	1.3	1	8260B		9/26/2013	CJR	1
cis-1,2-Dichloroethene	<0.38	ug/l	0.38	1.2	1	8260B		9/26/2013	CJR	1
trans-1,2-Dichloroethene	<0.35	ug/l	0.35	1.1	1	8260B		9/26/2013	CJR	1
1,2-Dichloropropane	<0.32	ug/l	0.32	1	1	8260B		9/26/2013	CJR	1
2,2-Dichloropropane	<0.36	ug/l	0.36	1.2	1	8260B		9/26/2013	CJR	8
1,3-Dichloropropane	<0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
Di-isopropyl ether	<0.23	ug/l	0.23	0.73	1	8260B		9/26/2013	CJR	1
EDB (1,2-Dibromoethane)	<0.44	ug/l	0.44	1.4	1	8260B		9/26/2013	CJR	1
Ethylbenzene	<0.55	ug/l	0.55	1.7	1	8260B		9/26/2013	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.8	1	8260B		9/26/2013	CJR	1
Isopropylbenzene	<0.3	ug/l	0.3	0.96	1	8260B		9/26/2013	CJR	1
p-Isopropyltoluene	<0.31	ug/l	0.31	0.98	1	8260B		9/26/2013	CJR	1
Methylene chloride	<0.5	ug/l	0.5	1.6	1	8260B		9/26/2013	CJR	1
Methyl tert-butyl ether (MTBE)	<0.23	ug/l	0.23	0.74	1	8260B		9/26/2013	CJR	1
Naphthalene	<1.7	ug/l	1.7	5.5	1	8260B		9/26/2013	CJR	1
n-Propylbenzene	<0.25	ug/l	0.25	0.81	1	8260B		9/26/2013	CJR	1
1,1,2,2-Tetrachloroethane	<0.45	ug/l	0.45	1.4	1	8260B		9/26/2013	CJR	1
1,1,1,2-Tetrachloroethane	<0.33	ug/l	0.33	1.1	1	8260B		9/26/2013	CJR	1
Tetrachloroethene	7.7	ug/l	0.33	1.1	1	8260B		9/26/2013	CJR	1
Toluene	<0.69	ug/l	0.69	2.2	1	8260B		9/26/2013	CJR	1
1,2,4-Trichlorobenzene	<0.98	ug/l	0.98	3.1	1	8260B		9/26/2013	CJR	1
1,2,3-Trichlorobenzene	<1.8	ug/l	1.8	5.8	1	8260B		9/26/2013	CJR	1
1,1,1-Trichloroethane	<0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
1,1,2-Trichloroethane	<0.34	ug/l	0.34	1.1	1	8260B		9/26/2013	CJR	1
Trichloroethene (TCE)	<0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
Trichlorofluoromethane	<0.71	ug/l	0.71	2.3	1	8260B		9/26/2013	CJR	1
1,2,4-Trimethylbenzene	<2.2	ug/l	2.2	6.9	1	8260B		9/26/2013	CJR	1
1,3,5-Trimethylbenzene	<1.4	ug/l	1.4	4.5	1	8260B		9/26/2013	CJR	1
Vinyl Chloride	<0.18	ug/l	0.18	0.57	1	8260B		9/26/2013	CJR	1
m&p-Xylene	<0.69	ug/l	0.69	2.2	1	8260B		9/26/2013	CJR	1

Project Name BAND BOX CLEANERS

Invoice # E25785

Project #

Lab Code 5025785S

Sample ID MW-A-2

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 0.63	ug/l	0.63		2	1 8260B		9/26/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %				1 8260B		9/26/2013	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %				1 8260B		9/26/2013	CJR	1
SUR - Dibromofluoromethane	97	REC %				1 8260B		9/26/2013	CJR	1
SUR - Toluene-d8	103	REC %				1 8260B		9/26/2013	CJR	1
Wet Chemistry										
General										
Alkalinity, Total Filtered	67	mg/l	2.6		20	1 SM 2320B		9/26/2013	ESC	1
COD, Filtered	110	mg/l	3.1		10	1 410.4		9/27/2013	ESC	1
Total Organic Carbon	35	mg/l	1		1	1 SM 5310B		9/27/2013	ESC	1

## Project #

Lab Code 5025785T

Sample ID MW-17

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	<0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	176	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	<2.4	ug/l	2.4	7.7	10	8260B		9/27/2013	CJR	1
Bromobenzene	<3.2	ug/l	3.2	10	10	8260B		9/27/2013	CJR	1
Bromodichloromethane	<3.7	ug/l	3.7	12	10	8260B		9/27/2013	CJR	1
Bromoform	<3.5	ug/l	3.5	11	10	8260B		9/27/2013	CJR	1
tert-Butylbenzene	<3.6	ug/l	3.6	12	10	8260B		9/27/2013	CJR	1
sec-Butylbenzene	<3.3	ug/l	3.3	10	10	8260B		9/27/2013	CJR	1
n-Butylbenzene	<3.5	ug/l	3.5	11	10	8260B		9/27/2013	CJR	1
Carbon Tetrachloride	<3.3	ug/l	3.3	11	10	8260B		9/27/2013	CJR	1
Chlorobenzene	<2.4	ug/l	2.4	7.7	10	8260B		9/27/2013	CJR	1
Chloroethane	<6.3	ug/l	6.3	20	10	8260B		9/27/2013	CJR	1
Chloroform	<2.8	ug/l	2.8	8.8	10	8260B		9/27/2013	CJR	1
Chloromethane	<8.1	ug/l	8.1	26	10	8260B		9/27/2013	CJR	1
2-Chlorotoluene	<2.1	ug/l	2.1	6.6	10	8260B		9/27/2013	CJR	1
4-Chlorotoluene	<2.1	ug/l	2.1	6.8	10	8260B		9/27/2013	CJR	1
1,2-Dibromo-3-chloropropane	<8.8	ug/l	8.8	28	10	8260B		9/27/2013	CJR	1
Dibromochloromethane	<2.2	ug/l	2.2	7	10	8260B		9/27/2013	CJR	1
1,4-Dichlorobenzene	<3	ug/l	3	9.6	10	8260B		9/27/2013	CJR	1
1,3-Dichlorobenzene	<2.8	ug/l	2.8	8.9	10	8260B		9/27/2013	CJR	1
1,2-Dichlorobenzene	<3.6	ug/l	3.6	12	10	8260B		9/27/2013	CJR	1
Dichlorodifluoromethane	<4.4	ug/l	4.4	14	10	8260B		9/27/2013	CJR	1
1,2-Dichloroethane	<4.1	ug/l	4.1	13	10	8260B		9/27/2013	CJR	1
1,1-Dichloroethane	<3	ug/l	3	9.7	10	8260B		9/27/2013	CJR	8
1,1-Dichloroethene	<4	ug/l	4	13	10	8260B		9/27/2013	CJR	1
cis-1,2-Dichloroethene	<3.8	ug/l	3.8	12	10	8260B		9/27/2013	CJR	1
trans-1,2-Dichloroethene	<3.5	ug/l	3.5	11	10	8260B		9/27/2013	CJR	1
1,2-Dichloropropane	<3.2	ug/l	3.2	10	10	8260B		9/27/2013	CJR	1
2,2-Dichloropropane	<3.6	ug/l	3.6	12	10	8260B		9/27/2013	CJR	8
1,3-Dichloropropane	<3.3	ug/l	3.3	10	10	8260B		9/27/2013	CJR	1
Di-isopropyl ether	<2.3	ug/l	2.3	7.3	10	8260B		9/27/2013	CJR	1
EDB (1,2-Dibromoethane)	<4.4	ug/l	4.4	14	10	8260B		9/27/2013	CJR	1
Ethylbenzene	<5.5	ug/l	5.5	17	10	8260B		9/27/2013	CJR	1
Hexachlorobutadiene	<15	ug/l	15	48	10	8260B		9/27/2013	CJR	1
Isopropylbenzene	<3	ug/l	3	9.6	10	8260B		9/27/2013	CJR	1
p-Isopropyltoluene	<3.1	ug/l	3.1	9.8	10	8260B		9/27/2013	CJR	1
Methylene chloride	<5	ug/l	5	16	10	8260B		9/27/2013	CJR	1
Methyl tert-butyl ether (MTBE)	<2.3	ug/l	2.3	7.4	10	8260B		9/27/2013	CJR	1
Naphthalene	<17	ug/l	17	55	10	8260B		9/27/2013	CJR	1
n-Propylbenzene	<2.5	ug/l	2.5	8.1	10	8260B		9/27/2013	CJR	1
1,1,2,2-Tetrachloroethane	<4.5	ug/l	4.5	14	10	8260B		9/27/2013	CJR	1
1,1,1,2-Tetrachloroethane	<3.3	ug/l	3.3	11	10	8260B		9/27/2013	CJR	1
Tetrachloroethene	430	ug/l	3.3	11	10	8260B		9/27/2013	CJR	1
Toluene	<6.9	ug/l	6.9	22	10	8260B		9/27/2013	CJR	1
1,2,4-Trichlorobenzene	<9.8	ug/l	9.8	31	10	8260B		9/27/2013	CJR	1
1,2,3-Trichlorobenzene	<18	ug/l	18	58	10	8260B		9/27/2013	CJR	1
1,1,1-Trichloroethane	<3.3	ug/l	3.3	10	10	8260B		9/27/2013	CJR	1
1,1,2-Trichloroethane	<3.4	ug/l	3.4	11	10	8260B		9/27/2013	CJR	1
Trichloroethene (TCE)	<3.3	ug/l	3.3	10	10	8260B		9/27/2013	CJR	1
Trichlorofluoromethane	<7.1	ug/l	7.1	23	10	8260B		9/27/2013	CJR	1
1,2,4-Trimethylbenzene	<22	ug/l	22	69	10	8260B		9/27/2013	CJR	1
1,3,5-Trimethylbenzene	<14	ug/l	14	45	10	8260B		9/27/2013	CJR	1
Vinyl Chloride	<1.8	ug/l	1.8	5.7	10	8260B		9/27/2013	CJR	1
m&p-Xylene	<6.9	ug/l	6.9	22	10	8260B		9/27/2013	CJR	1

Project #

Lab Code 5025785T

Sample ID MW-17

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 6.3	ug/l	6.3	20	10	8260B		9/27/2013	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			10	8260B		9/27/2013	CJR	1
SUR - Dibromofluoromethane	100	REC %			10	8260B		9/27/2013	CJR	1
SUR - Toluene-d8	104	REC %			10	8260B		9/27/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			10	8260B		9/27/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	< 20	mg/l	2.6	20	1	SM 2320B		9/26/2013	ESC	1
COD, Filtered	18	mg/l	3.1	10	1	410.4		9/27/2013	ESC	1
Total Organic Carbon	1.3	mg/l	1	1	1	SM 5310B		9/27/2013	ESC	1

Project #

Lab Code 5025785U  
 Sample ID MW-14P  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Iron, Dissolved	< 0.12	mg/l	0.12	0.42	2	200.7		10/2/2013	CWT	1
Manganese, Dissolved	206	ug/L	9.6	30.8	2	200.7		10/2/2013	CWT	1
Organic										
VOC's										
Benzene	< 2.4	ug/l	2.4	7.7	10	8260B		9/27/2013	CJR	1
Bromobenzene	< 3.2	ug/l	3.2	10	10	8260B		9/27/2013	CJR	1
Bromodichloromethane	< 3.7	ug/l	3.7	12	10	8260B		9/27/2013	CJR	1
Bromoform	< 3.5	ug/l	3.5	11	10	8260B		9/27/2013	CJR	1
tert-Butylbenzene	< 3.6	ug/l	3.6	12	10	8260B		9/27/2013	CJR	1
sec-Butylbenzene	< 3.3	ug/l	3.3	10	10	8260B		9/27/2013	CJR	1
n-Butylbenzene	< 3.5	ug/l	3.5	11	10	8260B		9/27/2013	CJR	1
Carbon Tetrachloride	< 3.3	ug/l	3.3	11	10	8260B		9/27/2013	CJR	1
Chlorobenzene	< 2.4	ug/l	2.4	7.7	10	8260B		9/27/2013	CJR	1
Chloroethane	< 6.3	ug/l	6.3	20	10	8260B		9/27/2013	CJR	1
Chloroform	< 2.8	ug/l	2.8	8.8	10	8260B		9/27/2013	CJR	1
Chloromethane	< 8.1	ug/l	8.1	26	10	8260B		9/27/2013	CJR	1
2-Chlorotoluene	< 2.1	ug/l	2.1	6.6	10	8260B		9/27/2013	CJR	1
4-Chlorotoluene	< 2.1	ug/l	2.1	6.8	10	8260B		9/27/2013	CJR	1
1,2-Dibromo-3-chloropropane	< 8.8	ug/l	8.8	28	10	8260B		9/27/2013	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	7	10	8260B		9/27/2013	CJR	1
1,4-Dichlorobenzene	< 3	ug/l	3	9.6	10	8260B		9/27/2013	CJR	1
1,3-Dichlorobenzene	< 2.8	ug/l	2.8	8.9	10	8260B		9/27/2013	CJR	1
1,2-Dichlorobenzene	< 3.6	ug/l	3.6	12	10	8260B		9/27/2013	CJR	1
Dichlorodifluoromethane	< 4.4	ug/l	4.4	14	10	8260B		9/27/2013	CJR	1
1,2-Dichloroethane	< 4.1	ug/l	4.1	13	10	8260B		9/27/2013	CJR	1
1,1-Dichloroethane	< 3	ug/l	3	9.7	10	8260B		9/27/2013	CJR	8
1,1-Dichloroethene	< 4	ug/l	4	13	10	8260B		9/27/2013	CJR	1
cis-1,2-Dichloroethene	< 3.8	ug/l	3.8	12	10	8260B		9/27/2013	CJR	1
trans-1,2-Dichloroethene	< 3.5	ug/l	3.5	11	10	8260B		9/27/2013	CJR	1
1,2-Dichloropropane	< 3.2	ug/l	3.2	10	10	8260B		9/27/2013	CJR	1
2,2-Dichloropropane	< 3.6	ug/l	3.6	12	10	8260B		9/27/2013	CJR	8
1,3-Dichloropropane	< 3.3	ug/l	3.3	10	10	8260B		9/27/2013	CJR	1
Di-isopropyl ether	< 2.3	ug/l	2.3	7.3	10	8260B		9/27/2013	CJR	1
EDB (1,2-Dibromoethane)	< 4.4	ug/l	4.4	14	10	8260B		9/27/2013	CJR	1
Ethylbenzene	< 5.5	ug/l	5.5	17	10	8260B		9/27/2013	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	48	10	8260B		9/27/2013	CJR	1
Isopropylbenzene	< 3	ug/l	3	9.6	10	8260B		9/27/2013	CJR	1
p-Isopropyltoluene	< 3.1	ug/l	3.1	9.8	10	8260B		9/27/2013	CJR	1
Methylene chloride	< 5	ug/l	5	16	10	8260B		9/27/2013	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.3	ug/l	2.3	7.4	10	8260B		9/27/2013	CJR	1
Naphthalene	< 17	ug/l	17	55	10	8260B		9/27/2013	CJR	1
n-Propylbenzene	< 2.5	ug/l	2.5	8.1	10	8260B		9/27/2013	CJR	1
1,1,2,2-Tetrachloroethane	< 4.5	ug/l	4.5	14	10	8260B		9/27/2013	CJR	1
1,1,1,2-Tetrachloroethane	< 3.3	ug/l	3.3	11	10	8260B		9/27/2013	CJR	1
Tetrachloroethene	1240	ug/l	3.3	11	10	8260B		9/27/2013	CJR	1
Toluene	< 6.9	ug/l	6.9	22	10	8260B		9/27/2013	CJR	1
1,2,4-Trichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B		9/27/2013	CJR	1
1,2,3-Trichlorobenzene	< 18	ug/l	18	58	10	8260B		9/27/2013	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10	10	8260B		9/27/2013	CJR	1
1,1,2-Trichloroethane	< 3.4	ug/l	3.4	11	10	8260B		9/27/2013	CJR	1
Trichloroethene (TCE)	< 3.3	ug/l	3.3	10	10	8260B		9/27/2013	CJR	1
Trichlorofluoromethane	< 7.1	ug/l	7.1	23	10	8260B		9/27/2013	CJR	1
1,2,4-Trimethylbenzene	< 22	ug/l	22	69	10	8260B		9/27/2013	CJR	1
1,3,5-Trimethylbenzene	< 14	ug/l	14	45	10	8260B		9/27/2013	CJR	1
Vinyl Chloride	< 1.8	ug/l	1.8	5.7	10	8260B		9/27/2013	CJR	1
m&p-Xylene	< 6.9	ug/l	6.9	22	10	8260B		9/27/2013	CJR	1

Project Name BAND BOX CLEANERS  
 Project #

Invoice # E25785

Lab Code 5025785U  
 Sample ID MW-14P  
 Sample Matrix Water  
 Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
o-Xylene	< 6.3	ug/l	6.3	20	10	8260B	9/27/2013	9/27/2013	CJR	1
SUR - Toluene-d8	104	REC %			10	8260B	9/27/2013	9/27/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			10	8260B	9/27/2013	9/27/2013	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			10	8260B	9/27/2013	9/27/2013	CJR	1
SUR - Dibromofluoromethane	98	REC %			10	8260B	9/27/2013	9/27/2013	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Alkalinity, Total Filtered	< 20	mg/l	2.6	20	1	SM 2320B	9/26/2013	9/26/2013	ESC	1
COD, Filtered	38	mg/l	3.1	10	1	410.4	9/27/2013	9/27/2013	ESC	1
Total Organic Carbon	3.6	mg/l	1	1	1	SM 5310B	9/27/2013	9/27/2013	ESC	1

Project #

Lab Code 5025785V

Sample ID TB

Sample Matrix Water

Sample Date 9/18/2013

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.24	ug/l	0.24	0.77	1	8260B		9/26/2013	CJR	1
Bromobenzene	<0.32	ug/l	0.32	1	1	8260B		9/26/2013	CJR	1
Bromodichloromethane	<0.37	ug/l	0.37	1.2	1	8260B		9/26/2013	CJR	1
Bromoform	<0.35	ug/l	0.35	1.1	1	8260B		9/26/2013	CJR	1
tert-Butylbenzene	<0.36	ug/l	0.36	1.2	1	8260B		9/26/2013	CJR	1
sec-Butylbenzene	<0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
n-Butylbenzene	<0.35	ug/l	0.35	1.1	1	8260B		9/26/2013	CJR	1
Carbon Tetrachloride	<0.33	ug/l	0.33	1.1	1	8260B		9/26/2013	CJR	1
Chlorobenzene	<0.24	ug/l	0.24	0.77	1	8260B		9/26/2013	CJR	1
Chloroethane	<0.63	ug/l	0.63	2	1	8260B		9/26/2013	CJR	1
Chloroform	<0.28	ug/l	0.28	0.88	1	8260B		9/26/2013	CJR	1
Chloromethane	<0.81	ug/l	0.81	2.6	1	8260B		9/26/2013	CJR	1
2-Chlorotoluene	<0.21	ug/l	0.21	0.66	1	8260B		9/26/2013	CJR	1
4-Chlorotoluene	<0.21	ug/l	0.21	0.68	1	8260B		9/26/2013	CJR	1
1,2-Dibromo-3-chloropropane	<0.88	ug/l	0.88	2.8	1	8260B		9/26/2013	CJR	1
Dibromochloromethane	<0.22	ug/l	0.22	0.7	1	8260B		9/26/2013	CJR	1
1,4-Dichlorobenzene	<0.3	ug/l	0.3	0.96	1	8260B		9/26/2013	CJR	1
1,3-Dichlorobenzene	<0.28	ug/l	0.28	0.89	1	8260B		9/26/2013	CJR	1
1,2-Dichlorobenzene	<0.36	ug/l	0.36	1.2	1	8260B		9/26/2013	CJR	1
Dichlorodifluoromethane	<0.44	ug/l	0.44	1.4	1	8260B		9/26/2013	CJR	1
1,2-Dichloroethane	<0.41	ug/l	0.41	1.3	1	8260B		9/26/2013	CJR	1
1,1-Dichloroethane	<0.3	ug/l	0.3	0.97	1	8260B		9/26/2013	CJR	8
1,1-Dichloroethene	<0.4	ug/l	0.4	1.3	1	8260B		9/26/2013	CJR	1
cis-1,2-Dichloroethene	<0.38	ug/l	0.38	1.2	1	8260B		9/26/2013	CJR	1
trans-1,2-Dichloroethene	<0.35	ug/l	0.35	1.1	1	8260B		9/26/2013	CJR	1
1,2-Dichloropropane	<0.32	ug/l	0.32	1	1	8260B		9/26/2013	CJR	1
2,2-Dichloropropane	<0.36	ug/l	0.36	1.2	1	8260B		9/26/2013	CJR	8
1,3-Dichloropropane	<0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
Di-isopropyl ether	<0.23	ug/l	0.23	0.73	1	8260B		9/26/2013	CJR	1
EDB (1,2-Dibromoethane)	<0.44	ug/l	0.44	1.4	1	8260B		9/26/2013	CJR	1
Ethylbenzene	<0.55	ug/l	0.55	1.7	1	8260B		9/26/2013	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.8	1	8260B		9/26/2013	CJR	1
Isopropylbenzene	<0.3	ug/l	0.3	0.96	1	8260B		9/26/2013	CJR	1
p-Isopropyltoluene	<0.31	ug/l	0.31	0.98	1	8260B		9/26/2013	CJR	1
Methylene chloride	<0.5	ug/l	0.5	1.6	1	8260B		9/26/2013	CJR	1
Methyl tert-butyl ether (MTBE)	<0.23	ug/l	0.23	0.74	1	8260B		9/26/2013	CJR	1
Naphthalene	<1.7	ug/l	1.7	5.5	1	8260B		9/26/2013	CJR	1
n-Propylbenzene	<0.25	ug/l	0.25	0.81	1	8260B		9/26/2013	CJR	1
1,1,2,2-Tetrachloroethane	<0.45	ug/l	0.45	1.4	1	8260B		9/26/2013	CJR	1
1,1,1,2-Tetrachloroethane	<0.33	ug/l	0.33	1.1	1	8260B		9/26/2013	CJR	1
Tetrachloroethene	<0.33	ug/l	0.33	1.1	1	8260B		9/26/2013	CJR	1
Toluene	<0.69	ug/l	0.69	2.2	1	8260B		9/26/2013	CJR	1
1,2,4-Trichlorobenzene	<0.98	ug/l	0.98	3.1	1	8260B		9/26/2013	CJR	1
1,2,3-Trichlorobenzene	<1.8	ug/l	1.8	5.8	1	8260B		9/26/2013	CJR	1
1,1,1-Trichloroethane	<0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
1,1,2-Trichloroethane	<0.34	ug/l	0.34	1.1	1	8260B		9/26/2013	CJR	1
Trichloroethene (TCE)	<0.33	ug/l	0.33	1	1	8260B		9/26/2013	CJR	1
Trichlorofluoromethane	<0.71	ug/l	0.71	2.3	1	8260B		9/26/2013	CJR	1
1,2,4-Trimethylbenzene	<2.2	ug/l	2.2	6.9	1	8260B		9/26/2013	CJR	1
1,3,5-Trimethylbenzene	<1.4	ug/l	1.4	4.5	1	8260B		9/26/2013	CJR	1
Vinyl Chloride	<0.18	ug/l	0.18	0.57	1	8260B		9/26/2013	CJR	1
m&p-Xylene	<0.69	ug/l	0.69	2.2	1	8260B		9/26/2013	CJR	1
o-Xylene	<0.63	ug/l	0.63	2	1	8260B		9/26/2013	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		9/26/2013	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		9/26/2013	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		9/26/2013	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		9/26/2013	CJR	1

Project #

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

*Code*      *Comment*

- 1      Laboratory QC within limits.
- 8      Closing calibration standard not within established limits.  
CWT denotes sub contract lab - Certification #445126660  
ESC denotes sub contract lab - Certification #998093910

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

*Michael Ricker*



CHAIN OF STUDY RECORD

# Synergy

## Environmental Lab, Inc.

Chain # N<sup>o</sup> 268

Page 1 of 3

Lab I.D. # \_\_\_\_\_  
 Account No.: \_\_\_\_\_ Quote No.: \_\_\_\_\_  
 Project #: \_\_\_\_\_  
 Sampler: (signature) *[Signature]*

1990 Prospect Ct. • Appleton, WI 54914  
 920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
 Rush Analysis Date Required  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Project (Name / Location): *Band Box Cleaners - Tomah*

Reports To: *John Tessmann* Invoice To: \_\_\_\_\_  
 Company: *Band Box* Company: \_\_\_\_\_  
 Address: *1217 Superior Avenue* Address: *SAME*  
 City State Zip: *Tomah, WI 54660* City State Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Phone: \_\_\_\_\_  
 FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

**Analysis Requested** **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	Dissolved Iron	Dissolved Manganese	TOC	COD	Alkalinity	PH/ TD
5025785A	CMW-2	9-18	935			Y	7	GW												X	X	X	X	X	X	X	X	
B	MW-12		1000																	X	X	X	X	X	X	X	X	
C	MW-19		1025																	X	X	X	X	X	X	X	X	
D	MW-18		1040																	X	X	X	X	X	X	X	X	
E	MW-18P		1110																	X	X	X	X	X	X	X	X	
F	MW-17P		1140																	X	X	X	X	X	X	X	X	
G	MW-13		1205																	X	X	X	X	X	X	X	X	
H	MW-15		1230																	X	X	X	X	X	X	X	X	
I	MW-A-4		1250																	X	X	X	X	X	X	X	X	
J	MW-A-3		115																	X	X	X	X	X	X	X	X	

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)  
*Lab to send copy of report + invoice to METCO/Jason P.*

Sample Integrity - To be completed by receiving lab  
 Method of Shipment: *Deer*  
 Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice   
 Cooler seal intact upon receipt:  Yes \_\_\_\_\_ No

Relinquished By: (sign) *[Signature]* Time: *8:00* Date: *9-19-13*  
 Received By: (sign) \_\_\_\_\_ Time: \_\_\_\_\_ Date: \_\_\_\_\_  
 Received in Laboratory By: *[Signature]* Time: *8:00* Date: *9/20/13*

CHAIN OF STUDY RECORD

# Synergy

*Environmental Lab, Inc.*

Chain # N<sup>o</sup> 268

Page 2 of 3

Lab I.D. # \_\_\_\_\_  
 Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
 Project #: \_\_\_\_\_  
 Sampler: (signature) *[Signature]*

1990 Prospect Ct. • Appleton, WI 54914  
 920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
 Rush Analysis Date Required \_\_\_\_\_  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Project (Name / Location): Band Box Cleaners - Tomah  
 Reports To: See Page 1 Invoice To: See Page 1  
 Company: \_\_\_\_\_ Company: \_\_\_\_\_  
 Address: \_\_\_\_\_ Address: \_\_\_\_\_  
 City State Zip: \_\_\_\_\_ City State Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Phone: \_\_\_\_\_  
 FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

Analysis Requested										Other Analysis								
DRO (Med DRO Sep 95)	GRO (Med GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	B-FCRA METALS	Dissolved Iron	Dissolved Manganese	TOC	COD	Alkalinity	PID/ FID
											X		X	X	X	X	X	
											X		X	X	X	X	X	
											X		X	X	X	X	X	
											X		X	X	X	X	X	
											X		X	X	X	X	X	
											X		X	X	X	X	X	
											X		X	X	X	X	X	
											X		X	X	X	X	X	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation
5075185K	PZ-1	9-18	145			Y	7	GW	
	PZ-B-4		215						
WA	MW-19P		245						
N	MW-16		305						
S	MW-14		330						
P	PZ-A-4		405						
R	PZ-B-3		440						
A	PZ-A-3		505						
S	MW-A-2		525						
T	MW-17		545						

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

*Lab to send copy of report + invoice to METCO/Jason P.*

Sample Integrity - To be completed by receiving lab.  
 Method of Shipment: Drum  
 Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice:   
 Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) *[Signature]* Time: 8:10 Date: 9-19-13  
 Received By: (sign) \_\_\_\_\_ Time: \_\_\_\_\_ Date: \_\_\_\_\_  
 Received in Laboratory By: *[Signature]* Time: 8:20 Date: 9/20/13

# Synergy

Chain # No 268

Page 3 of 3

*Environmental Lab, Inc.*

1990 Prospect Ct • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: \_\_\_\_\_  
Sampler: (signature) *[Signature]*

Project (Name / Location): *Band Box Cleaners - Tomah*  
Reports To: *See Page 1* Invoice To: *See Page 1*  
Company: \_\_\_\_\_ Company: \_\_\_\_\_  
Address: \_\_\_\_\_ Address: \_\_\_\_\_  
City State Zip: \_\_\_\_\_ City State Zip: \_\_\_\_\_  
Phone: \_\_\_\_\_ Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

Analysis Requested		Other Analysis	
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 96)		
LEAD			
NITRATE/NITRITE			
OIL & GREASE			
PAH (EPA 8270)			
PVOC (EPA 8021)			
■VOC + NAPHTHALENE			
SULFATE			
TOTAL SUSPENDED SOLIDS			
VOC DW (EPA 542.2)			
VOC (EPA 8260)			
8-PCPA METALS			
		<i>Dissolved Iron</i>	
		<i>Dissolved Manganese</i>	
		<i>TOC</i>	
		<i>COD</i>	
		<i>Alkalinity</i>	
			PID/ FID

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<i>50257854</i>	<i>MW-14P</i>	<i>9-18</i>	<i>615</i>			<i>Y</i>	<i>7</i>	<i>GW</i>	
<i>V</i>	<i>TB</i>						<i>1</i>		

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)  
*See Page 1*

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: *Durban*  
Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice:   
Cooler seal intact upon receipt:  Yes \_\_\_\_\_ No

Relinquished By: (sign) *[Signature]* Time: *8:00* Date: *9-19-13*  
Received By: (sign) \_\_\_\_\_ Time: \_\_\_\_\_ Date: \_\_\_\_\_  
Received in Laboratory By: *[Signature]* Time: *8:00* Date: *9/20/13*