

## Rozeboom, David B - DNR

---

**From:** Matthew Michalski <mmichalski@reiengineering.com>  
**Sent:** Thursday, December 19, 2019 2:17 PM  
**To:** Rozeboom, David B - DNR  
**Subject:** RE: Band Box Tomah (BRRTS #: 02-42-525072) DERF Reimbursement Claim

David,




Please hold off on the DERF Reimbursement Claim I submitted earlier today. I spoke with the client and he wanted to verify there were no outstanding amounts from when METCO had the project. I apologize for any incontinence this may cause. Once we have been able to verify the claim I will resubmit.

Thank you,

*Matthew Michalski*

Matthew Michalski – Hydrogeologist/ Environmental Compliance Consultant



Connect with us :   

*Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.*

---

**From:** Matthew Michalski  
**Sent:** Thursday, December 19, 2019 11:46 AM  
**To:** Rozeboom, David B - DNR <David.Rozeboom@wisconsin.gov>  
**Subject:** Band Box Tomah (BRRTS #: 02-42-525072) DERF Reimbursement Claim

David,

Attached is a DERF Reimbursement Claim for the Band Box Cleaners & Laundry facility in Tomah, WI. Please let me know if you have any questions following your review or need any additional documentation. A hard copy is being sent in the mail today.

Thank you,

*Matthew Michalski*

Matthew Michalski – Hydrogeologist/ Environmental Compliance Consultant



**REI**  
CIVIL & ENVIRONMENTAL  
ENGINEERING, SURVEYING

4080 N. 20th Avenue  
Wausau, WI 54401  
[REIengineering.com](http://REIengineering.com)




**Matthew C. Michalski**  
Hydrogeologist/  
Environmental Compliance Consultant  
[Mmichalski@REIengineering.com](mailto:Mmichalski@REIengineering.com)

Tel: 1-877-734-7745  
715-675-9784

Cell: 715-393-7758

Fax: 715-675-4060

Icons: person, tripod, leaf, water tap

Connect with us :   

*Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.*

December 19, 2019



Wisconsin Department of Natural Resources  
Attn: David Rozeboom  
1300 W. Clairmont Avenue  
Eau Claire, WI 54701



Subject:

DERF Claim #3  
Band Box Cleaners & Laundry, Inc  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072  
Facility ID: 642018410

Dear Mr. Rozeboom:

On behalf of Band Box Cleaners & Laundry Inc., REI Engineering, Inc. (REI) hereby submits a Dry Cleaner Environmental Response Program Reimbursement Application for the above referenced site for site investigation activities conducted between June 22, 2018 and October 31, 2018.

If you have questions or concerns regarding this reimbursement application, please contact REI at your convenience at 715-675-9784 or [mmichalski@REIengineering.com](mailto:mmichalski@REIengineering.com).

Sincerely,  
REI Engineering, Inc.

Matthew C. Michalski  
Hydrogeologist

Attachments

cc: Mr. John Tessman, Band Box Cleaners & Laundry, Inc. (e-copy)



**RESPONSIVE. EFFICIENT. INNOVATIVE.**

4080 N. 20th Avenue Wausau, WI 54401  
715-675-9784 [REIengineering.com](http://REIengineering.com)

Site Name: Band Box Tomah

BRRTS #: 02-42-525072

## DERF CLAIM # 3

Band Box Tomah  
1217 Superior Avenue  
Tomah, WI 54660  
WDNR BRRTS #: 02-42-525072

Site Name: Band Box Tomah

BRRTS #: 02-42-525072

## Linking Spreadsheet

Band Box Tomah  
1217 Superior Avenue  
Tomah, WI 54660  
WDNR BRRTS #: 02-42-525072

Site Name: Band Box Cleaners & Laundry, Inc.

BRRTS #: 02-42-525072

Type of Action: Site Investigation

Dry Cleaner Environmental Response Program  
Reimbursement Cost Detail Linking Spreadsheet Form 4400-214D (R 08/12)

TASKS	BUDGET			Previous Claims (If applicable)	INVOICES				DERF COST BREAKOUT (this claim)								Budget Remaining Use (-) to indicate cost over-run	% Task Complete, Remarks
	Bid / Budgeted Amount (REI Change Order #5) 6/22/18	INSERT	Total Approved Budget		REI - 35475 Oct 2018	REI - 35563 Dec 2018	Provider Name, Invoice #, Billing Date	INSERT	Total Invoiced Costs	A Soil Investigation	B Soil Remediation	C Groundwater Investigation	D Groundwater Remediation	E Air/Vapor Investigation	F Air/Vapor Remediation	G Lab & Other Analysis		
<b>Consultant Costs</b>																		
Workplan Development	\$ 758.00	\$ -	\$ 758.00		\$ 758.00	\$ -	\$ -	\$ -	\$ 758.00			\$ 500.00		\$ 258.00			\$ -	Task 100% Complete
Historical Review	\$ 3,070.00	\$ -	\$ 3,070.00		\$ 980.00	\$ -	\$ -	\$ -	\$ 980.00	\$ 100.00		\$ 700.00		\$ 180.00			\$ 2,090.00	32%
Well Inspection	\$ 699.00	\$ -	\$ 699.00		\$ 699.00	\$ -	\$ -	\$ -	\$ 699.00			\$ 699.00					\$ -	Task 100% Complete
Update Site Figures	\$ 2,771.00	\$ -	\$ 2,771.00		\$ -	\$ -	\$ -	\$ -	\$ -								\$ 2,771.00	0%
Sub Slab Sampling Access	\$ 888.00	\$ -	\$ 888.00		\$ 888.00	\$ -	\$ -	\$ -	\$ 888.00					\$ 888.00			\$ -	Task 100% Complete
Waste Determination	\$ 111.00	\$ -	\$ 111.00		\$ 111.00	\$ -	\$ -	\$ -	\$ 111.00		\$ 111.00						\$ -	Task 100% Complete
Redevelop and Sample Wells	\$ 5,998.00	\$ -	\$ 5,998.00		\$ 5,588.00	\$ -	\$ -	\$ -	\$ 5,588.00			\$ 5,588.00					\$ 410.00	93%
Sub Slab Vapor Sampling	\$ 1,098.00	\$ -	\$ 1,098.00		\$ 1,078.00	\$ -	\$ -	\$ -	\$ 1,078.00					\$ 1,078.00			\$ 20.00	98%
Update Report	\$ 2,822.00	\$ -	\$ 2,822.00		\$ -	\$ -	\$ -	\$ -	\$ -								\$ 2,822.00	0%
Project Management	\$ 1,502.00	\$ -	\$ 1,502.00		\$ 616.25	\$ -	\$ -	\$ -	\$ 616.25			\$ 316.25		\$ 300.00			\$ 885.75	41%
	\$ -	\$ -	\$ -		\$ -	\$ -	\$ -	\$ -	\$ -								\$ -	Task 100% Complete
Well Development Pump	\$ 180.00	\$ -	\$ 180.00		\$ 120.00	\$ -	\$ -	\$ -	\$ 120.00			\$ 120.00					\$ 60.00	67%
Vinyl Tubing	\$ 320.00	\$ -	\$ 320.00		\$ 320.00	\$ -	\$ -	\$ -	\$ 320.00			\$ 320.00					\$ -	Task 100% Complete
HDPE Tubing	\$ 320.00	\$ -	\$ 320.00		\$ 320.00	\$ -	\$ -	\$ -	\$ 320.00			\$ 320.00					\$ -	Task 100% Complete
Peristaltic Pump	\$ 170.00	\$ -	\$ 170.00		\$ 170.00	\$ -	\$ -	\$ -	\$ 170.00			\$ 170.00					\$ -	Task 100% Complete
Tygon Tubing	\$ 56.00	\$ -	\$ 56.00		\$ 56.00	\$ -	\$ -	\$ -	\$ 56.00			\$ 56.00					\$ -	Task 100% Complete
Decon Water	\$ 50.40	\$ -	\$ 50.40		\$ 50.40	\$ -	\$ -	\$ -	\$ 50.40			\$ 50.40					\$ -	Task 100% Complete
DOT Drums	\$ 1,206.00	\$ -	\$ 1,206.00		\$ 482.40	\$ -	\$ -	\$ -	\$ 482.40			\$ 482.40					\$ 723.60	40%
YSI and Flow Cell	\$ 300.00	\$ -	\$ 300.00		\$ 300.00	\$ -	\$ -	\$ -	\$ 300.00			\$ 300.00					\$ -	Task 100% Complete
Metal Detector	\$ 100.00	\$ -	\$ 100.00		\$ 50.00	\$ -	\$ -	\$ -	\$ 50.00			\$ 50.00					\$ 50.00	50%
Impact Driver	\$ 20.00	\$ -	\$ 20.00		\$ 20.00	\$ -	\$ -	\$ -	\$ 20.00			\$ 20.00					\$ -	Task 100% Complete
Cordless Drill and Downhole PVC Cutter	\$ 60.00	\$ -	\$ 60.00		\$ 30.00	\$ -	\$ -	\$ -	\$ 30.00			\$ 30.00					\$ 30.00	50%
Water Level Indicator	\$ 50.00	\$ -	\$ 50.00		\$ 50.00	\$ -	\$ -	\$ -	\$ 50.00			\$ 50.00					\$ -	Task 100% Complete
Helium Meter	\$ 100.00	\$ -	\$ 100.00		\$ 100.00	\$ -	\$ -	\$ -	\$ 100.00					\$ 100.00			\$ -	Task 100% Complete
Helium Shroud	\$ 200.00	\$ -	\$ 200.00		\$ 125.00	\$ -	\$ -	\$ -	\$ 125.00					\$ 125.00			\$ 75.00	63%
Field Meters (Sub Slab Vapor Scope)	\$ 350.00	\$ -	\$ 350.00		\$ 350.00	\$ -	\$ -	\$ -	\$ 350.00					\$ 350.00			\$ -	Task 100% Complete
	\$ -	\$ -	\$ -		\$ -	\$ -	\$ -	\$ -	\$ -								\$ -	Task 100% Complete
	\$ -	\$ -	\$ -		\$ -	\$ -	\$ -	\$ -	\$ -								\$ -	Task 100% Complete
<b>Consultant Cost Total</b>	\$ 23,199.40	\$ -	\$ 23,199.40	\$ -					\$ 13,262.05								\$ 9,937.35	57%
<b>Sub-Contractor Costs</b>																		
Water Disposal	\$ 500.00	\$ -	\$ 500.00		\$ -	\$ -	\$ -	\$ -	\$ -								\$ 500.00	
VOC Analysis - Water	\$ 1,650.00	\$ -	\$ 1,650.00		\$ 1,300.00	\$ -	\$ -	\$ -	\$ 1,300.00						\$ 1,300.00		\$ 350.00	
VOC Analysis - Air	\$ 1,976.00	\$ -	\$ 1,976.00		\$ -	\$ 1,385.00	\$ -	\$ -	\$ 1,385.00						\$ 1,385.00		\$ 591.00	
	\$ -	\$ -	\$ -		\$ -	\$ -	\$ -	\$ -	\$ -								\$ -	
	\$ -	\$ -	\$ -		\$ -	\$ -	\$ -	\$ -	\$ -								\$ -	
	\$ -	\$ -	\$ -		\$ -	\$ -	\$ -	\$ -	\$ -								\$ -	
	\$ -	\$ -	\$ -		\$ -	\$ -	\$ -	\$ -	\$ -								\$ -	
	\$ -	\$ -	\$ -		\$ -	\$ -	\$ -	\$ -	\$ -								\$ -	
	\$ -	\$ -	\$ -		\$ -	\$ -	\$ -	\$ -	\$ -								\$ -	
<b>Sub-Contractor Cost Total</b>	\$ 4,126.00	\$ -	\$ 4,126.00	\$ -					\$ 2,685.00								\$ 1,441.00	
<b>DERF ELIGIBLE SUB-TOTALS</b>	\$ 27,325.40	\$ -	\$ 27,325.40	\$ -	\$ 14,562.05	\$ 1,385.00	\$ -	\$ -	\$ 15,947.05	\$ 100.00	\$ -	\$ 9,883.05	\$ -	\$ 3,279.00	\$ -	\$ 2,685.00	\$ -	\$ 11,378.35
<b>Non-DERF Eligible Expenses</b>																		
									\$ -									
									\$ -									
<b>Non-DERF Cost Total</b>				\$ -	\$ -	\$ -	\$ -	\$ -	\$ -									
<b>INVOICE GRAND TOTAL</b>				\$ -	\$ 14,562.05	\$ 1,385.00	\$ -	\$ -	\$ 15,947.05									

Total DERF Eligible Costs This Claim \$ 15,947.05

Check Numbers 1156 1156

Site Name: Band Box Tomah

BRRTS #: 02-42-525072

## Invoices

Band Box Tomah  
1217 Superior Avenue  
Tomah, WI 54660  
WDNR BRRTS #: 02-42-525072



# INVOICE

REI Engineering, Inc.  
 4080 N. 20th Avenue  
 Wausau, WI 54401  
 TEL: 715-675-9784

November 28, 2018  
 Invoice No: 35475

John Tessman  
 Band Box Cleaners  
 1207 Superior Avenue  
 Tomah, WI 54660

Project Mgr: David Larsen

Project 8173-DERF Band Box Tomah - DERF Project  
Professional Services from October 1, 2018 to October 28, 2018

**Consulting Fees**

	<b>Hours</b>	<b>Amount</b>
Hydrogeologist	18.00	
Environmental Scientist	84.75	
Administrative	3.00	
Senior Hydrogeologist	4.25	
Totals	110.00	
<b>Total Consulting Fees</b>		<b>10,718.25</b>

**Subcontractor Services**

Pace Analytical Services, Inc.		
9/24/2018 Pace Analytical Services, Inc.	Invoice #1840056729	1,300.00
<b>Total Subcontractor Services</b>		<b>1,300.00</b>

**Other Reimbursable Expenses**

2" Downhole PVC Cutter	5.00
55-Gallon Drum	482.40
Cordless Drill	25.00
Cordless Impact Driver	20.00
Distilled Water (5-Gallon)	50.40
Field Instrumentation (Vapor Scope)	350.00
HDPE Tubing	320.00
Helium Shroud	125.00
Leak Detector (Helium Meter)	100.00
Metal Detector	50.00
Peristaltic Pump	170.00
Tygon Tubing	56.00
Vinyl Tubing	320.00
Water Level Indicator	50.00
Well Development Pump	120.00

---



Project	8173-DERF	Band Box Tomah - DERF Project	Invoice	35475
	YSI Flow Cell		50.00	
	YSI Water Analyzer		250.00	
	<b>Total Reimbursable Expenses</b>		<b>2,543.80</b>	<b>2,543.80</b>
		<b>Total this Invoice</b>		<b>\$14,562.05</b>

All invoices are due upon receipt. A late charge of 1.5% will be added to any unpaid balance after 30 days

EFT, Visa/MasterCard Accepted (Credit Card Max of \$2,500/yr.)

# Unbilled Detail

Wednesday, November 28, 2018

12:51:01 PM

REI Engineering, Inc.

As of 11/28/2018

Billing Status	Date	Labor Category	Task /Account	Employee	Hours/ Units	Billing Rate	Billing Amount
<b>Project Number: 8173-DERF Band Box Tomah - DERF Project</b>							
Principal:		Total Compensation:		Rev Type:	B	JTD Billed:	
Project Manager:	David Larsen		Client Name:	Band Box Cleaners			
<b>Labor:</b>							
B	10/6/2018	Environmental Scientist	00080.0010	Bailey, Brian	.25	98.00	24.50
	data rev/						
B	9/18/2018	Environmental Scientist	00080.0015	Bailey, Brian	10.00	98.00	980.00
	redevelop wells / inspect / document well integrity						
B	9/18/2018	Environmental Scientist	00080.0015	Bailey, Brian	5.00	98.00	490.00
	vapor sample						
B	10/1/2018	Environmental Scientist	00080.0018	Bailey, Brian	5.50	98.00	539.00
	data rev/ tabulate						
B	10/2/2018	Environmental Scientist	00080.0018	Bailey, Brian	5.00	98.00	490.00
	historical data/ tabulate						
B	10/8/2018	Environmental Scientist	00080.0018	Bailey, Brian	.50	98.00	49.00
	data interp/comp						
B	10/15/2018	Environmental Scientist	00080.0018	Bailey, Brian	2.00	98.00	196.00
	data input						
B	8/2/2018	Environmental Scientist	00080.0020	Bailey, Brian	1.00	98.00	98.00
	pm / scope rev/ corresp w/ client / dnr						
B	9/17/2018	Environmental Scientist	00080.0020	Bailey, Brian	5.00	98.00	490.00
	pm/ corresp w/ sub-slab vapor locations/ work orders/						
B	9/17/2018	Environmental Scientist	00080.0020	Bailey, Brian	1.00	98.00	98.00
	prep /pack up						
B	9/18/2018	Environmental Scientist	00080.0020	Bailey, Brian	.50	98.00	49.00
	prep						
B	9/19/2018	Environmental Scientist	00080.0020	Bailey, Brian	2.00	98.00	196.00
	COC/ equip list/						
B	10/15/2018	Environmental Scientist	00080.0020	Bailey, Brian	1.00	98.00	98.00
	pm						
B	6/26/2018	Environmental Scientist	00080.0027	Bailey, Brian	1.00	98.00	98.00
	working on proposal/						
B	7/14/2018	Environmental Scientist	00080.0027	Bailey, Brian	2.00	98.00	196.00
	scope of work /proposal						
B	7/16/2018	Environmental Scientist	00080.0027	Bailey, Brian	.25	98.00	24.50
	pm						
B	7/23/2018	Environmental Scientist	00080.0027	Bailey, Brian	.50	98.00	49.00
	contract/ corresp						
B	8/6/2018	Environmental Scientist	00080.0027	Bailey, Brian	3.00	98.00	294.00
	historical review /						
B	8/7/2018	Environmental Scientist	00080.0027	Bailey, Brian	1.00	98.00	98.00
	review						
B	8/16/2018	Environmental Scientist	00080.0027	Bailey, Brian	1.00	98.00	98.00
	letters/ resend/						
B	8/31/2018	Environmental Scientist	00080.0027	Bailey, Brian	.50	98.00	49.00
	get analytical info to wwtp/ corresp						
B	9/5/2018	Environmental Scientist	00080.0027	Bailey, Brian	.75	98.00	73.50
	pm / corresp / wwtp						
B	9/7/2018	Environmental Scientist	00080.0027	Bailey, Brian	.25	98.00	24.50
	coord w/ pace						
B	9/11/2018	Environmental Scientist	00080.0027	Bailey, Brian	1.25	98.00	122.50
	project planning/ corresp						
B	8/7/2018	Environmental Scientist	00080.0049	Bailey, Brian	3.50	98.00	343.00
	access agreemnt letters / get out						

Unbilled Detail		As of 11/28/2018			Wednesday, November 28, 2018 12:51:01 PM		
Billing Status	Date	Labor Category	Task /Account	Employee	Hours/ Units	Billing Rate	Billing Amount
					<b>Total for BAILEYBRIA</b>	<b>53.75</b>	<b>5,267.50</b>
B	9/19/2018	Environmental Scientist	00080.0015	Bushar, Paul	14.50	98.00	1,421.00
		sample wells					
B	9/19/2018	Environmental Scientist	00080.0020	Bushar, Paul	1.00	98.00	98.00
		prep					
					<b>Total for BUSHARPAUL</b>	<b>15.50</b>	<b>1,519.00</b>
B	9/18/2018	Environmental Scientist	00080.0015	Kosch, Jed	14.50	98.00	1,421.00
B	9/18/2018	Environmental Scientist	00080.0020	Kosch, Jed	1.00	98.00	98.00
					<b>Total for KOSCHJED</b>	<b>15.50</b>	<b>1,519.00</b>
B	5/14/2018	Senior Hydrogeologist	00415.0020	Larsen, David	2.75	111.00	305.25
		review site and work on cost proposal					
B	9/11/2018	Senior Hydrogeologist	00415.0027	Larsen, David	1.50	111.00	166.50
					<b>Total for LarsenDave</b>	<b>4.25</b>	<b>471.75</b>
B	8/10/2018	Administrative	00010.0041	Luther, Tracy	1.50	59.00	88.50
		bb - 6 Letters w/SASE					
					<b>Total for LutherTrac</b>	<b>1.50</b>	<b>88.50</b>
B	9/18/2018	Hydrogeologist	00420.0015	Michalski, Matthew	10.00	98.00	980.00
		Redevelop Wells					
B	9/18/2018	Hydrogeologist	00420.0015	Michalski, Matthew	5.00	98.00	490.00
		Vapor Sampling					
B	9/17/2018	Hydrogeologist	00420.0020	Michalski, Matthew	1.00	98.00	98.00
		Prep for GW and Vapor Sampling					
B	9/18/2018	Hydrogeologist	00420.0020	Michalski, Matthew	.50	98.00	49.00
		prep					
B	8/7/2018	Hydrogeologist	00420.0036	Michalski, Matthew	.50	98.00	49.00
		Review Access Agreement					
					<b>Total for MICHALSKIMATT</b>	<b>17.00</b>	<b>1,666.00</b>
B	9/24/2018	Administrative	00010.0041	Nelson, Katrina	.25	59.00	14.75
B	10/1/2018	Administrative	00010.0041	Nelson, Katrina	.25	59.00	14.75
					<b>Total for NELSONKATR</b>	<b>.50</b>	<b>29.50</b>
B	9/20/2018	Administrative	00010.0041	Peters, Diane	.50	59.00	29.50
B	10/1/2018	Administrative	00010.0041	Peters, Diane	.50	59.00	29.50
					<b>Total for PetersDian</b>	<b>1.00</b>	<b>59.00</b>
B	10/8/2018	Hydrogeologist	00420.0775	Resch, Ryan	1.00	98.00	98.00
		enter comparative data from REI and METCO regarding vapor instusion testing					
					<b>Total for RESCHRYAN</b>	<b>1.00</b>	<b>98.00</b>
					<b>Total Billable Labor</b>	<b>110.00</b>	<b>10,718.25</b>
					<b>Total Labor</b>	<b>110.00</b>	<b>10,718.25</b>
<b>Consultants:</b>							
B	9/24/2018		5120.0	Pace Analytical Services, Inc. Invoice #1840056729			1,300.00
					<b>Total for</b>		<b>1,300.00</b>
					<b>Total Billable Consultants</b>		<b>1,300.00</b>
					<b>Total Consultants</b>		<b>1,300.00</b>
<b>Expenses:</b>							
W	9/18/2018		5225.0	Bailey, Brian Breakfast - BB			11.00
W	9/18/2018		5225.0	Bailey, Brian Lunch - BB			12.00
W	9/18/2018		5225.0	Bailey, Brian Dinner - BB			23.00
W	9/18/2018		5225.0	Kosch, Jed Breakfast - JK			11.00
W	9/18/2018		5225.0	Kosch, Jed Lunch - JK			12.00
W	9/18/2018		5225.0	Kosch, Jed Dinner - JK			23.00
W	9/18/2018		5225.0	Michalski, Matthew Breakfast - MM			11.00
W	9/18/2018		5225.0	Michalski, Matthew Lunch - MM			12.00
W	9/18/2018		5225.0	Michalski, Matthew Dinner - MM			23.00
W	9/18/2018		5225.0	Bushar, Paul Breakfast - PFB			11.00

Billing Status	Date	Labor Category	Task /Account	Employee	Hours/ Units	Billing Rate	Billing Amount
W	9/18/2018		5225.0	Bushar, Paul Lunch - PFB			12.00
W	9/18/2018		5225.0	Bushar, Paul Dinner - PFB			23.00
				<b>Total for</b>			<b>184.00</b>
				<b>Total Written-off Expenses</b>			<b>184.00</b>
				<b>Total Expenses</b>			<b>184.00</b>
		<b>Units:</b>					
B	9/18/2018		509	Helium Shroud B:5.0 Each @ 25.00	5.00	25.00	125.00
B	9/18/2018		122	Water Level Indicator B:.0 Days @ 25.00	2.00	25.00	50.00
B	9/18/2018		135	YSI Water Analyzer B:0 Day @ 125.00	2.00	125.00	250.00
B	9/18/2018		150	Distilled Water (5-Gallon) B: 4.0 Bottles @ 12.60	4.00	12.60	50.40
B	9/18/2018		153	55-Gallon Drum B:8.0 Each @ 60.30	8.00	60.30	482.40
B	9/18/2018		157	Tygon Tubing B:20.0 Feet @ 2.80	20.00	2.80	56.00
B	9/18/2018		158	Vinyl Tubing B: 800.0 Feet @ 0.40	800.00	.40	320.00
B	9/18/2018		160	HDPE Tubing B: 800.0 Feet @ 0.40	800.00	.40	320.00
B	9/18/2018		260	Peristaltic Pump B:2.0 Days @ 85.00	2.00	85.00	170.00
B	9/18/2018		357	YSI Flow Cell B:2.0 Days @ 25.00	2.00	25.00	50.00
B	9/18/2018		445	Leak Detector (Helium Meter) B:.0 Day @ 100.00	1.00	100.00	100.00
B	9/18/2018		452	Cordless Impact Driver B:.0 Days @ 10.00	2.00	10.00	20.00
B	9/18/2018		481	Well Development Pump B:4.0 Days @ 30.00	4.00	30.00	120.00
B	9/18/2018		510	Field Instrumentation (Vapor Scope) B:1.0 Day @ 350.00	1.00	350.00	350.00
B	9/18/2018		286	Metal Detector B:.0 Day @ 50.00	1.00	50.00	50.00
B	9/18/2018		333	Cordless Drill B:.0 Day @ 25.00	1.00	25.00	25.00
B	9/18/2018		334	2" Downhole PVC Cutter B:.0 Well @ 5.00	1.00	5.00	5.00
				<b>Total for</b>	<b>1,656.00</b>		<b>2,543.80</b>
				<b>Total Billable Units</b>	<b>1,656.00</b>		<b>2,543.80</b>
W	9/18/2018		107D	B: 223.0 Miles @ 0.77	223.00	.77	171.71
W	9/19/2018		107D	B: 144.0 Miles @ 0.77	144.00	.77	110.88
				<b>Total for</b>	<b>367.00</b>		<b>282.59</b>
				<b>Total Written-off Units</b>	<b>367.00</b>		<b>282.59</b>
				<b>Total Units</b>	<b>2,023.00</b>		<b>2,826.39</b>
				<b>Total for 8173-DERF</b>	<b>2,133.00</b>		<b>15,028.64</b>
<b>Final Totals</b>					<b>2,133.00</b>		<b>15,028.64</b>

## Report Summary (Billing):

	Hours	Labor	Consultants:	Expenses:	Units:
Billable	110.00	10,718.25	1,300.00		2,543.80
Held					
Written-off				184.00	282.59
<b>Total</b>	<b>110.00</b>	<b>10,718.25</b>	<b>1,300.00</b>	<b>184.00</b>	<b>2,826.39</b>



# INVOICE

Pace Analytical Services, LLC  
 1241 Bellevue Street - Suite 9  
 Green Bay, WI 54302  
 Phone: (920)469-2436

**Invoice Number: 1840056729**  
**Date: 09/24/2018**  
**Total Amount Due: \$1,300.00**

**Sold To:**

Accounts Payable  
 REI  
 4080 North 20th Avenue  
 Wausau, WI 54401  
 (715) 675-9784

**Please Remit To:**

**Pace Analytical Services, LLC**  
 P.O. Box 684056  
 Chicago, IL 60695-4056

Client Number/Client ID	Purchase Order No	Pace Project Mgr	Terms**	Page
40-000644 / REI		Brian Basten	Net 30 Days	1

*Client Project:* 9173 TOMAH BAND BOX  
*Pace Project No:* 40176133  
*Report Sent To:* Brian Bailey, REI Engineering  
*Comments:*

*Client Name:* REI  
*Sample Received:* 9/20/2018

**ANALYTICAL CHARGES**

Quantity	Unit	Description	Method	Matrix	Price	Total
20	Ea	8260 MSV	EPA 8260	Water	\$65.00	\$1,300.00
					<b>Analytical Subtotal</b>	<b>\$1,300.00</b>

**Total Number of Charges 20**

**Total Invoice Amount \$1,300.00**

*If you have any questions, please contact Brian Basten at Pace.  
 Phone: (920)469-2436 Email: brian.basten@pacelabs.com*

T# 912518021  
 Date 9/20/18 GL# 5120  
 P# 8173 BG# \_\_\_\_\_  
 Approved By DERF BTB

**\*\*1.5% MONTHLY FINANCE CHARGE ASSESSED AFTER 30 DAYS OR TERMS OF CONTRACT.  
 PLEASE REFERENCE THE INVOICE NUMBER ON ALL REMITTANCE ADVICE.**

AN EQUAL OPPORTUNITY EMPLOYER

*Please complete and return copy of invoice with your payment.*

**INVOICE TOTAL \$1,300.00**

Amount Paid: \$ \_\_\_\_\_

Check No: \_\_\_\_\_

Customer No: 40-000644 Invoice No: 1840056729



# INVOICE

REI Engineering, Inc.  
 4080 N. 20th Avenue  
 Wausau, WI 54401  
 TEL: 715-675-9784

December 10, 2018  
 Invoice No: 35563

John Tessman  
 Band Box Cleaners  
 1207 Superior Avenue  
 Tomah, WI 54660

Project Mgr: David Larsen

Project 8173-DERF Band Box Tomah - DERF Project

**Professional Services from October 1, 2018 to December 2, 2018**

**Subcontractor Services**

Pace Analytical Services, Inc.

10/5/2018	Pace Analytical Services, Inc.	Invoice #18100232986	1,385.00
-----------	--------------------------------	----------------------	----------

<b>Total Subcontractor Services</b>		<b>1,385.00</b>	<b>1,385.00</b>
-------------------------------------	--	-----------------	-----------------

<b>Total this Invoice</b>	<b>\$1,385.00</b>
---------------------------	-------------------

**Outstanding Invoice(s)**

Invoice Number	Date	Amount Due
35475	11/28/2018	14,562.05
<b>Total</b>		<b>14,562.05</b>

All invoices are due upon receipt. A late charge of 1.5% will be added to any unpaid balance after 30 days

EFT, Visa/MasterCard Accepted (Credit Card Max of \$2,500/yr.)



# INVOICE

Pace Analytical Services, LLC  
 1700 Elm Street - Suite 200  
 Minneapolis, MN 55414  
 Phone: (612)607-1700

**Invoice Number: 18100232986**  
**Date: 10/05/2018**  
**Total Amount Due: \$1,385.00**

**Sold To:**

Brian Bailey  
 REI  
 4080 N. 20th. Ave  
 Wausau, WI 54401  
 715-675-9784

**Please Remit To:**

Pace Analytical Services, LLC  
 P.O. Box 684056  
 Chicago, IL 60695-4056

Client Number/Client ID	Purchase Order No	Pace Project Mgr	Terms**	Page
10-113737 / REI Eng		Kirsten Hogberg	Net 30 Days	1

**Client Project:** 8173 Tomah Band Box  
**Pace Project No:** 10448486  
**Report Sent To:** Brian Bailey, REI  
**Comments:**

**Client Name:** REI Engineering  
**Sample Received:** 9/21/2018

**ANALYTICAL CHARGES**

Quantity	Unit	Description	Method	Matrix	Price	Total
5	Ea	EZ Canister Assembly	Miscellaneous Charges	Air	\$72.00	\$360.00
5	Ea	TO15 MSV AIR	TO-15	Air	\$175.00	\$875.00
3	Ea	Unused Can	Miscellaneous Charges	Air	\$50.00	\$150.00
<b>Analytical Subtotal</b>						<b>\$1,385.00</b>

**Total Number of Charges 13**

**Total Invoice Amount \$1,385.00**

*If you have any questions, please contact Kirsten Hogberg at Pace.  
 Phone: (612)607-1700 Email: kirsten.hogberg@pacelabs.com*

**\*\*1.5% MONTHLY FINANCE CHARGE ASSESSED AFTER 30 DAYS OR TERMS OF CONTRACT.  
 PLEASE REFERENCE THE INVOICE NUMBER ON ALL REMITTANCE ADVICE.**

AN EQUAL OPPORTUNITY EMPLOYER

*Please complete and return copy of invoice with your payment.*

**INVOICE TOTAL \$1,385.00**

Amount Paid: \$ \_\_\_\_\_

Check No: \_\_\_\_\_

Customer No: 10-113737 Invoice No: 18100232986

T# 1021180010  
 Date 10/21/18 GL# 5120  
 P# 8173 BG# \_\_\_\_\_  
 Approved By BJB

Site Name: Band Box Tomah

BRRTS #: 02-42-525072

Cancelled Checks

Band Box Tomah  
1217 Superior Avenue  
Tomah, WI 54660  
WDNR BRRTS #: 02-42-525072



Site Name: Band Box Tomah

BRRTS #: 02-42-525072

## Approved Change Orders

Band Box Tomah  
1217 Superior Avenue  
Tomah, WI 54660  
WDNR BRRTS #: 02-42-525072



June 22, 2018

Mr. John Tessman  
Bandbox Cleaners & Laundry, Inc.  
1217 Superior Avenue  
P.O. Box 299  
Tomah, Wisconsin 54600

SUBJECT: Approval of Change Order #5, Band Box Cleaners and Laundry, Inc., 1217  
Superior Avenue, Tomah, Wisconsin. WDNR BRRTS #02-42-525072

Dear Mr. Tessman:

Your proposed change order is approved. You may proceed with the proposed work.

On May 14, 2018, the DNR received the proposal Site Investigation (SI) Bid Sheet for additional investigation. This proposed bid was prepared by REI Engineering and submitted on your behalf by them. This change order request is the fifth at this site.

The work proposed to be completed with this change order includes the following:

- Workplan preparation
- Review of the site file
- Inspection of remaining wells
- Update of maps and figures
- Access for sub-slab sampling
- Waste determination for purge water
- Redevelop and sample monitoring wells and piezometers
- Sampling as many of the sub slab sample ports as possible in one day
- Complete an update report


Cost approved for this change order is \$19,717 for consulting and \$1650 for laboratory costs and \$3982 for miscellaneous costs, for a total approved \$25,349 for consulting, subcontracting and miscellaneous costs. The cost approved for this site investigation to date for this site is \$125,024 total for all contract costs.

Please be aware that you are required to comply with all applicable statutes and administrative rules including the NR 700 series, Wisconsin Administrative Code, hazardous waste management and wastewater discharges.

This approval does not guarantee the reimbursement of costs under the Dry Cleaner Environmental Response Program. Final determination regarding the eligibility of costs for reimbursement will be made at the time of claim review.

If you have any questions regarding the content of this letter, please contact me at 715-839-3765 or [gina.keenan@wisconsin.gov](mailto:gina.keenan@wisconsin.gov).

Sincerely,



Gina Keenan  
Hydrogeologist  
Bureau for Remediation & Redevelopment

Attachment: DERF Site Investigation Bid Summary Sheet

cc: Dave Larson-REI-via email  
Sandy Chancellor – CF/2, GEF 2, Madison-via mail

DERF Site Investigation Bid Sheet

Consultant Bid Summary

Form 4400-233 (R 4/04) Page 2 of 6

**Site Information**


Site Name: Band Box Cleaners, Inc

Consultant Name: REI Engineering, Inc. Applicant Name: Band Box Cleaners

**Bid Summary**

Drilling Costs Total =	0
Analytical Costs Total =	1,650.00
Consulting Costs Total =	19,717.00
Misc Costs Total =	3,982.40
Grand Total =	25,349.40

I certify that the costs are an accurate estimate of my total projected costs for the site investigation and I understand and will adhere to s. 292.65 Stats. and ch NR 169, Wis. Adm. Code.

Consultant Signature  Date 5/14/18

Please attach to these forms a written narratige specifying how the tasks outlined in these sheets will be performed.

Consultant Name:  
 Site Name:  
 BRRTS #:  
 Date:

**DERF Site Investigation Bid Sheet**

**Analytical Costs**

Form 4400-233 (R 4/04) Page 4 of 6

Parameter	WI Certified Lab			Field Test/Field Kit			Mobile Lab			Total Costs
	\$/sample	# samples	Method Used	\$/sample	# samples	Method Used	\$/Sample \$/Day	# Samples # Days	Method Used	
Solids Analysis										
VOCs										\$0.00
TCLP										\$0.00
RCRA Metals										\$0.00
Duplicate Analyses										\$0.00
Blank Analyses										\$0.00
Other: (Specify)										\$0.00
<b>Water Analysis (low flow sampling assumed unless otherwise indicated at bottom of this sheet)</b>										
VOCs	75	22								\$1,650.00
Nitrate*										\$0.00
Dissolved Oxygen*										\$0.00
Temperature*										\$0.00
Ferrous Iron*										\$0.00
Sulfate*										\$0.00
Sulfide*										\$0.00
ORP*										\$0.00
pH*										\$0.00
TOC*										\$0.00
Alkalinity*										\$0.00
Chloride*										\$0.00
Spec. Conductance*										\$0.00
Ethene/Ethane/Methane*										\$0.00
Hydrogen*										\$0.00
Carbon Dioxide*										\$0.00
RCRA Metals										\$0.00
Duplicate Analyses										\$0.00
Blank Analyses										\$0.00
Other: (Specify)										\$0.00
<b>Air Analysis</b>										
VOCs	247	8								\$1,976.00
TCE										\$0.00
PCE (minimum detection limit is <10 ppbv)										\$0.00
Other: (Specify)										\$0.00
<b>Waste Analyses (soil/water)</b>										
										\$0.00
										\$0.00
<b>Miscellaneous (specify)</b>										
										\$0.00
										\$0.00
<b>Charge for Mobile Lab (indicate # days and daily fee)</b>										
Total Analytical Costs										\$1,650.00

\* Natural Attenuation parameters required for consideration of NA as remedy.



Consultant Name:  
 Site Name:  
 BRRTS #:  
 Date:

**DERF Site Investigation Bid Summary Sheet**

**Miscellaneous Costs**

Form 4400-233 (R 4/04) Page 6 of 6

Major Activity	Specifications	Commodity Unit (specify)	Unit Rate	Number of Units	Total Cost
IDW Disposal					
Purge Water	Non-Hazardous		est	1	\$500.00
<b>Equipment Rental (list and include shipping costs if applicable)</b>					
<b>Field Supplies (list)</b>					
Well Development Pump		each	\$30.00	6	\$180.00
Vinyl Tubing		foot	\$0.40	800	\$320.00
Tubing - HPDE		foot	\$0.40	800	\$320.00
Peristaltic Pump		each	\$85.00	2	\$170.00
Tubing - Tygon		foot	\$2.80	20	\$56.00
Decon Water		Bottle	\$12.60	4	\$50.40
WDOT Drums		each	\$60.30	20	\$1,206.00
YSI 556 and Flow Cell		day	\$150.00	2	\$300.00
Metal Detector		day	\$50.00	2	\$100.00
Impact Driver		day	\$10.00	2	\$20.00
Cordless Drill w/ PVC Cutter		day	\$30.00	2	\$60.00
Water Level Indicator		day	\$25.00	2	\$50.00
Helium Meter		day	\$100.00	1	\$100.00
Helium Shroud		each	\$25.00	8	\$200.00
Field Instrumentation (vapor scope)		day	\$350.00	1	\$350.00
<b>Surveying</b>					
<b>Personal Protection Equipment (list)</b>					
<b>Sample Shipping Costs</b>					
<b>Other (specify)</b>					
<b>Total Miscellaneous Costs</b>					<b>\$3,982.40</b>

Reminders: DERF does not reimburse for attorney, closure or GIS fees. Mileage and meals are also non-reimbursable. Also, costs to prepare a reimbursement application and discuss the application with the department are not reimbursable. No expedited shipping w/o prior PM approval.

**From:** Keenan, Gina N - DNR  
**To:** [Brian Bailey](#); [Dave Larsen](#)  
**Cc:** [Chancellor, Sandra D - DNR](#)  
**Subject:** Addendum to Bandbox, June 22, 2018, Change Order #5  
**Date:** Wednesday, July 18, 2018 3:47:41 PM

---

This email serves as documentation, that the eight VOC air samples (\$1976) that were included on the May 14, 2018 bid proposal, but were not tallied into the sub or the grand total, are costs approved by the Department. The grand total approved for Change Order #5 including these costs is \$27,325.40 including the VOC air samples.

Please contact me with any questions.

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Gina Keenan

Hydrogeologist-Remediation & Redevelopment

Wisconsin Department of Natural Resources

Phone: 715-839-3765

[gina.keenan@wisconsin.gov](mailto:gina.keenan@wisconsin.gov)



[dnr.wi.gov](http://dnr.wi.gov)





## Progress Report


Band Box Tomah  
1217 Superior Avenue  
Tomah, WI 54660  
WDNR BRRTS #: 02-42-525072

On September 18, 2018, REI Engineering, Inc personnel redeveloped and collected groundwater samples from the existing well network, except wells MW-A1 and MW-A4 which could not be located. Sub-slab vapor samples were collected from five (5) of the existing sub-slab vapor ports. A summary of the work completed was submitted in an Update Report in April 11, 2019. The preparation of this report and associated attachments is not included in the period of time associated with this claim. Copies of the analytical tables and updated site map have been included in this section.


DRAWING FILE: P:\8100-8199\8173 - BAND BOX - TOMAH.DWG\8173-VICN.DWG LAYOUT: VICN PLOTTED: MAR 19, 2019 - 1:06PM PLOTTED BY: MATTM



SCALE 1:24 000



CONTOUR INTERVAL 20 FEET  
NORTH AMERICAN VERTICAL DATUM OF 1988



UTM GRID AND 2019 MAGNETIC NORTH  
DECLINATION AT CENTER OF SHEET

**TOMAH QUADRANGLE**  
**WISCONSIN - MONROE COUNTY**  
**7.5-MINUTE SERIES**



QUADRANGLE LOCATION

**TOMAH, WI**  
2018

REI ENGINEERING, INC.

BAND BOX CLEANERS & LAUNDRY, INC  
1217 SUPERIOR AVENUE  
TOMAH, WISCONSIN 54660




FIGURE 1 : LOCATION MAP

PROJECT NO.  
8173

DRAWN BY:  
MCM

DATE:  
3/19/2019

DRAWING FILE: P:\8100-8199\8173 - BAND Box - Tomah\DWG\8173-SITE.DWG LAYOUT; SITE PLOTTED: APR 10, 2019 - 4:22PM PLOTTED BY: MATTM



**LEGEND**

0 90  
SCALE: 1" = 90'

- MONITORING WELL
- PIEZOMETER
- SUB-SLAB VAPOR PROBE
- INDOOR AIR SAMPLE LOCATION
- GEOPROBE LOCATION (2/15/07)

NATURAL GAS LINE (APPROXIMATE)

WATER LINE (APPROXIMATE)

SANITARY SEWER LINE (APPROXIMATE)

STORM SEWER LINE (APPROXIMATE)

PROPERTY BOUNDARY - SUBJECT (APPROXIMATE)

PROPERTY BOUNDARY - OTHERS (APPROXIMATE)

**REI**  
CIVIL & ENVIRONMENTAL  
ENGINEERING, SURVEYING

BAND BOX CLEANERS & LAUNDRY, INC.  
1217 SUPERIOR AVENUE  
TOMAH, WISCONSIN 54660

FIGURE 2 : DETAILED SITE MAP

PROJECT No. 8173	DRAWN BY: MCM	DATE: 4/10/2019
---------------------	------------------	--------------------

REI Engineering, INC.

Table 1a  
Indoor Air Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

		1215 Superior Avenue	1217 Superior Avenue	1120 Superior Avenue	1202 Superior Avenue			
Sample Address-->		1215 Superior Avenue	1217 Superior Avenue	1120 Superior Avenue	1202 Superior Avenue			
Sample Location-->		1215	1217	IA-1	IA-2			
Collected By-->		METCO	METCO	METCO	METCO			
Sample Date-->		2/14/2011	2/14/2011	6/19/2013	6/19/2013			
Exposure Scenario-->		LC/I	LC/I	SC	SC			
TO-15 VOC's (µg/m³)	carcinogen	Indoor Air VAL						
		Residential [R]	Small Commercial [SC]	Large Commercial/Industrial [LC/I]				
Acetone	n	32,200	135,000	135,000	16.1	17.7	46.7	28.1
Benzene	c	3.6	15.7	15.7	<3.08	<3.01	7.14	<3.49
Benzyl chloride	c	0.573	2.5	2.5	<2.40	<2.35	<2.21	<2.62
Bromodichloromethane	c	0.759	3.31	3.31	<u>3.86</u>	<3.04	<2.98	<3.52
Bromoform	c	25.5	111	111	<19.2	<18.8	<17.5	<20.7
Bromomethane	n	5.21	21.9	21.9	<1.87	<1.83	<1.79	<2.12
1,3-Butadiene	c	0.936	4.09	4.09	<1.11	<1.08	1.05	<1.12
2-Butanone (MEK)	n	5,210	21,900	21,900	2.22	1.88	2.30	<1.61
Carbon disulfide	c	730	3,070	3,070	<1.44	2.14	<1.38	<1.64
Carbon tetrachloride	c	4.68	20.4	20.4	<2.92	<2.86	<2.79	<3.31
Chlorobenzene	c	52.1	219	219	<4.43	<4.34	<2.12	<2.51
Chloroethane	--	--	--	--	<1.27	<1.24	<2.43	<2.88
Chloroform	c	1.22	5.33	5.33	222	401	<2.17	<2.57
Chloromethane	n	93.9	394	394	1.89	2.03	1.72	1.44
Chlorohexane	--	--	--	--	<1.60	<1.56	2.40	<1.81
Dibromochloromethane	--	--	--	--	<3.95	<3.87	<3.78	<4.48
1,2-Dibromoethane (EDB)	c	0.0468	0.204	0.204	<3.70	<3.62	<3.41	<4.04
1,2-Dichlorobenzene	n	209	876	876	<2.79	3.41	<2.57	<3.04
1,3-Dichlorobenzene	--	--	--	--	<2.79	<2.73	<2.57	<3.04
1,4-Dichlorobenzene	c	2.55	11.1	11.1	<2.90	<2.83	<2.67	<3.16
Dichlorodifluoromethane	n	104	438	438	2.68	3.11	2.58	<2.70
1,1-Dichloroethane	c	17.5	76.7	76.7	<1.95	<1.91	<1.80	<2.13
1,2-Dichloroethane	c	1.08	4.72	4.72	<1.95	<1.91	<1.87	<4.04
1,1-Dichloroethene	n	209	876	876	<1.98	<1.94	<1.83	<2.17
cis-1,2-Dichloroethene	--	--	--	--	<1.91	<1.87	<1.83	<2.17
trans-1,2-Dichloroethene	--	--	--	--	<1.84	<1.80	<1.76	<2.09
1,2-Dichloropropane	n	4.17	17.5	17.5	<2.14	<2.10	<2.05	<2.43
cis-1,3-Dichloropropene	--	--	--	--	<2.11	<2.06	<2.09	<2.48
trans-1,3-Dichloropropene	--	--	--	--	<2.27	<2.22	<2.17	<2.57
Dichlorotetrafluoroethane	--	--	--	--	-	-	-	-
Ethanol	--	--	--	--	29.3	45.5	192	17.9
Ethyl acetate	n	73	307	307	<1.67	<1.64	<1.60	<1.90
Ethylbenzene	c	11.2	49.1	49.1	<2.09	<2.05	4.46	<2.37
4-Ethyltoluene	--	--	--	--	<2.37	12.4	<2.18	<2.59
n-Heptane	n	417	1,750	1,750	<1.90	<1.86	3.41	<2.16
Hexachloro-1,3-butadiene	c	1.28	5.57	5.57	<5.14	<5.03	<4.74	<5.61
n-Hexane	n	730	1,750	1,750	<1.70	<1.66	13.2	<1.85
2-Hexanone	n	31.3	131	131	<2.05	<2.00	<1.89	<2.24
Methylene Chloride	c	626	2,630	2,630	<1.67	2.62	<3.20	<3.79
4-Methyl-2-pentanone (MIBK)	n	3,130	13,100	13,100	<1.97	12.5	<1.82	<2.15
Methyl-tert-butyl ether (MTBE)	n	108	472	472	<1.67	<1.64	<1.60	<1.90
Naphthalene	c	0.826	3.61	3.61	<5.05	<4.94	<4.66	<5.51
2-Propanol	n	209	876	876	34.7	109	124	9.37
Propylene	n	3,130	13,100	13,100	16.7	9.65	37.2	<3.62
Styrene	n	1,040	4,380	4,380	<2.05	<2.01	<1.89	<2.24
1,1,2,2-Tetrachloroethane	c	0.484	2.11	2.11	<3.31	<3.24	<3.17	<3.75
Tetrachloroethene (PCE)	n	41.7	175	175	25.3	29.2	<3.01	<3.57
Tetrahydrofuran	n	2,090	8,760	8,760	<1.42	<1.39	<1.31	<1.55
Toluene	n	5,210	21,900	21,900	3.91	2.82	23.8	<2.06
1,2,4-Trichlorobenzene	n	2.09	8.76	8.76	<3.57	<3.50	<3.30	<3.90
1,1,1-Trichloroethane	n	5,210	21,900	21,900	<2.53	<2.48	<2.42	<2.87
1,1,2-Trichloroethane	n	0.209	0.876	0.876	<2.53	<2.48	<2.42	<2.87
Trichloroethene (TCE)	n	2.09	8.76	8.76	<2.49	<2.44	<2.39	<2.83
Trichlorofluoromethane	--	--	--	--	<2.71	<2.65	<2.69	<3.18
1,1,2-Trichlorotrifluoroethane	n	5,210	21,900	21,900	<3.69	<3.61	<3.53	<4.19
1,2,4-Trimethylbenzene (TMB)	n	62.6	263	263	5.24	37.6	6.26	<5.17
1,3,5-Trimethylbenzene (TMB)	n	62.6	263	263	<2.37	13.3	<2.18	<2.59
Vinyl acetate	n	209	876	876	<1.76	<1.72	<1.56	<1.85
Vinyl chloride	c	1.68	27.9	27.9	<1.23	<1.20	<1.18	<1.40
Xylene, m,p-	n	104	438	438	<4.03	5.52	15.2	<4.66
Xylene, o-	n				<2.09	4.56	5.52	<2.37

Notes:

Indoor Air Standards based on US EPA Vapor Intrusion Screening Levels (VISL) online calculator.

VISL Calculated on Date: 2/22/2019

AF = Attenuation Factor

VAL = Vapor Action Level

VRSL = Vapor Risk Screening Level

< = Concentration Below Laboratory Detection Limit

- = Not Sampled/Collected

-- = No Standard/Not Applicable

<sup>J</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

c = carcinogen

n = non-carcinogen

Target Risk for Carcinogens = 1.00E-05

Target Hazard Quotient for Non-Carcinogens = 1

Immediate Action Criteria for Indoor Air

Carcinogens (c) = 10 x VAL

Non-carcinogens (n) = 3 x VAL

<i>Italics</i>	= Exceeds Immediate Action Criteria for Indoor Air
<b>Bold</b>	= Exceeds US EPA Residential VAL
<u>Underlined</u>	= Exceeds US EPA Commercial VAL



Table 2a  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRS# 02-42-525072

Location-->		MW-A1											
Date-->		3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18	
Sampler-->		METCO										REI	
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	<0.47	2.56	<0.24	0.24	<0.38	<0.38	<0.5	<0.24			
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32			
Bromochloromethane	--	--	-	-	-	-	-	-	-	-			
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37			
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35			
Bromomethane	10	1	-	-	-	-	-	-	-	-			
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35			
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33			
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36			
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33			
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24			
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63			
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28			
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81			
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21			
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21			
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88			
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22			
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44			
Dibromomethane	--	--	-	-	-	-	-	-	-	-			
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36			
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28			
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3			
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44			
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3			
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41			
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4			
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38			
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	Well	Well	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	Not Located	Project Not Located	
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	Located	Paused Located	
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36		Five Years	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	Missing/Destroyed	Missing/Destroyed	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<0.33			
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-			
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23			
Ethylbenzene	700	140	<0.38	0.9	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55			
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5			
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3			
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31			
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5			
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23			
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7			
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25			
Styrene	100	10	-	-	-	-	-	-	-	-			
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33			
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45			
Tetrachloroethene	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	<b>0.63</b>	0.44	<0.33			
Toluene	800	160	<0.46	4.60	0.45	1.33	<0.72	<0.72	<0.53	<0.69			
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8			
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98			
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33			
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34			
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33			
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71			
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-			
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2			
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4			
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<2.2			
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18			
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69			
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63			
Xylene (Total)	2000	400	<0.99	3.17	<1.67	<1.67	<1.62	<1.62	<1.9	<0.69			

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NA = Not Sampled  
NS = No Standard/Not Applicable  
<sup>j</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2b  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			MW-A2										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	Enforcement Standard (ES)	Preventive Action Limit (PAL)											
Benzene	5	0.5	<4.7	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24		<0.25
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37		<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35		<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33		<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5	<4.6	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6	<4.8	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	0.42	0.28		<1.3
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44		<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200	<4.6	1.39	1.14	<0.76	<0.7	<0.7	<1.8	0.95	1.07		0.81 <sup>1</sup>
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7	<6.8	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140	<3.8	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		<0.22
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3		<0.39
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12	<5.2	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10	<18	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7		<1.2
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25		<0.81
Styrene	100	10	-	-	-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33		<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5	<b>190</b>	<b>170</b>	<b>47</b>	<b>29.6</b>	<b>11.6</b>	<b>5.4</b>	<b>7.5</b>	<b>41</b>	<b>7.7</b>		<b>14.2</b>
Toluene	800	160	<4.6	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		<0.17
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5	<4.4	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33		<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2		<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4		<0.87
Trimethylbenzenes (Total)	480	96	<15.7	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6		<0.87
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69		<0.47
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63		<0.26
Xylene (Total)	2000	400	<9.9	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>1</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2c  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRS# 02-42-525072

Location-->			MW-A3										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	<0.47	<0.47	0.32	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24		<0.25
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37		<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35		<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33		<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28		<1.3
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44		<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		<0.22
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3		<0.39
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7		<1.2
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25		<0.81
Styrene	100	10	-	-	-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33		<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33		1.7
Toluene	800	160	<0.46	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		<0.17
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33		<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2		<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4		<0.87
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6		<0.87
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69		<0.47
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63		<0.26
Xylene (Total)	2000	400	<0.99	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>j</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*



Table 2d  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRS# 02-42-525072

Location-->			MW-A4										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	<0.47	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24		
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32		
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-		
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37		
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35		
Bromomethane	10	1	-	-	-	-	-	-	-	-	-		
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35		
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33		
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36		
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24		
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63		
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28		
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81		
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21		
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21		
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88		
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22		
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44		
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-		
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36		
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28		
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3		
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3		
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41		
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4		
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	Project	Well
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	Not	Located
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	Paused	Located
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	Five	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	Years	Covered/
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		Destroyed
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23		
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5		
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3		
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31		
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5		
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7		
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25		
Styrene	100	10	-	-	-	-	-	-	-	-	-		
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33		
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45		
Tetrachloroethene	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33		
Toluene	800	160	<0.46	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8		
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98		
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33		
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34		
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33		
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71		
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-		
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2		
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4		
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6		
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18		
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69		
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63		
Xylene (Total)	2000	400	<0.99	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32		

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>1</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2e  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			MW-12 (Badger)									
Date-->			9/6/00	7/13/01	10/30/01	2/13/02	3/23/04	7/2/12	6/18/13	9/18/13		9/18/18
Sampler-->			Metco									
VOC's (µg/L)			ES	PAL								REI
Benzene	5	0.5	44	10	6.2	4.4	<0.41		3.01	<0.24		<0.25
Bromobenzene	--	--	-	-	-	-	-		<0.32	<0.32		<0.24
Bromochloromethane	--	--	-	-	-	-	-		-	-		<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-		<0.37	<0.37		<0.36
Bromoform	4.4	0.44	-	-	-	-	-		<0.35	<0.35		<4.0
Bromomethane	10	1	-	-	-	-	-		-	-		<0.97
n-Butylbenzene	--	--	-	-	-	-	-		3.3	2.37		<0.71
sec-Butylbenzene	--	--	-	-	-	-	-		1.16	0.82 <sup>1</sup>		<0.85
tert-Butylbenzene	--	--	-	-	-	-	-		<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5	-	-	-	-	-		<0.33	<0.33		<0.17
Chlorobenzene	--	--	-	-	-	-	-		<0.24	<0.24		<0.71
Chloroethane	400	80	-	-	-	-	-		<0.63	<0.63		<1.3
Chloroform	6	0.6	-	-	-	-	-		<0.28	<0.28		<1.3
Chloromethane	30	3	-	-	-	-	-		<0.81	<0.81		<2.2
2-Chlorotoluene	--	--	-	-	-	-	-		<0.21	<0.21		<0.93
4-Chlorotoluene	--	--	-	-	-	-	-		<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-		<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-		<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-		<0.44	<0.44		<0.83
Dibromomethane	--	--	-	-	-	-	-		-	-		<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-		<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-		<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-		<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200	-	-	-	-	-		<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-		<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-		<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-		<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7	-	-	-	-	-		<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-		<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5	-	-	-	-	-		<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	Not	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	Sampled	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-		-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-		-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-		-	-		<4.4
Diisopropyl ether	--	--	-	-	-	-	-		<0.23	<0.23		<1.9
Ethylbenzene	700	140	473	52	29	24	5.6		9.8	2.47		0.40 <sup>1</sup>
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-		<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--	-	-	-	-	-		1.58	1.15		<0.39
p-Isopropyltoluene	--	--	-	-	-	-	-		0.70 <sup>1</sup>	0.38 <sup>1</sup>		<0.80
Methylene Chloride	5	0.5	-	-	-	-	-		<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12	<0.5	<9.2	<9.2	<0.46	<0.62		<0.23	<0.23		<1.2
Naphthalene	100	10	27.3	-	-	-	-		2.37 <sup>1</sup>	<1.7		<1.2
n-Propylbenzene	--	--	-	-	-	-	-		4.9	4.1		<0.81
Styrene	100	10	-	-	-	-	-		-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-		<0.33	<0.33		<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-		<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5	-	-	-	-	-		<0.33	<0.33		<0.33
Toluene	800	160	1490	170	45	21	2		38	1.86 <sup>1</sup>		0.68 <sup>1</sup>
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-		<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-		<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-		<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-		<0.34	<0.34		<0.55
Trichloroethene	5	0.5	-	-	-	-	-		<0.33	<0.33		<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-		<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-		-	-		<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-		36	12.8		<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-		2.05 <sup>1</sup>	5.3		<0.87
Trimethylbenzenes (Total)	480	96	791	196	307	262	67		36	18.1		<0.87
Vinyl chloride	0.2	0.02	-	-	-	-	-		<0.18	<0.18		<0.17
m&p-Xylene	--	--	-	-	-	-	-		76	3.9		1.1 <sup>1</sup>
o-Xylene	--	--	-	-	-	-	-		42	4.1		0.36 <sup>1</sup>
Xylene (Total)	2000	400	2430	590	440	310	31.8		118	8		1.1 <sup>1</sup>

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>1</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2f  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRS# 02-42-525072

Location-->			MW-14										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	<0.47	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24		<0.25
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37		<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35		<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33		<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28		<1.3
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44		<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		<0.22
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3		<0.39
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7		<1.2
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25		<0.81
Styrene	100	10	-	-	-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<3.3	<0.33		<0.27
1,1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5	<b>2.87</b>	<b>16.4</b>	<b>16.6</b>	<b>7.8</b>	<0.43	0.45	<0.44	<i>1.03<sup>J</sup></i>	218		<b>7.8</b>
Toluene	800	160	<0.46	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		<0.17
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<b>0.57</b>		<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2		<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4		<0.87
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6		<0.87
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69		<0.47
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63		<0.26
Xylene (Total)	2000	400	<0.99	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>J</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2g  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			MW-14P										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	<23.5	<23.5	<24	<24	<38	<19	<25	<2.4	<2.4	<0.25	
Bromobenzene	--	--	-	-	-	-	-	-	-	<3.2	<3.2	<0.24	
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<3.7	<3.7	<0.36	
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<3.5	<3.5	<4.0	
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.5	<3.5	<0.71	
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.85	
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<0.30	
Carbon tetrachloride	5	0.5	<23	<23	<30	<30	<0.25	<12.5	<23.5	<3.3	<3.3	<0.17	
Chlorobenzene	--	--	-	-	-	-	-	-	-	<2.4	<2.4	<0.71	
Chloroethane	400	80	-	-	-	-	-	-	-	<6.3	<6.3	<1.3	
Chloroform	6	0.6	<24	<24	<47	<47	<0.32	<16	<24.5	<2.8	<2.8	<1.3	
Chloromethane	30	3	-	-	-	-	-	-	-	<8.1	<8.1	<2.2	
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.93	
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.76	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<8.8	<8.8	<1.8	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<2.2	<2.2	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<4.4	<4.4	<0.83	
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<3.6	<3.6	<0.71	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<2.8	<2.8	<0.63	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<3	<3	<0.94	
Dichlorodifluoromethane	1000	200	<23	<23	<76	<76	<0.7	<35	<90	<2.2	<4.4	<0.50	
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<3	<3	<0.27	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<4.1	<4.1	<0.28	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<4	<4	<0.24	
cis-1,2-Dichloroethene	70	7	<34	<34	<44	<44	<0.78	<39	<37	<3.8	<3.8	<0.27	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<3.5	<3.5	<1.1	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<3.2	<3.2	Project <0.28	
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.3	<3.3	Paused <0.83	
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.6	<3.6	Five <2.3	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	Years <0.54	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<23	<23	<1.9	
Ethylbenzene	700	140	<19	<19	<35	<35	<55	<27.5	<39	<5.5	<5.5	<0.22	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<15	<15	<1.2	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<3	<3	<0.39	
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<3.1	<3.1	<0.80	
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<5	<5	<0.58	
Methyl-tert-butyl ether	60	12	<26	<26	<70	<70	<25	<12.5	<40	<2.3	<2.3	<1.2	
Naphthalene	100	10	<90	<90	<180	<180	<240	<120	<105	<17	<17	<1.2	
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<2.5	<2.5	<0.81	
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<3.3	<3.3	<0.27	
1,1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<4.5	<4.5	<0.28	
Tetrachloroethene	5	0.5	3100	4600	3600	4300	2690	2140	1170	1270	1240	1480	
Toluene	800	160	<23	<23	<39	<39	<72	<36	<26.5	<6.9	<6.9	<0.17	
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<18	<18	<0.63	
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<9.8	<9.8	<0.95	
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<3.3	<3.3	<0.24	
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<3.4	<3.4	<0.55	
Trichloroethene	5	0.5	<22	<22	<47	<47	<0.39	<19.5	<23.5	<3.3	<3.3	0.87 <sup>1</sup>	
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<7.1	<7.1	<0.21	
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<22	<22	<0.84	
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<14	<14	<0.87	
Trimethylbenzenes (Total)	480	96	<78.5	<78.5	<74	<74	<120	<60	<77	<36	<36	<0.87	
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<1.8	<7.1	<0.17	
m&p-Xylene	--	--	-	-	-	-	-	-	-	<6.9	<6.9	<0.47	
o-Xylene	--	--	-	-	-	-	-	-	-	<6.3	<6.3	<0.26	
Xylene (Total)	2000	400	<49.5	<49.5	<167	<167	<162	<81	<95	<13.2	<13.2	<0.47	

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

<sup>1</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

**Bold**

Exceeds Preventive Action Limit (PAL) =

*Italic*

Table 2h  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRS# 02-42-525072

Location-->			MW-15									
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18
Sampler-->			METCO									
VOC's (µg/L)	ES	PAL										REI
Benzene	5	0.5	<4.7	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30
Carbon tetrachloride	5	0.5	<4.6	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3
Chloroform	6	0.6	<4.8	<0.58	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94
Dichlorodifluoromethane	1000	200	<4.6	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24
cis-1,2-Dichloroethene	70	7	<6.8	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	Project <0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	Paused <0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	Five <2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	Years <0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9
Ethylbenzene	700	140	6.4	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58
Methyl-tert-butyl ether	60	12	<5.2	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2
Naphthalene	100	10	<18	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27
1,1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28
Tetrachloroethene	5	0.5	<5.2	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33
Toluene	800	160	<4.6	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	0.18' <0.63
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8	<0.95
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33	<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34	<0.55
Trichloroethene	5	0.5	<4.4	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2	<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4	<0.87
Trimethylbenzenes (Total)	480	96	<b>113.1</b>	48.4	<0.74	7.94	14.03	<1.20	<1.54	<3.6	<3.6	<0.87
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18	<0.17
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69	<0.47
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63	<0.26
Xylene (Total)	2000	400	188.7	3.96	<1.67	<1.67	2.01	<1.62	<1.9	<1.32	<1.32	<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>1</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 21  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			MW-16										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	<4.7	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24		<0.25
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37		<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35		<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33		<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5	<4.6	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6	<4.8	<i>2.29</i>	<i>0.63</i>	<i>0.78</i>	0.48	<0.32	<i>1.02</i>	<0.28	<i>0.79<sup>J</sup></i>		25.5
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44		<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200	<4.6	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7	<6.8	4.8	0.98	0.81	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140	<3.8	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		<0.22
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3		<0.39
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12	<5.2	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10	<18	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7		<1.2
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25		<0.81
Styrene	100	10	-	-	-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33		<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5	52	45	18.8	36	30	10.5	58	0.38 <sup>J</sup>	7.8		7.2
Toluene	800	160	<4.6	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		<0.17
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5	<4.4	<i>1.68</i>	<i>0.63</i>	<i>0.66</i>	<0.39	<0.39	0.49	<0.33	<0.33		0.31 <sup>J</sup>
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2		<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4		<0.87
Trimethylbenzenes (Total)	480	96	<15.7	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6		<0.87
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69		<0.47
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63		<0.26
Xylene (Total)	2000	400	<9.9	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>J</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2j  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			MW-17										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18*
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	<23.5	<b>5.2</b>	<2.4	<2.4	<3.8	<3.8	<5	<2.4	<2.4		<0.25
Bromobenzene	--	--	-	-	-	-	-	-	-	<3.2	<3.2		<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<3.7	<3.7		<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<3.5	<3.5		<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.5	<3.5		<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.3	<3.3		<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.6	<3.6		<0.30
Carbon tetrachloride	5	0.5	<23	<4.6	<3	<3	<0.25	<2.5	<4.7	<3.3	<3.3		<0.17
Chlorobenzene	--	--	-	-	-	-	-	-	-	<2.4	<2.4		<0.71
Chloroethane	400	80	-	-	-	-	-	-	-	<6.3	<6.3		<1.3
Chloroform	6	0.6	<24	<4.8	<4.7	<4.7	<0.32	<3.2	<4.9	<2.8	<2.8		<1.3
Chloromethane	30	3	-	-	-	-	-	-	-	<8.1	<8.1		<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1		<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<8.8	<8.8		<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<2.2	<2.2		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<4.4	<4.4		<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<3.6	<3.6		<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<2.8	<2.8		<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<3	<3		<0.94
Dichlorodifluoromethane	1000	200	<23	<4.6	<7.6	<7.6	<0.7	<7	<18	<2.2	<4.4		<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<3	<3		<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<4.1	<4.1		<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<4	<4		<0.24
cis-1,2-Dichloroethene	70	7	<34	<6.8	<4.4	<4.4	<0.78	<7.8	<7.4	<3.8	<3.8		<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<3.5	<3.5		<1.1
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<3.2	<3.2	Project	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.3	<3.3	Paused	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.6	<3.6	Five	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<23	<23		<1.9
Ethylbenzene	700	140	<19	<3.8	<3.5	<3.5	<5.5	<5.5	<7.8	<5.5	<5.5		<0.22
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<15	<15		<1.2
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<3	<3		<0.39
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<3.1	<3.1		<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<5	<5		<0.58
Methyl-tert-butyl ether	60	12	<26	<5.2	<7	<7	<2.5	<2.5	<8	<2.3	<2.3		<1.2
Naphthalene	100	10	<90	<18	<18	<18	<24	<24	<21	<17	<17		<1.2
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<2.5	<2.5		<0.81
Styrene	100	10	-	-	-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<3.3	<3.3		<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<4.5	<4.5		<0.28
Tetrachloroethene	5	0.5	<b>370</b>	<b>390</b>	<b>500</b>	<b>370</b>	<b>330</b>	<b>620</b>	<b>430</b>	<b>870</b>	<b>430</b>		<b>549</b>
Toluene	800	160	<23	<4.6	<3.9	<3.9	<7.2	<7.2	<5.3	<6.9	<6.9		<0.17
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<18	<18		<0.63
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<9.8	<9.8		<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<3.3	<3.3		<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<3.4	<3.4		<0.55
Trichloroethene	5	0.5	<22	<4.4	<4.7	<4.7	<0.39	<3.9	<4.7	<3.3	<3.3		<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<7.1	<7.1		<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<22	<22		<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<14	<14		<0.87
Trimethylbenzenes (Total)	480	96	<78.5	<15.7	<7.4	<7.4	<12	<12	<15.4	<36	<36		<0.87
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<1.8	<7.1		<0.17
m&p-Xylene	--	--	-	-	-	-	-	-	-	<6.9	<6.9		<0.47
o-Xylene	--	--	-	-	-	-	-	-	-	<6.3	<6.3		<0.26
Xylene (Total)	2000	400	<49.5	<9.9	<16.7	<16.7	<16.2	<16.2	<19	<13.2	<13.2		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>J</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
\* = Based on historic analytical results, appears sample was incorrectly labeled as MW-17P.  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2k  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			MW-17P										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18*
Sampler-->			METCO										
VOC's (µg/L)	ES	PAL											REI
Benzene	5	0.5	<0.47	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24		<0.25
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37		<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35		<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33		<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28		<1.3
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44		<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		<0.22
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3		<0.39
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7		<1.2
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25		<0.81
Styrene	100	10	-	-	-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33		<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33		<0.33
Toluene	800	160	<0.46	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		<0.17
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33		<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2		<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4		<0.87
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6		<0.87
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69		<0.47
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63		<0.26
Xylene (Total)	2000	400	<0.99	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>1</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
\* = Based on historic analytical results, appears sample was incorrectly labeled as MW-17.  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*



Table 21  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			MW-18										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5			<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24		<0.25
Bromobenzene	--	--			-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--			-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06			-	-	-	-	-	<0.37	<0.37		<0.36
Bromoform	4.4	0.44			-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1			-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--			-	-	-	-	-	<0.35	<0.35		<0.71
sec-Butylbenzene	--	--			-	-	-	-	-	<0.33	<0.33		<0.85
tert-Butylbenzene	--	--			-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5			<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--			-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80			-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6			<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28		<1.3
Chloromethane	30	3			-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02			-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06			-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005			-	-	-	-	-	<0.44	<0.44		<0.83
Dibromomethane	--	--			-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60			-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120			-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15			-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200			<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85			-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5			-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7			-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7			<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20			-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5			-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	Not	Not	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	Installed	Installed	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--			-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--			-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140			<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		<0.22
Hexachloro-1,3-butadiene	--	--			-	-	-	-	-	<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--			-	-	-	-	-	<0.3	<0.3		<0.39
p-Isopropyltoluene	--	--			-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5			-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12			<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10			<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7		<1.2
n-Propylbenzene	--	--			-	-	-	-	-	<0.25	<0.25		<0.81
Styrene	100	10			-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7			-	-	-	-	-	<0.33	<0.33		<0.27
1,1,1,2,2-Tetrachloroethane	0.2	0.02			-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5			<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33		<0.33
Toluene	800	160			<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		<0.17
1,2,3-Trichlorobenzene	--	--			-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14			-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40			-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5			-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5			<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33		<0.26
Trichlorofluoromethane	--	--			-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12			-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--			-	-	-	-	-	<2.2	<2.2		<0.84
1,3,5-Trimethylbenzene	--	--			-	-	-	-	-	<1.4	<1.4		<0.87
Trimethylbenzenes (Total)	480	96			<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6		<0.87
Vinyl chloride	0.2	0.02			-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--			-	-	-	-	-	<0.69	<0.69		<0.47
o-Xylene	--	--			-	-	-	-	-	<0.63	<0.63		<0.26
Xylene (Total)	2000	400			<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>j</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2m  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			MW-18P										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5			<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24		<0.25
Bromobenzene	--	--			-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--			-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06			-	-	-	-	-	<0.37	<0.37		<0.36
Bromoform	4.4	0.44			-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1			-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--			-	-	-	-	-	<0.35	<0.35		<0.71
sec-Butylbenzene	--	--			-	-	-	-	-	<0.33	<0.33		<0.85
tert-Butylbenzene	--	--			-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5			<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--			-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80			-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6			<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28		<1.3
Chloromethane	30	3			-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02			-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06			-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005			-	-	-	-	-	<0.44	<0.44		<0.83
Dibromomethane	--	--			-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60			-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120			-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15			-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200			<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85			-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5			-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7			-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7			<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20			-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5			-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	Not	Not	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	Installed	Installed	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--			-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--			-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140			<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		<0.22
Hexachloro-1,3-butadiene	--	--			-	-	-	-	-	<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--			-	-	-	-	-	<0.3	<0.3		<0.39
p-Isopropyltoluene	--	--			-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5			-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12			<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10			<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7		<1.2
n-Propylbenzene	--	--			-	-	-	-	-	<0.25	<0.25		<0.81
Styrene	100	10			-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7			-	-	-	-	-	<0.33	<0.33		<0.27
1,1,1,2,2-Tetrachloroethane	0.2	0.02			-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5			<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33		<0.33
Toluene	800	160			<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		<0.17
1,2,3-Trichlorobenzene	--	--			-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14			-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40			-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5			-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5			<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33		<0.26
Trichlorofluoromethane	--	--			-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12			-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--			-	-	-	-	-	<2.2	<2.2		<0.84
1,3,5-Trimethylbenzene	--	--			-	-	-	-	-	<1.4	<1.4		<0.87
Trimethylbenzenes (Total)	480	96			<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6		<0.87
Vinyl chloride	0.2	0.02			-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--			-	-	-	-	-	<0.69	<0.69		<0.47
o-Xylene	--	--			-	-	-	-	-	<0.63	<0.63		<0.26
Xylene (Total)	2000	400			<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32		<0.47

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

<sup>j</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

**Bold**

Exceeds Preventive Action Limit (PAL) =

*Italic*

Table 2n  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			MW-19										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5			<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24		<0.25
Bromobenzene	--	--			-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--			-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06			-	-	-	-	-	<0.37	<0.37		<0.36
Bromoform	4.4	0.44			-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1			-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--			-	-	-	-	-	<0.35	<0.35		<0.71
sec-Butylbenzene	--	--			-	-	-	-	-	<0.33	<0.33		<0.85
tert-Butylbenzene	--	--			-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5			<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--			-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80			-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6			<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28		<1.3
Chloromethane	30	3			-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02			-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06			-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005			-	-	-	-	-	<0.44	<0.44		<0.83
Dibromomethane	--	--			-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60			-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120			-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15			-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200			<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85			-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5			-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7			-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7			<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20			-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5			-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	Not	Not	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	Installed	Installed	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--			-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--			-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140			<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		<0.22
Hexachloro-1,3-butadiene	--	--			-	-	-	-	-	<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--			-	-	-	-	-	<0.3	<0.3		<0.39
p-Isopropyltoluene	--	--			-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5			-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12			<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10			<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7		<1.2
n-Propylbenzene	--	--			-	-	-	-	-	<0.25	<0.25		<0.81
Styrene	100	10			-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7			-	-	-	-	-	<0.33	<0.33		<0.27
1,1,1,2,2-Tetrachloroethane	0.2	0.02			-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5			<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33		<0.33
Toluene	800	160			<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		<0.17
1,2,3-Trichlorobenzene	--	--			-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14			-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40			-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5			-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5			<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33		<0.26
Trichlorofluoromethane	--	--			-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12			-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--			-	-	-	-	-	<2.2	<2.2		<0.84
1,3,5-Trimethylbenzene	--	--			-	-	-	-	-	<1.4	<1.4		<0.87
Trimethylbenzenes (Total)	480	96			<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6		<0.87
Vinyl chloride	0.2	0.02			-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--			-	-	-	-	-	<0.69	<0.69		<0.47
o-Xylene	--	--			-	-	-	-	-	<0.63	<0.63		<0.26
Xylene (Total)	2000	400			<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>j</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2o  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			MW-19P										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5			<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24		<0.25
Bromobenzene	--	--			-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--			-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06			-	-	-	-	-	<0.37	<0.37		<0.36
Bromoform	4.4	0.44			-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1			-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--			-	-	-	-	-	<0.35	<0.35		<0.71
sec-Butylbenzene	--	--			-	-	-	-	-	<0.33	<0.33		<0.85
tert-Butylbenzene	--	--			-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5			<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--			-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80			-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6			<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28		<1.3
Chloromethane	30	3			-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02			-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06			-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005			-	-	-	-	-	<0.44	<0.44		<0.83
Dibromomethane	--	--			-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60			-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120			-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15			-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200			<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85			-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5			-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7			-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7			<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20			-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5			-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	Not	Not	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	Installed	Installed	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--			-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--			-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140			<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		<0.22
Hexachloro-1,3-butadiene	--	--			-	-	-	-	-	<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--			-	-	-	-	-	<0.3	<0.3		<0.39
p-Isopropyltoluene	--	--			-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5			-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12			<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10			<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7		<1.2
n-Propylbenzene	--	--			-	-	-	-	-	<0.25	<0.25		<0.81
Styrene	100	10			-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7			-	-	-	-	-	<0.33	<0.33		<0.27
1,1,1,2,2-Tetrachloroethane	0.2	0.02			-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5			<0.5	<b>2.92</b>	<b>1.97</b>	<b>1.13</b>	<b>0.57</b>	<b>0.35<sup>J</sup></b>	<0.33		<b>0.84<sup>J</sup></b>
Toluene	800	160			<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		<0.17
1,2,3-Trichlorobenzene	--	--			-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14			-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40			-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5			-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5			<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33		<0.26
Trichlorofluoromethane	--	--			-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12			-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--			-	-	-	-	-	<2.2	<2.2		<0.84
1,3,5-Trimethylbenzene	--	--			-	-	-	-	-	<1.4	<1.4		<0.87
Trimethylbenzenes (Total)	480	96			<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6		<0.87
Vinyl chloride	0.2	0.02			-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--			-	-	-	-	-	<0.69	<0.69		<0.47
o-Xylene	--	--			-	-	-	-	-	<0.63	<0.63		<0.26
Xylene (Total)	2000	400			<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>J</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2p  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRS# 02-42-525072

Location-->			PZ-1										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5		<i>2.16</i>	<i>2.63</i>	<0.24	<0.38	<i>2.85</i>	<i>1.58</i>	<0.24	<i>0.87</i>		<0.25
Bromobenzene	--	--		-	-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--		-	-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06		-	-	-	-	-	-	<0.37	<0.37		<0.36
Bromoform	4.4	0.44		-	-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1		-	-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--		-	-	-	-	-	-	0.51 <sup>1</sup>	3.2		<0.71
sec-Butylbenzene	--	--		-	-	-	-	-	-	<0.33	1.55		<0.85
tert-Butylbenzene	--	--		-	-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5		<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--		-	-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80		-	-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6		<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28		<1.3
Chloromethane	30	3		-	-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--		-	-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--		-	-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02		-	-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06		-	-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005		-	-	-	-	-	-	<0.44	<0.44		<0.83
Dibromomethane	--	--		-	-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60		-	-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120		-	-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15		-	-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200		<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85		-	-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5		-	-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7		-	-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7		<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20		-	-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5		-	-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	Well	-	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	Inaccessible	-	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--		-	-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04		-	-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04		-	-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--		-	-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140		0.76	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	5.80		<0.22
Hexachloro-1,3-butadiene	--	--		-	-	-	-	-	-	<1.5	10		<1.2
Isopropylbenzene (cumene)	--	--		-	-	-	-	-	-	1.67	0.49 <sup>1</sup>		<0.39
p-Isopropyltoluene	--	--		-	-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5		-	-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12		<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10		3.16	<i>12.00</i>	<1.8	<2.4	<i>24.5</i>	<2.1	1.84 <sup>1</sup>	<i>11.60</i>		<1.2
n-Propylbenzene	--	--		-	-	-	-	-	-	2.28	12.2		<0.81
Styrene	100	10		-	-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7		-	-	-	-	-	-	<0.33	<0.33		<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02		-	-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5		<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33		<0.33
Toluene	800	160		3.06	1.05	<0.39	<0.72	<0.72	1.61	<0.69	22.10		0.30 <sup>1</sup>
1,2,3-Trichlorobenzene	--	--		-	-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14		-	-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40		-	-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5		-	-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5		<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33		<0.26
Trichlorofluoromethane	--	--		-	-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12		-	-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--		-	-	-	-	-	-	2.9 <sup>1</sup>	6.7 <sup>1</sup>		<0.84
1,3,5-Trimethylbenzene	--	--		-	-	-	-	-	-	1.85 <sup>1</sup>	7		<0.87
Trimethylbenzenes (Total)	480	96		6.3	19.2	<0.74	<1.20	10.43	<1.54	4.75	13.70		<0.87
Vinyl chloride	0.2	0.02		-	-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--		-	-	-	-	-	-	8	22		<0.47
o-Xylene	--	--		-	-	-	-	-	-	8.7	51		<0.26
Xylene (Total)	2000	400		16.4	40.6	<1.67	<1.62	62.7	0.94	16.7	73		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>1</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2q  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			PZ-A-3									
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18
Sampler-->			METCO									
VOC's (µg/L)			ES	PAL								REI
Benzene	5	0.5			290	44	73	980	1460	500	261	1.2
Bromobenzene	--	--			-	-	-	-	-	<3.2	<3.2	<0.24
Bromochloromethane	--	--			-	-	-	-	-	-	-	<0.36
Bromodichloromethane	0.6	0.06			-	-	-	-	-	<3.7	<3.7	<0.36
Bromoform	4.4	0.44			-	-	-	-	-	<3.5	<3.5	<4.0
Bromomethane	10	1			-	-	-	-	-	-	-	<0.97
n-Butylbenzene	--	--			-	-	-	-	-	3.5 <sup>j</sup>	4.7 <sup>j</sup>	<0.71
sec-Butylbenzene	--	--			-	-	-	-	-	<3.3	<3.3	<0.85
tert-Butylbenzene	--	--			-	-	-	-	-	<3.6	<3.6	<0.30
Carbon tetrachloride	5	0.5			<15	<3	<0.25	<5	<4.7	<3.3	<3.3	<0.17
Chlorobenzene	--	--			-	-	-	-	-	<2.4	<2.4	<0.71
Chloroethane	400	80			-	-	-	-	-	<6.3	<6.3	<1.3
Chloroform	6	0.6			<23.5	<4.7	<0.32	<6.4	<4.9	<2.8	<2.8	<1.3
Chloromethane	30	3			-	-	-	-	-	<8.1	<8.1	<2.2
2-Chlorotoluene	--	--			-	-	-	-	-	<2.1	<2.1	<0.93
4-Chlorotoluene	--	--			-	-	-	-	-	<2.1	<2.1	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02			-	-	-	-	-	<8.8	<8.8	<1.8
Dibromochloromethane	0.6	0.06			-	-	-	-	-	<2.2	<2.2	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005			-	-	-	-	-	<4.4	<4.4	<0.83
Dibromomethane	--	--			-	-	-	-	-	-	-	<0.94
1,2-Dichlorobenzene	600	60			-	-	-	-	-	<3.6	<3.6	<0.71
1,3-Dichlorobenzene	600	120			-	-	-	-	-	<2.8	<2.8	<0.63
1,4-Dichlorobenzene	75	15			-	-	-	-	-	<3	<3	<0.94
Dichlorodifluoromethane	1000	200			<20.5	<7.6	<0.7	<14	<18	<2.2	<4.4	<0.50
1,1-Dichloroethane	850	85			-	-	-	-	-	<3	<3	<0.27
1,2-Dichloroethane	5	0.5			-	-	-	-	-	<4.1	<4.1	<0.28
1,1-Dichloroethene	7	0.7			-	-	-	-	-	<4	<4	<0.24
cis-1,2-Dichloroethene	70	7			<22	<4.4	<0.78	<15.6	<7.4	<3.8	<3.8	<0.27
trans-1,2-Dichloroethene	100	20			-	-	-	-	-	<3.5	<3.5	<1.1
1,2-Dichloropropane	5	0.5			-	-	-	-	-	<3.2	<3.2	Project <0.28
1,3-Dichloropropane	--	--	Not Installed	Not Installed	-	-	-	-	-	<3.3	<3.3	Paused <0.83
2,2-Dichloropropane	--	--	Installed	Installed	-	-	-	-	-	<3.6	<3.6	Five Years <2.3
1,1-Dichloropropene	--	--			-	-	-	-	-	-	-	<0.54
cis-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-	<3.6
trans-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-	<4.4
Diisopropyl ether	--	--			-	-	-	-	-	<23	<23	<1.9
Ethylbenzene	700	140			138	4	92	750	1280	285	370	0.37 <sup>j</sup>
Hexachloro-1,3-butadiene	--	--			-	-	-	-	-	<15	<15	<1.2
Isopropylbenzene (cumene)	--	--			-	-	-	-	-	11.4	14.8	<0.39
p-Isopropyltoluene	--	--			-	-	-	-	-	<3.1	<3.1	<0.80
Methylene Chloride	5	0.5			-	-	-	-	-	<5	<5	<0.58
Methyl-tert-butyl ether	60	12			<35	<7	<0.25	<5	<8	<2.3	<2.3	<1.2
Naphthalene	100	10			<90	<18	12.4	96	127	31.1 <sup>j</sup>	43 <sup>j</sup>	<1.2
n-Propylbenzene	--	--			-	-	-	-	-	22.9	38	<0.81
Styrene	100	10			-	-	-	-	-	-	-	<0.47
1,1,1,2-Tetrachloroethane	70	7			-	-	-	-	-	<3.3	<3.3	<0.27
1,1,1,2,2-Tetrachloroethane	0.2	0.02			-	-	-	-	-	<4.5	<4.5	<0.28
Tetrachloroethene	5	0.5			27.5	36	4.3	<8.6	4.7	<3.3	<3.3	0.66 <sup>j</sup>
Toluene	800	160			99	4.5	104	440	1860	69	109	0.22 <sup>j</sup>
1,2,3-Trichlorobenzene	--	--			-	-	-	-	-	<18	<18	<0.63
1,2,4-Trichlorobenzene	70	14			-	-	-	-	-	<9.8	<9.8	<0.95
1,1,1-Trichloroethane	200	40			-	-	-	-	-	<3.3	<3.3	<0.24
1,1,2-Trichloroethane	5	0.5			-	-	-	-	-	<3.4	<3.4	<0.55
Trichloroethene	5	0.5			<23.5	<4.7	<0.39	<7.8	<4.7	<3.3	<3.3	<0.26
Trichlorofluoromethane	--	--			-	-	-	-	-	<7.1	<7.1	<0.21
1,2,3-Trichloropropane	60	12			-	-	-	-	-	-	-	<0.59
1,2,4-Trimethylbenzene	--	--			-	-	-	-	-	105	169	<0.84
1,3,5-Trimethylbenzene	--	--			-	-	-	-	-	28.7 <sup>j</sup>	43 <sup>j</sup>	<0.87
Trimethylbenzenes (Total)	480	96			79.5	7.2	57.3	413	864	133.7	212	<0.87
Vinyl chloride	0.2	0.02			-	-	-	-	-	<1.8	<7.1	<0.17
m&p-Xylene	--	--			-	-	-	-	-	301	570	<0.47
o-Xylene	--	--			-	-	-	-	-	15.6 <sup>j</sup>	86	<0.26
Xylene (Total)	2000	400			268	31	225.6	1869	3710	316.6	656	<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>j</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2r  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			PZ-A-4										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5			<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24		<0.25
Bromobenzene	--	--			-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--			-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06			-	-	-	-	-	<0.37	<0.37		1.2
Bromoform	4.4	0.44			-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1			-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--			-	-	-	-	-	<0.35	<0.35		<0.71
sec-Butylbenzene	--	--			-	-	-	-	-	<0.33	<0.33		<0.85
tert-Butylbenzene	--	--			-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5			<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--			-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80			-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6			<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28		4.0 <sup>J</sup>
Chloromethane	30	3			-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02			-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06			-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005			-	-	-	-	-	<0.44	<0.44		<0.83
Dibromomethane	--	--			-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60			-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120			-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15			-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200			<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85			-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5			-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7			-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7			<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20			-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5			-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	Not	Not	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	Installed	Installed	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--			-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--			-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140			<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		<0.22
Hexachloro-1,3-butadiene	--	--			-	-	-	-	-	<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--			-	-	-	-	-	<0.3	<0.3		<0.39
p-Isopropyltoluene	--	--			-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5			-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12			<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10			<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7		<1.2
n-Propylbenzene	--	--			-	-	-	-	-	<0.25	<0.25		<0.81
Styrene	100	10			-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7			-	-	-	-	-	<0.33	<0.33		<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02			-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5			<0.5	9.5	<0.43	3.5	<0.44	0.42 <sup>J</sup>	<0.33		<0.33
Toluene	800	160			<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		<0.17
1,2,3-Trichlorobenzene	--	--			-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14			-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40			-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5			-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5			<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33		<0.26
Trichlorofluoromethane	--	--			-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12			-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--			-	-	-	-	-	<2.2	<2.2		<0.84
1,3,5-Trimethylbenzene	--	--			-	-	-	-	-	<1.4	<1.4		<0.87
Trimethylbenzenes (Total)	480	96			<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6		<0.87
Vinyl chloride	0.2	0.02			-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--			-	-	-	-	-	<0.69	<0.69		<0.47
o-Xylene	--	--			-	-	-	-	-	<0.63	<0.63		<0.26
Xylene (Total)	2000	400			<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>J</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2s  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->			PZ-B-3										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5			3.50	<0.24	<0.38	21.8	<0.5	0.93	1.36		<0.25
Bromobenzene	--	--			-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--			-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06			-	-	-	-	-	<0.37	<0.37		<0.36
Bromoform	4.4	0.44			-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1			-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--			-	-	-	-	-	<0.35	<0.35		<0.71
sec-Butylbenzene	--	--			-	-	-	-	-	<0.33	<0.33		<0.85
tert-Butylbenzene	--	--			-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5			<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--			-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80			-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6			<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28		<1.3
Chloromethane	30	3			-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02			-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06			-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005			-	-	-	-	-	1.88	1.81		<0.83
Dibromomethane	--	--			-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60			-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120			-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15			-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200			<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85			-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5			-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7			-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7			<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20			-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5			-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	Not	Not	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	Installed	Installed	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--			-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--			-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140			<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		<0.22
Hexachloro-1,3-butadiene	--	--			-	-	-	-	-	<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--			-	-	-	-	-	<0.3	<0.3		<0.39
p-Isopropyltoluene	--	--			-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5			-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12			<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10			<1.8	<1.8	<2.4	6.3	<2.1	<1.7	<1.7		<1.2
n-Propylbenzene	--	--			-	-	-	-	-	<0.25	<0.25		<0.81
Styrene	100	10			-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7			-	-	-	-	-	<0.33	<0.33		<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02			-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5			<0.5	8.4	7.7	35	5	21.9	13.7		1.9
Toluene	800	160			<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		<0.17
1,2,3-Trichlorobenzene	--	--			-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14			-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40			-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5			-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5			<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33		<0.26
Trichlorofluoromethane	--	--			-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12			-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--			-	-	-	-	-	<2.2	<2.2		<0.84
1,3,5-Trimethylbenzene	--	--			-	-	-	-	-	<1.4	<1.4		<0.87
Trimethylbenzenes (Total)	480	96			0.51	<0.74	<1.20	7.8	<1.54	<3.6	<3.6		<0.87
Vinyl chloride	0.2	0.02			-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--			-	-	-	-	-	<0.69	<0.69		<0.47
o-Xylene	--	--			-	-	-	-	-	<0.63	0.89 <sup>j</sup>		<0.26
Xylene (Total)	2000	400			2.78	<1.67	<1.62	18.7	<1.9	<1.32	0.89		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>j</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*



Table 2t  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRS# 02-42-525072

Location-->			PZ-B-4										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13		9/18/18
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5			<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24		<0.25
Bromobenzene	--	--			-	-	-	-	-	<0.32	<0.32		<0.24
Bromochloromethane	--	--			-	-	-	-	-	-	-		<0.36
Bromodichloromethane	0.6	0.06			-	-	-	-	-	<0.37	<0.37		<0.36
Bromoform	4.4	0.44			-	-	-	-	-	<0.35	<0.35		<4.0
Bromomethane	10	1			-	-	-	-	-	-	-		<0.97
n-Butylbenzene	--	--			-	-	-	-	-	<0.35	<0.35		<0.71
sec-Butylbenzene	--	--			-	-	-	-	-	<0.33	<0.33		<0.85
tert-Butylbenzene	--	--			-	-	-	-	-	<0.36	<0.36		<0.30
Carbon tetrachloride	5	0.5			<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33		<0.17
Chlorobenzene	--	--			-	-	-	-	-	<0.24	<0.24		<0.71
Chloroethane	400	80			-	-	-	-	-	<0.63	<0.63		<1.3
Chloroform	6	0.6			<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28		<1.3
Chloromethane	30	3			-	-	-	-	-	<0.81	<0.81		<2.2
2-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.93
4-Chlorotoluene	--	--			-	-	-	-	-	<0.21	<0.21		<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02			-	-	-	-	-	<0.88	<0.88		<1.8
Dibromochloromethane	0.6	0.06			-	-	-	-	-	<0.22	<0.22		<2.6
1,2-Dibromoethane (EDB)	0.05	0.005			-	-	-	-	-	<0.44	<0.44		<0.83
Dibromomethane	--	--			-	-	-	-	-	-	-		<0.94
1,2-Dichlorobenzene	600	60			-	-	-	-	-	<0.36	<0.36		<0.71
1,3-Dichlorobenzene	600	120			-	-	-	-	-	<0.28	<0.28		<0.63
1,4-Dichlorobenzene	75	15			-	-	-	-	-	<0.3	<0.3		<0.94
Dichlorodifluoromethane	1000	200			<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44		<0.50
1,1-Dichloroethane	850	85			-	-	-	-	-	<0.3	<0.3		<0.27
1,2-Dichloroethane	5	0.5			-	-	-	-	-	<0.41	<0.41		<0.28
1,1-Dichloroethene	7	0.7			-	-	-	-	-	<0.4	<0.4		<0.24
cis-1,2-Dichloroethene	70	7			<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38		<0.27
trans-1,2-Dichloroethene	100	20			-	-	-	-	-	<0.35	<0.35		<1.1
1,2-Dichloropropane	5	0.5			-	-	-	-	-	<0.32	<0.32	Project	<0.28
1,3-Dichloropropane	--	--	Not	Not	-	-	-	-	-	<0.33	<0.33	Paused	<0.83
2,2-Dichloropropane	--	--	Installed	Installed	-	-	-	-	-	<0.36	<0.36	Five	<2.3
1,1-Dichloropropene	--	--			-	-	-	-	-	-	-	Years	<0.54
cis-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<3.6
trans-1,3-Dichloropropene	0.4	0.04			-	-	-	-	-	-	-		<4.4
Diisopropyl ether	--	--			-	-	-	-	-	<0.23	<0.23		<1.9
Ethylbenzene	700	140			<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		<0.22
Hexachloro-1,3-butadiene	--	--			-	-	-	-	-	<1.5	<1.5		<1.2
Isopropylbenzene (cumene)	--	--			-	-	-	-	-	<0.3	<0.3		<0.39
p-Isopropyltoluene	--	--			-	-	-	-	-	<0.31	<0.31		<0.80
Methylene Chloride	5	0.5			-	-	-	-	-	<0.5	<0.5		<0.58
Methyl-tert-butyl ether	60	12			<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23		<1.2
Naphthalene	100	10			<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7		<1.2
n-Propylbenzene	--	--			-	-	-	-	-	<0.25	<0.25		<0.81
Styrene	100	10			-	-	-	-	-	-	-		<0.47
1,1,1,2-Tetrachloroethane	70	7			-	-	-	-	-	<0.33	<0.33		<0.27
1,1,1,2,2-Tetrachloroethane	0.2	0.02			-	-	-	-	-	<0.45	<0.45		<0.28
Tetrachloroethene	5	0.5			<0.5	<b>0.96</b>	<0.43	<0.43	<0.44	<0.33	<0.33		<0.33
Toluene	800	160			<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69		<0.17
1,2,3-Trichlorobenzene	--	--			-	-	-	-	-	<1.8	<1.8		<0.63
1,2,4-Trichlorobenzene	70	14			-	-	-	-	-	<0.98	<0.98		<0.95
1,1,1-Trichloroethane	200	40			-	-	-	-	-	<0.33	<0.33		<0.24
1,1,2-Trichloroethane	5	0.5			-	-	-	-	-	<0.34	<0.34		<0.55
Trichloroethene	5	0.5			<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33		<0.26
Trichlorofluoromethane	--	--			-	-	-	-	-	<0.71	<0.71		<0.21
1,2,3-Trichloropropane	60	12			-	-	-	-	-	-	-		<0.59
1,2,4-Trimethylbenzene	--	--			-	-	-	-	-	<2.2	<2.2		<0.84
1,3,5-Trimethylbenzene	--	--			-	-	-	-	-	<1.4	<1.4		<0.87
Trimethylbenzenes (Total)	480	96			<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6		<0.87
Vinyl chloride	0.2	0.02			-	-	-	-	-	<0.18	<0.18		<0.17
m&p-Xylene	--	--			-	-	-	-	-	<0.69	<0.69		<0.47
o-Xylene	--	--			-	-	-	-	-	<0.63	<0.63		<0.26
Xylene (Total)	2000	400			<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32		<0.47

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>J</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2u  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

Location-->		PZ-2					
Date-->		4/14/14	7/14/14	3/9/15	9/9/15		9/18/18
Sampler-->		Metco					REI
VOC's (µg/L)	ES	PAL					
Benzene	5	0.5	140	143	19.6	2040	20.2
Bromobenzene	--	--	-	-	-	-	<0.24
Bromochloromethane	--	--	-	-	-	-	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	<0.36
Bromoform	4.4	0.44	-	-	-	-	<4.0
Bromomethane	10	1	-	-	-	-	<0.97
n-Butylbenzene	--	--	-	-	-	-	<0.71
sec-Butylbenzene	--	--	-	-	-	-	<0.85
tert-Butylbenzene	--	--	-	-	-	-	<0.30
Carbon tetrachloride	5	0.5	-	-	-	-	<0.17
Chlorobenzene	--	--	-	-	-	-	<0.71
Chloroethane	400	80	-	-	-	-	<1.3
Chloroform	6	0.6	-	-	-	-	<1.3
Chloromethane	30	3	-	-	-	-	<2.2
2-Chlorotoluene	--	--	-	-	-	-	<0.93
4-Chlorotoluene	--	--	-	-	-	-	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	4.1	-	-	-	1.2 <sup>j</sup>
Dibromomethane	--	--	-	-	-	-	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	<0.94
Dichlorodifluoromethane	1000	200	-	-	-	-	<0.50
1,1-Dichloroethane	850	85	-	-	-	-	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	<0.24
cis-1,2-Dichloroethene	70	7	-	-	-	-	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	<1.1
1,2-Dichloropropane	5	0.5	-	-	-	-	Project <0.28
1,3-Dichloropropane	--	--	-	-	-	-	Paused <0.83
2,2-Dichloropropane	--	--	-	-	-	-	Five <2.3
1,1-Dichloropropene	--	--	-	-	-	-	Years <0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<4.4
Diisopropyl ether	--	--	-	-	-	-	<1.9
Ethylbenzene	700	140	28.1	17.7	4.6	2160	16.7
Hexachloro-1,3-butadiene	--	--	-	-	-	-	<1.2
Isopropylbenzene (cumene)	--	--	-	-	-	-	0.55 <sup>j</sup>
p-Isopropyltoluene	--	--	-	-	-	-	<0.80
Methylene Chloride	5	0.5	-	-	-	-	<0.58
Methyl-tert-butyl ether	60	12	<0.23	<0.23	<0.49	<55	<1.2
Naphthalene	100	10	21.30	21	<2.6	167	<1.2
n-Propylbenzene	--	--	-	-	-	-	1.6 <sup>j</sup>
Styrene	100	10	-	-	-	-	<0.47
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	<0.28
Tetrachloroethene	5	0.5	8.7	-	-	-	6.9
Toluene	800	160	4	1.96	0.78	400	2.1 <sup>j</sup>
1,2,3-Trichlorobenzene	--	--	-	-	-	-	<0.63
1,2,4-Trichlorobenzene	70	14	-	-	-	-	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	<0.55
Trichloroethene	5	0.5	-	-	-	-	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	6.5
1,3,5-Trimethylbenzene	--	--	-	-	-	-	1.6 <sup>j</sup>
Trimethylbenzenes (Total)	480	96	27.4	23.2	1.19	999	6.5
Vinyl chloride	0.2	0.02	-	-	-	-	<0.17
m&p-Xylene	--	--	-	-	-	-	17.0
o-Xylene	--	--	-	-	-	-	0.34 <sup>j</sup>
Xylene (Total)	2000	400	53.4	50.7	4.5	3853	17.0

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

<sup>j</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

**Bold**

Exceeds Preventive Action Limit (PAL) =

*Italic*

Table 2v  
Groundwater Analytical Results  
Band Box Cleaners & Laundry, Inc.  
1217 Superior Avenue  
Tomah, WI 54660  
BRRTS# 02-42-525072

VOC's (µg/L)	Location-->		PZ-3					REI
	ES	PAL	Date-->					
			4/14/14	7/14/14	3/9/15	9/9/15	9/18/18	
Sampler-->		Metco						
Benzene	5	0.5	152	51	30.7	46	4.9	
Bromobenzene	--	--	-	-	-	-	<0.24	
Bromochloromethane	--	--	-	-	-	-	<0.36	
Bromodichloromethane	0.6	0.06	-	-	-	-	<0.36	
Bromoform	4.4	0.44	-	-	-	-	<4.0	
Bromomethane	10	1	-	-	-	-	<0.97	
n-Butylbenzene	--	--	-	-	-	-	<0.71	
sec-Butylbenzene	--	--	-	-	-	-	<0.85	
tert-Butylbenzene	--	--	-	-	-	-	<0.30	
Carbon tetrachloride	5	0.5	-	-	-	-	<0.17	
Chlorobenzene	--	--	-	-	-	-	<0.71	
Chloroethane	400	80	-	-	-	-	<1.3	
Chloroform	6	0.6	-	-	-	-	<1.3	
Chloromethane	30	3	-	-	-	-	<2.2	
2-Chlorotoluene	--	--	-	-	-	-	<0.93	
4-Chlorotoluene	--	--	-	-	-	-	<0.76	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	<1.8	
Dibromochloromethane	0.6	0.06	-	-	-	-	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	<4.4	-	-	-	<0.83	
Dibromomethane	--	--	-	-	-	-	<0.94	
1,2-Dichlorobenzene	600	60	-	-	-	-	<0.71	
1,3-Dichlorobenzene	600	120	-	-	-	-	<0.63	
1,4-Dichlorobenzene	75	15	-	-	-	-	<0.94	
Dichlorodifluoromethane	1000	200	-	-	-	-	<0.50	
1,1-Dichloroethane	850	85	-	-	-	-	<0.27	
1,2-Dichloroethane	5	0.5	-	-	-	-	<0.28	
1,1-Dichloroethene	7	0.7	-	-	-	-	<0.24	
cis-1,2-Dichloroethene	70	7	-	-	-	-	<0.27	
trans-1,2-Dichloroethene	100	20	-	-	-	-	<1.1	
1,2-Dichloropropane	5	0.5	-	-	-	-	<0.28	
1,3-Dichloropropane	--	--	-	-	-	-	Project Paused <0.83	
2,2-Dichloropropane	--	--	-	-	-	-	Five Years <2.3	
1,1-Dichloropropene	--	--	-	-	-	-	<0.54	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<3.6	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<4.4	
Diisopropyl ether	--	--	-	-	-	-	<1.9	
Ethylbenzene	700	140	168	2.52	0.82	3.3	5.7	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	<1.2	
Isopropylbenzene (cumene)	--	--	-	-	-	-	<0.39	
p-Isopropyltoluene	--	--	-	-	-	-	<0.80	
Methylene Chloride	5	0.5	-	-	-	-	<0.58	
Methyl-tert-butyl ether	60	12	<2.3	<0.23	<0.49	<1.1	<1.2	
Naphthalene	100	10	35	41	14.3	9.4	<1.2	
n-Propylbenzene	--	--	-	-	-	-	<0.81	
Styrene	100	10	-	-	-	-	<0.47	
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	<0.27	
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	<0.28	
Tetrachloroethene	5	0.5	<0.33	-	-	-	0.41 <sup>1</sup>	
Toluene	800	160	36	8.8	0.64	<0.44	0.57 <sup>1</sup>	
1,2,3-Trichlorobenzene	--	--	-	-	-	-	<0.63	
1,2,4-Trichlorobenzene	70	14	-	-	-	-	<0.95	
1,1,1-Trichloroethane	200	40	-	-	-	-	<0.24	
1,1,2-Trichloroethane	5	0.5	-	-	-	-	<0.55	
Trichloroethene	5	0.5	-	-	-	-	<0.26	
Trichlorofluoromethane	--	--	-	-	-	-	<0.21	
1,2,3-Trichloropropane	60	12	-	-	-	-	<0.59	
1,2,4-Trimethylbenzene	--	--	-	-	-	-	3.0	
1,3,5-Trimethylbenzene	--	--	-	-	-	-	0.91 <sup>1</sup>	
Trimethylbenzenes (Total)	480	96	108.2	<3.6	<1.51	<3.1	3.0	
Vinyl chloride	0.2	0.02	-	-	-	-	<0.17	
m&p-Xylene	--	--	-	-	-	-	6.9	
o-Xylene	--	--	-	-	-	-	<0.26	
Xylene (Total)	2000	400	190.3	5.19	2.92	2.52	6.9	

Notes:  
µg/L - Parts Per Billion (ppb)  
< = Concentration Below Laboratory Detection Limit  
NS = Not Sampled  
NA = No Standard/Not Applicable  
<sup>1</sup> = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)  
Exceeds Enforcement Standard (ES) = **Bold**  
Exceeds Preventive Action Limit (PAL) = *Italic*