



September 17, 2021

Wisconsin Department of Natural Resources

Attn: Tim Zeichert

101 S. Webster Street

PO Box 7921

Madison, WI 53707-7921



Subject:

Update Report
Band Box Cleaners & Laundry, Inc
1217 Superior Avenue
Tomah, WI 54660
BRRTS# 02-42-525072
Facility ID: 642018410

Dear Mr. Zeichert:

On behalf of Band Box Cleaners & Laundry Inc., REI Engineering, Inc. (REI) hereby submits one (1) copy of the above referenced report. REI has completed a portion of the approved scope of services which included workplan preparation, limited review of historic site information, sampling of monitoring wells and piezometers, installation and sampling of both new and existing sub-slab vapor probes, and the completion of an update report. Based on current site conditions REI recommends additional site investigation activities to define the degree and extend of contamination at this site.

If you have questions or concerns regarding this report, please contact REI at your convenience at 715-675-9784 or dlarsen@REIengineering.com.

Sincerely,
REI Engineering, Inc.

David N. Larsen P.G.
Hydrogeologist/Project Manager

Attachments

cc: Mr. John Tessman, Band Box Cleaners & Laundry, Inc., 1207 Superior Avenue, Tomah, Wisconsin 54660 (e-copy)



RESPONSIVE. EFFICIENT. INNOVATIVE.

4080 N. 20th Avenue Wausau, WI 54401
715-675-9784 REIengineering.com



REI

**CIVIL & ENVIRONMENTAL
ENGINEERING, SURVEYING**

UPDATE REPORT

BAND BOX CLEANERS & LAUNDRY, INC.

1217 SUPERIOR AVENUE

TOMAH, WI 54660

BRRTS #02-42-525072

REI PROJECT #8173



**COMPREHENSIVE
SERVICES WITH
PRACTICAL
SOLUTIONS**



UPDATE REPORT

**BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WI 54660
BRRTS #02-42-525072**

REI PROJECT #8173



PREPARED FOR:

**Band Box Cleaners & Laundry, Inc.
Mr. John Tessman
1207 Superior Avenue
Tomah, WI 54660**

SEPTEMBER 2021

UPDATE REPORT

**BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WI 54660
BRRTS #02-42-525072**

REI PROJECT #8173

The recommendations contained in this report are based on the information obtained from our study of the site and were arrived at in accordance with accepted hydrogeologic and engineering practices at this time and location.

"I, Matthew C. Michalski, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Admn. Code, and that to the best of my knowledge, all the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."




Hydrogeologist

9-17-21

Date

"I, David N. Larsen, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Admn. Code, and that to the best of my knowledge, all the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



Hydrogeologist

9-17-21

Date

TABLE OF CONTENTS

- 1.0 Introduction
 - 1.1 Purpose
- 2.0 Site Background
 - 2.1 Site Location & History
 - 2.2 Site Investigation History
 - 2.3 Regional Geology
- 3.0 Summary of Work
 - 3.1 Sub-Slab Vapor Monitoring & Analytical Results
 - 3.2 Groundwater Monitoring & Analytical Results
- 4.0 Conclusion & Recommendations

LIST OF TABLES

- Tables 1a-1l Indoor Air & Sub-Slab Vapor Analytical Results
- Tables 2a-2v Groundwater Analytical Results
- Table 3 Water Level Elevations
- Tables 4a-4g Vertical Gradient Calculations

LIST OF FIGURES

- Figure 1 Location Map
- Figure 2 Detailed Site Map
- Figure 3a Groundwater Flow Direction – Monitoring Wells
(October 8, 2020)
- Figure 3b Groundwater Flow Direction – Mid-Depth Piezometers
(October 8, 2020)
- Figure 3c Groundwater Flow Direction – Deep Piezometers
(October 8, 2020)

LIST OF APPENDIXES

- Appendix A Sub-Slab Vapor Installation and Sample Collection Methods and Procedures
- Appendix B Sub-Slab Vapor Laboratory Analytical Results
- Appendix C Groundwater Laboratory Analytical Results

UPDATE REPORT

BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WI 54660
BRRTS #02-42-525072

REI PROJECT #8173

1.0 INTRODUCTION

1.1 Purpose

This report presents results from the partially completed scope of services for the Band Box Cleaners & Laundry, Inc. (Band Box) site in Tomah, Wisconsin. The completed portion of the approved scope of services included workplan preparation, review of additional historic site information, obtaining access for sub-slab sampling, sampling of monitoring wells and piezometers, installation and sampling of new and sampling of existing sub-slab vapor probes, and the completion of an update report.

2.0 SITE BACKGROUND

2.1 Site Location & History

The Band Box Cleaners & Laundry, Inc. site is located at 1217 Superior Avenue in the Southwest (SW) quarter ($\frac{1}{4}$) of the Southeast (SE) quarter ($\frac{1}{4}$) of Section Four (4), Township Seventeen (17) North, Range one (1) West, City of Tomah, Monroe County, Wisconsin (Figure 1). The Wisconsin Transverse Mercator (WTM) coordinates for the site are 479471, 389222.

Band Box began operations in Tomah in 1956 out of an 800-square foot facility. Between 1962 and 1977 the business expanded rapidly and currently occupies the majority of one and one half (1.5) city blocks located between Superior Avenue (State Highway 12), McLean Avenue, West Manowau Street, and West Council Street. The focus area of the Environmental Repair Program (ERP) investigation has been the southeastern

portion of the main building located at the intersection of Superior Avenue and West Council Street.

2.2 Site Investigation History

The site investigation at Band Box commenced in April 2004 as a result of detections of chlorinated compounds in groundwater monitoring wells associated with the Badger Restaurant Leaking Underground Storage Tank (LUST) site (BRRTS# 03-42-232007). Initial site investigation activities were completed by METCO of La Crosse, Wisconsin. The last round of groundwater sampling conducted by METCO was collected on September 18, 2013. METCO had also supervised the installation of sub-slab vapor probes and collection of one (1) round of sub-slab vapor sampling completed in June 2013. METCO conducted a limited GeoProbe soil investigation inside the main Band Box facility in February 2007. On December 20, 2013, METCO submitted a Vapor Sampling and Groundwater Monitoring Report to the WDNR summarizing work completed at the property, following the submittal of this report no additional work was completed by METCO while the responsible party gathered bids for remedial actions at this site. REI Engineering, Inc. (REI) was retained as the environmental consultant for the site investigation in May 2018.

2.3 Regional Geology

Unconsolidated soils in the area of the site are comprised primarily of Quaternary aged glacial lake deposits consisting of fine to coarse grained sand with lenses of silt and clay with soil permeability rates ranging from 0.2 to 0.8 inches per hour (Young, H.L. & Borman, R.G., 1973). Permeable Cambrian age fine to coarse grained fractured sandstone underlies the unconsolidated materials at this site at depths of approximately ten (10) to fifteen (15) feet below land surface (bls).

3.0 SUMMARY OF WORK

3.1 Sub-Slab Vapor Monitoring & Analytical Results

Sub-slab vapor samples were collected using an Entech Instruments 1.4 liter mini canister with a 200 ml/minute flow controller. Prior sample collection, REI personnel conducted leak testing to verify the integrity of the sampling train. Sub-slab vapor samples were submitted for laboratory analysis of TO-15 List Volatile Organic Compounds (VOCs) to Pace Analytical in Minneapolis, Minnesota. Methods and procedures are included in Appendix A.

Not all sample location returned detectable concentrations of sub-slab vapors. Tetrachloroethene (PCE) is the contaminant of concern for this vapor investigation. Vapor analytical results, with detectable concentration exceeding the applicable screening level include the following:

1204 Superior Avenue (SS-2): This is a Small Commercial (SC) only location and the Small Commercial Vapor Risk Screening Level (SCVRSL) exposure scenario applies.

Identified low-level detections for numerous VOCs including Tetrachloroethene. However, the concentrations did not exceed any U.S. EPA Sub-Slab Vapor Risk Screening Levels (VRSL).

1200 Superior Avenue (SS-3): This is a Small Commercial (SC) on main floor, with Residential (R) on second floor and the Small Commercial Vapor Risk Screening Level (SCVRSL) exposure scenario applies.

Identified low-level detections for numerous VOCs including Tetrachloroethene. However, the concentrations did not exceed any U.S. EPA Sub-Slab VRSL.

1217 Superior Avenue (SS-4): This sample point is located in the Band Box facility and the U.S. EPA Large Commercial/Industrial Sub-Slab VRSL exposure scenario applies.

Identified a concentration of Tetrachloroethene exceeding the U.S. EPA Large Commercial/Industrial Sub-Slab VRSL on June 18, 2013. No additional samples were collected from SS-4, as it could not be located. SS-4 was eventually replaced by SS-9. Sample results from SS-9 are discussed below.

1217 Superior Avenue (SS-5): This sample point is located in the Band Box facility and the U.S. EPA Large Commercial/Industrial Sub-Slab VRSL exposure scenario applies.

Identified a concentration of Tetrachloroethene exceeding the U.S. EPA Large Commercial/Industrial Sub-Slab VRSL. Chloroform was also identified at a concentration exceeding the U.S. EPA Small Commercial Sub-Slab VRSL. Low-level detections for numerous other VOCs were also identified, however the concentrations did not exceed any U.S. EPA Sub-Slab VRSL.

1206 Superior Avenue (SS-6): Identified low-level detections for numerous VOCs including Tetrachloroethene. However, the concentrations did not exceed any U.S. EPA Sub-Slab VRSL. Additionally, sub-slab vapor analytical results, from June 2013 and February 2021, identified a concentration of Chloroform exceeding the current U.S. EPA Sub-Slab VRSL.

1115 Superior Avenue (SS-8): This is a Small Commercial (SC) on main floor, with Residential (R) on second floor and the Small Commercial Vapor Risk Screening Level (SCVRSL) exposure scenario applies.

Identified low-level detections for numerous VOCs including Tetrachloroethene. The September 2018 sample returned a Tetrachloroethene detection that exceeded the Residential U.S. EPA Sub-Slab VRSL. However, the October 2020 sample results did not exceed any U.S. EPA Sub-Slab VRSL.

1217 Superior Avenue (SS-9): This sample point is located in the Band Box facility and the U.S. EPA Large Commercial/Industrial Sub-Slab VRSL exposure scenario applies.

Identified a concentration of Tetrachloroethene exceeding the U.S. EPA Small Commercial Sub-Slab VRSL during the October 2020 sample event.

1215 Superior Avenue (SS-16): This sample point is located in the Band Box facility and the U.S. EPA Large Commercial/Industrial Sub-Slab VRSL exposure scenario applies.

Identified a concentration of Tetrachloroethene exceeding the U.S. EPA Residential Sub-Slab VRSL during the October 2020 sample event.

1217 Superior Avenue (SS-18): This sample point is located in the Band Box facility and the U.S. EPA Large Commercial/Industrial Sub-Slab VRSL exposure scenario applies.

Identified a concentration of Tetrachloroethene exceeding the U.S. EPA Small Commercial Sub-Slab VRSL during the October 2020 sample event.

1217 Superior Avenue (SS-20): This sample point is located in the Band Box facility and the U.S. EPA Large Commercial/Industrial Sub-Slab VRSL exposure scenario applies.

Identified a concentration of Tetrachloroethene exceeding the U.S. EPA Large Commercial/Industrial Sub-Slab VRSL during the October 2020 sample event.

Sub-slab vapor probe locations, along with the historic indoor air sample locations, are depicted in the Detailed Site Map included as Figure 2. Indoor air and sub-slab vapor analytical results are summarized in Tables 1a-1l. The complete sub-slab vapor laboratory analytical results are included in Appendix B.

3.2 Groundwater Monitoring & Analytical Results

On October 8, 2020, REI personnel sampled all accessible site wells. Groundwater samples were collected using low flow sampling methodology and submitted for laboratory analysis of VOCs to Pace Analytical in Green Bay, Wisconsin. Water level measurements were collected prior to and during the completion of well sampling activities. Dissolved oxygen, specific conductance, pH, oxidation-reduction potential, and temperature measurements were collected from all sampled wells.

Current depth to groundwater calculations are based on survey elevation data collected in 2007. The survey elevation measurements were provided by the previous consultant and are likely no longer correct. PVC elevation changes were observed in some of the wells and REI intends to resurvey the entire well network and provide updated groundwater flow documentation in subsequent reports.

Groundwater elevation data gathered during the October 8, 2020 monitoring event indicate that groundwater, at the water table, flows toward the northeast. However, there appears to be a northerly component to the flow directly to the north of the source property. Piezometric groundwater flow direction appears to be towards the east at each of the distinct elevations. Well locations are depicted in the Detailed Site Map included as Figure 2. Groundwater Flow Direction maps, based on the most recent groundwater monitoring event, are included as Figures 3a-3c.

Historic and current groundwater analytical trends are as follows:

MW-A-1: Has not been located for the last three (3) rounds of groundwater monitoring, appears to have been destroyed, and was last sampling in June 2013. Historically identified an NR140 Preventive Action Limit (PAL) exceedance for Tetrachloroethene only during the October 18, 2010 monitoring event. An unknown light non-aqueous phase liquid (LNAPL) was identified in this well for seven (7) rounds). LNAPL was first encountered during the August 2007 monitoring event and continued to be encountered through the last sampling event, June 2013, prior to the well going missing. Free product thickness ranged from two and one half (2.5) to ten (10) inches thick.

MW-A-2: Historically identified concentrations of Tetrachloroethene exceeding the NR140 Enforcement Standard (ES). Contaminant concentrations following the October 8, 2020 sampling event were below the ES but still exceeded the exceeding the NR140 PAL.

MW-A-3: Historically did not identify detections of Tetrachloroethene or Trichloroethene. However, during the September 2018 monitoring event, the concentration of Tetrachloroethene was identified exceeding the NR140 PAL. Analytical results following the October 2020 sampling event were non detect for Tetrachloroethene. No other exceedances of the NR140 state groundwater standards were identified.

MW-A-4: Could not be accessed during the monitoring event and the condition of the well is not known at this time. Historically has not identified detections of Tetrachloroethene or Trichloroethene.

MW-12: Transferred from the closed Badger Restaurant LUST site and historically only sampled for Petroleum VOCs (PVOCs). Laboratory analytical results identified only laboratory qualified detections for petroleum compounds following the September 2018 and October 2020 sampling event.

MW-14: Historically concentrations of Tetrachloroethene ranged from below detection limits to exceeding NR140 ES. Tetrachloroethene exceeded the NR140 PAL in the September 2018 monitoring event and was below laboratory detection limits following the October 2020 sampling event. No other exceedances of the NR140 state groundwater standards were identified.

MW-14P: Historic and current concentrations of Tetrachloroethene exceed the NR140 ES. Contaminant concentration trends have generally shown a decreasing trend. No other exceedances of the NR140 state groundwater standards were identified.

MW-15: Chlorinated VOCs (CVOCs) not identified historically but did have a laboratory qualified PAL exceedance for Chloromethane following the October 2020 sampling event.

MW-16: Historic concentrations of Tetrachloroethene exceed the NR140 ES. Historic concentration of Chloroform ranges from non-detect to exceeding the NR140 PAL, however during October 2020 sampling event concentrations of both Chloroform and Tetrachloroethene were below laboratory detection levels.

MW-17: Historic and current concentrations of Tetrachloroethene exceed the NR140 ES. Contaminant concentrations trends appear have generally remained stable.

MW-17P: Historic and current concentrations of analyzed compounds below the limit of detection.

MW-18: Historic and current concentrations of analyzed compounds below the limit of detection.

MW-18P: Historic and current concentrations of analyzed compounds below the limit of detection with the exception of a chloromethane PAL exceedance following the October 2020 sampling event.

MW-19: Historic and current concentrations of analyzed compounds below the limit of detection. The MW19/MW19P well nests appear to have been paved over during the reconstruction work on Manowau Street.

MW-19P: Historic concentrations of Tetrachloroethene range from below detection limit to exceeding the NR140 PAL. Concentration of Tetrachloroethene identified during September 2018 monitoring event exceeded NR140 PAL. No other exceedances of the NR140 state groundwater standards were identified. The MW19/MW19P well nests appear to have been paved over during the reconstruction work on Manowau Street.

PZ-1: Historic concentrations of Benzene and Tetrachloroethene range from below detection limit to exceeding the NR140 PAL. Concentrations identified during the September 2018 monitoring event did not exceed the NR140 state groundwater standard. PZ-1 was not sampled in October 2020 because a car was parked over the well.

PZ-A-3: Historic concentrations of PVOCs and Tetrachloroethene range from below detection limit to exceeding the NR140 ES.

PZ-A-4: Historic concentration of Tetrachloroethene have been generally below detection limit, except for one (1) round (October 2010) exceeded the NR140 PAL, and one (1) round (January 2009) exceeded the NR140 ES. The October 2020 monitoring event revealed concentrations of Chloroform exceeding the NR140 PAL and Bromodichloromethane exceeding the NR140 ES. Bromodichloromethane has only been analyzed for the last four (4) groundwater monitoring events. No other exceedances of the NR140 state groundwater standards were identified.

PZ-B-3: Historic concentration of Tetrachloroethene exceeded the NR140 ES, concentrations of Benzene ranged from below detection limit to exceeding the NR140 ES, and concentrations of 1,2-Dibromoethane exceeded the NR140 ES during the June and September 2013 monitoring events. In the October 2020 monitoring event the concentration of Tetrachloroethene exceeded the NR140 PAL. No other exceedances of the NR140 state groundwater standards were identified.

PZ-B-4: Historic and current concentrations of analyzed compounds have been below the limit of detection, except for an exceedance of the NR140 PAL for Tetrachloroethene during the January 2009 sampling event and the laboratory qualified Bromodichloromethane detection following the October 2020 sampling event.

PZ-2: Has only been sampled for 1,2-Dibromoethane and Tetrachloroethene for three (3) rounds (April 2014, September 2018 and October 2020). During

the April 2014 and September 2018 groundwater sampling events the reported concentrations of both 1,2-Dibromoethane and Tetrachloroethene exceeded the NR140 ES. During the October 2020 groundwater sampling event, Tetrachloroethene results exceeded the NR140 PAL and the 1,2-Dibromoethane result was below the laboratory detection limit. Historically, multiple PVOCs have been identified exceeding the NR140 PAL and ES, however during the October 2020 monitoring event only Benzene exceeded the NR140 state groundwater standards.

PZ-3: Has only been sampled for 1,2-Dibromoethane and Tetrachloroethene for three (3) rounds (April 2014, September 2018 and October 2020) with identified concentrations of chlorinated VOC's below the NR140 state groundwater standards. Historically multiple PVOCs have been identified exceeding the NR140 PAL and ES, however following the October 2020 sampling event all analyzed analytes reported concentrations less than detection limits.

All recovered purge water removed during the low flow groundwater sample collection was temporarily stored in open topped steel DOT approved drums and disposed at the Wausau Waste Water Treatment Facility.

Groundwater analytical results are summarized in Tables 2a-2v. Water level measurements are presented in Table 3. Vertical gradient calculations for the nested monitoring wells and piezometers is included in Tables 4a-4g. The complete laboratory analytical results are included in Appendix B.

4.0 CONCLUSION & RECOMMENDATIONS

Based on the completed scope of services, the degree and extent of contamination (groundwater and vapor) at the Band Box site is not adequately defined. Further definition is required to be taken at this site. Recently approved Change Order #8 includes additional monitoring well and piezometer installation, sub-slab vapor sampling and sanitary sewer vapor sampling. Additional approved actions include a single round of groundwater sampling, a determination of the feasibility of installing

and operating a soil vapor extraction (SVE) system beneath floor of the existing Band Box facility and an update report.

**Table 1a
Indoor Air Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072**

					1215 Superior Avenue	1217 Superior Avenue	1120 Superior Avenue	1202 Superior Avenue	
Sample Address-->					1215	1217	IA-1	IA-2	
Sample Location-->					1215	1217	IA-1	IA-2	
Collected By-->					METCO	METCO	METCO	METCO	
Sample Date-->					2/14/2011	2/14/2011	6/19/2013	6/19/2013	
Exposure Scenario-->					LC/I	LC/I	SC	SC	
TO-15 VOC's (µg/m ³)	CAS Number	carcinogen	Indoor Air VAL						
			Residential [R]	Small Commercial [SC]	Large Commercial/Industrial [LC/I]				
Acetone	67-64-1	n	32,200	135,000	135,000	16.1	17.7	46.7	28.1
Benzene	71-43-2	c	3.60	15.7	15.7	<3.08	<3.01	7.14	<3.49
Benzyl chloride	100-44-7	c	0.573	2.5	2.5	<2.40	<2.35	<2.21	<2.62
Bromodichloromethane	75-27-4	c	0.759	3.31	3.31	3.86	<3.04	<2.98	<3.52
Bromoform	75-25-2	c	25.5	111	111	<19.2	<18.8	<17.5	<20.7
Bromomethane	74-83-9	n	5.21	21.9	21.9	<1.87	<1.83	<1.79	<2.12
1,3-Butadiene	106-99-0	c	0.936	4.09	4.09	<1.11	<1.08	1.05	<1.12
2-Butanone [Methyl Ethyl Ketone] (MEK)	78-93-3	n	5,210	21,900	21,900	2.22	1.88	2.30	<1.61
Carbon disulfide	75-15-0	c	730	3,070	3,070	<1.44	2.14	<1.38	<1.64
Carbon tetrachloride	56-23-5	c	4.68	20.4	20.4	<2.92	<2.86	<2.79	<3.31
Chlorobenzene	108-90-7	c	52.1	219	219	<4.43	<4.34	<2.12	<2.51
Chloroethane [Ethyl Chloride]	75-00-3	n	10,400	43,800	43,800	<1.27	<1.24	<2.43	<2.88
Chloroform	67-66-3	c	1.22	5.33	5.33	222	401	<2.17	<2.57
Chloromethane	74-87-3	n	93.9	394	394	1.89	2.03	1.72	1.44
Cyclohexane	110-82-7	n	6,260	26,300	26,300	<1.60	<1.56	2.40	<1.81
Dibromochloromethane	124-48-1	--	--	--	--	<3.95	<3.87	<3.78	<4.48
1,2-Dibromoethane (EDB)	106-93-4	c	0.0468	0.204	0.204	<3.70	<3.62	<3.41	<4.04
1,2-Dichlorobenzene	95-50-1	n	209	876	876	<2.79	3.41	<2.57	<3.04
1,3-Dichlorobenzene	541-73-1	--	--	--	--	<2.79	<2.73	<2.57	<3.04
1,4-Dichlorobenzene	106-46-7	c	2.85	11.1	11.1	<2.90	<2.83	<2.67	<3.16
Dichlorodifluoromethane	75-71-8	n	104	438	438	3.11	2.88	<2.70	<3.16
1,1-Dichloroethane	75-34-3	c	17.5	76.7	76.7	<1.95	<1.91	<1.80	<2.13
1,2-Dichloroethane	107-06-2	c	1.08	4.72	4.72	<1.95	<1.91	<1.87	<4.04
1,1-Dichloroethene	75-35-4	n	209	876	876	<1.98	<1.94	<1.83	<2.17
cis-1,2-Dichloroethene	156-59-2	--	--	--	--	<1.91	<1.87	<1.83	<2.17
trans-1,2-Dichloroethene	156-60-5	c	41.7	175	175	<1.84	<1.80	<1.76	<2.09
1,2-Dichloropropane	78-87-5	n	4.17	17.5	17.5	<2.14	<2.10	<2.05	<2.43
cis-1,3-Dichloropropene	10061-01-5	--	--	--	--	<2.11	<2.06	<2.09	<2.48
trans-1,3-Dichloropropene	10061-02-6	--	--	--	--	<2.27	<2.22	<2.17	<2.57
1,4-Dioxane	123-91-1	c	5.62	24.5	24.5	--	--	--	--
Dichlorotetrafluoroethane	76-14-2	--	--	--	--	--	--	--	--
Ethanol	64-17-5	--	--	--	--	29.3	45.5	192	17.9
Ethyl acetate	141-78-6	n	73	307	307	<1.67	<1.64	<1.60	<1.90
Ethylbenzene	100-41-4	c	11.2	49.1	49.1	<2.09	<2.05	4.46	<2.37
4-Ethyltoluene	622-96-8	--	--	--	--	<2.37	12.4	<2.18	<2.59
n-Heptane	142-82-5	n	417	1,750	1,750	<1.90	<1.86	3.41	<2.16
Hexachloro-1,3-butadiene	87-68-3	c	1.28	5.87	5.87	<5.14	<5.03	<4.74	<5.61
n-Hexane	110-54-3	n	730	1,750	1,750	<1.70	<1.66	13.2	<1.85
2-Hexanone	591-78-6	n	31.3	131	131	<2.05	<2.00	<1.89	<2.24
Methylene Chloride	75-09-2	n	626	2,630	2,630	<1.67	2.62	<3.20	<3.79
4-Methyl-2-pentanone (MIBK)	108-11-2	n	3,130	13,100	13,100	<1.97	12.5	<1.82	<2.15
Methyl Methacrylate	80-62-6	n	730	3,070	3,070	--	--	--	--
Methyl-tert-butyl ether (MTBE)	1634-04-4	c	108	472	472	<1.67	<1.64	<1.60	<1.90
Naphthalene	91-20-3	n	0.826	3.61	3.61	<5.05	<4.94	<4.66	<5.51
2-Propanol [Isopropanol]	67-63-0	n	209	876	876	34.7	109	124	9.37
Propylene [Propene]	115-07-1	n	3,130	13,100	13,100	16.7	9.65	37.2	<3.62
Styrene	100-42-5	n	1,040	4,380	4,380	<2.05	<2.01	<1.89	<2.24
1,1,2,2-Tetrachloroethane	79-34-5	c	0.484	2.11	2.11	<3.31	<3.24	<3.17	<3.75
Tetrachloroethene (PCE)	127-18-4	n	41.7	175	175	25.3	29.2	<3.01	<3.57
Tetrahydrofuran	109-99-9	n	2,090	8,760	8,760	<1.42	<1.39	<1.31	<1.55
Toluene	108-88-3	n	5,210	21,900	21,900	3.91	2.82	23.8	<2.06
1,2,4-Trichlorobenzene	120-82-1	n	2.09	8.76	8.76	<3.87	<3.50	<3.30	<3.90
1,1,1-Trichloroethane	71-55-6	n	5,210	21,900	21,900	<2.53	<2.48	<2.42	<2.87
1,1,2-Trichloroethane	79-00-5	n	0.209	0.876	0.876	<2.53	<2.48	<2.42	<2.87
Trichloroethene (TCE)	79-01-6	n	2.09	8.76	8.76	<2.49	<2.44	<2.39	<2.83
Trichlorofluoromethane	75-69-4	n	--	--	--	<2.71	<2.65	<2.69	<3.18
1,1,2-Trichlorotrifluoroethane	76-13-1	n	5,210	21,900	21,900	<3.69	<3.61	<3.53	<4.19
1,2,4-Trimethylbenzene (TMB)	95-63-6	n	62.6	263	263	5.24	37.6	6.26	<5.17
1,3,5-Trimethylbenzene (TMB)	108-67-8	c	62.6	263	263	<2.37	13.3	<2.18	<2.59
Vinyl acetate	108-05-4	n	209	876	876	<1.76	<1.72	<1.56	<1.85
Vinyl chloride	75-01-4	n	1.68	27.9	27.9	<1.23	<1.20	<1.18	<1.40
Xylene, m,p-	1330-20-7	n	104	438	438	<4.03	5.52	15.2	<4.66
Xylene, o-						<2.09	4.56	5.52	<2.37

Notes:
Indoor Air Standards based on US EPA Vapor Intrusion Screening Levels online calculator.
VAL Calculated on Date: **1/9/2021**
AF = Attenuation Factor
VAL = Vapor Action Level
VRSL = Vapor Risk Screening Level
< = Concentration Below Laboratory Detection Limit
- = Not Sampled/Collected
-- = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
c = carcinogen
n = non-carcinogen
Target Risk for Carcinogens = 1.00E-05
Target Hazard Quotient for Non-Carcinogens = 1

Immediate Action Criteria for Indoor Air
Carcinogens (c) = 10 x VAL
Non-carcinogens (n) = 3 x VAL

<i>Italics</i>	= Exceeds US EPA Residential VAL
Bold	= Exceeds US EPA Commercial VAL
<u>Underlined</u>	= Exceeds Immediate Action Criteria for Indoor Air

Table 1c
Sub-slab Vapor Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

		Sample Address-->		1115 Superior Ave				
		Sample Location-->		SS-8				
		Collected By-->		METCO		REI Engineering, Inc.		
		Sample Date-->		6/18/2013		9/18/2018		2/23/2021
		Exposure Scenario-->		SC (1 st) & R (2 nd)				
TO-15 VOC's (µg/m ³)	CAS Number	carcinogen	Sub-Slab VRSL					
			Residential [R] (AF = 0.03)	Small Commercial [SC] (AF = 0.03)	Large Commercial/ Industrial [LC/I] (AF = 0.01)			
Acetone	67-64-1	n	1,070,000	4,500,000	13,500,000	39.3	9.9	43
Benzene	71-43-2	c	120	524	1,570	<3.00	0.31 ^J	3.2
Benzyl chloride	100-44-7	c	19.1	83.4	250	<2.25	<2.2	<0.209
Bromodichloromethane	75-27-4	c	25.3	110	331	<3.03	<0.68	<0.374
Bromoform	75-25-2	c	851	3,720	11,100	<17.8	<2.7	<0.414
Bromomethane	74-83-9	n	174	730	2,190	<1.82	<0.42	<0.2
1,3-Butadiene	106-99-0	c	31.2	136	409	<1.04	<0.24	<0.143
2-Butanone [Methyl Ethyl Ketone] (MEK)	78-93-3	n	174,000	730,000	2,190,000	6.67	1.2 ^J	22.9
Carbon disulfide	75-15-0	c	24,300	102,000	307,000	2.42	<0.41	7.7
Carbon tetrachloride	56-23-5	c	156	681	2,040	<2.85	0.92 ^J	0.44 ^J
Chlorobenzene	108-90-7	c	1,740	7,300	21,900	<2.16	<0.51	<0.251
Chloroethane [Ethyl Chloride]	75-00-3	n	348,000	1,460,000	4,380,000	<2.48	<0.49	0.71
Chloroform	67-66-3	c	40.7	178	533	<2.21	0.63 ^J	<0.3
Chloromethane	74-87-3	n	3,130	13,100	39,400	<0.970	<0.29	1.45 ^J
Cyclohexane	110-82-7	n	209,000	876,000	2,630,000	<1.56	2.2 ^J	1.14
Dibromochloromethane	124-48-1	--	--	--	--	<3.85	<1.3	<0.376
1,2-Dibromoethane (EDB)	106-93-4	c	1.56	6.81	20	<2.62	<0.68	<0.342
1,2-Dichlorobenzene	95-50-1	n	6,950	29,200	87,600	<1.90	<0.93	<0.235
1,3-Dichlorobenzene	841-73-1	--	--	--	--	<2.62	<1.1	2.7
1,4-Dichlorobenzene	106-46-7	c	85.1	372	1,110	<2.72	<1.9	<0.302
Dichlorodifluoromethane	75-71-8	n	3,480	14,600	43,800	6.29	267	10.9
1,1-Dichloroethane	75-34-3	c	585	2,560	7,670	<1.83	<0.42	<0.187
1,2-Dichloroethane	107-06-2	c	36.0	157	472	<1.90	<0.28	<0.24
1,1-Dichloroethene	75-35-4	n	6,950	29,200	87,600	<1.86	<0.51	<0.21
cis-1,2-Dichloroethene	156-59-2	--	--	--	--	<1.86	<0.41	<0.197
trans-1,2-Dichloroethene	156-60-5	c	1,390	5,840	17,500	<1.79	<0.53	<0.231
1,2-Dichloropropane	78-87-5	n	139	584	1,750	<2.09	<0.43	<0.28
cis-1,3-Dichloropropene	10061-01-5	--	--	--	--	<2.13	<0.57	<0.234
trans-1,3-Dichloropropene	10061-02-6	--	--	--	--	<2.21	<0.82	<0.198
1,4-Dioxane	123-91-1	c	187	818	2,450	-	-	<0.157
Dichlorotetrafluoroethane	76-14-2	--	--	--	--	-	<0.82	<0.446
Ethanol	64-17-5	--	--	--	--	9.16	1.7 ^J	110
Ethyl acetate	141-78-6	n	2,430	10,200	30,700	<1.63	<0.36	1.84
Ethylbenzene	100-41-4	c	374	1,640	4,910	<2.04	4.1	10.9
4-Ethytouene	822-96-8	--	--	--	--	<2.22	5.5	5.0
n-Heptane	142-82-5	n	13,900	58,400	175,000	<1.85	0.81 ^J	4.3
Hexachloro-1,3-butadiene	87-68-3	c	42.5	186	557	<4.83	<3.7	<0.489
n-Hexane	110-54-3	n	24,300	102,000	307,000	<2.04	0.95 ^J	3.6
2-Hexanone	591-78-6	n	1,040	4,380	13,100	<1.92	<1.4	1.88
Methylene Chloride	75-09-2	n	20,900	87,600	263,000	<3.26	5.1 ^J	<15
4-Methyl-2-pentanone (MIBK)	108-11-2	n	104,000	438,000	1,310,000	<1.85	1.3 ^J	2.99
Methyl Methacrylate	80-62-6	n	24,300	102,000	307,000	-	-	0.57 ^J
Methyl-tert-butyl ether (MTBE)	1634-04-4	c	3,600	15,700	47,200	<1.63	<1.2	<0.16
Naphthalene	91-20-3	n	27.5	120	361	<4.74	7.1	1.88 ^J
2-Propanol [Isopropanol]	67-63-0	n	6,950	29,200	87,600	1.95	2.3 ^J	91
Propylene [Propene]	115-07-1	n	104,000	438,000	1,310,000	<3.11	<0.27	12.3
Styrene	100-42-5	n	34,800	146,000	438,000	<1.93	<0.64	1.11
1,1,2,2-Tetrachloroethane	79-34-5	c	16.1	70.5	211	<3.23	<0.55	<0.325
Tetrachloroethene (PCE)	127-18-4	n	1,390	5,840	17,500	15.4	2.01 ^J	55
Tetrahydrofuran	109-99-9	n	69,500	292,000	876,000	<1.33	0.89 ^J	1.41
Toluene	108-88-3	n	174,000	730,000	2,190,000	5.22	12.1	26.4
1,2,4-Trichlorobenzene	120-82-1	n	69.5	292	876	<3.36	<1.0	<0.657
1,1,1-Trichloroethane	71-55-6	n	174,000	730,000	2,190,000	<2.47	<0.58	<0.249
1,1,2-Trichloroethane	79-00-5	n	6.95	29.2	87.6	<2.47	<0.47	<0.258
Trichloroethene (TCE)	79-01-6	n	69.5	292	876	<2.43	2.7	3.3
Trichlorofluoromethane	78-69-4	n	--	--	--	4.20	2.8	1.57
1,1,2-Trichlorotrifluoroethane	76-13-1	n	174,000	730,000	2,190,000	<3.60	<1.1	0.69 ^J
1,2,4-Trimethylbenzene (TMB)	95-63-6	n	2,090	8,760	26,300	<4.45	16.8	16
1,3,5-Trimethylbenzene (TMB)	108-67-8	c	2,090	8,760	26,300	<2.22	3.6	4.3
Vinyl acetate	108-05-4	n	6,950	29,200	87,600	<1.59	<0.50	<0.203
Vinyl chloride	75-01-4	n	55.9	929	2,790	<1.20	<0.24	<0.148
Xylene, m,p-						<4.01	19.6	36
Xylene, o-	1330-20-7	n	3,480	14,600	43,800	<2.04	6.5	14.4

Notes:

Indoor Air Standards based on US EPA Vapor Intrusion Screening Levels online calculator.
 VRSL Calculated on Date: **1/9/2021**
 AF = Attenuation Factor
 VAL = Vapor Action Level
 VRSL = Vapor Risk Screening Level
 < = Concentration Below Laboratory Detection Limit
 - = Not Sampled/Collected
 -- = No Standard/Not Applicable
^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
 c = carcinogen
 n = non-carcinogen
 Target Risk for Carcinogens = 1.00E-05
 Target Hazard Quotient for Non-Carcinogens = 1

<i>Italics</i>	= Exceeds US EPA Residential VRSL
Bold	= Exceeds US EPA Small Commercial VRSL
<u>Underlined</u>	= Exceeds US EPA Large Commercial/Industrial VRSL

Table 1d
Sub-slab Vapor Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

		Sample Address-->			1118 Superior Ave		
		Sample Location-->			SS-1	SS-1T	
		Collected By-->			MTCO	REI Engineering, Inc.	
		Sample Date-->			6/18/2013	9/18/2018	2/23/2021
		Exposure Scenario-->			SC (1 st) & R (2 nd)		
TO-15 VOC's (µg/m ³)	CAS Number	carcinogen	Sub-Slab VRSL				
			Residential [R] (AF = 0.03)	Small Commercial [SC] (AF = 0.03)	Large Commercial/ Industrial [LC/I] (AF = 0.01)		
Acetone	67-64-1	n	1,070,000	4,500,000	13,500,000	12.9	17.3
Benzene	71-43-2	c	120	524	1,570	<3.06	3.2
Benzyl chloride	100-44-7	c	19.1	83.4	250	<2.30	<0.209
Bromodichloromethane	75-27-4	c	25.3	110	331	<3.09	<0.374
Bromoform	75-25-2	c	851	3,720	11,100	<18.2	<0.414
Bromomethane	74-83-9	n	174	730	2,190	<1.86	<0.2
1,3-Butadiene	106-99-0	c	31.2	136	409	<1.06	<0.143
2-Butanone [Methyl Ethyl Ketone] (MEK)	78-93-3	n	174,000	730,000	2,190,000	2.15	11.4
Carbon disulfide	75-15-0	c	24,300	102,000	307,000	<1.44	2.05
Carbon tetrachloride	86-23-5	c	156	681	2,040	<2.90	<0.307
Chlorobenzene	108-90-7	c	1,740	7,300	21,900	<2.21	<0.251
Chloroethane [Ethyl Chloride]	75-00-3	n	348,000	1,460,000	4,380,000	<2.53	<0.159
Chloroform	67-66-3	c	40.7	178	533	<2.25	6.7
Chloromethane	74-87-3	n	3,130	13,100	39,400	<0.989	<0.831
Cyclohexane	110-82-7	n	209,000	876,000	2,630,000	<1.59	3.5
Dibromochloromethane	124-48-1	--	--	--	--	<3.93	<0.376
1,2-Dibromoethane (EDB)	106-93-4	c	1.56	6.81	20	<3.54	<0.342
1,2-Dichlorobenzene	95-50-1	n	6,950	29,200	87,600	<2.67	<0.235
1,3-Dichlorobenzene	541-73-1	--	--	--	--	<2.67	<0.302
1,4-Dichlorobenzene	106-46-7	c	85.1	372	1,110	<2.77	<0.302
Dichlorodifluoromethane	75-71-8	n	3,480	14,600	43,800	3.73	4.5
1,1-Dichloroethane	75-34-3	c	585	2,560	7,670	<1.87	<0.187
1,2-Dichloroethane	107-06-2	c	36.0	187	472	<3.54	<0.24
1,1-Dichloroethene	75-35-4	n	6,950	29,200	87,600	<1.90	<0.21
cis-1,2-Dichloroethene	156-59-2	--	--	--	--	<1.90	<0.197
trans-1,2-Dichloroethene	156-60-5	c	1,390	5,840	17,500	<1.83 rd	<0.231
1,2-Dichloropropane	78-87-5	n	139	584	1,780	<2.13	Access <0.28
cis-1,3-Dichloropropene	10061-01-5	--	--	--	--	<2.17	Not <0.234
trans-1,3-Dichloropropene	10061-02-6	--	--	--	--	<2.25	Provided <0.1987
1,4-Dioxane	123-91-1	c	187	818	2,450	-	<0.157
Dichlorotetrafluoroethane	76-14-2	--	--	--	--	-	<0.446
Ethanol	64-17-5	--	--	--	--	<3.48	No 72
Ethyl acetate	141-78-6	n	2,430	10,200	30,700	<1.66	Response 1.15
Ethylbenzene	100-41-4	c	374	1,640	4,910	<2.08	To Access 7.6
4-Ethyltoluene	622-96-8	--	--	--	--	<2.27	Request 2.35
n-Heptane	142-82-5	n	13,900	58,400	175,000	<1.89	9.7
Hexachloro-1,3-butadiene	87-68-3	c	42.5	186	557	<4.92	<0.489
n-Hexane	110-54-3	n	24,300	102,000	307,000	<1.63	12.8
2-Hexanone	591-78-6	n	1,040	4,380	13,100	<1.96	<0.222
Methylene Chloride	75-09-2	n	20,900	87,600	263,000	<3.33	<15
4-Methyl-2-pentanone (MIBK)	108-11-2	n	104,000	438,000	1,310,000	<1.89	1.64
Methyl Methacrylate	80-62-6	n	24,300	102,000	307,000	-	<0.217
Methyl-tert-butyl ether (MTBE)	1634-04-4	c	3,600	15,700	47,200	<1.66	<0.16
Naphthalene	91-20-3	n	27.5	120	361	<4.84	1.15 ^l
2-Propanol [Isopropanol]	67-63-0	n	6,950	29,200	87,600	<1.18	76
Propylene [Propene]	115-07-1	n	104,000	438,000	1,310,000	<3.18	4.7
Styrene	100-42-5	n	34,800	146,000	438,000	<1.96	4.0
1,1,2,2-Tetrachloroethane	79-34-5	c	16.1	70.5	211	<3.29	<0.325
Tetrachloroethene (PCE)	127-18-4	n	1,390	5,840	17,500	4.85	10.2
Tetrahydrofuran	109-99-9	n	69,500	292,000	876,000	<1.36	3.12
Toluene	108-88-3	n	174,000	730,000	2,190,000	<1.81	23.1
1,2,4-Trichlorobenzene	120-82-1	n	69.5	292	876	<3.42	<0.657
1,1,1-Trichloroethane	71-55-6	n	174,000	730,000	2,190,000	<2.52	<0.249
1,1,2-Trichloroethane	79-00-5	n	6.95	29.2	87.6	<2.52	<0.258
Trichloroethene (TCE)	79-01-6	n	69.5	292	876	<2.48	<0.237
Trichlorofluoromethane	75-69-4	n	--	--	--	7.14	2.75
1,1,2-Trichlorotrifluoroethane	76-13-1	n	174,000	730,000	2,190,000	<3.67	0.61 ^l
1,2,4-Trimethylbenzene (TMB)	95-63-6	n	2,090	8,760	26,300	<4.53	6.1
1,3,5-Trimethylbenzene (TMB)	108-67-8	c	2,090	8,760	26,300	<2.27	1.96
Vinyl acetate	108-05-4	n	6,950	29,200	87,600	<1.62	<0.203
Vinyl chloride	75-01-4	n	55.9	929	2,790	<1.22	<0.148
Xylene, m,p-	1330-20-7	n	3,480	14,600	43,800	<4.08	22.8
Xylene, o-						<2.08	9.2

Notes:

Indoor Air Standards based on US EPA Vapor Intrusion Screening Levels online calculator.

VRSL Calculated on Date: 1/9/2021

AF = Attenuation Factor

VAL = Vapor Action Level

VRSL = Vapor Risk Screening Level

< = Concentration Below Laboratory Detection Limit

-- = Not Sampled/Collected

- - = No Standard/Not Applicable

^l = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

c = carcinogen

n = non-carcinogen

Target Risk for Carcinogens = 1.00E-05

Target Hazard Quotient for Non-Carcinogens = 1

<i>Italics</i>	= Exceeds US EPA Residential VRSL
Bold	= Exceeds US EPA Small Commercial VRSL
<u>Underlined</u>	= Exceeds US EPA Large Commercial/Industrial VRSL

Table 1e
Sub-slab Vapor Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

		Sample Address-->		1119 Superior Ave				
		Sample Location-->		SS-7				
		Collected By-->		METCO	REI Engineering, Inc.			
		Sample Date-->		6/18/2013	9/18/2018	2/23/2021		
		Exposure Scenario-->		SC (1 st) & R (2 nd)				
TO-15 VOC's (µg/m ³)	CAS Number	carcinogen	Sub-Slab VRSL					
			Residential [R] (AF = 0.03)	Small Commercial [SC] (AF = 0.03)	Large Commercial/ Industrial [LC/I] (AF = 0.01)			
Acetone	67-64-1	n	1,070,000	4,500,000	13,500,000	27.2		
Benzene	71-43-2	c	120	524	1,570	<3.08		
Benzyl chloride	100-44-7	c	19.1	83.4	250	<2.31		
Bromodichloromethane	75-27-4	c	25.3	110	331	<3.11		
Bromoform	75-25-2	c	851	3,720	11,100	<18.3		
Bromomethane	74-83-9	n	174	730	2,190	<1.87		
1,3-Butadiene	106-99-0	c	31.2	136	409	<1.07		
2-Butanone [Methyl Ethyl Ketone] (MEK)	78-93-3	n	174,000	730,000	2,190,000	8.49		
Carbon disulfide	75-15-0	c	24,300	102,000	307,000	5.97		
Carbon tetrachloride	86-23-5	c	156	681	2,040	<2.97		
Chlorobenzene	108-90-7	c	1,740	7,300	21,900	<2.22		
Chloroethane [Ethyl Chloride]	75-00-3	n	348,000	1,460,000	4,380,000	<2.54		
Chloroform	67-66-3	c	40.7	178	533	<2.27		
Chloromethane	74-87-3	n	3,130	13,100	39,400	2.22		
Cyclohexane	110-82-7	n	209,000	876,000	2,630,000	<1.60		
Dibromochloromethane	124-48-1	--	--	--	--	<3.95		
1,2-Dibromomethane (EDB)	106-93-4	c	1.56	6.81	20	<3.57		
1,2-Dichlorobenzene	95-50-1	n	6,950	29,200	87,600	<2.68		
1,3-Dichlorobenzene	541-73-1	--	--	--	--	<2.68		
1,4-Dichlorobenzene	106-46-7	c	85.1	372	1,110	6.14		
Dichlorodifluoromethane	75-71-8	n	3,480	14,600	43,800	80.6		Access
1,1-Dichloroethane	75-34-3	c	585	2,560	7,670	<1.88		Not
1,2-Dichloroethane	107-06-2	c	36.0	187	472	<3.57		Provided
1,1-Dichloroethene	75-35-4	n	6,950	29,200	87,600	<1.91		
cis-1,2-Dichloroethene	156-59-2	--	--	--	--	<1.91		
trans-1,2-Dichloroethene	156-60-5	c	1,390	5,840	17,500	<1.84 nd		
1,2-Dichloropropane	78-87-5	n	139	584	1,750	<2.14		Access
cis-1,3-Dichloropropene	10061-01-5	--	--	--	--	<1.91		Not
trans-1,3-Dichloropropene	10061-02-6	--	--	--	--	<2.27		Provided
1,4-Dioxane	123-91-1	c	187	818	2,450	-	Could	
Dichlorotetrafluoroethane	76-14-2	--	--	--	--	-	Not	
Ethanol	64-17-5	--	--	--	--	561 ^{VA}	Locate	No
Ethyl acetate	141-78-6	n	2,430	10,200	30,700	2.25		Response
Ethylbenzene	100-41-4	c	374	1,640	4,910	<2.09		To Access
4-Ethyltoluene	622-96-8	--	--	--	--	2.44		Request
n-Heptane	142-82-5	n	13,900	58,400	175,000	2.40		
Hexachloro-1,3-butadiene	87-68-3	c	42.5	186	557	<4.95		
n-Hexane	110-54-3	n	24,300	102,000	307,000	1.66		
2-Hexanone	591-78-6	n	1,040	4,380	13,100	2.62		
Methylene Chloride	75-09-2	n	20,900	87,600	263,000	<16.7		
4-Methyl-2-pentanone (MIBK)	108-11-2	n	104,000	438,000	1,310,000	<1.90		
Methyl Methacrylate	80-62-6	n	24,300	102,000	307,000	-		
Methyl-tert-butyl ether (MTBE)	1634-04-4	c	3,600	15,700	47,200	<1.67		
Naphthalene	91-20-3	n	27.5	120	361	<4.87		
2-Propanol [Isopropanol]	67-63-0	n	6,950	29,200	87,600	5.02		
Propylene [Propene]	115-07-1	n	104,000	438,000	1,310,000	<3.19		
Styrene	100-42-5	n	34,800	146,000	438,000	<1.98		
1,1,1,2-Tetrachloroethane	79-34-5	c	16.1	70.5	211	<3.31		
Tetrachloroethene (PCE)	127-18-4	n	1,390	5,840	17,500	16.0		
Tetrahydrofuran	109-99-9	n	69,500	292,000	876,000	4.31		
Toluene	108-88-3	n	174,000	730,000	2,190,000	12.7		
1,2,4-Trichlorobenzene	120-82-1	n	69.5	292	876	<3.44		
1,1,1-Trichloroethane	71-55-6	n	174,000	730,000	2,190,000	<2.53		
1,1,2-Trichloroethane	79-00-5	n	6.95	29.2	87.6	<2.53		
Trichloroethene (TCE)	79-01-6	n	69.5	292	876	<2.49		
Trichlorofluoromethane	75-69-4	n	--	--	--	<2.81		
1,1,2-Trichlorotrifluoroethane	76-13-1	n	174,000	730,000	2,190,000	<3.69		
1,2,4-Trimethylbenzene (TMB)	95-63-6	n	2,090	8,760	26,300	7.90		
1,3,5-Trimethylbenzene (TMB)	108-67-8	c	2,090	8,760	26,300	2.30		
Vinyl acetate	108-05-4	n	6,950	29,200	87,600	<1.63		
Vinyl chloride	75-01-4	n	55.9	929	2,790	<1.23		
Xylene, m,p-	1330-20-7	n	3,480	14,600	43,800	<4.11		
Xylene, o-						<2.09		

Notes:

Indoor Air Standards based on US EPA Vapor Intrusion Screening Levels online calculator.

VRSL Calculated on Date: **1/9/2021**

AF = Attenuation Factor

VAL = Vapor Action Level

VRSL = Vapor Risk Screening Level

< = Concentration Below Laboratory Detection Limit

- = Not Sampled/Collected

-- = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

c = carcinogen

n = non-carcinogen

Target Risk for Carcinogens = 1.00E-05

Target Hazard Quotient for Non-Carcinogens = 1

<i>Italics</i>	= Exceeds US EPA Residential VRSL
Bold	= Exceeds US EPA Small Commercial VRSL
<u>Underlined</u>	= Exceeds US EPA Large Commercial/Industrial VRSL

Table 1f
Sub-slab Vapor Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

		Sample Address-->			1200 Superior Ave			
		Sample Location-->			SS-3			
		Collected By-->			METCO	REI Engineering, Inc.		
		Sample Date-->			6/18/2013	9/18/2018	2/23/2021	
		Exposure Scenario-->			SC (1 st) & R (2 nd)			
TO-15 VOC's (µg/m ³)	CAS Number	carcinogen	Sub-Slab VRSL					
			Residential [R] (AF = 0.03)	Small Commercial [SC] (AF = 0.03)	Large Commercial/ Industrial [LC/I] (AF = 0.01)			
Acetone	67-64-1	n	1,070,000	4,500,000	13,500,000	23.5	3.9 ^j	370
Benzene	71-43-2	c	120	524	1,570	<3.13	<0.28	6.9
Benzyl chloride	100-44-7	c	19.1	83.4	250	<2.35	<2.2	<2.09
Bromodichloromethane	75-27-4	c	25.3	110	331	<3.17	<0.67	<0.374
Bromoforn	75-25-2	c	851	3,720	11,100	<18.6	<2.6	<0.414
Bromomethane	74-83-9	n	174	730	2,190	<1.90	<0.42	<0.2
1,3-Butadiene	106-99-0	c	31.2	136	409	<1.09	<0.23	<0.143
2-Butanone [Methyl Ethyl Ketone] (MEK)	78-93-3	n	174,000	730,000	2,190,000	9.16	<0.68	232
Carbon disulfide	75-15-0	c	24,300	102,000	307,000	<1.47	<0.40	0.65
Carbon tetrachloride	56-23-5	c	156	681	2,040	<2.97	<0.79	0.38 ^j
Chlorobenzene	108-90-7	c	1,740	7,300	21,900	<2.26	<0.50	<0.251
Chloroethane [Ethyl Chloride]	75-00-3	n	348,000	1,460,000	4,380,000	<2.59	<0.48	<0.159
Chloroform	67-66-3	c	40.7	178	533	<2.31	<0.36	<0.3
Chloromethane	74-87-3	n	3,130	13,100	39,400	<1.01	<0.29	<0.831
Cyclohexane	110-82-7	n	209,000	876,000	2,630,000	<1.63	<0.65	12.3
Dibromochloromethane	124-48-1	--	--	--	--	<4.02	<1.3	<0.376
1,2-Dibromoethane (EDB)	106-93-4	c	1.56	6.81	20	<3.63	<0.67	<0.342
1,2-Dichlorobenzene	95-50-1	n	6,950	29,200	87,600	<2.73	<0.91	<0.235
1,3-Dichlorobenzene	541-73-1	--	--	--	--	<2.73	<1.1	0.66 ^j
1,4-Dichlorobenzene	106-46-7	c	85.1	372	1,110	<2.84	<1.8	<0.302
Dichlorodifluoromethane	75-71-8	n	3,480	14,600	43,800	3.82	3.1	3.9
1,1-Dichloroethane	75-34-3	c	585	2,560	7,670	<1.91	<0.41	<0.187
1,2-Dichloroethane	107-06-2	c	36.0	157	472	<3.63	<0.27	0.81
1,1-Dichloroethene	75-35-4	n	6,950	29,200	87,600	<1.95	<0.50	<0.21
cis-1,2-Dichloroethene	156-59-2	--	--	--	--	<1.95	<0.40	0.91
trans-1,2-Dichloroethene	156-60-5	c	1,390	5,840	17,500	<1.87 nd	3.2	0.238 ^j
1,2-Dichloropropane	78-87-5	n	139	584	1,750	<2.18	<0.42	<0.28
cis-1,3-Dichloropropene	10061-01-5	--	--	--	--	<2.23	<0.86	<0.234
trans-1,3-Dichloropropene	10061-02-6	--	--	--	--	<2.31	<0.81	<0.198
1,4-Dioxane	123-91-1	c	187	818	2,450	-	-	<0.157
Dichlorotetrafluoroethane	76-14-2	--	--	--	--	-	<0.80	<0.446
Ethanol	64-17-5	--	--	--	--	3.59	<1.5	20.1
Ethyl acetate	141-78-6	n	2,430	10,200	30,700	<1.70	<0.35	1.94
Ethylbenzene	100-41-4	c	374	1,640	4,910	<2.13	3.7	15
4-Ethyltoluene	622-96-8	--	--	--	--	<2.32	5.1	4.8
n-Heptane	142-82-5	n	13,900	58,400	175,000	2.35	<0.70	48
Hexachloro-1,3-butadiene	87-68-3	c	42.5	186	557	<5.04	<3.6	<0.489
n-Hexane	110-54-3	n	24,300	102,000	307,000	1.72	0.63 ^j	29.3
2-Hexanone	591-78-6	n	1,040	4,380	13,100	2.13	<1.4	<0.222
Methylene Chloride	75-09-2	n	20,900	87,600	263,000	<3.41	4.4 ^j	<15
4-Methyl-2-pentanone (MIBK)	108-11-2	n	104,000	438,000	1,310,000	<1.94	<0.95	8.8
Methyl Methacrylate	80-62-6	n	24,300	102,000	307,000	-	-	<0.217
Methyl-tert-butyl ether (MTBE)	1634-04-4	c	3,600	15,700	47,200	<1.70	<1.2	<0.16
Naphthalene	91-20-3	n	27.5	120	361	<4.95	5.9	0.99 ^j
2-Propanol [Isopropanol]	67-63-0	n	6,950	29,200	87,600	2.34	<1.3	37
Propylene [Propene]	115-07-1	n	104,000	438,000	1,310,000	<3.25	<0.26	2.79
Styrene	100-42-5	n	34,800	146,000	438,000	<2.01	<0.63	3.8
1,1,2,2-Tetrachloroethane	79-34-5	c	16.1	70.5	211	<3.37	<0.53	<0.325
Tetrachloroethene (PCE)	127-18-4	n	1,390	5,840	17,500	4.17	3.6	18.7
Tetrahydrofuran	109-99-9	n	69,500	292,000	876,000	<1.39	<0.48	1.83
Toluene	108-88-3	n	174,000	730,000	2,190,000	8.17	10.5	37
1,2,4-Trichlorobenzene	120-82-1	n	69.5	292	876	<3.51	<6.8	<0.657
1,1,1-Trichloroethane	71-55-6	n	174,000	730,000	2,190,000	<2.58	<0.57	<0.249
1,1,2-Trichloroethane	79-00-5	n	69.5	29.2	87.6	<2.58	<0.46	<0.258
Trichloroethene (TCE)	79-01-6	n	69.5	292	876	<2.54	<0.47	18.3
Trichlorofluoromethane	75-69-4	n	--	--	--	<2.86	2.0 ^j	2.36
1,1,2-Trichlorotrifluoroethane	76-13-1	n	174,000	730,000	2,190,000	<3.76	<1.0	0.61 ^j
1,2,4-Trimethylbenzene (TMB)	95-63-6	n	2,090	8,760	26,300	<4.64	14.4	11.2
1,3,5-Trimethylbenzene (TMB)	108-67-8	c	2,090	8,760	26,300	<2.32	2.9	4.6
Vinyl acetate	108-05-4	n	6,950	29,200	87,600	<1.66	<0.49	<0.203
Vinyl chloride	75-01-4	n	55.9	929	2,790	<1.25	<0.23	<0.148
Xylene, m,p-	1330-20-7	n	3,480	14,600	43,800	<4.18	18.0	37
Xylene, o-						<2.13	6.0	11.6

Notes:

Indoor Air Standards based on US EPA Vapor Intrusion Screening Levels online calculator.
 VRSL Calculated on Date: **7/9/2021**
 AF = Attenuation Factor
 VAL = Vapor Action Level
 VRSL = Vapor Risk Screening Level
 < = Concentration Below Laboratory Detection Limit
 - = Not Sampled/Collected
 -- = No Standard/Not Applicable
^j = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
 c = carcinogen
 n = non-carcinogen
 Target Risk for Carcinogens = 1.00E-05
 Target Hazard Quotient for Non-Carcinogens = 1

<i>Italics</i>	= Exceeds US EPA Residential VRSL
Bold	= Exceeds US EPA Small Commercial VRSL
<u>Underlined</u>	= Exceeds US EPA Large Commercial/Industrial VRSL

Table 1g
Sub-slab Vapor Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

		Sample Address-->			1201 Superior Ave			
		Sample Location-->			SS-21			
		Collected By-->			METCO	REI Engineering, Inc.		
		Sample Date-->			6/18/2013	9/18/2018	2/24/2021	
		Exposure Scenario-->			SC (1 st)			
TO-15 VOC's (µg/m ³)	CAS Number	carcinogen	Sub-Slab VRSL					
			Residential [R] (AF = 0.03)	Small Commercial [SC] (AF = 0.03)	Large Commercial/ Industrial [LC/I] (AF = 0.01)			
Acetone	67-64-1	n	1,070,000	4,800,000	13,500,000	-	-	51
Benzene	71-43-2	c	120	524	1,570	-	-	6.4
Benzyl chloride	100-44-7	c	19.1	83.4	250	-	-	<0.209
Bromodichloromethane	75-27-4	c	25.3	110	331	-	-	<0.374
Bromoform	75-25-2	c	851	3,720	11,100	-	-	<0.414
Bromomethane	74-83-9	n	174	730	2,190	-	-	<0.2
1,3-Butadiene	106-99-0	c	31.2	136	409	-	-	<0.143
2-Butanone [Methyl Ethyl Ketone] (MEK)	78-93-3	n	174,000	730,000	2,190,000	-	-	14
Carbon disulfide	75-15-0	c	24,300	102,000	307,000	-	-	3.3
Carbon tetrachloride	56-23-5	c	156	681	2,040	-	-	0.9 ^f
Chlorobenzene	108-90-7	c	1,740	7,300	21,900	-	-	<0.251
Chloroethane [Ethyl Chloride]	75-00-3	n	348,000	1,460,000	4,380,000	-	-	0.69
Chloroform	67-66-3	c	40.7	178	533	-	-	0.63 ^f
Chloromethane	74-87-3	n	3,130	13,100	39,400	-	-	<0.831
Cyclohexane	110-82-7	n	209,000	876,000	2,630,000	-	-	3.7
Dibromochloromethane	124-48-1	--	--	--	--	-	-	<0.376
1,2-Dibromoethane (EDB)	106-93-4	c	1.56	6.81	20	-	-	<0.342
1,2-Dichlorobenzene	95-50-1	n	6,950	29,200	87,600	-	-	<0.235
1,3-Dichlorobenzene	541-73-1	--	--	--	--	-	-	0.54 ^f
1,4-Dichlorobenzene	106-46-7	c	85.1	372	1,110	-	-	<0.302
Dichlorodifluoromethane	75-71-8	n	3,480	14,600	43,800	-	-	3.11
1,1-Dichloroethane	75-34-3	c	585	2,560	7,670	-	-	<0.187
1,2-Dichloroethane	107-06-2	c	36.0	157	472	-	-	<0.24
1,1-Dichloroethene	75-35-4	n	6,950	29,200	87,600	-	-	<0.21
cis-1,2-Dichloroethene	156-59-2	--	--	--	--	-	-	<0.197
trans-1,2-Dichloroethene	156-60-5	c	1,390	5,840	17,500	-	-	<0.231
1,2-Dichloropropane	78-87-5	n	139	584	1,750	-	-	<0.28
cis-1,3-Dichloropropene	10061-01-5	--	--	--	--	-	-	<0.234
trans-1,3-Dichloropropene	10061-02-6	--	--	--	--	-	-	<0.198
1,4-Dioxane	123-91-1	c	187	818	2,450	-	-	<0.157
Dichlorotetrafluoroethane	76-14-2	--	--	--	--	-	-	<0.446
Ethanol	64-17-5	--	--	--	--	-	-	186
Ethyl acetate	141-78-6	n	2,430	10,200	30,700	-	-	5.0
Ethylbenzene	100-41-4	c	374	1,640	4,910	-	-	10.7
4-Ethyltoluene	622-96-8	--	--	--	--	-	-	3.6
n-Heptane	142-82-5	n	13,900	58,400	175,000	-	-	11.8
Hexachloro-1,3-butadiene	87-68-3	c	42.5	186	557	-	-	<0.489
n-Hexane	110-54-3	n	24,300	102,000	307,000	-	-	13.4
2-Hexanone	591-78-6	n	1,040	4,380	13,100	-	-	0.78
Methylene Chloride	75-09-2	n	20,900	87,600	263,000	-	-	<15.0
4-Methyl-2-pentanone (MIBK)	108-11-2	n	104,000	438,000	1,310,000	-	-	14.8
Methyl Methacrylate	80-62-6	n	24,300	102,000	307,000	-	-	0.45 ^f
Methyl-tert-butyl ether (MTBE)	1634-04-4	c	3,600	15,700	47,200	-	-	<0.16
Naphthalene	91-20-3	n	27.5	120	361	-	-	0.94 ^f
2-Propanol [Isopropanol]	67-63-0	n	6,950	29,200	87,600	-	-	165
Propylene [Propene]	115-07-1	n	104,000	438,000	1,310,000	-	-	<0.079
Styrene	100-42-5	n	34,800	146,000	438,000	-	-	5.1
1,1,2,2-Tetrachloroethane	79-34-5	c	16.1	70.5	211	-	-	<0.51
Tetrachloroethene (PCE)	127-18-4	n	1,390	5,840	17,500	-	-	41
Tetrahydrofuran	109-99-9	n	69,500	292,000	876,000	-	-	<0.131
Toluene	108-88-3	n	174,000	730,000	2,190,000	-	-	31.5
1,2,4-Trichlorobenzene	120-82-1	n	69.5	292	876	-	-	<0.657
1,1,1-Trichloroethane	71-55-6	n	174,000	730,000	2,190,000	-	-	<0.249
1,1,2-Trichloroethane	79-00-5	n	6.95	29.2	87.6	-	-	<0.258
Trichloroethene (TCE)	79-01-6	n	69.5	292	876	-	-	0.32 ^f
Trichlorofluoromethane	75-69-4	n	--	--	--	-	-	1.4
1,1,2-Trichlorotrifluoroethane	76-13-1	n	174,000	730,000	2,190,000	-	-	0.61 ^f
1,2,4-Trimethylbenzene (TMB)	95-63-6	n	2,090	8,760	26,300	-	-	10.4
1,3,5-Trimethylbenzene (TMB)	108-67-8	c	2,090	8,760	26,300	-	-	3.3
Vinyl acetate	108-05-4	n	6,950	29,200	87,600	-	-	<0.203
Vinyl chloride	75-01-4	n	55.9	929	2,790	-	-	<0.148
Xylene, m,p-								31.1
Xylene, o-	1330-20-7	n	3,480	14,600	43,800	-	-	13.4

Notes:

Indoor Air Standards based on US EPA Vapor Intrusion Screening Levels online calculator.

VRSL Calculated on Date: **1/9/2021**

AF = Attenuation Factor

VAL = Vapor Action Level

VRSL = Vapor Risk Screening Level

< = Concentration Below Laboratory Detection Limit

-- = Not Sampled/Collected

-- = No Standard/Not Applicable

^f = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

c = carcinogen

n = non-carcinogen

Target Risk for Carcinogens = 1.00E-05

Target Hazard Quotient for Non-Carcinogens = 1

<i>Italics</i>	= Exceeds US EPA Residential VRSL
Bold	= Exceeds US EPA Small Commercial VRSL
<u>Underlined</u>	= Exceeds US EPA Large Commercial/Industrial VRSL

Table 1h
Sub-slab Vapor Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

				Sample Address-->		1204 Superior Ave		
				Sample Location-->		SS-2		
				Collected By-->		METCO	REI Engineering, Inc.	
				Sample Date-->		6/18/2013	9/18/2018	2/23/2021
				Exposure Scenario-->		SC		
TO-15 VOC's (µg/m³)	CAS Number	carcinogen	Sub-Slab VRSL					
			Residential [R] (AF = 0.03)	Small Commercial [SC] (AF = 0.03)	Large Commercial/ Industrial [LC/I] (AF = 0.01)			
Acetone	67-64-1	n	1,070,000	4,900,000	13,500,000	26.7	8.7	5.3
Benzene	71-43-2	c	120	524	1,570	<3.12	1.1	1.92
Benzyl chloride	100-44-7	c	19.1	83.4	250	<2.34	<2.2	<0.209
Bromodichloromethane	75-27-4	c	25.3	110	331	<3.15	<0.67	<0.374
Bromoform	75-25-2	c	851	3,720	11,100	<18.5	<2.6	<0.414
Bromomethane	74-83-9	n	174	730	2,190	<1.89	<0.42	<0.2
1,3-Butadiene	106-99-0	c	31.2	136	409	<1.08	<0.23	<0.143
2-Butanone (Methyl Ethyl Ketone) (MEK)	78-93-3	n	174,000	730,000	2,190,000	5.73	1.7 ^j	3.5
Carbon disulfide	75-15-0	c	24,300	102,000	307,000	<1.46	<0.40	0.53
Carbon tetrachloride	56-23-5	c	156	681	2,040	<2.95	<0.79	0.5 ^j
Chlorobenzene	108-90-7	c	1,740	7,300	21,900	<2.24	<0.50	<0.251
Chloroethane (Ethyl Chloride)	75-00-3	n	348,000	1,460,000	4,380,000	<2.57	<0.48	<0.159
Chloroform	67-66-3	c	40.7	178	533	<2.29	<0.36	0.73 ^j
Chloromethane	74-87-3	n	3,130	13,100	39,400	<1.01	<0.29	0.85 ^j
Cyclohexane	110-82-7	n	209,000	876,000	2,630,000	<1.62	<0.65	0.69
Dibromochloromethane	124-48-1	--	--	--	--	<4.00	<1.3	<0.376
1,2-Dibromoethane (EDB)	106-93-4	c	1.56	6.81	20	<3.61	<0.67	<0.342
1,2-Dichlorobenzene	95-50-1	n	6,950	29,200	87,600	<2.71	<0.91	<0.235
1,3-Dichlorobenzene	541-73-1	--	--	--	--	<2.71	<1.1	1.14
1,4-Dichlorobenzene	106-46-7	c	85.1	372	1,110	<2.82	<1.8	<0.302
Dichlorodifluoromethane	75-71-8	n	3,480	14,600	43,800	2.89	2.4	3.3
1,1-Dichloroethane	75-34-3	c	585	2,560	7,670	<1.90	<0.41	<0.187
1,2-Dichloroethane	107-06-2	c	36.0	157	472	<1.97	0.96	<0.024
1,1-Dichloroethene	75-35-4	n	6,950	29,200	87,600	<1.93	<0.50	<0.21
cis-1,2-Dichloroethene	156-59-2	--	--	--	--	<1.93	<0.40	<0.197
trans-1,2-Dichloroethene	156-60-5	c	1,390	5,840	17,500	<1.86 rd	<0.52	<0.231
1,2-Dichloropropane	78-87-5	n	139	584	1,750	<2.17	<0.42	<0.28
cis-1,3-Dichloropropene	10061-01-5	--	--	--	--	<1.93	<0.56	<0.234
trans-1,3-Dichloropropene	10061-02-6	--	--	--	--	<2.29	<0.81	<0.198
1,4-Dioxane	123-91-1	c	187	818	2,450	-	-	<0.187
Dichlorotetrafluoroethane	76-14-2	--	--	--	--	-	<0.80	<0.446
Ethanol	64-17-5	--	--	--	--	33.7	4.0	46
Ethyl acetate	141-78-6	n	2,430	10,200	30,700	<1.69	<0.35	<0.176
Ethylbenzene	100-41-4	c	374	1,640	4,910	<2.12	1.0	5.5
4-Ethylouene	622-96-8	--	--	--	--	<2.31	14.0	2.55
n-Heptane	142-82-5	n	13,900	58,400	175,000	<1.92	1.4 ^j	1.92
Hexachloro-1,3-butadiene	87-68-3	c	42.5	186	557	<5.01	<3.6	<0.489
n-Hexane	110-54-3	n	24,300	102,000	307,000	<1.65	1.2 ^j	2.08
2-Hexanone	591-78-6	n	1,040	4,380	13,100	4.77	<1.4	<0.222
Methylene Chloride	75-09-2	n	20,900	87,600	263,000	<3.39	5.6 ^j	<15
4-Methyl-2-pentanone (MIBK)	108-11-2	n	104,000	438,000	1,310,000	14.8	0.99 ^j	0.53 ^j
Methyl Methacrylate	80-62-6	n	24,300	102,000	307,000	-	-	0.65 ^j
Methyl-tert-butyl ether (MTBE)	1634-04-4	c	3,600	15,700	47,200	<1.69	<1.2	<0.16
Naphthalene	91-20-3	n	27.5	120	361	<4.92	9.1	0.99 ^j
2-Propanol [Isopropanol]	67-63-0	n	6,950	29,200	87,600	2.72	<1.3	69
Propylene [Propene]	115-07-1	n	104,000	438,000	1,310,000	<3.23	0.68	3.13
Styrene	100-42-5	n	34,800	146,000	438,000	<2.00	1.1 ^j	0.72
1,1,2,2-Tetrachloroethane	79-34-5	c	16.1	70.5	211	<3.35	<0.53	<0.325
Tetrachloroethene (PCE)	127-18-4	n	1,390	5,840	17,500	<3.18	0.70 ^j	7.3
Tetrahydrofuran	109-99-9	n	69,500	292,000	876,000	<1.38	<0.48	0.5
Toluene	108-88-3	n	174,000	730,000	2,190,000	4.26	30.4	13.7
1,2,4-Trichlorobenzene	120-82-1	n	69.5	292	876	<3.48	<6.8	<0.657
1,1,1-Trichloroethane	71-55-6	n	174,000	730,000	2,190,000	<2.56	<0.57	<0.249
1,1,2-Trichloroethane	79-00-5	n	6.95	29.2	87.6	<2.56	<0.46	<0.258
Trichloroethene (TCE)	79-01-6	n	69.5	292	876	<2.52	<0.47	<0.237
Trichlorofluoromethane	75-69-4	n	--	--	--	<2.84	1.9 ^j	1.4
1,1,2-Trichlorotrifluoroethane	78-13-1	n	174,000	730,000	2,190,000	<3.74	<1.0	0.69 ^j
1,2,4-Trimethylbenzene (TMB)	95-63-6	n	2,090	8,760	26,300	<4.62	40.4	8.4
1,3,5-Trimethylbenzene (TMB)	108-67-8	c	2,090	8,760	26,300	<2.31	8.2	2.26
Vinyl acetate	108-05-4	n	6,950	29,200	87,600	<1.65	<0.49	<0.203
Vinyl chloride	75-01-4	n	55.9	929	2,790	<1.25	<0.23	<0.146
Xylene, m,p-		n	3,480	14,600	43,800	<4.16	50.6	18
Xylene, o-	1330-20-7	n				<2.12	17.0	7.6

Notes:

Indoor Air Standards based on US EPA Vapor Intrusion Screening Levels online calculator.

VRSL Calculated on Date: **1/9/2021**

AF = Attenuation Factor

VAL = Vapor Action Level

VRSL = Vapor Risk Screening Level

< = Concentration Below Laboratory Detection Limit

-- = Not Sampled/Collected

-- = No Standard/Not Applicable

^j = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

c = carcinogen

n = non-carcinogen

Target Risk for Carcinogens = 1.00E-05

Target Hazard Quotient for Non-Carcinogens = 1

< = Concentration Below Laboratory De

-- = Not Sampled/Collected

-- = No Standard/Not Applicable

^j = Estimated concentration at or above

c = carcinogen

n = non-carcinogen

Target Risk for Carcinogens = 1.00E-05

Target Hazard Quotient for Non-Carcin

<i>Italics</i>	= Exceeds US EPA Residential VRSL
Bold	= Exceeds US EPA Small Commercial VRSL
<u>Underlined</u>	= Exceeds US EPA Large Commercial/Industrial VRSL

Table 11
Sub-slab Vapor Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

		Sample Address-->			1206 Superior Ave			
		Sample Location-->			SS-6			
		Collected By-->			METCO	REI Engineering, Inc.		
		Sample Date-->			6/18/2013	9/18/2018	2/23/2021	
		Exposure Scenario-->			SC (1 st) & R (2 nd)			
TO-15 VOC's (µg/m ³)	CAS Number	carcinogen	Sub-Slab VRSL					
			Residential [R] (AF = 0.03)	Small Commercial [SC] (AF = 0.03)	Large Commercial/ Industrial [LC/I] (AF = 0.01)			
Acetone	67-64-1	n	1,070,000	4,500,000	13,500,000	7.47	4.8	6.5
Benzene	71-43-2	c	120	524	1,570	<3.22	0.42 ^j	1.69
Benzyl chloride	100-44-7	c	19.1	83.4	250	<2.42	<2.2	<0.209
Bromodichloromethane	75-27-4	c	25.3	110	331	<3.25	<0.67	<0.374
Bromoform	75-25-2	c	851	3,720	11,100	<19.1	<2.6	<0.414
Bromomethane	74-83-9	n	174	730	2,190	<1.96	<0.42	<0.2
1,3-Butadiene	109-99-0	c	31.2	136	409	<1.12	<0.23	<0.143
2-Butanone [Methyl Ethyl Ketone] (MEK)	78-93-3	n	174,000	730,000	2,190,000	2.27	<0.88	5.6
Carbon disulfide	75-15-0	c	24,300	102,000	307,000	<1.51	<0.40	0.187 ^j
Carbon tetrachloride	56-23-5	c	156	681	2,040	<3.05	<0.79	0.39 ^j
Chlorobenzene	108-90-7	c	1,740	7,300	21,900	<2.32	<0.50	<0.251
Chloroethane [Ethyl Chloride]	75-00-3	n	348,000	1,460,000	4,380,000	<2.66	<0.48	<0.159
Chloroform	67-68-3	c	40.7	178	533	57.1	14.1	17.1
Chloromethane	74-87-3	n	3,130	13,100	39,400	<1.04	<0.29	<0.831
Cyclohexane	110-82-7	n	209,000	876,000	2,630,000	<1.67	<0.65	0.69
Dibromochloromethane	124-48-1	--	--	--	--	<4.14	<1.3	<0.376
1,2-Dibromoethane (EDB)	106-93-4	c	1.56	6.81	20	<3.73	<0.67	<0.342
1,2-Dichlorobenzene	95-50-1	n	6,950	29,200	87,600	<2.81	<0.91	<0.235
1,3-Dichlorobenzene	541-73-1	--	--	--	--	<2.81	<1.1	1.8
1,4-Dichlorobenzene	106-46-7	c	85.1	372	1,110	<2.92	<1.8	<0.302
Dichlorodifluoromethane	75-71-8	n	3,480	14,600	43,800	3.42	2.9	2.42
1,1-Dichloroethane	75-34-3	c	585	2,560	7,670	<1.97	<0.41	<0.187
1,2-Dichloroethane	107-06-2	c	36.0	157	472	<3.73	<0.27	<0.24
1,1-Dichloroethene	75-35-4	n	6,950	29,200	87,600	<2.00	<0.50	<0.21
cis-1,2-Dichloroethene	156-59-2	--	--	--	--	<2.00	<0.40	<0.197
trans-1,2-Dichloroethene	156-60-5	c	1,390	5,840	17,500	<1.93 nd	<0.82	<0.231
1,2-Dichloropropane	78-87-5	n	139	584	1,750	<2.24	<0.42	<0.28
cis-1,3-Dichloropropene	10061-01-5	--	--	--	--	<2.29	<0.86	<0.234
trans-1,3-Dichloropropene	10061-02-6	--	--	--	--	<2.37	<0.81	<0.198
1,4-Dioxane	123-91-1	c	187	818	2,450	-	-	<0.157
Dichlorotetrafluoroethane	76-14-2	--	--	--	--	-	<0.80	<0.446
Ethanol	64-17-5	--	--	--	--	<3.66	18.2	106
Ethyl acetate	141-78-6	n	2,430	10,200	30,700	<1.75	<0.35	0.97
Ethylbenzene	100-41-4	c	374	1,640	4,910	<2.19	4.5	7.9
4-Ethyltoluene	622-96-8	--	--	--	--	<2.39	6.7	4.3
n-Heptane	142-82-5	n	13,900	58,400	175,000	<1.99	<0.70	2.45
Hexachloro-1,3-butadiene	87-69-3	c	42.5	186	557	<6.18	<3.6	<0.489
n-Hexane	110-54-3	n	24,300	102,000	307,000	<1.71	0.67 ^j	2.78
2-Hexanone	591-78-6	n	1,040	4,380	13,100	<2.07	<1.4	<0.222
Methylene Chloride	75-09-2	n	20,900	87,600	263,000	<3.50	5.4 ^j	<15
4-Methyl-2-pentanone (MIBK)	108-11-2	n	104,000	438,000	1,310,000	<1.99	<0.95	0.7
Methyl Methacrylate	80-62-6	n	24,300	102,000	307,000	-	-	0.53 ^j
Methyl-tert-butyl ether (MTBE)	1634-04-4	c	3,600	15,700	47,200	<1.75	<1.2	<0.16
Naphthalene	91-20-3	n	27.5	120	361	<5.09	7.9	1.94 ^j
2-Propanol [Isopropanol]	67-63-0	n	6,950	29,200	87,600	<1.24	<1.3	98
Propylene [Propene]	115-07-1	n	104,000	438,000	1,310,000	<3.34	<0.26	2.31
Styrene	100-42-5	n	34,800	146,000	438,000	<2.07	<0.63	0.94
1,1,2,2-Tetrachloroethane	79-34-5	c	16.1	70.5	211	<3.46	<0.53	<0.325
Tetrachloroethene (PCE)	127-18-4	n	1,390	5,840	17,500	17.3	7.5	22.9
Tetrahydrofuran	109-99-9	n	69,500	292,000	876,000	<1.43	<0.48	0.94
Toluene	108-88-3	n	174,000	730,000	2,190,000	2.46	12.5	18.6
1,2,4-Trichlorobenzene	120-82-1	n	69.5	292	876	<3.60	<6.8	<0.657
1,1,1-Trichloroethane	71-55-6	n	174,000	730,000	2,190,000	<2.65	1.0 ^j	0.54 ^j
1,1,2-Trichloroethane	79-00-5	n	6.95	29.2	87.6	<2.65	<0.46	<0.258
Trichloroethene (TCE)	79-01-6	n	69.5	292	876	<2.61	0.47 ^j	0.269 ^j
Trichlorofluoromethane	75-69-4	n	--	--	--	<2.94	5.7	1.97
1,1,2-Trichlorotrifluoroethane	76-13-1	n	174,000	730,000	2,190,000	<3.86	<1.0	0.61 ^j
1,2,4-Trimethylbenzene (TMB)	95-63-6	n	2,090	8,760	26,300	<4.77	20.9	13.9
1,3,5-Trimethylbenzene (TMB)	108-67-8	c	2,090	8,760	26,300	<2.39	4.4	3.4
Vinyl acetate	108-05-4	n	6,950	29,200	87,600	<1.71	<0.49	<0.203
Vinyl chloride	75-01-4	n	55.9	929	2,790	<1.29	<0.23	<0.148
Xylene, m,p-	1330-20-7	n	3,480	14,600	43,800	<4.30	22.3	26.3
Xylene, o-						<2.19	7.5	11.1

Notes:
Indoor Air Standards based on US EPA Vapor Intrusion Screening Levels online calculator.
VRSL Calculated on Date: 1/9/2021
AF = Attenuation Factor
VAL = Vapor Action Level
VRSL = Vapor Risk Screening Level
< = Concentration Below Laboratory Detection Limit
- = Not Sampled/Collected
-- = No Standard/Not Applicable
^j = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
c = carcinogen
n = non-carcinogen
Target Risk for Carcinogens = 1.00E-05
Target Hazard Quotient for Non-Carcinogens = 1

<i>Italics</i>	= Exceeds US EPA Residential VRSL
Bold	= Exceeds US EPA Small Commercial VRSL
<u>Underlined</u>	= Exceeds US EPA Large Commercial/Industrial VRSL

Table 2a
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-A1										REI			
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20			
Sampler-->			METCO													
VOC's (µg/L)	ES	PAL														
Benzene	5	0.5	<0.47	2.56	<0.24	0.24	<0.38	<0.38	<0.5	<0.24						
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32						
Bromochloromethane	--	--	-	-	-	-	-	-	-	-						
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37						
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35						
Bromomethane	10	1	-	-	-	-	-	-	-	-						
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35						
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33						
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36						
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33						
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24						
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63						
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28						
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81						
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21						
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21						
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88						
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22						
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44						
Dibromomethane	--	--	-	-	-	-	-	-	-	-						
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36						
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28						
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3						
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44						
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3						
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41						
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4						
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38						
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35						
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32						
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33						
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36						
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-						
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<0.33						
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-						
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23						
Ethylbenzene	700	140	<0.38	0.9	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55						
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5						
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3						
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31						
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5						
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23						
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7						
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25						
Styrene	100	10	-	-	-	-	-	-	-	-						
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33						
1,1,1,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45						
Tetrachloroethene	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	0.63	0.44	<0.33						
Toluene	800	160	<0.46	4.60	0.45	1.33	<0.72	<0.72	<0.53	<0.69						
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8						
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98						
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33						
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34						
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33						
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71						
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-						
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2						
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4						
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<2.2						
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18						
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69						
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63						
Xylene (Total)	2000	400	<0.99	3.17	<1.67	<1.67	<1.62	<1.62	<1.9	<0.69						

Well Not Sampled / Missing / Destroyed Well Not Sampled / Missing / Destroyed Well Not Sampled / Missing / Destroyed

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NA = Not Sampled
NS = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2b
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

VOC's (µg/L)	Location-->		MW-A2																							
	ES	PAL	Date-->		3/29/07		8/2/07		10/9/08		1/12/09		5/19/10		10/18/10		2/14/11		6/18/13		9/18/13		9/18/18		10/8/20	
			Sampler-->																						REI	
			METCO																							
Benzene	5	0.5	<4.7	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25													
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24													
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36													
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36													
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0													
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97													
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71													
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85													
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30													
Carbon tetrachloride	5	0.5	<4.6	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<0.17													
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71													
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3													
Chloroform	6	0.6	<4.8	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	0.42	0.28	<1.3	<1.3													
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2													
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93													
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76													
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8													
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6													
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83													
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94													
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71													
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63													
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94													
Dichlorodifluoromethane	1000	200	<4.6	1.39	1.14	<0.76	<0.7	<0.7	<1.8	0.95	1.07	0.81 ¹	<0.50													
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27													
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28													
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24													
cis-1,2-Dichloroethene	70	7	<6.8	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27													
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46													
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28													
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83													
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3													
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54													
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6													
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4													
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9													
Ethylbenzene	700	140	<3.8	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32													
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5													
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7													
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80													
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58													
Methyl-tert-butyl ether	60	12	<5.2	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2													
Naphthalene	100	10	<18	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2													
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81													
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0													
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27													
1,1,1,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28													
Tetrachloroethene	5	0.5	190	170	47	29.6	11.6	5.4	7.5	41	7.7	14.2	1.9													
Toluene	800	160	<4.6	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27													
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2													
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95													
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24													
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55													
Trichloroethene	5	0.5	<4.4	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26													
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21													
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59													
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84													
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87													
Trimethylbenzenes (Total)	480	96	<15.7	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71													
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17													
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47													
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26													
Xylene (Total)	2000	400	<9.9	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73													

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2c
 Groundwater Analytical Results
 Band Box Cleaners & Laundry, Inc.
 1217 Superior Avenue
 Tomah, WI 54460
 BRRTS# 02-42-525072

Location-->			MW-A3												
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20		
Sampler-->			METCO												
VOC's (µg/L)			ES	PAL	REI										
Benzene	5	0.5	<0.47	<0.47	0.32	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25		
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24		
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36		
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<.36		
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0		
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97		
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71		
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85		
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30		
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1		
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71		
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3		
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3		
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2		
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93		
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76		
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8		
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6		
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83		
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94		
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71		
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63		
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94		
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50		
1,1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27		
1,1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28		
1,1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24		
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27		
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46		
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28		
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83		
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3		
1,1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54		
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6		
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4		
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9		
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32		
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5		
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7		
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80		
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58		
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2		
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2		
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81		
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0		
1,1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27		
1,1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28		
Tetrachloroethene	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	1.7	<0.33		
Toluene	800	160	<0.46	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27		
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2		
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95		
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24		
1,1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55		
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26		
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21		
1,1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59		
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84		
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87		
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71		
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17		
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47		
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26		
Xylene (Total)	2000	400	<0.99	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73		

Notes:

- µg/L - Parts Per Billion (ppb)
- < = Concentration Below Laboratory Detection Limit
- NS = Not Sampled
- NA = No Standard/Not Applicable
- ¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
- Exceeds Enforcement Standard (ES) = **Bold**
- Exceeds Preventive Action Limit (PAL) = *Italic*

**Table 2d
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072**

Location-->			MW-A4												
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20		
Sampler-->			METCO										REI		
VOC's (µg/L)	ES	PAL													
Benzene	5	0.5	<0.47	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24				
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32				
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-				
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37				
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35				
Bromomethane	10	1	-	-	-	-	-	-	-	-	-				
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35				
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33				
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36				
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33				
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24				
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63				
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28				
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81				
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21				
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21				
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88				
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22				
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44				
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-				
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36				
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28				
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3				
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44				
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3				
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41				
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4				
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38				
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35				
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32				
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33				
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36				
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-				
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-				
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-				
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23				
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55				
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5				
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3				
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31				
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5				
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23				
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7				
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25				
Styrene	100	10	-	-	-	-	-	-	-	-	-				
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33				
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45				
Tetrachloroethene	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33				
Toluene	800	160	<0.46	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69				
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8				
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98				
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33				
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34				
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33				
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71				
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-				
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2				
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4				
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6				
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18				
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69				
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63				
Xylene (Total)	2000	400	<0.99	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32				

**Not
Sampled
Well
Asphalted
Over**

**Not
Sampled
Well
Asphalted
Over**

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2f
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-14										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20
Sampler-->			METCO										
VOC's (µg/L)	ES	PAL											
			REI										
Benzene	5	0.5	<0.47	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50
1,1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<3.3	<0.33	<0.27	<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28
Tetrachloroethene	5	0.5	2.87	16.4	16.6	7.8	<0.43	0.45	<0.44	<i>1.03¹</i>	218	<i>1.8</i>	<0.33
Toluene	800	160	<0.46	<0.46	<0.39	<0.39	<0.72	<0.72	<0.83	<0.69	<0.69	<0.17	<0.27
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	0.57	<0.26	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26
Xylene (Total)	2000	400	<0.99	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2g
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-14P										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	<23.5	<23.5	<24	<24	<38	<19	<25	<2.4	<2.4	<0.25	<2.5
Bromobenzene	--	--	-	-	-	-	-	-	-	<3.2	<3.2	<0.24	<2.4
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<3.6
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<3.7	<3.7	<0.36	<3.6
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<3.5	<3.5	<4.0	<39.7
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<9.7
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.5	<3.5	<0.71	<7.1
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.85	<8.5
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<0.30	<3.0
Carbon tetrachloride	5	0.5	<23	<23	<30	<30	<0.25	<12.5	<23.5	<3.3	<3.3	<0.17	<10.8
Chlorobenzene	--	--	-	-	-	-	-	-	-	<2.4	<2.4	<0.71	<7.1
Chloroethane	400	80	-	-	-	-	-	-	-	<6.3	<6.3	<1.3	<13.4
Chloroform	6	0.6	<24	<24	<47	<47	<0.32	<16	<24.5	<2.8	<2.8	<1.3	<12.7
Chloromethane	30	3	-	-	-	-	-	-	-	<8.1	<8.1	<2.2	<21.9
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.93	<9.3
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.76	<7.6
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<8.8	<8.8	<1.8	<17.6
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<2.2	<2.2	<2.6	<26.0
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<4.4	<4.4	<0.83	<8.3
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<9.4
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<3.6	<3.6	<0.71	<7.1
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<2.8	<2.8	<0.63	<6.3
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<3	<3	<0.94	<9.4
Dichlorodifluoromethane	1000	200	<23	<23	<76	<76	<0.7	<35	<90	<2.2	<4.4	<0.50	<5.0
1,1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<3	<3	<0.27	<2.7
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<4.1	<4.1	<0.28	<2.8
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<4	<4	<0.24	<2.4
cis-1,2-Dichloroethene	70	7	<34	<34	<44	<44	<0.78	<39	<37	<3.8	<3.8	<0.27	<2.7
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<3.5	<3.5	<1.1	<4.6
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<3.2	<3.2	<0.28	<2.8
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.83	<8.3
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<2.3	<22.7
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<5.4
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<36.3
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<43.7
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<23	<23	<1.9	<18.9
Ethylbenzene	700	140	<19	<19	<35	<35	<85	<27.5	<39	<5.5	<5.5	<0.22	<3.2
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<15	<15	<1.2	<14.6
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<3	<3	<0.39	<16.9
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<3.1	<3.1	<0.80	<8.0
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<5	<5	<0.58	<5.8
Methyl-tert-butyl ether	60	12	<26	<26	<70	<70	<25	<12.5	<40	<2.3	<2.3	<1.2	<12.5
Naphthalene	100	10	<90	<90	<180	<180	<240	<120	<105	<17	<17	<1.2	<11.8
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<2.5	<2.5	<0.81	<8.1
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<30.1
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<3.3	<3.3	<0.27	<2.7
1,1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<4.5	<4.5	<0.28	<2.8
Tetrachloroethene	5	0.5	3,100	4,600	3,600	4,300	2,690	2,140	1,170	1,270	1,240	1,480	1,790
Toluene	800	160	<23	<23	<39	<39	<72	<36	<26.5	<6.9	<6.9	<0.17	<2.7
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<18	<18	<0.63	<22.1
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<9.8	<9.8	<0.95	<9.5
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<3.3	<3.3	<0.24	<2.4
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<3.4	<3.4	<0.55	<5.5
Trichloroethene	5	0.5	<22	<22	<47	<47	<0.39	<19.5	<23.5	<3.3	<3.3	0.97 ^j	<2.6
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<7.1	<7.1	<0.21	<2.1
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<5.9
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<22	<22	<0.84	22.2 ^j
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<14	<14	<0.87	<8.7
Trimethylbenzenes (Total)	480	96	<78.5	<78.5	<74	<74	<120	<60	<77	<36	<36	<1.71	22.2 ^j
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<1.8	<1.8	<0.17	<1.7
m&p-Xylene	--	--	-	-	-	-	-	-	-	<6.9	<6.9	<0.47	5.5 ^j
o-Xylene	--	--	-	-	-	-	-	-	-	<6.3	<6.3	<0.26	4.9 ^j
Xylene (Total)	2000	400	<49.5	<49.5	<167	<167	<162	<81	<95	<13.2	<13.2	<0.73	10.4 ^j

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
^j = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2h
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-15										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	<4.7	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30
Carbon tetrachloride	5	0.5	<4.6	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<0.17
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3
Chloroform	6	0.6	<4.8	<0.58	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	3.7 ¹
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94
Dichlorodifluoromethane	1000	200	<4.6	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24
cis-1,2-Dichloroethene	70	7	<6.8	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9
Ethylbenzene	700	140	6.4	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58
Methyl-tert-butyl ether	60	12	<5.2	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2
Naphthalene	100	10	<18	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28
Tetrachloroethene	5	0.5	<5.2	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.33
Toluene	800	160	<4.6	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	0.18 ¹	<0.27
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55
Trichloroethene	5	0.5	<4.4	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87
Trimethylbenzenes (Total)	480	96	113.1	48.4	<0.74	7.94	14.03	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26
Xylene (Total)	2000	400	188.7	3.96	<1.67	<1.67	2.01	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2j
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-17										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18*	10/8/20
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	<23.5	5.2	<2.4	<2.4	<3.8	<3.8	<5	<2.4	<2.4	<0.25	<0.25
Bromobenzene	--	--	-	-	-	-	-	-	-	<3.2	<3.2	<0.24	<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<3.7	<3.7	<0.36	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<3.5	<3.5	<4.0	<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.5	<3.5	<0.71	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.85	<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<0.30	<0.30
Carbon tetrachloride	5	0.5	<23	<4.6	<3	<3	<0.25	<2.5	<4.7	<3.3	<3.3	<0.17	<1.1
Chlorobenzene	--	--	-	-	-	-	-	-	-	<2.4	<2.4	<0.71	<0.71
Chloroethane	400	80	-	-	-	-	-	-	-	<6.3	<6.3	<1.3	<1.3
Chloroform	6	0.6	<24	<4.8	<4.7	<4.7	<0.32	<3.2	<4.9	<2.8	<2.8	<1.3	<1.3
Chloromethane	30	3	-	-	-	-	-	-	-	<8.1	<8.1	<2.2	<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.93	<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.76	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<8.8	<8.8	<1.8	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<2.2	<2.2	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<4.4	<4.4	<0.83	<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<3.6	<3.6	<0.71	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<2.8	<2.8	<0.63	<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<3	<3	<0.94	<0.94
Dichlorodifluoromethane	1000	200	<23	<4.6	<7.6	<7.6	<0.7	<7	<18	<2.2	<4.4	<0.50	<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<3	<3	<0.27	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<4.1	<4.1	<0.28	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<4	<4	<0.24	<0.24
cis-1,2-Dichloroethene	70	7	<34	<6.8	<4.4	<4.4	<0.78	<7.8	<7.4	<3.8	<3.8	<0.27	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<3.5	<3.5	<1.1	<0.46
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<3.2	<3.2	<0.28	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.83	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<2.3	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<23	<23	<1.9	<1.9
Ethylbenzene	700	140	<19	<3.8	<3.5	<3.5	<5.5	<5.5	<7.8	<5.5	<5.5	<0.22	<0.32
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<15	<15	<1.2	<1.5
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<3	<3	<0.39	<1.7
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<3.1	<3.1	<0.80	<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<5	<5	<0.58	<0.58
Methyl-tert-butyl ether	60	12	<26	<5.2	<7	<7	<2.5	<2.5	<8	<2.3	<2.3	<1.2	<1.2
Naphthalene	100	10	<90	<18	<18	<18	<24	<24	<21	<17	<17	<1.2	<1.2
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<2.5	<2.5	<0.81	<0.81
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<3.3	<3.3	<0.27	<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<4.5	<4.5	<0.28	<0.28
Tetrachloroethene	5	0.5	370	390	500	370	330	620	430	870	430	549	297
Toluene	800	160	<23	<4.6	<3.9	<3.9	<7.2	<7.2	<5.3	<6.9	<6.9	<0.17	<0.27
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<18	<18	<0.63	<2.2
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<9.8	<9.8	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<3.3	<3.3	<0.24	<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<3.4	<3.4	<0.55	<0.55
Trichloroethene	5	0.5	<22	<4.4	<4.7	<4.7	<0.39	<3.9	<4.7	<3.3	<3.3	<0.26	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<7.1	<7.1	<0.21	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<22	<22	<0.84	<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<14	<14	<0.87	<0.87
Trimethylbenzenes (Total)	480	96	<78.5	<15.7	<7.4	<7.4	<12	<12	<15.4	<36	<36	<1.71	<1.71
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<1.8	<1.8	<0.17	<0.17
m&p-Xylene	--	--	-	-	-	-	-	-	-	<6.9	<6.9	<0.47	<0.47
o-Xylene	--	--	-	-	-	-	-	-	-	<6.3	<6.3	<0.26	<0.26
Xylene (Total)	2000	400	<49.5	<9.9	<16.7	<16.7	<16.2	<16.2	<19	<13.2	<13.2	<0.73	<0.73

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
* = Sample was miss labeled as MW-17P in the field
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2k
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-17P										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18*	10/8/20
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	<0.47	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<0.17
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<1.1
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27
1,1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28
Tetrachloroethane	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.33
Toluene	800	160	<0.46	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24
1,1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26
Xylene (Total)	2000	400	<0.99	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
* = Sample was miss labeled as MW-17 in the field
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 21
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-18								
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20
Sampler-->			METCO								
VOC's (µg/L)	ES	PAL									REI
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94
Dichlorodifluoroethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27
1,1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28
Tetrachloroethene	5	0.5	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.33
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2m
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-18P									
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	
Sampler-->			METCO								REI	
VOC's (µg/L)	ES	PAL										
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97	
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	14.2	
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0	
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	
Tetrachloroethene	5	0.5	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.33	
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26	
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59	
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71	
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26	
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73	

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2a
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-18P								
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20
Sampler-->			METCO								RET
VOC's (µg/L)	ES	PAL									
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	
Dichlorodifluoroethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.88	
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	
Styrene	100	10	-	-	-	-	-	-	-	<0.47	
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	
Tetrachloroethene	5	0.5	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.85	
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.89	
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26	
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	

Not
Sampled
Well
Asphalted
Over

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2o
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-18P								
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20
Sampler-->			METCO								RET
VOC's (µg/L)	ES	PAL									
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	
Dichlorodifluoroethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.88	
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	
Styrene	100	10	-	-	-	-	-	-	-	<0.47	
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	
Tetrachloroethene	5	0.5	<0.5	2.92	1.97	1.13	0.57	0.35¹	<0.33	0.84¹	
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26	
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	

Not
Sampled
Well
Asphalted
Over

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2p
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-1										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20
Sampler-->			METCO										REI
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	2.16	2.63	<0.24	<0.38	2.85	1.58	<0.24	0.87	<0.25		
Bromobenzene	--	--	-	-	-	-	-	-	<0.32	<0.32	<0.24		
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	<0.36		
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	<0.37	<0.37	<0.36		
Bromoform	4.4	0.44	-	-	-	-	-	-	<0.35	<0.35	<4.0		
Bromomethane	10	1	-	-	-	-	-	-	-	-	<0.97		
n-Butylbenzene	--	--	-	-	-	-	-	-	0.51 ¹	3.2	<0.71		
sec-Butylbenzene	--	--	-	-	-	-	-	-	<0.33	1.55	<0.85		
tert-Butylbenzene	--	--	-	-	-	-	-	-	<0.36	<0.36	<0.30		
Carbon tetrachloride	5	0.5	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17		
Chlorobenzene	--	--	-	-	-	-	-	-	<0.24	<0.24	<0.71		
Chloroethane	400	80	-	-	-	-	-	-	<0.63	<0.63	<1.3		
Chloroform	6	0.6	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3		
Chloromethane	30	3	-	-	-	-	-	-	<0.81	<0.81	<2.2		
2-Chlorotoluene	--	--	-	-	-	-	-	-	<0.21	<0.21	<0.93		
4-Chlorotoluene	--	--	-	-	-	-	-	-	<0.21	<0.21	<0.76		
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	<0.88	<0.88	<1.8		
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	<0.22	<0.22	<2.6		
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	<0.44	<0.44	<0.83		
Dibromomethane	--	--	-	-	-	-	-	-	-	-	<0.94		
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	<0.36	<0.36	<0.71		
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	<0.28	<0.28	<0.63		
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	<0.3	<0.3	<0.94		
Dichlorodifluoromethane	1000	200	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50		
1,1-Dichloroethane	850	85	-	-	-	-	-	-	<0.3	<0.3	<0.27		
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	<0.41	<0.41	<0.28		
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	<0.4	<0.4	<0.24		
cis-1,2-Dichloroethene	70	7	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27		
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	<0.35	<0.35	<1.1		
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	<0.32	<0.32	<0.28		
1,3-Dichloropropane	--	--	-	-	-	-	-	-	<0.33	<0.33	<0.83		
2,2-Dichloropropane	--	--	-	-	-	-	-	-	<0.36	<0.36	<2.3		
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	<0.54		
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	<3.6		
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	<4.4		
Diisopropyl ether	--	--	-	-	-	-	-	-	<0.23	<0.23	<1.9		
Ethylbenzene	700	140	0.76	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	5.80	<0.22		
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	<1.5	10	<1.2		
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	1.67	0.49 ¹	<0.39		
p-Isopropyltoluene	--	--	-	-	-	-	-	-	<0.31	<0.31	<0.80		
Methylene Chloride	5	0.5	-	-	-	-	-	-	<0.5	<0.5	<0.58		
Methyl-tert-butyl ether	60	12	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2		
Naphthalene	100	10	3.16	12.00	<1.8	<2.4	24.5	<2.1	1.84 ¹	11.60	<1.2		
n-Propylbenzene	--	--	-	-	-	-	-	-	2.28	12.2	<0.81		
Styrene	100	10	-	-	-	-	-	-	-	-	<0.47		
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	<0.33	<0.33	<0.27		
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	<0.45	<0.45	<0.28		
Tetrachloroethene	5	0.5	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33		
Toluene	800	160	3.06	1.05	<0.39	<0.72	<0.72	1.61	<0.69	22.10	0.30 ¹		
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	<1.8	<1.8	<0.63		
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	<0.98	<0.98	<0.95		
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	<0.33	<0.33	<0.24		
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	<0.34	<0.34	<0.55		
Trichloroethene	5	0.5	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26		
Trichlorofluoromethane	--	--	-	-	-	-	-	-	<0.71	<0.71	<0.21		
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	<0.59		
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	2.9 ¹	6.7 ¹	<0.84		
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	1.85 ¹	7	<0.87		
Trimethylbenzenes (Total)	480	96	6.3	19.2	<0.74	<1.20	10.43	<1.54	4.75	13.70	<1.71		
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	<0.18	<0.18	<0.17		
m&p-Xylene	--	--	-	-	-	-	-	-	8	22	<0.47		
o-Xylene	--	--	-	-	-	-	-	-	8.7	51	<0.26		
Xylene (Total)	2000	400	16.4	40.6	<1.67	<1.62	62.7	0.94	16.7	73	<0.73		

Not
Sampled
Car
Parked
over Well

Not
Sampled
Car
Parked
over Well

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2q
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-A-3								
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20
Sampler-->			METCO							RET	
VOC's (µg/L)	ES	PAL									
Benzene	5	0.5	290	44	73	980	1,460	500	261	1.2	284
Bromobenzene	--	--	-	-	-	-	-	<3.2	<3.2	<0.24	<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<3.7	<3.7	<0.36	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	<3.5	<3.5	<4.0	<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97
n-Butylbenzene	--	--	-	-	-	-	-	3.5 ^f	4.7 ^f	<0.71	5.1
sec-Butylbenzene	--	--	-	-	-	-	-	<3.3	<3.3	<0.85	3.3 ^f
tert-Butylbenzene	--	--	-	-	-	-	-	<3.6	<3.6	<0.30	<0.30
Carbon tetrachloride	5	0.5	<15	<3	<0.25	<5	<4.7	<3.3	<3.3	<0.17	<1.1
Chlorobenzene	--	--	-	-	-	-	-	<2.4	<2.4	<0.71	<0.71
Chloroethane	400	80	-	-	-	-	-	<6.3	<6.3	<1.3	<1.3
Chloroform	6	0.6	<23.5	<4.7	<0.32	<6.4	<4.9	<2.8	<2.8	<1.3	<1.3
Chloromethane	30	3	-	-	-	-	-	<8.1	<8.1	<2.2	<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	<2.1	<2.1	<0.93	<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	<2.1	<2.1	<0.76	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<8.8	<8.8	<1.8	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<2.2	<2.2	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<4.4	<4.4	<0.83	<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<3.6	<3.6	<0.71	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<2.8	<2.8	<0.63	<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<3	<3	<0.94	<0.94
Dichlorodifluoromethane	1000	200	<20.5	<7.6	<0.7	<14	<18	<2.2	<4.4	<0.50	<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	<3	<3	<0.27	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<4.1	<4.1	<0.28	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<4	<4	<0.24	<0.24
cis-1,2-Dichloroethene	70	7	<22	<4.4	<0.78	<15.6	<7.4	<3.8	<3.8	<0.27	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<3.5	<3.5	<1.1	<0.46
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<3.2	<3.2	<0.28	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	<3.3	<3.3	<0.83	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	<3.6	<3.6	<2.3	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4
Diisopropyl ether	--	--	-	-	-	-	-	<23	<23	<1.9	<1.9
Ethylbenzene	700	140	138	4	92	750	1280	285	370	0.37 ^f	900
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<15	<15	<1.2	<1.5
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	11.4	14.8	<0.39	44.3
p-Isopropyltoluene	--	--	-	-	-	-	-	<3.1	<3.1	<0.80	1.5 ^f
Methylene Chloride	5	0.5	-	-	-	-	-	<5	<5	<0.58	8.6
Methyl-tert-butyl ether	60	12	<35	<7	<0.25	<5	<8	<2.3	<2.3	<1.2	<1.2
Naphthalene	100	10	<90	<18	12.4	96	127	31.1 ^f	43 ^f	<1.2	108
n-Propylbenzene	--	--	-	-	-	-	-	22.9	38	<0.81	86.2
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<3.3	<3.3	<0.27	<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<4.5	<4.5	<0.28	<0.28
Tetrachloroethene	5	0.5	27.5	36	4.3	<8.6	4.7	<3.3	<3.3	0.66 ^f	<0.33
Toluene	800	160	99	4.5	104	440	1,860	69	109	0.22 ^f	528
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<18	<18	<0.63	<2.2
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<9.8	<9.8	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<3.3	<3.3	<0.24	<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<3.4	<3.4	<0.55	<0.55
Trichloroethene	5	0.5	<23.5	<4.7	<0.39	<7.8	<4.7	<3.3	<3.3	<0.26	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	<7.1	<7.1	<0.21	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	105	169	<0.84	315
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	28.7 ^f	43 ^f	<0.87	72.1
Trimethylbenzenes (Total)	480	96	79.5	7.2	57.3	413	864	133.7	212	<1.71	387.1
Vinyl chloride	0.2	0.02	-	-	-	-	-	<1.8	<1.7	<0.17	<0.17
m&p-Xylene	--	--	-	-	-	-	-	301	570	<0.47	1,660
o-Xylene	--	--	-	-	-	-	-	15.6 ^f	86	<0.26	302
Xylene (Total)	2000	400	268	31	225.6	1,869	3,710	316.6	636	<0.73	1,962

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
^f = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2r
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-A-4								
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20
Sampler-->			METCO							RET	
VOC's (µg/L)	ES	PAL									
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	1.2	1.1¹
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<0.17
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	4.0¹	3.0¹
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.88	<0.58
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28
Tetrachloroethene	5	0.5	<0.5	9.5	<0.43	3.5	<0.44	0.42¹	<0.33	<0.33	<0.33
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

Bold

Exceeds Preventive Action Limit (PAL) =

Italic

Table 2s
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-B-3								
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20
Sampler-->			METCO							RET	
VOC's (µg/L)	ES	PAL									
Benzene	5	0.5	3.50	<0.24	<0.38	21.8	<0.5	0.93	1.36	<0.25	<0.25
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	1.88	1.81	<0.83	<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9
Ethylbenzene	700	140	<0.35	<0.35	<0.95	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.99	<1.7
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2
Naphthalene	100	10	<1.8	<1.8	<2.4	6.3	<2.1	<1.7	<1.7	<1.2	<1.2
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27
1,1,1,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28
Tetrachloroethene	5	0.5	<0.5	8.4	7.7	35	5	21.9	13.7	1.9	1.5
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87
Trimethylbenzenes (Total)	480	96	0.51	<0.74	<1.20	7.8	<1.54	<3.6	<3.6	<1.71	<1.71
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47
o-Xylene	--	--	-	-	-	-	-	<0.63	0.89 ¹	<0.26	<0.26
Xylene (Total)	2000	400	2.78	<1.67	<1.62	18.7	<1.9	<1.32	0.89	<0.73	<0.73

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2t
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-B-4								
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20
Sampler-->			METCO							RET	
VOC's (µg/L)	ES	PAL									
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	<i>0.44¹</i>
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63
1,4-Dichlorobenzene	78	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28
Tetrachloroethene	5	0.5	<0.5	0.96	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.33
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2a
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-2					
Date-->			4/14/14	7/14/14	3/9/15	9/9/15	9/18/18	10/8/20
Sampler-->			Metco				REI	
VOC's (µg/L)	ES	PAL						
Benzene	5	0.5	140	143	19.6	2,040	20.2	5.2
Bromobenzene	--	--	-	-	-	-	<0.24	<0.24
Bromochloromethane	--	--	-	-	-	-	<0.36	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	<0.36	<0.36
Bromoform	4.4	0.44	-	-	-	-	<4.0	<4.0
Bromomethane	10	1	-	-	-	-	<0.97	<0.97
n-Butylbenzene	--	--	-	-	-	-	<0.71	<0.71
sec-Butylbenzene	--	--	-	-	-	-	<0.85	<0.85
tert-Butylbenzene	--	--	-	-	-	-	<0.30	<0.30
Carbon tetrachloride	5	0.5	-	-	-	-	<0.17	<1.1
Chlorobenzene	--	--	-	-	-	-	<0.71	<0.71
Chloroethane	400	80	-	-	-	-	<1.3	<1.3
Chloroform	6	0.6	-	-	-	-	<1.3	<1.3
Chloromethane	30	3	-	-	-	-	<2.2	<2.2
2-Chlorotoluene	--	--	-	-	-	-	<0.93	<0.93
4-Chlorotoluene	--	--	-	-	-	-	<0.76	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	<1.8	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	4.1	-	-	-	1.2¹	<0.83
Dibromomethane	--	--	-	-	-	-	<0.94	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	<0.71	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	<0.63	<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	<0.94	<0.94
Dichlorodifluoromethane	1000	200	-	-	-	-	<0.50	<0.50
1,1-Dichloroethane	850	85	-	-	-	-	<0.27	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	<0.28	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	<0.24	<0.24
cis-1,2-Dichloroethene	70	7	-	-	-	-	<0.27	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	<1.1	<0.46
1,2-Dichloropropane	5	0.5	-	-	-	-	<0.28	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	<0.83	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	<2.3	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	<0.54	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<3.6	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<4.4	<4.4
Diisopropyl ether	--	--	-	-	-	-	<1.9	<1.9
Ethylbenzene	700	140	28.1	17.7	4.6	2,160	16.7	4.3
Hexachloro-1,3-butadiene	--	--	-	-	-	-	<1.2	<1.5
Isopropylbenzene (cumene)	--	--	-	-	-	-	0.55 ¹	<1.7
p-Isopropyltoluene	--	--	-	-	-	-	<0.80	<0.80
Methylene Chloride	5	0.5	-	-	-	-	<0.58	<0.58
Methyl-tert-butyl ether	60	12	<0.23	<0.23	<0.49	<55	<1.2	<1.2
Naphthalene	100	10	<i>21.30</i>	<i>21</i>	<2.6	167	<1.2	<1.2
n-Propylbenzene	--	--	-	-	-	-	1.6 ¹	<0.81
Styrene	100	10	-	-	-	-	<0.47	<3.0
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	<0.27	<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	<0.28	<0.28
Tetrachloroethene	5	0.5	8.7	-	-	-	6.9	3.9
Toluene	800	160	4	1.96	0.78	400	2.1 ¹	0.50 ¹
1,2,3-Trichlorobenzene	--	--	-	-	-	-	<0.63	<2.2
1,2,4-Trichlorobenzene	70	14	-	-	-	-	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	<0.24	<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	<0.55	<0.55
Trichloroethene	5	0.5	-	-	-	-	<0.26	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	<0.21	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	<0.59	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	6.5	<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	1.6 ¹	<0.87
Trimethylbenzenes (Total)	480	96	27.4	23.2	1.19	999	8.1 ¹	<1.71
Vinyl chloride	0.2	0.02	-	-	-	-	<0.17	<0.17
m&p-Xylene	--	--	-	-	-	-	17.0	0.66 ¹
o-Xylene	--	--	-	-	-	-	0.34 ¹	<0.26
Xylene (Total)	2000	400	53.4	50.7	4.5	3,853	17.34 ¹	0.66 ¹

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) = **Bold**

Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2v
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-3					
Date-->			4/14/14	7/14/14	3/9/15	9/9/15	9/18/18	10/8/20
Sampler-->			Metco				REI	
VOC's (µg/L)	ES	PAL						
Benzene	5	0.5	152	51	30.7	46	4.9	<0.25
Bromobenzene	--	--	-	-	-	-	<0.24	<0.24
Bromochloromethane	--	--	-	-	-	-	<0.36	<0.36
Bromodichloromethane	0.6	0.06	-	-	-	-	<0.36	<0.36
Bromoform	4.4	0.44	-	-	-	-	<4.0	<4.0
Bromomethane	10	1	-	-	-	-	<0.97	<0.97
n-Butylbenzene	--	--	-	-	-	-	<0.71	<0.71
sec-Butylbenzene	--	--	-	-	-	-	<0.85	<0.85
tert-Butylbenzene	--	--	-	-	-	-	<0.30	<0.30
Carbon tetrachloride	5	0.5	-	-	-	-	<0.17	<1.1
Chlorobenzene	--	--	-	-	-	-	<0.71	<0.71
Chloroethane	400	80	-	-	-	-	<1.3	<1.3
Chloroform	6	0.6	-	-	-	-	<1.3	<1.3
Chloromethane	30	3	-	-	-	-	<2.2	<2.2
2-Chlorotoluene	--	--	-	-	-	-	<0.93	<0.93
4-Chlorotoluene	--	--	-	-	-	-	<0.76	<0.76
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	<1.8	<1.8
Dibromochloromethane	0.6	0.06	-	-	-	-	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	<4.4	-	-	-	<0.83	<0.83
Dibromomethane	--	--	-	-	-	-	<0.94	<0.94
1,2-Dichlorobenzene	600	60	-	-	-	-	<0.71	<0.71
1,3-Dichlorobenzene	600	120	-	-	-	-	<0.63	<0.63
1,4-Dichlorobenzene	75	15	-	-	-	-	<0.94	<0.94
Dichlorodifluoromethane	1000	200	-	-	-	-	<0.50	<0.50
1,1-Dichloroethane	850	85	-	-	-	-	<0.27	<0.27
1,2-Dichloroethane	5	0.5	-	-	-	-	<0.28	<0.28
1,1-Dichloroethene	7	0.7	-	-	-	-	<0.24	<0.24
cis-1,2-Dichloroethene	70	7	-	-	-	-	<0.27	<0.27
trans-1,2-Dichloroethene	100	20	-	-	-	-	<1.1	<0.46
1,2-Dichloropropane	5	0.5	-	-	-	-	<0.28	<0.28
1,3-Dichloropropane	--	--	-	-	-	-	<0.83	<0.83
2,2-Dichloropropane	--	--	-	-	-	-	<2.3	<2.3
1,1-Dichloropropene	--	--	-	-	-	-	<0.54	<0.54
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<3.6	<3.6
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<4.4	<4.4
Diisopropyl ether	--	--	-	-	-	-	<1.9	<1.9
Ethylbenzene	700	140	168	2.52	0.82	3.3	5.7	<0.32
Hexachloro-1,3-butadiene	--	--	-	-	-	-	<1.2	<1.5
Isopropylbenzene (cumene)	--	--	-	-	-	-	<0.39	<1.7
p-Isopropyltoluene	--	--	-	-	-	-	<0.80	<0.80
Methylene Chloride	5	0.5	-	-	-	-	<0.58	<0.58
Methyl-tert-butyl ether	60	12	<2.3	<0.23	<0.49	<1.1	<1.2	<1.2
Naphthalene	100	10	35	41	14.3	9.4	<1.2	<1.2
n-Propylbenzene	--	--	-	-	-	-	<0.81	<0.81
Styrene	100	10	-	-	-	-	<0.47	<3.0
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	<0.27	<0.27
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	<0.28	<0.28
Tetrachloroethene	5	0.5	<0.33	-	-	-	0.41 ¹	<0.33
Toluene	800	160	36	8.8	0.64	<0.44	0.57 ¹	<0.27
1,2,3-Trichlorobenzene	--	--	-	-	-	-	<0.63	<2.2
1,2,4-Trichlorobenzene	70	14	-	-	-	-	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	<0.24	<0.24
1,1,2-Trichloroethane	5	0.5	-	-	-	-	<0.55	<0.55
Trichloroethene	5	0.5	-	-	-	-	<0.26	<0.26
Trichlorofluoromethane	--	--	-	-	-	-	<0.21	<0.21
1,2,3-Trichloropropane	60	12	-	-	-	-	<0.59	<0.59
1,2,4-Trimethylbenzene	--	--	-	-	-	-	3.0	<0.84
1,3,5-Trimethylbenzene	--	--	-	-	-	-	0.91 ¹	<0.87
Trimethylbenzenes (Total)	480	96	108.2	<3.6	<1.51	<3.1	3.91 ¹	<1.71
Vinyl chloride	0.2	0.02	-	-	-	-	<0.17	<0.17
m&p-Xylene	--	--	-	-	-	-	6.9	<0.47
o-Xylene	--	--	-	-	-	-	<0.26	<0.26
Xylene (Total)	2000	400	190.3	5.19	2.92	2.52	6.9	<0.73

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

Bold

Exceeds Preventive Action Limit (PAL) =

Italic

Table 4a
 Vertical Gradient Calculations
 Band Box Cleaners & Laundry, Inc
 1217 Superior Avenue
 Tomah, WI 54460
 BRRTS# 02-42-525072

	Wel Name -->	MW-A-3	PZ-A-3
Top of Well Casing Elevation (feet MSL) -->		95.06	95.05
Screen Joint (feet MSL) -->		83.25	40.05
Screen Length (feet) -->		10	5

	MW-A-3	PZ-A-3	Mid-Point to Mid-Point	
	Groundwater Elevation (feet MSL)	Groundwater Elevation (feet MSL)	Vertical Gradient ft/ft	Vertical Gradient Direction
10/09/2008	80.69	80.63	1.52E-03	Down
01/12/2009	79.75	79.69	1.54E-03	Down
05/19/2010	80.03	79.86	4.35E-03	Down
10/18/2010	81.17	81.09	2.02E-03	Down
02/14/2011	79.98	79.79	4.86E-03	Down
06/18/2013	82.76	82.56	4.94E-03	Down
09/18/2013	80.80	80.65	3.80E-03	Down
09/18/2018	82.40	82.38	4.97E-04	Down
10/08/2020	82.36	81.50	2.14E-02	Down
		Minimum	4.97E-04	Down
		Maximum	2.14E-02	Down
		Average	4.99E-03	Down

Table 4b
Vertical Gradient Calculations
Band Box Cleaners & Laundry, Inc
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

	Wel Name -->	PZ-A-3	PZ-B-3
Top of Well Casing Elevation (feet MSL) -->		95.05	95.09
Screen Joint (feet MSL) -->		40.05	30.09
Screen Length (feet) -->		5	5

	PZ-A-3	PZ-B-3	Mid-Point to Mid-Point	
	Groundwater Elevation (feet MSL)	Groundwater Elevation (feet MSL)	Vertical Gradient ft/ft	Vertical Gradient Direction
10/09/2008	80.63	80.59	4.02E-03	Down
01/12/2009	79.69	79.69	0.00E+00	Down
05/19/2010	79.86	79.87	1.00E-03	Up
10/18/2010	81.09	81.07	2.01E-03	Down
02/14/2011	79.79	79.91	1.20E-02	Up
06/18/2013	82.56	82.52	4.02E-03	Down
09/18/2013	80.65	80.63	2.01E-03	Down
09/18/2018	82.38	81.89	4.92E-02	Down
10/08/2020	81.50	81.52	2.01E-03	Up
		Minimum	1.20E-02	Up
		Maximum	4.92E-02	Down
		Average	5.13E-03	Down

Table 4c
Vertical Gradient Calculations
Band Box Cleaners & Laundry, Inc
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

	Wel Name -->	MW-A-4	PZ-A-4
Top of Well Casing Elevation (feet MSL) -->		97.52	97.48
Screen Joint (feet MSL) -->		84.81	42.62
Screen Length (feet) -->		10	5

Date	MW-A-4	PZ-A-4	Mid-Point to Mid-Point	
	Groundwater Elevation (feet MSL)	Groundwater Elevation (feet MSL)	Vertical Gradient ft/ft	Vertical Gradient Direction
10/09/2008	81.44	81.45	2.63E-04	Up
01/12/2009	80.54	80.53	2.66E-04	Down
05/19/2010	80.56	80.60	1.06E-03	Up
10/18/2010	81.94	81.94	0.00E+00	Down
02/14/2011	80.68	80.72	1.06E-03	Up
06/18/2013	83.32	83.36	1.03E-03	Up
09/18/2013	81.57	81.56	2.63E-04	Down
		Minimum	1.06E-03	Up
		Maximum	2.66E-04	Down
		Average	4.13E-04	Up

Table 4d
Vertical Gradient Calculations
Band Box Cleaners & Laundry, Inc
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

	Wel Name -->	PZ-A-4	PZ-B-4
Top of Well Casing Elevation (feet MSL) -->		97.48	97.62
Screen Joint (feet MSL) -->		42.62	32.62
Screen Length (feet) -->		5	5

	PZ-A-4	PZ-B-4	Mid-Point to Mid-Point	
	Groundwater Elevation (feet MSL)	Groundwater Elevation (feet MSL)	Vertical Gradient ft/ft	Vertical Gradient Direction
10/09/2008	81.45	81.45	0.00E+00	Down
01/12/2009	80.53	80.51	2.00E-03	Down
05/19/2010	80.60	80.56	4.00E-03	Down
10/18/2010	81.94	81.92	2.00E-03	Down
02/14/2011	80.72	80.70	2.00E-03	Down
06/18/2013	83.36	83.33	3.00E-03	Down
09/18/2013	81.56	81.53	3.00E-03	Down
09/18/2018	82.76	82.75	1.00E-03	Down
10/08/2020	82.33	82.30	3.00E-03	Down
		Minimum	0.00E+00	Down
		Maximum	4.00E-03	Down
		Average	2.22E-03	Down

Table 4e
 Vertical Gradient Calculations
 Band Box Cleaners & Laundry, Inc
 1217 Superior Avenue
 Tomah, WI 54460
 BRRTS# 02-42-525072

	Wel Name -->	MW14	MW14P
Top of Well Casing Elevation (feet MSL) -->		98.09	98.40
Screen Joint (feet MSL) -->		85.79	58.69
Screen Length (feet) -->		15	5

	MW14	MW14P	Mid-Point to Mid-Point	
	Groundwater Elevation (feet MSL)	Groundwater Elevation (feet MSL)	Vertical Gradient ft/ft	Vertical Gradient Direction
03/29/2007	80.33	80.05	1.45E-02	Down
08/02/2007	79.99	80.02	1.56E-03	Up
10/09/2008	81.28	81.57	1.46E-02	Up
01/12/2009	80.10	82.17	1.08E-01	Up
05/19/2010	80.42	80.47	2.58E-03	Up
10/18/2010	81.57	83.60	1.02E-01	Up
02/14/2011	80.31	82.32	1.04E-01	Up
06/18/2013	83.21	83.25	1.92E-03	Up
09/18/2013	81.39	81.69	1.51E-02	Up
09/18/2018	82.62	82.95	1.61E-02	Up
10/08/2020	83.26	82.62	3.07E-02	Down
		Minimum	1.08E-01	Up
		Maximum	3.07E-02	Down
		Average	2.90E-02	Up

Table 4f
 Vertical Gradient Calculations
 Band Box Cleaners & Laundry, Inc
 1217 Superior Avenue
 Tomah, WI 54460
 BRRTS# 02-42-525072

	Wel Name -->	MW17	MW17P
Top of Well Casing Elevation (feet MSL) -->		101.91	101.63
Screen Joint (feet MSL) -->		89.38	56.92
Screen Length (feet) -->		10	5

Date	MW17	MW17P	Mid-Point to Mid-Point	
	Groundwater Elevation (feet MSL)	Groundwater Elevation (feet MSL)	Vertical Gradient ft/ft	Vertical Gradient Direction
03/29/2007	80.93	80.88	1.94E-03	Down
08/02/2007	80.66	80.61	1.95E-03	Down
10/09/2008	82.00	81.97	1.14E-03	Down
01/12/2009	81.22	82.52	5.02E-02	Up
05/19/2010	81.05	81.05	0.00E+00	Down
10/18/2010	82.74	84.00	4.73E-02	Up
02/14/2011	81.46	82.80	5.15E-02	Up
06/18/2013	83.90	83.81	3.31E-03	Down
09/18/2013	82.10	82.07	1.14E-03	Down
09/18/2018	83.30	83.29	3.71E-04	Down
10/08/2020	82.99	82.96	1.12E-03	Down
		Minimum	5.15E-02	Up
		Maximum	3.31E-03	Down
		Average	1.26E-02	Up

Table 4g
Vertical Gradient Calculations
Band Box Cleaners & Laundry, Inc
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072


	Wel Name -->	PZ-2	PZ-3
Top of Well Casing Elevation (feet MSL) -->		91.08	90.94
Screen Joint (feet MSL) -->		26.08	35.94
Screen Length (feet) -->		5	5

	PZ-2	PZ-3	Mid-Point to Mid-Point	
Date	Groundwater Elevation (feet MSL)	Groundwater Elevation (feet MSL)	Vertical Gradient ft/ft	Vertical Gradient Direction
09/18/2018	81.79	81.48	3.14E-02	Up
10/08/2020	81.38	81.14	2.43E-02	Up
		Minimum	3.14E-02	Up
		Maximum	2.43E-02	Up
		Average	2.79E-02	Up


DRAWING FILE: P:\8100-8199\8173 - BAND BOX - TOMAH.DWG\8173-VICN.DWG LAYOUT: VICN PLOTTED: MAR 19, 2019 - 1:06PM PLOTTED BY: MATTM



SCALE 1:24 000



CONTOUR INTERVAL 20 FEET
 NORTH AMERICAN VERTICAL DATUM OF 1988



UTM GRID AND 2019 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET

TOMAH QUADRANGLE
 WISCONSIN - MONROE COUNTY
 7.5-MINUTE SERIES



QUADRANGLE LOCATION

TOMAH, WI
 2018

REI ENGINEERING, INC.

BAND BOX CLEANERS & LAUNDRY, INC
 1217 SUPERIOR AVENUE
 TOMAH, WISCONSIN 54660




FIGURE 1 : LOCATION MAP

PROJECT NO.
 8173

DRAWN BY:
 MCM

DATE:
 3/19/2019

DRAWING FILE: P:\8100-8199\8173 - BAND BOX - TOMAH\DWG\8173-SITE.DWG LAYOUT: SITE PLOTTED: FEB 25, 2021 - 12:37PM PLOTTED BY: MATTM



LEGEND

0 90
SCALE: 1" = 90'

- MONITORING WELL
- PIEZOMETER
- SUB-SLAB VAPOR PROBE
- INDOOR AIR SAMPLE LOCATION
- GEOPROBE LOCATION (2/15/07)

NATURAL GAS LINE (APPROXIMATE)

WATER LINE (APPROXIMATE)

SANITARY SEWER LINE (APPROXIMATE)

STORM SEWER LINE (APPROXIMATE)

PROPERTY BOUNDARY - SUBJECT (APPROXIMATE)

PROPERTY BOUNDARY - OTHERS (APPROXIMATE)

REI
CIVIL & ENVIRONMENTAL
ENGINEERING, SURVEYING


BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WISCONSIN 54660

FIGURE 2 : DETAILED SITE MAP

PROJECT No. 8173	DRAWN BY: MCM	DATE: 2/25/2021
---------------------	------------------	--------------------

REI Engineering, INC.

DRAWING FILE: P:\8100-8199\8173 - BAND Box - TOMAH\DWG\8173-GW Flow MW 100820.dwg LAYOUT: GW FLOW-MW PLOTTED: SEP 07, 2021 - 11:24AM PLOTTED BY: MATTM



LEGEND

0 90
SCALE: 1" = 90'

- MONITORING WELL
- PIEZOMETER
- NATURAL GAS LINE (APPROXIMATE)
- WATER LINE (APPROXIMATE)
- SANITARY SEWER LINE (APPROXIMATE)
- STORM SEWER LINE (APPROXIMATE)
- PROPERTY BOUNDARY - SUBJECT (APPROXIMATE)
- PROPERTY BOUNDARY - OTHERS (APPROXIMATE)

- NOTES:**
1. ELEVATION DATA IS BASED ON DEPTH TO GROUNDWATER MEASUREMENTS COLLECTED DURING THE OCTOBER 8, 2020 MONITORING EVENT.
 2. ELEVATION DATA BASED ON A SITE SPECIFIC BENCHMARK DATUM = 100 FEET (METCO).
 3. MONITORING WELLS MW-A-1, MW-A-4, MW-14, MW-15, AND MW19 WERE NOT USED IN CALCULATION OF GROUNDWATER FLOW. MONITORING WELLS MW-A-1, MW-A-4, AND MW-19 COULD NOT BE LOCATED DURING THE MONITORING EVENT. MONITORING WELLS MW-14 AND MW-15 WERE NOT UTILIZED AND THE PVC CASINGS WERE MODIFIED BUT NOT SURVEYED.




BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WISCONSIN 54660

FIGURE 3A: GROUNDWATER FLOW DIRECTION - MONITORING WELLS (OCTOBER 8, 2020)

PROJECT No. 8173	DRAWN BY: MCM	DATE: 9/11/2021
---------------------	------------------	--------------------

REI Engineering, INC.

DRAWING FILE: P:\8100-8199\8173 - BAND Box - TOMAH\DWG\8173-GW Flow MW 100820.dwg LAYOUT: GW FLOW-PZ MID PLOTTED: SEP 07, 2021 - 11:26AM PLOTTED BY: MATTM



LEGEND

0 90
SCALE: 1" = 90'

- MONITORING WELL
- PIEZOMETER
- NATURAL GAS LINE (APPROXIMATE)
- WATER LINE (APPROXIMATE)
- SANITARY SEWER LINE (APPROXIMATE)
- STORM SEWER LINE (APPROXIMATE)
- PROPERTY BOUNDARY - SUBJECT (APPROXIMATE)
- PROPERTY BOUNDARY - OTHERS (APPROXIMATE)

- NOTES:**
1. ELEVATION DATA IS BASED ON DEPTH TO GROUNDWATER MEASUREMENTS COLLECTED DURING THE OCTOBER 8, 2020 MONITORING EVENT.
 2. GROUNDWATER FLOW DIRECTION IS BASED ON PIEZOMETERS WITH SCREENS RANGING IN DEPTH FROM 43.00 FEET TO 30.00 FEET DATUM.
 3. ELEVATION DATA BASED ON A SITE SPECIFIC BENCHMARK DATUM = 100 FEET (METCO).
 4. PIEZOMETERS MW-18P AND MW-19P WERE NOT USED IN CALCULATION OF GROUNDWATER FLOW. WELL CONSTRUCTION DETAILS ARE NOT KNOWN AT THIS TIME.




BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WISCONSIN 54660

FIGURE 3B: GROUNDWATER FLOW DIRECTION - MID-DEPTH PIEZOMETERS (OCTOBER 8, 2020)

PROJECT No. 8173	DRAWN BY: MCM	DATE: 9/11/2021
---------------------	------------------	--------------------

REI Engineering, INC.

DRAWING FILE: P:\8100-8199\8173 - BAND Box - TOMAH\DWG\8173-GW Flow MW 100820.dwg LAYOUT: GW FLOW-PZ DEEP PLOTTED: SEP 07, 2021 - 11:25AM PLOTTED BY: MATTM



APPENDIX A

SUB-SLAB VAPOR INSTALLATION AND SAMPLE COLLECTION METHODS AND PROCEDURES



METHODS AND PROCEDURES

FOR

SUB-SLAB VAPOR PROBE INSTALLATION & SAMPLE COLLECTION

Installation

Interior sub-slab vapor samples are collected via the installation of a stainless-steel VAPOR PIN® (Part# VPIN0522SS). The probe will be installed following the manufacturer Standard Operating Procedure Installation and Extraction of the VAPOR PIN® (March 16, 2018) and Use of the VAPOR PIN® Drilling Guide and Secure Cover (March 16, 2018).

Equilibration & Leak Testing

After installation, the sub-slab vapors will be allowed to equilibrate prior to sampling by allowing the probe to “rest” for a period of one (1) to two (2) hours or by purging the sub-slab probe and screening the sub-slab vapors until field meter reading are stable.

Leak tests to verify the tightness of the sampling train and the sample probe are completed prior to sample collection. A helium shroud is utilized to verify the tightness of the sample probe and sampling train contained within the shroud. The helium shroud consists of a six (6) quart polyethylene box placed over the sample port. Sample tubing, consisting of quarter (1/4) inch outside diameter HDPE is connected to the sample port barbed fitting utilizing approximately two (2) inch long pieces of LS15 silicon tubing and connected to the helium shroud internal sample train. Helium is introduced through a valve in the top of the helium shroud to a concentration of twenty (20) to fifty (50) percent by volume. A MiniRAE PID with internal pump is used to purge the sample line connected to the sample port with at least four (4) volumes of air removed from the tubing. The purge air is monitored for the presence of helium using an OxyCheq Expedition Helium Analyzer. Once the line was purged and the helium detector identified showed the seal was adequate the sample line is disconnected from the vacuum pump and connected to the sampling container. The sample train and vapor probe seal are considered sealed when helium concentrations in the purge air is less than five (5) percent of the shroud concentration.

Sample Collection

Sub-slab vapor samples are collected utilizing an Entech Instruments 1.4-Liter Silonite™ Coated Minican™, received from the laboratory with a vacuum, and a 200cc/min flow controller. The flow

controller is connected to the sample line with a compression fitting to the quarter (1/4) inch HDPE tubing and connected to the sample canister via and Entech instruments Micro-QT™ Valve. Once the flow controller is connected the initial vacuum is recorded and the sample canister draws vapor until the vacuum pressure decreased to two (2) to five (5) inches of mercury at which time it is disconnected flow controller to stop sample collection.




Figure 1: Example Sub-Slab Vapor Sample Train. From WDNR Sub-slab Vapor Sampling Procedures (RR-989), July 2014.

Abandonment

Interior sub-slab vapor probes are extracting following the manufacturer Standard Operating Procedure Installation and Extraction of the VAPOR PIN® (March 16, 2018). The void through the concrete slab is filled with hydraulic cement and smoothed with a trowel.

APPENDIX B

SUB-SLAB VAPOR LABORATORY ANALYTICAL RESULTS



Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

MATTHEW C. MICHELSKI
REI
4080 N. 20TH AVENUE
WAUSAU, WI 54401

Report Date 25-Mar-21

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118A
Sample ID SS-3
Sample Matrix Air
Sample Date 2/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	370	ug/m3	2.99	9.5	10	TO-15		3/4/2021	CJR	1
Benzene	6.9	ug/m3	0.136	0.433	1	TO-15		3/3/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/3/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/3/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/3/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/3/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/3/2021	CJR	1
Carbon Disulfide	0.65	ug/m3	0.138	0.44	1	TO-15		3/3/2021	CJR	1
Carbon Tetrachloride	0.38 "J"	ug/m3	0.307	0.978	1	TO-15		3/3/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/3/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/3/2021	CJR	1
Chloroform	< 0.3	ug/m3	0.3	0.953	1	TO-15		3/3/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/3/2021	CJR	1
Cyclohexane	12.3	ug/m3	0.212	0.674	1	TO-15		3/3/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/3/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/3/2021	CJR	1
1,3-Dichlorobenzene	0.66 "J"	ug/m3	0.302	0.96	1	TO-15		3/3/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/3/2021	CJR	1
Dichlorodifluoromethane	3.9	ug/m3	0.263	0.836	1	TO-15		3/3/2021	CJR	1
1,2-Dichloroethane	0.81	ug/m3	0.24	0.763	1	TO-15		3/3/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/3/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/3/2021	CJR	1
cis-1,2-Dichloroethene	0.91	ug/m3	0.197	0.626	1	TO-15		3/3/2021	CJR	1
trans-1,2-Dichloroethene	0.238 "J"	ug/m3	0.231	0.734	1	TO-15		3/3/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/3/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118A
Sample ID SS-3
Sample Matrix Air
Sample Date 2/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/3/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/3/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/3/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/3/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/3/2021	CJR	1
Ethanol	20.1	ug/m3	0.152	0.482	1	TO-15		3/3/2021	CJR	1
Ethyl Acetate	1.94	ug/m3	0.176	0.559	1	TO-15		3/3/2021	CJR	1
Ethylbenzene	15	ug/m3	0.203	0.645	1	TO-15		3/3/2021	CJR	1
4-Ethyltoluene	4.8	ug/m3	0.214	0.681	1	TO-15		3/3/2021	CJR	1
Heptane	48	ug/m3	0.265	0.845	1	TO-15		3/3/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/3/2021	CJR	1
Hexane	29.3	ug/m3	0.235	0.748	1	TO-15		3/3/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/3/2021	CJR	1
Isopropyl Alcohol	37	ug/m3	0.109	0.347	1	TO-15		3/3/2021	CJR	1
Methyl ethyl ketone (MEK)	232	ug/m3	1.78	5.67	10	TO-15		3/4/2021	CJR	1
Methyl isobutyl ketone (MIBK)	8.8	ug/m3	0.168	0.536	1	TO-15		3/3/2021	CJR	1
Methyl Methacrylate	< 0.217	ug/m3	0.217	0.69	1	TO-15		3/3/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/3/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/3/2021	CJR	1
Naphthalene	0.99 "J"	ug/m3	0.675	2.15	1	TO-15		3/3/2021	CJR	1
Propene	2.79	ug/m3	0.079	0.251	1	TO-15		3/3/2021	CJR	1
Styrene	3.8	ug/m3	0.181	0.577	1	TO-15		3/3/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/3/2021	CJR	1
Tetrachloroethene	18.7	ug/m3	0.278	0.884	1	TO-15		3/3/2021	CJR	1
Tetrahydrofuran	1.83	ug/m3	0.131	0.417	1	TO-15		3/3/2021	CJR	1
Toluene	37	ug/m3	0.184	0.585	1	TO-15		3/3/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/3/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/3/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/3/2021	CJR	1
Trichloroethene (TCE)	18.3	ug/m3	0.237	0.754	1	TO-15		3/3/2021	CJR	1
Trichlorofluoromethane	2.36	ug/m3	0.337	1.07	1	TO-15		3/3/2021	CJR	1
Trichlorotrifluoroethane	0.61 "J"	ug/m3	0.402	1.28	1	TO-15		3/3/2021	CJR	1
1,2,4-Trimethylbenzene	11.2	ug/m3	0.283	0.899	1	TO-15		3/3/2021	CJR	1
1,3,5-Trimethylbenzene	4.6	ug/m3	0.232	0.739	1	TO-15		3/3/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/3/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/3/2021	CJR	1
m&p-Xylene	37	ug/m3	0.377	1.2	1	TO-15		3/3/2021	CJR	1
o-Xylene	11.6	ug/m3	0.218	0.695	1	TO-15		3/3/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118B
Sample ID SS-1T
Sample Matrix Air
Sample Date 2/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	17.3	ug/m3	0.299	0.95	1	TO-15		3/3/2021	CJR	1
Benzene	3.2	ug/m3	0.136	0.433	1	TO-15		3/3/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/3/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/3/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/3/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/3/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/3/2021	CJR	1
Carbon Disulfide	2.05	ug/m3	0.138	0.44	1	TO-15		3/3/2021	CJR	1
Carbon Tetrachloride	< 0.307	ug/m3	0.307	0.978	1	TO-15		3/3/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/3/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/3/2021	CJR	1
Chloroform	6.7	ug/m3	0.3	0.953	1	TO-15		3/3/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/3/2021	CJR	1
Cyclohexane	3.5	ug/m3	0.212	0.674	1	TO-15		3/3/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/3/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/3/2021	CJR	1
1,3-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/3/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/3/2021	CJR	1
Dichlorodifluoromethane	4.5	ug/m3	0.263	0.836	1	TO-15		3/3/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/3/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/3/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/3/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/3/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/3/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/3/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/3/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/3/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/3/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/3/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/3/2021	CJR	1
Ethanol	72	ug/m3	0.152	0.482	1	TO-15		3/3/2021	CJR	1
Ethyl Acetate	1.15	ug/m3	0.176	0.559	1	TO-15		3/3/2021	CJR	1
Ethylbenzene	7.6	ug/m3	0.203	0.645	1	TO-15		3/3/2021	CJR	1
4-Ethyltoluene	2.35	ug/m3	0.214	0.681	1	TO-15		3/3/2021	CJR	1
Heptane	9.7	ug/m3	0.265	0.845	1	TO-15		3/3/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/3/2021	CJR	1
Hexane	12.8	ug/m3	0.235	0.748	1	TO-15		3/3/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/3/2021	CJR	1
Isopropyl Alcohol	76	ug/m3	0.109	0.347	1	TO-15		3/3/2021	CJR	1
Methyl ethyl ketone (MEK)	11.4	ug/m3	0.178	0.567	1	TO-15		3/3/2021	CJR	1
Methyl isobutyl ketone (MIBK)	1.64	ug/m3	0.168	0.536	1	TO-15		3/3/2021	CJR	1
Methyl Methacrylate	< 0.217	ug/m3	0.217	0.69	1	TO-15		3/3/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/3/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/3/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118B
Sample ID SS-1T
Sample Matrix Air
Sample Date 2/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	1.15 "J"	ug/m3	0.675	2.15	1	TO-15		3/3/2021	CJR	1
Propene	4.7	ug/m3	0.079	0.251	1	TO-15		3/3/2021	CJR	1
Styrene	4.0	ug/m3	0.181	0.577	1	TO-15		3/3/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/3/2021	CJR	1
Tetrachloroethene	10.2	ug/m3	0.278	0.884	1	TO-15		3/3/2021	CJR	1
Tetrahydrofuran	3.12	ug/m3	0.131	0.417	1	TO-15		3/3/2021	CJR	1
Toluene	23.1	ug/m3	0.184	0.585	1	TO-15		3/3/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/3/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/3/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/3/2021	CJR	1
Trichloroethene (TCE)	< 0.237	ug/m3	0.237	0.754	1	TO-15		3/3/2021	CJR	1
Trichlorofluoromethane	2.75	ug/m3	0.337	1.07	1	TO-15		3/3/2021	CJR	1
Trichlorotrifluoroethane	0.61 "J"	ug/m3	0.402	1.28	1	TO-15		3/3/2021	CJR	1
1,2,4-Trimethylbenzene	6.1	ug/m3	0.283	0.899	1	TO-15		3/3/2021	CJR	1
1,3,5-Trimethylbenzene	1.96	ug/m3	0.232	0.739	1	TO-15		3/3/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/3/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/3/2021	CJR	1
m&p-Xylene	22.8	ug/m3	0.377	1.2	1	TO-15		3/3/2021	CJR	1
o-Xylene	9.2	ug/m3	0.218	0.695	1	TO-15		3/3/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118C
Sample ID SS-6
Sample Matrix Air
Sample Date 2/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	6.5	ug/m3	0.299	0.95	1	TO-15		3/3/2021	CJR	1
Benzene	1.69	ug/m3	0.136	0.433	1	TO-15		3/3/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/3/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/3/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/3/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/3/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/3/2021	CJR	1
Carbon Disulfide	0.187 "J"	ug/m3	0.138	0.44	1	TO-15		3/3/2021	CJR	1
Carbon Tetrachloride	0.38 "J"	ug/m3	0.307	0.978	1	TO-15		3/3/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/3/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/3/2021	CJR	1
Chloroform	171	ug/m3	0.3	0.953	1	TO-15		3/3/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/3/2021	CJR	1
Cyclohexane	0.69	ug/m3	0.212	0.674	1	TO-15		3/3/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/3/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/3/2021	CJR	1
1,3-Dichlorobenzene	1.8	ug/m3	0.302	0.96	1	TO-15		3/3/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/3/2021	CJR	1
Dichlorodifluoromethane	2.42	ug/m3	0.263	0.836	1	TO-15		3/3/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/3/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/3/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/3/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/3/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/3/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/3/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/3/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/3/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/3/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/3/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/3/2021	CJR	1
Ethanol	106	ug/m3	0.152	0.482	1	TO-15		3/3/2021	CJR	10
Ethyl Acetate	0.97	ug/m3	0.176	0.559	1	TO-15		3/3/2021	CJR	1
Ethylbenzene	7.9	ug/m3	0.203	0.645	1	TO-15		3/3/2021	CJR	1
4-Ethyltoluene	4.3	ug/m3	0.214	0.681	1	TO-15		3/3/2021	CJR	1
Heptane	2.45	ug/m3	0.265	0.845	1	TO-15		3/3/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/3/2021	CJR	1
Hexane	2.78	ug/m3	0.235	0.748	1	TO-15		3/3/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/3/2021	CJR	1
Isopropyl Alcohol	98	ug/m3	0.109	0.347	1	TO-15		3/3/2021	CJR	1
Methyl ethyl ketone (MEK)	5.6	ug/m3	0.178	0.567	1	TO-15		3/3/2021	CJR	1
Methyl isobutyl ketone (MIBK)	0.70	ug/m3	0.168	0.536	1	TO-15		3/3/2021	CJR	1
Methyl Methacrylate	0.53 "J"	ug/m3	0.217	0.69	1	TO-15		3/3/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/3/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/3/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118C
Sample ID SS-6
Sample Matrix Air
Sample Date 2/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	1.94 "J"	ug/m3	0.675	2.15	1	TO-15		3/3/2021	CJR	1
Propene	2.31	ug/m3	0.079	0.251	1	TO-15		3/3/2021	CJR	1
Styrene	0.94	ug/m3	0.181	0.577	1	TO-15		3/3/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/3/2021	CJR	1
Tetrachloroethene	22.9	ug/m3	0.278	0.884	1	TO-15		3/3/2021	CJR	1
Tetrahydrofuran	0.94	ug/m3	0.131	0.417	1	TO-15		3/3/2021	CJR	1
Toluene	18.6	ug/m3	0.184	0.585	1	TO-15		3/3/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/3/2021	CJR	1
1,1,1-Trichloroethane	0.54 "J"	ug/m3	0.249	0.793	1	TO-15		3/3/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/3/2021	CJR	1
Trichloroethene (TCE)	0.268 "J"	ug/m3	0.237	0.754	1	TO-15		3/3/2021	CJR	1
Trichlorofluoromethane	1.97	ug/m3	0.337	1.07	1	TO-15		3/3/2021	CJR	1
Trichlorotrifluoroethane	0.61 "J"	ug/m3	0.402	1.28	1	TO-15		3/3/2021	CJR	1
1,2,4-Trimethylbenzene	13.9	ug/m3	0.283	0.899	1	TO-15		3/3/2021	CJR	1
1,3,5-Trimethylbenzene	3.4	ug/m3	0.232	0.739	1	TO-15		3/3/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/3/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/3/2021	CJR	1
m&p-Xylene	26.3	ug/m3	0.377	1.2	1	TO-15		3/3/2021	CJR	1
o-Xylene	11.1	ug/m3	0.218	0.695	1	TO-15		3/3/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118D
Sample ID SS-2
Sample Matrix Air
Sample Date 2/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	5.3	ug/m3	0.299	0.95	1	TO-15		3/3/2021	CJR	1
Benzene	1.92	ug/m3	0.136	0.433	1	TO-15		3/3/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/3/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/3/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/3/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/3/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/3/2021	CJR	1
Carbon Disulfide	0.53	ug/m3	0.138	0.44	1	TO-15		3/3/2021	CJR	1
Carbon Tetrachloride	0.50 "J"	ug/m3	0.307	0.978	1	TO-15		3/3/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/3/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/3/2021	CJR	1
Chloroform	0.73 "J"	ug/m3	0.3	0.953	1	TO-15		3/3/2021	CJR	1
Chloromethane	0.85 "J"	ug/m3	0.831	2.64	1	TO-15		3/3/2021	CJR	1
Cyclohexane	0.69	ug/m3	0.212	0.674	1	TO-15		3/3/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/3/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/3/2021	CJR	1
1,3-Dichlorobenzene	1.14	ug/m3	0.302	0.96	1	TO-15		3/3/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/3/2021	CJR	1
Dichlorodifluoromethane	3.3	ug/m3	0.263	0.836	1	TO-15		3/3/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/3/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/3/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/3/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/3/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/3/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/3/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/3/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/3/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/3/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/3/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/3/2021	CJR	1
Ethanol	46	ug/m3	0.152	0.482	1	TO-15		3/3/2021	CJR	1
Ethyl Acetate	< 0.176	ug/m3	0.176	0.559	1	TO-15		3/3/2021	CJR	1
Ethylbenzene	5.5	ug/m3	0.203	0.645	1	TO-15		3/3/2021	CJR	1
4-Ethyltoluene	2.55	ug/m3	0.214	0.681	1	TO-15		3/3/2021	CJR	1
Heptane	1.92	ug/m3	0.265	0.845	1	TO-15		3/3/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/3/2021	CJR	1
Hexane	2.08	ug/m3	0.235	0.748	1	TO-15		3/3/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/3/2021	CJR	1
Isopropyl Alcohol	69	ug/m3	0.109	0.347	1	TO-15		3/3/2021	CJR	1
Methyl ethyl ketone (MEK)	3.5	ug/m3	0.178	0.567	1	TO-15		3/3/2021	CJR	1
Methyl isobutyl ketone (MIBK)	0.53 "J"	ug/m3	0.168	0.536	1	TO-15		3/3/2021	CJR	1
Methyl Methacrylate	0.65 "J"	ug/m3	0.217	0.69	1	TO-15		3/3/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/3/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/3/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118D
Sample ID SS-2
Sample Matrix Air
Sample Date 2/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	0.99 "J"	ug/m3	0.675	2.15	1	TO-15		3/3/2021	CJR	1
Propene	3.13	ug/m3	0.079	0.251	1	TO-15		3/3/2021	CJR	1
Styrene	0.72	ug/m3	0.181	0.577	1	TO-15		3/3/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/3/2021	CJR	1
Tetrachloroethene	7.3	ug/m3	0.278	0.884	1	TO-15		3/3/2021	CJR	1
Tetrahydrofuran	0.50	ug/m3	0.131	0.417	1	TO-15		3/3/2021	CJR	1
Toluene	13.7	ug/m3	0.184	0.585	1	TO-15		3/3/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/3/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/3/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/3/2021	CJR	1
Trichloroethene (TCE)	< 0.237	ug/m3	0.237	0.754	1	TO-15		3/3/2021	CJR	1
Trichlorofluoromethane	1.4	ug/m3	0.337	1.07	1	TO-15		3/3/2021	CJR	1
Trichlorotrifluoroethane	0.69 "J"	ug/m3	0.402	1.28	1	TO-15		3/3/2021	CJR	1
1,2,4-Trimethylbenzene	8.4	ug/m3	0.283	0.899	1	TO-15		3/3/2021	CJR	1
1,3,5-Trimethylbenzene	2.26	ug/m3	0.232	0.739	1	TO-15		3/3/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/3/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/3/2021	CJR	1
m&p-Xylene	18	ug/m3	0.377	1.2	1	TO-15		3/3/2021	CJR	1
o-Xylene	7.6	ug/m3	0.218	0.695	1	TO-15		3/3/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118E
Sample ID SS-8
Sample Matrix Air
Sample Date 2/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	43	ug/m3	0.299	0.95	1	TO-15		3/3/2021	CJR	1
Benzene	3.2	ug/m3	0.136	0.433	1	TO-15		3/3/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/3/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/3/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/3/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/3/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/3/2021	CJR	1
Carbon Disulfide	7.7	ug/m3	0.138	0.44	1	TO-15		3/3/2021	CJR	1
Carbon Tetrachloride	0.44 "J"	ug/m3	0.307	0.978	1	TO-15		3/3/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/3/2021	CJR	1
Chloroethane	0.71	ug/m3	0.159	0.507	1	TO-15		3/3/2021	CJR	1
Chloroform	< 0.3	ug/m3	0.3	0.953	1	TO-15		3/3/2021	CJR	1
Chloromethane	1.45 "J"	ug/m3	0.831	2.64	1	TO-15		3/3/2021	CJR	1
Cyclohexane	1.14	ug/m3	0.212	0.674	1	TO-15		3/3/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/3/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/3/2021	CJR	1
1,3-Dichlorobenzene	2.7	ug/m3	0.302	0.96	1	TO-15		3/3/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/3/2021	CJR	1
Dichlorodifluoromethane	10.9	ug/m3	0.263	0.836	1	TO-15		3/3/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/3/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/3/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/3/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/3/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/3/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/3/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/3/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/3/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/3/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/3/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/3/2021	CJR	1
Ethanol	110	ug/m3	0.152	0.482	1	TO-15		3/3/2021	CJR	10
Ethyl Acetate	1.84	ug/m3	0.176	0.559	1	TO-15		3/3/2021	CJR	1
Ethylbenzene	10.9	ug/m3	0.203	0.645	1	TO-15		3/3/2021	CJR	1
4-Ethyltoluene	5.0	ug/m3	0.214	0.681	1	TO-15		3/3/2021	CJR	1
Heptane	4.3	ug/m3	0.265	0.845	1	TO-15		3/3/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/3/2021	CJR	1
Hexane	3.6	ug/m3	0.235	0.748	1	TO-15		3/3/2021	CJR	1
2-Hexanone	1.88	ug/m3	0.222	0.707	1	TO-15		3/3/2021	CJR	1
Isopropyl Alcohol	91	ug/m3	0.109	0.347	1	TO-15		3/3/2021	CJR	1
Methyl ethyl ketone (MEK)	22.9	ug/m3	0.178	0.567	1	TO-15		3/3/2021	CJR	1
Methyl isobutyl ketone (MIBK)	2.99	ug/m3	0.168	0.536	1	TO-15		3/3/2021	CJR	1
Methyl Methacrylate	0.57 "J"	ug/m3	0.217	0.69	1	TO-15		3/3/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/3/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/3/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118E
Sample ID SS-8
Sample Matrix Air
Sample Date 2/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	1.88 "J"	ug/m3	0.675	2.15	1	TO-15		3/3/2021	CJR	1
Propene	12.3	ug/m3	0.079	0.251	1	TO-15		3/3/2021	CJR	1
Styrene	1.11	ug/m3	0.181	0.577	1	TO-15		3/3/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/3/2021	CJR	1
Tetrachloroethene	55	ug/m3	0.278	0.884	1	TO-15		3/3/2021	CJR	1
Tetrahydrofuran	1.41	ug/m3	0.131	0.417	1	TO-15		3/3/2021	CJR	1
Toluene	26.4	ug/m3	0.184	0.585	1	TO-15		3/3/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/3/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/3/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/3/2021	CJR	1
Trichloroethene (TCE)	3.3	ug/m3	0.237	0.754	1	TO-15		3/3/2021	CJR	1
Trichlorofluoromethane	1.57	ug/m3	0.337	1.07	1	TO-15		3/3/2021	CJR	1
Trichlorotrifluoroethane	0.69 "J"	ug/m3	0.402	1.28	1	TO-15		3/3/2021	CJR	1
1,2,4-Trimethylbenzene	16	ug/m3	0.283	0.899	1	TO-15		3/3/2021	CJR	1
1,3,5-Trimethylbenzene	4.3	ug/m3	0.232	0.739	1	TO-15		3/3/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/3/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/3/2021	CJR	1
m&p-Xylene	36	ug/m3	0.377	1.2	1	TO-15		3/3/2021	CJR	1
o-Xylene	14.4	ug/m3	0.218	0.695	1	TO-15		3/3/2021	CJR	1

Project Name BAND BOX TOMAH
 Project # 8173

Invoice # E39118

Lab Code 5039118F
 Sample ID SS-5
 Sample Matrix Air
 Sample Date 2/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	19.2	ug/m3	0.299	0.95	1	TO-15		3/4/2021	CJR	1
Benzene	1.5	ug/m3	0.136	0.433	1	TO-15		3/4/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/4/2021	CJR	1
Bromodichloromethane	4.4	ug/m3	0.374	1.19	1	TO-15		3/4/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/4/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/4/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/4/2021	CJR	1
Carbon Disulfide	1.09	ug/m3	0.138	0.44	1	TO-15		3/4/2021	CJR	1
Carbon Tetrachloride	0.57 "J"	ug/m3	0.307	0.978	1	TO-15		3/4/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/4/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/4/2021	CJR	1
Chloroform	55	ug/m3	0.3	0.953	1	TO-15		3/4/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/4/2021	CJR	1
Cyclohexane	0.62 "J"	ug/m3	0.212	0.674	1	TO-15		3/4/2021	CJR	1
Dibromochloromethane	0.51 "J"	ug/m3	0.376	1.2	1	TO-15		3/4/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,3-Dichlorobenzene	1.98	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/4/2021	CJR	1
Dichlorodifluoromethane	350	ug/m3	52.6	167.2	200	TO-15		3/5/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/4/2021	CJR	1
cis-1,2-Dichloroethene	1.11	ug/m3	0.197	0.626	1	TO-15		3/4/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/4/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/4/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/4/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorotetrafluoroethane	0.49 "J"	ug/m3	0.446	1.42	1	TO-15		3/4/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/4/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/4/2021	CJR	1
Ethanol	41	ug/m3	0.152	0.482	1	TO-15		3/4/2021	CJR	1
Ethyl Acetate	< 0.176	ug/m3	0.176	0.559	1	TO-15		3/4/2021	CJR	1
Ethylbenzene	7.8	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
4-Ethyltoluene	3.9	ug/m3	0.214	0.681	1	TO-15		3/4/2021	CJR	1
Heptane	2.41	ug/m3	0.265	0.845	1	TO-15		3/4/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/4/2021	CJR	1
Hexane	1.69	ug/m3	0.235	0.748	1	TO-15		3/4/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/4/2021	CJR	1
Isopropyl Alcohol	78	ug/m3	0.109	0.347	1	TO-15		3/4/2021	CJR	1
Methyl ethyl ketone (MEK)	9.8	ug/m3	0.178	0.567	1	TO-15		3/4/2021	CJR	1
Methyl isobutyl ketone (MIBK)	2.95	ug/m3	0.168	0.536	1	TO-15		3/4/2021	CJR	1
Methyl Methacrylate	1.19	ug/m3	0.217	0.69	1	TO-15		3/4/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/4/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118F
Sample ID SS-5
Sample Matrix Air
Sample Date 2/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	1.73 "J"	ug/m3	0.675	2.15	1	TO-15		3/4/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/4/2021	CJR	1
Styrene	0.77	ug/m3	0.181	0.577	1	TO-15		3/4/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/4/2021	CJR	1
Tetrachloroethene	42000	ug/m3	111.2	353.6	400	TO-15		3/9/2021	CJR	1
Tetrahydrofuran	0.94	ug/m3	0.131	0.417	1	TO-15		3/4/2021	CJR	1
Toluene	25.6	ug/m3	0.184	0.585	1	TO-15		3/4/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/4/2021	CJR	1
1,1,1-Trichloroethane	0.71 "J"	ug/m3	0.249	0.793	1	TO-15		3/4/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/4/2021	CJR	1
Trichloroethene (TCE)	108	ug/m3	0.237	0.754	1	TO-15		3/4/2021	CJR	1
Trichlorofluoromethane	5.6	ug/m3	0.337	1.07	1	TO-15		3/4/2021	CJR	1
Trichlorotrifluoroethane	1.15 "J"	ug/m3	0.402	1.28	1	TO-15		3/4/2021	CJR	1
1,2,4-Trimethylbenzene	14.1	ug/m3	0.283	0.899	1	TO-15		3/4/2021	CJR	1
1,3,5-Trimethylbenzene	3.09	ug/m3	0.232	0.739	1	TO-15		3/4/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/4/2021	CJR	1
m&p-Xylene	26.7	ug/m3	0.377	1.2	1	TO-15		3/4/2021	CJR	1
o-Xylene	11.6	ug/m3	0.218	0.695	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118G
Sample ID SS-9
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	38	ug/m3	0.299	0.95	1	TO-15		3/4/2021	CJR	1
Benzene	1.82	ug/m3	0.136	0.433	1	TO-15		3/4/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/4/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/4/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/4/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/4/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/4/2021	CJR	1
Carbon Disulfide	0.50	ug/m3	0.138	0.44	1	TO-15		3/4/2021	CJR	1
Carbon Tetrachloride	0.315 "J"	ug/m3	0.307	0.978	1	TO-15		3/4/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/4/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/4/2021	CJR	1
Chloroform	0.73 "J"	ug/m3	0.3	0.953	1	TO-15		3/4/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/4/2021	CJR	1
Cyclohexane	0.52 "J"	ug/m3	0.212	0.674	1	TO-15		3/4/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/4/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,3-Dichlorobenzene	3.7	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/4/2021	CJR	1
Dichlorodifluoromethane	9.6	ug/m3	0.263	0.836	1	TO-15		3/4/2021	CJR	1
1,2-Dichloroethane	0.243 "J"	ug/m3	0.24	0.763	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/4/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/4/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/4/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/4/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/4/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/4/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/4/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/4/2021	CJR	1
Ethanol	400	ug/m3	30.4	96.4	200	TO-15		3/5/2021	CJR	1
Ethyl Acetate	1.76	ug/m3	0.176	0.559	1	TO-15		3/4/2021	CJR	1
Ethylbenzene	12	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
4-Ethyltoluene	7.0	ug/m3	0.214	0.681	1	TO-15		3/4/2021	CJR	1
Heptane	2.58	ug/m3	0.265	0.845	1	TO-15		3/4/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/4/2021	CJR	1
Hexane	1.37	ug/m3	0.235	0.748	1	TO-15		3/4/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/4/2021	CJR	1
Isopropyl Alcohol	192	ug/m3	21.8	69.4	200	TO-15		3/5/2021	CJR	1
Methyl ethyl ketone (MEK)	13.8	ug/m3	0.178	0.567	1	TO-15		3/4/2021	CJR	1
Methyl isobutyl ketone (MIBK)	1.92	ug/m3	0.168	0.536	1	TO-15		3/4/2021	CJR	1
Methyl Methacrylate	1.64	ug/m3	0.217	0.69	1	TO-15		3/4/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/4/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118G
Sample ID SS-9
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	2.98	ug/m3	0.675	2.15	1	TO-15		3/4/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/4/2021	CJR	1
Styrene	1.15	ug/m3	0.181	0.577	1	TO-15		3/4/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/4/2021	CJR	1
Tetrachloroethene	7800	ug/m3	55.6	176.8	200	TO-15		3/5/2021	CJR	1
Tetrahydrofuran	2.03	ug/m3	0.131	0.417	1	TO-15		3/4/2021	CJR	1
Toluene	35	ug/m3	0.184	0.585	1	TO-15		3/4/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/4/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/4/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/4/2021	CJR	1
Trichloroethene (TCE)	8.1	ug/m3	0.237	0.754	1	TO-15		3/4/2021	CJR	1
Trichlorofluoromethane	1.85	ug/m3	0.337	1.07	1	TO-15		3/4/2021	CJR	1
Trichlorotrifluoroethane	0.77 "J"	ug/m3	0.402	1.28	1	TO-15		3/4/2021	CJR	1
1,2,4-Trimethylbenzene	23.6	ug/m3	0.283	0.899	1	TO-15		3/4/2021	CJR	1
1,3,5-Trimethylbenzene	6.0	ug/m3	0.232	0.739	1	TO-15		3/4/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/4/2021	CJR	1
m&p-Xylene	40	ug/m3	0.377	1.2	1	TO-15		3/4/2021	CJR	1
o-Xylene	17.4	ug/m3	0.218	0.695	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118H
Sample ID SS-10
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	17.3	ug/m3	0.299	0.95	1	TO-15		3/4/2021	CJR	1
Benzene	1.98	ug/m3	0.136	0.433	1	TO-15		3/4/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/4/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/4/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/4/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/4/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/4/2021	CJR	1
Carbon Disulfide	0.78	ug/m3	0.138	0.44	1	TO-15		3/4/2021	CJR	1
Carbon Tetrachloride	0.50 "J"	ug/m3	0.307	0.978	1	TO-15		3/4/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/4/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/4/2021	CJR	1
Chloroform	0.39 "J"	ug/m3	0.3	0.953	1	TO-15		3/4/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/4/2021	CJR	1
Cyclohexane	0.76	ug/m3	0.212	0.674	1	TO-15		3/4/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/4/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,3-Dichlorobenzene	4.1	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/4/2021	CJR	1
Dichlorodifluoromethane	2.77	ug/m3	0.263	0.836	1	TO-15		3/4/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/4/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/4/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/4/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/4/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/4/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/4/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/4/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/4/2021	CJR	1
Ethanol	86	ug/m3	0.152	0.482	1	TO-15		3/4/2021	CJR	10
Ethyl Acetate	1.8	ug/m3	0.176	0.559	1	TO-15		3/4/2021	CJR	1
Ethylbenzene	16.2	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
4-Ethyltoluene	8.8	ug/m3	0.214	0.681	1	TO-15		3/4/2021	CJR	1
Heptane	3.5	ug/m3	0.265	0.845	1	TO-15		3/4/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/4/2021	CJR	1
Hexane	1.83	ug/m3	0.235	0.748	1	TO-15		3/4/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/4/2021	CJR	1
Isopropyl Alcohol	205	ug/m3	0.109	0.347	1	TO-15		3/4/2021	CJR	10
Methyl ethyl ketone (MEK)	11.4	ug/m3	0.178	0.567	1	TO-15		3/4/2021	CJR	1
Methyl isobutyl ketone (MIBK)	1.35	ug/m3	0.168	0.536	1	TO-15		3/4/2021	CJR	1
Methyl Methacrylate	1.35	ug/m3	0.217	0.69	1	TO-15		3/4/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/4/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118H
Sample ID SS-10
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	8.0	ug/m3	0.675	2.15	1	TO-15		3/4/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/4/2021	CJR	1
Styrene	1.7	ug/m3	0.181	0.577	1	TO-15		3/4/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/4/2021	CJR	1
Tetrachloroethene	214	ug/m3	0.278	0.884	1	TO-15		3/4/2021	CJR	1
Tetrahydrofuran	1.59	ug/m3	0.131	0.417	1	TO-15		3/4/2021	CJR	1
Toluene	25.6	ug/m3	0.184	0.585	1	TO-15		3/4/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/4/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/4/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/4/2021	CJR	1
Trichloroethene (TCE)	0.43 "J"	ug/m3	0.237	0.754	1	TO-15		3/4/2021	CJR	1
Trichlorofluoromethane	1.52	ug/m3	0.337	1.07	1	TO-15		3/4/2021	CJR	1
Trichlorotrifluoroethane	0.69 "J"	ug/m3	0.402	1.28	1	TO-15		3/4/2021	CJR	1
1,2,4-Trimethylbenzene	30.4	ug/m3	0.283	0.899	1	TO-15		3/4/2021	CJR	1
1,3,5-Trimethylbenzene	7.7	ug/m3	0.232	0.739	1	TO-15		3/4/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/4/2021	CJR	1
m&p-Xylene	54	ug/m3	0.377	1.2	1	TO-15		3/4/2021	CJR	1
o-Xylene	22.7	ug/m3	0.218	0.695	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
 Project # 8173

Invoice # E39118

Lab Code 5039118I
 Sample ID SS-11
 Sample Matrix Air
 Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	25.4	ug/m3	0.299	0.95	1	TO-15		3/4/2021	CJR	1
Benzene	3.9	ug/m3	0.136	0.433	1	TO-15		3/4/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/4/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/4/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/4/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/4/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/4/2021	CJR	1
Carbon Disulfide	1.31	ug/m3	0.138	0.44	1	TO-15		3/4/2021	CJR	1
Carbon Tetrachloride	< 0.307	ug/m3	0.307	0.978	1	TO-15		3/4/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/4/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/4/2021	CJR	1
Chloroform	< 0.3	ug/m3	0.3	0.953	1	TO-15		3/4/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/4/2021	CJR	1
Cyclohexane	1.24	ug/m3	0.212	0.674	1	TO-15		3/4/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/4/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,3-Dichlorobenzene	0.48 "J"	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/4/2021	CJR	1
Dichlorodifluoromethane	2.72	ug/m3	0.263	0.836	1	TO-15		3/4/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/4/2021	CJR	1
cis-1,2-Dichloroethene	0.277 "J"	ug/m3	0.197	0.626	1	TO-15		3/4/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/4/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/4/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/4/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/4/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/4/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/4/2021	CJR	1
Ethanol	54	ug/m3	0.152	0.482	1	TO-15		3/4/2021	CJR	1
Ethyl Acetate	< 0.176	ug/m3	0.176	0.559	1	TO-15		3/4/2021	CJR	1
Ethylbenzene	7.5	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
4-Ethyltoluene	2.75	ug/m3	0.214	0.681	1	TO-15		3/4/2021	CJR	1
Heptane	5.1	ug/m3	0.265	0.845	1	TO-15		3/4/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/4/2021	CJR	1
Hexane	4.4	ug/m3	0.235	0.748	1	TO-15		3/4/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/4/2021	CJR	1
Isopropyl Alcohol	134	ug/m3	0.109	0.347	1	TO-15		3/4/2021	CJR	10
Methyl ethyl ketone (MEK)	15.3	ug/m3	0.178	0.567	1	TO-15		3/4/2021	CJR	1
Methyl isobutyl ketone (MIBK)	1.72	ug/m3	0.168	0.536	1	TO-15		3/4/2021	CJR	1
Methyl Methacrylate	1.19	ug/m3	0.217	0.69	1	TO-15		3/4/2021	CJR	1
Methylene chloride	16.2	ug/m3	0.159	0.506	1	TO-15		3/4/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118I
Sample ID SS-11
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	0.68 "J"	ug/m3	0.675	2.15	1	TO-15		3/4/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/4/2021	CJR	1
Styrene	3.7	ug/m3	0.181	0.577	1	TO-15		3/4/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/4/2021	CJR	1
Tetrachloroethene	238	ug/m3	0.278	0.884	1	TO-15		3/4/2021	CJR	1
Tetrahydrofuran	1.86	ug/m3	0.131	0.417	1	TO-15		3/4/2021	CJR	1
Toluene	22.9	ug/m3	0.184	0.585	1	TO-15		3/4/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/4/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/4/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/4/2021	CJR	1
Trichloroethene (TCE)	9.1	ug/m3	0.237	0.754	1	TO-15		3/4/2021	CJR	1
Trichlorofluoromethane	1.63	ug/m3	0.337	1.07	1	TO-15		3/4/2021	CJR	1
Trichlorotrifluoroethane	0.61 "J"	ug/m3	0.402	1.28	1	TO-15		3/4/2021	CJR	1
1,2,4-Trimethylbenzene	7.1	ug/m3	0.283	0.899	1	TO-15		3/4/2021	CJR	1
1,3,5-Trimethylbenzene	2.16	ug/m3	0.232	0.739	1	TO-15		3/4/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/4/2021	CJR	1
m&p-Xylene	24.1	ug/m3	0.377	1.2	1	TO-15		3/4/2021	CJR	1
o-Xylene	9.8	ug/m3	0.218	0.695	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118J
Sample ID SS-12
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	43	ug/m3	0.299	0.95	1	TO-15		3/4/2021	CJR	1
Benzene	2.68	ug/m3	0.136	0.433	1	TO-15		3/4/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/4/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/4/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/4/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/4/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/4/2021	CJR	1
Carbon Disulfide	0.62	ug/m3	0.138	0.44	1	TO-15		3/4/2021	CJR	1
Carbon Tetrachloride	0.57 "J"	ug/m3	0.307	0.978	1	TO-15		3/4/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/4/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/4/2021	CJR	1
Chloroform	< 0.3	ug/m3	0.3	0.953	1	TO-15		3/4/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/4/2021	CJR	1
Cyclohexane	1.0	ug/m3	0.212	0.674	1	TO-15		3/4/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/4/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,3-Dichlorobenzene	0.42 "J"	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/4/2021	CJR	1
Dichlorodifluoromethane	3.11	ug/m3	0.263	0.836	1	TO-15		3/4/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/4/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/4/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/4/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/4/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/4/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/4/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/4/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/4/2021	CJR	1
Ethanol	8.5	ug/m3	0.152	0.482	1	TO-15		3/4/2021	CJR	1
Ethyl Acetate	< 0.176	ug/m3	0.176	0.559	1	TO-15		3/4/2021	CJR	1
Ethylbenzene	8.7	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
4-Ethyltoluene	2.85	ug/m3	0.214	0.681	1	TO-15		3/4/2021	CJR	1
Heptane	4.9	ug/m3	0.265	0.845	1	TO-15		3/4/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/4/2021	CJR	1
Hexane	3.14	ug/m3	0.235	0.748	1	TO-15		3/4/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/4/2021	CJR	1
Isopropyl Alcohol	28.9	ug/m3	0.109	0.347	1	TO-15		3/4/2021	CJR	1
Methyl ethyl ketone (MEK)	9.6	ug/m3	0.178	0.567	1	TO-15		3/4/2021	CJR	1
Methyl isobutyl ketone (MIBK)	1.64	ug/m3	0.168	0.536	1	TO-15		3/4/2021	CJR	1
Methyl Methacrylate	0.78	ug/m3	0.217	0.69	1	TO-15		3/4/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/4/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118J
Sample ID SS-12
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	< 0.675	ug/m3	0.675	2.15	1	TO-15		3/4/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/4/2021	CJR	1
Styrene	5.0	ug/m3	0.181	0.577	1	TO-15		3/4/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/4/2021	CJR	1
Tetrachloroethene	129	ug/m3	0.278	0.884	1	TO-15		3/4/2021	CJR	1
Tetrahydrofuran	1.24	ug/m3	0.131	0.417	1	TO-15		3/4/2021	CJR	1
Toluene	22.5	ug/m3	0.184	0.585	1	TO-15		3/4/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/4/2021	CJR	1
1,1,1-Trichloroethane	1.85	ug/m3	0.249	0.793	1	TO-15		3/4/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/4/2021	CJR	1
Trichloroethene (TCE)	< 0.237	ug/m3	0.237	0.754	1	TO-15		3/4/2021	CJR	1
Trichlorofluoromethane	1.74	ug/m3	0.337	1.07	1	TO-15		3/4/2021	CJR	1
Trichlorotrifluoroethane	0.61 "J"	ug/m3	0.402	1.28	1	TO-15		3/4/2021	CJR	1
1,2,4-Trimethylbenzene	6.0	ug/m3	0.283	0.899	1	TO-15		3/4/2021	CJR	1
1,3,5-Trimethylbenzene	2.45	ug/m3	0.232	0.739	1	TO-15		3/4/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/4/2021	CJR	1
m&p-Xylene	27.4	ug/m3	0.377	1.2	1	TO-15		3/4/2021	CJR	1
o-Xylene	10.8	ug/m3	0.218	0.695	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118K
Sample ID SS-13
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	94	ug/m3	0.299	0.95	1	TO-15		3/4/2021	CJR	1
Benzene	3.03	ug/m3	0.136	0.433	1	TO-15		3/4/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/4/2021	CJR	1
Bromodichloromethane	2.41	ug/m3	0.374	1.19	1	TO-15		3/4/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/4/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/4/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/4/2021	CJR	1
Carbon Disulfide	1.56	ug/m3	0.138	0.44	1	TO-15		3/4/2021	CJR	1
Carbon Tetrachloride	0.50 "J"	ug/m3	0.307	0.978	1	TO-15		3/4/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/4/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/4/2021	CJR	1
Chloroform	227	ug/m3	0.3	0.953	1	TO-15		3/4/2021	CJR	10
Chloromethane	0.93 "J"	ug/m3	0.831	2.64	1	TO-15		3/4/2021	CJR	1
Cyclohexane	1.17	ug/m3	0.212	0.674	1	TO-15		3/4/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/4/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,3-Dichlorobenzene	0.78 "J"	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/4/2021	CJR	1
Dichlorodifluoromethane	4.0	ug/m3	0.263	0.836	1	TO-15		3/4/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/4/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/4/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/4/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/4/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/4/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/4/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/4/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/4/2021	CJR	1
Ethanol	97	ug/m3	0.152	0.482	1	TO-15		3/4/2021	CJR	10
Ethyl Acetate	1.76	ug/m3	0.176	0.559	1	TO-15		3/4/2021	CJR	1
Ethylbenzene	14	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
4-Ethyltoluene	4.6	ug/m3	0.214	0.681	1	TO-15		3/4/2021	CJR	1
Heptane	8.3	ug/m3	0.265	0.845	1	TO-15		3/4/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/4/2021	CJR	1
Hexane	6.4	ug/m3	0.235	0.748	1	TO-15		3/4/2021	CJR	1
2-Hexanone	9.0	ug/m3	0.222	0.707	1	TO-15		3/4/2021	CJR	1
Isopropyl Alcohol	183	ug/m3	0.109	0.347	1	TO-15		3/4/2021	CJR	10
Methyl ethyl ketone (MEK)	89	ug/m3	0.178	0.567	1	TO-15		3/4/2021	CJR	1
Methyl isobutyl ketone (MIBK)	3.4	ug/m3	0.168	0.536	1	TO-15		3/4/2021	CJR	1
Methyl Methacrylate	< 0.217	ug/m3	0.217	0.69	1	TO-15		3/4/2021	CJR	1
Methylene chloride	18.4	ug/m3	0.159	0.506	1	TO-15		3/4/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118K
Sample ID SS-13
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	0.84 "J"	ug/m3	0.675	2.15	1	TO-15		3/4/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/4/2021	CJR	1
Styrene	7.9	ug/m3	0.181	0.577	1	TO-15		3/4/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/4/2021	CJR	1
Tetrachloroethene	215	ug/m3	0.278	0.884	1	TO-15		3/4/2021	CJR	1
Tetrahydrofuran	2.09	ug/m3	0.131	0.417	1	TO-15		3/4/2021	CJR	1
Toluene	45	ug/m3	0.184	0.585	1	TO-15		3/4/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/4/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/4/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/4/2021	CJR	1
Trichloroethene (TCE)	1.02	ug/m3	0.237	0.754	1	TO-15		3/4/2021	CJR	1
Trichlorofluoromethane	3.3	ug/m3	0.337	1.07	1	TO-15		3/4/2021	CJR	1
Trichlorotrifluoroethane	0.69 "J"	ug/m3	0.402	1.28	1	TO-15		3/4/2021	CJR	1
1,2,4-Trimethylbenzene	13.1	ug/m3	0.283	0.899	1	TO-15		3/4/2021	CJR	1
1,3,5-Trimethylbenzene	5.1	ug/m3	0.232	0.739	1	TO-15		3/4/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/4/2021	CJR	1
m&p-Xylene	43	ug/m3	0.377	1.2	1	TO-15		3/4/2021	CJR	1
o-Xylene	17.6	ug/m3	0.218	0.695	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118L
Sample ID SS-14
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	111	ug/m3	0.299	0.95	1	TO-15		3/4/2021	CJR	10
Benzene	10.3	ug/m3	0.136	0.433	1	TO-15		3/4/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/4/2021	CJR	1
Bromodichloromethane	0.87 "J"	ug/m3	0.374	1.19	1	TO-15		3/4/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/4/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/4/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/4/2021	CJR	1
Carbon Disulfide	0.65	ug/m3	0.138	0.44	1	TO-15		3/4/2021	CJR	1
Carbon Tetrachloride	0.63 "J"	ug/m3	0.307	0.978	1	TO-15		3/4/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/4/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/4/2021	CJR	1
Chloroform	79	ug/m3	0.3	0.953	1	TO-15		3/4/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/4/2021	CJR	1
Cyclohexane	4.4	ug/m3	0.212	0.674	1	TO-15		3/4/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/4/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,3-Dichlorobenzene	4.3	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/4/2021	CJR	1
Dichlorodifluoromethane	2.92	ug/m3	0.263	0.836	1	TO-15		3/4/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/4/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/4/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/4/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/4/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/4/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/4/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/4/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/4/2021	CJR	1
Ethanol	172	ug/m3	0.152	0.482	1	TO-15		3/4/2021	CJR	10
Ethyl Acetate	1.98	ug/m3	0.176	0.559	1	TO-15		3/4/2021	CJR	1
Ethylbenzene	21.8	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
4-Ethyltoluene	9.0	ug/m3	0.214	0.681	1	TO-15		3/4/2021	CJR	1
Heptane	15.8	ug/m3	0.265	0.845	1	TO-15		3/4/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/4/2021	CJR	1
Hexane	15.6	ug/m3	0.235	0.748	1	TO-15		3/4/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/4/2021	CJR	1
Isopropyl Alcohol	231	ug/m3	0.109	0.347	1	TO-15		3/4/2021	CJR	10
Methyl ethyl ketone (MEK)	42	ug/m3	0.178	0.567	1	TO-15		3/4/2021	CJR	1
Methyl isobutyl ketone (MIBK)	5.4	ug/m3	0.168	0.536	1	TO-15		3/4/2021	CJR	1
Methyl Methacrylate	1.06	ug/m3	0.217	0.69	1	TO-15		3/4/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/4/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118L
Sample ID SS-14
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	3.2	ug/m3	0.675	2.15	1	TO-15		3/4/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/4/2021	CJR	1
Styrene	15.8	ug/m3	0.181	0.577	1	TO-15		3/4/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/4/2021	CJR	1
Tetrachloroethene	244	ug/m3	0.278	0.884	1	TO-15		3/4/2021	CJR	1
Tetrahydrofuran	3.9	ug/m3	0.131	0.417	1	TO-15		3/4/2021	CJR	1
Toluene	67	ug/m3	0.184	0.585	1	TO-15		3/4/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/4/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/4/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/4/2021	CJR	1
Trichloroethene (TCE)	0.32 "J"	ug/m3	0.237	0.754	1	TO-15		3/4/2021	CJR	1
Trichlorofluoromethane	2.75	ug/m3	0.337	1.07	1	TO-15		3/4/2021	CJR	1
Trichlorotrifluoroethane	0.61 "J"	ug/m3	0.402	1.28	1	TO-15		3/4/2021	CJR	1
1,2,4-Trimethylbenzene	28	ug/m3	0.283	0.899	1	TO-15		3/4/2021	CJR	1
1,3,5-Trimethylbenzene	9.2	ug/m3	0.232	0.739	1	TO-15		3/4/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
Vinyl Chloride	0.153 "J"	ug/m3	0.148	0.472	1	TO-15		3/4/2021	CJR	1
m&p-Xylene	73	ug/m3	0.377	1.2	1	TO-15		3/4/2021	CJR	1
o-Xylene	30.1	ug/m3	0.218	0.695	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118M
Sample ID SS-15
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	34	ug/m3	0.299	0.95	1	TO-15		3/4/2021	CJR	1
Benzene	2.46	ug/m3	0.136	0.433	1	TO-15		3/4/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/4/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/4/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/4/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/4/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/4/2021	CJR	1
Carbon Disulfide	0.78	ug/m3	0.138	0.44	1	TO-15		3/4/2021	CJR	1
Carbon Tetrachloride	0.57 "J"	ug/m3	0.307	0.978	1	TO-15		3/4/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/4/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/4/2021	CJR	1
Chloroform	6.8	ug/m3	0.3	0.953	1	TO-15		3/4/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/4/2021	CJR	1
Cyclohexane	1.1	ug/m3	0.212	0.674	1	TO-15		3/4/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/4/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,3-Dichlorobenzene	0.66 "J"	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/4/2021	CJR	1
Dichlorodifluoromethane	2.82	ug/m3	0.263	0.836	1	TO-15		3/4/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/4/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/4/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/4/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/4/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/4/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/4/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/4/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/4/2021	CJR	1
Ethanol	53	ug/m3	0.152	0.482	1	TO-15		3/4/2021	CJR	1
Ethyl Acetate	1.08	ug/m3	0.176	0.559	1	TO-15		3/4/2021	CJR	1
Ethylbenzene	9.8	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
4-Ethyltoluene	3.7	ug/m3	0.214	0.681	1	TO-15		3/4/2021	CJR	1
Heptane	5.1	ug/m3	0.265	0.845	1	TO-15		3/4/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/4/2021	CJR	1
Hexane	4.8	ug/m3	0.235	0.748	1	TO-15		3/4/2021	CJR	1
2-Hexanone	3.3	ug/m3	0.222	0.707	1	TO-15		3/4/2021	CJR	1
Isopropyl Alcohol	106	ug/m3	0.109	0.347	1	TO-15		3/4/2021	CJR	10
Methyl ethyl ketone (MEK)	29.8	ug/m3	0.178	0.567	1	TO-15		3/4/2021	CJR	1
Methyl isobutyl ketone (MIBK)	2.01	ug/m3	0.168	0.536	1	TO-15		3/4/2021	CJR	1
Methyl Methacrylate	0.61 "J"	ug/m3	0.217	0.69	1	TO-15		3/4/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/4/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118M
Sample ID SS-15
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	0.94 "J"	ug/m3	0.675	2.15	1	TO-15		3/4/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/4/2021	CJR	1
Styrene	6.1	ug/m3	0.181	0.577	1	TO-15		3/4/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/4/2021	CJR	1
Tetrachloroethene	34	ug/m3	0.278	0.884	1	TO-15		3/4/2021	CJR	1
Tetrahydrofuran	1.8	ug/m3	0.131	0.417	1	TO-15		3/4/2021	CJR	1
Toluene	19.1	ug/m3	0.184	0.585	1	TO-15		3/4/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/4/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/4/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/4/2021	CJR	1
Trichloroethene (TCE)	< 0.237	ug/m3	0.237	0.754	1	TO-15		3/4/2021	CJR	1
Trichlorofluoromethane	1.63	ug/m3	0.337	1.07	1	TO-15		3/4/2021	CJR	1
Trichlorotrifluoroethane	0.69 "J"	ug/m3	0.402	1.28	1	TO-15		3/4/2021	CJR	1
1,2,4-Trimethylbenzene	10.8	ug/m3	0.283	0.899	1	TO-15		3/4/2021	CJR	1
1,3,5-Trimethylbenzene	3.3	ug/m3	0.232	0.739	1	TO-15		3/4/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/4/2021	CJR	1
m&p-Xylene	29.7	ug/m3	0.377	1.2	1	TO-15		3/4/2021	CJR	1
o-Xylene	12	ug/m3	0.218	0.695	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118N
Sample ID SS-16
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	97	ug/m3	2.99	9.5	10	TO-15		3/5/2021	CJR	1
Benzene	5.8	ug/m3	0.136	0.433	1	TO-15		3/4/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/4/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/4/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/4/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/4/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/4/2021	CJR	1
Carbon Disulfide	0.249 "J"	ug/m3	0.138	0.44	1	TO-15		3/4/2021	CJR	1
Carbon Tetrachloride	0.44 "J"	ug/m3	0.307	0.978	1	TO-15		3/4/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/4/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/4/2021	CJR	1
Chloroform	46	ug/m3	0.3	0.953	1	TO-15		3/4/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/4/2021	CJR	1
Cyclohexane	2.34	ug/m3	0.212	0.674	1	TO-15		3/4/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/4/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,3-Dichlorobenzene	0.66 "J"	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/4/2021	CJR	1
Dichlorodifluoromethane	3.02	ug/m3	0.263	0.836	1	TO-15		3/4/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/4/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/4/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/4/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/4/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/4/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/4/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/4/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/4/2021	CJR	1
Ethanol	73	ug/m3	0.152	0.482	1	TO-15		3/4/2021	CJR	1
Ethyl Acetate	1.55	ug/m3	0.176	0.559	1	TO-15		3/4/2021	CJR	1
Ethylbenzene	10.1	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
4-Ethyltoluene	3.6	ug/m3	0.214	0.681	1	TO-15		3/4/2021	CJR	1
Heptane	11.3	ug/m3	0.265	0.845	1	TO-15		3/4/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/4/2021	CJR	1
Hexane	9.1	ug/m3	0.235	0.748	1	TO-15		3/4/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/4/2021	CJR	1
Isopropyl Alcohol	143	ug/m3	1.09	3.47	10	TO-15		3/5/2021	CJR	1
Methyl ethyl ketone (MEK)	22.6	ug/m3	0.178	0.567	1	TO-15		3/4/2021	CJR	1
Methyl isobutyl ketone (MIBK)	1.88	ug/m3	0.168	0.536	1	TO-15		3/4/2021	CJR	1
Methyl Methacrylate	0.94	ug/m3	0.217	0.69	1	TO-15		3/4/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/4/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118N
Sample ID SS-16
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	0.84 "J"	ug/m3	0.675	2.15	1	TO-15		3/4/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/4/2021	CJR	1
Styrene	9.4	ug/m3	0.181	0.577	1	TO-15		3/4/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/4/2021	CJR	1
Tetrachloroethene	2610	ug/m3	2.78	8.84	10	TO-15		3/5/2021	CJR	1
Tetrahydrofuran	2.77	ug/m3	0.131	0.417	1	TO-15		3/4/2021	CJR	1
Toluene	47	ug/m3	0.184	0.585	1	TO-15		3/4/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/4/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/4/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/4/2021	CJR	1
Trichloroethene (TCE)	2.25	ug/m3	0.237	0.754	1	TO-15		3/4/2021	CJR	1
Trichlorofluoromethane	1.4	ug/m3	0.337	1.07	1	TO-15		3/4/2021	CJR	1
Trichlorotrifluoroethane	0.61 "J"	ug/m3	0.402	1.28	1	TO-15		3/4/2021	CJR	1
1,2,4-Trimethylbenzene	9.6	ug/m3	0.283	0.899	1	TO-15		3/4/2021	CJR	1
1,3,5-Trimethylbenzene	2.89	ug/m3	0.232	0.739	1	TO-15		3/4/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
Vinyl Chloride	0.256 "J"	ug/m3	0.148	0.472	1	TO-15		3/4/2021	CJR	1
m&p-Xylene	32	ug/m3	0.377	1.2	1	TO-15		3/4/2021	CJR	1
o-Xylene	13	ug/m3	0.218	0.695	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 50391180
Sample ID SS-17
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	28.1	ug/m3	0.299	0.95	1	TO-15		3/4/2021	CJR	1
Benzene	3.6	ug/m3	0.136	0.433	1	TO-15		3/4/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/4/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/4/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/4/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/4/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/4/2021	CJR	1
Carbon Disulfide	0.72	ug/m3	0.138	0.44	1	TO-15		3/4/2021	CJR	1
Carbon Tetrachloride	0.69 "J"	ug/m3	0.307	0.978	1	TO-15		3/4/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/4/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/4/2021	CJR	1
Chloroform	56	ug/m3	0.3	0.953	1	TO-15		3/4/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/4/2021	CJR	1
Cyclohexane	1.76	ug/m3	0.212	0.674	1	TO-15		3/4/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/4/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,3-Dichlorobenzene	0.72 "J"	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/4/2021	CJR	1
Dichlorodifluoromethane	3.7	ug/m3	0.263	0.836	1	TO-15		3/4/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/4/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/4/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/4/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/4/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/4/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/4/2021	CJR	1
1,4-Dioxane	17.1	ug/m3	0.157	0.5	1	TO-15		3/4/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/4/2021	CJR	1
Ethanol	104	ug/m3	0.152	0.482	1	TO-15		3/4/2021	CJR	10
Ethyl Acetate	1.69	ug/m3	0.176	0.559	1	TO-15		3/4/2021	CJR	1
Ethylbenzene	13.7	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
4-Ethyltoluene	4.6	ug/m3	0.214	0.681	1	TO-15		3/4/2021	CJR	1
Heptane	7.7	ug/m3	0.265	0.845	1	TO-15		3/4/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/4/2021	CJR	1
Hexane	5.1	ug/m3	0.235	0.748	1	TO-15		3/4/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/4/2021	CJR	1
Isopropyl Alcohol	216	ug/m3	0.109	0.347	1	TO-15		3/4/2021	CJR	10
Methyl ethyl ketone (MEK)	15	ug/m3	0.178	0.567	1	TO-15		3/4/2021	CJR	1
Methyl isobutyl ketone (MIBK)	1.72	ug/m3	0.168	0.536	1	TO-15		3/4/2021	CJR	1
Methyl Methacrylate	0.61 "J"	ug/m3	0.217	0.69	1	TO-15		3/4/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/4/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 50391180
Sample ID SS-17
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	0.78 "J"	ug/m3	0.675	2.15	1	TO-15		3/4/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/4/2021	CJR	1
Styrene	5.7	ug/m3	0.181	0.577	1	TO-15		3/4/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/4/2021	CJR	1
Tetrachloroethene	99	ug/m3	0.278	0.884	1	TO-15		3/4/2021	CJR	1
Tetrahydrofuran	1.74	ug/m3	0.131	0.417	1	TO-15		3/4/2021	CJR	1
Toluene	36	ug/m3	0.184	0.585	1	TO-15		3/4/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/4/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/4/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/4/2021	CJR	1
Trichloroethene (TCE)	2.62	ug/m3	0.237	0.754	1	TO-15		3/4/2021	CJR	1
Trichlorofluoromethane	2.42	ug/m3	0.337	1.07	1	TO-15		3/4/2021	CJR	1
Trichlorotrifluoroethane	0.69 "J"	ug/m3	0.402	1.28	1	TO-15		3/4/2021	CJR	1
1,2,4-Trimethylbenzene	12.3	ug/m3	0.283	0.899	1	TO-15		3/4/2021	CJR	1
1,3,5-Trimethylbenzene	4.0	ug/m3	0.232	0.739	1	TO-15		3/4/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/4/2021	CJR	1
m&p-Xylene	42	ug/m3	0.377	1.2	1	TO-15		3/4/2021	CJR	1
o-Xylene	17.3	ug/m3	0.218	0.695	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
 Project # 8173

Invoice # E39118

Lab Code 5039118P
 Sample ID SS-18
 Sample Matrix Air
 Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	133 "J"	ug/m3	59.8	190	200	TO-15		3/5/2021	CJR	1
Benzene	3.7	ug/m3	0.136	0.433	1	TO-15		3/4/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/4/2021	CJR	1
Bromodichloromethane	1.07 "J"	ug/m3	0.374	1.19	1	TO-15		3/4/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/4/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/4/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/4/2021	CJR	1
Carbon Disulfide	2.18	ug/m3	0.138	0.44	1	TO-15		3/4/2021	CJR	1
Carbon Tetrachloride	0.57 "J"	ug/m3	0.307	0.978	1	TO-15		3/4/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/4/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/4/2021	CJR	1
Chloroform	144	ug/m3	0.3	0.953	1	TO-15		3/4/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/4/2021	CJR	1
Cyclohexane	1.65	ug/m3	0.212	0.674	1	TO-15		3/4/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/4/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,3-Dichlorobenzene	0.84 "J"	ug/m3	0.302	0.96	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/4/2021	CJR	1
Dichlorodifluoromethane	80	ug/m3	0.263	0.836	1	TO-15		3/4/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/4/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/4/2021	CJR	1
cis-1,2-Dichloroethene	2.3	ug/m3	0.197	0.626	1	TO-15		3/4/2021	CJR	1
trans-1,2-Dichloroethene	1.47	ug/m3	0.231	0.734	1	TO-15		3/4/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/4/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/4/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/4/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/4/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/4/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/4/2021	CJR	1
Ethanol	253	ug/m3	30.4	96.4	200	TO-15		3/5/2021	CJR	1
Ethyl Acetate	1.51	ug/m3	0.176	0.559	1	TO-15		3/4/2021	CJR	1
Ethylbenzene	13.1	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
4-Ethyltoluene	4.7	ug/m3	0.214	0.681	1	TO-15		3/4/2021	CJR	1
Heptane	9.1	ug/m3	0.265	0.845	1	TO-15		3/4/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/4/2021	CJR	1
Hexane	7.0	ug/m3	0.235	0.748	1	TO-15		3/4/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/4/2021	CJR	1
Isopropyl Alcohol	231	ug/m3	21.8	69.4	200	TO-15		3/5/2021	CJR	1
Methyl ethyl ketone (MEK)	22.5	ug/m3	0.178	0.567	1	TO-15		3/4/2021	CJR	1
Methyl isobutyl ketone (MIBK)	2.74	ug/m3	0.168	0.536	1	TO-15		3/4/2021	CJR	1
Methyl Methacrylate	0.53 "J"	ug/m3	0.217	0.69	1	TO-15		3/4/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/4/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118P
Sample ID SS-18
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	1.31 "J"	ug/m3	0.675	2.15	1	TO-15		3/4/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/4/2021	CJR	1
Styrene	7.3	ug/m3	0.181	0.577	1	TO-15		3/4/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/4/2021	CJR	1
Tetrachloroethene	14400	ug/m3	55.6	176.8	200	TO-15		3/5/2021	CJR	1
Tetrahydrofuran	1.95	ug/m3	0.131	0.417	1	TO-15		3/4/2021	CJR	1
Toluene	30.3	ug/m3	0.184	0.585	1	TO-15		3/4/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/4/2021	CJR	1
1,1,1-Trichloroethane	0.76 "J"	ug/m3	0.249	0.793	1	TO-15		3/4/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/4/2021	CJR	1
Trichloroethene (TCE)	107	ug/m3	0.237	0.754	1	TO-15		3/4/2021	CJR	1
Trichlorofluoromethane	3.4	ug/m3	0.337	1.07	1	TO-15		3/4/2021	CJR	1
Trichlorotrifluoroethane	1.07 "J"	ug/m3	0.402	1.28	1	TO-15		3/4/2021	CJR	1
1,2,4-Trimethylbenzene	12.4	ug/m3	0.283	0.899	1	TO-15		3/4/2021	CJR	1
1,3,5-Trimethylbenzene	4.0	ug/m3	0.232	0.739	1	TO-15		3/4/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/4/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/4/2021	CJR	1
m&p-Xylene	38	ug/m3	0.377	1.2	1	TO-15		3/4/2021	CJR	1
o-Xylene	16.6	ug/m3	0.218	0.695	1	TO-15		3/4/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118Q
Sample ID SS-20
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	128 "J"	ug/m3	59.8	190	200	TO-15		3/5/2021	CJR	1
Benzene	8.0	ug/m3	0.136	0.433	1	TO-15		3/5/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/5/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/5/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/5/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/5/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/5/2021	CJR	1
Carbon Disulfide	5.9	ug/m3	0.138	0.44	1	TO-15		3/5/2021	CJR	1
Carbon Tetrachloride	8.2	ug/m3	0.307	0.978	1	TO-15		3/5/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/5/2021	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		3/5/2021	CJR	1
Chloroform	104	ug/m3	0.3	0.953	1	TO-15		3/5/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/5/2021	CJR	1
Cyclohexane	3.8	ug/m3	0.212	0.674	1	TO-15		3/5/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/5/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/5/2021	CJR	1
1,3-Dichlorobenzene	0.54 "J"	ug/m3	0.302	0.96	1	TO-15		3/5/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/5/2021	CJR	1
Dichlorodifluoromethane	20.7	ug/m3	0.263	0.836	1	TO-15		3/5/2021	CJR	1
1,2-Dichloroethane	0.77	ug/m3	0.24	0.763	1	TO-15		3/5/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/5/2021	CJR	1
1,1-Dichloroethene	0.40 "J"	ug/m3	0.21	0.668	1	TO-15		3/5/2021	CJR	1
cis-1,2-Dichloroethene	1.55	ug/m3	0.197	0.626	1	TO-15		3/5/2021	CJR	1
trans-1,2-Dichloroethene	6.1	ug/m3	0.231	0.734	1	TO-15		3/5/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/5/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/5/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/5/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/5/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/5/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/5/2021	CJR	1
Ethanol	298	ug/m3	30.4	96.4	200	TO-15		3/5/2021	CJR	1
Ethyl Acetate	1.91	ug/m3	0.176	0.559	1	TO-15		3/5/2021	CJR	1
Ethylbenzene	12	ug/m3	0.203	0.645	1	TO-15		3/5/2021	CJR	1
4-Ethyltoluene	4.0	ug/m3	0.214	0.681	1	TO-15		3/5/2021	CJR	1
Heptane	8.4	ug/m3	0.265	0.845	1	TO-15		3/5/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/5/2021	CJR	1
Hexane	6.9	ug/m3	0.235	0.748	1	TO-15		3/5/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/5/2021	CJR	1
Isopropyl Alcohol	88	ug/m3	21.8	69.4	200	TO-15		3/5/2021	CJR	1
Methyl ethyl ketone (MEK)	42	ug/m3	0.178	0.567	1	TO-15		3/5/2021	CJR	1
Methyl isobutyl ketone (MIBK)	7.7	ug/m3	0.168	0.536	1	TO-15		3/5/2021	CJR	1
Methyl Methacrylate	< 0.217	ug/m3	0.217	0.69	1	TO-15		3/5/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/5/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/5/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118Q
Sample ID SS-20
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	0.99 "J"	ug/m3	0.675	2.15	1	TO-15		3/5/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/5/2021	CJR	1
Styrene	5.9	ug/m3	0.181	0.577	1	TO-15		3/5/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/5/2021	CJR	1
Tetrachloroethene	20400	ug/m3	55.6	176.8	200	TO-15		3/5/2021	CJR	1
Tetrahydrofuran	3.2	ug/m3	0.131	0.417	1	TO-15		3/5/2021	CJR	1
Toluene	43	ug/m3	0.184	0.585	1	TO-15		3/5/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/5/2021	CJR	1
1,1,1-Trichloroethane	1.25	ug/m3	0.249	0.793	1	TO-15		3/5/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/5/2021	CJR	1
Trichloroethene (TCE)	161	ug/m3	0.237	0.754	1	TO-15		3/5/2021	CJR	1
Trichlorofluoromethane	2.19	ug/m3	0.337	1.07	1	TO-15		3/5/2021	CJR	1
Trichlorotrifluoroethane	2.15	ug/m3	0.402	1.28	1	TO-15		3/5/2021	CJR	1
1,2,4-Trimethylbenzene	11.6	ug/m3	0.283	0.899	1	TO-15		3/5/2021	CJR	1
1,3,5-Trimethylbenzene	3.9	ug/m3	0.232	0.739	1	TO-15		3/5/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/5/2021	CJR	1
Vinyl Chloride	1.3	ug/m3	0.148	0.472	1	TO-15		3/5/2021	CJR	1
m&p-Xylene	40	ug/m3	0.377	1.2	1	TO-15		3/5/2021	CJR	1
o-Xylene	21.1	ug/m3	0.218	0.695	1	TO-15		3/5/2021	CJR	1

Project Name BAND BOX TOMAH
 Project # 8173

Invoice # E39118

Lab Code 5039118R
 Sample ID SS-21
 Sample Matrix Air
 Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	51	ug/m3	0.299	0.95	1	TO-15		3/5/2021	CJR	1
Benzene	6.4	ug/m3	0.136	0.433	1	TO-15		3/5/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/5/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/5/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/5/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/5/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/5/2021	CJR	1
Carbon Disulfide	3.3	ug/m3	0.138	0.44	1	TO-15		3/5/2021	CJR	1
Carbon Tetrachloride	0.50 "J"	ug/m3	0.307	0.978	1	TO-15		3/5/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/5/2021	CJR	1
Chloroethane	0.69	ug/m3	0.159	0.507	1	TO-15		3/5/2021	CJR	1
Chloroform	0.63 "J"	ug/m3	0.3	0.953	1	TO-15		3/5/2021	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		3/5/2021	CJR	1
Cyclohexane	3.7	ug/m3	0.212	0.674	1	TO-15		3/5/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/5/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/5/2021	CJR	1
1,3-Dichlorobenzene	0.54 "J"	ug/m3	0.302	0.96	1	TO-15		3/5/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/5/2021	CJR	1
Dichlorodifluoromethane	3.11	ug/m3	0.263	0.836	1	TO-15		3/5/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/5/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/5/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/5/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/5/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/5/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/5/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/5/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/5/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/5/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/5/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/5/2021	CJR	1
Ethanol	186	ug/m3	0.152	0.482	1	TO-15		3/5/2021	CJR	10
Ethyl Acetate	5.0	ug/m3	0.176	0.559	1	TO-15		3/5/2021	CJR	1
Ethylbenzene	10.7	ug/m3	0.203	0.645	1	TO-15		3/5/2021	CJR	1
4-Ethyltoluene	3.6	ug/m3	0.214	0.681	1	TO-15		3/5/2021	CJR	1
Heptane	11.8	ug/m3	0.265	0.845	1	TO-15		3/5/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/5/2021	CJR	1
Hexane	13.4	ug/m3	0.235	0.748	1	TO-15		3/5/2021	CJR	1
2-Hexanone	0.78	ug/m3	0.222	0.707	1	TO-15		3/5/2021	CJR	1
Isopropyl Alcohol	165	ug/m3	0.109	0.347	1	TO-15		3/5/2021	CJR	10
Methyl ethyl ketone (MEK)	14	ug/m3	0.178	0.567	1	TO-15		3/5/2021	CJR	1
Methyl isobutyl ketone (MIBK)	14.8	ug/m3	0.168	0.536	1	TO-15		3/5/2021	CJR	1
Methyl Methacrylate	0.45 "J"	ug/m3	0.217	0.69	1	TO-15		3/5/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/5/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/5/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118R
Sample ID SS-21
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	0.94 "J"	ug/m3	0.675	2.15	1	TO-15		3/5/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/5/2021	CJR	1
Styrene	5.1	ug/m3	0.181	0.577	1	TO-15		3/5/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/5/2021	CJR	1
Tetrachloroethene	41	ug/m3	0.278	0.884	1	TO-15		3/5/2021	CJR	1
Tetrahydrofuran	< 0.131	ug/m3	0.131	0.417	1	TO-15		3/5/2021	CJR	1
Toluene	31.5	ug/m3	0.184	0.585	1	TO-15		3/5/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/5/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/5/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/5/2021	CJR	1
Trichloroethene (TCE)	0.32 "J"	ug/m3	0.237	0.754	1	TO-15		3/5/2021	CJR	1
Trichlorofluoromethane	1.4	ug/m3	0.337	1.07	1	TO-15		3/5/2021	CJR	1
Trichlorotrifluoroethane	0.61 "J"	ug/m3	0.402	1.28	1	TO-15		3/5/2021	CJR	1
1,2,4-Trimethylbenzene	10.4	ug/m3	0.283	0.899	1	TO-15		3/5/2021	CJR	1
1,3,5-Trimethylbenzene	3.3	ug/m3	0.232	0.739	1	TO-15		3/5/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/5/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/5/2021	CJR	1
m&p-Xylene	31.1	ug/m3	0.377	1.2	1	TO-15		3/5/2021	CJR	1
o-Xylene	13.4	ug/m3	0.218	0.695	1	TO-15		3/5/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118S
Sample ID SS-19
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	64	ug/m3	0.299	0.95	1	TO-15		3/5/2021	CJR	1
Benzene	3.16	ug/m3	0.136	0.433	1	TO-15		3/5/2021	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		3/5/2021	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		3/5/2021	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		3/5/2021	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		3/5/2021	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		3/5/2021	CJR	1
Carbon Disulfide	3.4	ug/m3	0.138	0.44	1	TO-15		3/5/2021	CJR	1
Carbon Tetrachloride	0.44 "J"	ug/m3	0.307	0.978	1	TO-15		3/5/2021	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		3/5/2021	CJR	1
Chloroethane	0.82	ug/m3	0.159	0.507	1	TO-15		3/5/2021	CJR	1
Chloroform	2.87	ug/m3	0.3	0.953	1	TO-15		3/5/2021	CJR	1
Chloromethane	1.09 "J"	ug/m3	0.831	2.64	1	TO-15		3/5/2021	CJR	1
Cyclohexane	1.17	ug/m3	0.212	0.674	1	TO-15		3/5/2021	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		3/5/2021	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		3/5/2021	CJR	1
1,3-Dichlorobenzene	0.66 "J"	ug/m3	0.302	0.96	1	TO-15		3/5/2021	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		3/5/2021	CJR	1
Dichlorodifluoromethane	50	ug/m3	0.263	0.836	1	TO-15		3/5/2021	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		3/5/2021	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		3/5/2021	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		3/5/2021	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		3/5/2021	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		3/5/2021	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		3/5/2021	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		3/5/2021	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		3/5/2021	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		3/5/2021	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		3/5/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		3/5/2021	CJR	1
Ethanol	122	ug/m3	1.52	4.82	10	TO-15		3/5/2021	CJR	1
Ethyl Acetate	1.73	ug/m3	0.176	0.559	1	TO-15		3/5/2021	CJR	1
Ethylbenzene	24.3	ug/m3	0.203	0.645	1	TO-15		3/5/2021	CJR	1
4-Ethyltoluene	4.2	ug/m3	0.214	0.681	1	TO-15		3/5/2021	CJR	1
Heptane	6.1	ug/m3	0.265	0.845	1	TO-15		3/5/2021	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		3/5/2021	CJR	1
Hexane	5.8	ug/m3	0.235	0.748	1	TO-15		3/5/2021	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		3/5/2021	CJR	1
Isopropyl Alcohol	160	ug/m3	1.09	3.47	10	TO-15		3/5/2021	CJR	1
Methyl ethyl ketone (MEK)	16.2	ug/m3	0.178	0.567	1	TO-15		3/5/2021	CJR	1
Methyl isobutyl ketone (MIBK)	263	ug/m3	1.68	5.36	10	TO-15		3/5/2021	CJR	1
Methyl Methacrylate	0.53 "J"	ug/m3	0.217	0.69	1	TO-15		3/5/2021	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		3/5/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		3/5/2021	CJR	1

Project Name BAND BOX TOMAH
Project # 8173

Invoice # E39118

Lab Code 5039118S
Sample ID SS-19
Sample Matrix Air
Sample Date 2/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	0.94 "J"	ug/m3	0.675	2.15	1	TO-15		3/5/2021	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		3/5/2021	CJR	1
Styrene	6.5	ug/m3	0.181	0.577	1	TO-15		3/5/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		3/5/2021	CJR	1
Tetrachloroethene	180	ug/m3	0.278	0.884	1	TO-15		3/5/2021	CJR	1
Tetrahydrofuran	< 0.131	ug/m3	0.131	0.417	1	TO-15		3/5/2021	CJR	1
Toluene	27.4	ug/m3	0.184	0.585	1	TO-15		3/5/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		3/5/2021	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		3/5/2021	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		3/5/2021	CJR	1
Trichloroethene (TCE)	1.18	ug/m3	0.237	0.754	1	TO-15		3/5/2021	CJR	1
Trichlorofluoromethane	1.57	ug/m3	0.337	1.07	1	TO-15		3/5/2021	CJR	1
Trichlorotrifluoroethane	0.69 "J"	ug/m3	0.402	1.28	1	TO-15		3/5/2021	CJR	1
1,2,4-Trimethylbenzene	11.2	ug/m3	0.283	0.899	1	TO-15		3/5/2021	CJR	1
1,3,5-Trimethylbenzene	3.6	ug/m3	0.232	0.739	1	TO-15		3/5/2021	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		3/5/2021	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		3/5/2021	CJR	1
m&p-Xylene	99	ug/m3	0.377	1.2	1	TO-15		3/5/2021	CJR	1
o-Xylene	53	ug/m3	0.218	0.695	1	TO-15		3/5/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
- 10 Linear range of calibration curve exceeded.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

APPENDIX C

GROUNDWATER LABORATORY

ANALYTICAL RESULTS



October 14, 2020

Matt Michalski
REI

RE: Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Dear Matt Michalski:

Enclosed are the analytical results for sample(s) received by the laboratory on October 10, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40216329001	MW-3	Water	10/08/20 15:00	10/10/20 08:30
40216329002	PZ-A-3	Water	10/08/20 14:10	10/10/20 08:30
40216329003	PZ-B-3	Water	10/08/20 13:55	10/10/20 08:30
40216329004	PZ-A-4	Water	10/08/20 10:17	10/10/20 08:30
40216329005	PZ-B-4	Water	10/08/20 10:30	10/10/20 08:30
40216329006	MW-12	Water	10/08/20 16:50	10/10/20 08:30
40216329007	MW-14	Water	10/08/20 18:47	10/10/20 08:30
40216329008	MW-14P	Water	10/08/20 18:35	10/10/20 08:30
40216329009	MW-15	Water	10/08/20 11:35	10/10/20 08:30
40216329010	MW-16	Water	10/08/20 16:58	10/10/20 08:30
40216329011	MW-17	Water	10/08/20 17:50	10/10/20 08:30
40216329012	MW-17P	Water	10/08/20 17:52	10/10/20 08:30
40216329013	MW-18	Water	10/08/20 12:20	10/10/20 08:30
40216329014	MW-18P	Water	10/08/20 12:25	10/10/20 08:30
40216329015	PZ-2	Water	10/08/20 16:10	10/10/20 08:30
40216329016	PZ-3	Water	10/08/20 16:00	10/10/20 08:30
40216329017	MW-A-2	Water	10/08/20 07:25	10/10/20 08:30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40216329001	MW-3	EPA 8260	LAP	64	PASI-G
40216329002	PZ-A-3	EPA 8260	LAP	64	PASI-G
40216329003	PZ-B-3	EPA 8260	LAP	64	PASI-G
40216329004	PZ-A-4	EPA 8260	LAP	64	PASI-G
40216329005	PZ-B-4	EPA 8260	LAP	64	PASI-G
40216329006	MW-12	EPA 8260	LAP	64	PASI-G
40216329007	MW-14	EPA 8260	LAP	64	PASI-G
40216329008	MW-14P	EPA 8260	LAP	64	PASI-G
40216329009	MW-15	EPA 8260	LAP	64	PASI-G
40216329010	MW-16	EPA 8260	LAP	64	PASI-G
40216329011	MW-17	EPA 8260	LAP	64	PASI-G
40216329012	MW-17P	EPA 8260	LAP	64	PASI-G
40216329013	MW-18	EPA 8260	LAP	64	PASI-G
40216329014	MW-18P	EPA 8260	LAP	64	PASI-G
40216329015	PZ-2	EPA 8260	LAP	64	PASI-G
40216329016	PZ-3	EPA 8260	LAP	64	PASI-G
40216329017	MW-A-2	EPA 8260	LAP	64	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: MW-3 **Lab ID: 40216329001** Collected: 10/08/20 15:00 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		10/13/20 17:17	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/13/20 17:17	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/13/20 17:17	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/13/20 17:17	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/13/20 17:17	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/13/20 17:17	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 17:17	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/13/20 17:17	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/13/20 17:17	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		10/13/20 17:17	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 17:17	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/13/20 17:17	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/13/20 17:17	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/13/20 17:17	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/13/20 17:17	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/13/20 17:17	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/13/20 17:17	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/13/20 17:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/13/20 17:17	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/13/20 17:17	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 17:17	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/13/20 17:17	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/13/20 17:17	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/13/20 17:17	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 17:17	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 17:17	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/13/20 17:17	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/13/20 17:17	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		10/13/20 17:17	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/13/20 17:17	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/13/20 17:17	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/13/20 17:17	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/13/20 17:17	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/13/20 17:17	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/13/20 17:17	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/13/20 17:17	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		10/13/20 17:17	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		10/13/20 17:17	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		10/13/20 17:17	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/13/20 17:17	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/13/20 17:17	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/13/20 17:17	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/13/20 17:17	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/13/20 17:17	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		10/13/20 17:17	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: MW-3 **Lab ID: 40216329001** Collected: 10/08/20 15:00 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 17:17	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 17:17	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/13/20 17:17	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/13/20 17:17	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 17:17	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 17:17	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 17:17	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 17:17	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 17:17	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 17:17	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 17:17	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/13/20 17:17	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/13/20 17:17	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 17:17	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/13/20 17:17	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/13/20 17:17	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		10/13/20 17:17	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		1		10/13/20 17:17	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/13/20 17:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: PZ-A-3 **Lab ID: 40216329002** Collected: 10/08/20 14:10 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	284	ug/L	1.0	0.25	1		10/13/20 12:24	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/13/20 12:24	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/13/20 12:24	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/13/20 12:24	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/13/20 12:24	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/13/20 12:24	74-83-9	
n-Butylbenzene	5.1	ug/L	2.4	0.71	1		10/13/20 12:24	104-51-8	
sec-Butylbenzene	3.3J	ug/L	5.0	0.85	1		10/13/20 12:24	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/13/20 12:24	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		10/13/20 12:24	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 12:24	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/13/20 12:24	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/13/20 12:24	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/13/20 12:24	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/13/20 12:24	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/13/20 12:24	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/13/20 12:24	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/13/20 12:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/13/20 12:24	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/13/20 12:24	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 12:24	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/13/20 12:24	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/13/20 12:24	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/13/20 12:24	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 12:24	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 12:24	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/13/20 12:24	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/13/20 12:24	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		10/13/20 12:24	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/13/20 12:24	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/13/20 12:24	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/13/20 12:24	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/13/20 12:24	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/13/20 12:24	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/13/20 12:24	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/13/20 12:24	108-20-3	
Ethylbenzene	900	ug/L	21.2	6.4	20		10/14/20 07:56	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		10/13/20 12:24	87-68-3	
Isopropylbenzene (Cumene)	44.3	ug/L	5.6	1.7	1		10/13/20 12:24	98-82-8	
p-Isopropyltoluene	1.5J	ug/L	2.7	0.80	1		10/13/20 12:24	99-87-6	
Methylene Chloride	8.6	ug/L	5.0	0.58	1		10/13/20 12:24	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/13/20 12:24	1634-04-4	
Naphthalene	108	ug/L	5.0	1.2	1		10/13/20 12:24	91-20-3	
n-Propylbenzene	86.2	ug/L	5.0	0.81	1		10/13/20 12:24	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		10/13/20 12:24	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: PZ-A-3 **Lab ID: 40216329002** Collected: 10/08/20 14:10 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 12:24	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 12:24	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/13/20 12:24	127-18-4	
Toluene	528	ug/L	20.0	5.4	20		10/14/20 07:56	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 12:24	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 12:24	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 12:24	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 12:24	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 12:24	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 12:24	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 12:24	96-18-4	
1,2,4-Trimethylbenzene	315	ug/L	56.0	16.8	20		10/14/20 07:56	95-63-6	
1,3,5-Trimethylbenzene	72.1	ug/L	2.9	0.87	1		10/13/20 12:24	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 12:24	75-01-4	
m&p-Xylene	1660	ug/L	40.0	9.3	20		10/14/20 07:56	179601-23-1	
o-Xylene	302	ug/L	20.0	5.2	20		10/14/20 07:56	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	106	%	70-130		1		10/13/20 12:24	460-00-4	
Dibromofluoromethane (S)	96	%	70-130		1		10/13/20 12:24	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		10/13/20 12:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: PZ-B-3 **Lab ID: 40216329003** Collected: 10/08/20 13:55 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		10/13/20 12:02	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/13/20 12:02	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/13/20 12:02	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/13/20 12:02	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/13/20 12:02	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/13/20 12:02	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 12:02	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/13/20 12:02	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/13/20 12:02	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		10/13/20 12:02	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 12:02	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/13/20 12:02	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/13/20 12:02	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/13/20 12:02	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/13/20 12:02	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/13/20 12:02	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/13/20 12:02	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/13/20 12:02	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/13/20 12:02	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/13/20 12:02	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 12:02	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/13/20 12:02	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/13/20 12:02	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/13/20 12:02	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 12:02	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 12:02	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/13/20 12:02	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/13/20 12:02	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		10/13/20 12:02	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/13/20 12:02	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/13/20 12:02	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/13/20 12:02	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/13/20 12:02	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/13/20 12:02	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/13/20 12:02	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/13/20 12:02	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		10/13/20 12:02	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		10/13/20 12:02	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		10/13/20 12:02	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/13/20 12:02	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/13/20 12:02	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/13/20 12:02	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/13/20 12:02	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/13/20 12:02	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		10/13/20 12:02	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: PZ-B-3 **Lab ID: 40216329003** Collected: 10/08/20 13:55 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 12:02	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 12:02	79-34-5	
Tetrachloroethene	1.5	ug/L	1.1	0.33	1		10/13/20 12:02	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/13/20 12:02	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 12:02	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 12:02	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 12:02	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 12:02	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 12:02	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 12:02	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 12:02	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/13/20 12:02	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/13/20 12:02	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 12:02	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/13/20 12:02	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/13/20 12:02	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		10/13/20 12:02	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		1		10/13/20 12:02	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		10/13/20 12:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: PZ-A-4 **Lab ID: 40216329004** Collected: 10/08/20 10:17 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		10/14/20 07:11	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/14/20 07:11	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/14/20 07:11	74-97-5	
Bromodichloromethane	1.1J	ug/L	1.2	0.36	1		10/14/20 07:11	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/14/20 07:11	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/14/20 07:11	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/14/20 07:11	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/14/20 07:11	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/14/20 07:11	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		10/14/20 07:11	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/14/20 07:11	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/14/20 07:11	75-00-3	
Chloroform	3.0J	ug/L	5.0	1.3	1		10/14/20 07:11	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/14/20 07:11	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/14/20 07:11	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/14/20 07:11	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/14/20 07:11	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/14/20 07:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/14/20 07:11	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/14/20 07:11	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/14/20 07:11	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/14/20 07:11	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/14/20 07:11	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/14/20 07:11	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/14/20 07:11	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/14/20 07:11	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/14/20 07:11	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/14/20 07:11	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		10/14/20 07:11	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/14/20 07:11	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/14/20 07:11	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/14/20 07:11	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/14/20 07:11	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/14/20 07:11	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/14/20 07:11	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/14/20 07:11	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		10/14/20 07:11	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		10/14/20 07:11	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		10/14/20 07:11	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/14/20 07:11	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/14/20 07:11	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/14/20 07:11	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/14/20 07:11	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/14/20 07:11	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		10/14/20 07:11	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: PZ-A-4 **Lab ID: 40216329004** Collected: 10/08/20 10:17 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/14/20 07:11	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/14/20 07:11	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/14/20 07:11	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/14/20 07:11	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/14/20 07:11	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/20 07:11	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/14/20 07:11	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/14/20 07:11	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/14/20 07:11	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/14/20 07:11	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/14/20 07:11	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/14/20 07:11	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/14/20 07:11	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/20 07:11	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/14/20 07:11	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/14/20 07:11	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		10/14/20 07:11	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		1		10/14/20 07:11	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/14/20 07:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: **PZ-B-4** Lab ID: **40216329005** Collected: 10/08/20 10:30 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.25	ug/L	1.0	0.25	1		10/13/20 13:09	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/13/20 13:09	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/13/20 13:09	74-97-5	
Bromodichloromethane	0.44J	ug/L	1.2	0.36	1		10/13/20 13:09	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/13/20 13:09	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/13/20 13:09	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 13:09	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/13/20 13:09	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/13/20 13:09	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		10/13/20 13:09	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 13:09	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/13/20 13:09	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/13/20 13:09	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/13/20 13:09	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/13/20 13:09	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/13/20 13:09	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/13/20 13:09	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/13/20 13:09	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/13/20 13:09	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/13/20 13:09	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 13:09	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/13/20 13:09	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/13/20 13:09	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/13/20 13:09	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 13:09	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 13:09	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/13/20 13:09	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/13/20 13:09	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		10/13/20 13:09	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/13/20 13:09	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/13/20 13:09	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/13/20 13:09	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/13/20 13:09	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/13/20 13:09	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/13/20 13:09	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/13/20 13:09	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		10/13/20 13:09	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		10/13/20 13:09	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		10/13/20 13:09	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/13/20 13:09	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/13/20 13:09	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/13/20 13:09	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/13/20 13:09	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/13/20 13:09	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		10/13/20 13:09	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: PZ-B-4 **Lab ID: 40216329005** Collected: 10/08/20 10:30 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 13:09	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 13:09	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/13/20 13:09	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/13/20 13:09	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 13:09	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 13:09	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 13:09	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 13:09	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 13:09	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 13:09	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 13:09	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/13/20 13:09	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/13/20 13:09	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 13:09	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/13/20 13:09	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/13/20 13:09	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		10/13/20 13:09	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		10/13/20 13:09	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/13/20 13:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: MW-12 **Lab ID: 40216329006** Collected: 10/08/20 16:50 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	0.31J	ug/L	1.0	0.25	1		10/13/20 13:32	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/13/20 13:32	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/13/20 13:32	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/13/20 13:32	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/13/20 13:32	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/13/20 13:32	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 13:32	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/13/20 13:32	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/13/20 13:32	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		10/13/20 13:32	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 13:32	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/13/20 13:32	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/13/20 13:32	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/13/20 13:32	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/13/20 13:32	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/13/20 13:32	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/13/20 13:32	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/13/20 13:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/13/20 13:32	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/13/20 13:32	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 13:32	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/13/20 13:32	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/13/20 13:32	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/13/20 13:32	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 13:32	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 13:32	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/13/20 13:32	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/13/20 13:32	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		10/13/20 13:32	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/13/20 13:32	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/13/20 13:32	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/13/20 13:32	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/13/20 13:32	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/13/20 13:32	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/13/20 13:32	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/13/20 13:32	108-20-3	
Ethylbenzene	1.1J	ug/L	1.1	0.32	1		10/13/20 13:32	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		10/13/20 13:32	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		10/13/20 13:32	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/13/20 13:32	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/13/20 13:32	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/13/20 13:32	1634-04-4	
Naphthalene	2.2J	ug/L	5.0	1.2	1		10/13/20 13:32	91-20-3	
n-Propylbenzene	2.0J	ug/L	5.0	0.81	1		10/13/20 13:32	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		10/13/20 13:32	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: MW-12 **Lab ID: 40216329006** Collected: 10/08/20 16:50 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 13:32	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 13:32	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/13/20 13:32	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/13/20 13:32	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 13:32	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 13:32	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 13:32	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 13:32	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 13:32	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 13:32	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 13:32	96-18-4	
1,2,4-Trimethylbenzene	1.1J	ug/L	2.8	0.84	1		10/13/20 13:32	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/13/20 13:32	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 13:32	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/13/20 13:32	179601-23-1	
o-Xylene	0.64J	ug/L	1.0	0.26	1		10/13/20 13:32	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/13/20 13:32	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		10/13/20 13:32	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/13/20 13:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: MW-14 **Lab ID: 40216329007** Collected: 10/08/20 18:47 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.25	ug/L	1.0	0.25	1		10/13/20 13:54	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/13/20 13:54	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/13/20 13:54	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/13/20 13:54	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/13/20 13:54	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/13/20 13:54	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 13:54	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/13/20 13:54	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/13/20 13:54	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		10/13/20 13:54	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 13:54	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/13/20 13:54	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/13/20 13:54	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/13/20 13:54	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/13/20 13:54	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/13/20 13:54	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/13/20 13:54	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/13/20 13:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/13/20 13:54	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/13/20 13:54	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 13:54	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/13/20 13:54	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/13/20 13:54	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/13/20 13:54	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 13:54	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 13:54	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/13/20 13:54	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/13/20 13:54	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		10/13/20 13:54	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/13/20 13:54	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/13/20 13:54	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/13/20 13:54	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/13/20 13:54	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/13/20 13:54	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/13/20 13:54	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/13/20 13:54	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		10/13/20 13:54	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		10/13/20 13:54	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		10/13/20 13:54	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/13/20 13:54	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/13/20 13:54	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/13/20 13:54	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/13/20 13:54	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/13/20 13:54	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		10/13/20 13:54	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: MW-14 **Lab ID: 40216329007** Collected: 10/08/20 18:47 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 13:54	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 13:54	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/13/20 13:54	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/13/20 13:54	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 13:54	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 13:54	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 13:54	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 13:54	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 13:54	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 13:54	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 13:54	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/13/20 13:54	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/13/20 13:54	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 13:54	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/13/20 13:54	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/13/20 13:54	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		10/13/20 13:54	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		10/13/20 13:54	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		10/13/20 13:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: MW-14P **Lab ID: 40216329008** Collected: 10/08/20 18:35 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<2.5	ug/L	10.0	2.5	10		10/13/20 19:09	71-43-2	
Bromobenzene	<2.4	ug/L	10.0	2.4	10		10/13/20 19:09	108-86-1	
Bromochloromethane	<3.6	ug/L	50.0	3.6	10		10/13/20 19:09	74-97-5	
Bromodichloromethane	<3.6	ug/L	12.1	3.6	10		10/13/20 19:09	75-27-4	
Bromoform	<39.7	ug/L	132	39.7	10		10/13/20 19:09	75-25-2	
Bromomethane	<9.7	ug/L	50.0	9.7	10		10/13/20 19:09	74-83-9	
n-Butylbenzene	<7.1	ug/L	23.6	7.1	10		10/13/20 19:09	104-51-8	
sec-Butylbenzene	<8.5	ug/L	50.0	8.5	10		10/13/20 19:09	135-98-8	
tert-Butylbenzene	<3.0	ug/L	10.1	3.0	10		10/13/20 19:09	98-06-6	
Carbon tetrachloride	<10.8	ug/L	35.9	10.8	10		10/13/20 19:09	56-23-5	
Chlorobenzene	<7.1	ug/L	23.7	7.1	10		10/13/20 19:09	108-90-7	
Chloroethane	<13.4	ug/L	50.0	13.4	10		10/13/20 19:09	75-00-3	
Chloroform	<12.7	ug/L	50.0	12.7	10		10/13/20 19:09	67-66-3	
Chloromethane	<21.9	ug/L	73.0	21.9	10		10/13/20 19:09	74-87-3	
2-Chlorotoluene	<9.3	ug/L	50.0	9.3	10		10/13/20 19:09	95-49-8	
4-Chlorotoluene	<7.6	ug/L	25.2	7.6	10		10/13/20 19:09	106-43-4	
1,2-Dibromo-3-chloropropane	<17.6	ug/L	58.8	17.6	10		10/13/20 19:09	96-12-8	
Dibromochloromethane	<26.0	ug/L	86.7	26.0	10		10/13/20 19:09	124-48-1	
1,2-Dibromoethane (EDB)	<8.3	ug/L	27.6	8.3	10		10/13/20 19:09	106-93-4	
Dibromomethane	<9.4	ug/L	31.2	9.4	10		10/13/20 19:09	74-95-3	
1,2-Dichlorobenzene	<7.1	ug/L	23.5	7.1	10		10/13/20 19:09	95-50-1	
1,3-Dichlorobenzene	<6.3	ug/L	20.9	6.3	10		10/13/20 19:09	541-73-1	
1,4-Dichlorobenzene	<9.4	ug/L	31.5	9.4	10		10/13/20 19:09	106-46-7	
Dichlorodifluoromethane	<5.0	ug/L	50.0	5.0	10		10/13/20 19:09	75-71-8	
1,1-Dichloroethane	<2.7	ug/L	10.0	2.7	10		10/13/20 19:09	75-34-3	
1,2-Dichloroethane	<2.8	ug/L	10.0	2.8	10		10/13/20 19:09	107-06-2	
1,1-Dichloroethene	<2.4	ug/L	10.0	2.4	10		10/13/20 19:09	75-35-4	
cis-1,2-Dichloroethene	<2.7	ug/L	10.0	2.7	10		10/13/20 19:09	156-59-2	
trans-1,2-Dichloroethene	<4.6	ug/L	15.5	4.6	10		10/13/20 19:09	156-60-5	
1,2-Dichloropropane	<2.8	ug/L	10.0	2.8	10		10/13/20 19:09	78-87-5	
1,3-Dichloropropane	<8.3	ug/L	27.5	8.3	10		10/13/20 19:09	142-28-9	
2,2-Dichloropropane	<22.7	ug/L	75.5	22.7	10		10/13/20 19:09	594-20-7	
1,1-Dichloropropene	<5.4	ug/L	18.0	5.4	10		10/13/20 19:09	563-58-6	
cis-1,3-Dichloropropene	<36.3	ug/L	121	36.3	10		10/13/20 19:09	10061-01-5	
trans-1,3-Dichloropropene	<43.7	ug/L	146	43.7	10		10/13/20 19:09	10061-02-6	
Diisopropyl ether	<18.9	ug/L	62.9	18.9	10		10/13/20 19:09	108-20-3	
Ethylbenzene	<3.2	ug/L	10.6	3.2	10		10/13/20 19:09	100-41-4	
Hexachloro-1,3-butadiene	<14.6	ug/L	48.8	14.6	10		10/13/20 19:09	87-68-3	
Isopropylbenzene (Cumene)	<16.9	ug/L	56.2	16.9	10		10/13/20 19:09	98-82-8	
p-Isopropyltoluene	<8.0	ug/L	26.7	8.0	10		10/13/20 19:09	99-87-6	
Methylene Chloride	<5.8	ug/L	50.0	5.8	10		10/13/20 19:09	75-09-2	
Methyl-tert-butyl ether	<12.5	ug/L	41.5	12.5	10		10/13/20 19:09	1634-04-4	
Naphthalene	<11.8	ug/L	50.0	11.8	10		10/13/20 19:09	91-20-3	
n-Propylbenzene	<8.1	ug/L	50.0	8.1	10		10/13/20 19:09	103-65-1	
Styrene	<30.1	ug/L	100	30.1	10		10/13/20 19:09	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: MW-14P **Lab ID: 40216329008** Collected: 10/08/20 18:35 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<2.7	ug/L	10.0	2.7	10		10/13/20 19:09	630-20-6	
1,1,1,2-Tetrachloroethane	<2.8	ug/L	10.0	2.8	10		10/13/20 19:09	79-34-5	
Tetrachloroethene	1790	ug/L	10.9	3.3	10		10/13/20 19:09	127-18-4	
Toluene	<2.7	ug/L	10.0	2.7	10		10/13/20 19:09	108-88-3	
1,2,3-Trichlorobenzene	<22.1	ug/L	73.7	22.1	10		10/13/20 19:09	87-61-6	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		10/13/20 19:09	120-82-1	
1,1,1-Trichloroethane	<2.4	ug/L	10.0	2.4	10		10/13/20 19:09	71-55-6	
1,1,2-Trichloroethane	<5.5	ug/L	50.0	5.5	10		10/13/20 19:09	79-00-5	
Trichloroethene	<2.6	ug/L	10.0	2.6	10		10/13/20 19:09	79-01-6	
Trichlorofluoromethane	<2.1	ug/L	10.0	2.1	10		10/13/20 19:09	75-69-4	
1,2,3-Trichloropropane	<5.9	ug/L	50.0	5.9	10		10/13/20 19:09	96-18-4	
1,2,4-Trimethylbenzene	22.2J	ug/L	28.0	8.4	10		10/13/20 19:09	95-63-6	
1,3,5-Trimethylbenzene	<8.7	ug/L	29.1	8.7	10		10/13/20 19:09	108-67-8	
Vinyl chloride	<1.7	ug/L	10.0	1.7	10		10/13/20 19:09	75-01-4	
m&p-Xylene	5.5J	ug/L	20.0	4.7	10		10/13/20 19:09	179601-23-1	
o-Xylene	4.9J	ug/L	10.0	2.6	10		10/13/20 19:09	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		10		10/13/20 19:09	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		10		10/13/20 19:09	1868-53-7	
Toluene-d8 (S)	98	%	70-130		10		10/13/20 19:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: MW-15 Lab ID: 40216329009 Collected: 10/08/20 11:35 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		10/13/20 14:17	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/13/20 14:17	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/13/20 14:17	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/13/20 14:17	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/13/20 14:17	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/13/20 14:17	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 14:17	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/13/20 14:17	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/13/20 14:17	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		10/13/20 14:17	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 14:17	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/13/20 14:17	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/13/20 14:17	67-66-3	
Chloromethane	3.7J	ug/L	7.3	2.2	1		10/13/20 14:17	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/13/20 14:17	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/13/20 14:17	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/13/20 14:17	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/13/20 14:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/13/20 14:17	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/13/20 14:17	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 14:17	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/13/20 14:17	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/13/20 14:17	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/13/20 14:17	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 14:17	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 14:17	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/13/20 14:17	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/13/20 14:17	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		10/13/20 14:17	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/13/20 14:17	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/13/20 14:17	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/13/20 14:17	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/13/20 14:17	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/13/20 14:17	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/13/20 14:17	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/13/20 14:17	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		10/13/20 14:17	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		10/13/20 14:17	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		10/13/20 14:17	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/13/20 14:17	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/13/20 14:17	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/13/20 14:17	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/13/20 14:17	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/13/20 14:17	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		10/13/20 14:17	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: MW-15 **Lab ID: 40216329009** Collected: 10/08/20 11:35 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 14:17	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 14:17	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/13/20 14:17	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/13/20 14:17	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 14:17	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 14:17	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 14:17	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 14:17	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 14:17	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 14:17	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 14:17	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/13/20 14:17	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/13/20 14:17	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 14:17	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/13/20 14:17	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/13/20 14:17	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		10/13/20 14:17	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		10/13/20 14:17	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/13/20 14:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: **MW-16** Lab ID: **40216329010** Collected: 10/08/20 16:58 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.25	ug/L	1.0	0.25	1		10/13/20 14:39	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/13/20 14:39	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/13/20 14:39	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/13/20 14:39	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/13/20 14:39	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/13/20 14:39	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 14:39	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/13/20 14:39	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/13/20 14:39	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		10/13/20 14:39	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 14:39	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/13/20 14:39	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/13/20 14:39	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/13/20 14:39	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/13/20 14:39	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/13/20 14:39	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/13/20 14:39	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/13/20 14:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/13/20 14:39	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/13/20 14:39	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 14:39	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/13/20 14:39	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/13/20 14:39	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/13/20 14:39	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 14:39	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 14:39	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/13/20 14:39	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/13/20 14:39	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		10/13/20 14:39	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/13/20 14:39	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/13/20 14:39	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/13/20 14:39	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/13/20 14:39	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/13/20 14:39	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/13/20 14:39	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/13/20 14:39	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		10/13/20 14:39	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		10/13/20 14:39	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		10/13/20 14:39	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/13/20 14:39	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/13/20 14:39	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/13/20 14:39	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/13/20 14:39	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/13/20 14:39	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		10/13/20 14:39	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: MW-16 **Lab ID: 40216329010** Collected: 10/08/20 16:58 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 14:39	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 14:39	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/13/20 14:39	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/13/20 14:39	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 14:39	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 14:39	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 14:39	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 14:39	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 14:39	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 14:39	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 14:39	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/13/20 14:39	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/13/20 14:39	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 14:39	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/13/20 14:39	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/13/20 14:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		10/13/20 14:39	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		10/13/20 14:39	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/13/20 14:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: MW-17 **Lab ID: 40216329011** Collected: 10/08/20 17:50 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 15:02	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 15:02	79-34-5	
Tetrachloroethene	297	ug/L	1.1	0.33	1		10/13/20 15:02	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/13/20 15:02	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 15:02	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 15:02	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 15:02	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 15:02	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 15:02	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 15:02	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 15:02	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/13/20 15:02	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/13/20 15:02	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 15:02	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/13/20 15:02	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/13/20 15:02	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		10/13/20 15:02	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		10/13/20 15:02	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		10/13/20 15:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: MW-17P **Lab ID: 40216329012** Collected: 10/08/20 17:52 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/14/20 07:33	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/14/20 07:33	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/14/20 07:33	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/14/20 07:33	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/14/20 07:33	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/20 07:33	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/14/20 07:33	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/14/20 07:33	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/14/20 07:33	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/14/20 07:33	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/14/20 07:33	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/14/20 07:33	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/14/20 07:33	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/20 07:33	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/14/20 07:33	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/14/20 07:33	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		10/14/20 07:33	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		10/14/20 07:33	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		10/14/20 07:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: MW-18 **Lab ID: 40216329013** Collected: 10/08/20 12:20 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/14/20 06:48	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/14/20 06:48	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/14/20 06:48	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/14/20 06:48	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/14/20 06:48	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/14/20 06:48	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/14/20 06:48	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/14/20 06:48	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/14/20 06:48	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/14/20 06:48	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/14/20 06:48	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/14/20 06:48	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/14/20 06:48	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/14/20 06:48	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/14/20 06:48	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/14/20 06:48	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		10/14/20 06:48	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		10/14/20 06:48	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/14/20 06:48	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: MW-18P **Lab ID: 40216329014** Collected: 10/08/20 12:25 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 15:47	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 15:47	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/13/20 15:47	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/13/20 15:47	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 15:47	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 15:47	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 15:47	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 15:47	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 15:47	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 15:47	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 15:47	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/13/20 15:47	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/13/20 15:47	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 15:47	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/13/20 15:47	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/13/20 15:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		10/13/20 15:47	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		1		10/13/20 15:47	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/13/20 15:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: PZ-2 **Lab ID: 40216329015** Collected: 10/08/20 16:10 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	5.2	ug/L	1.0	0.25	1		10/13/20 16:09	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/13/20 16:09	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/13/20 16:09	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/13/20 16:09	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/13/20 16:09	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/13/20 16:09	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 16:09	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/13/20 16:09	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/13/20 16:09	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		10/13/20 16:09	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 16:09	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/13/20 16:09	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/13/20 16:09	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/13/20 16:09	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/13/20 16:09	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/13/20 16:09	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/13/20 16:09	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/13/20 16:09	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/13/20 16:09	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/13/20 16:09	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 16:09	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/13/20 16:09	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/13/20 16:09	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/13/20 16:09	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 16:09	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 16:09	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/13/20 16:09	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/13/20 16:09	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		10/13/20 16:09	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/13/20 16:09	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/13/20 16:09	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/13/20 16:09	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/13/20 16:09	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/13/20 16:09	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/13/20 16:09	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/13/20 16:09	108-20-3	
Ethylbenzene	4.3	ug/L	1.1	0.32	1		10/13/20 16:09	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		10/13/20 16:09	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		10/13/20 16:09	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/13/20 16:09	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/13/20 16:09	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/13/20 16:09	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/13/20 16:09	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/13/20 16:09	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		10/13/20 16:09	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: PZ-2 **Lab ID: 40216329015** Collected: 10/08/20 16:10 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 16:09	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 16:09	79-34-5	
Tetrachloroethene	3.9	ug/L	1.1	0.33	1		10/13/20 16:09	127-18-4	
Toluene	0.50J	ug/L	1.0	0.27	1		10/13/20 16:09	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 16:09	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 16:09	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 16:09	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 16:09	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 16:09	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 16:09	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 16:09	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/13/20 16:09	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/13/20 16:09	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 16:09	75-01-4	
m&p-Xylene	0.66J	ug/L	2.0	0.47	1		10/13/20 16:09	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/13/20 16:09	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		10/13/20 16:09	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		10/13/20 16:09	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		10/13/20 16:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Sample: PZ-3 **Lab ID: 40216329016** Collected: 10/08/20 16:00 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		10/13/20 16:32	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/13/20 16:32	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/13/20 16:32	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/13/20 16:32	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/13/20 16:32	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/13/20 16:32	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 16:32	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/13/20 16:32	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/13/20 16:32	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		10/13/20 16:32	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 16:32	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/13/20 16:32	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/13/20 16:32	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/13/20 16:32	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/13/20 16:32	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/13/20 16:32	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/13/20 16:32	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/13/20 16:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/13/20 16:32	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/13/20 16:32	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 16:32	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/13/20 16:32	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/13/20 16:32	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/13/20 16:32	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 16:32	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 16:32	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/13/20 16:32	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/13/20 16:32	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		10/13/20 16:32	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/13/20 16:32	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/13/20 16:32	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/13/20 16:32	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/13/20 16:32	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/13/20 16:32	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/13/20 16:32	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/13/20 16:32	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		10/13/20 16:32	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		10/13/20 16:32	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		10/13/20 16:32	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/13/20 16:32	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/13/20 16:32	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/13/20 16:32	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/13/20 16:32	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/13/20 16:32	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		10/13/20 16:32	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: PZ-3 **Lab ID: 40216329016** Collected: 10/08/20 16:00 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 16:32	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 16:32	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		10/13/20 16:32	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/13/20 16:32	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 16:32	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 16:32	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 16:32	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 16:32	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 16:32	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 16:32	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 16:32	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/13/20 16:32	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/13/20 16:32	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 16:32	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/13/20 16:32	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/13/20 16:32	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/13/20 16:32	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		1		10/13/20 16:32	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		10/13/20 16:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: MW-A-2 Lab ID: 40216329017 Collected: 10/08/20 07:25 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.25	ug/L	1.0	0.25	1		10/13/20 16:54	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		10/13/20 16:54	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/13/20 16:54	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		10/13/20 16:54	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		10/13/20 16:54	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		10/13/20 16:54	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 16:54	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		10/13/20 16:54	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		10/13/20 16:54	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		10/13/20 16:54	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 16:54	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		10/13/20 16:54	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		10/13/20 16:54	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		10/13/20 16:54	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		10/13/20 16:54	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		10/13/20 16:54	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		10/13/20 16:54	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		10/13/20 16:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		10/13/20 16:54	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		10/13/20 16:54	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		10/13/20 16:54	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		10/13/20 16:54	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		10/13/20 16:54	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		10/13/20 16:54	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 16:54	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 16:54	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		10/13/20 16:54	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		10/13/20 16:54	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		10/13/20 16:54	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		10/13/20 16:54	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		10/13/20 16:54	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		10/13/20 16:54	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		10/13/20 16:54	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		10/13/20 16:54	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		10/13/20 16:54	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		10/13/20 16:54	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		10/13/20 16:54	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		10/13/20 16:54	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		10/13/20 16:54	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		10/13/20 16:54	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		10/13/20 16:54	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		10/13/20 16:54	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		10/13/20 16:54	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		10/13/20 16:54	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		10/13/20 16:54	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

Sample: MW-A-2 **Lab ID: 40216329017** Collected: 10/08/20 07:25 Received: 10/10/20 08:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		10/13/20 16:54	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		10/13/20 16:54	79-34-5	
Tetrachloroethene	1.9	ug/L	1.1	0.33	1		10/13/20 16:54	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		10/13/20 16:54	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		10/13/20 16:54	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/13/20 16:54	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		10/13/20 16:54	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		10/13/20 16:54	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		10/13/20 16:54	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/13/20 16:54	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		10/13/20 16:54	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		10/13/20 16:54	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		10/13/20 16:54	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/13/20 16:54	75-01-4	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		10/13/20 16:54	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		10/13/20 16:54	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		10/13/20 16:54	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		1		10/13/20 16:54	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		10/13/20 16:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

QC Batch: 367986 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40216329001, 40216329002, 40216329003, 40216329004, 40216329005, 40216329006, 40216329007, 40216329008, 40216329009, 40216329010, 40216329011, 40216329012, 40216329013, 40216329014, 40216329015, 40216329016, 40216329017

METHOD BLANK: 2127395 Matrix: Water
Associated Lab Samples: 40216329001, 40216329002, 40216329003, 40216329004, 40216329005, 40216329006, 40216329007, 40216329008, 40216329009, 40216329010, 40216329011, 40216329012, 40216329013, 40216329014, 40216329015, 40216329016, 40216329017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	1.0	10/13/20 09:50	
1,1,1-Trichloroethane	ug/L	<0.24	1.0	10/13/20 09:50	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	1.0	10/13/20 09:50	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	10/13/20 09:50	
1,1-Dichloroethane	ug/L	<0.27	1.0	10/13/20 09:50	
1,1-Dichloroethene	ug/L	<0.24	1.0	10/13/20 09:50	
1,1-Dichloropropene	ug/L	<0.54	1.8	10/13/20 09:50	
1,2,3-Trichlorobenzene	ug/L	<2.2	7.4	10/13/20 09:50	
1,2,3-Trichloropropane	ug/L	<0.59	5.0	10/13/20 09:50	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	10/13/20 09:50	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	10/13/20 09:50	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	10/13/20 09:50	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	10/13/20 09:50	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	10/13/20 09:50	
1,2-Dichloroethane	ug/L	<0.28	1.0	10/13/20 09:50	
1,2-Dichloropropane	ug/L	<0.28	1.0	10/13/20 09:50	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	10/13/20 09:50	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	10/13/20 09:50	
1,3-Dichloropropane	ug/L	<0.83	2.8	10/13/20 09:50	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	10/13/20 09:50	
2,2-Dichloropropane	ug/L	<2.3	7.6	10/13/20 09:50	
2-Chlorotoluene	ug/L	<0.93	5.0	10/13/20 09:50	
4-Chlorotoluene	ug/L	<0.76	2.5	10/13/20 09:50	
Benzene	ug/L	<0.25	1.0	10/13/20 09:50	
Bromobenzene	ug/L	<0.24	1.0	10/13/20 09:50	
Bromochloromethane	ug/L	<0.36	5.0	10/13/20 09:50	
Bromodichloromethane	ug/L	<0.36	1.2	10/13/20 09:50	
Bromoform	ug/L	<4.0	13.2	10/13/20 09:50	
Bromomethane	ug/L	<0.97	5.0	10/13/20 09:50	
Carbon tetrachloride	ug/L	<1.1	3.6	10/13/20 09:50	
Chlorobenzene	ug/L	<0.71	2.4	10/13/20 09:50	
Chloroethane	ug/L	<1.3	5.0	10/13/20 09:50	
Chloroform	ug/L	<1.3	5.0	10/13/20 09:50	
Chloromethane	ug/L	<2.2	7.3	10/13/20 09:50	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	10/13/20 09:50	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	10/13/20 09:50	
Dibromochloromethane	ug/L	<2.6	8.7	10/13/20 09:50	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

METHOD BLANK: 2127395

Matrix: Water

Associated Lab Samples: 40216329001, 40216329002, 40216329003, 40216329004, 40216329005, 40216329006, 40216329007, 40216329008, 40216329009, 40216329010, 40216329011, 40216329012, 40216329013, 40216329014, 40216329015, 40216329016, 40216329017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	<0.94	3.1	10/13/20 09:50	
Dichlorodifluoromethane	ug/L	<0.50	5.0	10/13/20 09:50	
Diisopropyl ether	ug/L	<1.9	6.3	10/13/20 09:50	
Ethylbenzene	ug/L	<0.32	1.1	10/13/20 09:50	
Hexachloro-1,3-butadiene	ug/L	<1.5	4.9	10/13/20 09:50	
Isopropylbenzene (Cumene)	ug/L	<1.7	5.6	10/13/20 09:50	
m&p-Xylene	ug/L	<0.47	2.0	10/13/20 09:50	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	10/13/20 09:50	
Methylene Chloride	ug/L	<0.58	5.0	10/13/20 09:50	
n-Butylbenzene	ug/L	<0.71	2.4	10/13/20 09:50	
n-Propylbenzene	ug/L	<0.81	5.0	10/13/20 09:50	
Naphthalene	ug/L	<1.2	5.0	10/13/20 09:50	
o-Xylene	ug/L	<0.26	1.0	10/13/20 09:50	
p-Isopropyltoluene	ug/L	<0.80	2.7	10/13/20 09:50	
sec-Butylbenzene	ug/L	<0.85	5.0	10/13/20 09:50	
Styrene	ug/L	<3.0	10.0	10/13/20 09:50	
tert-Butylbenzene	ug/L	<0.30	1.0	10/13/20 09:50	
Tetrachloroethene	ug/L	<0.33	1.1	10/13/20 09:50	
Toluene	ug/L	<0.27	1.0	10/13/20 09:50	
trans-1,2-Dichloroethene	ug/L	<0.46	1.5	10/13/20 09:50	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	10/13/20 09:50	
Trichloroethene	ug/L	<0.26	1.0	10/13/20 09:50	
Trichlorofluoromethane	ug/L	<0.21	1.0	10/13/20 09:50	
Vinyl chloride	ug/L	<0.17	1.0	10/13/20 09:50	
4-Bromofluorobenzene (S)	%	101	70-130	10/13/20 09:50	
Dibromofluoromethane (S)	%	103	70-130	10/13/20 09:50	
Toluene-d8 (S)	%	100	70-130	10/13/20 09:50	

LABORATORY CONTROL SAMPLE: 2127396

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	57.6	115	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	50.7	101	64-131	
1,1,2-Trichloroethane	ug/L	50	54.6	109	70-130	
1,1-Dichloroethane	ug/L	50	72.6	145	69-163	
1,1-Dichloroethene	ug/L	50	57.7	115	77-123	
1,2,4-Trichlorobenzene	ug/L	50	54.6	109	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	53.7	107	63-130	
1,2-Dibromoethane (EDB)	ug/L	50	56.8	114	70-130	
1,2-Dichlorobenzene	ug/L	50	52.5	105	70-130	
1,2-Dichloroethane	ug/L	50	59.9	120	78-142	
1,2-Dichloropropane	ug/L	50	56.6	113	86-134	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX TOMAH
Pace Project No.: 40216329

LABORATORY CONTROL SAMPLE: 2127396

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,3-Dichlorobenzene	ug/L	50	51.7	103	70-130	
1,4-Dichlorobenzene	ug/L	50	52.0	104	70-130	
Benzene	ug/L	50	49.3	99	70-130	
Bromodichloromethane	ug/L	50	60.6	121	70-130	
Bromoform	ug/L	50	58.1	116	70-130	
Bromomethane	ug/L	50	30.0	60	39-129	
Carbon tetrachloride	ug/L	50	62.0	124	70-132	
Chlorobenzene	ug/L	50	55.4	111	70-130	
Chloroethane	ug/L	50	46.1	92	66-140	
Chloroform	ug/L	50	55.8	112	75-132	
Chloromethane	ug/L	50	46.0	92	32-143	
cis-1,2-Dichloroethene	ug/L	50	50.9	102	70-130	
cis-1,3-Dichloropropene	ug/L	50	51.8	104	70-130	
Dibromochloromethane	ug/L	50	58.4	117	70-130	
Dichlorodifluoromethane	ug/L	50	44.7	89	10-141	
Ethylbenzene	ug/L	50	58.0	116	80-120	
Isopropylbenzene (Cumene)	ug/L	50	61.0	122	70-130	
m&p-Xylene	ug/L	100	118	118	70-130	
Methyl-tert-butyl ether	ug/L	50	62.6	125	61-129	
Methylene Chloride	ug/L	50	59.3	119	70-130	
o-Xylene	ug/L	50	58.9	118	70-130	
Styrene	ug/L	50	60.3	121	70-130	
Tetrachloroethene	ug/L	50	57.4	115	70-130	
Toluene	ug/L	50	54.2	108	80-120	
trans-1,2-Dichloroethene	ug/L	50	58.4	117	70-130	
trans-1,3-Dichloropropene	ug/L	50	51.9	104	69-130	
Trichloroethene	ug/L	50	56.5	113	70-130	
Trichlorofluoromethane	ug/L	50	60.2	120	75-145	
Vinyl chloride	ug/L	50	46.4	93	51-140	
4-Bromofluorobenzene (S)	%			106	70-130	
Dibromofluoromethane (S)	%			102	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2128306 2128307

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40216329003 Result	Spike Conc.	Spike Conc.	MS Result								
1,1,1-Trichloroethane	ug/L	<0.24	50	50	57.9	58.9	116	118	70-130	2	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.28	50	50	50.1	50.7	100	101	64-137	1	20		
1,1,2-Trichloroethane	ug/L	<0.55	50	50	55.0	53.9	110	108	70-137	2	20		
1,1-Dichloroethane	ug/L	<0.27	50	50	74.1	72.6	148	145	69-163	2	20		
1,1-Dichloroethene	ug/L	<0.24	50	50	58.1	59.4	116	119	77-129	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	56.6	57.2	113	114	68-130	1	20		
1,2-Dibromo-3-chloropropane	ug/L	<1.8	50	50	54.2	54.3	108	109	60-130	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Parameter	Units	2128306		2128307		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40216329003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dibromoethane (EDB)	ug/L	<0.83	50	50	56.6	57.0	112	113	70-130	1	20		
1,2-Dichlorobenzene	ug/L	<0.71	50	50	53.3	53.9	107	108	70-130	1	20		
1,2-Dichloroethane	ug/L	<0.28	50	50	58.6	58.9	117	118	78-145	1	20		
1,2-Dichloropropane	ug/L	<0.28	50	50	56.5	56.8	113	114	86-135	1	20		
1,3-Dichlorobenzene	ug/L	<0.63	50	50	52.6	52.8	105	106	70-130	0	20		
1,4-Dichlorobenzene	ug/L	<0.94	50	50	53.0	53.2	106	106	70-130	0	20		
Benzene	ug/L	<0.25	50	50	49.6	50.0	99	100	70-136	1	20		
Bromodichloromethane	ug/L	<0.36	50	50	59.8	61.1	120	122	70-130	2	20		
Bromoform	ug/L	<4.0	50	50	56.4	57.8	113	116	69-130	2	20		
Bromomethane	ug/L	<0.97	50	50	33.1	34.1	66	68	39-138	3	20		
Carbon tetrachloride	ug/L	<1.1	50	50	61.3	62.5	123	125	70-142	2	20		
Chlorobenzene	ug/L	<0.71	50	50	55.9	55.9	112	112	70-130	0	20		
Chloroethane	ug/L	<1.3	50	50	47.1	46.2	94	92	61-149	2	20		
Chloroform	ug/L	<1.3	50	50	55.9	56.2	112	112	75-133	1	20		
Chloromethane	ug/L	<2.2	50	50	45.0	45.1	90	90	32-143	0	20		
cis-1,2-Dichloroethene	ug/L	<0.27	50	50	51.0	50.9	102	102	70-130	0	20		
cis-1,3-Dichloropropene	ug/L	<3.6	50	50	52.9	52.9	106	106	70-130	0	20		
Dibromochloromethane	ug/L	<2.6	50	50	58.8	58.3	118	117	70-130	1	20		
Dichlorodifluoromethane	ug/L	<0.50	50	50	39.6	40.4	79	81	10-141	2	20		
Ethylbenzene	ug/L	<0.32	50	50	58.3	58.1	117	116	80-120	0	20		
Isopropylbenzene (Cumene)	ug/L	<1.7	50	50	60.7	60.8	121	122	70-130	0	20		
m&p-Xylene	ug/L	<0.47	100	100	118	117	118	117	70-130	0	20		
Methyl-tert-butyl ether	ug/L	<1.2	50	50	61.1	63.3	122	127	61-136	4	20		
Methylene Chloride	ug/L	<0.58	50	50	60.1	60.8	120	122	68-137	1	20		
o-Xylene	ug/L	<0.26	50	50	58.8	59.1	118	118	70-130	0	20		
Styrene	ug/L	<3.0	50	50	60.6	59.9	121	120	70-130	1	20		
Tetrachloroethene	ug/L	1.5	50	50	59.7	59.2	116	116	70-130	1	20		
Toluene	ug/L	<0.27	50	50	54.4	54.1	109	108	80-120	0	20		
trans-1,2-Dichloroethene	ug/L	<0.46	50	50	59.6	61.0	119	122	70-130	2	20		
trans-1,3-Dichloropropene	ug/L	<4.4	50	50	52.8	52.7	106	105	69-130	0	20		
Trichloroethene	ug/L	<0.26	50	50	55.7	56.4	111	113	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.21	50	50	59.8	64.9	120	130	74-157	8	20		
Vinyl chloride	ug/L	<0.17	50	50	44.5	44.7	89	89	51-140	1	20		
4-Bromofluorobenzene (S)	%						105	104	70-130				
Dibromofluoromethane (S)	%						102	102	70-130				
Toluene-d8 (S)	%						101	100	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 8173 BAND BOX TOMAH

Pace Project No.: 40216329

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40216329001	MW-3	EPA 8260	367986		
40216329002	PZ-A-3	EPA 8260	367986		
40216329003	PZ-B-3	EPA 8260	367986		
40216329004	PZ-A-4	EPA 8260	367986		
40216329005	PZ-B-4	EPA 8260	367986		
40216329006	MW-12	EPA 8260	367986		
40216329007	MW-14	EPA 8260	367986		
40216329008	MW-14P	EPA 8260	367986		
40216329009	MW-15	EPA 8260	367986		
40216329010	MW-16	EPA 8260	367986		
40216329011	MW-17	EPA 8260	367986		
40216329012	MW-17P	EPA 8260	367986		
40216329013	MW-18	EPA 8260	367986		
40216329014	MW-18P	EPA 8260	367986		
40216329015	PZ-2	EPA 8260	367986		
40216329016	PZ-3	EPA 8260	367986		
40216329017	MW-A-2	EPA 8260	367986		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

40216329



CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bleulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested	Matrix Codes																	
			A	B	C	D	E	F	G	H	I	J								
N	B	VOI																		

(Please Print Clearly)

Company Name: REJ Engineering
Branch/Location: Wausau, WI
Project Contact: Matthew C Michelski
Phone: (715) 675-9789
Project Number: 8173
Project Name: Band Box Touch
Project State: WI
Sampled By (Print): Matthew C Michelski
Sampled By (Sign): *Matthew C Michelski*
PO #: _____ **Regulatory Program:** WDMR

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	MW-3	10/18/20	3:00	GW
002	PZ-A-3		2:10	
003	PZ-B-3		1:55	
004	PZ-A-4		10:17	
005	PZ-B-4		10:30	
006	MW-12		4:50	
007	MW-14		6:47	
008	MW-14P		6:35	
009	MW-15		11:35	
010	MW-16		4:58	
011	MW-17		5:50	
012	MW-17 P		8:52	
013	MW-18		12:20	

Quote #: _____

Mail To Contact: Matthew C Michelski

Mail To Company: REJ Engineering

Mail To Address: Michelski & X Enterprises Inc

Invoice To Contact: SNA

Invoice To Company: SNA

Invoice To Address: SNA

Invoice To Phone: (715) 675-9789

CLIENT COMMENTS | **LAB COMMENTS (Lab Use Only)** | **Profile #**

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want):

Email #1: _____
Email #2: _____
Telephone: _____
Fax: _____

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: <i>Waltke</i>	Date/Time: 8/19/20 19:00
Relinquished By: <i>Waltke</i>	Date/Time: 10/10/20 0830
Relinquished By:	Date/Time:
Relinquished By:	Date/Time:
Relinquished By:	Date/Time:

Received By:	Date/Time:
Received By: <i>[Signature]</i>	Date/Time: 10/10/20 0830
Received By:	Date/Time:
Received By:	Date/Time:
Received By:	Date/Time:

PACE Project No.
40216329

Receipt Temp = *10* °C

Sample Receipt pH
OK / Adjusted

Cooler Custody Seal
Present / Not Present
Intact / Not Intact

40216329

(Please Print Clearly)

Company Name: REI Eng'g, Inc
Branch/Location: Wausau, WI
Project Contact: Matthew C Michalski
Phone: (715) 675-9784
Project Number: 8173
Project Name: Band Box Tomah
Project State: WI
Sampled By (Print): Matthew C. Michalski
Sampled By (Sign):



CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO)
PRESERVATION (CODE)*

Y/N	Pick Letter	Analysis Requested	COLLECTION					Matrix
			DATE	TIME	MATRIX			
N	B	VOC						

Quote #:

Mail To Contact: Matthew Michalski
Mail To Company: REI Engineering
Mail To Address: mmichalski@REIengineering.com
Invoice To Contact: SAA
Invoice To Company: SAA
Invoice To Address: SAA
Invoice To Phone: (715) 675-9784

CLIENT COMMENTS | **LAB COMMENTS (Lab Use Only)** | **Profile #**

① sample 017 received in shipment, not on the COC, lab added to COC.
10/10/20
MP

PO #: | **Regulatory Program:** WDR

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	Pick Letter
		DATE	TIME			
014	MW-18P	10/8/20	12:25	GW		X
015	PZ-2		4:10			
016	PZ-3		4:00			
017	① MW-A-2	10/8/20	7:25	W		

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1: | **Telephone:** | **Fax:**


Samples on HOLD are subject to special pricing and release of liability

Relinquished By: [Signature]	Date/Time: 10/8/20 14:00	Received By: [Signature]	Date/Time:
Relinquished By: Waltco	Date/Time: 10/10/20 0830	Received By: [Signature]	Date/Time: 10/10/20 0850
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:

PACE Project No. 40216329
Receipt Temp = [Reading] °C
Sample Receipt pH OK / Adjusted
Cooler Custody Seal Present / Not Present Intact / Not Intact
 Version 6.0 06/14/06

C019a(27 Jun 2006)

Page 46 of 48


 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
	Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Client Name: REI
 Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Project #: _____

WO# : 40216329


 40216329

Tracking #: 2607267-1
 Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
 Custody Seal on Samples Present: yes no Seals intact: yes no
 Packing Material: Bubble Wrap Bubble Bags None Other
 Thermometer Used SR - NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun
 Cooler Temperature Uncorr: 101 / Corr: _____
 Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 10/10/20 / Initials: SRK
 Labeled By Initials: SRK

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.	
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.	<u>pg#</u> <u>10/10/20</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.	<u>no</u>
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.	
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.	
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:	
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.	
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.	
Sufficient Volume:	For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.	<u>1 Sample 017 (mw-A-2) received in shipment, lab added to COC.</u>
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.	<u>10/10/20</u>
- Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		<u>no</u>
- Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.	
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.	
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.	
- Includes date/time/ID/Analysis Matrix: <u>W</u>			
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.	
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Pace Trip Blank Lot # (if purchased):			

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

