



September 27, 2022

Wisconsin Department of Natural Resources

Attn: Tim Zeichert
101 S. Webster Street
PO Box 7921
Madison, WI 53707-7921

Subject:

Update Report
Band Box Cleaners & Laundry, Inc
1217 Superior Avenue
Tomah, WI 54660
BRRTS# 02-42-525072
Facility ID: 642018410

Dear Mr. Zeichert:

On behalf of Band Box Cleaners & Laundry Inc., REI Engineering, Inc. (REI) hereby submits one (1) copy of the above referenced report. REI has completed an approved scope of services which included additional groundwater sampling, off site sub-slab sampling determination, installation of vapor extraction wells and underground piping around the adjacent Nail Boutique building followed by an abbreviated pilot test for SVE system sizing. Additional work conducted included the completion of the underground piping installation for the planned electrical hookup and underground piping installation for the Band Box facility SVE system.

If you have questions or concerns regarding this report, please contact REI at your convenience at 715-675-9784 or dlarsen@REIengineering.com.

Sincerely,
REI Engineering, Inc.

A handwritten signature in black ink that reads "David N. Larsen".

David N. Larsen P.G.
Hydrogeologist/Project Manager

Attachments

cc: Mr. Richard Keene, BBC Superior, LLC. (e-copy)
Mr. Jay Carmichael, Carmichael & Quartemont, S.C. (e-copy)
Mr. John Tessmann, Band Box Cleaners & Laundry, Inc. (e-copy)



RESPONSIVE. EFFICIENT. INNOVATIVE.

4080 N. 20th Avenue Wausau, WI 54401
715-675-9784 REIengineering.com




CIVIL & ENVIRONMENTAL
ENGINEERING, SURVEYING

UPDATE REPORT

BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WI 54660
BRRTS #02-42-525072

REI PROJECT #8173



**COMPREHENSIVE
SERVICES WITH
PRACTICAL
SOLUTIONS**



UPDATE REPORT

BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WI 54660
BRRTS #02-42-525072

REI PROJECT #8173



PREPARED FOR:

BBC Superior, LLC
Mr. Richard Keene
82572 Tremetina Ct
Indio, CA 92230

SEPTEMBER 2022


UPDATE REPORT

BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WI 54660
BRRTS #02-42-525072

REI PROJECT #8173

The recommendations contained in this report are based on the information obtained from our study of the site and were arrived at in accordance with accepted hydrogeologic and engineering practices at this time and location.

"I, David N. Larsen, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Admn. Code, and that to the best of my knowledge, all the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



Hydrogeologist

September 27, 2022

Date

"I, Matthew C. Michalski, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Admn. Code, and that to the best of my knowledge, all the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



Hydrogeologist

September 27, 2022

Date

TABLE OF CONTENTS

- 1.0 Introduction
 - 1.1 Purpose
- 2.0 Site Background
 - 2.1 Site Location & History
 - 2.2 Site Investigation History
 - 2.3 Regional Geology
- 3.0 Summary of Work
 - 3.1 Groundwater Monitoring & Analytical Results
 - 3.2 Additional Off Site Sub-Slab Evaluation
 - 3.2.1 1301 Superior Avenue
 - 3.2.2 112 W Council Street
 - 3.2.3 120 W Council Street
 - 3.3 SVE System Installation (115 W Council Street)
 - 3.3.1 Extraction Well Installation
 - 3.3.2 Well Head and Conveyance Piping Installation
 - 3.3.3 Abbreviated Pilot Test for SVE System
 - 3.3.4 System Component Installation
- 4.0 Conclusion & Recommendations

LIST OF TABLES

- Table 1 Water Level Elevations
- Tables 2a-2z Groundwater Analytical Results

LIST OF FIGURES

- Figure 1 Location Map
- Figure 2 Detailed Site Map
- Figure 3 SVE System Layout

LIST OF APPENDICES

- Appendix A Groundwater Laboratory Analytical Results
- Appendix B Vapor Barrier Install – 1301 Superior Avenue
- Appendix C Soil Boring Logs and Well Construction Forms
- Appendix D Photographs of SVE Well, Underground Piping and Electrical Installation

UPDATE REPORT

BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WI 54660
BRRTS #02-42-525072

REI PROJECT #8173

1.0 INTRODUCTION

1.1 Purpose

This report presents results from the additional completed scope of services for the Band Box Cleaners & Laundry, Inc. (Band Box) site in Tomah, Wisconsin. The completed portion of the approved scope of services included workplan preparation, sampling of monitoring wells and piezometers, determine potential risk for vapor migration and obtaining access for additional off site sub-slab sampling if necessary on three (3) additional off-site properties, additional (SVE) feasibility determination, installation of vapor extraction wells and underground conveyance piping around the adjacent commercial business, installation of additional underground conveyance lines for the SVE system to be installed inside the Band Box facility, conduct an abbreviated pilot test for SVE sizing determination, facilitate approval for a power drop for the active remedial systems soil vapor extraction and the completion of an update report.

2.0 SITE BACKGROUND

2.1 Site Location & History

The Band Box Cleaners & Laundry, Inc. site is located at 1217 Superior Avenue in the Southwest (SW) quarter ($\frac{1}{4}$) of the Southeast (SE) quarter ($\frac{1}{4}$) of Section Four (4), Township Seventeen (17) North, Range one (1) West, City of Tomah, Monroe County,

Wisconsin (Figure 1). The Wisconsin Transverse Mercator (WTM) coordinates for the site are 479471, 389222.

Band Box began operations in Tomah in 1956 out of an 800-square foot facility. Between 1962 and 1977 the business expanded rapidly and currently occupies the majority of one and one half (1.5) city blocks located between Superior Avenue (State Highway 12), McLean Avenue, West Manowau Street, and West Council Street. The focus area of the Environmental Repair Program (ERP) investigation has been the southeastern portion of the main building located at the intersection of Superior Avenue and West Council Street.

2.2 Site Investigation History

The site investigation at Band Box commenced in April 2004 following the identification of chlorinated compounds in groundwater monitoring wells associated with the Badger Restaurant Leaking Underground Storage Tank (LUST) site (BRRTS# 03-42-232007). Initial site investigation activities were completed by METCO of La Crosse, Wisconsin. The last round of groundwater sampling conducted by METCO was collected on September 18, 2013. METCO also supervised the installation of sub-slab vapor probes and collection of one (1) round of sub-slab vapor sampling completed in June 2013. METCO conducted a limited soil investigation inside the main Band Box facility in February 2007. On December 20, 2013, METCO submitted a Vapor Sampling and Groundwater Monitoring Report to the WDNR summarizing work completed at the property, following the submittal of this report no additional work was completed by METCO while the responsible party gathered bids for remedial actions at this site. REI Engineering, Inc. (REI) was retained as the environmental consultant for the site investigation in May 2018. Figures 2 depict the locations of the referenced investigation sample locations.

2.3 Regional Geology

Unconsolidated soils in the area of the site are comprised primarily of Quaternary aged glacial lake deposits consisting of fine to coarse grained sand with lenses of silt and clay with soil permeability rates ranging from 0.2 to 0.8 inches per hour (Young, H.L.

& Borman, R.G., 1973). Permeable Cambrian age fine to coarse grained fractured sandstone underlies the unconsolidated materials at this site at depths of approximately ten (10) to fifteen (15) feet below land surface (bls).

3.0 SUMMARY OF WORK

3.1 Groundwater Monitoring & Analytical Results

REI personnel conducted additional groundwater sampling from all site wells except for the MW19 well nest (MW19 and MW19P). Groundwater samples were collected using low flow sampling methodology and submitted for laboratory analysis of Volatile Organic Compounds (VOCs) to Pace Analytical in Green Bay, Wisconsin. Water level measurements were collected prior to and during the completion of well sampling activities. Dissolved oxygen, specific conductance, pH, oxidation-reduction potential, and temperature measurements were collected from all sampled wells. Well locations are depicted in the Detailed Site Map included as Figure 2.

Historic and current groundwater analytical trends are as follows:

MW-A1: Has not been located and appears to have been lost during site reconstruction and was last sampling in June 2013. Historical groundwater sampling identified an NR140 Preventive Action Limit (PAL) exceedance for tetrachloroethene only during the October 18, 2010 monitoring event. An unknown light non-aqueous phase liquid (LNAPL) was identified in this well for seven (7) rounds. LNAPL was first encountered during the August 2007 monitoring event and continued to be encountered through the last sampling event, June 2013, prior to the well going missing. LNAPL thickness ranged from two and one half (2.5) to ten (10) inches thick.

MW-A1R: The analytical results for the replacement well for MW-A1 were below the laboratory method limit of detection for all analyzed parameters during each of the three (3) sampling events. LNAPL has not been observed in this monitoring well.

- MW-A2: Historically identified concentrations of Tetrachloroethene exceeding the NR140 Enforcement Standard (ES). Contaminant concentrations following the April 2022 exceeded the NR140 Enforcement Standard (ES) and August 2022 sampling event were below the ES but still exceeded the exceeding the NR140 PAL.
- MW-A3: Historically did not identify detections of Tetrachloroethene or Trichloroethene. However, during the September 2018 monitoring event, the concentration of Tetrachloroethene was identified exceeding the NR140 PAL. Analytical results following the April and August 2022 sampling events were below the laboratory method limit of detection for Tetrachloroethene. No other exceedances of the NR140 state groundwater standards were identified.
- MW-A4: No exceedances of the NR140 state groundwater standards were identified following the April and August 2022 sampling events. No detections of Tetrachloroethene or Trichloroethene were reported in the groundwater samples collected to date.
- MW-12: Transferred from the closed Badger Restaurant LUST site and historically only sampled for Petroleum VOCs (PVOCS). Laboratory analytical results identified only laboratory qualified detections for petroleum compounds following the September 2018 and October 2020 sampling event and the results were below the laboratory method limit of detection for all analyzed parameters following the April and August 2022 sampling events.
- MW-14: Historically, concentrations of Tetrachloroethene ranged from below detection limits to exceeding NR140 ES. Tetrachloroethene exceeded the NR140 PAL in the April 2022 monitoring event and the August 2022 results exceeded the NR140 ES.
- MW-14P: Historic and current concentrations of Tetrachloroethene exceed the NR140 ES. Contaminant concentration trends have generally shown a decreasing

trend. No other exceedances of the NR140 state groundwater standards were identified.

MW-14P60: Following the April and August 2022 sampling events the Tetrachloroethene concentration results exceeded the NR140 ES for each sample date.

MW-15: Chlorinated VOCs (CVOCs) not identified historically but did have a laboratory qualified PAL exceedance for Chloromethane following the October 2020 sampling event and the results were below the laboratory method limit of detection for all analyzed parameters following the April and August 2022 sampling events.

MW-16: Historic concentrations of Tetrachloroethene exceed the NR140 ES. Historic concentration of Chloroform ranges from non-detect to exceeding the NR140 ES.

MW-17: Historic and current concentrations of Tetrachloroethene exceed the NR140 ES. Contaminant concentrations trends appear have generally remained stable.

MW-17P: Historic and current concentrations of analyzed compounds remain below the laboratory method limit of detection.

MW-18: Historic and current concentrations of analyzed compounds below the laboratory method limit of detection.

MW-18P: Historic and current concentrations of analyzed compounds were below the laboratory method limit of detection with the exception of a chloromethane PAL exceedance following the October 2020 sampling event and the results were below the laboratory method limit of detection for all analyzed parameters following the April and August 2022 sampling events.

- MW-19: Historic and current concentrations of analyzed compounds below the limit of detection. The MW19/MW19P well nests appear to have been paved over during the reconstruction work on Manowau Street.
- MW-19P: Historic concentrations of Tetrachloroethene range from below detection limit to exceeding the NR140 PAL. Concentration of Tetrachloroethene identified during September 2018 monitoring event exceeded NR140 PAL. No other exceedances of the NR140 state groundwater standards were identified. The MW19/MW19P well nests appear to have been paved over during the reconstruction work on Manowau Street.
- PZ-1: Historic concentrations of Benzene and Naphthalene range from below detection limit to exceeding the NR140 PAL. Concentrations were below the NR140 PAL for all analyzed parameters following the October 2021 sampling event. Historic and current concentrations of chlorinated VOC's have remained below the laboratory method of detection.
- PZ-A-3: Historic concentrations of PVOCs and Tetrachloroethene range from below detection limit to exceeding the NR140 ES. Tetrachloroethene concentrations were below the laboratory method limit of detection following the April and August 2022 sampling events.
- PZ-A-4: Historic concentration of Tetrachloroethene have been generally below detection limit, except for one (1) round (October 2010) exceeded the NR140 PAL, and one (1) round (January 2009) exceeded the NR140 ES. The last five (5) monitoring events revealed concentrations of Chloroform exceeding the NR140 PAL and Bromodichloromethane exceeding the NR140 ES. No other exceedances of the NR140 state groundwater standards were identified.
- PZ-B-3: Following the last five (5) groundwater sampling events, the only compound to exceed the NR140 PAL was Tetrachloroethene. No other exceedances of the NR140 state groundwater standards were identified.

- PZ-B-4: Historic and current concentrations of analyzed compounds have been below the limit of detection, except for an exceedance of the NR140 PAL for Tetrachloroethene during the January 2009 sampling event. The last three (3) monitoring events revealed concentrations of Chloroform exceeding the NR140 PAL and the last four (4) monitoring events revealed concentrations of Bromodichloromethane exceeding the NR140 ES. No other exceedances of the NR140 state groundwater standards were identified.
- PZ-C-3: Analytical results have been consistently below the laboratory method limit of detection for all analyzed parameters following each sample event.
- PZ-C-4: Analytical results document a NR140 ES exceedance for Tetrachloroethene and a laboratory qualified detection of chloroform exceeding the NR140 PAL following each of the groundwater sampling events. A NR140 PAL exceedance for Trichloroethene and a detectable concentration of cis-1,2-Dichloroethene was detected following the November 2021 sampling event. A NR140 ES exceedance for Bromoform was detected following the April 2022 sampling event.
- PZ-2: Historically, multiple PVOCs have been identified exceeding the NR140 PAL and ES, however during the April 2022 monitoring event only Tetrachloroethene exceeded the NR140 state groundwater standards. No exceedances of the NR140 state groundwater standards were identified following the August 2022 sampling event.
- PZ-3: Historically multiple PVOCs have been identified exceeding the NR140 PAL and ES, however following the last four (4) sampling events all analyzed parameters reported concentrations less than the laboratory method limit of detection.

All recovered purge water removed during the low flow groundwater sample collection was temporarily stored in open topped steel DOT approved drums and disposed at the Wausau Waste Water Treatment Facility.

Recorded depth to groundwater and water level elevations are presented in Table 1. Groundwater analytical results are summarized in Tables 2a-2z. The groundwater laboratory analytical results are included in Appendix A.

3.2 Additional Off Site Sub-Slab Vapor Evaluation

Following the notification of additional off-site impacts (nail salon), the WDNR identified three (3) additional properties that would need to be evaluated and potentially have sub-slab vapor analysis conducted. The following properties were identified.

- 1301 Superior Avenue (Commercial Property)
- 112 W. Council Street (Residential Property)
- 120 W. Council Street (Residential Property)

3.2.1 1301 Superior Avenue

1301 Superior Avenue is the location of a commercial property with a single slab on grade building erected. The building was constructed with a 15 mil vapor barrier installed beneath the concrete slab. A photograph taken during the concrete pour was provided to REI and is included in Appendix B. Based on the placement of a vapor barrier beneath the concrete slab of the recently constructed commercial building, REI is not recommending further investigation into vapor migration potential of this property at this time.

3.2.2 112 W Council Street

112 W Council Street is the location of a presumed slab on grade constructed residential building. Additional investigation into the vapor migration potential of this property may be required.

3.2.3 120 W Council Street

120 W Council Street is the location of a residential building. According to the current property owner, the building has a dirt crawl space beneath the building. Additional investigation into the vapor migration potential of this property may be required.

3.3 SVE System Installation (115 W. Council Street)

Based on the sub-slab analytical results from the commercial building located at (115 W. Council Street) which is currently occupied by the Nail Boutique, a sub-slab depressurization system was necessary to eliminate the potential threat of PCE vapor migration into the building. The use of a traditional sub-slab depressurization system was not acceptable to the owner of the Nail Boutique and a traditional soil vapor extraction (SVE) system was installed to remediate the PCE in the soil. The SVE system consists of six (6) four-inch vapor extraction wells placed around the south, east and north sides of the building.

The SVE system is typically constructed in three (3) general phases, extraction well installation, wellhead and conveyance piping installation and system component installation. REI personnel also completed an abbreviated pilot test to determine sizing options for the proposed SVE system.

3.3.1 Extraction Well Installation

The soil vapor extraction wells were installed between April 11 and April 12, 2022. Gestra Engineering, Milwaukee, Wisconsin was subcontracted to perform the well installation scope of services. Prior to installing the extraction wells on the south side of building, The blind drilled borings were advanced using hollow stem drilling techniques. All extraction wells were constructed from 4-inch diameter Schedule 40 PVC pipe advanced to a depth of approximately fifteen (15) feet below land surface (bls) and screened from 5-15 feet bls. Each well was completed with a traffic rated flush mount well vault. The steel flush mount well vault both protects and provides access to the well head. Extraction well locations are depicted in Figure 3, soil boring

logs and well construction forms are included in Appendix C and photographs are included in Appendix D.

3.3.2 Well Head and Conveyance Piping Installation

Conveyance piping, between the extraction well and the location where the piping is plumbed into the remedial system, consists of 2-inch Schedule 40 pipe installed in trenched along the outside perimeter of the adjacent Nail Boutique building. The conveyance piping is divided into six (6) separate lines, one dedicated line per extraction well, to allow specific areas to be either targeted or bypassed as needed. Ball valves will be installed in-line to allow each extraction line to be controlled at the extraction piping manifold located before the SVE blower. Photographs of the well head and conveyance piping is included in Appendix D.

3.3.3 Abbreviated Pilot Test for SVE System

REI personnel were on site on May 4, 2022 to conduct the abbreviated pilot test to determine final sizing of the proposed SVE system. The pilot test was completed using a trailer mounted SVE system consisting of a 5 hp regenerative blower (Rotron EN6) powered off a portable generator. The SVE system was plumbed into RW2 and started at approximately 11:00 am. Vacuum, flow and off gas concentration measurements were recorded in the trailer. A radius of influence of the SVE system was determined once vacuum was observed at adjacent wells RW1 and RW3. During the period of system operation vacuum measurements at RW2 ranged from 70-72 inches of water ("H₂O) column with an air flow extraction rate between 60-65 standard cubic feet per minute (scfm). Photographs of the pilot test are included in Appendix D.

3.3.4 System Component Installation

At the time of this report the SVE system for the Nail Boutique has been installed. Additionally, both the underground electrical conduit for the remedial system power supply and the underground SVE piping runs for the proposed SVE wells installed inside the Band Box facility have been installed. Supply chain issues have stalled the remedial system startup and we are currently waiting for the Alliant Energy approved

meter socket to be shipped to allow the electrical power drop to the system to be activated. Photographs of the completed site work are included in Appendix D.

Information specific to the design and specifications of the remedial systems will be provided in a subsequent As-Built report once the remedial systems have been installed and are operational.

4.0 CONCLUSION & RECOMMENDATIONS

Based on the completed scope of services, the degree and extent of groundwater contamination at the Band Box site appears to be adequately defined. Additional investigation into the potential risk of vapor intrusion at the two (2) residential properties may be required.

The focus of future site work will include the final installation and eventual operation of the two (2) soil vapor extraction (SVE) remedial systems currently being installed at the site along with continued groundwater sampling to document groundwater contaminant trends.

Table 1
Water Level Elevation
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Well Information

Sample Location ID	MW-A1	MW-A1R	MW-A2	MW-A3	MW-A4	MW-12 (Badger)	MW-14	MW-14P	MW-14P60	MW-15	MW-16	MW-17	MW-17P	MW-18	MW-18P	MW-19	MW-19P	PZ-1	PZ-A-3	PZ-A-4	PZ-B-3	PZ-B-4	PZ-C-3	PZ-C-4	PZ-2	PZ-3
Well Depth (feet)	25.50	25.00	23.00	23.00	23.00	28.50	27.00	45.00	60.00	25.50	21.00	22.00	50.00	23.00	45.00	23.00	45.00	48.00	60.00	60.00	70.00	70.00	45.00	45.00	70.00	60.00
Screen Length (feet)	10.00	10.00	10.00	10.00	10.00	15.00	10.00	5.00	5.00	15.00	10.00	10.00	5.00	10.00	5.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Top of Screen*	968.51	965.63	963.04	964.94	968.62	961.82	938.87	923.66	966.50	968.93	970.80	937.54	967.30	940.32	935.88	921.00	922.92	910.98	912.90	935.93	937.96	906.29	916.23	932.96	901.29	911.23
Bottom of Screen*	958.51	955.63	953.04	954.94	953.62	951.82	933.87	918.66	951.50	958.93	960.80	932.54	957.30	935.32	930.88	916.00	917.92	905.98	907.90	930.93	932.96	901.29	911.23			

Depth to Water (feet) below Reference Elevation

Date	MW-A1	MW-A1R	MW-A2	MW-A3	MW-A4	MW-12 (Badger)	MW-14	MW-14P	MW-14P60	MW-15	MW-16	MW-17	MW-17P	MW-18	MW-18P	MW-19	MW-19P	PZ-1	PZ-A-3	PZ-A-4	PZ-B-3	PZ-B-4	PZ-C-3	PZ-C-4	PZ-2	PZ-3
3/29/2007	20.78	-	17.76	15.29	17.02	-	17.76	18.35	-	16.24	18.63	20.98	20.75	NI	NI	NI	-	NI	NI	NI	NI	NI	-	-	-	-
8/2/2007	20.69	-	17.97	15.64	17.37	-	18.10	18.38	-	16.58	18.90	21.25	21.02	NI	NI	NI	17.95	NI	NI	NI	NI	NI	-	-	-	-
10/9/2008	-	-	16.52	14.37	16.08	-	16.81	16.83	-	15.27	17.58	19.91	19.66	18.01	17.90	15.03	15.83	16.65	14.42	16.03	14.50	16.17	-	-	-	-
1/12/2009	-	-	17.55	15.31	16.98	-	17.99	16.23	-	18.55	20.93	20.69	19.11	19.08	16.29	16.86	17.57	17.71	15.36	16.95	15.40	17.11	-	-	-	-
5/19/2010	-	-	17.31	15.03	16.96	-	17.67	17.93	-	16.11	18.54	20.86	20.58	19.21	19.11	16.44	16.84	17.48	15.19	16.88	15.22	17.06	-	-	-	-
10/18/2010	18.61	-	16.08	13.89	15.58	-	16.52	14.80	-	17.08	19.44	19.17	17.63	17.67	14.80	15.41	16.12	16.30	13.96	15.54	14.02	15.70	-	-	-	-
2/14/2011	19.75	-	17.32	15.08	16.84	-	17.78	16.08	-	18.42	20.71	20.45	18.83	18.72	16.16	16.46	17.28	17.59	15.26	16.76	15.18	16.92	-	-	-	-
6/18/2013	-	-	14.65	12.30	14.20	17.48	14.88	15.15	-	13.31	15.67	18.01	17.82	16.14	16.06	13.58	13.92	14.80	12.49	14.12	12.57	14.29	-	-	-	-
9/18/2013	-	-	16.40	14.26	15.95	19.22	16.70	16.71	-	15.18	17.45	19.81	19.56	17.96	17.96	14.80	15.73	16.62	14.40	15.92	14.46	16.09	-	-	-	-
9/18/2018	-	-	15.29	12.66	-	18.03	15.47	15.45	-	13.94	16.31	18.61	18.34	16.91	16.76	14.24	14.58	15.35	12.67	14.72	13.20	14.87	-	-	9.29	9.46
10/8/2020	-	-	15.55	12.70	-	18.31	14.83	15.78	-	14.17	16.64	18.92	18.67	16.97	17.07	-	-	-	13.55	15.15	13.57	15.32	-	-	9.70	9.80
10/27/2021	-	-	16.95	14.81	16.49	19.65	17.23	17.21	-	15.48	17.99	20.25	20.00	18.32	18.37	-	-	17.09	14.95	16.48	14.98	16.66	-	-	10.99	11.17
11/17/2021	-	17.77	-	-	-	-	-	-	17.45	-	-	-	-	-	-	-	-	-	-	-	-	-	15.63	17.20	-	-
4/11/2022	-	21.15	17.61	15.21	16.94	20.24	16.24	16.67	17.61	15.99	18.61	20.87	20.67	18.02	17.96	-	-	17.44	15.31	16.91	15.26	17.04	15.36	17.36	11.51	11.19
8/10/2022	-	18.06	16.74	14.45	16.21	19.43	16.97	16.91	16.84	15.19	-	20.06	19.79	18.16	18.31	-	-	16.71	14.47	16.15	14.52	16.34	14.66	16.63	10.69	10.71

Measuring Point Elevations - Elevations referenced to a U.S.G.S. Benchmark (feet MSL), unless noted

Top of Casing Elevation - based on site reference datum of 100'*																										
Initial Survey	102.32	-	98.26	95.06	97.52	101.12	98.09	98.40	-	96.45	99.19	101.91	101.63	99.84	99.77	96.91	96.88	97.99	95.05	97.48	95.09	97.62	91.08	90.94		
Resurvey (2021)	-	983.05	978.28	975.53	977.30	981.47	978.49	978.47	978.32	976.62	979.62	982.31	982.05	979.79	979.85	-	-	978.35	975.53	977.30	970.88	977.43	975.58	977.69	970.81	970.88

Ground Surface Elevation

Initial Survey	102.82	-	98.76	95.56	98.02	101.62	98.59	98.90	-	96.95	99.69	102.41	102.13	100.34	100.27	97.41	97.38	98.49	95.55	97.98	95.59	98.12	-	91.58	91.44

<tbl_r cells="25" ix="1" maxcspan="1" maxrspan="1" usedcols="2

Table 2a
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tonah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-A1										
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20
Sampler-->			METCO										REI
VOC's ($\mu\text{g/L}$)	ES	PAL											
Benzene	5	0.5	<0.47	2.56	<0.24	0.24	<0.38	<0.38	<0.5	<0.24			
Bromobenzene	--	--	-	-	-	-	-	-	-	-	<0.32		
Bromoform	0.6	0.06	-	-	-	-	-	-	-	-	<0.37		
Bromoform	4.4	0.44	-	-	-	-	-	-	-	-	<0.35		
Bromomethane	10	1	-	-	-	-	-	-	-	-	-		
n-Butylbenzene	--	--	-	-	-	-	-	-	-	-	<0.35		
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	-	<0.33		
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	-	<0.36		
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.47	<0.33		
Chlorobenzene	--	--	-	-	-	-	-	-	-	-	<0.24		
Chloroethane	400	80	-	-	-	-	-	-	-	-	<0.63		
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.49	<0.28		
Chloromethane	30	3	-	-	-	-	-	-	-	-	<0.81		
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	-	<0.21		
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	-	<0.21		
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	-	<0.88		
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	-	<0.22		
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	-	<0.44		
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-		
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	-	<0.36		
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	-	<0.28		
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	-	<0.3		
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44			
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	-	<0.3		
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	-	<0.41		
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	-	<0.4		
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38			
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	-	<0.35		
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	-	<0.32		
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	-	<0.33		
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	-	<0.36		
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-		
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	<0.33		
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-		
Diisopropyl ether	--	--	-	-	-	-	-	-	-	-	<0.23		
Ethylbenzene	700	140	<0.38	0.9	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55		
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	-	<1.5		
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	-	<0.3		
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	-	<0.31		
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	-	<0.5		
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23			
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7			
n-Propylbenzene	--	--	-	-	-	-	-	-	-	-	<0.25		
Styrene	100	10	-	-	-	-	-	-	-	-	-		
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	-	<0.33		
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	-	<0.45		
Tetrachloroethene	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	0.63	0.44	<0.33			
Toluene	800	160	<0.46	4.60	0.45	1.33	<0.72	<0.72	<0.53	<0.69			
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	-	<1.8		
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	-	<0.98		
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	-	<0.33		
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	-	<0.34		
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33			
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	-	<0.71		
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-		
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	-	<2.2		
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	-	<1.4		
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<2.2			
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	-	<0.18		
m&p-Xylene	--	--	-	-	-	-	-	-	-	-	<0.69		
o-Xylene	--	--	-	-	-	-	-	-	-	-	<0.63		
Xylene (Total)	2000	400	<0.99	3.17	<1.67	<1.67	<1.62	<1.62	<1.9	<0.69			

Notes:

$\mu\text{g/L}$ - Parts Per Billion (ppb)
 < = Concentration Below Laboratory Detection Limit
 NA = Not Sampled
 NS = No Standard/Not Applicable

^j = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) = **Bold**
 Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
 Well Depth (ft) 25.5
 Screen Interval (ft) 15.5-25.5

Table 2b
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

VOC's ($\mu\text{g/L}$)	Location-->		MW-AIR		
	Date-->		11/17/21	4/11/2022	8/10/22
	Sampler-->		REI		
	ES	PAL			
Benzene	5	0.5	<0.30	<0.30	<0.30
Bromobenzene	--	--	<0.36	<0.36	<0.36
Bromochloromethane	--	--	<0.36	<0.36	<0.36
Bromodichloromethane	0.6	0.06	<0.42	<0.42	<0.42
Bromoform	4.4	0.44	<3.8	<3.8	<3.8
Bromomethane	10	1	<1.2	<1.2	<1.2
n-Butylbenzene	--	--	<0.86	<0.86	<0.86
sec-Butylbenzene	--	--	<0.42	<0.42	<0.42
tert-Butylbenzene	--	--	<0.59	<0.59	<0.59
Carbon tetrachloride	5	0.5	<0.37	<0.37	<0.37
Chlorobenzene	--	--	<0.86	<0.86	<0.86
Chloroethane	400	80	<1.4	<1.4	<1.4
Chloroform	6	0.6	<1.2	<1.2	<1.2
Chloromethane	30	3	<1.6	<1.6	<1.6
2-Chlorotoluene	--	--	<0.89	<0.89	<0.89
4-Chlorotoluene	--	--	<0.89	<0.89	<0.89
1,2-Dibromo-3-chloropropane	0.2	0.02	<2.4	<2.4	<2.4
Dibromochloromethane	0.6	0.06	<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	<0.31	<0.31	<0.31
Dibromomethane	--	--	<0.99	<0.99	<0.99
1,2-Dichlorobenzene	600	60	<0.33	<0.33	<0.33
1,3-Dichlorobenzene	600	120	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	<0.89	<0.89	<0.89
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.46
1,1-Dichloroethane	850	85	<0.30	<0.30	<0.30
1,2-Dichloroethane	5	0.5	<0.29	<0.29	<0.29
1,1-Dichloroethene	7	0.7	<0.58	<0.58	<0.58
cis-1,2-Dichloroethene	70	7	<0.47	<0.47	<0.47
trans-1,2-Dichloroethene	100	20	<0.53	<0.53	<0.53
1,2-Dichloropropane	5	0.5	<0.45	<0.45	<0.45
1,3-Dichloropropane	--	--	<0.3	<0.3	<0.3
2,2-Dichloropropane	--	--	<4.2	<4.2	<4.2
1,1-Dichloropropene	--	--	<0.41	<0.41	<0.41
cis-1,3-Dichloropropene	0.4	0.04	<0.36	<0.36	<0.36
trans-1,3-Dichloropropene	0.4	0.04	<3.5	<3.5	<3.5
Diisopropyl ether	--	--	<1.1	<1.1	<1.1
Ethylbenzene	700	140	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	<2.7	<2.7	<2.7
Isopropylbenzene (cumene)	--	--	<1.0	<1.0	<1.0
p-Isopropyltoluene	--	--	<1.0	<1.0	<1.0
Methylene Chloride	5	0.5	<0.32	<0.32	<0.32
Methyl-tert-butyl ether	60	12	<1.1	<1.1	<1.1
Naphthalene	100	10	<1.1	<1.1	<1.1
n-Propylbenzene	--	--	<0.35	<0.35	<0.35
Styrene	100	10	<0.36	<0.36	<0.36
1,1,1,2-Tetrachloroethane	70	7	<0.36	<0.36	<0.36
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.38	<0.38	<0.38
Tetrachloroethene	5	0.5	<0.41	<0.41	<0.41
Toluene	800	160	<0.29	<0.29	<0.29
1,2,3-Trichlorobenzene	--	--	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	70	14	<0.95	<0.95	<0.95
1,1,1-Trichloroethane	200	40	<0.3	<0.3	<0.3
1,1,2-Trichloroethane	5	0.5	<0.34	<0.34	<0.34
Trichloroethene	5	0.5	<0.32	<0.32	<0.32
Trichlorofluoromethane	--	--	<0.42	<0.42	<0.42
1,2,3-Trichloropropane	60	12	<0.56	<0.56	<0.56
1,2,4-Trimethylbenzene	--	--	<0.45	<0.45	<0.45
1,3,5-Trimethylbenzene	--	--	<0.36	<0.36	<0.36
Trimethylbenzenes (Total)	480	96	<0.81	<0.81	<0.81
Vinyl chloride	0.2	0.02	<0.17	<0.17	<0.17
m&p-Xylene	--	--	<0.70	<0.70	<0.70
o-Xylene	--	--	<0.35	<0.35	<0.35
Xylene (Total)	2000	400	<1.05	<1.05	<1.05

Notes:

$\mu\text{g/L}$ - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NA = Not Sampled

NS = No Standard/Not Applicable

J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) = **Bold**

Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction

Well Depth (ft) 25

Screen Interval (ft) 15-25

Table 2c
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tonah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-A2													
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22
Sampler-->			METCO													
VOC's ($\mu\text{g/L}$)	ES	PAL														
Benzene	5	0.5	<4.7	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36
Bromoform	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.36	<0.36	<0.36
Bromomethane	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8
n-Butylbenzene	10	1	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59
Carbon tetrachloride	5	0.5	<4.6	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4
Chloroform	6	0.6	<4.8	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	0.42	0.28	<1.3	<1.3	<1.2	<1.2	<1.2
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89
Dichlorodifluoromethane	1000	200	<4.6	1.39	1.14	<0.76	<0.7	<0.7	<1.8	0.95	1.07	0.81 ^j	<0.50	<0.46	<0.46	<0.46
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29
1,1-Dichloroethylene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58
cis-1,2-Dichloroethylene	70	7	<6.8	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47
trans-1,2-Dichloroethylene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5
Disopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1
Ethylbenzene	700	140	<3.8	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<0.39	<1.0	<1.0	<1.0
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32
Methyl-tert-butyl ether	60	12	<5.2	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1
Naphthalene	100	10	<18	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38
T																

Table 2d
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-A3															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22		
Sampler-->			METCO													REI		
VOC's ($\mu\text{g/L}$)	ES	PAL																
Benzene	5	0.5	<0.47	<0.47	0.32	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	
Bromoform	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	
Bromochloromethane	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.24	<0.24	<0.86	<0.86	<0.86	<0.86	
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<1.1	<0.53	<0.53	<0.53	<0.53	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1								

Table 2e
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-A4															
			Date-->	3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22	
			Sampler-->	METCO												REI		
VOC's ($\mu\text{g/L}$)	ES	PAL																
Benzene	5	0.5	<0.47	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24					0.40	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32					<0.36	<0.36	<0.36
Bromo-chloromethane	--	--	-	-	-	-	-	-	-	-	-					<0.36	<0.36	<0.36
Bromo-dichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37					<0.42	<0.42	<0.42
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35					<3.8	<3.8	<3.8
Bromo-methane	10	1	-	-	-	-	-	-	-	-	-					<1.2	<1.2	<1.2
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35					<0.86	<0.86	<0.86
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33					<0.42	<0.42	<0.42
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36					<0.59	<0.59	<0.59
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33					<0.37	<0.37	<0.37
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24					<0.86	<0.86	<0.86
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63					<1.4	<1.4	<1.4
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28					<1.2	<1.2	<1.2
Chloro-methane	30	3	-	-	-	-	-	-	-	<0.81	<0.81					<1.6	<1.6	<1.6
2-Chloro-toluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21					<0.89	<0.89	<0.89
4-Chloro-toluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21					<0.89	<0.89	<0.89
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88					<2.4	<2.4	<2.4
Dibromo-chloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22					<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44					<0.31	<0.31	<0.31
Dibromo-methane	--	--	-	-	-	-	-	-	-	-	-					<0.99	<0.99	<0.99
1,2-Dichloro-benzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36					<0.33	<0.33	<0.33
1,3-Dichloro-benzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28					<0.35	<0.35	<0.35
1,4-Dichloro-benzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3					<0.89	<0.89	<0.89
Dichloro-difluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44					<0.46	<0.46	<0.46
1,1-Dichloro-ethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3					<0.30	<0.30	<0.30
1,2-Dichloro-ethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41					<0.29	<0.29	<0.29
1,1-Dichloro-ethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4					<0.58	<0.58	<0.58
cis-1,2-Dichloro-ethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38					<0.47	<0.47	<0.47
trans-1,2-Dichloro-ethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35					<0.53	<0.53	<0.53
1,2-Dichloro-propane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32					<0.45	<0.45	<0.45
1,3-Dichloro-propane	--	--	-	-	-	-	-	-	-	<0.33	<0.33					<0.3	<0.3	<0.3
2,2-Dichloro-propane	--	--	-	-	-	-	-	-	-	<0.36	<0.36					<4.2	<4.2	<4.2
1,1-Dichloro-propene	--	--	-	-	-	-	-	-	-	-	-					<0.41	<0.41	<0.41
cis-1,3-Dichloro-propene	0.4	0.04	-	-	-	-	-	-	-	-	-					<0.36	<0.36	<0.36
trans-1,3-Dichloro-propene	0.4	0.04	-	-	-	-	-	-	-	-	-					<3.5	<3.5	<3.5
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23					<1.1	<1.1	<1.1
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55					<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5					<2.7	<2.7	<2.7
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3					<1.0	<1.0	<1.0
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31					<1.0	<1.0	<1.0
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5					0.75	0.75	0.75
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23					<1.1	<1.1	<1.1
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7					<1.1	<1.1	<1.1
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25					<0.35	<0.35	<0.35
Styrene	100	10	-	-	-	-	-	-	-	-	-					<0.36	<0.36	<0.36
1,1,1,2-Tetrachloro-ethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33					<0.36	<0.36	<0.36
1,1,2,2-Tetrachloro-ethane	0.2	0.02	-	-	-	-</												

Table 2f
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-12													
			Date-->	9/6/00	7/13/01	10/30/01	2/13/02	3/23/04	7/2/12	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22
Sampler-->			Metco											REI		
VOC's ($\mu\text{g/L}$)	ES	PAL														
Benzene	5	0.5	44	10	6.2	4.4	<0.41									
Bromobenzene	--	--	-	-	-	-	-									
Bromoform	4.4	0.44	-	-	-	-	-									
Bromomethane	10	1	-	-	-	-	-									
n-Butylbenzene	--	--	-	-	-	-	-									
sec-Butylbenzene	--	--	-	-	-	-	-									
tert-Butylbenzene	--	--	-	-	-	-	-									
Carbon tetrachloride	5	0.5	-	-	-	-	-									
Chlorobenzene	--	--	-	-	-	-	-									
Chloroethane	400	80	-	-	-	-	-									
Chloroform	6	0.6	-	-	-	-	-									
Chloromethane	30	3	-	-	-	-	-									
2-Chlorotoluene	--	--	-	-	-	-	-									
4-Chlorotoluene	--	--	-	-	-	-	-									
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-									
Dibromochloromethane	0.6	0.06	-	-	-	-	-									
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-									
Dibromomethane	--	--	-	-	-	-	-									
1,2-Dichlorobenzene	600	60	-	-	-	-	-									
1,3-Dichlorobenzene	600	120	-	-	-	-	-									
1,4-Dichlorobenzene	75	15	-	-	-	-	-									
Dichlorodifluoromethane	1000	200	-	-	-	-	-									
1,1-Dichloroethane	850	85	-	-	-	-	-									
1,2-Dichloroethane	5	0.5	-	-	-	-	-									
1,1-Dichloroethene	7	0.7	-	-	-	-	-									
cis-1,2-Dichloroethene	70	7	-	-	-	-	-									
trans-1,2-Dichloroethene	100	20	-	-	-	-	-									
1,2-Dichloropropane	5	0.5	-	-	-	-	-									
1,3-Dichloropropane	--	--	-	-	-	-	-									
2,2-Dichloropropane	--	--	-	-	-	-	-									
1,1-Dichloropropene	--	--	-	-	-	-	-									
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-									
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-									
Diisopropyl ether	--	--	-	-	-	-	-									
Ethylbenzene	700	140	473	52	29	24	5.6									
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-									
Isopropylbenzene (cumene)	--	--	-	-	-	-	-									
p-Isopropyltoluene	--	--	-	-	-	-	-									
Methylene Chloride	5	0.5	-	-	-	-	-									
Methyl-tert-butyl ether	60	12	<0.5	<9.2	<9.2	<0.46	<0.62									
Naphthalene	100	10	27.3	-	-	-	-									
n-Propylbenzene	--	--	-	-	-	-	-									
Styrene	100	10	-	-	-	-	-									
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-									
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-									
Tetrachloroethene	5	0.5	-	-	-	-	-									
Toluene	800	160	1,490	170	45	21	2									
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-									
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-									
1,1,1-Trichloroethane	200	40	-	-	-	-	-									
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-									
Trichloroethene	5	0.5	-	-	-	-	-									
Trichlorofluoromethane	--	--	-	-	-	-	-									
1,2,3-Trichloropropane	60	12	-	-	-	-	-									
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-									
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-									
Trimethylbenzenes (Total)	480	96	791	196	307	262	67									
Vinyl chloride	0.2	0.02	-	-	-	-	-									
m&p-Xylene	--	--	-	-	-	-	-									
o-Xylene	--	--	-	-	-	-	-									
Xylene (Total)	2000	400	2,430	590	440	310	31.8									

Notes:

$\mu\text{g/L}$ - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) = **Bold**

Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
 Well Depth (ft) 28.5
 Screen Interval (ft) 13.5-28.5

Table 2g
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tonah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-14															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22		
Sampler-->			METCO													REI		
VOC's ($\mu\text{g/L}$)	ES	PAL																
Benzene	5	0.5	<0.47	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	
Bromoform	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	
Bromochloromethane	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<1.1	<0.53	<0.53	<0.53	<0.53	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	&								

Table 2h
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-14P															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22		
Sampler-->			METCO													REI		
VOC's ($\mu\text{g/L}$)	ES	PAL																
Benzene	5	0.5	<23.5	<23.5	<24	<24	<38	<19	<25	<2.4	<2.4	<0.25	<2.5	<0.30	<3.0	<3.0		
Bromobenzene	--	--	-	-	-	-	-	-	<3.2	<3.2	<0.24	<2.4	<0.36	<3.6	<3.6			
Bromoform	4.4	0.44	-	-	-	-	-	-	<3.5	<3.5	<4.0	<39.7	<3.8	<38.0	<38.0			
Bromochloromethane	0.6	0.06	-	-	-	-	-	-	-	-	-	<0.97	<9.7	<1.2	<11.9	<11.9		
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<3.5	<3.5	<0.71	<7.1	<0.86		
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.85	<8.5	0.49 ^J	<4.2	<4.2		
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<0.30	<3.0	<0.59	<5.9	<5.9		
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<0.30	<3.0	<0.59	<5.9	<5.9		
Carbon tetrachloride	5	0.5	<23	<23	<30	<30	<0.25	<12.5	<23.5	<3.3	<3.3	<0.17	<10.8	<0.37	<3.7	<3.7		
Chlorobenzene	--	--	-	-	-	-	-	-	-	<2.4	<2.4	<0.71	<7.1	<0.86	<8.6	<8.6		
Chloroethane	400	80	-	-	-	-	-	-	-	<6.3	<6.3	<1.3	<13.4	<1.4	<13.8	<13.8		
Chloroform	6	0.6	<24	<24	<47	<47	<0.32	<16	<24.5	<2.8	<2.8	<1.3	<12.7	<1.2	<11.8	<11.8		
Chloromethane	30	3	-	-	-	-	-	-	-	<8.1	<8.1	<2.2	<21.9	<1.6	<16.4	<16.4		
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.93	<9.3	<0.89	<8.9	<8.9		
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.76	<7.6	<0.89	<8.9	<8.9		
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<8.8	<8.8	<1.8	<17.6	<2.4	<23.7	<23.7		
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<2.2	<2.2	<2.6	<26.0	<2.6	<26.4	<26.4		
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<4.4	<4.4	<0.83	<8.3	<0.31	<3.1	<3.1		
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<9.4	<0.99	<9.9	<9.9		
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<3.6	<3.6	<0.71	<7.1	<0.33	<3.3	<3.3		
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<2.8	<2.8	<0.63	<6.3	<0.35	<3.5	<3.5		
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<3	<3	<0.94	<9.4	<0.89	<8.9	<8.9		
Dichlorodifluoromethane	1000	200	<23	<23	<76	<76	<0.7	<35	<90	<2.2	<4.4	<0.50	<5.0	<0.46	<4.6	<4.6		
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<3	<3	<0.27	<2.7	<0.30	<3.0	<3.0		
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<4.1	<4.1	<0.28	<2.8	<0.29	<2.9	<2.9		
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<4	<4	<0.24	<2.4	<0.58	<5.8	<5.8		
cis-1,2-Dichloroethene	70	7	<34	<34	<44	<44	<0.78	<39	<37	<3.8	<3.8	<0.27	<2.7	<0.47	<4.7	<4.7		
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<3.5	<3.5	<1.1	<4.6	<0.53	<5.3	<5.3		
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<3.2	<3.2	<0.28	<2.8	<0.45	<4.5	<4.5		
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.83	<8.3	<0.3	<3.0	<3.0		
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<2.3	<22.7	<4.2	<41.8	<41.8		
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<5.4	<0.41	<4.1	<4.1		
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<36.3	<0.36	<3.6	<3.6		
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<43.7	<3.5	<34.6	<34.6		
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<23	<23	<1.9	<18.9	<1.1	<11.0	<11.0		
Ethylbenzene	700	140	<19	<19	<35	<35	<55	<27.5	<39	<5.5	<5.5	<0.22	<3.2	<0.33	<3.3	<3.3		
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<15	<15	<1.2	<14.6	<2.7	<27.4	<27.4		
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<3	<3	<0.39	<16.9	2.0 ^J	<10.0	<10.0		
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<3.1	<3.1	<0.80	<8.0	<1.0	<10.4	<10.4		
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<5	<5	<0.58	<5.8	<0.32	<3.2	<3.2		
Methyl-tert-butyl ether	60	12	<26	<26	<70	<70	<25	<12.5	<40	<2.3	<2.3	<1.2	<12.5	<1.1	<11.3	<11.3		
Naphthalene	100	10	<90	<90	<180	<180	<240	<120	<105	<17	<17	<1.2	<11.8	5.5	<11.3	<11.3		
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<2.5	<2.5	<0.81	<8.1	<0.35	<3.5	<3.5		
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<30.1	<0.36	<3.6	<3.6		
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<3.3	<3.3	<0.27	<2.7	<0.36	<3.6	<3.6		
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<4.5	<4.5	<0.28	<2.8	<0.38	<3.8	<3.8		
Tetrachloroethene	5	0.5	3,1															

Table 2i
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->		MW14-P60		
Date-->		11/17/21	4/11/2022	8/9/22
Sampler-->		REI		
VOC's ($\mu\text{g/L}$)		ES	PAL	
Benzene		5	0.5	<0.30 <0.30 <0.30
Bromobenzene		--	--	<0.36 <0.36 <0.36
Bromochloromethane		--	--	<0.36 <0.36 <0.36
Bromodichloromethane		0.6	0.06	<0.42 0.60 ^J <0.42
Bromoform		4.4	0.44	<3.8 <3.8 <3.8
Bromomethane		10	1	<1.2 <1.2 <1.2
n-Butylbenzene		--	--	<0.86 <0.86 <0.86
sec-Butylbenzene		--	--	<0.42 <0.42 <0.42
tert-Butylbenzene		--	--	<0.59 <0.59 <0.59
Carbon tetrachloride		5	0.5	<0.37 <0.37 <0.37
Chlorobenzene		--	--	<0.86 <0.86 <0.86
Chloroethane		400	80	<1.4 <1.4 <1.4
Chloroform		6	0.6	<1.2 <1.2 <1.2
Chloromethane		30	3	<1.6 <1.6 <1.6
2-Chlorotoluene		--	--	<0.89 <0.89 <0.89
4-Chlorotoluene		--	--	<0.89 <0.89 <0.89
1,2-Dibromo-3-chloropropane		0.2	0.02	<2.4 <2.4 <2.4
Dibromochloromethane		0.6	0.06	<2.6 <2.6 <2.6
1,2-Dibromoethane (EDB)		0.05	0.005	<0.31 <0.31 <0.31
Dibromomethane		--	--	<0.99 <0.99 <0.99
1,2-Dichlorobenzene		600	60	<0.33 <0.33 <0.33
1,3-Dichlorobenzene		600	120	<0.35 <0.35 <0.35
1,4-Dichlorobenzene		75	15	<0.89 <0.89 <0.89
Dichlorodifluoromethane		1000	200	<0.46 <0.46 <0.46
1,1-Dichloroethane		850	85	<0.30 <0.30 <0.30
1,2-Dichloroethane		5	0.5	<0.29 <0.29 <0.29
1,1-Dichloroethene		7	0.7	<0.58 <0.58 <0.58
cis-1,2-Dichloroethene		70	7	<0.47 <0.47 <0.47
trans-1,2-Dichloroethene		100	20	<0.53 <0.53 <0.53
1,2-Dichloropropane		5	0.5	<0.45 <0.45 <0.45
1,3-Dichloropropane		--	--	<0.3 <0.3 <0.3
2,2-Dichloropropane		--	--	<4.2 <4.2 <4.2
1,1-Dichloropropene		--	--	<0.41 <0.41 <0.41
cis-1,3-Dichloropropene		0.4	0.04	<0.36 <0.36 <0.36
trans-1,3-Dichloropropene		0.4	0.04	<3.5 <3.5 <3.5
Diisopropyl ether		--	--	<1.1 <1.1 <1.1
Ethylbenzene		700	140	<0.33 <0.33 <0.33
Hexachloro-1,3-butadiene		--	--	<2.7 <2.7 <2.7
Isopropylbenzene (cumene)		--	--	<1.0 <1.0 <1.0
p-Isopropyltoluene		--	--	<1.0 <1.0 <1.0
Methylene Chloride		5	0.5	<0.32 <0.32 <0.32
Methyl-tert-butyl ether		60	12	<1.1 <1.1 <1.1
Naphthalene		100	10	<1.1 <1.1 <1.1
n-Propylbenzene		--	--	<0.35 <0.35 <0.35
Styrene		100	10	<0.36 <0.36 <0.36
1,1,1,2-Tetrachloroethane		70	7	<0.36 <0.36 <0.36
1,1,2,2-Tetrachloroethane		0.2	0.02	<0.38 <0.38 <0.38
Tetrachloroethene		5	0.5	3.3 40 18.5
Toluene		800	160	<0.29 <0.29 <0.29
1,2,3-Trichlorobenzene		--	--	<1.0 <1.0 <1.0
1,2,4-Trichlorobenzene		70	14	<0.95 <0.95 <0.95
1,1,1-Trichloroethane		200	40	<0.3 <0.3 <0.3
1,1,2-Trichloroethane		5	0.5	<0.34 <0.34 <0.34
Trichloroethene		5	0.5	<0.32 <0.32 <0.32
Trichlorofluoromethane		--	--	<0.42 <0.42 <0.42
1,2,3-Trichloropropane		60	12	<0.56 <0.56 <0.56
1,2,4-Trimethylbenzene		--	--	<0.45 <0.45 <0.45
1,3,5-Trimethylbenzene		--	--	<0.36 <0.36 <0.36
Trimethylbenzenes (Total)		480	96	<0.81 <0.81 <0.81
Vinyl chloride		0.2	0.02	<0.17 <0.17 <0.17
m&p-Xylene		--	--	<0.70 <0.70 <0.70
o-Xylene		--	--	<0.35 <0.35 <0.35
Xylene (Total)		2000	400	<1.05 <1.05 <1.05

Notes:

$\mu\text{g/L}$ - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) = **Bold**

Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction

Well Depth (ft) 60

Screen Interval (ft) 55-60

Table 2j
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-15															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/21/27	4/11/22	8/9/22		
Sampler-->			METCO													REI		
VOC's ($\mu\text{g/L}$)	ES	PAL																
Benzene	5	0.5	<4.7	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	
Bromoform	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	
Bromochloromethane	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	
Carbon tetrachloride	5	0.5	<4.6	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	
Chloroform	6	0.6	<4.8	<0.58	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	3.7 ^J	<1.6	<1.6	<1.6	<1.6	
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	
Dichlorodifluoromethane	1000	200	<4.6	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	
cis-1,2-Dichloroethene	70	7	<6.8	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<1.1	<0.53	<0.53	<0.53	<0.53	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	
Ethylbenzene	700	140	6.4	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	
Methyl-tert-butyl ether	60	12	<5.2	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	
Naphthalene	100	10	<18	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7</td								

Table 2k
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tonah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-16															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22		
Sampler-->			METCO													REI		
VOC's ($\mu\text{g/L}$)	ES	PAL																
Benzene	5	0.5	<4.7	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	
Bromoform	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	
Bromochloromethane	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	
Bromodichloromethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	
Chloroethane	5	0.5	<4.6	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	
Chloroform	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	
Chloromethane	6	0.6	<4.8	2.29	0.63	0.78	0.48	<0.32	1.02	<0.28	0.79^j	25.5	<1.3	9.5	8.4	7.1		
Chloroethylene	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	
1,1-Dichloroethane	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	
Dichlorodifluoromethane	1000	200	<4.6	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	
cis-1,2-Dichloroethene	70	7	<6.8	4.8	0.98	0.81	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<1.1	<0.53	<0.53	<0.53	<0.53	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	
Ethylbenzene	700	140	<3.8	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<0.39	<1.0	<1.0	<1.0	<1.0	
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	
Methyl-tert-butyl ether	60	12	<5.2	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	
Naphthalene	100	10	<18	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.1	<1.1	<1.1	<1.1	<1.1	
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-												

Table 21
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-17															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18*	10/8/20	10/27/21	4/11/22	8/9/22		
Sampler-->			METCO													REI		
VOC's ($\mu\text{g/L}$)	ES	PAL																
Benzene	5	0.5	<23.5	5.2	<2.4	<2.4	<3.8	<3.8	<5	<2.4	<2.4	<0.25	<0.25	<0.30	<0.30	<1.5		
Bromobenzene	--	--	-	-	-	-	-	-	-	<3.2	<3.2	<0.24	<0.24	<0.36	<0.36	<1.8		
Bromoform	0.6	0.06	-	-	-	-	-	-	-	<3.7	<3.7	<0.36	<0.36	<0.36	<0.36	<1.8		
Bromochloromethane	4.4	0.44	-	-	-	-	-	-	-	<3.5	<3.5	<4.0	<4.0	<3.8	<3.8	<19		
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<6.0		
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.5	<3.5	<0.71	<0.71	<0.86	<0.86	<4.3		
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.85	<0.85	<0.42	<0.42	<2.1		
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<0.30	<0.30	<0.59	<0.59	<2.9		
Carbon tetrachloride	5	0.5	<23	<4.6	<3	<3	<0.25	<2.5	<4.7	<3.3	<3.3	<0.17	<1.1	<0.37	<0.37	<1.8		
Chlorobenzene	--	--	-	-	-	-	-	-	-	<2.4	<2.4	<0.71	<0.71	<0.86	<0.86	<4.3		
Chloroethane	400	80	-	-	-	-	-	-	-	<6.3	<6.3	<1.3	<1.3	<1.4	<1.4	<6.9		
Chloroform	6	0.6	<24	<4.8	<4.7	<4.7	<0.32	<3.2	<4.9	<2.8	<2.8	<1.3	<1.3	<1.2	<1.2	<5.9		
Chloromethane	30	3	-	-	-	-	-	-	-	<8.1	<8.1	<2.2	<2.2	<1.6	<1.6	<8.2		
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.93	<0.93	<0.89	<0.89	<4.4		
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.76	<0.76	<0.89	<0.89	<4.5		
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<8.8	<8.8	<1.8	<1.8	<2.4	<2.4	<11.8		
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<2.2	<2.2	<2.6	<2.6	<2.6	<2.6	<13.2		
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<4.4	<4.4	<0.83	<0.83	<0.31	<0.31	<1.5		
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<5.0		
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<3.6	<3.6	<0.71	<0.71	<0.33	<0.33	<1.6		
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<2.8	<2.8	<0.63	<0.63	<0.35	<0.35	<1.8		
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<3	<3	<0.94	<0.94	<0.89	<0.89	<4.5		
Dichlorodifluoromethane	1000	200	<23	<4.6	<7.6	<7.6	<0.7	<7	<18	<2.2	<4.4	<0.50	<0.50	<0.46	<0.46	<2.3		
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<3	<3	<0.27	<0.27	<0.30	<0.30	<1.5		
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<4.1	<4.1	<0.28	<0.28	<0.29	<0.29	<1.5		
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<4	<4	<0.24	<0.24	<0.58	<0.58	<2.9		
cis-1,2-Dichloroethene	70	7	<34	<6.8	<4.4	<4.4	<0.78	<7.8	<7.4	<3.8	<3.8	<0.27	<0.27	<0.47	<0.47	<2.4		
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<3.5	<3.5	<1.1	<1.1	<0.53	<0.53	<2.6		
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<3.2	<3.2	<0.28	<0.28	<0.45	<0.45	<2.2		
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.83	<0.83	<0.3	<0.3	<1.5		
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<2.3	<2.3	<4.2	<4.2	<20.9		
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<2.1		
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<1.8		
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<17.3		
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<23	<23	<1.9	<1.9	<1.1	<1.1	<5.5		
Ethylbenzene	700	140	<19	<3.8	<3.5	<3.5	<5.6	<5.6	<7.8	<5.5	<5.5	<0.22	<0.32	<0.33	<0.33	<1.6		
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<15	<15	<1.2	<1.5	<2.7	<2.7	<13.7		
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<3	<3	<0.39	<0.39	<1.0	<1.0	<5.0		
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<3.1	<3.1	<0.80	<0.80	<1.0	<1.0	<5.2		
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<5	<5	<0.58	<0.58	<0.32	<0.32	<1.6		
Methyl-tert-butyl ether	60	12	<26	<5.2	<7	<7	<2.5	<2.5	<8	<2.3	<2.3	<1.2	<1.2	<1.1	<1.1	<5.6		
Naphthalene	100	10	<90	<18	<18	<18	<24	<24	<21	<17	<17	<1.2	<1.2	<1.1	<1.1	<5.6		
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<2.5	<2.5	<0.81	<0.81	<0.35	<0.35	<1.7		
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<0.47	<3.0	<3.0	<3.6		
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<3.3	<3.3	<0.27	<0.27	<0.36	<0.36	<1.8		
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<4.5	<4.5	<0.28	<0.28	<0.38	<			

Table 2m
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-17P														
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18*	10/8/20	10/27/21	4/11/22	8/9/22	
Sampler-->			METCO												REI		
VOC's ($\mu\text{g/L}$)	ES	PAL															
Benzene	5	0.5	<0.47	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	
Bromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.42	<0.42	<0.42	
n-Butylbenzene	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<1.1	<0.53	<0.53	<0.53	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<0.39	<1.0	<1.0	<1.0	
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<0.47	<0.36	<0.36	<0.36	
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45</							

Table 2n
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRPTS# 02_42_525072

Location-->			MW-18												
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/12/22	8/10/22	
Sampler-->			METCO								REI				
VOC's ($\mu\text{g/L}$)	ES	PAL													
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<0.39	<1.0	<1.0	<1.0	
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	
Tetrachloroethene	5	0.5	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.33	<0.41	<0.41	<0.41	
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29	
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26	<0.32	<0.32	<0.32	
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	<0.42	<0.42	<0.42	
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	<0.45	<0.45	<0.45	
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	<0.36	<0.36	<0.36	
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71	<0.81	<0.81	<0.81	
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	<0.70	<0.70	<0.70	
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26	<0.35	<0.35	<0.35	
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73	<1.05	<1.05	<1.05	

Notes:

$\mu\text{g/L}$ - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NS = Not Sampled
NA = No Standard/Not Applicable

NA = No Standard/Not Applicable
J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

= Estimated concentration at or above the Limit of Detection

Exceeds Enforcement Standard (ES) = **Bold**

Well Construction

Well Construction

Well Depth (ft) 23
Screen Interval (ft) 13-23

Screen Interval (ft) 13-25

Table 2o
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tonah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-18P												
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/12/22	8/10/22	
Sampler-->			METCO							REI					
VOC's ($\mu\text{g/L}$)	ES	PAL													
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	
Bromoform	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.36	<0.36	<0.36	
Bromochloromethane	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	
Bromoform	10	1	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	14.2	<1.6	<1.6	<1.6	
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	
Tetrachloroethene	5	0.5	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.41	<0.41	<0.41	<0.41	
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29	
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	
1,2,4-Trichlorobenzene	70	14</td													

Table 2p
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tonah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-19											
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22
Sampler-->			METCO											REI
VOC's ($\mu\text{g/L}$)	ES	PAL												
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25				
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24				
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0				
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97				
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71				
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85				
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71				
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3				
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3				
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2				
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93				
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76				
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8				
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6				
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83				
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94				
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71				
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63				
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94				
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50				
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27				
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28				
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24				
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27				
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1				
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28				
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83				
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3				
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54				
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6				
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4				
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9				
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22				
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2				
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39				
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80				
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58				
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2				
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2				
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81				
Styrene	100	10	-	-	-	-	-	-	-	<0.47				
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27				
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28				
Tetrachloroethene	5	0.5	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33				
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17				
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63				
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95				
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24				
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55				
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26				
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21				
1,2,3-Trichloropropene	60	12	-	-	-	-	-	-	-	<0.59				
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84				
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87				
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71				
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17				
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47				
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26				
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73				

Notes:

$\mu\text{g/L}$ - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

J = Estimated concentration at or above the Limit of

Table 2q
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tonah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-19P											
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22
Sampler-->			METCO											REI
VOC's ($\mu\text{g/L}$)	ES	PAL												
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25				
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24				
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0				
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97				
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71				
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85				
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17				
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71				
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3				
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3				
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2				
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93				
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76				
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8				
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6				
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83				
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94				
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71				
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63				
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94				
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50				
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27				
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28				
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24				
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27				
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1				
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28				
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83				
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3				
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54				
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6				
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4				
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9				
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22				
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2				
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39				
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80				
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58				
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2				
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2				
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81				
Styrene	100	10	-	-	-	-	-	-	-	<0.47				
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27				
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28				
Tetrachloroethene	5	0.5	<0.5	2.92	1.97	1.13	0.57	0.35 ^j	<0.33	0.84 ^j				
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17				
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63				
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95				
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24				
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55				
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26				
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21				
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59				
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84				
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87				
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71				
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17				
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47				
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26				
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73				

Notes:

$\mu\text{g/L}$ - Parts Per Billion (ppb)
 < = Concentration Below Laboratory Detection Limit
 NS = Not Sampled

Table 2x
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-1														
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/12/22	8/10/22	
Sampler-->			METCO												REI		
VOC's ($\mu\text{g/L}$)	ES	PAL															
Benzene	5	0.5		2.16	2.63	<0.24	<0.38	2.85	1.58	<0.24	0.87	<0.25			<0.30	<0.30	<0.30
Bromobenzene	--	--		-	-	-	-	-	-	<0.32	<0.32	<0.24			<0.36	<0.36	<0.36
Bromoform	0.6	0.06		-	-	-	-	-	-	<0.37	<0.37	<0.36			<0.36	<0.36	<0.36
Bromochloromethane	4.4	0.44		-	-	-	-	-	-	<0.35	<0.35	<4.0			<0.42	<0.42	<0.42
Bromoform	10	1		-	-	-	-	-	-	-	-	<0.97			<3.8	<3.8	<3.8
n-Butylbenzene	--	--		-	-	-	-	-	-	0.51 ^j	3.2	<0.71			<1.2	<1.2	<1.2
sec-Butylbenzene	--	--		-	-	-	-	-	-	<0.33	1.55	<0.85			<0.86	<0.86	<0.86
tert-Butylbenzene	--	--		-	-	-	-	-	-	<0.36	<0.36	<0.30			<0.42	<0.42	<0.42
Carbon tetrachloride	5	0.5		<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17			<0.59	<0.59	<0.59
Chlorobenzene	--	--		-	-	-	-	-	-	<0.24	<0.24	<0.71			<0.86	<0.86	<0.86
Chloroethane	400	80		-	-	-	-	-	-	<0.63	<0.63	<1.3			<1.4	<1.4	<1.4
Chloroform	6	0.6		<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3			<1.2	<1.2	<1.2
Chloromethane	30	3		-	-	-	-	-	-	<0.81	<0.81	<2.2			<1.6	<1.6	<1.6
2-Chlorotoluene	--	--		-	-	-	-	-	-	<0.21	<0.21	<0.93			<0.89	<0.89	<0.89
4-Chlorotoluene	--	--		-	-	-	-	-	-	<0.21	<0.21	<0.76			<0.89	<0.89	<0.89
1,2-Dibromo-3-chloropropane	0.2	0.02		-	-	-	-	-	-	<0.88	<0.88	<1.8			<2.4	<2.4	<2.4
Dibromochloromethane	0.6	0.06		-	-	-	-	-	-	<0.22	<0.22	<2.6			<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005		-	-	-	-	-	-	<0.44	<0.44	<0.83			<0.31	<0.31	<0.31
Dibromomethane	--	--		-	-	-	-	-	-	-	-	<0.94			<0.99	<0.99	<0.99
1,2-Dichlorobenzene	600	60		-	-	-	-	-	-	<0.36	<0.36	<0.71			<0.33	<0.33	<0.33
1,3-Dichlorobenzene	600	120		-	-	-	-	-	-	<0.28	<0.28	<0.63			<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15		-	-	-	-	-	-	<0.3	<0.3	<0.94			<0.89	<0.89	<0.89
Dichlorodifluoromethane	1000	200		<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50			<0.46	<0.46	<0.46
1,1-Dichloroethane	850	85		-	-	-	-	-	-	<0.3	<0.3	<0.27			<0.30	<0.30	<0.30
1,2-Dichloroethane	5	0.5		-	-	-	-	-	-	<0.41	<0.41	<0.28			<0.29	<0.29	<0.29
1,1-Dichloroethene	7	0.7		-	-	-	-	-	-	<0.4	<0.4	<0.24			<0.58	<0.58	<0.58
cis-1,2-Dichloroethene	70	7		<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27			<0.47	<0.47	<0.47
trans-1,2-Dichloroethene	100	20		-	-	-	-	-	-	<0.35	<0.35	<1.1			<0.53	<0.53	<0.53
1,2-Dichloropropane	5	0.5		-	-	-	-	-	-	<0.32	<0.32	<0.28			<0.45	<0.45	<0.45
1,3-Dichloropropane	--	--		-	-	-	-	-	-	<0.33	<0.33	<0.83			<0.3	<0.3	<0.3
2,2-Dichloropropane	--	--		-	-	-	-	-	-	<0.36	<0.36	<2.3			<4.2	<4.2	<4.2
1,1-Dichloropropene	--	--		-	-	-	-	-	-	-	-	<0.54			<0.41	<0.41	<0.41
cis-1,3-Dichloropropene	0.4	0.04		-	-	-	-	-	-	-	-	<3.6			<0.36	<0.36	<0.36
trans-1,3-Dichloropropene	0.4	0.04		-	-	-	-	-	-	-	-	<4.4			<3.5	<3.5	<3.5
Diisopropyl ether	--	--		-	-	-	-	-	-	<0.23	<0.23	<1.9			<1.1	<1.1	<1.1
Ethylbenzene	700	140		0.76	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	5.80	<0.22		<0.33	<0.33	3.1	
Hexachloro-1,3-butadiene	--	--		-	-	-	-	-	-	<1.5	10	<1.2			<2.7	<2.7	<2.7
Isopropylbenzene (cumene)	--	--		-	-	-	-	-	-	1.67	0.49 ^j	<0.39			<1.0	<1.0	1.7 ^j
p-Isopropyltoluene	--	--		-	-	-	-	-	-	<0.31	<0.31	<0.80			<1.0	<1.0	<1.0
Methylene Chloride	5	0.5		-	-	-	-	-	-	<0.5	<0.5	<0.58			<0.32	<0.32	<0.32
Methyl-tert-butyl ether	60	12		<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2			<1.1	<1.1	<1.1
Naphthalene	100	10		3.16	12.00	<1.8	<2.4	24.5	<2.1	1.84 ^j	11.60	<1.2			<0.35	<0.35	1.0 ^j
n-Propylbenzene	--	--		-	-	-	-	-	-	2.28	12.2	<0.81			<0.36	<0.36	<0.36
Styrene	100	10		-	-	-	-	-	-	-	-	<0.47			<0.36	<0.36	<0.36
1,1,1,2-Tetrachloroethane	70	7		-	-	-	-	-	-	<0.33	<0.33	<0.27			<0.36	<0.36	<0.36
1,1,2,2-Tetrachloroethane	0.2	0.02		-	-	-	-	-	-	<0.45	<0.45	<0.28			<0.38	<0.38	<0.38
Tetrachloroethene	5	0.5		&													

Table 2s
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-A-3											
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22
Sampler-->			METCO						REI					
VOC's ($\mu\text{g/L}$)	ES	PAL												
Benzene	5	0.5	290	44	73	980	1,460	500	261	1.2	284	201	0.57 ^j	18.3
Bromobenzene	--	--	-	-	-	-	-	<3.2	<3.2	<0.24	<0.24	<0.36	<0.36	<0.36
Bromoform	0.6	0.06	-	-	-	-	-	<3.7	<3.7	<0.36	<0.36	<0.36	<0.36	<0.36
Bromochloromethane	4.4	0.44	-	-	-	-	-	<3.5	<3.5	<4.0	<4.0	<3.8	<3.8	<3.8
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2
n-Butylbenzene	--	--	-	-	-	-	-	3.5 ^j	4.7 ^j	<0.71	5.1	<0.86	<0.86	1.5
sec-Butylbenzene	--	--	-	-	-	-	-	<3.3	<3.3	<0.85	3.3 ^j	3.3	<0.42	1.3
tert-Butylbenzene	--	--	-	-	-	-	-	<3.6	<3.6	<0.30	<0.30	<0.59	<0.59	<0.59
Carbon tetrachloride	5	0.5	<15	<3	<0.25	<5	<4.7	<3.3	<3.3	<0.17	<1.1	<0.37	<0.37	<0.37
Chlorobenzene	--	--	-	-	-	-	-	<2.4	<2.4	<0.71	<0.71	<0.86	<0.86	<0.86
Chloroethane	400	80	-	-	-	-	-	<6.3	<6.3	<1.3	<1.3	<1.4	<1.4	<1.4
Chloroform	6	0.6	<23.5	<4.7	<0.32	<6.4	<4.9	<2.8	<2.8	<1.3	<1.3	2.8 ^j	<1.2	<1.2
Chloromethane	30	3	-	-	-	-	-	<8.1	<8.1	<2.2	<2.2	<1.6	<1.6	<1.6
2-Chlorotoluene	--	--	-	-	-	-	-	<2.1	<2.1	<0.93	<0.93	<0.89	<0.89	<0.89
4-Chlorotoluene	--	--	-	-	-	-	-	<2.1	<2.1	<0.76	<0.76	<0.89	<0.89	<0.89
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<8.8	<8.8	<1.8	<1.8	<2.4	<2.4	<2.4
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<2.2	<2.2	<2.6	<2.6	<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<4.4	<4.4	<0.83	<0.83	<0.31	0.35 ^j	0.35 ^j
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<3.6	<3.6	<0.71	<0.71	<0.33	<0.33	<0.33
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<2.8	<2.8	<0.63	<0.63	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<3	<3	<0.94	<0.94	<0.89	<0.89	<0.89
Dichlorodifluoromethane	1000	200	<20.5	<7.6	<0.7	<14	<18	<2.2	<4.4	<0.50	<0.50	<0.46	<0.46	<0.46
1,1-Dichloroethane	850	85	-	-	-	-	-	<3	<3	<0.27	<0.27	<0.30	<0.30	<0.30
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<4.1	<4.1	<0.28	<0.28	<0.29	<0.29	<0.29
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<4	<4	<0.24	<0.24	<0.58	<0.58	<0.58
cis-1,2-Dichloroethene	70	7	<22	<4.4	<0.78	<15.6	<7.4	<3.8	<3.8	<0.27	<0.27	<0.47	<0.47	<0.47
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<3.5	<3.5	<1.1	<0.46	<0.53	<0.53	<0.53
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<3.2	<3.2	<0.28	<0.28	<0.45	<0.45	<0.45
1,3-Dichloropropane	--	--	-	-	-	-	-	<3.3	<3.3	<0.83	<0.83	<0.3	<0.3	<0.3
2,2-Dichloropropane	--	--	-	-	-	-	-	<3.6	<3.6	<2.3	<2.3	<4.2	<4.2	<4.2
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5
Diisopropyl ether	--	--	-	-	-	-	-	<23	<23	<1.9	<1.9	<1.1	<1.1	<1.1
Ethylbenzene	700	140	138	4	92	750	1280	285	370	0.37 ^j	900	672	<0.33	15.8
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<15	<15	<1.2	<1.2	<2.7	<2.7	<2.7
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	11.4	14.8	<0.39	44.3	30.1	<1.0	5.1
p-Isopropyltoluene	--	--	-	-	-	-	-	<3.1	<3.1	<0.80	1.5 ^j	1.9 ^j	<1.0	<1.0
Methylene Chloride	5	0.5	-	-	-	-	-	<5	<5	<0.58	8.6	<0.32	<0.32	<0.32
Methyl-tert-butyl ether	60	12	<35	<7	<0.25	<5	<8	<2.3	<2.3	<1.2	<1.2	<1.1	<1.1	<1.1
Naphthalene	100	10	<90	<18	12.4	96	127	31.1 ^j	43 ^j	<1.2	108	87.7	<1.1	13.5
n-Propylbenzene	--	--	-	-	-	-	-	22.9	38	<0.81	86.2	62.7	<0.35	15.6
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0	1.7	<0.36	<0.36
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<3.3	<3.3	<0.27	<0.27	<0.36	<0.36	<0.36
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<4.5	<4.5	<0.28	<0.28	<0.38	<0.38	<0.38
Tetrachloroethene	5	0.5	27.5	36	4.3	<8.6	4.7	<3.3	<3.3	0.66 ^j	<0.33	<0.41	<0.41	<0.41
Toluene	800	160	99	4.5	104	440	1,860	69	109	0.22 ^j	528	43.4	<0.29	2.2
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<18	<18	<0.63	<2.2	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<9.8	<9.8	<0.95	<0.95	<0.95	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<3.3	<3.3	<0.24	<0.24	<0.3	<	

Table 2t
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-A-4											
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22
Sampler-->			METCO											
VOC's ($\mu\text{g/L}$)	ES	PAL												
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8
Bromochloromethane	10	1	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	4.0 ^j	3.0 ^j	4.7 ^j	3.3 ^j	3.5 ^j
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<0.39	<1.0	<1.0	<1.0
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35
Styrene	100	10	-	-	-	-	-	-	-	<4.7	<3.0	<0.36	<0.36	<0.36
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38
Tetrachloroethene	5	0.5	<0.5	9.5	<0.43	3.5	<0.44	0.42 ^j	<0.33	<0.33	<0.41	<0.41	<0.41	<0.41
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95
1,1,1-Trichloroethane														

Table 2u
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->		PZ-B-3											
Date-->		10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22
Sampler-->		METCO						REI					
VOC's ($\mu\text{g/L}$)		ES	PAL										
Benzene	5	0.5	3.50	<0.24	<0.38	21.8	<0.5	0.93	<i>1.36</i>	<0.25	<0.25	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36
Bromo-chloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36
Bromo-dichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.36	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8
Bromo-methane	10	1	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4
Dibromo-chloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	1.88	1.81	<0.83	<0.83	<0.31	<0.31
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5
Disopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<0.39	<1.0	<1.0
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1
Naphthalene	100	10	<1.8	<1.8	<2.4	6.3	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38
Tetrachloroethene	5	0.5	<0.5	8.4	7.7	35	5	21.9	13.1	1.9	1.5	<i>0.73^j</i>	<i>0.53^j</i>
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47						

Table 2v
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-B-4											
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22
Sampler-->			METCO											
VOC's ($\mu\text{g/L}$)	ES	PAL												
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	0.44 ^J	0.96 ^J	0.70 ^J	0.72 ^J
Bromomethane	10	1	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86
n-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42
sec-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	2.9 ^J	1.7 ^J	2.0 ^J
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29
1,1-Dichloroethylene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58
cis-1,2-Dichloroethylene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47
trans-1,2-Dichloroethylene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38
Tetrachloroethylene	5	0.5	<0.5	0.96	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.41	<0.41	<0.41	<0.41
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	70	14	-	-</td										

Table 2w
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tonah, WI 54460
BRRTS# 02-42-525072

VOC's ($\mu\text{g/L}$)	Location-->		PZ-C-3		
	Date-->	11/17/21	4/11/2022	8/9/22	
	Sampler-->	REI			
	ES	PAL			
Benzene	5	0.5	<0.30	<0.30	<0.30
Bromobenzene	--	--	<0.36	<0.36	<0.36
Bromoform	--	--	<0.36	<0.36	<0.36
Bromochloromethane	0.6	0.06	<0.42	<0.42	<0.42
Bromodichloromethane	4.4	0.44	<3.8	<3.8	<3.8
Bromomethane	10	1	<1.2	<1.2	<1.2
n-Butylbenzene	--	--	<0.86	<0.86	<0.86
sec-Butylbenzene	--	--	<0.42	<0.42	<0.42
tert-Butylbenzene	--	--	<0.59	<0.59	<0.59
Carbon tetrachloride	5	0.5	<0.37	<0.37	<0.37
Chlorobenzene	--	--	<0.86	<0.86	<0.86
Chloroethane	400	80	<1.4	<1.4	<1.4
Chloroform	6	0.6	<1.2	<1.2	<1.2
Chloromethane	30	3	<1.6	<1.6	<1.6
2-Chlorotoluene	--	--	<0.89	<0.89	<0.89
4-Chlorotoluene	--	--	<0.89	<0.89	<0.89
1,2-Dibromo-3-chloropropane	0.2	0.02	<2.4	<2.4	<2.4
Dibromochloromethane	0.6	0.06	<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	<0.31	<0.31	<0.31
Dibromomethane	--	--	<0.99	<0.99	<0.99
1,2-Dichlorobenzene	600	60	<0.33	<0.33	<0.33
1,3-Dichlorobenzene	600	120	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	<0.89	<0.89	<0.89
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.46
1,1-Dichloroethane	850	85	<0.30	<0.30	<0.30
1,2-Dichloroethane	5	0.5	<0.29	<0.29	<0.29
1,1-Dichloroethene	7	0.7	<0.58	<0.58	<0.58
cis-1,2-Dichloroethene	70	7	<0.47	<0.47	<0.47
trans-1,2-Dichloroethene	100	20	<0.53	<0.53	<0.53
1,2-Dichloropropane	5	0.5	<0.45	<0.45	<0.45
1,3-Dichloropropane	--	--	<0.3	<0.3	<0.3
2,2-Dichloropropane	--	--	<4.2	<4.2	<4.2
1,1-Dichloropropene	--	--	<0.41	<0.41	<0.41
cis-1,3-Dichloropropene	0.4	0.04	<0.36	<0.36	<0.36
trans-1,3-Dichloropropene	0.4	0.04	<3.5	<3.5	<3.5
Diisopropyl ether	--	--	<1.1	<1.1	<1.1
Ethylbenzene	700	140	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	<2.7	<2.7	<2.7
Isopropylbenzene (cumene)	--	--	<1.0	<1.0	<1.0
p-Isopropyltoluene	--	--	<1.0	<1.0	<1.0
Methylene Chloride	5	0.5	<0.32	<0.32	<0.32
Methyl-tert-butyl ether	60	12	<1.1	<1.1	<1.1
Naphthalene	100	10	<1.1	<1.1	<1.1
n-Propylbenzene	--	--	<0.35	<0.35	<0.35
Styrene	100	10	<0.36	<0.36	<0.36
1,1,1,2-Tetrachloroethane	70	7	<0.36	<0.36	<0.36
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.38	<0.38	<0.38
Tetrachloroethene	5	0.5	<0.41	<0.41	<0.41
Toluene	800	160	<0.29	<0.29	<0.29
1,2,3-Trichlorobenzene	--	--	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	70	14	<0.95	<0.95	<0.95
1,1,1-Trichloroethane	200	40	<0.3	<0.3	<0.3
1,1,2-Trichloroethane	5	0.5	<0.34	<0.34	<0.34
Trichloroethene	5	0.5	<0.32	<0.32	<0.32
Trichlorofluoromethane	--	--	<0.42	0.45 [†]	<0.42
1,2,3-Trichloropropane	60	12	<0.56	<0.56	<0.56
1,2,4-Trimethylbenzene	--	--	<0.45	<0.45	<0.45
1,3,5-Trimethylbenzene	--	--	<0.36	<0.36	<0.36
Trimethylbenzenes (Total)	480	96	<0.81	<0.81	<0.81
Vinyl chloride	0.2	0.02	<0.17	<0.17	<0.17
m&p-Xylene	--	--	<0.70	<0.70	<0.70
o-Xylene	--	--	<0.35	<0.35	<0.35
Xylene (Total)	2000	400	<1.05	<1.05	<1.05

Notes:

$\mu\text{g/L}$ - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

[†] = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) = **Bold**

Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction

Well Depth (ft) 45

Screen Interval (ft) 40-45

Table 2x
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->		PZ-C-4		
Date-->		11/17/21	4/11/2022	8/9/22
Sampler-->		REI		
VOC's ($\mu\text{g/L}$)		ES	PAL	
Benzene		5	0.5	<0.30 <0.30 <0.30
Bromobenzene		--	--	<0.36 <0.36 <0.36
Bromochloromethane		--	--	<0.36 <0.36 <0.36
Bromodichloromethane		0.6	0.06	<0.42 <0.42 <0.42
Bromoform		4.4	0.44	<3.8 5.7 <3.8
Bromomethane		10	1	<1.2 <1.2 <1.2
n-Butylbenzene		--	--	<0.86 <0.86 <0.86
sec-Butylbenzene		--	--	<0.42 <0.42 <0.42
tert-Butylbenzene		--	--	<0.59 <0.59 <0.59
Carbon tetrachloride		5	0.5	<0.37 <0.37 <0.37
Chlorobenzene		--	--	<0.86 <0.86 <0.86
Chloroethane		400	80	<1.4 <1.4 <1.4
Chloroform		6	0.6	<i>3.3^j</i> 1.4^j <i>3.7^j</i>
Chloromethane		30	3	<1.6 <1.6 <1.6
2-Chlorotoluene		--	--	<0.89 <0.89 <0.89
4-Chlorotoluene		--	--	<0.89 <0.89 <0.89
1,2-Dibromo-3-chloropropane		0.2	0.02	<2.4 <2.4 <2.4
Dibromochloromethane		0.6	0.06	<2.6 <2.6 <2.6
1,2-Dibromoethane (EDB)		0.05	0.005	<0.31 <0.31 <0.31
Dibromomethane		--	--	<0.99 <0.99 <0.99
1,2-Dichlorobenzene		600	60	<0.33 <0.33 <0.33
1,3-Dichlorobenzene		600	120	<0.35 <0.35 <0.35
1,4-Dichlorobenzene		75	15	<0.89 <0.89 <0.89
Dichlorodifluoromethane		1000	200	<0.46 <0.46 <0.46
1,1-Dichloroethane		850	85	<0.30 <0.30 <0.30
1,2-Dichloroethane		5	0.5	<0.29 <0.29 <0.29
1,1-Dichloroethene		7	0.7	<0.58 <0.58 <0.58
cis-1,2-Dichloroethene		70	7	<i>0.73^j</i> <0.47 <0.47
trans-1,2-Dichloroethene		100	20	<0.53 <0.53 <0.53
1,2-Dichloropropane		5	0.5	<0.45 <0.45 <0.45
1,3-Dichloropropane		--	--	<0.3 <0.3 <0.3
2,2-Dichloropropane		--	--	<4.2 <4.2 <4.2
1,1-Dichloropropene		--	--	<0.41 <0.41 <0.41
cis-1,3-Dichloropropene		0.4	0.04	<0.36 <0.36 <0.36
trans-1,3-Dichloropropene		0.4	0.04	<3.5 <3.5 <3.5
Diisopropyl ether		--	--	<1.1 <1.1 <1.1
Ethylbenzene		700	140	<0.33 <0.33 <0.33
Hexachloro-1,3-butadiene		--	--	<2.7 <2.7 <2.7
Isopropylbenzene (cumene)		--	--	<1.0 <1.0 <1.0
p-Isopropyltoluene		--	--	<1.0 <1.0 <1.0
Methylene Chloride		5	0.5	<0.32 <0.32 <0.32
Methyl-tert-butyl ether		60	12	<1.1 <1.1 <1.1
Naphthalene		100	10	<1.1 <1.1 <1.1
n-Propylbenzene		--	--	<0.35 <0.35 <0.35
Styrene		100	10	<0.36 <0.36 <0.36
1,1,1,2-Tetrachloroethane		70	7	<0.36 <0.36 <0.36
1,1,2,2-Tetrachloroethane		0.2	0.02	<0.38 <0.38 <0.38
Tetrachloroethene		5	0.5	28.8 7.6 17.1
Toluene		800	160	<0.29 <0.29 <0.29
1,2,3-Trichlorobenzene		--	--	<1.0 <1.0 <1.0
1,2,4-Trichlorobenzene		70	14	<0.95 <0.95 <0.95
1,1,1-Trichloroethane		200	40	<0.3 <0.3 <0.3
1,1,2-Trichloroethane		5	0.5	<0.34 <0.34 <0.34
Trichloroethene		5	0.5	<i>1.5</i> <0.32 <0.32
Trichlorofluoromethane		--	--	<0.42 <0.42 <0.42
1,2,3-Trichloropropane		60	12	<0.56 <0.56 <0.56
1,2,4-Trimethylbenzene		--	--	<0.45 <0.45 <0.45
1,3,5-Trimethylbenzene		--	--	<0.36 <0.36 <0.36
Trimethylbenzenes (Total)		480	96	<0.81 <0.81 <0.81
Vinyl chloride		0.2	0.02	<0.17 <0.17 <0.17
m&p-Xylene		--	--	<0.70 <0.70 <0.70
o-Xylene		--	--	<0.35 <0.35 <0.35
Xylene (Total)		2000	400	<1.05 <1.05 <1.05

Notes:

$\mu\text{g/L}$ - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

^j = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) = **Bold**

Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction

Well Depth (ft) 45

Screen Interval (ft) 40-45

Table 2y
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-2								
			4/14/14	7/14/14	3/9/15	9/9/15	9/18/18	10/8/20	10/27/21	4/12/22	8/10/22
Sampler-->			Metco				REI				
VOC's ($\mu\text{g/L}$)	ES	PAL									
Benzene	5	0.5	140	143	19.6	2,040	20.2	5.2	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	<0.24	<0.24	<0.36	<0.36	<0.36
Bromoform	0.6	0.06	-	-	-	-	<0.36	<0.36	<0.42	<0.42	<0.42
Bromomethane	4.4	0.44	-	-	-	-	<4.0	<4.0	<3.8	<3.8	<3.8
n-Butylbenzene	10	1	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2
sec-Butylbenzene	--	--	-	-	-	-	<0.85	<0.85	<0.42	<0.42	<0.42
tert-Butylbenzene	--	--	-	-	-	-	<0.30	<0.30	<0.59	<0.59	<0.59
Carbon tetrachloride	5	0.5	-	-	-	-	<0.17	<1.1	<0.37	<0.37	<0.37
Chlorobenzene	--	--	-	-	-	-	<0.71	<0.71	<0.86	<0.86	<0.86
Chloroethane	400	80	-	-	-	-	<1.3	<1.3	<1.4	<1.4	<1.4
Chloroform	6	0.6	-	-	-	-	<1.3	<1.3	<1.2	<1.2	<1.2
Chloromethane	30	3	-	-	-	-	<2.2	<2.2	<1.6	<1.6	<1.6
2-Chlorotoluene	--	--	-	-	-	-	<0.93	<0.93	<0.89	<0.89	<0.89
4-Chlorotoluene	--	--	-	-	-	-	<0.76	<0.76	<0.89	<0.89	<0.89
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	<1.8	<1.8	<2.4	<2.4	<2.4
Dibromochloromethane	0.6	0.06	-	-	-	-	<2.6	<2.6	<2.6	<2.6	<2.6
1,2-Dibromoethane (EDB)	0.05	0.005	4.1	-	-	-	1.2^J	<0.83	<0.31	<0.31	<0.31
Dibromomethane	--	--	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99
1,2-Dichlorobenzene	600	60	-	-	-	-	<0.71	<0.71	<0.33	<0.33	<0.33
1,3-Dichlorobenzene	600	120	-	-	-	-	<0.63	<0.63	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	<0.94	<0.94	<0.89	<0.89	<0.89
Dichlorodifluoromethane	1000	200	-	-	-	-	<0.50	<0.50	<0.46	<0.46	<0.46
1,1-Dichloroethane	850	85	-	-	-	-	<0.27	<0.27	<0.30	<0.30	<0.30
1,2-Dichloroethane	5	0.5	-	-	-	-	<0.28	<0.28	<0.29	<0.29	<0.29
1,1-Dichloroethene	7	0.7	-	-	-	-	<0.24	<0.24	<0.58	<0.58	<0.58
cis-1,2-Dichloroethene	70	7	-	-	-	-	<0.27	<0.27	<0.47	<0.47	<0.47
trans-1,2-Dichloroethene	100	20	-	-	-	-	<1.1	<0.46	<0.53	<0.53	<0.53
1,2-Dichloropropane	5	0.5	-	-	-	-	<0.28	<0.28	<0.45	<0.45	<0.45
1,3-Dichloropropane	--	--	-	-	-	-	<0.83	<0.83	<0.3	<0.3	<0.3
2,2-Dichloropropane	--	--	-	-	-	-	<2.3	<2.3	<4.2	<4.2	<4.2
1,1-Dichloropropene	--	--	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5
Diisopropyl ether	--	--	-	-	-	-	<1.9	<1.9	<1.1	<1.1	<1.1
Ethylbenzene	700	140	28.1	17.7	4.6	2,160	16.7	4.3	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	<1.2	<1.5	<2.7	<2.7	<2.7
Isopropylbenzene (cumene)	--	--	-	-	-	-	0.55 ^J	<1.7	<1.0	<1.0	<1.0
p-Isopropyltoluene	--	--	-	-	-	-	<0.80	<0.80	<1.0	<1.0	<1.0
Methylene Chloride	5	0.5	-	-	-	-	<0.58	<0.58	<0.32	<0.32	<0.32
Methyl-tert-butyl ether	60	12	<0.23	<0.23	<0.49	<55	<1.2	<1.2	<1.1	<1.1	<1.1
Naphthalene	100	10	21.30	21	<2.6	167	<1.2	<1.2	<1.1	<1.1	<1.1
n-Propylbenzene	--	--	-	-	-	-	1.6 ^J	<0.81	<0.35	<0.35	<0.35
Styrene	100	10	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	<0.27	<0.27	<0.36	<0.36	<0.36
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	<0.28	<0.28	<0.38	<0.38	<0.38
Tetrachloroethene	5	0.5	8.7	-	-	-	6.9	3.9	2.6	2.1	<0.41
Toluene	800	160	4	1.96	0.78	400	2.1 ^J	0.50 ^J	<0.29	<0.29	<0.29
1,2,3-Trichlorobenzene	--	--	-	-	-	-	<0.63	<2.2	<1.0	<1.0	<1.0
1,2,4-Trichlorobenzene	70	14	-	-	-	-	<0.95	<0.95	<0.95	<0.95	<0.95
1,1,1-Trichloroethane	200	40	-	-	-	-	<0.24	<0.24	<0.3	<0.3	<0.3
1,1,2-Trichloroethane	5	0.5	-	-	-	-	<0.55	<0.55	<0.34	<0.34	<0.34
Trichloroethene	5	0.5	-	-	-	-	<0.26	<0.26	<0.32	<0.32	<0.32
Trichlorofluoromethane	--	--	-	-	-	-	<0.21	<0.21	<0.42	<0.42	<0.42
1,2,3-Trichloropropane	60	12	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56
1,2,4-Trimethylbenzene	--	--	-	-	-	-	6.5	<0.84	<0.45	<0.45	<0.45
1,3,5-Trimethylbenzene	--	--	-	-	-	-	1.6 ^J	<0.87	<0.36	<0.36	<0.36
Trimethylbenzenes (Total)	480	96	27.4	23.2	1.19	999	8.1 ^J	<1.71	<0.81	<0.81	<0.81
Vinyl chloride	0.2	0.02	-	-	-	-	<0.17	<0.17	<0.17	<0.17	<0.17
m&p-Xylene	--	--	-	-	-	-	17.0	0.66 ^J	<0.70	<0.70	<0.70
o-Xylene	--	--	-	-	-	-	0.34 ^J	<0.26	<0.35	<0.35	<0.35
Xylene (Total)	2000	400	53.4	50.7	4.5	3,853	17.34 ^J	0.66 ^J	<1.05	<1.05	<1.05

Notes:

$\mu\text{g/L}$ - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit

Table 2z
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-3									
			Date-->	4/14/14	7/14/14	3/9/15	9/9/15	9/18/18	10/8/20	10/27/21	4/12/22	8/10/22
			Sampler-->	Metco				REI				
VOC's ($\mu\text{g/L}$)	ES	PAL										
Benzene	5	0.5	152	51	30.7	46	4.9	<0.25	<0.30	<0.30	<0.30	
Bromobenzene	--	--	-	-	-	-	<0.24	<0.24	<0.36	<0.36	<0.36	
Bromoform	4.4	0.44	-	-	-	-	<4.0	<4.0	<3.8	<3.8	<3.8	
Bromochloromethane	0.6	0.06	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	
Bromodichloromethane	0.6	0.06	-	-	-	-	<0.36	<0.36	<0.42	<0.42	<0.42	
Bromomethane	10	1	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	
n-Butylbenzene	--	--	-	-	-	-	<0.71	<0.71	<0.86	<0.86	<0.86	
sec-Butylbenzene	--	--	-	-	-	-	<0.85	<0.85	<0.42	<0.42	<0.42	
Carbon tetrachloride	5	0.5	-	-	-	-	<0.17	<1.1	<0.37	<0.37	<0.37	
Chlorobenzene	--	--	-	-	-	-	<0.71	<0.71	<0.86	<0.86	<0.86	
Chloroethane	400	80	-	-	-	-	<1.3	<1.3	<1.4	<1.4	<1.4	
Chloroform	6	0.6	-	-	-	-	<1.3	<1.3	<1.2	<1.2	<1.2	
Chloromethane	30	3	-	-	-	-	<2.2	<2.2	<1.6	<1.6	<1.6	
2-Chlorotoluene	--	--	-	-	-	-	<0.93	<0.93	<0.89	<0.89	<0.89	
4-Chlorotoluene	--	--	-	-	-	-	<0.76	<0.76	<0.89	<0.89	<0.89	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	<1.8	<1.8	<2.4	<2.4	<2.4	
Dibromochloromethane	0.6	0.06	-	-	-	-	<2.6	<2.6	<2.6	<2.6	<2.6	
1,2-Dibromoethane (EDB)	0.05	0.005	<4.4	-	-	-	<0.83	<0.83	<0.31	<0.31	<0.31	
Dibromomethane	--	--	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	
1,2-Dichlorobenzene	600	60	-	-	-	-	<0.71	<0.71	<0.33	<0.33	<0.33	
1,3-Dichlorobenzene	600	120	-	-	-	-	<0.63	<0.63	<0.35	<0.35	<0.35	
1,4-Dichlorobenzene	75	15	-	-	-	-	<0.94	<0.94	<0.89	<0.89	<0.89	
Dichlorodifluoromethane	1000	200	-	-	-	-	<0.50	<0.50	<0.46	<0.46	<0.46	
1,1-Dichloroethane	850	85	-	-	-	-	<0.27	<0.27	<0.30	<0.30	<0.30	
1,2-Dichloroethane	5	0.5	-	-	-	-	<0.28	<0.28	<0.29	<0.29	<0.29	
1,1-Dichloroethene	7	0.7	-	-	-	-	<0.24	<0.24	<0.58	<0.58	<0.58	
cis-1,2-Dichloroethene	70	7	-	-	-	-	<0.27	<0.27	<0.47	<0.47	<0.47	
trans-1,2-Dichloroethene	100	20	-	-	-	-	<1.1	<0.46	<0.53	<0.53	<0.53	
1,2-Dichloropropane	5	0.5	-	-	-	-	<0.28	<0.28	<0.45	<0.45	<0.45	
1,3-Dichloropropane	--	--	-	-	-	-	<0.83	<0.83	<0.3	<0.3	<0.3	
2,2-Dichloropropane	--	--	-	-	-	-	<2.3	<2.3	<4.2	<4.2	<4.2	
1,1-Dichloropropene	--	--	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	
Diisopropyl ether	--	--	-	-	-	-	<1.9	<1.9	<1.1	<1.1	<1.1	
Ethylbenzene	700	140	168	2.52	0.82	3.3	5.7	<0.32	<0.33	<0.33	<0.33	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	<1.2	<1.5	<2.7	<2.7	<2.7	
Isopropylbenzene (cumene)	--	--	-	-	-	-	<0.39	<1.7	<1.0	<1.0	<1.0	
p-Isopropyltoluene	--	--	-	-	-	-	<0.80	<0.80	<1.0	<1.0	<1.0	
Methylene Chloride	5	0.5	-	-	-	-	<0.58	<0.58	<0.32	<0.32	<0.32	
Methyl-tert-butyl ether	60	12	<2.3	<0.23	<0.49	<1.1	<1.2	<1.2	<1.1	<1.1	<1.1	
Naphthalene	100	10	35	41	14.3	9.4	<1.2	<1.2	<1.1	<1.1	<1.1	
n-Propylbenzene	--	--	-	-	-	-	<0.81	<0.81	<0.35	<0.35	<0.35	
Styrene	100	10	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	<0.27	<0.27	<0.36	<0.36	<0.36	
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	<0.28	<0.28	<0.38	<0.38	<0.38	
Tetrachloroethene	5	0.5	<0.33	-	-	-	0.41 ^j	<0.33	<0.41	<0.41	<0.41	
Toluene	800	160	36	8.8	0.64	<0.44	0.57 ^j	<0.27	<0.29	<0.29	<0.29	
1,2,3-Trichlorobenzene	--	--	-	-	-	-	<0.63	<2.2	<1.0	<1.0	<1.0	
1,2,4-Trichlorobenzene	70	14	-	-	-	-	<0.95	<0.95	<0.95	<0.95	<0.95	
1,1,1-Trichloroethane	200	40	-	-	-	-	<0.24	<0.24	<0.3	<0.3	<0.3	
1,1,2-Trichloroethane	5	0.5	-	-	-	-	<0.55	<0.55	<0.34	<0.34	<0.34	
Trichloroethene	5	0.5	-	-	-	-	<0.26	<0.26	<0.32	<0.32	<0.32	
Trichlorofluoromethane	--	--	-	-	-	-	<0.21	<0.21	<0.42	<0.42	<0.42	
1,2,3-Trichloropropane	60	12	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	
1,2,4-Trimethylbenzene	--	--	-	-	-	-	3.0	<0.84	<0.45	<0.45	<0.45	
1,3,5-Trimethylbenzene	--	--	-	-	-	-	0.91 ^j	<0.87	<0.36	<0.36	<0.36	
Trimethylbenzenes (Total)	480	96	108.2	<3.6	<1.51	<3.1	3.91 ^j	<1.71	<0.81	<0.81	<0.81	
Vinyl chloride	0.2	0.02	-	-	-	-	<0.17	<0.17	<0.17	<0.17	<0.17	
m&p-Xylene	--	--	-	-	-	-	6.9	<0.47	<0.70	<0.70	<0.70	
o-Xylene	--	--	-	-	-	-	<0.26	<0.26	<0.35	<0.35	<0.35	
Xylene (Total)	2000	400	190.3	5.19	2.92	2.52	6.9	<0.73	<1.05	<1.05	<1.05	

Notes:

$\mu\text{g/L}$ - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

APPENDIX A

GROUNDWATER LABORATORY ANALYTICAL RESULTS



April 22, 2022

DAVID LARSEN
REI
4080 NORTH 20TH AVENUE
Wausau, WI 54401

RE: Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Dear DAVID LARSEN:

Enclosed are the analytical results for sample(s) received by the laboratory on April 14, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Kaylin Felix, REI



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40243456001	MW1AR	Water	04/11/22 10:50	04/14/22 08:40
40243456002	MWA2	Water	04/11/22 11:15	04/14/22 08:40
40243456003	MWA3	Water	04/11/22 11:39	04/14/22 08:40
40243456004	PZ-A3	Water	04/11/22 11:55	04/14/22 08:40
40243456005	PZ-B3	Water	04/11/22 12:10	04/14/22 08:40
40243456006	PZ-C3	Water	04/11/22 12:25	04/14/22 08:40
40243456007	MWA4	Water	04/11/22 12:55	04/14/22 08:40
40243456008	PZ-A4	Water	04/11/22 13:10	04/14/22 08:40
40243456009	PZ-B4	Water	04/11/22 13:20	04/14/22 08:40
40243456010	PZ C4	Water	04/11/22 13:40	04/14/22 08:40
40243456011	MW12	Water	04/11/22 14:05	04/14/22 08:40
40243456012	MW14	Water	04/11/22 14:35	04/14/22 08:40
40243456013	MW14P	Water	04/11/22 14:50	04/14/22 08:40
40243456014	MW14P60	Water	04/11/22 15:00	04/14/22 08:40
40243456015	MW15	Water	04/11/22 15:15	04/14/22 08:40
40243456016	MW16	Water	04/11/22 15:40	04/14/22 08:40
40243456017	MW17	Water	04/11/22 16:00	04/14/22 08:40
40243456018	MW17P	Water	04/11/22 16:15	04/14/22 08:40
40243456019	MW18P	Water	04/12/22 08:40	04/14/22 08:40
40243456020	MW18	Water	04/12/22 08:50	04/14/22 08:40
40243456021	P22	Water	04/12/22 09:35	04/14/22 08:40
40243456022	P21	Water	04/12/22 07:55	04/14/22 08:40
40243456023	P23	Water	04/12/22 09:20	04/14/22 08:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40243456001	MW1AR	EPA 8260	LAP	64
40243456002	MWA2	EPA 8260	LAP	64
40243456003	MWA3	EPA 8260	LAP	64
40243456004	PZ-A3	EPA 8260	LAP	64
40243456005	PZ-B3	EPA 8260	LAP	64
40243456006	PZ-C3	EPA 8260	LAP	64
40243456007	MWA4	EPA 8260	LAP	64
40243456008	PZ-A4	EPA 8260	LAP	64
40243456009	PZ-B4	EPA 8260	LAP	64
40243456010	PZ C4	EPA 8260	LAP	64
40243456011	MW12	EPA 8260	LAP	64
40243456012	MW14	EPA 8260	EIB	64
40243456013	MW14P	EPA 8260	EIB	64
40243456014	MW14P60	EPA 8260	EIB	64
40243456015	MW15	EPA 8260	EIB	64
40243456016	MW16	EPA 8260	EIB	64
40243456017	MW17	EPA 8260	EIB	64
40243456018	MW17P	EPA 8260	EIB	64
40243456019	MW18P	EPA 8260	EIB	64
40243456020	MW18	EPA 8260	EIB	64
40243456021	P22	EPA 8260	LAP	64
40243456022	P21	EPA 8260	LAP	64
40243456023	P23	EPA 8260	LAP	64

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW1AR **Lab ID: 40243456001** Collected: 04/11/22 10:50 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 13:47	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:47	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		04/18/22 13:47	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 13:47	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 13:47	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 13:47	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 13:47	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 13:47	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 13:47	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 13:47	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 13:47	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 13:47	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 13:47	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 13:47	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 13:47	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 13:47	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 13:47	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 13:47	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 13:47	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 13:47	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 13:47	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 13:47	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 13:47	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 13:47	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 13:47	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 13:47	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 13:47	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 13:47	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 13:47	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 13:47	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 13:47	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 13:47	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 13:47	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:47	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 13:47	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 13:47	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 13:47	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 13:47	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 13:47	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 13:47	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 13:47	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 13:47	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 13:47	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 13:47	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:47	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Sample: MW1AR	Lab ID: 40243456001	Collected: 04/11/22 10:50	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 13:47	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 13:47	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 13:47	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 13:47	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 13:47	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 13:47	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 13:47	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 13:47	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 13:47	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 13:47	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 13:47	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 13:47	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:47	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 13:47	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 13:47	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 13:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		04/18/22 13:47	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		04/18/22 13:47	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		04/18/22 13:47	2037-26-5	

Sample: MWA2	Lab ID: 40243456002	Collected: 04/11/22 11:15	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 14:07	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:07	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 14:07	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 14:07	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 14:07	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 14:07	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 14:07	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 14:07	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 14:07	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 14:07	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 14:07	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 14:07	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 14:07	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 14:07	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 14:07	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 14:07	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MWA2 **Lab ID: 40243456002** Collected: 04/11/22 11:15 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 14:07	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 14:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 14:07	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 14:07	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 14:07	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 14:07	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 14:07	106-46-7	
Dichlorodifluoromethane	1.3J	ug/L	5.0	0.46	1		04/18/22 14:07	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 14:07	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 14:07	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 14:07	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 14:07	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 14:07	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 14:07	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 14:07	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 14:07	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 14:07	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:07	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 14:07	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 14:07	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 14:07	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 14:07	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 14:07	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 14:07	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 14:07	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 14:07	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 14:07	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 14:07	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:07	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 14:07	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 14:07	79-34-5	
Tetrachloroethene	9.6	ug/L	1.0	0.41	1		04/18/22 14:07	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 14:07	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 14:07	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 14:07	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 14:07	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 14:07	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 14:07	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 14:07	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 14:07	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 14:07	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:07	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 14:07	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 14:07	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 14:07	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MWA2	Lab ID: 40243456002	Collected: 04/11/22 11:15	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
4-Bromofluorobenzene (S)	105	%	70-130		1		04/18/22 14:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/18/22 14:07	2199-69-1	
Toluene-d8 (S)	106	%	70-130		1		04/18/22 14:07	2037-26-5	
Sample: MWA3	Lab ID: 40243456003	Collected: 04/11/22 11:39	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 14:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:27	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 14:27	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 14:27	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 14:27	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 14:27	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 14:27	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 14:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 14:27	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 14:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 14:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 14:27	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 14:27	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 14:27	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 14:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 14:27	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 14:27	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 14:27	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 14:27	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 14:27	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 14:27	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 14:27	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 14:27	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 14:27	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 14:27	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 14:27	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 14:27	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 14:27	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 14:27	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 14:27	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 14:27	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 14:27	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MWA3 Lab ID: **40243456003** Collected: 04/11/22 11:39 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 14:27	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:27	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 14:27	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 14:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 14:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 14:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 14:27	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 14:27	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 14:27	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 14:27	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 14:27	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 14:27	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:27	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 14:27	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 14:27	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 14:27	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 14:27	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 14:27	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 14:27	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 14:27	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 14:27	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 14:27	79-01-6	
Trichlorofluoromethane	0.42J	ug/L	1.0	0.42	1		04/18/22 14:27	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 14:27	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 14:27	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:27	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 14:27	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 14:27	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 14:27	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	106	%	70-130		1		04/18/22 14:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		04/18/22 14:27	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		04/18/22 14:27	2037-26-5	

Sample: PZ-A3 Lab ID: **40243456004** Collected: 04/11/22 11:55 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	0.57J	ug/L	1.0	0.30	1		04/18/22 13:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:27	108-86-1	
Bromoform	<0.36	ug/L	5.0	0.36	1		04/18/22 13:27	74-97-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-A3	Lab ID: 40243456004	Collected: 04/11/22 11:55	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 13:27	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 13:27	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 13:27	74-83-9	M1,R1
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 13:27	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 13:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 13:27	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 13:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 13:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 13:27	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 13:27	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 13:27	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 13:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 13:27	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 13:27	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 13:27	124-48-1	
1,2-Dibromoethane (EDB)	0.35J	ug/L	1.0	0.31	1		04/18/22 13:27	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 13:27	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 13:27	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 13:27	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 13:27	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 13:27	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 13:27	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 13:27	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 13:27	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 13:27	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 13:27	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 13:27	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 13:27	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 13:27	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 13:27	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:27	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 13:27	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 13:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 13:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 13:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 13:27	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 13:27	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 13:27	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 13:27	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 13:27	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 13:27	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:27	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 13:27	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 13:27	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 13:27	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-A3	Lab ID: 40243456004	Collected: 04/11/22 11:55	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 13:27	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 13:27	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 13:27	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 13:27	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 13:27	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 13:27	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 13:27	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 13:27	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 13:27	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:27	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 13:27	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 13:27	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 13:27	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	110	%	70-130		1		04/18/22 13:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		04/18/22 13:27	2199-69-1	
Toluene-d8 (S)	106	%	70-130		1		04/18/22 13:27	2037-26-5	
Sample: PZ-B3	Lab ID: 40243456005	Collected: 04/11/22 12:10	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 16:19	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:19	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 16:19	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 16:19	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 16:19	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 16:19	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 16:19	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 16:19	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 16:19	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 16:19	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 16:19	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 16:19	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 16:19	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 16:19	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 16:19	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 16:19	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 16:19	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 16:19	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 16:19	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-B3 **Lab ID: 40243456005** Collected: 04/11/22 12:10 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 16:19	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 16:19	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:19	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 16:19	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 16:19	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:19	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 16:19	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 16:19	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 16:19	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 16:19	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 16:19	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:19	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 16:19	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 16:19	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:19	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 16:19	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 16:19	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 16:19	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 16:19	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 16:19	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 16:19	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 16:19	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 16:19	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 16:19	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:19	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:19	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 16:19	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 16:19	79-34-5	
Tetrachloroethene	0.53J	ug/L	1.0	0.41	1		04/18/22 16:19	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 16:19	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 16:19	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 16:19	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:19	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 16:19	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 16:19	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 16:19	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 16:19	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 16:19	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:19	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 16:19	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 16:19	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:19	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		04/18/22 16:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/18/22 16:19	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-B3 Lab ID: **40243456005** Collected: 04/11/22 12:10 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		04/18/22 16:19	2037-26-5	

Sample: PZ-C3 Lab ID: **40243456006** Collected: 04/11/22 12:25 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 16:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:38	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 16:38	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 16:38	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 16:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 16:38	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 16:38	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 16:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 16:38	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 16:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 16:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 16:38	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 16:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 16:38	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 16:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 16:38	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 16:38	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 16:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 16:38	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 16:38	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 16:38	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:38	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 16:38	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 16:38	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 16:38	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 16:38	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 16:38	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 16:38	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 16:38	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:38	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 16:38	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 16:38	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:38	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-C3 **Lab ID: 40243456006** Collected: 04/11/22 12:25 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 16:38	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 16:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 16:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 16:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 16:38	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 16:38	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 16:38	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 16:38	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 16:38	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:38	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:38	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 16:38	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 16:38	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 16:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 16:38	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 16:38	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 16:38	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:38	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 16:38	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 16:38	79-01-6	
Trichlorofluoromethane	0.45J	ug/L	1.0	0.42	1		04/18/22 16:38	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 16:38	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 16:38	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:38	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 16:38	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 16:38	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		04/18/22 16:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		04/18/22 16:38	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		04/18/22 16:38	2037-26-5	

Sample: MWA4 **Lab ID: 40243456007** Collected: 04/11/22 12:55 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 16:58	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:58	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 16:58	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 16:58	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 16:58	75-25-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MWA4 **Lab ID: 40243456007** Collected: 04/11/22 12:55 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 16:58	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 16:58	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 16:58	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 16:58	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 16:58	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 16:58	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 16:58	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 16:58	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 16:58	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 16:58	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 16:58	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 16:58	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 16:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 16:58	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 16:58	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 16:58	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:58	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 16:58	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 16:58	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:58	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 16:58	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 16:58	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 16:58	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 16:58	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 16:58	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:58	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 16:58	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 16:58	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:58	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 16:58	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 16:58	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 16:58	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 16:58	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 16:58	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 16:58	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 16:58	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 16:58	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 16:58	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:58	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:58	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 16:58	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 16:58	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 16:58	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 16:58	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 16:58	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MWA4	Lab ID: 40243456007	Collected: 04/11/22 12:55	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 16:58	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:58	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 16:58	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 16:58	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 16:58	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 16:58	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 16:58	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:58	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 16:58	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 16:58	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:58	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	106	%	70-130		1		04/18/22 16:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/18/22 16:58	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		04/18/22 16:58	2037-26-5	

Sample: PZ-A4	Lab ID: 40243456008	Collected: 04/11/22 13:10	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 17:18	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:18	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 17:18	74-97-5	
Bromodichloromethane	1.2	ug/L	1.0	0.42	1		04/18/22 17:18	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 17:18	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 17:18	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:18	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 17:18	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 17:18	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 17:18	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:18	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 17:18	75-00-3	
Chloroform	3.3J	ug/L	5.0	1.2	1		04/18/22 17:18	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 17:18	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:18	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:18	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 17:18	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 17:18	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 17:18	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 17:18	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:18	95-50-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-A4 **Lab ID: 40243456008** Collected: 04/11/22 13:10 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:18	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 17:18	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 17:18	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:18	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 17:18	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 17:18	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 17:18	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 17:18	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 17:18	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:18	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 17:18	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:18	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:18	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 17:18	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:18	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:18	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 17:18	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 17:18	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:18	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 17:18	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:18	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 17:18	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:18	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:18	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 17:18	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 17:18	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:18	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 17:18	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:18	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 17:18	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:18	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 17:18	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 17:18	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 17:18	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 17:18	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 17:18	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:18	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 17:18	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 17:18	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		04/18/22 17:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		04/18/22 17:18	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		04/18/22 17:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-B4 **Lab ID: 40243456009** Collected: 04/11/22 13:20 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 17:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:38	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		04/18/22 17:38	74-97-5	
Bromodichloromethane	0.70J	ug/L	1.0	0.42	1		04/18/22 17:38	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 17:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 17:38	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:38	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 17:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 17:38	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 17:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 17:38	75-00-3	
Chloroform	1.7J	ug/L	5.0	1.2	1		04/18/22 17:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 17:38	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:38	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 17:38	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 17:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 17:38	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 17:38	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:38	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:38	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 17:38	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 17:38	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 17:38	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 17:38	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 17:38	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 17:38	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 17:38	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:38	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 17:38	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:38	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:38	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 17:38	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 17:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 17:38	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:38	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 17:38	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:38	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 17:38	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:38	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:38	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-B4 **Lab ID: 40243456009** Collected: 04/11/22 13:20 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 17:38	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 17:38	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 17:38	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:38	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 17:38	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:38	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 17:38	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 17:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 17:38	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 17:38	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 17:38	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:38	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 17:38	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 17:38	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		04/18/22 17:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/18/22 17:38	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		04/18/22 17:38	2037-26-5	

Sample: PZ C4 **Lab ID: 40243456010** Collected: 04/11/22 13:40 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 17:58	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:58	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 17:58	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 17:58	75-27-4	
Bromoform	5.7	ug/L	5.0	3.8	1		04/18/22 17:58	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 17:58	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:58	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 17:58	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 17:58	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 17:58	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:58	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 17:58	75-00-3	
Chloroform	1.4J	ug/L	5.0	1.2	1		04/18/22 17:58	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 17:58	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:58	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:58	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ C4 **Lab ID: 40243456010** Collected: 04/11/22 13:40 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 17:58	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 17:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 17:58	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 17:58	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:58	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:58	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 17:58	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 17:58	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:58	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 17:58	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 17:58	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 17:58	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 17:58	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 17:58	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:58	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 17:58	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:58	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:58	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 17:58	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:58	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:58	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 17:58	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 17:58	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:58	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 17:58	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:58	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 17:58	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:58	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:58	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 17:58	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 17:58	79-34-5	
Tetrachloroethene	7.6	ug/L	1.0	0.41	1		04/18/22 17:58	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 17:58	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:58	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 17:58	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:58	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 17:58	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 17:58	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 17:58	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 17:58	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 17:58	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:58	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 17:58	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 17:58	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:58	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ C4 Lab ID: **40243456010** Collected: 04/11/22 13:40 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		04/18/22 17:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/18/22 17:58	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		04/18/22 17:58	2037-26-5	

Sample: MW12 Lab ID: **40243456011** Collected: 04/11/22 14:05 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 18:18	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 18:18	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 18:18	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 18:18	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 18:18	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 18:18	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 18:18	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 18:18	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 18:18	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 18:18	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 18:18	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 18:18	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 18:18	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 18:18	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 18:18	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 18:18	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 18:18	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 18:18	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 18:18	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 18:18	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:18	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 18:18	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 18:18	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:18	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 18:18	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 18:18	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 18:18	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 18:18	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 18:18	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:18	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 18:18	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW12 Lab ID: **40243456011** Collected: 04/11/22 14:05 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 18:18	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 18:18	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 18:18	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 18:18	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 18:18	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 18:18	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 18:18	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 18:18	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 18:18	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 18:18	91-20-3	
n-Propylbenzene	0.41J	ug/L	1.0	0.35	1		04/18/22 18:18	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 18:18	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 18:18	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 18:18	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 18:18	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 18:18	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:18	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 18:18	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 18:18	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 18:18	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 18:18	96-18-4	
1,2,4-Trimethylbenzene	0.82J	ug/L	1.0	0.45	1		04/18/22 18:18	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 18:18	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 18:18	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		04/18/22 18:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		04/18/22 18:18	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		04/18/22 18:18	2037-26-5	

Sample: MW14 Lab ID: **40243456012** Collected: 04/11/22 14:35 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 20:42	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 20:42	108-86-1	
Bromoform	<0.36	ug/L	5.0	0.36	1		04/20/22 20:42	74-97-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW14 **Lab ID: 40243456012** Collected: 04/11/22 14:35 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 20:42	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 20:42	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 20:42	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 20:42	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 20:42	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 20:42	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 20:42	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 20:42	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 20:42	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/20/22 20:42	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 20:42	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 20:42	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 20:42	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 20:42	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 20:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 20:42	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 20:42	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 20:42	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 20:42	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 20:42	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 20:42	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 20:42	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 20:42	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 20:42	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 20:42	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 20:42	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 20:42	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 20:42	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 20:42	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 20:42	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 20:42	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 20:42	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 20:42	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 20:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 20:42	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 20:42	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 20:42	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 20:42	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 20:42	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 20:42	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 20:42	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 20:42	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 20:42	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 20:42	79-34-5	
Tetrachloroethene	0.98J	ug/L	1.0	0.41	1		04/20/22 20:42	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW14	Lab ID: 40243456012	Collected: 04/11/22 14:35	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 20:42	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 20:42	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 20:42	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 20:42	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 20:42	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 20:42	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 20:42	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 20:42	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 20:42	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 20:42	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 20:42	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 20:42	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 20:42	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		04/20/22 20:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		04/20/22 20:42	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		04/20/22 20:42	2037-26-5	
<hr/>									
Sample: MW14P	Lab ID: 40243456013	Collected: 04/11/22 14:50	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<3.0	ug/L	10.0	3.0	10		04/21/22 00:07	71-43-2	
Bromobenzene	<3.6	ug/L	10.0	3.6	10		04/21/22 00:07	108-86-1	
Bromochloromethane	<3.6	ug/L	50.0	3.6	10		04/21/22 00:07	74-97-5	
Bromodichloromethane	<4.2	ug/L	10.0	4.2	10		04/21/22 00:07	75-27-4	
Bromoform	<38.0	ug/L	50.0	38.0	10		04/21/22 00:07	75-25-2	
Bromomethane	<11.9	ug/L	50.0	11.9	10		04/21/22 00:07	74-83-9	
n-Butylbenzene	<8.6	ug/L	10.0	8.6	10		04/21/22 00:07	104-51-8	
sec-Butylbenzene	<4.2	ug/L	10.0	4.2	10		04/21/22 00:07	135-98-8	
tert-Butylbenzene	<5.9	ug/L	10.0	5.9	10		04/21/22 00:07	98-06-6	
Carbon tetrachloride	<3.7	ug/L	10.0	3.7	10		04/21/22 00:07	56-23-5	
Chlorobenzene	<8.6	ug/L	10.0	8.6	10		04/21/22 00:07	108-90-7	
Chloroethane	<13.8	ug/L	50.0	13.8	10		04/21/22 00:07	75-00-3	
Chloroform	<11.8	ug/L	50.0	11.8	10		04/21/22 00:07	67-66-3	
Chloromethane	<16.4	ug/L	50.0	16.4	10		04/21/22 00:07	74-87-3	
2-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		04/21/22 00:07	95-49-8	
4-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		04/21/22 00:07	106-43-4	
1,2-Dibromo-3-chloropropane	<23.7	ug/L	50.0	23.7	10		04/21/22 00:07	96-12-8	
Dibromochloromethane	<26.4	ug/L	50.0	26.4	10		04/21/22 00:07	124-48-1	
1,2-Dibromoethane (EDB)	<3.1	ug/L	10.0	3.1	10		04/21/22 00:07	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW14P **Lab ID: 40243456013** Collected: 04/11/22 14:50 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Dibromomethane	<9.9	ug/L	50.0	9.9	10		04/21/22 00:07	74-95-3	
1,2-Dichlorobenzene	<3.3	ug/L	10.0	3.3	10		04/21/22 00:07	95-50-1	
1,3-Dichlorobenzene	<3.5	ug/L	10.0	3.5	10		04/21/22 00:07	541-73-1	
1,4-Dichlorobenzene	<8.9	ug/L	10.0	8.9	10		04/21/22 00:07	106-46-7	
Dichlorodifluoromethane	<4.6	ug/L	50.0	4.6	10		04/21/22 00:07	75-71-8	
1,1-Dichloroethane	<3.0	ug/L	10.0	3.0	10		04/21/22 00:07	75-34-3	
1,2-Dichloroethane	<2.9	ug/L	10.0	2.9	10		04/21/22 00:07	107-06-2	
1,1-Dichloroethene	<5.8	ug/L	10.0	5.8	10		04/21/22 00:07	75-35-4	
cis-1,2-Dichloroethene	<4.7	ug/L	10.0	4.7	10		04/21/22 00:07	156-59-2	
trans-1,2-Dichloroethene	<5.3	ug/L	10.0	5.3	10		04/21/22 00:07	156-60-5	
1,2-Dichloropropane	<4.5	ug/L	10.0	4.5	10		04/21/22 00:07	78-87-5	
1,3-Dichloropropane	<3.0	ug/L	10.0	3.0	10		04/21/22 00:07	142-28-9	
2,2-Dichloropropane	<41.8	ug/L	50.0	41.8	10		04/21/22 00:07	594-20-7	
1,1-Dichloropropene	<4.1	ug/L	10.0	4.1	10		04/21/22 00:07	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	10.0	3.6	10		04/21/22 00:07	10061-01-5	
trans-1,3-Dichloropropene	<34.6	ug/L	50.0	34.6	10		04/21/22 00:07	10061-02-6	
Diisopropyl ether	<11.0	ug/L	50.0	11.0	10		04/21/22 00:07	108-20-3	
Ethylbenzene	<3.3	ug/L	10.0	3.3	10		04/21/22 00:07	100-41-4	
Hexachloro-1,3-butadiene	<27.4	ug/L	50.0	27.4	10		04/21/22 00:07	87-68-3	
Isopropylbenzene (Cumene)	<10.0	ug/L	50.0	10.0	10		04/21/22 00:07	98-82-8	
p-Isopropyltoluene	<10.4	ug/L	50.0	10.4	10		04/21/22 00:07	99-87-6	
Methylene Chloride	<3.2	ug/L	50.0	3.2	10		04/21/22 00:07	75-09-2	
Methyl-tert-butyl ether	<11.3	ug/L	50.0	11.3	10		04/21/22 00:07	1634-04-4	
Naphthalene	<11.3	ug/L	50.0	11.3	10		04/21/22 00:07	91-20-3	
n-Propylbenzene	<3.5	ug/L	10.0	3.5	10		04/21/22 00:07	103-65-1	
Styrene	<3.6	ug/L	10.0	3.6	10		04/21/22 00:07	100-42-5	
1,1,1,2-Tetrachloroethane	<3.6	ug/L	10.0	3.6	10		04/21/22 00:07	630-20-6	
1,1,2,2-Tetrachloroethane	<3.8	ug/L	10.0	3.8	10		04/21/22 00:07	79-34-5	
Tetrachloroethene	962	ug/L	10.0	4.1	10		04/21/22 00:07	127-18-4	
Toluene	<2.9	ug/L	10.0	2.9	10		04/21/22 00:07	108-88-3	
1,2,3-Trichlorobenzene	<10.2	ug/L	50.0	10.2	10		04/21/22 00:07	87-61-6	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		04/21/22 00:07	120-82-1	
1,1,1-Trichloroethane	<3.0	ug/L	10.0	3.0	10		04/21/22 00:07	71-55-6	
1,1,2-Trichloroethane	<3.4	ug/L	50.0	3.4	10		04/21/22 00:07	79-00-5	
Trichloroethene	<3.2	ug/L	10.0	3.2	10		04/21/22 00:07	79-01-6	
Trichlorofluoromethane	<4.2	ug/L	10.0	4.2	10		04/21/22 00:07	75-69-4	
1,2,3-Trichloropropane	<5.6	ug/L	50.0	5.6	10		04/21/22 00:07	96-18-4	
1,2,4-Trimethylbenzene	<4.5	ug/L	10.0	4.5	10		04/21/22 00:07	95-63-6	
1,3,5-Trimethylbenzene	<3.6	ug/L	10.0	3.6	10		04/21/22 00:07	108-67-8	
Vinyl chloride	<1.7	ug/L	10.0	1.7	10		04/21/22 00:07	75-01-4	
m&p-Xylene	<7.0	ug/L	20.0	7.0	10		04/21/22 00:07	179601-23-1	
o-Xylene	<3.5	ug/L	10.0	3.5	10		04/21/22 00:07	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		10		04/21/22 00:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		10		04/21/22 00:07	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW14P Lab ID: **40243456013** Collected: 04/11/22 14:50 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
Toluene-d8 (S)	97	%	70-130		10		04/21/22 00:07	2037-26-5	

Sample: MW14P60 Lab ID: **40243456014** Collected: 04/11/22 15:00 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 21:03	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:03	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/20/22 21:03	74-97-5	
Bromodichloromethane	0.60J	ug/L	1.0	0.42	1		04/20/22 21:03	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 21:03	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 21:03	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 21:03	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 21:03	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 21:03	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 21:03	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 21:03	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 21:03	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/20/22 21:03	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 21:03	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 21:03	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 21:03	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 21:03	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 21:03	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 21:03	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 21:03	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 21:03	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:03	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 21:03	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 21:03	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:03	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 21:03	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 21:03	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 21:03	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 21:03	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 21:03	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:03	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 21:03	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 21:03	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:03	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW14P60 **Lab ID: 40243456014** Collected: 04/11/22 15:00 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 21:03	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 21:03	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 21:03	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 21:03	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 21:03	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 21:03	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 21:03	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 21:03	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 21:03	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:03	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:03	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 21:03	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 21:03	79-34-5	
Tetrachloroethene	40.0	ug/L	1.0	0.41	1		04/20/22 21:03	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 21:03	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 21:03	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 21:03	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:03	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 21:03	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 21:03	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 21:03	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 21:03	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 21:03	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:03	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 21:03	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 21:03	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:03	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		04/20/22 21:03	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		04/20/22 21:03	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		04/20/22 21:03	2037-26-5	

Sample: MW15 **Lab ID: 40243456015** Collected: 04/11/22 15:15 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 21:23	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:23	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/20/22 21:23	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 21:23	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 21:23	75-25-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW15 Lab ID: 40243456015 Collected: 04/11/22 15:15 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 21:23	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 21:23	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 21:23	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 21:23	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 21:23	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 21:23	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 21:23	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/20/22 21:23	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 21:23	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 21:23	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 21:23	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 21:23	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 21:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 21:23	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 21:23	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 21:23	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:23	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 21:23	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 21:23	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:23	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 21:23	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 21:23	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 21:23	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 21:23	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 21:23	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:23	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 21:23	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 21:23	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:23	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 21:23	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 21:23	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 21:23	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 21:23	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 21:23	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 21:23	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 21:23	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 21:23	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 21:23	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:23	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:23	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 21:23	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 21:23	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/20/22 21:23	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 21:23	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 21:23	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW15	Lab ID: 40243456015	Collected: 04/11/22 15:15	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 21:23	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:23	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 21:23	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 21:23	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 21:23	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 21:23	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 21:23	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:23	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 21:23	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 21:23	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:23	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		04/20/22 21:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		04/20/22 21:23	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		04/20/22 21:23	2037-26-5	

Sample: MW16	Lab ID: 40243456016	Collected: 04/11/22 15:40	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 21:44	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:44	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/20/22 21:44	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 21:44	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 21:44	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 21:44	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 21:44	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 21:44	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 21:44	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 21:44	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 21:44	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 21:44	75-00-3	
Chloroform	8.4	ug/L	5.0	1.2	1		04/20/22 21:44	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 21:44	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 21:44	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 21:44	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 21:44	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 21:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 21:44	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 21:44	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 21:44	95-50-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW16 **Lab ID: 40243456016** Collected: 04/11/22 15:40 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:44	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 21:44	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 21:44	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:44	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 21:44	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 21:44	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 21:44	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 21:44	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 21:44	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:44	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 21:44	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 21:44	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:44	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 21:44	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 21:44	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 21:44	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 21:44	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 21:44	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 21:44	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 21:44	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 21:44	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 21:44	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:44	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:44	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 21:44	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 21:44	79-34-5	
Tetrachloroethene	7.7	ug/L	1.0	0.41	1		04/20/22 21:44	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 21:44	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 21:44	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 21:44	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:44	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 21:44	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 21:44	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 21:44	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 21:44	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 21:44	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:44	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 21:44	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 21:44	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:44	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		04/20/22 21:44	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		04/20/22 21:44	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		04/20/22 21:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW17 **Lab ID: 40243456017** Collected: 04/11/22 16:00 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 22:04	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:04	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		04/20/22 22:04	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 22:04	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 22:04	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 22:04	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 22:04	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 22:04	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 22:04	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 22:04	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 22:04	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 22:04	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/20/22 22:04	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 22:04	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 22:04	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 22:04	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 22:04	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 22:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 22:04	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 22:04	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 22:04	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 22:04	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 22:04	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 22:04	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 22:04	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 22:04	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 22:04	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 22:04	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 22:04	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 22:04	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 22:04	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 22:04	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 22:04	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:04	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 22:04	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 22:04	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 22:04	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 22:04	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 22:04	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 22:04	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 22:04	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 22:04	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 22:04	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 22:04	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:04	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW17 Lab ID: **40243456017** Collected: 04/11/22 16:00 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 22:04	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 22:04	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/20/22 22:04	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 22:04	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 22:04	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 22:04	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 22:04	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 22:04	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 22:04	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 22:04	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 22:04	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 22:04	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:04	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 22:04	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 22:04	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 22:04	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		04/20/22 22:04	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		04/20/22 22:04	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		04/20/22 22:04	2037-26-5	

Sample: MW17P Lab ID: **40243456018** Collected: 04/11/22 16:15 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 22:24	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:24	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/20/22 22:24	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 22:24	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 22:24	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 22:24	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 22:24	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 22:24	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 22:24	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 22:24	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 22:24	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 22:24	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/20/22 22:24	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 22:24	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 22:24	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 22:24	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW17P Lab ID: 40243456018 Collected: 04/11/22 16:15 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 22:24	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 22:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 22:24	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 22:24	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 22:24	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 22:24	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 22:24	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 22:24	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 22:24	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 22:24	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 22:24	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 22:24	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 22:24	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 22:24	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 22:24	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 22:24	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 22:24	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:24	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 22:24	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 22:24	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 22:24	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 22:24	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 22:24	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 22:24	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 22:24	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 22:24	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 22:24	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 22:24	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:24	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 22:24	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 22:24	79-34-5	
Tetrachloroethene	310	ug/L	5.0	2.0	5		04/21/22 09:48	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 22:24	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 22:24	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 22:24	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 22:24	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 22:24	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 22:24	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 22:24	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 22:24	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 22:24	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:24	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 22:24	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 22:24	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 22:24	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW17P **Lab ID: 40243456018** Collected: 04/11/22 16:15 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		04/20/22 22:24	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		04/20/22 22:24	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		04/20/22 22:24	2037-26-5	

Sample: MW18P **Lab ID: 40243456019** Collected: 04/12/22 08:40 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/21/22 09:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 09:27	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/21/22 09:27	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 09:27	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/21/22 09:27	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/21/22 09:27	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 09:27	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/21/22 09:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/21/22 09:27	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/21/22 09:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 09:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/21/22 09:27	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/21/22 09:27	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/21/22 09:27	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 09:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 09:27	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/21/22 09:27	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/21/22 09:27	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/21/22 09:27	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/21/22 09:27	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 09:27	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 09:27	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/21/22 09:27	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/21/22 09:27	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 09:27	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/21/22 09:27	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/21/22 09:27	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/21/22 09:27	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/21/22 09:27	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/21/22 09:27	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/21/22 09:27	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/21/22 09:27	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW18P Lab ID: **40243456019** Collected: 04/12/22 08:40 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/21/22 09:27	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/21/22 09:27	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/21/22 09:27	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 09:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 09:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/21/22 09:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/21/22 09:27	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/21/22 09:27	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/21/22 09:27	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 09:27	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/21/22 09:27	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 09:27	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/21/22 09:27	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/21/22 09:27	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/21/22 09:27	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/21/22 09:27	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/21/22 09:27	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/21/22 09:27	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/21/22 09:27	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 09:27	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/21/22 09:27	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/21/22 09:27	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 09:27	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/21/22 09:27	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/21/22 09:27	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 09:27	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/21/22 09:27	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/21/22 09:27	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/21/22 09:27	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		04/21/22 09:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		04/21/22 09:27	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		04/21/22 09:27	2037-26-5	

Sample: MW18 Lab ID: **40243456020** Collected: 04/12/22 08:50 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 23:05	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 23:05	108-86-1	
Bromoform	<0.36	ug/L	5.0	0.36	1		04/20/22 23:05	74-97-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW18 **Lab ID: 40243456020** Collected: 04/12/22 08:50 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 23:05	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 23:05	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 23:05	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 23:05	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 23:05	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 23:05	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 23:05	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 23:05	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 23:05	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/20/22 23:05	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 23:05	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 23:05	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 23:05	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 23:05	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 23:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 23:05	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 23:05	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 23:05	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 23:05	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 23:05	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 23:05	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 23:05	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 23:05	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 23:05	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 23:05	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 23:05	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 23:05	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 23:05	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 23:05	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 23:05	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 23:05	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 23:05	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 23:05	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 23:05	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 23:05	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 23:05	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 23:05	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 23:05	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 23:05	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 23:05	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 23:05	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 23:05	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 23:05	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 23:05	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/20/22 23:05	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Sample: MW18	Lab ID: 40243456020	Collected: 04/12/22 08:50	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 23:05	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 23:05	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 23:05	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 23:05	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 23:05	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 23:05	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 23:05	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 23:05	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 23:05	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 23:05	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 23:05	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 23:05	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 23:05	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		04/20/22 23:05	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		04/20/22 23:05	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		04/20/22 23:05	2037-26-5	
Sample: P22	Lab ID: 40243456021	Collected: 04/12/22 09:35	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/16/22 01:35	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:35	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/16/22 01:35	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/16/22 01:35	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/16/22 01:35	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/16/22 01:35	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/16/22 01:35	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/16/22 01:35	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/16/22 01:35	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/16/22 01:35	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/16/22 01:35	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/16/22 01:35	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/16/22 01:35	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/16/22 01:35	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/16/22 01:35	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/16/22 01:35	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/16/22 01:35	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/16/22 01:35	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/16/22 01:35	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: P22 Lab ID: **40243456021** Collected: 04/12/22 09:35 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/16/22 01:35	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/16/22 01:35	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/16/22 01:35	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/16/22 01:35	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/16/22 01:35	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/16/22 01:35	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/16/22 01:35	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/16/22 01:35	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/16/22 01:35	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/16/22 01:35	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/16/22 01:35	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/16/22 01:35	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/16/22 01:35	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/16/22 01:35	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:35	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/16/22 01:35	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/16/22 01:35	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/16/22 01:35	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/16/22 01:35	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/16/22 01:35	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/16/22 01:35	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/16/22 01:35	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/16/22 01:35	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/16/22 01:35	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/16/22 01:35	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:35	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/16/22 01:35	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/16/22 01:35	79-34-5	
Tetrachloroethene	2.1	ug/L	1.0	0.41	1		04/16/22 01:35	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/16/22 01:35	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/16/22 01:35	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/16/22 01:35	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/16/22 01:35	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/16/22 01:35	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/16/22 01:35	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/16/22 01:35	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/16/22 01:35	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/16/22 01:35	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:35	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/16/22 01:35	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/16/22 01:35	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/16/22 01:35	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		04/16/22 01:35	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		04/16/22 01:35	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Sample: P22	Lab ID: 40243456021	Collected: 04/12/22 09:35	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		04/16/22 01:35	2037-26-5	
Sample: P21	Lab ID: 40243456022	Collected: 04/12/22 07:55	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/16/22 02:15	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/16/22 02:15	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/16/22 02:15	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/16/22 02:15	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/16/22 02:15	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/16/22 02:15	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/16/22 02:15	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/16/22 02:15	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/16/22 02:15	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/16/22 02:15	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/16/22 02:15	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/16/22 02:15	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/16/22 02:15	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/16/22 02:15	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/16/22 02:15	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/16/22 02:15	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/16/22 02:15	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/16/22 02:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/16/22 02:15	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/16/22 02:15	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/16/22 02:15	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/16/22 02:15	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/16/22 02:15	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/16/22 02:15	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/16/22 02:15	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/16/22 02:15	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/16/22 02:15	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/16/22 02:15	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/16/22 02:15	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/16/22 02:15	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/16/22 02:15	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/16/22 02:15	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/16/22 02:15	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/16/22 02:15	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: P21 Lab ID: **40243456022** Collected: 04/12/22 07:55 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/16/22 02:15	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/16/22 02:15	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/16/22 02:15	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/16/22 02:15	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/16/22 02:15	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/16/22 02:15	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/16/22 02:15	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/16/22 02:15	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/16/22 02:15	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/16/22 02:15	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/16/22 02:15	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/16/22 02:15	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/16/22 02:15	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/16/22 02:15	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/16/22 02:15	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/16/22 02:15	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/16/22 02:15	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/16/22 02:15	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/16/22 02:15	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/16/22 02:15	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/16/22 02:15	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/16/22 02:15	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/16/22 02:15	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/16/22 02:15	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/16/22 02:15	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/16/22 02:15	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/16/22 02:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		04/16/22 02:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/16/22 02:15	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		04/16/22 02:15	2037-26-5	

Sample: P23 Lab ID: **40243456023** Collected: 04/12/22 09:20 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/16/22 01:55	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:55	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/16/22 01:55	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/16/22 01:55	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/16/22 01:55	75-25-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: P23 Lab ID: **40243456023** Collected: 04/12/22 09:20 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/16/22 01:55	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/16/22 01:55	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/16/22 01:55	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/16/22 01:55	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/16/22 01:55	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/16/22 01:55	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/16/22 01:55	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/16/22 01:55	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/16/22 01:55	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/16/22 01:55	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/16/22 01:55	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/16/22 01:55	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/16/22 01:55	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/16/22 01:55	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/16/22 01:55	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/16/22 01:55	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/16/22 01:55	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/16/22 01:55	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/16/22 01:55	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/16/22 01:55	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/16/22 01:55	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/16/22 01:55	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/16/22 01:55	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/16/22 01:55	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/16/22 01:55	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/16/22 01:55	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/16/22 01:55	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/16/22 01:55	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:55	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/16/22 01:55	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/16/22 01:55	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/16/22 01:55	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/16/22 01:55	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/16/22 01:55	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/16/22 01:55	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/16/22 01:55	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/16/22 01:55	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/16/22 01:55	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/16/22 01:55	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:55	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/16/22 01:55	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/16/22 01:55	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/16/22 01:55	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/16/22 01:55	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/16/22 01:55	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Sample: P23 Lab ID: 40243456023 Collected: 04/12/22 09:20 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/16/22 01:55	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/16/22 01:55	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/16/22 01:55	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/16/22 01:55	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/16/22 01:55	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/16/22 01:55	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/16/22 01:55	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:55	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/16/22 01:55	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/16/22 01:55	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/16/22 01:55	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		04/16/22 01:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		04/16/22 01:55	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		04/16/22 01:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

QC Batch: 413256 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40243456021, 40243456022, 40243456023

METHOD BLANK: 2379630 Matrix: Water

Associated Lab Samples: 40243456021, 40243456022, 40243456023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	04/15/22 15:39	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	04/15/22 15:39	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	04/15/22 15:39	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	04/15/22 15:39	
1,1-Dichloroethane	ug/L	<0.30	1.0	04/15/22 15:39	
1,1-Dichloroethene	ug/L	<0.58	1.0	04/15/22 15:39	
1,1-Dichloropropene	ug/L	<0.41	1.0	04/15/22 15:39	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	04/15/22 15:39	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	04/15/22 15:39	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	04/15/22 15:39	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	04/15/22 15:39	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	04/15/22 15:39	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	04/15/22 15:39	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	04/15/22 15:39	
1,2-Dichloroethane	ug/L	<0.29	1.0	04/15/22 15:39	
1,2-Dichloropropane	ug/L	<0.45	1.0	04/15/22 15:39	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	04/15/22 15:39	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	04/15/22 15:39	
1,3-Dichloropropane	ug/L	<0.30	1.0	04/15/22 15:39	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	04/15/22 15:39	
2,2-Dichloropropane	ug/L	<4.2	5.0	04/15/22 15:39	
2-Chlorotoluene	ug/L	<0.89	5.0	04/15/22 15:39	
4-Chlorotoluene	ug/L	<0.89	5.0	04/15/22 15:39	
Benzene	ug/L	<0.30	1.0	04/15/22 15:39	
Bromobenzene	ug/L	<0.36	1.0	04/15/22 15:39	
Bromochloromethane	ug/L	<0.36	5.0	04/15/22 15:39	
Bromodichloromethane	ug/L	<0.42	1.0	04/15/22 15:39	
Bromoform	ug/L	<3.8	5.0	04/15/22 15:39	
Bromomethane	ug/L	<1.2	5.0	04/15/22 15:39	
Carbon tetrachloride	ug/L	<0.37	1.0	04/15/22 15:39	
Chlorobenzene	ug/L	<0.86	1.0	04/15/22 15:39	
Chloroethane	ug/L	<1.4	5.0	04/15/22 15:39	
Chloroform	ug/L	<1.2	5.0	04/15/22 15:39	
Chloromethane	ug/L	<1.6	5.0	04/15/22 15:39	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	04/15/22 15:39	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	04/15/22 15:39	
Dibromochloromethane	ug/L	<2.6	5.0	04/15/22 15:39	
Dibromomethane	ug/L	<0.99	5.0	04/15/22 15:39	
Dichlorodifluoromethane	ug/L	<0.46	5.0	04/15/22 15:39	
Diisopropyl ether	ug/L	<1.1	5.0	04/15/22 15:39	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

METHOD BLANK: 2379630

Matrix: Water

Associated Lab Samples: 40243456021, 40243456022, 40243456023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	04/15/22 15:39	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	04/15/22 15:39	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	04/15/22 15:39	
m&p-Xylene	ug/L	<0.70	2.0	04/15/22 15:39	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	04/15/22 15:39	
Methylene Chloride	ug/L	<0.32	5.0	04/15/22 15:39	
n-Butylbenzene	ug/L	<0.86	1.0	04/15/22 15:39	
n-Propylbenzene	ug/L	<0.35	1.0	04/15/22 15:39	
Naphthalene	ug/L	<1.1	5.0	04/15/22 15:39	
o-Xylene	ug/L	<0.35	1.0	04/15/22 15:39	
p-Isopropyltoluene	ug/L	<1.0	5.0	04/15/22 15:39	
sec-Butylbenzene	ug/L	<0.42	1.0	04/15/22 15:39	
Styrene	ug/L	<0.36	1.0	04/15/22 15:39	
tert-Butylbenzene	ug/L	<0.59	1.0	04/15/22 15:39	
Tetrachloroethene	ug/L	<0.41	1.0	04/15/22 15:39	
Toluene	ug/L	<0.29	1.0	04/15/22 15:39	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	04/15/22 15:39	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	04/15/22 15:39	
Trichloroethene	ug/L	<0.32	1.0	04/15/22 15:39	
Trichlorofluoromethane	ug/L	<0.42	1.0	04/15/22 15:39	
Vinyl chloride	ug/L	<0.17	1.0	04/15/22 15:39	
1,2-Dichlorobenzene-d4 (S)	%	106	70-130	04/15/22 15:39	
4-Bromofluorobenzene (S)	%	108	70-130	04/15/22 15:39	
Toluene-d8 (S)	%	105	70-130	04/15/22 15:39	

LABORATORY CONTROL SAMPLE: 2379631

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	49.6	99	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	49.5	99	66-130	
1,1,2-Trichloroethane	ug/L	50	49.5	99	70-130	
1,1-Dichloroethane	ug/L	50	47.6	95	68-132	
1,1-Dichloroethene	ug/L	50	44.5	89	85-126	
1,2,4-Trichlorobenzene	ug/L	50	45.2	90	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.2	94	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	51.4	103	70-130	
1,2-Dichlorobenzene	ug/L	50	50.0	100	70-130	
1,2-Dichloroethane	ug/L	50	49.0	98	70-130	
1,2-Dichloropropane	ug/L	50	48.3	97	78-125	
1,3-Dichlorobenzene	ug/L	50	50.1	100	70-130	
1,4-Dichlorobenzene	ug/L	50	50.3	101	70-130	
Benzene	ug/L	50	47.3	95	70-132	
Bromodichloromethane	ug/L	50	48.9	98	70-130	
Bromoform	ug/L	50	42.7	85	65-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

LABORATORY CONTROL SAMPLE: 2379631

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	25.7	51	44-128	
Carbon tetrachloride	ug/L	50	47.0	94	70-130	
Chlorobenzene	ug/L	50	50.5	101	70-130	
Chloroethane	ug/L	50	55.0	110	73-137	
Chloroform	ug/L	50	48.6	97	80-122	
Chloromethane	ug/L	50	30.6	61	27-148	
cis-1,2-Dichloroethene	ug/L	50	44.2	88	70-130	
cis-1,3-Dichloropropene	ug/L	50	48.6	97	70-130	
Dibromochloromethane	ug/L	50	48.4	97	70-130	
Dichlorodifluoromethane	ug/L	50	19.6	39	22-151	
Ethylbenzene	ug/L	50	51.4	103	80-123	
Isopropylbenzene (Cumene)	ug/L	50	52.4	105	70-130	
m&p-Xylene	ug/L	100	101	101	70-130	
Methyl-tert-butyl ether	ug/L	50	40.4	81	66-130	
Methylene Chloride	ug/L	50	46.0	92	70-130	
o-Xylene	ug/L	50	49.7	99	70-130	
Styrene	ug/L	50	51.1	102	70-130	
Tetrachloroethene	ug/L	50	48.6	97	70-130	
Toluene	ug/L	50	50.3	101	80-121	
trans-1,2-Dichloroethene	ug/L	50	45.2	90	70-130	
trans-1,3-Dichloropropene	ug/L	50	53.1	106	58-125	
Trichloroethene	ug/L	50	48.6	97	70-130	
Trichlorofluoromethane	ug/L	50	53.0	106	84-148	
Vinyl chloride	ug/L	50	46.7	93	63-142	
1,2-Dichlorobenzene-d4 (S)	%			102	70-130	
4-Bromofluorobenzene (S)	%			108	70-130	
Toluene-d8 (S)	%			104	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2379834 2379835

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max RPD	RPD	Qual
		40243435001	Result	Spike Conc.	Spike Conc.	MS Result	MS Result	% Rec	% Rec	Limits	RPD			
1,1,1-Trichloroethane	ug/L	<0.30	50	50	50.6	50.6	101	101	70-130	0	20			
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	50.6	51.7	101	103	66-130	2	20			
1,1,2-Trichloroethane	ug/L	<0.34	50	50	50.4	49.7	101	99	70-130	2	20			
1,1-Dichloroethane	ug/L	<0.30	50	50	47.4	47.6	95	95	68-132	0	20			
1,1-Dichloroethene	ug/L	<0.58	50	50	53.4	54.6	107	109	76-132	2	20			
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	46.0	45.9	92	92	70-130	0	20			
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	50.1	49.1	100	98	51-126	2	20			
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	52.3	53.0	105	106	70-130	1	20			
1,2-Dichlorobenzene	ug/L	<0.33	50	50	49.8	49.4	100	99	70-130	1	20			
1,2-Dichloroethane	ug/L	<0.29	50	50	49.8	49.7	100	99	70-130	0	20			
1,2-Dichloropropane	ug/L	<0.45	50	50	46.6	46.9	93	94	77-125	1	20			
1,3-Dichlorobenzene	ug/L	<0.35	50	50	50.6	50.6	101	101	70-130	0	20			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max		
		40243435001	Spike Conc.	Spike	Conc.	Result	MSD	Result	% Rec	MSD	% Rec	Limits	RPD	RPD
														Qual
1,4-Dichlorobenzene	ug/L	<0.89	50	50	50.1	50.5	100	101	70-130	1	20			
Benzene	ug/L	<0.30	50	50	47.3	47.2	95	94	70-132	0	20			
Bromodichloromethane	ug/L	<0.42	50	50	48.9	48.9	98	98	70-130	0	20			
Bromoform	ug/L	<3.8	50	50	44.2	44.3	88	89	65-130	0	20			
Bromomethane	ug/L	<1.2	50	50	27.7	26.5	55	53	44-128	4	21			
Carbon tetrachloride	ug/L	<0.37	50	50	47.7	47.8	95	96	70-132	0	20			
Chlorobenzene	ug/L	<0.86	50	50	51.1	50.6	102	101	70-130	1	20			
Chloroethane	ug/L	<1.4	50	50	55.3	62.7	111	125	70-137	13	20			
Chloroform	ug/L	<1.2	50	50	48.3	49.2	97	98	80-122	2	20			
Chloromethane	ug/L	<1.6	50	50	32.7	33.3	65	67	17-149	2	20			
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	44.3	44.0	89	88	70-130	1	20			
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	48.6	48.0	97	96	70-130	1	20			
Dibromochloromethane	ug/L	<2.6	50	50	50.0	50.0	100	100	70-130	0	20			
Dichlorodifluoromethane	ug/L	<0.46	50	50	21.2	19.9	42	40	22-158	6	20			
Ethylbenzene	ug/L	<0.33	50	50	52.0	51.6	104	103	80-123	1	20			
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	52.7	52.1	105	104	70-130	1	20			
m-&p-Xylene	ug/L	<0.70	100	100	102	101	102	101	70-130	0	20			
Methyl-tert-butyl ether	ug/L	<1.1	50	50	41.8	41.7	84	83	66-130	0	20			
Methylene Chloride	ug/L	<0.32	50	50	46.9	46.2	94	92	70-130	2	20			
o-Xylene	ug/L	<0.35	50	50	49.8	49.3	100	99	70-130	1	20			
Styrene	ug/L	<0.36	50	50	50.3	49.6	101	99	70-130	1	20			
Tetrachloroethene	ug/L	<0.41	50	50	50.1	49.5	100	99	70-130	1	20			
Toluene	ug/L	<0.29	50	50	50.4	50.9	101	102	80-121	1	20			
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	45.6	46.9	91	94	70-134	3	20			
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	54.3	52.0	109	104	58-130	4	20			
Trichloroethene	ug/L	<0.32	50	50	48.4	49.3	97	99	70-130	2	20			
Trichlorofluoromethane	ug/L	<0.42	50	50	54.2	54.1	108	108	82-151	0	20			
Vinyl chloride	ug/L	<0.17	50	50	46.8	46.6	94	93	61-143	0	20			
1,2-Dichlorobenzene-d4 (S)	%								102	103	70-130			
4-Bromofluorobenzene (S)	%								105	108	70-130			
Toluene-d8 (S)	%								105	103	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

QC Batch:	413257	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples:	40243456001, 40243456002, 40243456003, 40243456004, 40243456005, 40243456006, 40243456007, 40243456008, 40243456009, 40243456010, 40243456011
-------------------------	--

METHOD BLANK: 2379632 Matrix: Water

Associated Lab Samples:	40243456001, 40243456002, 40243456003, 40243456004, 40243456005, 40243456006, 40243456007, 40243456008, 40243456009, 40243456010, 40243456011
-------------------------	--

Parameter	Units	Result	Blank	Reporting	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36		1.0	04/18/22 08:29	
1,1,1-Trichloroethane	ug/L	<0.30		1.0	04/18/22 08:29	
1,1,2,2-Tetrachloroethane	ug/L	<0.38		1.0	04/18/22 08:29	
1,1,2-Trichloroethane	ug/L	<0.34		5.0	04/18/22 08:29	
1,1-Dichloroethane	ug/L	<0.30		1.0	04/18/22 08:29	
1,1-Dichloroethene	ug/L	<0.58		1.0	04/18/22 08:29	
1,1-Dichloropropene	ug/L	<0.41		1.0	04/18/22 08:29	
1,2,3-Trichlorobenzene	ug/L	<1.0		5.0	04/18/22 08:29	
1,2,3-Trichloropropane	ug/L	<0.56		5.0	04/18/22 08:29	
1,2,4-Trichlorobenzene	ug/L	<0.95		5.0	04/18/22 08:29	
1,2,4-Trimethylbenzene	ug/L	<0.45		1.0	04/18/22 08:29	
1,2-Dibromo-3-chloropropane	ug/L	<2.4		5.0	04/18/22 08:29	
1,2-Dibromoethane (EDB)	ug/L	<0.31		1.0	04/18/22 08:29	
1,2-Dichlorobenzene	ug/L	<0.33		1.0	04/18/22 08:29	
1,2-Dichloroethane	ug/L	<0.29		1.0	04/18/22 08:29	
1,2-Dichloropropane	ug/L	<0.45		1.0	04/18/22 08:29	
1,3,5-Trimethylbenzene	ug/L	<0.36		1.0	04/18/22 08:29	
1,3-Dichlorobenzene	ug/L	<0.35		1.0	04/18/22 08:29	
1,3-Dichloropropane	ug/L	<0.30		1.0	04/18/22 08:29	
1,4-Dichlorobenzene	ug/L	<0.89		1.0	04/18/22 08:29	
2,2-Dichloropropane	ug/L	<4.2		5.0	04/18/22 08:29	
2-Chlorotoluene	ug/L	<0.89		5.0	04/18/22 08:29	
4-Chlorotoluene	ug/L	<0.89		5.0	04/18/22 08:29	
Benzene	ug/L	<0.30		1.0	04/18/22 08:29	
Bromobenzene	ug/L	<0.36		1.0	04/18/22 08:29	
Bromochloromethane	ug/L	<0.36		5.0	04/18/22 08:29	
Bromodichloromethane	ug/L	<0.42		1.0	04/18/22 08:29	
Bromoform	ug/L	<3.8		5.0	04/18/22 08:29	
Bromomethane	ug/L	<1.2		5.0	04/18/22 08:29	
Carbon tetrachloride	ug/L	<0.37		1.0	04/18/22 08:29	
Chlorobenzene	ug/L	<0.86		1.0	04/18/22 08:29	
Chloroethane	ug/L	<1.4		5.0	04/18/22 08:29	
Chloroform	ug/L	<1.2		5.0	04/18/22 08:29	
Chloromethane	ug/L	<1.6		5.0	04/18/22 08:29	
cis-1,2-Dichloroethene	ug/L	<0.47		1.0	04/18/22 08:29	
cis-1,3-Dichloropropene	ug/L	<0.36		1.0	04/18/22 08:29	
Dibromochloromethane	ug/L	<2.6		5.0	04/18/22 08:29	
Dibromomethane	ug/L	<0.99		5.0	04/18/22 08:29	
Dichlorodifluoromethane	ug/L	<0.46		5.0	04/18/22 08:29	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

METHOD BLANK: 2379632

Matrix: Water

Associated Lab Samples: 40243456001, 40243456002, 40243456003, 40243456004, 40243456005, 40243456006, 40243456007,
40243456008, 40243456009, 40243456010, 40243456011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	04/18/22 08:29	
Ethylbenzene	ug/L	<0.33	1.0	04/18/22 08:29	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	04/18/22 08:29	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	04/18/22 08:29	
m-&p-Xylene	ug/L	<0.70	2.0	04/18/22 08:29	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	04/18/22 08:29	
Methylene Chloride	ug/L	<0.32	5.0	04/18/22 08:29	
n-Butylbenzene	ug/L	<0.86	1.0	04/18/22 08:29	
n-Propylbenzene	ug/L	<0.35	1.0	04/18/22 08:29	
Naphthalene	ug/L	<1.1	5.0	04/18/22 08:29	
o-Xylene	ug/L	<0.35	1.0	04/18/22 08:29	
p-Isopropyltoluene	ug/L	<1.0	5.0	04/18/22 08:29	
sec-Butylbenzene	ug/L	<0.42	1.0	04/18/22 08:29	
Styrene	ug/L	<0.36	1.0	04/18/22 08:29	
tert-Butylbenzene	ug/L	<0.59	1.0	04/18/22 08:29	
Tetrachloroethene	ug/L	<0.41	1.0	04/18/22 08:29	
Toluene	ug/L	<0.29	1.0	04/18/22 08:29	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	04/18/22 08:29	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	04/18/22 08:29	
Trichloroethene	ug/L	<0.32	1.0	04/18/22 08:29	
Trichlorofluoromethane	ug/L	<0.42	1.0	04/18/22 08:29	
Vinyl chloride	ug/L	<0.17	1.0	04/18/22 08:29	
1,2-Dichlorobenzene-d4 (S)	%	106	70-130	04/18/22 08:29	
4-Bromofluorobenzene (S)	%	104	70-130	04/18/22 08:29	
Toluene-d8 (S)	%	103	70-130	04/18/22 08:29	

LABORATORY CONTROL SAMPLE: 2379633

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	50.9	102	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	49.6	99	66-130	
1,1,2-Trichloroethane	ug/L	50	49.4	99	70-130	
1,1-Dichloroethane	ug/L	50	47.1	94	68-132	
1,1-Dichloroethene	ug/L	50	52.2	104	85-126	
1,2,4-Trichlorobenzene	ug/L	50	48.2	96	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.5	95	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	52.9	106	70-130	
1,2-Dichlorobenzene	ug/L	50	51.4	103	70-130	
1,2-Dichloroethane	ug/L	50	47.7	95	70-130	
1,2-Dichloropropane	ug/L	50	46.5	93	78-125	
1,3-Dichlorobenzene	ug/L	50	51.8	104	70-130	
1,4-Dichlorobenzene	ug/L	50	51.5	103	70-130	
Benzene	ug/L	50	46.5	93	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

LABORATORY CONTROL SAMPLE: 2379633

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	50	47.9	96	70-130	
Bromoform	ug/L	50	44.9	90	65-130	
Bromomethane	ug/L	50	27.0	54	44-128	
Carbon tetrachloride	ug/L	50	48.6	97	70-130	
Chlorobenzene	ug/L	50	51.8	104	70-130	
Chloroethane	ug/L	50	55.2	110	73-137	
Chloroform	ug/L	50	48.2	96	80-122	
Chloromethane	ug/L	50	29.4	59	27-148	
cis-1,2-Dichloroethene	ug/L	50	43.8	88	70-130	
cis-1,3-Dichloropropene	ug/L	50	48.9	98	70-130	
Dibromochloromethane	ug/L	50	50.3	101	70-130	
Dichlorodifluoromethane	ug/L	50	16.1	32	22-151	
Ethylbenzene	ug/L	50	52.0	104	80-123	
Isopropylbenzene (Cumene)	ug/L	50	52.7	105	70-130	
m&p-Xylene	ug/L	100	103	103	70-130	
Methyl-tert-butyl ether	ug/L	50	41.3	83	66-130	
Methylene Chloride	ug/L	50	46.0	92	70-130	
o-Xylene	ug/L	50	50.7	101	70-130	
Styrene	ug/L	50	51.6	103	70-130	
Tetrachloroethene	ug/L	50	51.8	104	70-130	
Toluene	ug/L	50	50.8	102	80-121	
trans-1,2-Dichloroethene	ug/L	50	45.3	91	70-130	
trans-1,3-Dichloropropene	ug/L	50	53.1	106	58-125	
Trichloroethene	ug/L	50	48.9	98	70-130	
Trichlorofluoromethane	ug/L	50	52.2	104	84-148	
Vinyl chloride	ug/L	50	43.1	86	63-142	
1,2-Dichlorobenzene-d4 (S)	%			102	70-130	
4-Bromofluorobenzene (S)	%			105	70-130	
Toluene-d8 (S)	%			104	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2380540 2380541

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max	
		40243456004	Spike Result	Spike Conc.	Conc.	Result	% Rec	Result	% Rec	Limits	RPD	RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	50.4	50.2	101	100	70-130	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	49.1	51.9	98	104	66-130	6	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	47.7	50.2	95	100	70-130	5	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	45.5	46.7	91	93	68-132	3	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	50.7	52.4	101	105	76-132	3	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	48.6	48.6	97	97	70-130	0	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	47.2	50.1	94	100	51-126	6	20		
1,2-Dibromoethane (EDB)	ug/L	0.35J	50	50	52.6	52.8	104	105	70-130	0	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	50.3	51.1	101	102	70-130	1	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	47.6	47.9	95	96	70-130	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max			
		40243456004	Spike Conc.	Spike	Conc.	Result	MSD	Result	% Rec	MSD	% Rec	Limits	RPD	RPD	
														Qual	
1,2-Dichloropropane	ug/L	<0.45	50	50	46.2	45.6	92		91	77-125	1	20			
1,3-Dichlorobenzene	ug/L	<0.35	50	50	51.8	51.4	104		103	70-130	1	20			
1,4-Dichlorobenzene	ug/L	<0.89	50	50	51.4	51.7	103		103	70-130	1	20			
Benzene	ug/L	0.57J	50	50	46.7	46.5	92		92	70-132	0	20			
Bromodichloromethane	ug/L	<0.42	50	50	48.3	48.9	97		98	70-130	1	20			
Bromoform	ug/L	<3.8	50	50	44.4	46.5	89		93	65-130	4	20			
Bromomethane	ug/L	<1.2	50	50	27.8	19.5	56		39	44-128	35	21 M1,R1			
Carbon tetrachloride	ug/L	<0.37	50	50	48.9	47.7	98		95	70-132	2	20			
Chlorobenzene	ug/L	<0.86	50	50	51.1	50.3	102		101	70-130	2	20			
Chloroethane	ug/L	<1.4	50	50	52.4	51.2	105		102	70-137	2	20			
Chloroform	ug/L	<1.2	50	50	47.4	48.2	95		96	80-122	2	20			
Chloromethane	ug/L	<1.6	50	50	28.5	27.2	57		54	17-149	5	20			
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	44.6	45.3	89		91	70-130	2	20			
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	48.4	46.8	97		94	70-130	3	20			
Dibromochloromethane	ug/L	<2.6	50	50	49.7	52.2	99		104	70-130	5	20			
Dichlorodifluoromethane	ug/L	<0.46	50	50	13.9	14.1	28		28	22-158	1	20			
Ethylbenzene	ug/L	<0.33	50	50	52.0	50.9	104		102	80-123	2	20			
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	52.8	51.7	106		103	70-130	2	20			
m&p-Xylene	ug/L	<0.70	100	100	101	99.1	101		99	70-130	2	20			
Methyl-tert-butyl ether	ug/L	<1.1	50	50	40.2	40.1	80		80	66-130	0	20			
Methylene Chloride	ug/L	<0.32	50	50	46.4	44.6	93		89	70-130	4	20			
o-Xylene	ug/L	<0.35	50	50	49.6	48.9	99		98	70-130	1	20			
Styrene	ug/L	<0.36	50	50	49.4	48.5	99		97	70-130	2	20			
Tetrachloroethene	ug/L	<0.41	50	50	51.8	52.6	103		104	70-130	1	20			
Toluene	ug/L	<0.29	50	50	50.4	50.4	100		100	80-121	0	20			
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	46.5	46.3	93		93	70-134	0	20			
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	52.8	50.5	106		101	58-130	4	20			
Trichloroethene	ug/L	<0.32	50	50	48.8	48.6	98		97	70-130	0	20			
Trichlorofluoromethane	ug/L	<0.42	50	50	49.1	50.6	98		101	82-151	3	20			
Vinyl chloride	ug/L	<0.17	50	50	40.8	39.0	82		78	61-143	5	20			
1,2-Dichlorobenzene-d4 (S)	%								100	102	70-130				
4-Bromofluorobenzene (S)	%								105	107	70-130				
Toluene-d8 (S)	%								104	104	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

QC Batch: 413360 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40243456012, 40243456013, 40243456014, 40243456015, 40243456016, 40243456017, 40243456018,
40243456019, 40243456020

METHOD BLANK: 2380554

Matrix: Water

Associated Lab Samples: 40243456012, 40243456013, 40243456014, 40243456015, 40243456016, 40243456017, 40243456018,
40243456019, 40243456020

Parameter	Units	Blank	Reporting		Qualifiers
		Result	Limit	Analyzed	
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	04/20/22 15:56	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	04/20/22 15:56	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	04/20/22 15:56	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	04/20/22 15:56	
1,1-Dichloroethane	ug/L	<0.30	1.0	04/20/22 15:56	
1,1-Dichloroethene	ug/L	<0.58	1.0	04/20/22 15:56	
1,1-Dichloropropene	ug/L	<0.41	1.0	04/20/22 15:56	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	04/20/22 15:56	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	04/20/22 15:56	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	04/20/22 15:56	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	04/20/22 15:56	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	04/20/22 15:56	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	04/20/22 15:56	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	04/20/22 15:56	
1,2-Dichloroethane	ug/L	<0.29	1.0	04/20/22 15:56	
1,2-Dichloropropane	ug/L	<0.45	1.0	04/20/22 15:56	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	04/20/22 15:56	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	04/20/22 15:56	
1,3-Dichloropropane	ug/L	<0.30	1.0	04/20/22 15:56	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	04/20/22 15:56	
2,2-Dichloropropane	ug/L	<4.2	5.0	04/20/22 15:56	
2-Chlorotoluene	ug/L	<0.89	5.0	04/20/22 15:56	
4-Chlorotoluene	ug/L	<0.89	5.0	04/20/22 15:56	
Benzene	ug/L	<0.30	1.0	04/20/22 15:56	
Bromobenzene	ug/L	<0.36	1.0	04/20/22 15:56	
Bromochloromethane	ug/L	<0.36	5.0	04/20/22 15:56	
Bromodichloromethane	ug/L	<0.42	1.0	04/20/22 15:56	
Bromoform	ug/L	<3.8	5.0	04/20/22 15:56	
Bromomethane	ug/L	<1.2	5.0	04/20/22 15:56	
Carbon tetrachloride	ug/L	<0.37	1.0	04/20/22 15:56	
Chlorobenzene	ug/L	<0.86	1.0	04/20/22 15:56	
Chloroethane	ug/L	<1.4	5.0	04/20/22 15:56	
Chloroform	ug/L	<1.2	5.0	04/20/22 15:56	
Chloromethane	ug/L	<1.6	5.0	04/20/22 15:56	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	04/20/22 15:56	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	04/20/22 15:56	
Dibromochloromethane	ug/L	<2.6	5.0	04/20/22 15:56	
Dibromomethane	ug/L	<0.99	5.0	04/20/22 15:56	
Dichlorodifluoromethane	ug/L	<0.46	5.0	04/20/22 15:56	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

METHOD BLANK: 2380554

Matrix: Water

Associated Lab Samples: 40243456012, 40243456013, 40243456014, 40243456015, 40243456016, 40243456017, 40243456018,
40243456019, 40243456020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	04/20/22 15:56	
Ethylbenzene	ug/L	<0.33	1.0	04/20/22 15:56	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	04/20/22 15:56	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	04/20/22 15:56	
m-&p-Xylene	ug/L	<0.70	2.0	04/20/22 15:56	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	04/20/22 15:56	
Methylene Chloride	ug/L	<0.32	5.0	04/20/22 15:56	
n-Butylbenzene	ug/L	<0.86	1.0	04/20/22 15:56	
n-Propylbenzene	ug/L	<0.35	1.0	04/20/22 15:56	
Naphthalene	ug/L	<1.1	5.0	04/20/22 15:56	
o-Xylene	ug/L	<0.35	1.0	04/20/22 15:56	
p-Isopropyltoluene	ug/L	<1.0	5.0	04/20/22 15:56	
sec-Butylbenzene	ug/L	<0.42	1.0	04/20/22 15:56	
Styrene	ug/L	<0.36	1.0	04/20/22 15:56	
tert-Butylbenzene	ug/L	<0.59	1.0	04/20/22 15:56	
Tetrachloroethene	ug/L	<0.41	1.0	04/20/22 15:56	
Toluene	ug/L	<0.29	1.0	04/20/22 15:56	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	04/20/22 15:56	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	04/20/22 15:56	
Trichloroethene	ug/L	<0.32	1.0	04/20/22 15:56	
Trichlorofluoromethane	ug/L	<0.42	1.0	04/20/22 15:56	
Vinyl chloride	ug/L	<0.17	1.0	04/20/22 15:56	
1,2-Dichlorobenzene-d4 (S)	%	104	70-130	04/20/22 15:56	
4-Bromofluorobenzene (S)	%	96	70-130	04/20/22 15:56	
Toluene-d8 (S)	%	98	70-130	04/20/22 15:56	

LABORATORY CONTROL SAMPLE: 2380555

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	63.1	126	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	42.4	85	66-130	
1,1,2-Trichloroethane	ug/L	50	42.7	85	70-130	
1,1-Dichloroethane	ug/L	50	53.5	107	68-132	
1,1-Dichloroethene	ug/L	50	59.9	120	85-126	
1,2,4-Trichlorobenzene	ug/L	50	52.6	105	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	44.5	89	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	45.2	90	70-130	
1,2-Dichlorobenzene	ug/L	50	50.7	101	70-130	
1,2-Dichloroethane	ug/L	50	51.5	103	70-130	
1,2-Dichloropropane	ug/L	50	49.1	98	78-125	
1,3-Dichlorobenzene	ug/L	50	52.8	106	70-130	
1,4-Dichlorobenzene	ug/L	50	52.9	106	70-130	
Benzene	ug/L	50	53.0	106	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

LABORATORY CONTROL SAMPLE: 2380555

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	50	53.5	107	70-130	
Bromoform	ug/L	50	47.0	94	65-130	
Bromomethane	ug/L	50	56.5	113	44-128	
Carbon tetrachloride	ug/L	50	64.3	129	70-130	
Chlorobenzene	ug/L	50	54.5	109	70-130	
Chloroethane	ug/L	50	64.7	129	73-137	
Chloroform	ug/L	50	54.6	109	80-122	
Chloromethane	ug/L	50	55.4	111	27-148	
cis-1,2-Dichloroethene	ug/L	50	51.1	102	70-130	
cis-1,3-Dichloropropene	ug/L	50	45.0	90	70-130	
Dibromochloromethane	ug/L	50	47.5	95	70-130	
Dichlorodifluoromethane	ug/L	50	60.3	121	22-151	
Ethylbenzene	ug/L	50	56.8	114	80-123	
Isopropylbenzene (Cumene)	ug/L	50	59.5	119	70-130	
m&p-Xylene	ug/L	100	113	113	70-130	
Methyl-tert-butyl ether	ug/L	50	44.5	89	66-130	
Methylene Chloride	ug/L	50	62.6	125	70-130	
o-Xylene	ug/L	50	53.6	107	70-130	
Styrene	ug/L	50	56.9	114	70-130	
Tetrachloroethene	ug/L	50	56.5	113	70-130	
Toluene	ug/L	50	52.0	104	80-121	
trans-1,2-Dichloroethene	ug/L	50	52.6	105	70-130	
trans-1,3-Dichloropropene	ug/L	50	39.5	79	58-125	
Trichloroethene	ug/L	50	57.0	114	70-130	
Trichlorofluoromethane	ug/L	50	66.7	133	84-148	
Vinyl chloride	ug/L	50	60.5	121	63-142	
1,2-Dichlorobenzene-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2380556
2380557

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max	
		40243460002	Spike Result	Spike Conc.	Conc.	Result	% Rec	Result	% Rec	Limits	RPD	RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	63.0	64.8	126	130	70-130	3	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	42.9	47.6	86	95	66-130	10	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	42.0	46.5	84	93	70-130	10	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	53.7	55.5	107	111	68-132	3	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	61.4	62.5	123	125	76-132	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	50.9	53.5	102	107	70-130	5	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	45.4	54.2	91	108	51-126	18	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	45.9	50.8	92	102	70-130	10	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	51.1	52.3	102	105	70-130	2	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	49.3	54.7	99	109	70-130	10	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Parameter	Units	40243460002		MS		MSD		2380557					
		Result	Spike Conc.	Spike	Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	
1,2-Dichloropropane	ug/L	<0.45	50	50	48.4	51.2	97	102	77-125	6	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	52.1	53.6	104	107	70-130	3	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	52.2	52.6	104	105	70-130	1	20		
Benzene	ug/L	<0.30	50	50	53.1	55.1	106	110	70-132	4	20		
Bromodichloromethane	ug/L	<0.42	50	50	53.2	56.2	106	112	70-130	5	20		
Bromoform	ug/L	<3.8	50	50	47.5	51.8	95	104	65-130	9	20		
Bromomethane	ug/L	<1.2	50	50	56.4	54.2	113	108	44-128	4	21		
Carbon tetrachloride	ug/L	<0.37	50	50	64.1	66.3	128	133	70-132	3	20	M1	
Chlorobenzene	ug/L	<0.86	50	50	53.7	54.5	107	109	70-130	1	20		
Chloroethane	ug/L	<1.4	50	50	63.8	63.8	128	128	70-137	0	20		
Chloroform	ug/L	<1.2	50	50	53.5	56.5	107	113	80-122	6	20		
Chloromethane	ug/L	<1.6	50	50	57.4	59.3	115	119	17-149	3	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	51.9	54.6	104	109	70-130	5	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	44.4	48.2	89	96	70-130	8	20		
Dibromochloromethane	ug/L	<2.6	50	50	47.5	52.2	95	104	70-130	10	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	65.2	64.6	130	129	22-158	1	20		
Ethylbenzene	ug/L	<0.33	50	50	55.8	56.5	112	113	80-123	1	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	58.4	58.7	117	117	70-130	1	20		
m&p-Xylene	ug/L	<0.70	100	100	112	113	112	113	70-130	0	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	45.7	52.2	91	104	66-130	13	20		
Methylene Chloride	ug/L	<0.32	50	50	62.9	61.3	126	123	70-130	3	20		
o-Xylene	ug/L	<0.35	50	50	53.6	54.7	107	109	70-130	2	20		
Styrene	ug/L	<0.36	50	50	54.1	57.1	108	114	70-130	5	20		
Tetrachloroethene	ug/L	<0.41	50	50	56.2	56.4	112	113	70-130	1	20		
Toluene	ug/L	<0.29	50	50	51.7	52.4	103	105	80-121	1	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	53.1	55.2	106	110	70-134	4	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	39.4	43.1	79	86	58-130	9	20		
Trichloroethene	ug/L	<0.32	50	50	55.0	57.2	110	114	70-130	4	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	66.2	67.2	132	134	82-151	2	20		
Vinyl chloride	ug/L	<0.17	50	50	62.8	60.7	126	121	61-143	3	20		
1,2-Dichlorobenzene-d4 (S)	%							101	100	70-130			
4-Bromofluorobenzene (S)	%							100	100	70-130			
Toluene-d8 (S)	%							98	99	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 8173 BAND BOX CLEANERS


Pace Project No.: 40243456

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40243456001	MW1AR	EPA 8260	413257		
40243456002	MWA2	EPA 8260	413257		
40243456003	MWA3	EPA 8260	413257		
40243456004	PZ-A3	EPA 8260	413257		
40243456005	PZ-B3	EPA 8260	413257		
40243456006	PZ-C3	EPA 8260	413257		
40243456007	MWA4	EPA 8260	413257		
40243456008	PZ-A4	EPA 8260	413257		
40243456009	PZ-B4	EPA 8260	413257		
40243456010	PZ C4	EPA 8260	413257		
40243456011	MW12	EPA 8260	413257		
40243456012	MW14	EPA 8260	413360		
40243456013	MW14P	EPA 8260	413360		
40243456014	MW14P60	EPA 8260	413360		
40243456015	MW15	EPA 8260	413360		
40243456016	MW16	EPA 8260	413360		
40243456017	MW17	EPA 8260	413360		
40243456018	MW17P	EPA 8260	413360		
40243456019	MW18P	EPA 8260	413360		
40243456020	MW18	EPA 8260	413360		
40243456021	P22	EPA 8260	413256		
40243456022	P21	EPA 8260	413256		
40243456023	P23	EPA 8260	413256		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name:	<u>REI</u>
Branch/Location:	<u>Wau Sca</u>
Project Contact:	<u>Dave Larsen</u>
Phone:	<u>715 675 9784</u>
Project Number:	<u>8173</u>
Project Name:	<u>Band box cleanup</u>
Project State:	<u>WI</u>
Sampled By (Print):	<u>Paul Begier</u>
Sampled By (Sign):	
PO #:	Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of 2

40243456

CHAIN OF CUSTODY

*Preservation Codes							
A=None	B=HCl	C=H ₂ SO ₄	D=HNO ₃	E=DI Water	F=Methanol	G=NaOH	
H=Sodium Bisulfate Solution	I=Sodium Thiosulfate	J=Other					

FILTERED? (YES/NO)	Y/N	N					
PRESERVATION (CODE)*	Pick Letter	B					
x Codes	Analyses Requested	VOC's					
V = Water							
DW = Drinking Water							
GW = Ground Water							
SW = Surface Water							
WW = Waste Water							
WP = Wipe							
CTION	MATRIX						
TIME							
10:50	GW						
11:15							
11:39							
11:55							
12:10							
12:25							
12:55							
1:10							
1:20							
1:40							
2:05							
2:35							
2:50							

Rush Turnaround Time Requested - Prelims
(Rush TAT subject to approval/surcharge)

Date Needed:

Transmit Prelim Rush Results by (complete what you want):

mail #1:

mail #2:

Email #2:

Telephone:

Fax:

Sa

**Samples on HOLD are subject to
special pricing and release of liability**

Relinquished By:	Date/Time:	Received By:	Date/Time:
<u>John Tro</u>	<u>6/13/22 - 9:00 AM</u>	<u>Anthony Leal</u>	<u>6/14/22 0840</u>
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:

PACE Project No

40243456

Resist Temp = $\Delta\alpha$ °C

Set Temp - 1.8

Sample Receipt pH

OK / Adjusted

Cooler Custody Seal

Present / Not Present

Intact / Not Intact age 5

(Please Print Clearly)

Company Name:	REF
Branch/Location:	WauSaw
Project Contact:	Dave Larson
Phone:	7156759784
Project Number:	8173
Project Name:	Band box cleaners
Project State:	WF
Sampled By (Print):	Paul Bishan
Sampled By (Sign):	
PO #:	
	Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 2 of 2

40243456

CHAIN OF CUSTODY

*Preservation Codes				
A=None	B=HCl	C=H ₂ SO ₄	D=HNO ₃	E=DI Water
H=Sodium Bisulfate Solution			I=Sodium Thiosulfate	J=Other

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)		Relinquished By:	Date/Time: 4/12/22 09:55 am	Received By:	Date/Time:	PACE Project No. <u>40243456</u>
Date Needed:		Relinquished By:	Date/Time:	Received By:	Date/Time:	Receipt Temp = 1.8 °C
Transmit Prelim Rush Results by (complete what you want):		<u>Walter</u>	<u>4/14/22 0840</u>	<u>Anthony Ladd</u>	<u>4/14/22 0840</u>	Sample Receipt pH OK / Adjusted
Email #1:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Cooler Custody Seal	
Email #2:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Present / Not Present	
Telephone:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Intact / Not Intact	
Fax:	Relinquished By:	Date/Time:	Received By:	Date/Time:	age 58 of 61	
Samples on HOLD are subject to special pricing and release of liability						

Sample Preservation Receipt Form
 Project # 10243456

Client Name: REI

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/
Time:

Pace Lab #	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN	VOA Vials (>6mm)*	H2SO4 cH ≤2	NaOH+Zn Act. cH ≥9	NaOH cH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
001																														2.5 / 5 / 10			
002																														2.5 / 5 / 10			
003																														2.5 / 5 / 10			
004																														2.5 / 5 / 10			
005																														2.5 / 5 / 10			
006																														2.5 / 5 / 10			
007																														2.5 / 5 / 10			
008																														2.5 / 5 / 10			
009																														2.5 / 5 / 10			
010																														2.5 / 5 / 10			
011																														2.5 / 5 / 10			
012																														2.5 / 5 / 10			
013																														2.5 / 5 / 10			
014																														2.5 / 5 / 10			
015																														2.5 / 5 / 10			
016																														2.5 / 5 / 10			
017																														2.5 / 5 / 10			
018																														2.5 / 5 / 10			
019																														2.5 / 5 / 10			
020																														2.5 / 5 / 10			

Exceptions to preservation check: VOA Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Page 1 of 3

Sample Preservation Receipt Form
Project #: 40243456

Client Name: RE

Project #:

Page 2 of 3

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: REI

Courier: CS Logistics Fed Ex Speedee UPS Waltco

Client Pace Other: _____

Tracking #: 3180121-2

WO# : 40243456



40243456

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used: SR-107 Type of Ice: Wet Blue Dry None

Cooler Temperature: Uncorr: 2 /Corr: 1.8

Samples on ice, cooling process has begun

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:

Date: 4/14/22 Initials: AW

Labeled By Initials:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: - VOA Samples frozen upon receipt	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5. Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		8.
Correct Containers Used: -Pace Containers Used: -Pace IR Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. 4/14/22 AW
Sample Labels match COC: -Includes date/time/ID/Analysis Matrix:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. Q4; "12" "MW1460", Q1A; "10:30" Q2; "8:05", one vial id illegible 4/14/22 AW
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

Page 3 of 3

April 22, 2022

DAVID LARSEN
REI
4080 NORTH 20TH AVENUE
Wausau, WI 54401

RE: Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Dear DAVID LARSEN:

Enclosed are the analytical results for sample(s) received by the laboratory on April 14, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Kaylin Felix, REI



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40243456001	MW1AR	Water	04/11/22 10:50	04/14/22 08:40
40243456002	MWA2	Water	04/11/22 11:15	04/14/22 08:40
40243456003	MWA3	Water	04/11/22 11:39	04/14/22 08:40
40243456004	PZ-A3	Water	04/11/22 11:55	04/14/22 08:40
40243456005	PZ-B3	Water	04/11/22 12:10	04/14/22 08:40
40243456006	PZ-C3	Water	04/11/22 12:25	04/14/22 08:40
40243456007	MWA4	Water	04/11/22 12:55	04/14/22 08:40
40243456008	PZ-A4	Water	04/11/22 13:10	04/14/22 08:40
40243456009	PZ-B4	Water	04/11/22 13:20	04/14/22 08:40
40243456010	PZ C4	Water	04/11/22 13:40	04/14/22 08:40
40243456011	MW12	Water	04/11/22 14:05	04/14/22 08:40
40243456012	MW14	Water	04/11/22 14:35	04/14/22 08:40
40243456013	MW14P	Water	04/11/22 14:50	04/14/22 08:40
40243456014	MW14P60	Water	04/11/22 15:00	04/14/22 08:40
40243456015	MW15	Water	04/11/22 15:15	04/14/22 08:40
40243456016	MW16	Water	04/11/22 15:40	04/14/22 08:40
40243456017	MW17	Water	04/11/22 16:00	04/14/22 08:40
40243456018	MW17P	Water	04/11/22 16:15	04/14/22 08:40
40243456019	MW18P	Water	04/12/22 08:40	04/14/22 08:40
40243456020	MW18	Water	04/12/22 08:50	04/14/22 08:40
40243456021	P22	Water	04/12/22 09:35	04/14/22 08:40
40243456022	P21	Water	04/12/22 07:55	04/14/22 08:40
40243456023	P23	Water	04/12/22 09:20	04/14/22 08:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40243456001	MW1AR	EPA 8260	LAP	64
40243456002	MWA2	EPA 8260	LAP	64
40243456003	MWA3	EPA 8260	LAP	64
40243456004	PZ-A3	EPA 8260	LAP	64
40243456005	PZ-B3	EPA 8260	LAP	64
40243456006	PZ-C3	EPA 8260	LAP	64
40243456007	MWA4	EPA 8260	LAP	64
40243456008	PZ-A4	EPA 8260	LAP	64
40243456009	PZ-B4	EPA 8260	LAP	64
40243456010	PZ C4	EPA 8260	LAP	64
40243456011	MW12	EPA 8260	LAP	64
40243456012	MW14	EPA 8260	EIB	64
40243456013	MW14P	EPA 8260	EIB	64
40243456014	MW14P60	EPA 8260	EIB	64
40243456015	MW15	EPA 8260	EIB	64
40243456016	MW16	EPA 8260	EIB	64
40243456017	MW17	EPA 8260	EIB	64
40243456018	MW17P	EPA 8260	EIB	64
40243456019	MW18P	EPA 8260	EIB	64
40243456020	MW18	EPA 8260	EIB	64
40243456021	P22	EPA 8260	LAP	64
40243456022	P21	EPA 8260	LAP	64
40243456023	P23	EPA 8260	LAP	64

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW1AR **Lab ID: 40243456001** Collected: 04/11/22 10:50 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 13:47	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:47	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		04/18/22 13:47	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 13:47	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 13:47	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 13:47	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 13:47	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 13:47	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 13:47	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 13:47	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 13:47	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 13:47	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 13:47	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 13:47	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 13:47	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 13:47	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 13:47	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 13:47	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 13:47	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 13:47	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 13:47	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 13:47	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 13:47	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 13:47	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 13:47	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 13:47	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 13:47	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 13:47	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 13:47	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 13:47	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 13:47	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 13:47	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 13:47	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:47	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 13:47	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 13:47	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 13:47	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 13:47	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 13:47	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 13:47	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 13:47	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 13:47	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 13:47	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 13:47	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:47	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Sample: MW1AR	Lab ID: 40243456001	Collected: 04/11/22 10:50	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 13:47	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 13:47	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 13:47	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 13:47	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 13:47	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 13:47	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 13:47	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 13:47	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 13:47	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 13:47	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 13:47	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 13:47	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:47	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 13:47	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 13:47	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 13:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		04/18/22 13:47	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		04/18/22 13:47	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		04/18/22 13:47	2037-26-5	

Sample: MWA2	Lab ID: 40243456002	Collected: 04/11/22 11:15	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 14:07	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:07	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 14:07	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 14:07	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 14:07	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 14:07	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 14:07	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 14:07	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 14:07	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 14:07	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 14:07	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 14:07	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 14:07	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 14:07	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 14:07	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 14:07	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MWA2 **Lab ID: 40243456002** Collected: 04/11/22 11:15 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 14:07	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 14:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 14:07	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 14:07	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 14:07	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 14:07	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 14:07	106-46-7	
Dichlorodifluoromethane	1.3J	ug/L	5.0	0.46	1		04/18/22 14:07	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 14:07	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 14:07	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 14:07	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 14:07	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 14:07	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 14:07	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 14:07	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 14:07	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 14:07	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:07	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 14:07	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 14:07	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 14:07	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 14:07	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 14:07	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 14:07	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 14:07	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 14:07	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 14:07	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 14:07	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:07	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 14:07	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 14:07	79-34-5	
Tetrachloroethene	9.6	ug/L	1.0	0.41	1		04/18/22 14:07	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 14:07	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 14:07	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 14:07	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 14:07	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 14:07	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 14:07	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 14:07	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 14:07	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 14:07	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:07	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 14:07	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 14:07	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 14:07	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MWA2	Lab ID: 40243456002	Collected: 04/11/22 11:15	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
4-Bromofluorobenzene (S)	105	%	70-130		1		04/18/22 14:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/18/22 14:07	2199-69-1	
Toluene-d8 (S)	106	%	70-130		1		04/18/22 14:07	2037-26-5	
Sample: MWA3	Lab ID: 40243456003	Collected: 04/11/22 11:39	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 14:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:27	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 14:27	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 14:27	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 14:27	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 14:27	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 14:27	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 14:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 14:27	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 14:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 14:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 14:27	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 14:27	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 14:27	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 14:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 14:27	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 14:27	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 14:27	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 14:27	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 14:27	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 14:27	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 14:27	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 14:27	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 14:27	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 14:27	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 14:27	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 14:27	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 14:27	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 14:27	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 14:27	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 14:27	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 14:27	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MWA3 Lab ID: **40243456003** Collected: 04/11/22 11:39 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 14:27	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:27	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 14:27	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 14:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 14:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 14:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 14:27	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 14:27	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 14:27	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 14:27	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 14:27	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 14:27	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:27	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 14:27	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 14:27	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 14:27	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 14:27	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 14:27	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 14:27	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 14:27	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 14:27	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 14:27	79-01-6	
Trichlorofluoromethane	0.42J	ug/L	1.0	0.42	1		04/18/22 14:27	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 14:27	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 14:27	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 14:27	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 14:27	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 14:27	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 14:27	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	106	%	70-130		1		04/18/22 14:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		04/18/22 14:27	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		04/18/22 14:27	2037-26-5	

Sample: PZ-A3 Lab ID: **40243456004** Collected: 04/11/22 11:55 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	0.57J	ug/L	1.0	0.30	1		04/18/22 13:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:27	108-86-1	
Bromoform	<0.36	ug/L	5.0	0.36	1		04/18/22 13:27	74-97-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-A3	Lab ID: 40243456004	Collected: 04/11/22 11:55	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 13:27	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 13:27	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 13:27	74-83-9	M1,R1
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 13:27	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 13:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 13:27	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 13:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 13:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 13:27	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 13:27	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 13:27	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 13:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 13:27	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 13:27	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 13:27	124-48-1	
1,2-Dibromoethane (EDB)	0.35J	ug/L	1.0	0.31	1		04/18/22 13:27	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 13:27	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 13:27	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 13:27	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 13:27	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 13:27	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 13:27	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 13:27	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 13:27	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 13:27	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 13:27	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 13:27	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 13:27	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 13:27	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 13:27	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:27	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 13:27	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 13:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 13:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 13:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 13:27	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 13:27	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 13:27	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 13:27	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 13:27	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 13:27	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:27	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 13:27	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 13:27	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 13:27	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-A3	Lab ID: 40243456004	Collected: 04/11/22 11:55	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 13:27	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 13:27	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 13:27	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 13:27	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 13:27	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 13:27	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 13:27	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 13:27	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 13:27	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 13:27	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 13:27	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 13:27	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 13:27	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	110	%	70-130		1		04/18/22 13:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		04/18/22 13:27	2199-69-1	
Toluene-d8 (S)	106	%	70-130		1		04/18/22 13:27	2037-26-5	
Sample: PZ-B3	Lab ID: 40243456005	Collected: 04/11/22 12:10	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 16:19	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:19	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 16:19	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 16:19	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 16:19	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 16:19	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 16:19	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 16:19	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 16:19	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 16:19	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 16:19	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 16:19	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 16:19	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 16:19	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 16:19	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 16:19	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 16:19	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 16:19	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 16:19	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-B3 **Lab ID: 40243456005** Collected: 04/11/22 12:10 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 16:19	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 16:19	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:19	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 16:19	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 16:19	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:19	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 16:19	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 16:19	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 16:19	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 16:19	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 16:19	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:19	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 16:19	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 16:19	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:19	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 16:19	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 16:19	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 16:19	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 16:19	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 16:19	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 16:19	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 16:19	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 16:19	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 16:19	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:19	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:19	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 16:19	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 16:19	79-34-5	
Tetrachloroethene	0.53J	ug/L	1.0	0.41	1		04/18/22 16:19	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 16:19	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 16:19	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 16:19	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:19	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 16:19	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 16:19	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 16:19	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 16:19	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 16:19	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:19	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 16:19	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 16:19	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:19	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		04/18/22 16:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/18/22 16:19	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-B3 Lab ID: **40243456005** Collected: 04/11/22 12:10 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		04/18/22 16:19	2037-26-5	

Sample: PZ-C3 Lab ID: **40243456006** Collected: 04/11/22 12:25 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 16:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:38	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 16:38	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 16:38	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 16:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 16:38	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 16:38	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 16:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 16:38	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 16:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 16:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 16:38	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 16:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 16:38	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 16:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 16:38	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 16:38	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 16:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 16:38	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 16:38	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 16:38	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:38	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 16:38	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 16:38	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 16:38	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 16:38	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 16:38	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 16:38	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 16:38	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:38	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 16:38	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 16:38	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:38	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-C3 **Lab ID: 40243456006** Collected: 04/11/22 12:25 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 16:38	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 16:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 16:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 16:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 16:38	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 16:38	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 16:38	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 16:38	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 16:38	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:38	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:38	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 16:38	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 16:38	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 16:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 16:38	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 16:38	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 16:38	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:38	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 16:38	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 16:38	79-01-6	
Trichlorofluoromethane	0.45J	ug/L	1.0	0.42	1		04/18/22 16:38	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 16:38	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 16:38	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:38	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 16:38	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 16:38	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		04/18/22 16:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		04/18/22 16:38	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		04/18/22 16:38	2037-26-5	

Sample: MWA4 **Lab ID: 40243456007** Collected: 04/11/22 12:55 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 16:58	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:58	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 16:58	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 16:58	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 16:58	75-25-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MWA4 **Lab ID: 40243456007** Collected: 04/11/22 12:55 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 16:58	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 16:58	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 16:58	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 16:58	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 16:58	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 16:58	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 16:58	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 16:58	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 16:58	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 16:58	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 16:58	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 16:58	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 16:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 16:58	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 16:58	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 16:58	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:58	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 16:58	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 16:58	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:58	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 16:58	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 16:58	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 16:58	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 16:58	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 16:58	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:58	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 16:58	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 16:58	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:58	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 16:58	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 16:58	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 16:58	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 16:58	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 16:58	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 16:58	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 16:58	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 16:58	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 16:58	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:58	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:58	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 16:58	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 16:58	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 16:58	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 16:58	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 16:58	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MWA4	Lab ID: 40243456007	Collected: 04/11/22 12:55	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 16:58	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 16:58	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 16:58	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 16:58	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 16:58	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 16:58	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 16:58	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 16:58	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 16:58	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 16:58	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 16:58	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	106	%	70-130		1		04/18/22 16:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/18/22 16:58	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		04/18/22 16:58	2037-26-5	

Sample: PZ-A4	Lab ID: 40243456008	Collected: 04/11/22 13:10	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 17:18	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:18	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 17:18	74-97-5	
Bromodichloromethane	1.2	ug/L	1.0	0.42	1		04/18/22 17:18	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 17:18	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 17:18	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:18	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 17:18	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 17:18	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 17:18	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:18	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 17:18	75-00-3	
Chloroform	3.3J	ug/L	5.0	1.2	1		04/18/22 17:18	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 17:18	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:18	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:18	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 17:18	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 17:18	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 17:18	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 17:18	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:18	95-50-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ-A4 **Lab ID: 40243456008** Collected: 04/11/22 13:10 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:18	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 17:18	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 17:18	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:18	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 17:18	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 17:18	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 17:18	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 17:18	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 17:18	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:18	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 17:18	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:18	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:18	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 17:18	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:18	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:18	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 17:18	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 17:18	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:18	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 17:18	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:18	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 17:18	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:18	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:18	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 17:18	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 17:18	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:18	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 17:18	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:18	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 17:18	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:18	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 17:18	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 17:18	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 17:18	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 17:18	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 17:18	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:18	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 17:18	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 17:18	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		04/18/22 17:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		04/18/22 17:18	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		04/18/22 17:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Sample: PZ-B4 Lab ID: 40243456009 Collected: 04/11/22 13:20 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 17:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:38	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		04/18/22 17:38	74-97-5	
Bromodichloromethane	0.70J	ug/L	1.0	0.42	1		04/18/22 17:38	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 17:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 17:38	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:38	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 17:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 17:38	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 17:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 17:38	75-00-3	
Chloroform	1.7J	ug/L	5.0	1.2	1		04/18/22 17:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 17:38	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:38	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 17:38	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 17:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 17:38	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 17:38	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:38	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:38	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 17:38	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 17:38	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 17:38	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 17:38	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 17:38	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 17:38	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 17:38	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:38	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 17:38	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:38	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:38	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 17:38	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 17:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 17:38	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:38	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 17:38	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:38	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 17:38	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:38	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:38	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Sample: PZ-B4	Lab ID: 40243456009	Collected: 04/11/22 13:20	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 17:38	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 17:38	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 17:38	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:38	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 17:38	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:38	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 17:38	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 17:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 17:38	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 17:38	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 17:38	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:38	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 17:38	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 17:38	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		04/18/22 17:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/18/22 17:38	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		04/18/22 17:38	2037-26-5	

Sample: PZ C4	Lab ID: 40243456010	Collected: 04/11/22 13:40	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 17:58	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:58	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 17:58	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 17:58	75-27-4	
Bromoform	5.7	ug/L	5.0	3.8	1		04/18/22 17:58	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 17:58	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:58	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 17:58	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 17:58	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 17:58	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 17:58	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 17:58	75-00-3	
Chloroform	1.4J	ug/L	5.0	1.2	1		04/18/22 17:58	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 17:58	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:58	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 17:58	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ C4 **Lab ID: 40243456010** Collected: 04/11/22 13:40 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 17:58	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 17:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 17:58	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 17:58	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:58	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:58	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 17:58	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 17:58	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:58	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 17:58	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 17:58	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 17:58	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 17:58	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 17:58	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:58	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 17:58	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 17:58	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:58	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 17:58	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:58	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 17:58	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 17:58	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 17:58	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:58	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 17:58	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 17:58	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 17:58	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:58	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:58	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 17:58	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 17:58	79-34-5	
Tetrachloroethene	7.6	ug/L	1.0	0.41	1		04/18/22 17:58	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 17:58	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 17:58	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 17:58	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 17:58	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 17:58	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 17:58	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 17:58	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 17:58	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/18/22 17:58	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 17:58	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 17:58	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 17:58	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 17:58	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: PZ C4 Lab ID: **40243456010** Collected: 04/11/22 13:40 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		04/18/22 17:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/18/22 17:58	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		04/18/22 17:58	2037-26-5	

Sample: MW12 Lab ID: **40243456011** Collected: 04/11/22 14:05 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/18/22 18:18	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/18/22 18:18	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 18:18	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/18/22 18:18	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/18/22 18:18	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 18:18	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/18/22 18:18	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/18/22 18:18	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/18/22 18:18	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/18/22 18:18	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/18/22 18:18	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/18/22 18:18	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/18/22 18:18	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 18:18	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/18/22 18:18	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/18/22 18:18	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/18/22 18:18	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/18/22 18:18	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/18/22 18:18	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 18:18	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:18	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/18/22 18:18	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/18/22 18:18	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:18	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/18/22 18:18	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/18/22 18:18	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/18/22 18:18	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/18/22 18:18	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/18/22 18:18	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:18	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/18/22 18:18	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Sample: MW12	Lab ID: 40243456011	Collected: 04/11/22 14:05	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/18/22 18:18	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/18/22 18:18	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 18:18	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/18/22 18:18	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/18/22 18:18	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/18/22 18:18	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/18/22 18:18	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/18/22 18:18	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/18/22 18:18	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/18/22 18:18	91-20-3	
n-Propylbenzene	0.41J	ug/L	1.0	0.35	1		04/18/22 18:18	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/18/22 18:18	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/18/22 18:18	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/18/22 18:18	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/18/22 18:18	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/18/22 18:18	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/18/22 18:18	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/18/22 18:18	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/18/22 18:18	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/18/22 18:18	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/18/22 18:18	96-18-4	
1,2,4-Trimethylbenzene	0.82J	ug/L	1.0	0.45	1		04/18/22 18:18	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/18/22 18:18	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/18/22 18:18	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/18/22 18:18	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/18/22 18:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		04/18/22 18:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		04/18/22 18:18	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		04/18/22 18:18	2037-26-5	

Sample: MW14	Lab ID: 40243456012	Collected: 04/11/22 14:35	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 20:42	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 20:42	108-86-1	
Bromoform	<0.36	ug/L	5.0	0.36	1		04/20/22 20:42	74-97-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW14 **Lab ID: 40243456012** Collected: 04/11/22 14:35 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 20:42	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 20:42	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 20:42	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 20:42	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 20:42	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 20:42	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 20:42	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 20:42	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 20:42	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/20/22 20:42	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 20:42	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 20:42	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 20:42	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 20:42	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 20:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 20:42	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 20:42	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 20:42	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 20:42	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 20:42	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 20:42	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 20:42	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 20:42	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 20:42	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 20:42	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 20:42	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 20:42	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 20:42	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 20:42	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 20:42	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 20:42	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 20:42	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 20:42	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 20:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 20:42	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 20:42	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 20:42	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 20:42	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 20:42	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 20:42	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 20:42	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 20:42	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 20:42	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 20:42	79-34-5	
Tetrachloroethene	0.98J	ug/L	1.0	0.41	1		04/20/22 20:42	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW14	Lab ID: 40243456012	Collected: 04/11/22 14:35	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 20:42	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 20:42	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 20:42	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 20:42	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 20:42	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 20:42	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 20:42	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 20:42	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 20:42	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 20:42	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 20:42	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 20:42	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 20:42	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		04/20/22 20:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		04/20/22 20:42	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		04/20/22 20:42	2037-26-5	
Sample: MW14P	Lab ID: 40243456013	Collected: 04/11/22 14:50	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<3.0	ug/L	10.0	3.0	10		04/21/22 00:07	71-43-2	
Bromobenzene	<3.6	ug/L	10.0	3.6	10		04/21/22 00:07	108-86-1	
Bromochloromethane	<3.6	ug/L	50.0	3.6	10		04/21/22 00:07	74-97-5	
Bromodichloromethane	<4.2	ug/L	10.0	4.2	10		04/21/22 00:07	75-27-4	
Bromoform	<38.0	ug/L	50.0	38.0	10		04/21/22 00:07	75-25-2	
Bromomethane	<11.9	ug/L	50.0	11.9	10		04/21/22 00:07	74-83-9	
n-Butylbenzene	<8.6	ug/L	10.0	8.6	10		04/21/22 00:07	104-51-8	
sec-Butylbenzene	<4.2	ug/L	10.0	4.2	10		04/21/22 00:07	135-98-8	
tert-Butylbenzene	<5.9	ug/L	10.0	5.9	10		04/21/22 00:07	98-06-6	
Carbon tetrachloride	<3.7	ug/L	10.0	3.7	10		04/21/22 00:07	56-23-5	
Chlorobenzene	<8.6	ug/L	10.0	8.6	10		04/21/22 00:07	108-90-7	
Chloroethane	<13.8	ug/L	50.0	13.8	10		04/21/22 00:07	75-00-3	
Chloroform	<11.8	ug/L	50.0	11.8	10		04/21/22 00:07	67-66-3	
Chloromethane	<16.4	ug/L	50.0	16.4	10		04/21/22 00:07	74-87-3	
2-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		04/21/22 00:07	95-49-8	
4-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		04/21/22 00:07	106-43-4	
1,2-Dibromo-3-chloropropane	<23.7	ug/L	50.0	23.7	10		04/21/22 00:07	96-12-8	
Dibromochloromethane	<26.4	ug/L	50.0	26.4	10		04/21/22 00:07	124-48-1	
1,2-Dibromoethane (EDB)	<3.1	ug/L	10.0	3.1	10		04/21/22 00:07	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW14P **Lab ID: 40243456013** Collected: 04/11/22 14:50 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Dibromomethane	<9.9	ug/L	50.0	9.9	10		04/21/22 00:07	74-95-3	
1,2-Dichlorobenzene	<3.3	ug/L	10.0	3.3	10		04/21/22 00:07	95-50-1	
1,3-Dichlorobenzene	<3.5	ug/L	10.0	3.5	10		04/21/22 00:07	541-73-1	
1,4-Dichlorobenzene	<8.9	ug/L	10.0	8.9	10		04/21/22 00:07	106-46-7	
Dichlorodifluoromethane	<4.6	ug/L	50.0	4.6	10		04/21/22 00:07	75-71-8	
1,1-Dichloroethane	<3.0	ug/L	10.0	3.0	10		04/21/22 00:07	75-34-3	
1,2-Dichloroethane	<2.9	ug/L	10.0	2.9	10		04/21/22 00:07	107-06-2	
1,1-Dichloroethene	<5.8	ug/L	10.0	5.8	10		04/21/22 00:07	75-35-4	
cis-1,2-Dichloroethene	<4.7	ug/L	10.0	4.7	10		04/21/22 00:07	156-59-2	
trans-1,2-Dichloroethene	<5.3	ug/L	10.0	5.3	10		04/21/22 00:07	156-60-5	
1,2-Dichloropropane	<4.5	ug/L	10.0	4.5	10		04/21/22 00:07	78-87-5	
1,3-Dichloropropane	<3.0	ug/L	10.0	3.0	10		04/21/22 00:07	142-28-9	
2,2-Dichloropropane	<41.8	ug/L	50.0	41.8	10		04/21/22 00:07	594-20-7	
1,1-Dichloropropene	<4.1	ug/L	10.0	4.1	10		04/21/22 00:07	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	10.0	3.6	10		04/21/22 00:07	10061-01-5	
trans-1,3-Dichloropropene	<34.6	ug/L	50.0	34.6	10		04/21/22 00:07	10061-02-6	
Diisopropyl ether	<11.0	ug/L	50.0	11.0	10		04/21/22 00:07	108-20-3	
Ethylbenzene	<3.3	ug/L	10.0	3.3	10		04/21/22 00:07	100-41-4	
Hexachloro-1,3-butadiene	<27.4	ug/L	50.0	27.4	10		04/21/22 00:07	87-68-3	
Isopropylbenzene (Cumene)	<10.0	ug/L	50.0	10.0	10		04/21/22 00:07	98-82-8	
p-Isopropyltoluene	<10.4	ug/L	50.0	10.4	10		04/21/22 00:07	99-87-6	
Methylene Chloride	<3.2	ug/L	50.0	3.2	10		04/21/22 00:07	75-09-2	
Methyl-tert-butyl ether	<11.3	ug/L	50.0	11.3	10		04/21/22 00:07	1634-04-4	
Naphthalene	<11.3	ug/L	50.0	11.3	10		04/21/22 00:07	91-20-3	
n-Propylbenzene	<3.5	ug/L	10.0	3.5	10		04/21/22 00:07	103-65-1	
Styrene	<3.6	ug/L	10.0	3.6	10		04/21/22 00:07	100-42-5	
1,1,1,2-Tetrachloroethane	<3.6	ug/L	10.0	3.6	10		04/21/22 00:07	630-20-6	
1,1,2,2-Tetrachloroethane	<3.8	ug/L	10.0	3.8	10		04/21/22 00:07	79-34-5	
Tetrachloroethene	962	ug/L	10.0	4.1	10		04/21/22 00:07	127-18-4	
Toluene	<2.9	ug/L	10.0	2.9	10		04/21/22 00:07	108-88-3	
1,2,3-Trichlorobenzene	<10.2	ug/L	50.0	10.2	10		04/21/22 00:07	87-61-6	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		04/21/22 00:07	120-82-1	
1,1,1-Trichloroethane	<3.0	ug/L	10.0	3.0	10		04/21/22 00:07	71-55-6	
1,1,2-Trichloroethane	<3.4	ug/L	50.0	3.4	10		04/21/22 00:07	79-00-5	
Trichloroethene	<3.2	ug/L	10.0	3.2	10		04/21/22 00:07	79-01-6	
Trichlorofluoromethane	<4.2	ug/L	10.0	4.2	10		04/21/22 00:07	75-69-4	
1,2,3-Trichloropropane	<5.6	ug/L	50.0	5.6	10		04/21/22 00:07	96-18-4	
1,2,4-Trimethylbenzene	<4.5	ug/L	10.0	4.5	10		04/21/22 00:07	95-63-6	
1,3,5-Trimethylbenzene	<3.6	ug/L	10.0	3.6	10		04/21/22 00:07	108-67-8	
Vinyl chloride	<1.7	ug/L	10.0	1.7	10		04/21/22 00:07	75-01-4	
m&p-Xylene	<7.0	ug/L	20.0	7.0	10		04/21/22 00:07	179601-23-1	
o-Xylene	<3.5	ug/L	10.0	3.5	10		04/21/22 00:07	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		10		04/21/22 00:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		10		04/21/22 00:07	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW14P Lab ID: **40243456013** Collected: 04/11/22 14:50 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
Toluene-d8 (S)	97	%	70-130		10		04/21/22 00:07	2037-26-5	

Sample: MW14P60 Lab ID: **40243456014** Collected: 04/11/22 15:00 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 21:03	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:03	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/20/22 21:03	74-97-5	
Bromodichloromethane	0.60J	ug/L	1.0	0.42	1		04/20/22 21:03	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 21:03	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 21:03	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 21:03	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 21:03	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 21:03	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 21:03	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 21:03	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 21:03	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/20/22 21:03	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 21:03	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 21:03	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 21:03	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 21:03	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 21:03	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 21:03	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 21:03	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 21:03	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:03	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 21:03	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 21:03	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:03	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 21:03	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 21:03	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 21:03	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 21:03	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 21:03	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:03	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 21:03	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 21:03	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:03	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW14P60 Lab ID: **40243456014** Collected: 04/11/22 15:00 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 21:03	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 21:03	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 21:03	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 21:03	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 21:03	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 21:03	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 21:03	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 21:03	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 21:03	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:03	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:03	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 21:03	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 21:03	79-34-5	
Tetrachloroethene	40.0	ug/L	1.0	0.41	1		04/20/22 21:03	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 21:03	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 21:03	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 21:03	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:03	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 21:03	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 21:03	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 21:03	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 21:03	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 21:03	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:03	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 21:03	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 21:03	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:03	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		04/20/22 21:03	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		04/20/22 21:03	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		04/20/22 21:03	2037-26-5	

Sample: MW15 Lab ID: **40243456015** Collected: 04/11/22 15:15 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 21:23	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:23	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/20/22 21:23	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 21:23	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 21:23	75-25-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW15 **Lab ID: 40243456015** Collected: 04/11/22 15:15 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 21:23	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 21:23	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 21:23	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 21:23	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 21:23	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 21:23	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 21:23	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/20/22 21:23	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 21:23	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 21:23	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 21:23	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 21:23	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 21:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 21:23	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 21:23	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 21:23	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:23	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 21:23	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 21:23	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:23	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 21:23	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 21:23	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 21:23	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 21:23	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 21:23	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:23	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 21:23	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 21:23	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:23	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 21:23	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 21:23	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 21:23	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 21:23	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 21:23	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 21:23	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 21:23	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 21:23	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 21:23	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:23	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:23	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 21:23	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 21:23	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/20/22 21:23	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 21:23	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 21:23	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW15	Lab ID: 40243456015	Collected: 04/11/22 15:15	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 21:23	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:23	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 21:23	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 21:23	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 21:23	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 21:23	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 21:23	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:23	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 21:23	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 21:23	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:23	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		04/20/22 21:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		04/20/22 21:23	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		04/20/22 21:23	2037-26-5	

Sample: MW16	Lab ID: 40243456016	Collected: 04/11/22 15:40	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 21:44	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:44	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/20/22 21:44	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 21:44	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 21:44	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 21:44	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 21:44	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 21:44	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 21:44	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 21:44	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 21:44	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 21:44	75-00-3	
Chloroform	8.4	ug/L	5.0	1.2	1		04/20/22 21:44	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 21:44	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 21:44	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 21:44	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 21:44	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 21:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 21:44	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 21:44	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 21:44	95-50-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW16 **Lab ID: 40243456016** Collected: 04/11/22 15:40 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:44	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 21:44	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 21:44	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:44	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 21:44	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 21:44	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 21:44	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 21:44	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 21:44	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:44	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 21:44	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 21:44	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:44	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 21:44	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 21:44	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 21:44	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 21:44	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 21:44	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 21:44	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 21:44	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 21:44	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 21:44	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:44	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:44	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 21:44	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 21:44	79-34-5	
Tetrachloroethene	7.7	ug/L	1.0	0.41	1		04/20/22 21:44	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 21:44	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 21:44	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 21:44	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 21:44	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 21:44	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 21:44	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 21:44	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 21:44	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 21:44	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 21:44	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 21:44	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 21:44	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 21:44	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		04/20/22 21:44	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		04/20/22 21:44	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		04/20/22 21:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW17 **Lab ID: 40243456017** Collected: 04/11/22 16:00 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 22:04	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:04	108-86-1	
Bromo(chloromethane)	<0.36	ug/L	5.0	0.36	1		04/20/22 22:04	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 22:04	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 22:04	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 22:04	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 22:04	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 22:04	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 22:04	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 22:04	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 22:04	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 22:04	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/20/22 22:04	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 22:04	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 22:04	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 22:04	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 22:04	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 22:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 22:04	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 22:04	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 22:04	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 22:04	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 22:04	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 22:04	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 22:04	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 22:04	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 22:04	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 22:04	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 22:04	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 22:04	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 22:04	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 22:04	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 22:04	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:04	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 22:04	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 22:04	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 22:04	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 22:04	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 22:04	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 22:04	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 22:04	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 22:04	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 22:04	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 22:04	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:04	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Sample: MW17	Lab ID: 40243456017	Collected: 04/11/22 16:00	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 22:04	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 22:04	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/20/22 22:04	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 22:04	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 22:04	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 22:04	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 22:04	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 22:04	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 22:04	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 22:04	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 22:04	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 22:04	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:04	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 22:04	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 22:04	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 22:04	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		04/20/22 22:04	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		04/20/22 22:04	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		04/20/22 22:04	2037-26-5	

Sample: MW17P	Lab ID: 40243456018	Collected: 04/11/22 16:15	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 22:24	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:24	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/20/22 22:24	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 22:24	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 22:24	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 22:24	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 22:24	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 22:24	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 22:24	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 22:24	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 22:24	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 22:24	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/20/22 22:24	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 22:24	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 22:24	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 22:24	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW17P **Lab ID: 40243456018** Collected: 04/11/22 16:15 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 22:24	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 22:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 22:24	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 22:24	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 22:24	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 22:24	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 22:24	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 22:24	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 22:24	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 22:24	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 22:24	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 22:24	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 22:24	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 22:24	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 22:24	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 22:24	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 22:24	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:24	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 22:24	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 22:24	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 22:24	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 22:24	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 22:24	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 22:24	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 22:24	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 22:24	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 22:24	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 22:24	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:24	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 22:24	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 22:24	79-34-5	
Tetrachloroethene	310	ug/L	5.0	2.0	5		04/21/22 09:48	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 22:24	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 22:24	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 22:24	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 22:24	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 22:24	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 22:24	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 22:24	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 22:24	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 22:24	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 22:24	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 22:24	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 22:24	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 22:24	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW17P	Lab ID: 40243456018	Collected: 04/11/22 16:15	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		04/20/22 22:24	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		04/20/22 22:24	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		04/20/22 22:24	2037-26-5	
Sample: MW18P	Lab ID: 40243456019	Collected: 04/12/22 08:40	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/21/22 09:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 09:27	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/21/22 09:27	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 09:27	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/21/22 09:27	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/21/22 09:27	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 09:27	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/21/22 09:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/21/22 09:27	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/21/22 09:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/21/22 09:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/21/22 09:27	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/21/22 09:27	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/21/22 09:27	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 09:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/21/22 09:27	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/21/22 09:27	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/21/22 09:27	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/21/22 09:27	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/21/22 09:27	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 09:27	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 09:27	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/21/22 09:27	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/21/22 09:27	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 09:27	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/21/22 09:27	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/21/22 09:27	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/21/22 09:27	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/21/22 09:27	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/21/22 09:27	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/21/22 09:27	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/21/22 09:27	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW18P Lab ID: **40243456019** Collected: 04/12/22 08:40 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/21/22 09:27	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/21/22 09:27	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/21/22 09:27	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 09:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/21/22 09:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/21/22 09:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/21/22 09:27	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/21/22 09:27	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/21/22 09:27	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/21/22 09:27	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/21/22 09:27	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/21/22 09:27	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/21/22 09:27	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/21/22 09:27	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/21/22 09:27	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/21/22 09:27	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/21/22 09:27	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/21/22 09:27	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/21/22 09:27	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/21/22 09:27	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/21/22 09:27	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/21/22 09:27	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/21/22 09:27	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/21/22 09:27	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/21/22 09:27	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/21/22 09:27	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/21/22 09:27	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/21/22 09:27	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/21/22 09:27	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		04/21/22 09:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		04/21/22 09:27	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		04/21/22 09:27	2037-26-5	

Sample: MW18 Lab ID: **40243456020** Collected: 04/12/22 08:50 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/20/22 23:05	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 23:05	108-86-1	
Bromoform	<0.36	ug/L	5.0	0.36	1		04/20/22 23:05	74-97-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW18 **Lab ID: 40243456020** Collected: 04/12/22 08:50 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 23:05	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/20/22 23:05	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/20/22 23:05	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 23:05	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/20/22 23:05	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/20/22 23:05	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/20/22 23:05	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/20/22 23:05	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/20/22 23:05	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/20/22 23:05	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/20/22 23:05	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 23:05	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/20/22 23:05	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/20/22 23:05	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/20/22 23:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/20/22 23:05	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/20/22 23:05	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 23:05	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 23:05	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/20/22 23:05	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/20/22 23:05	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 23:05	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/20/22 23:05	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/20/22 23:05	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/20/22 23:05	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/20/22 23:05	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/20/22 23:05	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/20/22 23:05	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/20/22 23:05	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/20/22 23:05	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/20/22 23:05	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/20/22 23:05	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 23:05	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/20/22 23:05	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/20/22 23:05	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/20/22 23:05	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/20/22 23:05	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/20/22 23:05	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/20/22 23:05	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/20/22 23:05	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/20/22 23:05	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/20/22 23:05	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/20/22 23:05	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/20/22 23:05	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/20/22 23:05	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: MW18	Lab ID: 40243456020	Collected: 04/12/22 08:50	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Toluene	<0.29	ug/L	1.0	0.29	1		04/20/22 23:05	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/20/22 23:05	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/20/22 23:05	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/20/22 23:05	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/20/22 23:05	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/20/22 23:05	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/20/22 23:05	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/20/22 23:05	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/20/22 23:05	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/20/22 23:05	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/20/22 23:05	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/20/22 23:05	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/20/22 23:05	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		04/20/22 23:05	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		04/20/22 23:05	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		04/20/22 23:05	2037-26-5	
<hr/>									
Sample: P22	Lab ID: 40243456021	Collected: 04/12/22 09:35	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/16/22 01:35	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:35	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/16/22 01:35	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/16/22 01:35	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/16/22 01:35	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/16/22 01:35	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/16/22 01:35	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/16/22 01:35	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/16/22 01:35	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/16/22 01:35	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/16/22 01:35	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/16/22 01:35	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/16/22 01:35	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/16/22 01:35	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/16/22 01:35	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/16/22 01:35	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/16/22 01:35	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/16/22 01:35	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/16/22 01:35	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: P22 Lab ID: **40243456021** Collected: 04/12/22 09:35 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/16/22 01:35	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/16/22 01:35	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/16/22 01:35	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/16/22 01:35	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/16/22 01:35	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/16/22 01:35	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/16/22 01:35	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/16/22 01:35	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/16/22 01:35	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/16/22 01:35	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/16/22 01:35	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/16/22 01:35	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/16/22 01:35	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/16/22 01:35	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:35	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/16/22 01:35	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/16/22 01:35	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/16/22 01:35	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/16/22 01:35	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/16/22 01:35	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/16/22 01:35	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/16/22 01:35	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/16/22 01:35	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/16/22 01:35	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/16/22 01:35	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:35	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/16/22 01:35	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/16/22 01:35	79-34-5	
Tetrachloroethene	2.1	ug/L	1.0	0.41	1		04/16/22 01:35	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/16/22 01:35	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/16/22 01:35	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/16/22 01:35	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/16/22 01:35	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/16/22 01:35	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/16/22 01:35	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/16/22 01:35	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/16/22 01:35	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/16/22 01:35	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:35	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/16/22 01:35	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/16/22 01:35	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/16/22 01:35	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		04/16/22 01:35	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		04/16/22 01:35	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Sample: P22	Lab ID: 40243456021	Collected: 04/12/22 09:35	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		04/16/22 01:35	2037-26-5	
Sample: P21	Lab ID: 40243456022	Collected: 04/12/22 07:55	Received: 04/14/22 08:40	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/16/22 02:15	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/16/22 02:15	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/16/22 02:15	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/16/22 02:15	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/16/22 02:15	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/16/22 02:15	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/16/22 02:15	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/16/22 02:15	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/16/22 02:15	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/16/22 02:15	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/16/22 02:15	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/16/22 02:15	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/16/22 02:15	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/16/22 02:15	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/16/22 02:15	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/16/22 02:15	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/16/22 02:15	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/16/22 02:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/16/22 02:15	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/16/22 02:15	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/16/22 02:15	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/16/22 02:15	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/16/22 02:15	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/16/22 02:15	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/16/22 02:15	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/16/22 02:15	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/16/22 02:15	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/16/22 02:15	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/16/22 02:15	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/16/22 02:15	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/16/22 02:15	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/16/22 02:15	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/16/22 02:15	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/16/22 02:15	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: P21 Lab ID: **40243456022** Collected: 04/12/22 07:55 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/16/22 02:15	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/16/22 02:15	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/16/22 02:15	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/16/22 02:15	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/16/22 02:15	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/16/22 02:15	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/16/22 02:15	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/16/22 02:15	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/16/22 02:15	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/16/22 02:15	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/16/22 02:15	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/16/22 02:15	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/16/22 02:15	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/16/22 02:15	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/16/22 02:15	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/16/22 02:15	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/16/22 02:15	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/16/22 02:15	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/16/22 02:15	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/16/22 02:15	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/16/22 02:15	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/16/22 02:15	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/16/22 02:15	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/16/22 02:15	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/16/22 02:15	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/16/22 02:15	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/16/22 02:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		04/16/22 02:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/16/22 02:15	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		04/16/22 02:15	2037-26-5	

Sample: P23 Lab ID: **40243456023** Collected: 04/12/22 09:20 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Benzene	<0.30	ug/L	1.0	0.30	1		04/16/22 01:55	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:55	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/16/22 01:55	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/16/22 01:55	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/16/22 01:55	75-25-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Sample: P23 Lab ID: **40243456023** Collected: 04/12/22 09:20 Received: 04/14/22 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
	Pace Analytical Services - Green Bay								
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/16/22 01:55	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/16/22 01:55	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/16/22 01:55	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/16/22 01:55	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/16/22 01:55	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/16/22 01:55	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/16/22 01:55	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/16/22 01:55	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/16/22 01:55	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/16/22 01:55	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/16/22 01:55	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/16/22 01:55	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/16/22 01:55	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/16/22 01:55	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/16/22 01:55	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/16/22 01:55	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/16/22 01:55	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/16/22 01:55	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/16/22 01:55	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/16/22 01:55	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/16/22 01:55	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/16/22 01:55	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/16/22 01:55	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/16/22 01:55	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/16/22 01:55	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/16/22 01:55	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/16/22 01:55	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/16/22 01:55	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:55	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/16/22 01:55	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/16/22 01:55	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/16/22 01:55	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/16/22 01:55	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/16/22 01:55	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/16/22 01:55	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/16/22 01:55	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/16/22 01:55	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/16/22 01:55	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/16/22 01:55	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:55	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/16/22 01:55	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/16/22 01:55	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/16/22 01:55	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/16/22 01:55	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/16/22 01:55	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: 8173 BAND BOX CLEANERS
Pace Project No.: 40243456

Sample: P23 **Lab ID:** 40243456023 **Collected:** 04/12/22 09:20 **Received:** 04/14/22 08:40 **Matrix:** Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/16/22 01:55	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/16/22 01:55	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/16/22 01:55	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/16/22 01:55	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/16/22 01:55	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/16/22 01:55	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/16/22 01:55	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/16/22 01:55	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/16/22 01:55	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		04/16/22 01:55	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		04/16/22 01:55	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		04/16/22 01:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		04/16/22 01:55	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		04/16/22 01:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

QC Batch: 413256 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40243456021, 40243456022, 40243456023

METHOD BLANK: 2379630 Matrix: Water

Associated Lab Samples: 40243456021, 40243456022, 40243456023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	04/15/22 15:39	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	04/15/22 15:39	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	04/15/22 15:39	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	04/15/22 15:39	
1,1-Dichloroethane	ug/L	<0.30	1.0	04/15/22 15:39	
1,1-Dichloroethene	ug/L	<0.58	1.0	04/15/22 15:39	
1,1-Dichloropropene	ug/L	<0.41	1.0	04/15/22 15:39	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	04/15/22 15:39	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	04/15/22 15:39	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	04/15/22 15:39	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	04/15/22 15:39	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	04/15/22 15:39	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	04/15/22 15:39	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	04/15/22 15:39	
1,2-Dichloroethane	ug/L	<0.29	1.0	04/15/22 15:39	
1,2-Dichloropropane	ug/L	<0.45	1.0	04/15/22 15:39	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	04/15/22 15:39	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	04/15/22 15:39	
1,3-Dichloropropane	ug/L	<0.30	1.0	04/15/22 15:39	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	04/15/22 15:39	
2,2-Dichloropropane	ug/L	<4.2	5.0	04/15/22 15:39	
2-Chlorotoluene	ug/L	<0.89	5.0	04/15/22 15:39	
4-Chlorotoluene	ug/L	<0.89	5.0	04/15/22 15:39	
Benzene	ug/L	<0.30	1.0	04/15/22 15:39	
Bromobenzene	ug/L	<0.36	1.0	04/15/22 15:39	
Bromochloromethane	ug/L	<0.36	5.0	04/15/22 15:39	
Bromodichloromethane	ug/L	<0.42	1.0	04/15/22 15:39	
Bromoform	ug/L	<3.8	5.0	04/15/22 15:39	
Bromomethane	ug/L	<1.2	5.0	04/15/22 15:39	
Carbon tetrachloride	ug/L	<0.37	1.0	04/15/22 15:39	
Chlorobenzene	ug/L	<0.86	1.0	04/15/22 15:39	
Chloroethane	ug/L	<1.4	5.0	04/15/22 15:39	
Chloroform	ug/L	<1.2	5.0	04/15/22 15:39	
Chloromethane	ug/L	<1.6	5.0	04/15/22 15:39	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	04/15/22 15:39	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	04/15/22 15:39	
Dibromochloromethane	ug/L	<2.6	5.0	04/15/22 15:39	
Dibromomethane	ug/L	<0.99	5.0	04/15/22 15:39	
Dichlorodifluoromethane	ug/L	<0.46	5.0	04/15/22 15:39	
Diisopropyl ether	ug/L	<1.1	5.0	04/15/22 15:39	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

METHOD BLANK: 2379630

Matrix: Water

Associated Lab Samples: 40243456021, 40243456022, 40243456023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	04/15/22 15:39	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	04/15/22 15:39	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	04/15/22 15:39	
m&p-Xylene	ug/L	<0.70	2.0	04/15/22 15:39	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	04/15/22 15:39	
Methylene Chloride	ug/L	<0.32	5.0	04/15/22 15:39	
n-Butylbenzene	ug/L	<0.86	1.0	04/15/22 15:39	
n-Propylbenzene	ug/L	<0.35	1.0	04/15/22 15:39	
Naphthalene	ug/L	<1.1	5.0	04/15/22 15:39	
o-Xylene	ug/L	<0.35	1.0	04/15/22 15:39	
p-Isopropyltoluene	ug/L	<1.0	5.0	04/15/22 15:39	
sec-Butylbenzene	ug/L	<0.42	1.0	04/15/22 15:39	
Styrene	ug/L	<0.36	1.0	04/15/22 15:39	
tert-Butylbenzene	ug/L	<0.59	1.0	04/15/22 15:39	
Tetrachloroethene	ug/L	<0.41	1.0	04/15/22 15:39	
Toluene	ug/L	<0.29	1.0	04/15/22 15:39	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	04/15/22 15:39	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	04/15/22 15:39	
Trichloroethene	ug/L	<0.32	1.0	04/15/22 15:39	
Trichlorofluoromethane	ug/L	<0.42	1.0	04/15/22 15:39	
Vinyl chloride	ug/L	<0.17	1.0	04/15/22 15:39	
1,2-Dichlorobenzene-d4 (S)	%	106	70-130	04/15/22 15:39	
4-Bromofluorobenzene (S)	%	108	70-130	04/15/22 15:39	
Toluene-d8 (S)	%	105	70-130	04/15/22 15:39	

LABORATORY CONTROL SAMPLE: 2379631

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	49.6	99	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	49.5	99	66-130	
1,1,2-Trichloroethane	ug/L	50	49.5	99	70-130	
1,1-Dichloroethane	ug/L	50	47.6	95	68-132	
1,1-Dichloroethene	ug/L	50	44.5	89	85-126	
1,2,4-Trichlorobenzene	ug/L	50	45.2	90	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.2	94	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	51.4	103	70-130	
1,2-Dichlorobenzene	ug/L	50	50.0	100	70-130	
1,2-Dichloroethane	ug/L	50	49.0	98	70-130	
1,2-Dichloropropane	ug/L	50	48.3	97	78-125	
1,3-Dichlorobenzene	ug/L	50	50.1	100	70-130	
1,4-Dichlorobenzene	ug/L	50	50.3	101	70-130	
Benzene	ug/L	50	47.3	95	70-132	
Bromodichloromethane	ug/L	50	48.9	98	70-130	
Bromoform	ug/L	50	42.7	85	65-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

LABORATORY CONTROL SAMPLE: 2379631

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	25.7	51	44-128	
Carbon tetrachloride	ug/L	50	47.0	94	70-130	
Chlorobenzene	ug/L	50	50.5	101	70-130	
Chloroethane	ug/L	50	55.0	110	73-137	
Chloroform	ug/L	50	48.6	97	80-122	
Chloromethane	ug/L	50	30.6	61	27-148	
cis-1,2-Dichloroethene	ug/L	50	44.2	88	70-130	
cis-1,3-Dichloropropene	ug/L	50	48.6	97	70-130	
Dibromochloromethane	ug/L	50	48.4	97	70-130	
Dichlorodifluoromethane	ug/L	50	19.6	39	22-151	
Ethylbenzene	ug/L	50	51.4	103	80-123	
Isopropylbenzene (Cumene)	ug/L	50	52.4	105	70-130	
m&p-Xylene	ug/L	100	101	101	70-130	
Methyl-tert-butyl ether	ug/L	50	40.4	81	66-130	
Methylene Chloride	ug/L	50	46.0	92	70-130	
o-Xylene	ug/L	50	49.7	99	70-130	
Styrene	ug/L	50	51.1	102	70-130	
Tetrachloroethene	ug/L	50	48.6	97	70-130	
Toluene	ug/L	50	50.3	101	80-121	
trans-1,2-Dichloroethene	ug/L	50	45.2	90	70-130	
trans-1,3-Dichloropropene	ug/L	50	53.1	106	58-125	
Trichloroethene	ug/L	50	48.6	97	70-130	
Trichlorofluoromethane	ug/L	50	53.0	106	84-148	
Vinyl chloride	ug/L	50	46.7	93	63-142	
1,2-Dichlorobenzene-d4 (S)	%			102	70-130	
4-Bromofluorobenzene (S)	%			108	70-130	
Toluene-d8 (S)	%			104	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2379834 2379835

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max RPD	RPD	Qual	
		40243435001	Result	Spike Conc.	Spike Conc.	Result	MSD	% Rec	MSD	% Rec	Limits	RPD			
1,1,1-Trichloroethane	ug/L	<0.30	50	50	50.6	50.6	101	101	101	101	70-130	0	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	50.6	51.7	101	101	103	103	66-130	2	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	50.4	49.7	101	99	99	99	70-130	2	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	47.4	47.6	95	95	95	95	68-132	0	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	53.4	54.6	107	107	109	109	76-132	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	46.0	45.9	92	92	92	92	70-130	0	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	50.1	49.1	100	100	98	98	51-126	2	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	52.3	53.0	105	105	106	106	70-130	1	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	49.8	49.4	100	100	99	99	70-130	1	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	49.8	49.7	100	100	99	99	70-130	0	20		
1,2-Dichloropropane	ug/L	<0.45	50	50	46.6	46.9	93	93	94	94	77-125	1	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	50.6	50.6	101	101	101	101	70-130	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max		
		40243435001	Spike Conc.	Spike	Conc.	Result	MSD	Result	% Rec	MSD	% Rec	Limits	RPD	RPD
														Qual
1,4-Dichlorobenzene	ug/L	<0.89	50	50	50.1	50.5	100	101	70-130	1	20			
Benzene	ug/L	<0.30	50	50	47.3	47.2	95	94	70-132	0	20			
Bromodichloromethane	ug/L	<0.42	50	50	48.9	48.9	98	98	70-130	0	20			
Bromoform	ug/L	<3.8	50	50	44.2	44.3	88	89	65-130	0	20			
Bromomethane	ug/L	<1.2	50	50	27.7	26.5	55	53	44-128	4	21			
Carbon tetrachloride	ug/L	<0.37	50	50	47.7	47.8	95	96	70-132	0	20			
Chlorobenzene	ug/L	<0.86	50	50	51.1	50.6	102	101	70-130	1	20			
Chloroethane	ug/L	<1.4	50	50	55.3	62.7	111	125	70-137	13	20			
Chloroform	ug/L	<1.2	50	50	48.3	49.2	97	98	80-122	2	20			
Chloromethane	ug/L	<1.6	50	50	32.7	33.3	65	67	17-149	2	20			
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	44.3	44.0	89	88	70-130	1	20			
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	48.6	48.0	97	96	70-130	1	20			
Dibromochloromethane	ug/L	<2.6	50	50	50.0	50.0	100	100	70-130	0	20			
Dichlorodifluoromethane	ug/L	<0.46	50	50	21.2	19.9	42	40	22-158	6	20			
Ethylbenzene	ug/L	<0.33	50	50	52.0	51.6	104	103	80-123	1	20			
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	52.7	52.1	105	104	70-130	1	20			
m-&p-Xylene	ug/L	<0.70	100	100	102	101	102	101	70-130	0	20			
Methyl-tert-butyl ether	ug/L	<1.1	50	50	41.8	41.7	84	83	66-130	0	20			
Methylene Chloride	ug/L	<0.32	50	50	46.9	46.2	94	92	70-130	2	20			
o-Xylene	ug/L	<0.35	50	50	49.8	49.3	100	99	70-130	1	20			
Styrene	ug/L	<0.36	50	50	50.3	49.6	101	99	70-130	1	20			
Tetrachloroethene	ug/L	<0.41	50	50	50.1	49.5	100	99	70-130	1	20			
Toluene	ug/L	<0.29	50	50	50.4	50.9	101	102	80-121	1	20			
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	45.6	46.9	91	94	70-134	3	20			
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	54.3	52.0	109	104	58-130	4	20			
Trichloroethene	ug/L	<0.32	50	50	48.4	49.3	97	99	70-130	2	20			
Trichlorofluoromethane	ug/L	<0.42	50	50	54.2	54.1	108	108	82-151	0	20			
Vinyl chloride	ug/L	<0.17	50	50	46.8	46.6	94	93	61-143	0	20			
1,2-Dichlorobenzene-d4 (S)	%								102	103	70-130			
4-Bromofluorobenzene (S)	%								105	108	70-130			
Toluene-d8 (S)	%								105	103	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

QC Batch: 413257 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40243456001, 40243456002, 40243456003, 40243456004, 40243456005, 40243456006, 40243456007,
40243456008, 40243456009, 40243456010, 40243456011

METHOD BLANK: 2379632 Matrix: Water

Associated Lab Samples: 40243456001, 40243456002, 40243456003, 40243456004, 40243456005, 40243456006, 40243456007,
40243456008, 40243456009, 40243456010, 40243456011

Parameter	Units	Result	Blank	Reporting	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36		1.0	04/18/22 08:29	
1,1,1-Trichloroethane	ug/L	<0.30		1.0	04/18/22 08:29	
1,1,2,2-Tetrachloroethane	ug/L	<0.38		1.0	04/18/22 08:29	
1,1,2-Trichloroethane	ug/L	<0.34		5.0	04/18/22 08:29	
1,1-Dichloroethane	ug/L	<0.30		1.0	04/18/22 08:29	
1,1-Dichloroethene	ug/L	<0.58		1.0	04/18/22 08:29	
1,1-Dichloropropene	ug/L	<0.41		1.0	04/18/22 08:29	
1,2,3-Trichlorobenzene	ug/L	<1.0		5.0	04/18/22 08:29	
1,2,3-Trichloropropane	ug/L	<0.56		5.0	04/18/22 08:29	
1,2,4-Trichlorobenzene	ug/L	<0.95		5.0	04/18/22 08:29	
1,2,4-Trimethylbenzene	ug/L	<0.45		1.0	04/18/22 08:29	
1,2-Dibromo-3-chloropropane	ug/L	<2.4		5.0	04/18/22 08:29	
1,2-Dibromoethane (EDB)	ug/L	<0.31		1.0	04/18/22 08:29	
1,2-Dichlorobenzene	ug/L	<0.33		1.0	04/18/22 08:29	
1,2-Dichloroethane	ug/L	<0.29		1.0	04/18/22 08:29	
1,2-Dichloropropane	ug/L	<0.45		1.0	04/18/22 08:29	
1,3,5-Trimethylbenzene	ug/L	<0.36		1.0	04/18/22 08:29	
1,3-Dichlorobenzene	ug/L	<0.35		1.0	04/18/22 08:29	
1,3-Dichloropropane	ug/L	<0.30		1.0	04/18/22 08:29	
1,4-Dichlorobenzene	ug/L	<0.89		1.0	04/18/22 08:29	
2,2-Dichloropropane	ug/L	<4.2		5.0	04/18/22 08:29	
2-Chlorotoluene	ug/L	<0.89		5.0	04/18/22 08:29	
4-Chlorotoluene	ug/L	<0.89		5.0	04/18/22 08:29	
Benzene	ug/L	<0.30		1.0	04/18/22 08:29	
Bromobenzene	ug/L	<0.36		1.0	04/18/22 08:29	
Bromochloromethane	ug/L	<0.36		5.0	04/18/22 08:29	
Bromodichloromethane	ug/L	<0.42		1.0	04/18/22 08:29	
Bromoform	ug/L	<3.8		5.0	04/18/22 08:29	
Bromomethane	ug/L	<1.2		5.0	04/18/22 08:29	
Carbon tetrachloride	ug/L	<0.37		1.0	04/18/22 08:29	
Chlorobenzene	ug/L	<0.86		1.0	04/18/22 08:29	
Chloroethane	ug/L	<1.4		5.0	04/18/22 08:29	
Chloroform	ug/L	<1.2		5.0	04/18/22 08:29	
Chloromethane	ug/L	<1.6		5.0	04/18/22 08:29	
cis-1,2-Dichloroethene	ug/L	<0.47		1.0	04/18/22 08:29	
cis-1,3-Dichloropropene	ug/L	<0.36		1.0	04/18/22 08:29	
Dibromochloromethane	ug/L	<2.6		5.0	04/18/22 08:29	
Dibromomethane	ug/L	<0.99		5.0	04/18/22 08:29	
Dichlorodifluoromethane	ug/L	<0.46		5.0	04/18/22 08:29	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

METHOD BLANK: 2379632

Matrix: Water

Associated Lab Samples: 40243456001, 40243456002, 40243456003, 40243456004, 40243456005, 40243456006, 40243456007,
40243456008, 40243456009, 40243456010, 40243456011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	04/18/22 08:29	
Ethylbenzene	ug/L	<0.33	1.0	04/18/22 08:29	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	04/18/22 08:29	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	04/18/22 08:29	
m-&p-Xylene	ug/L	<0.70	2.0	04/18/22 08:29	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	04/18/22 08:29	
Methylene Chloride	ug/L	<0.32	5.0	04/18/22 08:29	
n-Butylbenzene	ug/L	<0.86	1.0	04/18/22 08:29	
n-Propylbenzene	ug/L	<0.35	1.0	04/18/22 08:29	
Naphthalene	ug/L	<1.1	5.0	04/18/22 08:29	
o-Xylene	ug/L	<0.35	1.0	04/18/22 08:29	
p-Isopropyltoluene	ug/L	<1.0	5.0	04/18/22 08:29	
sec-Butylbenzene	ug/L	<0.42	1.0	04/18/22 08:29	
Styrene	ug/L	<0.36	1.0	04/18/22 08:29	
tert-Butylbenzene	ug/L	<0.59	1.0	04/18/22 08:29	
Tetrachloroethene	ug/L	<0.41	1.0	04/18/22 08:29	
Toluene	ug/L	<0.29	1.0	04/18/22 08:29	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	04/18/22 08:29	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	04/18/22 08:29	
Trichloroethene	ug/L	<0.32	1.0	04/18/22 08:29	
Trichlorofluoromethane	ug/L	<0.42	1.0	04/18/22 08:29	
Vinyl chloride	ug/L	<0.17	1.0	04/18/22 08:29	
1,2-Dichlorobenzene-d4 (S)	%	106	70-130	04/18/22 08:29	
4-Bromofluorobenzene (S)	%	104	70-130	04/18/22 08:29	
Toluene-d8 (S)	%	103	70-130	04/18/22 08:29	

LABORATORY CONTROL SAMPLE: 2379633

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	50.9	102	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	49.6	99	66-130	
1,1,2-Trichloroethane	ug/L	50	49.4	99	70-130	
1,1-Dichloroethane	ug/L	50	47.1	94	68-132	
1,1-Dichloroethene	ug/L	50	52.2	104	85-126	
1,2,4-Trichlorobenzene	ug/L	50	48.2	96	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.5	95	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	52.9	106	70-130	
1,2-Dichlorobenzene	ug/L	50	51.4	103	70-130	
1,2-Dichloroethane	ug/L	50	47.7	95	70-130	
1,2-Dichloropropane	ug/L	50	46.5	93	78-125	
1,3-Dichlorobenzene	ug/L	50	51.8	104	70-130	
1,4-Dichlorobenzene	ug/L	50	51.5	103	70-130	
Benzene	ug/L	50	46.5	93	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

LABORATORY CONTROL SAMPLE: 2379633

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	50	47.9	96	70-130	
Bromoform	ug/L	50	44.9	90	65-130	
Bromomethane	ug/L	50	27.0	54	44-128	
Carbon tetrachloride	ug/L	50	48.6	97	70-130	
Chlorobenzene	ug/L	50	51.8	104	70-130	
Chloroethane	ug/L	50	55.2	110	73-137	
Chloroform	ug/L	50	48.2	96	80-122	
Chloromethane	ug/L	50	29.4	59	27-148	
cis-1,2-Dichloroethene	ug/L	50	43.8	88	70-130	
cis-1,3-Dichloropropene	ug/L	50	48.9	98	70-130	
Dibromochloromethane	ug/L	50	50.3	101	70-130	
Dichlorodifluoromethane	ug/L	50	16.1	32	22-151	
Ethylbenzene	ug/L	50	52.0	104	80-123	
Isopropylbenzene (Cumene)	ug/L	50	52.7	105	70-130	
m&p-Xylene	ug/L	100	103	103	70-130	
Methyl-tert-butyl ether	ug/L	50	41.3	83	66-130	
Methylene Chloride	ug/L	50	46.0	92	70-130	
o-Xylene	ug/L	50	50.7	101	70-130	
Styrene	ug/L	50	51.6	103	70-130	
Tetrachloroethene	ug/L	50	51.8	104	70-130	
Toluene	ug/L	50	50.8	102	80-121	
trans-1,2-Dichloroethene	ug/L	50	45.3	91	70-130	
trans-1,3-Dichloropropene	ug/L	50	53.1	106	58-125	
Trichloroethene	ug/L	50	48.9	98	70-130	
Trichlorofluoromethane	ug/L	50	52.2	104	84-148	
Vinyl chloride	ug/L	50	43.1	86	63-142	
1,2-Dichlorobenzene-d4 (S)	%			102	70-130	
4-Bromofluorobenzene (S)	%			105	70-130	
Toluene-d8 (S)	%			104	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2380540 2380541

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max	
		40243456004	Spike Result	Spike Conc.	Conc.	Result	% Rec	Result	% Rec	Limits	RPD	RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	50.4	50.2	101	100	70-130	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	49.1	51.9	98	104	66-130	6	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	47.7	50.2	95	100	70-130	5	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	45.5	46.7	91	93	68-132	3	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	50.7	52.4	101	105	76-132	3	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	48.6	48.6	97	97	70-130	0	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	47.2	50.1	94	100	51-126	6	20		
1,2-Dibromoethane (EDB)	ug/L	0.35J	50	50	52.6	52.8	104	105	70-130	0	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	50.3	51.1	101	102	70-130	1	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	47.6	47.9	95	96	70-130	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max			
		40243456004	Spike Conc.	Spike	Conc.	Result	MSD	Result	% Rec	MSD	% Rec	Limits	RPD	RPD	
														Qual	
1,2-Dichloropropane	ug/L	<0.45	50	50	46.2	45.6	92		91	77-125	1	20			
1,3-Dichlorobenzene	ug/L	<0.35	50	50	51.8	51.4	104		103	70-130	1	20			
1,4-Dichlorobenzene	ug/L	<0.89	50	50	51.4	51.7	103		103	70-130	1	20			
Benzene	ug/L	0.57J	50	50	46.7	46.5	92		92	70-132	0	20			
Bromodichloromethane	ug/L	<0.42	50	50	48.3	48.9	97		98	70-130	1	20			
Bromoform	ug/L	<3.8	50	50	44.4	46.5	89		93	65-130	4	20			
Bromomethane	ug/L	<1.2	50	50	27.8	19.5	56		39	44-128	35	21 M1,R1			
Carbon tetrachloride	ug/L	<0.37	50	50	48.9	47.7	98		95	70-132	2	20			
Chlorobenzene	ug/L	<0.86	50	50	51.1	50.3	102		101	70-130	2	20			
Chloroethane	ug/L	<1.4	50	50	52.4	51.2	105		102	70-137	2	20			
Chloroform	ug/L	<1.2	50	50	47.4	48.2	95		96	80-122	2	20			
Chloromethane	ug/L	<1.6	50	50	28.5	27.2	57		54	17-149	5	20			
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	44.6	45.3	89		91	70-130	2	20			
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	48.4	46.8	97		94	70-130	3	20			
Dibromochloromethane	ug/L	<2.6	50	50	49.7	52.2	99		104	70-130	5	20			
Dichlorodifluoromethane	ug/L	<0.46	50	50	13.9	14.1	28		28	22-158	1	20			
Ethylbenzene	ug/L	<0.33	50	50	52.0	50.9	104		102	80-123	2	20			
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	52.8	51.7	106		103	70-130	2	20			
m&p-Xylene	ug/L	<0.70	100	100	101	99.1	101		99	70-130	2	20			
Methyl-tert-butyl ether	ug/L	<1.1	50	50	40.2	40.1	80		80	66-130	0	20			
Methylene Chloride	ug/L	<0.32	50	50	46.4	44.6	93		89	70-130	4	20			
o-Xylene	ug/L	<0.35	50	50	49.6	48.9	99		98	70-130	1	20			
Styrene	ug/L	<0.36	50	50	49.4	48.5	99		97	70-130	2	20			
Tetrachloroethene	ug/L	<0.41	50	50	51.8	52.6	103		104	70-130	1	20			
Toluene	ug/L	<0.29	50	50	50.4	50.4	100		100	80-121	0	20			
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	46.5	46.3	93		93	70-134	0	20			
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	52.8	50.5	106		101	58-130	4	20			
Trichloroethene	ug/L	<0.32	50	50	48.8	48.6	98		97	70-130	0	20			
Trichlorofluoromethane	ug/L	<0.42	50	50	49.1	50.6	98		101	82-151	3	20			
Vinyl chloride	ug/L	<0.17	50	50	40.8	39.0	82		78	61-143	5	20			
1,2-Dichlorobenzene-d4 (S)	%								100	102	70-130				
4-Bromofluorobenzene (S)	%								105	107	70-130				
Toluene-d8 (S)	%								104	104	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

QC Batch: 413360 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40243456012, 40243456013, 40243456014, 40243456015, 40243456016, 40243456017, 40243456018,
40243456019, 40243456020

METHOD BLANK: 2380554

Matrix: Water

Associated Lab Samples: 40243456012, 40243456013, 40243456014, 40243456015, 40243456016, 40243456017, 40243456018,
40243456019, 40243456020

Parameter	Units	Blank	Reporting		Qualifiers
		Result	Limit	Analyzed	
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	04/20/22 15:56	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	04/20/22 15:56	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	04/20/22 15:56	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	04/20/22 15:56	
1,1-Dichloroethane	ug/L	<0.30	1.0	04/20/22 15:56	
1,1-Dichloroethene	ug/L	<0.58	1.0	04/20/22 15:56	
1,1-Dichloropropene	ug/L	<0.41	1.0	04/20/22 15:56	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	04/20/22 15:56	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	04/20/22 15:56	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	04/20/22 15:56	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	04/20/22 15:56	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	04/20/22 15:56	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	04/20/22 15:56	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	04/20/22 15:56	
1,2-Dichloroethane	ug/L	<0.29	1.0	04/20/22 15:56	
1,2-Dichloropropane	ug/L	<0.45	1.0	04/20/22 15:56	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	04/20/22 15:56	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	04/20/22 15:56	
1,3-Dichloropropane	ug/L	<0.30	1.0	04/20/22 15:56	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	04/20/22 15:56	
2,2-Dichloropropane	ug/L	<4.2	5.0	04/20/22 15:56	
2-Chlorotoluene	ug/L	<0.89	5.0	04/20/22 15:56	
4-Chlorotoluene	ug/L	<0.89	5.0	04/20/22 15:56	
Benzene	ug/L	<0.30	1.0	04/20/22 15:56	
Bromobenzene	ug/L	<0.36	1.0	04/20/22 15:56	
Bromochloromethane	ug/L	<0.36	5.0	04/20/22 15:56	
Bromodichloromethane	ug/L	<0.42	1.0	04/20/22 15:56	
Bromoform	ug/L	<3.8	5.0	04/20/22 15:56	
Bromomethane	ug/L	<1.2	5.0	04/20/22 15:56	
Carbon tetrachloride	ug/L	<0.37	1.0	04/20/22 15:56	
Chlorobenzene	ug/L	<0.86	1.0	04/20/22 15:56	
Chloroethane	ug/L	<1.4	5.0	04/20/22 15:56	
Chloroform	ug/L	<1.2	5.0	04/20/22 15:56	
Chloromethane	ug/L	<1.6	5.0	04/20/22 15:56	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	04/20/22 15:56	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	04/20/22 15:56	
Dibromochloromethane	ug/L	<2.6	5.0	04/20/22 15:56	
Dibromomethane	ug/L	<0.99	5.0	04/20/22 15:56	
Dichlorodifluoromethane	ug/L	<0.46	5.0	04/20/22 15:56	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

METHOD BLANK: 2380554

Matrix: Water

Associated Lab Samples: 40243456012, 40243456013, 40243456014, 40243456015, 40243456016, 40243456017, 40243456018,
40243456019, 40243456020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	04/20/22 15:56	
Ethylbenzene	ug/L	<0.33	1.0	04/20/22 15:56	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	04/20/22 15:56	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	04/20/22 15:56	
m&p-Xylene	ug/L	<0.70	2.0	04/20/22 15:56	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	04/20/22 15:56	
Methylene Chloride	ug/L	<0.32	5.0	04/20/22 15:56	
n-Butylbenzene	ug/L	<0.86	1.0	04/20/22 15:56	
n-Propylbenzene	ug/L	<0.35	1.0	04/20/22 15:56	
Naphthalene	ug/L	<1.1	5.0	04/20/22 15:56	
o-Xylene	ug/L	<0.35	1.0	04/20/22 15:56	
p-Isopropyltoluene	ug/L	<1.0	5.0	04/20/22 15:56	
sec-Butylbenzene	ug/L	<0.42	1.0	04/20/22 15:56	
Styrene	ug/L	<0.36	1.0	04/20/22 15:56	
tert-Butylbenzene	ug/L	<0.59	1.0	04/20/22 15:56	
Tetrachloroethene	ug/L	<0.41	1.0	04/20/22 15:56	
Toluene	ug/L	<0.29	1.0	04/20/22 15:56	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	04/20/22 15:56	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	04/20/22 15:56	
Trichloroethene	ug/L	<0.32	1.0	04/20/22 15:56	
Trichlorofluoromethane	ug/L	<0.42	1.0	04/20/22 15:56	
Vinyl chloride	ug/L	<0.17	1.0	04/20/22 15:56	
1,2-Dichlorobenzene-d4 (S)	%	104	70-130	04/20/22 15:56	
4-Bromofluorobenzene (S)	%	96	70-130	04/20/22 15:56	
Toluene-d8 (S)	%	98	70-130	04/20/22 15:56	

LABORATORY CONTROL SAMPLE: 2380555

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	63.1	126	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	42.4	85	66-130	
1,1,2-Trichloroethane	ug/L	50	42.7	85	70-130	
1,1-Dichloroethane	ug/L	50	53.5	107	68-132	
1,1-Dichloroethene	ug/L	50	59.9	120	85-126	
1,2,4-Trichlorobenzene	ug/L	50	52.6	105	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	44.5	89	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	45.2	90	70-130	
1,2-Dichlorobenzene	ug/L	50	50.7	101	70-130	
1,2-Dichloroethane	ug/L	50	51.5	103	70-130	
1,2-Dichloropropane	ug/L	50	49.1	98	78-125	
1,3-Dichlorobenzene	ug/L	50	52.8	106	70-130	
1,4-Dichlorobenzene	ug/L	50	52.9	106	70-130	
Benzene	ug/L	50	53.0	106	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

LABORATORY CONTROL SAMPLE: 2380555

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	50	53.5	107	70-130	
Bromoform	ug/L	50	47.0	94	65-130	
Bromomethane	ug/L	50	56.5	113	44-128	
Carbon tetrachloride	ug/L	50	64.3	129	70-130	
Chlorobenzene	ug/L	50	54.5	109	70-130	
Chloroethane	ug/L	50	64.7	129	73-137	
Chloroform	ug/L	50	54.6	109	80-122	
Chloromethane	ug/L	50	55.4	111	27-148	
cis-1,2-Dichloroethene	ug/L	50	51.1	102	70-130	
cis-1,3-Dichloropropene	ug/L	50	45.0	90	70-130	
Dibromochloromethane	ug/L	50	47.5	95	70-130	
Dichlorodifluoromethane	ug/L	50	60.3	121	22-151	
Ethylbenzene	ug/L	50	56.8	114	80-123	
Isopropylbenzene (Cumene)	ug/L	50	59.5	119	70-130	
m&p-Xylene	ug/L	100	113	113	70-130	
Methyl-tert-butyl ether	ug/L	50	44.5	89	66-130	
Methylene Chloride	ug/L	50	62.6	125	70-130	
o-Xylene	ug/L	50	53.6	107	70-130	
Styrene	ug/L	50	56.9	114	70-130	
Tetrachloroethene	ug/L	50	56.5	113	70-130	
Toluene	ug/L	50	52.0	104	80-121	
trans-1,2-Dichloroethene	ug/L	50	52.6	105	70-130	
trans-1,3-Dichloropropene	ug/L	50	39.5	79	58-125	
Trichloroethene	ug/L	50	57.0	114	70-130	
Trichlorofluoromethane	ug/L	50	66.7	133	84-148	
Vinyl chloride	ug/L	50	60.5	121	63-142	
1,2-Dichlorobenzene-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2380556
2380557

Parameter	Units	MS		MSD		MS		MSD		% Rec		Max	
		40243460002	Spike Result	Spike Conc.	Conc.	Result	% Rec	Result	% Rec	Limits	RPD	RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	63.0	64.8	126	130	70-130	3	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	42.9	47.6	86	95	66-130	10	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	42.0	46.5	84	93	70-130	10	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	53.7	55.5	107	111	68-132	3	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	61.4	62.5	123	125	76-132	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	50.9	53.5	102	107	70-130	5	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	45.4	54.2	91	108	51-126	18	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	45.9	50.8	92	102	70-130	10	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	51.1	52.3	102	105	70-130	2	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	49.3	54.7	99	109	70-130	10	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

Parameter	Units	40243460002		MS		MSD		2380557					
		Result	Spike Conc.	Spike	Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	
1,2-Dichloropropane	ug/L	<0.45	50	50	48.4	51.2	97	102	77-125	6	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	52.1	53.6	104	107	70-130	3	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	52.2	52.6	104	105	70-130	1	20		
Benzene	ug/L	<0.30	50	50	53.1	55.1	106	110	70-132	4	20		
Bromodichloromethane	ug/L	<0.42	50	50	53.2	56.2	106	112	70-130	5	20		
Bromoform	ug/L	<3.8	50	50	47.5	51.8	95	104	65-130	9	20		
Bromomethane	ug/L	<1.2	50	50	56.4	54.2	113	108	44-128	4	21		
Carbon tetrachloride	ug/L	<0.37	50	50	64.1	66.3	128	133	70-132	3	20	M1	
Chlorobenzene	ug/L	<0.86	50	50	53.7	54.5	107	109	70-130	1	20		
Chloroethane	ug/L	<1.4	50	50	63.8	63.8	128	128	70-137	0	20		
Chloroform	ug/L	<1.2	50	50	53.5	56.5	107	113	80-122	6	20		
Chloromethane	ug/L	<1.6	50	50	57.4	59.3	115	119	17-149	3	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	51.9	54.6	104	109	70-130	5	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	44.4	48.2	89	96	70-130	8	20		
Dibromochloromethane	ug/L	<2.6	50	50	47.5	52.2	95	104	70-130	10	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	65.2	64.6	130	129	22-158	1	20		
Ethylbenzene	ug/L	<0.33	50	50	55.8	56.5	112	113	80-123	1	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	58.4	58.7	117	117	70-130	1	20		
m&p-Xylene	ug/L	<0.70	100	100	112	113	112	113	70-130	0	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	45.7	52.2	91	104	66-130	13	20		
Methylene Chloride	ug/L	<0.32	50	50	62.9	61.3	126	123	70-130	3	20		
o-Xylene	ug/L	<0.35	50	50	53.6	54.7	107	109	70-130	2	20		
Styrene	ug/L	<0.36	50	50	54.1	57.1	108	114	70-130	5	20		
Tetrachloroethene	ug/L	<0.41	50	50	56.2	56.4	112	113	70-130	1	20		
Toluene	ug/L	<0.29	50	50	51.7	52.4	103	105	80-121	1	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	53.1	55.2	106	110	70-134	4	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	39.4	43.1	79	86	58-130	9	20		
Trichloroethene	ug/L	<0.32	50	50	55.0	57.2	110	114	70-130	4	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	66.2	67.2	132	134	82-151	2	20		
Vinyl chloride	ug/L	<0.17	50	50	62.8	60.7	126	121	61-143	3	20		
1,2-Dichlorobenzene-d4 (S)	%							101	100	70-130			
4-Bromofluorobenzene (S)	%							100	100	70-130			
Toluene-d8 (S)	%							98	99	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 8173 BAND BOX CLEANERS

Pace Project No.: 40243456

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 8173 BAND BOX CLEANERS


Pace Project No.: 40243456

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40243456001	MW1AR	EPA 8260	413257		
40243456002	MWA2	EPA 8260	413257		
40243456003	MWA3	EPA 8260	413257		
40243456004	PZ-A3	EPA 8260	413257		
40243456005	PZ-B3	EPA 8260	413257		
40243456006	PZ-C3	EPA 8260	413257		
40243456007	MWA4	EPA 8260	413257		
40243456008	PZ-A4	EPA 8260	413257		
40243456009	PZ-B4	EPA 8260	413257		
40243456010	PZ C4	EPA 8260	413257		
40243456011	MW12	EPA 8260	413257		
40243456012	MW14	EPA 8260	413360		
40243456013	MW14P	EPA 8260	413360		
40243456014	MW14P60	EPA 8260	413360		
40243456015	MW15	EPA 8260	413360		
40243456016	MW16	EPA 8260	413360		
40243456017	MW17	EPA 8260	413360		
40243456018	MW17P	EPA 8260	413360		
40243456019	MW18P	EPA 8260	413360		
40243456020	MW18	EPA 8260	413360		
40243456021	P22	EPA 8260	413256		
40243456022	P21	EPA 8260	413256		
40243456023	P23	EPA 8260	413256		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name:	<u>REI</u>
Branch/Location:	<u>Wau Sca</u>
Project Contact:	<u>Dave Corson</u>
Phone:	<u>715 675 9784</u>
Project Number:	<u>8173</u>
Project Name:	<u>Band box cleanup</u>
Project State:	<u>WT</u>
Sampled By (Print):	<u>Paul Deblo</u>
Sampled By (Sign):	
PO #:	
	Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 **WI:** 920-469-2436

Page 1 of 2

40243456

CHAIN OF CUSTODY

*Preservation Codes							
A=None	B=HCl	C=H ₂ SO ₄	D=HNO ₃	E=DI Water	F=Methanol	G=NaOH	
H=Sodium Bisulfate Solution	I=Sodium Thiosulfate	J=Other					

FILTERED? (YES/NO)	Y/N	N				
PRESERVATION (CODE)*	Pick Letter	B				
x Codes						
V = Water						
GW = Drinking Water						
GW = Ground Water						
SW = Surface Water						
WW = Waste Water						
WP = Wipe						
SECTION	MATRIX					
TIME						
10:50	GW					
11:15						
11:39						
11:55						
12:10						
12:25						
12:55						
1:10						
1:20						
1:40						
2:05						
2:35						
2:50						

Rush Turnaround Time Requested - Prelims
(Rush TAT subject to approval/surcharge)
Data Needed:

Date Needed.

Transmit Prelim Rush Results by (complete what you want):

mail #1:

ANSWER **11-42-**

Email #2:

Telephone:

Fax:

Sa

**Samples on HOLD are subject to
special pricing and release of liability.**

Relinquished By:	Date/Time:	Received By:	Date/Time:
<u>L. W. H.</u>	6/13/22 9:00 AM		
Relinquished By:	Date/Time:	Received By:	Date/Time:
<u>L. W. H.</u>	6/14/22 0840	<u>Arthur J. Leedell</u>	6/14/22 0840
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:

PACE Project No

40243456

Receipt Temp = 18 °C

Temp = 1.8

Sample Receipt p

OK / Adjusted

OK / Adjusted

Cooler Custody

Present / ~~Not Pres~~

Intact / Not Intact

(Please Print Clearly)

Company Name:	REF
Branch/Location:	WauSaw
Project Contact:	Dave Larson
Phone:	7156759784
Project Number:	8173
Project Name:	Band box cleaners
Project State:	WF
Sampled By (Print):	Paul Bishan
Sampled By (Sign):	
PO #:	
	Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 2 of 2

40243456

CHAIN OF CUSTODY

*Preservation Codes				
A=None	B=HCl	C=H ₂ SO ₄	D=HNO ₃	E=DI Water
H=Sodium Bisulfate Solution			I=Sodium Thiosulfate	J=Other

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)		Relinquished By:	Date/Time: 4/12/22 09:55 am	Received By:	Date/Time:	PACE Project No. <u>40243456</u>
Date Needed:		Relinquished By:	Date/Time:	Received By:	Date/Time:	Receipt Temp = 1.8 °C
Transmit Prelim Rush Results by (complete what you want):		<u>Walter</u>	<u>4/14/22 0840</u>	<u>Anthony Ladd</u>	<u>4/14/22 0840</u>	Sample Receipt pH OK / Adjusted
Email #1:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Cooler Custody Seal	
Email #2:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Present / Not Present	
Telephone:	Relinquished By:	Date/Time:	Received By:	Date/Time:	Intact / Not Intact	
Fax:	Relinquished By:	Date/Time:	Received By:	Date/Time:	age 58 of 61	
Samples on HOLD are subject to special pricing and release of liability						

Sample Preservation Receipt Form
 Project # 10243456

Client Name: REI

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/
Time:

Pace Lab #	AG1U	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN	VOA Vials (>6mm)*	H2SO4 cH ≤2	NaOH+Zn Act. cH ≥9	NaOH cH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
001																														2.5 / 5 / 10			
002																														2.5 / 5 / 10			
003																														2.5 / 5 / 10			
004																														2.5 / 5 / 10			
005																														2.5 / 5 / 10			
006																														2.5 / 5 / 10			
007																														2.5 / 5 / 10			
008																														2.5 / 5 / 10			
009																														2.5 / 5 / 10			
010																														2.5 / 5 / 10			
011																														2.5 / 5 / 10			
012																														2.5 / 5 / 10			
013																														2.5 / 5 / 10			
014																														2.5 / 5 / 10			
015																														2.5 / 5 / 10			
016																														2.5 / 5 / 10			
017																														2.5 / 5 / 10			
018																														2.5 / 5 / 10			
019																														2.5 / 5 / 10			
020																														2.5 / 5 / 10			

Exceptions to preservation check: VOA Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Page 1 of 3

Sample Preservation Receipt Form
Project #: 40243456

Client Name: RE

Project #:

Page 2 of 3

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: REI

Courier: CS Logistics Fed Ex Speedee UPS Waltco

Client Pace Other: _____

Tracking #: 3180121-2

WO# : 40243456



40243456

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used: SR-107 Type of Ice: Wet Blue Dry None

Cooler Temperature: Uncorr: 2 /Corr: 1.8

Samples on ice, cooling process has begun

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:

Date: 4/14/22 Initials: AW

Labeled By Initials:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: - VOA Samples frozen upon receipt	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5. Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		8.
Correct Containers Used: -Pace Containers Used: -Pace IR Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. 4/14/22 AW
Sample Labels match COC: -Includes date/time/ID/Analysis Matrix:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. Q4; "12" "MW1460", Q1A; "10:30" Q2; "8:05", one vial id illegible 4/14/22 AW
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

Page 3 of 3

APPENDIX B

VAPOR BARRIER INSTALL – 1301 SUPERIOR AVENUE





APPENDIX C

SOIL BORING LOGS AND WELL CONSTRUCTION FORMS



Route To: Watershed/Wastewater
 Remediation/Redevelopment
 Other

Page 1 of 1

Facility/Project Name			License/Permit/Monitoring Number			Boring Number SVE 1												
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra Engineering, Inc.			Date Drilling Started 04/11/2022		Date Drilling Completed 04/11/2022		Drilling Method Hollow Stem Auger											
WI Unique Well No.	DNR Well ID No.	Common Well Name SVE 1	Final Static Water Level		Surface Elevation 0	Borehole Diameter 8.25"												
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location SVE 1 State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> S <input type="checkbox"/>			E <input type="checkbox"/> W <input type="checkbox"/>											
Facility ID 642018410		County Monroe	County Code 41		Civil Town/City/or Village Tomah													
Sample		Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit		U.S.C.S.	Graphic	Well	P/D/FID	Soil Properties			RQD/ Comments					
Number	Type									Length Att. & Recovered (in)	Compressive Strength	Moisture Content		Liquid Limit	Plasticity Index	P 200		
			BLIND DRILL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature *David Larsen*

Firm

REI Engineering, Inc.

4080 North 20th Avenue, Wausau, WI

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater
 Remediation/Redevelopment
 Other

Page 1 of 1

Facility/Project Name			License/Permit/Monitoring Number			Boring Number SVE 2								
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra Engineering, Inc.			Date Drilling Started 04/11/2022		Date Drilling Completed 04/11/2022		Drilling Method Hollow Stem Auger							
WI Unique Well No.	DNR Well ID No.	Common Well Name SVE 2	Final Static Water Level		Surface Elevation 0	Borehole Diameter 8.25"								
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location SVE 2			Lat	Long	Local Grid Location									
State Plane			N <input type="checkbox"/>	S <input type="checkbox"/>	E <input type="checkbox"/>	W <input type="checkbox"/>								
Facility ID 642018410		County Monroe	County Code 41		Civil Town/City/or Village Tomah									
Sample		Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit		U.S.C.S.	Graphic	Well	P/D/FID	Soil Properties				RQD/ Comments
Number	Type			Length Att. & Recovered (in)	Compressive Strength					Moisture Content	Liquid Limit	Plasticity Index	P 200	
			BLIND DRILL											
			1											
			2											
			3											
			4											
			5											
			6											
			7											
			8											
			9											
			10											
			11											
			12											
			13											
			14											
			15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>David Larsen</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater
 Remediation/Redevelopment
 Other

Page 1 of 1

Facility/Project Name			License/Permit/Monitoring Number			Boring Number SVE 3								
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra Engineering, Inc.			Date Drilling Started 04/11/2022		Date Drilling Completed 04/11/2022		Drilling Method Hollow Stem Auger							
WI Unique Well No.	DNR Well ID No.	Common Well Name SVE 3	Final Static Water Level		Surface Elevation 0	Borehole Diameter 8.25"								
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location SVE 3			Lat	Long	Local Grid Location									
State Plane			N <input type="checkbox"/>	S <input type="checkbox"/>	E <input type="checkbox"/>	W <input type="checkbox"/>								
Facility ID 642018410		County Monroe	County Code 41		Civil Town/City/or Village Tomah									
Sample		Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit		U.S.C.S.	Graphic	Well	P/D/FID	Soil Properties				RQD/ Comments
Number	Type			Length Att. & Recovered (in)	Compressive Strength					Moisture Content	Liquid Limit	Plasticity Index	P 200	
			BLIND DRILL											
			1											
			2											
			3											
			4											
			5											
			6											
			7											
			8											
			9											
			10											
			11											
			12											
			13											
			14											
			15											

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>David Larsen</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater
 Remediation/Redevelopment
 Other

Page 1 of 1

Facility/Project Name			License/Permit/Monitoring Number			Boring Number SVE 4												
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra Engineering, Inc.			Date Drilling Started 04/11/2022		Date Drilling Completed 04/11/2022		Drilling Method Hollow Stem Auger											
WI Unique Well No.	DNR Well ID No.	Common Well Name SVE 4	Final Static Water Level		Surface Elevation 0	Borehole Diameter 8.25"												
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location SVE 4			Lat	Long	Local Grid Location													
State Plane			N <input type="checkbox"/>	S <input type="checkbox"/>	E <input type="checkbox"/>	W <input type="checkbox"/>												
Facility ID 642018410		County Monroe	County Code 41		Civil Town/City/or Village Tomah													
Sample		Blow Counts	Depth In Feet	Soil/ Rock Description And Geologic Origin For Each Major Unit		U.S.C.S.	Graphic	Well	P/D/FID	Soil Properties			RQD/ Comments					
Number	Type									Length Att. & Recovered (in)	Compressive Strength	Moisture Content		Liquid Limit	Plasticity Index	P 200		
			BLIND DRILL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature David Larsen	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater
 Remediation/Redevelopment
 Other

Page 1 of 1

Facility/Project Name			License/Permit/Monitoring Number			Boring Number SVE 5					
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra Engineering, Inc.			Date Drilling Started 04/12/2022		Date Drilling Completed 04/12/2022		Drilling Method Hollow Stem Auger				
WI Unique Well No.	DNR Well ID No.	Common Well Name SVE 5	Final Static Water Level		Surface Elevation 0	Borehole Diameter 8.25"					
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location SVE 5 State Plane			Lat Long	Local Grid Location N <input type="checkbox"/> S <input type="checkbox"/>			E <input type="checkbox"/> W <input type="checkbox"/>				
Facility ID 642018410		County Monroe	County Code 41		Civil Town/City/or Village Tomah						
Soil/ Rock Description And Geologic Origin For Each Major Unit			U.S.C.S.	Graphic	Well	PID/FID	Soil Properties			RQD/ Comments	
Number	Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet			Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200
				BLIND DRILL							
				1							
				2							
				3							
				4							
				5							
				6							
				7							
				8							
				9							
				10							
				11							
				12							
				13							
				14							
				15							

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature <i>David Larsen</i>	Firm REI Engineering, Inc. 4080 North 20th Avenue, Wausau, WI
-------------------------------	---

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater
 Remediation/Redevelopment
 Other

Page 1 of 1

Facility/Project Name			License/Permit/Monitoring Number			Boring Number SVE 6					
Boring Drilled By: Name of crew chief (first, last) and Firm Gestra Engineering, Inc.			Date Drilling Started 04/12/2022		Date Drilling Completed 04/12/2022		Drilling Method Hollow Stem Auger				
WI Unique Well No.		DNR Well ID No.	Common Well Name SVE 6	Final Static Water Level		Surface Elevation 0	Borehole Diameter 8.25"				
Local Grid Origin <input type="checkbox"/> (estimated) <input type="checkbox"/> or Boring Location SVE 6 State Plane				Lat Long	Local Grid Location N <input type="checkbox"/> S <input type="checkbox"/>			E <input type="checkbox"/> W <input type="checkbox"/>			
Facility ID 642018410			County Monroe	County Code 41		Civil Town/City/or Village Tomah					
Sample			Blow Counts	Depth In Feet	Soil Properties				RQD/ Comments		
Number	Type	Length Att. & Recovered (in)			U.S.C.S.	Graphic	Well	PID/FID		Compressive Strength	Moisture Content
			Soil/ Rock Description And Geologic Origin For Each Major Unit								
			BLIND DRILL								
			1								
			2								
			3								
			4								
			5								
			6								
			7								
			8								
			9								
			10								
			11								
			12								
			13								
			14								
			15								

I hereby certify that the information on this form is true and the correct to the best of my knowledge

Signature *David Larsen*

Firm

REI Engineering, Inc.

4080 North 20th Avenue, Wausau, WI

This form is authorized by Chapters 281,283,289,292,293,295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Facility/Project Name Band Box Tomah		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name SVE 1						
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. _____ DNR Well ID No. _____						
Facility ID 642018410		St. Plane _____ ft. N, _____ ft. E. S/C/N	Date Well Installed 04 / 11 / 2022						
Type of Well Well Code _____ /		Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm Steve GESTRA						
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____						
<p>A. Protective pipe, top elevation - - - - - ft. MSL <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>B. Well casing, top elevation - - - - - ft. MSL <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>C. Land surface elevation - - - - - ft. MSL <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>D. Surface seal, bottom - - - - - ft. MSL or - - - - ft. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/></p> <p>13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input checked="" type="checkbox"/> 0 2 Air <input type="checkbox"/> 0 1 Drilling Mud <input type="checkbox"/> 0 3 None <input type="checkbox"/> 9 9</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): _____</p>									
E. Bentonite seal, top - - - - - ft. MSL or - - - - ft. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	F. Fine sand, top - - - - - ft. MSL or - - - - ft. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	G. Filter pack, top - - - - - ft. MSL or - - - - ft. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	H. Screen joint, top - - - - - ft. MSL or - - - - ft. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	I. Well bottom - - - - - ft. MSL or - - - - ft. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	J. Filter pack, bottom - - - - - ft. MSL or - - - - ft. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	K. Borehole, bottom - - - - - ft. MSL or - - - - ft. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	L. Borehole, diameter - - - - - in. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	M. O.D. well casing - - - - - in. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	N. I.D. well casing - - - - - in. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<p>1. Cap and lock? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: _____ in. b. Length: _____ ft. c. Material: Steel <input checked="" type="checkbox"/> 0 4 Other <input type="checkbox"/> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>3. Surface seal: Bentonite <input checked="" type="checkbox"/> 3 0 Concrete <input type="checkbox"/> 0 1 Other <input type="checkbox"/> </p> <p>4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3 0 Other <input type="checkbox"/> </p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3 3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3 5 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 3 1 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 5 0 e. _____ Ft³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0 1 Tremie pumped <input type="checkbox"/> 0 2 Gravity <input checked="" type="checkbox"/> 0 8</p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3 3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3 2 c. _____ Other <input type="checkbox"/> </p> <p>7. Fine sand material: Manufacturer, product name & mesh size a. #15 Red Flint Sand b. Volume added _____ ft³</p> <p>8. Filter pack material: Manufacturer, product name & mesh size a. #40 Red Flint Sand b. Volume added _____ ft³</p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2 3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2 4 Other <input type="checkbox"/> </p> <p>10. Screen material: _____ PVC a. Screen type: Factory cut <input checked="" type="checkbox"/> 1 1 Continuous slot <input type="checkbox"/> 0 1 Other <input type="checkbox"/> b. Manufacturer _____ Johnson c. Slot size: d. Slotted length: _____ in. <input type="checkbox"/> 0 .010 in. _____ ft. <input type="checkbox"/> 10 ft.</p> <p>11. Backfill material (below filter pack): None <input type="checkbox"/> 1 4 Other <input checked="" type="checkbox"/> </p>									

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature David Larsen

Firm
REI Engineering, Inc

Facility/Project Name Band Box Tomah	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name SVE 2
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. _____ DNR Well ID No. _____
Facility ID 642018410	St. Plane _____ ft. N, _____ ft. E. S/C/N	Date Well Installed 04 / 11 / 2022
Type of Well Well Code _____ /	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm Steve
Distance from Waste/ Source ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number GESTRA

A. Protective pipe, top elevation - - - - - ft. MSL

B. Well casing, top elevation - - - - - ft. MSL

C. Land surface elevation - - - - - ft. MSL

D. Surface seal, bottom - - - - - ft. MSL or - - - - ft.

12. USCS classification of soil near screen:

GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock

13. Sieve analysis performed? Yes No

14. Drilling method used: Rotary 50

Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 0 2 Air 0 1
Drilling Mud 0 3 None 9 9

16. Drilling additives used? Yes No

Describe _____

17. Source of water (attach analysis, if required):

E. Bentonite seal, top - - - - - ft. MSL or - - - - ft.

F. Fine sand, top - - - - - ft. MSL or - - - - ft.

G. Filter pack, top - - - - - ft. MSL or - - - - ft.

H. Screen joint, top - - - - - ft. MSL or - - - - ft.

I. Well bottom - - - - - ft. MSL or - - - - ft.

J. Filter pack, bottom - - - - - ft. MSL or - - - - ft.

K. Borehole, bottom - - - - - ft. MSL or - - - - ft.

L. Borehole, diameter - - - - in.

M. O.D. well casing - - - - in.

N. I.D. well casing - - - - in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature David Larsen

Firm
REI Engineering, Inc

Facility/Project Name Band Box Tomah	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name SVE 3
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. _____ DNR Well ID No. _____
Facility ID 642018410	St. Plane _____ ft. N, _____ ft. E. S/C/N	Date Well Installed 04 / 11 / 2022 m m d d y y y y
Type of Well Well Code _____ /	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm Steve GESTRA
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known Gov. Lot Number

A. Protective pipe, top elevation - - - - - ft. MSL

B. Well casing, top elevation - - - - - ft. MSL

C. Land surface elevation - - - - - ft. MSL

D. Surface seal, bottom - - - - - ft. MSL or - - - - ft.

12. USCS classification of soil near screen:

GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock

13. Sieve analysis performed? Yes No

14. Drilling method used: Rotary 50

Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 0 2 Air 0 1
Drilling Mud 0 3 None 9 9

16. Drilling additives used? Yes No

Describe _____

17. Source of water (attach analysis, if required):

E. Bentonite seal, top - - - - - ft. MSL or 1 ft.

F. Fine sand, top - - - - - ft. MSL or 3 ft.

G. Filter pack, top - - - - - ft. MSL or 4 ft.

H. Screen joint, top - - - - - ft. MSL or 5 ft.

I. Well bottom - - - - - ft. MSL or 15 ft.

J. Filter pack, bottom - - - - - ft. MSL or 15 ft.

K. Borehole, bottom - - - - - ft. MSL or 15 ft.

L. Borehole, diameter 8.25 in.

M. O.D. well casing 4.25 in.

N. I.D. well casing 4.00 in.

1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 8 in.

b. Length: - - - ft.

c. Material: Steel 0 4
Other

d. Additional protection?
If yes, describe: _____

3. Surface seal: Bentonite 3 0
Concrete 0 1
Other

4. Material between well casing and protective pipe:
Bentonite 3 0

Other

5. Annular space seal: a. Granular/Chipped Bentonite 3 3

b. Lbs/gal mud weight... Bentonite-sand slurry 3 5

c. Lbs/gal mud weight..... Bentonite slurry 3 1

d. % Bentonite Bentonite-cement grout 5 0

e. Ft³ volume added for any of the above

f. How installed: Tremie 0 1

Tremie pumped 0 2

Gravity 0 8

6. Bentonite seal: a. Bentonite granules 3 3

b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 3 2

c. Other

7. Fine sand material: Manufacturer, product name & mesh size

a. #15 Red Flint Sand

b. Volume added ft³

8. Filter pack material: Manufacturer, product name & mesh size

a. #40 Red Flint Sand

b. Volume added ft³

9. Well casing: Flush threaded PVC schedule 40 2 3

Flush threaded PVC schedule 80 2 4

Other

PVC

a. Screen type: Factory cut 1 1

Continuous slot 0 1

Other

b. Manufacturer Johnson

c. Slot size: 0.010 in.

d. Slotted length: 10 ft.

11. Backfill material (below filter pack): None 1 4

Other

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature David Larsen

Firm
REI Engineering, Inc

Facility/Project Name Band Box Tomah		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name SVE 4
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. _____ DNR Well ID No. _____
Facility ID 642018410		St. Plane _____ ft. N, _____ ft. E. S/C/N	Date Well Installed 04 / 11 / 2022
Type of Well Well Code _____ /		Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm Steve
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number GESTRA
<p>A. Protective pipe, top elevation - - - - - ft. MSL <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>B. Well casing, top elevation - - - - - ft. MSL <input type="checkbox"/> Protective cover pipe: a. Inside diameter: _____ in. b. Length: _____ ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/>  <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>C. Land surface elevation - - - - - ft. MSL <input type="checkbox"/> Cap and lock?</p> <p>D. Surface seal, bottom - - - - - ft. MSL or - - - - ft. <input type="checkbox"/> Additional protection? If yes, describe: _____</p> <p>12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/></p> <p>13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input checked="" type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input type="checkbox"/> 9.9</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): _____</p> <p>E. Bentonite seal, top - - - - - ft. MSL or 1 ft. <input type="checkbox"/> Surface seal: Bentonite <input checked="" type="checkbox"/> 3.0 Concrete <input type="checkbox"/> 0.1 Other <input type="checkbox"/> </p> <p>F. Fine sand, top - - - - - ft. MSL or 3 ft. <input type="checkbox"/> Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/> </p> <p>G. Filter pack, top - - - - - ft. MSL or 4 ft. <input type="checkbox"/> Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight..... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8</p> <p>H. Screen joint, top - - - - - ft. MSL or 5 ft. <input type="checkbox"/> Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/> </p> <p>I. Well bottom - - - - - ft. MSL or 15 ft. <input type="checkbox"/> Fine sand material: Manufacturer, product name & mesh size a. #15 Red Flint Sand </p> <p>J. Filter pack, bottom - - - - - ft. MSL or 15 ft. <input type="checkbox"/> Filter pack material: Manufacturer, product name & mesh size a. #40 Red Flint Sand </p> <p>K. Borehole, bottom - - - - - ft. MSL or 15 ft. <input type="checkbox"/> Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> </p> <p>L. Borehole, diameter 8.25 in. <input type="checkbox"/> Screen material: PVC a. Screen type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> </p> <p>M. O.D. well casing 4.25 in. <input type="checkbox"/> b. Manufacturer Johnson  c. Slot size: 0.010 in.  d. Slotted length: 10 ft. </p> <p>N. I.D. well casing 4.00 in. <input type="checkbox"/> Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/> </p>			

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature David Larsen

Firm REI Engineering, Inc

Facility/Project Name Band Box Tomah	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name SVE 5
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. _____ DNR Well ID No. _____
Facility ID 642018410	St. Plane _____ ft. N, _____ ft. E. S/C/N	Date Well Installed 04 / 12 / 2022 m m d d y y y y
Type of Well Well Code _____ /	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm Steve GESTRA
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known Gov. Lot Number

A. Protective pipe, top elevation - - - - - ft. MSL

B. Well casing, top elevation - - - - - ft. MSL

C. Land surface elevation - - - - - ft. MSL

D. Surface seal, bottom - - - - - ft. MSL or - - - - ft.

12. USCS classification of soil near screen:

GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock

13. Sieve analysis performed? Yes No

14. Drilling method used: Rotary 50

Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 0 2 Air 0 1
Drilling Mud 0 3 None 9 9

16. Drilling additives used? Yes No

Describe _____

17. Source of water (attach analysis, if required):

E. Bentonite seal, top - - - - - ft. MSL or 1 ft.

F. Fine sand, top - - - - - ft. MSL or 3 ft.

G. Filter pack, top - - - - - ft. MSL or 4 ft.

H. Screen joint, top - - - - - ft. MSL or 5 ft.

I. Well bottom - - - - - ft. MSL or 15 ft.

J. Filter pack, bottom - - - - - ft. MSL or 15 ft.

K. Borehole, bottom - - - - - ft. MSL or 15 ft.

L. Borehole, diameter 8.25 in.

M. O.D. well casing 4.25 in.

N. I.D. well casing 4.00 in.

1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 8 in.

b. Length: - - - ft.

c. Material: Steel 0 4
Other

d. Additional protection?
If yes, describe: _____

3. Surface seal: Bentonite 3 0
Concrete 0 1
Other

4. Material between well casing and protective pipe:
Bentonite 3 0

Other

5. Annular space seal: a. Granular/Chipped Bentonite 3 3

b. Lbs/gal mud weight... Bentonite-sand slurry 3 5

c. Lbs/gal mud weight..... Bentonite slurry 3 1

d. % Bentonite Bentonite-cement grout 5 0

e. Ft³ volume added for any of the above

f. How installed: Tremie 0 1

Tremie pumped 0 2

Gravity 0 8

6. Bentonite seal: a. Bentonite granules 3 3

b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 3 2

c. Other

7. Fine sand material: Manufacturer, product name & mesh size

a. #15 Red Flint Sand

b. Volume added ft³

8. Filter pack material: Manufacturer, product name & mesh size

a. #40 Red Flint Sand

b. Volume added ft³

9. Well casing: Flush threaded PVC schedule 40 2 3

Flush threaded PVC schedule 80 2 4

Other

PVC

a. Screen type: Factory cut 1 1

Continuous slot 0 1

Other

b. Manufacturer Johnson

c. Slot size: 0.010 in.

d. Slotted length: 10 ft.

11. Backfill material (below filter pack): None 1 4

Other

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature David Larsen

Firm
REI Engineering, Inc

Facility/Project Name Band Box Tomah	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name SVE 6
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. _____ DNR Well ID No. _____
Facility ID 642018410	St. Plane _____ ft. N, _____ ft. E. S/C/N	Date Well Installed 04 / 12 / 2022 m m d d y y y y
Type of Well Well Code _____ /	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm Steve GESTRA
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known Gov. Lot Number

A. Protective pipe, top elevation - - - - - ft. MSL

B. Well casing, top elevation - - - - - ft. MSL

C. Land surface elevation - - - - - ft. MSL

D. Surface seal, bottom - - - - - ft. MSL or - - - - ft.

12. USCS classification of soil near screen:

GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock

13. Sieve analysis performed? Yes No

14. Drilling method used: Rotary 50

Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 0 2 Air 0 1
Drilling Mud 0 3 None 9 9

16. Drilling additives used? Yes No

Describe _____

17. Source of water (attach analysis, if required):

E. Bentonite seal, top - - - - - ft. MSL or - - - - ft.

F. Fine sand, top - - - - - ft. MSL or - - - - ft.

G. Filter pack, top - - - - - ft. MSL or - - - - ft.

H. Screen joint, top - - - - - ft. MSL or - - - - ft.

I. Well bottom - - - - - ft. MSL or - - - - ft.


J. Filter pack, bottom - - - - - ft. MSL or - - - - ft.

K. Borehole, bottom - - - - - ft. MSL or - - - - ft.

L. Borehole, diameter - - - - - in.

M. O.D. well casing - - - - - in.

N. I.D. well casing - - - - - in.



I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature David Larsen

Firm REI Engineering, Inc

APPENDIX D

PHOTOGRAPHS OF SVE WELL, UNDERGROUND PIPING AND ELECTRICAL INSTALLATION





Electrical service line to the Nail Boutique being removed to allow the SVE wells along the south side of the building to be installed



Re-energizing the Nail Boutique electrical power supply



Underground SVE lines for the Nail
Boutique SVE system being installed



Underground SVE lines for the Nail
Boutique SVE system being installed




Concrete replacement along the front of the Nail Boutique



Concrete replacement along the front of the Nail Boutique



Temporary gravel surface cover until additional trenching work is completed



Temporary gravel surface cover until additional trenching work is completed



Completion of the abbreviated SVE Pilot Test



Buried electrical conduit awaiting electrical service connection



Completed trenches finished with asphalt surface cover



SVE system for Nail Boutique on site awaiting electrical service connection