

August 10, 2023



Wisconsin Department of Natural Resources

Attn: Tim Zeichert

101 S. Webster Street

PO Box 7921

Madison, WI 53707-7921



Subject:

Update Report
Band Box Cleaners & Laundry, Inc
1217 Superior Avenue
Tomah, WI 54660
BRRTS# 02-42-525072
Facility ID: 642018410

Dear Mr. Zeichert:

On behalf of Band Box Cleaners & Laundry Inc., REI Engineering, Inc. (REI) hereby submits one (1) copy of the above referenced report. REI has completed two (2) additional rounds of groundwater sampling, installation and operation of the Soil Vapor Extraction (SVE) system at 115 W Council Street since October 2022, and has continued to move the installation of the SVE system wells and conveyance lines internal to the Band Box facility forward.

If you have questions or concerns regarding this report, please contact REI at your convenience at 715-675-9784 or dlarsen@REIengineering.com.

Sincerely,
REI Engineering, Inc.

David N. Larsen P.G.
Senior Hydrogeologist/Project Manager

Attachments

cc: Mr. Richard Keene, BBC Superior, LLC. (e-copy)
Mr. Jay Carmichael, Carmichael & Quartemont, S.C. (e-copy)
Mr. John Tessmann, Band Box Cleaners & Laundry, Inc. (e-copy)



RESPONSIVE. EFFICIENT. INNOVATIVE.

4080 N. 20th Avenue Wausau, WI 54401
715-675-9784 REIengineering.com



REI

**CIVIL & ENVIRONMENTAL
ENGINEERING, SURVEYING**

UPDATE REPORT

BAND BOX CLEANERS & LAUNDRY, INC.

1217 SUPERIOR AVENUE

TOMAH, WI 54660

BRRTS #02-42-525072

REI PROJECT #8173



**COMPREHENSIVE
SERVICES WITH
PRACTICAL
SOLUTIONS**



UPDATE REPORT

BAND BOX CLEANERS & LAUNDRY, INC.

1217 SUPERIOR AVENUE

TOMAH, WI 54660

BRRTS #02-42-525072

REI PROJECT #8173



PREPARED FOR:

**BBC Superior, LLC
Mr. Richard Keene
82572 Tremetina Ct
Indio, CA 92230**

AUGUST 2023


UPDATE REPORT

**BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WI 54660
BRRTS #02-42-525072**

REI PROJECT #8173

The recommendations contained in this report are based on the information obtained from our study of the site and were arrived at in accordance with accepted hydrogeologic and engineering practices at this time and location.

"I, David N. Larsen, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Admn. Code, and that to the best of my knowledge, all the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



Hydrogeologist

August 10, 2023

Date

"I, Matthew C. Michalski, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Admn. Code, and that to the best of my knowledge, all the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."



Hydrogeologist

August 10, 2023

Date

TABLE OF CONTENTS

- 1.0 Introduction
 - 1.1 Purpose
- 2.0 Site Background
 - 2.1 Site Location & History
 - 2.2 Site Investigation History
 - 2.3 Regional Geology
- 3.0 Summary of Work
 - 3.1 Groundwater Monitoring & Analytical Results
 - 3.2 SVE System Operation (115 W Council Street)
 - 3.3 Sub-Slab Vapor Sampling at SS-23 (115 W Council Street)
- 4.0 Conclusion & Recommendations

LIST OF TABLES

- | | |
|--------------|---|
| Table 1 | Water Level Elevations |
| Tables 2a-2z | Groundwater Analytical Results |
| Table 3 | Sub-Slab Vacuum During SVE Operation (115 W Council Street) |
| Table 4 | Sub-Slab Vapor Analytical Results (115 W Council Street) |

LIST OF FIGURES

- | | |
|----------|-------------------|
| Figure 1 | Location Map |
| Figure 2 | Detailed Site Map |
| Figure 3 | SVE System Layout |

LIST OF APPENDICES

- | | |
|------------|--|
| Appendix A | Groundwater Laboratory Analytical Results |
| Appendix B | Vapor Laboratory Analytical Results (115 W Council Street) |

UPDATE REPORT

BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WI 54660
BRRTS #02-42-525072

REI PROJECT #8173

1.0 INTRODUCTION

1.1 Purpose

This report presents results from the additional completed scope of services for the Band Box Cleaners & Laundry, Inc. (Band Box) site in Tomah, Wisconsin. The completed portion of the approved scope of services included two (2) rounds of groundwater sampling of monitoring wells and piezometers, continued operation of the soil vapor extraction (SVE) system installed at 115 W Council Street, coordinating the installation of the SVE extraction points inside the Band Box facility, and the completion of an update report.

2.0 SITE BACKGROUND

2.1 Site Location & History

The Band Box Cleaners & Laundry, Inc. site is located at 1217 Superior Avenue in the Southwest (SW) quarter ($\frac{1}{4}$) of the Southeast (SE) quarter ($\frac{1}{4}$) of Section Four (4), Township Seventeen (17) North, Range one (1) West, City of Tomah, Monroe County, Wisconsin (Figure 1). The Wisconsin Transverse Mercator (WTM) coordinates for the site are 479471, 389222.

Band Box began operations in Tomah in 1956 out of an 800-square foot facility. Between 1962 and 1977 the business expanded rapidly and currently occupies the majority of one and one half (1.5) city blocks located between Superior Avenue (State Highway 12), McLean Avenue, West Manowau Street, and West Council Street. The focus area

of the Environmental Repair Program (ERP) investigation has been the southeastern portion of the main building located at the intersection of Superior Avenue and West Council Street.

2.2 Site Investigation History

The site investigation at Band Box commenced in April 2004 as a result of detections of chlorinated compounds in groundwater monitoring wells associated with the Badger Restaurant Leaking Underground Storage Tank (LUST) site (BRRTS# 03-42-232007). Initial site investigation activities were completed by METCO of La Crosse, Wisconsin. The last round of groundwater sampling conducted by METCO was collected on September 18, 2013. METCO had also supervised the installation of sub-slab vapor probes and the collection of one (1) round of sub-slab vapor sampling completed in June 2013. METCO conducted a limited GeoProbe soil investigation inside the main Band Box facility in February 2007. On December 20, 2013, METCO submitted a Vapor Sampling and Groundwater Monitoring Report to the WDNR summarizing work completed at the property, following the submittal of this report no additional work was completed by METCO while the responsible party gathered bids for remedial actions at this site. REI Engineering, Inc. (REI) was retained as the environmental consultant for the site investigation in May 2018. Figures 2 depict the locations of the referenced investigation sample locations.

2.3 Regional Geology

Unconsolidated soils in the area of the site are comprised primarily of Quaternary aged glacial lake deposits consisting of fine to coarse grained sand with lenses of silt and clay with soil permeability rates ranging from 0.2 to 0.8 inches per hour (Young, H.L. & Borman, R.G., 1973). Permeable Cambrian age fine to coarse grained fractured sandstone underlies the unconsolidated materials at this site at depths of approximately ten (10) to fifteen (15) feet below land surface (bls).

3.0 SUMMARY OF WORK

3.1 Groundwater Monitoring & Analytical Results

REI personnel conducted additional groundwater sampling on all wells except for the MW19 well nest. Groundwater samples were collected using low flow sampling methodology and submitted for laboratory analysis of VOCs to a State certified laboratory. Water level measurements were collected prior to and during the completion of well sampling activities. Dissolved oxygen, specific conductance, pH, oxidation-reduction potential, and temperature measurements were collected from all sampled wells. Well locations are depicted in the Detailed Site Map included as Figure 2.

Historic and current groundwater analytical trends are as follows:

MW-A1: Was last sampling in June 2013 and was likely lost to the redevelopment of the off-site property. Based on laboratory analytical results, MW-A1 had a documented NR140 Preventive Action Limit (PAL) exceedance for Tetrachloroethene during the October 18, 2010 monitoring event. Additionally, an unknown light non-aqueous phase liquid (LNAPL) was identified in this well for seven (7) rounds. The LNAPL was first encountered during the August 2007 monitoring event and continued to be encountered through the last sampling event, June 2013. The LNAPL thicknesses ranged from two and one half (2.5) to ten (10) inches.

MW-A1R: The analytical results for the replacement well for MW-A1 were below the laboratory method limit of detection for all analyzed parameters during each of the sampling events.

MW-A2: Historically identified concentrations of Tetrachloroethene (PCE) exceeding the NR140 Enforcement Standard (ES). Contaminant concentrations following the April 2022 exceeded the NR140 Enforcement Standard (ES) and subsequent sampling events documented detections below the ES but still exceeded the NR140 PAL.

MW-A3: Historically, groundwater samples collected from MW-A3 did not report detections of Tetrachloroethene (PCE) or Trichloroethene (TCE). However, during the September 2018 monitoring event, Tetrachloroethene was identified exceeding the NR140 PAL. Subsequent analytical results were below the laboratory method limit of detection for Tetrachloroethene. No other exceedances of the NR140 state groundwater standards were identified.

MW-A4: No exceedances of the NR140 state groundwater standards were identified until the June 21, 2023 NR140 PAL exceedance for Chloroform.

MW-12: Transferred from the closed Badger Restaurant LUST site and historically sampled for Petroleum VOCs (PVOCs). Laboratory analytical results identified only laboratory qualified detections for petroleum compounds.

MW-14: Since the 2018 sample event, concentrations of PCE ranged from below detection limits to exceeding NR140 ES. PCE detections were non-detect and 3.7 ppb for the January and June 2023 sample events.

MW-14P: PCE detections have exceeded the NR140 ES since the first sampling event in 2007. PCE detections were 993 ppb and 610 ppb for the January and June 2023 sample events.

MW-14P60: PCE detections have exceeded the NR140 ES since the April 11, 2022 sampling. PCE detections were 12.6 ppb and 18.6 ppb for the January and June 2023 sample events.

MW-15: Chlorinated VOCs (CVOCs) were not identified historically but did have a laboratory qualified PAL exceedance for Chloromethane following the October 2020 sampling event and the results were below the laboratory method limit of detection for all analyzed parameters following the January and June 2023 sample events.

MW-16: Concentrations of PCE have historically exceeded the NR140 ES, with the exception of the June 2023 results which documented a laboratory qualified

PAL exceedance. Concentrations of Chloroform have historically ranged from non-detect to exceeding the NR140 ES.

MW-17: Historic and current concentrations of PCE exceed the NR140 ES. Contaminant concentrations trends appear to have generally remained stable.

MW-17P: Historic and current concentrations of PCE remain below the laboratory method limit of detection, with the exception of the June 2023 results, which documented a laboratory qualified NR140 PAL exceedance.

MW-18: Historic and current concentrations of analyzed compounds below the laboratory method limit of detection.

MW-18P: Historic and current concentrations of analyzed compounds were below the laboratory method limit of detection with the exception of a chloromethane PAL exceedance following the October 2020 sampling event and the results were below the laboratory method limit of detection for all analyzed parameters following the October 2021 sampling event.

MW-19: Historic concentrations of analyzed compounds below the laboratory method limit of detection. The MW19/MW19P well nests appear to have been paved over during the reconstruction work on Manowau Street.

MW-19P: Historic concentrations of PCE range from below laboratory method limit of detection to exceeding the NR140 PAL. Concentration of Tetrachloroethene identified during September 2018 monitoring event exceeded NR140 PAL. No other exceedances of the NR140 state groundwater standards were identified. The MW19/MW19P well nests appear to have been paved over during the reconstruction work on Manowau Street.

PZ-1: Detected concentrations of Benzene and PCE have historically ranged from below laboratory method limit of detection to exceeding the NR140 PAL. Concentrations were below the NR140 PAL for all analyzed parameters following the January 2023 sampling event.

- PZ-A-3:** Historic concentrations of PVOCs and Tetrachloroethene range from below detection limit to exceeding the NR140 ES. Tetrachloroethene concentrations were below the laboratory method limit of detection for the last six (6) sampling events.
- PZ-A-4:** Historic concentration of Tetrachloroethene have been generally below detection limit, except for one (1) round (October 2010) which exceeded the NR140 PAL, and one (1) round (January 2009) which exceeded the NR140 ES.
- PZ-B-3:** Tetrachloroethene concentrations have been steadily decreasing over time. Historic Tetrachloroethene concentrations exceeded the NR140 ES from 2009 through 2013 followed by NR140 PAL exceedances through the January 2023 sample event and a non-detect reporting following the June 2023 sample event.
- PZ-B-4:** Historic and current concentrations of analyzed compounds have been below the limit of detection, except for an exceedance of the NR140 PAL for Tetrachloroethene during the January 2009 sampling event. Since 2020 the monitoring events revealed concentrations of Chloroform exceeding the NR140 PAL and Bromodichloromethane exceeding the NR140 ES. No other exceedances of the NR140 state groundwater standards were identified.
- PZ-C-3:** Analytical results have been consistently below the laboratory method limit of detection for all analyzed parameters following each sample event.
- PZ-C-4:** Analytical results document a NR140 ES exceedance for Tetrachloroethene and a laboratory qualified detection of chloroform exceeding the NR140 PAL following each of the groundwater sampling events. Additionally, a NR140 PAL exceedance for Trichloroethene and a detectable concentration of cis-1,2-Dichloroethene was detected following the November 2021 sampling event.
- PZ-2:** Historically, multiple PVOCs have been identified exceeding the NR140 PAL and ES, however during the April 2022 monitoring event only

Tetrachloroethene exceeded the NR140 state groundwater standards. The August 2020 sample results were non-detect for all analyzed parameters and the 2023 sample results have documented a sharp increase in PVOC concentrations.

PZ-3: Historically multiple PVOCs have been identified exceeding the NR140 PAL and ES, however following the October 2020 sampling event all analyzed parameters reported concentrations less than the laboratory method limit of detection.

All recovered purge water removed during the low flow groundwater sample collection was temporarily stored in open topped steel DOT approved drums and disposed at the Wausau Waste Water Treatment Facility.

Recorded depth to groundwater and water level elevations are presented in Table 1. Groundwater analytical results are summarized in Tables 2a-2z. The groundwater laboratory analytical results are included in Appendix A.

3.2 SVE System Operation (115 W. Council Street)

Based on the sub-slab analytical results, collected on October 27, 2021, from the commercial building located at (115 W. Council Street) which is currently occupied by the Nail Boutique, a sub-slab depressurization system was necessary to eliminate the potential threat of PCE vapor migration into the building. The use of a traditional sub-slab depressurization system was not acceptable to the owner of the Nail Boutique and a traditional soil vapor extraction (SVE) system was installed to remediate the PCE in the soil. The SVE system consists of six (6) four-inch vapor extraction wells placed around the south, east and north sides of the building. A map depicting the locations of the extraction wells, underground conveyance lines and placement of the SVE system specific to the 115 W Council Street property is presented in Figure 3.

The remedial system was officially started on October 18, 2022. Tetrachloroethylene (PCE) is the contaminant of concern and initial startup samples were analyzed specifically for PCE utilizing the cost-effective methanol impinger methodology.

Unfortunately, the methanol impinger methodology could not achieve the desired detection limits and proved ineffective. Exhaust air emission samples collected following the January 2023 sample event were analyzed using TO-15 methodology.

Remedial system startup was conducted per WAC 419.07 to document that remedial system exhaust air emissions are below permitting standards for continued operation. Remedial system exhaust air emission samples were collected on Day 1, Day 2 and Day 3, Week 1, Week 2 and Week 3 and monthly thereafter following system start up. Maximum exhaust air emission concentrations for the SVE system are based on the following limits.

- Total VOC limit of 5.7 pounds per hour
- PCE limit of 9.11 pounds per hour and 301 pounds per year.

Samples of the SVE system exhaust air emissions have not exceeded the above thresholds and the remedial system has been operating at 100% since system startup. Information specific to the design and specifications of the remedial systems will be provided in a subsequent As-Built report once both of the approved remedial systems have been installed and are operational.

3.3 Sub-Slab Vapor Sampling at SS-23 (115 W. Council Street)

A sub-slab vapor sample port was installed through the floor of the Nail Boutique located at 115 W Council Street. The sample port (SS-23) was installed and initially sampled on October 27, 2021. Laboratory analytical results returned PCE detections at 29,500 $\mu\text{g}/\text{m}^3$, which is significantly higher than the 5,840 $\mu\text{g}/\text{m}^3$ Vapor Risk Screening Level threshold for a small commercial building.

Following the October 18, 2022 SVE system startup, with continued operation through June 21, 2023, the SVE system has successfully induced a zone of negative pressure (vacuum) beneath the building. Sub-slab vacuum measurements ranging from 0.113 to 0.135 inches of mercury (“hg) were collected through the use of an electronic manometer at SS-23. Field recorded vacuum measurements collected at SS-23 are included in Table 3.

Additionally, the use of the SVE system has also reduced the presence of PCE vapors beneath the building. Sub-slab vapor samples were collected from SS-23 on January 24, 2023 and June 21, 2023 while the SVE system remained in operation. Analytical results returned PCE concentrations of 35 and 5.0 µg/m³ respectively. Both sample results collected during SVE system operation were significantly below the 5,840 µg/m³ Vapor Risk Screening Level threshold for PCE in a small commercial building. A summary of the sub-slab vapor analytical results for SS-23 are presented in Table 4. Copies of the laboratory analytical results for the January and June 2023 sample events are presented in Appendix B.

4.0 CONCLUSION & RECOMMENDATIONS

Based on the completed scope of services, the vertical and lateral degree and extent of groundwater contamination originating from the Band Box site appears to be adequately defined.

The focus of future site work will include the installation of the extraction wells and conveyance lines inside the Band Box facility for the second SVE system and the eventual operation of two (2) soil vapor extraction (SVE) remedial systems at the site along with continued groundwater sampling to document groundwater contaminant trends.

Table 1
Water Level Elevation
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Well Information

Sample Location ID	MW-A1	MW-A1R	MW-A2	MW-A3	MW-A4	MW-12 (Badger)	MW-14	MW-14P	MW-14P60	MW-15	MW-16	MW-17	MW-17P	MW-18	MW-18P	MW-19	MW-19P	PZ-1	PZ-A-3	PZ-A-4	PZ-B-3	PZ-B-4	PZ-C-3	PZ-C-4	PZ-2	PZ-3
Well Depth (feet)	25.50	25.00	23.00	23.00	23.00	28.50	27.00	45.00	60.00	25.50	21.00	22.00	50.00	23.00	45.00	23.00	45.00	48.00	60.00	60.00	70.00	70.00	45.00	45.00	70.00	60.00
Screen Length (feet)	10.00	10.00	10.00	10.00	10.00	15.00	10.00	5.00	5.00	15.00	10.00	10.00	5.00	10.00	5.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Top of Screen*		968.51	965.63	963.04	964.94	968.62	961.82	938.87	923.66	966.50	968.93	970.80	937.54	967.30	940.32			935.88	921.00	922.92	910.98	912.90	935.93	937.96	906.29	916.23
Bottom of Screen*		958.51	955.63	953.04	954.94	953.62	951.82	933.87	918.66	951.50	958.93	960.80	932.54	957.30	935.32			930.88	916.00	917.92	905.98	907.90	930.93	932.96	901.29	911.23

Depth to Water (feet) below Reference Elevation

Date	MW-A1	MW-A1R	MW-A2	MW-A3	MW-A4	MW-12 (Badger)	MW-14	MW-14P	MW-14P60	MW-15	MW-16	MW-17	MW-17P	MW-18	MW-18P	MW-19	MW-19P	PZ-1	PZ-A-3	PZ-A-4	PZ-B-3	PZ-B-4	PZ-C-3	PZ-C-4	PZ-2	PZ-3	
3/29/2007	20.78	-	17.76	15.29	17.02	-	17.76	18.35	-	16.24	18.63	20.98	20.75	NI	NI	NI	NI	-	NI	NI	NI	NI	-	-	-	-	
8/2/2007	20.69	-	17.97	15.64	17.37	-	18.10	18.38	-	16.58	18.90	21.25	21.02	NI	NI	NI	NI	17.95	NI	NI	NI	NI	-	-	-	-	
10/9/2008	-	-	16.52	14.37	16.08	-	16.81	16.83	-	15.27	17.58	19.91	19.66	18.01	17.90	15.03	15.83	16.65	14.42	16.03	14.50	16.17	-	-	-	-	
1/12/2009	-	-	17.55	15.31	16.98	-	17.99	16.23	-	18.55	20.93	20.69	19.11	19.08	16.29	16.86	17.57	17.71	15.36	16.95	15.40	17.11	-	-	-	-	
5/19/2010	-	-	17.31	15.03	16.96	-	17.67	17.93	-	16.11	18.54	20.86	20.58	19.21	19.11	16.44	16.84	17.48	15.19	16.88	15.22	17.06	-	-	-	-	
10/18/2010	18.61	-	16.08	13.89	15.58	-	16.52	14.80	-	17.08	19.44	19.17	17.63	17.67	14.80	15.41	16.12	16.30	13.96	15.54	14.02	15.70	-	-	-	-	
2/14/2011	19.75	-	17.32	15.08	16.84	-	17.78	16.08	-	18.42	20.71	20.45	18.83	18.72	16.16	16.46	17.28	17.59	15.26	16.76	15.18	16.92	-	-	-	-	
6/18/2013	-	-	14.65	12.30	14.20	17.48	14.88	15.15	-	13.31	15.67	18.01	17.82	16.14	16.06	13.58	13.92	14.80	12.49	14.12	12.57	14.29	-	-	-	-	
9/18/2013	-	-	16.40	14.26	15.95	19.22	16.70	16.71	-	15.18	17.45	19.81	19.56	17.96	17.96	14.80	15.73	16.62	14.40	15.92	14.46	16.09	-	-	-	-	
9/18/2018	-	-	15.29	12.66	-	18.03	15.47	15.45	-	13.94	16.31	18.61	18.34	16.91	16.76	14.24	14.58	15.35	12.67	14.72	13.20	14.87	-	-	9.29	9.46	
10/8/2020	-	-	15.55	12.70	-	18.31	14.83	15.78	-	14.17	16.64	18.92	18.67	16.97	17.07	-	-	-	13.55	15.15	13.57	15.32	-	-	9.70	9.80	
10/27/2021	-	-	16.95	14.81	16.49	19.65	17.23	17.21	-	15.48	17.99	20.25	20.00	18.32	18.37	-	-	-	17.09	14.95	16.48	14.98	16.66	-	-	10.99	11.17
11/17/2021	-	17.77	-	-	-	-	-	-	17.45	-	-	-	-	-	-	-	-	-	-	-	-	-	15.63	17.20	-	-	
4/11/2022	-	21.15	17.61	15.21	16.94	20.24	16.24	16.67	17.61	15.99	18.61	20.87	20.67	18.02	17.96	-	-	17.44	15.31	16.91	15.26	17.04	15.36	17.36	11.51	11.19	
8/10/2022	-	18.06	16.74	14.45	16.21	19.43	16.97	16.91	16.84	15.19	-	20.06	19.79	18.16	18.31	-	-	16.71	14.47	16.15	14.52	16.34	14.66	16.63	10.69	10.71	
1/24/2023	-	20.49	17.11	14.65	16.38	18.76	17.17	17.00	17.06	15.81	18.01	20.44	20.05	18.36	18.41	-	-	16.95	14.72	16.35	14.78	16.51	14.79	16.81	10.71	10.99	
6/21/2023	-	18.31	15.85	13.43	15.37	18.61	16.13	16.13	16.01	14.38	16.92	19.22	18.96	17.41	17.31	-	-	15.87	13.80	15.54	13.85	15.53	13.86	15.81	9.95	9.99	

Measuring Point Elevations - Elevations referenced to a U.S.G.S. Benchmark (feet MSL), unless noted

Top of Casing Elevation - based on site reference datum of 100'*

Initial Survey	102.32	-	98.26	95.06	97.52	101.12	98.09	98.40	-	96.45	99.19	101.91	101.63	99.84	99.77	96.91	96.88	97.99	95.05	97.48	95.09	97.62	-	-	91.08	90.94
Resurvey (2021)	-	983.05	978.28	975.53	977.30	981.47	978.49	978.47	978.32	976.62	979.62	982.31	982.05	979.79	979.85	-	-	978.35	975.53	977.30	970.88	977.43	975.58	977.69	970.81	970.88

Ground Surface Elevation

Initial Survey	102.82	-	98.76	95.56	98.02	101.62	98.59	98.90	-	96.95	99.69	102.41	102.13	100.34	100.27	97.41	97.38	98.49	95.55	97.98	95.59	98.12	-	-	91.58	91.44
Resurvey (2021)	-	983.51	978.63	976.04	977.94	982.12	978.82	978.87	978.66	977.00	979.93	982.80	982.54	980.30	980.32	-	-	978.88	976.00	977.92	975.98	977.90	975.93	977.96	971.29	971.23

Depth to Water (feet) below Ground Surface

Average	20.46	19.62	17.17	14.82	16.81	19.36	17.27	17.10	17.33	16.23	18.66	20.47	19.97	18.42	17.82	15.85	16.48	17.25	14.83	16.46	14.89	16.62	15.21	17.03	10.91	10.97
Maximum	21.28	21.61	18.47	16.14	17.87	20.74	18.60	18.88	17.95	19.05	21.43	21.75	21.52	19.71	19.61	17.36	18.07	18.45	15.86	17.45	15.90	17.61	15.98	17.63	12.01	11.69
Minimum	19.11	18.23	15.15	12.80	14.70	17.98	15.33	15.30	16.35	13.81	16.17	18.51	18.13	16.64	15.30	14.08	14.42	15.30	12.99	14.62	13.07	14.79	14.21	16.08	9.79	9.96
Range	2.17	3.38	3.32	3.34	3.17	2.76	3.27	3.58	1.60	5.24	5.26	3.24	3.39	3.07	4.31	3.28	3.65	3.15	2.87	2.83	2.83	2.82	1.77	1.55	2.22	1.73

Water Level Elevation - Elevations referenced to a U.S.G.S. Benchmark (feet MSL), unless noted

Date	MW-A1	MW-A1R	MW-A2	MW-A3	MW-A4	MW-12 (Badger)	MW-14	MW-14P	MW-14P60	MW-15	MW-16	MW-17	MW-17P	MW-18	MW-18P	MW-19	MW-19P	PZ-1	PZ-A-3	PZ-A-4	PZ-B-3	PZ-B-4	PZ-C-3	PZ-C-4	PZ-2	PZ-3
3/29/2007	81.54	-	80.50	79.77	80.50	-	80.33	80.05	-	80.21	80.56	80.93	80.88	-	-	-	-	-	-	-	-	-	-	-	-	-
8/2/2007	81.63	-	80.29	79.42	80.15	-	79.99	80.02	-	79.87	80.29	80.66	80.61	-	-	-	-	-	-	-	-	-	-	-	-	-
10/9/2008	-	-	81.74	80.69	81.44	-	81.28	81.57	-	81.18	81.61	82.00	81.97	81.83	81.87	81.88	81.05	81.34	80.63	81.45	80.59	81.45	-	-	-	-
1/12/2009	-	-	80.71	79.75	80.54	-	80.10	82.17	-	77.90	78.26	81.22	82.52	80.76	83.48	80.05	79.31	80.28	79.69	80.53	79.69	80.51	-	-	-	-
5/19/2010	-	-	80.95	80.03	80.56	-	80.42	80.47	-	80.34	80.65	81.05	81.05	80.63	80.66	80.47	80.04	80.51	79.86	80.60	79.87	80.56	-	-	-	-
10/18/2010	83.71	-	82.18	81.17	81.94	-	81.57	83.60	-	79.37	79.75	82.74	84.00	82.17	84.97	81.50	80.76	81.69	81.09	81.94	81.07	81.92	-	-	-	-
2/14/2011	82.57	-	80.94	79.98	80.68	-	80.31	82.32	-	78.03	78.48	81.46	82.80	81.12	83.61	80.45	79.60	80.40	79.79	80.72	79.91	80.70	-	-	-	-
6/18/2013	-	-	83.61	82.76	83.32	83.64	83.21	83.25	-	83.14	83.52	83.90	83.81	83.70	83.71	83.33	82.96	83.19	82.56	83.36	82.52	83.33	-	-	-	-
9/18/2013	-	-	81.86	80.80	81.57	81.90	81.39	81.69	-	81.27	81.74	82.10	82.07	81.88	81.81	82.11	81.15	81.37	80.65	81.56	80.63	81.53	-	-	-	-
9/18/2018	-	-	82.97	82.40	-	83.09	82.62	82.95	-	82.51	82.88	83.30	83.29	82.93	83.01	82.67	82.30	82.64	82.38	82.76	81.89	82.75	-	-	81.79	81.48
10/8/2020	-	-	82.71	82.36	-	82.81	83.26	82.62	-	82.28	82.55	82.99	82.96	82.87	82.70	-	-	-	81.50	82.33	81.52	82.30	-	-	81.38	81.14
10/27/2021	-	-	961.33	960.72	960.81	961.82	961.26	961.26	-	961.14	961.63	962.06	962.05	961.47	961.48	-	-	961.26	960.58	960.82	955.90	960.77	-	-	959.82	959.71
11/17/2021	-	965.28	-	-	-	-	-	-	960.87	-	-	-	-	-	-	-	-	-	-	-	-	-	959.95	960.49	-	-
4/11/2022	-	961.90	960																							

Table 2a
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-A1													
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20			
Sampler-->			METCO										REI			
VOC's (µg/L)	ES	PAL														
Benzene	5	0.5	<0.47	2.56	<0.24	0.24	<0.38	<0.38	<0.5	<0.24						
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32						
Bromochloromethane	--	--	-	-	-	-	-	-	-	-						
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37						
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35						
Bromomethane	10	1	-	-	-	-	-	-	-	-						
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35						
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33						
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36						
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33						
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24						
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63						
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28						
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81						
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21						
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21						
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88						
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22						
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44						
Dibromomethane	--	--	-	-	-	-	-	-	-	-						
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36						
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28						
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3						
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44						
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3						
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41						
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4						
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38						
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35						
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32						
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33						
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36						
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-						
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<0.33						
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-						
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23						
Ethylbenzene	700	140	<0.38	0.9	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55						
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5						
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3						
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31						
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5						
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23						
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7						
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25						
Styrene	100	10	-	-	-	-	-	-	-	-						
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33						
1,1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45						
Tetrachloroethene	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	0.63	0.44	<0.33						
Toluene	800	160	<0.46	4.60	0.45	1.33	<0.72	<0.72	<0.53	<0.69						
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8						
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98						
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33						
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34						
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33						
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71						
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-						
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2						
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4						
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<2.2						
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18						
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69						
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63						
Xylene (Total)	2000	400	<0.99	3.17	<1.67	<1.67	<1.62	<1.62	<1.9	<0.69						

Well Not
Sampled
Missing /
Destroyed

Well Not
Sampled
Missing /
Destroyed

Well Not
Sampled
Missing /
Destroyed

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NA = Not Sampled

NS = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

Bold
Italic

Exceeds Preventive Action Limit (PAL) =

Well Construction
Well Depth (ft) 25.5
Screen Interval (ft) 15.5-25.5

Table 2b
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

VOC's (µg/L)	Location-->		MW-AIR				
	ES	PAL	Date-->				
			11/17/21	4/11/2022	8/10/22	1/24/23	6/21/23
Sampler-->			REI				
Benzene	5	0.5	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<1.2	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	<0.3	<0.3	<0.3	<0.30	<0.38
2,2-Dichloropropane	--	--	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,1,2,2-Tetrachloroethane	0.2	0.02	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	<0.41	<0.41	<0.41	<0.41	<0.47
Toluene	800	160	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	<0.3	<0.3	<0.3	<0.30	<0.33
1,1,2-Trichloroethane	5	0.5	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NA = Not Sampled

NS = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

Bold
Italic

Exceeds Preventive Action Limit (PAL) =

Well Construction
Well Depth (ft) 25
Screen Interval (ft) 15-25

Table 2c
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-A2																
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23	
Sampler-->			METCO									REI							
VOC's (µg/L)	ES	PAL																	
Benzene	5	0.5	<4.7	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	<0.30	
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34	
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-	
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.42	<0.42	<0.42	<0.42	<0.36	
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42	
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-	
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.71	
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<0.33	
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37	
Carbon tetrachloride	5	0.5	<4.6	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34	
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29	
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62	
Chloroform	6	0.6	<4.8	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	0.42	0.28	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	<0.33	
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	<0.74	
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34	
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	<0.39	
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49	
Dichlorodifluoromethane	1000	200	<4.6	1.39	1.14	<0.76	<0.7	<0.7	<1.8	0.95	1.07	0.81 ¹	<0.80	<0.46	<0.46	<0.46	<0.46	0.34 ¹	
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43	
cis-1,2-Dichloroethene	70	7	<6.8	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<0.50	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39	
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38	
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<0.41	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41	
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48	
Ethylbenzene	700	140	<3.8	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	<0.33	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<0.81	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	<0.34	
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<0.47	
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	<0.79	
Methyl-tert-butyl ether	60	12	<5.2	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47	
Naphthalene	100	10	<18	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<1.4	
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	<0.39	
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	-	
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43	
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55	
Tetrachloroethene	5	0.5	190	170	47	29.6	11.6	5.4	7.5	41	7.7	14.2	1.9	2.0	9.6	1.5	2.0	1.85¹	
Toluene	800	160	<4.6	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29	<0.29	<0.33	
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4	
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63	
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33	
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42	
Trichloroethene	5	0.5	<4.4	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.38	
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<0.33	
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-	
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	<0.45	<0.45	<0.45	<0.45	<0.35	
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	<0.36	<0.36	<0.36	<0.36	<0.41	
Trimethylbenzenes (Total)	480	96	<15.7	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71	<0.81	<0.81	<0.81	<0.81	<0.76	
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15	
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	<0.70	<0.70	<0.70	<0.70	<0.64	
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.37	
Xylene (Total)	2000	400	<9.9	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73	<1.05	<1.05	<1.05	<1.05	<1.01	

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
Well Depth (ft) 23
Screen Interval (ft) 13-23

Table 2d
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-A3															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23
Sampler-->			METCO									REI						
VOC's (µg/L)	ES	PAL																
Benzene	5	0.5	<0.47	<0.47	0.32	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	1.7	<0.33	<0.41	<0.41	<0.41	<0.41	<0.47
Toluene	800	160	<0.46	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	<0.42	0.42 ^J	0.42 ^J	0.60 ^J	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	<0.99	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)
 < = Concentration Below Laboratory Detection Limit
 NS = Not Sampled
 NA = No Standard/Not Applicable
^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
 Exceeds Enforcement Standard (ES) = **Bold**
 Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
 Well Depth (ft) 23
 Screen Interval (ft) 13-23

Table 2e
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-A4																
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23	
Sampler-->			METCO											REI					
VOC's (µg/L)	ES	PAL																	
Benzene	5	0.5	<0.47	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24			0.40	<0.30	<0.30	<0.30	<0.30	
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32			<0.36	<0.36	<0.36	<0.36	<0.34	
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-			<0.36	<0.36	<0.36	<0.36	-	
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37			<0.42	<0.42	<0.42	<0.42	<0.36	
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35			<3.8	<3.8	<3.8	<3.8	<0.42	
Bromomethane	10	1	-	-	-	-	-	-	-	-	-			<1.2	<1.2	<1.2	<1.2	-	
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35			<0.86	<0.86	<0.86	<0.86	<0.71	
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33			<0.42	<0.42	<0.42	<0.42	<0.33	
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36			<0.59	<0.59	<0.59	<0.59	<0.37	
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33			<0.37	<0.37	<0.37	<0.37	<0.34	
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24			<0.86	<0.86	<0.86	<0.86	<0.29	
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63			<1.4	<1.4	<1.4	<1.4	<0.62	
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28			<1.2	<1.2	<1.2	<1.2	<i>0.64¹</i>	
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81			<1.6	<1.6	<1.6	<1.6	<0.74	
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21			<0.89	<0.89	<0.89	<0.89	<0.34	
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21			<0.89	<0.89	<0.89	<0.89	<0.40	
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88			<2.4	<2.4	<2.4	<2.4	<0.74	
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22			<2.6	<2.6	<2.6	<2.6	<0.36	
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44			<0.31	<0.31	<0.31	<0.31	<0.39	
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-			<0.99	<0.99	<0.99	<0.99	-	
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36			<0.33	<0.33	<0.33	<0.33	<0.40	
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28			<0.35	<0.35	<0.35	<0.35	<0.35	
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3			<0.89	<0.89	<0.89	<0.89	<0.49	
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44			<0.46	<0.46	<0.46	<0.46	<0.30	
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3			<0.30	<0.30	<0.30	<0.30	<0.43	
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41			<0.29	<0.29	<0.29	<0.29	<0.43	
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4			<0.58	<0.58	<0.58	<0.58	<0.43	
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38			<0.47	<0.47	<0.47	<0.47	<0.32	
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35			<0.53	<0.53	<0.53	<0.53	<0.50	
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32			<0.45	<0.45	<0.45	<0.45	<0.39	
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33			<0.3	<0.3	<0.3	<0.3	<0.38	
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36			<4.2	<4.2	<4.2	<4.2	-	
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-			<0.41	<0.41	<0.41	<0.41	-	
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-			<0.36	<0.36	<0.36	<0.36	<0.41	
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-			<3.5	<3.5	<3.5	<3.5	<0.41	
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23			<1.1	<1.1	<1.1	<1.1	<0.48	
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55			<0.33	<0.33	<0.33	<0.33	<0.33	
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5			<2.7	<2.7	<2.7	<2.7	<0.81	
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3			<1.0	<1.0	<1.0	<1.0	<0.34	
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31			<1.0	<1.0	<1.0	<1.0	<0.47	
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5			0.75	0.75	0.75	<0.32	<0.79	
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23			<1.1	<1.1	<1.1	<1.1	<0.47	
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7			<1.1	<1.1	<1.1	<1.1	<1.4	
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25			<0.35	<0.35	<0.35	<0.35	<0.39	
Styrene	100	10	-	-	-	-	-	-	-	-	-			<0.36	<0.36	<0.36	<0.36	-	
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33			<0.36	<0.36	<0.36	<0.36	<0.43	
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45			<0.38	<0.38	<0.38	<0.38	<0.55	
Tetrachloroethene	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33			<0.41	<0.41	<0.41	<0.41	<0.47	
Toluene	800	160	<0.46	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69			<0.29	<0.29	<0.29	<0.29	<0.33	
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8			<1.0	<1.0	<1.0	<1.0	<1.4	
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98			<0.95	<0.95	<0.95	<0.95	<0.63	
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33			<0.3	<0.3	<0.3	<0.3	<0.33	
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34			<0.34	<0.34	<0.34	<0.34	<0.42	
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33			<0.32	<0.32	<0.32	<0.32	<0.38	
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71			<0.42	<0.42	<0.42	<0.42	<0.33	
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-			<0.56	<0.56	<0.56	<0.56	-	
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2			<0.45	<0.45	<0.45	<0.45	<0.35	
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4			<0.36	<0.36	<0.36	<0.36	<0.41	
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6			<0.81	<0.81	<0.81	<0.81	<0.76	
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18			<0.17	<0.17	<0.17	<0.17	<0.15	
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69			<0.70	<0.70	<0.70	<0.70	<0.64	
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63			<0.35	<0.35	<0.35	<0.35	<0.37	
Xylene (Total)	2000	400	<0.99	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32			<1.05	<1.05	<1.05	<1.05	<1.01	

**Not
Sampled
Well
Asphalted
Over**

**Not
Sampled
Well
Asphalted
Over**

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
Well Depth (ft) 23
Screen Interval (ft) 13-23

Table 2f
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-12														
Date-->			9/6/00	7/13/01	10/30/01	2/13/02	3/23/04	7/2/12	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23
Sampler-->			Metco						REI								
VOC's (µg/L)	ES	PAL															
Benzene	5	0.5	44	10	6.2	4.4	<0.41			3.01	<0.24	<0.25	0.31 ^J	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-			<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-			-	-	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-			<0.37	<0.37	<0.36	<0.36	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	-			<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-			-	-	<0.97	<0.97	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-			3.3	2.37	<0.71	<0.71	<0.86	<0.86	<0.86	0.75 ^J
sec-Butylbenzene	--	--	-	-	-	-	-			1.16	0.82 ^J	<0.85	<0.85	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-			<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	-	-	-	-	-			<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-			<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-			<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	-	-	-	-	-			<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	-	-	-	-	-			<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-			<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-			<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-			<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-			<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-			<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-			-	-	<0.94	<0.94	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-			<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-			<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-			<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	-	-	-	-	-			<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-			<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-			<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-			<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	-	-	-	-	-			<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-			<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-			<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-			<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-			<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-			-	-	<0.54	<0.54	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-			-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-			-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-			<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	473	52	29	24	5.6			9.8	2.47	0.40 ^J	1.1 ^J	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-			<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-			1.58	1.15	<0.39	<1.7	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-			0.70 ^J	0.38 ^J	<0.80	<0.80	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-			<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<0.5	<9.2	<9.2	<0.46	<0.62			<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	27.3	-	-	-	-			2.37 ^J	<1.7	<1.2	2.2 ^J	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-			4.9	4.1	<0.81	2.0 ^J	<0.35	0.41 ^J	<0.35	0.54 ^J
Styrene	100	10	-	-	-	-	-			-	-	<0.47	<3.0	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-			<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-			<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	-	-	-	-	-			<0.33	<0.33	<0.33	<0.33	<0.41	<0.41	<0.41	<0.47
Toluene	800	160	1,490	170	45	21	2			38	1.86 ^J	0.68 ^J	<0.27	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-			<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-			<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-			<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-			<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	-	-	-	-	-			<0.33	<0.33	<0.26	<0.26	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-			<0.71	<0.71	<0.21	<0.21	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-			-	-	<0.59	<0.59	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-			36	12.8	<0.84	1.1 ^J	<0.45	0.82 ^J	<0.45	3.2
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-			2.05 ^J	5.3	<0.87	<0.87	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	791	196	307	262	67			36	18.1	<1.71	<1.71	<0.81	0.82 ^J	<0.81	3.2
Vinyl chloride	0.2	0.02	-	-	-	-	-			<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-			76	3.9	1.1 ^J	<0.47	<0.70	<0.70	<0.70	2.96
o-Xylene	--	--	-	-	-	-	-			42	4.1	0.36 ^J	0.64 ^J	<0.35	<0.35	<0.35	3.5
Xylene (Total)	2000	400	2,430	590	440	310	31.8			118	8	1.46 ^J	0.64 ^J	<1.05	<1.05	<1.05	6.46

Well Not Sampled

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) = **Bold**

Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
 Well Depth (ft) 28.5
 Screen Interval (ft) 13.5-28.5

Table 2g
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-14															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23
Sampler-->			METCO									REI						
VOC's (µg/L)	ES	PAL																
Benzene	5	0.5	<0.47	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<3.3	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	2.87	16.4	16.6	7.8	<0.43	0.45	<0.44	<i>1.03¹</i>	218	<i>1.8</i>	<0.33	<0.41	<i>0.98¹</i>	7.8	<0.41	<i>3.7</i>
Toluene	800	160	<0.46	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<i>0.57</i>	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	<0.99	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)
 < = Concentration Below Laboratory Detection Limit
 NS = Not Sampled
 NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
 Exceeds Enforcement Standard (ES) = **Bold**
 Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
 Well Depth (ft) 27
 Screen Interval (ft) 17-27

Table 2h
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-14P															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23
Sampler-->			METCO									REI						
VOC's (µg/L)	ES	PAL																
Benzene	5	0.5	<23.5	<23.5	<24	<24	<38	<19	<25	<2.4	<2.4	<0.25	<2.5	<0.30	<3.0	<3.0	<3.0	<1.5
Bromobenzene	--	--	-	-	-	-	-	-	-	<3.2	<3.2	<0.24	<2.4	<0.36	<3.6	<3.6	<3.6	<1.7
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<3.6	<0.36	<3.6	<3.6	<3.6	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<3.7	<3.7	<0.36	<3.6	<0.42	<4.2	<4.2	<4.2	<1.8
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<3.5	<3.5	<4.0	<39.7	<3.8	<38.0	<38.0	<38.0	<2.1
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<9.7	<1.2	<11.9	<11.9	<11.9	-
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.5	<3.5	<0.71	<7.1	<0.86	<8.6	<8.6	<8.6	<3.55
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.85	<8.5	0.49 ¹	<4.2	<4.2	<4.2	<1.65
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<0.30	<3.0	<0.59	<5.9	<5.9	<5.9	<1.85
Carbon tetrachloride	5	0.5	<23	<23	<30	<30	<0.25	<12.5	<23.5	<3.3	<3.3	<0.17	<10.8	<0.37	<3.7	<3.7	<3.7	<1.7
Chlorobenzene	--	--	-	-	-	-	-	-	-	<2.4	<2.4	<0.71	<7.1	<0.86	<8.6	<8.6	<8.6	<1.45
Chloroethane	400	80	-	-	-	-	-	-	-	<6.3	<6.3	<1.3	<13.4	<1.4	<13.8	<13.8	<13.8	<3.1
Chloroform	6	0.6	<24	<24	<47	<47	<0.32	<16	<24.5	<2.8	<2.8	<1.3	<12.7	<1.2	<11.8	<11.8	<11.8	<1.65
Chloromethane	30	3	-	-	-	-	-	-	-	<8.1	<8.1	<2.2	<21.9	<1.6	<16.4	<16.4	<16.4	<3.7
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.93	<9.3	<0.89	<8.9	<8.9	<8.9	<1.7
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.76	<7.6	<0.89	<8.9	<8.9	<8.9	<2.0
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<8.8	<8.8	<1.8	<17.6	<2.4	<23.7	<23.7	<23.7	<3.7
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<2.2	<2.2	<2.6	<26.0	<2.6	<26.4	<26.4	<26.4	<1.8
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<4.4	<4.4	<0.83	<8.3	<0.31	<3.1	<3.1	<3.1	<1.95
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<9.4	<0.99	<9.9	<9.9	<9.9	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<3.6	<3.6	<0.71	<7.1	<0.33	<3.3	<3.3	<3.3	<2.0
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<2.8	<2.8	<0.63	<6.3	<0.35	<3.5	<3.5	<3.5	<1.75
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<3	<3	<0.94	<9.4	<0.89	<8.9	<8.9	<8.9	<2.45
Dichlorodifluoromethane	1000	200	<23	<23	<76	<76	<0.7	<35	<90	<2.2	<4.4	<0.50	<5.0	<0.46	<4.6	<4.6	<4.6	<1.5
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<3	<3	<0.27	<2.7	<0.30	<3.0	<3.0	<3.0	<2.15
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<4.1	<4.1	<0.28	<2.8	<0.29	<2.9	<2.9	<2.9	<2.15
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<4	<4	<0.24	<2.4	<0.58	<5.8	<5.8	<5.8	<2.15
cis-1,2-Dichloroethene	70	7	<34	<34	<44	<44	<0.78	<39	<37	<3.8	<3.8	<0.27	<2.7	<0.47	<4.7	<4.7	<4.7	<1.6
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<3.5	<3.5	<1.1	<4.6	<0.53	<5.3	<5.3	<5.3	<2.5
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<3.2	<3.2	<0.28	<2.8	<0.45	<4.5	<4.5	<4.5	<1.95
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.83	<8.3	<0.3	<3.0	<3.0	<3.0	<1.9
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<2.3	<22.7	<4.2	<41.8	<41.8	<41.8	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<5.4	<0.41	<4.1	<4.1	<4.1	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<36.3	<0.36	<3.6	<3.6	<3.6	<2.05
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<43.7	<3.5	<34.6	<34.6	<34.6	<2.05
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<23	<23	<1.9	<18.9	<1.1	<11.0	<11.0	<11.0	<2.4
Ethylbenzene	700	140	<19	<19	<35	<35	<55	<27.5	<39	<5.5	<5.5	<0.22	<3.2	<0.33	<3.3	<3.3	<3.3	<1.65
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<15	<15	<1.2	<14.6	<2.7	<27.4	<27.4	<27.4	4.05
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<3	<3	<0.39	<16.9	2.0 ¹	<10.0	<10.0	<10.0	3.6 ¹
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<3.1	<3.1	<0.80	<8.0	<1.0	<10.4	<10.4	<10.4	<2.35
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<5	<5	<0.58	<5.8	<0.32	<3.2	<3.2	<3.2	<3.95
Methyl-tert-butyl ether	60	12	<26	<26	<70	<70	<25	<12.5	<40	<2.3	<2.3	<1.2	<12.5	<1.1	<11.3	<11.3	<11.3	<2.35
Naphthalene	100	10	<90	<90	<180	<180	<240	<120	<105	<17	<17	<1.2	<11.8	5.5	<11.3	<11.3	<11.3	<7.0
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<2.5	<2.5	<0.81	<8.1	<0.35	<3.5	<3.5	<3.5	<1.95
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<30.1	<0.36	<3.6	<3.6	<3.6	<2.15
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<3.3	<3.3	<0.27	<2.7	<0.36	<3.6	<3.6	<3.6	<2.15
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<4.5	<4.5	<0.28	<2.8	<0.38	<3.8	<3.8	<3.8	<2.75
Tetrachloroethene	5	0.5	3,100	4,600	3,600	4,300	2,690	2,140	1,170	1,270	1,240	1,480	1,790	576	962	731	993	610
Toluene	800	160	<23	<23	<39	<39	<72	<36	<26.5	<6.9	<6.9	<0.17	<2.7	<0.29	<2.9	<2.9	<2.9	<1.65
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<18	<18	<0.63	<22.1	<1.0	<10.2	<10.2	<10.2	<7.0
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<9.8	<9.8	<0.95	<9.5	<0.95	<9.5	<9.5	<9.5	<3.15
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<3.3	<3.3	<0.24	<2.4	<0.3	<3.0	<3.0	<3.0	<1.65
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<3.4	<3.4	<0.55	<5.5	<0.34	<3.4	<3.4	<3.4	<2.1
Trichloroethene	5	0.5	<22	<22	<47	<47	<0.39	<19.5	<23.5	<3.3	<3.3	<i>0.87¹</i>	<2.6	<i>0.99¹</i>	<3.2	<3.2	<3.2	<1.9
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<7.1	<7.1	<0.21	<2.1	<0.42	<4.2	<4.2	<4.2	<1.65
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<5.9	<0.56	<5.6	<5.6	<5.6	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<22	<22	<0.84	22.2 ¹	6.7	<4.5	<4.5	<4.5	18.5
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<14	<14	<0.87	<8.7	<0.36	<3.6	<3.6	<3.6	<2.05
Trimethylbenzenes (Total)	480	96	<78.5	<78.5	<74	<74	<120	<60	<77	<36	<36	<1.71	22.2 ¹	6.7	<1.7	<1.7	<1.7	18.5
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<1.8	<1.7	<0.17	<1.7	<0.17	<1.7	<1.7	<1.7	<0.75
m&p-Xylene	--	--	-	-	-	-	-	-	-	<6.9	<6.9	<0.47	5.5 ¹	2.1	<5.3	<5.3	<5.3	<3.2
o-Xylene	--	--	-	-	-	-	-	-	-	<6.3	<6.3	<0.26	4.9 ¹	1.1	<3.5	<3.5	<3.5	3.7 ¹
Xylene (Total)	2000	400	<49.5	<49.5	<167	<167	<162	<81	<95	<13.2	<13.2	<0.73	10.4 ¹	3.2	<10.5	<10.5	<10.5	3.7 ¹

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) = **Bold**

Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction

Well Depth (ft) 45

Screen Interval (ft) 40-45

Table 2i
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW14-P60				
Date-->			11/17/21	04/11/22	08/09/22	01/24/23	06/21/23
Sampler-->			REI				
VOC's (µg/L)	ES	PAL					
Benzene	5	0.5	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	<0.42	0.60 ^J	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<1.2	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	3.3	40	18.5	12.6	18.6
Toluene	800	160	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)
 < = Concentration Below Laboratory Detection Limit
 NS = Not Sampled
 NA = No Standard/Not Applicable
^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
 Exceeds Enforcement Standard (ES) = **Bold**
 Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
 Well Depth (ft) 60
 Screen Interval (ft) 55-60

Table 2j
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-15															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/21/27	4/11/22	8/9/22	1/24/23	6/21/23
Sampler-->			METCO									REI						
VOC's (µg/L)	ES	PAL																
Benzene	5	0.5	<4.7	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<4.6	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<4.8	<0.58	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	3.7¹	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<4.6	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<6.8	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	6.4	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<5.2	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<18	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	<5.2	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.33	<0.41	<0.41	<0.41	<0.41	<0.47
Toluene	800	160	<4.6	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	0.18 ¹	<0.27	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<4.4	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	113.1	48.4	<0.74	7.94	14.03	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	188.7	3.96	<1.67	<1.67	2.01	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

Bold

Exceeds Preventive Action Limit (PAL) =

Italic

Well Construction

Well Depth (ft) 25

Screen Interval (ft) 15-25

Table 2k
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-16															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23
Sampler-->			METCO									REI						
VOC's (µg/L)	ES	PAL																
Benzene	5	0.5	<4.7	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<4.6	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<4.8	2.29	<i>0.63</i>	<i>0.78</i>	0.48	<0.32	1.02	<0.28	<i>0.79^J</i>	25.5	<1.3	9.5	8.4	7.1	9.2	<i>0.60^J</i>
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<4.6	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<6.8	4.8	0.98	0.81	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<3.8	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<5.2	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<18	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	52	45	18.8	36	30	10.5	58	<i>0.38^J</i>	7.8	7.2	<0.33	6.8	7.7	6.7	8.9	<i>1.35^J</i>
Toluene	800	160	<4.6	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<4.4	1.68	<i>0.63</i>	<i>0.66</i>	<0.39	<0.39	0.49	<0.33	<0.33	<i>0.31^J</i>	<0.26	<i>0.33^J</i>	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<15.7	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	<9.9	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)
 < = Concentration Below Laboratory Detection Limit
 NS = Not Sampled
 NA = No Standard/Not Applicable
^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
 Exceeds Enforcement Standard (ES) = **Bold**
 Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
 Well Depth (ft) 21
 Screen Interval (ft) 11-21

Table 21
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-17															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18*	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23
Sampler-->			METCO									REI						
VOC's (µg/L)	ES	PAL																
Benzene	5	0.5	<23.5	5.2	<2.4	<2.4	<3.8	<3.8	<5	<2.4	<2.4	<0.25	<0.25	<0.30	<0.30	<1.5	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	-	-	<3.2	<3.2	<0.24	<0.24	<0.36	<0.36	<1.8	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<1.8	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<3.7	<3.7	<0.36	<0.36	<0.42	<0.42	<2.1	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<3.5	<3.5	<4.0	<4.0	<3.8	<3.8	<1.9	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<6.0	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.5	<3.5	<0.71	<0.71	<0.86	<0.86	<4.3	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.85	<0.85	<0.42	<0.42	<2.1	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<0.30	<0.30	<0.59	<0.59	<2.9	<0.59	<0.37
Carbon tetrachloride	5	0.5	<23	<4.6	<3	<3	<0.25	<2.5	<4.7	<3.3	<3.3	<0.17	<1.1	<0.37	<0.37	<1.8	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	-	-	<2.4	<2.4	<0.71	<0.71	<0.86	<0.86	<4.3	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	-	-	<6.3	<6.3	<1.3	<1.3	<1.4	<1.4	<6.9	<1.4	<0.62
Chloroform	6	0.6	<24	<4.8	<4.7	<4.7	<0.32	<3.2	<4.9	<2.8	<2.8	<1.3	<1.3	<1.2	<1.2	<5.9	<1.2	<0.33
Chloromethane	30	3	-	-	-	-	-	-	-	<8.1	<8.1	<2.2	<2.2	<1.6	<1.6	<8.2	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.93	<0.93	<0.89	<0.89	<4.4	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<2.1	<2.1	<0.76	<0.76	<0.89	<0.89	<4.5	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<8.8	<8.8	<1.8	<1.8	<2.4	<2.4	<11.8	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<2.2	<2.2	<2.6	<2.6	<2.6	<2.6	<13.2	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<4.4	<4.4	<0.83	<0.83	<0.31	<0.31	<1.5	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<5.0	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<3.6	<3.6	<0.71	<0.71	<0.33	<0.33	<1.6	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<2.8	<2.8	<0.63	<0.63	<0.35	<0.35	<1.8	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<3	<3	<0.94	<0.94	<0.89	<0.89	<4.5	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<23	<4.6	<7.6	<7.6	<0.7	<7	<18	<2.2	<4.4	<0.50	<0.50	<0.46	<0.46	<2.3	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<3	<3	<0.27	<0.27	<0.30	<0.30	<1.5	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<4.1	<4.1	<0.28	<0.28	<0.29	<0.29	<1.5	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<4	<4	<0.24	<0.24	<0.58	<0.58	<2.9	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<34	<6.8	<4.4	<4.4	<0.78	<7.8	<7.4	<3.8	<3.8	<0.27	<0.27	<0.47	<0.47	<2.4	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<3.5	<3.5	<1.1	<0.46	<0.53	<0.53	<2.6	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<3.2	<3.2	<0.28	<0.28	<0.45	<0.45	<2.2	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.3	<3.3	<0.83	<0.83	<0.3	<0.3	<1.5	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<3.6	<3.6	<2.3	<2.3	<4.2	<4.2	<20.9	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<2.1	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<1.8	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<17.3	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<23	<23	<1.9	<1.9	<1.1	<1.1	<5.5	<1.1	<0.48
Ethylbenzene	700	140	<19	<3.8	<3.5	<3.5	<5.5	<5.5	<7.8	<5.5	<5.5	<0.22	<0.32	<0.33	<0.33	<1.6	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<15	<15	<1.2	<1.5	<2.7	<2.7	<13.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<3	<3	<0.39	<1.7	<1.0	<1.0	<5.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<3.1	<3.1	<0.80	<0.80	<1.0	<1.0	<5.2	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<5	<5	<0.58	<0.58	<0.32	<0.32	<1.6	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<26	<5.2	<7	<7	<2.5	<2.5	<8	<2.3	<2.3	<1.2	<1.2	<1.1	<1.1	<5.6	<1.1	<0.47
Naphthalene	100	10	<90	<18	<18	<18	<24	<24	<21	<17	<17	<1.2	<1.2	<1.1	<1.1	<5.6	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<2.5	<2.5	<0.81	<0.81	<0.35	<0.35	<1.7	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<1.8	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<3.3	<3.3	<0.27	<0.27	<0.36	<0.36	<1.8	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<4.5	<4.5	<0.28	<0.28	<0.38	<0.38	<1.9	<0.38	<0.55
Tetrachloroethene	5	0.5	370	390	500	370	330	620	430	870	430	549	297	455	310	271	294	148
Toluene	800	160	<23	<4.6	<3.9	<3.9	<7.2	<7.2	<5.3	<6.9	<6.9	<0.17	<0.27	<0.29	<0.29	<1.4	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<18	<18	<0.63	<2.2	<1.0	<1.0	<5.1	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<9.8	<9.8	<0.95	<0.95	<0.95	<0.95	<4.8	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<3.3	<3.3	<0.24	<0.24	<0.3	<0.3	<1.5	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<3.4	<3.4	<0.55	<0.55	<0.34	<0.34	<1.7	<0.34	<0.42
Trichloroethene	5	0.5	<22	<4.4	<4.7	<4.7	<0.39	<3.9	<4.7	<3.3	<3.3	<0.26	<0.26	<0.32	<0.32	<1.6	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<7.1	<7.1	<0.21	<0.21	<0.42	<0.42	<2.1	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<2.8	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<22	<22	<0.84	<0.84	<0.45	<0.45	<2.2	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<14	<14	<0.87	<0.87	<0.36	<0.36	<1.8	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<78.5	<15.7	<7.4	<7.4	<12	<12	<15.4	<36	<36	<1.71	<1.71	<0.81	<0.81	<4.0	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<1.8	<1.8	<0.17	<0.17	<0.17	<0.17	<0.87	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	-	-	<6.9	<6.9	<0.47	<0.47	<0.70	<0.70	<3.5	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	-	-	<6.3	<6.3	<0.26	<0.26	<0.35	<0.35	<1.7	<0.35	<0.37
Xylene (Total)	2000	400	<49.5	<9.9	<16.7	<16.7	<16.2	<16.2	<19	<13.2	<13.2	<0.73	<0.73	<1.05	<1.05	<5.2	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

* = Sample was miss labeled as MW-17P in the field

Exceeds Enforcement Standard (ES) =

Bold

Exceeds Preventive Action Limit (PAL) =

Italic

Well Construction

Well Depth (ft) 22

Screen Interval (ft) 12-22

Table 2m
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-17P															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18*	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23
Sampler-->			METCO									REI						
VOC's (µg/L)	ES	PAL																
Benzene	5	0.5	<0.47	<0.47	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<0.46	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<0.48	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	-	-	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.68	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<0.38	<0.38	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<0.52	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<1.8	<1.8	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	<0.52	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.33	<0.41	<0.41	<0.41	<0.41	1.56 ¹
Toluene	800	160	<0.46	<0.46	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<0.44	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<1.57	<1.57	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	<0.99	<0.99	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

* = Sample was miss labeled as MW-17 in the field

Exceeds Enforcement Standard (ES) =

Bold

Exceeds Preventive Action Limit (PAL) =

Italic

Well Construction

Well Depth (ft) 50

Screen Interval (ft) 45-50

Table 2a
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-18													
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/12/22	8/10/22	1/24/23	6/21/23
Sampler-->			METCO							REI						
VOC's (µg/L)	ES	PAL														
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<0.39	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.33	<0.41	<0.41	<0.41	<0.41	<0.47
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

Bold
Italic

Exceeds Preventive Action Limit (PAL) =

Well Construction
Well Depth (ft) 23
Screen Interval (ft) 13-23

Table 2o
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-18P													
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/12/22	8/10/22	1/24/23	6/21/23
Sampler-->			METCO							REI						
VOC's (µg/L)	ES	PAL														
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	14.2	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43
1,1,1-Dichloroethane	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.33	<0.41	<0.41	<0.41	<0.41	<0.47
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
Well Depth (ft) 45
Screen Interval (ft) 40-45

Table 2p
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-19													
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/12/22	8/10/22	1/24/23	6/21/23
Sampler-->			METCO							REI						
VOC's (µg/L)	ES	PAL														
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25						
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24						
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36						
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36						
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0						
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97						
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71						
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85						
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30						
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17						
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71						
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3						
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3						
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2						
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93						
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76						
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8						
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6						
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83						
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94						
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71						
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63						
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94						
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50						
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27						
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28						
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24						
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27						
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1						
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28						
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83						
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3						
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54						
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6						
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4						
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9						
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22						
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2						
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39						
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80						
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58						
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2						
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2						
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81						
Styrene	100	10	-	-	-	-	-	-	-	<0.47						
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27						
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28						
Tetrachloroethene	5	0.5	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33						
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17						
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63						
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95						
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24						
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55						
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26						
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21						
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59						
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84						
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87						
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71						
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17						
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47						
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26						
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73						

Not Sampled Well Asphalted Over
 Not Sampled Well Asphalted Over
 Not Sampled Well Asphalted Over
 Not Sampled Well Asphalted Over
 Not Sampled Well Asphalted Over
 Not Sampled Well Asphalted Over

Notes:
 µg/L - Parts Per Billion (ppb)
 < = Concentration Below Laboratory Detection Limit
 NS = Not Sampled
 NA = No Standard/Not Applicable
 † = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
 Exceeds Enforcement Standard (ES) = **Bold**
 Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
 Well Depth (ft) 23
 Screen Interval (ft) 13-23

Table 2g
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			MW-19P													
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/12/22	8/10/22	1/24/23	6/21/23
Sampler-->			METCO							REI						
VOC's (µg/L)	ES	PAL														
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25						
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24						
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36						
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36						
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0						
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97						
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71						
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85						
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30						
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17						
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71						
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3						
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3						
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2						
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93						
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76						
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8						
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6						
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83						
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94						
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71						
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63						
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94						
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50						
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27						
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28						
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24						
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27						
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1						
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28						
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83						
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3						
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54						
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6						
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4						
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9						
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22						
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2						
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39						
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80						
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58						
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2						
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2						
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81						
Styrene	100	10	-	-	-	-	-	-	-	<0.47						
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27						
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28						
Tetrachloroethene	5	0.5	<0.5	<i>2.92</i>	<i>1.97</i>	<i>1.13</i>	<i>0.57</i>	<i>0.35¹</i>	<0.33	<i>0.84¹</i>						
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17						
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63						
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95						
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24						
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55						
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26						
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21						
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59						
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84						
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87						
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71						
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17						
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47						
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26						
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73						

Not Sampled Well
Asphalted Over

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
Well Depth (ft) 45
Screen Interval (ft) 40-45

Table 2r
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-1															
Date-->			3/29/07	8/2/07	10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/18/20	10/27/21	4/12/22	8/10/22	1/24/23	6/21/23
Sampler-->			METCO									REI						
VOC's (µg/L)	ES	PAL																
Benzene	5	0.5	<i>2.16</i>	<i>2.63</i>	<0.24	<0.38	<i>2.85</i>	<i>1.58</i>	<0.24	<i>0.87</i>	<0.25			<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	-	<0.32	<0.32	<0.24			<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	-	<0.36			<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	-	<0.37	<0.37	<0.36			<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	-	<0.35	<0.35	<4.0			<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	-	<0.97			<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	-	0.51 ¹	3.2	<0.71			<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	-	<0.33	1.55	<0.85			<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	-	<0.36	<0.36	<0.30			<0.89	<0.89	<0.89	<0.89	<0.37
Carbon tetrachloride	5	0.5	<0.46	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17			<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	-	<0.24	<0.24	<0.71			<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	-	<0.63	<0.63	<1.3			<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<0.48	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3			<1.2	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	-	-	-	-	-	-	<0.81	<0.81	<2.2			<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	-	<0.21	<0.21	<0.93			<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	-	<0.21	<0.21	<0.76			<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	-	<0.88	<0.88	<1.8			<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	-	<0.22	<0.22	<2.6			<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	-	<0.44	<0.44	<0.83			<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	-	<0.94			<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	-	<0.36	<0.36	<0.71			<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	-	<0.28	<0.28	<0.63			<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	-	<0.3	<0.3	<0.94			<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.46	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50			<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	-	<0.3	<0.3	<0.27			<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	-	<0.41	<0.41	<0.28			<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-	-	<0.4	<0.4	<0.24			<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.68	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27			<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	-	<0.35	<0.35	<1.1			<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	-	<0.32	<0.32	<0.28			<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	-	<0.33	<0.33	<0.83			<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	-	<0.36	<0.36	<2.3			<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	-	<0.54			<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	<3.6			<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	-	<4.4			<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	-	<0.23	<0.23	<1.9			<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	0.76	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	5.80	<0.22			<0.33	<0.33	3.1	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	-	<1.5	10	<1.2			<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	-	1.67	0.49 ¹	<0.39			<1.0	<1.0	1.7 ¹	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	-	<0.31	<0.31	<0.80			<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	-	<0.5	<0.5	<0.58			<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<0.52	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2			<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	3.16	<i>12.00</i>	<1.8	<2.4	<i>24.5</i>	<2.1	1.84 ¹	<i>11.60</i>	<1.2			<1.1	<1.1	1.8 ¹	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	-	2.28	12.2	<0.81			<0.35	<0.35	1.0 ¹	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	-	<0.47			<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	-	<0.33	<0.33	<0.27			<0.36	<0.36	<0.36	<0.36	<0.43
1,1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	-	<0.45	<0.45	<0.28			<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	<0.52	<0.5	<0.5	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33			<0.41	<0.41	<0.41	<0.41	<0.47
Toluene	800	160	3.06	1.05	<0.39	<0.72	<0.72	1.61	<0.69	22.10	0.30 ¹			<0.29	<0.29	0.32 ¹	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	-	<1.8	<1.8	<0.63			<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	-	<0.98	<0.98	<0.95			<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	-	<0.33	<0.33	<0.24			<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	-	<0.34	<0.34	<0.55			<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<0.44	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26			<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	-	<0.71	<0.71	<0.21			<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	-	<0.59			<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	-	2.9 ¹	6.7 ¹	<0.84			<0.45	<0.45	3.8	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	-	1.85 ¹	7	<0.87			<0.36	<0.36	1.4	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	6.3	19.2	<0.74	<1.20	10.43	<1.54	4.75	13.70	<1.71			<0.81	<0.81	5.2	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	-	<0.18	<0.18	<0.17			<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	-	8	22	<0.47			<0.70	<0.70	3.8	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	-	8.7	51	<0.26			<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	16.4	40.6	<1.67	<1.62	62.7	0.94	16.7	73	<0.73			<1.05	<1.05	3.8	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)
 < = Concentration Below Laboratory Detection Limit
 NS = Not Sampled
 NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) = **Bold**
 Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
 Well Depth (ft) 48
 Screen Interval (ft) 43-48

Table 2s
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-A-3													
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23
Sampler-->			METCO							REI						
VOC's (µg/L)	ES	PAL														
Benzene	5	0.5	290	44	73	980	1,460	500	261	<i>1.2</i>	284	201	<i>0.57¹</i>	18.3	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	<3.2	<3.2	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<3.7	<3.7	<0.36	<0.36	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	<3.5	<3.5	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	3.5 ¹	4.7 ¹	<0.71	5.1	<0.86	<0.86	1.5	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	<3.3	<3.3	<0.85	3.3 ¹	3.3	<0.42	1.3	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	<3.6	<3.6	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<15	<3	<0.25	<5	<4.7	<3.3	<3.3	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	<2.4	<2.4	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	<6.3	<6.3	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<23.5	<4.7	<0.32	<6.4	<4.9	<2.8	<2.8	<1.3	<1.3	2.8 ¹	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	-	-	-	-	-	<8.1	<8.1	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	<2.1	<2.1	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	<2.1	<2.1	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<8.8	<8.8	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<2.2	<2.2	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<4.4	<4.4	<0.83	<0.83	<0.31	0.35 ¹	0.35 ¹	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<3.6	<3.6	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<2.8	<2.8	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<3	<3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<20.5	<7.6	<0.7	<14	<18	<2.2	<4.4	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	<3	<3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<4.1	<4.1	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<4	<4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<22	<4.4	<0.78	<15.6	<7.4	<3.8	<3.8	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<3.5	<3.5	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<3.2	<3.2	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	<3.3	<3.3	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	<3.6	<3.6	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<0.36	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	<23	<23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	138	4	92	750	1280	285	370	0.37 ¹	900	672	<0.33	15.8	3.1	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<15	<15	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	11.4	14.8	<0.39	44.3	30.1	<1.0	5.1	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	<3.1	<3.1	<0.80	1.5 ¹	1.9 ¹	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	<5	<5	<0.58	8.6	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<35	<7	<0.25	<5	<8	<2.3	<2.3	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<90	<18	<i>12.4</i>	<i>96</i>	127	<i>31.1¹</i>	<i>43¹</i>	<1.2	108	<i>87.7</i>	<1.1	<i>13.5</i>	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	22.9	38	<0.81	86.2	62.7	<0.35	15.6	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0	1.7	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<3.3	<3.3	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<4.5	<4.5	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	27.5	36	4.3	<8.6	4.7	<3.3	<3.3	<i>0.66¹</i>	<0.33	<0.41	<0.41	<0.41	<0.41	<0.47
Toluene	800	160	99	4.5	104	440	1,860	69	109	0.22 ¹	528	43.4	<0.29	2.2	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<18	<18	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<9.8	<9.8	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<3.3	<3.3	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<3.4	<3.4	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<23.5	<4.7	<0.39	<7.8	<4.7	<3.3	<3.3	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	<7.1	<7.1	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	105	169	<0.84	315	422	<0.45	24.8	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	28.7 ¹	43 ¹	<0.87	72.1	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	79.5	7.2	57.3	413	864	133.7	212	<1.71	387.1	422	<0.81	24.8	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	<1.8	<7.1	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	301	570	<0.47	1,660	502	<0.70	2.7	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	15.6 ¹	86	<0.26	302	18.1	<0.35	0.36 ¹	<0.35	<0.37
Xylene (Total)	2000	400	268	31	225.6	1,869	3,710	316.6	656	<0.73	1,962	520.1	<1.05	2.7	<1.05	<1.01

Notes:
µg/L - Parts Per Billion (ppb)
< = Concentration Below Laboratory Detection Limit
NS = Not Sampled
NA = No Standard/Not Applicable
¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)
Exceeds Enforcement Standard (ES) = **Bold**
Exceeds Preventive Action Limit (PAL) = *Italic*

Well Construction
Well Depth (ft) 60
Screen Interval (ft) 55-60

Table 2t
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-A-4													
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23
Sampler-->			METCO							REI						
VOC's (µg/L)	ES	PAL														
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	1.2	1.1^j	1.6	1.2	1.3	1.7	1.23^j
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	4.0^j	3.0^j	4.7^j	3.3^j	3.5^j	4.7^j	3.8
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<1.1	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.2	<1.5	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<0.39	<1.7	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	0.75	<0.79
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<0.47	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	<0.5	9.5	<0.43	3.5	<0.44	0.42^j	<0.33	<0.33	<0.33	<0.33	<0.41	<0.41	<0.41	<0.47
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

^j = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

Bold

Exceeds Preventive Action Limit (PAL) =

Italic

Well Construction

Well Depth (ft) 60

Screen Interval (ft) 55-60

Table 2u
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-B-3													
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23
Sampler-->			METCO						REI							
VOC's (µg/L)	ES	PAL														
Benzene	5	0.5	3.50	<0.24	<0.38	21.8	<0.5	<i>0.93</i>	<i>1.36</i>	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	<0.36	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	1.88	1.81	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<1.8	<1.8	<2.4	6.3	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	<0.5	8.4	7.7	35	5	21.9	13.7	<i>1.9</i>	<i>1.5</i>	<i>0.73¹</i>	<i>0.53¹</i>	<i>0.61¹</i>	<i>0.51¹</i>	<0.47
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	0.51	<0.74	<1.20	7.8	<1.54	<3.6	<3.6	<1.71	<1.71	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	<0.63	<i>0.89¹</i>	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	2.78	<1.67	<1.62	18.7	<1.9	<1.32	0.89	<0.73	<0.73	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

Bold

Exceeds Preventive Action Limit (PAL) =

Italic

Well Construction

Well Depth (ft) 70

Screen Interval (ft) 65-70

Table 2v
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-B-4													
Date-->			10/9/08	1/12/09	5/19/10	10/18/10	2/14/11	6/18/13	9/18/13	9/18/18	10/8/20	10/27/21	4/11/22	8/9/22	1/24/23	6/21/23
Sampler-->			METCO							REI						
VOC's (µg/L)	ES	PAL														
Benzene	5	0.5	<0.24	<0.24	<0.38	<0.38	<0.5	<0.24	<0.24	<0.25	<0.25	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	-	-	-	-	-	<0.32	<0.32	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	-	<0.37	<0.37	<0.36	<i>0.44^J</i>	<i>0.96^J</i>	<i>0.70^J</i>	<i>0.72^J</i>	<i>0.89^J</i>	<i>0.60^J</i>
Bromoform	4.4	0.44	-	-	-	-	-	<0.35	<0.35	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	-	<0.35	<0.35	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	-	<0.33	<0.33	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	-	<0.36	<0.36	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<0.3	<0.3	<0.25	<0.25	<0.47	<0.33	<0.33	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	-	<0.24	<0.24	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	-	<0.63	<0.63	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<0.47	<0.47	<0.32	<0.32	<0.49	<0.28	<0.28	<1.3	<1.3	<i>2.9^J</i>	<i>1.7^J</i>	<i>2.0^J</i>	<i>2.3^J</i>	<i>1.85</i>
Chloromethane	30	3	-	-	-	-	-	<0.81	<0.81	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	-	<0.21	<0.21	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	-	<0.88	<0.88	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	-	<0.22	<0.22	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	-	-	-	-	-	<0.44	<0.44	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	-	<0.36	<0.36	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	-	<0.28	<0.28	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	-	<0.3	<0.3	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.76	<0.76	<0.7	<0.7	<1.8	<0.44	<0.44	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	-	<0.3	<0.3	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	-	<0.41	<0.41	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	-	<0.4	<0.4	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.44	<0.44	<0.78	<0.78	<0.74	<0.38	<0.38	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	-	<0.35	<0.35	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	-	<0.32	<0.32	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	-	<0.33	<0.33	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	-	<0.36	<0.36	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	-	<0.23	<0.23	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<0.35	<0.35	<0.55	<0.55	<0.78	<0.55	<0.55	<0.22	<0.32	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	-	<1.5	<1.5	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	-	<0.3	<0.3	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	-	<0.31	<0.31	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	-	<0.5	<0.5	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<0.7	<0.7	<0.25	<0.25	<0.8	<0.23	<0.23	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<1.8	<1.8	<2.4	<2.4	<2.1	<1.7	<1.7	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	-	<0.25	<0.25	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	-	-	-	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	-	<0.33	<0.33	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	-	<0.45	<0.45	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	<0.5	<i>0.96</i>	<0.43	<0.43	<0.44	<0.33	<0.33	<0.33	<0.33	<0.41	<0.41	<0.41	<0.41	<0.47
Toluene	800	160	<0.39	<0.39	<0.72	<0.72	<0.53	<0.69	<0.69	<0.17	<0.27	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	-	<1.8	<1.8	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	-	<0.98	<0.98	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	-	<0.33	<0.33	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	-	<0.34	<0.34	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<0.47	<0.47	<0.39	<0.39	<0.47	<0.33	<0.33	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	-	<0.71	<0.71	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	-	<2.2	<2.2	<0.84	<0.84	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	-	<1.4	<1.4	<0.87	<0.87	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<0.74	<0.74	<1.20	<1.20	<1.54	<3.6	<3.6	<1.71	<1.71	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	-	<0.18	<0.18	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	-	<0.69	<0.69	<0.47	<0.47	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	-	<0.63	<0.63	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	<1.67	<1.67	<1.62	<1.62	<1.9	<1.32	<1.32	<0.73	<0.73	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

Bold
Italic

Exceeds Preventive Action Limit (PAL) =

Well Construction
 Well Depth (ft) 70
 Screen Interval (ft) 65-70

Table 2w
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

VOC's (µg/L)	Location-->		PZ-C-3				
	ES	PAL	Date-->				
			11/17/21	04/11/22	08/09/22	01/24/23	06/21/23
Sampler-->			REI				
Benzene	5	0.5	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<1.2	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	<0.41	<0.41	<0.41	<0.41	<0.47
Toluene	800	160	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	<0.42	0.45 ¹	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

Bold
<i>Italic</i>

Exceeds Preventive Action Limit (PAL) =

Well Construction

Well Depth (ft) 45

Screen Interval (ft) 40-45

Table 2x
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

VOC's (µg/L)	Location-->		PZ-C-4				
	ES	PAL	Date-->				
			11/17/21	04/11/22	08/09/22	01/24/23	06/21/23
Sampler-->			REI				
Benzene	5	0.5	<0.30	<0.30	<0.30	<0.30	<0.30
Bromobenzene	--	--	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	<3.8	5.7	<3.8	<3.8	<0.42
Bromomethane	10	1	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	<i>3.3^j</i>	<i>1.4^j</i>	<i>3.7^j</i>	11.9	7.2
Chloromethane	30	3	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	<0.73 ^j	<0.47	<0.47	0.79 ^j	<0.32
trans-1,2-Dichloroethene	100	20	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	28.8	7.6	17.1	30.6	17.5
Toluene	800	160	<0.29	<0.29	<0.29	<0.29	<0.33
1,2,3-Trichlorobenzene	--	--	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	<i>1.5</i>	<0.32	<0.32	<i>1.4</i>	<i>0.80^j</i>
Trichlorofluoromethane	--	--	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)
 < = Concentration Below Laboratory Detection Limit
 NS = Not Sampled
 NA = No Standard/Not Applicable
^j = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Well Construction
 Well Depth (ft) 45
 Screen Interval (ft) 40-45

Exceeds Enforcement Standard (ES) = **Bold**
 Exceeds Preventive Action Limit (PAL) = *Italic*

Table 2y
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-2										
Date-->			4/14/14	7/14/14	3/9/15	9/9/15	9/18/18	10/8/20	10/27/21	4/12/22	8/10/22	1/24/23	6/21/23
Sampler-->			Metco				REI						
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	140	143	19.6	2,040	20.2	5.2	<0.30	<0.30	<0.30	149	1,130
Bromobenzene	--	--	-	-	-	-	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<17
Bromochloromethane	--	--	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	<0.36	<0.36	<0.42	<0.42	<0.42	<0.42	<18
Bromoform	4.4	0.44	-	-	-	-	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<21
Bromomethane	10	1	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<35.5
sec-Butylbenzene	--	--	-	-	-	-	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<16.5
tert-Butylbenzene	--	--	-	-	-	-	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<18.5
Carbon tetrachloride	5	0.5	-	-	-	-	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<17
Chlorobenzene	--	--	-	-	-	-	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<14.5
Chloroethane	400	80	-	-	-	-	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<31
Chloroform	6	0.6	-	-	-	-	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	<16.5
Chloromethane	30	3	-	-	-	-	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	<37
2-Chlorotoluene	--	--	-	-	-	-	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<17
4-Chlorotoluene	--	--	-	-	-	-	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<20
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<37
Dibromochloromethane	0.6	0.06	-	-	-	-	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<18
1,2-Dibromoethane (EDB)	0.05	0.005	4.1	-	-	-	1.2^J	<0.83	<0.31	<0.31	<0.31	0.52^J	<19.5
Dibromomethane	--	--	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<20
1,3-Dichlorobenzene	600	120	-	-	-	-	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<17.5
1,4-Dichlorobenzene	75	15	-	-	-	-	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<24.5
Dichlorodifluoromethane	1000	200	-	-	-	-	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<15
1,1-Dichloroethane	850	85	-	-	-	-	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<21.5
1,2-Dichloroethane	5	0.5	-	-	-	-	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<21.5
1,1-Dichloroethene	7	0.7	-	-	-	-	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<21.5
cis-1,2-Dichloroethene	70	7	-	-	-	-	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<16
trans-1,2-Dichloroethene	100	20	-	-	-	-	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<25
1,2-Dichloropropane	5	0.5	-	-	-	-	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<19.5
1,3-Dichloropropane	--	--	-	-	-	-	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<19
2,2-Dichloropropane	--	--	-	-	-	-	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<20.5
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<20.5
Diisopropyl ether	--	--	-	-	-	-	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<24
Ethylbenzene	700	140	28.1	17.7	4.6	2,160	16.7	4.3	<0.33	<0.33	<0.33	25.6	1,070
Hexachloro-1,3-butadiene	--	--	-	-	-	-	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<40.5
Isopropylbenzene (cumene)	--	--	-	-	-	-	0.55 ^J	<1.7	<1.0	<1.0	<1.0	<1.0	36 ^J
p-Isopropyltoluene	--	--	-	-	-	-	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<23.5
Methylene Chloride	5	0.5	-	-	-	-	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	<39.5
Methyl-tert-butyl ether	60	12	<0.23	<0.23	<0.49	<55	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<23.5
Naphthalene	100	10	<i>21.30</i>	<i>21</i>	<2.6	167	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<70
n-Propylbenzene	--	--	-	-	-	-	1.0 ^J	<0.81	<0.35	<0.35	<0.35	0.99 ^J	80
Styrene	100	10	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<21.5
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<27.5
Tetrachloroethene	5	0.5	8.7	-	-	-	6.9	3.9	2.6	2.1	<0.41	1.3	<23.5
Toluene	800	160	4	1.96	0.78	400	2.1 ^J	0.50 ^J	<0.29	<0.29	<0.29	38.5	720
1,2,3-Trichlorobenzene	--	--	-	-	-	-	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<70
1,2,4-Trichlorobenzene	70	14	-	-	-	-	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<31.5
1,1,1-Trichloroethane	200	40	-	-	-	-	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<16.5
1,1,2-Trichloroethane	5	0.5	-	-	-	-	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<21
Trichloroethene	5	0.5	-	-	-	-	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<19
Trichlorofluoromethane	--	--	-	-	-	-	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<16.5
1,2,3-Trichloropropane	60	12	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	6.5	<0.84	<0.45	<0.45	<0.45	7.5	301
1,3,5-Trimethylbenzene	--	--	-	-	-	-	1.0 ^J	<0.87	<0.36	<0.36	<0.36	2.7	52 ^J
Trimethylbenzenes (Total)	480	96	27.4	23.2	1.19	999	8.1 ^J	<1.71	<0.81	<0.81	<0.81	10.2	353
Vinyl chloride	0.2	0.02	-	-	-	-	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<7.5
m&p-Xylene	--	--	-	-	-	-	17.0	0.66 ^J	<0.70	<0.70	<0.70	33.2	850
o-Xylene	--	--	-	-	-	-	0.34 ^J	<0.26	<0.35	<0.35	<0.35	7.1	133
Xylene (Total)	2000	400	53.4	50.7	4.5	3,853	17.34 ^J	0.66 ^J	<1.05	<1.05	<1.05	40.3	983

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

Bold

Exceeds Preventive Action Limit (PAL) =

Italic

Well Construction

Well Depth (ft) 70

Screen Interval (ft) 65-70

Table 2z
Groundwater Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Location-->			PZ-3										
Date-->			4/14/14	7/14/14	3/9/15	9/9/15	9/18/18	10/8/20	10/27/21	4/12/22	8/10/22	1/24/23	6/21/23
Sampler-->			Metco				REI						
VOC's (µg/L)	ES	PAL											
Benzene	5	0.5	152	51	30.7	46	4.9	<0.25	<0.30	<0.30	<0.30	0.48 ¹	<0.30
Bromobenzene	--	--	-	-	-	-	<0.24	<0.24	<0.36	<0.36	<0.36	<0.36	<0.34
Bromochloromethane	--	--	-	-	-	-	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	-
Bromodichloromethane	0.6	0.06	-	-	-	-	<0.36	<0.36	<0.42	<0.42	<0.42	<0.42	<0.36
Bromoform	4.4	0.44	-	-	-	-	<4.0	<4.0	<3.8	<3.8	<3.8	<3.8	<0.42
Bromomethane	10	1	-	-	-	-	<0.97	<0.97	<1.2	<1.2	<1.2	<1.2	-
n-Butylbenzene	--	--	-	-	-	-	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.71
sec-Butylbenzene	--	--	-	-	-	-	<0.85	<0.85	<0.42	<0.42	<0.42	<0.42	<0.33
tert-Butylbenzene	--	--	-	-	-	-	<0.30	<0.30	<0.59	<0.59	<0.59	<0.59	<0.37
Carbon tetrachloride	5	0.5	-	-	-	-	<0.17	<1.1	<0.37	<0.37	<0.37	<0.37	<0.34
Chlorobenzene	--	--	-	-	-	-	<0.71	<0.71	<0.86	<0.86	<0.86	<0.86	<0.29
Chloroethane	400	80	-	-	-	-	<1.3	<1.3	<1.4	<1.4	<1.4	<1.4	<0.62
Chloroform	6	0.6	-	-	-	-	<1.3	<1.3	<1.2	<1.2	<1.2	<1.2	<0.33
Chloromethane	30	3	-	-	-	-	<2.2	<2.2	<1.6	<1.6	<1.6	<1.6	<0.74
2-Chlorotoluene	--	--	-	-	-	-	<0.93	<0.93	<0.89	<0.89	<0.89	<0.89	<0.34
4-Chlorotoluene	--	--	-	-	-	-	<0.76	<0.76	<0.89	<0.89	<0.89	<0.89	<0.40
1,2-Dibromo-3-chloropropane	0.2	0.02	-	-	-	-	<1.8	<1.8	<2.4	<2.4	<2.4	<2.4	<0.74
Dibromochloromethane	0.6	0.06	-	-	-	-	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<0.36
1,2-Dibromoethane (EDB)	0.05	0.005	<4.4	-	-	-	<0.83	<0.83	<0.31	<0.31	<0.31	<0.31	<0.39
Dibromomethane	--	--	-	-	-	-	<0.94	<0.94	<0.99	<0.99	<0.99	<0.99	-
1,2-Dichlorobenzene	600	60	-	-	-	-	<0.71	<0.71	<0.33	<0.33	<0.33	<0.33	<0.40
1,3-Dichlorobenzene	600	120	-	-	-	-	<0.63	<0.63	<0.35	<0.35	<0.35	<0.35	<0.35
1,4-Dichlorobenzene	75	15	-	-	-	-	<0.94	<0.94	<0.89	<0.89	<0.89	<0.89	<0.49
Dichlorodifluoromethane	1000	200	-	-	-	-	<0.50	<0.50	<0.46	<0.46	<0.46	<0.46	<0.30
1,1-Dichloroethane	850	85	-	-	-	-	<0.27	<0.27	<0.30	<0.30	<0.30	<0.30	<0.43
1,2-Dichloroethane	5	0.5	-	-	-	-	<0.28	<0.28	<0.29	<0.29	<0.29	<0.29	<0.43
1,1-Dichloroethene	7	0.7	-	-	-	-	<0.24	<0.24	<0.58	<0.58	<0.58	<0.58	<0.43
cis-1,2-Dichloroethene	70	7	-	-	-	-	<0.27	<0.27	<0.47	<0.47	<0.47	<0.47	<0.32
trans-1,2-Dichloroethene	100	20	-	-	-	-	<1.1	<0.46	<0.53	<0.53	<0.53	<0.53	<0.50
1,2-Dichloropropane	5	0.5	-	-	-	-	<0.28	<0.28	<0.45	<0.45	<0.45	<0.45	<0.39
1,3-Dichloropropane	--	--	-	-	-	-	<0.83	<0.83	<0.3	<0.3	<0.3	<0.3	<0.38
2,2-Dichloropropane	--	--	-	-	-	-	<2.3	<2.3	<4.2	<4.2	<4.2	<4.2	-
1,1-Dichloropropene	--	--	-	-	-	-	<0.54	<0.54	<0.41	<0.41	<0.41	<0.41	-
cis-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<3.6	<3.6	<0.36	<0.36	<0.36	<0.36	<0.41
trans-1,3-Dichloropropene	0.4	0.04	-	-	-	-	<4.4	<4.4	<3.5	<3.5	<3.5	<3.5	<0.41
Diisopropyl ether	--	--	-	-	-	-	<1.9	<1.9	<1.1	<1.1	<1.1	<1.1	<0.48
Ethylbenzene	700	140	<i>168</i>	2.52	0.82	3.3	5.7	<0.32	<0.33	<0.33	<0.33	<0.33	<0.33
Hexachloro-1,3-butadiene	--	--	-	-	-	-	<1.2	<1.5	<2.7	<2.7	<2.7	<2.7	<0.81
Isopropylbenzene (cumene)	--	--	-	-	-	-	<0.39	<1.7	<1.0	<1.0	<1.0	<1.0	<0.34
p-Isopropyltoluene	--	--	-	-	-	-	<0.80	<0.80	<1.0	<1.0	<1.0	<1.0	<0.47
Methylene Chloride	5	0.5	-	-	-	-	<0.58	<0.58	<0.32	<0.32	<0.32	<0.32	<0.79
Methyl-tert-butyl ether	60	12	<2.3	<0.23	<0.49	<1.1	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<0.47
Naphthalene	100	10	35	41	14.3	9.4	<1.2	<1.2	<1.1	<1.1	<1.1	<1.1	<1.4
n-Propylbenzene	--	--	-	-	-	-	<0.81	<0.81	<0.35	<0.35	<0.35	<0.35	<0.39
Styrene	100	10	-	-	-	-	<0.47	<3.0	<0.36	<0.36	<0.36	<0.36	-
1,1,1,2-Tetrachloroethane	70	7	-	-	-	-	<0.27	<0.27	<0.36	<0.36	<0.36	<0.36	<0.43
1,1,2,2-Tetrachloroethane	0.2	0.02	-	-	-	-	<0.28	<0.28	<0.38	<0.38	<0.38	<0.38	<0.55
Tetrachloroethene	5	0.5	<0.33	-	-	-	0.41 ¹	<0.33	<0.41	<0.41	<0.41	<0.41	<0.47
Toluene	800	160	36	8.8	0.64	<0.44	0.57 ¹	<0.27	<0.29	<0.29	<0.29	0.31 ¹	<0.33
1,2,3-Trichlorobenzene	--	--	-	-	-	-	<0.63	<2.2	<1.0	<1.0	<1.0	<1.0	<1.4
1,2,4-Trichlorobenzene	70	14	-	-	-	-	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.63
1,1,1-Trichloroethane	200	40	-	-	-	-	<0.24	<0.24	<0.3	<0.3	<0.3	<0.3	<0.33
1,1,2-Trichloroethane	5	0.5	-	-	-	-	<0.55	<0.55	<0.34	<0.34	<0.34	<0.34	<0.42
Trichloroethene	5	0.5	-	-	-	-	<0.26	<0.26	<0.32	<0.32	<0.32	<0.32	<0.38
Trichlorofluoromethane	--	--	-	-	-	-	<0.21	<0.21	<0.42	<0.42	<0.42	<0.42	<0.33
1,2,3-Trichloropropane	60	12	-	-	-	-	<0.59	<0.59	<0.56	<0.56	<0.56	<0.56	-
1,2,4-Trimethylbenzene	--	--	-	-	-	-	3.0	<0.84	<0.45	<0.45	<0.45	<0.45	<0.35
1,3,5-Trimethylbenzene	--	--	-	-	-	-	0.91 ¹	<0.87	<0.36	<0.36	<0.36	<0.36	<0.41
Trimethylbenzenes (Total)	480	96	108.2	<3.6	<1.81	<3.1	3.91 ¹	<1.71	<0.81	<0.81	<0.81	<0.81	<0.76
Vinyl chloride	0.2	0.02	-	-	-	-	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.15
m&p-Xylene	--	--	-	-	-	-	6.9	<0.47	<0.70	<0.70	<0.70	<0.70	<0.64
o-Xylene	--	--	-	-	-	-	<0.26	<0.26	<0.35	<0.35	<0.35	<0.35	<0.37
Xylene (Total)	2000	400	190.3	5.19	2.92	2.52	6.9	<0.73	<1.05	<1.05	<1.05	<1.05	<1.01

Notes:

µg/L - Parts Per Billion (ppb)

< = Concentration Below Laboratory Detection Limit

NS = Not Sampled

NA = No Standard/Not Applicable

¹ = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

Exceeds Enforcement Standard (ES) =

Bold

Exceeds Preventive Action Limit (PAL) =

Italic

Well Construction
Well Depth (ft) 60
Screen Interval (ft) 55-60

Table 3
Sub-Slab Vacuum During SVE System Operation
Band Box Cleaners & Laundry, Inc
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

Sample Address-->	115 W Council	
Sample Location-->	SS-23	
Collected By-->	REI	
<u>Date</u>	<u>" WC</u>	<u>" Hg</u>
10/31/2022	-1.68	-0.124
11/28/2022	-1.59	-0.117
12/21/2022	-1.77	-0.130
01/24/2023	-1.66	-0.122
01/24/2023	-1.69	-0.124
01/24/2023	-1.54	-0.113
03/02/2023	-1.71	-0.126
04/23/2023	-1.84	-0.135
05/26/2023	-1.62	-0.119
06/21/2023	-1.72	-0.126

Notes:

"WC = Inches of Water Column

"Hg = Inches of Mercury

Table 4
Sub-Slab Vapor Analytical Results
Band Box Cleaners & Laundry, Inc.
1217 Superior Avenue
Tomah, WI 54460
BRRTS# 02-42-525072

		Sample Address-->		115 W Council					
		Sample Location-->		SS-23					
		Collected By-->		REI					
		Sample Date-->		10/27/2021	10/18/2022	1/24/2023	6/21/2023		
		Exposure Scenario-->		SC					
TO-15 VOC's (µg/m ³)	CAS Number	carcinogen	Sub-Slab VRSL						
			Residential [R] (AF = 0.03)	Small Commercial [SC] (AF = 0.03)	Large Commercial/ Industrial [LC/I] (AF = 0.01)				
Acetone	67-64-1	n	1,070,000	4,500,000	13,500,000	351 ^J		1,190	<15
Acrolein	107-02-8	n	0.695	2.92	8.76				
Benzene	71-43-2	c	120	524	1,570	<10.2		1.82	29
Benzyl chloride	100-44-7	c	19.1	83.4	250	<79.6		<0.209	<0.209
Bromodichloromethane	75-27-4	c	25.3	110	331	<21.2		<0.374	<0.374
Bromoform	75-25-2	c	851	3,720	11,100	<145		<0.414	<0.414
Bromomethane	74-83-9	n	174	730	2,190	<13.4		<0.2	<0.2
1,3-Butadiene	106-99-0	c	31.2	136	409	<10.7		<0.143	<0.143
2-Butanone [Methyl Ethyl Ketone] (MEK)	78-93-3	n	174,000	730,000	2,190,000	<41.6			
Carbon disulfide	75-15-0	c	24,300	102,000	307,000	<11.5		0.84	2.83
Carbon tetrachloride	86-23-5	c	156	681	2,040	<25.0		1.07	0.50 ^J
Chlorobenzene	108-90-7	c	1,740	7,300	21,900	<13.9		<0.251	<0.251
Chloroethane [Ethyl Chloride]	75-00-3	n	348,000	1,460,000	4,380,000	<20.0		<0.159	<0.159
Chloroform	67-68-3	c	40.7	178	533	<16.4		1.41	0.54 ^J
Chloromethane	74-87-3	n	3,130	13,100	39,400	<7.6		1.01 ^J	0.95 ^J
Chlorohexane	544-10-5	--	--	--	--				
Cyclohexane	110-82-7	n	209,000	876,000	2,630,000	<19.8		<0.212	10.9
Dibromochloromethane	124-48-1	--	--	--	--	<46.0		<0.376	<0.376
1,2-Dibromoethane (EDB)	106-93-4	c	1.56	6.81	20	<26.8		<0.342	<0.342
1,2-Dichlorobenzene	95-50-1	n	6,950	29,200	87,600	<36.2		<0.235	<0.235
1,3-Dichlorobenzene	541-73-1	--	--	--	--	<45.5		<0.302	<0.302
1,4-Dichlorobenzene	106-46-7	c	85.1	372	1,110	<78.4		<0.302	<0.302
Dichlorodifluoromethane	75-71-8	n	3,480	14,600	43,800	67.3 ^J		2.92	2.62
1,1-Dichloroethane	75-34-3	c	585	2,560	7,670	<14.8		<0.187	<0.187
1,2-Dichloroethane	107-06-2	c	36.0	157	472	<17.3		<0.24	<0.24
1,1-Dichloroethene	75-35-4	n	6,950	29,200	87,600	<12.3		<0.21	<0.21
cis-1,2-Dichloroethene	156-59-2	--	--	--	--	<17.4		<0.197	<0.197
trans-1,2-Dichloroethene	156-60-5	c	1,390	5,840	17,500	<15.0		<0.231	<0.231
1,2-Dichloropropane	78-87-5	n	139	584	1,750	<24.0		<0.28	<0.28
cis-1,3-Dichloropropene	10061-01-5	--	--	--	--	<22.8		<0.234	<0.234
trans-1,3-Dichloropropene	10061-02-6	--	--	--	--	<48.6		<0.198	<0.198
1,4-Dioxane	123-91-1	c	187	818	2,450	NA	Remedial System Officially Started	<0.157	<0.157
Dichlorotetrafluoroethane	76-14-2	--	--	--	--	<18.1		<0.446	<0.446
Ethanol	64-17-5	--	--	--	--	209 ^J		306	430
Ethyl acetate	141-78-6	n	2,430	10,200	30,700	<11.7		6.4	13.1
Ethylbenzene	100-41-4	c	374	1,640	4,910	72.6 ^J		3.5	29.5
4-Ethylouene	622-96-8	--	--	--	--	<42.2		1.23	16.3
n-Heptane	142-82-5	n	13,900	58,400	175,000	<16.2		2.13	1.35
Hexachloro-1,3-butadiene	87-68-3	c	42.5	186	557	<110		<0.489	<0.489
n-Hexane	110-54-3	n	24,300	102,000	307,000	<17.1		2.01	47
2-Hexanone	591-78-6	n	1,040	4,380	13,100	<39.5		4.3	<0.222
Methylene Chloride	75-09-2	n	20,900	87,600	263,000	<53.0		27.6	22
4-Methyl-2-pentanone (MIBK)	108-11-2	n	104,000	438,000	1,310,000	<28.7		1.88	9.9
Methyl Methacrylate	80-62-6	n	24,300	102,000	307,000	NA		1.51	2.54
Methyl-tert-butyl ether (MTBE)	1634-04-4	c	3,600	15,700	47,200	<11.3		0.61	<0.16
Naphthalene	91-20-3	n	27.5	120	361	<194		1.15 ^J	1.47 ^J
2-Propanol [Isopropanol]	67-63-0	n	6,950	29,200	87,600	109 ^J			
Propylene [Propene]	115-07-1	n	104,000	438,000	1,310,000	<11.6		<0.079	<0.079
Styrene	100-42-5	n	34,800	146,000	438,000	<34.4		1.45	3.8
1,1,1,2-Tetrachloroethane	630-20-6	c	126	552	1,660	<33.3			
1,1,2,2-Tetrachloroethane	79-34-5	c	16.1	70.5	211	<33.3		<0.325	<0.325
Tetrachloroethene (PCE)	127-18-4	n	1,390	5,840	17,500	29,500		35	5.0
Tetrahydrofuran	109-99-9	n	69,500	292,000	876,000	54.6		<0.131	9.3
Toluene	108-88-3	n	174,000	730,000	2,190,000	71.5 ^J		46	183
1,2,4-Trichlorobenzene	120-82-1	n	69.5	292	876	<436		<0.657	<0.657
1,1,1-Trichloroethane	71-55-6	n	174,000	730,000	2,190,000	<16.6		<0.249	<0.249
1,1,2-Trichloroethane	79-00-5	n	6.95	29.2	87.6	<17.6		<0.258	<0.258
Trichloroethene (TCE)	79-01-6	n	69.5	292	876	<17.5		<0.237	1.29
Trichlorofluoromethane	75-69-4	n	--	--	--	<20.8		1.46	1.52
1,1,2-Trichlorotrifluoroethane	76-13-1	n	174,000	730,000	2,190,000	<25.8		<0.402	0.61 ^J
1,2,4-Trimethylbenzene (TMB)	95-63-6	n	2,090	8,760	26,300	42.1 ^J		3.2	121
1,3,5-Trimethylbenzene (TMB)	108-67-8	c	2,090	8,760	26,300	<25.9		1.03	33
Vinyl acetate	108-05-4	n	6,950	29,200	87,600	<18.6		<0.203	<0.203
Vinyl chloride	75-01-4	n	55.9	929	2,790	<7.8		<0.148	<0.148
Xylene, m,p-						<115		10.7	91
Xylene, o-	1330-20-7	n	3,480	14,600	43,800	73.0 ^J		4.6	39

Notes:

Indoor Air Standards based on US EPA Vapor Intrusion Screening Levels online calculator.

VRSL Calculated on Date: **7/9/2021**

AF = Attenuation Factor

VAL = Vapor Action Level

VRSL = Vapor Risk Screening Level

< = Concentration Below Laboratory Detection Limit

-- = Not Sampled/Collected

-- = No Standard/Not Applicable

^J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ)

c = carcinogen

n = non-carcinogen

Target Risk for Carcinogens = 1.00E-05


Target Hazard Quotient for Non-Carcinogens = 1

<i>Italics</i>	= Exceeds US EPA Residential VRSL
Bold	= Exceeds US EPA Small Commercial VRSL
<u>Underlined</u>	= Exceeds US EPA Large Commercial/Industrial VRSL


DRAWING FILE: P:\8100-8199\8173 - BAND BOX - TOMAH.DWG\8173-VICN.DWG LAYOUT: VICN PLOTTED: MAR 19, 2019 - 1:06PM PLOTTED BY: MATTM



SCALE 1:24 000



CONTOUR INTERVAL 20 FEET
NORTH AMERICAN VERTICAL DATUM OF 1988



UTM GRID AND 2019 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

TOMAH QUADRANGLE
WISCONSIN - MONROE COUNTY
7.5-MINUTE SERIES



QUADRANGLE LOCATION

TOMAH, WI
2018

REI ENGINEERING, INC.

BAND BOX CLEANERS & LAUNDRY, INC
1217 SUPERIOR AVENUE
TOMAH, WISCONSIN 54660



FIGURE 1 : LOCATION MAP

PROJECT NO.
8173

DRAWN BY:
MCM

DATE:
3/19/2019

DRAWING FILE: P:\8100-8199\8173 - BAND BOX - TOMAH\DWG\8173-SITE.DWG LAYOUT: SITE PLOTTED: JAN 31, 2022 - 5:01PM PLOTTED BY: MATTM




FIGURE 2 : DETAILED SITE MAP

PROJECT No. 8173	DRAWN BY: MCM	DATE: 2/25/2021
---------------------	------------------	--------------------

REI Engineering, INC.

DRAWING FILE: P:\8100-8199\8173 - BAND BOX - TOMAH\DWG\8173-SITE.DWG LAYOUT: SITE-REMEDATION CLOSEUP PLOTTED: SEP 12, 2022 - 3:30PM PLOTTED BY: MATTM

MCLEAN AVE

1216

ELECTRICAL PEDESTAL
10-HP SVE REMEDIATION TRAILER

SVE-1

SVE-2

SVE-3

SVE-4

SVE-6

SVE-5

115

W COUNCIL ST

120

112

LEGEND

0 25
SCALE: 1" = 25'

- SOIL VAPOR EXTRACTION WELL
- SOIL VAPOR EXTRACTION PIPING
- - - FENCING
- ELECTRICAL LINE (BURIED)
- NATURAL GAS LINE (APPROXIMATE)
- WATER LINE (APPROXIMATE)
- SANITARY SEWER LINE (APPROXIMATE)
- STORM SEWER LINE (APPROXIMATE)
- PROPERTY BOUNDARY - SUBJECT (APPROXIMATE)
- PROPERTY BOUNDARY - OTHERS (APPROXIMATE)



BAND BOX CLEANERS & LAUNDRY, INC.
1217 SUPERIOR AVENUE
TOMAH, WISCONSIN 54660

FIGURE 3 : SVE SYSTEM LAYOUT

PROJECT No. 8173	DRAWN BY: MCM	DATE: 9/12/2022
---------------------	------------------	--------------------

REI Engineering, INC.

APPENDIX A

GROUNDWATER LABORATORY ANALYTICAL RESULTS



February 02, 2023

DAVID LARSEN
REI
4080 NORTH 20TH AVENUE
Wausau, WI 54401

RE: Project: 8173 BAND BOX
Pace Project No.: 40257612

Dear DAVID LARSEN:

Enclosed are the analytical results for sample(s) received by the laboratory on January 27, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Kaylin Felix, REI



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 8173 BAND BOX

Pace Project No.: 40257612

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40257612001	MWA 1R	Water	01/24/23 10:10	01/27/23 08:40
40257612002	MWA-2	Water	01/24/23 10:50	01/27/23 08:40
40257612003	MW18	Water	01/24/23 11:10	01/27/23 08:40
40257612004	MW18P	Water	01/24/23 11:30	01/27/23 08:40
40257612005	PZ2	Water	01/24/23 11:50	01/27/23 08:40
40257612006	PZ3	Water	01/24/23 12:00	01/27/23 08:40
40257612007	MW12	Water	01/24/23 12:30	01/27/23 08:40
40257612008	MW15	Water	01/24/23 12:50	01/27/23 08:40
40257612009	MWA-3	Water	01/24/23 13:10	01/27/23 08:40
40257612010	PZA-3	Water	01/24/23 13:25	01/27/23 08:40
40257612011	PZB-3	Water	01/24/23 13:40	01/27/23 08:40
40257612012	PZC3	Water	01/24/23 13:55	01/27/23 08:40
40257612013	MWA-4	Water	01/24/23 14:10	01/27/23 08:40
40257612014	PZA-4	Water	01/24/23 14:25	01/27/23 08:40
40257612015	PZB4	Water	01/24/23 14:40	01/27/23 08:40
40257612016	PZC4	Water	01/24/23 14:55	01/27/23 08:40
40257612017	MW16	Water	01/24/23 15:35	01/27/23 08:40
40257612018	MW17	Water	01/24/23 14:05	01/27/23 08:40
40257612019	MW17P	Water	01/24/23 14:34	01/27/23 08:40
40257612020	PZ1	Water	01/24/23 15:12	01/27/23 08:40
40257612021	MW14	Water	01/24/23 16:20	01/27/23 08:40
40257612022	MW14P	Water	01/24/23 15:56	01/27/23 08:40
40257612023	MW14P60	Water	01/24/23 16:40	01/27/23 08:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 8173 BAND BOX
Pace Project No.: 40257612

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40257612001	MWA 1R	EPA 8260	EIB	64
40257612002	MWA-2	EPA 8260	EIB	64
40257612003	MW18	EPA 8260	EIB	64
40257612004	MW18P	EPA 8260	EIB	64
40257612005	PZ2	EPA 8260	EIB	64
40257612006	PZ3	EPA 8260	EIB	64
40257612007	MW12	EPA 8260	EIB	64
40257612008	MW15	EPA 8260	EIB	64
40257612009	MWA-3	EPA 8260	EIB	64
40257612010	PZA-3	EPA 8260	EIB	64
40257612011	PZB-3	EPA 8260	EIB	64
40257612012	PZC3	EPA 8260	EIB	64
40257612013	MWA-4	EPA 8260	EIB	64
40257612014	PZA-4	EPA 8260	EIB	64
40257612015	PZB4	EPA 8260	EIB	64
40257612016	PZC4	EPA 8260	EIB	64
40257612017	MW16	EPA 8260	EIB	64
40257612018	MW17	EPA 8260	EIB	64
40257612019	MW17P	EPA 8260	EIB	64
40257612020	PZ1	EPA 8260	EIB	64
40257612021	MW14	EPA 8260	EIB	64
40257612022	MW14P	EPA 8260	EIB	64
40257612023	MW14P60	EPA 8260	EIB	64

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MWA 1R **Lab ID: 40257612001** Collected: 01/24/23 10:10 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 15:53	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 15:53	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 15:53	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 15:53	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 15:53	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 15:53	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 15:53	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 15:53	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 15:53	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 15:53	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 15:53	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 15:53	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/30/23 15:53	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 15:53	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 15:53	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 15:53	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 15:53	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 15:53	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 15:53	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 15:53	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 15:53	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 15:53	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 15:53	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 15:53	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 15:53	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 15:53	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 15:53	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 15:53	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 15:53	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 15:53	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 15:53	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 15:53	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 15:53	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 15:53	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 15:53	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 15:53	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 15:53	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 15:53	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 15:53	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 15:53	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 15:53	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 15:53	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 15:53	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 15:53	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 15:53	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MWA 1R Lab ID: 40257612001 Collected: 01/24/23 10:10 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 15:53	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 15:53	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/23 15:53	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 15:53	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 15:53	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 15:53	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 15:53	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 15:53	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 15:53	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 15:53	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 15:53	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 15:53	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 15:53	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 15:53	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 15:53	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 15:53	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		01/30/23 15:53	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		01/30/23 15:53	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		01/30/23 15:53	2037-26-5	

Sample: MWA-2 Lab ID: 40257612002 Collected: 01/24/23 10:50 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/01/23 12:05	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/01/23 12:05	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/01/23 12:05	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/01/23 12:05	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/01/23 12:05	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/01/23 12:05	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/01/23 12:05	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/01/23 12:05	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/01/23 12:05	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/01/23 12:05	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/01/23 12:05	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/01/23 12:05	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/01/23 12:05	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/01/23 12:05	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/01/23 12:05	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/01/23 12:05	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: MWA-2 **Lab ID: 40257612002** Collected: 01/24/23 10:50 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/01/23 12:05	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/01/23 12:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/01/23 12:05	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/01/23 12:05	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/01/23 12:05	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/01/23 12:05	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/01/23 12:05	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/01/23 12:05	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/01/23 12:05	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/01/23 12:05	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/01/23 12:05	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/01/23 12:05	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/01/23 12:05	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/01/23 12:05	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/01/23 12:05	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/01/23 12:05	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/01/23 12:05	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/01/23 12:05	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/01/23 12:05	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/01/23 12:05	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/01/23 12:05	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/01/23 12:05	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/01/23 12:05	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/01/23 12:05	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/01/23 12:05	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/01/23 12:05	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/01/23 12:05	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/01/23 12:05	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/01/23 12:05	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/01/23 12:05	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/01/23 12:05	79-34-5	
Tetrachloroethene	2.0	ug/L	1.0	0.41	1		02/01/23 12:05	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/01/23 12:05	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/01/23 12:05	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/01/23 12:05	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/01/23 12:05	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/01/23 12:05	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/01/23 12:05	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/01/23 12:05	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/01/23 12:05	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/01/23 12:05	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/01/23 12:05	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/01/23 12:05	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/01/23 12:05	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/01/23 12:05	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MWA-2 **Lab ID: 40257612002** Collected: 01/24/23 10:50 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		02/01/23 12:05	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		02/01/23 12:05	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		02/01/23 12:05	2037-26-5	

Sample: MW18 **Lab ID: 40257612003** Collected: 01/24/23 11:10 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 16:12	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 16:12	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 16:12	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 16:12	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 16:12	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 16:12	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 16:12	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 16:12	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 16:12	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 16:12	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 16:12	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 16:12	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/30/23 16:12	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 16:12	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 16:12	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 16:12	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 16:12	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 16:12	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 16:12	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 16:12	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 16:12	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 16:12	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 16:12	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 16:12	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 16:12	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 16:12	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 16:12	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 16:12	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 16:12	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 16:12	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 16:12	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 16:12	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MW18 Lab ID: 40257612003 Collected: 01/24/23 11:10 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 16:12	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 16:12	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 16:12	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 16:12	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 16:12	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 16:12	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 16:12	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 16:12	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 16:12	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 16:12	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 16:12	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 16:12	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 16:12	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 16:12	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 16:12	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/23 16:12	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 16:12	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 16:12	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 16:12	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 16:12	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 16:12	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 16:12	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 16:12	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 16:12	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 16:12	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 16:12	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 16:12	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 16:12	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 16:12	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		01/30/23 16:12	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		01/30/23 16:12	2199-69-1	
Toluene-d8 (S)	94	%	70-130		1		01/30/23 16:12	2037-26-5	

Sample: MW18P Lab ID: 40257612004 Collected: 01/24/23 11:30 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 15:14	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 15:14	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 15:14	74-97-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: MW18P **Lab ID: 40257612004** Collected: 01/24/23 11:30 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 15:14	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 15:14	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 15:14	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 15:14	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 15:14	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 15:14	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 15:14	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 15:14	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 15:14	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/30/23 15:14	67-66-3	L1,M0
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 15:14	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 15:14	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 15:14	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 15:14	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 15:14	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 15:14	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 15:14	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 15:14	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 15:14	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 15:14	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 15:14	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 15:14	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 15:14	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 15:14	75-35-4	M1
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 15:14	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 15:14	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 15:14	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 15:14	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 15:14	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 15:14	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 15:14	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 15:14	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 15:14	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 15:14	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 15:14	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 15:14	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 15:14	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 15:14	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 15:14	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 15:14	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 15:14	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 15:14	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 15:14	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 15:14	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/23 15:14	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MW18P **Lab ID: 40257612004** Collected: 01/24/23 11:30 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 15:14	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 15:14	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 15:14	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 15:14	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 15:14	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 15:14	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 15:14	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 15:14	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 15:14	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 15:14	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 15:14	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 15:14	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 15:14	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		01/30/23 15:14	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		01/30/23 15:14	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		01/30/23 15:14	2037-26-5	

Sample: PZ2 **Lab ID: 40257612005** Collected: 01/24/23 11:50 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	149	ug/L	1.0	0.30	1		02/01/23 13:04	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/01/23 13:04	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/01/23 13:04	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/01/23 13:04	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/01/23 13:04	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/01/23 13:04	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/01/23 13:04	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/01/23 13:04	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/01/23 13:04	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/01/23 13:04	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/01/23 13:04	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/01/23 13:04	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/01/23 13:04	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/01/23 13:04	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/01/23 13:04	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/01/23 13:04	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/01/23 13:04	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/01/23 13:04	124-48-1	
1,2-Dibromoethane (EDB)	0.52J	ug/L	1.0	0.31	1		02/01/23 13:04	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: PZZ **Lab ID: 40257612005** Collected: 01/24/23 11:50 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/01/23 13:04	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/01/23 13:04	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/01/23 13:04	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/01/23 13:04	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/01/23 13:04	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/01/23 13:04	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/01/23 13:04	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/01/23 13:04	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/01/23 13:04	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/01/23 13:04	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/01/23 13:04	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/01/23 13:04	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/01/23 13:04	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/01/23 13:04	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/01/23 13:04	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/01/23 13:04	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/01/23 13:04	108-20-3	
Ethylbenzene	25.6	ug/L	1.0	0.33	1		02/01/23 13:04	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/01/23 13:04	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/01/23 13:04	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/01/23 13:04	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/01/23 13:04	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/01/23 13:04	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/01/23 13:04	91-20-3	
n-Propylbenzene	0.99J	ug/L	1.0	0.35	1		02/01/23 13:04	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/01/23 13:04	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/01/23 13:04	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/01/23 13:04	79-34-5	
Tetrachloroethene	1.3	ug/L	1.0	0.41	1		02/01/23 13:04	127-18-4	
Toluene	38.5	ug/L	1.0	0.29	1		02/01/23 13:04	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/01/23 13:04	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/01/23 13:04	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/01/23 13:04	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/01/23 13:04	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/01/23 13:04	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/01/23 13:04	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/01/23 13:04	96-18-4	
1,2,4-Trimethylbenzene	7.5	ug/L	1.0	0.45	1		02/01/23 13:04	95-63-6	
1,3,5-Trimethylbenzene	2.7	ug/L	1.0	0.36	1		02/01/23 13:04	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/01/23 13:04	75-01-4	
m&p-Xylene	33.2	ug/L	2.0	0.70	1		02/01/23 13:04	179601-23-1	
o-Xylene	7.1	ug/L	1.0	0.35	1		02/01/23 13:04	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		02/01/23 13:04	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		02/01/23 13:04	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: PZ2 **Lab ID: 40257612005** Collected: 01/24/23 11:50 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Surrogates									
Toluene-d8 (S)	98	%	70-130		1		02/01/23 13:04	2037-26-5	

Sample: PZ3 **Lab ID: 40257612006** Collected: 01/24/23 12:00 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	0.48J	ug/L	1.0	0.30	1		02/01/23 12:25	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/01/23 12:25	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/01/23 12:25	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/01/23 12:25	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/01/23 12:25	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/01/23 12:25	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/01/23 12:25	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/01/23 12:25	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/01/23 12:25	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/01/23 12:25	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/01/23 12:25	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/01/23 12:25	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/01/23 12:25	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/01/23 12:25	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/01/23 12:25	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/01/23 12:25	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/01/23 12:25	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/01/23 12:25	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/01/23 12:25	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/01/23 12:25	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/01/23 12:25	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/01/23 12:25	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/01/23 12:25	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/01/23 12:25	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/01/23 12:25	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/01/23 12:25	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/01/23 12:25	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/01/23 12:25	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/01/23 12:25	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/01/23 12:25	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/01/23 12:25	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/01/23 12:25	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/01/23 12:25	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/01/23 12:25	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: PZ3 **Lab ID: 40257612006** Collected: 01/24/23 12:00 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/01/23 12:25	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/01/23 12:25	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/01/23 12:25	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/01/23 12:25	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/01/23 12:25	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/01/23 12:25	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/01/23 12:25	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/01/23 12:25	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/01/23 12:25	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/01/23 12:25	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/01/23 12:25	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/01/23 12:25	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/01/23 12:25	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/01/23 12:25	127-18-4	
Toluene	0.31J	ug/L	1.0	0.29	1		02/01/23 12:25	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/01/23 12:25	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/01/23 12:25	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/01/23 12:25	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/01/23 12:25	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/01/23 12:25	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/01/23 12:25	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/01/23 12:25	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/01/23 12:25	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/01/23 12:25	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/01/23 12:25	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/01/23 12:25	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/01/23 12:25	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		1		02/01/23 12:25	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		02/01/23 12:25	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		02/01/23 12:25	2037-26-5	

Sample: MW12 **Lab ID: 40257612007** Collected: 01/24/23 12:30 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 16:32	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 16:32	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 16:32	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 16:32	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 16:32	75-25-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: MW12 Lab ID: 40257612007 Collected: 01/24/23 12:30 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 16:32	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 16:32	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 16:32	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 16:32	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 16:32	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 16:32	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 16:32	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/30/23 16:32	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 16:32	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 16:32	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 16:32	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 16:32	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 16:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 16:32	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 16:32	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 16:32	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 16:32	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 16:32	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 16:32	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 16:32	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 16:32	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 16:32	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 16:32	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 16:32	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 16:32	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 16:32	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 16:32	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 16:32	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 16:32	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 16:32	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 16:32	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 16:32	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 16:32	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 16:32	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 16:32	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 16:32	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 16:32	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 16:32	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 16:32	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 16:32	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 16:32	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 16:32	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/23 16:32	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 16:32	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 16:32	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: MW12 Lab ID: 40257612007 Collected: 01/24/23 12:30 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 16:32	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 16:32	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 16:32	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 16:32	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 16:32	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 16:32	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 16:32	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 16:32	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 16:32	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 16:32	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 16:32	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		01/30/23 16:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		01/30/23 16:32	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		01/30/23 16:32	2037-26-5	

Sample: MW15 Lab ID: 40257612008 Collected: 01/24/23 12:50 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 16:51	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 16:51	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 16:51	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 16:51	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 16:51	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 16:51	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 16:51	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 16:51	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 16:51	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 16:51	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 16:51	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 16:51	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/30/23 16:51	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 16:51	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 16:51	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 16:51	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 16:51	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 16:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 16:51	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 16:51	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 16:51	95-50-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MW15 **Lab ID: 40257612008** Collected: 01/24/23 12:50 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 16:51	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 16:51	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 16:51	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 16:51	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 16:51	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 16:51	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 16:51	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 16:51	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 16:51	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 16:51	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 16:51	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 16:51	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 16:51	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 16:51	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 16:51	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 16:51	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 16:51	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 16:51	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 16:51	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 16:51	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 16:51	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 16:51	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 16:51	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 16:51	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 16:51	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 16:51	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/23 16:51	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 16:51	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 16:51	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 16:51	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 16:51	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 16:51	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 16:51	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 16:51	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 16:51	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 16:51	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 16:51	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 16:51	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 16:51	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 16:51	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		01/30/23 16:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		01/30/23 16:51	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		01/30/23 16:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MWA-3 **Lab ID: 40257612009** Collected: 01/24/23 13:10 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 17:11	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 17:11	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 17:11	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 17:11	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 17:11	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 17:11	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 17:11	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 17:11	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 17:11	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 17:11	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 17:11	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 17:11	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/30/23 17:11	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 17:11	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 17:11	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 17:11	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 17:11	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 17:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 17:11	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 17:11	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 17:11	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 17:11	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 17:11	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 17:11	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 17:11	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 17:11	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 17:11	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 17:11	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 17:11	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 17:11	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 17:11	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 17:11	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 17:11	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 17:11	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 17:11	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 17:11	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 17:11	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 17:11	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 17:11	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 17:11	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 17:11	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 17:11	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 17:11	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 17:11	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 17:11	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MWA-3 **Lab ID: 40257612009** Collected: 01/24/23 13:10 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 17:11	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 17:11	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/23 17:11	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 17:11	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 17:11	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 17:11	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 17:11	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 17:11	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 17:11	79-01-6	
Trichlorofluoromethane	0.60J	ug/L	1.0	0.42	1		01/30/23 17:11	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 17:11	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 17:11	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 17:11	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 17:11	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 17:11	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 17:11	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		01/30/23 17:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		01/30/23 17:11	2199-69-1	
Toluene-d8 (S)	93	%	70-130		1		01/30/23 17:11	2037-26-5	

Sample: PZA-3 **Lab ID: 40257612010** Collected: 01/24/23 13:25 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 19:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 19:27	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 19:27	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 19:27	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 19:27	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 19:27	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 19:27	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 19:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 19:27	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 19:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 19:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 19:27	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/30/23 19:27	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 19:27	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 19:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 19:27	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: PZA-3 **Lab ID: 40257612010** Collected: 01/24/23 13:25 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 19:27	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 19:27	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 19:27	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 19:27	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 19:27	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 19:27	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 19:27	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 19:27	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 19:27	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 19:27	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 19:27	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 19:27	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 19:27	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 19:27	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 19:27	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 19:27	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 19:27	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 19:27	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 19:27	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 19:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 19:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 19:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 19:27	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 19:27	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 19:27	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 19:27	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 19:27	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 19:27	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 19:27	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 19:27	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 19:27	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/23 19:27	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 19:27	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 19:27	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 19:27	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 19:27	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 19:27	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 19:27	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 19:27	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 19:27	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 19:27	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 19:27	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 19:27	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 19:27	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 19:27	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: PZA-3 **Lab ID: 40257612010** Collected: 01/24/23 13:25 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		01/30/23 19:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		01/30/23 19:27	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		01/30/23 19:27	2037-26-5	

Sample: PZB-3 **Lab ID: 40257612011** Collected: 01/24/23 13:40 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 21:23	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 21:23	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 21:23	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 21:23	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 21:23	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 21:23	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 21:23	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 21:23	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 21:23	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 21:23	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 21:23	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 21:23	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/30/23 21:23	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 21:23	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 21:23	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 21:23	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 21:23	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 21:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 21:23	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 21:23	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 21:23	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 21:23	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 21:23	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 21:23	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 21:23	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 21:23	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 21:23	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 21:23	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 21:23	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 21:23	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 21:23	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 21:23	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: PZB-3 Lab ID: 40257612011 Collected: 01/24/23 13:40 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 21:23	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 21:23	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 21:23	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 21:23	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 21:23	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 21:23	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 21:23	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 21:23	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 21:23	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 21:23	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 21:23	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 21:23	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 21:23	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 21:23	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 21:23	79-34-5	
Tetrachloroethene	0.51J	ug/L	1.0	0.41	1		01/30/23 21:23	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 21:23	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 21:23	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 21:23	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 21:23	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 21:23	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 21:23	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 21:23	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 21:23	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 21:23	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 21:23	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 21:23	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 21:23	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 21:23	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		01/30/23 21:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		01/30/23 21:23	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		01/30/23 21:23	2037-26-5	

Sample: PZC3 Lab ID: 40257612012 Collected: 01/24/23 13:55 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 17:30	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 17:30	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 17:30	74-97-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: PZC3 **Lab ID: 40257612012** Collected: 01/24/23 13:55 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 17:30	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 17:30	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 17:30	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 17:30	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 17:30	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 17:30	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 17:30	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 17:30	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 17:30	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/30/23 17:30	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 17:30	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 17:30	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 17:30	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 17:30	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 17:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 17:30	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 17:30	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 17:30	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 17:30	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 17:30	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 17:30	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 17:30	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 17:30	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 17:30	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 17:30	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 17:30	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 17:30	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 17:30	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 17:30	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 17:30	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 17:30	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 17:30	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 17:30	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 17:30	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 17:30	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 17:30	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 17:30	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 17:30	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 17:30	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 17:30	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 17:30	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 17:30	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 17:30	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 17:30	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/23 17:30	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: PZC3 **Lab ID: 40257612012** Collected: 01/24/23 13:55 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 17:30	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 17:30	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 17:30	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 17:30	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 17:30	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 17:30	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 17:30	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 17:30	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 17:30	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 17:30	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 17:30	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 17:30	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 17:30	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		01/30/23 17:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		01/30/23 17:30	2199-69-1	
Toluene-d8 (S)	93	%	70-130		1		01/30/23 17:30	2037-26-5	

Sample: MWA-4 **Lab ID: 40257612013** Collected: 01/24/23 14:10 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 17:49	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 17:49	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 17:49	74-97-5	
Bromodichloromethane	1.7	ug/L	1.0	0.42	1		01/30/23 17:49	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 17:49	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 17:49	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 17:49	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 17:49	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 17:49	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 17:49	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 17:49	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 17:49	75-00-3	
Chloroform	4.7J	ug/L	5.0	1.2	1		01/30/23 17:49	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 17:49	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 17:49	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 17:49	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 17:49	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 17:49	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 17:49	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MWA-4 **Lab ID: 40257612013** Collected: 01/24/23 14:10 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 17:49	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 17:49	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 17:49	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 17:49	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 17:49	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 17:49	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 17:49	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 17:49	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 17:49	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 17:49	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 17:49	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 17:49	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 17:49	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 17:49	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 17:49	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 17:49	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 17:49	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 17:49	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 17:49	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 17:49	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 17:49	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 17:49	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 17:49	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 17:49	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 17:49	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 17:49	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 17:49	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 17:49	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/23 17:49	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 17:49	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 17:49	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 17:49	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 17:49	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 17:49	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 17:49	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 17:49	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 17:49	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 17:49	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 17:49	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 17:49	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 17:49	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 17:49	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		01/30/23 17:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		01/30/23 17:49	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: MWA-4 **Lab ID: 40257612013** Collected: 01/24/23 14:10 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Surrogates									
Toluene-d8 (S)	90	%	70-130		1		01/30/23 17:49	2037-26-5	

Sample: PZA-4 **Lab ID: 40257612014** Collected: 01/24/23 14:25 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 19:46	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 19:46	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 19:46	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 19:46	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 19:46	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 19:46	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 19:46	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 19:46	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 19:46	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 19:46	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 19:46	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 19:46	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/30/23 19:46	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 19:46	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 19:46	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 19:46	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 19:46	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 19:46	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 19:46	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 19:46	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 19:46	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 19:46	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 19:46	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 19:46	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 19:46	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 19:46	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 19:46	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 19:46	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 19:46	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 19:46	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 19:46	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 19:46	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 19:46	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 19:46	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: PZA-4 **Lab ID: 40257612014** Collected: 01/24/23 14:25 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 19:46	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 19:46	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 19:46	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 19:46	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 19:46	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 19:46	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 19:46	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 19:46	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 19:46	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 19:46	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 19:46	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 19:46	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 19:46	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/23 19:46	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 19:46	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 19:46	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 19:46	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 19:46	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 19:46	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 19:46	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 19:46	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 19:46	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 19:46	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 19:46	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 19:46	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 19:46	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 19:46	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		01/30/23 19:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		01/30/23 19:46	2199-69-1	
Toluene-d8 (S)	93	%	70-130		1		01/30/23 19:46	2037-26-5	

Sample: PZB4 **Lab ID: 40257612015** Collected: 01/24/23 14:40 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 20:06	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 20:06	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 20:06	74-97-5	
Bromodichloromethane	0.89J	ug/L	1.0	0.42	1		01/30/23 20:06	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 20:06	75-25-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: PZB4 **Lab ID: 40257612015** Collected: 01/24/23 14:40 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 20:06	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 20:06	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 20:06	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 20:06	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 20:06	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 20:06	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 20:06	75-00-3	
Chloroform	2.3J	ug/L	5.0	1.2	1		01/30/23 20:06	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 20:06	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 20:06	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 20:06	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 20:06	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 20:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 20:06	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 20:06	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 20:06	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 20:06	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 20:06	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 20:06	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 20:06	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 20:06	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 20:06	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 20:06	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 20:06	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 20:06	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 20:06	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 20:06	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 20:06	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 20:06	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 20:06	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 20:06	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 20:06	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 20:06	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 20:06	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 20:06	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 20:06	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 20:06	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 20:06	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 20:06	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 20:06	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 20:06	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 20:06	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/23 20:06	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 20:06	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 20:06	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: PZB4 **Lab ID: 40257612015** Collected: 01/24/23 14:40 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 20:06	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 20:06	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 20:06	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 20:06	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 20:06	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 20:06	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 20:06	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 20:06	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 20:06	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 20:06	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 20:06	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		01/30/23 20:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		01/30/23 20:06	2199-69-1	
Toluene-d8 (S)	91	%	70-130		1		01/30/23 20:06	2037-26-5	

Sample: PZC4 **Lab ID: 40257612016** Collected: 01/24/23 14:55 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 20:25	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 20:25	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 20:25	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 20:25	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 20:25	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 20:25	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 20:25	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 20:25	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 20:25	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 20:25	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 20:25	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 20:25	75-00-3	
Chloroform	11.9	ug/L	5.0	1.2	1		01/30/23 20:25	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 20:25	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 20:25	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 20:25	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 20:25	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 20:25	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 20:25	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 20:25	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 20:25	95-50-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: PZC4 **Lab ID: 40257612016** Collected: 01/24/23 14:55 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 20:25	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 20:25	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 20:25	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 20:25	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 20:25	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 20:25	75-35-4	
cis-1,2-Dichloroethene	0.79J	ug/L	1.0	0.47	1		01/30/23 20:25	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 20:25	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 20:25	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 20:25	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 20:25	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 20:25	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 20:25	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 20:25	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 20:25	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 20:25	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 20:25	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 20:25	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 20:25	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 20:25	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 20:25	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 20:25	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 20:25	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 20:25	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 20:25	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 20:25	79-34-5	
Tetrachloroethene	30.6	ug/L	1.0	0.41	1		01/30/23 20:25	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 20:25	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 20:25	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 20:25	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 20:25	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 20:25	79-00-5	
Trichloroethene	1.4	ug/L	1.0	0.32	1		01/30/23 20:25	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 20:25	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 20:25	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 20:25	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 20:25	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 20:25	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 20:25	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 20:25	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		01/30/23 20:25	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		01/30/23 20:25	2199-69-1	
Toluene-d8 (S)	90	%	70-130		1		01/30/23 20:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MW16 **Lab ID: 40257612017** Collected: 01/24/23 15:35 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 20:45	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 20:45	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 20:45	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 20:45	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 20:45	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 20:45	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 20:45	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 20:45	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 20:45	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 20:45	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 20:45	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 20:45	75-00-3	
Chloroform	9.2	ug/L	5.0	1.2	1		01/30/23 20:45	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 20:45	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 20:45	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 20:45	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 20:45	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 20:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 20:45	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 20:45	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 20:45	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 20:45	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 20:45	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 20:45	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 20:45	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 20:45	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 20:45	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 20:45	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 20:45	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 20:45	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 20:45	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 20:45	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 20:45	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 20:45	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 20:45	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 20:45	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 20:45	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 20:45	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 20:45	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 20:45	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 20:45	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 20:45	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 20:45	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 20:45	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 20:45	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: MW16 Lab ID: 40257612017 Collected: 01/24/23 15:35 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 20:45	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 20:45	79-34-5	
Tetrachloroethene	8.9	ug/L	1.0	0.41	1		01/30/23 20:45	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 20:45	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 20:45	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 20:45	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 20:45	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 20:45	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 20:45	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 20:45	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 20:45	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 20:45	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 20:45	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 20:45	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 20:45	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 20:45	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		01/30/23 20:45	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		01/30/23 20:45	2199-69-1	
Toluene-d8 (S)	91	%	70-130		1		01/30/23 20:45	2037-26-5	

Sample: MW17 Lab ID: 40257612018 Collected: 01/24/23 14:05 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 18:09	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 18:09	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 18:09	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 18:09	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 18:09	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 18:09	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 18:09	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 18:09	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 18:09	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 18:09	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 18:09	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 18:09	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/30/23 18:09	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 18:09	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 18:09	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 18:09	106-43-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: MW17 **Lab ID: 40257612018** Collected: 01/24/23 14:05 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 18:09	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 18:09	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 18:09	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 18:09	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 18:09	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 18:09	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 18:09	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 18:09	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 18:09	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 18:09	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 18:09	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 18:09	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 18:09	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 18:09	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 18:09	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 18:09	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 18:09	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 18:09	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 18:09	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 18:09	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 18:09	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 18:09	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 18:09	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 18:09	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 18:09	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 18:09	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 18:09	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 18:09	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 18:09	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 18:09	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 18:09	79-34-5	
Tetrachloroethene	294	ug/L	4.0	1.6	4		02/01/23 13:23	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 18:09	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 18:09	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 18:09	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 18:09	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 18:09	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 18:09	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 18:09	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 18:09	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 18:09	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 18:09	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 18:09	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 18:09	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 18:09	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: MW17 **Lab ID: 40257612018** Collected: 01/24/23 14:05 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		01/30/23 18:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		01/30/23 18:09	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		01/30/23 18:09	2037-26-5	

Sample: MW17P **Lab ID: 40257612019** Collected: 01/24/23 14:34 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		02/01/23 12:44	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		02/01/23 12:44	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		02/01/23 12:44	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		02/01/23 12:44	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		02/01/23 12:44	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		02/01/23 12:44	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		02/01/23 12:44	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		02/01/23 12:44	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		02/01/23 12:44	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		02/01/23 12:44	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		02/01/23 12:44	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		02/01/23 12:44	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		02/01/23 12:44	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		02/01/23 12:44	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/01/23 12:44	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		02/01/23 12:44	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		02/01/23 12:44	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		02/01/23 12:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		02/01/23 12:44	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		02/01/23 12:44	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		02/01/23 12:44	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		02/01/23 12:44	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		02/01/23 12:44	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		02/01/23 12:44	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		02/01/23 12:44	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		02/01/23 12:44	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		02/01/23 12:44	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		02/01/23 12:44	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		02/01/23 12:44	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		02/01/23 12:44	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		02/01/23 12:44	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		02/01/23 12:44	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MW17P **Lab ID: 40257612019** Collected: 01/24/23 14:34 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		02/01/23 12:44	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		02/01/23 12:44	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		02/01/23 12:44	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		02/01/23 12:44	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		02/01/23 12:44	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		02/01/23 12:44	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		02/01/23 12:44	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		02/01/23 12:44	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		02/01/23 12:44	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		02/01/23 12:44	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		02/01/23 12:44	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		02/01/23 12:44	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		02/01/23 12:44	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		02/01/23 12:44	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		02/01/23 12:44	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		02/01/23 12:44	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		02/01/23 12:44	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		02/01/23 12:44	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		02/01/23 12:44	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		02/01/23 12:44	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		02/01/23 12:44	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		02/01/23 12:44	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		02/01/23 12:44	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		02/01/23 12:44	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		02/01/23 12:44	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		02/01/23 12:44	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		02/01/23 12:44	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		02/01/23 12:44	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		02/01/23 12:44	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		02/01/23 12:44	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		02/01/23 12:44	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		02/01/23 12:44	2037-26-5	

Sample: PZ1 **Lab ID: 40257612020** Collected: 01/24/23 15:12 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/30/23 21:04	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 21:04	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/30/23 21:04	74-97-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: PZ1 **Lab ID: 40257612020** Collected: 01/24/23 15:12 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 21:04	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/30/23 21:04	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/30/23 21:04	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 21:04	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/30/23 21:04	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/30/23 21:04	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/30/23 21:04	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/30/23 21:04	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/30/23 21:04	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/30/23 21:04	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/30/23 21:04	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 21:04	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/30/23 21:04	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/30/23 21:04	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/30/23 21:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/30/23 21:04	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/30/23 21:04	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 21:04	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 21:04	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/30/23 21:04	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/30/23 21:04	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 21:04	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/30/23 21:04	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/30/23 21:04	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/30/23 21:04	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/30/23 21:04	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/30/23 21:04	78-87-5	L1
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/30/23 21:04	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/30/23 21:04	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/30/23 21:04	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/30/23 21:04	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/30/23 21:04	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 21:04	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/30/23 21:04	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/30/23 21:04	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/30/23 21:04	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/30/23 21:04	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/30/23 21:04	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/30/23 21:04	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/30/23 21:04	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/30/23 21:04	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/30/23 21:04	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/30/23 21:04	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/30/23 21:04	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/30/23 21:04	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: PZ1 Lab ID: 40257612020 Collected: 01/24/23 15:12 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.29	ug/L	1.0	0.29	1		01/30/23 21:04	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/30/23 21:04	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/30/23 21:04	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/30/23 21:04	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/30/23 21:04	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/30/23 21:04	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/30/23 21:04	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/30/23 21:04	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/30/23 21:04	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/30/23 21:04	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/30/23 21:04	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/30/23 21:04	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/30/23 21:04	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		01/30/23 21:04	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		01/30/23 21:04	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		01/30/23 21:04	2037-26-5	

Sample: MW14 Lab ID: 40257612021 Collected: 01/24/23 16:20 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/23 13:50	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/23 13:50	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/31/23 13:50	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/23 13:50	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/31/23 13:50	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/23 13:50	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/23 13:50	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/23 13:50	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/23 13:50	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/23 13:50	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/23 13:50	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/23 13:50	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/31/23 13:50	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/23 13:50	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/23 13:50	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/23 13:50	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/23 13:50	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/23 13:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/23 13:50	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: MW14 Lab ID: 40257612021 Collected: 01/24/23 16:20 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/23 13:50	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/23 13:50	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/23 13:50	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/23 13:50	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/23 13:50	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/23 13:50	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/23 13:50	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/23 13:50	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/23 13:50	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/23 13:50	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/23 13:50	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/23 13:50	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/31/23 13:50	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/23 13:50	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/31/23 13:50	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/31/23 13:50	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/23 13:50	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/23 13:50	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/23 13:50	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/23 13:50	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/23 13:50	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/23 13:50	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/23 13:50	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/31/23 13:50	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/23 13:50	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/23 13:50	100-42-5	L1
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/23 13:50	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/23 13:50	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		01/31/23 13:50	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/23 13:50	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/23 13:50	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/23 13:50	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/23 13:50	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/31/23 13:50	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/23 13:50	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/23 13:50	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/31/23 13:50	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/23 13:50	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/23 13:50	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/23 13:50	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/23 13:50	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/23 13:50	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		01/31/23 13:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		01/31/23 13:50	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MW14 **Lab ID: 40257612021** Collected: 01/24/23 16:20 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Surrogates									
Toluene-d8 (S)	100	%	70-130		1		01/31/23 13:50	2037-26-5	

Sample: MW14P **Lab ID: 40257612022** Collected: 01/24/23 15:56 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<3.0	ug/L	10.0	3.0	10		01/31/23 14:31	71-43-2	
Bromobenzene	<3.6	ug/L	10.0	3.6	10		01/31/23 14:31	108-86-1	
Bromochloromethane	<3.6	ug/L	50.0	3.6	10		01/31/23 14:31	74-97-5	
Bromodichloromethane	<4.2	ug/L	10.0	4.2	10		01/31/23 14:31	75-27-4	
Bromoform	<38.0	ug/L	50.0	38.0	10		01/31/23 14:31	75-25-2	
Bromomethane	<11.9	ug/L	50.0	11.9	10		01/31/23 14:31	74-83-9	
n-Butylbenzene	<8.6	ug/L	10.0	8.6	10		01/31/23 14:31	104-51-8	
sec-Butylbenzene	<4.2	ug/L	10.0	4.2	10		01/31/23 14:31	135-98-8	
tert-Butylbenzene	<5.9	ug/L	10.0	5.9	10		01/31/23 14:31	98-06-6	
Carbon tetrachloride	<3.7	ug/L	10.0	3.7	10		01/31/23 14:31	56-23-5	
Chlorobenzene	<8.6	ug/L	10.0	8.6	10		01/31/23 14:31	108-90-7	
Chloroethane	<13.8	ug/L	50.0	13.8	10		01/31/23 14:31	75-00-3	
Chloroform	<11.8	ug/L	50.0	11.8	10		01/31/23 14:31	67-66-3	
Chloromethane	<16.4	ug/L	50.0	16.4	10		01/31/23 14:31	74-87-3	
2-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		01/31/23 14:31	95-49-8	
4-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		01/31/23 14:31	106-43-4	
1,2-Dibromo-3-chloropropane	<23.7	ug/L	50.0	23.7	10		01/31/23 14:31	96-12-8	
Dibromochloromethane	<26.4	ug/L	50.0	26.4	10		01/31/23 14:31	124-48-1	
1,2-Dibromoethane (EDB)	<3.1	ug/L	10.0	3.1	10		01/31/23 14:31	106-93-4	
Dibromomethane	<9.9	ug/L	50.0	9.9	10		01/31/23 14:31	74-95-3	
1,2-Dichlorobenzene	<3.3	ug/L	10.0	3.3	10		01/31/23 14:31	95-50-1	
1,3-Dichlorobenzene	<3.5	ug/L	10.0	3.5	10		01/31/23 14:31	541-73-1	
1,4-Dichlorobenzene	<8.9	ug/L	10.0	8.9	10		01/31/23 14:31	106-46-7	
Dichlorodifluoromethane	<4.6	ug/L	50.0	4.6	10		01/31/23 14:31	75-71-8	
1,1-Dichloroethane	<3.0	ug/L	10.0	3.0	10		01/31/23 14:31	75-34-3	
1,2-Dichloroethane	<2.9	ug/L	10.0	2.9	10		01/31/23 14:31	107-06-2	
1,1-Dichloroethene	<5.8	ug/L	10.0	5.8	10		01/31/23 14:31	75-35-4	
cis-1,2-Dichloroethene	<4.7	ug/L	10.0	4.7	10		01/31/23 14:31	156-59-2	
trans-1,2-Dichloroethene	<5.3	ug/L	10.0	5.3	10		01/31/23 14:31	156-60-5	
1,2-Dichloropropane	<4.5	ug/L	10.0	4.5	10		01/31/23 14:31	78-87-5	
1,3-Dichloropropane	<3.0	ug/L	10.0	3.0	10		01/31/23 14:31	142-28-9	
2,2-Dichloropropane	<41.8	ug/L	50.0	41.8	10		01/31/23 14:31	594-20-7	
1,1-Dichloropropene	<4.1	ug/L	10.0	4.1	10		01/31/23 14:31	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	10.0	3.6	10		01/31/23 14:31	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MW14P **Lab ID: 40257612022** Collected: 01/24/23 15:56 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
trans-1,3-Dichloropropene	<34.6	ug/L	50.0	34.6	10		01/31/23 14:31	10061-02-6	
Diisopropyl ether	<11.0	ug/L	50.0	11.0	10		01/31/23 14:31	108-20-3	
Ethylbenzene	<3.3	ug/L	10.0	3.3	10		01/31/23 14:31	100-41-4	
Hexachloro-1,3-butadiene	<27.4	ug/L	50.0	27.4	10		01/31/23 14:31	87-68-3	
Isopropylbenzene (Cumene)	<10.0	ug/L	50.0	10.0	10		01/31/23 14:31	98-82-8	
p-Isopropyltoluene	<10.4	ug/L	50.0	10.4	10		01/31/23 14:31	99-87-6	
Methylene Chloride	<3.2	ug/L	50.0	3.2	10		01/31/23 14:31	75-09-2	
Methyl-tert-butyl ether	<11.3	ug/L	50.0	11.3	10		01/31/23 14:31	1634-04-4	
Naphthalene	<11.3	ug/L	50.0	11.3	10		01/31/23 14:31	91-20-3	
n-Propylbenzene	<3.5	ug/L	10.0	3.5	10		01/31/23 14:31	103-65-1	
Styrene	<3.6	ug/L	10.0	3.6	10		01/31/23 14:31	100-42-5	L1
1,1,1,2-Tetrachloroethane	<3.6	ug/L	10.0	3.6	10		01/31/23 14:31	630-20-6	
1,1,2,2-Tetrachloroethane	<3.8	ug/L	10.0	3.8	10		01/31/23 14:31	79-34-5	
Tetrachloroethene	993	ug/L	10.0	4.1	10		01/31/23 14:31	127-18-4	
Toluene	<2.9	ug/L	10.0	2.9	10		01/31/23 14:31	108-88-3	
1,2,3-Trichlorobenzene	<10.2	ug/L	50.0	10.2	10		01/31/23 14:31	87-61-6	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		01/31/23 14:31	120-82-1	
1,1,1-Trichloroethane	<3.0	ug/L	10.0	3.0	10		01/31/23 14:31	71-55-6	
1,1,2-Trichloroethane	<3.4	ug/L	50.0	3.4	10		01/31/23 14:31	79-00-5	
Trichloroethene	<3.2	ug/L	10.0	3.2	10		01/31/23 14:31	79-01-6	
Trichlorofluoromethane	<4.2	ug/L	10.0	4.2	10		01/31/23 14:31	75-69-4	
1,2,3-Trichloropropane	<5.6	ug/L	50.0	5.6	10		01/31/23 14:31	96-18-4	
1,2,4-Trimethylbenzene	4.8J	ug/L	10.0	4.5	10		01/31/23 14:31	95-63-6	
1,3,5-Trimethylbenzene	<3.6	ug/L	10.0	3.6	10		01/31/23 14:31	108-67-8	
Vinyl chloride	<1.7	ug/L	10.0	1.7	10		01/31/23 14:31	75-01-4	
m&p-Xylene	<7.0	ug/L	20.0	7.0	10		01/31/23 14:31	179601-23-1	
o-Xylene	<3.5	ug/L	10.0	3.5	10		01/31/23 14:31	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		10		01/31/23 14:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		10		01/31/23 14:31	2199-69-1	
Toluene-d8 (S)	99	%	70-130		10		01/31/23 14:31	2037-26-5	

Sample: MW14P60 **Lab ID: 40257612023** Collected: 01/24/23 16:40 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/31/23 14:11	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		01/31/23 14:11	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		01/31/23 14:11	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		01/31/23 14:11	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		01/31/23 14:11	75-25-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX

Pace Project No.: 40257612

Sample: MW14P60 Lab ID: 40257612023 Collected: 01/24/23 16:40 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Bromomethane	<1.2	ug/L	5.0	1.2	1		01/31/23 14:11	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		01/31/23 14:11	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		01/31/23 14:11	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		01/31/23 14:11	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		01/31/23 14:11	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		01/31/23 14:11	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		01/31/23 14:11	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		01/31/23 14:11	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		01/31/23 14:11	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/23 14:11	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		01/31/23 14:11	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		01/31/23 14:11	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		01/31/23 14:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		01/31/23 14:11	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		01/31/23 14:11	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		01/31/23 14:11	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		01/31/23 14:11	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		01/31/23 14:11	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		01/31/23 14:11	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/23 14:11	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		01/31/23 14:11	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		01/31/23 14:11	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		01/31/23 14:11	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		01/31/23 14:11	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		01/31/23 14:11	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		01/31/23 14:11	142-28-9	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		01/31/23 14:11	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		01/31/23 14:11	563-58-6	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		01/31/23 14:11	10061-01-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		01/31/23 14:11	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		01/31/23 14:11	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/31/23 14:11	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		01/31/23 14:11	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		01/31/23 14:11	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		01/31/23 14:11	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		01/31/23 14:11	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		01/31/23 14:11	1634-04-4	
Naphthalene	<1.1	ug/L	5.0	1.1	1		01/31/23 14:11	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		01/31/23 14:11	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		01/31/23 14:11	100-42-5	L1
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		01/31/23 14:11	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		01/31/23 14:11	79-34-5	
Tetrachloroethene	12.6	ug/L	1.0	0.41	1		01/31/23 14:11	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/31/23 14:11	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		01/31/23 14:11	87-61-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 8173 BAND BOX
Pace Project No.: 40257612

Sample: MW14P60 **Lab ID: 40257612023** Collected: 01/24/23 16:40 Received: 01/27/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		01/31/23 14:11	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		01/31/23 14:11	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		01/31/23 14:11	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		01/31/23 14:11	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		01/31/23 14:11	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		01/31/23 14:11	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		01/31/23 14:11	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		01/31/23 14:11	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		01/31/23 14:11	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		01/31/23 14:11	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		01/31/23 14:11	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		01/31/23 14:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		01/31/23 14:11	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		01/31/23 14:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX
Pace Project No.: 40257612

QC Batch:	436732	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40257612001, 40257612002, 40257612003, 40257612004, 40257612005, 40257612006, 40257612007, 40257612008, 40257612009, 40257612010, 40257612011, 40257612012, 40257612013, 40257612014, 40257612015, 40257612016, 40257612017, 40257612018, 40257612019, 40257612020

METHOD BLANK: 2511551 Matrix: Water

Associated Lab Samples: 40257612001, 40257612002, 40257612003, 40257612004, 40257612005, 40257612006, 40257612007, 40257612008, 40257612009, 40257612010, 40257612011, 40257612012, 40257612013, 40257612014, 40257612015, 40257612016, 40257612017, 40257612018, 40257612019, 40257612020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	01/30/23 10:42	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	01/30/23 10:42	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	01/30/23 10:42	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	01/30/23 10:42	
1,1-Dichloroethane	ug/L	<0.30	1.0	01/30/23 10:42	
1,1-Dichloroethene	ug/L	<0.58	1.0	01/30/23 10:42	
1,1-Dichloropropene	ug/L	<0.41	1.0	01/30/23 10:42	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	01/30/23 10:42	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	01/30/23 10:42	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	01/30/23 10:42	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	01/30/23 10:42	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	01/30/23 10:42	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	01/30/23 10:42	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	01/30/23 10:42	
1,2-Dichloroethane	ug/L	<0.29	1.0	01/30/23 10:42	
1,2-Dichloropropane	ug/L	<0.45	1.0	01/30/23 10:42	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	01/30/23 10:42	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	01/30/23 10:42	
1,3-Dichloropropane	ug/L	<0.30	1.0	01/30/23 10:42	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	01/30/23 10:42	
2,2-Dichloropropane	ug/L	<4.2	5.0	01/30/23 10:42	
2-Chlorotoluene	ug/L	<0.89	5.0	01/30/23 10:42	
4-Chlorotoluene	ug/L	<0.89	5.0	01/30/23 10:42	
Benzene	ug/L	<0.30	1.0	01/30/23 10:42	
Bromobenzene	ug/L	<0.36	1.0	01/30/23 10:42	
Bromochloromethane	ug/L	<0.36	5.0	01/30/23 10:42	
Bromodichloromethane	ug/L	<0.42	1.0	01/30/23 10:42	
Bromoform	ug/L	<3.8	5.0	01/30/23 10:42	
Bromomethane	ug/L	<1.2	5.0	01/30/23 10:42	
Carbon tetrachloride	ug/L	<0.37	1.0	01/30/23 10:42	
Chlorobenzene	ug/L	<0.86	1.0	01/30/23 10:42	
Chloroethane	ug/L	<1.4	5.0	01/30/23 10:42	
Chloroform	ug/L	<1.2	5.0	01/30/23 10:42	
Chloromethane	ug/L	<1.6	5.0	01/30/23 10:42	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	01/30/23 10:42	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	01/30/23 10:42	
Dibromochloromethane	ug/L	<2.6	5.0	01/30/23 10:42	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX
Pace Project No.: 40257612

METHOD BLANK: 2511551

Matrix: Water

Associated Lab Samples: 40257612001, 40257612002, 40257612003, 40257612004, 40257612005, 40257612006, 40257612007, 40257612008, 40257612009, 40257612010, 40257612011, 40257612012, 40257612013, 40257612014, 40257612015, 40257612016, 40257612017, 40257612018, 40257612019, 40257612020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	<0.99	5.0	01/30/23 10:42	
Dichlorodifluoromethane	ug/L	<0.46	5.0	01/30/23 10:42	
Diisopropyl ether	ug/L	<1.1	5.0	01/30/23 10:42	
Ethylbenzene	ug/L	<0.33	1.0	01/30/23 10:42	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	01/30/23 10:42	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	01/30/23 10:42	
m&p-Xylene	ug/L	<0.70	2.0	01/30/23 10:42	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	01/30/23 10:42	
Methylene Chloride	ug/L	<0.32	5.0	01/30/23 10:42	
n-Butylbenzene	ug/L	<0.86	1.0	01/30/23 10:42	
n-Propylbenzene	ug/L	<0.35	1.0	01/30/23 10:42	
Naphthalene	ug/L	<1.1	5.0	01/30/23 10:42	
o-Xylene	ug/L	<0.35	1.0	01/30/23 10:42	
p-Isopropyltoluene	ug/L	<1.0	5.0	01/30/23 10:42	
sec-Butylbenzene	ug/L	<0.42	1.0	01/30/23 10:42	
Styrene	ug/L	<0.36	1.0	01/30/23 10:42	
tert-Butylbenzene	ug/L	<0.59	1.0	01/30/23 10:42	
Tetrachloroethene	ug/L	<0.41	1.0	01/30/23 10:42	
Toluene	ug/L	<0.29	1.0	01/30/23 10:42	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	01/30/23 10:42	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	01/30/23 10:42	
Trichloroethene	ug/L	<0.32	1.0	01/30/23 10:42	
Trichlorofluoromethane	ug/L	<0.42	1.0	01/30/23 10:42	
Vinyl chloride	ug/L	<0.17	1.0	01/30/23 10:42	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	01/30/23 10:42	
4-Bromofluorobenzene (S)	%	96	70-130	01/30/23 10:42	
Toluene-d8 (S)	%	93	70-130	01/30/23 10:42	

LABORATORY CONTROL SAMPLE: 2511552

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	64.3	129	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	47.7	95	69-130	
1,1,2-Trichloroethane	ug/L	50	48.8	98	70-130	
1,1-Dichloroethane	ug/L	50	62.7	125	70-130	
1,1-Dichloroethene	ug/L	50	63.9	128	74-131	
1,2,4-Trichlorobenzene	ug/L	50	41.5	83	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	37.9	76	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	47.4	95	70-130	
1,2-Dichlorobenzene	ug/L	50	47.9	96	70-130	
1,2-Dichloroethane	ug/L	50	61.3	123	70-137	
1,2-Dichloropropane	ug/L	50	60.8	122	80-121 L1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX
Pace Project No.: 40257612

LABORATORY CONTROL SAMPLE: 2511552

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,3-Dichlorobenzene	ug/L	50	49.3	99	70-130	
1,4-Dichlorobenzene	ug/L	50	46.8	94	70-130	
Benzene	ug/L	50	59.6	119	70-130	
Bromodichloromethane	ug/L	50	61.0	122	70-130	
Bromoform	ug/L	50	50.4	101	70-130	
Bromomethane	ug/L	50	35.5	71	21-147	
Carbon tetrachloride	ug/L	50	66.6	133	80-146	
Chlorobenzene	ug/L	50	52.2	104	70-130	
Chloroethane	ug/L	50	63.2	126	52-165	
Chloroform	ug/L	50	64.4	129	80-123	L1
Chloromethane	ug/L	50	54.8	110	51-122	
cis-1,2-Dichloroethene	ug/L	50	60.8	122	70-130	
cis-1,3-Dichloropropene	ug/L	50	60.0	120	70-130	
Dibromochloromethane	ug/L	50	50.2	100	70-130	
Dichlorodifluoromethane	ug/L	50	55.6	111	25-121	
Ethylbenzene	ug/L	50	52.0	104	80-120	
Isopropylbenzene (Cumene)	ug/L	50	51.3	103	70-130	
m&p-Xylene	ug/L	100	105	105	70-130	
Methyl-tert-butyl ether	ug/L	50	58.3	117	70-130	
Methylene Chloride	ug/L	50	62.8	126	70-130	
o-Xylene	ug/L	50	52.2	104	70-130	
Styrene	ug/L	50	60.6	121	70-130	
Tetrachloroethene	ug/L	50	49.0	98	70-130	
Toluene	ug/L	50	49.7	99	80-120	
trans-1,2-Dichloroethene	ug/L	50	63.0	126	70-130	
trans-1,3-Dichloropropene	ug/L	50	47.9	96	70-130	
Trichloroethene	ug/L	50	60.9	122	70-130	
Trichlorofluoromethane	ug/L	50	63.5	127	65-160	
Vinyl chloride	ug/L	50	60.6	121	63-134	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			98	70-130	
Toluene-d8 (S)	%			92	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2511666 2511667

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40257612004 Result	Spike Conc.	Spike Conc.	MS Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	65.1	63.7	130	127	70-134	2	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	48.2	44.8	96	90	61-135	7	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	49.8	48.7	100	97	70-130	2	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	62.7	62.3	125	125	70-130	1	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	65.8	65.7	132	131	71-130	0	20	M1	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	41.5	40.4	83	81	68-131	3	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	37.5	36.8	75	74	51-141	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX

Pace Project No.: 40257612

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2511666		2511667		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40257612004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	48.1	46.6	96	93	70-130	3	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	48.8	47.1	98	94	70-130	4	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	62.9	61.6	126	123	70-137	2	20		
1,2-Dichloropropane	ug/L	<0.45	50	50	60.6	59.3	121	119	80-121	2	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	50.7	49.0	101	98	70-130	3	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	47.9	46.5	96	93	70-130	3	20		
Benzene	ug/L	<0.30	50	50	60.5	60.6	121	121	70-130	0	20		
Bromodichloromethane	ug/L	<0.42	50	50	62.2	61.8	124	124	70-130	1	20		
Bromoform	ug/L	<3.8	50	50	49.7	47.4	99	95	70-133	5	20		
Bromomethane	ug/L	<1.2	50	50	47.0	51.3	94	103	21-149	9	22		
Carbon tetrachloride	ug/L	<0.37	50	50	68.0	68.1	136	136	80-146	0	20		
Chlorobenzene	ug/L	<0.86	50	50	53.3	52.5	107	105	70-130	1	20		
Chloroethane	ug/L	<1.4	50	50	65.2	62.1	130	124	52-165	5	20		
Chloroform	ug/L	<1.2	50	50	65.3	65.1	131	130	80-123	0	20	MO	
Chloromethane	ug/L	<1.6	50	50	52.6	52.4	105	105	42-125	0	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	62.4	60.5	125	121	70-130	3	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	61.0	59.5	122	119	70-130	2	20		
Dibromochloromethane	ug/L	<2.6	50	50	51.9	50.5	104	101	70-130	3	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	52.8	52.7	106	105	25-121	0	20		
Ethylbenzene	ug/L	<0.33	50	50	53.4	53.2	107	106	80-121	0	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	53.3	52.0	107	104	70-130	3	20		
m&p-Xylene	ug/L	<0.70	100	100	106	105	106	105	70-130	1	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	59.9	57.5	120	115	70-130	4	20		
Methylene Chloride	ug/L	<0.32	50	50	64.5	63.2	129	126	70-130	2	20		
o-Xylene	ug/L	<0.35	50	50	54.4	53.4	109	107	70-130	2	20		
Styrene	ug/L	<0.36	50	50	62.6	61.2	125	122	70-132	2	20		
Tetrachloroethene	ug/L	<0.41	50	50	50.8	50.4	102	101	70-130	1	20		
Toluene	ug/L	<0.29	50	50	51.3	51.4	103	103	80-120	0	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	64.4	63.7	129	127	70-130	1	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	47.9	47.4	96	95	70-130	1	20		
Trichloroethene	ug/L	<0.32	50	50	61.6	62.1	123	124	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	63.2	63.1	126	126	65-160	0	20		
Vinyl chloride	ug/L	<0.17	50	50	59.9	60.1	120	120	60-137	0	20		
1,2-Dichlorobenzene-d4 (S)	%						99	101	70-130				
4-Bromofluorobenzene (S)	%						98	98	70-130				
Toluene-d8 (S)	%						93	93	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX
Pace Project No.: 40257612

QC Batch: 436734 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40257612021, 40257612022, 40257612023

METHOD BLANK: 2511555 Matrix: Water
Associated Lab Samples: 40257612021, 40257612022, 40257612023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	01/30/23 12:40	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	01/30/23 12:40	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	01/30/23 12:40	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	01/30/23 12:40	
1,1-Dichloroethane	ug/L	<0.30	1.0	01/30/23 12:40	
1,1-Dichloroethene	ug/L	<0.58	1.0	01/30/23 12:40	
1,1-Dichloropropene	ug/L	<0.41	1.0	01/30/23 12:40	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	01/30/23 12:40	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	01/30/23 12:40	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	01/30/23 12:40	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	01/30/23 12:40	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	01/30/23 12:40	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	01/30/23 12:40	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	01/30/23 12:40	
1,2-Dichloroethane	ug/L	<0.29	1.0	01/30/23 12:40	
1,2-Dichloropropane	ug/L	<0.45	1.0	01/30/23 12:40	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	01/30/23 12:40	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	01/30/23 12:40	
1,3-Dichloropropane	ug/L	<0.30	1.0	01/30/23 12:40	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	01/30/23 12:40	
2,2-Dichloropropane	ug/L	<4.2	5.0	01/30/23 12:40	
2-Chlorotoluene	ug/L	<0.89	5.0	01/30/23 12:40	
4-Chlorotoluene	ug/L	<0.89	5.0	01/30/23 12:40	
Benzene	ug/L	<0.30	1.0	01/30/23 12:40	
Bromobenzene	ug/L	<0.36	1.0	01/30/23 12:40	
Bromochloromethane	ug/L	<0.36	5.0	01/30/23 12:40	
Bromodichloromethane	ug/L	<0.42	1.0	01/30/23 12:40	
Bromoform	ug/L	<3.8	5.0	01/30/23 12:40	
Bromomethane	ug/L	<1.2	5.0	01/30/23 12:40	
Carbon tetrachloride	ug/L	<0.37	1.0	01/30/23 12:40	
Chlorobenzene	ug/L	<0.86	1.0	01/30/23 12:40	
Chloroethane	ug/L	<1.4	5.0	01/30/23 12:40	
Chloroform	ug/L	<1.2	5.0	01/30/23 12:40	
Chloromethane	ug/L	<1.6	5.0	01/30/23 12:40	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	01/30/23 12:40	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	01/30/23 12:40	
Dibromochloromethane	ug/L	<2.6	5.0	01/30/23 12:40	
Dibromomethane	ug/L	<0.99	5.0	01/30/23 12:40	
Dichlorodifluoromethane	ug/L	<0.46	5.0	01/30/23 12:40	
Diisopropyl ether	ug/L	<1.1	5.0	01/30/23 12:40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX

Pace Project No.: 40257612

METHOD BLANK: 2511555

Matrix: Water

Associated Lab Samples: 40257612021, 40257612022, 40257612023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	01/30/23 12:40	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	01/30/23 12:40	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	01/30/23 12:40	
m&p-Xylene	ug/L	<0.70	2.0	01/30/23 12:40	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	01/30/23 12:40	
Methylene Chloride	ug/L	<0.32	5.0	01/30/23 12:40	
n-Butylbenzene	ug/L	<0.86	1.0	01/30/23 12:40	
n-Propylbenzene	ug/L	<0.35	1.0	01/30/23 12:40	
Naphthalene	ug/L	<1.1	5.0	01/30/23 12:40	
o-Xylene	ug/L	<0.35	1.0	01/30/23 12:40	
p-Isopropyltoluene	ug/L	<1.0	5.0	01/30/23 12:40	
sec-Butylbenzene	ug/L	<0.42	1.0	01/30/23 12:40	
Styrene	ug/L	<0.36	1.0	01/30/23 12:40	
tert-Butylbenzene	ug/L	<0.59	1.0	01/30/23 12:40	
Tetrachloroethene	ug/L	<0.41	1.0	01/30/23 12:40	
Toluene	ug/L	<0.29	1.0	01/30/23 12:40	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	01/30/23 12:40	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	01/30/23 12:40	
Trichloroethene	ug/L	<0.32	1.0	01/30/23 12:40	
Trichlorofluoromethane	ug/L	<0.42	1.0	01/30/23 12:40	
Vinyl chloride	ug/L	<0.17	1.0	01/30/23 12:40	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130	01/30/23 12:40	
4-Bromofluorobenzene (S)	%	100	70-130	01/30/23 12:40	
Toluene-d8 (S)	%	100	70-130	01/30/23 12:40	

LABORATORY CONTROL SAMPLE: 2511556

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	60.7	121	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	54.1	108	69-130	
1,1,2-Trichloroethane	ug/L	50	52.5	105	70-130	
1,1-Dichloroethane	ug/L	50	55.4	111	70-130	
1,1-Dichloroethene	ug/L	50	56.1	112	74-131	
1,2,4-Trichlorobenzene	ug/L	50	49.6	99	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	52.3	105	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	52.3	105	70-130	
1,2-Dichlorobenzene	ug/L	50	53.0	106	70-130	
1,2-Dichloroethane	ug/L	50	55.0	110	70-137	
1,2-Dichloropropane	ug/L	50	56.3	113	80-121	
1,3-Dichlorobenzene	ug/L	50	54.8	110	70-130	
1,4-Dichlorobenzene	ug/L	50	51.3	103	70-130	
Benzene	ug/L	50	54.6	109	70-130	
Bromodichloromethane	ug/L	50	56.1	112	70-130	
Bromoform	ug/L	50	53.9	108	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX
Pace Project No.: 40257612

LABORATORY CONTROL SAMPLE: 2511556

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	36.1	72	21-147	
Carbon tetrachloride	ug/L	50	64.2	128	80-146	
Chlorobenzene	ug/L	50	55.4	111	70-130	
Chloroethane	ug/L	50	54.2	108	52-165	
Chloroform	ug/L	50	57.1	114	80-123	
Chloromethane	ug/L	50	57.0	114	51-122	
cis-1,2-Dichloroethene	ug/L	50	53.3	107	70-130	
cis-1,3-Dichloropropene	ug/L	50	55.1	110	70-130	
Dibromochloromethane	ug/L	50	52.3	105	70-130	
Dichlorodifluoromethane	ug/L	50	56.7	113	25-121	
Ethylbenzene	ug/L	50	57.7	115	80-120	
Isopropylbenzene (Cumene)	ug/L	50	54.6	109	70-130	
m&p-Xylene	ug/L	100	111	111	70-130	
Methyl-tert-butyl ether	ug/L	50	50.1	100	70-130	
Methylene Chloride	ug/L	50	51.7	103	70-130	
o-Xylene	ug/L	50	55.3	111	70-130	
Styrene	ug/L	50	65.5	131	70-130 L1	
Tetrachloroethene	ug/L	50	55.2	110	70-130	
Toluene	ug/L	50	54.6	109	80-120	
trans-1,2-Dichloroethene	ug/L	50	55.5	111	70-130	
trans-1,3-Dichloropropene	ug/L	50	51.9	104	70-130	
Trichloroethene	ug/L	50	55.5	111	70-130	
Trichlorofluoromethane	ug/L	50	57.7	115	65-160	
Vinyl chloride	ug/L	50	58.0	116	63-134	
1,2-Dichlorobenzene-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			104	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2511668 2511669

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40257610012	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	59.7	60.1	119	120	70-134	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	54.2	53.0	108	106	61-135	2	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	52.1	51.6	104	103	70-130	1	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	54.1	54.7	108	109	70-130	1	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	54.8	55.9	110	112	71-130	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	49.1	50.3	98	101	68-131	2	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	53.8	52.1	108	104	51-141	3	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	51.4	49.9	103	100	70-130	3	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	53.4	53.5	107	107	70-130	0	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	53.7	53.5	107	107	70-137	0	20		
1,2-Dichloropropane	ug/L	<0.45	50	50	55.8	55.4	112	111	80-121	1	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	54.5	55.1	109	110	70-130	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 8173 BAND BOX

Pace Project No.: 40257612

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2511668												2511669											
Parameter	Units	40257610012		MS		MSD		MS		MSD		% Rec		Max		Qual							
		Result	Conc.	Spike	Conc.	Result	Conc.	Result	Conc.	% Rec	% Rec	Limits	RPD	RPD									
1,4-Dichlorobenzene	ug/L	<0.89	50	50	50	50	51.0	50.8	102	102	70-130	0	20										
Benzene	ug/L	<0.30	50	50	50	50	54.0	53.7	108	107	70-130	1	20										
Bromodichloromethane	ug/L	<0.42	50	50	50	50	55.3	54.6	111	109	70-130	1	20										
Bromoform	ug/L	<3.8	50	50	50	50	51.9	51.8	104	104	70-133	0	20										
Bromomethane	ug/L	<1.2	50	50	50	50	40.4	44.6	81	89	21-149	10	22										
Carbon tetrachloride	ug/L	<0.37	50	50	50	50	62.9	63.6	126	127	80-146	1	20										
Chlorobenzene	ug/L	<0.86	50	50	50	50	54.2	54.9	108	110	70-130	1	20										
Chloroethane	ug/L	<1.4	50	50	50	50	53.4	53.1	107	106	52-165	1	20										
Chloroform	ug/L	<1.2	50	50	50	50	56.1	56.5	112	113	80-123	1	20										
Chloromethane	ug/L	<1.6	50	50	50	50	54.4	53.7	109	107	42-125	1	20										
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	50	50	53.2	53.5	106	107	70-130	1	20										
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	50	50	54.5	54.4	109	109	70-130	0	20										
Dibromochloromethane	ug/L	<2.6	50	50	50	50	51.1	50.5	102	101	70-130	1	20										
Dichlorodifluoromethane	ug/L	<0.46	50	50	50	50	52.0	51.8	104	104	25-121	0	20										
Ethylbenzene	ug/L	<0.33	50	50	50	50	56.2	56.5	112	113	80-121	1	20										
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	50	50	53.7	54.3	107	109	70-130	1	20										
m&p-Xylene	ug/L	<0.70	100	100	100	100	108	110	108	110	70-130	2	20										
Methyl-tert-butyl ether	ug/L	<1.1	50	50	50	50	48.7	48.6	97	97	70-130	0	20										
Methylene Chloride	ug/L	<0.32	50	50	50	50	51.2	51.0	102	102	70-130	0	20										
o-Xylene	ug/L	<0.35	50	50	50	50	53.6	54.5	107	109	70-130	2	20										
Styrene	ug/L	<0.36	50	50	50	50	63.3	64.8	127	130	70-132	2	20										
Tetrachloroethene	ug/L	<0.41	50	50	50	50	53.8	54.3	108	109	70-130	1	20										
Toluene	ug/L	<0.29	50	50	50	50	53.8	54.4	108	109	80-120	1	20										
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	50	50	54.9	56.2	110	112	70-130	2	20										
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	50	50	50.4	50.5	101	101	70-130	0	20										
Trichloroethene	ug/L	<0.32	50	50	50	50	55.1	55.0	110	110	70-130	0	20										
Trichlorofluoromethane	ug/L	<0.42	50	50	50	50	56.8	56.4	114	113	65-160	1	20										
Vinyl chloride	ug/L	<0.17	50	50	50	50	55.4	54.9	111	110	60-137	1	20										
1,2-Dichlorobenzene-d4 (S)	%								99	99	70-130												
4-Bromofluorobenzene (S)	%								103	105	70-130												
Toluene-d8 (S)	%								101	102	70-130												

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 8173 BAND BOX

Pace Project No.: 40257612

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 8173 BAND BOX
Pace Project No.: 40257612

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40257612001	MWA 1R	EPA 8260	436732		
40257612002	MWA-2	EPA 8260	436732		
40257612003	MW18	EPA 8260	436732		
40257612004	MW18P	EPA 8260	436732		
40257612005	PZ2	EPA 8260	436732		
40257612006	PZ3	EPA 8260	436732		
40257612007	MW12	EPA 8260	436732		
40257612008	MW15	EPA 8260	436732		
40257612009	MWA-3	EPA 8260	436732		
40257612010	PZA-3	EPA 8260	436732		
40257612011	PZB-3	EPA 8260	436732		
40257612012	PZC3	EPA 8260	436732		
40257612013	MWA-4	EPA 8260	436732		
40257612014	PZA-4	EPA 8260	436732		
40257612015	PZB4	EPA 8260	436732		
40257612016	PZC4	EPA 8260	436732		
40257612017	MW16	EPA 8260	436732		
40257612018	MW17	EPA 8260	436732		
40257612019	MW17P	EPA 8260	436732		
40257612020	PZ1	EPA 8260	436732		
40257612021	MW14	EPA 8260	436734		
40257612022	MW14P	EPA 8260	436734		
40257612023	MW14P60	EPA 8260	436734		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

40257612



CHAIN-OF-CUSTODY Analytical Request Document

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

ALL SHADED AREAS are for LAB USE ONLY

Company: REI Billing Information:

Address: 4080 W. 2nd Ave

Report To: Paul Larsen Email To: plarsen@reiregistry.com

Copy To:

Site Collection Info/Address:

Container Preservative Type **

Lab Project Manager:

** Preservative Types (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Customer Project Name/Number: 8173 Bond Box State: WTI County/City: Time Zone Collected: [] PT [] MT [] CT [] ET

Phone: 7156759784 Site/Facility ID #: Compliance Monitoring? [] Yes [] No

Collected By (print): Paul Besler Purchase Order #: DW PWS ID #: Quote #: DW Location Code:

Collected By (signature): Turnaround Date Required: Immediately Packed on Ice: [] Yes [] No

Sample Disposal: Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day Field Filtered (if applicable): [] Yes [] No Analysis: VOCS

Analyses										Lab Profile/Line:	
VOCS										Lab Sample Receipt Checklist:	
										Custody Seals Present/Intact	Y N NA
										Custody Signatures Present	Y N NA
										Collector Signature Present	Y N NA
										Bottles Intact	Y N NA
										Correct Bottles	Y N NA
										Sufficient Volume	Y N NA
										Samples Received on Ice	Y N NA
										VOA - Headspace Acceptable	Y N NA
										USDA Regulated Soils	Y N NA
Samples in Holding Time	Y N NA										
Residual Chlorine Present	Y N NA										
Cl Strips:											
Sample pH Acceptable	Y N NA										
pH Strips:											
Sulfide Present	Y N NA										
Lead Acetate Strips:											

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
P2B-3	GW	✓	124-23	1:40				
P2C3				1:55				
MWA-4				2:10				
P2A-4				2:25				
P2B4				2:40				
P2C4				2:55				
MW16				3:35				
MW17				14:05				
MW17P				14:34				
P21				15:12				

LAB USE ONLY: Lab Sample # / Comments									
01									
02									
03									
04									
05									
06									
07									
08									
09									
020									

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: Wet Blue Dry None

Packing Material Used:

Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A

Lab Tracking #: 2782981

Samples received via: FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info:

Temp Blank Received: Y N NA

Therm ID#:

Cooler 1 Temp Upon Receipt: 20C

Cooler 1 Therm Corr. Factor: 0C

Cooler 1 Corrected Temp: 20C

Comments: 4/15/23

Relinquished by/Company: (Signature) Paul Besler Date/Time: 3:30 PM 1-26-23

Relinquished by/Company: (Signature) Walter Date/Time: 1/27/23 0840

Relinquished by/Company: (Signature) Date/Time:

Received by/Company: (Signature) Yvonne He Place Date/Time: 1/27/23 0840

Received by/Company: (Signature) Date/Time:

MTJL LAB USE ONLY

Table #:

Acctnum:

Template:

Prelogin:

PM:

PB:

Trip Blank Received: Y N NA

HCL MeOH TSP Other

Non Conformance(s): Page 54 of 58

YES / NO of: 54

40257612



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

ALL SHADED AREAS are for LAB USE ONLY

Company: RET Billing Information:

Address: 4080 NW 20th Ave

Report To: Pave Larson Email To: plarsen@retengineering.com

Copy To: Site Collection Info/Address:

Container Preservative Type ** 3 Lab Project Manager:

** Preservative Types. (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Customer Project Name/Number: 8173 Bend Box State: WI County/City: Time Zone Collected: [] PT [] MT [] CT [] ET

Phone: Site/Facility ID #: Compliance Monitoring? [] Yes [] No

Collected By (print): Paul Bosen Purchase Order #: DW PWS ID #: Quote #: DW Location Code:

Collected By (signature): Turnaround Date Required: Immediately Packed on Ice: [] Yes [] No

Sample Disposal: Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply)

[] Dispose as appropriate [] Return [] Archive: [] Hold: Field Filtered (if applicable): [] Yes [] No Analysis: VOCS

Analyses										Lab Profile/Line:																																				
Lab Sample Receipt Checklist:																																														
Custody Seals Present/Intact Y N NA																																														
Custody Signatures Present Y N NA																																														
Collector Signature Present Y N NA																																														
Bottles Intact Y N NA																																														
Correct Bottles Y N NA																																														
Sufficient Volume Y N NA																																														
Samples Received on Ice Y N NA																																														
VOA - Headspace Acceptable Y N NA																																														
USDA Regulated Soils Y N NA																																														
Samples in Holding Time Y N NA																																														
Residual Chlorine Present Y N NA																																														
Cl Strips: Y N NA																																														
Sample pH Acceptable Y N NA																																														
pH Strips: Y N NA																																														
Sulfide Present Y N NA																																														
Lead Acetate Strips: Y N NA																																														
LAB USE ONLY: Lab Sample # / Comments: <u>See SWIR 12/23</u>																																														
<table border="1"> <tr> <td>MW14</td> <td>GW</td> <td>✓</td> <td>1-24-20</td> <td>16:20</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>021</td> </tr> <tr> <td>MW14P</td> <td>↓</td> <td>↓</td> <td>↓</td> <td>15:56</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>022</td> </tr> <tr> <td>MW14P60</td> <td>↓</td> <td>↓</td> <td>↓</td> <td>16:40</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>023</td> </tr> </table>											MW14	GW	✓	1-24-20	16:20							021	MW14P	↓	↓	↓	15:56							022	MW14P60	↓	↓	↓	16:40							023
MW14	GW	✓	1-24-20	16:20							021																																			
MW14P	↓	↓	↓	15:56							022																																			
MW14P60	↓	↓	↓	16:40							023																																			

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
MW14	GW	✓	1-24-20	16:20				
MW14P	↓	↓	↓	15:56				
MW14P60	↓	↓	↓	16:40				

Customer Remarks / Special Conditions / Possible Hazards: Type of Ice Used: Wet Blue Dry None SHORT HOLDS PRESENT (<72 hours): Y N N/A

Packing Material Used: Lab Tracking #: 2782983

Radchem sample(s) screened (<500 cpm): Y N NA Samples received via: FEDEX UPS Client Courier Pace Courier

Relinquished by/Company: (Signature) Paul Bosen Date/Time: 1-26-20 Received by/Company: (Signature) Date/Time: 1/27/23 0840

Relinquished by/Company: (Signature) Walter Date/Time: 1/27/23 0840 Received by/Company: (Signature) Yvonne H Pace Date/Time: 1/27/23 0840

Relinquished by/Company: (Signature) Date/Time: Received by/Company: (Signature) Date/Time:

Lab Sample Temperature Info: Temp Blank Received: Y N NA Therm ID#: Cooler 1 Temp Upon Receipt: °C Cooler 1 Therm Corr. Factor: °C Cooler 1 Corrected Temp: °C Comments:

Trip Blank Received: Y N NA HCL MeOH TSP Other

Non Conformance(s): Page 55 of 58 YES / NO of:

Sample Condition Upon Receipt Form (SCUR)

Project #: _____

Client Name: REI

WO#: 40257612

Courier: CS Logistics Fed Ex Speedee UPS ~~Waltco~~
 Client Pace Other: _____



Tracking #: 3469704-1

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 125 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr: 2.0 / Corr. 2.0

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 1/21/23 / Initials: JN
 Labeled By Initials: MJG

Temp should be above freezing to 6°C
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>pg #'s, Billing info yH 1/21/23</u>
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt <input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: Pace <u>Green Bay</u> , Pace IR, Non-Pace	
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix. <u>W</u>	
Trip Blank Present: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

DAVE LARSEN
REI ENGINEERING
4080 N. 20TH AVENUE
WAUSAU, WI 54401

Report Date 05-Jul-23

Project Name BAND BOX
Project # 8173-DERF
Lab Code 5042576A
Sample ID PZ-1
Sample Matrix Water
Sample Date 6/21/2023

Invoice # E42576

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/27/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/27/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/27/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/27/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/27/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/27/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/27/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/27/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/27/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/27/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/27/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/27/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/27/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/27/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/27/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/27/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/27/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/27/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/27/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/27/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/27/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576A
Sample ID PZ-1
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/27/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/27/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/27/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/27/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/27/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/27/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/27/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/27/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/27/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/27/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/27/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/27/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		6/27/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		6/27/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		6/27/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		6/27/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		6/27/2023	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		6/27/2023	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		6/27/2023	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576B
Sample ID PZ-3
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/27/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/27/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/27/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/27/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/27/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/27/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/27/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/27/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/27/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/27/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/27/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/27/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/27/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/27/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/27/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/27/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/27/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/27/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/27/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/27/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/27/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/27/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/27/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/27/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/27/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/27/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/27/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/27/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/27/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/27/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/27/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/27/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/27/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576B
Sample ID PZ-3
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		6/27/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		6/27/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		6/27/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		6/27/2023	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		6/27/2023	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		6/27/2023	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		6/27/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576C
Sample ID PZ-2
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	1130	ug/l	15	62.5	50	8260B		6/28/2023	CJR	1
Bromobenzene	< 17	ug/l	17	70	50	8260B		6/28/2023	CJR	1
Bromodichloromethane	< 18	ug/l	18	73.5	50	8260B		6/28/2023	CJR	1
Bromoform	< 21	ug/l	21	86	50	8260B		6/28/2023	CJR	1
tert-Butylbenzene	< 18.5	ug/l	18.5	74.5	50	8260B		6/28/2023	CJR	1
sec-Butylbenzene	< 16.5	ug/l	16.5	67	50	8260B		6/28/2023	CJR	1
n-Butylbenzene	< 35.5	ug/l	35.5	145	50	8260B		6/28/2023	CJR	1
Carbon Tetrachloride	< 17	ug/l	17	69.5	50	8260B		6/28/2023	CJR	1
Chlorobenzene	< 14.5	ug/l	14.5	59.5	50	8260B		6/28/2023	CJR	1
Chloroethane	< 31	ug/l	31	127	50	8260B		6/28/2023	CJR	1
Chloroform	< 16.5	ug/l	16.5	66.5	50	8260B		6/28/2023	CJR	1
Chloromethane	< 37	ug/l	37	151.5	50	8260B		6/28/2023	CJR	1
2-Chlorotoluene	< 17	ug/l	17	68.5	50	8260B		6/28/2023	CJR	1
4-Chlorotoluene	< 20	ug/l	20	81.5	50	8260B		6/28/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/l	37	150.5	50	8260B		6/28/2023	CJR	1
Dibromochloromethane	< 18	ug/l	18	73	50	8260B		6/28/2023	CJR	1
1,4-Dichlorobenzene	< 24.5	ug/l	24.5	100.5	50	8260B		6/28/2023	CJR	1
1,3-Dichlorobenzene	< 17.5	ug/l	17.5	72	50	8260B		6/28/2023	CJR	1
1,2-Dichlorobenzene	< 20	ug/l	20	82.5	50	8260B		6/28/2023	CJR	1
Dichlorodifluoromethane	< 15	ug/l	15	61.5	50	8260B		6/28/2023	CJR	1
1,2-Dichloroethane	< 21.5	ug/l	21.5	87.5	50	8260B		6/28/2023	CJR	1
1,1-Dichloroethane	< 21.5	ug/l	21.5	87	50	8260B		6/28/2023	CJR	1
1,1-Dichloroethene	< 21.5	ug/l	21.5	88	50	8260B		6/28/2023	CJR	1
cis-1,2-Dichloroethene	< 16	ug/l	16	64.5	50	8260B		6/28/2023	CJR	1
trans-1,2-Dichloroethene	< 25	ug/l	25	101	50	8260B		6/28/2023	CJR	1
1,2-Dichloropropane	< 19.5	ug/l	19.5	79	50	8260B		6/28/2023	CJR	1
1,3-Dichloropropane	< 19	ug/l	19	77.5	50	8260B		6/28/2023	CJR	1
trans-1,3-Dichloropropene	< 20.5	ug/l	20.5	83.5	50	8260B		6/28/2023	CJR	1
cis-1,3-Dichloropropene	< 20.5	ug/l	20.5	83.5	50	8260B		6/28/2023	CJR	1
Di-isopropyl ether	< 24	ug/l	24	98	50	8260B		6/28/2023	CJR	1
EDB (1,2-Dibromoethane)	< 19.5	ug/l	19.5	79.5	50	8260B		6/28/2023	CJR	1
Ethylbenzene	1070	ug/l	16.5	68.5	50	8260B		6/28/2023	CJR	1
Hexachlorobutadiene	< 40.5	ug/l	40.5	172	50	8260B		6/28/2023	CJR	1
Isopropylbenzene	36 "J"	ug/l	17	69	50	8260B		6/28/2023	CJR	1
p-Isopropyltoluene	< 23.5	ug/l	23.5	95.5	50	8260B		6/28/2023	CJR	1
Methylene chloride	< 39.5	ug/l	39.5	161.5	50	8260B		6/28/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 23.5	ug/l	23.5	95.5	50	8260B		6/28/2023	CJR	1
Naphthalene	< 70	ug/l	70	278	50	8260B		6/28/2023	CJR	1
n-Propylbenzene	80	ug/l	19.5	80	50	8260B		6/28/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 21.5	ug/l	21.5	88.5	50	8260B		6/28/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 27.5	ug/l	27.5	112.5	50	8260B		6/28/2023	CJR	1
Tetrachloroethene	< 23.5	ug/l	23.5	95.5	50	8260B		6/28/2023	CJR	1
Toluene	720	ug/l	16.5	67.5	50	8260B		6/28/2023	CJR	1
1,2,4-Trichlorobenzene	< 31.5	ug/l	31.5	128.5	50	8260B		6/28/2023	CJR	1
1,2,3-Trichlorobenzene	< 70	ug/l	70	297	50	8260B		6/28/2023	CJR	1
1,1,1-Trichloroethane	< 16.5	ug/l	16.5	67	50	8260B		6/28/2023	CJR	1
1,1,2-Trichloroethane	< 21	ug/l	21	86	50	8260B		6/28/2023	CJR	1
Trichloroethene (TCE)	< 19	ug/l	19	77.5	50	8260B		6/28/2023	CJR	1
Trichlorofluoromethane	< 16.5	ug/l	16.5	67.5	50	8260B		6/28/2023	CJR	1
1,2,4-Trimethylbenzene	301	ug/l	17.5	72	50	8260B		6/28/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576C
Sample ID PZ-2
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	52 "J"	ug/l	20.5	83	50	8260B	6/28/2023	6/28/2023	CJR	1
Vinyl Chloride	< 7.5	ug/l	7.5	30.5	50	8260B	6/28/2023	6/28/2023	CJR	1
m&p-Xylene	850	ug/l	32	131.5	50	8260B	6/28/2023	6/28/2023	CJR	1
o-Xylene	133	ug/l	18.5	75.5	50	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			50	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Dibromofluoromethane	103	REC %			50	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			50	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Toluene-d8	97	REC %			50	8260B	6/28/2023	6/28/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576D
Sample ID PZ-C-3
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/27/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/27/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/27/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/27/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/27/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/27/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/27/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/27/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/27/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/27/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/27/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/27/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/27/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/27/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/27/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/27/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/27/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/27/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/27/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/27/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/27/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/27/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/27/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/27/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/27/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/27/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/27/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/27/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/27/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/27/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/27/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/27/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/27/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576D
Sample ID PZ-C-3
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/27/2023	6/27/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/27/2023	6/27/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/27/2023	6/27/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576E
 Sample ID PZ-A-3
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/27/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/27/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/27/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/27/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/27/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/27/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/27/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/27/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/27/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/27/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/27/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/27/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/27/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/27/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/27/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/27/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/27/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/27/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/27/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/27/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/27/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/27/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/27/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/27/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/27/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/27/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/27/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/27/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/27/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/27/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/27/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/27/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/27/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576E
Sample ID PZ-A-3
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/27/2023	6/27/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/27/2023	6/27/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/27/2023	6/27/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576F
Sample ID MW-A-3
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/27/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/27/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/27/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/27/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/27/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/27/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/27/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/27/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/27/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/27/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/27/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/27/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/27/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/27/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/27/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/27/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/27/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/27/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/27/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/27/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/27/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/27/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/27/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/27/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/27/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/27/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/27/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/27/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/27/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/27/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/27/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/27/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/27/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576F
Sample ID MW-A-3
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/27/2023	6/27/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/27/2023	6/27/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/27/2023	6/27/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	88	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576G
 Sample ID PZ-B-3
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/27/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/27/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/27/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/27/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/27/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/27/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/27/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/27/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/27/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/27/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/27/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/27/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/27/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/27/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/27/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/27/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/27/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/27/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/27/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/27/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/27/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/27/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/27/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/27/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/27/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/27/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/27/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/27/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/27/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/27/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/27/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/27/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/27/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576G
Sample ID PZ-B-3
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		6/27/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		6/27/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		6/27/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		6/27/2023	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		6/27/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/27/2023	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		6/27/2023	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576H
 Sample ID MW-15
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/27/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/27/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/27/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/27/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/27/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/27/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/27/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/27/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/27/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/27/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/27/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/27/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/27/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/27/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/27/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/27/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/27/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/27/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/27/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/27/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/27/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/27/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/27/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/27/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/27/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/27/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/27/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/27/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/27/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/27/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/27/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/27/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/27/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576H
Sample ID MW-15
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		6/27/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		6/27/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		6/27/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		6/27/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		6/27/2023	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		6/27/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		6/27/2023	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576I
 Sample ID MW-12
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/27/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/27/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/27/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/27/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
n-Butylbenzene	0.75 "J"	ug/l	0.71	2.9	1	8260B		6/27/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/27/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/27/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/27/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/27/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/27/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/27/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/27/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/27/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/27/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/27/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/27/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/27/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/27/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/27/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/27/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/27/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/27/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/27/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/27/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/27/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/27/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/27/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/27/2023	CJR	1
n-Propylbenzene	0.54 "J"	ug/l	0.39	1.6	1	8260B		6/27/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/27/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/27/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/27/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/27/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trimethylbenzene	3.2	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576I
Sample ID MW-12
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/27/2023	6/27/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/27/2023	6/27/2023	CJR	1
m&p-Xylene	2.96	ug/l	0.64	2.63	1	8260B	6/27/2023	6/27/2023	CJR	1
o-Xylene	3.5	ug/l	0.37	1.51	1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576J
Sample ID MW-AIR
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/27/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/27/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/27/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/27/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/27/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/27/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/27/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/27/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/27/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/27/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/27/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/27/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/27/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/27/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/27/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/27/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/27/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/27/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/27/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/27/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/27/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/27/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/27/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/27/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/27/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/27/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/27/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/27/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/27/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/27/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/27/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/27/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/27/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/27/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/27/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/27/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/27/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/27/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/27/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/27/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576J
Sample ID MW-AIR
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/27/2023	6/27/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/27/2023	6/27/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/27/2023	6/27/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B	6/27/2023	6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576K
Sample ID MW-18
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/28/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/28/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/28/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/28/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/28/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/28/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/28/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/28/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/28/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/28/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/28/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/28/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/28/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/28/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/28/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/28/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/28/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/28/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/28/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/28/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/28/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/28/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/28/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/28/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/28/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/28/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/28/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/28/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/28/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/28/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/28/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/28/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/28/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576K
Sample ID MW-18
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/28/2023	6/28/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/28/2023	6/28/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/28/2023	6/28/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576L
 Sample ID MW-18P
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/28/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/28/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/28/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/28/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/28/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/28/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/28/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/28/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/28/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/28/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/28/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/28/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/28/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/28/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/28/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/28/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/28/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/28/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/28/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/28/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/28/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/28/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/28/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/28/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/28/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/28/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/28/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/28/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/28/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/28/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/28/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/28/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/28/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576L
Sample ID MW-18P
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/28/2023	6/28/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/28/2023	6/28/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/28/2023	6/28/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	84	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576M
 Sample ID PZ-B-4
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/28/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/28/2023	CJR	1
Bromodichloromethane	0.60 "J"	ug/l	0.36	1.47	1	8260B		6/28/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/28/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/28/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/28/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/28/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/28/2023	CJR	1
Chloroform	1.85	ug/l	0.33	1.33	1	8260B		6/28/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/28/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/28/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/28/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/28/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/28/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/28/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/28/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/28/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/28/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/28/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/28/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/28/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/28/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/28/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/28/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/28/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/28/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/28/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/28/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/28/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/28/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/28/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/28/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/28/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576M
Sample ID PZ-B-4
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/28/2023	6/28/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/28/2023	6/28/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/28/2023	6/28/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	86	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576N
 Sample ID PZ-A-4
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/28/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/28/2023	CJR	1
Bromodichloromethane	1.23 "J"	ug/l	0.36	1.47	1	8260B		6/28/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/28/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/28/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/28/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/28/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/28/2023	CJR	1
Chloroform	3.8	ug/l	0.33	1.33	1	8260B		6/28/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/28/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/28/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/28/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/28/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/28/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/28/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/28/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/28/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/28/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/28/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/28/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/28/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/28/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/28/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/28/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/28/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/28/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/28/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/28/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/28/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/28/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/28/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/28/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/28/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576N
Sample ID PZ-A-4
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/28/2023	6/28/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/28/2023	6/28/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/28/2023	6/28/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 50425760
 Sample ID MW-A-4
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/28/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/28/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/28/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/28/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/28/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/28/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/28/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/28/2023	CJR	1
Chloroform	0.64 "J"	ug/l	0.33	1.33	1	8260B		6/28/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/28/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/28/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/28/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/28/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/28/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/28/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/28/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/28/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/28/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/28/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/28/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/28/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/28/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/28/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/28/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/28/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/28/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/28/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/28/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/28/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/28/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/28/2023	CJR	1
Tetrachloroethene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/28/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/28/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 50425760
Sample ID MW-A-4
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/28/2023	6/28/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/28/2023	6/28/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/28/2023	6/28/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	89	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576P
 Sample ID PZ-C-4
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/28/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/28/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/28/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/28/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/28/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/28/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/28/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/28/2023	CJR	1
Chloroform	7.2	ug/l	0.33	1.33	1	8260B		6/28/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/28/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/28/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/28/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/28/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/28/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/28/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/28/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/28/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/28/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/28/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/28/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/28/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/28/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/28/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/28/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/28/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/28/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/28/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/28/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/28/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/28/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/28/2023	CJR	1
Tetrachloroethene	17.5	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/28/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/28/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
Trichloroethene (TCE)	0.80 "J"	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576P
Sample ID PZ-C-4
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/28/2023	6/28/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/28/2023	6/28/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/28/2023	6/28/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	89	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576Q
 Sample ID MW-A-2
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/29/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/29/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/29/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/29/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/29/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/29/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/29/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/29/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/29/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/29/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/29/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/29/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/29/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/29/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/29/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/29/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/29/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/29/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/29/2023	CJR	1
Dichlorodifluoromethane	0.34 "J"	ug/l	0.3	1.23	1	8260B		6/29/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/29/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/29/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/29/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/29/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/29/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/29/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/29/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/29/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/29/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/29/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/29/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/29/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/29/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/29/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/29/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/29/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/29/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/29/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/29/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/29/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/29/2023	CJR	1
Tetrachloroethene	1.85 "J"	ug/l	0.47	1.91	1	8260B		6/29/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/29/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/29/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/29/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/29/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/29/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/29/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/29/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/29/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576Q
Sample ID MW-A-2
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/29/2023	6/29/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/29/2023	6/29/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/29/2023	6/29/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576R
 Sample ID MW-14P
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.5	ug/l	1.5	6.25	5	8260B		6/30/2023	CJR	1
Bromobenzene	< 1.7	ug/l	1.7	7	5	8260B		6/30/2023	CJR	1
Bromodichloromethane	< 1.8	ug/l	1.8	7.35	5	8260B		6/30/2023	CJR	1
Bromoform	< 2.1	ug/l	2.1	8.6	5	8260B		6/30/2023	CJR	1
tert-Butylbenzene	< 1.85	ug/l	1.85	7.45	5	8260B		6/30/2023	CJR	1
sec-Butylbenzene	< 1.65	ug/l	1.65	6.7	5	8260B		6/30/2023	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	14.5	5	8260B		6/30/2023	CJR	1
Carbon Tetrachloride	< 1.7	ug/l	1.7	6.95	5	8260B		6/30/2023	CJR	1
Chlorobenzene	< 1.45	ug/l	1.45	5.95	5	8260B		6/30/2023	CJR	1
Chloroethane	< 3.1	ug/l	3.1	12.7	5	8260B		6/30/2023	CJR	1
Chloroform	< 1.65	ug/l	1.65	6.65	5	8260B		6/30/2023	CJR	1
Chloromethane	< 3.7	ug/l	3.7	15.15	5	8260B		6/30/2023	CJR	1
2-Chlorotoluene	< 1.7	ug/l	1.7	6.85	5	8260B		6/30/2023	CJR	1
4-Chlorotoluene	< 2	ug/l	2	8.15	5	8260B		6/30/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 3.7	ug/l	3.7	15.05	5	8260B		6/30/2023	CJR	1
Dibromochloromethane	< 1.8	ug/l	1.8	7.3	5	8260B		6/30/2023	CJR	1
1,4-Dichlorobenzene	< 2.45	ug/l	2.45	10.05	5	8260B		6/30/2023	CJR	1
1,3-Dichlorobenzene	< 1.75	ug/l	1.75	7.2	5	8260B		6/30/2023	CJR	1
1,2-Dichlorobenzene	< 2	ug/l	2	8.25	5	8260B		6/30/2023	CJR	1
Dichlorodifluoromethane	< 1.5	ug/l	1.5	6.15	5	8260B		6/30/2023	CJR	1
1,2-Dichloroethane	< 2.15	ug/l	2.15	8.75	5	8260B		6/30/2023	CJR	1
1,1-Dichloroethane	< 2.15	ug/l	2.15	8.7	5	8260B		6/30/2023	CJR	1
1,1-Dichloroethene	< 2.15	ug/l	2.15	8.8	5	8260B		6/30/2023	CJR	1
cis-1,2-Dichloroethene	< 1.6	ug/l	1.6	6.45	5	8260B		6/30/2023	CJR	1
trans-1,2-Dichloroethene	< 2.5	ug/l	2.5	10.1	5	8260B		6/30/2023	CJR	1
1,2-Dichloropropane	< 1.95	ug/l	1.95	7.9	5	8260B		6/30/2023	CJR	1
1,3-Dichloropropane	< 1.9	ug/l	1.9	7.75	5	8260B		6/30/2023	CJR	1
trans-1,3-Dichloropropene	< 2.05	ug/l	2.05	8.35	5	8260B		6/30/2023	CJR	1
cis-1,3-Dichloropropene	< 2.05	ug/l	2.05	8.35	5	8260B		6/30/2023	CJR	1
Di-isopropyl ether	< 2.4	ug/l	2.4	9.8	5	8260B		6/30/2023	CJR	1
EDB (1,2-Dibromoethane)	< 1.95	ug/l	1.95	7.95	5	8260B		6/30/2023	CJR	1
Ethylbenzene	< 1.65	ug/l	1.65	6.85	5	8260B		6/30/2023	CJR	1
Hexachlorobutadiene	< 4.05	ug/l	4.05	17.2	5	8260B		6/30/2023	CJR	1
Isopropylbenzene	3.6 "J"	ug/l	1.7	6.9	5	8260B		6/30/2023	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	9.55	5	8260B		6/30/2023	CJR	1
Methylene chloride	< 3.95	ug/l	3.95	16.15	5	8260B		6/30/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	9.55	5	8260B		6/30/2023	CJR	1
Naphthalene	< 7	ug/l	7	27.8	5	8260B		6/30/2023	CJR	1
n-Propylbenzene	< 1.95	ug/l	1.95	8	5	8260B		6/30/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 2.15	ug/l	2.15	8.85	5	8260B		6/30/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 2.75	ug/l	2.75	11.25	5	8260B		6/30/2023	CJR	1
Tetrachloroethene	610	ug/l	2.35	9.55	5	8260B		6/30/2023	CJR	1
Toluene	< 1.65	ug/l	1.65	6.75	5	8260B		6/30/2023	CJR	1
1,2,4-Trichlorobenzene	< 3.15	ug/l	3.15	12.85	5	8260B		6/30/2023	CJR	1
1,2,3-Trichlorobenzene	< 7	ug/l	7	29.7	5	8260B		6/30/2023	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	6.7	5	8260B		6/30/2023	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	8.6	5	8260B		6/30/2023	CJR	1
Trichloroethene (TCE)	< 1.9	ug/l	1.9	7.75	5	8260B		6/30/2023	CJR	1
Trichlorofluoromethane	< 1.65	ug/l	1.65	6.75	5	8260B		6/30/2023	CJR	1
1,2,4-Trimethylbenzene	18.5	ug/l	1.75	7.2	5	8260B		6/30/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576R
Sample ID MW-14P
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 2.05	ug/l	2.05	8.3	5	8260B	6/30/2023	6/30/2023	CJR	1
Vinyl Chloride	< 0.75	ug/l	0.75	3.05	5	8260B	6/30/2023	6/30/2023	CJR	1
m&p-Xylene	< 3.2	ug/l	3.2	13.15	5	8260B	6/30/2023	6/30/2023	CJR	1
o-Xylene	3.7 "J"	ug/l	1.85	7.55	5	8260B	6/30/2023	6/30/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			5	8260B	6/30/2023	6/30/2023	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			5	8260B	6/30/2023	6/30/2023	CJR	1
SUR - Dibromofluoromethane	104	REC %			5	8260B	6/30/2023	6/30/2023	CJR	1
SUR - Toluene-d8	100	REC %			5	8260B	6/30/2023	6/30/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576S
 Sample ID MW-14
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/29/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/29/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/29/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/29/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/29/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/29/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/29/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/29/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/29/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/29/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/29/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/29/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/29/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/29/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/29/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/29/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/29/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/29/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/29/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/29/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/29/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/29/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/29/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/29/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/29/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/29/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/29/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/29/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/29/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/29/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/29/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/29/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/29/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/29/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/29/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/29/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/29/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/29/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/29/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/29/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/29/2023	CJR	1
Tetrachloroethene	3.7	ug/l	0.47	1.91	1	8260B		6/29/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/29/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/29/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/29/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/29/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/29/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/29/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/29/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/29/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576S
Sample ID MW-14
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/29/2023	6/29/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/29/2023	6/29/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/29/2023	6/29/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576T
 Sample ID MW-14P60
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/28/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/28/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/28/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/28/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/28/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/28/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/28/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/28/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/28/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/28/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/28/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/28/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/28/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/28/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/28/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/28/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/28/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/28/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/28/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/28/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/28/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/28/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/28/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/28/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/28/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/28/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/28/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/28/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/28/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/28/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/28/2023	CJR	1
Tetrachloroethene	18.6	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/28/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/28/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576T
Sample ID MW-14P60
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B		6/28/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B		6/28/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B		6/28/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B		6/28/2023	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		6/28/2023	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		6/28/2023	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		6/28/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		6/28/2023	CJR	1

Project Name BAND BOX
 Project # 8173-DERF

Invoice # E42576

Lab Code 5042576U
 Sample ID MW-17
 Sample Matrix Water
 Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/28/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/28/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/28/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/28/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/28/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/28/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/28/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/28/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/28/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/28/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/28/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/28/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/28/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/28/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/28/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/28/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/28/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/28/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/28/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/28/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/28/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/28/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/28/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/28/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/28/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/28/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/28/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/28/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/28/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/28/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/28/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/28/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/28/2023	CJR	1
Tetrachloroethene	148	ug/l	0.47	1.91	1	8260B		6/28/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/28/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/28/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/28/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/28/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/28/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/28/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/28/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576U
Sample ID MW-17
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/28/2023	6/28/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/28/2023	6/28/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/28/2023	6/28/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	88	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B	6/28/2023	6/28/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576V
Sample ID MW-17P
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/29/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/29/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/29/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/29/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/29/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/29/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/29/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/29/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/29/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/29/2023	CJR	1
Chloroform	< 0.33	ug/l	0.33	1.33	1	8260B		6/29/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/29/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/29/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/29/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/29/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/29/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/29/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/29/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/29/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/29/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/29/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/29/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/29/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/29/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/29/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/29/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/29/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/29/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/29/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/29/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/29/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/29/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/29/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/29/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/29/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/29/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/29/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/29/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/29/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/29/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/29/2023	CJR	1
Tetrachloroethene	1.56 "J"	ug/l	0.47	1.91	1	8260B		6/29/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/29/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/29/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/29/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/29/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/29/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/29/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/29/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/29/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576V
Sample ID MW-17P
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/29/2023	6/29/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/29/2023	6/29/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/29/2023	6/29/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	87	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576W
Sample ID MW-16
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.3	ug/l	0.3	1.25	1	8260B		6/29/2023	CJR	1
Bromobenzene	< 0.34	ug/l	0.34	1.4	1	8260B		6/29/2023	CJR	1
Bromodichloromethane	< 0.36	ug/l	0.36	1.47	1	8260B		6/29/2023	CJR	1
Bromoform	< 0.42	ug/l	0.42	1.72	1	8260B		6/29/2023	CJR	1
tert-Butylbenzene	< 0.37	ug/l	0.37	1.49	1	8260B		6/29/2023	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1.34	1	8260B		6/29/2023	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.9	1	8260B		6/29/2023	CJR	1
Carbon Tetrachloride	< 0.34	ug/l	0.34	1.39	1	8260B		6/29/2023	CJR	1
Chlorobenzene	< 0.29	ug/l	0.29	1.19	1	8260B		6/29/2023	CJR	1
Chloroethane	< 0.62	ug/l	0.62	2.54	1	8260B		6/29/2023	CJR	1
Chloroform	0.60 "J"	ug/l	0.33	1.33	1	8260B		6/29/2023	CJR	1
Chloromethane	< 0.74	ug/l	0.74	3.03	1	8260B		6/29/2023	CJR	1
2-Chlorotoluene	< 0.34	ug/l	0.34	1.37	1	8260B		6/29/2023	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.63	1	8260B		6/29/2023	CJR	1
1,2-Dibromo-3-chloropropane	< 0.74	ug/l	0.74	3.01	1	8260B		6/29/2023	CJR	1
Dibromochloromethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/29/2023	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	2.01	1	8260B		6/29/2023	CJR	1
1,3-Dichlorobenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/29/2023	CJR	1
1,2-Dichlorobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/29/2023	CJR	1
Dichlorodifluoromethane	< 0.3	ug/l	0.3	1.23	1	8260B		6/29/2023	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.75	1	8260B		6/29/2023	CJR	1
1,1-Dichloroethane	< 0.43	ug/l	0.43	1.74	1	8260B		6/29/2023	CJR	1
1,1-Dichloroethene	< 0.43	ug/l	0.43	1.76	1	8260B		6/29/2023	CJR	1
cis-1,2-Dichloroethene	< 0.32	ug/l	0.32	1.29	1	8260B		6/29/2023	CJR	1
trans-1,2-Dichloroethene	< 0.5	ug/l	0.5	2.02	1	8260B		6/29/2023	CJR	1
1,2-Dichloropropane	< 0.39	ug/l	0.39	1.58	1	8260B		6/29/2023	CJR	1
1,3-Dichloropropane	< 0.38	ug/l	0.38	1.55	1	8260B		6/29/2023	CJR	1
trans-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/29/2023	CJR	1
cis-1,3-Dichloropropene	< 0.41	ug/l	0.41	1.67	1	8260B		6/29/2023	CJR	1
Di-isopropyl ether	< 0.48	ug/l	0.48	1.96	1	8260B		6/29/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.39	ug/l	0.39	1.59	1	8260B		6/29/2023	CJR	1
Ethylbenzene	< 0.33	ug/l	0.33	1.37	1	8260B		6/29/2023	CJR	1
Hexachlorobutadiene	< 0.81	ug/l	0.81	3.44	1	8260B		6/29/2023	CJR	1
Isopropylbenzene	< 0.34	ug/l	0.34	1.38	1	8260B		6/29/2023	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.91	1	8260B		6/29/2023	CJR	1
Methylene chloride	< 0.79	ug/l	0.79	3.23	1	8260B		6/29/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.91	1	8260B		6/29/2023	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.56	1	8260B		6/29/2023	CJR	1
n-Propylbenzene	< 0.39	ug/l	0.39	1.6	1	8260B		6/29/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.43	ug/l	0.43	1.77	1	8260B		6/29/2023	CJR	1
1,1,1,2-Tetrachloroethane	< 0.55	ug/l	0.55	2.25	1	8260B		6/29/2023	CJR	1
Tetrachloroethene	1.35 "J"	ug/l	0.47	1.91	1	8260B		6/29/2023	CJR	1
Toluene	< 0.33	ug/l	0.33	1.35	1	8260B		6/29/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.63	ug/l	0.63	2.57	1	8260B		6/29/2023	CJR	1
1,2,3-Trichlorobenzene	< 1.4	ug/l	1.4	5.94	1	8260B		6/29/2023	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.34	1	8260B		6/29/2023	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.72	1	8260B		6/29/2023	CJR	1
Trichloroethene (TCE)	< 0.38	ug/l	0.38	1.55	1	8260B		6/29/2023	CJR	1
Trichlorofluoromethane	< 0.33	ug/l	0.33	1.35	1	8260B		6/29/2023	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.44	1	8260B		6/29/2023	CJR	1

Project Name BAND BOX
Project # 8173-DERF

Invoice # E42576

Lab Code 5042576W
Sample ID MW-16
Sample Matrix Water
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.41	ug/l	0.41	1.66	1	8260B	6/29/2023	6/29/2023	CJR	1
Vinyl Chloride	< 0.15	ug/l	0.15	0.61	1	8260B	6/29/2023	6/29/2023	CJR	1
m&p-Xylene	< 0.64	ug/l	0.64	2.63	1	8260B	6/29/2023	6/29/2023	CJR	1
o-Xylene	< 0.37	ug/l	0.37	1.51	1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B	6/29/2023	6/29/2023	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Synergy Environmental Lab, INC.

Invoice

DAVE LARSEN
REI ENGINEERING

4080 N. 20TH AVENUE
WAUSAU, WI 54401

Client Account #	897955	Invoice #	E42576
Project #	8173-DERF	Invoice Date	7/5/2023
Project Name	BAND BOX	Quote #	8561
Notes	45894	Date Due	8/4/2023
		Sample Date	6/21/2023

Sample ID	Labcode	Sample Type	Matrix	Test Name	Price
PZ-1	5042576A	Sample	Water	VOC'S	\$77.00
PZ-3	5042576B	Sample	Water	VOC'S	\$77.00
PZ-2	5042576C	Sample	Water	VOC'S	\$77.00
PZ-C-3	5042576D	Sample	Water	VOC'S	\$77.00
PZ-A-3	5042576E	Sample	Water	VOC'S	\$77.00
MW-A-3	5042576F	Sample	Water	VOC'S	\$77.00
PZ-B-3	5042576G	Sample	Water	VOC'S	\$77.00
MW-15	5042576H	Sample	Water	VOC'S	\$77.00
MW-12	5042576I	Sample	Water	VOC'S	\$77.00
MW-AIR	5042576J	Sample	Water	VOC'S	\$77.00
MW-18	5042576K	Sample	Water	VOC'S	\$77.00
MW-18P	5042576L	Sample	Water	VOC'S	\$77.00
PZ-B-4	5042576M	Sample	Water	VOC'S	\$77.00
PZ-A-4	5042576N	Sample	Water	VOC'S	\$77.00
MW-A-4	5042576O	Sample	Water	VOC'S	\$77.00
PZ-C-4	5042576P	Sample	Water	VOC'S	\$77.00
MW-A-2	5042576Q	Sample	Water	VOC'S	\$77.00

Synergy Environmental Lab, INC.

Invoice

DAVE LARSEN
REI ENGINEERING

4080 N. 20TH AVENUE
WAUSAU, WI 54401

Client Account #	897955	Invoice #	E42576
Project #	8173-DERF	Invoice Date	7/5/2023
Project Name	BAND BOX	Quote #	8561
Notes	45894	Date Due	8/4/2023
		Sample Date	6/21/2023

Sample ID	Labcode	Sample Type	Matrix	Test Name	Price
MW-14P	5042576R	Sample	Water	VOC'S	\$77.00
MW-14	5042576S	Sample	Water	VOC'S	\$77.00
MW-14P60	5042576T	Sample	Water	VOC'S	\$77.00
MW-17	5042576U	Sample	Water	VOC'S	\$77.00
MW-17P	5042576V	Sample	Water	VOC'S	\$77.00
MW-16	5042576W	Sample	Water	VOC'S	\$77.00

Total Cost: \$1,771.00

**To ensure proper payment,
Include Account # Invoice #**

PLEASE REMIT PAYMENT TO:
SYNERGY ENVIRONMENTAL LAB, LLC
1798 HOLLOWAY DRIVE SUITE B
HOLT, MI 48842



Environmental Lab, LLC

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE # : _____
 Project #: 8173-DEKE
 Sampler: (signature) *Ken Kelly*

Project (Name / Location): *One lawn*

Reports To: *Ken Kelly*

Company: *KEI*

Address: _____

City State Zip: _____

Phone: _____

Email: _____

Invoice To: *SMNE*

Company: _____

Address: _____

City State Zip: _____

Phone: _____

Email: _____

Analysis Requested

Other Analysis

DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 524.2)	
VOC (EPA 8260)	X
VOC AIR (TO - 15)	
8-RCRA METALS	

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
<i>SD1516M</i>	<i>B3-B-Y</i>	<i>6/2/23</i>	<i>1335</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>	
<i>N</i>	<i>B7-A-Y</i>	<i>1405</i>						
<i>O</i>	<i>MW-A-Y</i>	<i>1420</i>						
<i>P</i>	<i>P2-C-Y</i>	<i>1445</i>						
<i>Q</i>	<i>MW-A-2</i>	<i>1510</i>						
<i>R</i>	<i>MW-14P</i>	<i>1540</i>						
<i>S</i>	<i>MW-14</i>	<i>1610</i>						
<i>T</i>	<i>MW-14/60</i>	<i>1630</i>						
<i>U</i>	<i>MW-17P</i>	<i>1650</i>						
<i>V</i>	<i>MW-17P</i>	<i>1710</i>						
<i>W</i>	<i>MW-16</i>	<i>1735</i>						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: *Walter*

Temp. of Temp. Blank: _____ °C On Ice: *Y*

Cooler seal intact upon receipt: *Y* Yes _____ No

Relinquished By: (sign) *[Signature]*

Time *1:00*

Date *6/2/23*

Received By: (sign) _____

Time _____

Date _____

Received in Laboratory By: *[Signature]*

Time: *1:00*

Date: *6-23-23*



1990 Prospect Court
Appleton, WI 54914

www.synergy-lab.net
(920) 830-2445

MATRIX BLANK

subdirectory: 062723 8260B

matrix: WATER ug/l

labcodes: 5042576a-p

compound	result	mdl	
Dichlorodif	N.D	0.3	pass
Chloromet	N.D	0.74	pass
Vinyl Chlor	N.D	0.15	pass
Chloroetha	N.D	0.62	pass
Trichlorofli	N.D	0.33	pass
1,1-Dichlor	N.D	0.43	pass
Methylene	0.31	0.79	pass
Methyl ter	N.D	0.47	pass
trans-1,2-E	N.D	0.5	pass
1,1-Dichlor	N.D	0.43	pass
Isopropyl e	N.D	0.48	pass
cis-1,2,-Dic	N.D	0.32	pass
1,1,1-Trich	N.D	0.33	pass
Chloroform	N.D	0.33	pass
Carbon Tet	N.D	0.34	pass
1,2-Dichlor	N.D	0.43	pass
Benzene	N.D	0.3	pass
Trichloroet	N.D	0.38	pass
1,2-Dichlor	N.D	0.39	pass
Bromodich	N.D	0.36	pass
cis-1,3-Dicl	N.D	0.41	pass
Toluene	N.D	0.33	pass
trans-1,3-E	N.D	0.41	pass
1,1,2-Trich	N.D	0.42	pass
Tetrachlor	N.D	0.47	pass
1,3-Dichlor	N.D	0.38	pass
Dibromoch	N.D	0.36	pass
1,2-Dibron	N.D	0.39	pass
Chloroben:	N.D	0.29	pass
1,1,1,2-Tet	N.D	0.55	pass
Ethylbenze	N.D	0.33	pass
m&p-Xyler	N.D	0.64	pass

o-Xylene	N.D	0.37	pass
Bromoform	N.D	0.42	pass
Isopropylb	N.D	0.34	pass
Bromoben	N.D	0.34	pass
1,1,2,2-Tet	N.D	0.43	pass
n-Propylbe	N.D	0.39	pass
2-Chloroto	N.D	0.34	pass
4-Chloroto	N.D	0.4	pass
1,3,5-Trim	N.D	0.41	pass
tert-Butylb	N.D	0.37	pass
1,2,4-Trim	0.18	0.35	pass
sec-Butylb	N.D	0.33	pass
1,3-Dichlor	N.D	0.35	pass
p-Isopropy	N.D	0.47	pass
1,4-Dichlor	0.24	0.49	pass
1,2-Dichlor	N.D	0.4	pass
n-Butylben	N.D	0.71	pass
DBCP	N.D	0.74	pass
1,2,4-Trich	N.D	0.63	pass
Hexachlor	N.D	0.81	pass
Naphthalen	N.D	1.4	pass
1,2,3-Trich	N.D	1.4	pass



1990 Prospect Court
Appleton, WI 54914

www.synergy-lab.net
(920) 830-2445

MATRIX BLANK

subdirectory: 062923 8260B

matrix: WATER ug/l

labcodes: 5042576q,s,w

compound	result	mdl	
Dichlorodif	N.D	0.3	pass
Chloromet	0.89	0.74	pass-nd
Vinyl Chlor	N.D	0.15	pass
Chloroetha	N.D	0.62	pass
Trichlorofli	N.D	0.33	pass
1,1-Dichlor	N.D	0.43	pass
Methylene	0.69	0.79	pass
Methyl ter	N.D	0.47	pass
trans-1,2-E	N.D	0.5	pass
1,1-Dichlor	N.D	0.43	pass
Isopropyl e	N.D	0.48	pass
cis-1,2,-Dic	N.D	0.32	pass
1,1,1-Trich	N.D	0.33	pass
Chloroform	N.D	0.33	pass
Carbon Tet	N.D	0.34	pass
1,2-Dichlor	N.D	0.43	pass
Benzene	N.D	0.3	pass
Trichloroet	N.D	0.38	pass
1,2-Dichlor	N.D	0.39	pass
Bromodich	N.D	0.36	pass
cis-1,3-Dicl	N.D	0.41	pass
Toluene	N.D	0.33	pass
trans-1,3-E	N.D	0.41	pass
1,1,2-Trich	N.D	0.42	pass
Tetrachlor	N.D	0.47	pass
1,3-Dichlor	N.D	0.38	pass
Dibromoch	N.D	0.36	pass
1,2-Dibron	N.D	0.39	pass
Chloroben:	N.D	0.29	pass
1,1,1,2-Tet	N.D	0.55	pass
Ethylbenze	N.D	0.33	pass
m&p-Xyler	N.D	0.64	pass

o-Xylene	N.D	0.37	pass
Bromoforn	N.D	0.42	pass
Isopropylb	N.D	0.34	pass
Bromoben	N.D	0.34	pass
1,1,2,2-Tet	N.D	0.43	pass
n-Propylbe	N.D	0.39	pass
2-Chloroto	N.D	0.34	pass
4-Chloroto	N.D	0.4	pass
1,3,5-Trim	N.D	0.41	pass
tert-Butylb	N.D	0.37	pass
1,2,4-Trim	N.D	0.35	pass
sec-Butylb	N.D	0.33	pass
1,3-Dichlor	N.D	0.35	pass
p-Isopropy	N.D	0.47	pass
1,4-Dichlor	N.D	0.49	pass
1,2-Dichlor	N.D	0.4	pass
n-Butylben	N.D	0.71	pass
DBCP	N.D	0.74	pass
1,2,4-Trich	N.D	0.63	pass
Hexachlor	N.D	0.81	pass
Naphthale	N.D	1.4	pass
1,2,3-Trich	N.D	1.4	pass



1990 Prospect Court
Appleton, WI 54914

www.synergy-lab.net
(920) 830-2445

MATRIX BLANK

subdirectory: 062823 8260B

matrix: WATER ug/l

labcodes: 5042576r,t,u,v

compound	result	mdl	
Dichlorodif	N.D	0.3	pass
Chloromet	N.D	0.74	pass
Vinyl Chlor	N.D	0.15	pass
Chloroetha	N.D	0.62	pass
Trichlorofli	N.D	0.33	pass
1,1-Dichlor	N.D	0.43	pass
Methylene	0.56	0.79	pass
Methyl ter	N.D	0.47	pass
trans-1,2-E	N.D	0.5	pass
1,1-Dichlor	N.D	0.43	pass
Isopropyl e	N.D	0.48	pass
cis-1,2,-Dic	N.D	0.32	pass
1,1,1-Trich	N.D	0.33	pass
Chloroform	N.D	0.33	pass
Carbon Tet	N.D	0.34	pass
1,2-Dichlor	N.D	0.43	pass
Benzene	N.D	0.3	pass
Trichloroet	N.D	0.38	pass
1,2-Dichlor	N.D	0.39	pass
Bromodich	N.D	0.36	pass
cis-1,3-Dicl	N.D	0.41	pass
Toluene	N.D	0.33	pass
trans-1,3-E	N.D	0.41	pass
1,1,2-Trich	N.D	0.42	pass
Tetrachlor	N.D	0.47	pass
1,3-Dichlor	N.D	0.38	pass
Dibromoch	N.D	0.36	pass
1,2-Dibron	N.D	0.39	pass
Chloroben:	N.D	0.29	pass
1,1,1,2-Tet	N.D	0.55	pass
Ethylbenze	N.D	0.33	pass
m&p-Xyler	N.D	0.64	pass

o-Xylene	N.D	0.37	pass
Bromoforn	N.D	0.42	pass
Isopropylb	N.D	0.34	pass
Bromoben	N.D	0.34	pass
1,1,2,2-Tet	N.D	0.43	pass
n-Propylbe	N.D	0.39	pass
2-Chloroto	N.D	0.34	pass
4-Chloroto	N.D	0.4	pass
1,3,5-Trim	N.D	0.41	pass
tert-Butylb	N.D	0.37	pass
1,2,4-Trim	N.D	0.35	pass
sec-Butylb	N.D	0.33	pass
1,3-Dichlor	N.D	0.35	pass
p-Isopropy	N.D	0.47	pass
1,4-Dichlor	N.D	0.49	pass
1,2-Dichlor	N.D	0.4	pass
n-Butylben	N.D	0.71	pass
DBCP	N.D	0.74	pass
1,2,4-Trich	N.D	0.63	pass
Hexachlor	N.D	0.81	pass
Naphthale	N.D	1.4	pass
1,2,3-Trich	N.D	1.4	pass

Method Path : C:\msdchem\1\methods\
 Method File : wis206.M
 Title : SW-846 Method 8260
 Last Update : Fri Jun 16 08:56:03 2023
 Response Via : Initial Calibration

Datafile Path: C:\msdchem\1\data\062723\

-----Sample-----

File : 27.D
 Name : 5042576C Acq Time: 28 Jun 2023 2:23 am

-----Spike-----

File : 3.D
 Name : MS 20 PPB Acq Time: 27 Jun 2023 5:00 pm

--Spike Duplicate--

File : 4.D
 Name : DMS 20 PPB Acq Time: 27 Jun 2023 5:23 pm

Compound	Sample Conc	Spike Added	Spike Res	Dup Res	Spike %Rec	Dup %Rec	RPD	QC RPD	Limits % Rec
Dichlorodifluorometh	0.2	20	19	20	96	101	5	20	18-132
Chloromethane	0.0	20	22	22	112	110	2	20	48-120
Vinyl Chloride	0.1	20	21	23	104	116	11	20	63-120
Chloroethane	0.0	20	23	22	115	108	7	26	53-120
Trichlorofluorometha	0.0	20	22	23	112	116	4	20	75-123
1,1-Dichloroethene	0.0	20	23	24	114	121#	6	20	74-120
Methylene Chloride	1.0	20	23	23	110	109	1	20	76-120
Methyl tert-Butyl Et	0.0	20	21	21	106	106	1	20	64-121
trans-1,2-Dichloroet	0.0	20	22	23	110	115	4	20	71-120
1,1-Dichloroethane	0.0	20	22	22	108	108	0	20	55-124
Isopropyl ether	0.0	20	24	24	120#	118	2	20	80-120
cis-1,2,-Dichloroeth	0.0	20	22	23	110	113	3	30	63-123
1,1,1-Trichloroethan	0.0	20	22	23	110	116	5	20	80-120
Chloroform	0.0	20	22	22	112	110	2	20	80-120
Carbon Tetrachloride	0.0	20	22	23	112	116	4	20	77-138
1,2-Dichloroethane	0.0	20	21	22	107	112	5	20	80-120
Benzene	22.5	20	41	43	90	103	13	20	80-120
Trichloroethene	0.0	20	20	21	100	107	7	20	75-120
1,2-Dichloropropane	0.0	20	18	21	91	103	12	20	80-120
Bromodichloromethane	0.0	20	20	21	101	106	5	20	79-129
cis-1,3-Dichloroprop	0.0	20	19	21	94	105	10	20	80-120
Toluene	14.5	20	33	35	91	103	12	48	56-130
trans-1,3-Dichloropr	0.0	20	21	21	103	103	0	20	80-120
1,1,2-Trichloroethan	0.1	20	20	20	99	101	2	20	80-120
Tetrachloroethene	0.0	20	19	20	95	101	7	20	58-120
1,3-Dichloropropane	0.0	20	19	20	96	99	3	20	80-120
Dibromochloromethane	0.0	20	19	21	95	103	8	20	80-120
1,2-Dibromoethane	0.0	20	19	20	95	99	4	20	80-120
Chlorobenzene	0.0	20	20	21	99	103	4	20	80-120
1,1,1,2-Tetrachloroe	0.0	20	20	22	100	109	9	20	80-120
Ethylbenzene	21.5	20	40	42	94	105	10	20	80-120
m&p-Xylene	17.0	40	58	60	102	107	5	20	80-120
o-Xylene	2.7	20	22	24	95	105	10	20	79-120
Bromoform	0.0	20	19	20	95	98	3	20	80-120
Isopropylbenzene	0.7	20	20	22	95	104	10	20	80-120
Bromobenzene	0.0	20	21	22	104	111	6	20	80-120
1,1,2,2-Tetrachloroe	0.0	20	18	19	92	96	5	20	80-120
n-Propylbenzene	1.6	20	21	23	95	105	10	20	80-120

2-Chlorotoluene	0.0	20	20	22	100	110	10	20	80-120
4-Chlorotoluene	0.0	20	20	22	99	111	11	20	80-120
1,3,5-Trimethylbenze	1.0	20	20	21	94	102	8	20	80-120
tert-Butylbenzene	0.0	20	20	21	99	106	7	20	80-120
1,2,4-Trimethylbenze	6.0	20	24	26	89	99	11	20	80-120
sec-Butylbenzene	0.1	20	19	20	92	98	6	20	40-140
1,3-Dichlorobenzene	0.0	20	19	21	93	105	12	20	80-120
p-Isopropyltoluene	0.1	20	19	20	95	101	6	20	80-120
1,4-Dichlorobenzene	0.0	20	20	22	99	111	12	20	80-120
1,2-Dichlorobenzene	0.0	20	20	21	98	107	9	20	80-120
n-Butylbenzene	0.2	20	19	20	95	100	6	20	80-120
DBCP	0.0	20	21	20	104	99	5	24	72-121
1,2,4-Trichlorobenze	0.0	20	19	21	95	106	10	20	75-134
Hexachlorobutadiene	0.0	20	20	20	98	102	4	25	58-162
Naphthalene	0.0	20	24	24	118	120	2	20	71-131
1,2,3-Trichlorobenze	0.0	20	20	20	98	101	4	20	68-144

- Fails Limit Check

wis206.M Wed Jun 28 14:34:58 2023

Method Path : C:\msdchem\1\methods\
 Method File : wis206.M
 Title : SW-846 Method 8260
 Last Update : Fri Jun 16 08:56:03 2023
 Response Via : Initial Calibration

Datafile Path: C:\msdchem\1\data\062923\

-----Sample-----

File : 24.D
 Name : 5042576R Acq Time: 30 Jun 2023 2:06 am

-----Spike-----

File : 3.D
 Name : MS 20 PPB Acq Time: 29 Jun 2023 5:52 pm

--Spike Duplicate--

File : 4.D
 Name : DMS 20 PPB Acq Time: 29 Jun 2023 6:15 pm

Compound	Sample Conc	Spike Added	Spike Res	Dup Res	Spike %Rec	Dup %Rec	RPD	QC RPD	Limits % Rec
Dichlorodifluorometh	0.0	20	18	18	91	92	2	20	18-132
Chloromethane	0.0	20	22	24	109	118	8	20	48-120
Vinyl Chloride	0.2	20	21	22	101	108	6	20	63-120
Chloroethane	0.0	20	21	22	107	108	1	26	53-120
Trichlorofluorometha	0.0	20	21	22	104	110	5	20	75-123
1,1-Dichloroethene	0.0	20	20	24	102	118	15	20	74-120
Methylene Chloride	0.6	20	21	21	104	102	2	20	76-120
Methyl tert-Butyl Et	0.0	20	20	20	101	102	2	20	64-121
trans-1,2-Dichloroet	0.0	20	22	22	108	111	3	20	71-120
1,1-Dichloroethane	0.0	20	20	21	101	104	3	20	55-124
Isopropyl ether	0.0	20	23	23	116	114	2	20	80-120
cis-1,2,-Dichloroeth	0.0	20	20	22	100	112	11	30	63-123
1,1,1-Trichloroethan	0.0	20	22	22	108	110	2	20	80-120
Chloroform	0.0	20	21	21	105	105	0	20	80-120
Carbon Tetrachloride	0.0	20	21	22	105	112	6	20	77-138
1,2-Dichloroethane	0.0	20	20	21	102	107	5	20	80-120
Benzene	0.0	20	19	19	95	97	2	20	80-120
Trichloroethene	0.0	20	20	20	98	102	4	20	75-120
1,2-Dichloropropane	0.0	20	18	18	89	89	1	20	80-120
Bromodichloromethane	0.0	20	19	20	95	101	5	20	79-129
cis-1,3-Dichloroprop	0.0	20	19	19	93	97	4	20	80-120
Toluene	0.0	20	18	19	92	96	4	48	56-130
trans-1,3-Dichloropr	0.0	20	19	20	97	100	3	20	80-120
1,1,2-Trichloroethan	0.0	20	19	19	97	95	2	20	80-120
Tetrachloroethene	121.4	20	127	132	28#	51#	4	20	58-120
1,3-Dichloropropane	0.0	20	19	19	94	96	2	20	80-120
Dibromochloromethane	0.0	20	18	19	91	96	5	20	80-120
1,2-Dibromoethane	0.0	20	18	18	88	89	1	20	80-120
Chlorobenzene	0.0	20	19	19	93	96	3	20	80-120
1,1,1,2-Tetrachloroe	0.0	20	19	20	93	98	5	20	80-120
Ethylbenzene	0.0	20	19	20	94	100	6	20	80-120
m&p-Xylene	0.6	40	38	41	93	101	8	20	80-120
o-Xylene	0.7	20	19	21	89	100	11	20	79-120
Bromoform	0.0	20	18	18	89	88	2	20	80-120
Isopropylbenzene	0.7	20	19	20	94	98	5	20	80-120
Bromobenzene	0.0	20	20	20	100	101	1	20	80-120
1,1,2,2-Tetrachloroe	0.0	20	16	17	82	84	3	20	80-120
n-Propylbenzene	0.1	20	18	19	92	96	5	20	80-120

1,2-Dichlorobenzene	0.1	20	19	20	93	99	6	20	80-120
4-Chlorotoluene	0.1	20	19	20	94	99	5	20	80-120
1,3,5-Trimethylbenzene	0.0	20	18	19	91	93	2	20	80-120
tert-Butylbenzene	0.0	20	19	20	94	98	4	20	80-120
1,2,4-Trimethylbenzene	3.7	20	21	22	85	89	5	20	80-120
sec-Butylbenzene	0.1	20	18	18	88	91	4	20	40-140
1,3-Dichlorobenzene	0.0	20	18	18	90	92	1	20	80-120
p-Isopropyltoluene	0.1	20	18	18	87	91	4	20	80-120
1,4-Dichlorobenzene	0.1	20	19	19	95	97	2	20	80-120
1,2-Dichlorobenzene	0.0	20	19	19	93	97	4	20	80-120
n-Butylbenzene	0.3	20	17	18	83	87	4	20	80-120
DBCP	0.0	20	18	18	89	88	1	24	72-121
1,2,4-Trichlorobenzene	0.0	20	17	19	83	93	11	20	75-134
Hexachlorobutadiene	0.0	20	18	19	91	95	4	25	58-162
Naphthalene	0.0	20	19	21	97	104	7	20	71-131
1,2,3-Trichlorobenzene	0.0	20	17	17	83	87	5	20	68-144

- Fails Limit Check

APPENDIX B

**VAPOR LABORATORY ANALYTICAL RESULTS
(115 W COUNCIL STREET)**



Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

DAVID LARSEN
REI ENGINEERING
4080 N. 20TH AVENUE
WAUSAU, WI 54401

Report Date 09-Feb-23

Project Name BAND BOX
Project # 8173

Invoice # E41975

Lab Code 5041975A
Sample ID SS-23
Sample Matrix Air
Sample Date 1/24/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	1190	ug/m3	2.99	9.5	10	TO-15		2/7/2023	CJR	10
Benzene	1.82	ug/m3	0.136	0.433	1	TO-15		2/7/2023	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		2/7/2023	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		2/7/2023	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		2/7/2023	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		2/7/2023	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		2/7/2023	CJR	1
Carbon Disulfide	0.84	ug/m3	0.138	0.44	1	TO-15		2/7/2023	CJR	1
Carbon Tetrachloride	1.07	ug/m3	0.307	0.978	1	TO-15		2/7/2023	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		2/7/2023	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		2/7/2023	CJR	1
Chloroform	1.41	ug/m3	0.3	0.953	1	TO-15		2/7/2023	CJR	1
Chloromethane	1.01 "J"	ug/m3	0.831	2.64	1	TO-15		2/7/2023	CJR	1
Cyclohexane	< 0.212	ug/m3	0.212	0.674	1	TO-15		2/7/2023	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		2/7/2023	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		2/7/2023	CJR	1
1,3-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		2/7/2023	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		2/7/2023	CJR	1
Dichlorodifluoromethane	2.92	ug/m3	0.263	0.836	1	TO-15		2/7/2023	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		2/7/2023	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		2/7/2023	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		2/7/2023	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		2/7/2023	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		2/7/2023	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		2/7/2023	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		2/7/2023	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		2/7/2023	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		2/7/2023	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		2/7/2023	CJR	1

Project Name BAND BOX
Project # 8173

Invoice # E41975

Lab Code 5041975A
Sample ID SS-23
Sample Matrix Air
Sample Date 1/24/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		2/7/2023	CJR	1
Ethanol	306	ug/m3	1.52	4.82	10	TO-15		2/7/2023	CJR	1
Ethyl Acetate	6.4	ug/m3	0.176	0.559	1	TO-15		2/7/2023	CJR	1
Ethylbenzene	3.5	ug/m3	0.203	0.645	1	TO-15		2/7/2023	CJR	1
4-Ethyltoluene	1.23	ug/m3	0.214	0.681	1	TO-15		2/7/2023	CJR	1
Heptane	2.13	ug/m3	0.265	0.845	1	TO-15		2/7/2023	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		2/7/2023	CJR	1
Hexane	2.01	ug/m3	0.235	0.748	1	TO-15		2/7/2023	CJR	1
2-Hexanone	4.3	ug/m3	0.222	0.707	1	TO-15		2/7/2023	CJR	1
Isopropyl Alcohol	510	ug/m3	1.09	3.47	10	TO-15		2/7/2023	CJR	1
Methyl ethyl ketone (MEK)	3.5	ug/m3	0.178	0.567	1	TO-15		2/7/2023	CJR	1
Methyl isobutyl ketone (MIBK)	1.88	ug/m3	0.168	0.536	1	TO-15		2/7/2023	CJR	1
Methyl Methacrylate	1.51	ug/m3	0.217	0.69	1	TO-15		2/7/2023	CJR	1
Methylene chloride	27.6	ug/m3	0.159	0.506	1	TO-15		2/7/2023	CJR	1
Methyl tert-butyl ether (MTBE)	0.61	ug/m3	0.16	0.509	1	TO-15		2/7/2023	CJR	1
Naphthalene	1.15 "J"	ug/m3	0.675	2.15	1	TO-15		2/7/2023	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		2/7/2023	CJR	1
Styrene	1.45	ug/m3	0.181	0.577	1	TO-15		2/7/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		2/7/2023	CJR	1
Tetrachloroethene	35	ug/m3	0.278	0.884	1	TO-15		2/7/2023	CJR	1
Tetrahydrofuran	< 0.131	ug/m3	0.131	0.417	1	TO-15		2/7/2023	CJR	1
Toluene	46	ug/m3	0.184	0.585	1	TO-15		2/7/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		2/7/2023	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		2/7/2023	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		2/7/2023	CJR	1
Trichloroethene (TCE)	< 0.237	ug/m3	0.237	0.754	1	TO-15		2/7/2023	CJR	1
Trichlorofluoromethane	1.46	ug/m3	0.337	1.07	1	TO-15		2/7/2023	CJR	1
Trichlorotrifluoroethane	< 0.402	ug/m3	0.402	1.28	1	TO-15		2/7/2023	CJR	1
1,2,4-Trimethylbenzene	3.2	ug/m3	0.283	0.899	1	TO-15		2/7/2023	CJR	1
1,3,5-Trimethylbenzene	1.03	ug/m3	0.232	0.739	1	TO-15		2/7/2023	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		2/7/2023	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		2/7/2023	CJR	1
m&p-Xylene	10.7	ug/m3	0.377	1.2	1	TO-15		2/7/2023	CJR	1
o-Xylene	4.6	ug/m3	0.218	0.695	1	TO-15		2/7/2023	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
- 10 Linear range of calibration curve exceeded.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

DAVE LARSEN
REI ENGINEERING
4080 N. 20TH AVENUE
WAUSAU, WI 54401

Report Date 20-Jul-23

Project Name BAND BOX
Project # 8173

Invoice # E42578

Lab Code 5042578A
Sample ID OFF-GAS
Sample Matrix Air
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	25.6	ug/m3	0.299	0.95	1	TO-15		6/27/2023	CJR	1
Benzene	1.98	ug/m3	0.136	0.433	1	TO-15		6/27/2023	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		6/27/2023	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		6/27/2023	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		6/27/2023	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		6/27/2023	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		6/27/2023	CJR	1
Carbon Disulfide	0.53	ug/m3	0.138	0.44	1	TO-15		6/27/2023	CJR	1
Carbon Tetrachloride	0.76 "J"	ug/m3	0.307	0.978	1	TO-15		6/27/2023	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		6/27/2023	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		6/27/2023	CJR	1
Chloroform	6.6	ug/m3	0.3	0.953	1	TO-15		6/27/2023	CJR	1
Chloromethane	< 0.831	ug/m3	0.831	2.64	1	TO-15		6/27/2023	CJR	1
Cyclohexane	0.38 "J"	ug/m3	0.212	0.674	1	TO-15		6/27/2023	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		6/27/2023	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		6/27/2023	CJR	1
1,3-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		6/27/2023	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		6/27/2023	CJR	1
Dichlorodifluoromethane	6.4	ug/m3	0.263	0.836	1	TO-15		6/27/2023	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		6/27/2023	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		6/27/2023	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		6/27/2023	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		6/27/2023	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		6/27/2023	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		6/27/2023	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		6/27/2023	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		6/27/2023	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		6/27/2023	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173

Invoice # E42578

Lab Code 5042578A
Sample ID OFF-GAS
Sample Matrix Air
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		6/27/2023	CJR	1
Ethanol	28.3	ug/m3	0.152	0.482	1	TO-15		6/27/2023	CJR	1
Ethyl Acetate	< 0.176	ug/m3	0.176	0.559	1	TO-15		6/27/2023	CJR	1
Ethylbenzene	4.6	ug/m3	0.203	0.645	1	TO-15		6/27/2023	CJR	1
4-Ethyltoluene	19.1	ug/m3	0.214	0.681	1	TO-15		6/27/2023	CJR	1
Heptane	1.35	ug/m3	0.265	0.845	1	TO-15		6/27/2023	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		6/27/2023	CJR	1
Hexane	< 15	ug/m3	0.235	0.748	1	TO-15		6/27/2023	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		6/27/2023	CJR	1
Isopropyl Alcohol	4.2	ug/m3	0.109	0.347	1	TO-15		6/27/2023	CJR	1
Methyl ethyl ketone (MEK)	3.01	ug/m3	0.178	0.567	1	TO-15		6/27/2023	CJR	1
Methyl isobutyl ketone (MIBK)	0.57	ug/m3	0.168	0.536	1	TO-15		6/27/2023	CJR	1
Methyl Methacrylate	< 0.217	ug/m3	0.217	0.69	1	TO-15		6/27/2023	CJR	1
Methylene chloride	< 15	ug/m3	0.159	0.506	1	TO-15		6/27/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		6/27/2023	CJR	1
Naphthalene	3.09	ug/m3	0.675	2.15	1	TO-15		6/27/2023	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		6/27/2023	CJR	1
Styrene	1.36	ug/m3	0.181	0.577	1	TO-15		6/27/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		6/27/2023	CJR	1
Tetrachloroethene	215	ug/m3	0.278	0.884	1	TO-15		6/27/2023	CJR	1
Tetrahydrofuran	1.95	ug/m3	0.131	0.417	1	TO-15		6/27/2023	CJR	1
Toluene	9.7	ug/m3	0.184	0.585	1	TO-15		6/27/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		6/27/2023	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		6/27/2023	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		6/27/2023	CJR	1
Trichloroethene (TCE)	1.29	ug/m3	0.237	0.754	1	TO-15		6/27/2023	CJR	1
Trichlorofluoromethane	1.74	ug/m3	0.337	1.07	1	TO-15		6/27/2023	CJR	1
Trichlorotrifluoroethane	0.92 "J"	ug/m3	0.402	1.28	1	TO-15		6/27/2023	CJR	1
1,2,4-Trimethylbenzene	203	ug/m3	2.83	8.99	10	TO-15		6/28/2023	CJR	1
1,3,5-Trimethylbenzene	55	ug/m3	0.232	0.739	1	TO-15		6/27/2023	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		6/27/2023	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		6/27/2023	CJR	1
m&p-Xylene	12.1	ug/m3	0.377	1.2	1	TO-15		6/27/2023	CJR	1
o-Xylene	8.5	ug/m3	0.218	0.695	1	TO-15		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173

Invoice # E42578

Lab Code 5042578B
Sample ID SS-23
Sample Matrix Air
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
Air Samples										
Acetone	< 15	ug/m3	0.299	0.95	1	TO-15		6/27/2023	CJR	1
Benzene	29	ug/m3	0.136	0.433	1	TO-15		6/27/2023	CJR	1
Benzyl Chloride	< 0.209	ug/m3	0.209	0.665	1	TO-15		6/27/2023	CJR	1
Bromodichloromethane	< 0.374	ug/m3	0.374	1.19	1	TO-15		6/27/2023	CJR	1
Bromoform	< 0.414	ug/m3	0.414	1.32	1	TO-15		6/27/2023	CJR	1
Bromomethane	< 0.2	ug/m3	0.2	0.637	1	TO-15		6/27/2023	CJR	1
1,3-Butadiene	< 0.143	ug/m3	0.143	0.454	1	TO-15		6/27/2023	CJR	1
Carbon Disulfide	2.83	ug/m3	0.138	0.44	1	TO-15		6/27/2023	CJR	1
Carbon Tetrachloride	0.50 "J"	ug/m3	0.307	0.978	1	TO-15		6/27/2023	CJR	1
Chlorobenzene	< 0.251	ug/m3	0.251	0.798	1	TO-15		6/27/2023	CJR	1
Chloroethane	< 0.159	ug/m3	0.159	0.507	1	TO-15		6/27/2023	CJR	1
Chloroform	0.54 "J"	ug/m3	0.3	0.953	1	TO-15		6/27/2023	CJR	1
Chloromethane	0.95 "J"	ug/m3	0.831	2.64	1	TO-15		6/27/2023	CJR	1
Cyclohexane	10.9	ug/m3	0.212	0.674	1	TO-15		6/27/2023	CJR	1
Dibromochloromethane	< 0.376	ug/m3	0.376	1.2	1	TO-15		6/27/2023	CJR	1
1,4-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		6/27/2023	CJR	1
1,3-Dichlorobenzene	< 0.302	ug/m3	0.302	0.96	1	TO-15		6/27/2023	CJR	1
1,2-Dichlorobenzene	< 0.235	ug/m3	0.235	0.749	1	TO-15		6/27/2023	CJR	1
Dichlorodifluoromethane	2.62	ug/m3	0.263	0.836	1	TO-15		6/27/2023	CJR	1
1,2-Dichloroethane	< 0.24	ug/m3	0.24	0.763	1	TO-15		6/27/2023	CJR	1
1,1-Dichloroethane	< 0.187	ug/m3	0.187	0.596	1	TO-15		6/27/2023	CJR	1
1,1-Dichloroethene	< 0.21	ug/m3	0.21	0.668	1	TO-15		6/27/2023	CJR	1
cis-1,2-Dichloroethene	< 0.197	ug/m3	0.197	0.626	1	TO-15		6/27/2023	CJR	1
trans-1,2-Dichloroethene	< 0.231	ug/m3	0.231	0.734	1	TO-15		6/27/2023	CJR	1
1,2-Dichloropropane	< 0.28	ug/m3	0.28	0.89	1	TO-15		6/27/2023	CJR	1
trans-1,3-Dichloropropene	< 0.198	ug/m3	0.198	0.63	1	TO-15		6/27/2023	CJR	1
cis-1,3-Dichloropropene	< 0.234	ug/m3	0.234	0.745	1	TO-15		6/27/2023	CJR	1
1,2-Dichlorotetrafluoroethane	< 0.446	ug/m3	0.446	1.42	1	TO-15		6/27/2023	CJR	1
1,4-Dioxane	< 0.157	ug/m3	0.157	0.5	1	TO-15		6/27/2023	CJR	1
EDB (1,2-Dibromoethane)	< 0.342	ug/m3	0.342	1.09	1	TO-15		6/27/2023	CJR	1
Ethanol	430	ug/m3	1.52	4.82	10	TO-15		6/28/2023	CJR	1
Ethyl Acetate	13.1	ug/m3	0.176	0.559	1	TO-15		6/27/2023	CJR	1
Ethylbenzene	29.5	ug/m3	0.203	0.645	1	TO-15		6/27/2023	CJR	1
4-Ethyltoluene	16.3	ug/m3	0.214	0.681	1	TO-15		6/27/2023	CJR	1
Heptane	31.2	ug/m3	0.265	0.845	1	TO-15		6/27/2023	CJR	1
Hexachlorobutadiene	< 0.489	ug/m3	0.489	1.56	1	TO-15		6/27/2023	CJR	1
Hexane	47	ug/m3	0.235	0.748	1	TO-15		6/27/2023	CJR	1
2-Hexanone	< 0.222	ug/m3	0.222	0.707	1	TO-15		6/27/2023	CJR	1
Isopropyl Alcohol	340	ug/m3	1.09	3.47	10	TO-15		6/28/2023	CJR	1
Methyl ethyl ketone (MEK)	7.1	ug/m3	0.178	0.567	1	TO-15		6/27/2023	CJR	1
Methyl isobutyl ketone (MIBK)	9.9	ug/m3	0.168	0.536	1	TO-15		6/27/2023	CJR	1
Methyl Methacrylate	2.54	ug/m3	0.217	0.69	1	TO-15		6/27/2023	CJR	1
Methylene chloride	22	ug/m3	0.159	0.506	1	TO-15		6/27/2023	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.16	ug/m3	0.16	0.509	1	TO-15		6/27/2023	CJR	1
Naphthalene	1.47 "J"	ug/m3	0.675	2.15	1	TO-15		6/27/2023	CJR	1
Propene	< 0.079	ug/m3	0.079	0.251	1	TO-15		6/27/2023	CJR	1
Styrene	3.8	ug/m3	0.181	0.577	1	TO-15		6/27/2023	CJR	1
1,1,2,2-Tetrachloroethane	< 0.325	ug/m3	0.325	1.03	1	TO-15		6/27/2023	CJR	1
Tetrachloroethene	5.0	ug/m3	0.278	0.884	1	TO-15		6/27/2023	CJR	1
Tetrahydrofuran	9.3	ug/m3	0.131	0.417	1	TO-15		6/27/2023	CJR	1

Project Name BAND BOX
Project # 8173

Invoice # E42578

Lab Code 5042578B
Sample ID SS-23
Sample Matrix Air
Sample Date 6/21/2023

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Toluene	183	ug/m3	1.84	5.85	10	TO-15		6/28/2023	CJR	1
1,2,4-Trichlorobenzene	< 0.657	ug/m3	0.657	2.09	1	TO-15		6/27/2023	CJR	1
1,1,1-Trichloroethane	< 0.249	ug/m3	0.249	0.793	1	TO-15		6/27/2023	CJR	1
1,1,2-Trichloroethane	< 0.258	ug/m3	0.258	0.822	1	TO-15		6/27/2023	CJR	1
Trichloroethene (TCE)	1.29	ug/m3	0.237	0.754	1	TO-15		6/27/2023	CJR	1
Trichlorofluoromethane	1.52	ug/m3	0.337	1.07	1	TO-15		6/27/2023	CJR	1
Trichlorotrifluoroethane	0.61 "J"	ug/m3	0.402	1.28	1	TO-15		6/27/2023	CJR	1
1,2,4-Trimethylbenzene	121	ug/m3	0.283	0.899	1	TO-15		6/27/2023	CJR	5
1,3,5-Trimethylbenzene	33	ug/m3	0.232	0.739	1	TO-15		6/27/2023	CJR	1
Vinyl acetate	< 0.203	ug/m3	0.203	0.645	1	TO-15		6/27/2023	CJR	1
Vinyl Chloride	< 0.148	ug/m3	0.148	0.472	1	TO-15		6/27/2023	CJR	1
m&p-Xylene	91	ug/m3	0.377	1.2	1	TO-15		6/27/2023	CJR	1
o-Xylene	39	ug/m3	0.218	0.695	1	TO-15		6/27/2023	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
- 5 The QC blank not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



1990 Prospect Court
 Appleton, WI 54914

www.synergy-lab.n
 (920) 830-2445

to 15 level II qc	MATRIX BLANK				
	LCS	% REC	PPBV	MOL WT	UG/M3
Propene	4.81	120.25	N.D	42.1	#VALUE!
Dichlorodifluoromet	5.05	126.25	N.D	120.92	#VALUE!
Chloromethane	4.8	120	N.D	50.5	#VALUE!
Dichlorotetrafluoroc	4.83	120.75	N.D	171	#VALUE!
Vinyl Chloride	4.88	122	N.D	62.5	#VALUE!
1,3--Butadiene	4.87	121.75	N.D	54.1	#VALUE!
Bromomethane	5.15	128.75	N.D	94.9	#VALUE!
Chloroethane	4.89	122.25	N.D	64.5	#VALUE!
Ethanol	5.17	129.25	N.D	46.1	#VALUE!
Acrolein	8.19	204.75	N.D	56.06	#VALUE!
Trichlorofluorometh	4.96	124	N.D	137.4	#VALUE!
Acetone	5.05	126.25	0.25	58.1	0.593827
Isopropyl Alcohol	4.95	123.75	N.D	60.1	#VALUE!
1,1-Dichloroethene	4.97	124.25	N.D	96.9	#VALUE!
Freon 113	5.09	127.25	N.D	187.4	#VALUE!
Methylene Chloride	5	125	1.07	84.9	3.713941
Carbon Disulfide	6.81	170.25	N.D	76.1	#VALUE!
trans-1,2-Dichloroet	5.53	138.25	N.D	96.9	#VALUE!
MTBE	5.3	132.5	N.D	88.1	#VALUE!
Vinyl Acetate	5.97	149.25	N.D	86.09	#VALUE!
1,1-Dichloroethane	4.94	123.5	N.D	98	#VALUE!
2-Butanone	5.33	133.25	N.D	72.1	#VALUE!
Hexane	5.45	136.25	N.D	86.2	#VALUE!
cis-1,2-Dichloroethe	4.83	120.75	N.D	96.9	#VALUE!
Ethyl Acetate	4.95	123.75	N.D	88.1	#VALUE!
Chloroform	4.92	123	N.D	119	#VALUE!
Tetrahydrofuran	4.54	113.5	N.D	72.1	#VALUE!
1,1,1-Trichloroethar	4.81	120.25	N.D	133	#VALUE!
1,2-Dichloroethane	4.96	124	N.D	99	#VALUE!
Benzene	4.92	123	N.D	78.1	#VALUE!
Carbon Tetrachlorid	4.93	123.25	N.D	154	#VALUE!
Cyclohexane	5.14	128.5	N.D	84.2	#VALUE!
Heptane	5.18	129.5	N.D	100.21	#VALUE!
Trichloroethene	4.74	118.5	N.D	131	#VALUE!

1,2-Dichloropropan	4.58	114.5	N.D	113	#VALUE!
1,4-Dioxane	4.91	122.75	N.D	88.1	#VALUE!
Methyl Methacrylat	5.15	128.75	N.D	100.12	#VALUE!
Bromodichlorometh	4.59	114.75	N.D	164	#VALUE!
cis-1,3-Dichloroprop	4.68	117	N.D	111	#VALUE!
4-Methyl-2-pentano	4.86	121.5	N.D	100.1	#VALUE!
trans-1,3-Dichloropr	4.63	115.75	N.D	111	#VALUE!
Toluene	4.44	111	N.D	92.1	#VALUE!
1,1,2-Trichloroethar	4.82	120.5	N.D	133	#VALUE!
2-Hexanone	4.83	120.75	N.D	100.1	#VALUE!
Dibromochlorometf	4.62	115.5	N.D	208	#VALUE!
Tetrachloroethene	4.61	115.25	N.D	166	#VALUE!
1,2-Dibromoethane	4.88	122	N.D	188	#VALUE!
Chlorobenzene	4.65	116.25	N.D	113	#VALUE!
Ethylbenzene	4.84	121	N.D	106	#VALUE!
m,p-Xylene	9.46	118.25	N.D	106	#VALUE!
Styrene	5.04	126	N.D	104	#VALUE!
o-Xylene	4.82	120.5	N.D	106	#VALUE!
Bromoform	4.47	111.75	N.D	253	#VALUE!
1,1,1,2-Tetrachloro	4.67	116.75	N.D	168	#VALUE!
4-Ethyltoluene	4.8	120	N.D	120	#VALUE!
1,3,5-Trimethylbenz	4.84	121	N.D	120	#VALUE!
1,2,4-Trimethylbenz	4.95	123.75	0.09	120	0.441537
1,3-Dichlorobenzene	4.65	116.25	N.D	147	#VALUE!
Benzyl Chloride	5.02	125.5	N.D	127	#VALUE!
1,4-Dichlorobenzene	4.71	117.75	N.D	147	#VALUE!
1,2-Dichlorobenzene	4.75	118.75	N.D	144	#VALUE!
1,2,4-Trichlorobenz	5.13	128.25	0.05	181	0.369992
Naphthalene	5.61	140.25	0.08	128	0.418643
Hexachlorobutadien	4.71	117.75	N.D	261	#VALUE!