

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information

County Portage	WI Unique Well # of Removed Well PP 868	Hicap #
Latitude / Longitude (see instructions) N _____ W _____	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 SW 1/4 NW or Gov't Lot #	Section 4	Township 23 N
		Range 8 E <input type="checkbox"/> W
Well Street Address 3049 S Church St		
Well City, Village or Town Stevens Point		Well ZIP Code
Subdivision Name		Lot #

2. Facility / Owner Information

Facility Name F. Normington Laundry
Facility ID (FID or PWS)
License/Permit/Monitoring # MW-1
Original Well Owner
Present Well Owner
Mailing Address of Present Owner
City of Present Owner
State
ZIP Code

Reason for Removal from Service Site closer	WI Unique Well # of Replacement Well
---	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 05/19/2011
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 21.5	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.) 8.25	Casing Depth (ft.) 21.5
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____

Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Concrete
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input checked="" type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chips	Surface	21.5	35	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Geiss Soil & Samples LLC	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/11/2019	DNR Use Only	
Street or Route W4490 Pope Rd	Telephone Number (715) 539-3928	Date Received	Noted By	
City Merrill	State WI	ZIP Code 54452	Signature of Person Doing Work Darrin Prentice	Date Signed 11/11/19

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information				2. Facility / Owner Information			
County <u>PORTAGE</u>		WI Unique Well # of Removed Well _____		Hicap # _____		Facility Name <u>FORMER NORMINGTON CLEANERS</u>	
Latitude / Longitude (Degrees and Minutes) ____' ____' N ____' ____' W		Method Code (see instructions) <u>MW-2</u>		Facility ID (FID or PWS) _____		License/Permit/Monitoring # _____	
1/4 1/4 <u>SW</u> 1/4 <u>NW</u> or Gov't Lot #		Section <u>4</u>	Township <u>23 N</u>	Range <u>8</u>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Original Well Owner _____	
Well Street Address <u>3049 SOUTH CHURCH ST.</u>				Present Well Owner <u>MICHAEL NORMINGTON</u>			
Well City, Village or Town <u>STEVENS POINT</u>				Mailing Address of Present Owner <u>9567 VIA REAL</u>			
Subdivision Name <u>NA</u>				City of Present Owner <u>DESERT HOT SPRINGS</u>		State <u>CA</u>	ZIP Code <u>92240</u>

Reason For Removal From Service: REMEDIAL EXCAVATION WI Unique Well # of Replacement Well: _____

3. Well / Drillhole / Borehole Information		Original Construction Date (mm/dd/yyyy) <u>5/19/2011</u>	
<input checked="" type="checkbox"/> Monitoring Well	<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	
<input type="checkbox"/> Borehole / Drillhole			
Construction Type:			
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug	
<input type="checkbox"/> Other (specify): _____			

Formation Type:		Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
Total Well Depth From Ground Surface (ft.) <u>27.0</u>	Casing Diameter (in.) <u>7.0 NA</u>	<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input checked="" type="checkbox"/> Other (Explain): <u>GRAVITY-DUMP</u>
Lower Drillhole Diameter (in.) <u>8.0</u>	Casing Depth (ft.) <u>NA</u>	Sealing Materials	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
If yes, to what depth (feet)? <u>NA</u>	Depth to Water (feet) <u>18.64</u>	<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
		For Monitoring Wells and Monitoring Well Boreholes Only:	
		<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
		<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>HOLE PLUG</u>	<u>Surface</u>	<u>24.0</u>	<u>7/8</u>

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <u>AECOM</u>		License # _____	Date of Filling & Sealing (mm/dd/yyyy) <u>10/7/2016</u>	Date Received _____	Noted By _____
Street or Route <u>200 INDIANA AVE</u>		Telephone Number <u>(415) 341-8110</u>		Comments _____	
City <u>STEVENS POINT</u>	State <u>WI</u>	ZIP Code <u>54481</u>	Signature of Person Doing Work <u>Phil Egan</u>	Date Signed <u>10/7/2016</u>	

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Portage WI Unique Well # of Removed Well: PP869 Hicap #: _____
 Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 _____ OTH001
 1/4 SW 1/4 NW Section: 4 Township: 23 N Range: 8 E W
 or Gov't Lot #
 Well Street Address: 3049 S Church St
 Well City/Village or Town: Stevens Point Well ZIP Code: _____
 Subdivision Name: _____ Lot #: _____

Facility Name: F. Normington Laundry
 Facility ID (FID or PWS): _____
 License/Permit/Monitoring #: MW-3
 Original Well Owner: _____
 Present Well Owner: _____
 Mailing Address of Present Owner: _____
 City of Present Owner: _____ State: _____ ZIP Code: _____

Reason for Removal from Service: Site closer WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): 05/19/2011
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach. _____
 Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____
 Formation Type:
 Unconsolidated Formation Bedrock
 Total Well Depth From Ground Surface (ft.): 26 Casing Diameter (in.): 2
 Lower Drillhole Diameter (in.): 8.25 Casing Depth (ft.): 26
 Was well annular space grouted? Yes No Unknown
 If yes, to what depth (feet)? _____ Depth to Water (feet): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A
 Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____
 Sealing Materials:
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips
 For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>Bentonite Chips</u>	<u>Surface</u>	<u>26</u>	<u>42</u>	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: Geiss Soil & Samples LLC License #: _____ Date of Filling & Sealing or Verification (mm/dd/yyyy): 11/11/2019
 Street or Route: W4490 Pope Rd Telephone Number: (715)539-3928
 City: Merrill State: WI ZIP Code: 54452 Signature of Person Doing Work: Darrin Prentice Date Signed: 11/11/19

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Portage WI Unique Well # of Removed Well: PP867 Hicap #: _____
 Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 _____ OTH001
 1/4 SW 1/4 NW Section: 4 Township: 23 N Range: 8 E W
 or Gov't Lot # _____
 Well Street Address: 3049 S Church St
 Well City/Village or Town: Stevens Point Well ZIP Code: _____
 Subdivision Name: _____ Lot #: _____

Facility Name: F. Normington Laundry
 Facility ID (FID or PWS): _____
 License/Permit/Monitoring #: MW-4
 Original Well Owner: _____
 Present Well Owner: _____
 Mailing Address of Present Owner: _____
 City of Present Owner: _____ State: _____ ZIP Code: _____

Reason for Removal from Service: Site closer WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): 05/18/2011
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach: _____
 Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____
 Formation Type:
 Unconsolidated Formation Bedrock
 Total Well Depth From Ground Surface (ft.): 26 Casing Diameter (in.): 2
 Lower Drillhole Diameter (in.): 8.25 Casing Depth (ft.): 26
 Was well annular space grouted? Yes No Unknown
 If yes, to what depth (feet)? _____ Depth to Water (feet): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A
 Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____
 Sealing Materials:
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips
 For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Vol. (circle one)	Mix Ratio or Mud Weight
<u>Bentonite Chips</u>	<u>Surface</u>	<u>26</u>	<u>42</u>	

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Vol. (circle one)	Mix Ratio or Mud Weight
<u>Surface</u>	<u>26</u>	<u>42</u>	

6. Comments

7. Supervision of Work

Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing: <u>Geiss Soil & Samples LLC</u>	License #: _____	Date of Filling & Sealing or Verification (mm/dd/yyyy): <u>11/11/2019</u>	Date Received: _____	Noted By: _____	
Street or Route: <u>W4490 Pope Rd</u>	Telephone Number: <u>(715) 539-3928</u>	Comments: _____			
City: <u>Merrill</u>	State: <u>WI</u>	ZIP Code: <u>54452</u>	Signature of Person Doing Work: <u>Darrin Prentice</u>	Date Signed: <u>11/11/19</u>	

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Portage WI Unique Well # of Removed Well: PP865 Hicap #: _____
 Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 _____ OTH001
 1/4 SW 1/4 NW Section: 4 Township: 23 N Range: 8 E W
 or Gov't Lot #
 Well Street Address: 3049 S Church St
 Well City, Village or Town: Stevens Point Well ZIP Code: _____
 Subdivision Name: _____ Lot #: _____

Facility Name: F. Normington Laundry
 Facility ID (FID or PWS): _____
 License/Permit/Monitoring #: mw-5
 Original Well Owner: _____
 Present Well Owner: _____
 Mailing Address of Present Owner: _____
 City of Present Owner: _____ State: _____ ZIP Code: _____

Reason for Removal from Service: Site closer WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): 05/18/2011
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach: _____
 Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____
 Formation Type:
 Unconsolidated Formation Bedrock
 Total Well Depth From Ground Surface (ft.): 25 Casing Diameter (in.): 2
 Lower Drillhole Diameter (in.): 8.25 Casing Depth (ft.): 25
 Was well annular space grouted? Yes No Unknown
 If yes, to what depth (feet)? Depth to Water (feet): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks, Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>Bentonite Chips</u>	<u>Surface</u>	<u>25</u>	<u>40</u>	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: Geiss Soil Samples LLC License #: _____ Date of Filling & Sealing or Verification (mm/dd/yyyy): 11/11/2019
 Street or Route: W4490 Pope Rd Telephone Number: (715)539-3928
 City: Merrill State: WI ZIP Code: 54452 Signature of Person Doing Work: Darrin Prentice Date Signed: 11/11/19

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information

County Portage	WI Unique Well # of Removed Well PC 717	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 SW or Gov't Lot #	1/4 NW	Section 4
Township 23 N		Range 8 E
Well Street Address 3049 S Church St		
Well City, Village or Town Stevens Point		Well ZIP Code
Subdivision Name		Lot #

2. Facility / Owner Information

Facility Name F. Normington Laundry
Facility ID (FID or PWS)
License/Permit/Monitoring # MW-6
Original Well Owner
Present Well Owner
Mailing Address of Present Owner
City of Present Owner
State
ZIP Code

Reason for Removal from Service Site closer	WI Unique Well # of Replacement Well
---	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 05/16/2011
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	If a Well Construction Report is available, please attach.
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 27	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.) 8.25	Casing Depth (ft.) 27
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete			
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips			
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Bentonite Chips	Surface	27	43	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Geiss Soil Samples LLC	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/11/2019	DNR Use Only	
Street or Route W4490 Pope Rd	Telephone Number (715) 539-3928	Date Received	Noted By	
City Merrill	State WI	ZIP Code 54452	Signature of Person Doing Work Darrin Prentice	
			Date Signed 11/11/19	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See Instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:
 Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information:				2. Facility / Owner Information			
County <u>PORTAGE</u>		WI Unique Well # of Removed Well <u>PC 718</u>		Facility Name <u>FORMER NORMINGTON DRY CLEANERS</u>		Facility ID (FID or PWS)	
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions) <u>WELL NO.</u>		License/Permit/Monitoring #			
Township <u>23 N</u>		Range <u>8 E</u>		Original Well Owner <u>MICHAEL NORMINGTON</u>			
Section <u>4</u>		Well Street Address <u>3049 CHURCH ST.</u>		Present Well Owner <u>SAME</u>			
Well City, Village or Town <u>STEVENS POINT</u>		Well ZIP Code <u>54481</u>		Mailing Address of Present Owner <u>9567 VIA REAL</u>			
Subdivision Name <u>NA</u>		Lot #		City of Present Owner <u>DESERT HOT SPRINGS</u>		State ZIP Code <u>CA 92240</u>	

Reason For Removal From Service <u>LOT RENOVATION</u>		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy) <u>5/16/11</u>		Pump and piping removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Borehole / Drillhole				Screen removed?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type:				Casing left in place?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		Was casing cut off below surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Other (specify):				Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type:				Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) <u>25.2</u>		Casing Diameter (in.) <u>NA</u>		If bentonite chips were used, were they hydrated with water from a known safe source?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Lower Drillhole Diameter (in.) <u>8.0</u>		Casing Depth (ft.) <u>NA</u>		Required Method of Placing Sealing Material			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet) <u>18.09</u>		<input type="checkbox"/> Conductor Pipe-Gravily		<input type="checkbox"/> Conductor Pipe-Pumped	
				<input type="checkbox"/> Screened & Poured (Bentonite Chips)		<input checked="" type="checkbox"/> Other (Explain): <u>GRAVITY-DUMP</u>	

Sealing Materials		For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite - Sand Slurry	
<input type="checkbox"/> Concrete		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite-Sand Slurry "	

5: Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, (Sacks Sealant or Volume (circle one))	Mix Ratio or Mud Weight
<u>HOLE PLUG</u>	Surface	<u>25.2</u>	<u>1'</u>	

6: Comments

7: Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <u>REGOM</u>		License #	Date of Filling & Sealing (mm/dd/yyyy) <u>10/4/2013</u>	Date Received	Noted By
Street or Route <u>200 INDIANA AVE</u>		Telephone Number <u>(715) 341-8110</u>		Comments	
City <u>STEVENS POINT</u>	State <u>WI</u>	ZIP Code <u>54481</u>	Signature of Person Doing Work <u>Phil Cogan</u>	Date Signed <u>10/4/13</u>	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information

County Portage	WI Unique Well # of Removed Well PP 866	Hicap #
Latitude / Longitude (see instructions) N _____ W _____	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 SW 1/4 NW or Gov't Lot #	Section 4	Township 23 N
Well Street Address 3049 S Church St	Range 8	Direction <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City/Village or Town Stevens Point	Well ZIP Code	
Subdivision Name	Lot #	

2. Facility / Owner Information

Facility Name F. Normington Laundry
Facility ID (FID or PWS)
License/Permit/Monitoring # MW-8
Original Well Owner
Present Well Owner
Mailing Address of Present Owner
City of Present Owner
State
ZIP Code

3. Filled & Sealed Well / Drillhole / Borehole Information

Reason for Removal from Service Site closer	WI Unique Well # of Replacement Well
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) 05/18/2011
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	If a Well Construction Report is available, please attach.
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 26	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.) 8.25	Casing Depth (ft.) 26
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____		

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	M x Ratio or Mud Weight
Bentonite Chips	Surface	26	42	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Geiss Soil Samples LLC	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/11/2019	DNR Use Only	
Street or Route N4490 Pope Rd	Telephone Number (715) 539-3928	Date Received	Noted By	
City Merrill	State WI	ZIP Code 54452	Comments	
Signature of Person Doing Work Darrin Prentice	Date Signed 11/11/19			

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information

County: Portage WI Unique Well # of Removed Well: 2232 Hicap #: _____
 Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 _____ OTH001
 1/4 SW 1/4 NW Section: 4 Township: 23 N Range: 8 E W
 or Gov't Lot #
 Well Street Address: 3049 S Church St
 Well City, Village or Town: Stevens Point Well ZIP Code: _____
 Subdivision Name: _____ Lot #: _____

2. Facility / Owner Information

Facility Name: F. Normington Laundry
 Facility ID (FID or PWS): _____
 License/Permit/Monitoring #: MW-9
 Original Well Owner: _____
 Present Well Owner: _____
 Mailing Address of Present Owner: _____
 City of Present Owner: _____ State: _____ ZIP Code: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

Reason for Removal from Service: Site closer WI Unique Well # of Replacement Well: _____
 Monitoring Well Original Construction Date (mm/dd/yyyy): 11/08/2011
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 27 Casing Diameter (in.): 2

Lower Drillhole Diameter (in.): 8.25 Casing Depth (ft.): 27

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>Bentonite Chips</u>	<u>Surface</u>	<u>27</u>	<u>43</u>	

6. Comments

7. Supervision of Work

Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)	Date Received	Noted By	
<u>Geiss Soil & Samples LLC</u>		<u>11/11/2019</u>			
Street or Route	Telephone Number	Comments			
<u>W4490 Pope Rd</u>	<u>(715) 539-3928</u>				
City	State	ZIP Code	Signature of Person Doing Work	Date Signed	
<u>Merrill</u>	<u>WI</u>	<u>54452</u>	<u>Darrin Prentice</u>	<u>11/11/19</u>	

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Portage WI Unique Well # of Removed Well: VZ231 Hicap #: _____
 Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 _____ OTH001
 1/4 SW 1/4 NW Section: 4 Township: 23 N Range: 8 E W
 or Gov't Lot #
 Well Street Address: 3049 S Church St
 Well City, Village or Town: Stevens Point Well ZIP Code: _____
 Subdivision Name: _____ Lot #: _____

Facility Name: F. Normington Laundry
 Facility ID (FID or PWS): _____
 License/Permit/Monitoring #: MW-10
 Original Well Owner: _____
 Present Well Owner: _____
 Mailing Address of Present Owner: _____
 City of Present Owner: _____ State: _____ ZIP Code: _____

Reason for Removal from Service: Site closer WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): 11/08/2011
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 27 Casing Diameter (in.): 2

Lower Drillhole Diameter (in.): 8.25 Casing Depth (ft.): 27

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>Bentonite Chips</u>	<u>Surface</u>	<u>27</u>	<u>43</u>	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: Geiss Soil Samples LLC License #: _____ Date of Filling & Sealing or Verification (mm/dd/yyyy): 11/11/2019
 Street or Route: W4490 Pope Rd Telephone Number: (715)539-3928
 City: Merrill State: WI ZIP Code: 54452 Signature of Person Doing Work: Darrin Prentice Date Signed: 11/11/19

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Portage WI Unique Well # of Removed Well: VZ 230 Hicap #: _____
 Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 _____ OTH001
 1/4 SW 1/4 NW Section: 4 Township: 23 N Range: 8 E W
 or Gov't Lot #
 Well Street Address: 3049 S Church St
 Well City/Village or Town: Stevens Point Well ZIP Code: _____
 Subdivision Name: _____ Lot #: _____

Facility Name: F. Normington Laundry
 Facility ID (FID or PWS): _____
 License/Permit/Monitoring #: MW-11
 Original Well Owner: _____
 Present Well Owner: _____
 Mailing Address of Present Owner: _____
 City of Present Owner: _____ State: _____ ZIP Code: _____

Reason for Removal from Service: Site closer WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): 11/07/2011
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 27 Casing Diameter (in.): 2
 Lower Drillhole Diameter (in.): 8.25 Casing Depth (ft.): 27

Was well annular space grouted? Yes No Unknown
 If yes, to what depth (feet)? Depth to Water (feet): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials:
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>Bentonite Chips</u>	<u>Surface</u>	<u>27</u>	<u>43</u>	

6. Comments

7. Supervision of Work

Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing: <u>Geiss Soil & Samples LLC</u>	License #: _____	Date of Filling & Sealing or Verification (mm/dd/yyyy): <u>11/11/2019</u>	Date Received: _____	Noted By: _____	
Street or Route: <u>W4490 Pope Rd</u>	Telephone Number: <u>(715) 539-3928</u>	Comments: _____			
City: <u>Merrill</u>	State: <u>WI</u>	ZIP Code: <u>54452</u>	Signature of Person Doing Work: <u>Darrin Prentice</u>	Date Signed: <u>11/11/19</u>	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information 2. Facility / Owner Information

County: Portage WI Unique Well # of Removed Well: VE 234 Hicap #: _____
 Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 _____ OTH001
 1/4 SW 1/4 NW Section: 4 Township: 23 N Range: 8 E Original Well Owner: _____
 or Gov't Lot # W
 Well Street Address: 3049 S Church St
 Well City, Village or Town: Stevens Point Well ZIP Code: _____
 Subdivision Name: _____ Lot #: _____

Facility Name: F. Normington Laundry
 Facility ID (FID or PWS): _____
 License/Permit/Monitoring #: MW-12
 Present Well Owner: _____
 Mailing Address of Present Owner: _____
 City of Present Owner: _____ State: _____ ZIP Code: _____

Reason for Removal from Service: Site closer WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): 07/23/2012
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach: _____
 Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____
 Formation Type:
 Unconsolidated Formation Bedrock
 Total Well Depth From Ground Surface (ft.): 27 Casing Diameter (in.): 2
 Lower Drillhole Diameter (in.): 8.25 Casing Depth (ft.): 27
 Was well annular space grouted? Yes No Unknown
 If yes, to what depth (feet)? Depth to Water (feet): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A
 Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____
 Sealing Materials:
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips
 For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>Bentonite Chips</u>	<u>Surface</u>	<u>27</u>	<u>43</u>	

6. Comments

7. Supervision of Work DNR Use Only

Name of Person or Firm Doing Filling & Sealing: Geiss Soil & Samples LLC License #: _____ Date of Filling & Sealing or Verification (mm/dd/yyyy): 11/11/2019
 Street or Route: W4490 Pope Rd Telephone Number: (715) 539-3928
 City: Merrill State: WI ZIP Code: 54452 Signature of Person Doing Work: Darrin Prentice Date Received: _____ Noted By: _____
 Date Signed: 11/11/19

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

Drinking Water

Watershed/Wastewater

Remediation/Redevelopment

Waste Management

Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Portage WI Unique Well # of Removed Well: VZ233 Hicap #: _____

Facility Name: F. Normington Laundry

Latitude / Longitude (see instructions): _____ N DD GPS008
 _____ W DDM SCR002 OTH001

Facility ID (FID or PWS): _____
 License/Permit/Monitoring #: MW-13

1/4 SW or Gov't Lot #: _____ 1/4 NW Section: 4 Township: 23 N Range: 8 E W

Original Well Owner: _____
 Present Well Owner: _____

Well Street Address: 3049 S Church St

Mailing Address of Present Owner: _____

Well City, Village or Town: Stevens Point Well ZIP Code: _____

City of Present Owner: _____ State: _____ ZIP Code: _____

Subdivision Name: _____ Lot #: _____

Reason for Removal from Service: Site closer WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

4. Pump, Liner, Screen, Casing & Sealing Material

Monitoring Well
 Water Well
 Borehole / Drillhole

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Original Construction Date (mm/dd/yyyy): 07/23/2012
 If a Well Construction Report is available, please attach: _____

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

Formation Type:
 Unconsolidated Formation Bedrock

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

Total Well Depth From Ground Surface (ft.): 27 Casing Diameter (in.): 2
 Lower Drillhole Diameter (in.): 8.25 Casing Depth (ft.): 27

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): _____

5. Material Used to Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	27	43	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: Geiss Soil & Samples LLC License #: _____ Date of Filling & Sealing or Verification (mm/dd/yyyy): 11/11/2019 Date Received: _____ Noted By: _____

Street or Route: W4490 Pope Rd Telephone Number: (715)539-3928 Comments: _____

City: Merrill State: WI ZIP Code: 54452 Signature of Person Doing Work: Darrin Prentice Date Signed: 11/11/19

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information

County Portage	WI Unique Well # of Removed Well PC 720	Hicap #
Latitude / Longitude (see instructions) N _____ W _____	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 SW 1/4 NW or Gov't Lot #	Section 4	Township 23 N
Well Street Address 3049 S Church St	Range 8	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City, Village or Town Stevens Point	Well ZIP Code	
Subdivision Name	Lot #	

2. Facility / Owner Information

Facility Name F. Normington Laundry
Facility ID (FID or PWS)
License/Permit/Monitoring # PZ-7
Original Well Owner
Present Well Owner
Mailing Address of Present Owner
City of Present Owner
State
ZIP Code

Reason for Removal from Service
Site closer

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	WI Unique Well # of Replacement Well
Original Construction Date (mm/dd/yyyy) 05/17/2011	If a Well Construction Report is available, please attach.
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 34.5	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.) 8.25	Casing Depth (ft.) 34.5
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete			
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips			
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks, Bags or Volume (circle one)	Mix Ratio or Mud Weight
Surface	34.5	56	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Geiss Soil Samples LLC	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 11/11/2019	DNR Use Only	
Street or Route W4490 Pope Rd	Telephone Number (715) 539-3928	Date Received	Noted By	
City Merrill	State WI	ZIP Code 54452	Comments	
Signature of Person Doing Work Darrin Prentice	Date Signed 11/11/19			

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information:			2. Facility / Owner Information		
County PORTAGE	WI Unique Well # of Removed Well PC 719	Hicap #	Facility Name FORMER NORMINGTON DRY CLEANERS		
Latitude / Longitude (Degrees and Minutes)		Method Code (see instructions)	Facility ID (FID or PWS)		
-----'N		WELL NO.	License/Permit/Monitoring #		
-----'W		PZ-2	Original Well Owner MICHAEL NORMINGTON		
1/4 SW 1/4 NW	Section 4	Township 23 N	Range 8	Present Well Owner SAME	
or Gov't Lot #	Well Street Address 3049 CHURCH ST.		Mailing Address of Present Owner 9567 VIA REAL		
Well City, Village or Town STEVENS POINT	Well ZIP Code 54481		City of Present Owner DESERT HOT SPRINGS		
Subdivision Name NA	Lot #		State CA	ZIP Code 92240	

Reason For Removal From Service LOT RENOVATION	WI Unique Well # of Replacement Well	4. Pump, Liner, Screen, Casing & Sealing Material			
3. Well / Drillhole / Borehole Information		Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 5/17/11	Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
<input type="checkbox"/> Borehole / Drillhole		Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Construction Type:		Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/> Other (specify): _____		Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Formation Type:		If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A

Total Well Depth From Ground Surface (ft.) 34.8	Casing Diameter (in.) NA	Required Method of Placing Sealing Material			
Lower Drillhole Diameter (in.) 8.0	Casing Depth (ft.) NA	<input type="checkbox"/> Conductor Pipe-Gravily	<input type="checkbox"/> Conductor Pipe-Pumped		
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet) 18.0	<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input checked="" type="checkbox"/> Other (Explain): GRANITE-DUMP		
If yes, to what depth (feet)? NA	Depth to Water (feet) 18.0	Sealing Materials			
5: Material Used To Fill Well / Drillhole HOLESPLUG		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight		
Surface	34.8	1 1/2			

6: Comments

7. Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing ACCOM	License #	Date of Filling & Sealing (mm/dd/yyyy) 10/4/2013	Date Received	Noted By
Street or Route 200 INDIANA AVE	City STEVENS POINT	State WI	ZIP Code 54481	Signature of Person Doing Work <i>Phil Engeman</i>
Telephone Number (715) 341-8110		Date Signed 10/4/13		