

241780880
02-41-532649

October 19, 2012

Project Reference #10724

Mr. Andrew Boettcher
Wisconsin Dept. of Natural Resources
2300 Dr. Martin Luther King Jr. Drive
Milwaukee, WI 53212

rec'd 11/19/12
B

**Subject: Remedial Approach Documentation
Superior Health Linens
Cudahy, Wisconsin**

Dear Mr. Boettcher:

This letter has been prepared to memorialize the mutually agreed upon remedial approach to be implemented at the Superior Health Linens, Cudahy, Wisconsin site as discussed in our July 24, 2012 meeting. Specifically, we discussed actions to be taken at the property to address existing risks present as a result of the historic release of chlorinated volatile organic compounds (CVOCs) on the Superior Health Linens site and an adjacent property.

SITE CONDITIONS

In general, shallow CVOC soil impacts are present at and around groundwater monitoring wells MW-3 and MW-5 within the southwest corner of the site at concentrations greater than regulatory standards which pose a risk for direct contact and threat to groundwater. In addition, groundwater impacts are present within the soil impact area, extending down-gradient in the direction of shallow groundwater flow below the building to the north east. Details regarding site conditions as determined through the most recent site investigation activities completed in (November and December 2010 and March 2011) follow:

- One monitoring well and double-cased piezometer nest was installed within the northeastern portion of the site to assess down-gradient groundwater quality.
- One double-cased piezometer was installed near groundwater monitoring well MW-5 to assess the potential for deep groundwater impacts originating from off-site.
- One groundwater monitoring well was installed near the northwest corner of the site to further assess the northern extent of groundwater impacts.
- Groundwater elevation measurements were collected from the existing groundwater monitoring wells.
- Two rounds of groundwater samples were collected from the entire groundwater monitoring well network (December 23, 2010 and March 17, 2011). The groundwater samples were submitted for laboratory analysis of volatile organic compounds (VOCs).

- The elevations and horizontal positions of the newly installed groundwater monitoring wells and piezometers were surveyed to mean sea level (MSL) and the State Plane Coordinate System.
- Approximately twenty 55-gallon drums of soil (14 from recent drilling, 6 from previous investigation activities) and six 55-gallon drums of purge/drilling water (4 from recent drilling and 2 from previous groundwater sampling activities) were properly disposed of.

Well Installation, Development and Surveying. The additional monitoring wells and piezometers were installed on November 15 through 17, 2010. Soil Boring Logs summarizing well boring data and observations are included as **Appendix A**, and Monitoring Well Construction Forms documenting monitoring well installation are included as **Appendix B**. The monitoring wells were designated MW-6 and MW-7, and the piezometers were designated PZ-2 and PZ-3. The locations of these wells are shown on the attached **Figure 1**. Sigma surveyed the elevations of four newly installed wells' tops of casings and their horizontal position during installation, and developed them on **November 19, 2010**. Well development is documented on well development forms also included in **Appendix B**.

Groundwater Elevation Measurements and Groundwater Sampling. Water level measurements and groundwater samples were collected from the newly installed wells and all pre-existing wells on December 23, 2010 and March 17, 2011. The groundwater samples were submitted to Synergy Environmental Lab, Inc.'s Appleton, Wisconsin facility for analysis of VOCs by Method 8260B. The laboratory report for the analyses is included as **Appendix C**.

Soil and Water Disposal. The 55-gallon drums of soil from the November 2010 and previous site investigation activities were transported by Veolia Environmental Services to Veolia's Emerald Park Landfill in Muskego, Wisconsin for disposal. Sigma transported the 55-gallon drums of water from the December 2010 and March 2011 as well as previous groundwater sampling activities to the City of Port Washington's wastewater treatment facility for contracted disposal.

Results

The groundwater elevation measurements are summarized on **Table 1**, and the groundwater sample laboratory results are summarized on **Table 2**. The laboratory results and estimated extents of groundwater standard exceedances for select compounds are also summarized on **Figure 1**.

The groundwater elevations measured in previously existing wells during the two additional monitoring rounds are generally consistent with the previous data, as are the relative differences in groundwater elevations between wells. The elevation data are indicative of a groundwater flow direction generally to the northeast in both the shallow saturated zone (screen depths of wells MW-1 through MW-7) and the deeper saturated zone (screen depths of piezometers PZ-1 through PZ-3), with local variations to the north or east appearing to be present in the shallow zone, also consistent with previous data. Based on the groundwater elevation measurements, slight downward vertical gradients are present in each of the three water table observation well/piezometer nest locations.

gw flow NE

Exceedances of Enforcement Standards (ESs) set forth in Wisconsin Administrative Code (WAC), chapter NR 140 by several of the chlorinated compounds detected elsewhere at the site were reported in groundwater samples from monitoring well MW-6, located in the northeast portion of the site, but no compounds were detected in samples of deeper groundwater from the adjacent piezometer PZ-3.

One chlorinated compound was also reported at concentrations exceeding NR 140 ESs in groundwater samples from well MW-7, located in the northwest corner of the site. One chlorinated compound exceeded NR 140 Preventive Action Limits (PALs) but not ESs in groundwater samples from newly installed piezometer PZ-2, located adjacent to well MW-5. The compound has been reported at significantly higher concentrations in samples from the adjacent monitoring well.

Groundwater sample results for newly installed monitoring wells MW-6 and MW-7 indicate that chlorinated compounds are not present or are present at concentrations significantly lower than those reported in the southwest portion of the site. Based on piezometer groundwater sample results, especially for downgradient piezometer PZ-3, the chlorinated groundwater impacts appear to generally be confined to the shallow saturated zones. Reported compounds and concentrations in the groundwater samples from the previously existing wells are generally consistent with previous results.

Remediation to address the site risks is required per Ch. NR 292 Wisconsin Administrative Code. As discussed in our July 24, 2012 meeting, a remedial approach consisting of remediation by natural attenuation (RNA), capping of shallow soil impacts and sub slab vapor mitigation is the most applicable and appropriate strategy to address these risks and obtain site closure. The proposed scope of activities is presented below.

REMEDIAL OBJECTIVES

The remediation objectives, consistent with Wisconsin State Statutes are intended to be protective of the environment (e.g., reduce the contaminant mass to further protect groundwater) and human health (e.g., direct contact and vapor intrusion pathways). More specifically, the primary objectives of the active soil remediation to address CVOC impacts should be to: 1) reduce the long term risk associated with direct contact with shallow impacts; 2) reduce the potential for migration of volatile vapors into site structures; and 3) minimize the contribution of the contaminant mass of chlorinated solvents in the MW-3 and MW-5 areas of the site such that natural attenuation processes can more effectively address residual groundwater impacts over time.

REMEDIAL APPROACH

The proposed remedial approach, as discussed in our July 24, 2012 meeting, include the capping of shallow soil impacts, installation and operation of a sub-slab vent system, and groundwater monitoring for documentation of natural attenuation. The activities necessary to implement this remedial approach include the following:

- Capping of the areas of both monitoring wells MW-3 and MW-5 with a minimum thickness of asphalt paving of 3 to 4 inches. The cap will reduce infiltration through the highest area of on-site soil impacts and minimize direct contact risk.
- Installation of sub slab venting system to minimize any potential vapor intrusion risk from impacted soil and groundwater.

- Confirm sub slab venting system installation and performance.
- Collect groundwater samples from the site's seven ch. NR 141 compliant groundwater monitoring wells and three piezometers to document the stability of the groundwater plume. A minimum of three rounds of groundwater sampling will likely be conducted to document natural attenuation processes and contaminant concentration trends. *3 rds gw samp.*
- Pending the groundwater quality data and biodegradation trends, perform data analysis, and preparation and submittal of a site closure and off-site exemption request, as appropriate.

Implementation of the proposed remedial activities will be initiated shortly. If you have any questions or wish to further clarify any of the information presented in this letter, please call us at (414) 643-4200.

Sincerely,

THE SIGMA GROUP



Kristin Kurzka, P.E.
Senior Engineer



Randy Boness, P.G.
Geosciences Group Leader

kal

List of Attachments

Tables

Figures

Appendix A Soil Boring Logs

Appendix B Monitoring Well Construction Forms and Well Development Forms

Appendix C Groundwater Analytical Laboratory Report

**TABLE 1
 STATIC GROUNDWATER ELEVATIONS
 SUPERIOR HEALTH LINENS
 CUDAHY, WISCONSIN
 Project Reference #10724**

Monitoring Well Identification	Date	Top of Casing Elevation (feet MSL)	Depth to Groundwater (feet from TOC)	Groundwater Elevation (feet MSL)
MW-1	10/22/07	709.00	4.25	704.75
	10/23/07		4.23	704.77
	11/05/07		5.83	703.17
	05/15/08		4.60	704.40
	12/23/10		5.15	703.85
	03/17/11		2.60	706.40
MW-2	10/22/07	709.52	8.34	701.18
	10/23/07		8.23	701.29
	11/05/07		9.32	700.20
	05/15/08		6.70	702.82
	12/23/10		9.15	700.37
	03/17/11		6.16	703.36
MW-3	10/22/07	712.58	6.13	706.45
	10/23/07		6.02	706.56
	11/05/07		7.34	705.24
	05/15/08		6.45	706.13
	12/23/10		6.50	706.08
	03/17/11		3.85	708.73
MW-4	10/22/07	711.68	7.45	704.23
	10/23/07		11.17	700.51
	11/05/07		5.05	706.63
	05/15/08		4.25	707.43
	12/23/10		4.45	707.23
	03/17/11		1.43	710.25
MW-5	10/22/07	710.57	1.29	709.28
	10/23/07		3.00	707.57
	11/05/07		4.88	705.69
	05/15/08		4.20	706.37
	12/23/10		5.29	705.28
	03/17/11		1.75	708.82
MW-6	12/23/10	705.26	9.00	696.26
	03/17/11		7.42	697.84
MW-7	12/23/10	708.22	4.61	703.61
	03/17/11		2.84	705.38
PZ-1	10/22/07	713.00	14.29	698.71
	10/23/07		14.16	698.84
	11/05/07		15.06	697.94
	05/15/08		14.12	698.88
	12/23/10		15.82	697.18
	03/17/11		12.97	700.03
PZ-2	12/23/10	710.88	14.78	696.10
	03/17/11		12.65	698.23
PZ-3	12/23/10	705.58	12.55	693.03
	03/17/11		11.44	694.14

Notes:

feet MSL = feet above Mean Sea Level
 feet from TOC = feet below top of casing
 feet bgs = feet below ground surface



MW-7		
Date	12/23/10	03/17/11
Trichloroethene	10	12.1

TW-1	
Date	8/12/04
Trichloroethene	72.2

MW-1			
Date	10/23/07	12/23/10	03/17/11
Trichloroethene	1,140	790	690

TW-2	
Date	8/12/04
cis-1,2-1,1-Dichloroethene	521
Tetrachloroethene	4.66
1,1,1-Trichloroethane	290
1,1,2-Trichloroethane	3.8
Trichloroethene	1,030

MW-2			
Date	10/23/07	12/23/10	03/17/11
cis-1,2-Dichloroethene	1,420	1,300	1,110
1,1,1-Trichloroethane	1,210	910	680
Trichloroethene	32,000	16,300	14,800

PZ-1			
Date	10/23/07	12/23/10	03/17/11
Trichloroethene	32	660	720
Vinyl Chloride	<2.0	0.55 ^J	<1.8

MW-3			
Date	10/23/07	12/23/10	03/17/11
1,1-Dichloroethene	97	<35	58
cis-1,2-Dichloroethene	900	1,110	1,280
1,1,1-Trichloroethane	770	640	470
Trichloroethene	6,700	6,000	5,500

MW-4			
Date	10/23/07	12/23/10	03/17/11
(No ES Exceedances)			

B1	
Date	2/16/01
Tetrachloroethane	50,000
1,1,1-Trichloroethane	45,000
Trichloroethene	3,700

B2	
Date	2/16/01
1,1-Dichloroethene	5,000
cis-1,2-Dichloroethene	580
1,1,1-Trichloroethane	7,300
1,1,2-Trichloroethane	180
Trichloroethene	1,100

PZ-3		
Date	12/23/10	03/17/11
(No ES Exceedances)		

MW-6			
Date	12/23/10	03/17/11	
1,1-Dichloroethene	9.6 ^J	27.9	
Trichloroethene	23.1	1.28 ^J	
Vinyl Chloride	<0.95	0.53 ^J	

TW-3	
Date	8/12/04
1,1,1-Trichloroethane	43.9
Trichloroethene	13.5

PZ-2		
Date	12/23/10	03/17/11
(No ES Exceedances)		

MW-5			
Date	10/23/07	12/23/10	03/17/11
1,1-Dichloroethene	12.4	5.4 ^J	16.4
1,1,1-Trichloroethane	209	237	246
Trichloroethene	31.3	23.1	42

TW-15	
Date	8/12/04
1,1,1-Trichloroethane	237
Trichloroethene	3.66

B4	
Date	2/16/01
1,1,1-Trichloroethane	1.9
Trichloroethene	8.3

B3	
Date	2/16/01
1,1-Dichloroethene	2.2
1,1-Dichloroethene	3.6
1,1,1-Trichloroethane	74
Trichloroethene	20

KEY

PZ-1
GROUNDWATER SAMPLE ANALYTICAL RESULTS FOR MONITORING WELL OR PIEZOMETER (COMPOUNDS EXCEEDING ES ONLY)

TW-15
GROUNDWATER SAMPLE ANALYTICAL RESULTS FOR TEMPORARY WELL (COMPOUNDS EXCEEDING PAL OR ES ONLY)

Chapter NR 140 Groundwater Standards	Preventive Action Limit (PAL)	Enforcement Standard (ES)	Select Isoconours for Concentrations Above Respective NR 140 Enforcement Standards (? indicates more uncertainty)
1,1-Dichloroethene	0.7	7.0	1,1,1-Trichloroethane Trichloroethene (TCE)
cis-1,2-Dichloroethene	7.0	70	
Vinyl Chloride	0.2	0.02	
1,1,1-Trichloroethane	40	200	
Trichloroethene	0.5	5.0	

*** All concentrations shown in ug/L (PPB)

NOTE

- Map Based on Site Assessments by Triad Engineering, Inc. (September 2004), Northern Environmental (September 1999) and Sigma (October 2007)
- All concentrations are in ug/L (PPB)
- Base map is Sigma Survey Map 10724-V-001.dwg


02-41-522649 AC 43 11/19/12 p.7

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Superior Health Linens		License/Permit/Monitoring Number 02-41-532649		Boring Number MW-6	
Boring Drilled By: Name of crew chief (first, last) and Firm Tony Kapugi On-Site Environmental Services Inc.			Date Drilling Started 11/15/2010	Date Drilling Completed 11/15/2010	Drilling Method hollow stem auger
WI Unique Well No.	DNR Well ID No. NA	Common Well Name MW-6	Final Static Water Level Feet MSL	Surface Elevation 705.7 Feet MSL	Borehole Diameter 8.3 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane N, E S/C/N			Local Grid Location		
1/4 of T N, R			Lat ° ' "	<input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID 241780880		County Milwaukee	County Code 41	Civil Town/City/ or Village Cudahy	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1 GP	60 40	P U S H	1.5	ASPHALT										
			3.0	ROAD BASE										
2 GP	60 60	P U S H	4.5	FILL - black granular & fine non-soil material, some gravel, loose - damp				0						
			6.0	SILTY CLAY TO CLAYEY SILT, dark brown, soft - moist				0						
			7.5	transitions to med. brown w/ some light gray mottling, soft to med. stiff				0						
3 GP	60 50	P U S H	9.0	transitions to sandy and med. grayish brown				0						
			12.0	transitions to brownish gray and not sandy - damp to moist	CL-MI			0						
4 GP	60 52	P U S H	15.0	transitions to med. gray, med. stiff to stiff				0						
			18.0	transitions to sandy w/ some gravel				0						
			19.5	SANDY SILT TO SILTY SAND, med. gray, stiff/dense - moist	SM			0						
				END OF BORING 20 FT BGS										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm Sigma Environmental Services, Inc. 1300 W. Canal Street Milwaukee, WI 53233	Tel: 414-643-4200 Fax: 414-643-4210
--	---	--


This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Superior Health Linens		License/Permit/Monitoring Number 02-41-532649		Boring Number MW-7	
Boring Drilled By: Name of crew chief (first, last) and Firm Tony Kapugi On-Site Environmental Services Inc.			Date Drilling Started 11/15/2010	Date Drilling Completed 11/15/2010	Drilling Method hollow stem auger
WI Unique Well No.	DNR Well ID No. NA	Common Well Name MW-7	Final Static Water Level Feet MSL	Surface Elevation 708.7 Feet MSL	Borehole Diameter 8.3 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane N, E S/C/N			Local Grid Location Lat ° ' " <input type="checkbox"/> N <input type="checkbox"/> E Long ° ' " <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID 241780880		County Milwaukee	County Code 41	Civil Town/City/ or Village Cudahy	

Sample Number and Type	Length Art. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	60 22	PUSH	1.5	FILL - med. brown silt/clay mix, soft - moist				0							
			3.0	FILL - black soil/granular non-soil mix, loose/soft - moist					0						
2 GP	60 30	PUSH	4.5	SILTY CLAY TO CLAYEY SILT, med. brown, stiff - damp	CL-MI			0							
			6.0	SILTY CLAY, light reddish gray, soft - moist to wet	CL-MI			0							
			7.5	SANDY SILTY CLAY TO SANDY CLAYEY SILT, some gravel, light brown, soft/loose - wet				0							
3 GP	60 60	PUSH	9.0					0							
			10.5	transitions to med. brown, little gravel	CL-MI			0							
			12.0	transitions to med. grayish brown, some rust-colored mottling				0							
			13.5					0							
			15.0	END OF BORING 15 FT BGS				0							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm Sigma Environmental Services, Inc. 1300 W. Canal Street Milwaukee, WI 53233	Tel: 414-643-4200 Fax: 414-643-4210
--	---	--

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Superior Health Linens		License/Permit/Monitoring Number 02-41-532649		Boring Number PZ-2	
Boring Drilled By: Name of crew chief (first, last) and Firm Alex Badger Well Drilling		Date Drilling Started 11/16/2010		Date Drilling Completed 11/17/2010	
WI Unique Well No.		DNR Well ID No. NA	Common Well Name PZ-2	Final Static Water Level Feet MSL	Surface Elevation 711.0 Feet MSL
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/>		State Plane N, E S/C/N		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
1/4 of	1/4 of Section	T	N, R	Lat _____"	Long _____"
Facility ID 241780880		County Milwaukee	County Code 41	Civil Town/City/ or Village Cudahy	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
			1.5	BLIND-DRILLED WITH 9.25" ID HSA's FROM 0 - 23 FT BGS 7" DIA. STEEL OUTER CASING SET FROM 0 - 23 FT BGS AND GROUTED IN PLACE										
			3.0											
			4.5											
			6.0											
			7.5											
			9.0											
			10.5											
			12.0											
			13.5											
			15.0											
			16.5											
			18.0											
			19.5											
1 SS	24 10	47 40 21 23	21.0	BOULDER OR COBBLE	GP									
			21.5	SILTY SAND & GRAVEL, somewhat dense	SM			0						
			22.5	NOT SAMPLED										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm Sigma Environmental Services, Inc. 1300 W. Canal Street Milwaukee, WI 53233	Tel: 414-643-4200 Fax: 414-643-4210
---------------	---	--


This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Superior Health Linens		License/Permit/Monitoring Number 02-41-532649		Boring Number PZ-3	
Boring Drilled By: Name of crew chief (first, last) and Firm Alex Badger Well Drilling			Date Drilling Started 11/15/2010	Date Drilling Completed 11/16/2010	Drilling Method rotary (air or mud)
WI Unique Well No.	DNR Well ID No. NA	Common Well Name PZ-3	Final Static Water Level Feet MSL	Surface Elevation 705.9 Feet MSL	Borehole Diameter 6.0 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane N, E S/C/N 1/4 of 1/4 of Section T N, R			Local Grid Location Lat _____ ° _____ ' _____ " Long _____ ° _____ ' _____ " <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID 241780880		County Milwaukee	County Code 41	Civil Town/City/ or Village Cudahy	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
			1.5 3.0 4.5 6.0 7.5 9.0 10.5 12.0 13.5 15.0 16.5 18.0 19.5 21.0 22.5	BLIND-DRILLED WITH 9.25" ID HSA's FROM 0 - 23 FT BGS 7" DIA. STEEL OUTER CASING SET FROM 0 - 23 FT BGS AND GROUTED IN PLACE										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm Sigma Environmental Services, Inc. 1300 W. Canal Street Milwaukee, WI 53233	Tel: 414-643-4200 Fax: 414-643-4210
--	---	--

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Appendix B

Monitoring Well Construction Forms and Well Development Forms

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Superior Health Linens	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW-6
Facility License, Permit or Monitoring No. 02-41-532649	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input checked="" type="checkbox"/> Lat. _____ Long. _____ or	Wis. Unique Well No. NA DNR Well Number NA
Facility ID 241780880	St. Plane _____ ft. N. _____ ft. E. S/C/N	Date Well Installed 11/15/2010
Type of Well Well Code 11/mw	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N, R. _____ <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: (Person's Name and Firm) Tony Kapugi
Distance from Waste/Source 150 ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input checked="" type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____
Enf. Stds. Apply <input checked="" type="checkbox"/>		On Site Environmental Services Inc.

A. Protective pipe, top elevation	<u>705.66</u> ft. MSL	1. Cap and lock?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	<u>705.26</u> ft. MSL	2. Protective cover pipe:	
C. Land surface elevation	<u>705.7</u> ft. MSL	a. Inside diameter:	<u>8.0</u> in.
D. Surface seal, bottom	<u>704.7</u> ft. MSL or <u>1.0</u> ft.	b. Length:	<u>1.0</u> ft.
		c. Material:	Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
12. USCS classification of soil near screen:		d. Additional protection?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/>		If yes, describe: _____	
SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/>		3. Surface seal:	Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
Bedrock <input type="checkbox"/>		4. Material between well casing and protective pipe:	Bentonite <input type="checkbox"/> 30 Sand <input checked="" type="checkbox"/>
13. Sieve analysis attached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal:	a. Granular/Chipped Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. <u>40</u> % Bentonite ... Bentonite-cement grout <input checked="" type="checkbox"/> 50 e. <u>1.4</u> Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input checked="" type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
14. Drilling method used:	Rotary <input checked="" type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal:	a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input checked="" type="checkbox"/> 03 None <input type="checkbox"/> 99		7. Fine sand material: Manufacturer, product name & mesh size	a. <u>R.W. Sidley "4000" in 50# bags</u> b. Volume added <u>1</u> Ft ³
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		8. Filter pack material: Manufacturer, product name & mesh size	a. <u>R.W. Sidley "#5" in 50# bags</u> b. Volume added <u>20.7</u> Ft ³
Describe _____		9. Well casing:	Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
17. Source of water (attach analysis, if required): <u>Tap Water</u>		10. Screen material:	<u>PVC</u> a. Screen Type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
E. Bentonite seal, top	<u>704.7</u> ft. MSL or <u>1.0</u> ft.	b. Manufacturer	<u>Campbell Monoflex</u>
F. Fine sand, top	<u>703.7</u> ft. MSL or <u>2.0</u> ft.	c. Slot size:	<u>0.010</u> in.
G. Filter pack, top	<u>702.9</u> ft. MSL or <u>2.8</u> ft.	d. Slotted length:	<u>10.0</u> ft.
H. Screen joint, top	<u>702.7</u> ft. MSL or <u>3.0</u> ft.	11. Backfill material (below filter pack):	None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/>
I. Well bottom	<u>687.7</u> ft. MSL or <u>18.0</u> ft.		
J. Filter pack, bottom	<u>687.7</u> ft. MSL or <u>18.0</u> ft.		
K. Borehole, bottom	<u>685.7</u> ft. MSL or <u>20.0</u> ft.		
L. Borehole, diameter	<u>8.3</u> in.		
M. O.D. well casing	<u>2.30</u> in.		
N. I.D. well casing	<u>2.10</u> in.		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature [Signature] Firm **Sigma Environmental Services, Inc.** Tel: 414-643-4200
1300 W. Canal Street Milwaukee, WI 53233 Fax: 414-643-4210


Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Superior Health Linens	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.		Well Name MW-7
Facility License, Permit or Monitoring No. 02-41-532649	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input checked="" type="checkbox"/>		Wis. Unique Well No. DNR Well Number NA
Facility ID 241780880	St. Plane _____ ft. N, _____ ft. E. S/C/N		Date Well Installed 11/15/2010
Type of Well Well Code 11/mw	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____, T. _____ N, R. _____ <input type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: (Person's Name and Firm) Tony Kapugi
Distance from Waste/Source 200 ft.	Enf. Stds. Apply <input checked="" type="checkbox"/>	Location of Well Relative to Waste/Source u <input checked="" type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number On Site Environmental Services Inc.

A. Protective pipe, top elevation	<u>708.71</u> ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	<u>708.22</u> ft. MSL	2. Protective cover pipe: a. Inside diameter: <u>8.0</u> in. b. Length: <u>1.0</u> ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
C. Land surface elevation	<u>708.7</u> ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom	<u>707.7</u> ft. MSL or <u>1.0</u> ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
<div style="border: 1px solid black; padding: 5px;"> <p>12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/></p> <p>13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input checked="" type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input checked="" type="checkbox"/> 03 None <input type="checkbox"/> 99</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): <u>Tap Water</u></p> </div>		4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Sand <input checked="" type="checkbox"/>
E. Bentonite seal, top	<u>707.7</u> ft. MSL or <u>1.0</u> ft.	5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. <u>40</u> % Bentonite ... Bentonite-cement grout <input checked="" type="checkbox"/> 50 e. <u>1.4</u> Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input checked="" type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
F. Fine sand, top	<u>706.7</u> ft. MSL or <u>2.0</u> ft.	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
G. Filter pack, top	<u>706.0</u> ft. MSL or <u>2.8</u> ft.	7. Fine sand material: Manufacturer, product name & mesh size a. <u>R.W. Sidley "4000" in 50# bags</u> b. Volume added <u>1</u> ft ³
H. Screen joint, top	<u>705.7</u> ft. MSL or <u>3.0</u> ft.	8. Filter pack material: Manufacturer, product name & mesh size a. <u>R.W. Sidley "#5" in 50# bags</u> b. Volume added <u>13.9</u> ft ³
I. Well bottom	<u>695.7</u> ft. MSL or <u>13.0</u> ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
J. Filter pack, bottom	<u>695.7</u> ft. MSL or <u>13.0</u> ft.	10. Screen material: <u>PVC</u>
K. Borehole, bottom	<u>693.7</u> ft. MSL or <u>15.0</u> ft.	a. Screen Type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
L. Borehole, diameter	<u>8.3</u> in.	b. Manufacturer <u>Campbell Monoflex</u>
M. O.D. well casing	<u>2.30</u> in.	c. Slot size: <u>0.010</u> in.
N. I.D. well casing	<u>2.10</u> in.	d. Slotted length: <u>10.0</u> ft.
		11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/>

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **Sigma Environmental Services, Inc.** Tel: 414-643-4200
1300 W. Canal Street Milwaukee, WI 53233 Fax: 414-643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

MONITORING WELL CONSTRUCTION
Form 4400-113A Rev. 7-98

Facility/Project Name Superior Health Linens	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.	Well Name PZ-2
Facility License, Permit or Monitoring No. 02-41-532649	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input checked="" type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. _____ DNR Well Number NA
Facility ID 241780880	St. Plane _____ ft. N. _____ ft. E. S/C/N	Date Well Installed 11/17/2010
Type of Well Well Code 12/pz	Section Location of Waste/Source _____ 1/4 of _____ 1/4 of Sec. _____ T. _____ N, R. _____ <input type="checkbox"/> E _____ <input type="checkbox"/> W	Well Installed By: (Person's Name and Firm) Alex
Distance from Waste/ Source 60 ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____
Enf. Stds. Apply <input checked="" type="checkbox"/>		Badger Well Drilling

A. Protective pipe, top elevation	<u>711.01</u> ft. MSL	1. Cap and lock?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	<u>710.88</u> ft. MSL	2. Protective cover pipe:	
C. Land surface elevation	<u>711.0</u> ft. MSL	a. Inside diameter:	<u>8.0</u> in.
D. Surface seal, bottom	<u>710.0</u> ft. MSL or <u>1.0</u> ft.	b. Length:	<u>1.0</u> ft.
		c. Material:	Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
12. USCS classification of soil near screen:		d. Additional protection?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		If yes, describe: _____	
13. Sieve analysis attached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	3. Surface seal:	Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
14. Drilling method used:	Rotary <input checked="" type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	4. Material between well casing and protective pipe:	Bentonite <input type="checkbox"/> 30 Sand <input checked="" type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input checked="" type="checkbox"/> 03 None <input type="checkbox"/> 99		5. Annular space seal:	a. Granular/Chipped Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight . . . Bentonite slurry <input type="checkbox"/> 31 d. <u>40</u> % Bentonite . . . Bentonite-cement grout <input checked="" type="checkbox"/> 50 e. <u>51</u> Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input checked="" type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		6. Bentonite seal:	a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
Describe _____		7. Fine sand material: Manufacturer, product name & mesh size	a. <u>R.W. Sidley "4000" in 50# bags</u> b. Volume added <u>1.3</u> ft ³
17. Source of water (attach analysis, if required): <u>Tap Water</u>		8. Filter pack material: Manufacturer, product name & mesh size	a. <u>R.W. Sidley "#5" in 50# bags</u> b. Volume added <u>4</u> ft ³
E. Bentonite seal, top	<u>691.0</u> ft. MSL or <u>20.0</u> ft.	9. Well casing:	Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
F. Fine sand, top	<u>689.0</u> ft. MSL or <u>22.0</u> ft.	10. Screen material:	<u>PVC</u>
G. Filter pack, top	<u>687.0</u> ft. MSL or <u>24.0</u> ft.	a. Screen Type:	Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
H. Screen joint, top	<u>686.5</u> ft. MSL or <u>24.5</u> ft.	b. Manufacturer	<u>Campbell Monoflex</u>
I. Well bottom	<u>681.5</u> ft. MSL or <u>29.5</u> ft.	c. Slot size:	<u>0.010</u> in.
J. Filter pack, bottom	<u>681.0</u> ft. MSL or <u>30.0</u> ft.	d. Slotted length:	<u>5.0</u> ft.
K. Borehole, bottom	<u>681.0</u> ft. MSL or <u>30.0</u> ft.	11. Backfill material (below filter pack):	None <input type="checkbox"/> 14 <u>Filter pack sand</u> Other <input checked="" type="checkbox"/>
L. Borehole, diameter	<u>6.0</u> in.		
M. O.D. well casing	<u>2.30</u> in.		
N. I.D. well casing	<u>2.10</u> in.		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature [Signature] Firm **Sigma Environmental Services, Inc.** Tel: 414-643-4200
1300 W. Canal Street Milwaukee, WI 53233 Fax: 414-643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Superior Health Linens	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name PZ-3
Facility License, Permit or Monitoring No. 02-41-532649	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input checked="" type="checkbox"/> Lat. _____ Long. _____ or	Wis. Unique Well No. _____ DNR Well Number NA
Facility ID 241780880	St. Plane _____ ft. N. _____ ft. E. S/C/N	Date Well Installed 11/16/2010
Type of Well Well Code 12/pz	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N, R. _____ <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: (Person's Name and Firm) Alex
Distance from Waste/Source 150 ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input checked="" type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Badger Well Drilling

A. Protective pipe, top elevation	<u>705.87</u> ft. MSL	1. Cap and lock?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	<u>705.58</u> ft. MSL	2. Protective cover pipe:	
C. Land surface elevation	<u>705.9</u> ft. MSL	a. Inside diameter:	<u>8.0</u> in.
D. Surface seal, bottom	<u>704.9</u> ft. MSL or <u>1.0</u> ft.	b. Length:	<u>1.0</u> ft.
		c. Material:	Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
12. USCS classification of soil near screen:		d. Additional protection?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/>		If yes, describe: _____	
SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/>		3. Surface seal:	Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
Bedrock <input type="checkbox"/>		4. Material between well casing and protective pipe:	Bentonite <input type="checkbox"/> 30 Sand <input checked="" type="checkbox"/>
13. Sieve analysis attached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal:	a. Granular/Chipped Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight . . . Bentonite slurry <input type="checkbox"/> 31 d. <u>40</u> % Bentonite . . . Bentonite-cement grout <input checked="" type="checkbox"/> 50 e. <u>59</u> Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input checked="" type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
14. Drilling method used:	Rotary <input checked="" type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal:	a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input checked="" type="checkbox"/> 03 None <input type="checkbox"/> 99		7. Fine sand material: Manufacturer, product name & mesh size	a. <u>R.W. Sidley "4000" in 50# bags</u> b. Volume added <u>1.3</u> ft ³
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		8. Filter pack material: Manufacturer, product name & mesh size	a. <u>R.W. Sidley "#5" in 50# bags</u> b. Volume added <u>4</u> ft ³
Describe _____		9. Well casing:	Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
17. Source of water (attach analysis, if required): <u>Tap Water</u>		10. Screen material: <u>PVC</u>	a. Screen Type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
E. Bentonite seal, top	<u>682.9</u> ft. MSL or <u>23.0</u> ft.	b. Manufacturer <u>Campbell Monoflex</u>	c. Slot size: <u>0.010</u> in.
F. Fine sand, top	<u>680.9</u> ft. MSL or <u>25.0</u> ft.	d. Slotted length: <u>5.0</u> ft.	
G. Filter pack, top	<u>678.9</u> ft. MSL or <u>27.0</u> ft.	11. Backfill material (below filter pack):	None <input type="checkbox"/> 14 <u>Filter pack sand</u> Other <input checked="" type="checkbox"/>
H. Screen joint, top	<u>678.4</u> ft. MSL or <u>27.5</u> ft.		
I. Well bottom	<u>673.4</u> ft. MSL or <u>32.5</u> ft.		
J. Filter pack, bottom	<u>672.9</u> ft. MSL or <u>33.0</u> ft.		
K. Borehole, bottom	<u>672.9</u> ft. MSL or <u>33.0</u> ft.		
L. Borehole, diameter	<u>6.0</u> in.		
M. O.D. well casing	<u>2.30</u> in.		
N. I.D. well casing	<u>2.10</u> in.		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature [Signature] Firm Sigma Environmental Services, Inc. Tel: 414-643-4200
1300 W. Canal Street Milwaukee, WI 53233 Fax: 414-643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name <u>Superior Health Linens</u>	County Name <u>Milwaukee</u>	Well Name <u>MW-6</u>
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number
		DNR Well ID Number

1. Can this well be purged dry? Yes No

2. Well development method

- surged with bailer and bailed 41
- surged with bailer and pumped 61
- surged with block and bailed 42
- surged with block and pumped 62
- surged with block, bailed and pumped 70
- compressed air 20
- bailed only 10
- pumped only 51
- pumped slowly 50
- Other

3. Time spent developing well 60 min.

4. Depth of well (from top of well casing) 17.10 ft.

5. Inside diameter of well 2.0 in.

6. Volume of water in filter pack and well casing 12.14 gal.

7. Volume of water removed from well 12.0 gal.

8. Volume of water added (if any) None gal.

9. Source of water added None

10. Analysis performed on water added? Yes No
(If yes, attach results)

17. Additional comments on development: purged well dry 3 times.

1st = 5.0 gals
2nd = 4.0 gals
3rd = 3.0 gals
} 15 min. intervals

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>9.10</u> ft.	<u>16.95</u> ft.
Date	b. <u>12/10/2010</u> m m d d y y y y	<u>12/10/2010</u> m m d d y y y y
Time	c. <u>11:30</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>12:30</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.
12. Sediment in well bottom	<u>1.0</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe) <u>dark gray</u>	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe)

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids _____ mg/l _____ mg/l

15. COD _____ mg/l _____ mg/l

16. Well developed by: Name (first, last) and Firm
First Name: David Last Name: Dailey
Firm: Sigma Env.

Name and Address of Facility Contact/Owner/Responsible Party

First Name: _____ Last Name: _____

Facility/Firm: _____

Street: _____

City/State/Zip: _____

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: David Dailey

Print Name: David Dailey

Firm: Sigma Env.

NOTE: See instructions for more information including a list of county codes and well type codes.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name <u>Superior Health Linens</u>	County Name <u>Milwaukee</u>	Well Name <u>MW-7</u>
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number
		DNR Well ID Number

1. Can this well be purged dry? Yes No

2. Well development method
- surged with bailer and bailed 41
 - surged with bailer and pumped 61
 - surged with block and bailed 42
 - surged with block and pumped 62
 - surged with block, bailed and pumped 70
 - compressed air 20
 - bailed only 10
 - pumped only 51
 - pumped slowly 50
 - Other

3. Time spent developing well 60 min.

4. Depth of well (from top of well casing) 12.80 ft.

5. Inside diameter of well 2.0 in.

6. Volume of water in filter pack and well casing 12.3 gal.

7. Volume of water removed from well 6.0 gal.

8. Volume of water added (if any) None gal.

9. Source of water added None

10. Analysis performed on water added? Yes No
(If yes, attach results)

17. Additional comments on development: purged well dry 3 times

1st = 4.0 gals
2nd = 1.5 gals
3rd = 0.5 gal
} 15 min. intervals

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>4.70</u> ft.	<u>12.63</u> ft.
Date	b. <u>12, 10, 2010</u> m m d d y y y y	<u>12, 10, 2010</u> m m d d y y y y
Time	c. <u>10:00</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>11:00</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.
12. Sediment in well bottom	<u>0.5</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe)	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe)

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids _____ mg/l _____ mg/l

15. COD _____ mg/l _____ mg/l

16. Well developed by: Name (first, last) and Firm
First Name: David Last Name: Dailey
Firm: Sigma Env.

Name and Address of Facility Contact/Owner/Responsible Party

First Name: _____ Last Name: _____

Facility/Firm: _____

Street: _____

City/State/Zip: _____

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: David Dailey

Print Name: David Dailey

Firm: Sigma Env.

NOTE: See instructions for more information including a list of county codes and well type codes.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name <u>Superior Health Linens</u>	County Name <u>Milwaukee</u>	Well Name <u>PZ-2</u>
Facility License, Permit or Monitoring Number	County Code	DNR Well ID Number

1. Can this well be purged dry? Yes No

2. Well development method
- surged with bailer and bailed 41
 - surged with bailer and pumped 61
 - surged with block and bailed 42
 - surged with block and pumped 62
 - surged with block, bailed and pumped 70
 - compressed air 20
 - bailed only 10
 - pumped only 51
 - pumped slowly 50
 - Other

3. Time spent developing well 60 min.

4. Depth of well (from top of well casing) 29.65 ft.

5. Inside diameter of well 2.0 in.

6. Volume of water in filter pack and well casing 23.45 gal.

7. Volume of water removed from well 28.0 gal.

8. Volume of water added (if any) None gal.

9. Source of water added None

10. Analysis performed on water added? Yes No
(If yes, attach results)

17. Additional comments on development: purged well dry 3 times

1st = 15 gals.
2nd = 8 gals.
3rd = 5 gals.
} 15 min. intervals

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>14.25</u> ft.	<u>29.00</u> ft.
Date	b. <u>12/10/2010</u> m m d d y y y y	<u>12/10/2010</u> m m d d y y y y
Time	c. <u>9:15</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>10:15</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.
12. Sediment in well bottom	<u>1.0</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe) _____	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe) <u>slight turbid</u>

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids _____ mg/l _____ mg/l

15. COD _____ mg/l _____ mg/l

16. Well developed by: Name (first, last) and Firm
First Name: David Last Name: Dailey
Firm: Sigma Env.

Name and Address of Facility Contact/Owner/Responsible Party

First Name: _____ Last Name: _____

Facility/Firm: _____

Street: _____

City/State/Zip: _____

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: David Dailey

Print Name: David Dailey

Firm: Sigma Env.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name <u>Superior Health Linens</u>	County Name <u>Milwaukee</u>	Well Name <u>PZ-3</u>
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number
		DNR Well ID Number

1. Can this well be purged dry? Yes No

2. Well development method
- surged with bailer and bailed 41
 - surged with bailer and pumped 61
 - surged with block and bailed 42
 - surged with block and pumped 62
 - surged with block, bailed and pumped 70
 - compressed air 20
 - bailed only 10
 - pumped only 51
 - pumped slowly 50
 - Other

3. Time spent developing well 60 min.

4. Depth of well (from top of well casing) 30.25 ft.

5. Inside diameter of well 2.0 in.

6. Volume of water in filter pack and well casing 27.42 gal.

7. Volume of water removed from well 7.5 gal.

8. Volume of water added (if any) None gal.

9. Source of water added None

10. Analysis performed on water added? Yes No
(If yes, attach results)

17. Additional comments on development: purged well dry 3 times

1st = 4.5 gals }
2nd = 2.0 } 15 min. intervals
3rd = 1.0 }

11. Depth to Water (from top of well casing)

	Before Development	After Development
a.	<u>12.25</u> ft.	<u>30.00</u> ft.

Date

b.	<u>12, 10, 2010</u>	<u>12, 10, 2010</u>
	m m d d y y y y	m m d d y y y y

Time

c.	<u>11:15</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>12:15</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.
----	---	---

12. Sediment in well bottom _____ inches _____ inches

13. Water clarity

Clear	<input type="checkbox"/> 10	Clear	<input type="checkbox"/> 20
Turbid	<input type="checkbox"/> 15	Turbid	<input type="checkbox"/> 25
(Describe)		(Describe)	

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids _____ mg/l _____ mg/l

15. COD _____ mg/l _____ mg/l

16. Well developed by: Name (first, last) and Firm
First Name: David Last Name: Dailey
Firm: Sigma Env.

Name and Address of Facility Contact/Owner/Responsible Party

First Name: _____ Last Name: _____

Facility/Firm: _____

Street: _____

City/State/Zip: _____

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: David Dailey

Print Name: David Dailey

Firm: Sigma Env.

NOTE: See instructions for more information including a list of county codes and well type codes.

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

MARY TROTTA
SIGMA ENVIRONMMENTAL
1300 W. CANAL STREET
MILWAUKEE, WI 53233

Report Date 29-Mar-11

Project Name SUPERIOR HEALTH LINES
Project # 10724

Invoice # E21958

Lab Code 5021958A
Sample ID MW-1
Sample Matrix Water
Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 5	ug/l	5	16	10	8260B		3/22/2011	CJR	1
Bromobenzene	< 7.4	ug/l	7.4	24	10	8260B		3/22/2011	CJR	1
Bromodichloromethane	< 6.8	ug/l	6.8	22	10	8260B		3/22/2011	CJR	1
Bromoform	< 4.3	ug/l	4.3	14	10	8260B		3/22/2011	CJR	1
tert-Butylbenzene	< 7.1	ug/l	7.1	23	10	8260B		3/22/2011	CJR	1
sec-Butylbenzene	< 10	ug/l	10	33	10	8260B		3/22/2011	CJR	1
n-Butylbenzene	< 9	ug/l	9	29	10	8260B		3/22/2011	CJR	1
Carbon Tetrachloride	< 4.7	ug/l	4.7	15	10	8260B		3/22/2011	CJR	1
Chlorobenzene	< 5.1	ug/l	5.1	16	10	8260B		3/22/2011	CJR	1
Chloroethane	< 14	ug/l	14	45	10	8260B		3/22/2011	CJR	1
Chloroform	< 4.9	ug/l	4.9	15	10	8260B		3/22/2011	CJR	1
Chloromethane	< 19	ug/l	19	61	10	8260B		3/22/2011	CJR	1
2-Chlorotoluene	< 7	ug/l	7	22	10	8260B		3/22/2011	CJR	1
4-Chlorotoluene	< 4.4	ug/l	4.4	14	10	8260B		3/22/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 28	ug/l	28	89	10	8260B		3/22/2011	CJR	1
Dibromochloromethane	< 5.5	ug/l	5.5	18	10	8260B		3/22/2011	CJR	1
1,4-Dichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B		3/22/2011	CJR	1
1,3-Dichlorobenzene	< 8.7	ug/l	8.7	28	10	8260B		3/22/2011	CJR	1
1,2-Dichlorobenzene	< 7.6	ug/l	7.6	24	10	8260B		3/22/2011	CJR	1
Dichlorodifluoromethane	< 18	ug/l	18	59	10	8260B		3/22/2011	CJR	1
1,2-Dichloroethane	< 5	ug/l	5	16	10	8260B		3/22/2011	CJR	1
1,1-Dichloroethane	< 9.8	ug/l	9.8	31	10	8260B		3/22/2011	CJR	1
1,1-Dichloroethene	< 6	ug/l	6	19	10	8260B		3/22/2011	CJR	1
cis-1,2-Dichloroethene	7.8 "J"	ug/l	7.4	24	10	8260B		3/22/2011	CJR	1
trans-1,2-Dichloroethene	< 7.9	ug/l	7.9	25	10	8260B		3/22/2011	CJR	1
1,2-Dichloropropane	< 4	ug/l	4	13	10	8260B		3/22/2011	CJR	1
2,2-Dichloropropane	< 19	ug/l	19	59	10	8260B		3/22/2011	CJR	4 8
1,3-Dichloropropane	< 7.1	ug/l	7.1	23	10	8260B		3/22/2011	CJR	1
Di-isopropyl ether	< 6.9	ug/l	6.9	22	10	8260B		3/22/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958A
 Sample ID MW-1
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		3/22/2011	CJR	1
Ethylbenzene	< 7.8	ug/l	7.8	25	10	8260B		3/22/2011	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	68	10	8260B		3/22/2011	CJR	1
Isopropylbenzene	< 9.2	ug/l	9.2	29	10	8260B		3/22/2011	CJR	1
p-Isopropyltoluene	< 9.2	ug/l	9.2	29	10	8260B		3/22/2011	CJR	1
Methylene chloride	< 11	ug/l	11	34	10	8260B		3/22/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 8	ug/l	8	25	10	8260B		3/22/2011	CJR	1
Naphthalene	< 21	ug/l	21	68	10	8260B		3/22/2011	CJR	1
n-Propylbenzene	< 5.9	ug/l	5.9	19	10	8260B		3/22/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 5.3	ug/l	5.3	17	10	8260B		3/22/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 10	ug/l	10	32	10	8260B		3/22/2011	CJR	1
Tetrachloroethene	< 4.4	ug/l	4.4	14	10	8260B		3/22/2011	CJR	8
Toluene	< 5.3	ug/l	5.3	17	10	8260B		3/22/2011	CJR	1
1,2,4-Trichlorobenzene	< 15	ug/l	15	46	10	8260B		3/22/2011	CJR	1
1,2,3-Trichlorobenzene	< 13	ug/l	13	42	10	8260B		3/22/2011	CJR	1
1,1,1-Trichloroethane	8.9 "J"	ug/l	8.5	27	10	8260B		3/22/2011	CJR	1
1,1,2-Trichloroethane	< 4.7	ug/l	4.7	15	10	8260B		3/22/2011	CJR	1
Trichloroethene (TCE)	690	ug/l	4.7	15	10	8260B		3/22/2011	CJR	1
Trichlorofluoromethane	< 17	ug/l	17	53	10	8260B		3/22/2011	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25	10	8260B		3/22/2011	CJR	1
1,3,5-Trimethylbenzene	< 7.4	ug/l	7.4	24	10	8260B		3/22/2011	CJR	1
Vinyl Chloride	< 1.8	ug/l	1.8	5.6	10	8260B		3/22/2011	CJR	1
m&p-Xylene	< 11	ug/l	11	35	10	8260B		3/22/2011	CJR	1
o-Xylene	< 8	ug/l	8	26	10	8260B		3/22/2011	CJR	1
SUR - Toluene-d8	97	REC %			10	8260B		3/22/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	88	REC %			10	8260B		3/22/2011	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			10	8260B		3/22/2011	CJR	1
SUR - Dibromofluoromethane	98	REC %			10	8260B		3/22/2011	CJR	1

Lab Code 5021958B
 Sample ID MW-2
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 100	ug/l	100	320	200	8260B		3/23/2011	CJR	1
Bromobenzene	< 148	ug/l	148	480	200	8260B		3/23/2011	CJR	1
Bromodichloromethane	< 136	ug/l	136	440	200	8260B		3/23/2011	CJR	1
Bromoform	< 86	ug/l	86	280	200	8260B		3/23/2011	CJR	1
tert-Butylbenzene	< 142	ug/l	142	460	200	8260B		3/23/2011	CJR	1
sec-Butylbenzene	< 200	ug/l	200	660	200	8260B		3/23/2011	CJR	1
n-Butylbenzene	< 180	ug/l	180	580	200	8260B		3/23/2011	CJR	1
Carbon Tetrachloride	< 94	ug/l	94	300	200	8260B		3/23/2011	CJR	1
Chlorobenzene	< 102	ug/l	102	320	200	8260B		3/23/2011	CJR	1
Chloroethane	< 280	ug/l	280	900	200	8260B		3/23/2011	CJR	1
Chloroform	< 98	ug/l	98	300	200	8260B		3/23/2011	CJR	1
Chloromethane	< 380	ug/l	380	1220	200	8260B		3/23/2011	CJR	1
2-Chlorotoluene	< 140	ug/l	140	440	200	8260B		3/23/2011	CJR	1
4-Chlorotoluene	< 88	ug/l	88	280	200	8260B		3/23/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 560	ug/l	560	1780	200	8260B		3/23/2011	CJR	1
Dibromochloromethane	< 110	ug/l	110	360	200	8260B		3/23/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958B
 Sample ID MW-2
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 196	ug/l	196	620	200	8260B		3/23/2011	CJR	1
1,3-Dichlorobenzene	< 174	ug/l	174	560	200	8260B		3/23/2011	CJR	1
1,2-Dichlorobenzene	< 152	ug/l	152	480	200	8260B		3/23/2011	CJR	1
Dichlorodifluoromethane	< 360	ug/l	360	1180	200	8260B		3/23/2011	CJR	1
1,2-Dichloroethane	< 100	ug/l	100	320	200	8260B		3/23/2011	CJR	1
1,1-Dichloroethane	< 196	ug/l	196	620	200	8260B		3/23/2011	CJR	1
1,1-Dichloroethene	< 120	ug/l	120	380	200	8260B		3/23/2011	CJR	1
cis-1,2-Dichloroethene	1110	ug/l	148	480	200	8260B		3/23/2011	CJR	1
trans-1,2-Dichloroethene	< 158	ug/l	158	500	200	8260B		3/23/2011	CJR	1
1,2-Dichloropropane	< 80	ug/l	80	260	200	8260B		3/23/2011	CJR	1
2,2-Dichloropropane	< 380	ug/l	380	1180	200	8260B		3/23/2011	CJR	4 8
1,3-Dichloropropane	< 142	ug/l	142	460	200	8260B		3/23/2011	CJR	1
Di-isopropyl ether	< 138	ug/l	138	440	200	8260B		3/23/2011	CJR	1
EDB (1,2-Dibromoethane)	< 126	ug/l	126	400	200	8260B		3/23/2011	CJR	1
Ethylbenzene	< 156	ug/l	156	500	200	8260B		3/23/2011	CJR	1
Hexachlorobutadiene	< 440	ug/l	440	1360	200	8260B		3/23/2011	CJR	1
Isopropylbenzene	< 184	ug/l	184	580	200	8260B		3/23/2011	CJR	1
p-Isopropyltoluene	< 184	ug/l	184	580	200	8260B		3/23/2011	CJR	1
Methylene chloride	< 220	ug/l	220	680	200	8260B		3/23/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 160	ug/l	160	500	200	8260B		3/23/2011	CJR	1
Naphthalene	< 420	ug/l	420	1360	200	8260B		3/23/2011	CJR	1
n-Propylbenzene	< 118	ug/l	118	380	200	8260B		3/23/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 106	ug/l	106	340	200	8260B		3/23/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 200	ug/l	200	640	200	8260B		3/23/2011	CJR	1
Tetrachloroethene	< 88	ug/l	88	280	200	8260B		3/23/2011	CJR	8
Toluene	< 106	ug/l	106	340	200	8260B		3/23/2011	CJR	1
1,2,4-Trichlorobenzene	< 300	ug/l	300	920	200	8260B		3/23/2011	CJR	1
1,2,3-Trichlorobenzene	< 260	ug/l	260	840	200	8260B		3/23/2011	CJR	1
1,1,1-Trichloroethane	680	ug/l	170	540	200	8260B		3/23/2011	CJR	1
1,1,2-Trichloroethane	< 94	ug/l	94	300	200	8260B		3/23/2011	CJR	1
Trichloroethene (TCE)	14800	ug/l	94	300	200	8260B		3/23/2011	CJR	1
Trichlorofluoromethane	< 340	ug/l	340	1060	200	8260B		3/23/2011	CJR	1
1,2,4-Trimethylbenzene	< 160	ug/l	160	500	200	8260B		3/23/2011	CJR	1
1,3,5-Trimethylbenzene	< 148	ug/l	148	480	200	8260B		3/23/2011	CJR	1
Vinyl Chloride	< 36	ug/l	36	112	200	8260B		3/23/2011	CJR	1
m&p-Xylene	< 220	ug/l	220	700	200	8260B		3/23/2011	CJR	1
o-Xylene	< 160	ug/l	160	520	200	8260B		3/23/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			200	8260B		3/23/2011	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			200	8260B		3/23/2011	CJR	1
SUR - Dibromofluoromethane	95	REC %			200	8260B		3/23/2011	CJR	1
SUR - Toluene-d8	95	REC %			200	8260B		3/23/2011	CJR	1

Lab Code 5021958C
 Sample ID MW-3
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 25	ug/l	25	80	50	8260B		3/23/2011	CJR	1
Bromobenzene	< 37	ug/l	37	120	50	8260B		3/23/2011	CJR	1
Bromodichloromethane	< 34	ug/l	34	110	50	8260B		3/23/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958C
 Sample ID MW-3
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromoform	< 21.5	ug/l	21.5	70	50	8260B		3/23/2011	CJR	1
tert-Butylbenzene	< 35.5	ug/l	35.5	115	50	8260B		3/23/2011	CJR	1
sec-Butylbenzene	< 50	ug/l	50	165	50	8260B		3/23/2011	CJR	1
n-Butylbenzene	< 45	ug/l	45	145	50	8260B		3/23/2011	CJR	1
Carbon Tetrachloride	< 23.5	ug/l	23.5	75	50	8260B		3/23/2011	CJR	1
Chlorobenzene	< 25.5	ug/l	25.5	80	50	8260B		3/23/2011	CJR	1
Chloroethane	< 70	ug/l	70	225	50	8260B		3/23/2011	CJR	1
Chloroform	< 24.5	ug/l	24.5	75	50	8260B		3/23/2011	CJR	1
Chloromethane	< 95	ug/l	95	305	50	8260B		3/23/2011	CJR	1
2-Chlorotoluene	< 35	ug/l	35	110	50	8260B		3/23/2011	CJR	1
4-Chlorotoluene	< 22	ug/l	22	70	50	8260B		3/23/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 140	ug/l	140	445	50	8260B		3/23/2011	CJR	1
Dibromochloromethane	< 27.5	ug/l	27.5	90	50	8260B		3/23/2011	CJR	1
1,4-Dichlorobenzene	< 49	ug/l	49	155	50	8260B		3/23/2011	CJR	1
1,3-Dichlorobenzene	< 43.5	ug/l	43.5	140	50	8260B		3/23/2011	CJR	1
1,2-Dichlorobenzene	< 38	ug/l	38	120	50	8260B		3/23/2011	CJR	1
Dichlorodifluoromethane	< 90	ug/l	90	295	50	8260B		3/23/2011	CJR	1
1,2-Dichloroethane	< 25	ug/l	25	80	50	8260B		3/23/2011	CJR	1
1,1-Dichloroethane	82 "J"	ug/l	49	155	50	8260B		3/23/2011	CJR	1
1,1-Dichloroethene	58 "J"	ug/l	30	95	50	8260B		3/23/2011	CJR	1
cis-1,2-Dichloroethene	1280	ug/l	37	120	50	8260B		3/23/2011	CJR	1
trans-1,2-Dichloroethene	50 "J"	ug/l	39.5	125	50	8260B		3/23/2011	CJR	1
1,2-Dichloropropane	< 20	ug/l	20	65	50	8260B		3/23/2011	CJR	1
2,2-Dichloropropane	< 95	ug/l	95	295	50	8260B		3/23/2011	CJR	4 8
1,3-Dichloropropane	< 35.5	ug/l	35.5	115	50	8260B		3/23/2011	CJR	1
Di-isopropyl ether	< 34.5	ug/l	34.5	110	50	8260B		3/23/2011	CJR	1
EDB (1,2-Dibromoethane)	< 31.5	ug/l	31.5	100	50	8260B		3/23/2011	CJR	1
Ethylbenzene	< 39	ug/l	39	125	50	8260B		3/23/2011	CJR	1
Hexachlorobutadiene	< 110	ug/l	110	340	50	8260B		3/23/2011	CJR	1
Isopropylbenzene	< 46	ug/l	46	145	50	8260B		3/23/2011	CJR	1
p-Isopropyltoluene	< 46	ug/l	46	145	50	8260B		3/23/2011	CJR	1
Methylene chloride	< 55	ug/l	55	170	50	8260B		3/23/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 40	ug/l	40	125	50	8260B		3/23/2011	CJR	1
Naphthalene	< 105	ug/l	105	340	50	8260B		3/23/2011	CJR	1
n-Propylbenzene	< 29.5	ug/l	29.5	95	50	8260B		3/23/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 26.5	ug/l	26.5	85	50	8260B		3/23/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 50	ug/l	50	160	50	8260B		3/23/2011	CJR	1
Tetrachloroethene	< 22	ug/l	22	70	50	8260B		3/23/2011	CJR	8
Toluene	< 26.5	ug/l	26.5	85	50	8260B		3/23/2011	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B		3/23/2011	CJR	1
1,2,3-Trichlorobenzene	< 65	ug/l	65	210	50	8260B		3/23/2011	CJR	1
1,1,1-Trichloroethane	470	ug/l	42.5	135	50	8260B		3/23/2011	CJR	1
1,1,2-Trichloroethane	< 23.5	ug/l	23.5	75	50	8260B		3/23/2011	CJR	1
Trichloroethene (TCE)	5500	ug/l	23.5	75	50	8260B		3/23/2011	CJR	1
Trichlorofluoromethane	< 85	ug/l	85	265	50	8260B		3/23/2011	CJR	1
1,2,4-Trimethylbenzene	< 40	ug/l	40	125	50	8260B		3/23/2011	CJR	1
1,3,5-Trimethylbenzene	< 37	ug/l	37	120	50	8260B		3/23/2011	CJR	1
Vinyl Chloride	< 9	ug/l	9	28	50	8260B		3/23/2011	CJR	1
m&p-Xylene	< 55	ug/l	55	175	50	8260B		3/23/2011	CJR	1
o-Xylene	< 40	ug/l	40	130	50	8260B		3/23/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			50	8260B		3/23/2011	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			50	8260B		3/23/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958C
 Sample ID MW-3
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	99	REC %			50	8260B		3/23/2011	CJR	1
SUR - Toluene-d8	93	REC %			50	8260B		3/23/2011	CJR	1

Lab Code 5021958D
 Sample ID MW-4
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	----------	---------	------

Organic

VOC's

Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		3/22/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		3/22/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/22/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		3/22/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		3/22/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		3/22/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		3/22/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		3/22/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		3/22/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		3/22/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		3/22/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		3/22/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		3/22/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		3/22/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		3/22/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		3/22/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		3/22/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		3/22/2011	CJR	4 8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		3/22/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/22/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		3/22/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		3/22/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		3/22/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		3/22/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		3/22/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		3/22/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	8
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958D
 Sample ID MW-4
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		3/22/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		3/22/2011	CJR	1
1,1,1-Trichloroethane	3.3	ug/l	0.85	2.7	1	8260B		3/22/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		3/22/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		3/22/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		3/22/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		3/22/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		3/22/2011	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		3/22/2011	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		3/22/2011	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		3/22/2011	CJR	1

Lab Code 5021958E
 Sample ID MW-5
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.5	ug/l	2.5	8	5	8260B		3/23/2011	CJR	1
Bromobenzene	< 3.7	ug/l	3.7	12	5	8260B		3/23/2011	CJR	1
Bromodichloromethane	< 3.4	ug/l	3.4	11	5	8260B		3/23/2011	CJR	1
Bromoform	< 2.15	ug/l	2.15	7	5	8260B		3/23/2011	CJR	1
tert-Butylbenzene	< 3.55	ug/l	3.55	11.5	5	8260B		3/23/2011	CJR	1
sec-Butylbenzene	< 5	ug/l	5	16.5	5	8260B		3/23/2011	CJR	1
n-Butylbenzene	< 4.5	ug/l	4.5	14.5	5	8260B		3/23/2011	CJR	1
Carbon Tetrachloride	< 2.35	ug/l	2.35	7.5	5	8260B		3/23/2011	CJR	1
Chlorobenzene	< 2.55	ug/l	2.55	8	5	8260B		3/23/2011	CJR	1
Chloroethane	< 7	ug/l	7	22.5	5	8260B		3/23/2011	CJR	1
Chloroform	< 2.45	ug/l	2.45	7.5	5	8260B		3/23/2011	CJR	1
Chloromethane	< 9.5	ug/l	9.5	30.5	5	8260B		3/23/2011	CJR	1
2-Chlorotoluene	< 3.5	ug/l	3.5	11	5	8260B		3/23/2011	CJR	1
4-Chlorotoluene	< 2.2	ug/l	2.2	7	5	8260B		3/23/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	44.5	5	8260B		3/23/2011	CJR	1
Dibromochloromethane	< 2.75	ug/l	2.75	9	5	8260B		3/23/2011	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	15.5	5	8260B		3/23/2011	CJR	1
1,3-Dichlorobenzene	< 4.35	ug/l	4.35	14	5	8260B		3/23/2011	CJR	1
1,2-Dichlorobenzene	< 3.8	ug/l	3.8	12	5	8260B		3/23/2011	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	29.5	5	8260B		3/23/2011	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	8	5	8260B		3/23/2011	CJR	1
1,1-Dichloroethane	< 4.9	ug/l	4.9	15.5	5	8260B		3/23/2011	CJR	1
1,1-Dichloroethene	16.4	ug/l	3	9.5	5	8260B		3/23/2011	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	5	8260B		3/23/2011	CJR	1
trans-1,2-Dichloroethene	< 3.95	ug/l	3.95	12.5	5	8260B		3/23/2011	CJR	1
1,2-Dichloropropane	< 2	ug/l	2	6.5	5	8260B		3/23/2011	CJR	1
2,2-Dichloropropane	< 9.5	ug/l	9.5	29.5	5	8260B		3/23/2011	CJR	4 8
1,3-Dichloropropane	< 3.55	ug/l	3.55	11.5	5	8260B		3/23/2011	CJR	1
Di-isopropyl ether	< 3.45	ug/l	3.45	11	5	8260B		3/23/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958E
 Sample ID MW-5
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 3.15	ug/l	3.15	10	5	8260B		3/23/2011	CJR	1
Ethylbenzene	< 3.9	ug/l	3.9	12.5	5	8260B		3/23/2011	CJR	1
Hexachlorobutadiene	< 11	ug/l	11	34	5	8260B		3/23/2011	CJR	1
Isopropylbenzene	< 4.6	ug/l	4.6	14.5	5	8260B		3/23/2011	CJR	1
p-Isopropyltoluene	< 4.6	ug/l	4.6	14.5	5	8260B		3/23/2011	CJR	1
Methylene chloride	< 5.5	ug/l	5.5	17	5	8260B		3/23/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 4	ug/l	4	12.5	5	8260B		3/23/2011	CJR	1
Naphthalene	< 10.5	ug/l	10.5	34	5	8260B		3/23/2011	CJR	1
n-Propylbenzene	< 2.95	ug/l	2.95	9.5	5	8260B		3/23/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 2.65	ug/l	2.65	8.5	5	8260B		3/23/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 5	ug/l	5	16	5	8260B		3/23/2011	CJR	1
Tetrachloroethene	< 2.2	ug/l	2.2	7	5	8260B		3/23/2011	CJR	8
Toluene	< 2.65	ug/l	2.65	8.5	5	8260B		3/23/2011	CJR	1
1,2,4-Trichlorobenzene	< 7.5	ug/l	7.5	23	5	8260B		3/23/2011	CJR	1
1,2,3-Trichlorobenzene	< 6.5	ug/l	6.5	21	5	8260B		3/23/2011	CJR	1
1,1,1-Trichloroethane	246	ug/l	4.25	13.5	5	8260B		3/23/2011	CJR	1
1,1,2-Trichloroethane	< 2.35	ug/l	2.35	7.5	5	8260B		3/23/2011	CJR	1
Trichloroethene (TCE)	42	ug/l	2.35	7.5	5	8260B		3/23/2011	CJR	1
Trichlorofluoromethane	< 8.5	ug/l	8.5	26.5	5	8260B		3/23/2011	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.5	5	8260B		3/23/2011	CJR	1
1,3,5-Trimethylbenzene	< 3.7	ug/l	3.7	12	5	8260B		3/23/2011	CJR	1
Vinyl Chloride	< 0.9	ug/l	0.9	2.8	5	8260B		3/23/2011	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	17.5	5	8260B		3/23/2011	CJR	1
o-Xylene	< 4	ug/l	4	13	5	8260B		3/23/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			5	8260B		3/23/2011	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			5	8260B		3/23/2011	CJR	1
SUR - Dibromofluoromethane	96	REC %			5	8260B		3/23/2011	CJR	1
SUR - Toluene-d8	93	REC %			5	8260B		3/23/2011	CJR	1

Lab Code 5021958F
 Sample ID MW-6
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		3/22/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		3/22/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/22/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		3/22/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		3/22/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		3/22/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		3/22/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		3/22/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		3/22/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		3/22/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		3/22/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958F
 Sample ID MW-6
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		3/22/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		3/22/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		3/22/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethane	18.5	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethene	27.9	ug/l	0.6	1.9	1	8260B		3/22/2011	CJR	1
cis-1,2-Dichloroethene	49	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
trans-1,2-Dichloroethene	2.82	ug/l	0.79	2.5	1	8260B		3/22/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		3/22/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		3/22/2011	CJR	48
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		3/22/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/22/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		3/22/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		3/22/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		3/22/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		3/22/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		3/22/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		3/22/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	8
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		3/22/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		3/22/2011	CJR	1
1,1,1-Trichloroethane	131	ug/l	0.85	2.7	1	8260B		3/22/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichloroethene (TCE)	1.28 "J"	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		3/22/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Vinyl Chloride	0.53 "J"	ug/l	0.18	0.56	1	8260B		3/22/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		3/22/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		3/22/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		3/22/2011	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		3/22/2011	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		3/22/2011	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		3/22/2011	CJR	1

Lab Code 5021958G
 Sample ID MW-7
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		3/22/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958G
 Sample ID MW-7
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		3/22/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/22/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		3/22/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		3/22/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		3/22/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		3/22/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		3/22/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		3/22/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		3/22/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		3/22/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		3/22/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		3/22/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		3/22/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		3/22/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		3/22/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		3/22/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		3/22/2011	CJR	4 8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		3/22/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/22/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		3/22/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		3/22/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		3/22/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		3/22/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		3/22/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		3/22/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	8
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		3/22/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		3/22/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichloroethene (TCE)	12.1	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		3/22/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		3/22/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		3/22/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		3/22/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		3/22/2011	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		3/22/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958G
 Sample ID MW-7
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	95	REC %			1	8260B		3/22/2011	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		3/22/2011	CJR	1

Lab Code 5021958H
 Sample ID PZ-1
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	----------	---------	------

Organic

VOC's

Benzene	< 5	ug/l	5	16	10	8260B		3/23/2011	CJR	1
Bromobenzene	< 7.4	ug/l	7.4	24	10	8260B		3/23/2011	CJR	1
Bromodichloromethane	< 6.8	ug/l	6.8	22	10	8260B		3/23/2011	CJR	1
Bromoform	< 4.3	ug/l	4.3	14	10	8260B		3/23/2011	CJR	1
tert-Butylbenzene	< 7.1	ug/l	7.1	23	10	8260B		3/23/2011	CJR	1
sec-Butylbenzene	< 10	ug/l	10	33	10	8260B		3/23/2011	CJR	1
n-Butylbenzene	< 9	ug/l	9	29	10	8260B		3/23/2011	CJR	1
Carbon Tetrachloride	< 4.7	ug/l	4.7	15	10	8260B		3/23/2011	CJR	1
Chlorobenzene	< 5.1	ug/l	5.1	16	10	8260B		3/23/2011	CJR	1
Chloroethane	< 14	ug/l	14	45	10	8260B		3/23/2011	CJR	1
Chloroform	< 4.9	ug/l	4.9	15	10	8260B		3/23/2011	CJR	1
Chloromethane	< 19	ug/l	19	61	10	8260B		3/23/2011	CJR	1
2-Chlorotoluene	< 7	ug/l	7	22	10	8260B		3/23/2011	CJR	1
4-Chlorotoluene	< 4.4	ug/l	4.4	14	10	8260B		3/23/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 28	ug/l	28	89	10	8260B		3/23/2011	CJR	1
Dibromochloromethane	< 5.5	ug/l	5.5	18	10	8260B		3/23/2011	CJR	1
1,4-Dichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B		3/23/2011	CJR	1
1,3-Dichlorobenzene	< 8.7	ug/l	8.7	28	10	8260B		3/23/2011	CJR	1
1,2-Dichlorobenzene	< 7.6	ug/l	7.6	24	10	8260B		3/23/2011	CJR	1
Dichlorodifluoromethane	< 18	ug/l	18	59	10	8260B		3/23/2011	CJR	1
1,2-Dichloroethane	< 5	ug/l	5	16	10	8260B		3/23/2011	CJR	1
1,1-Dichloroethane	< 9.8	ug/l	9.8	31	10	8260B		3/23/2011	CJR	1
1,1-Dichloroethene	< 6	ug/l	6	19	10	8260B		3/23/2011	CJR	1
cis-1,2-Dichloroethene	32	ug/l	7.4	24	10	8260B		3/23/2011	CJR	1
trans-1,2-Dichloroethene	< 7.9	ug/l	7.9	25	10	8260B		3/23/2011	CJR	1
1,2-Dichloropropane	< 4	ug/l	4	13	10	8260B		3/23/2011	CJR	1
2,2-Dichloropropane	< 19	ug/l	19	59	10	8260B		3/23/2011	CJR	48
1,3-Dichloropropane	< 7.1	ug/l	7.1	23	10	8260B		3/23/2011	CJR	1
Di-isopropyl ether	< 6.9	ug/l	6.9	22	10	8260B		3/23/2011	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		3/23/2011	CJR	1
Ethylbenzene	< 7.8	ug/l	7.8	25	10	8260B		3/23/2011	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	68	10	8260B		3/23/2011	CJR	1
Isopropylbenzene	< 9.2	ug/l	9.2	29	10	8260B		3/23/2011	CJR	1
p-Isopropyltoluene	< 9.2	ug/l	9.2	29	10	8260B		3/23/2011	CJR	1
Methylene chloride	< 11	ug/l	11	34	10	8260B		3/23/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 8	ug/l	8	25	10	8260B		3/23/2011	CJR	1
Naphthalene	< 21	ug/l	21	68	10	8260B		3/23/2011	CJR	1
n-Propylbenzene	< 5.9	ug/l	5.9	19	10	8260B		3/23/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 5.3	ug/l	5.3	17	10	8260B		3/23/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 10	ug/l	10	32	10	8260B		3/23/2011	CJR	1
Tetrachloroethene	< 4.4	ug/l	4.4	14	10	8260B		3/23/2011	CJR	8
Toluene	< 5.3	ug/l	5.3	17	10	8260B		3/23/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958H
 Sample ID PZ-1
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 15	ug/l	15	46	10	8260B		3/23/2011	CJR	1
1,2,3-Trichlorobenzene	< 13	ug/l	13	42	10	8260B		3/23/2011	CJR	1
1,1,1-Trichloroethane	13.4 "J"	ug/l	8.5	27	10	8260B		3/23/2011	CJR	1
1,1,2-Trichloroethane	< 4.7	ug/l	4.7	15	10	8260B		3/23/2011	CJR	1
Trichloroethene (TCE)	720	ug/l	4.7	15	10	8260B		3/23/2011	CJR	1
Trichlorofluoromethane	< 17	ug/l	17	53	10	8260B		3/23/2011	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25	10	8260B		3/23/2011	CJR	1
1,3,5-Trimethylbenzene	< 7.4	ug/l	7.4	24	10	8260B		3/23/2011	CJR	1
Vinyl Chloride	< 1.8	ug/l	1.8	5.6	10	8260B		3/23/2011	CJR	1
m&p-Xylene	< 11	ug/l	11	35	10	8260B		3/23/2011	CJR	1
o-Xylene	< 8	ug/l	8	26	10	8260B		3/23/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	88	REC %			10	8260B		3/23/2011	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			10	8260B		3/23/2011	CJR	1
SUR - Dibromofluoromethane	96	REC %			10	8260B		3/23/2011	CJR	1
SUR - Toluene-d8	95	REC %			10	8260B		3/23/2011	CJR	1

Lab Code 5021958I
 Sample ID PZ-2
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		3/22/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		3/22/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/22/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		3/22/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		3/22/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		3/22/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		3/22/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		3/22/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		3/22/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		3/22/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		3/22/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		3/22/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		3/22/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		3/22/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethane	1.59 "J"	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		3/22/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		3/22/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		3/22/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		3/22/2011	CJR	4 8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		3/22/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958I
 Sample ID PZ-2
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/22/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		3/22/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		3/22/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		3/22/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		3/22/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		3/22/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		3/22/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	8
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		3/22/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		3/22/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichloroethene (TCE)	0.69 "J"	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		3/22/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		3/22/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		3/22/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		3/22/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		3/22/2011	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		3/22/2011	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		3/22/2011	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		3/22/2011	CJR	1

Lab Code 5021958J
 Sample ID PZ-3
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		3/22/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		3/22/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/22/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		3/22/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		3/22/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		3/22/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		3/22/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		3/22/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		3/22/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		3/22/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		3/22/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958J
 Sample ID PZ-3
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		3/22/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		3/22/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		3/22/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		3/22/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		3/22/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		3/22/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		3/22/2011	CJR	4 8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		3/22/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/22/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		3/22/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		3/22/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		3/22/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		3/22/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		3/22/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		3/22/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	8
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		3/22/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		3/22/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		3/22/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		3/22/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		3/22/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		3/22/2011	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		3/22/2011	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		3/22/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		3/22/2011	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		3/22/2011	CJR	1

Lab Code 5021958K
 Sample ID DUP
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		3/24/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/24/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		3/24/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958K
 Sample ID DUP
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromoform	<0.43	ug/l	0.43	1.4	1	8260B		3/24/2011	CJR	1
tert-Butylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		3/24/2011	CJR	1
sec-Butylbenzene	<1	ug/l	1	3.3	1	8260B		3/24/2011	CJR	1
n-Butylbenzene	<0.9	ug/l	0.9	2.9	1	8260B		3/24/2011	CJR	1
Carbon Tetrachloride	<0.47	ug/l	0.47	1.5	1	8260B		3/24/2011	CJR	1
Chlorobenzene	<0.51	ug/l	0.51	1.6	1	8260B		3/24/2011	CJR	1
Chloroethane	<1.4	ug/l	1.4	4.5	1	8260B		3/24/2011	CJR	1
Chloroform	<0.49	ug/l	0.49	1.5	1	8260B		3/24/2011	CJR	1
Chloromethane	<1.9	ug/l	1.9	6.1	1	8260B		3/24/2011	CJR	1
2-Chlorotoluene	<0.7	ug/l	0.7	2.2	1	8260B		3/24/2011	CJR	1
4-Chlorotoluene	<0.44	ug/l	0.44	1.4	1	8260B		3/24/2011	CJR	1
1,2-Dibromo-3-chloropropane	<2.8	ug/l	2.8	8.9	1	8260B		3/24/2011	CJR	1
Dibromochloromethane	<0.55	ug/l	0.55	1.8	1	8260B		3/24/2011	CJR	1
1,4-Dichlorobenzene	<0.98	ug/l	0.98	3.1	1	8260B		3/24/2011	CJR	1
1,3-Dichlorobenzene	<0.87	ug/l	0.87	2.8	1	8260B		3/24/2011	CJR	1
1,2-Dichlorobenzene	<0.76	ug/l	0.76	2.4	1	8260B		3/24/2011	CJR	1
Dichlorodifluoromethane	<1.8	ug/l	1.8	5.9	1	8260B		3/24/2011	CJR	1
1,2-Dichloroethane	<0.5	ug/l	0.5	1.6	1	8260B		3/24/2011	CJR	1
1,1-Dichloroethane	<0.98	ug/l	0.98	3.1	1	8260B		3/24/2011	CJR	1
1,1-Dichloroethene	<0.6	ug/l	0.6	1.9	1	8260B		3/24/2011	CJR	1
cis-1,2-Dichloroethene	<0.74	ug/l	0.74	2.4	1	8260B		3/24/2011	CJR	1
trans-1,2-Dichloroethene	<0.79	ug/l	0.79	2.5	1	8260B		3/24/2011	CJR	1
1,2-Dichloropropane	<0.4	ug/l	0.4	1.3	1	8260B		3/24/2011	CJR	1
2,2-Dichloropropane	<1.9	ug/l	1.9	5.9	1	8260B		3/24/2011	CJR	8
1,3-Dichloropropane	<0.71	ug/l	0.71	2.3	1	8260B		3/24/2011	CJR	1
Di-isopropyl ether	<0.69	ug/l	0.69	2.2	1	8260B		3/24/2011	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		3/24/2011	CJR	1
Ethylbenzene	<0.78	ug/l	0.78	2.5	1	8260B		3/24/2011	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	6.8	1	8260B		3/24/2011	CJR	1
Isopropylbenzene	<0.92	ug/l	0.92	2.9	1	8260B		3/24/2011	CJR	1
p-Isopropyltoluene	<0.92	ug/l	0.92	2.9	1	8260B		3/24/2011	CJR	1
Methylene chloride	<1.1	ug/l	1.1	3.4	1	8260B		3/24/2011	CJR	1
Methyl tert-butyl ether (MTBE)	<0.8	ug/l	0.8	2.5	1	8260B		3/24/2011	CJR	1
Naphthalene	<2.1	ug/l	2.1	6.8	1	8260B		3/24/2011	CJR	1
n-Propylbenzene	<0.59	ug/l	0.59	1.9	1	8260B		3/24/2011	CJR	1
1,1,2,2-Tetrachloroethane	<0.53	ug/l	0.53	1.7	1	8260B		3/24/2011	CJR	1
1,1,1,2-Tetrachloroethane	<1	ug/l	1	3.2	1	8260B		3/24/2011	CJR	1
Tetrachloroethene	<0.44	ug/l	0.44	1.4	1	8260B		3/24/2011	CJR	1
Toluene	<0.53	ug/l	0.53	1.7	1	8260B		3/24/2011	CJR	1
1,2,4-Trichlorobenzene	<1.5	ug/l	1.5	4.6	1	8260B		3/24/2011	CJR	1
1,2,3-Trichlorobenzene	<1.3	ug/l	1.3	4.2	1	8260B		3/24/2011	CJR	1
1,1,1-Trichloroethane	3.5	ug/l	0.85	2.7	1	8260B		3/24/2011	CJR	1
1,1,2-Trichloroethane	<0.47	ug/l	0.47	1.5	1	8260B		3/24/2011	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		3/24/2011	CJR	1
Trichlorofluoromethane	<1.7	ug/l	1.7	5.3	1	8260B		3/24/2011	CJR	1
1,2,4-Trimethylbenzene	<0.8	ug/l	0.8	2.5	1	8260B		3/24/2011	CJR	1
1,3,5-Trimethylbenzene	<0.74	ug/l	0.74	2.4	1	8260B		3/24/2011	CJR	1
Vinyl Chloride	<0.18	ug/l	0.18	0.56	1	8260B		3/24/2011	CJR	1
m&p-Xylene	<1.1	ug/l	1.1	3.5	1	8260B		3/24/2011	CJR	1
o-Xylene	<0.8	ug/l	0.8	2.6	1	8260B		3/24/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		3/24/2011	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		3/24/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958K
 Sample ID DUP
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	103	REC %			1	8260B		3/24/2011	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		3/24/2011	CJR	1

Lab Code 5021958L
 Sample ID EQUIP
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	----------	---------	------

Organic

VOC's

Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		3/22/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		3/22/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/22/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		3/22/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		3/22/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		3/22/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		3/22/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		3/22/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		3/22/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		3/22/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		3/22/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		3/22/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		3/22/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		3/22/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		3/22/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		3/22/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		3/22/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		3/22/2011	CJR	4 8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		3/22/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/22/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		3/22/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		3/22/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		3/22/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		3/22/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		3/22/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		3/22/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	8
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958L
 Sample ID EQUIP
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		3/22/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		3/22/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		3/22/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		3/22/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		3/22/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		3/22/2011	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		3/22/2011	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/22/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		3/22/2011	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		3/22/2011	CJR	1

Lab Code 5021958M
 Sample ID TB
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		3/22/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		3/22/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/22/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		3/22/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		3/22/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		3/22/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		3/22/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		3/22/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		3/22/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		3/22/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		3/22/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		3/22/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		3/22/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		3/22/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		3/22/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		3/22/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		3/22/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		3/22/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		3/22/2011	CJR	4 8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		3/22/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		3/22/2011	CJR	1

Project Name SUPERIOR HEALTH LINES
 Project # 10724

Invoice # E21958

Lab Code 5021958M
 Sample ID TB
 Sample Matrix Water
 Sample Date 3/17/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/22/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		3/22/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		3/22/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		3/22/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		3/22/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		3/22/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		3/22/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		3/22/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		3/22/2011	CJR	8
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		3/22/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		3/22/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		3/22/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/22/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		3/22/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		3/22/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		3/22/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		3/22/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		3/22/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		3/22/2011	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		3/22/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		3/22/2011	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		3/22/2011	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		3/22/2011	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code	Comment
1	Laboratory QC within limits.
4	The continuing calibration standard not within established limits.
8	Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature Michael J. Ricker

CHAIN OF CUSTODY RECORD

Synergy

Chain # N^o (589

Page 1 of 2

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Lab I.D. # _____

Account No. : _____ Quote No.: _____

Project #: **10724**

Sampler: (signature) *David Dailey*

Sample Handling Request
 ___ Rush Analysis Date Required ___
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location): *Superior Health Linens; Cudahy, WI*

Reports To: *Mary Trotta* Invoice To: _____

Company: *Sigma Env.* Company: _____

Address: *1300 W. Canal St.* Address: _____

City State Zip: *Milw. WI* City State Zip: _____

Phone: *414-643-4200* Phone: _____

FAX: _____ FAX: _____

Analysis Requested										Other Analysis									
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	IRON	LEAD	NITRATE / NITRITE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS								
									X	X	X								
									X	X	X								
									X	X	X								
									X	X	X								
									X	X	X								
									X	X	X								
									X	X	X								
									X	X	X								
									X	X	X								
									X	X	X								
									X	X	X								
									X	X	X								
									X	X	X								

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
502988A	MW-1	3-17-11	11:30		G	N	3	GW	HCL
B	MW-2		12:00						
C	MW-3		12:30						
D	MW-4		1:00						
E	MW-5		2:45						
F	MW-6		9:00						
G	MW-7		11:00						
H	PZ-1		1:30						
I	PZ-2		2:00						
J	PZ-3		9:15						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab. _____

Method of Shipment: *Dunkin*

Temp. of Temp. Blank: _____ °C On Ice:

Color seal intact upon receipt: Yes No

Relinquished By: (sign) *David Dailey* Time: **3:30** Date: **3-17-11**

Received In Laboratory By: *Christina D...* Time: **10:00** Date: **3/17/11**

CHAIN OF CUSTODY RECORD



Chain # NE (588

Page 2 of 2

Lab I.D. # _____
 Account No. : _____ Quote No.: _____
 Project #: 10724
 Sampler: (signature) *Dave Dailey*

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location): *Superior Health Linens, Cudahy WI*

Reports To:		Invoice To:		Analysis Requested										Other Analysis			
<i>Mary Tratta</i>				DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	IRON	LEAD	NITRATE / NITRITE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID	FID
Company <i>Sigma Env.</i>		Company															
Address <i>1300 W. Canal St.</i>		Address															
City State Zip <i>Milw. WI</i>		City State Zip															
Phone <i>414-643-4200</i>		Phone															
FAX		FAX															

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	IRON	LEAD	NITRATE / NITRITE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID	FID
<i>302A58k</i>	<i>Dup.</i>	<i>3-17-11</i>	<i>-</i>		<i>G</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>														
	<i>L Equip</i>	<i>1</i>	<i>-</i>		<i>-</i>	<i>1</i>	<i>2</i>	<i>-</i>	<i>1</i>														
	<i>M Trip</i>	<i>1</i>	<i>-</i>		<i>-</i>	<i>1</i>	<i>1</i>	<i>-</i>	<i>1</i>														

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab. Method of Shipment: <i>Random</i> Temp. of Temp. Blank: _____ °C On Ice: <i>A</i> Container seal intact upon receipt: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Relinquished By: (sign) <i>Dave Dailey</i>	Time: <i>3:30 pm</i>	Date: <i>3-17-11</i>	Received By: (sign) _____	Time: _____	Date: _____
	Received in Laboratory By: <i>Chandra Raza</i>					
			Time: <i>10:00</i>	Date: <i>3/19/11</i>		

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

MARY TROTTA
SIGMA ENVIRONMMENTAL
1300 W. CANAL STREET
MILWAUKEE, WI 53233

Report Date 04-Jan-11

Project Name SUPERIOR HEALTH LINENS
Project # 10724

Invoice # E21746

Lab Code 5021746A
Sample ID MW-1
Sample Matrix Water
Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.8	ug/l	3.8	12	10	8260B		12/28/2010	CJR	1
Bromobenzene	< 10	ug/l	10	33	10	8260B		12/28/2010	CJR	1
Bromodichloromethane	< 6.4	ug/l	6.4	20	10	8260B		12/28/2010	CJR	1
Bromoform	< 3.9	ug/l	3.9	12	10	8260B		12/28/2010	CJR	1
tert-Butylbenzene	< 5.5	ug/l	5.5	17	10	8260B		12/28/2010	CJR	1
sec-Butylbenzene	< 5.9	ug/l	5.9	19	10	8260B		12/28/2010	CJR	1
n-Butylbenzene	< 9.4	ug/l	9.4	30	10	8260B		12/28/2010	CJR	1
Carbon Tetrachloride	< 2.5	ug/l	2.5	8	10	8260B		12/28/2010	CJR	1
Chlorobenzene	< 9.1	ug/l	9.1	29	10	8260B		12/28/2010	CJR	1
Chloroethane	< 6.7	ug/l	6.7	21	10	8260B		12/28/2010	CJR	1
Chloroform	< 3.2	ug/l	3.2	10	10	8260B		12/28/2010	CJR	1
Chloromethane	< 12	ug/l	12	38	10	8260B		12/28/2010	CJR	1
2-Chlorotoluene	< 5.1	ug/l	5.1	16	10	8260B		12/28/2010	CJR	1
4-Chlorotoluene	< 7.4	ug/l	7.4	23	10	8260B		12/28/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 19	ug/l	19	62	10	8260B		12/28/2010	CJR	1
Dibromochloromethane	< 11	ug/l	11	34	10	8260B		12/28/2010	CJR	1
1,4-Dichlorobenzene	< 9.5	ug/l	9.5	30	10	8260B		12/28/2010	CJR	1
1,3-Dichlorobenzene	< 7.9	ug/l	7.9	25	10	8260B		12/28/2010	CJR	1
1,2-Dichlorobenzene	< 8.4	ug/l	8.4	27	10	8260B		12/28/2010	CJR	1
Dichlorodifluoromethane	< 7	ug/l	7	22	10	8260B		12/28/2010	CJR	1
1,2-Dichloroethane	< 3.8	ug/l	3.8	12	10	8260B		12/28/2010	CJR	1
1,1-Dichloroethane	< 6.9	ug/l	6.9	22	10	8260B		12/28/2010	CJR	1
1,1-Dichloroethene	< 7	ug/l	7	22	10	8260B		12/28/2010	CJR	1
cis-1,2-Dichloroethene	8.6 "J"	ug/l	7.8	25	10	8260B		12/28/2010	CJR	1
trans-1,2-Dichloroethene	< 13	ug/l	13	41	10	8260B		12/28/2010	CJR	1
1,2-Dichloropropane	< 3.4	ug/l	3.4	11	10	8260B		12/28/2010	CJR	1
2,2-Dichloropropane	< 4.6	ug/l	4.6	15	10	8260B		12/28/2010	CJR	8
1,3-Dichloropropane	< 9.7	ug/l	9.7	31	10	8260B		12/28/2010	CJR	1
Di-isopropyl ether	< 7	ug/l	7	22	10	8260B		12/28/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746A
 Sample ID MW-1
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromochthane)	< 9.5	ug/l	9.5	30	10	8260B		12/28/2010	CJR	1
Ethylbenzene	< 5.5	ug/l	5.5	18	10	8260B		12/28/2010	CJR	1
Hexachlorobutadiene	< 18	ug/l	18	59	10	8260B		12/28/2010	CJR	1
Isopropylbenzene	< 7.1	ug/l	7.1	23	10	8260B		12/28/2010	CJR	1
p-Isopropyltoluene	< 9.1	ug/l	9.1	29	10	8260B		12/28/2010	CJR	1
Methylene chloride	< 4.7	ug/l	4.7	15	10	8260B		12/28/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.5	ug/l	2.5	8	10	8260B		12/28/2010	CJR	1
Naphthalene	< 24	ug/l	24	77	10	8260B		12/28/2010	CJR	1
n-Propylbenzene	< 6.7	ug/l	6.7	21	10	8260B		12/28/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 5	ug/l	5	16	10	8260B		12/28/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 7	ug/l	7	22	10	8260B		12/28/2010	CJR	1
Tetrachloroethene	< 4.3	ug/l	4.3	14	10	8260B		12/28/2010	CJR	1
Toluene	< 7.2	ug/l	7.2	23	10	8260B		12/28/2010	CJR	1
1,2,4-Trichlorobenzene	< 15	ug/l	15	48	10	8260B		12/28/2010	CJR	1
1,2,3-Trichlorobenzene	< 28	ug/l	28	88	10	8260B		12/28/2010	CJR	1
1,1,1-Trichloroethane	11.7 "J"	ug/l	5.3	17	10	8260B		12/28/2010	CJR	1
1,1,2-Trichloroethane	< 4.7	ug/l	4.7	15	10	8260B		12/28/2010	CJR	1
Trichloroethene (TCE)	790	ug/l	3.9	12	10	8260B		12/28/2010	CJR	1
Trichlorofluoromethane	< 5.6	ug/l	5.6	18	10	8260B		12/28/2010	CJR	1
1,2,4-Trimethylbenzene	< 6.5	ug/l	6.5	21	10	8260B		12/28/2010	CJR	1
1,3,5-Trimethylbenzene	< 5.5	ug/l	5.5	18	10	8260B		12/28/2010	CJR	1
Vinyl Chloride	< 1.9	ug/l	1.9	6.1	10	8260B		12/28/2010	CJR	1
m&p-Xylene	< 11	ug/l	11	36	10	8260B		12/28/2010	CJR	1
o-Xylene	< 5.2	ug/l	5.2	17	10	8260B		12/28/2010	CJR	1
SUR - Toluene-d8	95	REC %			10	8260B		12/28/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			10	8260B		12/28/2010	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			10	8260B		12/28/2010	CJR	1
SUR - Dibromofluoromethane	105	REC %			10	8260B		12/28/2010	CJR	1

Lab Code 5021746B
 Sample ID MW-2
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 190	ug/l	190	600	500	8260B		12/30/2010	CJR	1
Bromobenzene	< 500	ug/l	500	1650	500	8260B		12/30/2010	CJR	1
Bromodichloromethane	< 320	ug/l	320	1000	500	8260B		12/30/2010	CJR	1
Bromoform	< 195	ug/l	195	600	500	8260B		12/30/2010	CJR	1
tert-Butylbenzene	< 275	ug/l	275	850	500	8260B		12/30/2010	CJR	1
sec-Butylbenzene	< 295	ug/l	295	950	500	8260B		12/30/2010	CJR	1
n-Butylbenzene	< 470	ug/l	470	1500	500	8260B		12/30/2010	CJR	1
Carbon Tetrachloride	< 125	ug/l	125	400	500	8260B		12/30/2010	CJR	1
Chlorobenzene	< 455	ug/l	455	1450	500	8260B		12/30/2010	CJR	1
Chloroethane	< 335	ug/l	335	1050	500	8260B		12/30/2010	CJR	1
Chloroform	< 160	ug/l	160	500	500	8260B		12/30/2010	CJR	1
Chloromethane	< 600	ug/l	600	1900	500	8260B		12/30/2010	CJR	1
2-Chlorotoluene	< 255	ug/l	255	800	500	8260B		12/30/2010	CJR	1
4-Chlorotoluene	< 370	ug/l	370	1150	500	8260B		12/30/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 950	ug/l	950	3100	500	8260B		12/30/2010	CJR	1
Dibromochloromethane	< 550	ug/l	550	1700	500	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746B
 Sample ID MW-2
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 475	ug/l	475	1500	500	8260B		12/30/2010	CJR	1
1,3-Dichlorobenzene	< 395	ug/l	395	1250	500	8260B		12/30/2010	CJR	1
1,2-Dichlorobenzene	< 420	ug/l	420	1350	500	8260B		12/30/2010	CJR	1
Dichlorodifluoromethane	< 350	ug/l	350	1100	500	8260B		12/30/2010	CJR	1
1,2-Dichloroethane	< 190	ug/l	190	600	500	8260B		12/30/2010	CJR	1
1,1-Dichloroethane	< 345	ug/l	345	1100	500	8260B		12/30/2010	CJR	1
1,1-Dichloroethene	< 350	ug/l	350	1100	500	8260B		12/30/2010	CJR	1
cis-1,2-Dichloroethene	1300	ug/l	390	1250	500	8260B		12/30/2010	CJR	1
trans-1,2-Dichloroethene	< 650	ug/l	650	2050	500	8260B		12/30/2010	CJR	1
1,2-Dichloropropane	< 170	ug/l	170	550	500	8260B		12/30/2010	CJR	1
2,2-Dichloropropane	< 230	ug/l	230	750	500	8260B		12/30/2010	CJR	8
1,3-Dichloropropane	< 485	ug/l	485	1550	500	8260B		12/30/2010	CJR	1
Di-isopropyl ether	< 350	ug/l	350	1100	500	8260B		12/30/2010	CJR	1
EDB (1,2-Dibromoethane)	< 475	ug/l	475	1500	500	8260B		12/30/2010	CJR	1
Ethylbenzene	< 275	ug/l	275	900	500	8260B		12/30/2010	CJR	1
Hexachlorobutadiene	< 900	ug/l	900	2950	500	8260B		12/30/2010	CJR	1
Isopropylbenzene	< 355	ug/l	355	1150	500	8260B		12/30/2010	CJR	1
p-Isopropyltoluene	< 455	ug/l	455	1450	500	8260B		12/30/2010	CJR	1
Methylene chloride	< 235	ug/l	235	750	500	8260B		12/30/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 125	ug/l	125	400	500	8260B		12/30/2010	CJR	1
Naphthalene	< 1200	ug/l	1200	3850	500	8260B		12/30/2010	CJR	1
n-Propylbenzene	< 335	ug/l	335	1050	500	8260B		12/30/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 250	ug/l	250	800	500	8260B		12/30/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 350	ug/l	350	1100	500	8260B		12/30/2010	CJR	1
Tetrachloroethene	< 215	ug/l	215	700	500	8260B		12/30/2010	CJR	1
Toluene	< 360	ug/l	360	1150	500	8260B		12/30/2010	CJR	1
1,2,4-Trichlorobenzene	< 750	ug/l	750	2400	500	8260B		12/30/2010	CJR	1
1,2,3-Trichlorobenzene	< 1400	ug/l	1400	4400	500	8260B		12/30/2010	CJR	1
1,1,1-Trichloroethane	910	ug/l	265	850	500	8260B		12/30/2010	CJR	1
1,1,2-Trichloroethane	< 235	ug/l	235	750	500	8260B		12/30/2010	CJR	1
Trichloroethene (TCE)	16300	ug/l	195	600	500	8260B		12/30/2010	CJR	1
Trichlorofluoromethane	< 280	ug/l	280	900	500	8260B		12/30/2010	CJR	1
1,2,4-Trimethylbenzene	< 325	ug/l	325	1050	500	8260B		12/30/2010	CJR	1
1,3,5-Trimethylbenzene	< 275	ug/l	275	900	500	8260B		12/30/2010	CJR	1
Vinyl Chloride	< 95	ug/l	95	305	500	8260B		12/30/2010	CJR	1
m&p-Xylene	< 550	ug/l	550	1800	500	8260B		12/30/2010	CJR	1
o-Xylene	< 260	ug/l	260	850	500	8260B		12/30/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			500	8260B		12/30/2010	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			500	8260B		12/30/2010	CJR	1
SUR - Dibromofluoromethane	104	REC %			500	8260B		12/30/2010	CJR	1
SUR - Toluene-d8	96	REC %			500	8260B		12/30/2010	CJR	1

Lab Code 5021746C
 Sample ID MW-3
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 19	ug/l	19	60	50	8260B		12/30/2010	CJR	1
Bromobenzene	< 50	ug/l	50	165	50	8260B		12/30/2010	CJR	1
Bromodichloromethane	< 32	ug/l	32	100	50	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746C
 Sample ID MW-3
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromoform	< 19.5	ug/l	19.5	60	50	8260B		12/30/2010	CJR	1
tert-Butylbenzene	< 27.5	ug/l	27.5	85	50	8260B		12/30/2010	CJR	1
sec-Butylbenzene	< 29.5	ug/l	29.5	95	50	8260B		12/30/2010	CJR	1
n-Butylbenzene	< 47	ug/l	47	150	50	8260B		12/30/2010	CJR	1
Carbon Tetrachloride	< 12.5	ug/l	12.5	40	50	8260B		12/30/2010	CJR	1
Chlorobenzene	< 45.5	ug/l	45.5	145	50	8260B		12/30/2010	CJR	1
Chloroethane	< 33.5	ug/l	33.5	105	50	8260B		12/30/2010	CJR	1
Chloroform	< 16	ug/l	16	50	50	8260B		12/30/2010	CJR	1
Chloromethane	< 60	ug/l	60	190	50	8260B		12/30/2010	CJR	1
2-Chlorotoluene	< 25.5	ug/l	25.5	80	50	8260B		12/30/2010	CJR	1
4-Chlorotoluene	< 37	ug/l	37	115	50	8260B		12/30/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 95	ug/l	95	310	50	8260B		12/30/2010	CJR	1
Dibromochloromethane	< 55	ug/l	55	170	50	8260B		12/30/2010	CJR	1
1,4-Dichlorobenzene	< 47.5	ug/l	47.5	150	50	8260B		12/30/2010	CJR	1
1,3-Dichlorobenzene	< 39.5	ug/l	39.5	125	50	8260B		12/30/2010	CJR	1
1,2-Dichlorobenzene	< 42	ug/l	42	135	50	8260B		12/30/2010	CJR	1
Dichlorodifluoromethane	< 35	ug/l	35	110	50	8260B		12/30/2010	CJR	1
1,2-Dichloroethane	< 19	ug/l	19	60	50	8260B		12/30/2010	CJR	1
1,1-Dichloroethane	60 "J"	ug/l	34.5	110	50	8260B		12/30/2010	CJR	1
1,1-Dichloroethene	< 35	ug/l	35	110	50	8260B		12/30/2010	CJR	1
cis-1,2-Dichloroethene	1110	ug/l	39	125	50	8260B		12/30/2010	CJR	1
trans-1,2-Dichloroethene	< 65	ug/l	65	205	50	8260B		12/30/2010	CJR	1
1,2-Dichloropropane	< 17	ug/l	17	55	50	8260B		12/30/2010	CJR	1
2,2-Dichloropropane	< 23	ug/l	23	75	50	8260B		12/30/2010	CJR	8
1,3-Dichloropropane	< 48.5	ug/l	48.5	155	50	8260B		12/30/2010	CJR	1
Di-isopropyl ether	< 35	ug/l	35	110	50	8260B		12/30/2010	CJR	1
EDB (1,2-Dibromoethane)	< 47.5	ug/l	47.5	150	50	8260B		12/30/2010	CJR	1
Ethylbenzene	< 27.5	ug/l	27.5	90	50	8260B		12/30/2010	CJR	1
Hexachlorobutadiene	< 90	ug/l	90	295	50	8260B		12/30/2010	CJR	1
Isopropylbenzene	< 35.5	ug/l	35.5	115	50	8260B		12/30/2010	CJR	1
p-Isopropyltoluene	< 45.5	ug/l	45.5	145	50	8260B		12/30/2010	CJR	1
Methylene chloride	< 23.5	ug/l	23.5	75	50	8260B		12/30/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 12.5	ug/l	12.5	40	50	8260B		12/30/2010	CJR	1
Naphthalene	< 120	ug/l	120	385	50	8260B		12/30/2010	CJR	1
n-Propylbenzene	< 33.5	ug/l	33.5	105	50	8260B		12/30/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/l	25	80	50	8260B		12/30/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 35	ug/l	35	110	50	8260B		12/30/2010	CJR	1
Tetrachloroethene	< 21.5	ug/l	21.5	70	50	8260B		12/30/2010	CJR	1
Toluene	< 36	ug/l	36	115	50	8260B		12/30/2010	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	240	50	8260B		12/30/2010	CJR	1
1,2,3-Trichlorobenzene	< 140	ug/l	140	440	50	8260B		12/30/2010	CJR	1
1,1,1-Trichloroethane	640	ug/l	26.5	85	50	8260B		12/30/2010	CJR	1
1,1,2-Trichloroethane	< 23.5	ug/l	23.5	75	50	8260B		12/30/2010	CJR	1
Trichloroethene (TCE)	6000	ug/l	19.5	60	50	8260B		12/30/2010	CJR	1
Trichlorofluoromethane	< 28	ug/l	28	90	50	8260B		12/30/2010	CJR	1
1,2,4-Trimethylbenzene	< 32.5	ug/l	32.5	105	50	8260B		12/30/2010	CJR	1
1,3,5-Trimethylbenzene	< 27.5	ug/l	27.5	90	50	8260B		12/30/2010	CJR	1
Vinyl Chloride	< 9.5	ug/l	9.5	30.5	50	8260B		12/30/2010	CJR	1
m&p-Xylene	< 55	ug/l	55	180	50	8260B		12/30/2010	CJR	1
o-Xylene	< 26	ug/l	26	85	50	8260B		12/30/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			50	8260B		12/30/2010	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			50	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746C
 Sample ID MW-3
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	103	REC %			50	8260B		12/30/2010	CJR	1
SUR - Toluene-d8	94	REC %			50	8260B		12/30/2010	CJR	1

Lab Code 5021746D
 Sample ID MW-4
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	----------	---------	------

Organic

VOC's

Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		12/30/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		12/30/2010	CJR	1
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/30/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		12/30/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		12/30/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		12/30/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		12/30/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/30/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		12/30/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		12/30/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		12/30/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		12/30/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		12/30/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.5	1	8260B		12/30/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		12/30/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		12/30/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		12/30/2010	CJR	8
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		12/30/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		12/30/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		12/30/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		12/30/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		12/30/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
Tetrachloroethene	< 0.43	ug/l	0.43	1.4	1	8260B		12/30/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746D
 Sample ID MW-4
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/30/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		12/30/2010	CJR	1
1,1,1-Trichloroethane	3.3	ug/l	0.53	1.7	1	8260B		12/30/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		12/30/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		12/30/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		12/30/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B		12/30/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		12/30/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		12/30/2010	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		12/30/2010	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		12/30/2010	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/30/2010	CJR	1

Lab Code 5021746E
 Sample ID MW-5
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.9	ug/l	1.9	6	5	8260B		12/30/2010	CJR	1
Bromobenzene	< 5	ug/l	5	16.5	5	8260B		12/30/2010	CJR	1
Bromodichloromethane	< 3.2	ug/l	3.2	10	5	8260B		12/30/2010	CJR	1
Bromoform	< 1.95	ug/l	1.95	6	5	8260B		12/30/2010	CJR	1
tert-Butylbenzene	< 2.75	ug/l	2.75	8.5	5	8260B		12/30/2010	CJR	1
sec-Butylbenzene	< 2.95	ug/l	2.95	9.5	5	8260B		12/30/2010	CJR	1
n-Butylbenzene	< 4.7	ug/l	4.7	15	5	8260B		12/30/2010	CJR	1
Carbon Tetrachloride	< 1.25	ug/l	1.25	4	5	8260B		12/30/2010	CJR	1
Chlorobenzene	< 4.55	ug/l	4.55	14.5	5	8260B		12/30/2010	CJR	1
Chloroethane	< 3.35	ug/l	3.35	10.5	5	8260B		12/30/2010	CJR	1
Chloroform	< 1.6	ug/l	1.6	5	5	8260B		12/30/2010	CJR	1
Chloromethane	< 6	ug/l	6	19	5	8260B		12/30/2010	CJR	1
2-Chlorotoluene	< 2.55	ug/l	2.55	8	5	8260B		12/30/2010	CJR	1
4-Chlorotoluene	< 3.7	ug/l	3.7	11.5	5	8260B		12/30/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 9.5	ug/l	9.5	31	5	8260B		12/30/2010	CJR	1
Dibromochloromethane	< 5.5	ug/l	5.5	17	5	8260B		12/30/2010	CJR	1
1,4-Dichlorobenzene	< 4.75	ug/l	4.75	15	5	8260B		12/30/2010	CJR	1
1,3-Dichlorobenzene	< 3.95	ug/l	3.95	12.5	5	8260B		12/30/2010	CJR	1
1,2-Dichlorobenzene	< 4.2	ug/l	4.2	13.5	5	8260B		12/30/2010	CJR	1
Dichlorodifluoromethane	< 3.5	ug/l	3.5	11	5	8260B		12/30/2010	CJR	1
1,2-Dichloroethane	< 1.9	ug/l	1.9	6	5	8260B		12/30/2010	CJR	1
1,1-Dichloroethane	< 3.45	ug/l	3.45	11	5	8260B		12/30/2010	CJR	1
1,1-Dichloroethene	5.4 "J"	ug/l	3.5	11	5	8260B		12/30/2010	CJR	1
cis-1,2-Dichloroethene	< 3.9	ug/l	3.9	12.5	5	8260B		12/30/2010	CJR	1
trans-1,2-Dichloroethene	< 6.5	ug/l	6.5	20.5	5	8260B		12/30/2010	CJR	1
1,2-Dichloropropane	< 1.7	ug/l	1.7	5.5	5	8260B		12/30/2010	CJR	1
2,2-Dichloropropane	< 2.3	ug/l	2.3	7.5	5	8260B		12/30/2010	CJR	8
1,3-Dichloropropane	< 4.85	ug/l	4.85	15.5	5	8260B		12/30/2010	CJR	1
Di-isopropyl ether	< 3.5	ug/l	3.5	11	5	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746E
 Sample ID MW-5
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 4.75	ug/l	4.75	15	5	8260B		12/30/2010	CJR	1
Ethylbenzene	< 2.75	ug/l	2.75	9	5	8260B		12/30/2010	CJR	1
Hexachlorobutadiene	< 9	ug/l	9	29.5	5	8260B		12/30/2010	CJR	1
Isopropylbenzene	< 3.55	ug/l	3.55	11.5	5	8260B		12/30/2010	CJR	1
p-Isopropyltoluene	< 4.55	ug/l	4.55	14.5	5	8260B		12/30/2010	CJR	1
Methylene chloride	< 2.35	ug/l	2.35	7.5	5	8260B		12/30/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.25	ug/l	1.25	4	5	8260B		12/30/2010	CJR	1
Naphthalene	< 12	ug/l	12	38.5	5	8260B		12/30/2010	CJR	1
n-Propylbenzene	< 3.35	ug/l	3.35	10.5	5	8260B		12/30/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 2.5	ug/l	2.5	8	5	8260B		12/30/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11	5	8260B		12/30/2010	CJR	1
Tetrachloroethene	< 2.15	ug/l	2.15	7	5	8260B		12/30/2010	CJR	1
Toluene	< 3.6	ug/l	3.6	11.5	5	8260B		12/30/2010	CJR	1
1,2,4-Trichlorobenzene	< 7.5	ug/l	7.5	24	5	8260B		12/30/2010	CJR	1
1,2,3-Trichlorobenzene	< 14	ug/l	14	44	5	8260B		12/30/2010	CJR	1
1,1,1-Trichloroethane	237	ug/l	2.65	8.5	5	8260B		12/30/2010	CJR	1
1,1,2-Trichloroethane	< 2.35	ug/l	2.35	7.5	5	8260B		12/30/2010	CJR	1
Trichloroethene (TCE)	23.1	ug/l	1.95	6	5	8260B		12/30/2010	CJR	1
Trichlorofluoromethane	< 2.8	ug/l	2.8	9	5	8260B		12/30/2010	CJR	1
1,2,4-Trimethylbenzene	< 3.25	ug/l	3.25	10.5	5	8260B		12/30/2010	CJR	1
1,3,5-Trimethylbenzene	< 2.75	ug/l	2.75	9	5	8260B		12/30/2010	CJR	1
Vinyl Chloride	< 0.95	ug/l	0.95	3.05	5	8260B		12/30/2010	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	18	5	8260B		12/30/2010	CJR	1
o-Xylene	< 2.6	ug/l	2.6	8.5	5	8260B		12/30/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			5	8260B		12/30/2010	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			5	8260B		12/30/2010	CJR	1
SUR - Dibromofluoromethane	104	REC %			5	8260B		12/30/2010	CJR	1
SUR - Toluene-d8	96	REC %			5	8260B		12/30/2010	CJR	1

Lab Code 5021746F
 Sample ID MW-6
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.9	ug/l	1.9	6	5	8260B		12/30/2010	CJR	1
Bromobenzene	< 5	ug/l	5	16.5	5	8260B		12/30/2010	CJR	1
Bromodichloromethane	< 3.2	ug/l	3.2	10	5	8260B		12/30/2010	CJR	1
Bromoform	< 1.95	ug/l	1.95	6	5	8260B		12/30/2010	CJR	1
tert-Butylbenzene	< 2.75	ug/l	2.75	8.5	5	8260B		12/30/2010	CJR	1
sec-Butylbenzene	< 2.95	ug/l	2.95	9.5	5	8260B		12/30/2010	CJR	1
n-Butylbenzene	< 4.7	ug/l	4.7	15	5	8260B		12/30/2010	CJR	1
Carbon Tetrachloride	< 1.25	ug/l	1.25	4	5	8260B		12/30/2010	CJR	1
Chlorobenzene	< 4.55	ug/l	4.55	14.5	5	8260B		12/30/2010	CJR	1
Chloroethane	< 3.35	ug/l	3.35	10.5	5	8260B		12/30/2010	CJR	1
Chloroform	< 1.6	ug/l	1.6	5	5	8260B		12/30/2010	CJR	1
Chloromethane	< 6	ug/l	6	19	5	8260B		12/30/2010	CJR	1
2-Chlorotoluene	< 2.55	ug/l	2.55	8	5	8260B		12/30/2010	CJR	1
4-Chlorotoluene	< 3.7	ug/l	3.7	11.5	5	8260B		12/30/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 9.5	ug/l	9.5	31	5	8260B		12/30/2010	CJR	1
Dibromochloromethane	< 5.5	ug/l	5.5	17	5	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746F
 Sample ID MW-6
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 4.75	ug/l	4.75	15	5	8260B		12/30/2010	CJR	1
1,3-Dichlorobenzene	< 3.95	ug/l	3.95	12.5	5	8260B		12/30/2010	CJR	1
1,2-Dichlorobenzene	< 4.2	ug/l	4.2	13.5	5	8260B		12/30/2010	CJR	1
Dichlorodifluoromethane	< 3.5	ug/l	3.5	11	5	8260B		12/30/2010	CJR	1
1,2-Dichloroethane	< 1.9	ug/l	1.9	6	5	8260B		12/30/2010	CJR	1
1,1-Dichloroethane	4.8 "J"	ug/l	3.45	11	5	8260B		12/30/2010	CJR	1
1,1-Dichloroethene	9.6 "J"	ug/l	3.5	11	5	8260B		12/30/2010	CJR	1
cis-1,2-Dichloroethene	10.8 "J"	ug/l	3.9	12.5	5	8260B		12/30/2010	CJR	1
trans-1,2-Dichloroethene	< 6.5	ug/l	6.5	20.5	5	8260B		12/30/2010	CJR	1
1,2-Dichloropropane	< 1.7	ug/l	1.7	5.5	5	8260B		12/30/2010	CJR	1
2,2-Dichloropropane	< 2.3	ug/l	2.3	7.5	5	8260B		12/30/2010	CJR	8
1,3-Dichloropropane	< 4.85	ug/l	4.85	15.5	5	8260B		12/30/2010	CJR	1
Di-isopropyl ether	< 3.5	ug/l	3.5	11	5	8260B		12/30/2010	CJR	1
EDB (1,2-Dibromoethane)	< 4.75	ug/l	4.75	15	5	8260B		12/30/2010	CJR	1
Ethylbenzene	< 2.75	ug/l	2.75	9	5	8260B		12/30/2010	CJR	1
Hexachlorobutadiene	< 9	ug/l	9	29.5	5	8260B		12/30/2010	CJR	1
Isopropylbenzene	< 3.55	ug/l	3.55	11.5	5	8260B		12/30/2010	CJR	1
p-Isopropyltoluene	< 4.55	ug/l	4.55	14.5	5	8260B		12/30/2010	CJR	1
Methylene chloride	< 2.35	ug/l	2.35	7.5	5	8260B		12/30/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.25	ug/l	1.25	4	5	8260B		12/30/2010	CJR	1
Naphthalene	< 12	ug/l	12	38.5	5	8260B		12/30/2010	CJR	1
n-Propylbenzene	< 3.35	ug/l	3.35	10.5	5	8260B		12/30/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 2.5	ug/l	2.5	8	5	8260B		12/30/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11	5	8260B		12/30/2010	CJR	1
Tetrachloroethene	< 2.15	ug/l	2.15	7	5	8260B		12/30/2010	CJR	1
Toluene	< 3.6	ug/l	3.6	11.5	5	8260B		12/30/2010	CJR	1
1,2,4-Trichlorobenzene	< 7.5	ug/l	7.5	24	5	8260B		12/30/2010	CJR	1
1,2,3-Trichlorobenzene	< 14	ug/l	14	44	5	8260B		12/30/2010	CJR	1
1,1,1-Trichloroethane	109	ug/l	2.65	8.5	5	8260B		12/30/2010	CJR	1
1,1,2-Trichloroethane	< 2.35	ug/l	2.35	7.5	5	8260B		12/30/2010	CJR	1
Trichloroethene (TCE)	< 1.95	ug/l	1.95	6	5	8260B		12/30/2010	CJR	1
Trichlorofluoromethane	< 2.8	ug/l	2.8	9	5	8260B		12/30/2010	CJR	1
1,2,4-Trimethylbenzene	< 3.25	ug/l	3.25	10.5	5	8260B		12/30/2010	CJR	1
1,3,5-Trimethylbenzene	< 2.75	ug/l	2.75	9	5	8260B		12/30/2010	CJR	1
Vinyl Chloride	< 0.95	ug/l	0.95	3.05	5	8260B		12/30/2010	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	18	5	8260B		12/30/2010	CJR	1
o-Xylene	< 2.6	ug/l	2.6	8.5	5	8260B		12/30/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			5	8260B		12/30/2010	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			5	8260B		12/30/2010	CJR	1
SUR - Dibromofluoromethane	105	REC %			5	8260B		12/30/2010	CJR	1
SUR - Toluene-d8	96	REC %			5	8260B		12/30/2010	CJR	1

Lab Code 5021746G
 Sample ID MW-7
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		12/30/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746G
 Sample ID MW-7
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/30/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		12/30/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		12/30/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		12/30/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		12/30/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/30/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		12/30/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		12/30/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		12/30/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		12/30/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		12/30/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.5	1	8260B		12/30/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		12/30/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		12/30/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		12/30/2010	CJR	8
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		12/30/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		12/30/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		12/30/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		12/30/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		12/30/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
Tetrachloroethene	< 0.43	ug/l	0.43	1.4	1	8260B		12/30/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		12/30/2010	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/30/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		12/30/2010	CJR	1
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		12/30/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Trichloroethene (TCE)	10	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		12/30/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		12/30/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		12/30/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B		12/30/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		12/30/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		12/30/2010	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746G
 Sample ID MW-7
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/30/2010	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/30/2010	CJR	1

Lab Code 5021746H
 Sample ID PZ-1
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	----------	---------	------

Organic
 VOC's

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		12/30/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		12/30/2010	CJR	1
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/30/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		12/30/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		12/30/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		12/30/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		12/30/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/30/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		12/30/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		12/30/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		12/30/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		12/30/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		12/30/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethane	4.9	ug/l	0.69	2.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethene	1.8 "J"	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
cis-1,2-Dichloroethene	24.9	ug/l	0.78	2.5	1	8260B		12/30/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		12/30/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		12/30/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		12/30/2010	CJR	8
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		12/30/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		12/30/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		12/30/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		12/30/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		12/30/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
Tetrachloroethene	< 0.43	ug/l	0.43	1.4	1	8260B		12/30/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746H
 Sample ID PZ-1
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/30/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		12/30/2010	CJR	1
1,1,1-Trichloroethane	14.3	ug/l	0.53	1.7	1	8260B		12/30/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Trichloroethene (TCE)	660	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		12/30/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		12/30/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Vinyl Chloride	0.55 "J"	ug/l	0.19	0.61	1	8260B		12/30/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B		12/30/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		12/30/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		12/30/2010	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		12/30/2010	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		12/30/2010	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/30/2010	CJR	1

Lab Code 5021746I
 Sample ID PZ-2
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		12/30/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		12/30/2010	CJR	1
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/30/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		12/30/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		12/30/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		12/30/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		12/30/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/30/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		12/30/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		12/30/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		12/30/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		12/30/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		12/30/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.5	1	8260B		12/30/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		12/30/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		12/30/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		12/30/2010	CJR	8
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		12/30/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746I
 Sample ID PZ-2
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		12/30/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		12/30/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		12/30/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		12/30/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
Tetrachloroethene	< 0.43	ug/l	0.43	1.4	1	8260B		12/30/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		12/30/2010	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/30/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		12/30/2010	CJR	1
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		12/30/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Trichloroethene (TCE)	1.9	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		12/30/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		12/30/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		12/30/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B		12/30/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		12/30/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		12/30/2010	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		12/30/2010	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		12/30/2010	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/30/2010	CJR	1

Lab Code 5021746J
 Sample ID PZ-3
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		12/30/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		12/30/2010	CJR	1
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/30/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		12/30/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		12/30/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		12/30/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		12/30/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/30/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		12/30/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		12/30/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746J
 Sample ID PZ-3
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B	12/30/2010	12/30/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B	12/30/2010	12/30/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B	12/30/2010	12/30/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B	12/30/2010	12/30/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B	12/30/2010	12/30/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B	12/30/2010	12/30/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B	12/30/2010	12/30/2010	CJR	1
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.5	1	8260B	12/30/2010	12/30/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B	12/30/2010	12/30/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B	12/30/2010	12/30/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B	12/30/2010	12/30/2010	CJR	8
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B	12/30/2010	12/30/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B	12/30/2010	12/30/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B	12/30/2010	12/30/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B	12/30/2010	12/30/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B	12/30/2010	12/30/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	12/30/2010	12/30/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B	12/30/2010	12/30/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B	12/30/2010	12/30/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B	12/30/2010	12/30/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B	12/30/2010	12/30/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B	12/30/2010	12/30/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/30/2010	12/30/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B	12/30/2010	12/30/2010	CJR	1
Tetrachloroethene	< 0.43	ug/l	0.43	1.4	1	8260B	12/30/2010	12/30/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B	12/30/2010	12/30/2010	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B	12/30/2010	12/30/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B	12/30/2010	12/30/2010	CJR	1
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B	12/30/2010	12/30/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/30/2010	12/30/2010	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B	12/30/2010	12/30/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/30/2010	12/30/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B	12/30/2010	12/30/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B	12/30/2010	12/30/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B	12/30/2010	12/30/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B	12/30/2010	12/30/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B	12/30/2010	12/30/2010	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B	12/30/2010	12/30/2010	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B	12/30/2010	12/30/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B	12/30/2010	12/30/2010	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B	12/30/2010	12/30/2010	CJR	1

Lab Code 5021746K
 Sample ID DUP
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/30/2010	12/30/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B	12/30/2010	12/30/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B	12/30/2010	12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746K
 Sample ID DUP
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/30/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		12/30/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		12/30/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		12/30/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		12/30/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/30/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		12/30/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		12/30/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		12/30/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		12/30/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		12/30/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.5	1	8260B		12/30/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		12/30/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		12/30/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		12/30/2010	CJR	8
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		12/30/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		12/30/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		12/30/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		12/30/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		12/30/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
Tetrachloroethene	< 0.43	ug/l	0.43	1.4	1	8260B		12/30/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		12/30/2010	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/30/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		12/30/2010	CJR	1
1,1,1-Trichloroethane	3.4	ug/l	0.53	1.7	1	8260B		12/30/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		12/30/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		12/30/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		12/30/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B		12/30/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		12/30/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		12/30/2010	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746K
 Sample ID DUP
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/30/2010	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		12/30/2010	CJR	1

Lab Code 5021746L
 Sample ID EQUIP
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	----------	---------	------

Organic
 VOC's

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		12/30/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		12/30/2010	CJR	1
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/30/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		12/30/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		12/30/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		12/30/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		12/30/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/30/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		12/30/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		12/30/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		12/30/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		12/30/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		12/30/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.5	1	8260B		12/30/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		12/30/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		12/30/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		12/30/2010	CJR	8
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		12/30/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		12/30/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		12/30/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		12/30/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		12/30/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
Tetrachloroethene	< 0.43	ug/l	0.43	1.4	1	8260B		12/30/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746L
 Sample ID EQUIP
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/30/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		12/30/2010	CJR	1
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		12/30/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		12/30/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		12/30/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		12/30/2010	CJR	1
m&p-Xylenc	< 1.1	ug/l	1.1	3.6	1	8260B		12/30/2010	CJR	1
o-Xylenc	< 0.52	ug/l	0.52	1.7	1	8260B		12/30/2010	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		12/30/2010	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		12/30/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		12/30/2010	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/30/2010	CJR	1

Lab Code 5021746M
 Sample ID TB
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
Bromobenzene	< 1	ug/l	1	3.3	1	8260B		12/30/2010	CJR	1
Bromodichloromethane	< 0.64	ug/l	0.64	2	1	8260B		12/30/2010	CJR	1
Bromoform	< 0.39	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
tert-Butylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		12/30/2010	CJR	1
sec-Butylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		12/30/2010	CJR	1
n-Butylbenzene	< 0.94	ug/l	0.94	3	1	8260B		12/30/2010	CJR	1
Carbon Tetrachloride	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Chlorobenzene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Chloroethane	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
Chloroform	< 0.32	ug/l	0.32	1	1	8260B		12/30/2010	CJR	1
Chloromethane	< 1.2	ug/l	1.2	3.8	1	8260B		12/30/2010	CJR	1
2-Chlorotoluene	< 0.51	ug/l	0.51	1.6	1	8260B		12/30/2010	CJR	1
4-Chlorotoluene	< 0.74	ug/l	0.74	2.3	1	8260B		12/30/2010	CJR	1
1,2-Dibromo-3-chloropropane	< 1.9	ug/l	1.9	6.2	1	8260B		12/30/2010	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.4	1	8260B		12/30/2010	CJR	1
1,4-Dichlorobenzene	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
1,3-Dichlorobenzene	< 0.79	ug/l	0.79	2.5	1	8260B		12/30/2010	CJR	1
1,2-Dichlorobenzene	< 0.84	ug/l	0.84	2.7	1	8260B		12/30/2010	CJR	1
Dichlorodifluoromethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
1,2-Dichloroethane	< 0.38	ug/l	0.38	1.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethane	< 0.69	ug/l	0.69	2.2	1	8260B		12/30/2010	CJR	1
1,1-Dichloroethene	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.5	1	8260B		12/30/2010	CJR	1
trans-1,2-Dichloroethene	< 1.3	ug/l	1.3	4.1	1	8260B		12/30/2010	CJR	1
1,2-Dichloropropane	< 0.34	ug/l	0.34	1.1	1	8260B		12/30/2010	CJR	1
2,2-Dichloropropane	< 0.46	ug/l	0.46	1.5	1	8260B		12/30/2010	CJR	8
1,3-Dichloropropane	< 0.97	ug/l	0.97	3.1	1	8260B		12/30/2010	CJR	1
Di-isopropyl ether	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1

Project Name SUPERIOR HEALTH LINENS
 Project # 10724

Invoice # E21746

Lab Code 5021746M
 Sample ID TB
 Sample Matrix Water
 Sample Date 12/23/2010

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.95	ug/l	0.95	3	1	8260B		12/30/2010	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Hexachlorobutadiene	< 1.8	ug/l	1.8	5.9	1	8260B		12/30/2010	CJR	1
Isopropylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		12/30/2010	CJR	1
p-Isopropyltoluene	< 0.91	ug/l	0.91	2.9	1	8260B		12/30/2010	CJR	1
Methylene chloride	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.25	ug/l	0.25	0.8	1	8260B		12/30/2010	CJR	1
Naphthalene	< 2.4	ug/l	2.4	7.7	1	8260B		12/30/2010	CJR	1
n-Propylbenzene	< 0.67	ug/l	0.67	2.1	1	8260B		12/30/2010	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		12/30/2010	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.2	1	8260B		12/30/2010	CJR	1
Tetrachloroethene	< 0.43	ug/l	0.43	1.4	1	8260B		12/30/2010	CJR	1
Toluene	< 0.72	ug/l	0.72	2.3	1	8260B		12/30/2010	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/30/2010	CJR	1
1,2,3-Trichlorobenzene	< 2.8	ug/l	2.8	8.8	1	8260B		12/30/2010	CJR	1
1,1,1-Trichloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		12/30/2010	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		12/30/2010	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		12/30/2010	CJR	1
Trichlorofluoromethane	< 0.56	ug/l	0.56	1.8	1	8260B		12/30/2010	CJR	1
1,2,4-Trimethylbenzene	< 0.65	ug/l	0.65	2.1	1	8260B		12/30/2010	CJR	1
1,3,5-Trimethylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		12/30/2010	CJR	1
Vinyl Chloride	< 0.19	ug/l	0.19	0.61	1	8260B		12/30/2010	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.6	1	8260B		12/30/2010	CJR	1
o-Xylene	< 0.52	ug/l	0.52	1.7	1	8260B		12/30/2010	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/30/2010	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/30/2010	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		12/30/2010	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		12/30/2010	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code	Comment
1	Laboratory QC within limits.
8	Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature Michael J. Ricker

CHAIN OF CUSTODY RECORD



Chain # 8970

Page 1 of 2

Synergy Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: _____
Project #: 10724
Sampler: (signature) *David Bailey*

Project (Name / Location): *Superior Health Linens, Cudahy, WI*
Reports To: *Mary Trotta* Invoice To: _____
Company: *Sigma Env* Company: _____
Address: *1300 W. Canal St.* Address: _____
City State Zip: *Milw. WI 53233* City State Zip: _____
Phone: *414-643-4200* Phone: _____
FAX: _____ FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date Time		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	PVOC (EPA 8021)	VOC (EPA 8260)	VOC DW (EPA 524.2)	PAH (EPA 8270)	Total Suspended Solids	Lead	PID/FID	
5021746A	MW-1	12-23-10	11:40		G	N	3	GW	HCL										
B	MW 2		11:20										X						
C	MW 3		12:00										X						
D	MW 4		1:00										X						
E	MW 5		1:20										X						
F	MW 6		8:50										X						
G	MW 7		11:00										X						
H	P2-1		12:20										X						
I	P2-2		1:50										X						
J	P2-3		8:30										X						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: *Dunham*
Temp. of Temp. Blank: _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *David Bailey* Time: *4:00 PM* Date: *12-23-10*
Received in Laboratory By: *Mark [Signature]* Time: *8:30* Date: *12-28-10*

CHAIN OF CUSTODY RECORD



Environmental Lab, Inc.

Chain # 8971

Page 2 of 2

Lab I.D. # _____
 Account No. : _____ Quote No.: _____
 Project #: 10724
 Sampler: (signature) *David Daily*

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location): *Superior Health Linens, Cudahy, WI*
 Reports To: *Mary Trotta* Invoice To: _____
 Company: *Sigma Env.* Company: _____
 Address: *1300 W. Canal St* Address: _____
 City State Zip: *Milw. WI* City State Zip: _____
 Phone: *414-643-4200* Phone: _____
 FAX: _____ FAX: _____

Analysis Requested										Other Analysis										PID/ FID
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	PVOC (EPA 8021)	VOC (EPA 8260)	VOC DW (EPA 524.2)	PAH (EPA 8270)	Total Suspended Solids	Lead													

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5021716 K	Dup	12-23-10	-		G	N	3	GW	HCL
L	Equip.		-		-	N	2	-	I
M	Trip		-		-	N	1	-	I

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: *Overnight*
 Temp. of Temp. Blank: On Ice _____
 Cooler seal intact upon receipt: Yes No

Relinquished By: (signature) *David Daily* Time: *4:00* Date: *12-23-10*
 Received in Laboratory By: *[Signature]* Time: *8:30* Date: *12-28-10*