From: Grittner, Paul V - DNR

Sent: Wednesday, January 05, 2022 9:23 AM

To: Wilson, Matthew

**Subject:** RE: Cudahy, WI - Superior Health Linens

Matthew,

We have received the submittal. It will not be posted on BOTW until the fee is received.

A few questions about the request:

- 1) Can you email a copy of the laboratory report for samples collected on 10/29/21? It appears that a lab report for a different project was accidentally attached in its place.
- 2) The contaminant concentrations for samples collected on 11/15/21 listed in the lab report and on the tables and figures are not the same. Is this there a reason for this or do the tables and figures need to be corrected?

#### We are committed to service excellence.

Visit our survey at <a href="http://dnr.wi.gov/customersurvey">http://dnr.wi.gov/customersurvey</a> to evaluate how I did.

# **Paul Grittner**

Phone: (414) 405-0764 paul.grittner@wisconsin.gov

From: Wilson, Matthew <Matthew Wilson2@golder.com>

Sent: Tuesday, January 04, 2022 3:09 PM

**To:** Grittner, Paul V - DNR < <a href="mailto:Paul.Grittner@wisconsin.gov">Paul.Grittner@wisconsin.gov</a>>

**Subject:** Cudahy, WI - Superior Health Linens

CAUTION: This email originated from outside the organization.

Do not click links or open attachments unless you recognize the sender and know the content is safe.

# Paul,

Following up on our discussion last week on the technical assistance request for the waste evaluation at the Superior Health Linens site. I submitted the haz waste form and supporting documentation last week but have not seen the submittal appear on the "BRRTS On The Web" site yet. Please let me know if the submittal was successful. The payment is processing within Golder/WSP's system (held up by all payment systems changing on January 1<sup>st</sup>) and should be mailed this week. Thank you.

# Matthew Wilson, PG

Project Engineer



Golder Associates USA Inc.
1133 Quail Court, Suite 115, Pewaukee, Wisconsin, USA 53072
T: +1 262-347-0561 | D: +1 262-347-0561 x24161 | C: +1 262-212-4727 | golder.com

LinkedIn | Instagram | Facebook | Twitter

# Work Safe, Home Safe

This email transmission is confidential and may contain proprietary information for the exclusive use of the intended recipient. Any use, distribution or copying of this transmission, other than by the intended recipient, is strictly prohibited. If you are not the intended recipient, please notify the sender and delete all copies. Electronic media is susceptible to unauthorized modification, deterioration, and incompatibility. Accordingly, the electronic media version of any work product may not be relied upon.

Golder and the G logo are trademarks of Golder Associates Corporation

Please consider the environment before printing this email.