

Notice: This voluntary form is intended as an aid for use by Generators and Responsible Parties in determining whether *contaminated soil or groundwater and wastes* encountered or generated during the remediation of contaminated sites in Wisconsin are or would be listed or characteristic hazardous wastes subject to regulation under ch. 291, Wis. Stats. and chs. NR 600 to 690, Wis. Adm. Code. There are no penalties for failure to provide information requested. Personally identifiable information collected will be used for program management. Wisconsin's Open Records law requires the Department to provide this information upon request [ss. 19.31 - 19.69, Wis. Stats.].

Listing determinations are often particularly difficult in the remedial context because the listings are generally identified by the sources of the hazardous wastes rather than the concentrations of various hazardous constituents. Therefore, analytical testing alone, without information on a waste's source, will not generally produce information that will conclusively indicate whether a given waste is a listed hazardous waste. Generators and Responsible Parties should use available site information such as material safety data sheets (MSDS's), manifests, vouchers, bills of lading, sales and inventory records, accident reports, spill reports, inspection reports, and other available information. It may also be necessary to conduct interviews of current or former personnel who would have knowledge of the processes and hazardous materials used including waste handling or past spills in an effort to ascertain the sources of wastes or contaminants.

Where a person makes a good faith effort to determine if a material is a listed hazardous waste but cannot make such a determination because documentation regarding a source of contamination, contaminant, or waste is unavailable or inconclusive, EPA has stated that one may assume the source, contaminant or waste is not listed hazardous waste and, therefore, provided the material in question does not exhibit a characteristic of hazardous waste, RCRA requirements do not apply.

Generator Information

Generator's Name Kevin Peterburs, Union Pacific Railroad Company	Preparer's Name Matthew Wilson, Golder Associates Inc.
Address 4823 North 119th Street	Address 1133 Quail Court, Suite 115
City, State and ZIP Code Milwaukee, WI 53225	City, State and ZIP Code Pewaukee, WI 53072
Telephone Number 414-267-4164	Telephone Number 262-212-4727

Site Information

Site Name Superior Linens	Other name(s) site is known by BRRTS No. 02-41-532649
Address 5005 S Packard Ave	County Milwaukee

Located in the City, Town or Village ZIP Code

Cudahy, 53110

Hazardous Waste Determination Information Reviewed

Listed Hazardous Waste Determination

Manifests reviewed <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> None Found <input type="checkbox"/> None Available	Vouchers reviewed <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> None Found <input type="checkbox"/> None Available
Bills of lading reviewed <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> None Found <input type="checkbox"/> None Available	Sales and inventory records reviewed <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> None Found <input type="checkbox"/> None Available
Material safety data sheets <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> None Found <input type="checkbox"/> None Available	Accident reports reviewed <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> None Found <input type="checkbox"/> None Available
Spill reports reviewed <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> None Found <input type="checkbox"/> None Available	Inspection reports reviewed <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> None Found <input type="checkbox"/> None Available
DNR's case files reviewed <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> None Found <input type="checkbox"/> None Available	Interviewed current and/or former employees who are likely to know about the use and/or disposal of the chemical or waste of concern (not just managers). <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> None Found <input type="checkbox"/> None Available

Remediation Site Hazardous Waste Determination

Form 4430-019 (R 4/03)

Page 2 of 2

Hazardous Waste Determination Information Reviewed (continued)

Other information considered (provide description)

Yes No None Found None Available

The material to be disposed of is approximately 145 cubic yards of soil impacted with trichloroethene (TCE) concentrations that exceeded the WDNR industrial direct contact levels. VOC TCLP testing was conducted on a composite soil sample collected from three locations within the excavation area, including the location with the highest TCE concentration, to assess the toxicity characteristics. In the TCLP sample no analytes were recorded above the laboratory method detection limit.

Since TCE is considered a non-flammable chlorinated solvent, the impacted soils are not likely to be considered flammable. Other flammable analytes detected in soil samples from the area to be excavated were found to be below the laboratory method detection limits or at low concentrations below the applicable residential direct contact RCL; at maximum benzene and DCE account for 0.0037% and 0.010% of the weight of the excavated soil, respectively, for example.

SMA and UPRR have found no recorded uses or spills of chlorinated solvents on the properties as a source for the soil with TCE presence. Please see SMA's February 21, 2020 Site Investigation / Remedial Action Options and Remedial Design Report for additional site details.

The Superior Health Linens is an industrial laundry facility that has never performed dry cleaning according to the owners of the facility. Two spills have been recorded on the Superior Health Linens property; neither spill contained chlorinated solvents nor were near the area of the planned excavation. The Superior Health Linens site had a gasoline spill site associated with a former gasoline service station that has been remediated and closed (BRRTS 03-41-002376). The Superior Health Linens site had fuel ASTs removed in 1970; DRO concentrations were found in the AST area that has been closed (BRRTS 02-41-305879).

The UPRR property consists of a right-of-way (ROW) with a main rail and siding that has an embankment and drainage ditch along the UPRR ROW and Superior Health Linens property boundary. There have been no known spills on the UPRR ROW property. The samples collected indicate the highest concentrations of CVOC are near the eastern property boundary at an elevation above the centerline of the drainage ditch.

Based on the site history with no known uses or spills of chlorinated solvents, non-detect TCLP VOC results, and low concentrations of other VOC analytes, it is Golder's opinion that the soil once excavated can be classified as a non-hazardous waste.

Characteristic Hazardous Waste Determination

Identified location(s)

See Attachment 1 for Figure 1 and 2. TCE concentrations exceeding the industrial direct contact limit in the upper 4 feet of soil were found in an area approximately 125 feet by 9 feet along the edge of the pavement. The area was delineated to the north, west, and south with samples collected via hand augers. The area to the east is capped with an asphalt surface that is considered an engineered barrier.

Testing results


11 sample locations were found to have TCE concentrations exceeding the industrial direct contact limit. See Attachment 2 for soil analytical results. Table 1 contains the VOC analyses for the samples collected by Golder. Table 2 contains the VOC TCLP analysis where no analytes were recorded above the laboratory method detection limit. The TCLP sample was a composite of soil selected from the HA-10 (0-1 ft), HA-16 (1-2 ft), and HA-21 (1-2ft) sample locations and depths as a representative sample for the excavation area that includes the sample with the highest TCE concentration, HA-16 (1-2ft). Attachment 3 contains the full laboratory reports.

Certification

I certify that the information documented above in the "Information reviewed to make a hazardous waste determination" section was developed and used as part of a good faith effort to make a hazardous waste determination. Reasonable diligence was used in collecting the information, evaluating the information, and using the compiled information. I certify that this document is true and correct to the best of my knowledge, and that I have authority to make this certification.

Name and Title Kevin Peterburs, Site Remediation Manager, Union Pacific Railroad Company


Signature



Date

12/29/2021

Attachment 1
Excavation Area Figures



REV. YYYY-MM-DD DESCRIPTION

CLIENT

UNION PACIFIC RAILROAD COMPANY
ENVIRONMENTAL SITE REMEDIATION

CONSULTANT



GOLDER - PEWAUKEE
1133 QUAIL CT, SUITE 115
PEWAUKEE, WI 53072
USA
262-212
www.golder.com

DESIGNED PREPARED REVIEWED APPROVED

PROJECT

SUPERIOR LINENS REMEDIATION
UPRR RIGHT-OF-WAY
CUDAHY, WISCONSIN

TITLE


SOIL ANALYTICAL RESULTS

PROJECT NO.
20140391

TASK
240

REV.
C
1 of 2

SHEET
1



NOTES

1. PRE-CONSTRUCTION SURVEY CONDUCTED BY BENESCH ON JULY 2021 COLLECTED GROUND SURFACE ELEVATION, RAIL LOCATION, AND SITE FEATURES.
2. EXCAVATION LIMITS, AND 2016 BOREHOLE LOCATIONS AND ANALYTICAL RESULTS AS SPECIFIED BY SMA'S FEBRUARY 21, 2020 SITE INVESTIGATION / REMEDIAL ACTION OPTIONS AND REMEDIAL DESIGN REPORT.
3. WISCONSIN DIGGERS HOTLINE TICKET MUST BE VALID PRIOR TO GROUND DISTURBANCE WORK COMMENCING: (800) 242-8511.
4. UPRR CALL BEFORE YOU DIG (CBUD) FIELD TICKET MUST BE VALID PRIOR TO GROUND DISTURBANCE WORK COMMENCING: (800) 336-9193.
5. PRIVATE LOCATE REQUIRED BEFORE GROUND DISTURBANCE WORK COMMENCING. SOFT DIG SERVICES MAY BE REQUIRED IF UTILITIES ARE LOCATED WITHIN THE PLANNED EXCAVATION AREA.

LEGEND	
	RAILS (SEE NOTE 1)
	RAIL LINE CENTERLINE
	DRAINAGE CENTERLINE
	PROPERTY LINE
	EDGE OF PAVEMENT
	SLOPE BREAKS
	TEMPORARY WORKSPACE LIMIT
	EXCAVATION LIMITS
	TREE
	MONITOR WELL
	2016 BOREHOLE
	UTILITY POLE
	2021 HAND AUGER LOCATION

REV. YYYY-MM-DD	DESCRIPTION	DESIGNED	PREPARED	REVIEWED	APPROVED
SEAL					
CLIENT	UNION PACIFIC RAILROAD COMPANY ENVIRONMENTAL SITE REMEDIATION				
CONSULTANT	GOLDER - PEWAUKEE 1133 QUAIL CT, SUITE 115 PEWAUKEE, WI 53072 USA 262-212 www.golder.com				
PROJECT	SUPERIOR LINENS REMEDIATION UPRR RIGHT-OF-WAY CUDAHY, WISCONSIN				
TITLE	EXCAVATION LIMITS				
PROJECT NO.	20140391	REV.	2 of 2		
	240	C			

Attachment 2
Analytical Data Tables

UPRR Superior Health Linens
Cudahy, WI

Table 1 - Soil VOC Results

Boring/Well Number Sample Name Sample Date Sample Location/ Sample Depth	EPA Risk-Based Screening Level ¹			HA-1			HA-2			HA-3			HA-4		
	Groundwater Pathway	Direct Contact		SO-2812-HA1 (0-1)-291021 10/29/2021 HA-1 (0-1 ft)	SO-2812-HA1 (3-4)-291021 10/29/2021 HA-1 (3-4 ft)	SO-2812-HA1 DUP-291021 10/29/2021 HA-1 (3-4 ft)	SO-2812-HA2 (1-2)-291021 10/29/2021 HA-2 (1-2 ft)	SO-2812-HA2 (3-4)-291021 10/29/2021 HA-2 (3-4 ft)	SO-2812-HA3 (0-1)-291021 10/29/2021 HA-3 (0-1 ft)	SO-2812-HA3 (3-4)-291021 10/29/2021 HA-3 (3-4 ft)	SO-2812-HA4 (1-2)-291021 10/29/2021 HA-4 (1-2 ft)	SO-2812-HA4 (2-3)-291021 10/29/2021 HA-4 (2-3 ft)			
		Non-Industrial	Industrial												
PID	ppm/v														
1,1,1,2-Tetrachloroethane	mg/kg	53.3	2590	12900	<0.166	J3	<0.0975	<0.0960	<0.238	<0.0966	<0.187	<0.0915	<0.189	<0.103	
1,1,1-Trichloroethane	mg/kg	140.2	640000	640000	<0.162	J3	<0.0951	<0.0936	1.17	0.0744	J	0.116	J	0.465	
1,1,2,2-Tetrachloroethane	mg/kg	0.2	753	3690	<0.122	J3	<0.0716	<0.0705	<0.175	<0.0709	<0.136	<0.0671	<0.139	<0.0752	
1,1,2-Trichloroethane	mg/kg	3.2	1480	7340	<0.104		<0.0614	<0.0604	<0.150	<0.0608	<0.117	<0.0575	<0.120	<0.0646	
1,1-Dichloroethane	mg/kg	483.6	4720	23700	<0.0857	J3	<0.0506	<0.0498	<0.123	<0.0501	<0.0964	<0.0475	<0.0984	<0.0531	
1,1-Dichloroethene	mg/kg	5	342000	1190000	<0.106	J3	<0.0626	<0.0616	<0.152	<0.0620	<0.119	<0.0587	<0.121	<0.0657	
1,1-Dichloropropene	mg/kg	NES	NES	NES	<0.142	J3	<0.0831	<0.0818	<0.202	<0.0823	<0.159	<0.0779	<0.162	<0.0873	
1,2,3-Trichlorobenzene	mg/kg	NES	48900	493000	<1.28	C4	<0.753	C4	<0.742	C4	<1.84	C4	<0.746	C4	
1,2,3-Trichloropropane	mg/kg	52	5	95	<0.283	J3	<0.167	<0.164	<0.406	<0.165	<0.319	<0.156	<0.325	<0.176	
1,2,4-Trichlorobenzene	mg/kg	408	22100	98700	<0.770		<0.453	<0.446	<1.10	<0.449	<0.863	<0.425	<0.881	<0.476	
1,2,4-Trimethylbenzene	mg/kg	1.379	219	219	<0.276		<0.163	<0.160	0.207	J	<0.161	0.122	J	<0.153	
1,2-Dibromo-3-chloropropane	mg/kg	0.0002	0.008	0.099	<0.682	J3	<0.401	<0.395	<0.977	<0.397	<0.767	<0.376	<0.781	<0.421	
1,2-Dibromoethane	mg/kg	0.00003	0.047	0.23	<0.113	J3	<0.0667	<0.0656	<0.163	<0.0660	<0.127	<0.0625	<0.130	<0.0700	
1,2-Dichlorobenzene	mg/kg	1.168	376	376	<0.0747	J3	<0.0436	<0.0429	<0.106	<0.0431	<0.0836	<0.0409	<0.0851	<0.0460	
1,2-Dichloroethane (1,2-DCA)	mg/kg	0.0028	0.608	3.03	<0.114	J3	<0.0667	<0.0656	<0.163	<0.0660	<0.128	<0.0625	<0.130	<0.0700	
1,2-Dichloropropane	mg/kg	0.0033	1.33	6.62	<0.248	J3	<0.146	<0.143	<0.356	<0.144	<0.279	<0.137	<0.284	<0.153	
1,3,5-Trimethylbenzene	mg/kg	1.379	182	182	<0.350	J3	<0.206	<0.203	<0.501	<0.204	<0.393	<0.193	<0.401	<0.216	
1,3-Dichlorobenzene	mg/kg	1.152	297	297	<0.105	J3	<0.0617	<0.0608	<0.150	<0.0611	<0.118	<0.0579	<0.120	<0.0649	
1,3-Dichloropropane	mg/kg	NES	1490	1490	<0.0875	J3	<0.0515	<0.0507	<0.125	<0.0510	<0.0985	<0.0483	<0.101	<0.0543	
1,4-Dichlorobenzene	mg/kg	0.144	3.48	17.5	<0.122	J3	<0.0720	<0.0709	<0.175	<0.0713	<0.138	<0.0675	<0.141	<0.0759	
2,2-Dichloropropane	mg/kg	NES	527	527	<0.241	C3	<0.142	C3	<0.345	C3	<0.141	C3	<0.271	C3	
2-Chlorotoluene	mg/kg	NES	907	907	<0.152	J3	<0.0889	<0.0875	<0.216	<0.0880	<0.170	<0.0834	<0.173	<0.0936	
4-Chlorotoluene	mg/kg	NES	253	253	<0.0787	J3	<0.0465	<0.0458	<0.113	<0.0461	<0.0886	<0.0436	<0.0900	<0.0487	
Benzene	mg/kg	0.0051	1.6	7.07	<0.0817	J3	<0.0481	<0.0474	0.0415	J	<0.0477	<0.0917	<0.0452	0.0311	
Bromobenzene	mg/kg	NES	354	679	<0.157	J3	<0.0926	<0.0912	<0.225	<0.0917	<0.177	<0.0868	<0.181	<0.0976	
Bromodichloromethane	mg/kg	0.0003	0.39	1.96	<0.127	J3	<0.0744	<0.0733	<0.181	<0.0737	<0.143	<0.0698	<0.146	<0.0782	
Bromoform	mg/kg	0.0023	61.6	218	<0.205	J3	<0.121	<0.119	<0.293	<0.119	<0.230	<0.113	<0.234	<0.126	
Bromomethane	mg/kg	0.0051	10.3	46	<0.345	J3	<0.202	<0.199	<0.494	<0.200	<0.387	<0.190	<0.395	<0.214	
Carbon Tetrachloride	mg/kg	0.0039	0.854	4.25	<0.157	J3 J6	<0.0926	<0.0912	<0.225	<0.0917	<0.177	<0.0868	<0.179	<0.0971	
Chlorobenzene	mg/kg	NES	392	761	<0.0367	J3	<0.0216	<0.0213	<0.0526	<0.0214	<0.0413	<0.0203	<0.0420	<0.0228	
Chlorodibromomethane	mg/kg	0.032	0.933	4.4	<0.107	J3	<0.0630	<0.0620	<0.153	<0.0623	<0.120	<0.0590	<0.122	<0.0661	
Chloroethane	mg/kg	0.2266	2120	2120	<0.297	J3	<0.175	<0.173	<0.426	<0.174	<0.334	<0.164	<0.340	<0.184	
Chloroform	mg/kg	0.0033	0.423	2.13	<0.180	J3	<0.106	<0.105	<0.258	<0.105	<0.202	<0.0996	<0.207	<0.111	
Chloromethane	mg/kg	0.0155	171	720	<0.765	J3	<0.448	<0.441	<1.09	<0.444	<0.855	<0.420	<0.872	<0.472	
cis-1,2-Dichloroethene (DCE)	mg/kg	0.0412	156	2040	<0.128	J3	0.0264	J	0.0289	J	0.32	0.0883	<0.144	0.215	
cis-1,3-Dichloropropene	mg/kg	0.0003	1220	1220	<0.132	J3	<0.0778	<0.0766	<0.190	<0.0770	<0.149	<0.0729	<0.152	<0.0818	

**UPRR Superior Health Linens
Cudahy, WI**
Table 1 - Soil VOC Results

Boring/Well Number Sample Name Sample Date Sample Location/ Sample Depth	EPA Risk-Based Screening Level ¹			HA-5		HA-6		HA-7		HA-8		
	Units	Groundwater Pathway	Direct Contact		SO-2812-HA5 (0-1)-291021 10/29/2021 HA-5 (0-1 ft)	SO-2812-HA5 (3-4)-291021 10/29/2021 HA-5 (3-4 ft)	SO-2812-HA6 (0-1)-291021 10/29/2021 HA-6 (0-1 ft)	SO-2812-HA6 (3-4)-291021 10/29/2021 HA-6 (3-4 ft)	SO-2812-HA7 (0-1)-291021 10/29/2021 HA-7 (0-1 ft)	SO-2812-HA7 (3-4)-291021 10/29/2021 HA-7 (3-4 ft)	SO-2812-HA8 (1-2)-291021 10/29/2021 HA-8 (1-2 ft)	SO-2812-HA8 (2-3)-291021 10/29/2021 HA-8 (2-3 ft)
			Non-Industrial	Industrial								
PID	ppm/v				0.5	0.4	0.6	2.5	0.5	0.7	3.5	2.2
1,1,1,2-Tetrachloroethane	mg/kg	53.3	2590	12900	<0.192	<0.0968	<0.0930	<0.127	<0.169	<0.0896	<0.101	<0.0975
1,1,1-Trichloroethane	mg/kg	140.2	640000	640000	<0.188	<0.0945	<0.0907	0.592	<0.164	<0.0873	0.177	0.0455
1,1,2,2-Tetrachloroethane	mg/kg	0.2	753	3690	<0.141	<0.0709	<0.0683	<0.0935	<0.124	<0.0658	<0.0746	<0.0715
1,1,2-Trichloroethane	mg/kg	3.2	1480	7340	<0.121	<0.0609	<0.0585	<0.0801	<0.106	<0.0564	<0.0639	<0.0616
1,1-Dichloroethane	mg/kg	483.6	4720	23700	<0.0999	<0.0501	<0.0483	<0.0660	<0.0873	<0.0465	<0.0524	<0.0507
1,1-Dichloroethene	mg/kg	5	342000	1190000	<0.123	<0.0621	<0.0597	<0.0816	<0.108	<0.0575	<0.0650	<0.0624
1,1-Dichloropropene	mg/kg	NES	NES	NES	<0.164	<0.0825	<0.0793	<0.109	<0.144	<0.0763	<0.0868	<0.0831
1,2,3-Trichlorobenzene	mg/kg	NES	48900	493000	<1.49	C4	<0.748	C4	<0.984	C4	<1.30	C4
1,2,3-Trichloropropane	mg/kg	52	5	95	<0.329	<0.165	<0.159	<0.217	<0.288	<0.153	<0.173	<0.167
1,2,4-Trichlorobenzene	mg/kg	408	22100	98700	<0.896	<0.451	<0.432	<0.592	<0.780	<0.416	<0.470	<0.454
1,2,4-Trimethylbenzene	mg/kg	1.379	219	219	0.149	J	<0.162	<0.155	0.133	J	<0.281	<0.150
1,2-Dibromo-3-chloropropane	mg/kg	0.0002	0.008	0.099	<0.794	<0.397	<0.383	<0.523	<0.693	<0.369	<0.416	<0.400
1,2-Dibromoethane	mg/kg	0.00003	0.047	0.23	<0.132	<0.0663	<0.0636	<0.0870	<0.115	<0.0612	<0.0692	<0.0669
1,2-Dichlorobenzene	mg/kg	1.168	376	376	<0.0864	<0.0436	<0.0416	<0.0572	<0.0758	<0.0400	<0.0455	<0.0439
1,2-Dichloroethane (1,2-DCA)	mg/kg	0.0028	0.608	3.03	<0.132	<0.0663	<0.0636	<0.0873	<0.115	<0.0612	<0.0696	<0.0669
1,2-Dichloropropane	mg/kg	0.0033	1.33	6.62	<0.288	<0.145	<0.139	<0.191	<0.252	<0.134	<0.153	<0.146
1,3,5-Trimethylbenzene	mg/kg	1.379	182	182	<0.407	<0.205	<0.197	<0.269	<0.356	<0.189	<0.215	<0.206
1,3-Dichlorobenzene	mg/kg	1.152	297	297	<0.122	<0.0613	<0.0589	<0.0804	<0.107	<0.0567	<0.0642	<0.0620
1,3-Dichloropropane	mg/kg	NES	1490	1490	<0.102	<0.0512	<0.0491	<0.0675	<0.0891	<0.0473	<0.0536	<0.0518
1,4-Dichlorobenzene	mg/kg	0.144	3.48	17.5	<0.142	<0.0717	<0.0687	<0.0942	<0.125	<0.0661	<0.0749	<0.0723
2,2-Dichloropropane	mg/kg	NES	527	527	<0.280	C3	<0.141	<0.135	<0.185	<0.245	<0.130	<0.148
2-Chlorotoluene	mg/kg	NES	907	907	<0.176	<0.0882	<0.0848	<0.117	<0.154	<0.0816	<0.0926	<0.0893
4-Chlorotoluene	mg/kg	NES	253	253	<0.0915	<0.0459	<0.0444	<0.0606	<0.0800	<0.0428	<0.0482	<0.0465
Benzene	mg/kg	0.0051	1.6	7.07	<0.0947	<0.0478	<0.0459	0.0221	J	<0.0832	<0.0442	<0.0501
Bromobenzene	mg/kg	NES	354	679	<0.183	<0.0922	<0.0883	<0.121	<0.161	<0.0850	<0.0964	<0.0927
Bromodichloromethane	mg/kg	0.0003	0.39	1.96	<0.148	<0.0740	<0.0710	<0.0976	<0.129	<0.0684	<0.0777	<0.0749
Bromoform	mg/kg	0.0023	61.6	218	<0.238	<0.119	<0.115	<0.157	<0.208	<0.111	<0.125	<0.120
Bromomethane	mg/kg	0.0051	10.3	46	<0.400	<0.201	C3	<0.193	C3	<0.264	C3	<0.351
Carbon Tetrachloride	mg/kg	0.0039	0.854	4.25	<0.183	<0.0917	<0.0883	<0.121	<0.159	<0.0850	<0.0960	<0.0927
Chlorobenzene	mg/kg	NES	392	761	<0.0426	<0.0214	<0.0206	<0.0283	<0.0374	<0.0198	<0.0225	<0.0217
Chlorodibromomethane	mg/kg	0.032	0.933	4.4	<0.124	<0.0624	<0.0601	<0.0824	<0.109	<0.0578	<0.0654	<0.0632
Chloroethane	mg/kg	0.2266	2120	2120	<0.346	<0.173	<0.167	<0.229	<0.302	<0.161	<0.182	<0.175
Chloroform	mg/kg	0.0033	0.423	2.13	<0.209	<0.105	<0.101	<0.138	<0.183	<0.0975	<0.110	<0.106
Chloromethane	mg/kg	0.0155	171	720	<0.882	<0.443	<0.428	<0.584	<0.772	<0.412	<0.467	<0.450
cis-1,2-Dichloroethene (DCE)	mg/kg	0.0412	156	2040	<0.149	<0.0752	<0.0722	0.344	<0.131	<0.0695	0.0774	J <0.0757
cis-1,3-Dichloropropene	mg/kg	0.0003	1220	1220	<0.153	<0.0775	<0.0742	<0.102	<0.134	<0.0714	<0.0811	<0.0779
Dibromomethane	mg/kg	NES	35	151	<0.152	<0.0767	<0.0738	<0.101	<0.133	<0.0711	<0.0803	<0.077

**UPRR Superior Health Linens
Cudahy, WI**
Table 1 - Soil VOC Results

Boring/Well Number Sample Name Sample Date Sample Location/ Sample Depth	EPA Risk-Based Screening Level ¹			HA-9				HA-10				HA-11						
	Units	Groundwater Pathway	Direct Contact		SO-2812-HA9 (0-1)-291021 10/29/2021 HA-9 (0-1 ft)		SO-2812-HA9 (3-4)-291021 10/29/2021 HA-9 (3-4 ft)		SO-2812-HA10 (0-1)-291021 10/29/2021 HA-10 (0-1 ft)		SO-2812-HA10 (3-4)-291021 10/29/2021 HA-10 (3-4 ft)		SO-2812-HA11 (1-2)-151121 11/15/2021 HA-11 (1-2 ft)		SQ-2812-HA11 DUP-151121 11/15/2021 HA-11 (1-2 ft) Dup		SO-2812-HA11 (3-4)-151121 11/15/2021 HA-11 (3-4 ft)	
			Non-Industrial	Industrial														
PID	ppm/v				0.6	0.6	1.4	5.6										
1,1,1,2-Tetrachloroethane	mg/kg	53.3	2590	12900	<0.137	<0.0945	J4	<0.105	J4	<0.0913	J4	<0.107	J4	<0.0929	<0.0859	<0.0723		
1,1,1-Trichloroethane	mg/kg	140.2	640000	640000	0.766	0.043	J J4	0.306	C5 J4	0.0881	J J4	0.0522	J J4	<0.0929	<0.0859	<0.0723		
1,1,2,2-Tetrachloroethane	mg/kg	0.2	753	3690	<0.100	<0.0694	C3	<0.0775	C3	<0.0670	C3	<0.0783	C3	<0.0929	<0.0859	<0.0723		
1,1,2-Trichloroethane	mg/kg	3.2	1480	7340	<0.0860	<0.0595		<0.0665		<0.0574		<0.0671		<0.0929	<0.0859	<0.0723		
1,1-Dichloroethane	mg/kg	483.6	4720	23700	<0.0707	<0.0491		<0.0549		<0.0474		<0.0554		<0.0929	<0.0859	<0.0723		
1,1-Dichloroethene	mg/kg	5	342000	1190000	<0.0875	<0.0607		<0.0677		<0.0586		<0.0685		<0.0929	<0.0859	<0.0723		
1,1-Dichloropropene	mg/kg	NES	NES	NES	<0.117	<0.0805		<0.0900		<0.0777		<0.0909		<0.0929	<0.0859	<0.0723		
1,2,3-Trichlorobenzene	mg/kg	NES	48900	493000	<1.06	C4	<0.730	<0.819		<0.705		<0.824		<0.464	C4	<0.430	C4	
1,2,3-Trichloropropane	mg/kg	52	5	95	<0.233		<0.162	C3	<0.180	C3	<0.156	C3	<0.182	C3	<0.464	<0.430	<0.362	
1,2,4-Trichlorobenzene	mg/kg	408	22100	98700	<0.636		<0.439	J	<0.488	J4	<0.424	J4	<0.495	J	<0.464	C4	<0.430	C4
1,2,4-Trimethylbenzene	mg/kg	1.379	219	219	0.0748		<0.158		0.0533	J	<0.152		<0.178		0.136	J	<0.172	<0.145
1,2-Dibromo-3-chloropropane	mg/kg	0.0002	0.008	0.099	<0.562		<0.389		<0.433		<0.375		<0.439		<0.929	<0.859	<0.723	
1,2-Dibromoethane	mg/kg	0.00003	0.047	0.23	<0.0934		<0.0646		<0.0720		<0.0624		<0.0729		<0.0929	<0.0859	<0.0723	
1,2-Dichlorobenzene	mg/kg	1.168	376	376	<0.0613		<0.0422		<0.0476		<0.0408		<0.0477		<0.186	<0.172	<0.145	
1,2-Dichloroethane (1,2-DCA)	mg/kg	0.0028	0.608	3.03	<0.0939		<0.0646		<0.0724		<0.0624		<0.0729		<0.0929	<0.0859	<0.0723	
1,2-Dichloropropane	mg/kg	0.0033	1.33	6.62	<0.205		<0.141		<0.158		<0.136		<0.159		<0.186	<0.172	<0.145	
1,3,5-Trimethylbenzene	mg/kg	1.379	182	182	<0.289		<0.200		<0.222		<0.193		<0.225		<0.186	<0.172	<0.145	
1,3-Dichlorobenzene	mg/kg	1.152	297	297	<0.0868		<0.0598		<0.0668		<0.0578		<0.0675		<0.186	<0.172	<0.145	
1,3-Dichloropropane	mg/kg	NES	1490	1490	<0.0722		<0.0499		<0.0557		<0.0482		<0.0563		<0.186	<0.172	<0.145	
1,4-Dichlorobenzene	mg/kg	0.144	3.48	17.5	<0.101		<0.0698		<0.0780		<0.0673		<0.0787		<0.186	<0.172	<0.145	
2,2-Dichloropropane	mg/kg	NES	527	527	<0.199		<0.138		<0.154		<0.133		<0.155		<0.0929	<0.0859	<0.0723	
2-Chlorotoluene	mg/kg	NES	907	907	<0.125		<0.0861		<0.0964		<0.0832		<0.0972		<0.0929	<0.0859	<0.0723	
4-Chlorotoluene	mg/kg	NES	253	253	<0.0648		<0.0451		<0.0501		<0.0435		<0.0509		<0.186	<0.172	<0.145	
Benzene	mg/kg	0.0051	1.6	7.07	<0.0675		<0.0467		<0.0518		<0.0450		<0.0527		<0.0371	<0.0344	<0.0289	
Bromobenzene	mg/kg	NES	354	679	<0.130		<0.0897		<0.100		<0.0866		<0.101		<0.464	<0.430	<0.362	
Bromodichloromethane	mg/kg	0.0003	0.39	1.96	<0.105		<0.0721		<0.0810		<0.0697		<0.0814		<0.0929	<0.0859	<0.0723	
Bromoform	mg/kg	0.0023	61.6	218	<0.168		<0.117		<0.130		<0.113		<0.132		<0.929	<0.859	<0.723	
Bromomethane	mg/kg	0.0051	10.3	46	<0.284	C3	<0.196	J4	<0.220	J4	<0.189	J4	<0.221	J4	<0.464	<0.430	<0.362	
Carbon Tetrachloride	mg/kg	0.0039	0.854	4.25	0.106	J	<0.0897		<0.0999		<0.0866		<0.101		<0.186	<0.172	<0.145	
Chlorobenzene	mg/kg	NES	392	761	<0.0303		<0.0209		<0.0234		<0.0202		<0.0236		<0.0929	<0.0859	<0.0723	
Chlorodibromomethane	mg/kg	0.032	0.933	4.4	<0.0884		<0.0610		<0.0681		<0.0589		<0.0689		<0.0929	<0.0859	<0.0723	
Chloroethane	mg/kg	0.2266	2120	2120	<0.245		<0.170		<0.189		<0.164		<0.192		<0.186	<0.172	<0.145	
Chloroform	mg/kg	0.0033	0.423	2.13	<0.148		<0.103		<0.115		<0.0993		<0.116		<0.0929	<0.0859	<0.0723	
Chloromethane	mg/kg	0.0155	171	720	<0.628		<0.434		<0.485		<0.419		<0.490		<0.464	<0.430	<0.362	
cis-1,2-Dichloroethene (DCE)	mg/kg	0.0412	156	2040	<0.106		<0.0733											

**UPRR Superior Health Linens
Cudahy, WI**
Table 1 - Soil VOC Results

Boring/Well Number Sample Name Sample Date Sample Location/ Sample Depth	EPA Risk-Based Screening Level ¹			HA-12		HA-13		HA-14		HA-15		HA-16	
	Units	Groundwater Pathway	Direct Contact		SO-2812-HA12 (1-2)-151121 11/15/2021 HA-12 (1-2 ft)	SO-2812-HA12 (3-4)-151121 11/15/2021 HA-12 (3-4 ft)	SO-2812-HA13 (1-2)-151121 11/15/2021 HA-13 (1-2 ft)	SO-2812-HA14 (1-2)-151121 11/15/2021 HA-14 (1-2 ft)	SO-2812-HA14 (3-4)-151121 11/15/2021 HA-14 (3-4 ft)	SO-2812-HA15 (1-2)-151121 11/15/2021 HA-15 (1-2 ft)	SO-2812-HA15 (3-4)-151121 11/15/2021 HA-15 (3-4 ft)	SO-2812-HA16 (1-2)-151121 11/15/2021 HA-16 (1-2 ft)	SO-2812-HA16 (3-4)-151121 11/15/2021 HA-16 (3-4 ft)
			Non-Industrial	Industrial									
PID	ppm/v												
1,1,1,2-Tetrachloroethane	mg/kg	53.3	2590	12900	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
1,1,1-Trichloroethane	mg/kg	140.2	640000	640000	0.242	0.149	0.077	J	0.192	0.128	0.299	0.0388	J
1,1,2,2-Tetrachloroethane	mg/kg	0.2	753	3690	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
1,1,2-Trichloroethane	mg/kg	3.2	1480	7340	<0.0800	<0.0734	<0.116	0.0219	J	<0.0767	<0.136	<0.0822	<0.133
1,1-Dichloroethane	mg/kg	483.6	4720	23700	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
1,1-Dichloroethene	mg/kg	5	342000	1190000	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
1,1-Dichloropropene	mg/kg	NES	NES	NES	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
1,2,3-Trichlorobenzene	mg/kg	NES	48900	493000	<0.401	C4	<0.368	C4	<0.382	C4	<0.384	C4	<0.411
1,2,3-Trichloropropane	mg/kg	52	5	95	<0.401	C4	<0.368	C4	<0.382	C4	<0.384	C4	<0.411
1,2,4-Trichlorobenzene	mg/kg	408	22100	98700	<0.401	C4	<0.368	C4	<0.382	C4	<0.384	C4	<0.411
1,2,4-Trimethylbenzene	mg/kg	1.379	219	219	<0.160	<0.147	<0.231	<0.152	<0.153	<0.273	<0.165	<0.266	<0.180
1,2-Dibromo-3-chloropropane	mg/kg	0.0002	0.008	0.099	<0.800	<0.734	<1.16	<0.763	<0.767	<1.36	<0.822	<1.33	<0.899
1,2-Dibromoethane	mg/kg	0.00003	0.047	0.23	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
1,2-Dichlorobenzene	mg/kg	1.168	376	376	<0.160	<0.147	<0.231	<0.152	<0.153	<0.273	<0.165	<0.266	<0.180
1,2-Dichloroethane (1,2-DCA)	mg/kg	0.0028	0.608	3.03	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
1,2-Dichloropropane	mg/kg	0.0033	1.33	6.62	<0.160	<0.147	<0.231	<0.152	<0.153	<0.273	<0.165	<0.266	<0.180
1,3,5-Trimethylbenzene	mg/kg	1.379	182	182	<0.160	<0.147	<0.231	<0.152	<0.153	<0.273	<0.165	<0.266	<0.180
1,3-Dichlorobenzene	mg/kg	1.152	297	297	<0.160	<0.147	<0.231	<0.152	<0.153	<0.273	<0.165	<0.266	<0.180
1,3-Dichloropropane	mg/kg	NES	1490	1490	<0.160	<0.147	<0.231	<0.152	<0.153	<0.273	<0.165	<0.266	<0.180
1,4-Dichlorobenzene	mg/kg	0.144	3.48	17.5	<0.160	<0.147	<0.231	<0.152	<0.153	<0.273	<0.165	<0.266	<0.180
2,2-Dichloropropane	mg/kg	NES	527	527	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
2-Chlorotoluene	mg/kg	NES	907	907	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
4-Chlorotoluene	mg/kg	NES	253	253	<0.160	<0.147	<0.231	<0.152	<0.153	<0.273	<0.165	<0.266	<0.180
Benzene	mg/kg	0.0051	1.6	7.07	<0.0321	<0.0294	<0.0463	<0.0306	<0.0307	<0.0546	<0.0329	<0.0532	<0.0360
Bromobenzene	mg/kg	NES	354	679	<0.401	<0.368	<0.578	<0.382	<0.384	<0.682	<0.411	<0.664	<0.449
Bromodichloromethane	mg/kg	0.0003	0.39	1.96	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
Bromoform	mg/kg	0.0023	61.6	218	<0.800	<0.734	<1.16	<0.763	<0.767	<1.36	<0.822	<1.33	<0.899
Bromomethane	mg/kg	0.0051	10.3	46	<0.401	<0.368	<0.578	<0.382	<0.384	<0.682	<0.411	<0.664	<0.449
Carbon Tetrachloride	mg/kg	0.0039	0.854	4.25	<0.160	<0.147	<0.231	<0.152	<0.153	<0.273	<0.165	<0.266	<0.180
Chlorobenzene	mg/kg	NES	392	761	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
Chlorodibromomethane	mg/kg	0.032	0.933	4.4	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
Chloroethane	mg/kg	0.2266	2120	2120	<0.160	<0.147	<0.231	<0.152	<0.153	<0.273	<0.165	<0.266	<0.180
Chloroform	mg/kg	0.0033	0.423	2.13	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
Chloromethane	mg/kg	0.0155	171	720	<0.401	<0.368	<0.578	<0.382	<0.384	<0.682	<0.411	<0.664	<0.449
cis-1,2-Dichloroethene (DCE)	mg/kg	0.0412	156	2040	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	0.22	0.337	0.204	0.0985
cis-1,3-Dichloropropene	mg/kg	0.0003	1220	1220	<0.0800	<0.0734	<0.116	<0.0763	<0.0767	<0.136	<0.0822	<0.133	<0.0899
Dibromomethane	mg/kg	NES	35	151	<0.160								

**UPRR Superior Health Linens
Cudahy, WI**
Table 1 - Soil VOC Results

Boring/Well Number Sample Name Sample Date Sample Location/ Sample Depth	EPA Risk-Based Screening Level ¹			HA-17		HA-18		HA-19		HA-20								
	Units	Groundwater Pathway	Direct Contact		SO-2812-HA17 (1-2)-151121 11/15/2021 HA-17 (1-2 ft)	SO-2812-HA17 (3-4)-151121 11/15/2021 HA-17 (3-4 ft)	SO-2812-HA18 (1-2)-151121 11/15/2021 HA-18 (1-2 ft)	SO-2812-HA18 (3-4)-151121 11/15/2021 HA-18 (3-4 ft)	SO-2812-HA19 (1-2)-151121 11/15/2021 HA-19 (1-2 ft)	SO-2812-HA19 (3-4)-151121 11/15/2021 HA-19 (3-4 ft)	SO-2812-HA20 (1-2)-151121 11/15/2021 HA-20 (1-2 ft)	SO-2812-HA20 (3-4)-151121 11/15/2021 HA-20 (3-4 ft)	SQ-2812-HA20 DUP-151121 11/15/2021 HA-20 (3-4 ft) Dup.					
			Non-Industrial	Industrial														
PID	ppm/v																	
1,1,1,2-Tetrachloroethane	mg/kg	53.3	2590	12900	<0.117	<0.0723	<0.0894	<0.0843	<0.153	<0.0750	<0.145	<0.0832	<0.0794					
1,1,1-Trichloroethane	mg/kg	140.2	640000	640000	<0.117	<0.0723	0.343	0.0361	J	0.373	<0.0750	0.151	0.0458	J J3	<0.0794			
1,1,2,2-Tetrachloroethane	mg/kg	0.2	753	3690	<0.117	<0.0723	<0.0894	<0.0843	<0.153	<0.0750	<0.145	<0.0832	<0.0794					
1,1,2-Trichloroethane	mg/kg	3.2	1480	7340	<0.117	<0.0723	<0.0894	<0.0843	<0.153	<0.0750	<0.145	<0.0832	<0.0794					
1,1-Dichloroethane	mg/kg	483.6	4720	23700	<0.117	<0.0723	<0.0894	<0.0843	<0.153	<0.0750	<0.145	<0.0832	<0.0794					
1,1-Dichloroethene	mg/kg	5	342000	1190000	<0.117	<0.0723	<0.0894	<0.0843	<0.153	<0.0750	<0.145	<0.0832	J3	<0.0794				
1,1-Dichloropropene	mg/kg	NES	NES	NES	<0.117	<0.0723	<0.0894	<0.0843	<0.153	<0.0750	<0.145	<0.0832	J3	<0.0794				
1,2,3-Trichlorobenzene	mg/kg	NES	48900	493000	<0.583	C4	<0.362	C4	<0.421	C4	<0.763	C4	<0.376	C4	<0.416	C4	<0.398	C4
1,2,3-Trichloropropane	mg/kg	52	5	95	<0.583	C4	<0.362	C4	<0.421	C4	<0.763	C4	<0.376	C4	<0.727	C4	<0.416	<0.398
1,2,4-Trichlorobenzene	mg/kg	408	22100	98700	<0.583	C4	<0.362	C4	<0.421	C4	<0.763	C4	<0.376	C4	<0.727	C4	<0.416	<0.398
1,2,4-Trimethylbenzene	mg/kg	1.379	219	219	<0.233		<0.145		J	<0.169	<0.305	<0.150	<0.292	<0.166	<0.159			
1,2-Dibromo-3-chloropropane	mg/kg	0.0002	0.008	0.099	<1.17		<0.723	<0.894		<0.843	<1.53	<0.750	<1.45	<0.832	<0.794			
1,2-Dibromoethane	mg/kg	0.00003	0.047	0.23	<0.117		<0.0723	<0.0894		<0.0843	<0.153	<0.0750	<0.145	<0.0832	<0.0794			
1,2-Dichlorobenzene	mg/kg	1.168	376	376	<0.233		<0.145	<0.179		<0.169	<0.305	<0.150	<0.292	<0.166	<0.159			
1,2-Dichloroethane (1,2-DCA)	mg/kg	0.0028	0.608	3.03	<0.117		<0.0723	<0.0894		<0.0843	<0.153	<0.0750	<0.145	<0.0832	<0.0794			
1,2-Dichloropropane	mg/kg	0.0033	1.33	6.62	<0.233		<0.145	<0.179		<0.169	<0.305	<0.150	<0.292	<0.166	<0.159			
1,3,5-Trimethylbenzene	mg/kg	1.379	182	182	<0.233		<0.145	<0.179		<0.169	<0.305	<0.150	<0.292	J3	<0.166	J3	<0.159	
1,3-Dichlorobenzene	mg/kg	1.152	297	297	<0.233		<0.145	<0.179		<0.169	<0.305	<0.150	<0.292	J3	<0.166	J3	<0.159	
1,3-Dichloropropane	mg/kg	NES	1490	1490	<0.233		<0.145	<0.179		<0.169	<0.305	<0.150	<0.292	<0.166	<0.159			
1,4-Dichlorobenzene	mg/kg	0.144	3.48	17.5	<0.233		<0.145	<0.179		<0.169	<0.305	<0.150	<0.292	<0.166	<0.159			
2,2-Dichloropropane	mg/kg	NES	527	527	<0.117		<0.0723	<0.0894		<0.0843	<0.153	<0.0750	<0.145	<0.0832	J3	<0.0794		
2-Chlorotoluene	mg/kg	NES	907	907	<0.117		<0.0723	<0.0894		<0.0843	<0.153	<0.0750	<0.145	<0.0832	J3	<0.0794		
4-Chlorotoluene	mg/kg	NES	253	253	<0.233		<0.145	<0.179		<0.169	<0.305	<0.150	<0.292	<0.166	J3	<0.159		
Benzene	mg/kg	0.0051	1.6	7.07	<0.467		<0.0289	0.0372		<0.0337	<0.0611	<0.0300	<0.0582	<0.0334	J3	<0.0317		
Bromobenzene	mg/kg	NES	354	679	<0.583		<0.362	<0.446		J	<0.421	<0.763	<0.376	<0.727	<0.416	<0.398		
Bromodichloromethane	mg/kg	0.0003	0.39	1.96	<0.117		<0.0723	<0.0894		<0.0843	<0.153	<0.0750	<0.145	<0.0832	<0.0794			
Bromoform	mg/kg	0.0023	61.6	218	<1.17		<0.723	<0.894		<0.843	<1.53	<0.750	<1.45	<0.832	<0.794			
Bromomethane	mg/kg	0.0051	10.3	46	<0.583		<0.362	<0.446		J	<0.421	<0.763	<0.376	<0.727	<0.416	J3	<0.398	
Carbon Tetrachloride	mg/kg	0.0039	0.854	4.25	<0.233		<0.145	0.0464		J	<0.169	<0.305	<0.150	<0.292	<0.166	J3	<0.159	
Chlorobenzene	mg/kg	NES	392	761	<0.117		<0.0723	<0.0894		<0.0843	<0.153	<0.0750	<0.145	<0.0832	<0.0794			
Chlorodibromomethane	mg/kg	0.032	0.933	4.4	<0.117		<0.0723	<0.0894		<0.0843	<0.153	<0.0750	<0.145	<0.0832	<0.0794			
Chloroethane	mg/kg	0.2266	2120	2120	<0.233		<0.145	<0.179		<0.169	<0.305	<0.150	<0.292	<0.166	J3 J6	<0.159		
Chloroform	mg/kg	0.0033	0.423	2.13	<0.117		<0.0723	<0.0894		<0.0843	<0.153	<0.0750	<0.145	<0.0832	<0.0794			
Chloromethane	mg/kg	0.0155	171	720	<0.583		<0.362	<0.446		J	<0.421	<0.763	<0.376	<0.727	<0.416	J3	<0.398	
cis-1,2-Dichloroethene (DCE)	mg/kg	0.0412	156	2040	<													

UPRR Superior Health Linens
Cudahy, WI

Table 1 - Soil VOC Results

Boring/Well Number Sample Name Sample Date Sample Location/ Sample Depth	EPA Risk-Based Screening Level ¹			HA-21			HA-22			HA-23			HA-24	
	Units	Groundwater Pathway	Direct Contact Non-Industrial Industrial	SO-2812-HA21(1-2)-151121 11/15/2021 HA-21 (1-2 ft)	SO-2812-HA21(3-4)-151121 11/15/2021 HA-21 (3-4 ft)	SO-2812-HA22(1-2)-231121 11/23/2021 HA-22 (1-2 ft)	SO-2812-HA22(3-4)-231121 11/23/2021 HA-22 (3-4 ft)	SO-2812-HA23(1-2)-231121 11/23/2021 HA-23 (1-2 ft)	SO-2812-HA23(3-4)-231121 11/23/2021 HA-23 (3-4 ft)	SO-2812-HA24(1-2)-231121 11/23/2021 HA-24 (1-2 ft)	SO-2812-HA24(3-4)-231121 11/23/2021 HA-24 (3-4 ft)			
				PID	ppm/v	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
1,1,1,2-Tetrachloroethane	mg/kg	53.3	2590	12900	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
1,1,1-Trichloroethane	mg/kg	140.2	640000	640000	0.269	J3	<0.0744	0.0383	J3	0.036	J	<0.0731	0.203	
1,1,2,2-Tetrachloroethane	mg/kg	0.2	753	3690	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	0.211	
1,1,2-Trichloroethane	mg/kg	3.2	1480	7340	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
1,1-Dichloroethane	mg/kg	483.6	4720	23700	<0.123	J3	<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
1,1-Dichloroethene	mg/kg	5	342000	1190000	<0.123	J3	<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
1,1-Dichloropropene	mg/kg	NES	NES	NES	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
1,2,3-Trichlorobenzene	mg/kg	NES	48900	493000	<0.616	C4	<0.373	<0.390	C4 J3	<0.429	C4	<0.366	<0.578	
1,2,3-Trichloropropane	mg/kg	52	5	95	<0.616		<0.373	<0.390	J3	<0.429		<0.366	<0.578	
1,2,4-Trichlorobenzene	mg/kg	408	22100	98700	<0.616		<0.373	C4 J4	<0.390	C4 J3	<0.429	C4 J3	<0.366	
1,2,4-Trimethylbenzene	mg/kg	1.379	219	219	<0.247		<0.149	<0.156	J3	0.0549	J	<0.146	0.133	
1,2-Dibromo-3-chloropropane	mg/kg	0.0002	0.008	0.099	<1.23		<0.744	<0.779	J3	<0.856		<0.731	<1.15	
1,2-Dibromoethane	mg/kg	0.00003	0.047	0.23	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
1,2-Dichlorobenzene	mg/kg	1.168	376	376	<0.247		<0.149	<0.156	J3	<0.171		<0.146	<0.231	
1,2-Dichloroethane (1,2-DCA)	mg/kg	0.0028	0.608	3.03	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
1,2-Dichloropropane	mg/kg	0.0033	1.33	6.62	<0.247		<0.149	<0.156	J3	<0.171		<0.146	<0.231	
1,3,5-Trimethylbenzene	mg/kg	1.379	182	182	<0.247		<0.149	<0.156	J3	<0.171		<0.146	0.107	
1,3-Dichlorobenzene	mg/kg	1.152	297	297	<0.247		<0.149	<0.156	J3	<0.171		<0.146	<0.231	
1,3-Dichloropropane	mg/kg	NES	1490	1490	<0.247		<0.149	<0.156	J3	<0.171		<0.146	<0.231	
1,4-Dichlorobenzene	mg/kg	0.144	3.48	17.5	<0.247		<0.149	<0.156	J3	<0.171		<0.146	<0.231	
2,2-Dichloropropane	mg/kg	NES	527	527	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
2-Chlorotoluene	mg/kg	NES	907	907	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
4-Chlorotoluene	mg/kg	NES	253	253	<0.247		<0.149	<0.156	J3	<0.171		<0.146	<0.231	
Benzene	mg/kg	0.0051	1.6	7.07	<0.0493		<0.0298	<0.0311	J3	<0.0343		<0.0292	0.0232	
Bromobenzene	mg/kg	NES	354	679	<0.616		<0.373	<0.390	J3	<0.429		<0.366	<0.578	
Bromodichloromethane	mg/kg	0.0003	0.39	1.96	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
Bromoform	mg/kg	0.0023	61.6	218	<1.23		<0.744	<0.779	C3 J3	<0.856	C3	<0.731	<1.15	
Bromomethane	mg/kg	0.0051	10.3	46	<0.616		<0.373	<0.390	J3	<0.429	J3	<0.366	<0.578	
Carbon Tetrachloride	mg/kg	0.0039	0.854	4.25	<0.247		<0.149	<0.156	J3	<0.171		<0.146	<0.231	
Chlorobenzene	mg/kg	NES	392	761	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
Chlorodibromomethane	mg/kg	0.032	0.933	4.4	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
Chloroethane	mg/kg	0.2266	2120	2120	<0.247		<0.149	<0.156	J3	<0.171	J3	<0.146	<0.231	
Chloroform	mg/kg	0.0033	0.423	2.13	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
Chloromethane	mg/kg	0.0155	171	720	<0.616		<0.373	<0.390	J3	<0.429		<0.366	<0.578	
cis-1,2-Dichloroethene (DCE)	mg/kg	0.0412	156	2040	<0.123		<0.0744	<0.0779	J3	0.0319	J	<0.0731	0.0459	
cis-1,3-Dichloropropene	mg/kg	0.0003	1220	1220	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
Dibromomethane	mg/kg	NES	35	151	<0.247		<0.149	<0.156	J3	<0.171		<0.146	<0.231	
Diisopropyl Ether	mg/kg	NES	2260	2260	<0.0493		<0.0298	<0.0311	J3	<0.0343		<0.0292	<0.0462	
Ethylbenzene	mg/kg	1.57	8.02	35.4	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
Fluorotrichloromethane	mg/kg	4.469	1120	1230	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	<0.115	
Hexachlorobutadiene	mg/kg	NES	6.23	22.1	<1.23		<0.744	C3	<0.779	J3	<0.856	<0.731	<1.15	
Isopropylbenzene	mg/kg	NES	268	268	<0.123		<0.0744	<0.0779	J3	<0.0856		<0.0731	0.0245	
Methylene Chloride	mg/kg	0.0026	60.7	1070	<1.23		<0.744	<0.779	J3	<0.856		<0.731	<1.15	
Methyl-tert														

UPRR Superior Health Linens
Cudahy, WI

Table 1 - Soil VOC Results

Boring/Well Number Sample Name Sample Date Sample Location/ Sample Depth	EPA Risk-Based Screening Level ¹			HA-25		HA-26		HA-27		HA-28			
	Units	Groundwater Pathway	Direct Contact		SO-2812-HA25(1-2)-231121 11/23/2021 HA-25 (1-2 ft)	SO-2812-HA25(3-4)-231121 11/23/2021 HA-25 (3-4 ft)	SO-2812-HA26(1-2)-231121 11/23/2021 HA-26 (1-2 ft)	SO-2812-HA26(3-4)-231121 11/23/2021 HA-26 (3-4 ft)	SO-2812-HA27(1-2)-231121 11/23/2021 HA-27 (1-2 ft)	SO-2812-HA27(3-4)-231121 11/23/2021 HA-27 (3-4 ft)	SO-2812-HA28(1-2)-231121 11/23/2021 HA-28 (1-2 ft)	SO-2812-HA28(3-4)-231121 11/23/2021 HA-28 (3-4 ft)	
			Non-Industrial	Industrial									
PID	ppm/v												
1,1,1,2-Tetrachloroethane	mg/kg	53.3	2590	12900	<0.0877	<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749	
1,1,1-Trichloroethane	mg/kg	140.2	640000	640000	0.0487	J	<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
1,1,2,2-Tetrachloroethane	mg/kg	0.2	753	3690	<0.0877	C3	<0.0743	C3	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
1,1,2-Trichloroethane	mg/kg	3.2	1480	7340	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
1,1-Dichloroethane	mg/kg	483.6	4720	23700	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
1,1-Dichloroethene	mg/kg	5	342000	1190000	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
1,1-Dichloropropene	mg/kg	NES	NES	NES	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
1,2,3-Trichlorobenzene	mg/kg	NES	48900	493000	<0.438		<0.372	<0.387	<0.369	<0.378	<0.399	<0.656	<0.375
1,2,3-Trichloropropane	mg/kg	52	5	95	<0.438		<0.372	<0.387	<0.369	<0.378	<0.399	<0.656	<0.375
1,2,4-Trichlorobenzene	mg/kg	408	22100	98700	<0.438		<0.372	<0.387	<0.369	<0.378	<0.399	<0.656	<0.375
1,2,4-Trimethylbenzene	mg/kg	1.379	219	219	<0.176		<0.149	<0.155	<0.147	<0.151	<0.159	<0.262	<0.150
1,2-Dibromo-3-chloropropane	mg/kg	0.0002	0.008	0.099	<0.877		<0.743	<0.773	<0.736	<0.755	<0.797	<1.31	<0.749
1,2-Dibromoethane	mg/kg	0.00003	0.047	0.23	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
1,2-Dichlorobenzene	mg/kg	1.168	376	376	<0.176		<0.149	<0.155	<0.147	<0.151	<0.159	<0.262	<0.150
1,2-Dichloroethane (1,2-DCA)	mg/kg	0.0028	0.608	3.03	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
1,2-Dichloropropane	mg/kg	0.0033	1.33	6.62	<0.176		<0.149	<0.155	<0.147	<0.151	<0.159	<0.262	<0.150
1,3,5-Trimethylbenzene	mg/kg	1.379	182	182	<0.176		<0.149	<0.155	<0.147	<0.151	<0.159	<0.262	<0.150
1,3-Dichlorobenzene	mg/kg	1.152	297	297	<0.176		<0.149	<0.155	<0.147	<0.151	<0.159	<0.262	<0.150
1,3-Dichloropropane	mg/kg	NES	1490	1490	<0.176		<0.149	<0.155	<0.147	<0.151	<0.159	<0.262	<0.150
1,4-Dichlorobenzene	mg/kg	0.144	3.48	17.5	<0.176		<0.149	<0.155	<0.147	<0.151	<0.159	<0.262	<0.150
2,2-Dichloropropane	mg/kg	NES	527	527	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
2-Chlorotoluene	mg/kg	NES	907	907	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
4-Chlorotoluene	mg/kg	NES	253	253	<0.176		<0.149	<0.155	<0.147	<0.151	<0.159	<0.262	<0.150
Benzene	mg/kg	0.0051	1.6	7.07	<0.0351		<0.0297	<0.0309	<0.0295	<0.0302	<0.0319	<0.0525	<0.0299
Bromobenzene	mg/kg	NES	354	679	<0.438		<0.372	<0.387	<0.369	<0.378	<0.399	<0.656	<0.375
Bromodichloromethane	mg/kg	0.0003	0.39	1.96	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
Bromoform	mg/kg	0.0023	61.6	218	<0.877		<0.743	<0.773	<0.736	<0.755	<0.797	<1.31	<0.749
Bromomethane	mg/kg	0.0051	10.3	46	<0.438		<0.372	<0.387	<0.369	<0.378	<0.399	<0.656	<0.375
Carbon Tetrachloride	mg/kg	0.0039	0.854	4.25	<0.176		<0.149	<0.155	<0.147	<0.151	<0.159	<0.262	<0.150
Chlorobenzene	mg/kg	NES	392	761	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
Chlorodibromomethane	mg/kg	0.032	0.933	4.4	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
Chloroethane	mg/kg	0.2266	2120	2120	<0.176		<0.149	<0.155	<0.147	<0.151	<0.159	<0.262	<0.150
Chloroform	mg/kg	0.0033	0.423	2.13	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
Chloromethane	mg/kg	0.0155	171	720	<0.438		<0.372	<0.387	<0.369	<0.378	<0.399	<0.656	<0.375
cis-1,2-Dichloroethene (DCE)	mg/kg	0.0412	156	2040	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
cis-1,3-Dichloropropene	mg/kg	0.0003	1220	1220	<0.0877		<0.0743	<0.0773	<0.0736	<0.0755	<0.0797	<0.131	<0.0749
Dibromomethane	mg/kg	NES	35	151	<0.176		<0.149	<0.155	<0.147	<0.151	<0.159	<0.262	<0.150
Diisopropyl Ether	mg/kg	NES	2260	2260	<0.0351		<0.0297	<0.0309	<0.0295	<0.0302	<0.0319	<0.0525	<0.0299
Ethylbenzene	mg/kg	1.57	8.02	35.4	<0.0877		<0.07						

UPRR Superior Health Linens
Cudahy, WI
Table 2 - Soil VOC TCLP Results



Sample Name		Maximum Concentration of Contaminants for Toxicity Characteristic (mg/L)	SQ-2812-WC-20211210 12/10/2021 Composite ¹
Sample Date			
Sample Location/ Sample Depth	Units		
Benzene	mg/L	0.5	<0.0500
Carbon Tetrachloride	mg/L	0.5	<0.0500
Chlorobenzene	mg/L	100.0	<0.0500
Chloroform	mg/L	6.0	<0.250
1,2-Dichloroethane (1,2-DCA)	mg/L	0.5	<0.0500
1,4-Dichlorobenzene	mg/L	7.5	<0.0500
1,1-Dichloroethene	mg/L	0.7	<0.0500
2-Butanol (MEK)	mg/L	200.0	<0.500
Tetrachloroethylene (PCE)	mg/L	0.7	<0.0500
Trichloroethylene (TCE)	mg/L	0.5	<0.0500
Vinyl Chloride	mg/L	0.2	<0.0500

NOTES:

VOC = Volatile Organic Compound

TCLP= Toxicity Characteristic Leaching Procedure

mg/L= milligrams per litre

VOCs analyzed by USEPA Method 8260D

1= Sample was a composite of soil selected from the HA-10 (0-1 ft), HA-16 (1-2 ft), and HA-21 (1-2ft) sample locations and depths.

Attachment 3
Analytical Reports



ANALYTICAL REPORT

November 08, 2021

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

UPRR - Golder Associates

Sample Delivery Group: L1425548
Samples Received: 11/02/2021
Project Number: 2812
Description: Cudahy, WI - Superior Health Linens
Site: EXCAVATION LIMITS DELINEATION
Report To: Matthew Wilson
2201 Double Creek Dr., Ste 4004
Round Rock, TX 78664

Entire Report Reviewed By:


Mark W. Beasley
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1	 ¹ Cp ² Tc ³ Ss ⁴ Cn ⁵ Sr ⁶ Qc ⁷ Gl ⁸ Al ⁹ Sc
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	7	
Sr: Sample Results	8	
SO-2812-HA1 (0-1)-291021 L1425548-01	8	
SO-2812-HA1 (3-4)-291021 L1425548-02	10	
SO-2812-HA1 DUP-291021 L1425548-03	12	
SO-2812-HA2 (1-2)-291021 L1425548-04	14	
SO-2812-HA2 (3-4)-291021 L1425548-05	16	
SO-2812-HA3 (0-1)-291021 L1425548-06	18	
SO-2812-HA3 (3-4)-291021 L1425548-07	20	
SO-2812-HA4 (2-3)-291021 L1425548-08	22	
SO-2812-HA4 (1-2)-291021 L1425548-09	24	
SO-2812-HA5 (0-1)-291021 L1425548-10	26	
SO-2812-HA5 (3-4)-291021 L1425548-11	28	
SO-2812-HA6 (0-1)-291021 L1425548-12	30	
SO-2812-HA6 (3-4)-291021 L1425548-13	32	
SO-2812-HA7 (0-1)-291021 L1425548-14	34	
SO-2812-TB1-291021 L1425548-15	36	
SO-2812-TB2-291021 L1425548-16	38	
SO-2812-HA7 (3-4)-291021 L1425548-17	40	
SO-2812-HA8 (1-2)-291021 L1425548-18	42	
SO-2812-HA8 (2-3)-291021 L1425548-19	44	
SO-2812-HA9 (0-1)-291021 L1425548-20	46	
SO-2812-HA9 (3-4)-291021 L1425548-21	48	
SO-2812-HA10 (0-1)-291021 L1425548-22	50	
SO-2812-HA10 (3-4)-291021 L1425548-23	52	
SO-2812-HA10 DUP-291021 L1425548-24	54	
Qc: Quality Control Summary	56	
Total Solids by Method 2540 G-2011	56	
Volatile Organic Compounds (GC/MS) by Method 8260D	59	
Gl: Glossary of Terms	80	
Al: Accreditations & Locations	81	
Sc: Sample Chain of Custody	82	


SAMPLE SUMMARY

				Collected by Matthew Wilson	Collected date/time 10/29/21 15:02	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767823	1	11/03/21 09:55	11/03/21 10:07	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769445	1.2	10/29/21 15:02	11/05/21 12:36	ADM	Mt. Juliet, TN
SO-2812-HA1 (3-4)-291021 L1425548-02 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 15:00	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767823	1	11/03/21 09:55	11/03/21 10:07	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769445	1	10/29/21 15:00	11/05/21 12:55	ADM	Mt. Juliet, TN
SO-2812-HA1 DUP-291021 L1425548-03 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 15:00	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767823	1	11/03/21 09:55	11/03/21 10:07	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769445	1	10/29/21 15:00	11/05/21 13:14	ADM	Mt. Juliet, TN
SO-2812-HA2 (1-2)-291021 L1425548-04 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 10:10	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767823	1	11/03/21 09:55	11/03/21 10:07	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769445	1.96	10/29/21 10:10	11/05/21 13:33	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769847	157	10/29/21 10:10	11/05/21 20:25	ADM	Mt. Juliet, TN
SO-2812-HA2 (3-4)-291021 L1425548-05 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 10:18	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767823	1	11/03/21 09:55	11/03/21 10:07	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769445	1	10/29/21 10:18	11/05/21 13:52	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769847	20	10/29/21 10:18	11/05/21 20:44	ADM	Mt. Juliet, TN
SO-2812-HA3 (0-1)-291021 L1425548-06 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 14:32	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767823	1	11/03/21 09:55	11/03/21 10:07	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769445	1.73	10/29/21 14:32	11/05/21 14:11	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769847	1.73	10/29/21 14:32	11/05/21 21:40	ADM	Mt. Juliet, TN
SO-2812-HA3 (3-4)-291021 L1425548-07 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 14:34	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767825	1	11/03/21 09:45	11/03/21 09:52	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769445	1	10/29/21 14:34	11/05/21 14:30	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769847	1	10/29/21 14:34	11/05/21 21:59	ADM	Mt. Juliet, TN




SAMPLE SUMMARY

				Collected by Matthew Wilson	Collected date/time 10/29/21 10:40	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767825	1	11/03/21 09:45	11/03/21 09:52	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769445	1.1	10/29/21 10:40	11/05/21 14:49	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769847	11	10/29/21 10:40	11/05/21 21:03	ADM	Mt. Juliet, TN
SO-2812-HA4 (1-2)-291021 L1425548-09 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 10:43	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767825	1	11/03/21 09:45	11/03/21 09:52	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769445	1.93	10/29/21 10:43	11/05/21 15:08	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769847	154	10/29/21 10:43	11/05/21 21:22	ADM	Mt. Juliet, TN
SO-2812-HA5 (0-1)-291021 L1425548-10 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 13:24	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767825	1	11/03/21 09:45	11/03/21 09:52	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769445	1.75	10/29/21 13:24	11/05/21 15:27	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769847	1.75	10/29/21 13:24	11/05/21 22:18	ADM	Mt. Juliet, TN
SO-2812-HA5 (3-4)-291021 L1425548-11 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 13:26	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767825	1	11/03/21 09:45	11/03/21 09:52	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769453	1.06	10/29/21 13:26	11/05/21 12:53	ADM	Mt. Juliet, TN
SO-2812-HA6 (0-1)-291021 L1425548-12 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 11:12	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767825	1	11/03/21 09:45	11/03/21 09:52	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769453	1	10/29/21 11:12	11/05/21 13:12	ADM	Mt. Juliet, TN
SO-2812-HA6 (3-4)-291021 L1425548-13 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 11:15	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767825	1	11/03/21 09:45	11/03/21 09:52	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769453	1.41	10/29/21 11:15	11/05/21 13:31	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1770055	113	10/29/21 11:15	11/07/21 00:00	JAH	Mt. Juliet, TN
SO-2812-HA7 (0-1)-291021 L1425548-14 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 14:02	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767825	1	11/03/21 09:45	11/03/21 09:52	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769453	1.54	10/29/21 14:02	11/05/21 13:50	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1770055	1.54	10/29/21 14:02	11/06/21 22:25	JAH	Mt. Juliet, TN




SAMPLE SUMMARY

				Collected by Matthew Wilson	Collected date/time 10/29/21 10:00	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769441	1	11/05/21 15:32	11/05/21 15:32	JAH	Mt. Juliet, TN
SO-2812-TB2-291021 L1425548-16 GW				Collected by Matthew Wilson	Collected date/time 10/29/21 10:00	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769441	1	11/05/21 15:52	11/05/21 15:52	JAH	Mt. Juliet, TN
SO-2812-HA7 (3-4)-291021 L1425548-17 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 14:02	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767825	1	11/03/21 09:45	11/03/21 09:52	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769453	1	10/29/21 14:02	11/05/21 14:09	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1770055	1	10/29/21 14:02	11/06/21 22:44	JAH	Mt. Juliet, TN
SO-2812-HA8 (1-2)-291021 L1425548-18 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 11:40	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767825	1	11/03/21 09:45	11/03/21 09:52	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769453	1.12	10/29/21 11:40	11/05/21 14:28	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1770055	44.8	10/29/21 11:40	11/06/21 23:41	JAH	Mt. Juliet, TN
SO-2812-HA8 (2-3)-291021 L1425548-19 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 11:42	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767826	1	11/03/21 09:24	11/03/21 09:42	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769453	1.09	10/29/21 11:42	11/05/21 14:47	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1770055	4.36	10/29/21 11:42	11/06/21 23:22	JAH	Mt. Juliet, TN
SO-2812-HA9 (0-1)-291021 L1425548-20 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 12:35	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767826	1	11/03/21 09:24	11/03/21 09:42	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769453	1.47	10/29/21 12:35	11/05/21 15:06	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1770055	1.47	10/29/21 12:35	11/06/21 23:03	JAH	Mt. Juliet, TN
SO-2812-HA9 (3-4)-291021 L1425548-21 Solid				Collected by Matthew Wilson	Collected date/time 10/29/21 12:35	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1767826	1	11/03/21 09:24	11/03/21 09:42	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769657	1	10/29/21 12:35	11/05/21 18:21	JAH	Mt. Juliet, TN



SAMPLE SUMMARY

SO-2812-HA10 (0-1)-291021 L1425548-22 Solid			Collected by Matthew Wilson	Collected date/time 10/29/21 12:02	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1767826	1	11/03/21 09:24	11/03/21 09:42	KDW
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769657	1.04	10/29/21 12:02	11/05/21 18:40	JAH
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1770797	83.2	10/29/21 12:02	11/08/21 15:08	DWR
SO-2812-HA10 (3-4)-291021 L1425548-23 Solid			Collected by Matthew Wilson	Collected date/time 10/29/21 12:04	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1767826	1	11/03/21 09:24	11/03/21 09:42	KDW
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769657	1	10/29/21 12:04	11/05/21 18:59	JAH
SO-2812-HA10 DUP-291021 L1425548-24 Solid			Collected by Matthew Wilson	Collected date/time 10/29/21 12:04	Received date/time 11/02/21 13:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1767826	1	11/03/21 09:24	11/03/21 09:42	KDW
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1769657	1	10/29/21 12:04	11/05/21 19:19	JAH



CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Mark W. Beasley
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ AI
- ⁹ SC

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	57.1		1	11/03/2021 10:07	WG1767823

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.92	6.42	1.2	11/05/2021 12:36	WG1769445
Acrylonitrile	U	<u>J3</u>	0.189	0.630	1.2	11/05/2021 12:36	WG1769445
Allyl chloride	U	<u>J3</u>	0.210	0.700	1.2	11/05/2021 12:36	WG1769445
Benzene	U	<u>J3</u>	0.0245	0.0817	1.2	11/05/2021 12:36	WG1769445
Bromobenzene	U	<u>J3</u>	0.0472	0.157	1.2	11/05/2021 12:36	WG1769445
Bromodichloromethane	U	<u>J3</u>	0.0381	0.127	1.2	11/05/2021 12:36	WG1769445
Bromoform	U	<u>J3</u>	0.0614	0.205	1.2	11/05/2021 12:36	WG1769445
Bromomethane	U	<u>J3</u>	0.103	0.345	1.2	11/05/2021 12:36	WG1769445
n-Butylbenzene	U		0.276	0.922	1.2	11/05/2021 12:36	WG1769445
sec-Butylbenzene	U	<u>J3</u>	0.151	0.504	1.2	11/05/2021 12:36	WG1769445
tert-Butylbenzene	U	<u>J3</u>	0.102	0.341	1.2	11/05/2021 12:36	WG1769445
Carbon tetrachloride	U	<u>J3 J6</u>	0.0471	0.157	1.2	11/05/2021 12:36	WG1769445
Chlorobenzene	U	<u>J3</u>	0.0110	0.0367	1.2	11/05/2021 12:36	WG1769445
Chlorodibromomethane	U	<u>J3</u>	0.0322	0.107	1.2	11/05/2021 12:36	WG1769445
Chloroethane	U	<u>J3</u>	0.0892	0.297	1.2	11/05/2021 12:36	WG1769445
Chloroform	U	<u>J3</u>	0.0541	0.180	1.2	11/05/2021 12:36	WG1769445
Chloromethane	U	<u>J3</u>	0.229	0.765	1.2	11/05/2021 12:36	WG1769445
2-Chlorotoluene	U	<u>J3</u>	0.0453	0.151	1.2	11/05/2021 12:36	WG1769445
4-Chlorotoluene	U	<u>J3</u>	0.0236	0.0787	1.2	11/05/2021 12:36	WG1769445
1,2-Dibromo-3-Chloropropane	U	<u>J3</u>	0.205	0.682	1.2	11/05/2021 12:36	WG1769445
1,2-Dibromoethane	U	<u>J3</u>	0.0339	0.113	1.2	11/05/2021 12:36	WG1769445
Dibromomethane	U	<u>J3</u>	0.0394	0.131	1.2	11/05/2021 12:36	WG1769445
1,2-Dichlorobenzene	U	<u>J3</u>	0.0224	0.0747	1.2	11/05/2021 12:36	WG1769445
1,3-Dichlorobenzene	U	<u>J3</u>	0.0315	0.105	1.2	11/05/2021 12:36	WG1769445
1,4-Dichlorobenzene	U	<u>J3</u>	0.0367	0.122	1.2	11/05/2021 12:36	WG1769445
Dichlorodifluoromethane	U	<u>J3</u>	0.0845	0.282	1.2	11/05/2021 12:36	WG1769445
Dichlorofluoromethane	U	<u>J3</u>	0.0656	0.219	1.2	11/05/2021 12:36	WG1769445
1,1-Dichloroethane	U	<u>J3</u>	0.0257	0.0857	1.2	11/05/2021 12:36	WG1769445
1,2-Dichloroethane	U	<u>J3</u>	0.0341	0.114	1.2	11/05/2021 12:36	WG1769445
1,1-Dichloroethene	U	<u>J3</u>	0.0318	0.106	1.2	11/05/2021 12:36	WG1769445
cis-1,2-Dichloroethene	U	<u>J3</u>	0.0385	0.128	1.2	11/05/2021 12:36	WG1769445
trans-1,2-Dichloroethene	U	<u>J3</u>	0.0546	0.182	1.2	11/05/2021 12:36	WG1769445
1,2-Dichloropropane	U	<u>J3</u>	0.0745	0.248	1.2	11/05/2021 12:36	WG1769445
1,1-Dichloropropene	U	<u>J3</u>	0.0425	0.142	1.2	11/05/2021 12:36	WG1769445
1,3-Dichloropropane	U	<u>J3</u>	0.0262	0.0875	1.2	11/05/2021 12:36	WG1769445
cis-1,3-Dichloropropene	U	<u>J3</u>	0.0397	0.132	1.2	11/05/2021 12:36	WG1769445
trans-1,3-Dichloropropene	U	<u>J3</u>	0.0598	0.199	1.2	11/05/2021 12:36	WG1769445
2,2-Dichloropropane	U	<u>C3</u>	0.0724	0.241	1.2	11/05/2021 12:36	WG1769445
Di-isopropyl ether	U	<u>J3</u>	0.0215	0.0717	1.2	11/05/2021 12:36	WG1769445
Ethylbenzene	U	<u>J3</u>	0.0387	0.129	1.2	11/05/2021 12:36	WG1769445
Ethyl ether	U	<u>J3</u>	0.0467	0.156	1.2	11/05/2021 12:36	WG1769445
Hexachloro-1,3-butadiene	U		0.315	1.05	1.2	11/05/2021 12:36	WG1769445
2-Hexanone	U	<u>J3</u>	0.177	0.590	1.2	11/05/2021 12:36	WG1769445
Isopropylbenzene	U	<u>J3</u>	0.0224	0.0747	1.2	11/05/2021 12:36	WG1769445
p-Isopropyltoluene	U		0.134	0.446	1.2	11/05/2021 12:36	WG1769445
2-Butanone (MEK)	U		3.32	11.1	1.2	11/05/2021 12:36	WG1769445
Methylene Chloride	U	<u>J3</u>	0.348	1.16	1.2	11/05/2021 12:36	WG1769445
4-Methyl-2-pentanone (MIBK)	U	<u>J3</u>	0.120	0.399	1.2	11/05/2021 12:36	WG1769445
Methyl tert-butyl ether	U	<u>J3</u>	0.0184	0.0612	1.2	11/05/2021 12:36	WG1769445
Naphthalene	U		0.255	0.852	1.2	11/05/2021 12:36	WG1769445

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U	J3	0.0499	0.166	1.2	11/05/2021 12:36	WG1769445	¹ Cp
Styrene	U		0.0120	0.0401	1.2	11/05/2021 12:36	WG1769445	² Tc
1,1,2-Tetrachloroethane	U	J3	0.0497	0.166	1.2	11/05/2021 12:36	WG1769445	³ Ss
1,1,2,2-Tetrachloroethane	U	J3	0.0366	0.122	1.2	11/05/2021 12:36	WG1769445	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U	J3	0.0395	0.132	1.2	11/05/2021 12:36	WG1769445	⁵ Sr
Tetrachloroethene	U		0.0471	0.157	1.2	11/05/2021 12:36	WG1769445	⁶ Qc
Tetrahydrofuran	U		0.185	0.618	1.2	11/05/2021 12:36	WG1769445	⁷ Gl
Toluene	0.0927	J	0.0682	0.227	1.2	11/05/2021 12:36	WG1769445	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.385	1.28	1.2	11/05/2021 12:36	WG1769445	
1,2,4-Trichlorobenzene	U		0.231	0.770	1.2	11/05/2021 12:36	WG1769445	
1,1,1-Trichloroethane	U	J3	0.0485	0.162	1.2	11/05/2021 12:36	WG1769445	
1,1,2-Trichloroethane	U		0.0313	0.104	1.2	11/05/2021 12:36	WG1769445	
Trichloroethene	0.125		0.0306	0.102	1.2	11/05/2021 12:36	WG1769445	
Trichlorofluoromethane	U	J3	0.0434	0.145	1.2	11/05/2021 12:36	WG1769445	
1,2,3-Trichloropropane	U	J3	0.0850	0.283	1.2	11/05/2021 12:36	WG1769445	
1,2,4-Trimethylbenzene	U		0.0829	0.276	1.2	11/05/2021 12:36	WG1769445	
1,2,3-Trimethylbenzene	U		0.0829	0.276	1.2	11/05/2021 12:36	WG1769445	
1,3,5-Trimethylbenzene	U	J3	0.105	0.350	1.2	11/05/2021 12:36	WG1769445	
Vinyl chloride	U	J3	0.0609	0.203	1.2	11/05/2021 12:36	WG1769445	
Xylenes, Total	0.175		0.0462	0.154	1.2	11/05/2021 12:36	WG1769445	
(S) Toluene-d8	115			75.0-131		11/05/2021 12:36	WG1769445	
(S) 4-Bromofluorobenzene	105			67.0-138		11/05/2021 12:36	WG1769445	
(S) 1,2-Dichloroethane-d4	106			70.0-130		11/05/2021 12:36	WG1769445	⁹ Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	81.0		1	11/03/2021 10:07	WG1767823

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.13	3.75	1	11/05/2021 12:55	WG1769445
Acrylonitrile	U		0.111	0.372	1	11/05/2021 12:55	WG1769445
Allyl chloride	U		0.123	0.411	1	11/05/2021 12:55	WG1769445
Benzene	U		0.0144	0.0481	1	11/05/2021 12:55	WG1769445
Bromobenzene	U		0.0278	0.0926	1	11/05/2021 12:55	WG1769445
Bromodichloromethane	U		0.0223	0.0744	1	11/05/2021 12:55	WG1769445
Bromoform	U		0.0362	0.121	1	11/05/2021 12:55	WG1769445
Bromomethane	U		0.0609	0.202	1	11/05/2021 12:55	WG1769445
n-Butylbenzene	U		0.162	0.539	1	11/05/2021 12:55	WG1769445
sec-Butylbenzene	U		0.0889	0.296	1	11/05/2021 12:55	WG1769445
tert-Butylbenzene	U		0.0602	0.201	1	11/05/2021 12:55	WG1769445
Carbon tetrachloride	U		0.0278	0.0926	1	11/05/2021 12:55	WG1769445
Chlorobenzene	U		0.00648	0.0216	1	11/05/2021 12:55	WG1769445
Chlorodibromomethane	U		0.0189	0.0630	1	11/05/2021 12:55	WG1769445
Chloroethane	U		0.0525	0.175	1	11/05/2021 12:55	WG1769445
Chloroform	U		0.0318	0.106	1	11/05/2021 12:55	WG1769445
Chloromethane	U		0.135	0.448	1	11/05/2021 12:55	WG1769445
2-Chlorotoluene	U		0.0267	0.0889	1	11/05/2021 12:55	WG1769445
4-Chlorotoluene	U		0.0139	0.0465	1	11/05/2021 12:55	WG1769445
1,2-Dibromo-3-Chloropropane	U		0.120	0.401	1	11/05/2021 12:55	WG1769445
1,2-Dibromoethane	U		0.0200	0.0667	1	11/05/2021 12:55	WG1769445
Dibromomethane	U		0.0232	0.0774	1	11/05/2021 12:55	WG1769445
1,2-Dichlorobenzene	U		0.0131	0.0436	1	11/05/2021 12:55	WG1769445
1,3-Dichlorobenzene	U		0.0185	0.0617	1	11/05/2021 12:55	WG1769445
1,4-Dichlorobenzene	U		0.0216	0.0720	1	11/05/2021 12:55	WG1769445
Dichlorodifluoromethane	U		0.0497	0.165	1	11/05/2021 12:55	WG1769445
Dichlorofluoromethane	U		0.0386	0.128	1	11/05/2021 12:55	WG1769445
1,1-Dichloroethane	U		0.0152	0.0506	1	11/05/2021 12:55	WG1769445
1,2-Dichloroethane	U		0.0200	0.0667	1	11/05/2021 12:55	WG1769445
1,1-Dichloroethene	U		0.0188	0.0626	1	11/05/2021 12:55	WG1769445
cis-1,2-Dichloroethene	0.0264	<u>J</u>	0.0227	0.0757	1	11/05/2021 12:55	WG1769445
trans-1,2-Dichloroethene	U		0.0321	0.107	1	11/05/2021 12:55	WG1769445
1,2-Dichloropropane	U		0.0438	0.146	1	11/05/2021 12:55	WG1769445
1,1-Dichloropropene	U		0.0249	0.0831	1	11/05/2021 12:55	WG1769445
1,3-Dichloropropane	U		0.0154	0.0515	1	11/05/2021 12:55	WG1769445
cis-1,3-Dichloropropene	U		0.0233	0.0778	1	11/05/2021 12:55	WG1769445
trans-1,3-Dichloropropene	U		0.0352	0.117	1	11/05/2021 12:55	WG1769445
2,2-Dichloropropane	U	<u>C3</u>	0.0426	0.142	1	11/05/2021 12:55	WG1769445
Di-isopropyl ether	U		0.0127	0.0423	1	11/05/2021 12:55	WG1769445
Ethylbenzene	U		0.0227	0.0757	1	11/05/2021 12:55	WG1769445
Ethyl ether	U		0.0275	0.0917	1	11/05/2021 12:55	WG1769445
Hexachloro-1,3-butadiene	U		0.185	0.617	1	11/05/2021 12:55	WG1769445
2-Hexanone	U		0.104	0.346	1	11/05/2021 12:55	WG1769445
Isopropylbenzene	U		0.0131	0.0436	1	11/05/2021 12:55	WG1769445
p-Isopropyltoluene	U		0.0788	0.263	1	11/05/2021 12:55	WG1769445
2-Butanone (MEK)	U		1.96	6.54	1	11/05/2021 12:55	WG1769445
Methylene Chloride	U		0.205	0.683	1	11/05/2021 12:55	WG1769445
4-Methyl-2-pentanone (MIBK)	U		0.0704	0.235	1	11/05/2021 12:55	WG1769445
Methyl tert-butyl ether	U		0.0108	0.0360	1	11/05/2021 12:55	WG1769445
Naphthalene	U		0.151	0.502	1	11/05/2021 12:55	WG1769445

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0294	0.0979	1	11/05/2021 12:55	WG1769445	¹ Cp
Styrene	U		0.00707	0.0236	1	11/05/2021 12:55	WG1769445	² Tc
1,1,2-Tetrachloroethane	U		0.0293	0.0975	1	11/05/2021 12:55	WG1769445	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0215	0.0716	1	11/05/2021 12:55	WG1769445	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0233	0.0778	1	11/05/2021 12:55	WG1769445	⁵ Sr
Tetrachloroethene	U		0.0277	0.0922	1	11/05/2021 12:55	WG1769445	⁶ Qc
Tetrahydrofuran	U		0.109	0.362	1	11/05/2021 12:55	WG1769445	⁷ Gl
Toluene	U		0.0401	0.133	1	11/05/2021 12:55	WG1769445	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.226	0.753	1	11/05/2021 12:55	WG1769445	⁹ Sc
1,2,4-Trichlorobenzene	U		0.136	0.453	1	11/05/2021 12:55	WG1769445	
1,1,1-Trichloroethane	U		0.0285	0.0951	1	11/05/2021 12:55	WG1769445	
1,1,2-Trichloroethane	U		0.0184	0.0614	1	11/05/2021 12:55	WG1769445	
Trichloroethene	0.378		0.0180	0.0601	1	11/05/2021 12:55	WG1769445	
Trichlorofluoromethane	U		0.0256	0.0852	1	11/05/2021 12:55	WG1769445	
1,2,3-Trichloropropane	U		0.0500	0.167	1	11/05/2021 12:55	WG1769445	
1,2,4-Trimethylbenzene	U		0.0488	0.163	1	11/05/2021 12:55	WG1769445	
1,2,3-Trimethylbenzene	U		0.0488	0.163	1	11/05/2021 12:55	WG1769445	
1,3,5-Trimethylbenzene	U		0.0617	0.206	1	11/05/2021 12:55	WG1769445	
Vinyl chloride	U		0.0358	0.119	1	11/05/2021 12:55	WG1769445	
Xylenes, Total	U		0.0272	0.0905	1	11/05/2021 12:55	WG1769445	
(S) Toluene-d8	113			75.0-131		11/05/2021 12:55	WG1769445	
(S) 4-Bromofluorobenzene	102			67.0-138		11/05/2021 12:55	WG1769445	
(S) 1,2-Dichloroethane-d4	104			70.0-130		11/05/2021 12:55	WG1769445	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	82.3		1	11/03/2021 10:07	WG1767823

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.11	3.70	1	11/05/2021 13:14	WG1769445
Acrylonitrile	U		0.110	0.366	1	11/05/2021 13:14	WG1769445
Allyl chloride	U		0.122	0.405	1	11/05/2021 13:14	WG1769445
Benzene	U		0.0142	0.0474	1	11/05/2021 13:14	WG1769445
Bromobenzene	U		0.0274	0.0912	1	11/05/2021 13:14	WG1769445
Bromodichloromethane	U		0.0220	0.0733	1	11/05/2021 13:14	WG1769445
Bromoform	U		0.0356	0.119	1	11/05/2021 13:14	WG1769445
Bromomethane	U		0.0599	0.199	1	11/05/2021 13:14	WG1769445
n-Butylbenzene	U		0.159	0.531	1	11/05/2021 13:14	WG1769445
sec-Butylbenzene	U		0.0875	0.292	1	11/05/2021 13:14	WG1769445
tert-Butylbenzene	U		0.0593	0.198	1	11/05/2021 13:14	WG1769445
Carbon tetrachloride	U		0.0274	0.0912	1	11/05/2021 13:14	WG1769445
Chlorobenzene	U		0.00638	0.0213	1	11/05/2021 13:14	WG1769445
Chlorodibromomethane	U		0.0186	0.0620	1	11/05/2021 13:14	WG1769445
Chloroethane	U		0.0517	0.173	1	11/05/2021 13:14	WG1769445
Chloroform	U		0.0314	0.105	1	11/05/2021 13:14	WG1769445
Chloromethane	U		0.133	0.441	1	11/05/2021 13:14	WG1769445
2-Chlorotoluene	U		0.0263	0.0875	1	11/05/2021 13:14	WG1769445
4-Chlorotoluene	U		0.0137	0.0458	1	11/05/2021 13:14	WG1769445
1,2-Dibromo-3-Chloropropane	U		0.119	0.395	1	11/05/2021 13:14	WG1769445
1,2-Dibromoethane	U		0.0197	0.0656	1	11/05/2021 13:14	WG1769445
Dibromomethane	U		0.0229	0.0762	1	11/05/2021 13:14	WG1769445
1,2-Dichlorobenzene	U		0.0129	0.0429	1	11/05/2021 13:14	WG1769445
1,3-Dichlorobenzene	U		0.0182	0.0608	1	11/05/2021 13:14	WG1769445
1,4-Dichlorobenzene	U		0.0213	0.0709	1	11/05/2021 13:14	WG1769445
Dichlorodifluoromethane	U		0.0490	0.163	1	11/05/2021 13:14	WG1769445
Dichlorofluoromethane	U		0.0380	0.126	1	11/05/2021 13:14	WG1769445
1,1-Dichloroethane	U		0.0150	0.0498	1	11/05/2021 13:14	WG1769445
1,2-Dichloroethane	U		0.0197	0.0656	1	11/05/2021 13:14	WG1769445
1,1-Dichloroethene	U		0.0185	0.0616	1	11/05/2021 13:14	WG1769445
cis-1,2-Dichloroethene	0.0289	<u>J</u>	0.0224	0.0745	1	11/05/2021 13:14	WG1769445
trans-1,2-Dichloroethene	U		0.0316	0.105	1	11/05/2021 13:14	WG1769445
1,2-Dichloropropane	U		0.0432	0.143	1	11/05/2021 13:14	WG1769445
1,1-Dichloropropene	U		0.0246	0.0818	1	11/05/2021 13:14	WG1769445
1,3-Dichloropropane	U		0.0152	0.0507	1	11/05/2021 13:14	WG1769445
cis-1,3-Dichloropropene	U		0.0230	0.0766	1	11/05/2021 13:14	WG1769445
trans-1,3-Dichloropropene	U		0.0346	0.115	1	11/05/2021 13:14	WG1769445
2,2-Dichloropropane	U	<u>C3</u>	0.0419	0.140	1	11/05/2021 13:14	WG1769445
Di-isopropyl ether	U		0.0125	0.0417	1	11/05/2021 13:14	WG1769445
Ethylbenzene	U		0.0224	0.0745	1	11/05/2021 13:14	WG1769445
Ethyl ether	U		0.0271	0.0903	1	11/05/2021 13:14	WG1769445
Hexachloro-1,3-butadiene	U		0.182	0.608	1	11/05/2021 13:14	WG1769445
2-Hexanone	U		0.102	0.340	1	11/05/2021 13:14	WG1769445
Isopropylbenzene	U		0.0129	0.0429	1	11/05/2021 13:14	WG1769445
p-Isopropyltoluene	U		0.0776	0.259	1	11/05/2021 13:14	WG1769445
2-Butanone (MEK)	U		1.93	6.44	1	11/05/2021 13:14	WG1769445
Methylene Chloride	U		0.202	0.672	1	11/05/2021 13:14	WG1769445
4-Methyl-2-pentanone (MIBK)	U		0.0693	0.231	1	11/05/2021 13:14	WG1769445
Methyl tert-butyl ether	U		0.0106	0.0355	1	11/05/2021 13:14	WG1769445
Naphthalene	U		0.148	0.495	1	11/05/2021 13:14	WG1769445

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0289	0.0964	1	11/05/2021 13:14	WG1769445	¹ Cp
Styrene	U		0.00697	0.0232	1	11/05/2021 13:14	WG1769445	² Tc
1,1,2-Tetrachloroethane	U		0.0288	0.0960	1	11/05/2021 13:14	WG1769445	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0212	0.0705	1	11/05/2021 13:14	WG1769445	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0230	0.0766	1	11/05/2021 13:14	WG1769445	⁵ Sr
Tetrachloroethene	U		0.0272	0.0908	1	11/05/2021 13:14	WG1769445	⁶ Qc
Tetrahydrofuran	U		0.107	0.356	1	11/05/2021 13:14	WG1769445	⁷ Gl
Toluene	U		0.0395	0.131	1	11/05/2021 13:14	WG1769445	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.222	0.742	1	11/05/2021 13:14	WG1769445	⁹ Sc
1,2,4-Trichlorobenzene	U		0.134	0.446	1	11/05/2021 13:14	WG1769445	
1,1,1-Trichloroethane	U		0.0281	0.0936	1	11/05/2021 13:14	WG1769445	
1,1,2-Trichloroethane	U		0.0181	0.0604	1	11/05/2021 13:14	WG1769445	
Trichloroethene	0.405		0.0177	0.0592	1	11/05/2021 13:14	WG1769445	
Trichlorofluoromethane	U		0.0252	0.0839	1	11/05/2021 13:14	WG1769445	
1,2,3-Trichloropropane	U		0.0492	0.164	1	11/05/2021 13:14	WG1769445	
1,2,4-Trimethylbenzene	U		0.0480	0.160	1	11/05/2021 13:14	WG1769445	
1,2,3-Trimethylbenzene	U		0.0480	0.160	1	11/05/2021 13:14	WG1769445	
1,3,5-Trimethylbenzene	U		0.0608	0.203	1	11/05/2021 13:14	WG1769445	
Vinyl chloride	U		0.0353	0.118	1	11/05/2021 13:14	WG1769445	
Xylenes, Total	U		0.0267	0.0891	1	11/05/2021 13:14	WG1769445	
(S) Toluene-d8	113			75.0-131		11/05/2021 13:14	WG1769445	
(S) 4-Bromofluorobenzene	101			67.0-138		11/05/2021 13:14	WG1769445	
(S) 1,2-Dichloroethane-d4	105			70.0-130		11/05/2021 13:14	WG1769445	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	65.2		1	11/03/2021 10:07	WG1767823

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		2.74	9.15	1.96	11/05/2021 13:33	WG1769445
Acrylonitrile	U		0.271	0.905	1.96	11/05/2021 13:33	WG1769445
Allyl chloride	U		0.300	1.00	1.96	11/05/2021 13:33	WG1769445
Benzene	0.0415	J	0.0351	0.117	1.96	11/05/2021 13:33	WG1769445
Bromobenzene	U		0.0676	0.225	1.96	11/05/2021 13:33	WG1769445
Bromodichloromethane	U		0.0544	0.181	1.96	11/05/2021 13:33	WG1769445
Bromoform	U		0.0878	0.293	1.96	11/05/2021 13:33	WG1769445
Bromomethane	U		0.148	0.494	1.96	11/05/2021 13:33	WG1769445
n-Butylbenzene	U		0.394	1.31	1.96	11/05/2021 13:33	WG1769445
sec-Butylbenzene	U		0.216	0.721	1.96	11/05/2021 13:33	WG1769445
tert-Butylbenzene	U		0.147	0.489	1.96	11/05/2021 13:33	WG1769445
Carbon tetrachloride	U		0.0675	0.225	1.96	11/05/2021 13:33	WG1769445
Chlorobenzene	U		0.0158	0.0526	1.96	11/05/2021 13:33	WG1769445
Chlorodibromomethane	U		0.0460	0.153	1.96	11/05/2021 13:33	WG1769445
Chloroethane	U		0.128	0.426	1.96	11/05/2021 13:33	WG1769445
Chloroform	U		0.0774	0.258	1.96	11/05/2021 13:33	WG1769445
Chloromethane	U		0.327	1.09	1.96	11/05/2021 13:33	WG1769445
2-Chlorotoluene	U		0.0650	0.216	1.96	11/05/2021 13:33	WG1769445
4-Chlorotoluene	U		0.0339	0.113	1.96	11/05/2021 13:33	WG1769445
1,2-Dibromo-3-Chloropropane	U		0.293	0.977	1.96	11/05/2021 13:33	WG1769445
1,2-Dibromoethane	U		0.0488	0.163	1.96	11/05/2021 13:33	WG1769445
Dibromomethane	U		0.0564	0.189	1.96	11/05/2021 13:33	WG1769445
1,2-Dichlorobenzene	U		0.0319	0.106	1.96	11/05/2021 13:33	WG1769445
1,3-Dichlorobenzene	U		0.0451	0.150	1.96	11/05/2021 13:33	WG1769445
1,4-Dichlorobenzene	U		0.0526	0.175	1.96	11/05/2021 13:33	WG1769445
Dichlorodifluoromethane	U		0.121	0.403	1.96	11/05/2021 13:33	WG1769445
Dichlorofluoromethane	U		0.0940	0.313	1.96	11/05/2021 13:33	WG1769445
1,1-Dichloroethane	U		0.0369	0.123	1.96	11/05/2021 13:33	WG1769445
1,2-Dichloroethane	U		0.0488	0.163	1.96	11/05/2021 13:33	WG1769445
1,1-Dichloroethene	U		0.0455	0.152	1.96	11/05/2021 13:33	WG1769445
cis-1,2-Dichloroethene	0.320		0.0552	0.184	1.96	11/05/2021 13:33	WG1769445
trans-1,2-Dichloroethene	U		0.0782	0.261	1.96	11/05/2021 13:33	WG1769445
1,2-Dichloropropane	U		0.107	0.356	1.96	11/05/2021 13:33	WG1769445
1,1-Dichloropropene	U		0.0607	0.202	1.96	11/05/2021 13:33	WG1769445
1,3-Dichloropropene	U		0.0376	0.125	1.96	11/05/2021 13:33	WG1769445
cis-1,3-Dichloropropene	U		0.0569	0.190	1.96	11/05/2021 13:33	WG1769445
trans-1,3-Dichloropropene	U		0.0857	0.285	1.96	11/05/2021 13:33	WG1769445
2,2-Dichloropropane	U	C3	0.104	0.345	1.96	11/05/2021 13:33	WG1769445
Di-isopropyl ether	U		0.0308	0.103	1.96	11/05/2021 13:33	WG1769445
Ethylbenzene	U		0.0553	0.184	1.96	11/05/2021 13:33	WG1769445
Ethyl ether	U		0.0670	0.224	1.96	11/05/2021 13:33	WG1769445
Hexachloro-1,3-butadiene	U		0.451	1.50	1.96	11/05/2021 13:33	WG1769445
2-Hexanone	U		0.253	0.843	1.96	11/05/2021 13:33	WG1769445
Isopropylbenzene	0.0350	J	0.0319	0.106	1.96	11/05/2021 13:33	WG1769445
p-Isopropyltoluene	U		0.192	0.639	1.96	11/05/2021 13:33	WG1769445
2-Butanone (MEK)	U		4.77	15.9	1.96	11/05/2021 13:33	WG1769445
Methylene Chloride	U		0.498	1.66	1.96	11/05/2021 13:33	WG1769445
4-Methyl-2-pentanone (MIBK)	U		0.172	0.572	1.96	11/05/2021 13:33	WG1769445
Methyl tert-butyl ether	U		0.0264	0.0878	1.96	11/05/2021 13:33	WG1769445
Naphthalene	U		0.366	1.22	1.96	11/05/2021 13:33	WG1769445

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ Al
- ⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0714	0.238	1.96	11/05/2021 13:33	WG1769445	¹ Cp
Styrene	U		0.0172	0.0572	1.96	11/05/2021 13:33	WG1769445	² Tc
1,1,2-Tetrachloroethane	U		0.0713	0.238	1.96	11/05/2021 13:33	WG1769445	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0523	0.175	1.96	11/05/2021 13:33	WG1769445	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0566	0.189	1.96	11/05/2021 13:33	WG1769445	⁵ Sr
Tetrachloroethene	0.103	<u>J</u>	0.0673	0.224	1.96	11/05/2021 13:33	WG1769445	⁶ Qc
Tetrahydrofuran	U		0.264	0.878	1.96	11/05/2021 13:33	WG1769445	⁷ Gl
Toluene	0.210	<u>J</u>	0.0977	0.325	1.96	11/05/2021 13:33	WG1769445	⁸ Al
1,2,3-Trichlorobenzene	U	<u>C4</u>	0.550	1.84	1.96	11/05/2021 13:33	WG1769445	⁹ Sc
1,2,4-Trichlorobenzene	U		0.331	1.10	1.96	11/05/2021 13:33	WG1769445	
1,1,1-Trichloroethane	1.17		0.0693	0.231	1.96	11/05/2021 13:33	WG1769445	
1,1,2-Trichloroethane	U		0.0449	0.150	1.96	11/05/2021 13:33	WG1769445	
Trichloroethene	202		3.51	11.7	157	11/05/2021 20:25	WG1769847	
Trichlorofluoromethane	U		0.0621	0.207	1.96	11/05/2021 13:33	WG1769445	
1,2,3-Trichloropropane	U		0.122	0.406	1.96	11/05/2021 13:33	WG1769445	
1,2,4-Trimethylbenzene	0.207	<u>J</u>	0.119	0.396	1.96	11/05/2021 13:33	WG1769445	
1,2,3-Trimethylbenzene	0.153	<u>J</u>	0.119	0.396	1.96	11/05/2021 13:33	WG1769445	
13,5-Trimethylbenzene	U		0.150	0.501	1.96	11/05/2021 13:33	WG1769445	
Vinyl chloride	U		0.0871	0.290	1.96	11/05/2021 13:33	WG1769445	
Xylenes, Total	0.425		0.0661	0.221	1.96	11/05/2021 13:33	WG1769445	
(S) Toluene-d8	113			75.0-131		11/05/2021 13:33	WG1769445	
(S) Toluene-d8	109			75.0-131		11/05/2021 20:25	WG1769847	
(S) 4-Bromofluorobenzene	105			67.0-138		11/05/2021 13:33	WG1769445	
(S) 4-Bromofluorobenzene	106			67.0-138		11/05/2021 20:25	WG1769847	
(S) 1,2-Dichloroethane-d4	103			70.0-130		11/05/2021 13:33	WG1769445	
(S) 1,2-Dichloroethane-d4	104			70.0-130		11/05/2021 20:25	WG1769847	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	81.8		1	11/03/2021 10:07	WG1767823

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.12	3.72	1	11/05/2021 13:52	WG1769445
Acrylonitrile	U		0.110	0.368	1	11/05/2021 13:52	WG1769445
Allyl chloride	U		0.122	0.407	1	11/05/2021 13:52	WG1769445
Benzene	U		0.0143	0.0477	1	11/05/2021 13:52	WG1769445
Bromobenzene	U		0.0275	0.0917	1	11/05/2021 13:52	WG1769445
Bromodichloromethane	U		0.0221	0.0737	1	11/05/2021 13:52	WG1769445
Bromoform	U		0.0358	0.119	1	11/05/2021 13:52	WG1769445
Bromomethane	U		0.0603	0.200	1	11/05/2021 13:52	WG1769445
n-Butylbenzene	U		0.160	0.534	1	11/05/2021 13:52	WG1769445
sec-Butylbenzene	U		0.0880	0.293	1	11/05/2021 13:52	WG1769445
tert-Butylbenzene	U		0.0597	0.199	1	11/05/2021 13:52	WG1769445
Carbon tetrachloride	U		0.0275	0.0917	1	11/05/2021 13:52	WG1769445
Chlorobenzene	U		0.00642	0.0214	1	11/05/2021 13:52	WG1769445
Chlorodibromomethane	U		0.0187	0.0623	1	11/05/2021 13:52	WG1769445
Chloroethane	U		0.0519	0.174	1	11/05/2021 13:52	WG1769445
Chloroform	U		0.0315	0.105	1	11/05/2021 13:52	WG1769445
Chloromethane	U		0.133	0.444	1	11/05/2021 13:52	WG1769445
2-Chlorotoluene	U		0.0264	0.0880	1	11/05/2021 13:52	WG1769445
4-Chlorotoluene	U		0.0138	0.0461	1	11/05/2021 13:52	WG1769445
1,2-Dibromo-3-Chloropropane	U		0.119	0.397	1	11/05/2021 13:52	WG1769445
1,2-Dibromoethane	U		0.0198	0.0660	1	11/05/2021 13:52	WG1769445
Dibromomethane	U		0.0230	0.0766	1	11/05/2021 13:52	WG1769445
1,2-Dichlorobenzene	U		0.0130	0.0431	1	11/05/2021 13:52	WG1769445
1,3-Dichlorobenzene	U		0.0183	0.0611	1	11/05/2021 13:52	WG1769445
1,4-Dichlorobenzene	U		0.0214	0.0713	1	11/05/2021 13:52	WG1769445
Dichlorodifluoromethane	U		0.0493	0.164	1	11/05/2021 13:52	WG1769445
Dichlorofluoromethane	U		0.0383	0.127	1	11/05/2021 13:52	WG1769445
1,1-Dichloroethane	U		0.0150	0.0501	1	11/05/2021 13:52	WG1769445
1,2-Dichloroethane	U		0.0198	0.0660	1	11/05/2021 13:52	WG1769445
1,1-Dichloroethene	U		0.0186	0.0620	1	11/05/2021 13:52	WG1769445
cis-1,2-Dichloroethene	0.0883		0.0225	0.0749	1	11/05/2021 13:52	WG1769445
trans-1,2-Dichloroethene	U		0.0318	0.106	1	11/05/2021 13:52	WG1769445
1,2-Dichloropropane	U		0.0434	0.144	1	11/05/2021 13:52	WG1769445
1,1-Dichloropropene	U		0.0247	0.0823	1	11/05/2021 13:52	WG1769445
1,3-Dichloropropene	U		0.0153	0.0510	1	11/05/2021 13:52	WG1769445
cis-1,3-Dichloropropene	U		0.0231	0.0770	1	11/05/2021 13:52	WG1769445
trans-1,3-Dichloropropene	U		0.0348	0.116	1	11/05/2021 13:52	WG1769445
2,2-Dichloropropane	U	C3	0.0422	0.141	1	11/05/2021 13:52	WG1769445
Di-isopropyl ether	U		0.0126	0.0419	1	11/05/2021 13:52	WG1769445
Ethylbenzene	U		0.0225	0.0749	1	11/05/2021 13:52	WG1769445
Ethyl ether	U		0.0273	0.0908	1	11/05/2021 13:52	WG1769445
Hexachloro-1,3-butadiene	U		0.183	0.611	1	11/05/2021 13:52	WG1769445
2-Hexanone	U		0.103	0.342	1	11/05/2021 13:52	WG1769445
Isopropylbenzene	U		0.0130	0.0431	1	11/05/2021 13:52	WG1769445
p-Isopropyltoluene	U		0.0780	0.260	1	11/05/2021 13:52	WG1769445
2-Butanone (MEK)	U		1.94	6.48	1	11/05/2021 13:52	WG1769445
Methylene Chloride	U		0.203	0.676	1	11/05/2021 13:52	WG1769445
4-Methyl-2-pentanone (MIBK)	U		0.0697	0.232	1	11/05/2021 13:52	WG1769445
Methyl tert-butyl ether	U		0.0107	0.0357	1	11/05/2021 13:52	WG1769445
Naphthalene	U		0.149	0.497	1	11/05/2021 13:52	WG1769445

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0291	0.0969	1	11/05/2021 13:52	WG1769445	¹ Cp
Styrene	U		0.00700	0.0233	1	11/05/2021 13:52	WG1769445	² Tc
1,1,1,2-Tetrachloroethane	U		0.0290	0.0966	1	11/05/2021 13:52	WG1769445	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0213	0.0709	1	11/05/2021 13:52	WG1769445	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0231	0.0770	1	11/05/2021 13:52	WG1769445	⁵ Sr
Tetrachloroethene	0.0287	J	0.0274	0.0913	1	11/05/2021 13:52	WG1769445	⁶ Qc
Tetrahydrofuran	U		0.108	0.358	1	11/05/2021 13:52	WG1769445	⁷ Gl
Toluene	U		0.0397	0.132	1	11/05/2021 13:52	WG1769445	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.224	0.746	1	11/05/2021 13:52	WG1769445	⁹ Sc
1,2,4-Trichlorobenzene	U		0.134	0.449	1	11/05/2021 13:52	WG1769445	
1,1,1-Trichloroethane	0.0744	J	0.0282	0.0941	1	11/05/2021 13:52	WG1769445	
1,1,2-Trichloroethane	U		0.0182	0.0608	1	11/05/2021 13:52	WG1769445	
Trichloroethene	22.0		0.357	1.19	20	11/05/2021 20:44	WG1769847	
Trichlorofluoromethane	U		0.0253	0.0843	1	11/05/2021 13:52	WG1769445	
1,2,3-Trichloropropane	U		0.0495	0.165	1	11/05/2021 13:52	WG1769445	
1,2,4-Trimethylbenzene	U		0.0483	0.161	1	11/05/2021 13:52	WG1769445	
1,2,3-Trimethylbenzene	U		0.0483	0.161	1	11/05/2021 13:52	WG1769445	
1,3,5-Trimethylbenzene	U		0.0611	0.204	1	11/05/2021 13:52	WG1769445	
Vinyl chloride	U		0.0354	0.118	1	11/05/2021 13:52	WG1769445	
Xylenes, Total	U		0.0269	0.0896	1	11/05/2021 13:52	WG1769445	
(S) Toluene-d8	115		75.0-131			11/05/2021 13:52	WG1769445	
(S) Toluene-d8	110		75.0-131			11/05/2021 20:44	WG1769847	
(S) 4-Bromofluorobenzene	103		67.0-138			11/05/2021 13:52	WG1769445	
(S) 4-Bromofluorobenzene	100		67.0-138			11/05/2021 20:44	WG1769847	
(S) 1,2-Dichloroethane-d4	105		70.0-130			11/05/2021 13:52	WG1769445	
(S) 1,2-Dichloroethane-d4	95.4		70.0-130			11/05/2021 20:44	WG1769847	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	73.4		1	11/03/2021 10:07	WG1767823

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		2.15	7.18	1.73	11/05/2021 14:11	WG1769445
Acrylonitrile	U		0.213	0.709	1.73	11/05/2021 14:11	WG1769445
Allyl chloride	U		0.236	0.786	1.73	11/05/2021 14:11	WG1769445
Benzene	U		0.0275	0.0917	1.73	11/05/2021 14:11	WG1769445
Bromobenzene	U		0.0530	0.177	1.73	11/05/2021 14:11	WG1769445
Bromodichloromethane	U		0.0428	0.143	1.73	11/05/2021 14:11	WG1769445
Bromoform	U		0.0690	0.230	1.73	11/05/2021 14:11	WG1769445
Bromomethane	U		0.116	0.387	1.73	11/05/2021 14:11	WG1769445
n-Butylbenzene	U		0.309	1.03	1.73	11/05/2021 14:11	WG1769445
sec-Butylbenzene	U		0.170	0.568	1.73	11/05/2021 14:11	WG1769445
tert-Butylbenzene	U		0.115	0.383	1.73	11/05/2021 14:11	WG1769445
Carbon tetrachloride	U		0.0529	0.176	1.73	11/05/2021 14:11	WG1769445
Chlorobenzene	U		0.0124	0.0413	1.73	11/05/2021 14:11	WG1769445
Chlorodibromomethane	U		0.0361	0.120	1.73	11/05/2021 14:11	WG1769445
Chloroethane	U		0.100	0.334	1.73	11/05/2021 14:11	WG1769445
Chloroform	U		0.0607	0.202	1.73	11/05/2021 14:11	WG1769445
Chloromethane	U		0.256	0.855	1.73	11/05/2021 14:11	WG1769445
2-Chlorotoluene	U		0.0510	0.170	1.73	11/05/2021 14:11	WG1769445
4-Chlorotoluene	U		0.0266	0.0886	1.73	11/05/2021 14:11	WG1769445
1,2-Dibromo-3-Chloropropane	U		0.230	0.767	1.73	11/05/2021 14:11	WG1769445
1,2-Dibromoethane	U		0.0382	0.127	1.73	11/05/2021 14:11	WG1769445
Dibromomethane	U		0.0442	0.147	1.73	11/05/2021 14:11	WG1769445
1,2-Dichlorobenzene	U		0.0251	0.0836	1.73	11/05/2021 14:11	WG1769445
1,3-Dichlorobenzene	U		0.0353	0.118	1.73	11/05/2021 14:11	WG1769445
1,4-Dichlorobenzene	U		0.0413	0.138	1.73	11/05/2021 14:11	WG1769445
Dichlorodifluoromethane	U		0.0949	0.316	1.73	11/05/2021 14:11	WG1769445
Dichlorofluoromethane	U		0.0737	0.245	1.73	11/05/2021 14:11	WG1769445
1,1-Dichloroethane	U		0.0289	0.0964	1.73	11/05/2021 14:11	WG1769445
1,2-Dichloroethane	U		0.0383	0.128	1.73	11/05/2021 14:11	WG1769445
1,1-Dichloroethene	U		0.0357	0.119	1.73	11/05/2021 14:11	WG1769445
cis-1,2-Dichloroethene	U		0.0432	0.144	1.73	11/05/2021 14:11	WG1769445
trans-1,2-Dichloroethene	U		0.0613	0.204	1.73	11/05/2021 14:11	WG1769445
1,2-Dichloropropane	U		0.0837	0.279	1.73	11/05/2021 14:11	WG1769445
1,1-Dichloropropene	U		0.0477	0.159	1.73	11/05/2021 14:11	WG1769445
1,3-Dichloropropane	U		0.0296	0.0985	1.73	11/05/2021 14:11	WG1769445
cis-1,3-Dichloropropene	U		0.0446	0.149	1.73	11/05/2021 14:11	WG1769445
trans-1,3-Dichloropropene	U		0.0672	0.224	1.73	11/05/2021 14:11	WG1769445
2,2-Dichloropropane	U	C3	0.0814	0.271	1.73	11/05/2021 14:11	WG1769445
Di-isopropyl ether	U		0.0241	0.0804	1.73	11/05/2021 14:11	WG1769445
Ethylbenzene	U		0.0435	0.144	1.73	11/05/2021 14:11	WG1769445
Ethyl ether	U		0.0525	0.174	1.73	11/05/2021 14:11	WG1769445
Hexachloro-1,3-butadiene	U		0.354	1.18	1.73	11/05/2021 14:11	WG1769445
2-Hexanone	U		0.198	0.658	1.73	11/05/2021 14:11	WG1769445
Isopropylbenzene	U		0.0251	0.0836	1.73	11/05/2021 14:11	WG1769445
p-Isopropyltoluene	U		0.150	0.500	1.73	11/05/2021 14:11	WG1769445
2-Butanone (MEK)	U		3.75	12.5	1.73	11/05/2021 14:11	WG1769445
Methylene Chloride	U		0.391	1.30	1.73	11/05/2021 14:11	WG1769445
4-Methyl-2-pentanone (MIBK)	U		0.134	0.448	1.73	11/05/2021 14:11	WG1769445
Methyl tert-butyl ether	U		0.0206	0.0686	1.73	11/05/2021 14:11	WG1769445
Naphthalene	U		0.288	0.958	1.73	11/05/2021 14:11	WG1769445

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0560	0.187	1.73	11/05/2021 14:11	WG1769445	¹ Cp
Styrene	U		0.0135	0.0450	1.73	11/05/2021 14:11	WG1769445	² Tc
1,1,2-Tetrachloroethane	U		0.0559	0.187	1.73	11/05/2021 14:11	WG1769445	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0410	0.136	1.73	11/05/2021 14:11	WG1769445	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0444	0.149	1.73	11/05/2021 14:11	WG1769445	⁵ Sr
Tetrachloroethene	U		0.0529	0.176	1.73	11/05/2021 14:11	WG1769445	⁶ Qc
Tetrahydrofuran	U		0.207	0.691	1.73	11/05/2021 14:11	WG1769445	⁷ Gl
Toluene	0.130	<u>J</u>	0.0766	0.255	1.73	11/05/2021 14:11	WG1769445	⁸ Al
1,2,3-Trichlorobenzene	U	<u>C4</u>	0.432	1.44	1.73	11/05/2021 14:11	WG1769445	
1,2,4-Trichlorobenzene	U		0.259	0.863	1.73	11/05/2021 14:11	WG1769445	
1,1,1-Trichloroethane	0.116	<u>J</u>	0.0544	0.181	1.73	11/05/2021 14:11	WG1769445	
1,1,2-Trichloroethane	U		0.0352	0.117	1.73	11/05/2021 14:11	WG1769445	
Trichloroethene	1.16		0.0345	0.115	1.73	11/05/2021 21:40	WG1769847	
Trichlorofluoromethane	U		0.0488	0.162	1.73	11/05/2021 14:11	WG1769445	
1,2,3-Trichloropropane	U		0.0955	0.319	1.73	11/05/2021 14:11	WG1769445	
1,2,4-Trimethylbenzene	0.122	<u>J</u>	0.0931	0.311	1.73	11/05/2021 14:11	WG1769445	
1,2,3-Trimethylbenzene	U		0.0931	0.311	1.73	11/05/2021 14:11	WG1769445	
1,3,5-Trimethylbenzene	U		0.118	0.393	1.73	11/05/2021 14:11	WG1769445	
Vinyl chloride	U		0.0684	0.228	1.73	11/05/2021 14:11	WG1769445	
Xylenes, Total	0.247		0.0519	0.173	1.73	11/05/2021 14:11	WG1769445	
(S) Toluene-d8	114		75.0-131			11/05/2021 14:11	WG1769445	
(S) Toluene-d8	112		75.0-131			11/05/2021 21:40	WG1769847	
(S) 4-Bromofluorobenzene	103		67.0-138			11/05/2021 14:11	WG1769445	
(S) 4-Bromofluorobenzene	103		67.0-138			11/05/2021 21:40	WG1769847	
(S) 1,2-Dichloroethane-d4	105		70.0-130			11/05/2021 14:11	WG1769445	
(S) 1,2-Dichloroethane-d4	73.6		70.0-130			11/05/2021 21:40	WG1769847	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	86.4		1	11/03/2021 09:52	WG1767825

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.06	3.52	1	11/05/2021 14:30	WG1769445
Acrylonitrile	U		0.105	0.348	1	11/05/2021 14:30	WG1769445
Allyl chloride	U		0.116	0.386	1	11/05/2021 14:30	WG1769445
Benzene	U		0.0135	0.0452	1	11/05/2021 14:30	WG1769445
Bromobenzene	U		0.0260	0.0868	1	11/05/2021 14:30	WG1769445
Bromodichloromethane	U		0.0210	0.0698	1	11/05/2021 14:30	WG1769445
Bromoform	U		0.0339	0.113	1	11/05/2021 14:30	WG1769445
Bromomethane	U		0.0571	0.190	1	11/05/2021 14:30	WG1769445
n-Butylbenzene	U		0.152	0.506	1	11/05/2021 14:30	WG1769445
sec-Butylbenzene	U		0.0834	0.278	1	11/05/2021 14:30	WG1769445
tert-Butylbenzene	U		0.0565	0.189	1	11/05/2021 14:30	WG1769445
Carbon tetrachloride	U		0.0260	0.0868	1	11/05/2021 14:30	WG1769445
Chlorobenzene	U		0.00608	0.0203	1	11/05/2021 14:30	WG1769445
Chlorodibromomethane	U		0.0177	0.0590	1	11/05/2021 14:30	WG1769445
Chloroethane	U		0.0492	0.164	1	11/05/2021 14:30	WG1769445
Chloroform	U		0.0299	0.0996	1	11/05/2021 14:30	WG1769445
Chloromethane	U		0.126	0.420	1	11/05/2021 14:30	WG1769445
2-Chlorotoluene	U		0.0250	0.0834	1	11/05/2021 14:30	WG1769445
4-Chlorotoluene	U		0.0131	0.0436	1	11/05/2021 14:30	WG1769445
1,2-Dibromo-3-Chloropropane	U		0.113	0.376	1	11/05/2021 14:30	WG1769445
1,2-Dibromoethane	U		0.0188	0.0625	1	11/05/2021 14:30	WG1769445
Dibromomethane	U		0.0218	0.0726	1	11/05/2021 14:30	WG1769445
1,2-Dichlorobenzene	U		0.0123	0.0409	1	11/05/2021 14:30	WG1769445
1,3-Dichlorobenzene	U		0.0174	0.0579	1	11/05/2021 14:30	WG1769445
1,4-Dichlorobenzene	U		0.0203	0.0675	1	11/05/2021 14:30	WG1769445
Dichlorodifluoromethane	U		0.0467	0.155	1	11/05/2021 14:30	WG1769445
Dichlorofluoromethane	U		0.0362	0.120	1	11/05/2021 14:30	WG1769445
1,1-Dichloroethane	U		0.0142	0.0475	1	11/05/2021 14:30	WG1769445
1,2-Dichloroethane	U		0.0188	0.0625	1	11/05/2021 14:30	WG1769445
1,1-Dichloroethene	U		0.0176	0.0587	1	11/05/2021 14:30	WG1769445
cis-1,2-Dichloroethene	U		0.0213	0.0710	1	11/05/2021 14:30	WG1769445
trans-1,2-Dichloroethene	U		0.0301	0.100	1	11/05/2021 14:30	WG1769445
1,2-Dichloropropane	U		0.0411	0.137	1	11/05/2021 14:30	WG1769445
1,1-Dichloropropene	U		0.0234	0.0779	1	11/05/2021 14:30	WG1769445
1,3-Dichloropropane	U		0.0145	0.0483	1	11/05/2021 14:30	WG1769445
cis-1,3-Dichloropropene	U		0.0219	0.0729	1	11/05/2021 14:30	WG1769445
trans-1,3-Dichloropropene	U		0.0330	0.110	1	11/05/2021 14:30	WG1769445
2,2-Dichloropropane	U	C3	0.0399	0.133	1	11/05/2021 14:30	WG1769445
Di-isopropyl ether	U		0.0119	0.0397	1	11/05/2021 14:30	WG1769445
Ethylbenzene	U		0.0213	0.0710	1	11/05/2021 14:30	WG1769445
Ethyl ether	U		0.0258	0.0860	1	11/05/2021 14:30	WG1769445
Hexachloro-1,3-butadiene	U		0.174	0.579	1	11/05/2021 14:30	WG1769445
2-Hexanone	U		0.0972	0.324	1	11/05/2021 14:30	WG1769445
Isopropylbenzene	U		0.0123	0.0409	1	11/05/2021 14:30	WG1769445
p-Isopropyltoluene	U		0.0739	0.247	1	11/05/2021 14:30	WG1769445
2-Butanone (MEK)	U		1.84	6.14	1	11/05/2021 14:30	WG1769445
Methylene Chloride	U		0.192	0.640	1	11/05/2021 14:30	WG1769445
4-Methyl-2-pentanone (MIBK)	U		0.0660	0.220	1	11/05/2021 14:30	WG1769445
Methyl tert-butyl ether	U		0.0101	0.0338	1	11/05/2021 14:30	WG1769445
Naphthalene	U		0.141	0.471	1	11/05/2021 14:30	WG1769445

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0276	0.0918	1	11/05/2021 14:30	WG1769445	¹ Cp
Styrene	U		0.00663	0.0221	1	11/05/2021 14:30	WG1769445	² Tc
1,1,2-Tetrachloroethane	U		0.0274	0.0915	1	11/05/2021 14:30	WG1769445	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0201	0.0671	1	11/05/2021 14:30	WG1769445	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0219	0.0729	1	11/05/2021 14:30	WG1769445	⁵ Sr
Tetrachloroethene	U		0.0259	0.0865	1	11/05/2021 14:30	WG1769445	⁶ Qc
Tetrahydrofuran	U		0.102	0.339	1	11/05/2021 14:30	WG1769445	⁷ Gl
Toluene	U		0.0376	0.125	1	11/05/2021 14:30	WG1769445	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.212	0.706	1	11/05/2021 14:30	WG1769445	
1,2,4-Trichlorobenzene	U		0.127	0.425	1	11/05/2021 14:30	WG1769445	
1,1,1-Trichloroethane	U		0.0267	0.0891	1	11/05/2021 14:30	WG1769445	
1,1,2-Trichloroethane	U		0.0172	0.0575	1	11/05/2021 14:30	WG1769445	
Trichloroethene	0.0333	J	0.0169	0.0564	1	11/05/2021 21:59	WG1769847	
Trichlorofluoromethane	U		0.0240	0.0799	1	11/05/2021 14:30	WG1769445	
1,2,3-Trichloropropane	U		0.0469	0.156	1	11/05/2021 14:30	WG1769445	
1,2,4-Trimethylbenzene	U		0.0457	0.153	1	11/05/2021 14:30	WG1769445	
1,2,3-Trimethylbenzene	U		0.0457	0.153	1	11/05/2021 14:30	WG1769445	
1,3,5-Trimethylbenzene	U		0.0579	0.193	1	11/05/2021 14:30	WG1769445	
Vinyl chloride	U		0.0336	0.112	1	11/05/2021 14:30	WG1769445	
Xylenes, Total	U		0.0255	0.0849	1	11/05/2021 14:30	WG1769445	
(S) Toluene-d8	114		75.0-131			11/05/2021 14:30	WG1769445	
(S) Toluene-d8	113		75.0-131			11/05/2021 21:59	WG1769847	
(S) 4-Bromofluorobenzene	101		67.0-138			11/05/2021 14:30	WG1769445	
(S) 4-Bromofluorobenzene	99.8		67.0-138			11/05/2021 21:59	WG1769847	
(S) 1,2-Dichloroethane-d4	103		70.0-130			11/05/2021 14:30	WG1769445	
(S) 1,2-Dichloroethane-d4	76.9		70.0-130			11/05/2021 21:59	WG1769847	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	84.7		1	11/03/2021 09:52	WG1767825

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.18	3.93	1.1	11/05/2021 14:49	WG1769445
Acrylonitrile	U		0.117	0.391	1.1	11/05/2021 14:49	WG1769445
Allyl chloride	U		0.130	0.433	1.1	11/05/2021 14:49	WG1769445
Benzene	U		0.0151	0.0504	1.1	11/05/2021 14:49	WG1769445
Bromobenzene	U		0.0293	0.0976	1.1	11/05/2021 14:49	WG1769445
Bromodichloromethane	U		0.0235	0.0782	1.1	11/05/2021 14:49	WG1769445
Bromoform	U		0.0380	0.126	1.1	11/05/2021 14:49	WG1769445
Bromomethane	U		0.0640	0.214	1.1	11/05/2021 14:49	WG1769445
n-Butylbenzene	U		0.170	0.566	1.1	11/05/2021 14:49	WG1769445
sec-Butylbenzene	U		0.0935	0.312	1.1	11/05/2021 14:49	WG1769445
tert-Butylbenzene	U		0.0633	0.211	1.1	11/05/2021 14:49	WG1769445
Carbon tetrachloride	U		0.0291	0.0971	1.1	11/05/2021 14:49	WG1769445
Chlorobenzene	U		0.00682	0.0228	1.1	11/05/2021 14:49	WG1769445
Chlorodibromomethane	U		0.0198	0.0661	1.1	11/05/2021 14:49	WG1769445
Chloroethane	U		0.0552	0.184	1.1	11/05/2021 14:49	WG1769445
Chloroform	U		0.0334	0.111	1.1	11/05/2021 14:49	WG1769445
Chloromethane	U		0.142	0.472	1.1	11/05/2021 14:49	WG1769445
2-Chlorotoluene	U		0.0281	0.0936	1.1	11/05/2021 14:49	WG1769445
4-Chlorotoluene	U		0.0146	0.0487	1.1	11/05/2021 14:49	WG1769445
1,2-Dibromo-3-Chloropropane	U		0.126	0.421	1.1	11/05/2021 14:49	WG1769445
1,2-Dibromoethane	U		0.0210	0.0700	1.1	11/05/2021 14:49	WG1769445
Dibromomethane	U		0.0243	0.0811	1.1	11/05/2021 14:49	WG1769445
1,2-Dichlorobenzene	U		0.0138	0.0460	1.1	11/05/2021 14:49	WG1769445
1,3-Dichlorobenzene	U		0.0195	0.0649	1.1	11/05/2021 14:49	WG1769445
1,4-Dichlorobenzene	U		0.0228	0.0759	1.1	11/05/2021 14:49	WG1769445
Dichlorodifluoromethane	U		0.0523	0.175	1.1	11/05/2021 14:49	WG1769445
Dichlorofluoromethane	U		0.0406	0.136	1.1	11/05/2021 14:49	WG1769445
1,1-Dichloroethane	U		0.0159	0.0531	1.1	11/05/2021 14:49	WG1769445
1,2-Dichloroethane	U		0.0210	0.0700	1.1	11/05/2021 14:49	WG1769445
1,1-Dichloroethene	U		0.0197	0.0657	1.1	11/05/2021 14:49	WG1769445
cis-1,2-Dichloroethylene	0.0332	<u>J</u>	0.0238	0.0794	1.1	11/05/2021 14:49	WG1769445
trans-1,2-Dichloroethylene	U		0.0338	0.112	1.1	11/05/2021 14:49	WG1769445
1,2-Dichloropropane	U		0.0461	0.153	1.1	11/05/2021 14:49	WG1769445
1,1-Dichloropropene	U		0.0262	0.0873	1.1	11/05/2021 14:49	WG1769445
1,3-Dichloropropane	U		0.0163	0.0543	1.1	11/05/2021 14:49	WG1769445
cis-1,3-Dichloropropene	U		0.0245	0.0818	1.1	11/05/2021 14:49	WG1769445
trans-1,3-Dichloropropene	U		0.0371	0.124	1.1	11/05/2021 14:49	WG1769445
2,2-Dichloropropane	U	<u>C3</u>	0.0448	0.150	1.1	11/05/2021 14:49	WG1769445
Di-isopropyl ether	U		0.0133	0.0445	1.1	11/05/2021 14:49	WG1769445
Ethylbenzene	U		0.0240	0.0799	1.1	11/05/2021 14:49	WG1769445
Ethyl ether	U		0.0289	0.0964	1.1	11/05/2021 14:49	WG1769445
Hexachloro-1,3-butadiene	U		0.195	0.649	1.1	11/05/2021 14:49	WG1769445
2-Hexanone	U		0.109	0.363	1.1	11/05/2021 14:49	WG1769445
Isopropylbenzene	U		0.0138	0.0460	1.1	11/05/2021 14:49	WG1769445
p-Isopropyltoluene	U		0.0827	0.276	1.1	11/05/2021 14:49	WG1769445
2-Butanone (MEK)	U		2.07	6.88	1.1	11/05/2021 14:49	WG1769445
Methylene Chloride	U		0.216	0.720	1.1	11/05/2021 14:49	WG1769445
4-Methyl-2-pentanone (MIBK)	U		0.0740	0.247	1.1	11/05/2021 14:49	WG1769445
Methyl tert-butyl ether	U		0.0114	0.0379	1.1	11/05/2021 14:49	WG1769445
Naphthalene	U		0.158	0.528	1.1	11/05/2021 14:49	WG1769445

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0308	0.103	1.1	11/05/2021 14:49	WG1769445	¹ Cp
Styrene	U		0.00743	0.0248	1.1	11/05/2021 14:49	WG1769445	² Tc
1,1,2-Tetrachloroethane	U		0.0308	0.103	1.1	11/05/2021 14:49	WG1769445	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0225	0.0752	1.1	11/05/2021 14:49	WG1769445	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0244	0.0814	1.1	11/05/2021 14:49	WG1769445	⁵ Sr
Tetrachloroethene	U		0.0290	0.0968	1.1	11/05/2021 14:49	WG1769445	⁶ Qc
Tetrahydrofuran	U		0.114	0.381	1.1	11/05/2021 14:49	WG1769445	⁷ Gl
Toluene	U		0.0422	0.140	1.1	11/05/2021 14:49	WG1769445	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.238	0.794	1.1	11/05/2021 14:49	WG1769445	
1,2,4-Trichlorobenzene	U		0.143	0.476	1.1	11/05/2021 14:49	WG1769445	
1,1,1-Trichloroethane	0.0598	J	0.0300	0.100	1.1	11/05/2021 14:49	WG1769445	
1,1,2-Trichloroethane	U		0.0194	0.0646	1.1	11/05/2021 14:49	WG1769445	
Trichloroethene	22.3		0.190	0.634	11	11/05/2021 21:03	WG1769847	
Trichlorofluoromethane	U		0.0268	0.0893	1.1	11/05/2021 14:49	WG1769445	
1,2,3-Trichloropropane	U		0.0526	0.176	1.1	11/05/2021 14:49	WG1769445	
1,2,4-Trimethylbenzene	U		0.0513	0.171	1.1	11/05/2021 14:49	WG1769445	
1,2,3-Trimethylbenzene	U		0.0513	0.171	1.1	11/05/2021 14:49	WG1769445	
1,3,5-Trimethylbenzene	U		0.0649	0.216	1.1	11/05/2021 14:49	WG1769445	
Vinyl chloride	U		0.0376	0.125	1.1	11/05/2021 14:49	WG1769445	
Xylenes, Total	0.0725	J	0.0286	0.0952	1.1	11/05/2021 14:49	WG1769445	
(S) Toluene-d8	115			75.0-131		11/05/2021 14:49	WG1769445	
(S) Toluene-d8	109			75.0-131		11/05/2021 21:03	WG1769847	
(S) 4-Bromofluorobenzene	103			67.0-138		11/05/2021 14:49	WG1769445	
(S) 4-Bromofluorobenzene	101			67.0-138		11/05/2021 21:03	WG1769847	
(S) 1,2-Dichloroethane-d4	104			70.0-130		11/05/2021 14:49	WG1769445	
(S) 1,2-Dichloroethane-d4	93.5			70.0-130		11/05/2021 21:03	WG1769847	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	80.3		1	11/03/2021 09:52	WG1767825

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		2.19	7.31	1.93	11/05/2021 15:08	WG1769445
Acrylonitrile	U		0.217	0.722	1.93	11/05/2021 15:08	WG1769445
Allyl chloride	U		0.240	0.801	1.93	11/05/2021 15:08	WG1769445
Benzene	0.0331	<u>J</u>	0.0280	0.0934	1.93	11/05/2021 15:08	WG1769445
Bromobenzene	U		0.0541	0.181	1.93	11/05/2021 15:08	WG1769445
Bromodichloromethane	U		0.0436	0.146	1.93	11/05/2021 15:08	WG1769445
Bromoform	U		0.0704	0.234	1.93	11/05/2021 15:08	WG1769445
Bromomethane	U		0.118	0.395	1.93	11/05/2021 15:08	WG1769445
n-Butylbenzene	U		0.315	1.05	1.93	11/05/2021 15:08	WG1769445
sec-Butylbenzene	U		0.173	0.577	1.93	11/05/2021 15:08	WG1769445
tert-Butylbenzene	U		0.117	0.391	1.93	11/05/2021 15:08	WG1769445
Carbon tetrachloride	U		0.0539	0.179	1.93	11/05/2021 15:08	WG1769445
Chlorobenzene	U		0.0126	0.0420	1.93	11/05/2021 15:08	WG1769445
Chlorodibromomethane	U		0.0367	0.122	1.93	11/05/2021 15:08	WG1769445
Chloroethane	U		0.102	0.340	1.93	11/05/2021 15:08	WG1769445
Chloroform	U		0.0619	0.207	1.93	11/05/2021 15:08	WG1769445
Chloromethane	U		0.262	0.872	1.93	11/05/2021 15:08	WG1769445
2-Chlorotoluene	U		0.0519	0.173	1.93	11/05/2021 15:08	WG1769445
4-Chlorotoluene	U		0.0270	0.0900	1.93	11/05/2021 15:08	WG1769445
1,2-Dibromo-3-Chloropropane	U		0.234	0.781	1.93	11/05/2021 15:08	WG1769445
1,2-Dibromoethane	U		0.0390	0.130	1.93	11/05/2021 15:08	WG1769445
Dibromomethane	U		0.0451	0.151	1.93	11/05/2021 15:08	WG1769445
1,2-Dichlorobenzene	U		0.0255	0.0851	1.93	11/05/2021 15:08	WG1769445
1,3-Dichlorobenzene	U		0.0360	0.120	1.93	11/05/2021 15:08	WG1769445
1,4-Dichlorobenzene	U		0.0421	0.141	1.93	11/05/2021 15:08	WG1769445
Dichlorodifluoromethane	U		0.0968	0.323	1.93	11/05/2021 15:08	WG1769445
Dichlorofluoromethane	U		0.0751	0.250	1.93	11/05/2021 15:08	WG1769445
1,1-Dichloroethane	U		0.0295	0.0984	1.93	11/05/2021 15:08	WG1769445
1,2-Dichloroethane	U		0.0390	0.130	1.93	11/05/2021 15:08	WG1769445
1,1-Dichloroethene	U		0.0364	0.121	1.93	11/05/2021 15:08	WG1769445
cis-1,2-Dichloroethene	0.215		0.0441	0.147	1.93	11/05/2021 15:08	WG1769445
trans-1,2-Dichloroethene	U		0.0625	0.208	1.93	11/05/2021 15:08	WG1769445
1,2-Dichloropropane	U		0.0853	0.284	1.93	11/05/2021 15:08	WG1769445
1,1-Dichloropropene	U		0.0486	0.162	1.93	11/05/2021 15:08	WG1769445
1,3-Dichloropropene	U		0.0301	0.101	1.93	11/05/2021 15:08	WG1769445
cis-1,3-Dichloropropene	U		0.0455	0.152	1.93	11/05/2021 15:08	WG1769445
trans-1,3-Dichloropropene	U		0.0685	0.228	1.93	11/05/2021 15:08	WG1769445
2,2-Dichloropropane	U	<u>C3</u>	0.0829	0.276	1.93	11/05/2021 15:08	WG1769445
Di-isopropyl ether	U		0.0247	0.0822	1.93	11/05/2021 15:08	WG1769445
Ethylbenzene	0.0494	<u>J</u>	0.0443	0.148	1.93	11/05/2021 15:08	WG1769445
Ethyl ether	U		0.0536	0.178	1.93	11/05/2021 15:08	WG1769445
Hexachloro-1,3-butadiene	U		0.360	1.20	1.93	11/05/2021 15:08	WG1769445
2-Hexanone	U		0.202	0.673	1.93	11/05/2021 15:08	WG1769445
Isopropylbenzene	0.0400	<u>J</u>	0.0255	0.0851	1.93	11/05/2021 15:08	WG1769445
p-Isopropyltoluene	U		0.153	0.511	1.93	11/05/2021 15:08	WG1769445
2-Butanone (MEK)	U		3.81	12.7	1.93	11/05/2021 15:08	WG1769445
Methylene Chloride	U		0.399	1.33	1.93	11/05/2021 15:08	WG1769445
4-Methyl-2-pentanone (MIBK)	U		0.137	0.457	1.93	11/05/2021 15:08	WG1769445
Methyl tert-butyl ether	U		0.0210	0.0701	1.93	11/05/2021 15:08	WG1769445
Naphthalene	U		0.293	0.975	1.93	11/05/2021 15:08	WG1769445

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0570	0.191	1.93	11/05/2021 15:08	WG1769445	¹ Cp
Styrene	U		0.0137	0.0457	1.93	11/05/2021 15:08	WG1769445	² Tc
1,1,2-Tetrachloroethane	U		0.0569	0.189	1.93	11/05/2021 15:08	WG1769445	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0417	0.139	1.93	11/05/2021 15:08	WG1769445	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0453	0.151	1.93	11/05/2021 15:08	WG1769445	⁵ Sr
Tetrachloroethene	0.147	<u>J</u>	0.0538	0.179	1.93	11/05/2021 15:08	WG1769445	⁶ Qc
Tetrahydrofuran	U		0.212	0.706	1.93	11/05/2021 15:08	WG1769445	⁷ Gl
Toluene	0.208	<u>J</u>	0.0781	0.260	1.93	11/05/2021 15:08	WG1769445	⁸ Al
1,2,3-Trichlorobenzene	U	<u>C4</u>	0.441	1.47	1.93	11/05/2021 15:08	WG1769445	⁹ Sc
1,2,4-Trichlorobenzene	U		0.264	0.881	1.93	11/05/2021 15:08	WG1769445	
1,1,1-Trichloroethane	0.465		0.0554	0.184	1.93	11/05/2021 15:08	WG1769445	
1,1,2-Trichloroethane	U		0.0359	0.120	1.93	11/05/2021 15:08	WG1769445	
Trichloroethene	167		2.80	9.34	154	11/05/2021 21:22	WG1769847	
Trichlorofluoromethane	U		0.0497	0.166	1.93	11/05/2021 15:08	WG1769445	
1,2,3-Trichloropropane	U		0.0974	0.325	1.93	11/05/2021 15:08	WG1769445	
1,2,4-Trimethylbenzene	0.156	<u>J</u>	0.0949	0.316	1.93	11/05/2021 15:08	WG1769445	
1,2,3-Trimethylbenzene	0.105	<u>J</u>	0.0949	0.316	1.93	11/05/2021 15:08	WG1769445	
13,5-Trimethylbenzene	U		0.120	0.401	1.93	11/05/2021 15:08	WG1769445	
Vinyl chloride	U		0.0697	0.233	1.93	11/05/2021 15:08	WG1769445	
Xylenes, Total	0.380		0.0529	0.177	1.93	11/05/2021 15:08	WG1769445	
(S) Toluene-d8	114		75.0-131			11/05/2021 15:08	WG1769445	
(S) Toluene-d8	109		75.0-131			11/05/2021 21:22	WG1769847	
(S) 4-Bromofluorobenzene	105		67.0-138			11/05/2021 15:08	WG1769445	
(S) 4-Bromofluorobenzene	102		67.0-138			11/05/2021 21:22	WG1769847	
(S) 1,2-Dichloroethane-d4	106		70.0-130			11/05/2021 15:08	WG1769445	
(S) 1,2-Dichloroethane-d4	96.5		70.0-130			11/05/2021 21:22	WG1769847	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	71.8		1	11/03/2021 09:52	WG1767825

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		2.23	7.43	1.75	11/05/2021 15:27	WG1769445
Acrylonitrile	U		0.220	0.734	1.75	11/05/2021 15:27	WG1769445
Allyl chloride	U		0.244	0.812	1.75	11/05/2021 15:27	WG1769445
Benzene	U		0.0284	0.0947	1.75	11/05/2021 15:27	WG1769445
Bromobenzene	U		0.0549	0.183	1.75	11/05/2021 15:27	WG1769445
Bromodichloromethane	U		0.0442	0.148	1.75	11/05/2021 15:27	WG1769445
Bromoform	U		0.0713	0.238	1.75	11/05/2021 15:27	WG1769445
Bromomethane	U		0.120	0.400	1.75	11/05/2021 15:27	WG1769445
n-Butylbenzene	U		0.320	1.07	1.75	11/05/2021 15:27	WG1769445
sec-Butylbenzene	U		0.176	0.585	1.75	11/05/2021 15:27	WG1769445
tert-Butylbenzene	U		0.119	0.396	1.75	11/05/2021 15:27	WG1769445
Carbon tetrachloride	U		0.0548	0.183	1.75	11/05/2021 15:27	WG1769445
Chlorobenzene	U		0.0128	0.0426	1.75	11/05/2021 15:27	WG1769445
Chlorodibromomethane	U		0.0373	0.124	1.75	11/05/2021 15:27	WG1769445
Chloroethane	U		0.104	0.346	1.75	11/05/2021 15:27	WG1769445
Chloroform	U		0.0628	0.209	1.75	11/05/2021 15:27	WG1769445
Chloromethane	U		0.265	0.882	1.75	11/05/2021 15:27	WG1769445
2-Chlorotoluene	U		0.0527	0.176	1.75	11/05/2021 15:27	WG1769445
4-Chlorotoluene	U		0.0274	0.0915	1.75	11/05/2021 15:27	WG1769445
1,2-Dibromo-3-Chloropropane	U		0.238	0.794	1.75	11/05/2021 15:27	WG1769445
1,2-Dibromoethane	U		0.0396	0.132	1.75	11/05/2021 15:27	WG1769445
Dibromomethane	U		0.0457	0.152	1.75	11/05/2021 15:27	WG1769445
1,2-Dichlorobenzene	U		0.0259	0.0864	1.75	11/05/2021 15:27	WG1769445
1,3-Dichlorobenzene	U		0.0366	0.122	1.75	11/05/2021 15:27	WG1769445
1,4-Dichlorobenzene	U		0.0426	0.142	1.75	11/05/2021 15:27	WG1769445
Dichlorodifluoromethane	U		0.0981	0.327	1.75	11/05/2021 15:27	WG1769445
Dichlorofluoromethane	U		0.0762	0.254	1.75	11/05/2021 15:27	WG1769445
1,1-Dichloroethane	U		0.0300	0.0999	1.75	11/05/2021 15:27	WG1769445
1,2-Dichloroethane	U		0.0396	0.132	1.75	11/05/2021 15:27	WG1769445
1,1-Dichloroethene	U		0.0369	0.123	1.75	11/05/2021 15:27	WG1769445
cis-1,2-Dichloroethene	U		0.0447	0.149	1.75	11/05/2021 15:27	WG1769445
trans-1,2-Dichloroethene	U		0.0634	0.212	1.75	11/05/2021 15:27	WG1769445
1,2-Dichloropropane	U		0.0865	0.288	1.75	11/05/2021 15:27	WG1769445
1,1-Dichloropropene	U		0.0493	0.164	1.75	11/05/2021 15:27	WG1769445
1,3-Dichloropropane	U		0.0305	0.102	1.75	11/05/2021 15:27	WG1769445
cis-1,3-Dichloropropene	U		0.0461	0.153	1.75	11/05/2021 15:27	WG1769445
trans-1,3-Dichloropropene	U		0.0695	0.231	1.75	11/05/2021 15:27	WG1769445
2,2-Dichloropropane	U	<u>C3</u>	0.0842	0.280	1.75	11/05/2021 15:27	WG1769445
Di-isopropyl ether	U		0.0249	0.0832	1.75	11/05/2021 15:27	WG1769445
Ethylbenzene	0.0471	<u>J</u>	0.0449	0.149	1.75	11/05/2021 15:27	WG1769445
Ethyl ether	U		0.0543	0.181	1.75	11/05/2021 15:27	WG1769445
Hexachloro-1,3-butadiene	U		0.366	1.22	1.75	11/05/2021 15:27	WG1769445
2-Hexanone	U		0.205	0.683	1.75	11/05/2021 15:27	WG1769445
Isopropylbenzene	0.0410	<u>J</u>	0.0259	0.0864	1.75	11/05/2021 15:27	WG1769445
p-Isopropyltoluene	U		0.156	0.520	1.75	11/05/2021 15:27	WG1769445
2-Butanone (MEK)	U		3.87	12.9	1.75	11/05/2021 15:27	WG1769445
Methylene Chloride	U		0.405	1.35	1.75	11/05/2021 15:27	WG1769445
4-Methyl-2-pentanone (MIBK)	U		0.139	0.464	1.75	11/05/2021 15:27	WG1769445
Methyl tert-butyl ether	U		0.0213	0.0711	1.75	11/05/2021 15:27	WG1769445
Naphthalene	U		0.298	0.993	1.75	11/05/2021 15:27	WG1769445

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0580	0.194	1.75	11/05/2021 15:27	WG1769445	¹ Cp
Styrene	U		0.0139	0.0464	1.75	11/05/2021 15:27	WG1769445	² Tc
1,1,2-Tetrachloroethane	U		0.0578	0.192	1.75	11/05/2021 15:27	WG1769445	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0424	0.141	1.75	11/05/2021 15:27	WG1769445	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0460	0.153	1.75	11/05/2021 15:27	WG1769445	⁵ Sr
Tetrachloroethene	0.0564	<u>J</u>	0.0546	0.183	1.75	11/05/2021 15:27	WG1769445	⁶ Qc
Tetrahydrofuran	U		0.215	0.715	1.75	11/05/2021 15:27	WG1769445	⁷ Gl
Toluene	0.134	<u>J</u>	0.0793	0.265	1.75	11/05/2021 15:27	WG1769445	⁸ Al
1,2,3-Trichlorobenzene	U	<u>C4</u>	0.447	1.49	1.75	11/05/2021 15:27	WG1769445	⁹ Sc
1,2,4-Trichlorobenzene	U		0.269	0.896	1.75	11/05/2021 15:27	WG1769445	
1,1,1-Trichloroethane	U		0.0563	0.188	1.75	11/05/2021 15:27	WG1769445	
1,1,2-Trichloroethane	U		0.0364	0.121	1.75	11/05/2021 15:27	WG1769445	
Trichloroethene	0.245		0.0357	0.119	1.75	11/05/2021 22:18	WG1769847	
Trichlorofluoromethane	U		0.0504	0.169	1.75	11/05/2021 15:27	WG1769445	
1,2,3-Trichloropropane	U		0.0988	0.329	1.75	11/05/2021 15:27	WG1769445	
1,2,4-Trimethylbenzene	0.149	<u>J</u>	0.0963	0.320	1.75	11/05/2021 15:27	WG1769445	
1,2,3-Trimethylbenzene	0.0968	<u>J</u>	0.0963	0.320	1.75	11/05/2021 15:27	WG1769445	
13,5-Trimethylbenzene	U		0.122	0.407	1.75	11/05/2021 15:27	WG1769445	
Vinyl chloride	U		0.0708	0.235	1.75	11/05/2021 15:27	WG1769445	
Xylenes, Total	0.336		0.0536	0.178	1.75	11/05/2021 15:27	WG1769445	
(S) Toluene-d8	116		75.0-131			11/05/2021 15:27	WG1769445	
(S) Toluene-d8	111		75.0-131			11/05/2021 22:18	WG1769847	
(S) 4-Bromofluorobenzene	105		67.0-138			11/05/2021 15:27	WG1769445	
(S) 4-Bromofluorobenzene	103		67.0-138			11/05/2021 22:18	WG1769847	
(S) 1,2-Dichloroethane-d4	101		70.0-130			11/05/2021 15:27	WG1769445	
(S) 1,2-Dichloroethane-d4	74.0		70.0-130			11/05/2021 22:18	WG1769847	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	86.5		1	11/03/2021 09:52	WG1767825

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.12	3.72	1.06	11/05/2021 12:53	WG1769453
Acrylonitrile	U		0.111	0.369	1.06	11/05/2021 12:53	WG1769453
Allyl chloride	U		0.123	0.408	1.06	11/05/2021 12:53	WG1769453
Benzene	U		0.0143	0.0478	1.06	11/05/2021 12:53	WG1769453
Bromobenzene	U		0.0276	0.0922	1.06	11/05/2021 12:53	WG1769453
Bromodichloromethane	U		0.0222	0.0740	1.06	11/05/2021 12:53	WG1769453
Bromoform	U		0.0358	0.119	1.06	11/05/2021 12:53	WG1769453
Bromomethane	U	<u>C3</u>	0.0604	0.201	1.06	11/05/2021 12:53	WG1769453
n-Butylbenzene	U		0.161	0.535	1.06	11/05/2021 12:53	WG1769453
sec-Butylbenzene	U		0.0882	0.294	1.06	11/05/2021 12:53	WG1769453
tert-Butylbenzene	U		0.0598	0.199	1.06	11/05/2021 12:53	WG1769453
Carbon tetrachloride	U		0.0275	0.0917	1.06	11/05/2021 12:53	WG1769453
Chlorobenzene	U		0.00643	0.0214	1.06	11/05/2021 12:53	WG1769453
Chlorodibromomethane	U		0.0187	0.0624	1.06	11/05/2021 12:53	WG1769453
Chloroethane	U		0.0522	0.173	1.06	11/05/2021 12:53	WG1769453
Chloroform	U		0.0316	0.105	1.06	11/05/2021 12:53	WG1769453
Chloromethane	U		0.133	0.443	1.06	11/05/2021 12:53	WG1769453
2-Chlorotoluene	U		0.0265	0.0882	1.06	11/05/2021 12:53	WG1769453
4-Chlorotoluene	U		0.0138	0.0459	1.06	11/05/2021 12:53	WG1769453
1,2-Dibromo-3-Chloropropane	U		0.119	0.397	1.06	11/05/2021 12:53	WG1769453
1,2-Dibromoethane	U		0.0199	0.0663	1.06	11/05/2021 12:53	WG1769453
Dibromomethane	U		0.0230	0.0767	1.06	11/05/2021 12:53	WG1769453
1,2-Dichlorobenzene	U		0.0131	0.0436	1.06	11/05/2021 12:53	WG1769453
1,3-Dichlorobenzene	U		0.0184	0.0613	1.06	11/05/2021 12:53	WG1769453
1,4-Dichlorobenzene	U		0.0215	0.0717	1.06	11/05/2021 12:53	WG1769453
Dichlorodifluoromethane	U		0.0494	0.164	1.06	11/05/2021 12:53	WG1769453
Dichlorofluoromethane	U	<u>C3</u>	0.0383	0.127	1.06	11/05/2021 12:53	WG1769453
1,1-Dichloroethane	U		0.0150	0.0501	1.06	11/05/2021 12:53	WG1769453
1,2-Dichloroethane	U		0.0199	0.0663	1.06	11/05/2021 12:53	WG1769453
1,1-Dichloroethene	U		0.0186	0.0621	1.06	11/05/2021 12:53	WG1769453
cis-1,2-Dichloroethene	U		0.0225	0.0752	1.06	11/05/2021 12:53	WG1769453
trans-1,2-Dichloroethene	U		0.0319	0.106	1.06	11/05/2021 12:53	WG1769453
1,2-Dichloropropane	U		0.0435	0.145	1.06	11/05/2021 12:53	WG1769453
1,1-Dichloropropene	U		0.0247	0.0825	1.06	11/05/2021 12:53	WG1769453
1,3-Dichloropropene	U		0.0154	0.0512	1.06	11/05/2021 12:53	WG1769453
cis-1,3-Dichloropropene	U		0.0232	0.0775	1.06	11/05/2021 12:53	WG1769453
trans-1,3-Dichloropropene	U		0.0349	0.117	1.06	11/05/2021 12:53	WG1769453
2,2-Dichloropropane	U		0.0423	0.141	1.06	11/05/2021 12:53	WG1769453
Di-isopropyl ether	U		0.0126	0.0420	1.06	11/05/2021 12:53	WG1769453
Ethylbenzene	U		0.0225	0.0752	1.06	11/05/2021 12:53	WG1769453
Ethyl ether	U		0.0273	0.0910	1.06	11/05/2021 12:53	WG1769453
Hexachloro-1,3-butadiene	U		0.184	0.613	1.06	11/05/2021 12:53	WG1769453
2-Hexanone	U		0.103	0.343	1.06	11/05/2021 12:53	WG1769453
Isopropylbenzene	U		0.0131	0.0436	1.06	11/05/2021 12:53	WG1769453
p-Isopropyltoluene	U		0.0782	0.260	1.06	11/05/2021 12:53	WG1769453
2-Butanone (MEK)	U		1.94	6.48	1.06	11/05/2021 12:53	WG1769453
Methylene Chloride	U		0.204	0.679	1.06	11/05/2021 12:53	WG1769453
4-Methyl-2-pentanone (MIBK)	U		0.0698	0.232	1.06	11/05/2021 12:53	WG1769453
Methyl tert-butyl ether	U		0.0107	0.0357	1.06	11/05/2021 12:53	WG1769453
Naphthalene	U		0.149	0.497	1.06	11/05/2021 12:53	WG1769453

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0291	0.0971	1.06	11/05/2021 12:53	WG1769453	¹ Cp
Styrene	U		0.00702	0.0234	1.06	11/05/2021 12:53	WG1769453	² Tc
1,1,2-Tetrachloroethane	U		0.0290	0.0968	1.06	11/05/2021 12:53	WG1769453	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0213	0.0709	1.06	11/05/2021 12:53	WG1769453	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0231	0.0771	1.06	11/05/2021 12:53	WG1769453	⁵ Sr
Tetrachloroethene	U		0.0274	0.0914	1.06	11/05/2021 12:53	WG1769453	⁶ Qc
Tetrahydrofuran	U		0.108	0.360	1.06	11/05/2021 12:53	WG1769453	⁷ Gl
Toluene	U		0.0399	0.133	1.06	11/05/2021 12:53	WG1769453	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.224	0.748	1.06	11/05/2021 12:53	WG1769453	
1,2,4-Trichlorobenzene	U		0.135	0.451	1.06	11/05/2021 12:53	WG1769453	
1,1,1-Trichloroethane	U		0.0283	0.0945	1.06	11/05/2021 12:53	WG1769453	
1,1,2-Trichloroethane	U		0.0183	0.0609	1.06	11/05/2021 12:53	WG1769453	
Trichloroethene	U		0.0179	0.0598	1.06	11/05/2021 12:53	WG1769453	
Trichlorofluoromethane	U	C3	0.0253	0.0844	1.06	11/05/2021 12:53	WG1769453	
1,2,3-Trichloropropane	U		0.0496	0.165	1.06	11/05/2021 12:53	WG1769453	
1,2,4-Trimethylbenzene	U		0.0485	0.162	1.06	11/05/2021 12:53	WG1769453	
1,2,3-Trimethylbenzene	U		0.0485	0.162	1.06	11/05/2021 12:53	WG1769453	
1,3,5-Trimethylbenzene	U		0.0613	0.205	1.06	11/05/2021 12:53	WG1769453	
Vinyl chloride	U		0.0355	0.118	1.06	11/05/2021 12:53	WG1769453	
Xylenes, Total	U		0.0269	0.0899	1.06	11/05/2021 12:53	WG1769453	
(S) Toluene-d8	102			75.0-131		11/05/2021 12:53	WG1769453	
(S) 4-Bromofluorobenzene	102			67.0-138		11/05/2021 12:53	WG1769453	
(S) 1,2-Dichloroethane-d4	100			70.0-130		11/05/2021 12:53	WG1769453	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	84.9		1	11/03/2021 09:52	WG1767825

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.08	3.58	1	11/05/2021 13:12	WG1769453
Acrylonitrile	U		0.106	0.355	1	11/05/2021 13:12	WG1769453
Allyl chloride	U		0.118	0.392	1	11/05/2021 13:12	WG1769453
Benzene	U		0.0138	0.0459	1	11/05/2021 13:12	WG1769453
Bromobenzene	U		0.0265	0.0883	1	11/05/2021 13:12	WG1769453
Bromodichloromethane	U		0.0213	0.0710	1	11/05/2021 13:12	WG1769453
Bromoform	U		0.0345	0.115	1	11/05/2021 13:12	WG1769453
Bromomethane	U	C3	0.0581	0.193	1	11/05/2021 13:12	WG1769453
n-Butylbenzene	U		0.154	0.515	1	11/05/2021 13:12	WG1769453
sec-Butylbenzene	U		0.0848	0.283	1	11/05/2021 13:12	WG1769453
tert-Butylbenzene	U		0.0575	0.192	1	11/05/2021 13:12	WG1769453
Carbon tetrachloride	U		0.0265	0.0883	1	11/05/2021 13:12	WG1769453
Chlorobenzene	U		0.00618	0.0206	1	11/05/2021 13:12	WG1769453
Chlorodibromomethane	U		0.0180	0.0601	1	11/05/2021 13:12	WG1769453
Chloroethane	U		0.0501	0.167	1	11/05/2021 13:12	WG1769453
Chloroform	U		0.0304	0.101	1	11/05/2021 13:12	WG1769453
Chloromethane	U		0.128	0.428	1	11/05/2021 13:12	WG1769453
2-Chlorotoluene	U		0.0254	0.0848	1	11/05/2021 13:12	WG1769453
4-Chlorotoluene	U		0.0133	0.0444	1	11/05/2021 13:12	WG1769453
1,2-Dibromo-3-Chloropropane	U		0.115	0.383	1	11/05/2021 13:12	WG1769453
1,2-Dibromoethane	U		0.0191	0.0636	1	11/05/2021 13:12	WG1769453
Dibromomethane	U		0.0221	0.0738	1	11/05/2021 13:12	WG1769453
1,2-Dichlorobenzene	U		0.0125	0.0416	1	11/05/2021 13:12	WG1769453
1,3-Dichlorobenzene	U		0.0177	0.0589	1	11/05/2021 13:12	WG1769453
1,4-Dichlorobenzene	U		0.0206	0.0687	1	11/05/2021 13:12	WG1769453
Dichlorodifluoromethane	U		0.0475	0.158	1	11/05/2021 13:12	WG1769453
Dichlorofluoromethane	U	C3	0.0369	0.122	1	11/05/2021 13:12	WG1769453
1,1-Dichloroethane	U		0.0145	0.0483	1	11/05/2021 13:12	WG1769453
1,2-Dichloroethane	U		0.0191	0.0636	1	11/05/2021 13:12	WG1769453
1,1-Dichloroethene	U		0.0179	0.0597	1	11/05/2021 13:12	WG1769453
cis-1,2-Dichloroethene	U		0.0217	0.0722	1	11/05/2021 13:12	WG1769453
trans-1,2-Dichloroethene	U		0.0306	0.102	1	11/05/2021 13:12	WG1769453
1,2-Dichloropropane	U		0.0418	0.139	1	11/05/2021 13:12	WG1769453
1,1-Dichloropropene	U		0.0238	0.0793	1	11/05/2021 13:12	WG1769453
1,3-Dichloropropane	U		0.0147	0.0491	1	11/05/2021 13:12	WG1769453
cis-1,3-Dichloropropene	U		0.0223	0.0742	1	11/05/2021 13:12	WG1769453
trans-1,3-Dichloropropene	U		0.0336	0.112	1	11/05/2021 13:12	WG1769453
2,2-Dichloropropane	U		0.0406	0.135	1	11/05/2021 13:12	WG1769453
Di-isopropyl ether	U		0.0121	0.0404	1	11/05/2021 13:12	WG1769453
Ethylbenzene	U		0.0217	0.0722	1	11/05/2021 13:12	WG1769453
Ethyl ether	U		0.0263	0.0875	1	11/05/2021 13:12	WG1769453
Hexachloro-1,3-butadiene	U		0.177	0.589	1	11/05/2021 13:12	WG1769453
2-Hexanone	U		0.0989	0.330	1	11/05/2021 13:12	WG1769453
Isopropylbenzene	U		0.0125	0.0416	1	11/05/2021 13:12	WG1769453
p-Isopropyltoluene	U		0.0751	0.251	1	11/05/2021 13:12	WG1769453
2-Butanone (MEK)	U		1.87	6.24	1	11/05/2021 13:12	WG1769453
Methylene Chloride	U		0.196	0.651	1	11/05/2021 13:12	WG1769453
4-Methyl-2-pentanone (MIBK)	U		0.0671	0.224	1	11/05/2021 13:12	WG1769453
Methyl tert-butyl ether	U		0.0103	0.0344	1	11/05/2021 13:12	WG1769453
Naphthalene	U		0.144	0.479	1	11/05/2021 13:12	WG1769453

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0280	0.0934	1	11/05/2021 13:12	WG1769453	¹ Cp
Styrene	U		0.00675	0.0225	1	11/05/2021 13:12	WG1769453	² Tc
1,1,2-Tetrachloroethane	U		0.0279	0.0930	1	11/05/2021 13:12	WG1769453	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0205	0.0683	1	11/05/2021 13:12	WG1769453	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0223	0.0742	1	11/05/2021 13:12	WG1769453	⁵ Sr
Tetrachloroethene	U		0.0264	0.0880	1	11/05/2021 13:12	WG1769453	⁶ Qc
Tetrahydrofuran	U		0.104	0.345	1	11/05/2021 13:12	WG1769453	⁷ Gl
Toluene	U		0.0383	0.127	1	11/05/2021 13:12	WG1769453	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.216	0.718	1	11/05/2021 13:12	WG1769453	
1,2,4-Trichlorobenzene	U		0.130	0.432	1	11/05/2021 13:12	WG1769453	
1,1,1-Trichloroethane	U		0.0272	0.0907	1	11/05/2021 13:12	WG1769453	
1,1,2-Trichloroethane	U		0.0175	0.0585	1	11/05/2021 13:12	WG1769453	
Trichloroethene	0.160		0.0172	0.0574	1	11/05/2021 13:12	WG1769453	
Trichlorofluoromethane	U	C3	0.0244	0.0813	1	11/05/2021 13:12	WG1769453	
1,2,3-Trichloropropane	U		0.0477	0.159	1	11/05/2021 13:12	WG1769453	
1,2,4-Trimethylbenzene	U		0.0465	0.155	1	11/05/2021 13:12	WG1769453	
1,2,3-Trimethylbenzene	U		0.0465	0.155	1	11/05/2021 13:12	WG1769453	
1,3,5-Trimethylbenzene	U		0.0589	0.197	1	11/05/2021 13:12	WG1769453	
Vinyl chloride	U		0.0342	0.114	1	11/05/2021 13:12	WG1769453	
Xylenes, Total	0.0408	J	0.0259	0.0863	1	11/05/2021 13:12	WG1769453	
(S) Toluene-d8	101			75.0-131		11/05/2021 13:12	WG1769453	
(S) 4-Bromofluorobenzene	102			67.0-138		11/05/2021 13:12	WG1769453	
(S) 1,2-Dichloroethane-d4	102			70.0-130		11/05/2021 13:12	WG1769453	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	87.4		1	11/03/2021 09:52	WG1767825

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.48	4.92	1.41	11/05/2021 13:31	WG1769453
Acrylonitrile	U		0.145	0.484	1.41	11/05/2021 13:31	WG1769453
Allyl chloride	U		0.161	0.538	1.41	11/05/2021 13:31	WG1769453
Benzene	0.0221	J	0.0189	0.0629	1.41	11/05/2021 13:31	WG1769453
Bromobenzene	U		0.0363	0.121	1.41	11/05/2021 13:31	WG1769453
Bromodichloromethane	U		0.0293	0.0976	1.41	11/05/2021 13:31	WG1769453
Bromoform	U		0.0471	0.157	1.41	11/05/2021 13:31	WG1769453
Bromomethane	U	C3	0.0794	0.264	1.41	11/05/2021 13:31	WG1769453
n-Butylbenzene	U		0.212	0.706	1.41	11/05/2021 13:31	WG1769453
sec-Butylbenzene	U		0.117	0.389	1.41	11/05/2021 13:31	WG1769453
tert-Butylbenzene	U		0.0786	0.262	1.41	11/05/2021 13:31	WG1769453
Carbon tetrachloride	U		0.0363	0.121	1.41	11/05/2021 13:31	WG1769453
Chlorobenzene	U		0.00847	0.0283	1.41	11/05/2021 13:31	WG1769453
Chlorodibromomethane	U		0.0247	0.0824	1.41	11/05/2021 13:31	WG1769453
Chloroethane	U		0.0685	0.229	1.41	11/05/2021 13:31	WG1769453
Chloroform	U		0.0415	0.138	1.41	11/05/2021 13:31	WG1769453
Chloromethane	U		0.175	0.584	1.41	11/05/2021 13:31	WG1769453
2-Chlorotoluene	U		0.0349	0.117	1.41	11/05/2021 13:31	WG1769453
4-Chlorotoluene	U		0.0182	0.0606	1.41	11/05/2021 13:31	WG1769453
1,2-Dibromo-3-Chloropropane	U		0.157	0.523	1.41	11/05/2021 13:31	WG1769453
1,2-Dibromoethane	U		0.0261	0.0870	1.41	11/05/2021 13:31	WG1769453
Dibromomethane	U		0.0302	0.101	1.41	11/05/2021 13:31	WG1769453
1,2-Dichlorobenzene	U		0.0172	0.0572	1.41	11/05/2021 13:31	WG1769453
1,3-Dichlorobenzene	U		0.0241	0.0804	1.41	11/05/2021 13:31	WG1769453
1,4-Dichlorobenzene	U		0.0283	0.0942	1.41	11/05/2021 13:31	WG1769453
Dichlorodifluoromethane	U		0.0650	0.216	1.41	11/05/2021 13:31	WG1769453
Dichlorofluoromethane	U	C3	0.0505	0.168	1.41	11/05/2021 13:31	WG1769453
1,1-Dichloroethane	U		0.0198	0.0660	1.41	11/05/2021 13:31	WG1769453
1,2-Dichloroethane	U		0.0262	0.0873	1.41	11/05/2021 13:31	WG1769453
1,1-Dichloroethene	U		0.0245	0.0816	1.41	11/05/2021 13:31	WG1769453
cis-1,2-Dichloroethene	0.344		0.0296	0.0987	1.41	11/05/2021 13:31	WG1769453
trans-1,2-Dichloroethene	U		0.0420	0.140	1.41	11/05/2021 13:31	WG1769453
1,2-Dichloropropane	U		0.0573	0.191	1.41	11/05/2021 13:31	WG1769453
1,1-Dichloropropene	U		0.0326	0.109	1.41	11/05/2021 13:31	WG1769453
1,3-Dichloropropene	U		0.0203	0.0675	1.41	11/05/2021 13:31	WG1769453
cis-1,3-Dichloropropene	U		0.0305	0.102	1.41	11/05/2021 13:31	WG1769453
trans-1,3-Dichloropropene	U		0.0460	0.153	1.41	11/05/2021 13:31	WG1769453
2,2-Dichloropropane	U		0.0556	0.185	1.41	11/05/2021 13:31	WG1769453
Di-isopropyl ether	U		0.0166	0.0553	1.41	11/05/2021 13:31	WG1769453
Ethylbenzene	0.0335	J	0.0297	0.0992	1.41	11/05/2021 13:31	WG1769453
Ethyl ether	U		0.0359	0.120	1.41	11/05/2021 13:31	WG1769453
Hexachloro-1,3-butadiene	U		0.241	0.804	1.41	11/05/2021 13:31	WG1769453
2-Hexanone	U		0.135	0.450	1.41	11/05/2021 13:31	WG1769453
Isopropylbenzene	0.0269	J	0.0172	0.0572	1.41	11/05/2021 13:31	WG1769453
p-Isopropyltoluene	U		0.103	0.343	1.41	11/05/2021 13:31	WG1769453
2-Butanone (MEK)	U		2.56	8.55	1.41	11/05/2021 13:31	WG1769453
Methylene Chloride	U		0.268	0.892	1.41	11/05/2021 13:31	WG1769453
4-Methyl-2-pentanone (MIBK)	U		0.0920	0.307	1.41	11/05/2021 13:31	WG1769453
Methyl tert-butyl ether	U		0.0141	0.0469	1.41	11/05/2021 13:31	WG1769453
Naphthalene	0.235	J	0.197	0.656	1.41	11/05/2021 13:31	WG1769453

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0383	0.128	1.41	11/05/2021 13:31	WG1769453	¹ Cp
Styrene	U		0.00923	0.0308	1.41	11/05/2021 13:31	WG1769453	² Tc
1,1,2-Tetrachloroethane	U		0.0382	0.127	1.41	11/05/2021 13:31	WG1769453	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0280	0.0935	1.41	11/05/2021 13:31	WG1769453	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0304	0.101	1.41	11/05/2021 13:31	WG1769453	⁵ Sr
Tetrachloroethene	0.241		0.0362	0.120	1.41	11/05/2021 13:31	WG1769453	⁶ Qc
Tetrahydrofuran	U		0.142	0.473	1.41	11/05/2021 13:31	WG1769453	⁷ Gl
Toluene	0.111	<u>J</u>	0.0524	0.175	1.41	11/05/2021 13:31	WG1769453	⁸ Al
1,2,3-Trichlorobenzene	U	<u>C4</u>	0.295	0.984	1.41	11/05/2021 13:31	WG1769453	
1,2,4-Trichlorobenzene	U		0.177	0.592	1.41	11/05/2021 13:31	WG1769453	
1,1,1-Trichloroethane	0.592		0.0372	0.124	1.41	11/05/2021 13:31	WG1769453	
1,1,2-Trichloroethane	U		0.0240	0.0801	1.41	11/05/2021 13:31	WG1769453	
Trichloroethene	205		1.89	6.29	113	11/07/2021 00:00	WG1770055	
Trichlorofluoromethane	U	<u>C3</u>	0.0334	0.111	1.41	11/05/2021 13:31	WG1769453	
1,2,3-Trichloropropane	U		0.0653	0.217	1.41	11/05/2021 13:31	WG1769453	
1,2,4-Trimethylbenzene	0.133	<u>J</u>	0.0637	0.213	1.41	11/05/2021 13:31	WG1769453	
1,2,3-Trimethylbenzene	0.105	<u>J</u>	0.0637	0.213	1.41	11/05/2021 13:31	WG1769453	
1,3,5-Trimethylbenzene	U		0.0807	0.269	1.41	11/05/2021 13:31	WG1769453	
Vinyl chloride	U		0.0468	0.156	1.41	11/05/2021 13:31	WG1769453	
Xylenes, Total	0.275		0.0355	0.118	1.41	11/05/2021 13:31	WG1769453	
(S) Toluene-d8	102		75.0-131			11/05/2021 13:31	WG1769453	
(S) Toluene-d8	110		75.0-131			11/07/2021 00:00	WG1770055	
(S) 4-Bromofluorobenzene	102		67.0-138			11/05/2021 13:31	WG1769453	
(S) 4-Bromofluorobenzene	91.8		67.0-138			11/07/2021 00:00	WG1770055	
(S) 1,2-Dichloroethane-d4	105		70.0-130			11/05/2021 13:31	WG1769453	
(S) 1,2-Dichloroethane-d4	112		70.0-130			11/07/2021 00:00	WG1770055	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	72.1		1	11/03/2021 09:52	WG1767825

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.95	6.52	1.54	11/05/2021 13:50	WG1769453
Acrylonitrile	U		0.193	0.642	1.54	11/05/2021 13:50	WG1769453
Allyl chloride	U		0.213	0.711	1.54	11/05/2021 13:50	WG1769453
Benzene	U		0.0250	0.0832	1.54	11/05/2021 13:50	WG1769453
Bromobenzene	U		0.0481	0.161	1.54	11/05/2021 13:50	WG1769453
Bromodichloromethane	U		0.0387	0.129	1.54	11/05/2021 13:50	WG1769453
Bromoform	U		0.0624	0.208	1.54	11/05/2021 13:50	WG1769453
Bromomethane	U	C3	0.105	0.351	1.54	11/05/2021 13:50	WG1769453
n-Butylbenzene	U		0.280	0.933	1.54	11/05/2021 13:50	WG1769453
sec-Butylbenzene	U		0.154	0.513	1.54	11/05/2021 13:50	WG1769453
tert-Butylbenzene	U		0.104	0.347	1.54	11/05/2021 13:50	WG1769453
Carbon tetrachloride	U		0.0480	0.159	1.54	11/05/2021 13:50	WG1769453
Chlorobenzene	U		0.0112	0.0374	1.54	11/05/2021 13:50	WG1769453
Chlorodibromomethane	U		0.0327	0.109	1.54	11/05/2021 13:50	WG1769453
Chloroethane	U		0.0908	0.302	1.54	11/05/2021 13:50	WG1769453
Chloroform	U		0.0550	0.183	1.54	11/05/2021 13:50	WG1769453
Chloromethane	U		0.231	0.772	1.54	11/05/2021 13:50	WG1769453
2-Chlorotoluene	U		0.0462	0.154	1.54	11/05/2021 13:50	WG1769453
4-Chlorotoluene	U		0.0240	0.0800	1.54	11/05/2021 13:50	WG1769453
1,2-Dibromo-3-Chloropropane	U		0.208	0.693	1.54	11/05/2021 13:50	WG1769453
1,2-Dibromoethane	U		0.0345	0.115	1.54	11/05/2021 13:50	WG1769453
Dibromomethane	U		0.0401	0.133	1.54	11/05/2021 13:50	WG1769453
1,2-Dichlorobenzene	U		0.0227	0.0758	1.54	11/05/2021 13:50	WG1769453
1,3-Dichlorobenzene	U		0.0320	0.107	1.54	11/05/2021 13:50	WG1769453
1,4-Dichlorobenzene	U		0.0374	0.125	1.54	11/05/2021 13:50	WG1769453
Dichlorodifluoromethane	U		0.0859	0.287	1.54	11/05/2021 13:50	WG1769453
Dichlorofluoromethane	U	C3	0.0667	0.222	1.54	11/05/2021 13:50	WG1769453
1,1-Dichloroethane	U		0.0262	0.0873	1.54	11/05/2021 13:50	WG1769453
1,2-Dichloroethane	U		0.0347	0.115	1.54	11/05/2021 13:50	WG1769453
1,1-Dichloroethene	U		0.0323	0.108	1.54	11/05/2021 13:50	WG1769453
cis-1,2-Dichloroethene	U		0.0392	0.131	1.54	11/05/2021 13:50	WG1769453
trans-1,2-Dichloroethene	U		0.0554	0.184	1.54	11/05/2021 13:50	WG1769453
1,2-Dichloropropane	U		0.0758	0.252	1.54	11/05/2021 13:50	WG1769453
1,1-Dichloropropene	U		0.0431	0.144	1.54	11/05/2021 13:50	WG1769453
1,3-Dichloropropene	U		0.0268	0.0891	1.54	11/05/2021 13:50	WG1769453
cis-1,3-Dichloropropene	U		0.0403	0.134	1.54	11/05/2021 13:50	WG1769453
trans-1,3-Dichloropropene	U		0.0609	0.202	1.54	11/05/2021 13:50	WG1769453
2,2-Dichloropropane	U		0.0736	0.245	1.54	11/05/2021 13:50	WG1769453
Di-isopropyl ether	U		0.0219	0.0731	1.54	11/05/2021 13:50	WG1769453
Ethylbenzene	U		0.0394	0.131	1.54	11/05/2021 13:50	WG1769453
Ethyl ether	U		0.0475	0.158	1.54	11/05/2021 13:50	WG1769453
Hexachloro-1,3-butadiene	U		0.320	1.07	1.54	11/05/2021 13:50	WG1769453
2-Hexanone	U		0.179	0.596	1.54	11/05/2021 13:50	WG1769453
Isopropylbenzene	U		0.0227	0.0758	1.54	11/05/2021 13:50	WG1769453
p-Isopropyltoluene	U		0.136	0.453	1.54	11/05/2021 13:50	WG1769453
2-Butanone (MEK)	U		3.38	11.3	1.54	11/05/2021 13:50	WG1769453
Methylene Chloride	U		0.355	1.18	1.54	11/05/2021 13:50	WG1769453
4-Methyl-2-pentanone (MIBK)	U		0.122	0.406	1.54	11/05/2021 13:50	WG1769453
Methyl tert-butyl ether	U		0.0187	0.0624	1.54	11/05/2021 13:50	WG1769453
Naphthalene	U		0.261	0.869	1.54	11/05/2021 13:50	WG1769453

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0507	0.169	1.54	11/05/2021 13:50	WG1769453	¹ Cp
Styrene	U		0.0122	0.0408	1.54	11/05/2021 13:50	WG1769453	² Tc
1,1,2-Tetrachloroethane	U		0.0506	0.169	1.54	11/05/2021 13:50	WG1769453	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0372	0.124	1.54	11/05/2021 13:50	WG1769453	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0402	0.134	1.54	11/05/2021 13:50	WG1769453	⁵ Sr
Tetrachloroethene	U		0.0478	0.159	1.54	11/05/2021 13:50	WG1769453	⁶ Qc
Tetrahydrofuran	U		0.189	0.628	1.54	11/05/2021 13:50	WG1769453	⁷ Gl
Toluene	U		0.0694	0.231	1.54	11/05/2021 13:50	WG1769453	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.391	1.30	1.54	11/05/2021 13:50	WG1769453	⁹ Sc
1,2,4-Trichlorobenzene	U		0.234	0.780	1.54	11/05/2021 13:50	WG1769453	
1,1,1-Trichloroethane	U		0.0492	0.164	1.54	11/05/2021 13:50	WG1769453	
1,1,2-Trichloroethane	U		0.0319	0.106	1.54	11/05/2021 13:50	WG1769453	
Trichloroethene	0.331		0.0312	0.104	1.54	11/06/2021 22:25	WG1770055	
Trichlorofluoromethane	U	C3	0.0441	0.147	1.54	11/05/2021 13:50	WG1769453	
1,2,3-Trichloropropane	U		0.0865	0.288	1.54	11/05/2021 13:50	WG1769453	
1,2,4-Trimethylbenzene	U		0.0843	0.281	1.54	11/05/2021 13:50	WG1769453	
1,2,3-Trimethylbenzene	U		0.0843	0.281	1.54	11/05/2021 13:50	WG1769453	
1,3,5-Trimethylbenzene	U		0.107	0.356	1.54	11/05/2021 13:50	WG1769453	
Vinyl chloride	U		0.0620	0.207	1.54	11/05/2021 13:50	WG1769453	
Xylenes, Total	0.131	J	0.0470	0.157	1.54	11/05/2021 13:50	WG1769453	
(S) Toluene-d8	102			75.0-131		11/05/2021 13:50	WG1769453	
(S) Toluene-d8	111			75.0-131		11/06/2021 22:25	WG1770055	
(S) 4-Bromofluorobenzene	101			67.0-138		11/05/2021 13:50	WG1769453	
(S) 4-Bromofluorobenzene	102			67.0-138		11/06/2021 22:25	WG1770055	
(S) 1,2-Dichloroethane-d4	103			70.0-130		11/05/2021 13:50	WG1769453	
(S) 1,2-Dichloroethane-d4	102			70.0-130		11/06/2021 22:25	WG1770055	

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis date / time	Batch	
Acetone	U		0.0113	0.0377	1	11/05/2021 15:32	WG1769441	¹ Cp
Acrolein	U		0.00254	0.00847	1	11/05/2021 15:32	WG1769441	² Tc
Acrylonitrile	U		0.000671	0.00224	1	11/05/2021 15:32	WG1769441	³ Ss
Allyl chloride	U		0.000500	0.00167	1	11/05/2021 15:32	WG1769441	⁴ Cn
Benzene	U		0.0000941	0.000314	1	11/05/2021 15:32	WG1769441	⁵ Sr
Bromobenzene	U		0.000118	0.000393	1	11/05/2021 15:32	WG1769441	⁶ Qc
Bromodichloromethane	U		0.000136	0.000453	1	11/05/2021 15:32	WG1769441	⁷ Gl
Bromoform	U		0.000129	0.000430	1	11/05/2021 15:32	WG1769441	⁸ Al
Bromomethane	U		0.000605	0.00202	1	11/05/2021 15:32	WG1769441	⁹ Sc
n-Butylbenzene	U		0.000157	0.000523	1	11/05/2021 15:32	WG1769441	
sec-Butylbenzene	U		0.000125	0.000417	1	11/05/2021 15:32	WG1769441	
tert-Butylbenzene	U		0.000127	0.000423	1	11/05/2021 15:32	WG1769441	
Carbon tetrachloride	U		0.000128	0.000427	1	11/05/2021 15:32	WG1769441	
Chlorobenzene	U		0.000116	0.000387	1	11/05/2021 15:32	WG1769441	
Chlorodibromomethane	U		0.000140	0.000467	1	11/05/2021 15:32	WG1769441	
Chloroethane	U		0.000192	0.000640	1	11/05/2021 15:32	WG1769441	
2-Chloroethyl vinyl ether	U		0.000575	0.00192	1	11/05/2021 15:32	WG1769441	
Chloroform	U		0.000111	0.000370	1	11/05/2021 15:32	WG1769441	
Chloromethane	U		0.000960	0.00320	1	11/05/2021 15:32	WG1769441	
2-Chlorotoluene	U		0.000106	0.000353	1	11/05/2021 15:32	WG1769441	
4-Chlorotoluene	U		0.000114	0.000380	1	11/05/2021 15:32	WG1769441	
1,2-Dibromo-3-Chloropropane	U		0.000276	0.000920	1	11/05/2021 15:32	WG1769441	
1,2-Dibromoethane	U		0.000126	0.000420	1	11/05/2021 15:32	WG1769441	
Dibromomethane	U		0.000122	0.000407	1	11/05/2021 15:32	WG1769441	
1,2-Dichlorobenzene	U		0.000107	0.000357	1	11/05/2021 15:32	WG1769441	
1,3-Dichlorobenzene	U		0.000110	0.000367	1	11/05/2021 15:32	WG1769441	
1,4-Dichlorobenzene	U		0.000120	0.000400	1	11/05/2021 15:32	WG1769441	
Dichlorodifluoromethane	U		0.000374	0.00125	1	11/05/2021 15:32	WG1769441	
Dichlorofluoromethane	U		0.000130	0.000433	1	11/05/2021 15:32	WG1769441	
1,1-Dichloroethane	U		0.000100	0.000333	1	11/05/2021 15:32	WG1769441	
1,2-Dichloroethane	U		0.0000819	0.000273	1	11/05/2021 15:32	WG1769441	
1,1-Dichloroethene	U		0.000188	0.000627	1	11/05/2021 15:32	WG1769441	
cis-1,2-Dichloroethene	U		0.000126	0.000420	1	11/05/2021 15:32	WG1769441	
trans-1,2-Dichloroethene	U		0.000149	0.000497	1	11/05/2021 15:32	WG1769441	
1,2-Dichloropropane	U	J3	0.000149	0.000497	1	11/05/2021 15:32	WG1769441	
1,1-Dichloropropene	U		0.000142	0.000473	1	11/05/2021 15:32	WG1769441	
1,3-Dichloropropane	U		0.000110	0.000367	1	11/05/2021 15:32	WG1769441	
cis-1,3-Dichloropropene	U		0.000111	0.000370	1	11/05/2021 15:32	WG1769441	
trans-1,3-Dichloropropene	U		0.000118	0.000393	1	11/05/2021 15:32	WG1769441	
2,2-Dichloropropane	U	C3	0.000161	0.000537	1	11/05/2021 15:32	WG1769441	
Di-isopropyl ether	U		0.000105	0.000350	1	11/05/2021 15:32	WG1769441	
Ethylbenzene	U		0.000137	0.000457	1	11/05/2021 15:32	WG1769441	
Ethyl ether	U		0.000115	0.000383	1	11/05/2021 15:32	WG1769441	
Hexachloro-1,3-butadiene	U		0.000337	0.00112	1	11/05/2021 15:32	WG1769441	
Isopropylbenzene	U		0.000105	0.000350	1	11/05/2021 15:32	WG1769441	
p-Isopropyltoluene	U		0.000120	0.000400	1	11/05/2021 15:32	WG1769441	
2-Butanone (MEK)	U		0.00119	0.00397	1	11/05/2021 15:32	WG1769441	
Methylene Chloride	U		0.000430	0.00143	1	11/05/2021 15:32	WG1769441	
2-Hexanone	U		0.000787	0.00262	1	11/05/2021 15:32	WG1769441	
4-Methyl-2-pentanone (MIBK)	U		0.000478	0.00159	1	11/05/2021 15:32	WG1769441	
Methyl tert-butyl ether	U		0.000101	0.000337	1	11/05/2021 15:32	WG1769441	
Naphthalene	U		0.00100	0.00333	1	11/05/2021 15:32	WG1769441	
n-Propylbenzene	U		0.0000993	0.000331	1	11/05/2021 15:32	WG1769441	
Styrene	U		0.000118	0.000393	1	11/05/2021 15:32	WG1769441	
1,1,2-Tetrachloroethane	U		0.000147	0.000490	1	11/05/2021 15:32	WG1769441	
1,1,2,2-Tetrachloroethane	U		0.000133	0.000443	1	11/05/2021 15:32	WG1769441	

SO-2812-TB1-291021

Collected date/time: 10/29/21 10:00

SAMPLE RESULTS - 15

L1425548

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
1,1,2-Trichlorotrifluoroethane	U		0.000180	0.000600	1	11/05/2021 15:32	WG1769441	¹ Cp
Tetrachloroethene	U		0.000300	0.00100	1	11/05/2021 15:32	WG1769441	² Tc
Tetrahydrofuran	U		0.000929	0.00310	1	11/05/2021 15:32	WG1769441	³ Ss
Toluene	U		0.000278	0.000927	1	11/05/2021 15:32	WG1769441	⁴ Cn
1,2,3-Trichlorobenzene	U		0.000230	0.000767	1	11/05/2021 15:32	WG1769441	⁵ Sr
1,2,4-Trichlorobenzene	U		0.000481	0.00160	1	11/05/2021 15:32	WG1769441	⁶ Qc
1,1,1-Trichloroethane	U		0.000149	0.000497	1	11/05/2021 15:32	WG1769441	⁷ Gl
1,1,2-Trichloroethane	U		0.000158	0.000527	1	11/05/2021 15:32	WG1769441	⁸ Al
Trichloroethene	U		0.000190	0.000633	1	11/05/2021 15:32	WG1769441	
Trichlorofluoromethane	U		0.000160	0.000533	1	11/05/2021 15:32	WG1769441	
1,2,3-Trichloropropane	U		0.000237	0.000790	1	11/05/2021 15:32	WG1769441	
1,2,4-Trimethylbenzene	U		0.000322	0.00107	1	11/05/2021 15:32	WG1769441	
1,2,3-Trimethylbenzene	U		0.000104	0.000347	1	11/05/2021 15:32	WG1769441	
1,3,5-Trimethylbenzene	U		0.000104	0.000347	1	11/05/2021 15:32	WG1769441	
Vinyl chloride	U		0.000234	0.000780	1	11/05/2021 15:32	WG1769441	
Xylenes, Total	U		0.000174	0.000580	1	11/05/2021 15:32	WG1769441	
(S) Toluene-d8	108			80.0-120		11/05/2021 15:32	WG1769441	
(S) 4-Bromofluorobenzene	95.6			77.0-126		11/05/2021 15:32	WG1769441	
(S) 1,2-Dichloroethane-d4	93.8			70.0-130		11/05/2021 15:32	WG1769441	⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Acetone	U		0.0113	0.0377	1	11/05/2021 15:52	WG1769441	¹ Cp
Acrolein	U		0.00254	0.00847	1	11/05/2021 15:52	WG1769441	² Tc
Acrylonitrile	U		0.000671	0.00224	1	11/05/2021 15:52	WG1769441	³ Ss
Allyl chloride	U		0.000500	0.00167	1	11/05/2021 15:52	WG1769441	⁴ Cn
Benzene	U		0.0000941	0.000314	1	11/05/2021 15:52	WG1769441	⁵ Sr
Bromobenzene	U		0.000118	0.000393	1	11/05/2021 15:52	WG1769441	⁶ Qc
Bromodichloromethane	U		0.000136	0.000453	1	11/05/2021 15:52	WG1769441	⁷ Gl
Bromoform	U		0.000129	0.000430	1	11/05/2021 15:52	WG1769441	⁸ Al
Bromomethane	U		0.000605	0.00202	1	11/05/2021 15:52	WG1769441	⁹ Sc
n-Butylbenzene	U		0.000157	0.000523	1	11/05/2021 15:52	WG1769441	
sec-Butylbenzene	U		0.000125	0.000417	1	11/05/2021 15:52	WG1769441	
tert-Butylbenzene	U		0.000127	0.000423	1	11/05/2021 15:52	WG1769441	
Carbon tetrachloride	U		0.000128	0.000427	1	11/05/2021 15:52	WG1769441	
Chlorobenzene	U		0.000116	0.000387	1	11/05/2021 15:52	WG1769441	
Chlorodibromomethane	U		0.000140	0.000467	1	11/05/2021 15:52	WG1769441	
Chloroethane	U		0.000192	0.000640	1	11/05/2021 15:52	WG1769441	
2-Chloroethyl vinyl ether	U		0.000575	0.00192	1	11/05/2021 15:52	WG1769441	
Chloroform	U		0.000111	0.000370	1	11/05/2021 15:52	WG1769441	
Chloromethane	U		0.000960	0.00320	1	11/05/2021 15:52	WG1769441	
2-Chlorotoluene	U		0.000106	0.000353	1	11/05/2021 15:52	WG1769441	
4-Chlorotoluene	U		0.000114	0.000380	1	11/05/2021 15:52	WG1769441	
1,2-Dibromo-3-Chloropropane	U		0.000276	0.000920	1	11/05/2021 15:52	WG1769441	
1,2-Dibromoethane	U		0.000126	0.000420	1	11/05/2021 15:52	WG1769441	
Dibromomethane	U		0.000122	0.000407	1	11/05/2021 15:52	WG1769441	
1,2-Dichlorobenzene	U		0.000107	0.000357	1	11/05/2021 15:52	WG1769441	
1,3-Dichlorobenzene	U		0.000110	0.000367	1	11/05/2021 15:52	WG1769441	
1,4-Dichlorobenzene	U		0.000120	0.000400	1	11/05/2021 15:52	WG1769441	
Dichlorodifluoromethane	U		0.000374	0.00125	1	11/05/2021 15:52	WG1769441	
Dichlorofluoromethane	U		0.000130	0.000433	1	11/05/2021 15:52	WG1769441	
1,1-Dichloroethane	U		0.000100	0.000333	1	11/05/2021 15:52	WG1769441	
1,2-Dichloroethane	U		0.0000819	0.000273	1	11/05/2021 15:52	WG1769441	
1,1-Dichloroethene	U		0.000188	0.000627	1	11/05/2021 15:52	WG1769441	
cis-1,2-Dichloroethene	U		0.000126	0.000420	1	11/05/2021 15:52	WG1769441	
trans-1,2-Dichloroethene	U		0.000149	0.000497	1	11/05/2021 15:52	WG1769441	
1,2-Dichloropropane	U	J3	0.000149	0.000497	1	11/05/2021 15:52	WG1769441	
1,1-Dichloropropene	U		0.000142	0.000473	1	11/05/2021 15:52	WG1769441	
1,3-Dichloropropane	U		0.000110	0.000367	1	11/05/2021 15:52	WG1769441	
cis-1,3-Dichloropropene	U		0.000111	0.000370	1	11/05/2021 15:52	WG1769441	
trans-1,3-Dichloropropene	U		0.000118	0.000393	1	11/05/2021 15:52	WG1769441	
2,2-Dichloropropane	U	C3	0.000161	0.000537	1	11/05/2021 15:52	WG1769441	
Di-isopropyl ether	U		0.000105	0.000350	1	11/05/2021 15:52	WG1769441	
Ethylbenzene	U		0.000137	0.000457	1	11/05/2021 15:52	WG1769441	
Ethyl ether	U		0.000115	0.000383	1	11/05/2021 15:52	WG1769441	
Hexachloro-1,3-butadiene	U		0.000337	0.00112	1	11/05/2021 15:52	WG1769441	
Isopropylbenzene	U		0.000105	0.000350	1	11/05/2021 15:52	WG1769441	
p-Isopropyltoluene	U		0.000120	0.000400	1	11/05/2021 15:52	WG1769441	
2-Butanone (MEK)	U		0.00119	0.00397	1	11/05/2021 15:52	WG1769441	
Methylene Chloride	U		0.000430	0.00143	1	11/05/2021 15:52	WG1769441	
2-Hexanone	U		0.000787	0.00262	1	11/05/2021 15:52	WG1769441	
4-Methyl-2-pentanone (MIBK)	U		0.000478	0.00159	1	11/05/2021 15:52	WG1769441	
Methyl tert-butyl ether	U		0.000101	0.000337	1	11/05/2021 15:52	WG1769441	
Naphthalene	U		0.00100	0.00333	1	11/05/2021 15:52	WG1769441	
n-Propylbenzene	U		0.0000993	0.000331	1	11/05/2021 15:52	WG1769441	
Styrene	U		0.000118	0.000393	1	11/05/2021 15:52	WG1769441	
1,1,2-Tetrachloroethane	U		0.000147	0.000490	1	11/05/2021 15:52	WG1769441	
1,1,2,2-Tetrachloroethane	U		0.000133	0.000443	1	11/05/2021 15:52	WG1769441	

SO-2812-TB2-291021

Collected date/time: 10/29/21 10:00

SAMPLE RESULTS - 16

L1425548

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
1,1,2-Trichlorotrifluoroethane	U		0.000180	0.000600	1	11/05/2021 15:52	WG1769441	¹ Cp
Tetrachloroethene	U		0.000300	0.00100	1	11/05/2021 15:52	WG1769441	² Tc
Tetrahydrofuran	U		0.000929	0.00310	1	11/05/2021 15:52	WG1769441	³ Ss
Toluene	U		0.000278	0.000927	1	11/05/2021 15:52	WG1769441	⁴ Cn
1,2,3-Trichlorobenzene	U		0.000230	0.000767	1	11/05/2021 15:52	WG1769441	⁵ Sr
1,2,4-Trichlorobenzene	U		0.000481	0.00160	1	11/05/2021 15:52	WG1769441	⁶ Qc
1,1,1-Trichloroethane	U		0.000149	0.000497	1	11/05/2021 15:52	WG1769441	⁷ Gl
1,1,2-Trichloroethane	U		0.000158	0.000527	1	11/05/2021 15:52	WG1769441	⁸ Al
Trichloroethene	U		0.000190	0.000633	1	11/05/2021 15:52	WG1769441	
Trichlorofluoromethane	U		0.000160	0.000533	1	11/05/2021 15:52	WG1769441	
1,2,3-Trichloropropane	U		0.000237	0.000790	1	11/05/2021 15:52	WG1769441	
1,2,4-Trimethylbenzene	U		0.000322	0.00107	1	11/05/2021 15:52	WG1769441	
1,2,3-Trimethylbenzene	U		0.000104	0.000347	1	11/05/2021 15:52	WG1769441	
1,3,5-Trimethylbenzene	U		0.000104	0.000347	1	11/05/2021 15:52	WG1769441	
Vinyl chloride	U		0.000234	0.000780	1	11/05/2021 15:52	WG1769441	
Xylenes, Total	U		0.000174	0.000580	1	11/05/2021 15:52	WG1769441	
(S) Toluene-d8	112			80.0-120		11/05/2021 15:52	WG1769441	
(S) 4-Bromofluorobenzene	96.6			77.0-126		11/05/2021 15:52	WG1769441	
(S) 1,2-Dichloroethane-d4	96.3			70.0-130		11/05/2021 15:52	WG1769441	⁹ Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	88.2		1	11/03/2021 09:52	WG1767825

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.04	3.45	1	11/05/2021 14:09	WG1769453
Acrylonitrile	U		0.102	0.341	1	11/05/2021 14:09	WG1769453
Allyl chloride	U		0.113	0.378	1	11/05/2021 14:09	WG1769453
Benzene	U		0.0133	0.0442	1	11/05/2021 14:09	WG1769453
Bromobenzene	U		0.0255	0.0850	1	11/05/2021 14:09	WG1769453
Bromodichloromethane	U		0.0205	0.0684	1	11/05/2021 14:09	WG1769453
Bromoform	U		0.0332	0.111	1	11/05/2021 14:09	WG1769453
Bromomethane	U	<u>C3</u>	0.0559	0.186	1	11/05/2021 14:09	WG1769453
n-Butylbenzene	U		0.149	0.496	1	11/05/2021 14:09	WG1769453
sec-Butylbenzene	U		0.0816	0.272	1	11/05/2021 14:09	WG1769453
tert-Butylbenzene	U		0.0553	0.185	1	11/05/2021 14:09	WG1769453
Carbon tetrachloride	U		0.0255	0.0850	1	11/05/2021 14:09	WG1769453
Chlorobenzene	U		0.00595	0.0198	1	11/05/2021 14:09	WG1769453
Chlorodibromomethane	U		0.0173	0.0578	1	11/05/2021 14:09	WG1769453
Chloroethane	U		0.0482	0.161	1	11/05/2021 14:09	WG1769453
Chloroform	U		0.0293	0.0975	1	11/05/2021 14:09	WG1769453
Chloromethane	U		0.124	0.412	1	11/05/2021 14:09	WG1769453
2-Chlorotoluene	U		0.0245	0.0816	1	11/05/2021 14:09	WG1769453
4-Chlorotoluene	U		0.0128	0.0428	1	11/05/2021 14:09	WG1769453
1,2-Dibromo-3-Chloropropane	U		0.111	0.369	1	11/05/2021 14:09	WG1769453
1,2-Dibromoethane	U		0.0184	0.0612	1	11/05/2021 14:09	WG1769453
Dibromomethane	U		0.0213	0.0711	1	11/05/2021 14:09	WG1769453
1,2-Dichlorobenzene	U		0.0120	0.0400	1	11/05/2021 14:09	WG1769453
1,3-Dichlorobenzene	U		0.0170	0.0567	1	11/05/2021 14:09	WG1769453
1,4-Dichlorobenzene	U		0.0198	0.0661	1	11/05/2021 14:09	WG1769453
Dichlorodifluoromethane	U		0.0457	0.152	1	11/05/2021 14:09	WG1769453
Dichlorofluoromethane	U	<u>C3</u>	0.0355	0.118	1	11/05/2021 14:09	WG1769453
1,1-Dichloroethane	U		0.0139	0.0465	1	11/05/2021 14:09	WG1769453
1,2-Dichloroethane	U		0.0184	0.0612	1	11/05/2021 14:09	WG1769453
1,1-Dichloroethene	U		0.0172	0.0575	1	11/05/2021 14:09	WG1769453
cis-1,2-Dichloroethene	U		0.0209	0.0695	1	11/05/2021 14:09	WG1769453
trans-1,2-Dichloroethene	U		0.0295	0.0983	1	11/05/2021 14:09	WG1769453
1,2-Dichloropropane	U		0.0403	0.134	1	11/05/2021 14:09	WG1769453
1,1-Dichloropropene	U		0.0229	0.0763	1	11/05/2021 14:09	WG1769453
1,3-Dichloropropene	U		0.0142	0.0473	1	11/05/2021 14:09	WG1769453
cis-1,3-Dichloropropene	U		0.0214	0.0714	1	11/05/2021 14:09	WG1769453
trans-1,3-Dichloropropene	U		0.0323	0.108	1	11/05/2021 14:09	WG1769453
2,2-Dichloropropane	U		0.0391	0.130	1	11/05/2021 14:09	WG1769453
Di-isopropyl ether	U		0.0117	0.0389	1	11/05/2021 14:09	WG1769453
Ethylbenzene	U		0.0209	0.0695	1	11/05/2021 14:09	WG1769453
Ethyl ether	U		0.0253	0.0843	1	11/05/2021 14:09	WG1769453
Hexachloro-1,3-butadiene	U		0.170	0.567	1	11/05/2021 14:09	WG1769453
2-Hexanone	U		0.0953	0.318	1	11/05/2021 14:09	WG1769453
Isopropylbenzene	U		0.0120	0.0400	1	11/05/2021 14:09	WG1769453
p-Isopropyltoluene	U		0.0723	0.242	1	11/05/2021 14:09	WG1769453
2-Butanone (MEK)	U		1.80	6.01	1	11/05/2021 14:09	WG1769453
Methylene Chloride	U		0.188	0.627	1	11/05/2021 14:09	WG1769453
4-Methyl-2-pentanone (MIBK)	U		0.0646	0.215	1	11/05/2021 14:09	WG1769453
Methyl tert-butyl ether	U		0.00992	0.0331	1	11/05/2021 14:09	WG1769453
Naphthalene	U		0.138	0.462	1	11/05/2021 14:09	WG1769453

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0270	0.0899	1	11/05/2021 14:09	WG1769453	¹ Cp
Styrene	U		0.00650	0.0217	1	11/05/2021 14:09	WG1769453	² Tc
1,1,1,2-Tetrachloroethane	U		0.0269	0.0896	1	11/05/2021 14:09	WG1769453	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0197	0.0658	1	11/05/2021 14:09	WG1769453	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0214	0.0714	1	11/05/2021 14:09	WG1769453	⁵ Sr
Tetrachloroethene	U		0.0254	0.0847	1	11/05/2021 14:09	WG1769453	⁶ Qc
Tetrahydrofuran	U		0.0998	0.332	1	11/05/2021 14:09	WG1769453	⁷ Gl
Toluene	U		0.0369	0.122	1	11/05/2021 14:09	WG1769453	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.208	0.692	1	11/05/2021 14:09	WG1769453	
1,2,4-Trichlorobenzene	U		0.125	0.416	1	11/05/2021 14:09	WG1769453	
1,1,1-Trichloroethane	U		0.0262	0.0873	1	11/05/2021 14:09	WG1769453	
1,1,2-Trichloroethane	U		0.0169	0.0564	1	11/05/2021 14:09	WG1769453	
Trichloroethene	U		0.0166	0.0552	1	11/06/2021 22:44	WG1770055	
Trichlorofluoromethane	U	C3	0.0235	0.0782	1	11/05/2021 14:09	WG1769453	
1,2,3-Trichloropropane	U		0.0459	0.153	1	11/05/2021 14:09	WG1769453	
1,2,4-Trimethylbenzene	U		0.0448	0.150	1	11/05/2021 14:09	WG1769453	
1,2,3-Trimethylbenzene	U		0.0448	0.150	1	11/05/2021 14:09	WG1769453	
1,3,5-Trimethylbenzene	U		0.0567	0.189	1	11/05/2021 14:09	WG1769453	
Vinyl chloride	U		0.0329	0.110	1	11/05/2021 14:09	WG1769453	
Xylenes, Total	U		0.0249	0.0831	1	11/05/2021 14:09	WG1769453	
(S) Toluene-d8	103			75.0-131		11/05/2021 14:09	WG1769453	
(S) Toluene-d8	107			75.0-131		11/06/2021 22:44	WG1770055	
(S) 4-Bromofluorobenzene	103			67.0-138		11/05/2021 14:09	WG1769453	
(S) 4-Bromofluorobenzene	96.1			67.0-138		11/06/2021 22:44	WG1770055	
(S) 1,2-Dichloroethane-d4	104			70.0-130		11/05/2021 14:09	WG1769453	
(S) 1,2-Dichloroethane-d4	101			70.0-130		11/06/2021 22:44	WG1770055	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	87.2		1	11/03/2021 09:52	WG1767825

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.17	3.90	1.12	11/05/2021 14:28	WG1769453
Acrylonitrile	U		0.116	0.387	1.12	11/05/2021 14:28	WG1769453
Allyl chloride	U		0.128	0.428	1.12	11/05/2021 14:28	WG1769453
Benzene	U		0.0150	0.0501	1.12	11/05/2021 14:28	WG1769453
Bromobenzene	U		0.0289	0.0964	1.12	11/05/2021 14:28	WG1769453
Bromodichloromethane	U		0.0233	0.0777	1.12	11/05/2021 14:28	WG1769453
Bromoform	U		0.0376	0.125	1.12	11/05/2021 14:28	WG1769453
Bromomethane	U	C3	0.0633	0.211	1.12	11/05/2021 14:28	WG1769453
n-Butylbenzene	U		0.169	0.562	1.12	11/05/2021 14:28	WG1769453
sec-Butylbenzene	U		0.0925	0.309	1.12	11/05/2021 14:28	WG1769453
tert-Butylbenzene	U		0.0626	0.209	1.12	11/05/2021 14:28	WG1769453
Carbon tetrachloride	U		0.0288	0.0960	1.12	11/05/2021 14:28	WG1769453
Chlorobenzene	U		0.00674	0.0225	1.12	11/05/2021 14:28	WG1769453
Chlorodibromomethane	U		0.0196	0.0654	1.12	11/05/2021 14:28	WG1769453
Chloroethane	U		0.0546	0.182	1.12	11/05/2021 14:28	WG1769453
Chloroform	U		0.0330	0.110	1.12	11/05/2021 14:28	WG1769453
Chloromethane	U		0.140	0.467	1.12	11/05/2021 14:28	WG1769453
2-Chlorotoluene	U		0.0278	0.0926	1.12	11/05/2021 14:28	WG1769453
4-Chlorotoluene	U		0.0145	0.0482	1.12	11/05/2021 14:28	WG1769453
1,2-Dibromo-3-Chloropropane	U		0.125	0.416	1.12	11/05/2021 14:28	WG1769453
1,2-Dibromoethane	U		0.0208	0.0692	1.12	11/05/2021 14:28	WG1769453
Dibromomethane	U		0.0241	0.0803	1.12	11/05/2021 14:28	WG1769453
1,2-Dichlorobenzene	U		0.0137	0.0455	1.12	11/05/2021 14:28	WG1769453
1,3-Dichlorobenzene	U		0.0193	0.0642	1.12	11/05/2021 14:28	WG1769453
1,4-Dichlorobenzene	U		0.0225	0.0749	1.12	11/05/2021 14:28	WG1769453
Dichlorodifluoromethane	U		0.0517	0.172	1.12	11/05/2021 14:28	WG1769453
Dichlorofluoromethane	U	C3	0.0401	0.134	1.12	11/05/2021 14:28	WG1769453
1,1-Dichloroethane	U		0.0157	0.0524	1.12	11/05/2021 14:28	WG1769453
1,2-Dichloroethane	U		0.0209	0.0696	1.12	11/05/2021 14:28	WG1769453
1,1-Dichloroethene	U		0.0195	0.0650	1.12	11/05/2021 14:28	WG1769453
cis-1,2-Dichloroethene	0.0774	J	0.0236	0.0788	1.12	11/05/2021 14:28	WG1769453
trans-1,2-Dichloroethene	U		0.0334	0.111	1.12	11/05/2021 14:28	WG1769453
1,2-Dichloropropane	U		0.0457	0.153	1.12	11/05/2021 14:28	WG1769453
1,1-Dichloropropene	U		0.0260	0.0868	1.12	11/05/2021 14:28	WG1769453
1,3-Dichloropropane	U		0.0161	0.0536	1.12	11/05/2021 14:28	WG1769453
cis-1,3-Dichloropropene	U		0.0243	0.0811	1.12	11/05/2021 14:28	WG1769453
trans-1,3-Dichloropropene	U		0.0366	0.122	1.12	11/05/2021 14:28	WG1769453
2,2-Dichloropropane	U		0.0443	0.148	1.12	11/05/2021 14:28	WG1769453
Di-isopropyl ether	U		0.0132	0.0439	1.12	11/05/2021 14:28	WG1769453
Ethylbenzene	U		0.0236	0.0788	1.12	11/05/2021 14:28	WG1769453
Ethyl ether	U		0.0286	0.0952	1.12	11/05/2021 14:28	WG1769453
Hexachloro-1,3-butadiene	U		0.193	0.642	1.12	11/05/2021 14:28	WG1769453
2-Hexanone	U		0.108	0.360	1.12	11/05/2021 14:28	WG1769453
Isopropylbenzene	U		0.0137	0.0455	1.12	11/05/2021 14:28	WG1769453
p-Isopropyltoluene	U		0.0819	0.273	1.12	11/05/2021 14:28	WG1769453
2-Butanone (MEK)	U		2.04	6.80	1.12	11/05/2021 14:28	WG1769453
Methylene Chloride	U		0.213	0.711	1.12	11/05/2021 14:28	WG1769453
4-Methyl-2-pentanone (MIBK)	U		0.0732	0.244	1.12	11/05/2021 14:28	WG1769453
Methyl tert-butyl ether	U		0.0112	0.0375	1.12	11/05/2021 14:28	WG1769453
Naphthalene	U		0.157	0.524	1.12	11/05/2021 14:28	WG1769453

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0305	0.102	1.12	11/05/2021 14:28	WG1769453	¹ Cp
Styrene	U		0.00735	0.0245	1.12	11/05/2021 14:28	WG1769453	² Tc
1,1,2-Tetrachloroethane	U		0.0304	0.101	1.12	11/05/2021 14:28	WG1769453	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0224	0.0746	1.12	11/05/2021 14:28	WG1769453	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0242	0.0806	1.12	11/05/2021 14:28	WG1769453	⁵ Sr
Tetrachloroethene	0.0692	J	0.0288	0.0960	1.12	11/05/2021 14:28	WG1769453	⁶ Qc
Tetrahydrofuran	U		0.113	0.377	1.12	11/05/2021 14:28	WG1769453	⁷ Gl
Toluene	U		0.0418	0.139	1.12	11/05/2021 14:28	WG1769453	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.235	0.783	1.12	11/05/2021 14:28	WG1769453	⁹ Sc
1,2,4-Trichlorobenzene	U		0.141	0.470	1.12	11/05/2021 14:28	WG1769453	
1,1,1-Trichloroethane	0.177		0.0296	0.0987	1.12	11/05/2021 14:28	WG1769453	
1,1,2-Trichloroethane	U		0.0192	0.0639	1.12	11/05/2021 14:28	WG1769453	
Trichloroethene	41.5		0.750	2.50	44.8	11/06/2021 23:41	WG1770055	
Trichlorofluoromethane	U	C3	0.0266	0.0887	1.12	11/05/2021 14:28	WG1769453	
1,2,3-Trichloropropane	U		0.0521	0.173	1.12	11/05/2021 14:28	WG1769453	
1,2,4-Trimethylbenzene	U		0.0507	0.169	1.12	11/05/2021 14:28	WG1769453	
1,2,3-Trimethylbenzene	U		0.0507	0.169	1.12	11/05/2021 14:28	WG1769453	
1,3,5-Trimethylbenzene	U		0.0642	0.215	1.12	11/05/2021 14:28	WG1769453	
Vinyl chloride	U		0.0373	0.124	1.12	11/05/2021 14:28	WG1769453	
Xylenes, Total	0.0778	J	0.0282	0.0941	1.12	11/05/2021 14:28	WG1769453	
(S) Toluene-d8	102			75.0-131		11/05/2021 14:28	WG1769453	
(S) Toluene-d8	111			75.0-131		11/06/2021 23:41	WG1770055	
(S) 4-Bromofluorobenzene	97.6			67.0-138		11/05/2021 14:28	WG1769453	
(S) 4-Bromofluorobenzene	89.4			67.0-138		11/06/2021 23:41	WG1770055	
(S) 1,2-Dichloroethane-d4	102			70.0-130		11/05/2021 14:28	WG1769453	
(S) 1,2-Dichloroethane-d4	112			70.0-130		11/06/2021 23:41	WG1770055	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	88.2		1	11/03/2021 09:42	WG1767826

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.13	3.77	1.09	11/05/2021 14:47	WG1769453
Acrylonitrile	U		0.112	0.372	1.09	11/05/2021 14:47	WG1769453
Allyl chloride	U		0.124	0.412	1.09	11/05/2021 14:47	WG1769453
Benzene	U		0.0144	0.0480	1.09	11/05/2021 14:47	WG1769453
Bromobenzene	U		0.0278	0.0927	1.09	11/05/2021 14:47	WG1769453
Bromodichloromethane	U		0.0225	0.0749	1.09	11/05/2021 14:47	WG1769453
Bromoform	U		0.0362	0.120	1.09	11/05/2021 14:47	WG1769453
Bromomethane	U	<u>C3</u>	0.0609	0.203	1.09	11/05/2021 14:47	WG1769453
n-Butylbenzene	U		0.162	0.541	1.09	11/05/2021 14:47	WG1769453
sec-Butylbenzene	U		0.0890	0.297	1.09	11/05/2021 14:47	WG1769453
tert-Butylbenzene	U		0.0602	0.201	1.09	11/05/2021 14:47	WG1769453
Carbon tetrachloride	U		0.0278	0.0927	1.09	11/05/2021 14:47	WG1769453
Chlorobenzene	U		0.00649	0.0217	1.09	11/05/2021 14:47	WG1769453
Chlorodibromomethane	U		0.0189	0.0632	1.09	11/05/2021 14:47	WG1769453
Chloroethane	U		0.0525	0.175	1.09	11/05/2021 14:47	WG1769453
Chloroform	U		0.0319	0.106	1.09	11/05/2021 14:47	WG1769453
Chloromethane	U		0.135	0.450	1.09	11/05/2021 14:47	WG1769453
2-Chlorotoluene	U		0.0268	0.0893	1.09	11/05/2021 14:47	WG1769453
4-Chlorotoluene	U		0.0140	0.0465	1.09	11/05/2021 14:47	WG1769453
1,2-Dibromo-3-Chloropropane	U		0.120	0.400	1.09	11/05/2021 14:47	WG1769453
1,2-Dibromoethane	U		0.0201	0.0669	1.09	11/05/2021 14:47	WG1769453
Dibromomethane	U		0.0231	0.0771	1.09	11/05/2021 14:47	WG1769453
1,2-Dichlorobenzene	U		0.0132	0.0439	1.09	11/05/2021 14:47	WG1769453
1,3-Dichlorobenzene	U		0.0186	0.0620	1.09	11/05/2021 14:47	WG1769453
1,4-Dichlorobenzene	U		0.0217	0.0723	1.09	11/05/2021 14:47	WG1769453
Dichlorodifluoromethane	U		0.0498	0.166	1.09	11/05/2021 14:47	WG1769453
Dichlorofluoromethane	U	<u>C3</u>	0.0387	0.129	1.09	11/05/2021 14:47	WG1769453
1,1-Dichloroethane	U		0.0152	0.0507	1.09	11/05/2021 14:47	WG1769453
1,2-Dichloroethane	U		0.0201	0.0669	1.09	11/05/2021 14:47	WG1769453
1,1-Dichloroethene	U		0.0187	0.0624	1.09	11/05/2021 14:47	WG1769453
cis-1,2-Dichloroethene	U		0.0227	0.0757	1.09	11/05/2021 14:47	WG1769453
trans-1,2-Dichloroethene	U		0.0321	0.107	1.09	11/05/2021 14:47	WG1769453
1,2-Dichloropropane	U		0.0439	0.146	1.09	11/05/2021 14:47	WG1769453
1,1-Dichloropropene	U		0.0250	0.0831	1.09	11/05/2021 14:47	WG1769453
1,3-Dichloropropene	U		0.0155	0.0518	1.09	11/05/2021 14:47	WG1769453
cis-1,3-Dichloropropene	U		0.0234	0.0779	1.09	11/05/2021 14:47	WG1769453
trans-1,3-Dichloropropene	U		0.0353	0.118	1.09	11/05/2021 14:47	WG1769453
2,2-Dichloropropane	U		0.0426	0.142	1.09	11/05/2021 14:47	WG1769453
Di-isopropyl ether	U		0.0127	0.0423	1.09	11/05/2021 14:47	WG1769453
Ethylbenzene	U		0.0228	0.0760	1.09	11/05/2021 14:47	WG1769453
Ethyl ether	U		0.0276	0.0919	1.09	11/05/2021 14:47	WG1769453
Hexachloro-1,3-butadiene	U		0.186	0.620	1.09	11/05/2021 14:47	WG1769453
2-Hexanone	U		0.104	0.346	1.09	11/05/2021 14:47	WG1769453
Isopropylbenzene	U		0.0132	0.0439	1.09	11/05/2021 14:47	WG1769453
p-Isopropyltoluene	U		0.0788	0.263	1.09	11/05/2021 14:47	WG1769453
2-Butanone (MEK)	U		1.96	6.54	1.09	11/05/2021 14:47	WG1769453
Methylene Chloride	U		0.205	0.684	1.09	11/05/2021 14:47	WG1769453
4-Methyl-2-pentanone (MIBK)	U		0.0704	0.235	1.09	11/05/2021 14:47	WG1769453
Methyl tert-butyl ether	U		0.0108	0.0361	1.09	11/05/2021 14:47	WG1769453
Naphthalene	U		0.151	0.502	1.09	11/05/2021 14:47	WG1769453

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0294	0.0979	1.09	11/05/2021 14:47	WG1769453	¹ Cp
Styrene	U		0.00708	0.0236	1.09	11/05/2021 14:47	WG1769453	² Tc
1,1,1,2-Tetrachloroethane	U		0.0293	0.0975	1.09	11/05/2021 14:47	WG1769453	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0214	0.0715	1.09	11/05/2021 14:47	WG1769453	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0233	0.0775	1.09	11/05/2021 14:47	WG1769453	⁵ Sr
Tetrachloroethene	U		0.0277	0.0922	1.09	11/05/2021 14:47	WG1769453	⁶ Qc
Tetrahydrofuran	U		0.109	0.363	1.09	11/05/2021 14:47	WG1769453	⁷ Gl
Toluene	U		0.0402	0.134	1.09	11/05/2021 14:47	WG1769453	⁸ Al
1,2,3-Trichlorobenzene	U	<u>C4</u>	0.227	0.757	1.09	11/05/2021 14:47	WG1769453	
1,2,4-Trichlorobenzene	U		0.136	0.454	1.09	11/05/2021 14:47	WG1769453	
1,1,1-Trichloroethane	0.0455	<u>J</u>	0.0286	0.0953	1.09	11/05/2021 14:47	WG1769453	
1,1,2-Trichloroethane	U		0.0185	0.0616	1.09	11/05/2021 14:47	WG1769453	
Trichloroethene	9.96		0.0723	0.240	4.36	11/06/2021 23:22	WG1770055	
Trichlorofluoromethane	U	<u>C3</u>	0.0255	0.0851	1.09	11/05/2021 14:47	WG1769453	
1,2,3-Trichloropropane	U		0.0500	0.167	1.09	11/05/2021 14:47	WG1769453	
1,2,4-Trimethylbenzene	U		0.0489	0.163	1.09	11/05/2021 14:47	WG1769453	
1,2,3-Trimethylbenzene	U		0.0489	0.163	1.09	11/05/2021 14:47	WG1769453	
1,3,5-Trimethylbenzene	U		0.0618	0.206	1.09	11/05/2021 14:47	WG1769453	
Vinyl chloride	U		0.0358	0.119	1.09	11/05/2021 14:47	WG1769453	
Xylenes, Total	U		0.0272	0.0907	1.09	11/05/2021 14:47	WG1769453	
(S) Toluene-d8	101		75.0-131			11/05/2021 14:47	WG1769453	
(S) Toluene-d8	109		75.0-131			11/06/2021 23:22	WG1770055	
(S) 4-Bromofluorobenzene	101		67.0-138			11/05/2021 14:47	WG1769453	
(S) 4-Bromofluorobenzene	96.9		67.0-138			11/06/2021 23:22	WG1770055	
(S) 1,2-Dichloroethane-d4	105		70.0-130			11/05/2021 14:47	WG1769453	
(S) 1,2-Dichloroethane-d4	107		70.0-130			11/06/2021 23:22	WG1770055	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	84.9		1	11/03/2021 09:42	WG1767826

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.58	5.27	1.47	11/05/2021 15:06	WG1769453
Acrylonitrile	U		0.157	0.522	1.47	11/05/2021 15:06	WG1769453
Allyl chloride	U		0.173	0.577	1.47	11/05/2021 15:06	WG1769453
Benzene	U		0.0203	0.0675	1.47	11/05/2021 15:06	WG1769453
Bromobenzene	U		0.0390	0.130	1.47	11/05/2021 15:06	WG1769453
Bromodichloromethane	U		0.0313	0.105	1.47	11/05/2021 15:06	WG1769453
Bromoform	U		0.0507	0.168	1.47	11/05/2021 15:06	WG1769453
Bromomethane	U	<u>C3</u>	0.0853	0.284	1.47	11/05/2021 15:06	WG1769453
n-Butylbenzene	U		0.227	0.758	1.47	11/05/2021 15:06	WG1769453
sec-Butylbenzene	U		0.125	0.416	1.47	11/05/2021 15:06	WG1769453
tert-Butylbenzene	U		0.0845	0.282	1.47	11/05/2021 15:06	WG1769453
Carbon tetrachloride	0.106	<u>J</u>	0.0389	0.130	1.47	11/05/2021 15:06	WG1769453
Chlorobenzene	U		0.00910	0.0303	1.47	11/05/2021 15:06	WG1769453
Chlorodibromomethane	U		0.0265	0.0884	1.47	11/05/2021 15:06	WG1769453
Chloroethane	U		0.0736	0.245	1.47	11/05/2021 15:06	WG1769453
Chloroform	U		0.0447	0.148	1.47	11/05/2021 15:06	WG1769453
Chloromethane	U		0.189	0.628	1.47	11/05/2021 15:06	WG1769453
2-Chlorotoluene	U		0.0375	0.125	1.47	11/05/2021 15:06	WG1769453
4-Chlorotoluene	U		0.0194	0.0648	1.47	11/05/2021 15:06	WG1769453
1,2-Dibromo-3-Chloropropane	U		0.168	0.562	1.47	11/05/2021 15:06	WG1769453
1,2-Dibromoethane	U		0.0280	0.0934	1.47	11/05/2021 15:06	WG1769453
Dibromomethane	U		0.0325	0.108	1.47	11/05/2021 15:06	WG1769453
1,2-Dichlorobenzene	U		0.0184	0.0613	1.47	11/05/2021 15:06	WG1769453
1,3-Dichlorobenzene	U		0.0260	0.0868	1.47	11/05/2021 15:06	WG1769453
1,4-Dichlorobenzene	U		0.0303	0.101	1.47	11/05/2021 15:06	WG1769453
Dichlorodifluoromethane	U		0.0698	0.232	1.47	11/05/2021 15:06	WG1769453
Dichlorofluoromethane	U	<u>C3</u>	0.0541	0.180	1.47	11/05/2021 15:06	WG1769453
1,1-Dichloroethane	U		0.0212	0.0707	1.47	11/05/2021 15:06	WG1769453
1,2-Dichloroethane	U		0.0282	0.0939	1.47	11/05/2021 15:06	WG1769453
1,1-Dichloroethene	U		0.0263	0.0875	1.47	11/05/2021 15:06	WG1769453
cis-1,2-Dichloroethene	U		0.0318	0.106	1.47	11/05/2021 15:06	WG1769453
trans-1,2-Dichloroethene	U		0.0450	0.150	1.47	11/05/2021 15:06	WG1769453
1,2-Dichloropropane	U		0.0615	0.205	1.47	11/05/2021 15:06	WG1769453
1,1-Dichloropropene	U		0.0350	0.117	1.47	11/05/2021 15:06	WG1769453
1,3-Dichloropropene	U		0.0217	0.0722	1.47	11/05/2021 15:06	WG1769453
cis-1,3-Dichloropropene	U		0.0328	0.109	1.47	11/05/2021 15:06	WG1769453
trans-1,3-Dichloropropene	U		0.0494	0.165	1.47	11/05/2021 15:06	WG1769453
2,2-Dichloropropane	U		0.0597	0.199	1.47	11/05/2021 15:06	WG1769453
Di-isopropyl ether	U		0.0178	0.0593	1.47	11/05/2021 15:06	WG1769453
Ethylbenzene	U		0.0319	0.106	1.47	11/05/2021 15:06	WG1769453
Ethyl ether	U		0.0385	0.128	1.47	11/05/2021 15:06	WG1769453
Hexachloro-1,3-butadiene	U		0.260	0.868	1.47	11/05/2021 15:06	WG1769453
2-Hexanone	U		0.145	0.483	1.47	11/05/2021 15:06	WG1769453
Isopropylbenzene	U		0.0184	0.0613	1.47	11/05/2021 15:06	WG1769453
p-Isopropyltoluene	U		0.110	0.368	1.47	11/05/2021 15:06	WG1769453
2-Butanone (MEK)	U		2.75	9.15	1.47	11/05/2021 15:06	WG1769453
Methylene Chloride	U		0.287	0.958	1.47	11/05/2021 15:06	WG1769453
4-Methyl-2-pentanone (MIBK)	U		0.0987	0.329	1.47	11/05/2021 15:06	WG1769453
Methyl tert-butyl ether	U		0.0152	0.0507	1.47	11/05/2021 15:06	WG1769453
Naphthalene	U		0.211	0.703	1.47	11/05/2021 15:06	WG1769453

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0411	0.137	1.47	11/05/2021 15:06	WG1769453	¹ Cp
Styrene	U		0.00992	0.0331	1.47	11/05/2021 15:06	WG1769453	² Tc
1,1,2-Tetrachloroethane	U		0.0410	0.137	1.47	11/05/2021 15:06	WG1769453	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0300	0.100	1.47	11/05/2021 15:06	WG1769453	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0326	0.109	1.47	11/05/2021 15:06	WG1769453	⁵ Sr
Tetrachloroethene	0.0490	<u>J</u>	0.0388	0.130	1.47	11/05/2021 15:06	WG1769453	⁶ Qc
Tetrahydrofuran	U		0.152	0.507	1.47	11/05/2021 15:06	WG1769453	⁷ Gl
Toluene	0.0792	<u>J</u>	0.0563	0.187	1.47	11/05/2021 15:06	WG1769453	⁸ Al
1,2,3-Trichlorobenzene	U	<u>C4</u>	0.317	1.06	1.47	11/05/2021 15:06	WG1769453	⁹ Sc
1,2,4-Trichlorobenzene	U		0.191	0.636	1.47	11/05/2021 15:06	WG1769453	
1,1,1-Trichloroethane	0.766		0.0399	0.133	1.47	11/05/2021 15:06	WG1769453	
1,1,2-Trichloroethane	U		0.0258	0.0860	1.47	11/05/2021 15:06	WG1769453	
Trichloroethene	0.405		0.0253	0.0845	1.47	11/06/2021 23:03	WG1770055	
Trichlorofluoromethane	U	<u>C3</u>	0.0358	0.119	1.47	11/05/2021 15:06	WG1769453	
1,2,3-Trichloropropane	U		0.0701	0.233	1.47	11/05/2021 15:06	WG1769453	
1,2,4-Trimethylbenzene	0.0748	<u>J</u>	0.0685	0.229	1.47	11/05/2021 15:06	WG1769453	
1,2,3-Trimethylbenzene	U		0.0685	0.229	1.47	11/05/2021 15:06	WG1769453	
1,3,5-Trimethylbenzene	U		0.0866	0.289	1.47	11/05/2021 15:06	WG1769453	
Vinyl chloride	U		0.0502	0.167	1.47	11/05/2021 15:06	WG1769453	
Xylenes, Total	0.167		0.0381	0.127	1.47	11/05/2021 15:06	WG1769453	
(S) Toluene-d8	103			75.0-131		11/05/2021 15:06	WG1769453	
(S) Toluene-d8	110			75.0-131		11/06/2021 23:03	WG1770055	
(S) 4-Bromofluorobenzene	98.4			67.0-138		11/05/2021 15:06	WG1769453	
(S) 4-Bromofluorobenzene	98.6			67.0-138		11/06/2021 23:03	WG1770055	
(S) 1,2-Dichloroethane-d4	102			70.0-130		11/05/2021 15:06	WG1769453	
(S) 1,2-Dichloroethane-d4	103			70.0-130		11/06/2021 23:03	WG1770055	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	83.6		1	11/03/2021 09:42	WG1767826

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.09	3.64	1	11/05/2021 18:21	WG1769657
Acrylonitrile	U		0.108	0.360	1	11/05/2021 18:21	WG1769657
Allyl chloride	U		0.120	0.398	1	11/05/2021 18:21	WG1769657
Benzene	U		0.0140	0.0467	1	11/05/2021 18:21	WG1769657
Bromobenzene	U		0.0269	0.0897	1	11/05/2021 18:21	WG1769657
Bromodichloromethane	U		0.0217	0.0721	1	11/05/2021 18:21	WG1769657
Bromoform	U		0.0351	0.117	1	11/05/2021 18:21	WG1769657
Bromomethane	U	J4	0.0590	0.196	1	11/05/2021 18:21	WG1769657
n-Butylbenzene	U		0.157	0.523	1	11/05/2021 18:21	WG1769657
sec-Butylbenzene	U		0.0861	0.287	1	11/05/2021 18:21	WG1769657
tert-Butylbenzene	U		0.0584	0.195	1	11/05/2021 18:21	WG1769657
Carbon tetrachloride	U		0.0269	0.0897	1	11/05/2021 18:21	WG1769657
Chlorobenzene	U		0.00628	0.0209	1	11/05/2021 18:21	WG1769657
Chlorodibromomethane	U		0.0183	0.0610	1	11/05/2021 18:21	WG1769657
Chloroethane	U		0.0508	0.170	1	11/05/2021 18:21	WG1769657
Chloroform	U		0.0309	0.103	1	11/05/2021 18:21	WG1769657
Chloromethane	U		0.130	0.434	1	11/05/2021 18:21	WG1769657
2-Chlorotoluene	U		0.0258	0.0861	1	11/05/2021 18:21	WG1769657
4-Chlorotoluene	U		0.0135	0.0451	1	11/05/2021 18:21	WG1769657
1,2-Dibromo-3-Chloropropane	U		0.117	0.389	1	11/05/2021 18:21	WG1769657
1,2-Dibromoethane	U		0.0194	0.0646	1	11/05/2021 18:21	WG1769657
Dibromomethane	U		0.0225	0.0750	1	11/05/2021 18:21	WG1769657
1,2-Dichlorobenzene	U		0.0127	0.0422	1	11/05/2021 18:21	WG1769657
1,3-Dichlorobenzene	U		0.0179	0.0598	1	11/05/2021 18:21	WG1769657
1,4-Dichlorobenzene	U		0.0209	0.0698	1	11/05/2021 18:21	WG1769657
Dichlorodifluoromethane	U		0.0482	0.160	1	11/05/2021 18:21	WG1769657
Dichlorofluoromethane	U		0.0374	0.124	1	11/05/2021 18:21	WG1769657
1,1-Dichloroethane	U		0.0147	0.0491	1	11/05/2021 18:21	WG1769657
1,2-Dichloroethane	U		0.0194	0.0646	1	11/05/2021 18:21	WG1769657
1,1-Dichloroethene	U		0.0182	0.0607	1	11/05/2021 18:21	WG1769657
cis-1,2-Dichloroethene	U		0.0220	0.0733	1	11/05/2021 18:21	WG1769657
trans-1,2-Dichloroethene	U		0.0311	0.104	1	11/05/2021 18:21	WG1769657
1,2-Dichloropropane	U		0.0425	0.141	1	11/05/2021 18:21	WG1769657
1,1-Dichloropropene	U		0.0242	0.0805	1	11/05/2021 18:21	WG1769657
1,3-Dichloropropene	U		0.0150	0.0499	1	11/05/2021 18:21	WG1769657
cis-1,3-Dichloropropene	U		0.0226	0.0754	1	11/05/2021 18:21	WG1769657
trans-1,3-Dichloropropene	U		0.0341	0.114	1	11/05/2021 18:21	WG1769657
2,2-Dichloropropane	U		0.0413	0.138	1	11/05/2021 18:21	WG1769657
Di-isopropyl ether	U		0.0123	0.0410	1	11/05/2021 18:21	WG1769657
Ethylbenzene	U		0.0220	0.0733	1	11/05/2021 18:21	WG1769657
Ethyl ether	U		0.0267	0.0889	1	11/05/2021 18:21	WG1769657
Hexachloro-1,3-butadiene	U		0.179	0.598	1	11/05/2021 18:21	WG1769657
2-Hexanone	U		0.101	0.335	1	11/05/2021 18:21	WG1769657
Isopropylbenzene	U		0.0127	0.0422	1	11/05/2021 18:21	WG1769657
p-Isopropyltoluene	U		0.0763	0.255	1	11/05/2021 18:21	WG1769657
2-Butanone (MEK)	U	C3	1.90	6.34	1	11/05/2021 18:21	WG1769657
Methylene Chloride	U		0.199	0.662	1	11/05/2021 18:21	WG1769657
4-Methyl-2-pentanone (MIBK)	U	C3	0.0682	0.227	1	11/05/2021 18:21	WG1769657
Methyl tert-butyl ether	U		0.0105	0.0349	1	11/05/2021 18:21	WG1769657
Naphthalene	U		0.146	0.487	1	11/05/2021 18:21	WG1769657

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0285	0.0949	1	11/05/2021 18:21	WG1769657	¹ Cp
Styrene	U		0.00686	0.0229	1	11/05/2021 18:21	WG1769657	² Tc
1,1,2-Tetrachloroethane	U	<u>J4</u>	0.0284	0.0945	1	11/05/2021 18:21	WG1769657	³ Ss
1,1,2,2-Tetrachloroethane	U	<u>C3</u>	0.0208	0.0694	1	11/05/2021 18:21	WG1769657	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0226	0.0754	1	11/05/2021 18:21	WG1769657	⁵ Sr
Tetrachloroethene	U		0.0268	0.0894	1	11/05/2021 18:21	WG1769657	⁶ Qc
Tetrahydrofuran	U	<u>C3</u>	0.105	0.351	1	11/05/2021 18:21	WG1769657	⁷ Gl
Toluene	U		0.0389	0.129	1	11/05/2021 18:21	WG1769657	⁸ Al
1,2,3-Trichlorobenzene	U		0.219	0.730	1	11/05/2021 18:21	WG1769657	⁹ Sc
1,2,4-Trichlorobenzene	U	<u>J4</u>	0.132	0.439	1	11/05/2021 18:21	WG1769657	
1,1,1-Trichloroethane	0.0430	<u>JJ4</u>	0.0276	0.0921	1	11/05/2021 18:21	WG1769657	
1,1,2-Trichloroethane	U		0.0178	0.0595	1	11/05/2021 18:21	WG1769657	
Trichloroethene	0.398		0.0175	0.0583	1	11/05/2021 18:21	WG1769657	
Trichlorofluoromethane	U		0.0248	0.0826	1	11/05/2021 18:21	WG1769657	
1,2,3-Trichloropropane	U	<u>C3</u>	0.0485	0.162	1	11/05/2021 18:21	WG1769657	
1,2,4-Trimethylbenzene	U		0.0473	0.158	1	11/05/2021 18:21	WG1769657	
1,2,3-Trimethylbenzene	U		0.0473	0.158	1	11/05/2021 18:21	WG1769657	
1,3,5-Trimethylbenzene	U		0.0598	0.200	1	11/05/2021 18:21	WG1769657	
Vinyl chloride	U		0.0347	0.116	1	11/05/2021 18:21	WG1769657	
Xylenes, Total	U		0.0263	0.0877	1	11/05/2021 18:21	WG1769657	
(S) Toluene-d8	104			75.0-131		11/05/2021 18:21	WG1769657	
(S) 4-Bromofluorobenzene	105			67.0-138		11/05/2021 18:21	WG1769657	
(S) 1,2-Dichloroethane-d4	100			70.0-130		11/05/2021 18:21	WG1769657	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	77.8		1	11/03/2021 09:42	WG1767826

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.22	4.06	1.04	11/05/2021 18:40	WG1769657
Acrylonitrile	U		0.121	0.402	1.04	11/05/2021 18:40	WG1769657
Allyl chloride	U		0.134	0.446	1.04	11/05/2021 18:40	WG1769657
Benzene	U		0.0156	0.0518	1.04	11/05/2021 18:40	WG1769657
Bromobenzene	U		0.0301	0.100	1.04	11/05/2021 18:40	WG1769657
Bromodichloromethane	U		0.0243	0.0810	1.04	11/05/2021 18:40	WG1769657
Bromoform	U		0.0391	0.130	1.04	11/05/2021 18:40	WG1769657
Bromomethane	U	J4	0.0658	0.220	1.04	11/05/2021 18:40	WG1769657
n-Butylbenzene	U		0.176	0.587	1.04	11/05/2021 18:40	WG1769657
sec-Butylbenzene	U		0.0963	0.321	1.04	11/05/2021 18:40	WG1769657
tert-Butylbenzene	U		0.0652	0.217	1.04	11/05/2021 18:40	WG1769657
Carbon tetrachloride	U		0.0300	0.0999	1.04	11/05/2021 18:40	WG1769657
Chlorobenzene	U		0.00702	0.0234	1.04	11/05/2021 18:40	WG1769657
Chlorodibromomethane	U		0.0204	0.0681	1.04	11/05/2021 18:40	WG1769657
Chloroethane	U		0.0568	0.189	1.04	11/05/2021 18:40	WG1769657
Chloroform	U		0.0344	0.115	1.04	11/05/2021 18:40	WG1769657
Chloromethane	U		0.145	0.485	1.04	11/05/2021 18:40	WG1769657
2-Chlorotoluene	U		0.0289	0.0964	1.04	11/05/2021 18:40	WG1769657
4-Chlorotoluene	U		0.0150	0.0501	1.04	11/05/2021 18:40	WG1769657
1,2-Dibromo-3-Chloropropane	U		0.130	0.433	1.04	11/05/2021 18:40	WG1769657
1,2-Dibromoethane	U		0.0216	0.0720	1.04	11/05/2021 18:40	WG1769657
Dibromomethane	U		0.0251	0.0836	1.04	11/05/2021 18:40	WG1769657
1,2-Dichlorobenzene	U		0.0143	0.0476	1.04	11/05/2021 18:40	WG1769657
1,3-Dichlorobenzene	U		0.0201	0.0668	1.04	11/05/2021 18:40	WG1769657
1,4-Dichlorobenzene	U		0.0234	0.0780	1.04	11/05/2021 18:40	WG1769657
Dichlorodifluoromethane	U		0.0539	0.180	1.04	11/05/2021 18:40	WG1769657
Dichlorofluoromethane	U		0.0418	0.139	1.04	11/05/2021 18:40	WG1769657
1,1-Dichloroethane	U		0.0165	0.0549	1.04	11/05/2021 18:40	WG1769657
1,2-Dichloroethane	U		0.0217	0.0724	1.04	11/05/2021 18:40	WG1769657
1,1-Dichloroethene	U		0.0203	0.0677	1.04	11/05/2021 18:40	WG1769657
cis-1,2-Dichloroethene	U		0.0246	0.0819	1.04	11/05/2021 18:40	WG1769657
trans-1,2-Dichloroethene	U		0.0347	0.116	1.04	11/05/2021 18:40	WG1769657
1,2-Dichloropropane	U		0.0474	0.158	1.04	11/05/2021 18:40	WG1769657
1,1-Dichloropropene	U		0.0270	0.0900	1.04	11/05/2021 18:40	WG1769657
1,3-Dichloropropane	U		0.0167	0.0557	1.04	11/05/2021 18:40	WG1769657
cis-1,3-Dichloropropene	U		0.0253	0.0845	1.04	11/05/2021 18:40	WG1769657
trans-1,3-Dichloropropene	U		0.0380	0.127	1.04	11/05/2021 18:40	WG1769657
2,2-Dichloropropane	U		0.0461	0.154	1.04	11/05/2021 18:40	WG1769657
Di-isopropyl ether	U		0.0138	0.0459	1.04	11/05/2021 18:40	WG1769657
Ethylbenzene	U		0.0247	0.0823	1.04	11/05/2021 18:40	WG1769657
Ethyl ether	U		0.0298	0.0994	1.04	11/05/2021 18:40	WG1769657
Hexachloro-1,3-butadiene	U		0.201	0.668	1.04	11/05/2021 18:40	WG1769657
2-Hexanone	U		0.112	0.374	1.04	11/05/2021 18:40	WG1769657
Isopropylbenzene	U		0.0143	0.0476	1.04	11/05/2021 18:40	WG1769657
p-Isopropyltoluene	U		0.0852	0.284	1.04	11/05/2021 18:40	WG1769657
2-Butanone (MEK)	U	C3	2.12	7.07	1.04	11/05/2021 18:40	WG1769657
Methylene Chloride	U		0.222	0.742	1.04	11/05/2021 18:40	WG1769657
4-Methyl-2-pentanone (MIBK)	U	C3	0.0762	0.255	1.04	11/05/2021 18:40	WG1769657
Methyl tert-butyl ether	U		0.0117	0.0389	1.04	11/05/2021 18:40	WG1769657
Naphthalene	U		0.163	0.544	1.04	11/05/2021 18:40	WG1769657

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0317	0.106	1.04	11/05/2021 18:40	WG1769657	¹ Cp
Styrene	U		0.00765	0.0255	1.04	11/05/2021 18:40	WG1769657	² Tc
1,1,2-Tetrachloroethane	U	<u>J4</u>	0.0316	0.105	1.04	11/05/2021 18:40	WG1769657	³ Ss
1,1,2,2-Tetrachloroethane	U	<u>C3</u>	0.0233	0.0775	1.04	11/05/2021 18:40	WG1769657	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0252	0.0839	1.04	11/05/2021 18:40	WG1769657	⁵ Sr
Tetrachloroethene	0.0533	<u>J</u>	0.0300	0.0999	1.04	11/05/2021 18:40	WG1769657	⁶ Qc
Tetrahydrofuran	U	<u>C3</u>	0.118	0.392	1.04	11/05/2021 18:40	WG1769657	⁷ Gl
Toluene	0.0793	<u>J</u>	0.0434	0.145	1.04	11/05/2021 18:40	WG1769657	⁸ Al
1,2,3-Trichlorobenzene	U		0.246	0.819	1.04	11/05/2021 18:40	WG1769657	⁹ Sc
1,2,4-Trichlorobenzene	U	<u>J4</u>	0.147	0.488	1.04	11/05/2021 18:40	WG1769657	
1,1,1-Trichloroethane	0.306	<u>C5 J4</u>	0.0309	0.103	1.04	11/05/2021 18:40	WG1769657	
1,1,2-Trichloroethane	U		0.0199	0.0665	1.04	11/05/2021 18:40	WG1769657	
Trichloroethene	30.2		1.56	5.18	83.2	11/08/2021 15:08	WG1770797	
Trichlorofluoromethane	U		0.0276	0.0922	1.04	11/05/2021 18:40	WG1769657	
1,2,3-Trichloropropane	U	<u>C3</u>	0.0541	0.180	1.04	11/05/2021 18:40	WG1769657	
1,2,4-Trimethylbenzene	0.0533	<u>J</u>	0.0528	0.176	1.04	11/05/2021 18:40	WG1769657	
1,2,3-Trimethylbenzene	U		0.0528	0.176	1.04	11/05/2021 18:40	WG1769657	
1,3,5-Trimethylbenzene	U		0.0668	0.222	1.04	11/05/2021 18:40	WG1769657	
Vinyl chloride	U		0.0388	0.130	1.04	11/05/2021 18:40	WG1769657	
Xylenes, Total	0.176		0.0294	0.0981	1.04	11/05/2021 18:40	WG1769657	
(S) Toluene-d8	109			75.0-131		11/05/2021 18:40	WG1769657	
(S) Toluene-d8	104			75.0-131		11/08/2021 15:08	WG1770797	
(S) 4-Bromofluorobenzene	101			67.0-138		11/05/2021 18:40	WG1769657	
(S) 4-Bromofluorobenzene	101			67.0-138		11/08/2021 15:08	WG1770797	
(S) 1,2-Dichloroethane-d4	95.9			70.0-130		11/05/2021 18:40	WG1769657	
(S) 1,2-Dichloroethane-d4	125			70.0-130		11/08/2021 15:08	WG1770797	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	86.6		1	11/03/2021 09:42	WG1767826

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.05	3.51	1	11/05/2021 18:59	WG1769657
Acrylonitrile	U		0.104	0.348	1	11/05/2021 18:59	WG1769657
Allyl chloride	U		0.116	0.385	1	11/05/2021 18:59	WG1769657
Benzene	U		0.0135	0.0450	1	11/05/2021 18:59	WG1769657
Bromobenzene	U		0.0260	0.0866	1	11/05/2021 18:59	WG1769657
Bromodichloromethane	U		0.0209	0.0697	1	11/05/2021 18:59	WG1769657
Bromoform	U		0.0338	0.113	1	11/05/2021 18:59	WG1769657
Bromomethane	U	J4	0.0569	0.189	1	11/05/2021 18:59	WG1769657
n-Butylbenzene	U		0.151	0.505	1	11/05/2021 18:59	WG1769657
sec-Butylbenzene	U		0.0832	0.277	1	11/05/2021 18:59	WG1769657
tert-Butylbenzene	U		0.0564	0.188	1	11/05/2021 18:59	WG1769657
Carbon tetrachloride	U		0.0260	0.0866	1	11/05/2021 18:59	WG1769657
Chlorobenzene	U		0.00606	0.0202	1	11/05/2021 18:59	WG1769657
Chlorodibromomethane	U		0.0177	0.0589	1	11/05/2021 18:59	WG1769657
Chloroethane	U		0.0491	0.164	1	11/05/2021 18:59	WG1769657
Chloroform	U		0.0298	0.0993	1	11/05/2021 18:59	WG1769657
Chloromethane	U		0.126	0.419	1	11/05/2021 18:59	WG1769657
2-Chlorotoluene	U		0.0249	0.0832	1	11/05/2021 18:59	WG1769657
4-Chlorotoluene	U		0.0131	0.0435	1	11/05/2021 18:59	WG1769657
1,2-Dibromo-3-Chloropropane	U		0.113	0.375	1	11/05/2021 18:59	WG1769657
1,2-Dibromoethane	U		0.0187	0.0624	1	11/05/2021 18:59	WG1769657
Dibromomethane	U		0.0217	0.0724	1	11/05/2021 18:59	WG1769657
1,2-Dichlorobenzene	U		0.0122	0.0408	1	11/05/2021 18:59	WG1769657
1,3-Dichlorobenzene	U		0.0173	0.0578	1	11/05/2021 18:59	WG1769657
1,4-Dichlorobenzene	U		0.0202	0.0673	1	11/05/2021 18:59	WG1769657
Dichlorodifluoromethane	U		0.0466	0.155	1	11/05/2021 18:59	WG1769657
Dichlorofluoromethane	U		0.0362	0.120	1	11/05/2021 18:59	WG1769657
1,1-Dichloroethane	U		0.0142	0.0474	1	11/05/2021 18:59	WG1769657
1,2-Dichloroethane	U		0.0187	0.0624	1	11/05/2021 18:59	WG1769657
1,1-Dichloroethene	U		0.0176	0.0586	1	11/05/2021 18:59	WG1769657
cis-1,2-Dichloroethene	U		0.0213	0.0708	1	11/05/2021 18:59	WG1769657
trans-1,2-Dichloroethene	U		0.0300	0.100	1	11/05/2021 18:59	WG1769657
1,2-Dichloropropane	U		0.0410	0.136	1	11/05/2021 18:59	WG1769657
1,1-Dichloropropene	U		0.0233	0.0777	1	11/05/2021 18:59	WG1769657
1,3-Dichloropropane	U		0.0144	0.0482	1	11/05/2021 18:59	WG1769657
cis-1,3-Dichloropropene	U		0.0218	0.0728	1	11/05/2021 18:59	WG1769657
trans-1,3-Dichloropropene	U		0.0329	0.110	1	11/05/2021 18:59	WG1769657
2,2-Dichloropropane	U		0.0399	0.133	1	11/05/2021 18:59	WG1769657
Di-isopropyl ether	U		0.0119	0.0396	1	11/05/2021 18:59	WG1769657
Ethylbenzene	U		0.0213	0.0708	1	11/05/2021 18:59	WG1769657
Ethyl ether	U		0.0258	0.0858	1	11/05/2021 18:59	WG1769657
Hexachloro-1,3-butadiene	U		0.173	0.578	1	11/05/2021 18:59	WG1769657
2-Hexanone	U		0.0970	0.323	1	11/05/2021 18:59	WG1769657
Isopropylbenzene	U		0.0122	0.0408	1	11/05/2021 18:59	WG1769657
p-Isopropyltoluene	U		0.0737	0.246	1	11/05/2021 18:59	WG1769657
2-Butanone (MEK)	U	C3	1.84	6.12	1	11/05/2021 18:59	WG1769657
Methylene Chloride	U		0.192	0.639	1	11/05/2021 18:59	WG1769657
4-Methyl-2-pentanone (MIBK)	U	C3	0.0658	0.219	1	11/05/2021 18:59	WG1769657
Methyl tert-butyl ether	U		0.0101	0.0337	1	11/05/2021 18:59	WG1769657
Naphthalene	U		0.141	0.470	1	11/05/2021 18:59	WG1769657

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0275	0.0916	1	11/05/2021 18:59	WG1769657	¹ Cp
Styrene	U		0.00662	0.0221	1	11/05/2021 18:59	WG1769657	² Tc
1,1,2-Tetrachloroethane	U	<u>J4</u>	0.0274	0.0913	1	11/05/2021 18:59	WG1769657	³ Ss
1,1,2,2-Tetrachloroethane	U	<u>C3</u>	0.0201	0.0670	1	11/05/2021 18:59	WG1769657	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0218	0.0728	1	11/05/2021 18:59	WG1769657	⁵ Sr
Tetrachloroethene	U		0.0259	0.0863	1	11/05/2021 18:59	WG1769657	⁶ Qc
Tetrahydrofuran	U	<u>C3</u>	0.102	0.338	1	11/05/2021 18:59	WG1769657	⁷ Gl
Toluene	U		0.0375	0.125	1	11/05/2021 18:59	WG1769657	⁸ Al
1,2,3-Trichlorobenzene	U		0.211	0.705	1	11/05/2021 18:59	WG1769657	⁹ Sc
1,2,4-Trichlorobenzene	U	<u>J4</u>	0.127	0.424	1	11/05/2021 18:59	WG1769657	
1,1,1-Trichloroethane	0.0881	<u>JJ4</u>	0.0267	0.0889	1	11/05/2021 18:59	WG1769657	
1,1,2-Trichloroethane	U		0.0172	0.0574	1	11/05/2021 18:59	WG1769657	
Trichloroethene	2.16		0.0169	0.0563	1	11/05/2021 18:59	WG1769657	
Trichlorofluoromethane	U		0.0239	0.0797	1	11/05/2021 18:59	WG1769657	
1,2,3-Trichloropropane	U	<u>C3</u>	0.0468	0.156	1	11/05/2021 18:59	WG1769657	
1,2,4-Trimethylbenzene	U		0.0456	0.152	1	11/05/2021 18:59	WG1769657	
1,2,3-Trimethylbenzene	U		0.0456	0.152	1	11/05/2021 18:59	WG1769657	
1,3,5-Trimethylbenzene	U		0.0578	0.193	1	11/05/2021 18:59	WG1769657	
Vinyl chloride	U		0.0335	0.112	1	11/05/2021 18:59	WG1769657	
Xylenes, Total	U		0.0254	0.0847	1	11/05/2021 18:59	WG1769657	
(S) Toluene-d8	108			75.0-131		11/05/2021 18:59	WG1769657	
(S) 4-Bromofluorobenzene	102			67.0-138		11/05/2021 18:59	WG1769657	
(S) 1,2-Dichloroethane-d4	98.1			70.0-130		11/05/2021 18:59	WG1769657	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	74.1		1	11/03/2021 09:42	WG1767826

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.23	4.10	1	11/05/2021 19:19	WG1769657
Acrylonitrile	U		0.122	0.406	1	11/05/2021 19:19	WG1769657
Allyl chloride	U		0.135	0.450	1	11/05/2021 19:19	WG1769657
Benzene	U		0.0158	0.0527	1	11/05/2021 19:19	WG1769657
Bromobenzene	U		0.0304	0.101	1	11/05/2021 19:19	WG1769657
Bromodichloromethane	U		0.0244	0.0814	1	11/05/2021 19:19	WG1769657
Bromoform	U		0.0396	0.132	1	11/05/2021 19:19	WG1769657
Bromomethane	U	J4	0.0666	0.221	1	11/05/2021 19:19	WG1769657
n-Butylbenzene	U		0.177	0.590	1	11/05/2021 19:19	WG1769657
sec-Butylbenzene	U		0.0972	0.324	1	11/05/2021 19:19	WG1769657
tert-Butylbenzene	U		0.0659	0.220	1	11/05/2021 19:19	WG1769657
Carbon tetrachloride	U		0.0304	0.101	1	11/05/2021 19:19	WG1769657
Chlorobenzene	U		0.00709	0.0236	1	11/05/2021 19:19	WG1769657
Chlorodibromomethane	U		0.0207	0.0689	1	11/05/2021 19:19	WG1769657
Chloroethane	U		0.0574	0.192	1	11/05/2021 19:19	WG1769657
Chloroform	U		0.0348	0.116	1	11/05/2021 19:19	WG1769657
Chloromethane	U		0.147	0.490	1	11/05/2021 19:19	WG1769657
2-Chlorotoluene	U		0.0292	0.0972	1	11/05/2021 19:19	WG1769657
4-Chlorotoluene	U		0.0153	0.0509	1	11/05/2021 19:19	WG1769657
1,2-Dibromo-3-Chloropropane	U		0.132	0.439	1	11/05/2021 19:19	WG1769657
1,2-Dibromoethane	U		0.0219	0.0729	1	11/05/2021 19:19	WG1769657
Dibromomethane	U		0.0254	0.0847	1	11/05/2021 19:19	WG1769657
1,2-Dichlorobenzene	U		0.0143	0.0477	1	11/05/2021 19:19	WG1769657
1,3-Dichlorobenzene	U		0.0203	0.0675	1	11/05/2021 19:19	WG1769657
1,4-Dichlorobenzene	U		0.0236	0.0787	1	11/05/2021 19:19	WG1769657
Dichlorodifluoromethane	U		0.0544	0.181	1	11/05/2021 19:19	WG1769657
Dichlorofluoromethane	U		0.0423	0.140	1	11/05/2021 19:19	WG1769657
1,1-Dichloroethane	U		0.0166	0.0554	1	11/05/2021 19:19	WG1769657
1,2-Dichloroethane	U		0.0219	0.0729	1	11/05/2021 19:19	WG1769657
1,1-Dichloroethene	U		0.0205	0.0685	1	11/05/2021 19:19	WG1769657
cis-1,2-Dichloroethene	U		0.0248	0.0828	1	11/05/2021 19:19	WG1769657
trans-1,2-Dichloroethene	U		0.0351	0.117	1	11/05/2021 19:19	WG1769657
1,2-Dichloropropane	U		0.0479	0.159	1	11/05/2021 19:19	WG1769657
1,1-Dichloropropene	U		0.0273	0.0909	1	11/05/2021 19:19	WG1769657
1,3-Dichloropropane	U		0.0169	0.0563	1	11/05/2021 19:19	WG1769657
cis-1,3-Dichloropropene	U		0.0255	0.0851	1	11/05/2021 19:19	WG1769657
trans-1,3-Dichloropropene	U		0.0385	0.128	1	11/05/2021 19:19	WG1769657
2,2-Dichloropropane	U		0.0466	0.155	1	11/05/2021 19:19	WG1769657
Di-isopropyl ether	U		0.0139	0.0463	1	11/05/2021 19:19	WG1769657
Ethylbenzene	U		0.0248	0.0828	1	11/05/2021 19:19	WG1769657
Ethyl ether	U		0.0301	0.100	1	11/05/2021 19:19	WG1769657
Hexachloro-1,3-butadiene	U		0.203	0.675	1	11/05/2021 19:19	WG1769657
2-Hexanone	U		0.113	0.378	1	11/05/2021 19:19	WG1769657
Isopropylbenzene	U		0.0143	0.0477	1	11/05/2021 19:19	WG1769657
p-Isopropyltoluene	U		0.0861	0.288	1	11/05/2021 19:19	WG1769657
2-Butanone (MEK)	U	C3	2.15	7.16	1	11/05/2021 19:19	WG1769657
Methylene Chloride	U		0.224	0.747	1	11/05/2021 19:19	WG1769657
4-Methyl-2-pentanone (MIBK)	U	C3	0.0770	0.257	1	11/05/2021 19:19	WG1769657
Methyl tert-butyl ether	U		0.0118	0.0394	1	11/05/2021 19:19	WG1769657
Naphthalene	U		0.165	0.549	1	11/05/2021 19:19	WG1769657

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0321	0.107	1	11/05/2021 19:19	WG1769657	¹ Cp
Styrene	U		0.00774	0.0258	1	11/05/2021 19:19	WG1769657	² Tc
1,1,2-Tetrachloroethane	U	<u>J4</u>	0.0320	0.107	1	11/05/2021 19:19	WG1769657	³ Ss
1,1,2,2-Tetrachloroethane	U	<u>C3</u>	0.0235	0.0783	1	11/05/2021 19:19	WG1769657	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0255	0.0851	1	11/05/2021 19:19	WG1769657	⁵ Sr
Tetrachloroethene	U		0.0302	0.101	1	11/05/2021 19:19	WG1769657	⁶ Qc
Tetrahydrofuran	U	<u>C3</u>	0.119	0.396	1	11/05/2021 19:19	WG1769657	⁷ Gl
Toluene	U		0.0439	0.146	1	11/05/2021 19:19	WG1769657	⁸ Al
1,2,3-Trichlorobenzene	U		0.247	0.824	1	11/05/2021 19:19	WG1769657	⁹ Sc
1,2,4-Trichlorobenzene	U	<u>J4</u>	0.149	0.495	1	11/05/2021 19:19	WG1769657	
1,1,1-Trichloroethane	0.0522	<u>JJ4</u>	0.0312	0.104	1	11/05/2021 19:19	WG1769657	
1,1,2-Trichloroethane	U		0.0201	0.0671	1	11/05/2021 19:19	WG1769657	
Trichloroethene	1.57		0.0197	0.0658	1	11/05/2021 19:19	WG1769657	
Trichlorofluoromethane	U		0.0279	0.0932	1	11/05/2021 19:19	WG1769657	
1,2,3-Trichloropropane	U	<u>C3</u>	0.0547	0.182	1	11/05/2021 19:19	WG1769657	
1,2,4-Trimethylbenzene	U		0.0533	0.178	1	11/05/2021 19:19	WG1769657	
1,2,3-Trimethylbenzene	U		0.0533	0.178	1	11/05/2021 19:19	WG1769657	
1,3,5-Trimethylbenzene	U		0.0675	0.225	1	11/05/2021 19:19	WG1769657	
Vinyl chloride	U		0.0392	0.131	1	11/05/2021 19:19	WG1769657	
Xylenes, Total	U		0.0297	0.0990	1	11/05/2021 19:19	WG1769657	
(S) Toluene-d8	103			75.0-131		11/05/2021 19:19	WG1769657	
(S) 4-Bromofluorobenzene	102			67.0-138		11/05/2021 19:19	WG1769657	
(S) 1,2-Dichloroethane-d4	102			70.0-130		11/05/2021 19:19	WG1769657	

WG1767823

Total Solids by Method 2540 G-2011

QUALITY CONTROL SUMMARY

[L1425548-01,02,03,04,05,06](#)

Method Blank (MB)

(MB) R3725262-1 11/03/21 10:07

Analyte	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Total Solids	0.000			

¹Cp

L1425270-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1425270-01 11/03/21 10:07 • (DUP) R3725262-3 11/03/21 10:07

Analyte	Original Result %	DUP Result %	Dilution %	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Total Solids	90.2	92.0	1	1.97		10

²Tc³Ss⁴Cn⁵Sr⁶Qc

Laboratory Control Sample (LCS)

(LCS) R3725262-2 11/03/21 10:07

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Total Solids	50.0	50.0	100	85.0-115	

⁷Gl⁸Al⁹Sc

WG1767825

Total Solids by Method 2540 G-2011

QUALITY CONTROL SUMMARY

[L1425548-07,08,09,10,11,12,13,14,17,18](#)

Method Blank (MB)

(MB) R3725261-1 11/03/21 09:52

Analyte	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Total Solids	0.000			

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

L1425548-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1425548-08 11/03/21 09:52 • (DUP) R3725261-3 11/03/21 09:52

Analyte	Original Result %	DUP Result %	Dilution %	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Total Solids	84.7	85.4	1	0.774		10

Laboratory Control Sample (LCS)

(LCS) R3725261-2 11/03/21 09:52

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Total Solids	50.0	50.0	100	85.0-115	

⁷Gl

WG1767826

Total Solids by Method 2540 G-2011

QUALITY CONTROL SUMMARY

[L1425548-19,20,21,22,23,24](#)

Method Blank (MB)

(MB) R3725260-1 11/03/21 09:42

Analyte	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Total Solids	0.000			

¹Cp

L1424583-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1424583-05 11/03/21 09:42 • (DUP) R3725260-3 11/03/21 09:42

Analyte	Original Result %	DUP Result %	Dilution %	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Total Solids	90.5	89.2	1	1.42		10

²Tc³Ss⁴Cn⁵Sr⁶Qc

Laboratory Control Sample (LCS)

(LCS) R3725260-2 11/03/21 09:42

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Total Solids	50.0	50.1	100	85.0-115	

⁷Gl⁸Al⁹Sc

WG1769441

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

L1425548-15,16

Method Blank (MB)

(MB) R3726741-3 11/05/21 15:12

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l	
Acetone	U		0.0113	0.0377	¹ Cp
Acrolein	U		0.00254	0.00847	² Tc
Acrylonitrile	U		0.000671	0.00224	³ Ss
Benzene	U		0.0000941	0.000314	⁴ Cn
Bromobenzene	U		0.000118	0.000393	⁵ Sr
Bromodichloromethane	U		0.000136	0.000453	⁶ Qc
Bromoform	U		0.000129	0.000430	⁷ Gl
Bromomethane	U		0.000605	0.00202	⁸ Al
n-Butylbenzene	U		0.000157	0.000523	⁹ Sc
sec-Butylbenzene	U		0.000125	0.000417	
tert-Butylbenzene	U		0.000127	0.000423	
Carbon tetrachloride	U		0.000128	0.000427	
Chlorobenzene	U		0.000116	0.000387	
Chlorodibromomethane	U		0.000140	0.000467	
Chloroethane	U		0.000192	0.000640	
2-Chloroethyl vinyl ether	U		0.000575	0.00192	
Chloroform	U		0.000111	0.000370	
Chloromethane	U		0.000960	0.00320	
2-Chlorotoluene	U		0.000106	0.000353	
4-Chlorotoluene	U		0.000114	0.000380	
1,2-Dibromo-3-Chloropropane	U		0.000276	0.000920	
1,2-Dibromoethane	U		0.000126	0.000420	
Dibromomethane	U		0.000122	0.000407	
1,2-Dichlorobenzene	U		0.000107	0.000357	
1,3-Dichlorobenzene	U		0.000110	0.000367	
1,4-Dichlorobenzene	U		0.000120	0.000400	
Dichlorodifluoromethane	U		0.000374	0.00125	
1,1-Dichloroethane	U		0.000100	0.000333	
1,2-Dichloroethane	U		0.0000819	0.000273	
1,1-Dichloroethene	U		0.000188	0.000627	
cis-1,2-Dichloroethene	U		0.000126	0.000420	
trans-1,2-Dichloroethene	U		0.000149	0.000497	
1,2-Dichloropropane	U		0.000149	0.000497	
1,1-Dichloropropene	U		0.000142	0.000473	
1,3-Dichloropropane	U		0.000110	0.000367	
cis-1,3-Dichloropropene	U		0.000111	0.000370	
trans-1,3-Dichloropropene	U		0.000118	0.000393	
2,2-Dichloropropane	U		0.000161	0.000537	
Di-isopropyl ether	U		0.000105	0.000350	
Ethylbenzene	U		0.000137	0.000457	

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1425548

DATE/TIME:

11/08/21 20:08

PAGE:

59 of 85

WG1769441

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1425548-15,16](#)

Method Blank (MB)

(MB) R3726741-3 11/05/21 15:12

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l	
Hexachloro-1,3-butadiene	U		0.000337	0.00112	¹ Cp
2-Hexanone	U		0.000787	0.00262	² Tc
Isopropylbenzene	U		0.000105	0.000350	³ Ss
p-Isopropyltoluene	U		0.000120	0.000400	⁴ Cn
2-Butanone (MEK)	U		0.00119	0.00397	⁵ Sr
Methylene Chloride	U		0.000430	0.00143	⁶ Qc
4-Methyl-2-pentanone (MIBK)	U		0.000478	0.00159	⁷ Gl
Methyl tert-butyl ether	U		0.000101	0.000337	⁸ Al
Naphthalene	U		0.00100	0.00333	⁹ Sc
n-Propylbenzene	U		0.0000993	0.000331	
Styrene	U		0.000118	0.000393	
1,1,2-Tetrachloroethane	U		0.000147	0.000490	
1,1,2,2-Tetrachloroethane	U		0.000133	0.000443	
1,1,2-Trichlorotrifluoroethane	U		0.000180	0.000600	
Tetrachloroethene	U		0.000300	0.00100	
Toluene	U		0.000278	0.000927	
1,2,3-Trichlorobenzene	U		0.000230	0.000767	
1,2,4-Trichlorobenzene	U		0.000481	0.00160	
1,1,1-Trichloroethane	U		0.000149	0.000497	
1,1,2-Trichloroethane	U		0.000158	0.000527	
Trichloroethene	U		0.000190	0.000633	
Trichlorofluoromethane	U		0.000160	0.000533	
1,2,3-Trichloropropane	U		0.000237	0.000790	
1,2,4-Trimethylbenzene	U		0.000322	0.00107	
1,2,3-Trimethylbenzene	U		0.000104	0.000347	
1,3,5-Trimethylbenzene	U		0.000104	0.000347	
Vinyl chloride	U		0.000234	0.000780	
Xylenes, Total	U		0.000174	0.000580	
Tetrahydrofuran	U		0.000929	0.00310	
Allyl chloride	U		0.000500	0.00167	
Ethyl Ether	U		0.000115	0.000383	
Dichlorofluoromethane	U		0.000130	0.000433	
(S) Toluene-d8	112		80.0-120		
(S) 4-Bromofluorobenzene	94.2		77.0-126		
(S) 1,2-Dichloroethane-d4	92.5		70.0-130		

QUALITY CONTROL SUMMARY

L1425548-15,16

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3726741-1 11/05/21 12:32 • (LCSD) R3726741-2 11/05/21 12:52

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Acetone	0.0250	0.0217	0.0224	86.8	89.6	19.0-160			3.17	27
Acrolein	0.0250	0.0209	0.0205	83.6	82.0	30.0-160			1.93	26
Acrylonitrile	0.0250	0.0229	0.0238	91.6	95.2	55.0-149			3.85	20
Benzene	0.00500	0.00527	0.00506	105	101	70.0-123			4.07	20
Bromobenzene	0.00500	0.00456	0.00477	91.2	95.4	73.0-121			4.50	20
Bromodichloromethane	0.00500	0.00511	0.00495	102	99.0	75.0-120			3.18	20
Bromoform	0.00500	0.00435	0.00443	87.0	88.6	68.0-132			1.82	20
Bromomethane	0.00500	0.00479	0.00488	95.8	97.6	30.0-160			1.86	25
n-Butylbenzene	0.00500	0.00422	0.00413	84.4	82.6	73.0-125			2.16	20
sec-Butylbenzene	0.00500	0.00461	0.00450	92.2	90.0	75.0-125			2.41	20
tert-Butylbenzene	0.00500	0.00479	0.00471	95.8	94.2	76.0-124			1.68	20
Carbon tetrachloride	0.00500	0.00536	0.00497	107	99.4	68.0-126			7.55	20
Chlorobenzene	0.00500	0.00510	0.00468	102	93.6	80.0-121			8.59	20
Chlorodibromomethane	0.00500	0.00476	0.00450	95.2	90.0	77.0-125			5.62	20
Chloroethane	0.00500	0.00555	0.00593	111	119	47.0-150			6.62	20
2-Chloroethyl vinyl ether	0.0250	0.0238	0.0243	95.2	97.2	51.0-160			2.08	20
Chloroform	0.00500	0.00559	0.00547	112	109	73.0-120			2.17	20
Chloromethane	0.00500	0.00478	0.00445	95.6	89.0	41.0-142			7.15	20
2-Chlorotoluene	0.00500	0.00494	0.00488	98.8	97.6	76.0-123			1.22	20
4-Chlorotoluene	0.00500	0.00500	0.00506	100	101	75.0-122			1.19	20
1,2-Dibromo-3-Chloropropane	0.00500	0.00454	0.00432	90.8	86.4	58.0-134			4.97	20
1,2-Dibromoethane	0.00500	0.00498	0.00473	99.6	94.6	80.0-122			5.15	20
Dibromomethane	0.00500	0.00549	0.00535	110	107	80.0-120			2.58	20
1,2-Dichlorobenzene	0.00500	0.00497	0.00462	99.4	92.4	79.0-121			7.30	20
1,3-Dichlorobenzene	0.00500	0.00478	0.00510	95.6	102	79.0-120			6.48	20
1,4-Dichlorobenzene	0.00500	0.00483	0.00507	96.6	101	79.0-120			4.85	20
Dichlorodifluoromethane	0.00500	0.00529	0.00522	106	104	51.0-149			1.33	20
1,1-Dichloroethane	0.00500	0.00556	0.00514	111	103	70.0-126			7.85	20
1,2-Dichloroethane	0.00500	0.00519	0.00517	104	103	70.0-128			0.386	20
1,1-Dichloroethene	0.00500	0.00549	0.00486	110	97.2	71.0-124			12.2	20
cis-1,2-Dichloroethene	0.00500	0.00533	0.00494	107	98.8	73.0-120			7.59	20
trans-1,2-Dichloroethene	0.00500	0.00533	0.00490	107	98.0	73.0-120			8.41	20
1,2-Dichloropropane	0.00500	0.00617	0.00500	123	100	77.0-125	J3		20.9	20
1,1-Dichloropropene	0.00500	0.00556	0.00475	111	95.0	74.0-126			15.7	20
1,3-Dichloropropane	0.00500	0.00510	0.00500	102	100	80.0-120			1.98	20
cis-1,3-Dichloropropene	0.00500	0.00479	0.00452	95.8	90.4	80.0-123			5.80	20
trans-1,3-Dichloropropene	0.00500	0.00459	0.00456	91.8	91.2	78.0-124			0.656	20
2,2-Dichloropropane	0.00500	0.00363	0.00346	72.6	69.2	58.0-130			4.80	20
Di-isopropyl ether	0.00500	0.00516	0.00490	103	98.0	58.0-138			5.17	20
Ethylbenzene	0.00500	0.00481	0.00433	96.2	86.6	79.0-123			10.5	20

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1425548

DATE/TIME:

11/08/21 20:08

PAGE:

61 of 85

QUALITY CONTROL SUMMARY

L1425548-15,16

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3726741-1 11/05/21 12:32 • (LCSD) R3726741-2 11/05/21 12:52

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Hexachloro-1,3-butadiene	0.00500	0.00411	0.00398	82.2	79.6	54.0-138			3.21	20
2-Hexanone	0.0250	0.0212	0.0215	84.8	86.0	67.0-149			1.41	20
Isopropylbenzene	0.00500	0.00463	0.00430	92.6	86.0	76.0-127			7.39	20
p-Isopropyltoluene	0.00500	0.00433	0.00458	86.6	91.6	76.0-125			5.61	20
2-Butanone (MEK)	0.0250	0.0209	0.0211	83.6	84.4	44.0-160			0.952	20
Methylene Chloride	0.00500	0.00597	0.00569	119	114	67.0-120			4.80	20
4-Methyl-2-pentanone (MIBK)	0.0250	0.0247	0.0245	98.8	98.0	68.0-142			0.813	20
Methyl tert-butyl ether	0.00500	0.00528	0.00510	106	102	68.0-125			3.47	20
Naphthalene	0.00500	0.00477	0.00509	95.4	102	54.0-135			6.49	20
n-Propylbenzene	0.00500	0.00470	0.00435	94.0	87.0	77.0-124			7.73	20
Styrene	0.00500	0.00472	0.00434	94.4	86.8	73.0-130			8.39	20
1,1,2-Tetrachloroethane	0.00500	0.00472	0.00460	94.4	92.0	75.0-125			2.58	20
1,1,2,2-Tetrachloroethane	0.00500	0.00422	0.00421	84.4	84.2	65.0-130			0.237	20
1,1,2-Trichlorotrifluoroethane	0.00500	0.00554	0.00524	111	105	69.0-132			5.57	20
Tetrachloroethene	0.00500	0.00479	0.00475	95.8	95.0	72.0-132			0.839	20
Toluene	0.00500	0.00512	0.00476	102	95.2	79.0-120			7.29	20
1,2,3-Trichlorobenzene	0.00500	0.00406	0.00473	81.2	94.6	50.0-138			15.2	20
1,2,4-Trichlorobenzene	0.00500	0.00423	0.00444	84.6	88.8	57.0-137			4.84	20
1,1,1-Trichloroethane	0.00500	0.00544	0.00512	109	102	73.0-124			6.06	20
1,1,2-Trichloroethane	0.00500	0.00528	0.00495	106	99.0	80.0-120			6.45	20
Trichloroethene	0.00500	0.00588	0.00592	118	118	78.0-124			0.678	20
Trichlorofluoromethane	0.00500	0.00551	0.00516	110	103	59.0-147			6.56	20
1,2,3-Trichloropropane	0.00500	0.00517	0.00545	103	109	73.0-130			5.27	20
1,2,4-Trimethylbenzene	0.00500	0.00472	0.00459	94.4	91.8	76.0-121			2.79	20
1,2,3-Trimethylbenzene	0.00500	0.00468	0.00484	93.6	96.8	77.0-120			3.36	20
1,3,5-Trimethylbenzene	0.00500	0.00473	0.00492	94.6	98.4	76.0-122			3.94	20
Vinyl chloride	0.00500	0.00606	0.00558	121	112	67.0-131			8.25	20
Xylenes, Total	0.0150	0.0141	0.0129	94.0	86.0	79.0-123			8.89	20
Tetrahydrofuran	0.00500	0.00476	0.00459	95.2	91.8	41.0-146			3.64	20
Dichlorofluoromethane	0.00500	0.00528	0.00497	106	99.4	65.0-133			6.05	20
Ethyl ether	0.00500	0.00524	0.00568	105	114	66.0-130			8.06	20
Allyl chloride	0.0250	0.0283	0.0273	113	109	72.0-128			3.60	20
(S) Toluene-d8				102	102	80.0-120				
(S) 4-Bromofluorobenzene				91.7	90.9	77.0-126				
(S) 1,2-Dichloroethane-d4				98.4	97.6	70.0-130				

WG1769445

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1425548-01,02,03,04,05,06,07,08,09,10](#)

Method Blank (MB)

(MB) R3726208-3 11/05/21 10:05

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Acetone	U		0.913	3.04	¹ Cp
Acrylonitrile	U		0.0903	0.301	² Tc
Benzene	U		0.0117	0.0390	³ Ss
Bromobenzene	U		0.0225	0.0750	⁴ Cn
Bromodichloromethane	U		0.0181	0.0603	⁵ Sr
Bromoform	U		0.0293	0.0977	⁶ Qc
Bromomethane	U		0.0493	0.164	⁷ Gl
n-Butylbenzene	U		0.131	0.437	⁸ Al
sec-Butylbenzene	U		0.0720	0.240	⁹ Sc
tert-Butylbenzene	U		0.0488	0.163	
Carbon tetrachloride	U		0.0225	0.0750	
Chlorobenzene	U		0.00525	0.0175	
Chlorodibromomethane	U		0.0153	0.0510	
Chloroethane	U		0.0425	0.142	
Chloroform	U		0.0258	0.0860	
Chloromethane	U		0.109	0.363	
2-Chlorotoluene	U		0.0216	0.0720	
4-Chlorotoluene	U		0.0113	0.0377	
1,2-Dibromo-3-Chloropropane	U		0.0975	0.325	
1,2-Dibromoethane	U		0.0162	0.0540	
Dibromomethane	U		0.0188	0.0627	
1,2-Dichlorobenzene	U		0.0106	0.0353	
1,3-Dichlorobenzene	U		0.0150	0.0500	
1,4-Dichlorobenzene	U		0.0175	0.0583	
Dichlorodifluoromethane	U		0.0403	0.134	
Dichlorofluoromethane	U		0.0313	0.104	
1,1-Dichloroethane	U		0.0123	0.0410	
1,2-Dichloroethane	U		0.0162	0.0540	
1,1-Dichloroethene	U		0.0152	0.0507	
cis-1,2-Dichloroethene	U		0.0184	0.0613	
trans-1,2-Dichloroethene	U		0.0260	0.0867	
1,2-Dichloropropane	U		0.0355	0.118	
1,1-Dichloropropene	U		0.0202	0.0673	
1,3-Dichloropropane	U		0.0125	0.0417	
cis-1,3-Dichloropropene	U		0.0189	0.0630	
trans-1,3-Dichloropropene	U		0.0285	0.0950	
2,2-Dichloropropane	U		0.0345	0.115	
Di-isopropyl ether	U		0.0103	0.0343	
Ethylbenzene	U		0.0184	0.0613	
Ethyl ether	U		0.0223	0.0743	

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1425548

DATE/TIME:

11/08/21 20:08

PAGE:

63 of 85

WG1769445

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1425548-01,02,03,04,05,06,07,08,09,10](#)

Method Blank (MB)

(MB) R3726208-3 11/05/21 10:05

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Hexachloro-1,3-butadiene	U		0.150	0.500	¹ Cp
2-Hexanone	U		0.0840	0.280	² Tc
Isopropylbenzene	U		0.0106	0.0353	³ Ss
p-Isopropyltoluene	U		0.0638	0.213	⁴ Cn
2-Butanone (MEK)	U		1.59	5.30	⁵ Sr
Methylene Chloride	U		0.166	0.553	⁶ Qc
4-Methyl-2-pentanone (MIBK)	U		0.0570	0.190	⁷ Gl
Methyl tert-butyl ether	U		0.00875	0.0292	⁸ Al
Naphthalene	U		0.122	0.407	⁹ Sc
n-Propylbenzene	U		0.0238	0.0793	
Styrene	U		0.00573	0.0191	
1,1,2-Tetrachloroethane	U		0.0237	0.0790	
1,1,2,2-Tetrachloroethane	U		0.0174	0.0580	
Tetrachloroethene	U		0.0224	0.0747	
Tetrahydrofuran	U		0.0880	0.293	
Toluene	U		0.0325	0.108	
1,1,2-Trichlorotrifluoroethane	U		0.0189	0.0630	
1,2,3-Trichlorobenzene	U		0.183	0.610	
1,2,4-Trichlorobenzene	U		0.110	0.367	
1,1,1-Trichloroethane	U		0.0231	0.0770	
1,1,2-Trichloroethane	U		0.0149	0.0497	
Trichloroethene	U		0.0146	0.0487	
Trichlorofluoromethane	U		0.0207	0.0690	
1,2,3-Trichloropropane	U		0.0405	0.135	
1,2,3-Trimethylbenzene	U		0.0395	0.132	
1,2,4-Trimethylbenzene	U		0.0395	0.132	
1,3,5-Trimethylbenzene	U		0.0500	0.167	
Vinyl chloride	U		0.0290	0.0967	
Xylenes, Total	U		0.0220	0.0733	
Allyl Chloride	U		0.100	0.333	
(S) Toluene-d8	112		75.0-131		
(S) 4-Bromofluorobenzene	101		67.0-138		
(S) 1,2-Dichloroethane-d4	110		70.0-130		

QUALITY CONTROL SUMMARY

L1425548-01,02,03,04,05,06,07,08,09,10

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3726208-1 11/05/21 07:54 • (LCSD) R3726208-2 11/05/21 08:13

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Acetone	0.625	0.592	0.600	94.7	96.0	30.0-160			1.34	31
Acrylonitrile	0.625	0.621	0.568	99.4	90.9	45.0-153			8.92	22
Benzene	0.125	0.117	0.113	93.6	90.4	70.0-123			3.48	20
Bromobenzene	0.125	0.130	0.132	104	106	73.0-121			1.53	20
Bromodichloromethane	0.125	0.127	0.123	102	98.4	73.0-121			3.20	20
Bromoform	0.125	0.118	0.117	94.4	93.6	64.0-132			0.851	20
Bromomethane	0.125	0.114	0.110	91.2	88.0	56.0-147			3.57	20
n-Butylbenzene	0.125	0.139	0.138	111	110	68.0-135			0.722	20
sec-Butylbenzene	0.125	0.141	0.141	113	113	74.0-130			0.000	20
tert-Butylbenzene	0.125	0.136	0.135	109	108	75.0-127			0.738	20
Carbon tetrachloride	0.125	0.130	0.126	104	101	66.0-128			3.12	20
Chlorobenzene	0.125	0.125	0.122	100	97.6	76.0-128			2.43	20
Chlorodibromomethane	0.125	0.117	0.119	93.6	95.2	74.0-127			1.69	20
Chloroethane	0.125	0.129	0.116	103	92.8	61.0-134			10.6	20
Chloroform	0.125	0.123	0.117	98.4	93.6	72.0-123			5.00	20
Chloromethane	0.125	0.115	0.108	92.0	86.4	51.0-138			6.28	20
2-Chlorotoluene	0.125	0.128	0.128	102	102	75.0-124			0.000	20
4-Chlorotoluene	0.125	0.133	0.131	106	105	75.0-124			1.52	20
1,2-Dibromo-3-Chloropropane	0.125	0.109	0.111	87.2	88.8	59.0-130			1.82	20
1,2-Dibromoethane	0.125	0.131	0.128	105	102	74.0-128			2.32	20
Dibromomethane	0.125	0.123	0.123	98.4	98.4	75.0-122			0.000	20
1,2-Dichlorobenzene	0.125	0.132	0.130	106	104	76.0-124			1.53	20
1,3-Dichlorobenzene	0.125	0.131	0.131	105	105	76.0-125			0.000	20
1,4-Dichlorobenzene	0.125	0.132	0.129	106	103	77.0-121			2.30	20
Dichlorodifluoromethane	0.125	0.114	0.103	91.2	82.4	43.0-156			10.1	20
Dichlorofluoromethane	0.125	0.103	0.0972	82.4	77.8	65.0-137			5.79	20
1,1-Dichloroethane	0.125	0.119	0.114	95.2	91.2	70.0-127			4.29	20
1,2-Dichloroethane	0.125	0.131	0.129	105	103	65.0-131			1.54	20
1,1-Dichloroethene	0.125	0.115	0.106	92.0	84.8	65.0-131			8.14	20
cis-1,2-Dichloroethene	0.125	0.122	0.113	97.6	90.4	73.0-125			7.66	20
trans-1,2-Dichloroethene	0.125	0.122	0.115	97.6	92.0	71.0-125			5.91	20
1,2-Dichloropropane	0.125	0.116	0.115	92.8	92.0	74.0-125			0.866	20
1,1-Dichloropropene	0.125	0.118	0.113	94.4	90.4	73.0-125			4.33	20
1,3-Dichloropropane	0.125	0.126	0.126	101	101	80.0-125			0.000	20
cis-1,3-Dichloropropene	0.125	0.112	0.113	89.6	90.4	76.0-127			0.889	20
trans-1,3-Dichloropropene	0.125	0.121	0.122	96.8	97.6	73.0-127			0.823	20
2,2-Dichloropropane	0.125	0.0956	0.100	76.5	80.0	59.0-135			4.50	20
Di-isopropyl ether	0.125	0.125	0.123	100	98.4	60.0-136			1.61	20
Ethylbenzene	0.125	0.121	0.117	96.8	93.6	74.0-126			3.36	20
Ethyl ether	0.125	0.123	0.123	98.4	98.4	64.0-137			0.000	20

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1425548

DATE/TIME:

11/08/21 20:08

PAGE:

65 of 85

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

QUALITY CONTROL SUMMARY

L1425548-01,02,03,04,05,06,07,08,09,10

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3726208-1 11/05/21 07:54 • (LCSD) R3726208-2 11/05/21 08:13

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Hexachloro-1,3-butadiene	0.125	0.137	0.139	110	111	57.0-150			1.45	20
2-Hexanone	0.625	0.625	0.629	100	101	54.0-147			0.638	20
Isopropylbenzene	0.125	0.134	0.131	107	105	72.0-127			2.26	20
p-Isopropyltoluene	0.125	0.136	0.136	109	109	72.0-133			0.000	20
2-Butanone (MEK)	0.625	0.612	0.572	97.9	91.5	30.0-160			6.76	24
Methylene Chloride	0.125	0.123	0.119	98.4	95.2	68.0-123			3.31	20
4-Methyl-2-pentanone (MIBK)	0.625	0.674	0.673	108	108	56.0-143			0.148	20
Methyl tert-butyl ether	0.125	0.118	0.116	94.4	92.8	66.0-132			1.71	20
Naphthalene	0.125	0.113	0.119	90.4	95.2	59.0-130			5.17	20
n-Propylbenzene	0.125	0.138	0.136	110	109	74.0-126			1.46	20
Styrene	0.125	0.126	0.122	101	97.6	72.0-127			3.23	20
1,1,2-Tetrachloroethane	0.125	0.121	0.122	96.8	97.6	74.0-129			0.823	20
1,1,2,2-Tetrachloroethane	0.125	0.123	0.124	98.4	99.2	68.0-128			0.810	20
Tetrachloroethene	0.125	0.122	0.120	97.6	96.0	70.0-136			1.65	20
Tetrahydrofuran	0.125	0.105	0.104	84.0	83.2	37.0-146			0.957	24
Toluene	0.125	0.123	0.120	98.4	96.0	75.0-121			2.47	20
1,1,2-Trichlorotrifluoroethane	0.125	0.110	0.108	88.0	86.4	61.0-139			1.83	20
1,2,3-Trichlorobenzene	0.125	0.137	0.144	110	115	59.0-139			4.98	20
1,2,4-Trichlorobenzene	0.125	0.131	0.140	105	112	62.0-137			6.64	20
1,1,1-Trichloroethane	0.125	0.121	0.117	96.8	93.6	69.0-126			3.36	20
1,1,2-Trichloroethane	0.125	0.130	0.129	104	103	78.0-123			0.772	20
Trichloroethene	0.125	0.118	0.112	94.4	89.6	76.0-126			5.22	20
Trichlorofluoromethane	0.125	0.116	0.116	92.8	92.8	61.0-142			0.000	20
1,2,3-Trichloropropane	0.125	0.135	0.136	108	109	67.0-129			0.738	20
1,2,3-Trimethylbenzene	0.125	0.130	0.129	104	103	74.0-124			0.772	20
1,2,4-Trimethylbenzene	0.125	0.135	0.136	108	109	70.0-126			0.738	20
1,3,5-Trimethylbenzene	0.125	0.132	0.133	106	106	73.0-127			0.755	20
Vinyl chloride	0.125	0.112	0.103	89.6	82.4	63.0-134			8.37	20
Xylenes, Total	0.375	0.366	0.359	97.6	95.7	72.0-127			1.93	20
Allyl chloride	0.625	0.572	0.550	91.5	88.0	70.0-131			3.92	20
(S) Toluene-d8				112	112	75.0-131				
(S) 4-Bromofluorobenzene				101	99.7	67.0-138				
(S) 1,2-Dichloroethane-d4				113	111	70.0-130				

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

QUALITY CONTROL SUMMARY

L1425548-01,02,03,04,05,06,07,08,09,10

L1425548-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1425548-01 11/05/21 12:36 • (MS) R3726208-4 11/05/21 15:46 • (MSD) R3726208-5 11/05/21 16:05

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
Acetone	1.31	U	U	U	64.1	34.8	1.2	10.0-160	J3	J3	59.3	40
Acrylonitrile	1.31	U	1.05	0.632	80.1	48.1	1.2	10.0-160	J3	J3	49.9	40
Benzene	0.262	U	0.304	0.198	116	75.3	1.2	10.0-149	J3	J3	42.5	37
Bromobenzene	0.262	U	0.296	0.199	113	76.0	1.2	10.0-156	J3	J3	38.9	38
Bromodichloromethane	0.262	U	0.296	0.184	113	70.0	1.2	10.0-143	J3	J3	46.7	37
Bromoform	0.262	U	0.271	0.177	103	67.3	1.2	10.0-146	J3	J3	42.2	36
Bromomethane	0.262	U	0.229	0.146	87.3	55.7	1.2	10.0-149	J3	J3	44.2	38
n-Butylbenzene	0.262	U	U	U	104	70.0	1.2	10.0-160			39.1	40
sec-Butylbenzene	0.262	U	0.324	0.215	123	82.0	1.2	10.0-159	J3	J3	40.3	39
tert-Butylbenzene	0.262	U	0.317	0.208	121	79.3	1.2	10.0-156	J3	J3	41.3	39
Carbon tetrachloride	0.262	U	U	0.164	1.64	62.5	1.2	10.0-145	J6	J3	190	37
Chlorobenzene	0.262	U	0.299	0.198	114	75.3	1.2	10.0-152	J3	J3	40.8	39
Chlorodibromomethane	0.262	U	0.278	0.185	106	70.7	1.2	10.0-146	J3	J3	40.0	37
Chloroethane	0.262	U	0.162	0.106	61.5	40.2	1.2	10.0-146	J3	J3	41.9	40
Chloroform	0.262	U	0.306	0.201	117	76.7	1.2	10.0-146	J3	J3	41.4	37
Chloromethane	0.262	U	0.294	U	112	74.0	1.2	10.0-159	J3	J3	40.9	37
2-Chlorotoluene	0.262	U	0.285	0.187	109	71.3	1.2	10.0-159	J3	J3	41.5	38
4-Chlorotoluene	0.262	U	0.289	0.191	110	72.7	1.2	10.0-155	J3	J3	40.9	39
1,2-Dibromo-3-Chloropropane	0.262	U	0.210	U	80.0	49.9	1.2	10.0-151	J3	J3	46.3	39
1,2-Dibromoethane	0.262	U	0.287	0.192	109	73.3	1.2	10.0-148	J3	J3	39.4	34
Dibromomethane	0.262	U	0.250	0.164	95.3	62.7	1.2	10.0-147	J3	J3	41.4	35
1,2-Dichlorobenzene	0.262	U	0.273	0.178	104	68.0	1.2	10.0-155	J3	J3	41.9	37
1,3-Dichlorobenzene	0.262	U	0.271	0.180	103	68.7	1.2	10.0-153	J3	J3	40.3	38
1,4-Dichlorobenzene	0.262	U	0.275	0.185	105	70.7	1.2	10.0-151	J3	J3	38.8	38
Dichlorodifluoromethane	0.262	U	0.252	0.159	96.0	60.5	1.2	10.0-160	J3	J3	45.4	35
1,1-Dichloroethane	0.262	U	0.292	0.185	111	70.7	1.2	10.0-147	J3	J3	44.7	37
1,2-Dichloroethane	0.262	U	0.282	0.177	107	67.3	1.2	10.0-148	J3	J3	45.8	35
1,1-Dichloroethene	0.262	U	0.315	0.199	120	76.0	1.2	10.0-155	J3	J3	44.9	37
cis-1,2-Dichloroethene	0.262	U	0.282	0.187	107	71.3	1.2	10.0-149	J3	J3	40.3	37
trans-1,2-Dichloroethene	0.262	U	0.301	0.198	115	75.3	1.2	10.0-150	J3	J3	41.4	37
1,2-Dichloropropane	0.262	U	0.275	0.180	105	68.7	1.2	10.0-148	J3	J3	41.5	37
1,1-Dichloropropene	0.262	U	0.296	0.189	113	72.0	1.2	10.0-153	J3	J3	44.0	35
1,3-Dichloropropane	0.262	U	0.292	0.192	111	73.3	1.2	10.0-154	J3	J3	41.2	35
cis-1,3-Dichloropropene	0.262	U	0.282	0.182	107	69.3	1.2	10.0-151	J3	J3	43.0	37
trans-1,3-Dichloropropene	0.262	U	0.294	0.198	112	75.3	1.2	10.0-148	J3	J3	39.1	37
2,2-Dichloropropane	0.262	U	0.301	0.213	115	81.3	1.2	10.0-138			34.0	36
Di-isopropyl ether	0.262	U	0.283	0.178	108	68.0	1.2	10.0-147	J3	J3	45.5	36
Ethylbenzene	0.262	U	0.310	0.210	118	80.0	1.2	10.0-160	J3	J3	38.4	38
Hexachloro-1,3-butadiene	0.262	U	U	U	117	80.0	1.2	10.0-160			37.8	40

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

QUALITY CONTROL SUMMARY

L1425548-01,02,03,04,05,06,07,08,09,10

L1425548-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1425548-01 11/05/21 12:36 • (MS) R3726208-4 11/05/21 15:46 • (MSD) R3726208-5 11/05/21 16:05

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
Isopropylbenzene	0.262	U	0.322	0.217	123	82.7	1.2	10.0-155	J3		39.0	38
p-Isopropyltoluene	0.262	U	0.310	0.213	118	81.3	1.2	10.0-160			36.8	40
2-Butanone (MEK)	1.31	U	U	U	77.7	54.8	1.2	10.0-160			34.6	40
Methylene Chloride	0.262	U	U	U	105	66.7	1.2	10.0-141	J3		45.0	37
4-Methyl-2-pentanone (MIBK)	1.31	U	1.33	0.896	101	68.3	1.2	10.0-160	J3		38.7	35
Methyl tert-butyl ether	0.262	U	0.224	0.142	85.3	54.2	1.2	11.0-147	J3		44.6	35
Naphthalene	0.262	U	0.296	U	113	88.0	1.2	10.0-160			24.6	36
n-Propylbenzene	0.262	U	0.317	0.212	121	80.7	1.2	10.0-158	J3		39.7	38
Styrene	0.262	U	0.289	0.194	110	74.0	1.2	10.0-160			39.1	40
1,1,1,2-Tetrachloroethane	0.262	U	0.273	0.182	104	69.3	1.2	10.0-149	J3		40.0	39
1,1,2,2-Tetrachloroethane	0.262	U	0.271	0.177	103	67.3	1.2	10.0-160	J3		42.2	35
Tetrachloroethene	0.262	U	0.311	0.212	119	80.7	1.2	10.0-156			38.1	39
Dichlorofluoromethane	0.262	U	0.150	0.105	57.1	39.9	1.2	10.0-160	J3		35.6	34
Toluene	0.262	0.0927	0.383	0.276	111	70.0	1.2	10.0-156			32.4	38
1,1,2-Trichlorotrifluoroethane	0.262	U	0.292	0.178	111	68.0	1.2	10.0-160	J3		48.3	36
1,2,3-Trichlorobenzene	0.262	U	U	U	102	68.7	1.2	10.0-160			39.1	40
1,2,4-Trichlorobenzene	0.262	U	0.247	U	94.0	65.6	1.2	10.0-160			35.6	40
1,1-Trichloroethane	0.262	U	0.359	0.243	137	92.7	1.2	10.0-144	J3		38.4	35
1,1,2-Trichloroethane	0.262	U	0.306	0.224	117	85.3	1.2	10.0-160			31.0	35
Trichloroethene	0.262	0.125	0.376	0.280	95.9	59.2	1.2	10.0-156			29.3	38
Trichlorofluoromethane	0.262	U	0.162	0.0992	61.6	37.8	1.2	10.0-160	J3		47.9	40
1,2,3-Trichloropropane	0.262	U	0.271	0.177	103	67.3	1.2	10.0-156	J3		42.2	35
1,2,3-Trimethylbenzene	0.262	U	0.318	0.227	121	86.7	1.2	10.0-160			33.3	36
1,2,4-Trimethylbenzene	0.262	U	0.353	0.254	135	96.7	1.2	10.0-160			32.9	36
1,3,5-Trimethylbenzene	0.262	U	0.318	0.215	121	82.0	1.2	10.0-160	J3		38.7	38
Vinyl chloride	0.262	U	0.299	0.185	114	70.7	1.2	10.0-160	J3		46.9	37
Xylenes, Total	0.787	0.175	0.976	0.712	102	68.3	1.2	10.0-160			31.3	38
Ethyl ether	0.262	U	0.196	0.139	74.7	52.9	1.2	10.0-160	J3		34.2	31
2-Hexanone	1.31	U	1.30	0.870	99.3	66.3	1.2	10.0-160	J3		39.9	36
Tetrahydrofuran	0.262	U	U	U	50.9	40.7	1.2	10.0-158			22.1	33
Allyl chloride	1.31	U	1.53	0.982	117	74.8	1.2	10.0-160	J3		43.7	30
(S) Toluene-d8					113	115		75.0-131				
(S) 4-Bromofluorobenzene					101	103		67.0-138				
(S) 1,2-Dichloroethane-d4					102	103		70.0-130				

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

QUALITY CONTROL SUMMARY

[L1425548-11,12,13,14,17,18,19,20](#)

Method Blank (MB)

(MB) R3726344-3 11/05/21 10:52

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	1 Cp
Acetone	U		0.913	3.04	
Acrylonitrile	U		0.0903	0.301	
Benzene	U		0.0117	0.0390	
Bromobenzene	U		0.0225	0.0750	
Bromodichloromethane	U		0.0181	0.0603	
Bromoform	U		0.0293	0.0977	
Bromomethane	U		0.0493	0.164	
n-Butylbenzene	U		0.131	0.437	
sec-Butylbenzene	U		0.0720	0.240	
tert-Butylbenzene	U		0.0488	0.163	
Carbon tetrachloride	U		0.0225	0.0750	
Chlorobenzene	U		0.00525	0.0175	
Chlorodibromomethane	U		0.0153	0.0510	
Chloroethane	U		0.0425	0.142	
Chloroform	U		0.0258	0.0860	
Chloromethane	U		0.109	0.363	
2-Chlorotoluene	U		0.0216	0.0720	
4-Chlorotoluene	U		0.0113	0.0377	
1,2-Dibromo-3-Chloropropane	U		0.0975	0.325	
1,2-Dibromoethane	U		0.0162	0.0540	
Dibromomethane	U		0.0188	0.0627	
1,2-Dichlorobenzene	U		0.0106	0.0353	
1,3-Dichlorobenzene	U		0.0150	0.0500	
1,4-Dichlorobenzene	U		0.0175	0.0583	
Dichlorodifluoromethane	U		0.0403	0.134	
Dichlorofluoromethane	U		0.0313	0.104	
1,1-Dichloroethane	U		0.0123	0.0410	
1,2-Dichloroethane	U		0.0162	0.0540	
1,1-Dichloroethene	U		0.0152	0.0507	
cis-1,2-Dichloroethene	U		0.0184	0.0613	
trans-1,2-Dichloroethene	U		0.0260	0.0867	
1,2-Dichloropropane	U		0.0355	0.118	
1,1-Dichloropropene	U		0.0202	0.0673	
1,3-Dichloropropane	U		0.0125	0.0417	
cis-1,3-Dichloropropene	U		0.0189	0.0630	
trans-1,3-Dichloropropene	U		0.0285	0.0950	
2,2-Dichloropropane	U		0.0345	0.115	
Di-isopropyl ether	U		0.0103	0.0343	
Ethylbenzene	U		0.0184	0.0613	
Ethyl ether	U		0.0223	0.0743	

WG1769453

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1425548-11,12,13,14,17,18,19,20](#)

Method Blank (MB)

(MB) R3726344-3 11/05/21 10:52

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Hexachloro-1,3-butadiene	U		0.150	0.500	¹ Cp
2-Hexanone	U		0.0840	0.280	² Tc
Isopropylbenzene	U		0.0106	0.0353	³ Ss
p-Isopropyltoluene	U		0.0638	0.213	⁴ Cn
2-Butanone (MEK)	U		1.59	5.30	⁵ Sr
Methylene Chloride	U		0.166	0.553	⁶ Qc
4-Methyl-2-pentanone (MIBK)	U		0.0570	0.190	⁷ Gl
Methyl tert-butyl ether	U		0.00875	0.0292	⁸ Al
Naphthalene	U		0.122	0.407	⁹ Sc
n-Propylbenzene	U		0.0238	0.0793	
Styrene	U		0.00573	0.0191	
1,1,2-Tetrachloroethane	U		0.0237	0.0790	
1,1,2,2-Tetrachloroethane	U		0.0174	0.0580	
Tetrachloroethene	U		0.0224	0.0747	
Tetrahydrofuran	U		0.0880	0.293	
Toluene	U		0.0325	0.108	
1,1,2-Trichlorotrifluoroethane	U		0.0189	0.0630	
1,2,3-Trichlorobenzene	U		0.183	0.610	
1,2,4-Trichlorobenzene	U		0.110	0.367	
1,1,1-Trichloroethane	U		0.0231	0.0770	
1,1,2-Trichloroethane	U		0.0149	0.0497	
Trichloroethene	U		0.0146	0.0487	
Trichlorofluoromethane	U		0.0207	0.0690	
1,2,3-Trichloropropane	U		0.0405	0.135	
1,2,3-Trimethylbenzene	U		0.0395	0.132	
1,2,4-Trimethylbenzene	U		0.0395	0.132	
1,3,5-Trimethylbenzene	U		0.0500	0.167	
Vinyl chloride	U		0.0290	0.0967	
Xylenes, Total	U		0.0220	0.0733	
Allyl Chloride	U		0.100	0.333	
(S) Toluene-d8	104		75.0-131		
(S) 4-Bromofluorobenzene	101		67.0-138		
(S) 1,2-Dichloroethane-d4	100		70.0-130		

QUALITY CONTROL SUMMARY

[L1425548-11,12,13,14,17,18,19,20](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3726344-1 11/05/21 09:37 • (LCSD) R3726344-2 11/05/21 09:56

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Acetone	0.625	0.722	0.665	116	106	30.0-160			8.22	31
Acrylonitrile	0.625	0.598	0.575	95.7	92.0	45.0-153			3.92	22
Benzene	0.125	0.117	0.118	93.6	94.4	70.0-123			0.851	20
Bromobenzene	0.125	0.126	0.129	101	103	73.0-121			2.35	20
Bromodichloromethane	0.125	0.115	0.116	92.0	92.8	73.0-121			0.866	20
Bromoform	0.125	0.110	0.110	88.0	88.0	64.0-132			0.000	20
Bromomethane	0.125	0.0962	0.0802	77.0	64.2	56.0-147			18.1	20
n-Butylbenzene	0.125	0.116	0.116	92.8	92.8	68.0-135			0.000	20
sec-Butylbenzene	0.125	0.114	0.117	91.2	93.6	74.0-130			2.60	20
tert-Butylbenzene	0.125	0.118	0.121	94.4	96.8	75.0-127			2.51	20
Carbon tetrachloride	0.125	0.119	0.117	95.2	93.6	66.0-128			1.69	20
Chlorobenzene	0.125	0.117	0.118	93.6	94.4	76.0-128			0.851	20
Chlorodibromomethane	0.125	0.109	0.112	87.2	89.6	74.0-127			2.71	20
Chloroethane	0.125	0.112	0.0955	89.6	76.4	61.0-134			15.9	20
Chloroform	0.125	0.122	0.122	97.6	97.6	72.0-123			0.000	20
Chloromethane	0.125	0.148	0.147	118	118	51.0-138			0.678	20
2-Chlorotoluene	0.125	0.121	0.118	96.8	94.4	75.0-124			2.51	20
4-Chlorotoluene	0.125	0.112	0.109	89.6	87.2	75.0-124			2.71	20
1,2-Dibromo-3-Chloropropane	0.125	0.108	0.108	86.4	86.4	59.0-130			0.000	20
1,2-Dibromoethane	0.125	0.115	0.116	92.0	92.8	74.0-128			0.866	20
Dibromomethane	0.125	0.127	0.126	102	101	75.0-122			0.791	20
1,2-Dichlorobenzene	0.125	0.119	0.118	95.2	94.4	76.0-124			0.844	20
1,3-Dichlorobenzene	0.125	0.119	0.122	95.2	97.6	76.0-125			2.49	20
1,4-Dichlorobenzene	0.125	0.115	0.113	92.0	90.4	77.0-121			1.75	20
Dichlorodifluoromethane	0.125	0.115	0.113	92.0	90.4	43.0-156			1.75	20
Dichlorofluoromethane	0.125	0.0983	0.0936	78.6	74.9	65.0-137			4.90	20
1,1-Dichloroethane	0.125	0.124	0.124	99.2	99.2	70.0-127			0.000	20
1,2-Dichloroethane	0.125	0.128	0.129	102	103	65.0-131			0.778	20
1,1-Dichloroethene	0.125	0.121	0.120	96.8	96.0	65.0-131			0.830	20
cis-1,2-Dichloroethene	0.125	0.122	0.116	97.6	92.8	73.0-125			5.04	20
trans-1,2-Dichloroethene	0.125	0.114	0.113	91.2	90.4	71.0-125			0.881	20
1,2-Dichloropropane	0.125	0.127	0.128	102	102	74.0-125			0.784	20
1,1-Dichloropropene	0.125	0.123	0.125	98.4	100	73.0-125			1.61	20
1,3-Dichloropropane	0.125	0.123	0.121	98.4	96.8	80.0-125			1.64	20
cis-1,3-Dichloropropene	0.125	0.129	0.129	103	103	76.0-127			0.000	20
trans-1,3-Dichloropropene	0.125	0.128	0.129	102	103	73.0-127			0.778	20
2,2-Dichloropropane	0.125	0.116	0.113	92.8	90.4	59.0-135			2.62	20
Di-isopropyl ether	0.125	0.133	0.132	106	106	60.0-136			0.755	20
Ethylbenzene	0.125	0.112	0.114	89.6	91.2	74.0-126			1.77	20
Ethyl ether	0.125	0.125	0.126	100	101	64.0-137			0.797	20

QUALITY CONTROL SUMMARY

[L1425548-11,12,13,14,17,18,19,20](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3726344-1 11/05/21 09:37 • (LCSD) R3726344-2 11/05/21 09:56

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Hexachloro-1,3-butadiene	0.125	0.153	0.151	122	121	57.0-150			1.32	20
2-Hexanone	0.625	0.635	0.639	102	102	54.0-147			0.628	20
Isopropylbenzene	0.125	0.110	0.109	88.0	87.2	72.0-127			0.913	20
p-Isopropyltoluene	0.125	0.108	0.109	86.4	87.2	72.0-133			0.922	20
2-Butanone (MEK)	0.625	0.719	0.726	115	116	30.0-160			0.969	24
Methylene Chloride	0.125	0.119	0.118	95.2	94.4	68.0-123			0.844	20
4-Methyl-2-pentanone (MIBK)	0.625	0.675	0.669	108	107	56.0-143			0.893	20
Methyl tert-butyl ether	0.125	0.115	0.114	92.0	91.2	66.0-132			0.873	20
Naphthalene	0.125	0.118	0.118	94.4	94.4	59.0-130			0.000	20
n-Propylbenzene	0.125	0.118	0.120	94.4	96.0	74.0-126			1.68	20
Styrene	0.125	0.112	0.109	89.6	87.2	72.0-127			2.71	20
1,1,2-Tetrachloroethane	0.125	0.109	0.108	87.2	86.4	74.0-129			0.922	20
1,1,2,2-Tetrachloroethane	0.125	0.116	0.118	92.8	94.4	68.0-128			1.71	20
Tetrachloroethene	0.125	0.124	0.127	99.2	102	70.0-136			2.39	20
Tetrahydrofuran	0.125	0.152	0.151	122	121	37.0-146			0.660	24
Toluene	0.125	0.116	0.116	92.8	92.8	75.0-121			0.000	20
1,1,2-Trichlorotrifluoroethane	0.125	0.134	0.127	107	102	61.0-139			5.36	20
1,2,3-Trichlorobenzene	0.125	0.127	0.128	102	102	59.0-139			0.784	20
1,2,4-Trichlorobenzene	0.125	0.131	0.134	105	107	62.0-137			2.26	20
1,1,1-Trichloroethane	0.125	0.116	0.110	92.8	88.0	69.0-126			5.31	20
1,1,2-Trichloroethane	0.125	0.118	0.122	94.4	97.6	78.0-123			3.33	20
Trichloroethene	0.125	0.127	0.129	102	103	76.0-126			1.56	20
Trichlorofluoromethane	0.125	0.0973	0.0991	77.8	79.3	61.0-142			1.83	20
1,2,3-Trichloropropane	0.125	0.112	0.117	89.6	93.6	67.0-129			4.37	20
1,2,3-Trimethylbenzene	0.125	0.109	0.112	87.2	89.6	74.0-124			2.71	20
1,2,4-Trimethylbenzene	0.125	0.106	0.110	84.8	88.0	70.0-126			3.70	20
1,3,5-Trimethylbenzene	0.125	0.111	0.112	88.8	89.6	73.0-127			0.897	20
Vinyl chloride	0.125	0.133	0.130	106	104	63.0-134			2.28	20
Xylenes, Total	0.375	0.334	0.332	89.1	88.5	72.0-127			0.601	20
Allyl chloride	0.625	0.555	0.543	88.8	86.9	70.0-131			2.19	20
(S) Toluene-d8				103	102	75.0-131				
(S) 4-Bromofluorobenzene				101	98.2	67.0-138				
(S) 1,2-Dichloroethane-d4				104	102	70.0-130				

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

WG1769657

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1425548-21,22,23,24](#)

Method Blank (MB)

(MB) R3726188-3 11/05/21 13:20

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Acetone	U		0.913	3.04	¹ Cp
Acrylonitrile	U		0.0903	0.301	² Tc
Benzene	U		0.0117	0.0390	³ Ss
Bromobenzene	U		0.0225	0.0750	⁴ Cn
Bromodichloromethane	U		0.0181	0.0603	⁵ Sr
Bromoform	U		0.0293	0.0977	⁶ Qc
Bromomethane	U		0.0493	0.164	⁷ Gl
n-Butylbenzene	U		0.131	0.437	⁸ Al
sec-Butylbenzene	U		0.0720	0.240	⁹ Sc
tert-Butylbenzene	U		0.0488	0.163	
Carbon tetrachloride	U		0.0225	0.0750	
Chlorobenzene	U		0.00525	0.0175	
Chlorodibromomethane	U		0.0153	0.0510	
Chloroethane	U		0.0425	0.142	
Chloroform	U		0.0258	0.0860	
Chloromethane	U		0.109	0.363	
2-Chlorotoluene	U		0.0216	0.0720	
4-Chlorotoluene	U		0.0113	0.0377	
1,2-Dibromo-3-Chloropropane	U		0.0975	0.325	
1,2-Dibromoethane	U		0.0162	0.0540	
Dibromomethane	U		0.0188	0.0627	
1,2-Dichlorobenzene	U		0.0106	0.0353	
1,3-Dichlorobenzene	U		0.0150	0.0500	
1,4-Dichlorobenzene	U		0.0175	0.0583	
Dichlorodifluoromethane	U		0.0403	0.134	
Dichlorofluoromethane	U		0.0313	0.104	
1,1-Dichloroethane	U		0.0123	0.0410	
1,2-Dichloroethane	U		0.0162	0.0540	
1,1-Dichloroethene	U		0.0152	0.0507	
cis-1,2-Dichloroethene	U		0.0184	0.0613	
trans-1,2-Dichloroethene	U		0.0260	0.0867	
1,2-Dichloropropane	U		0.0355	0.118	
1,1-Dichloropropene	U		0.0202	0.0673	
1,3-Dichloropropane	U		0.0125	0.0417	
cis-1,3-Dichloropropene	U		0.0189	0.0630	
trans-1,3-Dichloropropene	U		0.0285	0.0950	
2,2-Dichloropropane	U		0.0345	0.115	
Di-isopropyl ether	U		0.0103	0.0343	
Ethylbenzene	U		0.0184	0.0613	
Ethyl ether	U		0.0223	0.0743	

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1425548

DATE/TIME:

11/08/21 20:08

PAGE:

73 of 85

WG1769657

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1425548-21,22,23,24](#)

Method Blank (MB)

(MB) R3726188-3 11/05/21 13:20

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Hexachloro-1,3-butadiene	U		0.150	0.500	¹ Cp
2-Hexanone	U		0.0840	0.280	² Tc
Isopropylbenzene	U		0.0106	0.0353	³ Ss
p-Isopropyltoluene	U		0.0638	0.213	⁴ Cn
2-Butanone (MEK)	U		1.59	5.30	⁵ Sr
Methylene Chloride	U		0.166	0.553	⁶ Qc
4-Methyl-2-pentanone (MIBK)	U		0.0570	0.190	⁷ Gl
Methyl tert-butyl ether	U		0.00875	0.0292	⁸ Al
Naphthalene	U		0.122	0.407	⁹ Sc
n-Propylbenzene	U		0.0238	0.0793	
Styrene	U		0.00573	0.0191	
1,1,2-Tetrachloroethane	U		0.0237	0.0790	
1,1,2,2-Tetrachloroethane	U		0.0174	0.0580	
Tetrachloroethene	U		0.0224	0.0747	
Tetrahydrofuran	U		0.0880	0.293	
Toluene	U		0.0325	0.108	
1,1,2-Trichlorotrifluoroethane	U		0.0189	0.0630	
1,2,3-Trichlorobenzene	U		0.183	0.610	
1,2,4-Trichlorobenzene	U		0.110	0.367	
1,1,1-Trichloroethane	U		0.0231	0.0770	
1,1,2-Trichloroethane	U		0.0149	0.0497	
Trichloroethene	U		0.0146	0.0487	
Trichlorofluoromethane	U		0.0207	0.0690	
1,2,3-Trichloropropane	U		0.0405	0.135	
1,2,3-Trimethylbenzene	U		0.0395	0.132	
1,2,4-Trimethylbenzene	U		0.0395	0.132	
1,3,5-Trimethylbenzene	U		0.0500	0.167	
Vinyl chloride	U		0.0290	0.0967	
Xylenes, Total	U		0.0220	0.0733	
Allyl Chloride	U		0.100	0.333	
(S) Toluene-d8	104		75.0-131		
(S) 4-Bromofluorobenzene	103		67.0-138		
(S) 1,2-Dichloroethane-d4	98.8		70.0-130		

QUALITY CONTROL SUMMARY

[L1425548-21,22,23,24](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3726188-1 11/05/21 12:02 • (LCSD) R3726188-2 11/05/21 12:22

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Acetone	0.625	0.652	0.581	104	93.0	30.0-160			11.5	31
Acrylonitrile	0.625	0.517	0.527	82.7	84.3	45.0-153			1.92	22
Benzene	0.125	0.131	0.139	105	111	70.0-123			5.93	20
Bromobenzene	0.125	0.107	0.110	85.6	88.0	73.0-121			2.76	20
Bromodichloromethane	0.125	0.135	0.137	108	110	73.0-121			1.47	20
Bromoform	0.125	0.128	0.130	102	104	64.0-132			1.55	20
Bromomethane	0.125	0.181	0.186	145	149	56.0-147	J4		2.72	20
n-Butylbenzene	0.125	0.115	0.114	92.0	91.2	68.0-135			0.873	20
sec-Butylbenzene	0.125	0.110	0.108	88.0	86.4	74.0-130			1.83	20
tert-Butylbenzene	0.125	0.103	0.102	82.4	81.6	75.0-127			0.976	20
Carbon tetrachloride	0.125	0.143	0.153	114	122	66.0-128			6.76	20
Chlorobenzene	0.125	0.139	0.137	111	110	76.0-128			1.45	20
Chlorodibromomethane	0.125	0.137	0.130	110	104	74.0-127			5.24	20
Chloroethane	0.125	0.139	0.139	111	111	61.0-134			0.000	20
Chloroform	0.125	0.142	0.151	114	121	72.0-123			6.14	20
Chloromethane	0.125	0.107	0.110	85.6	88.0	51.0-138			2.76	20
2-Chlorotoluene	0.125	0.105	0.104	84.0	83.2	75.0-124			0.957	20
4-Chlorotoluene	0.125	0.101	0.103	80.8	82.4	75.0-124			1.96	20
1,2-Dibromo-3-Chloropropane	0.125	0.103	0.101	82.4	80.8	59.0-130			1.96	20
1,2-Dibromoethane	0.125	0.122	0.119	97.6	95.2	74.0-128			2.49	20
Dibromomethane	0.125	0.141	0.146	113	117	75.0-122			3.48	20
1,2-Dichlorobenzene	0.125	0.131	0.128	105	102	76.0-124			2.32	20
1,3-Dichlorobenzene	0.125	0.121	0.121	96.8	96.8	76.0-125			0.000	20
1,4-Dichlorobenzene	0.125	0.120	0.119	96.0	95.2	77.0-121			0.837	20
Dichlorodifluoromethane	0.125	0.110	0.125	88.0	100	43.0-156			12.8	20
Dichlorofluoromethane	0.125	0.133	0.143	106	114	65.0-137			7.25	20
1,1-Dichloroethane	0.125	0.115	0.122	92.0	97.6	70.0-127			5.91	20
1,2-Dichloroethane	0.125	0.112	0.118	89.6	94.4	65.0-131			5.22	20
1,1-Dichloroethene	0.125	0.111	0.117	88.8	93.6	65.0-131			5.26	20
cis-1,2-Dichloroethene	0.125	0.141	0.151	113	121	73.0-125			6.85	20
trans-1,2-Dichloroethene	0.125	0.136	0.148	109	118	71.0-125			8.45	20
1,2-Dichloropropane	0.125	0.114	0.115	91.2	92.0	74.0-125			0.873	20
1,1-Dichloropropene	0.125	0.123	0.125	98.4	100	73.0-125			1.61	20
1,3-Dichloropropane	0.125	0.118	0.110	94.4	88.0	80.0-125			7.02	20
cis-1,3-Dichloropropene	0.125	0.117	0.113	93.6	90.4	76.0-127			3.48	20
trans-1,3-Dichloropropene	0.125	0.113	0.107	90.4	85.6	73.0-127			5.45	20
2,2-Dichloropropane	0.125	0.156	0.166	125	133	59.0-135			6.21	20
Di-isopropyl ether	0.125	0.101	0.108	80.8	86.4	60.0-136			6.70	20
Ethylbenzene	0.125	0.140	0.137	112	110	74.0-126			2.17	20
Ethyl ether	0.125	0.113	0.118	90.4	94.4	64.0-137			4.33	20

ACCOUNT:

PROJECT:

SDG:

DATE/TIME:

PAGE:

QUALITY CONTROL SUMMARY

[L1425548-21,22,23,24](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3726188-1 11/05/21 12:02 • (LCSD) R3726188-2 11/05/21 12:22

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Hexachloro-1,3-butadiene	0.125	0.135	0.132	108	106	57.0-150			2.25	20
2-Hexanone	0.625	0.501	0.490	80.2	78.4	54.0-147			2.22	20
Isopropylbenzene	0.125	0.146	0.147	117	118	72.0-127			0.683	20
p-Isopropyltoluene	0.125	0.112	0.110	89.6	88.0	72.0-133			1.80	20
2-Butanone (MEK)	0.625	0.415	0.420	66.4	67.2	30.0-160			1.20	24
Methylene Chloride	0.125	0.131	0.147	105	118	68.0-123			11.5	20
4-Methyl-2-pentanone (MIBK)	0.625	0.460	0.455	73.6	72.8	56.0-143			1.09	20
Methyl tert-butyl ether	0.125	0.127	0.136	102	109	66.0-132			6.84	20
Naphthalene	0.125	0.113	0.102	90.4	81.6	59.0-130			10.2	20
n-Propylbenzene	0.125	0.0998	0.0991	79.8	79.3	74.0-126			0.704	20
Styrene	0.125	0.130	0.131	104	105	72.0-127			0.766	20
1,1,2-Tetrachloroethane	0.125	0.172	0.168	138	134	74.0-129	J4	J4	2.35	20
1,1,2,2-Tetrachloroethane	0.125	0.0980	0.0975	78.4	78.0	68.0-128			0.512	20
Tetrachloroethene	0.125	0.151	0.150	121	120	70.0-136			0.664	20
Tetrahydrofuran	0.125	0.0866	0.0870	69.3	69.6	37.0-146			0.461	24
Toluene	0.125	0.134	0.129	107	103	75.0-121			3.80	20
1,1,2-Trichlorotrifluoroethane	0.125	0.128	0.139	102	111	61.0-139			8.24	20
1,2,3-Trichlorobenzene	0.125	0.143	0.121	114	96.8	59.0-139			16.7	20
1,2,4-Trichlorobenzene	0.125	0.174	0.156	139	125	62.0-137	J4		10.9	20
1,1,1-Trichloroethane	0.125	0.156	0.168	125	134	69.0-126		J4	7.41	20
1,1,2-Trichloroethane	0.125	0.135	0.132	108	106	78.0-123			2.25	20
Trichloroethene	0.125	0.146	0.152	117	122	76.0-126			4.03	20
Trichlorofluoromethane	0.125	0.137	0.153	110	122	61.0-142			11.0	20
1,2,3-Trichloropropane	0.125	0.0959	0.0960	76.7	76.8	67.0-129			0.104	20
1,2,3-Trimethylbenzene	0.125	0.112	0.109	89.6	87.2	74.0-124			2.71	20
1,2,4-Trimethylbenzene	0.125	0.112	0.110	89.6	88.0	70.0-126			1.80	20
1,3,5-Trimethylbenzene	0.125	0.102	0.102	81.6	81.6	73.0-127			0.000	20
Vinyl chloride	0.125	0.131	0.143	105	114	63.0-134			8.76	20
Xylenes, Total	0.375	0.416	0.417	111	111	72.0-127			0.240	20
Allyl chloride	0.625	0.608	0.655	97.3	105	70.0-131			7.44	20
(S) Toluene-d8				105	101	75.0-131				
(S) 4-Bromofluorobenzene				106	107	67.0-138				
(S) 1,2-Dichloroethane-d4				100	105	70.0-130				

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

WG1769847

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1425548-04,05,06,07,08,09,10](#)

Method Blank (MB)

(MB) R3726330-3 11/05/21 18:53

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Trichloroethene	U		0.0146	0.0487
(S) Toluene-d8	113		75.0-131	
(S) 4-Bromofluorobenzene	99.7		67.0-138	
(S) 1,2-Dichloroethane-d4	86.3		70.0-130	

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3726330-1 11/05/21 17:38 • (LCSD) R3726330-2 11/05/21 17:57

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Trichloroethene	0.125	0.127	0.129	102	103	76.0-126			1.56	20
(S) Toluene-d8				110	111	75.0-131				
(S) 4-Bromofluorobenzene				104	101	67.0-138				
(S) 1,2-Dichloroethane-d4			95.8	91.7	70.0-130					

WG1770055

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1425548-13,14,17,18,19,20](#)

Method Blank (MB)

(MB) R3726449-2 11/06/21 13:04

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
Trichloroethene	U		0.0146	0.0487
(S) Toluene-d8	106		75.0-131	
(S) 4-Bromofluorobenzene	93.2		67.0-138	
(S) 1,2-Dichloroethane-d4	112		70.0-130	

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3726449-1 11/06/21 12:07

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Trichloroethene	0.125	0.121	96.8	76.0-126	
(S) Toluene-d8		103	75.0-131		
(S) 4-Bromofluorobenzene		87.9	67.0-138		
(S) 1,2-Dichloroethane-d4		118	70.0-130		

WG1770797

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1425548-22](#)

Method Blank (MB)

(MB) R3726948-3 11/08/21 13:28

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Trichloroethene	U		0.0146	0.0487
(S) Toluene-d8	114		75.0-131	
(S) 4-Bromofluorobenzene	99.2		67.0-138	
(S) 1,2-Dichloroethane-d4	109		70.0-130	

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3726948-1 11/08/21 12:13 • (LCSD) R3726948-2 11/08/21 12:32

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Trichloroethene	0.125	0.124	0.116	99.2	92.8	76.0-126			6.67	20
(S) Toluene-d8				109	105	75.0-131				
(S) 4-Bromofluorobenzene				101	103	67.0-138				
(S) 1,2-Dichloroethane-d4				120	126	70.0-130				

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].	1 Cp
MDL	Method Detection Limit.	2 Tc
MDL (dry)	Method Detection Limit.	3 Ss
RDL	Reported Detection Limit.	4 Cn
RDL (dry)	Reported Detection Limit.	5 Sr
Rec.	Recovery.	6 Qc
RPD	Relative Percent Difference.	7 GI
SDG	Sample Delivery Group.	8 AI
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.	9 Sc
U	Not detected at the Reporting Limit (or MDL where applicable).	
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier	Description
C3	The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.
C4	The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Data is likely to show a low bias concerning the result.
C5	The reported concentration is an estimate. The continuing calibration standard associated with this data responded high. Data is likely to show a high bias concerning the result.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Company Name/Address: UPRR - Golder Associates 2201 Double Creek Dr., Ste 4004 Round Rock, TX 78664			Billing Information: Kevin Peterburs 4823 N 119th Street Milwaukee, WI 53225			Pres Chk	Analysis / Container / Preservative						Chain of Custody	Page 1 of 3
Report to: Matthew Wilson			Email To: mjwilson@golder.com ; UPRR-SysDat@ghd.com											SDG # L4425598 B236
Project Description: Cudahy, WI - Superior Health Linens			City/State Collected: Cudahy, WI			Please Circle: PT MT CT ET						Table		
Phone: 281-350-7197		Client Project # 2812			Lab Project # UPRRGOLD-CUDAHYWI						Acctnum: UPRRGOLD			
Collected by (print): Matthew Wilson		Site/Facility ID # EXCAVATION LIMITS			P.O. # PEDD-2812-Rev1						Template: T198140			
Collected by (signature): 		Rush? (Lab MUST Be Notified) <input type="checkbox"/> Same Day <input type="checkbox"/> Next Day <input checked="" type="checkbox"/> Two Day <input checked="" type="checkbox"/> Three Day <input type="checkbox"/> Five Day <input type="checkbox"/> 5 Day (Rad Only) <input type="checkbox"/> 10 Day (Rad Only)			Quote # V8260/465 60ml/Amb/MeOH/Syr						Prelogin: P883553			
Immediately Packed on Ice N <input checked="" type="checkbox"/> Y <input type="checkbox"/>					Date Results Needed			No. of Cntrs			PM: 134 - Mark W. Beasley			
Sample ID		Comp/Grab	Matrix *	Depth	Date	Time								PB: 10/25/21 NY
SD-2812-HA1(D-1)-291021		Grab	SS	0-1 ft	10-29-21	1502	2	✓	✓					-01
SD-2812-HA1(3m)-291021		Grab	SS	3-4ft	10-29-21	1500	2	✓	✓					-02
SD-2812-HA1 Dwp-291021		Grab	SS	3-4ft	10-29-21	1500	2	✓	✓					Dwp -03
SD-2812-HA2(1-2)-291021		Grab	SS	1-2ft	10-29-21	10:10	2	✓	✓					-04
SD-2812-HA2(3-4)-291021		Grab	SS	3-4ft	10-29-21	10:18	2	✓	✓					-05
SD-2812-HA3(0-1)-291021		Grab	SS	0-1ft	10-29-21	14:32	2	✓	✓					-06
SD-2812-HA3(3-4)-291021		Grab	SS	3-4ft	10-29-21	14:34	2	✓	✓					-07
SD-2812-HA4(1-2)-291021		Grab	SS	1-2ft	10-29-21	10:40	2	✓	✓					-08
SD-2812-HA4(2-3)-291021		Grab	SS	2-3ft	10-29-21	10:43	2	✓	✓					-09
SD-2812-HA5(D-1)-291021		Grab	SS	0-1 ft	10-29-21	13:24	2	✓	✓					-10
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other _____		Remarks:			pH _____ Temp _____ Flow _____ Other _____						Sample Receipt Checklist COC Seal Present/Intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N COC Signed/Accurate: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Bottles arrive intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Correct bottles used: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Sufficient volume sent: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <u>If Applicable</u> VOA Zero Headspace: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Preservation Correct/Checked: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N RAD Screen <0.5 mR/hr: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N			
Relinquished by : (Signature) 		Date: 2021-10-31	Time: 13:30	Received by: (Signature)			Trip Blank Received: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No HCl / MeOH TBR A7n2			If preservation required by Login: Date/Time				
Relinquished by : (Signature)		Date:	Time:	Received by: (Signature)			Temp: 14+5-14 °C Bottles Received: 50			Hold: W				
Relinquished by : (Signature)		Date:	Time:	Received for lab by: (Signature) B. Bumar			Date: 11/2/21	Time: 13:00	Condition: NCF / OK					

Company Name/Address: UPRR - Golder Associates 2201 Double Creek Dr., Ste 4004 Round Rock, TX 78664			Billing Information: Kevin Peterburs 4823 N 119th Street Milwaukee, WI 53225			Pres Chk	Analysis / Container / Preservative						Chain of Custody	Page 2 of 3 <i>Golder Lab</i> Pace Analytical			
Report to: Matthew Wilson			Email To: mjwilson@golder.com; UPRR-SysDat@ghd.com														
Project Description: Cudahy, WI - Superior Health Linens			City/State Collected: Cudahy, WI	Please Circle: PT MT CT ET													
Phone: 281-350-7197		Client Project # 2812		Lab Project # UPRRGOLD-CUDAHYWI													
Collected by (print): Matthew Wilson		Site/Facility ID # EXCAVATION LIMITS		P.O. # PEDD-2812-1-Rev1													
Collected by (signature): <i>M. Wilson</i>		Rush? (Lab MUST Be Notified) <input checked="" type="checkbox"/> Same Day <input type="checkbox"/> Five Day <input checked="" type="checkbox"/> Next Day <input type="checkbox"/> 5 Day (Rad Only) <input checked="" type="checkbox"/> Two Day <input type="checkbox"/> 10 Day (Rad Only) <input checked="" type="checkbox"/> Three Day		Quote #		Date Results Needed	No. of Cntrs										
Immediately Packed on Ice N <input type="checkbox"/> Y <input checked="" type="checkbox"/>																	
Sample ID		Comp/Grab	Matrix *	Depth	Date	Time											
SD-2812-HA5(3-u)-291021		Grab	SS	3-4 ft	29-10-21	13:26	2	✓								-11	
SD-2812-HA6(0-1)-291021		Grab	SS	0-1 ft	29-10-21	11:12	2	✓								-12	
SD-2812-HA6(3-u)-291021		Grab	SS	3-4 ft	29-10-21	11:15	2	✓								-13	
SD-2812-HA7(0-1)-291021		Grab	SS	0-1 ft	29-10-21	14:02	2	✓								-14	
SQ-2812-TB1-291021		-	SS	-	29-10-21	10:00	1	✓								Trip Blank -15	
			SS														
			SS														
			SS														
			SS														
			SS														
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other _____		Remarks:						pH _____	Temp _____							Sample Receipt Checklist	
								Flow _____	Other _____							COC Seal Present/Intact: <input checked="" type="checkbox"/> N <input type="checkbox"/> Y <input type="checkbox"/> N COC Signed/Accurate: <input checked="" type="checkbox"/> N <input type="checkbox"/> Y <input type="checkbox"/> N Bottles arrive intact: <input checked="" type="checkbox"/> N <input type="checkbox"/> Y <input type="checkbox"/> N Correct bottles used: <input checked="" type="checkbox"/> N <input type="checkbox"/> Y <input type="checkbox"/> N Sufficient volume sent: <input checked="" type="checkbox"/> N <input type="checkbox"/> Y <input type="checkbox"/> N If Applicable VOA Zero Headspace: <input type="checkbox"/> Y <input type="checkbox"/> N Preservation Correct/Checked: <input checked="" type="checkbox"/> N <input type="checkbox"/> Y <input type="checkbox"/> N RAD Screen <0.5 mR/hr: <input type="checkbox"/> Y <input type="checkbox"/> N	
Relinquished by : (Signature) <i>Matthew Wilson</i>		Date: 2021-10-31	Time: 13:30	Received by: (Signature)		Trip Blank Received: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>NO</i>								If preservation required by Login: Date/Time			
Relinquished by : (Signature)		Date:	Time:	Received by: (Signature)		Temp: 14+021.4 °C		Bottles Received: 50									
Relinquished by : (Signature)		Date:	Time:	Received for lab by: (Signature) B. Barnes		Date: 11/2/21		Time: 13:00	Hold: _____						Condition: <input checked="" type="checkbox"/> NCF <input type="checkbox"/> OK		

Company Name/Address:

UPRR - Golder Associates2201 Double Creek Dr., Ste 4004
Round Rock, TX 78664Report to:
Matthew WilsonProject Description:
Cudahy, WI - Superior Health LinensPhone: **281-350-7197**Collected by (print):
Matthew WilsonCollected by (signature):
M. WilsonImmediately
Packed on Ice N Y Billing Information:
**Kevin Peterburgs
4823 N 119th Street
Milwaukee, WI 53225**Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page **3 of 3**
Pace Analytical12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>SDG # **L1475548**

Table #

Acctnum: **UPRRGOLD**Template: **T198140**Prelogin: **P883553**

PM: 134 - Mark W. Beasley

PB: **10/25/21 MM**Shipped/Via: **FedEX Priority**Remarks **Sample # (lab only)**

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	TS 4ozCir-NoPres	V8260/465 60ml/Amb/MeOH/Syr
SQ-2812-TRB2-291021	-	SS	-	29-10-21	10:00	1	✓	
SQ-2812-HA7(3-4)-291021	Grab	SS	3-4ft	29-10-21	14:02	2	✓	
SQ-2812-HA8(1-2)-291021	Grab	SS	1-2ft	29-10-21	11:40	2	✓	
SQ-2812-HA8(2-3)-291021	Grab	SS	2-3ft	29-10-21	11:42	2	✓	
SQ-2812-HA9(0-1)-291021	Grab	SS	0-1ft	29-10-21	12:35	2	✓	
SQ-2812-HA9(3-4)-291021	Grab	SS	3-4ft	29-10-21	12:35	2	✓	
SQ-2812-HA10(0-1)-291021	6mb	SS	0-1ft	29-10-21	12:02	2	✓	
SQ-2812-HA10(3-4)-291021	Grab	SS	3-4ft	29-10-21	12:04	2	✓	
SQ-2812-HA10 Dup-291021	Grab	SS	3-4ft	29-10-21	12:04	2	✓	
SQ-2812-MSMSD-291021	Grab	SS	-	29-10-21	10:00	5	✓	

* Matrix:

SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other _____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact: NP Y NCOC Signed/Accurate: Y NBottles arrive intact: Y NCorrect bottles used: Y NSufficient volume sent: Y N

If Applicable

VOA Zero Headspace: Y NPreservation Correct/Checked: Y NRAD Screen <0.5 mR/hr: Y N

Relinquished by : (Signature)

M. WilsonDate: **2021-10-31**Time: **13:30**

Received by: (Signature)

Trip Blank Received: Yes / No
2
HCL / MeOH
TBRTemp: **10.5°C** Bottles Received: **50**

If preservation required by Login: Date/Time

Relinquished by : (Signature)

Date: _____

Time: _____

Received by: (Signature)

Relinquished by : (Signature)

Date: **11/2/21**Time: **13:00**

Received for lab by: (Signature)

B. BarrasDate: **11/2/21** Time: **13:00**

Hold:

Condition: **NCF** OK

11/2-UPRRGOLD L1425548

Time estimate: oh

Time spent: oh

R3/R4/RX/EX**Members**
 Hailey Melson (responsible) Mark Beasley

Due on 5 November 2021 8:00 AM for target Done

- Login Clarification needed
 Chain of custody is incomplete
 Please specify Metals requested
 Please specify TCLP requested
 Received additional samples not listed on COC
 Sample IDs on containers do not match IDs on COC
 Client did not "X" analysis
 Chain of Custody is missing
 If no COC: Received by: _____
 If no COC: Date/Time: _____
 If no COC: Temp./Cont.Rec./pH: _____
 If no COC: Carrier: _____
 If no COC: Tracking #: _____
 Client informed by call
 Client informed by Email
 Client informed by Voicemail
 Date/Time: _____ 11/2/21 _____
 PM initials: _____ MB _____
 Client Contact: _____ Matthew Wilson _____

Comments

Hailey Melson

2 November 2021 2:52 PM

Which Sample needs the MS/MSD?

Mark Beasley

2 November 2021 4:28 PM

MS/MSD = HA1Co-1



ANALYTICAL REPORT

November 19, 2021

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

UPRR - Golder Associates

Sample Delivery Group: L1431799
Samples Received: 11/16/2021
Project Number: 2812
Description: Cudahy WI-Superior Health Linens
Site: SUPPLEMENTARY EXCAVATION LIMIT
Report To: Matthew Wilson
2201 Double Creek Dr., Ste 4004
Round Rock, TX 78664

Entire Report Reviewed By:

Mark W. Beasley
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National


12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1	1 Cp
Tc: Table of Contents	2	2 Tc
Ss: Sample Summary	3	3 Ss
Cn: Case Narrative	7	4 Cn
Sr: Sample Results	8	5 Sr
SO-2812-HA11 (1-2)-151121 L1431799-01	8	6 Qc
SQ-2812-HA11 DUP-151121 L1431799-02	10	7 Gl
SO-2812-HA11 (3-4)-151121 L1431799-03	12	8 Al
SO-2812-HA12 (1-2)-151121 L1431799-04	14	9 Sc
SO-2812-HA12 (3-4)-151121 L1431799-05	16	
SO-2812-HA13 (1-2)-151121 L1431799-06	18	
SO-2812-HA14 (1-2)-151121 L1431799-07	20	
SO-2812-HA14 (3-4)-151121 L1431799-08	22	
SO-2812-HA15 (1-2)-151121 L1431799-09	24	
SO-2812-HA15 (3-4)-151121 L1431799-10	26	
SO-2812-HA16 (1-2)-151121 L1431799-11	28	
SO-2812-HA16 (3-4)-151121 L1431799-12	30	
SO-2812-HA17 (1-2)-151121 L1431799-13	32	
SQ-2812-TB1-151121 L1431799-14	34	
SQ-2812-HA20 DUP-151121 L1431799-15	36	
SO-2812-HA17 (3-4)-151121 L1431799-16	38	
SO-2812-HA18 (1-2)-151121 L1431799-17	40	
SO-2812-HA18 (3-4)-151121 L1431799-18	42	
SO-2812-HA19 (1-2)-151121 L1431799-19	44	
SO-2812-HA19 (3-4)-151121 L1431799-20	46	
SO-2812-HA20 (1-2)-151121 L1431799-21	48	
SO-2812-HA20 (3-4)-151121 L1431799-22	50	
SO-2812-HA21 (1-2)-151121 L1431799-23	52	
SO-2812-HA21 (3-4)-151121 L1431799-24	54	
SO-2812-TB2-151121 L1431799-25	56	
Qc: Quality Control Summary	58	
Total Solids by Method 2540 G-2011	58	
Volatile Organic Compounds (GC/MS) by Method 8260D	61	
Gl: Glossary of Terms	83	
Al: Accreditations & Locations	84	
Sc: Sample Chain of Custody	85	


SAMPLE SUMMARY

				Collected by Matthew Wilson	Collected date/time 11/15/21 08:47	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775536	1	11/17/21 07:58	11/17/21 08:05	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.26	11/15/21 08:47	11/17/21 12:25	ACG	Mt. Juliet, TN
SQ-2812-HA11 DUP-151121 L1431799-02 Solid				Collected by Matthew Wilson	Collected date/time 11/15/21 08:47	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775536	1	11/17/21 07:58	11/17/21 08:05	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.21	11/15/21 08:47	11/17/21 12:44	KMC	Mt. Juliet, TN
SO-2812-HA11 (3-4)-151121 L1431799-03 Solid				Collected by Matthew Wilson	Collected date/time 11/15/21 08:58	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775536	1	11/17/21 07:58	11/17/21 08:05	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1	11/15/21 08:58	11/17/21 13:03	ACG	Mt. Juliet, TN
SO-2812-HA12 (1-2)-151121 L1431799-04 Solid				Collected by Matthew Wilson	Collected date/time 11/15/21 09:06	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775536	1	11/17/21 07:58	11/17/21 08:05	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.09	11/15/21 09:06	11/17/21 13:22	ACG	Mt. Juliet, TN
SO-2812-HA12 (3-4)-151121 L1431799-05 Solid				Collected by Matthew Wilson	Collected date/time 11/15/21 09:15	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775536	1	11/17/21 07:58	11/17/21 08:05	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1	11/15/21 09:15	11/17/21 13:41	ACG	Mt. Juliet, TN
SO-2812-HA13 (1-2)-151121 L1431799-06 Solid				Collected by Matthew Wilson	Collected date/time 11/15/21 09:25	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775537	1	11/17/21 10:55	11/17/21 11:05	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.59	11/15/21 09:25	11/17/21 13:59	ACG	Mt. Juliet, TN
SO-2812-HA14 (1-2)-151121 L1431799-07 Solid				Collected by Matthew Wilson	Collected date/time 11/15/21 09:50	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775537	1	11/17/21 10:55	11/17/21 11:05	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.01	11/15/21 09:50	11/17/21 14:18	ACG	Mt. Juliet, TN




SAMPLE SUMMARY

				Collected by Matthew Wilson	Collected date/time 11/15/21 10:00	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775537	1	11/17/21 10:55	11/17/21 11:05	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1	11/15/21 10:00	11/17/21 14:37	ACG	Mt. Juliet, TN
SO-2812-HA15 (1-2)-151121 L1431799-09 Solid				Collected by Matthew Wilson	Collected date/time 11/15/21 10:05	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775537	1	11/17/21 10:55	11/17/21 11:05	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.62	11/15/21 10:05	11/17/21 14:56	ACG	Mt. Juliet, TN
SO-2812-HA15 (3-4)-151121 L1431799-10 Solid				Collected by Matthew Wilson	Collected date/time 11/15/21 10:29	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775537	1	11/17/21 10:55	11/17/21 11:05	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.03	11/15/21 10:29	11/17/21 15:15	ACG	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1776620	10.3	11/15/21 10:29	11/18/21 13:11	JHH	Mt. Juliet, TN
SO-2812-HA16 (1-2)-151121 L1431799-11 Solid				Collected by Matthew Wilson	Collected date/time 11/15/21 10:45	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775537	1	11/17/21 10:55	11/17/21 11:05	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.51	11/15/21 10:45	11/17/21 15:41	ACG	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1776620	302	11/15/21 10:45	11/18/21 13:30	JHH	Mt. Juliet, TN
SO-2812-HA16 (3-4)-151121 L1431799-12 Solid				Collected by Matthew Wilson	Collected date/time 11/15/21 10:52	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775537	1	11/17/21 10:55	11/17/21 11:05	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.2	11/15/21 10:52	11/17/21 16:00	ACG	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1776620	240	11/15/21 10:52	11/18/21 13:49	JHH	Mt. Juliet, TN
SO-2812-HA17 (1-2)-151121 L1431799-13 Solid				Collected by Matthew Wilson	Collected date/time 11/15/21 11:07	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775537	1	11/17/21 10:55	11/17/21 11:05	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.25	11/15/21 11:07	11/17/21 16:19	ACG	Mt. Juliet, TN
SQ-2812-TB1-151121 L1431799-14 GW				Collected by Matthew Wilson	Collected date/time 11/15/21 08:00	Received date/time 11/16/21 14:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775759	1	11/17/21 19:39	11/17/21 19:39	ADM	Mt. Juliet, TN




SAMPLE SUMMARY

			Collected by	Collected date/time	Received date/time	
			Matthew Wilson	11/15/21 13:00	11/16/21 14:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775537	1	11/17/21 10:55	11/17/21 11:05	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1	11/15/21 13:00	11/17/21 16:38	ACG	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1776620	10	11/15/21 13:00	11/18/21 14:08	JHH	Mt. Juliet, TN
SO-2812-HA17 (3-4)-151121 L1431799-16 Solid			Collected by	Collected date/time	Received date/time	
			Matthew Wilson	11/15/21 11:18	11/16/21 14:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775537	1	11/17/21 10:55	11/17/21 11:05	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1	11/15/21 11:18	11/17/21 16:57	ACG	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1776620	1	11/15/21 11:18	11/18/21 12:52	JHH	Mt. Juliet, TN
SO-2812-HA18 (1-2)-151121 L1431799-17 Solid			Collected by	Collected date/time	Received date/time	
			Matthew Wilson	11/15/21 11:31	11/16/21 14:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775538	1	11/17/21 11:25	11/17/21 11:39	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.31	11/15/21 11:31	11/17/21 17:16	ACG	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1776620	131	11/15/21 11:31	11/18/21 14:26	JHH	Mt. Juliet, TN
SO-2812-HA18 (3-4)-151121 L1431799-18 Solid			Collected by	Collected date/time	Received date/time	
			Matthew Wilson	11/15/21 11:40	11/16/21 14:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775538	1	11/17/21 11:25	11/17/21 11:39	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.06	11/15/21 11:40	11/17/21 17:34	ACG	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1776620	21.2	11/15/21 11:40	11/18/21 14:45	JHH	Mt. Juliet, TN
SO-2812-HA19 (1-2)-151121 L1431799-19 Solid			Collected by	Collected date/time	Received date/time	
			Matthew Wilson	11/15/21 12:30	11/16/21 14:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775538	1	11/17/21 11:25	11/17/21 11:39	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.59	11/15/21 12:30	11/17/21 17:53	ACG	Mt. Juliet, TN
SO-2812-HA19 (3-4)-151121 L1431799-20 Solid			Collected by	Collected date/time	Received date/time	
			Matthew Wilson	11/15/21 12:35	11/16/21 14:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775538	1	11/17/21 11:25	11/17/21 11:39	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1	11/15/21 12:35	11/17/21 18:12	ACG	Mt. Juliet, TN
SO-2812-HA20 (1-2)-151121 L1431799-21 Solid			Collected by	Collected date/time	Received date/time	
			Matthew Wilson	11/15/21 12:50	11/16/21 14:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775538	1	11/17/21 11:25	11/17/21 11:39	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775646	1.62	11/15/21 12:50	11/17/21 18:31	ACG	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1776620	162	11/15/21 12:50	11/18/21 15:04	JHH	Mt. Juliet, TN



SAMPLE SUMMARY

SO-2812-HA20 (3-4)-151121 L1431799-22 Solid			Collected by Matthew Wilson	Collected date/time 11/15/21 13:00	Received date/time 11/16/21 14:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775538	1	11/17/21 11:25	11/17/21 11:39	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775651	1.05	11/15/21 13:00	11/17/21 12:00	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1776692	10.5	11/15/21 13:00	11/18/21 15:23	JAH	Mt. Juliet, TN
SO-2812-HA21 (1-2)-151121 L1431799-23 Solid			Collected by Matthew Wilson	Collected date/time 11/15/21 13:21	Received date/time 11/16/21 14:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775538	1	11/17/21 11:25	11/17/21 11:39	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775651	1.54	11/15/21 13:21	11/17/21 12:19	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1776692	61.6	11/15/21 13:21	11/18/21 15:42	JAH	Mt. Juliet, TN
SO-2812-HA21 (3-4)-151121 L1431799-24 Solid			Collected by Matthew Wilson	Collected date/time 11/15/21 13:28	Received date/time 11/16/21 14:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1775538	1	11/17/21 11:25	11/17/21 11:39	KDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1776692	1	11/15/21 13:28	11/18/21 16:32	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1777156	1	11/15/21 13:28	11/19/21 10:30	JAH	Mt. Juliet, TN
SO-2812-TB2-151121 L1431799-25 GW			Collected by Matthew Wilson	Collected date/time 11/15/21 08:00	Received date/time 11/16/21 14:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1775759	1	11/17/21 20:00	11/17/21 20:00	ADM	Mt. Juliet, TN



CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Mark W. Beasley
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ AI
- ⁹ Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	84.8		1	11/17/2021 08:05	WG1775536

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.36	1.86	1.26	11/17/2021 12:25	WG1775646
Acrylonitrile	U		0.134	0.464	1.26	11/17/2021 12:25	WG1775646
Allyl chloride	U		0.149	0.929	1.26	11/17/2021 12:25	WG1775646
Benzene	U		0.0173	0.0371	1.26	11/17/2021 12:25	WG1775646
Bromobenzene	U		0.0335	0.464	1.26	11/17/2021 12:25	WG1775646
Bromodichloromethane	U		0.0269	0.0929	1.26	11/17/2021 12:25	WG1775646
Bromoform	U		0.0435	0.929	1.26	11/17/2021 12:25	WG1775646
Bromomethane	U		0.0732	0.464	1.26	11/17/2021 12:25	WG1775646
n-Butylbenzene	U		0.194	0.464	1.26	11/17/2021 12:25	WG1775646
sec-Butylbenzene	U		0.107	0.464	1.26	11/17/2021 12:25	WG1775646
tert-Butylbenzene	U		0.0724	0.186	1.26	11/17/2021 12:25	WG1775646
Carbon tetrachloride	U		0.0334	0.186	1.26	11/17/2021 12:25	WG1775646
Chlorobenzene	U		0.00780	0.0929	1.26	11/17/2021 12:25	WG1775646
Chlorodibromomethane	U		0.0227	0.0929	1.26	11/17/2021 12:25	WG1775646
Chloroethane	U		0.0632	0.186	1.26	11/17/2021 12:25	WG1775646
Chloroform	U		0.0382	0.0929	1.26	11/17/2021 12:25	WG1775646
Chloromethane	U		0.161	0.464	1.26	11/17/2021 12:25	WG1775646
2-Chlorotoluene	U		0.0321	0.0929	1.26	11/17/2021 12:25	WG1775646
4-Chlorotoluene	U		0.0167	0.186	1.26	11/17/2021 12:25	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.145	0.929	1.26	11/17/2021 12:25	WG1775646
1,2-Dibromoethane	U		0.0240	0.0929	1.26	11/17/2021 12:25	WG1775646
Dibromomethane	U		0.0278	0.186	1.26	11/17/2021 12:25	WG1775646
1,2-Dichlorobenzene	U		0.0158	0.186	1.26	11/17/2021 12:25	WG1775646
1,3-Dichlorobenzene	U		0.0223	0.186	1.26	11/17/2021 12:25	WG1775646
1,4-Dichlorobenzene	U		0.0260	0.186	1.26	11/17/2021 12:25	WG1775646
Dichlorodifluoromethane	U		0.0598	0.0929	1.26	11/17/2021 12:25	WG1775646
Dichlorofluoromethane	U		0.0464	0.0929	1.26	11/17/2021 12:25	WG1775646
1,1-Dichloroethane	U		0.0183	0.0929	1.26	11/17/2021 12:25	WG1775646
1,2-Dichloroethane	U		0.0240	0.0929	1.26	11/17/2021 12:25	WG1775646
1,1-Dichloroethene	U		0.0225	0.0929	1.26	11/17/2021 12:25	WG1775646
cis-1,2-Dichloroethene	U		0.0272	0.0929	1.26	11/17/2021 12:25	WG1775646
trans-1,2-Dichloroethene	U		0.0387	0.186	1.26	11/17/2021 12:25	WG1775646
1,2-Dichloropropane	U		0.0527	0.186	1.26	11/17/2021 12:25	WG1775646
1,1-Dichloropropene	U		0.0301	0.0929	1.26	11/17/2021 12:25	WG1775646
1,3-Dichloropropane	U		0.0186	0.186	1.26	11/17/2021 12:25	WG1775646
cis-1,3-Dichloropropene	U		0.0281	0.0929	1.26	11/17/2021 12:25	WG1775646
trans-1,3-Dichloropropene	U		0.0423	0.186	1.26	11/17/2021 12:25	WG1775646
2,2-Dichloropropane	U		0.0513	0.0929	1.26	11/17/2021 12:25	WG1775646
Di-isopropyl ether	U		0.0152	0.0371	1.26	11/17/2021 12:25	WG1775646
Ethylbenzene	U		0.0273	0.0929	1.26	11/17/2021 12:25	WG1775646
Ethyl ether	U		0.0331	0.0929	1.26	11/17/2021 12:25	WG1775646
Hexachloro-1,3-butadiene	U		0.223	0.929	1.26	11/17/2021 12:25	WG1775646
2-Hexanone	U		0.125	0.929	1.26	11/17/2021 12:25	WG1775646
Isopropylbenzene	U		0.0158	0.0929	1.26	11/17/2021 12:25	WG1775646
p-Isopropyltoluene	U		0.0946	0.186	1.26	11/17/2021 12:25	WG1775646
2-Butanone (MEK)	U		2.36	3.71	1.26	11/17/2021 12:25	WG1775646
Methylene Chloride	U		0.246	0.929	1.26	11/17/2021 12:25	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0846	0.929	1.26	11/17/2021 12:25	WG1775646
Methyl tert-butyl ether	U		0.0130	0.0371	1.26	11/17/2021 12:25	WG1775646
Naphthalene	U		0.182	0.464	1.26	11/17/2021 12:25	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0352	0.186	1.26	11/17/2021 12:25	WG1775646	¹ Cp
Styrene	U		0.00850	0.464	1.26	11/17/2021 12:25	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0352	0.0929	1.26	11/17/2021 12:25	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0258	0.0929	1.26	11/17/2021 12:25	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0281	0.0929	1.26	11/17/2021 12:25	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0332	0.0929	1.26	11/17/2021 12:25	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.131	0.464	1.26	11/17/2021 12:25	WG1775646	⁷ Gl
Toluene	U		0.0482	0.186	1.26	11/17/2021 12:25	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.272	0.464	1.26	11/17/2021 12:25	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.164	0.464	1.26	11/17/2021 12:25	WG1775646	
1,1,1-Trichloroethane	U		0.0343	0.0929	1.26	11/17/2021 12:25	WG1775646	
1,1,2-Trichloroethane	U		0.0222	0.0929	1.26	11/17/2021 12:25	WG1775646	
Trichloroethene	0.0719		0.0217	0.0371	1.26	11/17/2021 12:25	WG1775646	
Trichlorofluoromethane	U		0.0308	0.0929	1.26	11/17/2021 12:25	WG1775646	
1,2,3-Trichloropropane	U		0.0601	0.464	1.26	11/17/2021 12:25	WG1775646	
1,2,4-Trimethylbenzene	0.136	J	0.0587	0.186	1.26	11/17/2021 12:25	WG1775646	
1,2,3-Trimethylbenzene	0.0817	J	0.0587	0.186	1.26	11/17/2021 12:25	WG1775646	
1,3,5-Trimethylbenzene	U		0.0743	0.186	1.26	11/17/2021 12:25	WG1775646	
Vinyl chloride	U		0.0430	0.0929	1.26	11/17/2021 12:25	WG1775646	
Xylenes, Total	0.0875	J	0.0326	0.242	1.26	11/17/2021 12:25	WG1775646	
(S) Toluene-d8	110			75.0-131		11/17/2021 12:25	WG1775646	
(S) 4-Bromofluorobenzene	102			67.0-138		11/17/2021 12:25	WG1775646	
(S) 1,2-Dichloroethane-d4	96.4			70.0-130		11/17/2021 12:25	WG1775646	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	88.0		1	11/17/2021 08:05	WG1775536

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.25	1.72	1.21	11/17/2021 12:44	WG1775646
Acrylonitrile	U		0.124	0.430	1.21	11/17/2021 12:44	WG1775646
Allyl chloride	U		0.138	0.859	1.21	11/17/2021 12:44	WG1775646
Benzene	U		0.0160	0.0344	1.21	11/17/2021 12:44	WG1775646
Bromobenzene	U		0.0309	0.430	1.21	11/17/2021 12:44	WG1775646
Bromodichloromethane	U		0.0249	0.0859	1.21	11/17/2021 12:44	WG1775646
Bromoform	U		0.0402	0.859	1.21	11/17/2021 12:44	WG1775646
Bromomethane	U		0.0677	0.430	1.21	11/17/2021 12:44	WG1775646
n-Butylbenzene	U		0.181	0.430	1.21	11/17/2021 12:44	WG1775646
sec-Butylbenzene	U		0.0990	0.430	1.21	11/17/2021 12:44	WG1775646
tert-Butylbenzene	U		0.0670	0.172	1.21	11/17/2021 12:44	WG1775646
Carbon tetrachloride	U		0.0309	0.172	1.21	11/17/2021 12:44	WG1775646
Chlorobenzene	U		0.00722	0.0859	1.21	11/17/2021 12:44	WG1775646
Chlorodibromomethane	U		0.0210	0.0859	1.21	11/17/2021 12:44	WG1775646
Chloroethane	U		0.0584	0.172	1.21	11/17/2021 12:44	WG1775646
Chloroform	U		0.0355	0.0859	1.21	11/17/2021 12:44	WG1775646
Chloromethane	U		0.150	0.430	1.21	11/17/2021 12:44	WG1775646
2-Chlorotoluene	U		0.0298	0.0859	1.21	11/17/2021 12:44	WG1775646
4-Chlorotoluene	U		0.0155	0.172	1.21	11/17/2021 12:44	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.134	0.859	1.21	11/17/2021 12:44	WG1775646
1,2-Dibromoethane	U		0.0223	0.0859	1.21	11/17/2021 12:44	WG1775646
Dibromomethane	U		0.0258	0.172	1.21	11/17/2021 12:44	WG1775646
1,2-Dichlorobenzene	U		0.0147	0.172	1.21	11/17/2021 12:44	WG1775646
1,3-Dichlorobenzene	U		0.0207	0.172	1.21	11/17/2021 12:44	WG1775646
1,4-Dichlorobenzene	U		0.0241	0.172	1.21	11/17/2021 12:44	WG1775646
Dichlorodifluoromethane	U		0.0553	0.0859	1.21	11/17/2021 12:44	WG1775646
Dichlorofluoromethane	U		0.0430	0.0859	1.21	11/17/2021 12:44	WG1775646
1,1-Dichloroethane	U		0.0169	0.0859	1.21	11/17/2021 12:44	WG1775646
1,2-Dichloroethane	U		0.0223	0.0859	1.21	11/17/2021 12:44	WG1775646
1,1-Dichloroethene	U		0.0208	0.0859	1.21	11/17/2021 12:44	WG1775646
cis-1,2-Dichloroethene	U		0.0252	0.0859	1.21	11/17/2021 12:44	WG1775646
trans-1,2-Dichloroethene	U		0.0358	0.172	1.21	11/17/2021 12:44	WG1775646
1,2-Dichloropropane	U		0.0489	0.172	1.21	11/17/2021 12:44	WG1775646
1,1-Dichloropropene	U		0.0278	0.0859	1.21	11/17/2021 12:44	WG1775646
1,3-Dichloropropane	U		0.0173	0.172	1.21	11/17/2021 12:44	WG1775646
cis-1,3-Dichloropropene	U		0.0260	0.0859	1.21	11/17/2021 12:44	WG1775646
trans-1,3-Dichloropropene	U		0.0392	0.172	1.21	11/17/2021 12:44	WG1775646
2,2-Dichloropropane	U		0.0474	0.0859	1.21	11/17/2021 12:44	WG1775646
Di-isopropyl ether	U		0.0141	0.0344	1.21	11/17/2021 12:44	WG1775646
Ethylbenzene	U		0.0253	0.0859	1.21	11/17/2021 12:44	WG1775646
Ethyl ether	U		0.0307	0.0859	1.21	11/17/2021 12:44	WG1775646
Hexachloro-1,3-butadiene	U		0.207	0.859	1.21	11/17/2021 12:44	WG1775646
2-Hexanone	U		0.116	0.859	1.21	11/17/2021 12:44	WG1775646
Isopropylbenzene	U		0.0147	0.0859	1.21	11/17/2021 12:44	WG1775646
p-Isopropyltoluene	U		0.0876	0.172	1.21	11/17/2021 12:44	WG1775646
2-Butanone (MEK)	U		2.18	3.44	1.21	11/17/2021 12:44	WG1775646
Methylene Chloride	U		0.228	0.859	1.21	11/17/2021 12:44	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0784	0.859	1.21	11/17/2021 12:44	WG1775646
Methyl tert-butyl ether	U		0.0120	0.0344	1.21	11/17/2021 12:44	WG1775646
Naphthalene	U		0.168	0.430	1.21	11/17/2021 12:44	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0326	0.172	1.21	11/17/2021 12:44	WG1775646	¹ Cp
Styrene	U		0.00788	0.430	1.21	11/17/2021 12:44	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0326	0.0859	1.21	11/17/2021 12:44	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0239	0.0859	1.21	11/17/2021 12:44	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0259	0.0859	1.21	11/17/2021 12:44	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0308	0.0859	1.21	11/17/2021 12:44	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.120	0.430	1.21	11/17/2021 12:44	WG1775646	⁷ Gl
Toluene	0.0643	<u>J</u>	0.0447	0.172	1.21	11/17/2021 12:44	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	<u>C4</u>	0.252	0.430	1.21	11/17/2021 12:44	WG1775646	
1,2,4-Trichlorobenzene	U	<u>C4</u>	0.151	0.430	1.21	11/17/2021 12:44	WG1775646	
1,1,1-Trichloroethane	U		0.0317	0.0859	1.21	11/17/2021 12:44	WG1775646	
1,1,2-Trichloroethane	U		0.0206	0.0859	1.21	11/17/2021 12:44	WG1775646	
Trichloroethene	0.0919		0.0201	0.0344	1.21	11/17/2021 12:44	WG1775646	
Trichlorofluoromethane	U		0.0284	0.0859	1.21	11/17/2021 12:44	WG1775646	
1,2,3-Trichloropropane	U		0.0557	0.430	1.21	11/17/2021 12:44	WG1775646	
1,2,4-Trimethylbenzene	U		0.0543	0.172	1.21	11/17/2021 12:44	WG1775646	
1,2,3-Trimethylbenzene	U		0.0543	0.172	1.21	11/17/2021 12:44	WG1775646	
1,3,5-Trimethylbenzene	U		0.0688	0.172	1.21	11/17/2021 12:44	WG1775646	
Vinyl chloride	U		0.0399	0.0859	1.21	11/17/2021 12:44	WG1775646	
Xylenes, Total	0.0988	<u>J</u>	0.0302	0.224	1.21	11/17/2021 12:44	WG1775646	
(S) Toluene-d8	116			75.0-131		11/17/2021 12:44	WG1775646	
(S) 4-Bromofluorobenzene	99.2			67.0-138		11/17/2021 12:44	WG1775646	
(S) 1,2-Dichloroethane-d4	97.2			70.0-130		11/17/2021 12:44	WG1775646	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	86.5		1	11/17/2021 08:05	WG1775536

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.06	1.45	1	11/17/2021 13:03	WG1775646
Acrylonitrile	U		0.104	0.362	1	11/17/2021 13:03	WG1775646
Allyl chloride	U		0.116	0.723	1	11/17/2021 13:03	WG1775646
Benzene	U		0.0135	0.0289	1	11/17/2021 13:03	WG1775646
Bromobenzene	U		0.0260	0.362	1	11/17/2021 13:03	WG1775646
Bromodichloromethane	U		0.0209	0.0723	1	11/17/2021 13:03	WG1775646
Bromoform	U		0.0339	0.723	1	11/17/2021 13:03	WG1775646
Bromomethane	U		0.0570	0.362	1	11/17/2021 13:03	WG1775646
n-Butylbenzene	U		0.151	0.362	1	11/17/2021 13:03	WG1775646
sec-Butylbenzene	U		0.0832	0.362	1	11/17/2021 13:03	WG1775646
tert-Butylbenzene	U		0.0564	0.145	1	11/17/2021 13:03	WG1775646
Carbon tetrachloride	U		0.0260	0.145	1	11/17/2021 13:03	WG1775646
Chlorobenzene	U		0.00607	0.0723	1	11/17/2021 13:03	WG1775646
Chlorodibromomethane	U		0.0177	0.0723	1	11/17/2021 13:03	WG1775646
Chloroethane	U		0.0491	0.145	1	11/17/2021 13:03	WG1775646
Chloroform	U		0.0298	0.0723	1	11/17/2021 13:03	WG1775646
Chloromethane	U		0.126	0.362	1	11/17/2021 13:03	WG1775646
2-Chlorotoluene	U		0.0250	0.0723	1	11/17/2021 13:03	WG1775646
4-Chlorotoluene	U		0.0131	0.145	1	11/17/2021 13:03	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.113	0.723	1	11/17/2021 13:03	WG1775646
1,2-Dibromoethane	U		0.0187	0.0723	1	11/17/2021 13:03	WG1775646
Dibromomethane	U		0.0217	0.145	1	11/17/2021 13:03	WG1775646
1,2-Dichlorobenzene	U		0.0123	0.145	1	11/17/2021 13:03	WG1775646
1,3-Dichlorobenzene	U		0.0173	0.145	1	11/17/2021 13:03	WG1775646
1,4-Dichlorobenzene	U		0.0202	0.145	1	11/17/2021 13:03	WG1775646
Dichlorodifluoromethane	U		0.0466	0.0723	1	11/17/2021 13:03	WG1775646
Dichlorofluoromethane	U		0.0362	0.0723	1	11/17/2021 13:03	WG1775646
1,1-Dichloroethane	U		0.0142	0.0723	1	11/17/2021 13:03	WG1775646
1,2-Dichloroethane	U		0.0187	0.0723	1	11/17/2021 13:03	WG1775646
1,1-Dichloroethene	U		0.0176	0.0723	1	11/17/2021 13:03	WG1775646
cis-1,2-Dichloroethene	U		0.0213	0.0723	1	11/17/2021 13:03	WG1775646
trans-1,2-Dichloroethene	U		0.0301	0.145	1	11/17/2021 13:03	WG1775646
1,2-Dichloropropane	U		0.0410	0.145	1	11/17/2021 13:03	WG1775646
1,1-Dichloropropene	U		0.0234	0.0723	1	11/17/2021 13:03	WG1775646
1,3-Dichloropropane	U		0.0145	0.145	1	11/17/2021 13:03	WG1775646
cis-1,3-Dichloropropene	U		0.0219	0.0723	1	11/17/2021 13:03	WG1775646
trans-1,3-Dichloropropene	U		0.0329	0.145	1	11/17/2021 13:03	WG1775646
2,2-Dichloropropane	U		0.0399	0.0723	1	11/17/2021 13:03	WG1775646
Di-isopropyl ether	U		0.0119	0.0289	1	11/17/2021 13:03	WG1775646
Ethylbenzene	U		0.0213	0.0723	1	11/17/2021 13:03	WG1775646
Ethyl ether	U		0.0258	0.0723	1	11/17/2021 13:03	WG1775646
Hexachloro-1,3-butadiene	U		0.173	0.723	1	11/17/2021 13:03	WG1775646
2-Hexanone	U		0.0971	0.723	1	11/17/2021 13:03	WG1775646
Isopropylbenzene	U		0.0123	0.0723	1	11/17/2021 13:03	WG1775646
p-Isopropyltoluene	U		0.0738	0.145	1	11/17/2021 13:03	WG1775646
2-Butanone (MEK)	U		1.84	2.89	1	11/17/2021 13:03	WG1775646
Methylene Chloride	U		0.192	0.723	1	11/17/2021 13:03	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0659	0.723	1	11/17/2021 13:03	WG1775646
Methyl tert-butyl ether	U		0.0101	0.0289	1	11/17/2021 13:03	WG1775646
Naphthalene	U		0.141	0.362	1	11/17/2021 13:03	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0275	0.145	1	11/17/2021 13:03	WG1775646	¹ Cp
Styrene	U		0.00662	0.362	1	11/17/2021 13:03	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0274	0.0723	1	11/17/2021 13:03	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0201	0.0723	1	11/17/2021 13:03	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0219	0.0723	1	11/17/2021 13:03	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0259	0.0723	1	11/17/2021 13:03	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.102	0.362	1	11/17/2021 13:03	WG1775646	⁷ Gl
Toluene	U		0.0376	0.145	1	11/17/2021 13:03	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.212	0.362	1	11/17/2021 13:03	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.127	0.362	1	11/17/2021 13:03	WG1775646	
1,1,1-Trichloroethane	U		0.0267	0.0723	1	11/17/2021 13:03	WG1775646	
1,1,2-Trichloroethane	U		0.0172	0.0723	1	11/17/2021 13:03	WG1775646	
Trichloroethene	0.0746		0.0169	0.0289	1	11/17/2021 13:03	WG1775646	
Trichlorofluoromethane	U		0.0239	0.0723	1	11/17/2021 13:03	WG1775646	
1,2,3-Trichloropropane	U		0.0468	0.362	1	11/17/2021 13:03	WG1775646	
1,2,4-Trimethylbenzene	U		0.0457	0.145	1	11/17/2021 13:03	WG1775646	
1,2,3-Trimethylbenzene	U		0.0457	0.145	1	11/17/2021 13:03	WG1775646	
1,3,5-Trimethylbenzene	U		0.0578	0.145	1	11/17/2021 13:03	WG1775646	
Vinyl chloride	U		0.0335	0.0723	1	11/17/2021 13:03	WG1775646	
Xylenes, Total	U		0.0254	0.188	1	11/17/2021 13:03	WG1775646	
(S) Toluene-d8	112			75.0-131		11/17/2021 13:03	WG1775646	
(S) 4-Bromofluorobenzene	101			67.0-138		11/17/2021 13:03	WG1775646	
(S) 1,2-Dichloroethane-d4	98.1			70.0-130		11/17/2021 13:03	WG1775646	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	85.1		1	11/17/2021 08:05	WG1775536

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.17	1.60	1.09	11/17/2021 13:22	WG1775646
Acrylonitrile	U		0.116	0.401	1.09	11/17/2021 13:22	WG1775646
Allyl chloride	U		0.128	0.800	1.09	11/17/2021 13:22	WG1775646
Benzene	U		0.0149	0.0321	1.09	11/17/2021 13:22	WG1775646
Bromobenzene	U		0.0288	0.401	1.09	11/17/2021 13:22	WG1775646
Bromodichloromethane	U		0.0233	0.0800	1.09	11/17/2021 13:22	WG1775646
Bromoform	U		0.0375	0.800	1.09	11/17/2021 13:22	WG1775646
Bromomethane	U		0.0631	0.401	1.09	11/17/2021 13:22	WG1775646
n-Butylbenzene	U		0.168	0.401	1.09	11/17/2021 13:22	WG1775646
sec-Butylbenzene	U		0.0923	0.401	1.09	11/17/2021 13:22	WG1775646
tert-Butylbenzene	U		0.0624	0.160	1.09	11/17/2021 13:22	WG1775646
Carbon tetrachloride	U		0.0288	0.160	1.09	11/17/2021 13:22	WG1775646
Chlorobenzene	U		0.00672	0.0800	1.09	11/17/2021 13:22	WG1775646
Chlorodibromomethane	U		0.0196	0.0800	1.09	11/17/2021 13:22	WG1775646
Chloroethane	U		0.0544	0.160	1.09	11/17/2021 13:22	WG1775646
Chloroform	U		0.0330	0.0800	1.09	11/17/2021 13:22	WG1775646
Chloromethane	U		0.140	0.401	1.09	11/17/2021 13:22	WG1775646
2-Chlorotoluene	U		0.0277	0.0800	1.09	11/17/2021 13:22	WG1775646
4-Chlorotoluene	U		0.0145	0.160	1.09	11/17/2021 13:22	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.125	0.800	1.09	11/17/2021 13:22	WG1775646
1,2-Dibromoethane	U		0.0208	0.0800	1.09	11/17/2021 13:22	WG1775646
Dibromomethane	U		0.0240	0.160	1.09	11/17/2021 13:22	WG1775646
1,2-Dichlorobenzene	U		0.0136	0.160	1.09	11/17/2021 13:22	WG1775646
1,3-Dichlorobenzene	U		0.0193	0.160	1.09	11/17/2021 13:22	WG1775646
1,4-Dichlorobenzene	U		0.0224	0.160	1.09	11/17/2021 13:22	WG1775646
Dichlorodifluoromethane	U		0.0516	0.0800	1.09	11/17/2021 13:22	WG1775646
Dichlorofluoromethane	U		0.0401	0.0800	1.09	11/17/2021 13:22	WG1775646
1,1-Dichloroethane	U		0.0157	0.0800	1.09	11/17/2021 13:22	WG1775646
1,2-Dichloroethane	U		0.0208	0.0800	1.09	11/17/2021 13:22	WG1775646
1,1-Dichloroethene	U		0.0194	0.0800	1.09	11/17/2021 13:22	WG1775646
cis-1,2-Dichloroethene	U		0.0235	0.0800	1.09	11/17/2021 13:22	WG1775646
trans-1,2-Dichloroethene	U		0.0333	0.160	1.09	11/17/2021 13:22	WG1775646
1,2-Dichloropropane	U		0.0455	0.160	1.09	11/17/2021 13:22	WG1775646
1,1-Dichloropropene	U		0.0259	0.0800	1.09	11/17/2021 13:22	WG1775646
1,3-Dichloropropane	U		0.0161	0.160	1.09	11/17/2021 13:22	WG1775646
cis-1,3-Dichloropropene	U		0.0242	0.0800	1.09	11/17/2021 13:22	WG1775646
trans-1,3-Dichloropropene	U		0.0366	0.160	1.09	11/17/2021 13:22	WG1775646
2,2-Dichloropropane	U		0.0442	0.0800	1.09	11/17/2021 13:22	WG1775646
Di-isopropyl ether	U		0.0132	0.0321	1.09	11/17/2021 13:22	WG1775646
Ethylbenzene	U		0.0236	0.0800	1.09	11/17/2021 13:22	WG1775646
Ethyl ether	U		0.0286	0.0800	1.09	11/17/2021 13:22	WG1775646
Hexachloro-1,3-butadiene	U		0.193	0.800	1.09	11/17/2021 13:22	WG1775646
2-Hexanone	U		0.108	0.800	1.09	11/17/2021 13:22	WG1775646
Isopropylbenzene	U		0.0136	0.0800	1.09	11/17/2021 13:22	WG1775646
p-Isopropyltoluene	U		0.0817	0.160	1.09	11/17/2021 13:22	WG1775646
2-Butanone (MEK)	U		2.03	3.21	1.09	11/17/2021 13:22	WG1775646
Methylene Chloride	U		0.213	0.800	1.09	11/17/2021 13:22	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0730	0.800	1.09	11/17/2021 13:22	WG1775646
Methyl tert-butyl ether	U		0.0112	0.0321	1.09	11/17/2021 13:22	WG1775646
Naphthalene	U		0.156	0.401	1.09	11/17/2021 13:22	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0304	0.160	1.09	11/17/2021 13:22	WG1775646	¹ Cp
Styrene	U		0.00733	0.401	1.09	11/17/2021 13:22	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0303	0.0800	1.09	11/17/2021 13:22	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0222	0.0800	1.09	11/17/2021 13:22	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0241	0.0800	1.09	11/17/2021 13:22	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0287	0.0800	1.09	11/17/2021 13:22	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.113	0.401	1.09	11/17/2021 13:22	WG1775646	⁷ Gl
Toluene	U		0.0416	0.160	1.09	11/17/2021 13:22	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.235	0.401	1.09	11/17/2021 13:22	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.141	0.401	1.09	11/17/2021 13:22	WG1775646	
1,1,1-Trichloroethane	0.242		0.0296	0.0800	1.09	11/17/2021 13:22	WG1775646	
1,1,2-Trichloroethane	U		0.0192	0.0800	1.09	11/17/2021 13:22	WG1775646	
Trichloroethene	1.22		0.0187	0.0321	1.09	11/17/2021 13:22	WG1775646	
Trichlorofluoromethane	U		0.0264	0.0800	1.09	11/17/2021 13:22	WG1775646	
1,2,3-Trichloropropane	U		0.0518	0.401	1.09	11/17/2021 13:22	WG1775646	
1,2,4-Trimethylbenzene	U		0.0507	0.160	1.09	11/17/2021 13:22	WG1775646	
1,2,3-Trimethylbenzene	U		0.0507	0.160	1.09	11/17/2021 13:22	WG1775646	
1,3,5-Trimethylbenzene	U		0.0641	0.160	1.09	11/17/2021 13:22	WG1775646	
Vinyl chloride	U		0.0371	0.0800	1.09	11/17/2021 13:22	WG1775646	
Xylenes, Total	0.0377	J	0.0282	0.208	1.09	11/17/2021 13:22	WG1775646	
(S) Toluene-d8	112			75.0-131		11/17/2021 13:22	WG1775646	
(S) 4-Bromofluorobenzene	99.2			67.0-138		11/17/2021 13:22	WG1775646	
(S) 1,2-Dichloroethane-d4	89.4			70.0-130		11/17/2021 13:22	WG1775646	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	85.2		1	11/17/2021 08:05	WG1775536

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.07	1.47	1	11/17/2021 13:41	WG1775646
Acrylonitrile	U		0.106	0.368	1	11/17/2021 13:41	WG1775646
Allyl chloride	U		0.117	0.734	1	11/17/2021 13:41	WG1775646
Benzene	U		0.0137	0.0294	1	11/17/2021 13:41	WG1775646
Bromobenzene	U		0.0264	0.368	1	11/17/2021 13:41	WG1775646
Bromodichloromethane	U		0.0213	0.0734	1	11/17/2021 13:41	WG1775646
Bromoform	U		0.0344	0.734	1	11/17/2021 13:41	WG1775646
Bromomethane	U		0.0579	0.368	1	11/17/2021 13:41	WG1775646
n-Butylbenzene	U		0.154	0.368	1	11/17/2021 13:41	WG1775646
sec-Butylbenzene	U		0.0845	0.368	1	11/17/2021 13:41	WG1775646
tert-Butylbenzene	U		0.0573	0.147	1	11/17/2021 13:41	WG1775646
Carbon tetrachloride	U		0.0264	0.147	1	11/17/2021 13:41	WG1775646
Chlorobenzene	U		0.00616	0.0734	1	11/17/2021 13:41	WG1775646
Chlorodibromomethane	U		0.0180	0.0734	1	11/17/2021 13:41	WG1775646
Chloroethane	U		0.0499	0.147	1	11/17/2021 13:41	WG1775646
Chloroform	U		0.0303	0.0734	1	11/17/2021 13:41	WG1775646
Chloromethane	U		0.128	0.368	1	11/17/2021 13:41	WG1775646
2-Chlorotoluene	U		0.0254	0.0734	1	11/17/2021 13:41	WG1775646
4-Chlorotoluene	U		0.0133	0.147	1	11/17/2021 13:41	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.114	0.734	1	11/17/2021 13:41	WG1775646
1,2-Dibromoethane	U		0.0190	0.0734	1	11/17/2021 13:41	WG1775646
Dibromomethane	U		0.0221	0.147	1	11/17/2021 13:41	WG1775646
1,2-Dichlorobenzene	U		0.0124	0.147	1	11/17/2021 13:41	WG1775646
1,3-Dichlorobenzene	U		0.0176	0.147	1	11/17/2021 13:41	WG1775646
1,4-Dichlorobenzene	U		0.0205	0.147	1	11/17/2021 13:41	WG1775646
Dichlorodifluoromethane	U		0.0473	0.0734	1	11/17/2021 13:41	WG1775646
Dichlorofluoromethane	U		0.0368	0.0734	1	11/17/2021 13:41	WG1775646
1,1-Dichloroethane	U		0.0144	0.0734	1	11/17/2021 13:41	WG1775646
1,2-Dichloroethane	U		0.0190	0.0734	1	11/17/2021 13:41	WG1775646
1,1-Dichloroethene	U		0.0178	0.0734	1	11/17/2021 13:41	WG1775646
cis-1,2-Dichloroethene	U		0.0216	0.0734	1	11/17/2021 13:41	WG1775646
trans-1,2-Dichloroethene	U		0.0305	0.147	1	11/17/2021 13:41	WG1775646
1,2-Dichloropropane	U		0.0417	0.147	1	11/17/2021 13:41	WG1775646
1,1-Dichloropropene	U		0.0237	0.0734	1	11/17/2021 13:41	WG1775646
1,3-Dichloropropane	U		0.0147	0.147	1	11/17/2021 13:41	WG1775646
cis-1,3-Dichloropropene	U		0.0222	0.0734	1	11/17/2021 13:41	WG1775646
trans-1,3-Dichloropropene	U		0.0335	0.147	1	11/17/2021 13:41	WG1775646
2,2-Dichloropropane	U		0.0405	0.0734	1	11/17/2021 13:41	WG1775646
Di-isopropyl ether	U		0.0121	0.0294	1	11/17/2021 13:41	WG1775646
Ethylbenzene	U		0.0216	0.0734	1	11/17/2021 13:41	WG1775646
Ethyl ether	U		0.0262	0.0734	1	11/17/2021 13:41	WG1775646
Hexachloro-1,3-butadiene	U		0.176	0.734	1	11/17/2021 13:41	WG1775646
2-Hexanone	U		0.0986	0.734	1	11/17/2021 13:41	WG1775646
Isopropylbenzene	U		0.0124	0.0734	1	11/17/2021 13:41	WG1775646
p-Isopropyltoluene	U		0.0749	0.147	1	11/17/2021 13:41	WG1775646
2-Butanone (MEK)	U		1.87	2.94	1	11/17/2021 13:41	WG1775646
Methylene Chloride	U		0.195	0.734	1	11/17/2021 13:41	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0669	0.734	1	11/17/2021 13:41	WG1775646
Methyl tert-butyl ether	U		0.0103	0.0294	1	11/17/2021 13:41	WG1775646
Naphthalene	U		0.143	0.368	1	11/17/2021 13:41	WG1775646

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0279	0.147	1	11/17/2021 13:41	WG1775646	¹ Cp
Styrene	U		0.00673	0.368	1	11/17/2021 13:41	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0278	0.0734	1	11/17/2021 13:41	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0204	0.0734	1	11/17/2021 13:41	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0222	0.0734	1	11/17/2021 13:41	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0263	0.0734	1	11/17/2021 13:41	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.103	0.368	1	11/17/2021 13:41	WG1775646	⁷ Gl
Toluene	U		0.0382	0.147	1	11/17/2021 13:41	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.215	0.368	1	11/17/2021 13:41	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.129	0.368	1	11/17/2021 13:41	WG1775646	
1,1,1-Trichloroethane	0.149		0.0271	0.0734	1	11/17/2021 13:41	WG1775646	
1,1,2-Trichloroethane	U		0.0175	0.0734	1	11/17/2021 13:41	WG1775646	
Trichloroethene	0.243		0.0171	0.0294	1	11/17/2021 13:41	WG1775646	
Trichlorofluoromethane	U		0.0243	0.0734	1	11/17/2021 13:41	WG1775646	
1,2,3-Trichloropropane	U		0.0476	0.368	1	11/17/2021 13:41	WG1775646	
1,2,4-Trimethylbenzene	U		0.0464	0.147	1	11/17/2021 13:41	WG1775646	
1,2,3-Trimethylbenzene	U		0.0464	0.147	1	11/17/2021 13:41	WG1775646	
1,3,5-Trimethylbenzene	U		0.0587	0.147	1	11/17/2021 13:41	WG1775646	
Vinyl chloride	U		0.0341	0.0734	1	11/17/2021 13:41	WG1775646	
Xylenes, Total	U		0.0258	0.191	1	11/17/2021 13:41	WG1775646	
(S) Toluene-d8	115		75.0-131			11/17/2021 13:41	WG1775646	
(S) 4-Bromofluorobenzene	98.9		67.0-138			11/17/2021 13:41	WG1775646	
(S) 1,2-Dichloroethane-d4	93.1		70.0-130			11/17/2021 13:41	WG1775646	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	86.0		1	11/17/2021 11:05	WG1775537

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.69	2.31	1.59	11/17/2021 13:59	WG1775646
Acrylonitrile	U		0.166	0.578	1.59	11/17/2021 13:59	WG1775646
Allyl chloride	U		0.185	1.16	1.59	11/17/2021 13:59	WG1775646
Benzene	U		0.0216	0.0463	1.59	11/17/2021 13:59	WG1775646
Bromobenzene	U		0.0416	0.578	1.59	11/17/2021 13:59	WG1775646
Bromodichloromethane	U		0.0335	0.116	1.59	11/17/2021 13:59	WG1775646
Bromoform	U		0.0541	1.16	1.59	11/17/2021 13:59	WG1775646
Bromomethane	U		0.0910	0.578	1.59	11/17/2021 13:59	WG1775646
n-Butylbenzene	U		0.243	0.578	1.59	11/17/2021 13:59	WG1775646
sec-Butylbenzene	U		0.133	0.578	1.59	11/17/2021 13:59	WG1775646
tert-Butylbenzene	U		0.0901	0.231	1.59	11/17/2021 13:59	WG1775646
Carbon tetrachloride	U		0.0415	0.231	1.59	11/17/2021 13:59	WG1775646
Chlorobenzene	U		0.00971	0.116	1.59	11/17/2021 13:59	WG1775646
Chlorodibromomethane	U		0.0283	0.116	1.59	11/17/2021 13:59	WG1775646
Chloroethane	U		0.0786	0.231	1.59	11/17/2021 13:59	WG1775646
Chloroform	U		0.0476	0.116	1.59	11/17/2021 13:59	WG1775646
Chloromethane	U		0.201	0.578	1.59	11/17/2021 13:59	WG1775646
2-Chlorotoluene	U		0.0400	0.116	1.59	11/17/2021 13:59	WG1775646
4-Chlorotoluene	U		0.0208	0.231	1.59	11/17/2021 13:59	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.180	1.16	1.59	11/17/2021 13:59	WG1775646
1,2-Dibromoethane	U		0.0300	0.116	1.59	11/17/2021 13:59	WG1775646
Dibromomethane	U		0.0346	0.231	1.59	11/17/2021 13:59	WG1775646
1,2-Dichlorobenzene	U		0.0196	0.231	1.59	11/17/2021 13:59	WG1775646
1,3-Dichlorobenzene	U		0.0278	0.231	1.59	11/17/2021 13:59	WG1775646
1,4-Dichlorobenzene	U		0.0323	0.231	1.59	11/17/2021 13:59	WG1775646
Dichlorodifluoromethane	U		0.0744	0.116	1.59	11/17/2021 13:59	WG1775646
Dichlorofluoromethane	U		0.0578	0.116	1.59	11/17/2021 13:59	WG1775646
1,1-Dichloroethane	U		0.0227	0.116	1.59	11/17/2021 13:59	WG1775646
1,2-Dichloroethane	U		0.0300	0.116	1.59	11/17/2021 13:59	WG1775646
1,1-Dichloroethene	U		0.0280	0.116	1.59	11/17/2021 13:59	WG1775646
cis-1,2-Dichloroethene	U		0.0339	0.116	1.59	11/17/2021 13:59	WG1775646
trans-1,2-Dichloroethene	U		0.0480	0.231	1.59	11/17/2021 13:59	WG1775646
1,2-Dichloropropane	U		0.0656	0.231	1.59	11/17/2021 13:59	WG1775646
1,1-Dichloropropene	U		0.0374	0.116	1.59	11/17/2021 13:59	WG1775646
1,3-Dichloropropene	U		0.0231	0.231	1.59	11/17/2021 13:59	WG1775646
cis-1,3-Dichloropropene	U		0.0350	0.116	1.59	11/17/2021 13:59	WG1775646
trans-1,3-Dichloropropene	U		0.0527	0.231	1.59	11/17/2021 13:59	WG1775646
2,2-Dichloropropane	U		0.0638	0.116	1.59	11/17/2021 13:59	WG1775646
Di-isopropyl ether	U		0.0190	0.0463	1.59	11/17/2021 13:59	WG1775646
Ethylbenzene	U		0.0341	0.116	1.59	11/17/2021 13:59	WG1775646
Ethyl ether	U		0.0412	0.116	1.59	11/17/2021 13:59	WG1775646
Hexachloro-1,3-butadiene	U		0.278	1.16	1.59	11/17/2021 13:59	WG1775646
2-Hexanone	U		0.156	1.16	1.59	11/17/2021 13:59	WG1775646
Isopropylbenzene	U		0.0196	0.116	1.59	11/17/2021 13:59	WG1775646
p-Isopropyltoluene	U		0.117	0.231	1.59	11/17/2021 13:59	WG1775646
2-Butanone (MEK)	U		2.93	4.63	1.59	11/17/2021 13:59	WG1775646
Methylene Chloride	U		0.307	1.16	1.59	11/17/2021 13:59	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.105	1.16	1.59	11/17/2021 13:59	WG1775646
Methyl tert-butyl ether	U		0.0162	0.0463	1.59	11/17/2021 13:59	WG1775646
Naphthalene	U		0.226	0.578	1.59	11/17/2021 13:59	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0439	0.231	1.59	11/17/2021 13:59	WG1775646	¹ Cp
Styrene	U		0.0106	0.578	1.59	11/17/2021 13:59	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0438	0.116	1.59	11/17/2021 13:59	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0321	0.116	1.59	11/17/2021 13:59	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0349	0.116	1.59	11/17/2021 13:59	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0414	0.116	1.59	11/17/2021 13:59	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.163	0.578	1.59	11/17/2021 13:59	WG1775646	⁷ Gl
Toluene	U		0.0601	0.231	1.59	11/17/2021 13:59	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.338	0.578	1.59	11/17/2021 13:59	WG1775646	⁹ Sc
1,2,4-Trichlorobenzene	U	C4	0.203	0.578	1.59	11/17/2021 13:59	WG1775646	
1,1,1-Trichloroethane	0.0770	J	0.0427	0.116	1.59	11/17/2021 13:59	WG1775646	
1,1,2-Trichloroethane	U		0.0276	0.116	1.59	11/17/2021 13:59	WG1775646	
Trichloroethene	0.0910		0.0270	0.0463	1.59	11/17/2021 13:59	WG1775646	
Trichlorofluoromethane	U		0.0383	0.116	1.59	11/17/2021 13:59	WG1775646	
1,2,3-Trichloropropane	U		0.0749	0.578	1.59	11/17/2021 13:59	WG1775646	
1,2,4-Trimethylbenzene	U		0.0730	0.231	1.59	11/17/2021 13:59	WG1775646	
1,2,3-Trimethylbenzene	U		0.0730	0.231	1.59	11/17/2021 13:59	WG1775646	
1,3,5-Trimethylbenzene	U		0.0924	0.231	1.59	11/17/2021 13:59	WG1775646	
Vinyl chloride	U		0.0536	0.116	1.59	11/17/2021 13:59	WG1775646	
Xylenes, Total	0.134	J	0.0407	0.300	1.59	11/17/2021 13:59	WG1775646	
(S) Toluene-d8	114			75.0-131		11/17/2021 13:59	WG1775646	
(S) 4-Bromofluorobenzene	101			67.0-138		11/17/2021 13:59	WG1775646	
(S) 1,2-Dichloroethane-d4	96.4			70.0-130		11/17/2021 13:59	WG1775646	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	82.7		1	11/17/2021 11:05	WG1775537

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.12	1.52	1.01	11/17/2021 14:18	WG1775646
Acrylonitrile	U		0.110	0.382	1.01	11/17/2021 14:18	WG1775646
Allyl chloride	U		0.122	0.763	1.01	11/17/2021 14:18	WG1775646
Benzene	U		0.0143	0.0306	1.01	11/17/2021 14:18	WG1775646
Bromobenzene	U		0.0275	0.382	1.01	11/17/2021 14:18	WG1775646
Bromodichloromethane	U		0.0221	0.0763	1.01	11/17/2021 14:18	WG1775646
Bromoform	U		0.0357	0.763	1.01	11/17/2021 14:18	WG1775646
Bromomethane	U		0.0601	0.382	1.01	11/17/2021 14:18	WG1775646
n-Butylbenzene	U		0.161	0.382	1.01	11/17/2021 14:18	WG1775646
sec-Butylbenzene	U		0.0879	0.382	1.01	11/17/2021 14:18	WG1775646
tert-Butylbenzene	U		0.0595	0.152	1.01	11/17/2021 14:18	WG1775646
Carbon tetrachloride	U		0.0275	0.152	1.01	11/17/2021 14:18	WG1775646
Chlorobenzene	U		0.00641	0.0763	1.01	11/17/2021 14:18	WG1775646
Chlorodibromomethane	U		0.0187	0.0763	1.01	11/17/2021 14:18	WG1775646
Chloroethane	U		0.0519	0.152	1.01	11/17/2021 14:18	WG1775646
Chloroform	U		0.0314	0.0763	1.01	11/17/2021 14:18	WG1775646
Chloromethane	U		0.133	0.382	1.01	11/17/2021 14:18	WG1775646
2-Chlorotoluene	U		0.0264	0.0763	1.01	11/17/2021 14:18	WG1775646
4-Chlorotoluene	U		0.0138	0.152	1.01	11/17/2021 14:18	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.119	0.763	1.01	11/17/2021 14:18	WG1775646
1,2-Dibromoethane	U		0.0198	0.0763	1.01	11/17/2021 14:18	WG1775646
Dibromomethane	U		0.0229	0.152	1.01	11/17/2021 14:18	WG1775646
1,2-Dichlorobenzene	U		0.0129	0.152	1.01	11/17/2021 14:18	WG1775646
1,3-Dichlorobenzene	U		0.0184	0.152	1.01	11/17/2021 14:18	WG1775646
1,4-Dichlorobenzene	U		0.0214	0.152	1.01	11/17/2021 14:18	WG1775646
Dichlorodifluoromethane	U		0.0492	0.0763	1.01	11/17/2021 14:18	WG1775646
Dichlorofluoromethane	U		0.0382	0.0763	1.01	11/17/2021 14:18	WG1775646
1,1-Dichloroethane	U		0.0150	0.0763	1.01	11/17/2021 14:18	WG1775646
1,2-Dichloroethane	U		0.0198	0.0763	1.01	11/17/2021 14:18	WG1775646
1,1-Dichloroethene	U		0.0185	0.0763	1.01	11/17/2021 14:18	WG1775646
cis-1,2-Dichloroethene	U		0.0224	0.0763	1.01	11/17/2021 14:18	WG1775646
trans-1,2-Dichloroethene	U		0.0318	0.152	1.01	11/17/2021 14:18	WG1775646
1,2-Dichloropropane	U		0.0434	0.152	1.01	11/17/2021 14:18	WG1775646
1,1-Dichloropropene	U		0.0247	0.0763	1.01	11/17/2021 14:18	WG1775646
1,3-Dichloropropane	U		0.0154	0.152	1.01	11/17/2021 14:18	WG1775646
cis-1,3-Dichloropropene	U		0.0231	0.0763	1.01	11/17/2021 14:18	WG1775646
trans-1,3-Dichloropropene	U		0.0348	0.152	1.01	11/17/2021 14:18	WG1775646
2,2-Dichloropropane	U		0.0421	0.0763	1.01	11/17/2021 14:18	WG1775646
Di-isopropyl ether	U		0.0126	0.0306	1.01	11/17/2021 14:18	WG1775646
Ethylbenzene	U		0.0225	0.0763	1.01	11/17/2021 14:18	WG1775646
Ethyl ether	U		0.0272	0.0763	1.01	11/17/2021 14:18	WG1775646
Hexachloro-1,3-butadiene	U		0.184	0.763	1.01	11/17/2021 14:18	WG1775646
2-Hexanone	U		0.103	0.763	1.01	11/17/2021 14:18	WG1775646
Isopropylbenzene	U		0.0129	0.0763	1.01	11/17/2021 14:18	WG1775646
p-Isopropyltoluene	U		0.0779	0.152	1.01	11/17/2021 14:18	WG1775646
2-Butanone (MEK)	U		1.94	3.06	1.01	11/17/2021 14:18	WG1775646
Methylene Chloride	U		0.203	0.763	1.01	11/17/2021 14:18	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0697	0.763	1.01	11/17/2021 14:18	WG1775646
Methyl tert-butyl ether	U		0.0107	0.0306	1.01	11/17/2021 14:18	WG1775646
Naphthalene	U		0.149	0.382	1.01	11/17/2021 14:18	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0290	0.152	1.01	11/17/2021 14:18	WG1775646	¹ Cp
Styrene	U		0.00699	0.382	1.01	11/17/2021 14:18	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0289	0.0763	1.01	11/17/2021 14:18	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0212	0.0763	1.01	11/17/2021 14:18	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0230	0.0763	1.01	11/17/2021 14:18	WG1775646	⁵ Sr
Tetrachloroethene	0.0346	J	0.0273	0.0763	1.01	11/17/2021 14:18	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.108	0.382	1.01	11/17/2021 14:18	WG1775646	⁷ Gl
Toluene	0.0415	J	0.0397	0.152	1.01	11/17/2021 14:18	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.224	0.382	1.01	11/17/2021 14:18	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.134	0.382	1.01	11/17/2021 14:18	WG1775646	
1,1,1-Trichloroethane	0.192		0.0282	0.0763	1.01	11/17/2021 14:18	WG1775646	
1,1,2-Trichloroethane	0.0219	J	0.0183	0.0763	1.01	11/17/2021 14:18	WG1775646	
Trichloroethene	0.202		0.0178	0.0306	1.01	11/17/2021 14:18	WG1775646	
Trichlorofluoromethane	U		0.0253	0.0763	1.01	11/17/2021 14:18	WG1775646	
1,2,3-Trichloropropane	U		0.0495	0.382	1.01	11/17/2021 14:18	WG1775646	
1,2,4-Trimethylbenzene	U		0.0483	0.152	1.01	11/17/2021 14:18	WG1775646	
1,2,3-Trimethylbenzene	U		0.0483	0.152	1.01	11/17/2021 14:18	WG1775646	
1,3,5-Trimethylbenzene	U		0.0611	0.152	1.01	11/17/2021 14:18	WG1775646	
Vinyl chloride	U		0.0354	0.0763	1.01	11/17/2021 14:18	WG1775646	
Xylenes, Total	0.0838	J	0.0269	0.198	1.01	11/17/2021 14:18	WG1775646	
(S) Toluene-d8	115			75.0-131		11/17/2021 14:18	WG1775646	
(S) 4-Bromofluorobenzene	103			67.0-138		11/17/2021 14:18	WG1775646	
(S) 1,2-Dichloroethane-d4	95.4			70.0-130		11/17/2021 14:18	WG1775646	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	81.5		1	11/17/2021 11:05	WG1775537

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.12	1.53	1	11/17/2021 14:37	WG1775646
Acrylonitrile	U		0.111	0.384	1	11/17/2021 14:37	WG1775646
Allyl chloride	U		0.123	0.767	1	11/17/2021 14:37	WG1775646
Benzene	U		0.0144	0.0307	1	11/17/2021 14:37	WG1775646
Bromobenzene	U		0.0276	0.384	1	11/17/2021 14:37	WG1775646
Bromodichloromethane	U		0.0222	0.0767	1	11/17/2021 14:37	WG1775646
Bromoform	U		0.0359	0.767	1	11/17/2021 14:37	WG1775646
Bromomethane	U		0.0605	0.384	1	11/17/2021 14:37	WG1775646
n-Butylbenzene	U		0.161	0.384	1	11/17/2021 14:37	WG1775646
sec-Butylbenzene	U		0.0883	0.384	1	11/17/2021 14:37	WG1775646
tert-Butylbenzene	U		0.0599	0.153	1	11/17/2021 14:37	WG1775646
Carbon tetrachloride	U		0.0276	0.153	1	11/17/2021 14:37	WG1775646
Chlorobenzene	U		0.00644	0.0767	1	11/17/2021 14:37	WG1775646
Chlorodibromomethane	U		0.0188	0.0767	1	11/17/2021 14:37	WG1775646
Chloroethane	U		0.0521	0.153	1	11/17/2021 14:37	WG1775646
Chloroform	U		0.0317	0.0767	1	11/17/2021 14:37	WG1775646
Chloromethane	U		0.134	0.384	1	11/17/2021 14:37	WG1775646
2-Chlorotoluene	U		0.0265	0.0767	1	11/17/2021 14:37	WG1775646
4-Chlorotoluene	U		0.0139	0.153	1	11/17/2021 14:37	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.120	0.767	1	11/17/2021 14:37	WG1775646
1,2-Dibromoethane	U		0.0199	0.0767	1	11/17/2021 14:37	WG1775646
Dibromomethane	U		0.0231	0.153	1	11/17/2021 14:37	WG1775646
1,2-Dichlorobenzene	U		0.0130	0.153	1	11/17/2021 14:37	WG1775646
1,3-Dichlorobenzene	U		0.0184	0.153	1	11/17/2021 14:37	WG1775646
1,4-Dichlorobenzene	U		0.0215	0.153	1	11/17/2021 14:37	WG1775646
Dichlorodifluoromethane	U		0.0494	0.0767	1	11/17/2021 14:37	WG1775646
Dichlorofluoromethane	U		0.0384	0.0767	1	11/17/2021 14:37	WG1775646
1,1-Dichloroethane	U		0.0151	0.0767	1	11/17/2021 14:37	WG1775646
1,2-Dichloroethane	U		0.0199	0.0767	1	11/17/2021 14:37	WG1775646
1,1-Dichloroethene	U		0.0186	0.0767	1	11/17/2021 14:37	WG1775646
cis-1,2-Dichloroethene	U		0.0226	0.0767	1	11/17/2021 14:37	WG1775646
trans-1,2-Dichloroethene	U		0.0319	0.153	1	11/17/2021 14:37	WG1775646
1,2-Dichloropropane	U		0.0436	0.153	1	11/17/2021 14:37	WG1775646
1,1-Dichloropropene	U		0.0248	0.0767	1	11/17/2021 14:37	WG1775646
1,3-Dichloropropane	U		0.0153	0.153	1	11/17/2021 14:37	WG1775646
cis-1,3-Dichloropropene	U		0.0232	0.0767	1	11/17/2021 14:37	WG1775646
trans-1,3-Dichloropropene	U		0.0350	0.153	1	11/17/2021 14:37	WG1775646
2,2-Dichloropropane	U		0.0423	0.0767	1	11/17/2021 14:37	WG1775646
Di-isopropyl ether	U		0.0126	0.0307	1	11/17/2021 14:37	WG1775646
Ethylbenzene	U		0.0226	0.0767	1	11/17/2021 14:37	WG1775646
Ethyl ether	U		0.0274	0.0767	1	11/17/2021 14:37	WG1775646
Hexachloro-1,3-butadiene	U		0.184	0.767	1	11/17/2021 14:37	WG1775646
2-Hexanone	U		0.103	0.767	1	11/17/2021 14:37	WG1775646
Isopropylbenzene	U		0.0130	0.0767	1	11/17/2021 14:37	WG1775646
p-Isopropyltoluene	U		0.0783	0.153	1	11/17/2021 14:37	WG1775646
2-Butanone (MEK)	U		1.95	3.07	1	11/17/2021 14:37	WG1775646
Methylene Chloride	U		0.204	0.767	1	11/17/2021 14:37	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0699	0.767	1	11/17/2021 14:37	WG1775646
Methyl tert-butyl ether	U		0.0107	0.0307	1	11/17/2021 14:37	WG1775646
Naphthalene	U		0.150	0.384	1	11/17/2021 14:37	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0292	0.153	1	11/17/2021 14:37	WG1775646	¹ Cp
Styrene	U		0.00703	0.384	1	11/17/2021 14:37	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0291	0.0767	1	11/17/2021 14:37	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0213	0.0767	1	11/17/2021 14:37	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0232	0.0767	1	11/17/2021 14:37	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0275	0.0767	1	11/17/2021 14:37	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.108	0.384	1	11/17/2021 14:37	WG1775646	⁷ Gl
Toluene	U		0.0399	0.153	1	11/17/2021 14:37	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.225	0.384	1	11/17/2021 14:37	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.135	0.384	1	11/17/2021 14:37	WG1775646	
1,1,1-Trichloroethane	0.128		0.0283	0.0767	1	11/17/2021 14:37	WG1775646	
1,1,2-Trichloroethane	U		0.0183	0.0767	1	11/17/2021 14:37	WG1775646	
Trichloroethene	0.0359		0.0179	0.0307	1	11/17/2021 14:37	WG1775646	
Trichlorofluoromethane	U		0.0254	0.0767	1	11/17/2021 14:37	WG1775646	
1,2,3-Trichloropropane	U		0.0497	0.384	1	11/17/2021 14:37	WG1775646	
1,2,4-Trimethylbenzene	U		0.0485	0.153	1	11/17/2021 14:37	WG1775646	
1,2,3-Trimethylbenzene	U		0.0485	0.153	1	11/17/2021 14:37	WG1775646	
1,3,5-Trimethylbenzene	U		0.0613	0.153	1	11/17/2021 14:37	WG1775646	
Vinyl chloride	U		0.0356	0.0767	1	11/17/2021 14:37	WG1775646	
Xylenes, Total	U		0.0270	0.200	1	11/17/2021 14:37	WG1775646	
(S) Toluene-d8	117		75.0-131			11/17/2021 14:37	WG1775646	
(S) 4-Bromofluorobenzene	98.7		67.0-138			11/17/2021 14:37	WG1775646	
(S) 1,2-Dichloroethane-d4	89.6		70.0-130			11/17/2021 14:37	WG1775646	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	74.2		1	11/17/2021 11:05	WG1775537

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.99	2.73	1.62	11/17/2021 14:56	WG1775646
Acrylonitrile	U		0.197	0.682	1.62	11/17/2021 14:56	WG1775646
Allyl chloride	U		0.218	1.36	1.62	11/17/2021 14:56	WG1775646
Benzene	U		0.0255	0.0546	1.62	11/17/2021 14:56	WG1775646
Bromobenzene	U		0.0492	0.682	1.62	11/17/2021 14:56	WG1775646
Bromodichloromethane	U		0.0396	0.136	1.62	11/17/2021 14:56	WG1775646
Bromoform	U		0.0638	1.36	1.62	11/17/2021 14:56	WG1775646
Bromomethane	U		0.107	0.682	1.62	11/17/2021 14:56	WG1775646
n-Butylbenzene	U		0.287	0.682	1.62	11/17/2021 14:56	WG1775646
sec-Butylbenzene	U		0.158	0.682	1.62	11/17/2021 14:56	WG1775646
tert-Butylbenzene	U		0.106	0.273	1.62	11/17/2021 14:56	WG1775646
Carbon tetrachloride	U		0.0490	0.273	1.62	11/17/2021 14:56	WG1775646
Chlorobenzene	U		0.0115	0.136	1.62	11/17/2021 14:56	WG1775646
Chlorodibromomethane	U		0.0334	0.136	1.62	11/17/2021 14:56	WG1775646
Chloroethane	U		0.0928	0.273	1.62	11/17/2021 14:56	WG1775646
Chloroform	U		0.0562	0.136	1.62	11/17/2021 14:56	WG1775646
Chloromethane	U		0.237	0.682	1.62	11/17/2021 14:56	WG1775646
2-Chlorotoluene	U		0.0471	0.136	1.62	11/17/2021 14:56	WG1775646
4-Chlorotoluene	U		0.0245	0.273	1.62	11/17/2021 14:56	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.213	1.36	1.62	11/17/2021 14:56	WG1775646
1,2-Dibromoethane	U		0.0353	0.136	1.62	11/17/2021 14:56	WG1775646
Dibromomethane	U		0.0410	0.273	1.62	11/17/2021 14:56	WG1775646
1,2-Dichlorobenzene	U		0.0232	0.273	1.62	11/17/2021 14:56	WG1775646
1,3-Dichlorobenzene	U		0.0327	0.273	1.62	11/17/2021 14:56	WG1775646
1,4-Dichlorobenzene	U		0.0383	0.273	1.62	11/17/2021 14:56	WG1775646
Dichlorodifluoromethane	U		0.0878	0.136	1.62	11/17/2021 14:56	WG1775646
Dichlorofluoromethane	U		0.0682	0.136	1.62	11/17/2021 14:56	WG1775646
1,1-Dichloroethane	U		0.0268	0.136	1.62	11/17/2021 14:56	WG1775646
1,2-Dichloroethane	U		0.0354	0.136	1.62	11/17/2021 14:56	WG1775646
1,1-Dichloroethene	U		0.0330	0.136	1.62	11/17/2021 14:56	WG1775646
cis-1,2-Dichloroethene	0.220		0.0400	0.136	1.62	11/17/2021 14:56	WG1775646
trans-1,2-Dichloroethene	U		0.0567	0.273	1.62	11/17/2021 14:56	WG1775646
1,2-Dichloropropane	U		0.0775	0.273	1.62	11/17/2021 14:56	WG1775646
1,1-Dichloropropene	U		0.0442	0.136	1.62	11/17/2021 14:56	WG1775646
1,3-Dichloropropene	U		0.0273	0.273	1.62	11/17/2021 14:56	WG1775646
cis-1,3-Dichloropropene	U		0.0414	0.136	1.62	11/17/2021 14:56	WG1775646
trans-1,3-Dichloropropene	U		0.0622	0.273	1.62	11/17/2021 14:56	WG1775646
2,2-Dichloropropane	U		0.0753	0.136	1.62	11/17/2021 14:56	WG1775646
Di-isopropyl ether	U		0.0224	0.0546	1.62	11/17/2021 14:56	WG1775646
Ethylbenzene	U		0.0401	0.136	1.62	11/17/2021 14:56	WG1775646
Ethyl ether	U		0.0486	0.136	1.62	11/17/2021 14:56	WG1775646
Hexachloro-1,3-butadiene	U		0.327	1.36	1.62	11/17/2021 14:56	WG1775646
2-Hexanone	U		0.183	1.36	1.62	11/17/2021 14:56	WG1775646
Isopropylbenzene	U		0.0232	0.136	1.62	11/17/2021 14:56	WG1775646
p-Isopropyltoluene	U		0.139	0.273	1.62	11/17/2021 14:56	WG1775646
2-Butanone (MEK)	U		3.46	5.46	1.62	11/17/2021 14:56	WG1775646
Methylene Chloride	U		0.362	1.36	1.62	11/17/2021 14:56	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.124	1.36	1.62	11/17/2021 14:56	WG1775646
Methyl tert-butyl ether	U		0.0191	0.0546	1.62	11/17/2021 14:56	WG1775646
Naphthalene	U		0.267	0.682	1.62	11/17/2021 14:56	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0519	0.273	1.62	11/17/2021 14:56	WG1775646	¹ Cp
Styrene	U		0.0125	0.682	1.62	11/17/2021 14:56	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0517	0.136	1.62	11/17/2021 14:56	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0379	0.136	1.62	11/17/2021 14:56	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0411	0.136	1.62	11/17/2021 14:56	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0489	0.136	1.62	11/17/2021 14:56	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.193	0.682	1.62	11/17/2021 14:56	WG1775646	⁷ Gl
Toluene	U		0.0710	0.273	1.62	11/17/2021 14:56	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.400	0.682	1.62	11/17/2021 14:56	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.240	0.682	1.62	11/17/2021 14:56	WG1775646	
1,1,1-Trichloroethane	0.299		0.0504	0.136	1.62	11/17/2021 14:56	WG1775646	
1,1,2-Trichloroethane	U		0.0326	0.136	1.62	11/17/2021 14:56	WG1775646	
Trichloroethene	1.94		0.0319	0.0546	1.62	11/17/2021 14:56	WG1775646	
Trichlorofluoromethane	U		0.0451	0.136	1.62	11/17/2021 14:56	WG1775646	
1,2,3-Trichloropropane	U		0.0884	0.682	1.62	11/17/2021 14:56	WG1775646	
1,2,4-Trimethylbenzene	U		0.0862	0.273	1.62	11/17/2021 14:56	WG1775646	
1,2,3-Trimethylbenzene	U		0.0862	0.273	1.62	11/17/2021 14:56	WG1775646	
1,3,5-Trimethylbenzene	U		0.109	0.273	1.62	11/17/2021 14:56	WG1775646	
Vinyl chloride	U		0.0633	0.136	1.62	11/17/2021 14:56	WG1775646	
Xylenes, Total	0.150	J	0.0480	0.354	1.62	11/17/2021 14:56	WG1775646	
(S) Toluene-d8	111			75.0-131		11/17/2021 14:56	WG1775646	
(S) 4-Bromofluorobenzene	112			67.0-138		11/17/2021 14:56	WG1775646	
(S) 1,2-Dichloroethane-d4	101			70.0-130		11/17/2021 14:56	WG1775646	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	78.3		1	11/17/2021 11:05	WG1775537

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.20	1.65	1.03	11/17/2021 15:15	WG1775646
Acrylonitrile	U		0.119	0.411	1.03	11/17/2021 15:15	WG1775646
Allyl chloride	U		0.132	0.822	1.03	11/17/2021 15:15	WG1775646
Benzene	U		0.0153	0.0329	1.03	11/17/2021 15:15	WG1775646
Bromobenzene	U		0.0296	0.411	1.03	11/17/2021 15:15	WG1775646
Bromodichloromethane	U		0.0239	0.0822	1.03	11/17/2021 15:15	WG1775646
Bromoform	U		0.0384	0.822	1.03	11/17/2021 15:15	WG1775646
Bromomethane	U		0.0647	0.411	1.03	11/17/2021 15:15	WG1775646
n-Butylbenzene	U		0.172	0.411	1.03	11/17/2021 15:15	WG1775646
sec-Butylbenzene	U		0.0948	0.411	1.03	11/17/2021 15:15	WG1775646
tert-Butylbenzene	U		0.0641	0.165	1.03	11/17/2021 15:15	WG1775646
Carbon tetrachloride	U		0.0295	0.165	1.03	11/17/2021 15:15	WG1775646
Chlorobenzene	U		0.00691	0.0822	1.03	11/17/2021 15:15	WG1775646
Chlorodibromomethane	U		0.0202	0.0822	1.03	11/17/2021 15:15	WG1775646
Chloroethane	U		0.0559	0.165	1.03	11/17/2021 15:15	WG1775646
Chloroform	U		0.0338	0.0822	1.03	11/17/2021 15:15	WG1775646
Chloromethane	U		0.143	0.411	1.03	11/17/2021 15:15	WG1775646
2-Chlorotoluene	U		0.0285	0.0822	1.03	11/17/2021 15:15	WG1775646
4-Chlorotoluene	U		0.0148	0.165	1.03	11/17/2021 15:15	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.128	0.822	1.03	11/17/2021 15:15	WG1775646
1,2-Dibromoethane	U		0.0213	0.0822	1.03	11/17/2021 15:15	WG1775646
Dibromomethane	U		0.0246	0.165	1.03	11/17/2021 15:15	WG1775646
1,2-Dichlorobenzene	U		0.0139	0.165	1.03	11/17/2021 15:15	WG1775646
1,3-Dichlorobenzene	U		0.0198	0.165	1.03	11/17/2021 15:15	WG1775646
1,4-Dichlorobenzene	U		0.0230	0.165	1.03	11/17/2021 15:15	WG1775646
Dichlorodifluoromethane	U		0.0530	0.0822	1.03	11/17/2021 15:15	WG1775646
Dichlorofluoromethane	U		0.0411	0.0822	1.03	11/17/2021 15:15	WG1775646
1,1-Dichloroethane	U		0.0161	0.0822	1.03	11/17/2021 15:15	WG1775646
1,2-Dichloroethane	U		0.0213	0.0822	1.03	11/17/2021 15:15	WG1775646
1,1-Dichloroethene	U		0.0199	0.0822	1.03	11/17/2021 15:15	WG1775646
cis-1,2-Dichloroethene	0.337		0.0241	0.0822	1.03	11/17/2021 15:15	WG1775646
trans-1,2-Dichloroethene	U		0.0342	0.165	1.03	11/17/2021 15:15	WG1775646
1,2-Dichloropropane	U		0.0467	0.165	1.03	11/17/2021 15:15	WG1775646
1,1-Dichloropropene	U		0.0266	0.0822	1.03	11/17/2021 15:15	WG1775646
1,3-Dichloropropane	U		0.0165	0.165	1.03	11/17/2021 15:15	WG1775646
cis-1,3-Dichloropropene	U		0.0249	0.0822	1.03	11/17/2021 15:15	WG1775646
trans-1,3-Dichloropropene	U		0.0375	0.165	1.03	11/17/2021 15:15	WG1775646
2,2-Dichloropropane	U		0.0453	0.0822	1.03	11/17/2021 15:15	WG1775646
Di-isopropyl ether	U		0.0135	0.0329	1.03	11/17/2021 15:15	WG1775646
Ethylbenzene	U		0.0243	0.0822	1.03	11/17/2021 15:15	WG1775646
Ethyl ether	U		0.0292	0.0822	1.03	11/17/2021 15:15	WG1775646
Hexachloro-1,3-butadiene	U		0.198	0.822	1.03	11/17/2021 15:15	WG1775646
2-Hexanone	U		0.110	0.822	1.03	11/17/2021 15:15	WG1775646
Isopropylbenzene	U		0.0139	0.0822	1.03	11/17/2021 15:15	WG1775646
p-Isopropyltoluene	U		0.0839	0.165	1.03	11/17/2021 15:15	WG1775646
2-Butanone (MEK)	U		2.09	3.29	1.03	11/17/2021 15:15	WG1775646
Methylene Chloride	U		0.218	0.822	1.03	11/17/2021 15:15	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0750	0.822	1.03	11/17/2021 15:15	WG1775646
Methyl tert-butyl ether	U		0.0115	0.0329	1.03	11/17/2021 15:15	WG1775646
Naphthalene	U		0.161	0.411	1.03	11/17/2021 15:15	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0313	0.165	1.03	11/17/2021 15:15	WG1775646	¹ Cp
Styrene	U		0.00753	0.411	1.03	11/17/2021 15:15	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0312	0.0822	1.03	11/17/2021 15:15	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0229	0.0822	1.03	11/17/2021 15:15	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0248	0.0822	1.03	11/17/2021 15:15	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0295	0.0822	1.03	11/17/2021 15:15	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.116	0.411	1.03	11/17/2021 15:15	WG1775646	⁷ Gl
Toluene	U		0.0428	0.165	1.03	11/17/2021 15:15	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.241	0.411	1.03	11/17/2021 15:15	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.144	0.411	1.03	11/17/2021 15:15	WG1775646	
1,1,1-Trichloroethane	0.0388	J	0.0304	0.0822	1.03	11/17/2021 15:15	WG1775646	
1,1,2-Trichloroethane	U		0.0197	0.0822	1.03	11/17/2021 15:15	WG1775646	
Trichloroethene	4.53		0.192	0.329	10.3	11/18/2021 13:11	WG1776620	
Trichlorofluoromethane	U		0.0272	0.0822	1.03	11/17/2021 15:15	WG1775646	
1,2,3-Trichloropropane	U		0.0533	0.411	1.03	11/17/2021 15:15	WG1775646	
1,2,4-Trimethylbenzene	U		0.0520	0.165	1.03	11/17/2021 15:15	WG1775646	
1,2,3-Trimethylbenzene	U		0.0520	0.165	1.03	11/17/2021 15:15	WG1775646	
1,3,5-Trimethylbenzene	U		0.0658	0.165	1.03	11/17/2021 15:15	WG1775646	
Vinyl chloride	U		0.0382	0.0822	1.03	11/17/2021 15:15	WG1775646	
Xylenes, Total	U		0.0290	0.213	1.03	11/17/2021 15:15	WG1775646	
(S) Toluene-d8	116		75.0-131			11/17/2021 15:15	WG1775646	
(S) Toluene-d8	107		75.0-131			11/18/2021 13:11	WG1776620	
(S) 4-Bromofluorobenzene	104		67.0-138			11/17/2021 15:15	WG1775646	
(S) 4-Bromofluorobenzene	104		67.0-138			11/18/2021 13:11	WG1776620	
(S) 1,2-Dichloroethane-d4	91.8		70.0-130			11/17/2021 15:15	WG1775646	
(S) 1,2-Dichloroethane-d4	103		70.0-130			11/18/2021 13:11	WG1776620	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	71.1		1	11/17/2021 11:05	WG1775537

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.94	2.66	1.51	11/17/2021 15:41	WG1775646
Acrylonitrile	U		0.191	0.664	1.51	11/17/2021 15:41	WG1775646
Allyl chloride	U		0.212	1.33	1.51	11/17/2021 15:41	WG1775646
Benzene	U		0.0248	0.0532	1.51	11/17/2021 15:41	WG1775646
Bromobenzene	U		0.0478	0.664	1.51	11/17/2021 15:41	WG1775646
Bromodichloromethane	U		0.0385	0.133	1.51	11/17/2021 15:41	WG1775646
Bromoform	U		0.0622	1.33	1.51	11/17/2021 15:41	WG1775646
Bromomethane	U		0.105	0.664	1.51	11/17/2021 15:41	WG1775646
n-Butylbenzene	U		0.279	0.664	1.51	11/17/2021 15:41	WG1775646
sec-Butylbenzene	U		0.153	0.664	1.51	11/17/2021 15:41	WG1775646
tert-Butylbenzene	U		0.104	0.266	1.51	11/17/2021 15:41	WG1775646
Carbon tetrachloride	U		0.0477	0.266	1.51	11/17/2021 15:41	WG1775646
Chlorobenzene	U		0.0112	0.133	1.51	11/17/2021 15:41	WG1775646
Chlorodibromomethane	U		0.0325	0.133	1.51	11/17/2021 15:41	WG1775646
Chloroethane	U		0.0903	0.266	1.51	11/17/2021 15:41	WG1775646
Chloroform	U		0.0547	0.133	1.51	11/17/2021 15:41	WG1775646
Chloromethane	U		0.231	0.664	1.51	11/17/2021 15:41	WG1775646
2-Chlorotoluene	U		0.0460	0.133	1.51	11/17/2021 15:41	WG1775646
4-Chlorotoluene	U		0.0239	0.266	1.51	11/17/2021 15:41	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.207	1.33	1.51	11/17/2021 15:41	WG1775646
1,2-Dibromoethane	U		0.0345	0.133	1.51	11/17/2021 15:41	WG1775646
Dibromomethane	U		0.0398	0.266	1.51	11/17/2021 15:41	WG1775646
1,2-Dichlorobenzene	U		0.0225	0.266	1.51	11/17/2021 15:41	WG1775646
1,3-Dichlorobenzene	U		0.0319	0.266	1.51	11/17/2021 15:41	WG1775646
1,4-Dichlorobenzene	U		0.0371	0.266	1.51	11/17/2021 15:41	WG1775646
Dichlorodifluoromethane	U		0.0855	0.133	1.51	11/17/2021 15:41	WG1775646
Dichlorofluoromethane	U		0.0664	0.133	1.51	11/17/2021 15:41	WG1775646
1,1-Dichloroethane	U		0.0260	0.133	1.51	11/17/2021 15:41	WG1775646
1,2-Dichloroethane	U		0.0345	0.133	1.51	11/17/2021 15:41	WG1775646
1,1-Dichloroethene	U		0.0322	0.133	1.51	11/17/2021 15:41	WG1775646
cis-1,2-Dichloroethene	0.204		0.0390	0.133	1.51	11/17/2021 15:41	WG1775646
trans-1,2-Dichloroethene	U		0.0553	0.266	1.51	11/17/2021 15:41	WG1775646
1,2-Dichloropropane	U		0.0754	0.266	1.51	11/17/2021 15:41	WG1775646
1,1-Dichloropropene	U		0.0429	0.133	1.51	11/17/2021 15:41	WG1775646
1,3-Dichloropropene	U		0.0266	0.266	1.51	11/17/2021 15:41	WG1775646
cis-1,3-Dichloropropene	U		0.0402	0.133	1.51	11/17/2021 15:41	WG1775646
trans-1,3-Dichloropropene	U		0.0605	0.266	1.51	11/17/2021 15:41	WG1775646
2,2-Dichloropropane	U		0.0733	0.133	1.51	11/17/2021 15:41	WG1775646
Di-isopropyl ether	U		0.0218	0.0532	1.51	11/17/2021 15:41	WG1775646
Ethylbenzene	U		0.0391	0.133	1.51	11/17/2021 15:41	WG1775646
Ethyl ether	U		0.0473	0.133	1.51	11/17/2021 15:41	WG1775646
Hexachloro-1,3-butadiene	U		0.318	1.33	1.51	11/17/2021 15:41	WG1775646
2-Hexanone	U		0.179	1.33	1.51	11/17/2021 15:41	WG1775646
Isopropylbenzene	U		0.0225	0.133	1.51	11/17/2021 15:41	WG1775646
p-Isopropyltoluene	U		0.135	0.266	1.51	11/17/2021 15:41	WG1775646
2-Butanone (MEK)	U		3.38	5.32	1.51	11/17/2021 15:41	WG1775646
Methylene Chloride	U		0.353	1.33	1.51	11/17/2021 15:41	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.121	1.33	1.51	11/17/2021 15:41	WG1775646
Methyl tert-butyl ether	U		0.0186	0.0532	1.51	11/17/2021 15:41	WG1775646
Naphthalene	U		0.259	0.664	1.51	11/17/2021 15:41	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0505	0.266	1.51	11/17/2021 15:41	WG1775646	¹ Cp
Styrene	U		0.0122	0.664	1.51	11/17/2021 15:41	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0504	0.133	1.51	11/17/2021 15:41	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0369	0.133	1.51	11/17/2021 15:41	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0401	0.133	1.51	11/17/2021 15:41	WG1775646	⁵ Sr
Tetrachloroethene	0.125	J	0.0476	0.133	1.51	11/17/2021 15:41	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.187	0.664	1.51	11/17/2021 15:41	WG1775646	⁷ Gl
Toluene	U		0.0691	0.266	1.51	11/17/2021 15:41	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.390	0.664	1.51	11/17/2021 15:41	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.234	0.664	1.51	11/17/2021 15:41	WG1775646	
1,1,1-Trichloroethane	0.430		0.0490	0.133	1.51	11/17/2021 15:41	WG1775646	
1,1,2-Trichloroethane	U		0.0317	0.133	1.51	11/17/2021 15:41	WG1775646	
Trichloroethene	284		6.20	10.6	302	11/18/2021 13:30	WG1776620	
Trichlorofluoromethane	U		0.0439	0.133	1.51	11/17/2021 15:41	WG1775646	
1,2,3-Trichloropropane	U		0.0861	0.664	1.51	11/17/2021 15:41	WG1775646	
1,2,4-Trimethylbenzene	U		0.0838	0.266	1.51	11/17/2021 15:41	WG1775646	
1,2,3-Trimethylbenzene	U		0.0838	0.266	1.51	11/17/2021 15:41	WG1775646	
1,3,5-Trimethylbenzene	U		0.106	0.266	1.51	11/17/2021 15:41	WG1775646	
Vinyl chloride	U		0.0616	0.133	1.51	11/17/2021 15:41	WG1775646	
Xylenes, Total	0.114	J	0.0467	0.345	1.51	11/17/2021 15:41	WG1775646	
(S) Toluene-d8	118			75.0-131		11/17/2021 15:41	WG1775646	
(S) Toluene-d8	106			75.0-131		11/18/2021 13:30	WG1776620	
(S) 4-Bromofluorobenzene	101			67.0-138		11/17/2021 15:41	WG1775646	
(S) 4-Bromofluorobenzene	108			67.0-138		11/18/2021 13:30	WG1776620	
(S) 1,2-Dichloroethane-d4	94.1			70.0-130		11/17/2021 15:41	WG1775646	
(S) 1,2-Dichloroethane-d4	105			70.0-130		11/18/2021 13:30	WG1776620	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	83.4		1	11/17/2021 11:05	WG1775537

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.32	1.80	1.2	11/17/2021 16:00	WG1775646
Acrylonitrile	U		0.129	0.449	1.2	11/17/2021 16:00	WG1775646
Allyl chloride	U		0.144	0.899	1.2	11/17/2021 16:00	WG1775646
Benzene	U		0.0168	0.0360	1.2	11/17/2021 16:00	WG1775646
Bromobenzene	U		0.0324	0.449	1.2	11/17/2021 16:00	WG1775646
Bromodichloromethane	U		0.0261	0.0899	1.2	11/17/2021 16:00	WG1775646
Bromoform	U		0.0421	0.899	1.2	11/17/2021 16:00	WG1775646
Bromomethane	U		0.0708	0.449	1.2	11/17/2021 16:00	WG1775646
n-Butylbenzene	U		0.189	0.449	1.2	11/17/2021 16:00	WG1775646
sec-Butylbenzene	U		0.104	0.449	1.2	11/17/2021 16:00	WG1775646
tert-Butylbenzene	U		0.0701	0.180	1.2	11/17/2021 16:00	WG1775646
Carbon tetrachloride	U		0.0322	0.180	1.2	11/17/2021 16:00	WG1775646
Chlorobenzene	U		0.00755	0.0899	1.2	11/17/2021 16:00	WG1775646
Chlorodibromomethane	U		0.0221	0.0899	1.2	11/17/2021 16:00	WG1775646
Chloroethane	U		0.0611	0.180	1.2	11/17/2021 16:00	WG1775646
Chloroform	U		0.0370	0.0899	1.2	11/17/2021 16:00	WG1775646
Chloromethane	U		0.157	0.449	1.2	11/17/2021 16:00	WG1775646
2-Chlorotoluene	U		0.0310	0.0899	1.2	11/17/2021 16:00	WG1775646
4-Chlorotoluene	U		0.0162	0.180	1.2	11/17/2021 16:00	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.140	0.899	1.2	11/17/2021 16:00	WG1775646
1,2-Dibromoethane	U		0.0233	0.0899	1.2	11/17/2021 16:00	WG1775646
Dibromomethane	U		0.0270	0.180	1.2	11/17/2021 16:00	WG1775646
1,2-Dichlorobenzene	U		0.0153	0.180	1.2	11/17/2021 16:00	WG1775646
1,3-Dichlorobenzene	U		0.0216	0.180	1.2	11/17/2021 16:00	WG1775646
1,4-Dichlorobenzene	U		0.0252	0.180	1.2	11/17/2021 16:00	WG1775646
Dichlorodifluoromethane	U		0.0579	0.0899	1.2	11/17/2021 16:00	WG1775646
Dichlorofluoromethane	U		0.0449	0.0899	1.2	11/17/2021 16:00	WG1775646
1,1-Dichloroethane	U		0.0176	0.0899	1.2	11/17/2021 16:00	WG1775646
1,2-Dichloroethane	U		0.0234	0.0899	1.2	11/17/2021 16:00	WG1775646
1,1-Dichloroethene	U		0.0218	0.0899	1.2	11/17/2021 16:00	WG1775646
cis-1,2-Dichloroethene	0.0985		0.0264	0.0899	1.2	11/17/2021 16:00	WG1775646
trans-1,2-Dichloroethene	U		0.0374	0.180	1.2	11/17/2021 16:00	WG1775646
1,2-Dichloropropane	U		0.0511	0.180	1.2	11/17/2021 16:00	WG1775646
1,1-Dichloropropene	U		0.0291	0.0899	1.2	11/17/2021 16:00	WG1775646
1,3-Dichloropropene	U		0.0180	0.180	1.2	11/17/2021 16:00	WG1775646
cis-1,3-Dichloropropene	U		0.0272	0.0899	1.2	11/17/2021 16:00	WG1775646
trans-1,3-Dichloropropene	U		0.0410	0.180	1.2	11/17/2021 16:00	WG1775646
2,2-Dichloropropane	U		0.0496	0.0899	1.2	11/17/2021 16:00	WG1775646
Di-isopropyl ether	U		0.0147	0.0360	1.2	11/17/2021 16:00	WG1775646
Ethylbenzene	U		0.0265	0.0899	1.2	11/17/2021 16:00	WG1775646
Ethyl ether	U		0.0320	0.0899	1.2	11/17/2021 16:00	WG1775646
Hexachloro-1,3-butadiene	U		0.216	0.899	1.2	11/17/2021 16:00	WG1775646
2-Hexanone	U		0.121	0.899	1.2	11/17/2021 16:00	WG1775646
Isopropylbenzene	U		0.0153	0.0899	1.2	11/17/2021 16:00	WG1775646
p-Isopropyltoluene	U		0.0917	0.180	1.2	11/17/2021 16:00	WG1775646
2-Butanone (MEK)	U		2.28	3.60	1.2	11/17/2021 16:00	WG1775646
Methylene Chloride	U		0.239	0.899	1.2	11/17/2021 16:00	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0820	0.899	1.2	11/17/2021 16:00	WG1775646
Methyl tert-butyl ether	U		0.0126	0.0360	1.2	11/17/2021 16:00	WG1775646
Naphthalene	U		0.175	0.449	1.2	11/17/2021 16:00	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0342	0.180	1.2	11/17/2021 16:00	WG1775646	¹ Cp
Styrene	U		0.00823	0.449	1.2	11/17/2021 16:00	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0340	0.0899	1.2	11/17/2021 16:00	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0251	0.0899	1.2	11/17/2021 16:00	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0271	0.0899	1.2	11/17/2021 16:00	WG1775646	⁵ Sr
Tetrachloroethene	0.0716	J	0.0322	0.0899	1.2	11/17/2021 16:00	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.127	0.449	1.2	11/17/2021 16:00	WG1775646	⁷ Gl
Toluene	U		0.0467	0.180	1.2	11/17/2021 16:00	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.264	0.449	1.2	11/17/2021 16:00	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.158	0.449	1.2	11/17/2021 16:00	WG1775646	
1,1,1-Trichloroethane	0.175		0.0332	0.0899	1.2	11/17/2021 16:00	WG1775646	
1,1,2-Trichloroethane	U		0.0215	0.0899	1.2	11/17/2021 16:00	WG1775646	
Trichloroethene	85.7		4.20	7.19	240	11/18/2021 13:49	WG1776620	
Trichlorofluoromethane	U		0.0297	0.0899	1.2	11/17/2021 16:00	WG1775646	
1,2,3-Trichloropropane	U		0.0583	0.449	1.2	11/17/2021 16:00	WG1775646	
1,2,4-Trimethylbenzene	U		0.0568	0.180	1.2	11/17/2021 16:00	WG1775646	
1,2,3-Trimethylbenzene	U		0.0568	0.180	1.2	11/17/2021 16:00	WG1775646	
1,3,5-Trimethylbenzene	U		0.0719	0.180	1.2	11/17/2021 16:00	WG1775646	
Vinyl chloride	U		0.0417	0.0899	1.2	11/17/2021 16:00	WG1775646	
Xylenes, Total	U		0.0316	0.234	1.2	11/17/2021 16:00	WG1775646	
(S) Toluene-d8	114		75.0-131			11/17/2021 16:00	WG1775646	
(S) Toluene-d8	106		75.0-131			11/18/2021 13:49	WG1776620	
(S) 4-Bromofluorobenzene	98.6		67.0-138			11/17/2021 16:00	WG1775646	
(S) 4-Bromofluorobenzene	105		67.0-138			11/18/2021 13:49	WG1776620	
(S) 1,2-Dichloroethane-d4	93.9		70.0-130			11/17/2021 16:00	WG1775646	
(S) 1,2-Dichloroethane-d4	108		70.0-130			11/18/2021 13:49	WG1776620	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	67.0		1	11/17/2021 11:05	WG1775537

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.70	2.33	1.25	11/17/2021 16:19	WG1775646
Acrylonitrile	U		0.169	0.583	1.25	11/17/2021 16:19	WG1775646
Allyl chloride	U		0.186	1.17	1.25	11/17/2021 16:19	WG1775646
Benzene	U		0.0218	0.0467	1.25	11/17/2021 16:19	WG1775646
Bromobenzene	U		0.0419	0.583	1.25	11/17/2021 16:19	WG1775646
Bromodichloromethane	U		0.0339	0.117	1.25	11/17/2021 16:19	WG1775646
Bromoform	U		0.0546	1.17	1.25	11/17/2021 16:19	WG1775646
Bromomethane	U		0.0919	0.583	1.25	11/17/2021 16:19	WG1775646
n-Butylbenzene	U		0.245	0.583	1.25	11/17/2021 16:19	WG1775646
sec-Butylbenzene	U		0.134	0.583	1.25	11/17/2021 16:19	WG1775646
tert-Butylbenzene	U		0.0908	0.233	1.25	11/17/2021 16:19	WG1775646
Carbon tetrachloride	U		0.0419	0.233	1.25	11/17/2021 16:19	WG1775646
Chlorobenzene	U		0.00979	0.117	1.25	11/17/2021 16:19	WG1775646
Chlorodibromomethane	U		0.0285	0.117	1.25	11/17/2021 16:19	WG1775646
Chloroethane	U		0.0792	0.233	1.25	11/17/2021 16:19	WG1775646
Chloroform	U		0.0480	0.117	1.25	11/17/2021 16:19	WG1775646
Chloromethane	U		0.203	0.583	1.25	11/17/2021 16:19	WG1775646
2-Chlorotoluene	U		0.0403	0.117	1.25	11/17/2021 16:19	WG1775646
4-Chlorotoluene	U		0.0210	0.233	1.25	11/17/2021 16:19	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.182	1.17	1.25	11/17/2021 16:19	WG1775646
1,2-Dibromoethane	U		0.0301	0.117	1.25	11/17/2021 16:19	WG1775646
Dibromomethane	U		0.0349	0.233	1.25	11/17/2021 16:19	WG1775646
1,2-Dichlorobenzene	U		0.0198	0.233	1.25	11/17/2021 16:19	WG1775646
1,3-Dichlorobenzene	U		0.0280	0.233	1.25	11/17/2021 16:19	WG1775646
1,4-Dichlorobenzene	U		0.0327	0.233	1.25	11/17/2021 16:19	WG1775646
Dichlorodifluoromethane	U		0.0750	0.117	1.25	11/17/2021 16:19	WG1775646
Dichlorofluoromethane	U		0.0583	0.117	1.25	11/17/2021 16:19	WG1775646
1,1-Dichloroethane	U		0.0228	0.117	1.25	11/17/2021 16:19	WG1775646
1,2-Dichloroethane	U		0.0303	0.117	1.25	11/17/2021 16:19	WG1775646
1,1-Dichloroethene	U		0.0282	0.117	1.25	11/17/2021 16:19	WG1775646
cis-1,2-Dichloroethene	0.0371	J	0.0342	0.117	1.25	11/17/2021 16:19	WG1775646
trans-1,2-Dichloroethene	U		0.0485	0.233	1.25	11/17/2021 16:19	WG1775646
1,2-Dichloropropane	U		0.0662	0.233	1.25	11/17/2021 16:19	WG1775646
1,1-Dichloropropene	U		0.0377	0.117	1.25	11/17/2021 16:19	WG1775646
1,3-Dichloropropene	U		0.0234	0.233	1.25	11/17/2021 16:19	WG1775646
cis-1,3-Dichloropropene	U		0.0354	0.117	1.25	11/17/2021 16:19	WG1775646
trans-1,3-Dichloropropene	U		0.0531	0.233	1.25	11/17/2021 16:19	WG1775646
2,2-Dichloropropane	U		0.0643	0.117	1.25	11/17/2021 16:19	WG1775646
Di-isopropyl ether	U		0.0191	0.0467	1.25	11/17/2021 16:19	WG1775646
Ethylbenzene	U		0.0343	0.117	1.25	11/17/2021 16:19	WG1775646
Ethyl ether	U		0.0415	0.117	1.25	11/17/2021 16:19	WG1775646
Hexachloro-1,3-butadiene	U		0.280	1.17	1.25	11/17/2021 16:19	WG1775646
2-Hexanone	U		0.157	1.17	1.25	11/17/2021 16:19	WG1775646
Isopropylbenzene	U		0.0198	0.117	1.25	11/17/2021 16:19	WG1775646
p-Isopropyltoluene	U		0.119	0.233	1.25	11/17/2021 16:19	WG1775646
2-Butanone (MEK)	U		2.95	4.67	1.25	11/17/2021 16:19	WG1775646
Methylene Chloride	U		0.310	1.17	1.25	11/17/2021 16:19	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.106	1.17	1.25	11/17/2021 16:19	WG1775646
Methyl tert-butyl ether	U		0.0163	0.0467	1.25	11/17/2021 16:19	WG1775646
Naphthalene	U		0.228	0.583	1.25	11/17/2021 16:19	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0443	0.233	1.25	11/17/2021 16:19	WG1775646	¹ Cp
Styrene	U		0.0107	0.583	1.25	11/17/2021 16:19	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0442	0.117	1.25	11/17/2021 16:19	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0324	0.117	1.25	11/17/2021 16:19	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0352	0.117	1.25	11/17/2021 16:19	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0418	0.117	1.25	11/17/2021 16:19	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.164	0.583	1.25	11/17/2021 16:19	WG1775646	⁷ Gl
Toluene	U		0.0606	0.233	1.25	11/17/2021 16:19	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.342	0.583	1.25	11/17/2021 16:19	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.206	0.583	1.25	11/17/2021 16:19	WG1775646	
1,1,1-Trichloroethane	U		0.0430	0.117	1.25	11/17/2021 16:19	WG1775646	
1,1,2-Trichloroethane	U		0.0279	0.117	1.25	11/17/2021 16:19	WG1775646	
Trichloroethene	2.42		0.0273	0.0467	1.25	11/17/2021 16:19	WG1775646	
Trichlorofluoromethane	U		0.0385	0.117	1.25	11/17/2021 16:19	WG1775646	
1,2,3-Trichloropropane	U		0.0755	0.583	1.25	11/17/2021 16:19	WG1775646	
1,2,4-Trimethylbenzene	U		0.0737	0.233	1.25	11/17/2021 16:19	WG1775646	
1,2,3-Trimethylbenzene	U		0.0737	0.233	1.25	11/17/2021 16:19	WG1775646	
1,3,5-Trimethylbenzene	U		0.0932	0.233	1.25	11/17/2021 16:19	WG1775646	
Vinyl chloride	U		0.0541	0.117	1.25	11/17/2021 16:19	WG1775646	
Xylenes, Total	0.0534	J	0.0410	0.303	1.25	11/17/2021 16:19	WG1775646	
(S) Toluene-d8	114			75.0-131		11/17/2021 16:19	WG1775646	
(S) 4-Bromofluorobenzene	99.8			67.0-138		11/17/2021 16:19	WG1775646	
(S) 1,2-Dichloroethane-d4	93.3			70.0-130		11/17/2021 16:19	WG1775646	⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Acetone	U		0.0113	0.0500	1	11/17/2021 19:39	WG1775759	¹ Cp
Acrolein	U		0.00254	0.0500	1	11/17/2021 19:39	WG1775759	² Tc
Acrylonitrile	U		0.000671	0.0100	1	11/17/2021 19:39	WG1775759	³ Ss
Allyl chloride	U		0.000500	0.00500	1	11/17/2021 19:39	WG1775759	⁴ Cn
Benzene	U		0.0000941	0.00100	1	11/17/2021 19:39	WG1775759	⁵ Sr
Bromobenzene	U		0.000118	0.00100	1	11/17/2021 19:39	WG1775759	⁶ Qc
Bromodichloromethane	U		0.000136	0.00100	1	11/17/2021 19:39	WG1775759	⁷ Gl
Bromoform	U		0.000129	0.00100	1	11/17/2021 19:39	WG1775759	⁸ Al
Bromomethane	U		0.000605	0.00500	1	11/17/2021 19:39	WG1775759	⁹ Sc
n-Butylbenzene	U		0.000157	0.00100	1	11/17/2021 19:39	WG1775759	
sec-Butylbenzene	U		0.000125	0.00100	1	11/17/2021 19:39	WG1775759	
tert-Butylbenzene	U		0.000127	0.00100	1	11/17/2021 19:39	WG1775759	
Carbon tetrachloride	U		0.000128	0.00100	1	11/17/2021 19:39	WG1775759	
Chlorobenzene	U		0.000116	0.00100	1	11/17/2021 19:39	WG1775759	
Chlorodibromomethane	U		0.000140	0.00100	1	11/17/2021 19:39	WG1775759	
Chloroethane	U		0.000192	0.00500	1	11/17/2021 19:39	WG1775759	
2-Chloroethyl vinyl ether	U		0.000575	0.0500	1	11/17/2021 19:39	WG1775759	
Chloroform	U		0.000111	0.00500	1	11/17/2021 19:39	WG1775759	
Chloromethane	U		0.000960	0.00250	1	11/17/2021 19:39	WG1775759	
2-Chlorotoluene	U		0.000106	0.00100	1	11/17/2021 19:39	WG1775759	
4-Chlorotoluene	U		0.000114	0.00100	1	11/17/2021 19:39	WG1775759	
1,2-Dibromo-3-Chloropropane	U		0.000276	0.00500	1	11/17/2021 19:39	WG1775759	
1,2-Dibromoethane	U		0.000126	0.00100	1	11/17/2021 19:39	WG1775759	
Dibromomethane	U		0.000122	0.00100	1	11/17/2021 19:39	WG1775759	
1,2-Dichlorobenzene	U		0.000107	0.00100	1	11/17/2021 19:39	WG1775759	
1,3-Dichlorobenzene	U		0.000110	0.00100	1	11/17/2021 19:39	WG1775759	
1,4-Dichlorobenzene	U		0.000120	0.00100	1	11/17/2021 19:39	WG1775759	
Dichlorodifluoromethane	U		0.000374	0.00500	1	11/17/2021 19:39	WG1775759	
Dichlorofluoromethane	U		0.000130	0.00500	1	11/17/2021 19:39	WG1775759	
1,1-Dichloroethane	U		0.000100	0.00100	1	11/17/2021 19:39	WG1775759	
1,2-Dichloroethane	U		0.0000819	0.00100	1	11/17/2021 19:39	WG1775759	
1,1-Dichloroethene	U		0.000188	0.00100	1	11/17/2021 19:39	WG1775759	
cis-1,2-Dichloroethene	U		0.000126	0.00100	1	11/17/2021 19:39	WG1775759	
trans-1,2-Dichloroethene	U		0.000149	0.00100	1	11/17/2021 19:39	WG1775759	
1,2-Dichloropropane	U		0.000149	0.00100	1	11/17/2021 19:39	WG1775759	
1,1-Dichloropropene	U		0.000142	0.00100	1	11/17/2021 19:39	WG1775759	
1,3-Dichloropropane	U		0.000110	0.00100	1	11/17/2021 19:39	WG1775759	
cis-1,3-Dichloropropene	U		0.000111	0.00100	1	11/17/2021 19:39	WG1775759	
trans-1,3-Dichloropropene	U		0.000118	0.00100	1	11/17/2021 19:39	WG1775759	
2,2-Dichloropropane	U		0.000161	0.00100	1	11/17/2021 19:39	WG1775759	
Di-isopropyl ether	U		0.000105	0.00100	1	11/17/2021 19:39	WG1775759	
Ethylbenzene	U		0.000137	0.00100	1	11/17/2021 19:39	WG1775759	
Ethyl ether	U		0.000115	0.00100	1	11/17/2021 19:39	WG1775759	
Hexachloro-1,3-butadiene	U		0.000337	0.00100	1	11/17/2021 19:39	WG1775759	
Isopropylbenzene	U		0.000105	0.00100	1	11/17/2021 19:39	WG1775759	
p-Isopropyltoluene	U		0.000120	0.00100	1	11/17/2021 19:39	WG1775759	
2-Butanone (MEK)	U		0.00119	0.0100	1	11/17/2021 19:39	WG1775759	
Methylene Chloride	U		0.000430	0.00500	1	11/17/2021 19:39	WG1775759	
2-Hexanone	U		0.000787	0.0100	1	11/17/2021 19:39	WG1775759	
4-Methyl-2-pentanone (MIBK)	U		0.000478	0.0100	1	11/17/2021 19:39	WG1775759	
Methyl tert-butyl ether	U		0.000101	0.00100	1	11/17/2021 19:39	WG1775759	
Naphthalene	U		0.00100	0.00500	1	11/17/2021 19:39	WG1775759	
n-Propylbenzene	U		0.0000993	0.00100	1	11/17/2021 19:39	WG1775759	
Styrene	U		0.000118	0.00100	1	11/17/2021 19:39	WG1775759	
1,1,2-Tetrachloroethane	U		0.000147	0.00100	1	11/17/2021 19:39	WG1775759	
1,1,2,2-Tetrachloroethane	U		0.000133	0.00100	1	11/17/2021 19:39	WG1775759	

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
1,1,2-Trichlorotrifluoroethane	U		0.000180	0.00100	1	11/17/2021 19:39	WG1775759
Tetrachloroethene	U		0.000300	0.00100	1	11/17/2021 19:39	WG1775759
Tetrahydrofuran	U		0.000929	0.00500	1	11/17/2021 19:39	WG1775759
Toluene	U		0.000278	0.00100	1	11/17/2021 19:39	WG1775759
1,2,3-Trichlorobenzene	U		0.000230	0.00100	1	11/17/2021 19:39	WG1775759
1,2,4-Trichlorobenzene	U		0.000481	0.00100	1	11/17/2021 19:39	WG1775759
1,1,1-Trichloroethane	U		0.000149	0.00100	1	11/17/2021 19:39	WG1775759
1,1,2-Trichloroethane	U		0.000158	0.00100	1	11/17/2021 19:39	WG1775759
Trichloroethene	U		0.000190	0.00100	1	11/17/2021 19:39	WG1775759
Trichlorofluoromethane	U		0.000160	0.00500	1	11/17/2021 19:39	WG1775759
1,2,3-Trichloropropane	U		0.000237	0.00250	1	11/17/2021 19:39	WG1775759
1,2,4-Trimethylbenzene	U		0.000322	0.00100	1	11/17/2021 19:39	WG1775759
1,2,3-Trimethylbenzene	U		0.000104	0.00100	1	11/17/2021 19:39	WG1775759
1,3,5-Trimethylbenzene	U		0.000104	0.00100	1	11/17/2021 19:39	WG1775759
Vinyl chloride	U		0.000234	0.00100	1	11/17/2021 19:39	WG1775759
Xylenes, Total	U		0.000174	0.00300	1	11/17/2021 19:39	WG1775759
(S) Toluene-d8	111			80.0-120		11/17/2021 19:39	WG1775759
(S) 4-Bromofluorobenzene	96.4			77.0-126		11/17/2021 19:39	WG1775759
(S) 1,2-Dichloroethane-d4	122			70.0-130		11/17/2021 19:39	WG1775759

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	78.7		1	11/17/2021 11:05	WG1775537

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.16	1.59	1	11/17/2021 16:38	WG1775646
Acrylonitrile	U		0.115	0.398	1	11/17/2021 16:38	WG1775646
Allyl chloride	U		0.127	0.794	1	11/17/2021 16:38	WG1775646
Benzene	U		0.0149	0.0317	1	11/17/2021 16:38	WG1775646
Bromobenzene	U		0.0286	0.398	1	11/17/2021 16:38	WG1775646
Bromodichloromethane	U		0.0230	0.0794	1	11/17/2021 16:38	WG1775646
Bromoform	U		0.0372	0.794	1	11/17/2021 16:38	WG1775646
Bromomethane	U		0.0626	0.398	1	11/17/2021 16:38	WG1775646
n-Butylbenzene	U		0.166	0.398	1	11/17/2021 16:38	WG1775646
sec-Butylbenzene	U		0.0914	0.398	1	11/17/2021 16:38	WG1775646
tert-Butylbenzene	U		0.0620	0.159	1	11/17/2021 16:38	WG1775646
Carbon tetrachloride	U		0.0286	0.159	1	11/17/2021 16:38	WG1775646
Chlorobenzene	U		0.00667	0.0794	1	11/17/2021 16:38	WG1775646
Chlorodibromomethane	U		0.0194	0.0794	1	11/17/2021 16:38	WG1775646
Chloroethane	U		0.0540	0.159	1	11/17/2021 16:38	WG1775646
Chloroform	U		0.0328	0.0794	1	11/17/2021 16:38	WG1775646
Chloromethane	U		0.138	0.398	1	11/17/2021 16:38	WG1775646
2-Chlorotoluene	U		0.0274	0.0794	1	11/17/2021 16:38	WG1775646
4-Chlorotoluene	U		0.0144	0.159	1	11/17/2021 16:38	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.124	0.794	1	11/17/2021 16:38	WG1775646
1,2-Dibromoethane	U		0.0206	0.0794	1	11/17/2021 16:38	WG1775646
Dibromomethane	U		0.0239	0.159	1	11/17/2021 16:38	WG1775646
1,2-Dichlorobenzene	U		0.0135	0.159	1	11/17/2021 16:38	WG1775646
1,3-Dichlorobenzene	U		0.0190	0.159	1	11/17/2021 16:38	WG1775646
1,4-Dichlorobenzene	U		0.0222	0.159	1	11/17/2021 16:38	WG1775646
Dichlorodifluoromethane	U		0.0512	0.0794	1	11/17/2021 16:38	WG1775646
Dichlorofluoromethane	U		0.0398	0.0794	1	11/17/2021 16:38	WG1775646
1,1-Dichloroethane	U		0.0156	0.0794	1	11/17/2021 16:38	WG1775646
1,2-Dichloroethane	U		0.0206	0.0794	1	11/17/2021 16:38	WG1775646
1,1-Dichloroethene	U		0.0193	0.0794	1	11/17/2021 16:38	WG1775646
cis-1,2-Dichloroethene	U		0.0234	0.0794	1	11/17/2021 16:38	WG1775646
trans-1,2-Dichloroethene	U		0.0330	0.159	1	11/17/2021 16:38	WG1775646
1,2-Dichloropropane	U		0.0451	0.159	1	11/17/2021 16:38	WG1775646
1,1-Dichloropropene	U		0.0257	0.0794	1	11/17/2021 16:38	WG1775646
1,3-Dichloropropane	U		0.0159	0.159	1	11/17/2021 16:38	WG1775646
cis-1,3-Dichloropropene	U		0.0240	0.0794	1	11/17/2021 16:38	WG1775646
trans-1,3-Dichloropropene	U		0.0362	0.159	1	11/17/2021 16:38	WG1775646
2,2-Dichloropropane	U		0.0438	0.0794	1	11/17/2021 16:38	WG1775646
Di-isopropyl ether	U		0.0131	0.0317	1	11/17/2021 16:38	WG1775646
Ethylbenzene	U		0.0234	0.0794	1	11/17/2021 16:38	WG1775646
Ethyl ether	U		0.0283	0.0794	1	11/17/2021 16:38	WG1775646
Hexachloro-1,3-butadiene	U		0.190	0.794	1	11/17/2021 16:38	WG1775646
2-Hexanone	U		0.107	0.794	1	11/17/2021 16:38	WG1775646
Isopropylbenzene	U		0.0135	0.0794	1	11/17/2021 16:38	WG1775646
p-Isopropyltoluene	U		0.0810	0.159	1	11/17/2021 16:38	WG1775646
2-Butanone (MEK)	U		2.02	3.17	1	11/17/2021 16:38	WG1775646
Methylene Chloride	U		0.211	0.794	1	11/17/2021 16:38	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0724	0.794	1	11/17/2021 16:38	WG1775646
Methyl tert-butyl ether	U		0.0111	0.0317	1	11/17/2021 16:38	WG1775646
Naphthalene	U		0.155	0.398	1	11/17/2021 16:38	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0302	0.159	1	11/17/2021 16:38	WG1775646	¹ Cp
Styrene	U		0.00728	0.398	1	11/17/2021 16:38	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0301	0.0794	1	11/17/2021 16:38	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0221	0.0794	1	11/17/2021 16:38	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0240	0.0794	1	11/17/2021 16:38	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0284	0.0794	1	11/17/2021 16:38	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.112	0.398	1	11/17/2021 16:38	WG1775646	⁷ Gl
Toluene	U		0.0413	0.159	1	11/17/2021 16:38	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.232	0.398	1	11/17/2021 16:38	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.140	0.398	1	11/17/2021 16:38	WG1775646	
1,1,1-Trichloroethane	U		0.0293	0.0794	1	11/17/2021 16:38	WG1775646	
1,1,2-Trichloroethane	U		0.0189	0.0794	1	11/17/2021 16:38	WG1775646	
Trichloroethene	4.10		0.185	0.317	10	11/18/2021 14:08	WG1776620	
Trichlorofluoromethane	U		0.0263	0.0794	1	11/17/2021 16:38	WG1775646	
1,2,3-Trichloropropane	U		0.0514	0.398	1	11/17/2021 16:38	WG1775646	
1,2,4-Trimethylbenzene	U		0.0502	0.159	1	11/17/2021 16:38	WG1775646	
1,2,3-Trimethylbenzene	U		0.0502	0.159	1	11/17/2021 16:38	WG1775646	
1,3,5-Trimethylbenzene	U		0.0635	0.159	1	11/17/2021 16:38	WG1775646	
Vinyl chloride	U		0.0368	0.0794	1	11/17/2021 16:38	WG1775646	
Xylenes, Total	U		0.0279	0.207	1	11/17/2021 16:38	WG1775646	
(S) Toluene-d8	113		75.0-131			11/17/2021 16:38	WG1775646	
(S) Toluene-d8	106		75.0-131			11/18/2021 14:08	WG1776620	
(S) 4-Bromofluorobenzene	99.2		67.0-138			11/17/2021 16:38	WG1775646	
(S) 4-Bromofluorobenzene	107		67.0-138			11/18/2021 14:08	WG1776620	
(S) 1,2-Dichloroethane-d4	94.0		70.0-130			11/17/2021 16:38	WG1775646	
(S) 1,2-Dichloroethane-d4	111		70.0-130			11/18/2021 14:08	WG1776620	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	86.4		1	11/17/2021 11:05	WG1775537

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.06	1.45	1	11/17/2021 16:57	WG1775646
Acrylonitrile	U		0.104	0.362	1	11/17/2021 16:57	WG1775646
Allyl chloride	U		0.116	0.723	1	11/17/2021 16:57	WG1775646
Benzene	U		0.0135	0.0289	1	11/17/2021 16:57	WG1775646
Bromobenzene	U		0.0260	0.362	1	11/17/2021 16:57	WG1775646
Bromodichloromethane	U		0.0209	0.0723	1	11/17/2021 16:57	WG1775646
Bromoform	U		0.0339	0.723	1	11/17/2021 16:57	WG1775646
Bromomethane	U		0.0570	0.362	1	11/17/2021 16:57	WG1775646
n-Butylbenzene	U		0.152	0.362	1	11/17/2021 16:57	WG1775646
sec-Butylbenzene	U		0.0833	0.362	1	11/17/2021 16:57	WG1775646
tert-Butylbenzene	U		0.0565	0.145	1	11/17/2021 16:57	WG1775646
Carbon tetrachloride	U		0.0260	0.145	1	11/17/2021 16:57	WG1775646
Chlorobenzene	U		0.00607	0.0723	1	11/17/2021 16:57	WG1775646
Chlorodibromomethane	U		0.0177	0.0723	1	11/17/2021 16:57	WG1775646
Chloroethane	U		0.0492	0.145	1	11/17/2021 16:57	WG1775646
Chloroform	U		0.0298	0.0723	1	11/17/2021 16:57	WG1775646
Chloromethane	U		0.126	0.362	1	11/17/2021 16:57	WG1775646
2-Chlorotoluene	U		0.0250	0.0723	1	11/17/2021 16:57	WG1775646
4-Chlorotoluene	U		0.0131	0.145	1	11/17/2021 16:57	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.113	0.723	1	11/17/2021 16:57	WG1775646
1,2-Dibromoethane	U		0.0187	0.0723	1	11/17/2021 16:57	WG1775646
Dibromomethane	U		0.0217	0.145	1	11/17/2021 16:57	WG1775646
1,2-Dichlorobenzene	U		0.0123	0.145	1	11/17/2021 16:57	WG1775646
1,3-Dichlorobenzene	U		0.0174	0.145	1	11/17/2021 16:57	WG1775646
1,4-Dichlorobenzene	U		0.0202	0.145	1	11/17/2021 16:57	WG1775646
Dichlorodifluoromethane	U		0.0466	0.0723	1	11/17/2021 16:57	WG1775646
Dichlorofluoromethane	U		0.0362	0.0723	1	11/17/2021 16:57	WG1775646
1,1-Dichloroethane	U		0.0142	0.0723	1	11/17/2021 16:57	WG1775646
1,2-Dichloroethane	U		0.0187	0.0723	1	11/17/2021 16:57	WG1775646
1,1-Dichloroethene	U		0.0176	0.0723	1	11/17/2021 16:57	WG1775646
cis-1,2-Dichloroethene	U		0.0213	0.0723	1	11/17/2021 16:57	WG1775646
trans-1,2-Dichloroethene	U		0.0301	0.145	1	11/17/2021 16:57	WG1775646
1,2-Dichloropropane	U		0.0411	0.145	1	11/17/2021 16:57	WG1775646
1,1-Dichloropropene	U		0.0234	0.0723	1	11/17/2021 16:57	WG1775646
1,3-Dichloropropane	U		0.0145	0.145	1	11/17/2021 16:57	WG1775646
cis-1,3-Dichloropropene	U		0.0219	0.0723	1	11/17/2021 16:57	WG1775646
trans-1,3-Dichloropropene	U		0.0330	0.145	1	11/17/2021 16:57	WG1775646
2,2-Dichloropropane	U		0.0399	0.0723	1	11/17/2021 16:57	WG1775646
Di-isopropyl ether	U		0.0119	0.0289	1	11/17/2021 16:57	WG1775646
Ethylbenzene	U		0.0213	0.0723	1	11/17/2021 16:57	WG1775646
Ethyl ether	U		0.0258	0.0723	1	11/17/2021 16:57	WG1775646
Hexachloro-1,3-butadiene	U		0.174	0.723	1	11/17/2021 16:57	WG1775646
2-Hexanone	U		0.0972	0.723	1	11/17/2021 16:57	WG1775646
Isopropylbenzene	U		0.0123	0.0723	1	11/17/2021 16:57	WG1775646
p-Isopropyltoluene	U		0.0738	0.145	1	11/17/2021 16:57	WG1775646
2-Butanone (MEK)	U		1.84	2.89	1	11/17/2021 16:57	WG1775646
Methylene Chloride	U		0.192	0.723	1	11/17/2021 16:57	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0659	0.723	1	11/17/2021 16:57	WG1775646
Methyl tert-butyl ether	U		0.0101	0.0289	1	11/17/2021 16:57	WG1775646
Naphthalene	U		0.141	0.362	1	11/17/2021 16:57	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0275	0.145	1	11/17/2021 16:57	WG1775646	¹ Cp
Styrene	U		0.00663	0.362	1	11/17/2021 16:57	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0274	0.0723	1	11/17/2021 16:57	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0201	0.0723	1	11/17/2021 16:57	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0219	0.0723	1	11/17/2021 16:57	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0259	0.0723	1	11/17/2021 16:57	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.102	0.362	1	11/17/2021 16:57	WG1775646	⁷ Gl
Toluene	U		0.0376	0.145	1	11/17/2021 16:57	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.212	0.362	1	11/17/2021 16:57	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.127	0.362	1	11/17/2021 16:57	WG1775646	
1,1,1-Trichloroethane	U		0.0267	0.0723	1	11/17/2021 16:57	WG1775646	
1,1,2-Trichloroethane	U		0.0172	0.0723	1	11/17/2021 16:57	WG1775646	
Trichloroethene	0.162		0.0169	0.0289	1	11/18/2021 12:52	WG1776620	
Trichlorofluoromethane	U		0.0239	0.0723	1	11/17/2021 16:57	WG1775646	
1,2,3-Trichloropropane	U		0.0469	0.362	1	11/17/2021 16:57	WG1775646	
1,2,4-Trimethylbenzene	U		0.0457	0.145	1	11/17/2021 16:57	WG1775646	
1,2,3-Trimethylbenzene	U		0.0457	0.145	1	11/17/2021 16:57	WG1775646	
1,3,5-Trimethylbenzene	U		0.0578	0.145	1	11/17/2021 16:57	WG1775646	
Vinyl chloride	U		0.0335	0.0723	1	11/17/2021 16:57	WG1775646	
Xylenes, Total	U		0.0255	0.189	1	11/17/2021 16:57	WG1775646	
(S) Toluene-d8	111		75.0-131			11/17/2021 16:57	WG1775646	
(S) Toluene-d8	113		75.0-131			11/18/2021 12:52	WG1776620	
(S) 4-Bromofluorobenzene	98.6		67.0-138			11/17/2021 16:57	WG1775646	
(S) 4-Bromofluorobenzene	99.7		67.0-138			11/18/2021 12:52	WG1776620	
(S) 1,2-Dichloroethane-d4	89.1		70.0-130			11/17/2021 16:57	WG1775646	
(S) 1,2-Dichloroethane-d4	84.4		70.0-130			11/18/2021 12:52	WG1776620	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	91.6		1	11/17/2021 11:39	WG1775538

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.31	1.79	1.31	11/17/2021 17:16	WG1775646
Acrylonitrile	U		0.129	0.446	1.31	11/17/2021 17:16	WG1775646
Allyl chloride	U		0.143	0.894	1.31	11/17/2021 17:16	WG1775646
Benzene	0.0372		0.0167	0.0358	1.31	11/17/2021 17:16	WG1775646
Bromobenzene	U		0.0322	0.446	1.31	11/17/2021 17:16	WG1775646
Bromodichloromethane	U		0.0259	0.0894	1.31	11/17/2021 17:16	WG1775646
Bromoform	U		0.0418	0.894	1.31	11/17/2021 17:16	WG1775646
Bromomethane	U		0.0704	0.446	1.31	11/17/2021 17:16	WG1775646
n-Butylbenzene	U		0.188	0.446	1.31	11/17/2021 17:16	WG1775646
sec-Butylbenzene	U		0.103	0.446	1.31	11/17/2021 17:16	WG1775646
tert-Butylbenzene	U		0.0698	0.179	1.31	11/17/2021 17:16	WG1775646
Carbon tetrachloride	0.0464	J	0.0321	0.179	1.31	11/17/2021 17:16	WG1775646
Chlorobenzene	U		0.00751	0.0894	1.31	11/17/2021 17:16	WG1775646
Chlorodibromomethane	U		0.0218	0.0894	1.31	11/17/2021 17:16	WG1775646
Chloroethane	U		0.0608	0.179	1.31	11/17/2021 17:16	WG1775646
Chloroform	U		0.0368	0.0894	1.31	11/17/2021 17:16	WG1775646
Chloromethane	U		0.155	0.446	1.31	11/17/2021 17:16	WG1775646
2-Chlorotoluene	U		0.0309	0.0894	1.31	11/17/2021 17:16	WG1775646
4-Chlorotoluene	U		0.0160	0.179	1.31	11/17/2021 17:16	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.140	0.894	1.31	11/17/2021 17:16	WG1775646
1,2-Dibromoethane	U		0.0231	0.0894	1.31	11/17/2021 17:16	WG1775646
Dibromomethane	U		0.0269	0.179	1.31	11/17/2021 17:16	WG1775646
1,2-Dichlorobenzene	U		0.0152	0.179	1.31	11/17/2021 17:16	WG1775646
1,3-Dichlorobenzene	U		0.0215	0.179	1.31	11/17/2021 17:16	WG1775646
1,4-Dichlorobenzene	U		0.0250	0.179	1.31	11/17/2021 17:16	WG1775646
Dichlorodifluoromethane	U		0.0575	0.0894	1.31	11/17/2021 17:16	WG1775646
Dichlorofluoromethane	U		0.0446	0.0894	1.31	11/17/2021 17:16	WG1775646
1,1-Dichloroethane	U		0.0176	0.0894	1.31	11/17/2021 17:16	WG1775646
1,2-Dichloroethane	U		0.0233	0.0894	1.31	11/17/2021 17:16	WG1775646
1,1-Dichloroethene	U		0.0216	0.0894	1.31	11/17/2021 17:16	WG1775646
cis-1,2-Dichloroethene	0.0383	J	0.0262	0.0894	1.31	11/17/2021 17:16	WG1775646
trans-1,2-Dichloroethene	U		0.0372	0.179	1.31	11/17/2021 17:16	WG1775646
1,2-Dichloropropane	U		0.0508	0.179	1.31	11/17/2021 17:16	WG1775646
1,1-Dichloropropene	U		0.0289	0.0894	1.31	11/17/2021 17:16	WG1775646
1,3-Dichloropropane	U		0.0179	0.179	1.31	11/17/2021 17:16	WG1775646
cis-1,3-Dichloropropene	U		0.0271	0.0894	1.31	11/17/2021 17:16	WG1775646
trans-1,3-Dichloropropene	U		0.0407	0.179	1.31	11/17/2021 17:16	WG1775646
2,2-Dichloropropane	U		0.0493	0.0894	1.31	11/17/2021 17:16	WG1775646
Di-isopropyl ether	U		0.0146	0.0358	1.31	11/17/2021 17:16	WG1775646
Ethylbenzene	0.0513	J	0.0263	0.0894	1.31	11/17/2021 17:16	WG1775646
Ethyl ether	U		0.0319	0.0894	1.31	11/17/2021 17:16	WG1775646
Hexachloro-1,3-butadiene	U		0.215	0.894	1.31	11/17/2021 17:16	WG1775646
2-Hexanone	U		0.120	0.894	1.31	11/17/2021 17:16	WG1775646
Isopropylbenzene	0.0237	J	0.0152	0.0894	1.31	11/17/2021 17:16	WG1775646
p-Isopropyltoluene	U		0.0911	0.179	1.31	11/17/2021 17:16	WG1775646
2-Butanone (MEK)	U		2.27	3.58	1.31	11/17/2021 17:16	WG1775646
Methylene Chloride	U		0.237	0.894	1.31	11/17/2021 17:16	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0815	0.894	1.31	11/17/2021 17:16	WG1775646
Methyl tert-butyl ether	U		0.0126	0.0358	1.31	11/17/2021 17:16	WG1775646
Naphthalene	U		0.175	0.446	1.31	11/17/2021 17:16	WG1775646

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ Al
- ⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0339	0.179	1.31	11/17/2021 17:16	WG1775646	¹ Cp
Styrene	U		0.00819	0.446	1.31	11/17/2021 17:16	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0338	0.0894	1.31	11/17/2021 17:16	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0249	0.0894	1.31	11/17/2021 17:16	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0270	0.0894	1.31	11/17/2021 17:16	WG1775646	⁵ Sr
Tetrachloroethene	0.0605	<u>J</u>	0.0320	0.0894	1.31	11/17/2021 17:16	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.126	0.446	1.31	11/17/2021 17:16	WG1775646	⁷ Gl
Toluene	0.227		0.0465	0.179	1.31	11/17/2021 17:16	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	<u>C4</u>	0.262	0.446	1.31	11/17/2021 17:16	WG1775646	⁹ Sc
1,2,4-Trichlorobenzene	U	<u>C4</u>	0.157	0.446	1.31	11/17/2021 17:16	WG1775646	
1,1,1-Trichloroethane	0.343		0.0330	0.0894	1.31	11/17/2021 17:16	WG1775646	
1,1,2-Trichloroethane	U		0.0214	0.0894	1.31	11/17/2021 17:16	WG1775646	
Trichloroethene	74.9		2.08	3.58	131	11/18/2021 14:26	WG1776620	
Trichlorofluoromethane	U		0.0296	0.0894	1.31	11/17/2021 17:16	WG1775646	
1,2,3-Trichloropropane	U		0.0580	0.446	1.31	11/17/2021 17:16	WG1775646	
1,2,4-Trimethylbenzene	0.0930	<u>J</u>	0.0564	0.179	1.31	11/17/2021 17:16	WG1775646	
1,2,3-Trimethylbenzene	0.0651	<u>J</u>	0.0564	0.179	1.31	11/17/2021 17:16	WG1775646	
13,5-Trimethylbenzene	U		0.0715	0.179	1.31	11/17/2021 17:16	WG1775646	
Vinyl chloride	U		0.0415	0.0894	1.31	11/17/2021 17:16	WG1775646	
Xylenes, Total	0.257		0.0314	0.233	1.31	11/17/2021 17:16	WG1775646	
(S) Toluene-d8	117		75.0-131			11/17/2021 17:16	WG1775646	
(S) Toluene-d8	106		75.0-131			11/18/2021 14:26	WG1776620	
(S) 4-Bromofluorobenzene	104		67.0-138			11/17/2021 17:16	WG1775646	
(S) 4-Bromofluorobenzene	108		67.0-138			11/18/2021 14:26	WG1776620	
(S) 1,2-Dichloroethane-d4	93.9		70.0-130			11/17/2021 17:16	WG1775646	
(S) 1,2-Dichloroethane-d4	109		70.0-130			11/18/2021 14:26	WG1776620	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	78.7		1	11/17/2021 11:39	WG1775538

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.23	1.69	1.06	11/17/2021 11:34	WG1775646
Acrylonitrile	U		0.122	0.421	1.06	11/17/2021 11:34	WG1775646
Allyl chloride	U		0.135	0.843	1.06	11/17/2021 11:34	WG1775646
Benzene	U		0.0158	0.0337	1.06	11/17/2021 11:34	WG1775646
Bromobenzene	U		0.0304	0.421	1.06	11/17/2021 11:34	WG1775646
Bromodichloromethane	U		0.0244	0.0843	1.06	11/17/2021 11:34	WG1775646
Bromoform	U		0.0394	0.843	1.06	11/17/2021 11:34	WG1775646
Bromomethane	U		0.0663	0.421	1.06	11/17/2021 11:34	WG1775646
n-Butylbenzene	U		0.177	0.421	1.06	11/17/2021 11:34	WG1775646
sec-Butylbenzene	U		0.0970	0.421	1.06	11/17/2021 11:34	WG1775646
tert-Butylbenzene	U		0.0657	0.169	1.06	11/17/2021 11:34	WG1775646
Carbon tetrachloride	U		0.0302	0.169	1.06	11/17/2021 11:34	WG1775646
Chlorobenzene	U		0.00707	0.0843	1.06	11/17/2021 11:34	WG1775646
Chlorodibromomethane	U		0.0206	0.0843	1.06	11/17/2021 11:34	WG1775646
Chloroethane	U		0.0573	0.169	1.06	11/17/2021 11:34	WG1775646
Chloroform	U		0.0347	0.0843	1.06	11/17/2021 11:34	WG1775646
Chloromethane	U		0.146	0.421	1.06	11/17/2021 11:34	WG1775646
2-Chlorotoluene	U		0.0291	0.0843	1.06	11/17/2021 11:34	WG1775646
4-Chlorotoluene	U		0.0151	0.169	1.06	11/17/2021 11:34	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.131	0.843	1.06	11/17/2021 11:34	WG1775646
1,2-Dibromoethane	U		0.0219	0.0843	1.06	11/17/2021 11:34	WG1775646
Dibromomethane	U		0.0253	0.169	1.06	11/17/2021 11:34	WG1775646
1,2-Dichlorobenzene	U		0.0144	0.169	1.06	11/17/2021 11:34	WG1775646
1,3-Dichlorobenzene	U		0.0202	0.169	1.06	11/17/2021 11:34	WG1775646
1,4-Dichlorobenzene	U		0.0236	0.169	1.06	11/17/2021 11:34	WG1775646
Dichlorodifluoromethane	U		0.0543	0.0843	1.06	11/17/2021 11:34	WG1775646
Dichlorofluoromethane	U		0.0421	0.0843	1.06	11/17/2021 11:34	WG1775646
1,1-Dichloroethane	U		0.0165	0.0843	1.06	11/17/2021 11:34	WG1775646
1,2-Dichloroethane	U		0.0219	0.0843	1.06	11/17/2021 11:34	WG1775646
1,1-Dichloroethene	U		0.0205	0.0843	1.06	11/17/2021 11:34	WG1775646
cis-1,2-Dichloroethene	U		0.0248	0.0843	1.06	11/17/2021 11:34	WG1775646
trans-1,2-Dichloroethene	U		0.0351	0.169	1.06	11/17/2021 11:34	WG1775646
1,2-Dichloropropane	U		0.0478	0.169	1.06	11/17/2021 11:34	WG1775646
1,1-Dichloropropene	U		0.0272	0.0843	1.06	11/17/2021 11:34	WG1775646
1,3-Dichloropropane	U		0.0169	0.169	1.06	11/17/2021 11:34	WG1775646
cis-1,3-Dichloropropene	U		0.0255	0.0843	1.06	11/17/2021 11:34	WG1775646
trans-1,3-Dichloropropene	U		0.0384	0.169	1.06	11/17/2021 11:34	WG1775646
2,2-Dichloropropane	U		0.0465	0.0843	1.06	11/17/2021 11:34	WG1775646
Di-isopropyl ether	U		0.0139	0.0337	1.06	11/17/2021 11:34	WG1775646
Ethylbenzene	U		0.0248	0.0843	1.06	11/17/2021 11:34	WG1775646
Ethyl ether	U		0.0300	0.0843	1.06	11/17/2021 11:34	WG1775646
Hexachloro-1,3-butadiene	U		0.202	0.843	1.06	11/17/2021 11:34	WG1775646
2-Hexanone	U		0.113	0.843	1.06	11/17/2021 11:34	WG1775646
Isopropylbenzene	U		0.0144	0.0843	1.06	11/17/2021 11:34	WG1775646
p-Isopropyltoluene	U		0.0859	0.169	1.06	11/17/2021 11:34	WG1775646
2-Butanone (MEK)	U		2.13	3.37	1.06	11/17/2021 11:34	WG1775646
Methylene Chloride	U		0.224	0.843	1.06	11/17/2021 11:34	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0768	0.843	1.06	11/17/2021 11:34	WG1775646
Methyl tert-butyl ether	U		0.0118	0.0337	1.06	11/17/2021 11:34	WG1775646
Naphthalene	U		0.164	0.421	1.06	11/17/2021 11:34	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0320	0.169	1.06	11/17/2021 17:34	WG1775646	¹ Cp
Styrene	U		0.00771	0.421	1.06	11/17/2021 17:34	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0319	0.0843	1.06	11/17/2021 17:34	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0234	0.0843	1.06	11/17/2021 17:34	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0254	0.0843	1.06	11/17/2021 17:34	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0301	0.0843	1.06	11/17/2021 17:34	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.119	0.421	1.06	11/17/2021 17:34	WG1775646	⁷ Gl
Toluene	U		0.0438	0.169	1.06	11/17/2021 17:34	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.247	0.421	1.06	11/17/2021 17:34	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.149	0.421	1.06	11/17/2021 17:34	WG1775646	
1,1,1-Trichloroethane	0.0361	J	0.0311	0.0843	1.06	11/17/2021 17:34	WG1775646	
1,1,2-Trichloroethane	U		0.0201	0.0843	1.06	11/17/2021 17:34	WG1775646	
Trichloroethene	10.2		0.394	0.673	21.2	11/18/2021 14:45	WG1776620	
Trichlorofluoromethane	U		0.0278	0.0843	1.06	11/17/2021 17:34	WG1775646	
1,2,3-Trichloropropane	U		0.0545	0.421	1.06	11/17/2021 17:34	WG1775646	
1,2,4-Trimethylbenzene	U		0.0532	0.169	1.06	11/17/2021 17:34	WG1775646	
1,2,3-Trimethylbenzene	U		0.0532	0.169	1.06	11/17/2021 17:34	WG1775646	
1,3,5-Trimethylbenzene	U		0.0673	0.169	1.06	11/17/2021 17:34	WG1775646	
Vinyl chloride	U		0.0390	0.0843	1.06	11/17/2021 17:34	WG1775646	
Xylenes, Total	0.0403	J	0.0296	0.219	1.06	11/17/2021 17:34	WG1775646	
(S) Toluene-d8	113			75.0-131		11/17/2021 17:34	WG1775646	
(S) Toluene-d8	110			75.0-131		11/18/2021 14:45	WG1776620	
(S) 4-Bromofluorobenzene	101			67.0-138		11/17/2021 17:34	WG1775646	
(S) 4-Bromofluorobenzene	103			67.0-138		11/18/2021 14:45	WG1776620	
(S) 1,2-Dichloroethane-d4	90.4			70.0-130		11/17/2021 17:34	WG1775646	
(S) 1,2-Dichloroethane-d4	110			70.0-130		11/18/2021 14:45	WG1776620	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	65.2		1	11/17/2021 11:39	WG1775538

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		2.23	3.05	1.59	11/17/2021 11:53	WG1775646
Acrylonitrile	U		0.219	0.763	1.59	11/17/2021 11:53	WG1775646
Allyl chloride	U		0.244	1.53	1.59	11/17/2021 11:53	WG1775646
Benzene	U		0.0285	0.0611	1.59	11/17/2021 11:53	WG1775646
Bromobenzene	U		0.0549	0.763	1.59	11/17/2021 11:53	WG1775646
Bromodichloromethane	U		0.0442	0.153	1.59	11/17/2021 11:53	WG1775646
Bromoform	U		0.0714	1.53	1.59	11/17/2021 11:53	WG1775646
Bromomethane	U		0.120	0.763	1.59	11/17/2021 11:53	WG1775646
n-Butylbenzene	U		0.321	0.763	1.59	11/17/2021 11:53	WG1775646
sec-Butylbenzene	U		0.175	0.763	1.59	11/17/2021 11:53	WG1775646
tert-Butylbenzene	U		0.119	0.305	1.59	11/17/2021 11:53	WG1775646
Carbon tetrachloride	U		0.0548	0.305	1.59	11/17/2021 11:53	WG1775646
Chlorobenzene	U		0.0128	0.153	1.59	11/17/2021 11:53	WG1775646
Chlorodibromomethane	U		0.0373	0.153	1.59	11/17/2021 11:53	WG1775646
Chloroethane	U		0.104	0.305	1.59	11/17/2021 11:53	WG1775646
Chloroform	U		0.0628	0.153	1.59	11/17/2021 11:53	WG1775646
Chloromethane	U		0.266	0.763	1.59	11/17/2021 11:53	WG1775646
2-Chlorotoluene	U		0.0528	0.153	1.59	11/17/2021 11:53	WG1775646
4-Chlorotoluene	U		0.0275	0.305	1.59	11/17/2021 11:53	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.238	1.53	1.59	11/17/2021 11:53	WG1775646
1,2-Dibromoethane	U		0.0396	0.153	1.59	11/17/2021 11:53	WG1775646
Dibromomethane	U		0.0457	0.305	1.59	11/17/2021 11:53	WG1775646
1,2-Dichlorobenzene	U		0.0259	0.305	1.59	11/17/2021 11:53	WG1775646
1,3-Dichlorobenzene	U		0.0367	0.305	1.59	11/17/2021 11:53	WG1775646
1,4-Dichlorobenzene	U		0.0427	0.305	1.59	11/17/2021 11:53	WG1775646
Dichlorodifluoromethane	U		0.0982	0.153	1.59	11/17/2021 11:53	WG1775646
Dichlorofluoromethane	U		0.0763	0.153	1.59	11/17/2021 11:53	WG1775646
1,1-Dichloroethane	U		0.0299	0.153	1.59	11/17/2021 11:53	WG1775646
1,2-Dichloroethane	U		0.0396	0.153	1.59	11/17/2021 11:53	WG1775646
1,1-Dichloroethene	U		0.0370	0.153	1.59	11/17/2021 11:53	WG1775646
cis-1,2-Dichloroethene	0.150	J	0.0448	0.153	1.59	11/17/2021 11:53	WG1775646
trans-1,2-Dichloroethene	U		0.0634	0.305	1.59	11/17/2021 11:53	WG1775646
1,2-Dichloropropane	U		0.0866	0.305	1.59	11/17/2021 11:53	WG1775646
1,1-Dichloropropene	U		0.0494	0.153	1.59	11/17/2021 11:53	WG1775646
1,3-Dichloropropane	U		0.0305	0.305	1.59	11/17/2021 11:53	WG1775646
cis-1,3-Dichloropropene	U		0.0462	0.153	1.59	11/17/2021 11:53	WG1775646
trans-1,3-Dichloropropene	U		0.0695	0.305	1.59	11/17/2021 11:53	WG1775646
2,2-Dichloropropane	U		0.0843	0.153	1.59	11/17/2021 11:53	WG1775646
Di-isopropyl ether	U		0.0250	0.0611	1.59	11/17/2021 11:53	WG1775646
Ethylbenzene	U		0.0450	0.153	1.59	11/17/2021 11:53	WG1775646
Ethyl ether	U		0.0543	0.153	1.59	11/17/2021 11:53	WG1775646
Hexachloro-1,3-butadiene	U		0.367	1.53	1.59	11/17/2021 11:53	WG1775646
2-Hexanone	U		0.206	1.53	1.59	11/17/2021 11:53	WG1775646
Isopropylbenzene	U		0.0259	0.153	1.59	11/17/2021 11:53	WG1775646
p-Isopropyltoluene	U		0.155	0.305	1.59	11/17/2021 11:53	WG1775646
2-Butanone (MEK)	U		3.87	6.11	1.59	11/17/2021 11:53	WG1775646
Methylene Chloride	U		0.405	1.53	1.59	11/17/2021 11:53	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.139	1.53	1.59	11/17/2021 11:53	WG1775646
Methyl tert-butyl ether	U		0.0213	0.0611	1.59	11/17/2021 11:53	WG1775646
Naphthalene	U		0.298	0.763	1.59	11/17/2021 11:53	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0580	0.305	1.59	11/17/2021 17:53	WG1775646	¹ Cp
Styrene	U		0.0140	0.763	1.59	11/17/2021 17:53	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0579	0.153	1.59	11/17/2021 17:53	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0424	0.153	1.59	11/17/2021 17:53	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0460	0.153	1.59	11/17/2021 17:53	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0546	0.153	1.59	11/17/2021 17:53	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.215	0.763	1.59	11/17/2021 17:53	WG1775646	⁷ Gl
Toluene	U		0.0794	0.305	1.59	11/17/2021 17:53	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.447	0.763	1.59	11/17/2021 17:53	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.269	0.763	1.59	11/17/2021 17:53	WG1775646	
1,1,1-Trichloroethane	0.373		0.0563	0.153	1.59	11/17/2021 17:53	WG1775646	
1,1,2-Trichloroethane	U		0.0364	0.153	1.59	11/17/2021 17:53	WG1775646	
Trichloroethene	5.19		0.0356	0.0611	1.59	11/17/2021 17:53	WG1775646	
Trichlorofluoromethane	U		0.0505	0.153	1.59	11/17/2021 17:53	WG1775646	
1,2,3-Trichloropropane	U		0.0988	0.763	1.59	11/17/2021 17:53	WG1775646	
1,2,4-Trimethylbenzene	U		0.0964	0.305	1.59	11/17/2021 17:53	WG1775646	
1,2,3-Trimethylbenzene	U		0.0964	0.305	1.59	11/17/2021 17:53	WG1775646	
1,3,5-Trimethylbenzene	U		0.122	0.305	1.59	11/17/2021 17:53	WG1775646	
Vinyl chloride	U		0.0708	0.153	1.59	11/17/2021 17:53	WG1775646	
Xylenes, Total	U		0.0537	0.396	1.59	11/17/2021 17:53	WG1775646	
(S) Toluene-d8	116			75.0-131		11/17/2021 17:53	WG1775646	
(S) 4-Bromofluorobenzene	99.6			67.0-138		11/17/2021 17:53	WG1775646	
(S) 1,2-Dichloroethane-d4	91.9			70.0-130		11/17/2021 17:53	WG1775646	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	83.3		1	11/17/2021 11:39	WG1775538

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.10	1.50	1	11/17/2021 18:12	WG1775646
Acrylonitrile	U		0.108	0.376	1	11/17/2021 18:12	WG1775646
Allyl chloride	U		0.120	0.750	1	11/17/2021 18:12	WG1775646
Benzene	U		0.0140	0.0300	1	11/17/2021 18:12	WG1775646
Bromobenzene	U		0.0270	0.376	1	11/17/2021 18:12	WG1775646
Bromodichloromethane	U		0.0217	0.0750	1	11/17/2021 18:12	WG1775646
Bromoform	U		0.0352	0.750	1	11/17/2021 18:12	WG1775646
Bromomethane	U		0.0592	0.376	1	11/17/2021 18:12	WG1775646
n-Butylbenzene	U		0.157	0.376	1	11/17/2021 18:12	WG1775646
sec-Butylbenzene	U		0.0865	0.376	1	11/17/2021 18:12	WG1775646
tert-Butylbenzene	U		0.0586	0.150	1	11/17/2021 18:12	WG1775646
Carbon tetrachloride	U		0.0270	0.150	1	11/17/2021 18:12	WG1775646
Chlorobenzene	U		0.00630	0.0750	1	11/17/2021 18:12	WG1775646
Chlorodibromomethane	U		0.0184	0.0750	1	11/17/2021 18:12	WG1775646
Chloroethane	U		0.0510	0.150	1	11/17/2021 18:12	WG1775646
Chloroform	U		0.0310	0.0750	1	11/17/2021 18:12	WG1775646
Chloromethane	U		0.131	0.376	1	11/17/2021 18:12	WG1775646
2-Chlorotoluene	U		0.0259	0.0750	1	11/17/2021 18:12	WG1775646
4-Chlorotoluene	U		0.0136	0.150	1	11/17/2021 18:12	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.117	0.750	1	11/17/2021 18:12	WG1775646
1,2-Dibromoethane	U		0.0195	0.0750	1	11/17/2021 18:12	WG1775646
Dibromomethane	U		0.0226	0.150	1	11/17/2021 18:12	WG1775646
1,2-Dichlorobenzene	U		0.0127	0.150	1	11/17/2021 18:12	WG1775646
1,3-Dichlorobenzene	U		0.0180	0.150	1	11/17/2021 18:12	WG1775646
1,4-Dichlorobenzene	U		0.0210	0.150	1	11/17/2021 18:12	WG1775646
Dichlorodifluoromethane	U		0.0484	0.0750	1	11/17/2021 18:12	WG1775646
Dichlorofluoromethane	U		0.0376	0.0750	1	11/17/2021 18:12	WG1775646
1,1-Dichloroethane	U		0.0148	0.0750	1	11/17/2021 18:12	WG1775646
1,2-Dichloroethane	U		0.0195	0.0750	1	11/17/2021 18:12	WG1775646
1,1-Dichloroethene	U		0.0183	0.0750	1	11/17/2021 18:12	WG1775646
cis-1,2-Dichloroethene	U		0.0221	0.0750	1	11/17/2021 18:12	WG1775646
trans-1,2-Dichloroethene	U		0.0312	0.150	1	11/17/2021 18:12	WG1775646
1,2-Dichloropropane	U		0.0426	0.150	1	11/17/2021 18:12	WG1775646
1,1-Dichloropropene	U		0.0243	0.0750	1	11/17/2021 18:12	WG1775646
1,3-Dichloropropane	U		0.0150	0.150	1	11/17/2021 18:12	WG1775646
cis-1,3-Dichloropropene	U		0.0227	0.0750	1	11/17/2021 18:12	WG1775646
trans-1,3-Dichloropropene	U		0.0342	0.150	1	11/17/2021 18:12	WG1775646
2,2-Dichloropropane	U		0.0414	0.0750	1	11/17/2021 18:12	WG1775646
Di-isopropyl ether	U		0.0124	0.0300	1	11/17/2021 18:12	WG1775646
Ethylbenzene	U		0.0221	0.0750	1	11/17/2021 18:12	WG1775646
Ethyl ether	U		0.0268	0.0750	1	11/17/2021 18:12	WG1775646
Hexachloro-1,3-butadiene	U		0.180	0.750	1	11/17/2021 18:12	WG1775646
2-Hexanone	U		0.101	0.750	1	11/17/2021 18:12	WG1775646
Isopropylbenzene	U		0.0127	0.0750	1	11/17/2021 18:12	WG1775646
p-Isopropyltoluene	U		0.0766	0.150	1	11/17/2021 18:12	WG1775646
2-Butanone (MEK)	U		1.91	3.00	1	11/17/2021 18:12	WG1775646
Methylene Chloride	U		0.199	0.750	1	11/17/2021 18:12	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.0684	0.750	1	11/17/2021 18:12	WG1775646
Methyl tert-butyl ether	U		0.0105	0.0300	1	11/17/2021 18:12	WG1775646
Naphthalene	U		0.146	0.376	1	11/17/2021 18:12	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0286	0.150	1	11/17/2021 18:12	WG1775646	¹ Cp
Styrene	U		0.00688	0.376	1	11/17/2021 18:12	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0285	0.0750	1	11/17/2021 18:12	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0209	0.0750	1	11/17/2021 18:12	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0227	0.0750	1	11/17/2021 18:12	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0269	0.0750	1	11/17/2021 18:12	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.106	0.376	1	11/17/2021 18:12	WG1775646	⁷ Gl
Toluene	U		0.0390	0.150	1	11/17/2021 18:12	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.220	0.376	1	11/17/2021 18:12	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.132	0.376	1	11/17/2021 18:12	WG1775646	
1,1,1-Trichloroethane	U		0.0277	0.0750	1	11/17/2021 18:12	WG1775646	
1,1,2-Trichloroethane	U		0.0179	0.0750	1	11/17/2021 18:12	WG1775646	
Trichloroethene	0.161		0.0175	0.0300	1	11/17/2021 18:12	WG1775646	
Trichlorofluoromethane	U		0.0249	0.0750	1	11/17/2021 18:12	WG1775646	
1,2,3-Trichloropropane	U		0.0486	0.376	1	11/17/2021 18:12	WG1775646	
1,2,4-Trimethylbenzene	U		0.0474	0.150	1	11/17/2021 18:12	WG1775646	
1,2,3-Trimethylbenzene	U		0.0474	0.150	1	11/17/2021 18:12	WG1775646	
1,3,5-Trimethylbenzene	U		0.0600	0.150	1	11/17/2021 18:12	WG1775646	
Vinyl chloride	U		0.0348	0.0750	1	11/17/2021 18:12	WG1775646	
Xylenes, Total	U		0.0264	0.196	1	11/17/2021 18:12	WG1775646	
(S) Toluene-d8	114			75.0-131		11/17/2021 18:12	WG1775646	
(S) 4-Bromofluorobenzene	100			67.0-138		11/17/2021 18:12	WG1775646	
(S) 1,2-Dichloroethane-d4	93.6			70.0-130		11/17/2021 18:12	WG1775646	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	69.6		1	11/17/2021 11:39	WG1775538

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		2.13	2.92	1.62	11/17/2021 18:31	WG1775646
Acrylonitrile	U		0.210	0.727	1.62	11/17/2021 18:31	WG1775646
Allyl chloride	U		0.233	1.45	1.62	11/17/2021 18:31	WG1775646
Benzene	U		0.0271	0.0582	1.62	11/17/2021 18:31	WG1775646
Bromobenzene	U		0.0524	0.727	1.62	11/17/2021 18:31	WG1775646
Bromodichloromethane	U		0.0422	0.145	1.62	11/17/2021 18:31	WG1775646
Bromoform	U		0.0681	1.45	1.62	11/17/2021 18:31	WG1775646
Bromomethane	U		0.115	0.727	1.62	11/17/2021 18:31	WG1775646
n-Butylbenzene	U		0.306	0.727	1.62	11/17/2021 18:31	WG1775646
sec-Butylbenzene	U		0.168	0.727	1.62	11/17/2021 18:31	WG1775646
tert-Butylbenzene	U		0.113	0.292	1.62	11/17/2021 18:31	WG1775646
Carbon tetrachloride	U		0.0523	0.292	1.62	11/17/2021 18:31	WG1775646
Chlorobenzene	U		0.0122	0.145	1.62	11/17/2021 18:31	WG1775646
Chlorodibromomethane	U		0.0356	0.145	1.62	11/17/2021 18:31	WG1775646
Chloroethane	U		0.0990	0.292	1.62	11/17/2021 18:31	WG1775646
Chloroform	U		0.0599	0.145	1.62	11/17/2021 18:31	WG1775646
Chloromethane	U		0.253	0.727	1.62	11/17/2021 18:31	WG1775646
2-Chlorotoluene	U		0.0503	0.145	1.62	11/17/2021 18:31	WG1775646
4-Chlorotoluene	U		0.0261	0.292	1.62	11/17/2021 18:31	WG1775646
1,2-Dibromo-3-Chloropropane	U		0.227	1.45	1.62	11/17/2021 18:31	WG1775646
1,2-Dibromoethane	U		0.0376	0.145	1.62	11/17/2021 18:31	WG1775646
Dibromomethane	U		0.0437	0.292	1.62	11/17/2021 18:31	WG1775646
1,2-Dichlorobenzene	U		0.0247	0.292	1.62	11/17/2021 18:31	WG1775646
1,3-Dichlorobenzene	U		0.0349	0.292	1.62	11/17/2021 18:31	WG1775646
1,4-Dichlorobenzene	U		0.0408	0.292	1.62	11/17/2021 18:31	WG1775646
Dichlorodifluoromethane	U		0.0936	0.145	1.62	11/17/2021 18:31	WG1775646
Dichlorofluoromethane	U		0.0727	0.145	1.62	11/17/2021 18:31	WG1775646
1,1-Dichloroethane	U		0.0286	0.145	1.62	11/17/2021 18:31	WG1775646
1,2-Dichloroethane	U		0.0378	0.145	1.62	11/17/2021 18:31	WG1775646
1,1-Dichloroethene	U		0.0352	0.145	1.62	11/17/2021 18:31	WG1775646
cis-1,2-Dichloroethene	U		0.0427	0.145	1.62	11/17/2021 18:31	WG1775646
trans-1,2-Dichloroethene	U		0.0605	0.292	1.62	11/17/2021 18:31	WG1775646
1,2-Dichloropropane	U		0.0826	0.292	1.62	11/17/2021 18:31	WG1775646
1,1-Dichloropropene	U		0.0471	0.145	1.62	11/17/2021 18:31	WG1775646
1,3-Dichloropropene	U		0.0292	0.292	1.62	11/17/2021 18:31	WG1775646
cis-1,3-Dichloropropene	U		0.0441	0.145	1.62	11/17/2021 18:31	WG1775646
trans-1,3-Dichloropropene	U		0.0664	0.292	1.62	11/17/2021 18:31	WG1775646
2,2-Dichloropropane	U		0.0803	0.145	1.62	11/17/2021 18:31	WG1775646
Di-isopropyl ether	U		0.0238	0.0582	1.62	11/17/2021 18:31	WG1775646
Ethylbenzene	U		0.0428	0.145	1.62	11/17/2021 18:31	WG1775646
Ethyl ether	U		0.0518	0.145	1.62	11/17/2021 18:31	WG1775646
Hexachloro-1,3-butadiene	U		0.349	1.45	1.62	11/17/2021 18:31	WG1775646
2-Hexanone	U		0.195	1.45	1.62	11/17/2021 18:31	WG1775646
Isopropylbenzene	U		0.0247	0.145	1.62	11/17/2021 18:31	WG1775646
p-Isopropyltoluene	U		0.148	0.292	1.62	11/17/2021 18:31	WG1775646
2-Butanone (MEK)	U		3.69	5.82	1.62	11/17/2021 18:31	WG1775646
Methylene Chloride	U		0.386	1.45	1.62	11/17/2021 18:31	WG1775646
4-Methyl-2-pentanone (MIBK)	U		0.133	1.45	1.62	11/17/2021 18:31	WG1775646
Methyl tert-butyl ether	U		0.0204	0.0582	1.62	11/17/2021 18:31	WG1775646
Naphthalene	U		0.284	0.727	1.62	11/17/2021 18:31	WG1775646

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0553	0.292	1.62	11/17/2021 18:31	WG1775646	¹ Cp
Styrene	U		0.0133	0.727	1.62	11/17/2021 18:31	WG1775646	² Tc
1,1,2-Tetrachloroethane	U		0.0552	0.145	1.62	11/17/2021 18:31	WG1775646	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0404	0.145	1.62	11/17/2021 18:31	WG1775646	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0438	0.145	1.62	11/17/2021 18:31	WG1775646	⁵ Sr
Tetrachloroethene	U		0.0521	0.145	1.62	11/17/2021 18:31	WG1775646	⁶ Qc
Tetrahydrofuran	U		0.205	0.727	1.62	11/17/2021 18:31	WG1775646	⁷ Gl
Toluene	0.0796	J	0.0757	0.292	1.62	11/17/2021 18:31	WG1775646	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.427	0.727	1.62	11/17/2021 18:31	WG1775646	
1,2,4-Trichlorobenzene	U	C4	0.256	0.727	1.62	11/17/2021 18:31	WG1775646	
1,1,1-Trichloroethane	0.151		0.0537	0.145	1.62	11/17/2021 18:31	WG1775646	
1,1,2-Trichloroethane	U		0.0348	0.145	1.62	11/17/2021 18:31	WG1775646	
Trichloroethene	51.8		3.40	5.82	162	11/18/2021 15:04	WG1776620	
Trichlorofluoromethane	U		0.0481	0.145	1.62	11/17/2021 18:31	WG1775646	
1,2,3-Trichloropropane	U		0.0942	0.727	1.62	11/17/2021 18:31	WG1775646	
1,2,4-Trimethylbenzene	U		0.0919	0.292	1.62	11/17/2021 18:31	WG1775646	
1,2,3-Trimethylbenzene	U		0.0919	0.292	1.62	11/17/2021 18:31	WG1775646	
1,3,5-Trimethylbenzene	U		0.116	0.292	1.62	11/17/2021 18:31	WG1775646	
Vinyl chloride	U		0.0675	0.145	1.62	11/17/2021 18:31	WG1775646	
Xylenes, Total	0.165	J	0.0511	0.378	1.62	11/17/2021 18:31	WG1775646	
(S) Toluene-d8	113			75.0-131		11/17/2021 18:31	WG1775646	
(S) Toluene-d8	110			75.0-131		11/18/2021 15:04	WG1776620	
(S) 4-Bromofluorobenzene	102			67.0-138		11/17/2021 18:31	WG1775646	
(S) 4-Bromofluorobenzene	103			67.0-138		11/18/2021 15:04	WG1776620	
(S) 1,2-Dichloroethane-d4	92.1			70.0-130		11/17/2021 18:31	WG1775646	
(S) 1,2-Dichloroethane-d4	117			70.0-130		11/18/2021 15:04	WG1776620	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	78.8		1	11/17/2021 11:39	WG1775538

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.22	1.66	1.05	11/17/2021 12:00	WG1775651
Acrylonitrile	U		0.120	0.416	1.05	11/17/2021 12:00	WG1775651
Allyl chloride	U	<u>J3</u>	0.133	0.832	1.05	11/17/2021 12:00	WG1775651
Benzene	U	<u>J3</u>	0.0156	0.0334	1.05	11/17/2021 12:00	WG1775651
Bromobenzene	U		0.0299	0.416	1.05	11/17/2021 12:00	WG1775651
Bromodichloromethane	U		0.0241	0.0832	1.05	11/17/2021 12:00	WG1775651
Bromoform	U		0.0389	0.832	1.05	11/17/2021 12:00	WG1775651
Bromomethane	U	<u>J3</u>	0.0656	0.416	1.05	11/17/2021 12:00	WG1775651
n-Butylbenzene	U	<u>J3</u>	0.175	0.416	1.05	11/17/2021 12:00	WG1775651
sec-Butylbenzene	U	<u>J3 J6</u>	0.0959	0.416	1.05	11/17/2021 12:00	WG1775651
tert-Butylbenzene	U	<u>J3</u>	0.0650	0.166	1.05	11/17/2021 12:00	WG1775651
Carbon tetrachloride	U	<u>J3</u>	0.0299	0.166	1.05	11/17/2021 12:00	WG1775651
Chlorobenzene	U		0.00699	0.0832	1.05	11/17/2021 12:00	WG1775651
Chlorodibromomethane	U		0.0204	0.0832	1.05	11/17/2021 12:00	WG1775651
Chloroethane	U	<u>J3 J6</u>	0.0566	0.166	1.05	11/17/2021 12:00	WG1775651
Chloroform	U		0.0343	0.0832	1.05	11/17/2021 12:00	WG1775651
Chloromethane	U	<u>J3</u>	0.145	0.416	1.05	11/17/2021 12:00	WG1775651
2-Chlorotoluene	U	<u>J3</u>	0.0288	0.0832	1.05	11/17/2021 12:00	WG1775651
4-Chlorotoluene	U	<u>J3</u>	0.0150	0.166	1.05	11/17/2021 12:00	WG1775651
1,2-Dibromo-3-Chloropropane	U		0.129	0.832	1.05	11/17/2021 12:00	WG1775651
1,2-Dibromoethane	U		0.0216	0.0832	1.05	11/17/2021 12:00	WG1775651
Dibromomethane	U		0.0250	0.166	1.05	11/17/2021 12:00	WG1775651
1,2-Dichlorobenzene	U		0.0142	0.166	1.05	11/17/2021 12:00	WG1775651
1,3-Dichlorobenzene	U	<u>J3</u>	0.0200	0.166	1.05	11/17/2021 12:00	WG1775651
1,4-Dichlorobenzene	U		0.0233	0.166	1.05	11/17/2021 12:00	WG1775651
Dichlorodifluoromethane	U	<u>J3</u>	0.0537	0.0832	1.05	11/17/2021 12:00	WG1775651
Dichlorofluoromethane	U	<u>J3</u>	0.0416	0.0832	1.05	11/17/2021 12:00	WG1775651
1,1-Dichloroethane	U	<u>J3</u>	0.0164	0.0832	1.05	11/17/2021 12:00	WG1775651
1,2-Dichloroethane	U		0.0216	0.0832	1.05	11/17/2021 12:00	WG1775651
1,1-Dichloroethene	U	<u>J3</u>	0.0202	0.0832	1.05	11/17/2021 12:00	WG1775651
cis-1,2-Dichloroethene	U	<u>J3</u>	0.0245	0.0832	1.05	11/17/2021 12:00	WG1775651
trans-1,2-Dichloroethene	U	<u>J3</u>	0.0346	0.166	1.05	11/17/2021 12:00	WG1775651
1,2-Dichloropropane	U		0.0473	0.166	1.05	11/17/2021 12:00	WG1775651
1,1-Dichloropropene	U	<u>J3</u>	0.0269	0.0832	1.05	11/17/2021 12:00	WG1775651
1,3-Dichloropropane	U		0.0167	0.166	1.05	11/17/2021 12:00	WG1775651
cis-1,3-Dichloropropene	U		0.0252	0.0832	1.05	11/17/2021 12:00	WG1775651
trans-1,3-Dichloropropene	U		0.0379	0.166	1.05	11/17/2021 12:00	WG1775651
2,2-Dichloropropane	U	<u>J3</u>	0.0459	0.0832	1.05	11/17/2021 12:00	WG1775651
Di-isopropyl ether	U		0.0137	0.0334	1.05	11/17/2021 12:00	WG1775651
Ethylbenzene	U	<u>J3</u>	0.0245	0.0832	1.05	11/17/2021 12:00	WG1775651
Ethyl ether	U		0.0297	0.0832	1.05	11/17/2021 12:00	WG1775651
Hexachloro-1,3-butadiene	U	<u>J3</u>	0.200	0.832	1.05	11/17/2021 12:00	WG1775651
2-Hexanone	U		0.112	0.832	1.05	11/17/2021 12:00	WG1775651
Isopropylbenzene	U	<u>J3</u>	0.0142	0.0832	1.05	11/17/2021 12:00	WG1775651
p-Isopropyltoluene	U	<u>J3</u>	0.0849	0.166	1.05	11/17/2021 12:00	WG1775651
2-Butanone (MEK)	U		2.12	3.34	1.05	11/17/2021 12:00	WG1775651
Methylene Chloride	U		0.221	0.832	1.05	11/17/2021 12:00	WG1775651
4-Methyl-2-pentanone (MIBK)	U		0.0760	0.832	1.05	11/17/2021 12:00	WG1775651
Methyl tert-butyl ether	U		0.0117	0.0334	1.05	11/17/2021 12:00	WG1775651
Naphthalene	U		0.162	0.416	1.05	11/17/2021 12:00	WG1775651

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U	J3	0.0316	0.166	1.05	11/17/2021 12:00	WG1775651	¹ Cp
Styrene	U		0.00762	0.416	1.05	11/17/2021 12:00	WG1775651	² Tc
1,1,2-Tetrachloroethane	U		0.0316	0.0832	1.05	11/17/2021 12:00	WG1775651	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0231	0.0832	1.05	11/17/2021 12:00	WG1775651	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U	J3	0.0251	0.0832	1.05	11/17/2021 12:00	WG1775651	⁵ Sr
Tetrachloroethene	U	J3	0.0298	0.0832	1.05	11/17/2021 12:00	WG1775651	⁶ Qc
Tetrahydrofuran	U		0.117	0.416	1.05	11/17/2021 12:00	WG1775651	⁷ Gl
Toluene	U	J3	0.0433	0.166	1.05	11/17/2021 12:00	WG1775651	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.244	0.416	1.05	11/17/2021 12:00	WG1775651	⁹ Sc
1,2,4-Trichlorobenzene	U		0.147	0.416	1.05	11/17/2021 12:00	WG1775651	
1,1,1-Trichloroethane	0.0458	JJ3	0.0307	0.0832	1.05	11/17/2021 12:00	WG1775651	
1,1,2-Trichloroethane	U		0.0199	0.0832	1.05	11/17/2021 12:00	WG1775651	
Trichloroethene	14.2		0.194	0.334	10.5	11/18/2021 15:23	WG1776692	
Trichlorofluoromethane	U	J3	0.0275	0.0832	1.05	11/17/2021 12:00	WG1775651	
1,2,3-Trichloropropane	U		0.0539	0.416	1.05	11/17/2021 12:00	WG1775651	
1,2,4-Trimethylbenzene	U		0.0526	0.166	1.05	11/17/2021 12:00	WG1775651	
1,2,3-Trimethylbenzene	U	J3	0.0526	0.166	1.05	11/17/2021 12:00	WG1775651	
1,3,5-Trimethylbenzene	U	J3	0.0666	0.166	1.05	11/17/2021 12:00	WG1775651	
Vinyl chloride	U	J3	0.0387	0.0832	1.05	11/17/2021 12:00	WG1775651	
Xylenes, Total	0.0350	J	0.0293	0.217	1.05	11/17/2021 12:00	WG1775651	
(S) Toluene-d8	98.3			75.0-131		11/17/2021 12:00	WG1775651	
(S) Toluene-d8	109			75.0-131		11/18/2021 15:23	WG1776692	
(S) 4-Bromofluorobenzene	104			67.0-138		11/17/2021 12:00	WG1775651	
(S) 4-Bromofluorobenzene	104			67.0-138		11/18/2021 15:23	WG1776692	
(S) 1,2-Dichloroethane-d4	101			70.0-130		11/17/2021 12:00	WG1775651	
(S) 1,2-Dichloroethane-d4	110			70.0-130		11/18/2021 15:23	WG1776692	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	78.1		1	11/17/2021 11:39	WG1775538

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.81	2.47	1.54	11/17/2021 12:19	WG1775651
Acrylonitrile	U		0.178	0.616	1.54	11/17/2021 12:19	WG1775651
Allyl chloride	U	J3	0.197	1.23	1.54	11/17/2021 12:19	WG1775651
Benzene	U		0.0231	0.0493	1.54	11/17/2021 12:19	WG1775651
Bromobenzene	U		0.0444	0.616	1.54	11/17/2021 12:19	WG1775651
Bromodichloromethane	U		0.0357	0.123	1.54	11/17/2021 12:19	WG1775651
Bromoform	U		0.0576	1.23	1.54	11/17/2021 12:19	WG1775651
Bromomethane	U		0.0971	0.616	1.54	11/17/2021 12:19	WG1775651
n-Butylbenzene	U		0.259	0.616	1.54	11/17/2021 12:19	WG1775651
sec-Butylbenzene	U		0.142	0.616	1.54	11/17/2021 12:19	WG1775651
tert-Butylbenzene	U		0.0962	0.247	1.54	11/17/2021 12:19	WG1775651
Carbon tetrachloride	U		0.0443	0.247	1.54	11/17/2021 12:19	WG1775651
Chlorobenzene	U		0.0104	0.123	1.54	11/17/2021 12:19	WG1775651
Chlorodibromomethane	U		0.0302	0.123	1.54	11/17/2021 12:19	WG1775651
Chloroethane	U		0.0839	0.247	1.54	11/17/2021 12:19	WG1775651
Chloroform	U		0.0508	0.123	1.54	11/17/2021 12:19	WG1775651
Chloromethane	U		0.214	0.616	1.54	11/17/2021 12:19	WG1775651
2-Chlorotoluene	U		0.0426	0.123	1.54	11/17/2021 12:19	WG1775651
4-Chlorotoluene	U		0.0222	0.247	1.54	11/17/2021 12:19	WG1775651
1,2-Dibromo-3-Chloropropane	U		0.192	1.23	1.54	11/17/2021 12:19	WG1775651
1,2-Dibromoethane	U		0.0319	0.123	1.54	11/17/2021 12:19	WG1775651
Dibromomethane	U		0.0370	0.247	1.54	11/17/2021 12:19	WG1775651
1,2-Dichlorobenzene	U		0.0210	0.247	1.54	11/17/2021 12:19	WG1775651
1,3-Dichlorobenzene	U		0.0296	0.247	1.54	11/17/2021 12:19	WG1775651
1,4-Dichlorobenzene	U		0.0346	0.247	1.54	11/17/2021 12:19	WG1775651
Dichlorodifluoromethane	U		0.0794	0.123	1.54	11/17/2021 12:19	WG1775651
Dichlorofluoromethane	U		0.0616	0.123	1.54	11/17/2021 12:19	WG1775651
1,1-Dichloroethane	U	J3	0.0242	0.123	1.54	11/17/2021 12:19	WG1775651
1,2-Dichloroethane	U		0.0320	0.123	1.54	11/17/2021 12:19	WG1775651
1,1-Dichloroethene	U	J3	0.0298	0.123	1.54	11/17/2021 12:19	WG1775651
cis-1,2-Dichloroethene	U		0.0362	0.123	1.54	11/17/2021 12:19	WG1775651
trans-1,2-Dichloroethene	U	J3	0.0512	0.247	1.54	11/17/2021 12:19	WG1775651
1,2-Dichloropropane	U		0.0701	0.247	1.54	11/17/2021 12:19	WG1775651
1,1-Dichloropropene	U		0.0398	0.123	1.54	11/17/2021 12:19	WG1775651
1,3-Dichloropropene	U		0.0247	0.247	1.54	11/17/2021 12:19	WG1775651
cis-1,3-Dichloropropene	U		0.0373	0.123	1.54	11/17/2021 12:19	WG1775651
trans-1,3-Dichloropropene	U		0.0562	0.247	1.54	11/17/2021 12:19	WG1775651
2,2-Dichloropropane	U		0.0680	0.123	1.54	11/17/2021 12:19	WG1775651
Di-isopropyl ether	U		0.0202	0.0493	1.54	11/17/2021 12:19	WG1775651
Ethylbenzene	U		0.0364	0.123	1.54	11/17/2021 12:19	WG1775651
Ethyl ether	U		0.0439	0.123	1.54	11/17/2021 12:19	WG1775651
Hexachloro-1,3-butadiene	U		0.296	1.23	1.54	11/17/2021 12:19	WG1775651
2-Hexanone	U		0.165	1.23	1.54	11/17/2021 12:19	WG1775651
Isopropylbenzene	U		0.0210	0.123	1.54	11/17/2021 12:19	WG1775651
p-Isopropyltoluene	U		0.126	0.247	1.54	11/17/2021 12:19	WG1775651
2-Butanone (MEK)	U		3.12	4.93	1.54	11/17/2021 12:19	WG1775651
Methylene Chloride	U		0.328	1.23	1.54	11/17/2021 12:19	WG1775651
4-Methyl-2-pentanone (MIBK)	U		0.112	1.23	1.54	11/17/2021 12:19	WG1775651
Methyl tert-butyl ether	U		0.0173	0.0493	1.54	11/17/2021 12:19	WG1775651
Naphthalene	U		0.241	0.616	1.54	11/17/2021 12:19	WG1775651

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0469	0.247	1.54	11/17/2021 12:19	WG1775651	¹ Cp
Styrene	U		0.0113	0.616	1.54	11/17/2021 12:19	WG1775651	² Tc
1,1,2-Tetrachloroethane	U		0.0467	0.123	1.54	11/17/2021 12:19	WG1775651	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0343	0.123	1.54	11/17/2021 12:19	WG1775651	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0371	0.123	1.54	11/17/2021 12:19	WG1775651	⁵ Sr
Tetrachloroethene	U		0.0442	0.123	1.54	11/17/2021 12:19	WG1775651	⁶ Qc
Tetrahydrofuran	U		0.174	0.616	1.54	11/17/2021 12:19	WG1775651	⁷ Gl
Toluene	U		0.0642	0.247	1.54	11/17/2021 12:19	WG1775651	⁸ Al
1,2,3-Trichlorobenzene	U	C4	0.361	0.616	1.54	11/17/2021 12:19	WG1775651	
1,2,4-Trichlorobenzene	U		0.216	0.616	1.54	11/17/2021 12:19	WG1775651	
1,1,1-Trichloroethane	0.269	J3	0.0455	0.123	1.54	11/17/2021 12:19	WG1775651	
1,1,2-Trichloroethane	U		0.0295	0.123	1.54	11/17/2021 12:19	WG1775651	
Trichloroethene	35.7		1.15	1.97	61.6	11/18/2021 15:42	WG1776692	
Trichlorofluoromethane	U		0.0407	0.123	1.54	11/17/2021 12:19	WG1775651	
1,2,3-Trichloropropane	U		0.0799	0.616	1.54	11/17/2021 12:19	WG1775651	
1,2,4-Trimethylbenzene	U		0.0779	0.247	1.54	11/17/2021 12:19	WG1775651	
1,2,3-Trimethylbenzene	U		0.0779	0.247	1.54	11/17/2021 12:19	WG1775651	
1,3,5-Trimethylbenzene	U		0.0986	0.247	1.54	11/17/2021 12:19	WG1775651	
Vinyl chloride	U		0.0572	0.123	1.54	11/17/2021 12:19	WG1775651	
Xylenes, Total	0.0711	J	0.0434	0.320	1.54	11/17/2021 12:19	WG1775651	
(S) Toluene-d8	95.6			75.0-131		11/17/2021 12:19	WG1775651	
(S) Toluene-d8	105			75.0-131		11/18/2021 15:42	WG1776692	
(S) 4-Bromofluorobenzene	99.8			67.0-138		11/17/2021 12:19	WG1775651	
(S) 4-Bromofluorobenzene	104			67.0-138		11/18/2021 15:42	WG1776692	
(S) 1,2-Dichloroethane-d4	97.5			70.0-130		11/17/2021 12:19	WG1775651	
(S) 1,2-Dichloroethane-d4	115			70.0-130		11/18/2021 15:42	WG1776692	

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	84.0		1	11/17/2021 11:39	WG1775538

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U		1.09	1.49	1	11/18/2021 16:32	WG1776692
Acrylonitrile	U		0.108	0.373	1	11/18/2021 16:32	WG1776692
Allyl chloride	U		0.119	0.744	1	11/18/2021 16:32	WG1776692
Benzene	U		0.0139	0.0298	1	11/18/2021 16:32	WG1776692
Bromobenzene	U		0.0268	0.373	1	11/18/2021 16:32	WG1776692
Bromodichloromethane	U		0.0215	0.0744	1	11/18/2021 16:32	WG1776692
Bromoform	U		0.0349	0.744	1	11/18/2021 16:32	WG1776692
Bromomethane	U		0.0587	0.373	1	11/18/2021 16:32	WG1776692
n-Butylbenzene	U		0.156	0.373	1	11/18/2021 16:32	WG1776692
sec-Butylbenzene	U		0.0857	0.373	1	11/18/2021 16:32	WG1776692
tert-Butylbenzene	U		0.0581	0.149	1	11/18/2021 16:32	WG1776692
Carbon tetrachloride	U		0.0268	0.149	1	11/18/2021 16:32	WG1776692
Chlorobenzene	U		0.00625	0.0744	1	11/18/2021 16:32	WG1776692
Chlorodibromomethane	U		0.0182	0.0744	1	11/18/2021 16:32	WG1776692
Chloroethane	U		0.0506	0.149	1	11/18/2021 16:32	WG1776692
Chloroform	U		0.0307	0.0744	1	11/18/2021 16:32	WG1776692
Chloromethane	U		0.130	0.373	1	11/18/2021 16:32	WG1776692
2-Chlorotoluene	U		0.0257	0.0744	1	11/18/2021 16:32	WG1776692
4-Chlorotoluene	U		0.0135	0.149	1	11/18/2021 16:32	WG1776692
1,2-Dibromo-3-Chloropropane	U		0.116	0.744	1	11/18/2021 16:32	WG1776692
1,2-Dibromoethane	U		0.0193	0.0744	1	11/18/2021 16:32	WG1776692
Dibromomethane	U		0.0224	0.149	1	11/18/2021 16:32	WG1776692
1,2-Dichlorobenzene	U		0.0126	0.149	1	11/18/2021 16:32	WG1776692
1,3-Dichlorobenzene	U		0.0179	0.149	1	11/18/2021 16:32	WG1776692
1,4-Dichlorobenzene	U		0.0208	0.149	1	11/18/2021 16:32	WG1776692
Dichlorodifluoromethane	U		0.0480	0.0744	1	11/18/2021 16:32	WG1776692
Dichlorofluoromethane	U		0.0373	0.0744	1	11/18/2021 16:32	WG1776692
1,1-Dichloroethane	U		0.0146	0.0744	1	11/18/2021 16:32	WG1776692
1,2-Dichloroethane	U		0.0193	0.0744	1	11/18/2021 16:32	WG1776692
1,1-Dichloroethene	U		0.0181	0.0744	1	11/18/2021 16:32	WG1776692
cis-1,2-Dichloroethene	U		0.0219	0.0744	1	11/18/2021 16:32	WG1776692
trans-1,2-Dichloroethene	U		0.0310	0.149	1	11/18/2021 16:32	WG1776692
1,2-Dichloropropane	U		0.0423	0.149	1	11/18/2021 16:32	WG1776692
1,1-Dichloropropene	U		0.0240	0.0744	1	11/18/2021 16:32	WG1776692
1,3-Dichloropropane	U		0.0149	0.149	1	11/18/2021 16:32	WG1776692
cis-1,3-Dichloropropene	U		0.0225	0.0744	1	11/18/2021 16:32	WG1776692
trans-1,3-Dichloropropene	U		0.0339	0.149	1	11/18/2021 16:32	WG1776692
2,2-Dichloropropane	U		0.0411	0.0744	1	11/18/2021 16:32	WG1776692
Di-isopropyl ether	U		0.0123	0.0298	1	11/18/2021 16:32	WG1776692
Ethylbenzene	U		0.0219	0.0744	1	11/18/2021 16:32	WG1776692
Ethyl ether	U		0.0265	0.0744	1	11/18/2021 16:32	WG1776692
Hexachloro-1,3-butadiene	U	C3	0.179	0.744	1	11/18/2021 16:32	WG1776692
2-Hexanone	U		0.100	0.744	1	11/18/2021 16:32	WG1776692
Isopropylbenzene	U		0.0126	0.0744	1	11/18/2021 16:32	WG1776692
p-Isopropyltoluene	U		0.0760	0.149	1	11/18/2021 16:32	WG1776692
2-Butanone (MEK)	U		1.89	2.98	1	11/18/2021 16:32	WG1776692
Methylene Chloride	U		0.198	0.744	1	11/18/2021 16:32	WG1776692
4-Methyl-2-pentanone (MIBK)	U		0.0679	0.744	1	11/18/2021 16:32	WG1776692
Methyl tert-butyl ether	U		0.0104	0.0298	1	11/18/2021 16:32	WG1776692
Naphthalene	U	C3	0.145	0.373	1	11/18/2021 16:32	WG1776692

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch	
n-Propylbenzene	U		0.0283	0.149	1	11/18/2021 16:32	WG1776692	¹ Cp
Styrene	U		0.00682	0.373	1	11/18/2021 16:32	WG1776692	² Tc
1,1,2-Tetrachloroethane	U		0.0282	0.0744	1	11/18/2021 16:32	WG1776692	³ Ss
1,1,2,2-Tetrachloroethane	U		0.0207	0.0744	1	11/18/2021 16:32	WG1776692	⁴ Cn
1,1,2-Trichlorotrifluoroethane	U		0.0225	0.0744	1	11/18/2021 16:32	WG1776692	⁵ Sr
Tetrachloroethene	U		0.0267	0.0744	1	11/18/2021 16:32	WG1776692	⁶ Qc
Tetrahydrofuran	U		0.105	0.373	1	11/18/2021 16:32	WG1776692	⁷ Gl
Toluene	U		0.0387	0.149	1	11/18/2021 16:32	WG1776692	⁸ Al
1,2,3-Trichlorobenzene	U		0.218	0.373	1	11/19/2021 10:30	WG1777156	⁹ Sc
1,2,4-Trichlorobenzene	U	C4 J4	0.131	0.373	1	11/18/2021 16:32	WG1776692	
1,1,1-Trichloroethane	U		0.0275	0.0744	1	11/18/2021 16:32	WG1776692	
1,1,2-Trichloroethane	U		0.0177	0.0744	1	11/18/2021 16:32	WG1776692	
Trichloroethene	2.71		0.0174	0.0298	1	11/18/2021 16:32	WG1776692	
Trichlorofluoromethane	U		0.0246	0.0744	1	11/18/2021 16:32	WG1776692	
1,2,3-Trichloropropane	U		0.0482	0.373	1	11/18/2021 16:32	WG1776692	
1,2,4-Trimethylbenzene	U		0.0470	0.149	1	11/18/2021 16:32	WG1776692	
1,2,3-Trimethylbenzene	U		0.0470	0.149	1	11/18/2021 16:32	WG1776692	
1,3,5-Trimethylbenzene	U		0.0595	0.149	1	11/18/2021 16:32	WG1776692	
Vinyl chloride	U		0.0345	0.0744	1	11/18/2021 16:32	WG1776692	
Xylenes, Total	U		0.0262	0.194	1	11/18/2021 16:32	WG1776692	
(S) Toluene-d8	114		75.0-131			11/18/2021 16:32	WG1776692	
(S) Toluene-d8	114		75.0-131			11/19/2021 10:30	WG1777156	
(S) 4-Bromofluorobenzene	95.1		67.0-138			11/18/2021 16:32	WG1776692	
(S) 4-Bromofluorobenzene	104		67.0-138			11/19/2021 10:30	WG1777156	
(S) 1,2-Dichloroethane-d4	93.9		70.0-130			11/18/2021 16:32	WG1776692	
(S) 1,2-Dichloroethane-d4	92.6		70.0-130			11/19/2021 10:30	WG1777156	

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Acetone	U		0.0113	0.0500	1	11/17/2021 20:00	WG1775759	¹ Cp
Acrolein	U		0.00254	0.0500	1	11/17/2021 20:00	WG1775759	² Tc
Acrylonitrile	U		0.000671	0.0100	1	11/17/2021 20:00	WG1775759	³ Ss
Allyl chloride	U		0.000500	0.00500	1	11/17/2021 20:00	WG1775759	⁴ Cn
Benzene	U		0.0000941	0.00100	1	11/17/2021 20:00	WG1775759	⁵ Sr
Bromobenzene	U		0.000118	0.00100	1	11/17/2021 20:00	WG1775759	⁶ Qc
Bromodichloromethane	U		0.000136	0.00100	1	11/17/2021 20:00	WG1775759	⁷ Gl
Bromoform	U		0.000129	0.00100	1	11/17/2021 20:00	WG1775759	⁸ Al
Bromomethane	U		0.000605	0.00500	1	11/17/2021 20:00	WG1775759	⁹ Sc
n-Butylbenzene	U		0.000157	0.00100	1	11/17/2021 20:00	WG1775759	
sec-Butylbenzene	U		0.000125	0.00100	1	11/17/2021 20:00	WG1775759	
tert-Butylbenzene	U		0.000127	0.00100	1	11/17/2021 20:00	WG1775759	
Carbon tetrachloride	U		0.000128	0.00100	1	11/17/2021 20:00	WG1775759	
Chlorobenzene	U		0.000116	0.00100	1	11/17/2021 20:00	WG1775759	
Chlorodibromomethane	U		0.000140	0.00100	1	11/17/2021 20:00	WG1775759	
Chloroethane	U		0.000192	0.00500	1	11/17/2021 20:00	WG1775759	
2-Chloroethyl vinyl ether	U		0.000575	0.0500	1	11/17/2021 20:00	WG1775759	
Chloroform	U		0.000111	0.00500	1	11/17/2021 20:00	WG1775759	
Chloromethane	U		0.000960	0.00250	1	11/17/2021 20:00	WG1775759	
2-Chlorotoluene	U		0.000106	0.00100	1	11/17/2021 20:00	WG1775759	
4-Chlorotoluene	U		0.000114	0.00100	1	11/17/2021 20:00	WG1775759	
1,2-Dibromo-3-Chloropropane	U		0.000276	0.00500	1	11/17/2021 20:00	WG1775759	
1,2-Dibromoethane	U		0.000126	0.00100	1	11/17/2021 20:00	WG1775759	
Dibromomethane	U		0.000122	0.00100	1	11/17/2021 20:00	WG1775759	
1,2-Dichlorobenzene	U		0.000107	0.00100	1	11/17/2021 20:00	WG1775759	
1,3-Dichlorobenzene	U		0.000110	0.00100	1	11/17/2021 20:00	WG1775759	
1,4-Dichlorobenzene	U		0.000120	0.00100	1	11/17/2021 20:00	WG1775759	
Dichlorodifluoromethane	U		0.000374	0.00500	1	11/17/2021 20:00	WG1775759	
Dichlorofluoromethane	U		0.000130	0.00500	1	11/17/2021 20:00	WG1775759	
1,1-Dichloroethane	U		0.000100	0.00100	1	11/17/2021 20:00	WG1775759	
1,2-Dichloroethane	U		0.0000819	0.00100	1	11/17/2021 20:00	WG1775759	
1,1-Dichloroethene	U		0.000188	0.00100	1	11/17/2021 20:00	WG1775759	
cis-1,2-Dichloroethene	U		0.000126	0.00100	1	11/17/2021 20:00	WG1775759	
trans-1,2-Dichloroethene	U		0.000149	0.00100	1	11/17/2021 20:00	WG1775759	
1,2-Dichloropropane	U		0.000149	0.00100	1	11/17/2021 20:00	WG1775759	
1,1-Dichloropropene	U		0.000142	0.00100	1	11/17/2021 20:00	WG1775759	
1,3-Dichloropropane	U		0.000110	0.00100	1	11/17/2021 20:00	WG1775759	
cis-1,3-Dichloropropene	U		0.000111	0.00100	1	11/17/2021 20:00	WG1775759	
trans-1,3-Dichloropropene	U		0.000118	0.00100	1	11/17/2021 20:00	WG1775759	
2,2-Dichloropropane	U		0.000161	0.00100	1	11/17/2021 20:00	WG1775759	
Di-isopropyl ether	U		0.000105	0.00100	1	11/17/2021 20:00	WG1775759	
Ethylbenzene	U		0.000137	0.00100	1	11/17/2021 20:00	WG1775759	
Ethyl ether	U		0.000115	0.00100	1	11/17/2021 20:00	WG1775759	
Hexachloro-1,3-butadiene	U		0.000337	0.00100	1	11/17/2021 20:00	WG1775759	
Isopropylbenzene	U		0.000105	0.00100	1	11/17/2021 20:00	WG1775759	
p-Isopropyltoluene	U		0.000120	0.00100	1	11/17/2021 20:00	WG1775759	
2-Butanone (MEK)	U		0.00119	0.0100	1	11/17/2021 20:00	WG1775759	
Methylene Chloride	U		0.000430	0.00500	1	11/17/2021 20:00	WG1775759	
2-Hexanone	U		0.000787	0.0100	1	11/17/2021 20:00	WG1775759	
4-Methyl-2-pentanone (MIBK)	U		0.000478	0.0100	1	11/17/2021 20:00	WG1775759	
Methyl tert-butyl ether	U		0.000101	0.00100	1	11/17/2021 20:00	WG1775759	
Naphthalene	U		0.00100	0.00500	1	11/17/2021 20:00	WG1775759	
n-Propylbenzene	U		0.0000993	0.00100	1	11/17/2021 20:00	WG1775759	
Styrene	U		0.000118	0.00100	1	11/17/2021 20:00	WG1775759	
1,1,2-Tetrachloroethane	U		0.000147	0.00100	1	11/17/2021 20:00	WG1775759	
1,1,2,2-Tetrachloroethane	U		0.000133	0.00100	1	11/17/2021 20:00	WG1775759	

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
1,1,2-Trichlorotrifluoroethane	U		0.000180	0.00100	1	11/17/2021 20:00	WG1775759	¹ Cp
Tetrachloroethene	U		0.000300	0.00100	1	11/17/2021 20:00	WG1775759	² Tc
Tetrahydrofuran	U		0.000929	0.00500	1	11/17/2021 20:00	WG1775759	³ Ss
Toluene	U		0.000278	0.00100	1	11/17/2021 20:00	WG1775759	⁴ Cn
1,2,3-Trichlorobenzene	U		0.000230	0.00100	1	11/17/2021 20:00	WG1775759	⁵ Sr
1,2,4-Trichlorobenzene	U		0.000481	0.00100	1	11/17/2021 20:00	WG1775759	⁶ Qc
1,1,1-Trichloroethane	U		0.000149	0.00100	1	11/17/2021 20:00	WG1775759	⁷ Gl
1,1,2-Trichloroethane	U		0.000158	0.00100	1	11/17/2021 20:00	WG1775759	⁸ Al
Trichloroethene	U		0.000190	0.00100	1	11/17/2021 20:00	WG1775759	⁹ Sc
Trichlorofluoromethane	U		0.000160	0.00500	1	11/17/2021 20:00	WG1775759	
1,2,3-Trichloropropane	U		0.000237	0.00250	1	11/17/2021 20:00	WG1775759	
1,2,4-Trimethylbenzene	U		0.000322	0.00100	1	11/17/2021 20:00	WG1775759	
1,2,3-Trimethylbenzene	U		0.000104	0.00100	1	11/17/2021 20:00	WG1775759	
1,3,5-Trimethylbenzene	U		0.000104	0.00100	1	11/17/2021 20:00	WG1775759	
Vinyl chloride	U		0.000234	0.00100	1	11/17/2021 20:00	WG1775759	
Xylenes, Total	U		0.000174	0.00300	1	11/17/2021 20:00	WG1775759	
(S) Toluene-d8	109			80.0-120		11/17/2021 20:00	WG1775759	
(S) 4-Bromofluorobenzene	92.4			77.0-126		11/17/2021 20:00	WG1775759	
(S) 1,2-Dichloroethane-d4	123			70.0-130		11/17/2021 20:00	WG1775759	

WG1775536

Total Solids by Method 2540 G-2011

QUALITY CONTROL SUMMARY

[L1431799-01,02,03,04,05](#)

Method Blank (MB)

(MB) R3730703-1 11/17/21 08:05

Analyst	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Total Solids	0.00100			

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

L1431799-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1431799-01 11/17/21 08:05 • (DUP) R3730703-3 11/17/21 08:05

Analyst	Original Result %	DUP Result %	Dilution %	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Total Solids	84.8	86.5	1	1.95		10

Laboratory Control Sample (LCS)

(LCS) R3730703-2 11/17/21 08:05

Analyst	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Total Solids	50.0	50.0	100	85.0-115	

⁷Gl⁸Al⁹Sc

WG1775537

Total Solids by Method 2540 G-2011

QUALITY CONTROL SUMMARY

[L1431799-06,07,08,09,10,11,12,13,15,16](#)

Method Blank (MB)

(MB) R3730945-1 11/17/21 11:05

Analyte	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Total Solids	0.00100			

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

L1431799-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1431799-12 11/17/21 11:05 • (DUP) R3730945-3 11/17/21 11:05

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Total Solids	83.4	82.5	1	1.08		10

Laboratory Control Sample (LCS)

(LCS) R3730945-2 11/17/21 11:05

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Total Solids	50.0	50.0	100	85.0-115	

⁹Sc

WG1775538

Total Solids by Method 2540 G-2011

QUALITY CONTROL SUMMARY

[L1431799-17,18,19,20,21,22,23,24](#)

Method Blank (MB)

(MB) R3730967-1 11/17/21 11:39

Analyte	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Total Solids	0.00300			

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

L1431799-24 Original Sample (OS) • Duplicate (DUP)

(OS) L1431799-24 11/17/21 11:39 • (DUP) R3730967-3 11/17/21 11:39

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Total Solids	84.0	82.9	1	1.35		10

Laboratory Control Sample (LCS)

(LCS) R3730967-2 11/17/21 11:39

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Total Solids	50.0	50.0	99.9	85.0-115	

⁹Sc

WG1775646

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-01,02,03,04,05,06,07,08,09,10,11,12,13,15,16,17,18,19,20,21](#)

Method Blank (MB)

(MB) R3731047-3 11/17/21 12:06

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Acetone	U		0.913	1.25	¹ Cp
Acrylonitrile	U		0.0903	0.313	² Tc
Benzene	U		0.0117	0.0250	³ Ss
Bromobenzene	U		0.0225	0.313	⁴ Cn
Bromodichloromethane	U		0.0181	0.0625	⁵ Sr
Bromoform	U		0.0293	0.625	⁶ Qc
Bromomethane	U		0.0493	0.313	⁷ Gl
n-Butylbenzene	U		0.131	0.313	⁸ Al
sec-Butylbenzene	U		0.0720	0.313	⁹ Sc
tert-Butylbenzene	U		0.0488	0.125	
Carbon tetrachloride	U		0.0225	0.125	
Chlorobenzene	U		0.00525	0.0625	
Chlorodibromomethane	U		0.0153	0.0625	
Chloroethane	U		0.0425	0.125	
Chloroform	U		0.0258	0.0625	
Chloromethane	U		0.109	0.313	
2-Chlorotoluene	U		0.0216	0.0625	
4-Chlorotoluene	U		0.0113	0.125	
1,2-Dibromo-3-Chloropropane	U		0.0975	0.625	
1,2-Dibromoethane	U		0.0162	0.0625	
Dibromomethane	U		0.0188	0.125	
1,2-Dichlorobenzene	U		0.0106	0.125	
1,3-Dichlorobenzene	U		0.0150	0.125	
1,4-Dichlorobenzene	U		0.0175	0.125	
Dichlorodifluoromethane	U		0.0403	0.0625	
Dichlorofluoromethane	U		0.0313	0.0625	
1,1-Dichloroethane	U		0.0123	0.0625	
1,2-Dichloroethane	U		0.0162	0.0625	
1,1-Dichloroethene	U		0.0152	0.0625	
cis-1,2-Dichloroethene	U		0.0184	0.0625	
trans-1,2-Dichloroethene	U		0.0260	0.125	
1,2-Dichloropropane	U		0.0355	0.125	
1,1-Dichloropropene	U		0.0202	0.0625	
1,3-Dichloropropane	U		0.0125	0.125	
cis-1,3-Dichloropropene	U		0.0189	0.0625	
trans-1,3-Dichloropropene	U		0.0285	0.125	
2,2-Dichloropropane	U		0.0345	0.0625	
Di-isopropyl ether	U		0.0103	0.0250	
Ethylbenzene	U		0.0184	0.0625	
Ethyl ether	U		0.0223	0.0625	

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1431799

DATE/TIME:

11/19/21 16:24

PAGE:

61 of 87

WG1775646

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-01,02,03,04,05,06,07,08,09,10,11,12,13,15,16,17,18,19,20,21](#)

Method Blank (MB)

(MB) R3731047-3 11/17/21 12:06

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Hexachloro-1,3-butadiene	U		0.150	0.625	¹ Cp
2-Hexanone	U		0.0840	0.625	² Tc
Isopropylbenzene	U		0.0106	0.0625	³ Ss
p-Isopropyltoluene	U		0.0638	0.125	⁴ Cn
2-Butanone (MEK)	U		1.59	2.50	⁵ Sr
Methylene Chloride	U		0.166	0.625	⁶ Qc
4-Methyl-2-pentanone (MIBK)	U		0.0570	0.625	⁷ Gl
Methyl tert-butyl ether	U		0.00875	0.0250	⁸ Al
Naphthalene	U		0.122	0.313	⁹ Sc
n-Propylbenzene	U		0.0238	0.125	
Styrene	U		0.00573	0.313	
1,1,2-Tetrachloroethane	U		0.0237	0.0625	
1,1,2,2-Tetrachloroethane	U		0.0174	0.0625	
Tetrachloroethene	U		0.0224	0.0625	
Tetrahydrofuran	U		0.0880	0.313	
Toluene	U		0.0325	0.125	
1,1,2-Trichlorotrifluoroethane	U		0.0189	0.0625	
1,2,3-Trichlorobenzene	U		0.183	0.313	
1,2,4-Trichlorobenzene	U		0.110	0.313	
1,1,1-Trichloroethane	U		0.0231	0.0625	
1,1,2-Trichloroethane	U		0.0149	0.0625	
Trichloroethene	U		0.0146	0.0250	
Trichlorofluoromethane	U		0.0207	0.0625	
1,2,3-Trichloropropane	U		0.0405	0.313	
1,2,3-Trimethylbenzene	U		0.0395	0.125	
1,2,4-Trimethylbenzene	U		0.0395	0.125	
1,3,5-Trimethylbenzene	U		0.0500	0.125	
Vinyl chloride	U		0.0290	0.0625	
Xylenes, Total	U		0.0220	0.163	
Allyl Chloride	U		0.100	0.625	
(S) Toluene-d8	112		75.0-131		
(S) 4-Bromofluorobenzene	108		67.0-138		
(S) 1,2-Dichloroethane-d4	107		70.0-130		

WG1775646

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-01,02,03,04,05,06,07,08,09,10,11,12,13,15,16,17,18,19,20,21](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731047-1 11/17/21 10:50 • (LCSD) R3731047-2 11/17/21 11:09

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Acetone	0.625	0.626	0.580	100	92.8	30.0-160			7.63	31
Acrylonitrile	0.625	0.668	0.597	107	95.5	45.0-153			11.2	22
Benzene	0.125	0.123	0.130	98.4	104	70.0-123			5.53	20
Bromobenzene	0.125	0.118	0.124	94.4	99.2	73.0-121			4.96	20
Bromodichloromethane	0.125	0.123	0.128	98.4	102	73.0-121			3.98	20
Bromoform	0.125	0.110	0.121	88.0	96.8	64.0-132			9.52	20
Bromomethane	0.125	0.107	0.124	85.6	99.2	56.0-147			14.7	20
n-Butylbenzene	0.125	0.136	0.142	109	114	68.0-135			4.32	20
sec-Butylbenzene	0.125	0.127	0.131	102	105	74.0-130			3.10	20
tert-Butylbenzene	0.125	0.119	0.123	95.2	98.4	75.0-127			3.31	20
Carbon tetrachloride	0.125	0.135	0.139	108	111	66.0-128			2.92	20
Chlorobenzene	0.125	0.123	0.126	98.4	101	76.0-128			2.41	20
Chlorodibromomethane	0.125	0.123	0.133	98.4	106	74.0-127			7.81	20
Chloroethane	0.125	0.111	0.127	88.8	102	61.0-134			13.4	20
Chloroform	0.125	0.123	0.128	98.4	102	72.0-123			3.98	20
Chloromethane	0.125	0.116	0.126	92.8	101	51.0-138			8.26	20
2-Chlorotoluene	0.125	0.127	0.130	102	104	75.0-124			2.33	20
4-Chlorotoluene	0.125	0.126	0.129	101	103	75.0-124			2.35	20
1,2-Dibromo-3-Chloropropane	0.125	0.123	0.119	98.4	95.2	59.0-130			3.31	20
1,2-Dibromoethane	0.125	0.131	0.135	105	108	74.0-128			3.01	20
Dibromomethane	0.125	0.129	0.133	103	106	75.0-122			3.05	20
1,2-Dichlorobenzene	0.125	0.131	0.141	105	113	76.0-124			7.35	20
1,3-Dichlorobenzene	0.125	0.129	0.132	103	106	76.0-125			2.30	20
1,4-Dichlorobenzene	0.125	0.126	0.131	101	105	77.0-121			3.89	20
Dichlorodifluoromethane	0.125	0.126	0.138	101	110	43.0-156			9.09	20
Dichlorofluoromethane	0.125	0.125	0.134	100	107	65.0-137			6.95	20
1,1-Dichloroethane	0.125	0.129	0.134	103	107	70.0-127			3.80	20
1,2-Dichloroethane	0.125	0.127	0.136	102	109	65.0-131			6.84	20
1,1-Dichloroethene	0.125	0.124	0.135	99.2	108	65.0-131			8.49	20
cis-1,2-Dichloroethene	0.125	0.115	0.124	92.0	99.2	73.0-125			7.53	20
trans-1,2-Dichloroethene	0.125	0.116	0.123	92.8	98.4	71.0-125			5.86	20
1,2-Dichloropropane	0.125	0.135	0.135	108	108	74.0-125			0.000	20
1,1-Dichloropropene	0.125	0.131	0.137	105	110	73.0-125			4.48	20
1,3-Dichloropropane	0.125	0.125	0.128	100	102	80.0-125			2.37	20
cis-1,3-Dichloropropene	0.125	0.123	0.132	98.4	106	76.0-127			7.06	20
trans-1,3-Dichloropropene	0.125	0.125	0.128	100	102	73.0-127			2.37	20
2,2-Dichloropropane	0.125	0.117	0.132	93.6	106	59.0-135			12.0	20
Di-isopropyl ether	0.125	0.128	0.136	102	109	60.0-136			6.06	20
Ethylbenzene	0.125	0.127	0.127	102	102	74.0-126			0.000	20
Ethyl ether	0.125	0.119	0.124	95.2	99.2	64.0-137			4.12	20

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1431799

DATE/TIME:

11/19/21 16:24

PAGE:

63 of 87

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG1775646

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-01,02,03,04,05,06,07,08,09,10,11,12,13,15,16,17,18,19,20,21](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731047-1 11/17/21 10:50 • (LCSD) R3731047-2 11/17/21 11:09

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Hexachloro-1,3-butadiene	0.125	0.134	0.148	107	118	57.0-150			9.93	20
2-Hexanone	0.625	0.676	0.692	108	111	54.0-147			2.34	20
Isopropylbenzene	0.125	0.131	0.144	105	115	72.0-127			9.45	20
p-Isopropyltoluene	0.125	0.125	0.131	100	105	72.0-133			4.69	20
2-Butanone (MEK)	0.625	0.677	0.717	108	115	30.0-160			5.74	24
Methylene Chloride	0.125	0.112	0.112	89.6	89.6	68.0-123			0.000	20
4-Methyl-2-pentanone (MIBK)	0.625	0.712	0.710	114	114	56.0-143			0.281	20
Methyl tert-butyl ether	0.125	0.125	0.135	100	108	66.0-132			7.69	20
Naphthalene	0.125	0.114	0.113	91.2	90.4	59.0-130			0.881	20
n-Propylbenzene	0.125	0.121	0.124	96.8	99.2	74.0-126			2.45	20
Styrene	0.125	0.128	0.137	102	110	72.0-127			6.79	20
1,1,2-Tetrachloroethane	0.125	0.129	0.136	103	109	74.0-129			5.28	20
1,1,2,2-Tetrachloroethane	0.125	0.118	0.119	94.4	95.2	68.0-128			0.844	20
Tetrachloroethene	0.125	0.127	0.131	102	105	70.0-136			3.10	20
Tetrahydrofuran	0.125	0.123	0.118	98.4	94.4	37.0-146			4.15	24
Toluene	0.125	0.123	0.125	98.4	100	75.0-121			1.61	20
1,1,2-Trichlorotrifluoroethane	0.125	0.125	0.137	100	110	61.0-139			9.16	20
1,2,3-Trichlorobenzene	0.125	0.108	0.107	86.4	85.6	59.0-139			0.930	20
1,2,4-Trichlorobenzene	0.125	0.125	0.139	100	111	62.0-137			10.6	20
1,1,1-Trichloroethane	0.125	0.123	0.133	98.4	106	69.0-126			7.81	20
1,1,2-Trichloroethane	0.125	0.120	0.122	96.0	97.6	78.0-123			1.65	20
Trichloroethene	0.125	0.125	0.124	100	99.2	76.0-126			0.803	20
Trichlorofluoromethane	0.125	0.116	0.127	92.8	102	61.0-142			9.05	20
1,2,3-Trichloropropane	0.125	0.120	0.118	96.0	94.4	67.0-129			1.68	20
1,2,3-Trimethylbenzene	0.125	0.126	0.132	101	106	74.0-124			4.65	20
1,2,4-Trimethylbenzene	0.125	0.126	0.131	101	105	70.0-126			3.89	20
1,3,5-Trimethylbenzene	0.125	0.122	0.127	97.6	102	73.0-127			4.02	20
Vinyl chloride	0.125	0.118	0.133	94.4	106	63.0-134			12.0	20
Xylenes, Total	0.375	0.379	0.380	101	101	72.0-127			0.264	20
Allyl chloride	0.625	0.544	0.577	87.0	92.3	70.0-131			5.89	20
(S) Toluene-d8				106	105	75.0-131				
(S) 4-Bromofluorobenzene				106	110	67.0-138				
(S) 1,2-Dichloroethane-d4				115	115	70.0-130				

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

WG1775651

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-22,23](#)

Method Blank (MB)

(MB) R3731062-3 11/17/21 08:26

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Acetone	U		0.913	1.25	¹ Cp
Acrylonitrile	U		0.0903	0.313	² Tc
Benzene	U		0.0117	0.0250	³ Ss
Bromobenzene	U		0.0225	0.313	⁴ Cn
Bromodichloromethane	U		0.0181	0.0625	⁵ Sr
Bromoform	U		0.0293	0.625	⁶ Qc
Bromomethane	U		0.0493	0.313	⁷ Gl
n-Butylbenzene	U		0.131	0.313	⁸ Al
sec-Butylbenzene	U		0.0720	0.313	⁹ Sc
tert-Butylbenzene	U		0.0488	0.125	
Carbon tetrachloride	U		0.0225	0.125	
Chlorobenzene	U		0.00525	0.0625	
Chlorodibromomethane	U		0.0153	0.0625	
Chloroethane	U		0.0425	0.125	
Chloroform	U		0.0258	0.0625	
Chloromethane	U		0.109	0.313	
2-Chlorotoluene	U		0.0216	0.0625	
4-Chlorotoluene	U		0.0113	0.125	
1,2-Dibromo-3-Chloropropane	U		0.0975	0.625	
1,2-Dibromoethane	U		0.0162	0.0625	
Dibromomethane	U		0.0188	0.125	
1,2-Dichlorobenzene	U		0.0106	0.125	
1,3-Dichlorobenzene	U		0.0150	0.125	
1,4-Dichlorobenzene	U		0.0175	0.125	
Dichlorodifluoromethane	U		0.0403	0.0625	
Dichlorofluoromethane	U		0.0313	0.0625	
1,1-Dichloroethane	U		0.0123	0.0625	
1,2-Dichloroethane	U		0.0162	0.0625	
1,1-Dichloroethene	U		0.0152	0.0625	
cis-1,2-Dichloroethene	U		0.0184	0.0625	
trans-1,2-Dichloroethene	U		0.0260	0.125	
1,2-Dichloropropane	U		0.0355	0.125	
1,1-Dichloropropene	U		0.0202	0.0625	
1,3-Dichloropropane	U		0.0125	0.125	
cis-1,3-Dichloropropene	U		0.0189	0.0625	
trans-1,3-Dichloropropene	U		0.0285	0.125	
2,2-Dichloropropane	U		0.0345	0.0625	
Di-isopropyl ether	U		0.0103	0.0250	
Ethylbenzene	U		0.0184	0.0625	
Ethyl ether	U		0.0223	0.0625	

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1431799

DATE/TIME:

11/19/21 16:24

PAGE:

65 of 87

WG1775651

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-22,23](#)

Method Blank (MB)

(MB) R3731062-3 11/17/21 08:26

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Hexachloro-1,3-butadiene	U		0.150	0.625	¹ Cp
2-Hexanone	U		0.0840	0.625	² Tc
Isopropylbenzene	U		0.0106	0.0625	³ Ss
p-Isopropyltoluene	U		0.0638	0.125	⁴ Cn
2-Butanone (MEK)	U		1.59	2.50	⁵ Sr
Methylene Chloride	U		0.166	0.625	⁶ Qc
4-Methyl-2-pentanone (MIBK)	U		0.0570	0.625	⁷ Gl
Methyl tert-butyl ether	U		0.00875	0.0250	⁸ Al
Naphthalene	U		0.122	0.313	⁹ Sc
n-Propylbenzene	U		0.0238	0.125	
Styrene	U		0.00573	0.313	
1,1,2-Tetrachloroethane	U		0.0237	0.0625	
1,1,2,2-Tetrachloroethane	U		0.0174	0.0625	
Tetrachloroethene	U		0.0224	0.0625	
Tetrahydrofuran	U		0.0880	0.313	
Toluene	U		0.0325	0.125	
1,1,2-Trichlorotrifluoroethane	U		0.0189	0.0625	
1,2,3-Trichlorobenzene	U		0.183	0.313	
1,2,4-Trichlorobenzene	U		0.110	0.313	
1,1,1-Trichloroethane	U		0.0231	0.0625	
1,1,2-Trichloroethane	U		0.0149	0.0625	
Trichlorofluoromethane	U		0.0207	0.0625	
1,2,3-Trichloropropane	U		0.0405	0.313	
1,2,3-Trimethylbenzene	U		0.0395	0.125	
1,2,4-Trimethylbenzene	U		0.0395	0.125	
1,3,5-Trimethylbenzene	U		0.0500	0.125	
Vinyl chloride	U		0.0290	0.0625	
Xylenes, Total	U		0.0220	0.163	
Allyl Chloride	U		0.100	0.625	
(S) Toluene-d8	97.9		75.0-131		
(S) 4-Bromofluorobenzene	99.9		67.0-138		
(S) 1,2-Dichloroethane-d4	103		70.0-130		

QUALITY CONTROL SUMMARY

[L1431799-22,23](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731062-1 11/17/21 07:10 • (LCSD) R3731062-2 11/17/21 07:29

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Acetone	0.625	0.693	0.638	111	102	30.0-160			8.26	31
Acrylonitrile	0.625	0.680	0.609	109	97.4	45.0-153			11.0	22
Benzene	0.125	0.141	0.120	113	96.0	70.0-123			16.1	20
Bromobenzene	0.125	0.126	0.120	101	96.0	73.0-121			4.88	20
Bromodichloromethane	0.125	0.130	0.119	104	95.2	73.0-121			8.84	20
Bromoform	0.125	0.109	0.104	87.2	83.2	64.0-132			4.69	20
Bromomethane	0.125	0.125	0.111	100	88.8	56.0-147			11.9	20
n-Butylbenzene	0.125	0.126	0.106	101	84.8	68.0-135			17.2	20
sec-Butylbenzene	0.125	0.124	0.106	99.2	84.8	74.0-130			15.7	20
tert-Butylbenzene	0.125	0.127	0.106	102	84.8	75.0-127			18.0	20
Carbon tetrachloride	0.125	0.142	0.120	114	96.0	66.0-128			16.8	20
Chlorobenzene	0.125	0.120	0.104	96.0	83.2	76.0-128			14.3	20
Chlorodibromomethane	0.125	0.109	0.100	87.2	80.0	74.0-127			8.61	20
Chloroethane	0.125	0.136	0.120	109	96.0	61.0-134			12.5	20
Chloroform	0.125	0.138	0.121	110	96.8	72.0-123			13.1	20
Chloromethane	0.125	0.153	0.129	122	103	51.0-138			17.0	20
2-Chlorotoluene	0.125	0.123	0.107	98.4	85.6	75.0-124			13.9	20
4-Chlorotoluene	0.125	0.120	0.105	96.0	84.0	75.0-124			13.3	20
1,2-Dibromo-3-Chloropropane	0.125	0.115	0.115	92.0	92.0	59.0-130			0.000	20
1,2-Dibromoethane	0.125	0.118	0.109	94.4	87.2	74.0-128			7.93	20
Dibromomethane	0.125	0.136	0.128	109	102	75.0-122			6.06	20
1,2-Dichlorobenzene	0.125	0.119	0.108	95.2	86.4	76.0-124			9.69	20
1,3-Dichlorobenzene	0.125	0.120	0.108	96.0	86.4	76.0-125			10.5	20
1,4-Dichlorobenzene	0.125	0.111	0.103	88.8	82.4	77.0-121			7.48	20
Dichlorodifluoromethane	0.125	0.132	0.114	106	91.2	43.0-156			14.6	20
Dichlorofluoromethane	0.125	0.144	0.126	115	101	65.0-137			13.3	20
1,1-Dichloroethane	0.125	0.150	0.122	120	97.6	70.0-127	<u>J3</u>		20.6	20
1,2-Dichloroethane	0.125	0.137	0.131	110	105	65.0-131			4.48	20
1,1-Dichloroethene	0.125	0.145	0.117	116	93.6	65.0-131	<u>J3</u>		21.4	20
cis-1,2-Dichloroethene	0.125	0.137	0.119	110	95.2	73.0-125			14.1	20
trans-1,2-Dichloroethene	0.125	0.139	0.112	111	89.6	71.0-125	<u>J3</u>		21.5	20
1,2-Dichloropropane	0.125	0.144	0.132	115	106	74.0-125			8.70	20
1,1-Dichloropropene	0.125	0.152	0.126	122	101	73.0-125			18.7	20
1,3-Dichloropropane	0.125	0.121	0.115	96.8	92.0	80.0-125			5.08	20
cis-1,3-Dichloropropene	0.125	0.139	0.130	111	104	76.0-127			6.69	20
trans-1,3-Dichloropropene	0.125	0.130	0.117	104	93.6	73.0-127			10.5	20
2,2-Dichloropropane	0.125	0.131	0.115	105	92.0	59.0-135			13.0	20
Di-isopropyl ether	0.125	0.141	0.126	113	101	60.0-136			11.2	20
Ethylbenzene	0.125	0.117	0.100	93.6	80.0	74.0-126			15.7	20
Ethyl ether	0.125	0.136	0.121	109	96.8	64.0-137			11.7	20

WG1775651

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-22,23](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731062-1 11/17/21 07:10 • (LCSD) R3731062-2 11/17/21 07:29

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Hexachloro-1,3-butadiene	0.125	0.172	0.148	138	118	57.0-150			15.0	20
2-Hexanone	0.625	0.674	0.623	108	99.7	54.0-147			7.86	20
Isopropylbenzene	0.125	0.121	0.101	96.8	80.8	72.0-127			18.0	20
p-Isopropyltoluene	0.125	0.117	0.100	93.6	80.0	72.0-133			15.7	20
2-Butanone (MEK)	0.625	0.778	0.745	124	119	30.0-160			4.33	24
Methylene Chloride	0.125	0.135	0.114	108	91.2	68.0-123			16.9	20
4-Methyl-2-pentanone (MIBK)	0.625	0.674	0.614	108	98.2	56.0-143			9.32	20
Methyl tert-butyl ether	0.125	0.134	0.118	107	94.4	66.0-132			12.7	20
Naphthalene	0.125	0.133	0.124	106	99.2	59.0-130			7.00	20
n-Propylbenzene	0.125	0.129	0.108	103	86.4	74.0-126			17.7	20
Styrene	0.125	0.114	0.0987	91.2	79.0	72.0-127			14.4	20
1,1,2-Tetrachloroethane	0.125	0.113	0.0970	90.4	77.6	74.0-129			15.2	20
1,1,2,2-Tetrachloroethane	0.125	0.111	0.107	88.8	85.6	68.0-128			3.67	20
Tetrachloroethene	0.125	0.129	0.108	103	86.4	70.0-136			17.7	20
Tetrahydrofuran	0.125	0.150	0.144	120	115	37.0-146			4.08	24
Toluene	0.125	0.123	0.104	98.4	83.2	75.0-121			16.7	20
1,1,2-Trichlorotrifluoroethane	0.125	0.145	0.128	116	102	61.0-139			12.5	20
1,2,3-Trichlorobenzene	0.125	0.130	0.122	104	97.6	59.0-139			6.35	20
1,2,4-Trichlorobenzene	0.125	0.137	0.131	110	105	62.0-137			4.48	20
1,1,1-Trichloroethane	0.125	0.141	0.114	113	91.2	69.0-126	<u>J3</u>		21.2	20
1,1,2-Trichloroethane	0.125	0.120	0.109	96.0	87.2	78.0-123			9.61	20
Trichlorofluoromethane	0.125	0.126	0.117	101	93.6	61.0-142			7.41	20
1,2,3-Trichloropropane	0.125	0.116	0.113	92.8	90.4	67.0-129			2.62	20
1,2,3-Trimethylbenzene	0.125	0.118	0.107	94.4	85.6	74.0-124			9.78	20
1,2,4-Trimethylbenzene	0.125	0.122	0.102	97.6	81.6	70.0-126			17.9	20
1,3,5-Trimethylbenzene	0.125	0.123	0.105	98.4	84.0	73.0-127			15.8	20
Vinyl chloride	0.125	0.144	0.125	115	100	63.0-134			14.1	20
Xylenes, Total	0.375	0.361	0.301	96.3	80.3	72.0-127			18.1	20
Allyl chloride	0.625	0.641	0.508	103	81.3	70.0-131	<u>J3</u>		23.2	20
(S) Toluene-d8				97.7	95.5	75.0-131				
(S) 4-Bromofluorobenzene				102	101	67.0-138				
(S) 1,2-Dichloroethane-d4				106	107	70.0-130				

WG1775651

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-22,23](#)

L1430604-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1430604-04 11/17/21 14:31 • (MS) R3731062-4 11/17/21 17:21 • (MSD) R3731062-5 11/17/21 17:39

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
Acrylonitrile	0.657	U	0.551	0.554	83.8	84.2	1	10.0-160			0.481	40
Bromobenzene	0.131	U	0.122	0.133	92.7	101	1	10.0-156			8.55	38
Acetone	0.657	U	U	U	56.4	55.2	1	10.0-160			2.17	40
n-Butylbenzene	0.131	U	U	U	91.9	101	1	10.0-160			9.42	40
Benzene	0.131	U	0.117	0.131	89.3	99.8	1	10.0-149			11.1	37
sec-Butylbenzene	0.131	U	0.114	0.134	86.7	102	1	10.0-159			16.3	39
tert-Butylbenzene	0.131	U	0.111	0.132	84.5	100	1	10.0-156			17.0	39
Bromodichloromethane	0.131	U	0.122	0.128	92.9	97.4	1	10.0-143			4.67	37
Bromoform	0.131	U	0.110	0.112	83.7	85.2	1	10.0-146			1.67	36
Bromomethane	0.131	U	0.0980	0.112	74.5	85.1	1	10.0-149			13.2	38
2-Chlorotoluene	0.131	U	0.113	0.128	85.8	97.2	1	10.0-159			12.5	38
4-Chlorotoluene	0.131	U	0.109	0.120	83.0	91.2	1	10.0-155			9.39	39
Carbon tetrachloride	0.131	U	0.121	0.145	92.0	110	1	10.0-145			17.9	37
Chlorobenzene	0.131	U	0.106	0.120	80.3	91.3	1	10.0-152			12.8	39
Chlorodibromomethane	0.131	U	0.104	0.110	79.0	83.8	1	10.0-146			5.96	37
Dibromomethane	0.131	U	0.129	0.137	98.3	104	1	10.0-147			5.69	35
Chloroethane	0.131	U	0.0879	0.106	66.9	80.7	1	10.0-146			18.8	40
Chloroform	0.131	U	0.119	0.132	90.2	101	1	10.0-146			10.8	37
Chloromethane	0.131	U	U	0.154	98.5	117	1	10.0-159			17.3	37
1,2-Dibromo-3-Chloropropane	0.131	U	U	U	71.9	73.0	1	10.0-151			1.53	39
1,2-Dibromomethane	0.131	U	0.114	0.120	86.9	91.6	1	10.0-148			5.32	34
1,2-Dichlorobenzene	0.131	U	0.115	0.124	87.2	94.1	1	10.0-155			7.69	37
1,3-Dichlorobenzene	0.131	U	0.111	0.123	84.4	93.2	1	10.0-153			9.89	38
1,4-Dichlorobenzene	0.131	U	0.107	0.117	81.3	89.4	1	10.0-151			9.47	38
1,1-Dichloropropene	0.131	U	0.126	0.149	95.7	113	1	10.0-153			16.7	35
1,3-Dichloropropane	0.131	U	0.120	0.127	91.5	96.6	1	10.0-154			5.37	35
Dichlorodifluoromethane	0.131	U	0.109	0.132	83.2	100	1	10.0-160			18.5	35
1,1-Dichloroethane	0.131	U	0.121	0.134	91.8	102	1	10.0-147			10.5	37
1,2-Dichloroethane	0.131	U	0.134	0.138	102	105	1	10.0-148			2.93	35
2,2-Dichloropropane	0.131	U	0.0972	0.116	73.9	88.6	1	10.0-138			18.0	36
1,1-Dichloroethene	0.131	U	0.127	0.151	96.6	115	1	10.0-155			17.6	37
cis-1,2-Dichloroethene	0.131	U	0.115	0.132	87.5	100	1	10.0-149			13.8	37
Di-isopropyl ether	0.131	U	0.127	0.135	97.0	103	1	10.0-147			6.06	36
trans-1,2-Dichloroethene	0.131	U	0.110	0.132	83.6	100	1	10.0-150			18.2	37
1,2-Dichloropropane	0.131	U	0.131	0.142	99.5	108	1	10.0-148			8.27	37
Hexachloro-1,3-butadiene	0.131	U	U	U	123	142	1	10.0-160			14.4	40
cis-1,3-Dichloropropene	0.131	U	0.135	0.143	103	109	1	10.0-151			5.71	37
trans-1,3-Dichloropropene	0.131	U	0.126	0.139	95.7	106	1	10.0-148			10.3	37
p-Isopropyltoluene	0.131	U	0.112	0.125	85.2	94.9	1	10.0-160			10.9	40

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1431799

DATE/TIME:

11/19/21 16:24

PAGE:

69 of 87

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

QUALITY CONTROL SUMMARY

[L1431799-22,23](#)

L1430604-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1430604-04 11/17/21 14:31 • (MS) R3731062-4 11/17/21 17:21 • (MSD) R3731062-5 11/17/21 17:39

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Ethylbenzene	0.131	U	0.0984	0.117	74.8	88.8	1	10.0-160			17.0	38
2-Hexanone	0.657	U	0.539	0.548	82.0	83.4	1	10.0-160			1.71	36
Naphthalene	0.131	U	U	U	121	105	1	10.0-160			14.3	36
Isopropylbenzene	0.131	U	0.101	0.119	77.2	90.3	1	10.0-155			15.7	38
n-Propylbenzene	0.131	U	0.110	0.131	83.8	99.8	1	10.0-158			17.4	38
2-Butanone (MEK)	0.657	U	U	U	90.5	79.8	1	10.0-160			12.6	40
1,1,2-Tetrachloroethane	0.131	U	0.0989	0.109	75.3	82.6	1	10.0-149			9.34	39
Methylene Chloride	0.131	U	U	U	109	119	1	10.0-141			8.85	37
4-Methyl-2-pentanone (MIBK)	0.657	U	0.580	0.593	88.3	90.3	1	10.0-160			2.26	35
Methyl tert-butyl ether	0.131	U	0.129	0.137	98.4	104	1	11.0-147			5.59	35
Dichlorofluoromethane	0.131	U	0.0951	0.117	72.3	88.8	1	10.0-160			20.4	34
Styrene	0.131	U	0.100	0.116	76.4	88.0	1	10.0-160			14.1	40
1,1,2,2-Tetrachloroethane	0.131	U	0.0981	0.0886	74.6	67.4	1	10.0-160			10.2	35
1,2,3-Trichloropropane	0.131	U	0.113	0.119	85.9	90.5	1	10.0-156			5.27	35
Tetrachloroethene	0.131	U	0.105	0.135	79.6	103	1	10.0-156			25.7	39
1,2,3-Trimethylbenzene	0.131	U	0.117	0.122	89.3	93.0	1	10.0-160			4.10	36
1,2,4-Trimethylbenzene	0.131	U	0.117	0.120	89.0	91.1	1	10.0-160			2.36	36
Toluene	0.131	U	0.109	0.125	81.0	93.1	1	10.0-156			13.7	38
1,1,2-Trichlorotrifluoroethane	0.131	U	0.131	0.155	99.6	118	1	10.0-160			17.1	36
1,3,5-Trimethylbenzene	0.131	U	0.107	0.126	81.6	95.6	1	10.0-160			15.7	38
1,2,3-Trichlorobenzene	0.131	U	U	U	109	116	1	10.0-160			6.28	40
1,2,4-Trichlorobenzene	0.131	U	U	0.151	105	115	1	10.0-160			9.17	40
1,1,1-Trichloroethane	0.131	U	0.116	0.139	88.5	106	1	10.0-144			18.1	35
1,1,2-Trichloroethane	0.131	U	0.116	0.125	88.3	94.9	1	10.0-160			7.28	35
Ethyl ether	0.131	U	0.119	0.116	90.2	88.4	1	10.0-160			2.04	31
Trichlorofluoromethane	0.131	U	0.0929	0.110	70.7	83.3	1	10.0-160			16.4	40
Vinyl chloride	0.131	U	0.129	0.153	98.2	116	1	10.0-160			16.8	37
Xylenes, Total	0.394	U	0.300	0.356	76.1	90.2	1	10.0-160			17.0	38
Tetrahydrofuran	0.131	U	U	U	73.1	74.5	1	10.0-158			1.92	33
Allyl chloride	0.657	U	0.518	0.599	78.8	91.1	1	10.0-160			14.5	30
(S) Toluene-d8					97.6	97.8		75.0-131				
(S) 4-Bromofluorobenzene					101	102		67.0-138				
(S) 1,2-Dichloroethane-d4					103	98.9		70.0-130				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

QUALITY CONTROL SUMMARY

L1431799-22,23

L1431799-22 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1431799-22 11/17/21 12:00 • (MS) R3731062-6 11/17/21 19:56 • (MSD) R3731062-7 11/17/21 20:14

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
Acrylonitrile	0.833	U	0.845	0.695	101	83.4	1.05	10.0-160			19.4	40
Bromobenzene	0.166	U	0.105	0.154	63.2	92.4	1.05	10.0-156			37.5	38
Acetone	0.833	U	U	U	65.9	67.7	1.05	10.0-160			2.73	40
n-Butylbenzene	0.166	U	U	U	58.8	90.8	1.05	10.0-160	J3	J3	42.9	40
Benzene	0.166	U	0.0986	0.155	59.3	93.1	1.05	10.0-149	J3	J3	44.4	37
sec-Butylbenzene	0.166	U	U	0.147	52.7	88.5	1.05	10.0-159	J6	J3	50.7	39
tert-Butylbenzene	0.166	U	0.0863	0.142	51.9	85.5	1.05	10.0-156	J3	J3	48.9	39
Bromodichloromethane	0.166	U	0.114	0.154	68.7	92.4	1.05	10.0-143			29.4	37
Bromoform	0.166	U	0.120	0.136	72.0	81.7	1.05	10.0-146			12.6	36
Bromomethane	0.166	U	0.0718	0.111	43.2	66.9	1.05	10.0-149	J3	J3	43.0	38
2-Chlorotoluene	0.166	U	0.0920	0.147	55.3	88.5	1.05	10.0-159	J3	J3	46.2	38
4-Chlorotoluene	0.166	U	0.0889	0.137	53.5	82.4	1.05	10.0-155	J3	J3	42.6	39
Carbon tetrachloride	0.166	U	0.0962	0.165	57.9	99.2	1.05	10.0-145	J3	J3	52.7	37
Chlorobenzene	0.166	U	0.0953	0.136	57.3	81.7	1.05	10.0-152			35.0	39
Chlorodibromomethane	0.166	U	0.108	0.136	65.3	81.7	1.05	10.0-146			22.3	37
Dibromomethane	0.166	U	0.145	0.165	87.0	99.2	1.05	10.0-147			13.1	35
Chloroethane	0.166	U	U	0.115	32.4	69.5	1.05	10.0-146	J6	J3	72.7	40
Chloroform	0.166	U	0.112	0.160	67.6	96.2	1.05	10.0-146			35.0	37
Chloromethane	0.166	U	U	0.160	53.9	96.2	1.05	10.0-159	J3	J3	56.4	37
1,2-Dibromo-3-Chloropropane	0.166	U	U	0.129	63.2	77.9	1.05	10.0-151			20.8	39
1,2-Dibromomethane	0.166	U	0.126	0.146	75.6	87.8	1.05	10.0-148			15.0	34
1,2-Dichlorobenzene	0.166	U	0.105	0.143	63.1	86.3	1.05	10.0-155			31.0	37
1,3-Dichlorobenzene	0.166	U	0.0959	0.142	57.7	85.5	1.05	10.0-153	J3	J3	38.8	38
1,4-Dichlorobenzene	0.166	U	0.0972	0.138	58.5	83.2	1.05	10.0-151			34.9	38
1,1-Dichloropropene	0.166	U	0.0917	0.165	55.2	99.2	1.05	10.0-153	J3	J3	57.0	35
1,3-Dichloropropane	0.166	U	0.125	0.152	75.3	91.6	1.05	10.0-154			19.6	35
Dichlorodifluoromethane	0.166	U	0.0778	0.156	46.8	93.9	1.05	10.0-160	J3	J3	67.0	35
1,1-Dichloroethane	0.166	U	0.106	0.165	63.7	99.2	1.05	10.0-147	J3	J3	43.7	37
1,2-Dichloroethane	0.166	U	0.134	0.173	80.9	104	1.05	10.0-148			24.8	35
2,2-Dichloropropane	0.166	U	0.0728	0.132	43.8	79.4	1.05	10.0-138	J3	J3	57.7	36
1,1-Dichloroethene	0.166	U	0.0853	0.161	51.3	96.9	1.05	10.0-155	J3	J3	61.6	37
cis-1,2-Dichloroethene	0.166	U	0.109	0.159	65.4	95.4	1.05	10.0-149	J3	J3	37.3	37
Di-isopropyl ether	0.166	U	0.129	0.171	77.9	103	1.05	10.0-147			27.8	36
trans-1,2-Dichloroethene	0.166	U	0.0878	0.148	52.8	89.3	1.05	10.0-150	J3	J3	51.3	37
1,2-Dichloropropane	0.166	U	0.118	0.169	71.1	102	1.05	10.0-148			35.2	37
Hexachloro-1,3-butadiene	0.166	U	U	0.217	86.3	131	1.05	10.0-160	J3	J3	40.8	40
cis-1,3-Dichloropropene	0.166	U	0.129	0.167	77.9	101	1.05	10.0-151			25.6	37
trans-1,3-Dichloropropene	0.166	U	0.127	0.162	76.3	97.7	1.05	10.0-148			24.6	37
p-Isopropyltoluene	0.166	U	0.0883	0.138	53.1	83.2	1.05	10.0-160	J3	J3	44.1	40

QUALITY CONTROL SUMMARY

[L1431799-22,23](#)

L1431799-22 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1431799-22 11/17/21 12:00 • (MS) R3731062-6 11/17/21 19:56 • (MSD) R3731062-7 11/17/21 20:14

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
Ethylbenzene	0.166	U	0.0906	0.134	54.5	80.9	1.05	10.0-160	J3		39.0	38
2-Hexanone	0.833	U	0.774	0.714	92.8	85.7	1.05	10.0-160			8.01	36
Naphthalene	0.166	U	U	0.173	74.5	104	1.05	10.0-160			32.9	36
Isopropylbenzene	0.166	U	0.0925	0.138	55.6	83.2	1.05	10.0-155	J3		39.7	38
n-Propylbenzene	0.166	U	0.0907	0.150	54.6	90.1	1.05	10.0-158	J3		49.1	38
2-Butanone (MEK)	0.833	U	U	U	96.8	98.9	1.05	10.0-160			2.18	40
1,1,1,2-Tetrachloroethane	0.166	U	0.0969	0.131	58.3	78.6	1.05	10.0-149			29.7	39
Methylene Chloride	0.166	U	U	U	73.7	103	1.05	10.0-141			33.2	37
4-Methyl-2-pentanone (MIBK)	0.833	U	0.747	0.760	89.6	91.2	1.05	10.0-160			1.68	35
Methyl tert-butyl ether	0.166	U	0.137	0.164	82.4	98.5	1.05	11.0-147			17.7	35
Dichlorofluoromethane	0.166	U	0.0628	0.125	37.8	75.0	1.05	10.0-160	J3		66.0	34
Styrene	0.166	U	0.0948	0.134	57.0	80.9	1.05	10.0-160			34.6	40
1,1,2,2-Tetrachloroethane	0.166	U	0.118	0.142	71.1	85.5	1.05	10.0-160			18.3	35
1,2,3-Trichloropropane	0.166	U	0.120	0.145	72.4	87.0	1.05	10.0-156			18.4	35
Tetrachloroethene	0.166	U	0.0968	0.165	58.2	99.2	1.05	10.0-156	J3		52.1	39
1,2,3-Trimethylbenzene	0.166	U	0.101	0.146	60.5	87.8	1.05	10.0-160	J3		36.7	36
1,2,4-Trimethylbenzene	0.166	U	0.104	0.148	62.4	89.3	1.05	10.0-160			35.4	36
Toluene	0.166	U	0.0959	0.147	57.7	88.5	1.05	10.0-156	J3		42.2	38
1,1,2-Trichlorotrifluoroethane	0.166	U	0.0927	0.180	55.8	108	1.05	10.0-160	J3		64.1	36
1,3,5-Trimethylbenzene	0.166	U	0.0925	0.147	55.6	88.5	1.05	10.0-160	J3		45.6	38
1,2,3-Trichlorobenzene	0.166	U	U	U	73.1	102	1.05	10.0-160			33.2	40
1,2,4-Trichlorobenzene	0.166	U	U	0.176	74.9	106	1.05	10.0-160			34.5	40
1,1,1-Trichloroethane	0.166	0.0458	0.132	0.204	51.8	95.3	1.05	10.0-144	J3		43.0	35
1,1,2-Trichloroethane	0.166	U	0.127	0.154	76.2	92.4	1.05	10.0-160			19.2	35
Ethyl ether	0.166	U	0.100	0.137	60.5	82.4	1.05	10.0-160			30.8	31
Trichlorofluoromethane	0.166	U	0.0507	0.112	30.5	67.1	1.05	10.0-160	J3		74.9	40
Vinyl chloride	0.166	U	0.0841	0.161	50.6	96.9	1.05	10.0-160	J3		62.8	37
Xylenes, Total	0.500	0.0350	0.304	0.440	53.9	81.1	1.05	10.0-160			36.5	38
Tetrahydrofuran	0.166	U	0.147	0.141	88.5	84.7	1.05	10.0-158			4.41	33
Allyl chloride	0.833	U	0.434	0.713	52.1	85.5	1.05	10.0-160	J3		48.7	30
(S) Toluene-d8					96.3	95.3		75.0-131				
(S) 4-Bromofluorobenzene					105	103		67.0-138				
(S) 1,2-Dichloroethane-d4					105	103		70.0-130				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG1776620

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-10,11,12,15,16,17,18,21](#)

Method Blank (MB)

(MB) R3731240-3 11/18/21 11:06

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
Trichloroethene	U		0.0146	0.0250
(S) Toluene-d8	114			75.0-131
(S) 4-Bromofluorobenzene	101			67.0-138
(S) 1,2-Dichloroethane-d4	84.3			70.0-130

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731240-1 11/18/21 09:50 • (LCSD) R3731240-2 11/18/21 10:09

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Trichloroethene	0.125	0.126	0.130	101	104	76.0-126			3.12	20
(S) Toluene-d8				108	107	75.0-131				
(S) 4-Bromofluorobenzene				108	105	67.0-138				
(S) 1,2-Dichloroethane-d4			99.3	100		70.0-130				

WG1776692

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-22,23,24](#)

Method Blank (MB)

(MB) R3731326-3 11/18/21 11:06

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	1 Cp
Acetone	U		0.913	1.25	
Acrylonitrile	U		0.0903	0.313	
Benzene	U		0.0117	0.0250	
Bromobenzene	U		0.0225	0.313	
Bromodichloromethane	U		0.0181	0.0625	
Bromoform	U		0.0293	0.625	
Bromomethane	U		0.0493	0.313	
n-Butylbenzene	U		0.131	0.313	
sec-Butylbenzene	U		0.0720	0.313	
tert-Butylbenzene	U		0.0488	0.125	
Carbon tetrachloride	U		0.0225	0.125	
Chlorobenzene	U		0.00525	0.0625	
Chlorodibromomethane	U		0.0153	0.0625	
Chloroethane	U		0.0425	0.125	
Chloroform	U		0.0258	0.0625	
Chloromethane	U		0.109	0.313	
2-Chlorotoluene	U		0.0216	0.0625	
4-Chlorotoluene	U		0.0113	0.125	
1,2-Dibromo-3-Chloropropane	U		0.0975	0.625	
1,2-Dibromoethane	U		0.0162	0.0625	
Dibromomethane	U		0.0188	0.125	
1,2-Dichlorobenzene	U		0.0106	0.125	
1,3-Dichlorobenzene	U		0.0150	0.125	
1,4-Dichlorobenzene	U		0.0175	0.125	
Dichlorodifluoromethane	U		0.0403	0.0625	
Dichlorofluoromethane	U		0.0313	0.0625	
1,1-Dichloroethane	U		0.0123	0.0625	
1,2-Dichloroethane	U		0.0162	0.0625	
1,1-Dichloroethene	U		0.0152	0.0625	
cis-1,2-Dichloroethene	U		0.0184	0.0625	
trans-1,2-Dichloroethene	U		0.0260	0.125	
1,2-Dichloropropane	U		0.0355	0.125	
1,1-Dichloropropene	U		0.0202	0.0625	
1,3-Dichloropropane	U		0.0125	0.125	
cis-1,3-Dichloropropene	U		0.0189	0.0625	
trans-1,3-Dichloropropene	U		0.0285	0.125	
2,2-Dichloropropane	U		0.0345	0.0625	
Di-isopropyl ether	U		0.0103	0.0250	
Ethylbenzene	U		0.0184	0.0625	
Ethyl ether	U		0.0223	0.0625	

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1431799

DATE/TIME:

11/19/21 16:24

PAGE:

74 of 87

WG1776692

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-22,23,24](#)

Method Blank (MB)

(MB) R3731326-3 11/18/21 11:06

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Hexachloro-1,3-butadiene	U		0.150	0.625	¹ Cp
2-Hexanone	U		0.0840	0.625	² Tc
Isopropylbenzene	U		0.0106	0.0625	³ Ss
p-Isopropyltoluene	U		0.0638	0.125	⁴ Cn
2-Butanone (MEK)	U		1.59	2.50	⁵ Sr
Methylene Chloride	U		0.166	0.625	⁶ Qc
4-Methyl-2-pentanone (MIBK)	U		0.0570	0.625	⁷ Gl
Methyl tert-butyl ether	U		0.00875	0.0250	⁸ Al
Naphthalene	U		0.122	0.313	⁹ Sc
n-Propylbenzene	U		0.0238	0.125	
Styrene	U		0.00573	0.313	
1,1,2-Tetrachloroethane	U		0.0237	0.0625	
1,1,2,2-Tetrachloroethane	U		0.0174	0.0625	
Tetrachloroethene	U		0.0224	0.0625	
Tetrahydrofuran	U		0.0880	0.313	
Toluene	U		0.0325	0.125	
1,1,2-Trichlorotrifluoroethane	U		0.0189	0.0625	
1,2,4-Trichlorobenzene	U		0.110	0.313	
1,1,1-Trichloroethane	U		0.0231	0.0625	
1,1,2-Trichloroethane	U		0.0149	0.0625	
Trichloroethene	U		0.0146	0.0250	
Trichlorofluoromethane	U		0.0207	0.0625	
1,2,3-Trichloropropane	U		0.0405	0.313	
1,2,3-Trimethylbenzene	U		0.0395	0.125	
1,2,4-Trimethylbenzene	U		0.0395	0.125	
1,3,5-Trimethylbenzene	U		0.0500	0.125	
Vinyl chloride	U		0.0290	0.0625	
Xylenes, Total	U		0.0220	0.163	
Allyl Chloride	U		0.100	0.625	
(S) Toluene-d8	114		75.0-131		
(S) 4-Bromofluorobenzene	101		67.0-138		
(S) 1,2-Dichloroethane-d4	84.3		70.0-130		

QUALITY CONTROL SUMMARY

[L1431799-22,23,24](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731326-1 11/18/21 09:50 • (LCSD) R3731326-2 11/18/21 10:09

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Acetone	0.625	0.504	0.488	80.6	78.1	30.0-160			3.23	31
Acrylonitrile	0.625	0.526	0.575	84.2	92.0	45.0-153			8.90	22
Benzene	0.125	0.116	0.117	92.8	93.6	70.0-123			0.858	20
Bromobenzene	0.125	0.115	0.121	92.0	96.8	73.0-121			5.08	20
Bromodichloromethane	0.125	0.112	0.113	89.6	90.4	73.0-121			0.889	20
Bromoform	0.125	0.114	0.115	91.2	92.0	64.0-132			0.873	20
Bromomethane	0.125	0.114	0.116	91.2	92.8	56.0-147			1.74	20
n-Butylbenzene	0.125	0.123	0.124	98.4	99.2	68.0-135			0.810	20
sec-Butylbenzene	0.125	0.121	0.126	96.8	101	74.0-130			4.05	20
tert-Butylbenzene	0.125	0.112	0.115	89.6	92.0	75.0-127			2.64	20
Carbon tetrachloride	0.125	0.125	0.131	100	105	66.0-128			4.69	20
Chlorobenzene	0.125	0.116	0.115	92.8	92.0	76.0-128			0.866	20
Chlorodibromomethane	0.125	0.121	0.118	96.8	94.4	74.0-127			2.51	20
Chloroethane	0.125	0.115	0.118	92.0	94.4	61.0-134			2.58	20
Chloroform	0.125	0.110	0.114	88.0	91.2	72.0-123			3.57	20
Chloromethane	0.125	0.104	0.107	83.2	85.6	51.0-138			2.84	20
2-Chlorotoluene	0.125	0.120	0.125	96.0	100	75.0-124			4.08	20
4-Chlorotoluene	0.125	0.114	0.122	91.2	97.6	75.0-124			6.78	20
1,2-Dibromo-3-Chloropropane	0.125	0.122	0.122	97.6	97.6	59.0-130			0.000	20
1,2-Dibromoethane	0.125	0.126	0.123	101	98.4	74.0-128			2.41	20
Dibromomethane	0.125	0.118	0.117	94.4	93.6	75.0-122			0.851	20
1,2-Dichlorobenzene	0.125	0.124	0.125	99.2	100	76.0-124			0.803	20
1,3-Dichlorobenzene	0.125	0.115	0.121	92.0	96.8	76.0-125			5.08	20
1,4-Dichlorobenzene	0.125	0.116	0.117	92.8	93.6	77.0-121			0.858	20
Dichlorodifluoromethane	0.125	0.115	0.117	92.0	93.6	43.0-156			1.72	20
Dichlorofluoromethane	0.125	0.118	0.122	94.4	97.6	65.0-137			3.33	20
1,1-Dichloroethane	0.125	0.120	0.122	96.0	97.6	70.0-127			1.65	20
1,2-Dichloroethane	0.125	0.107	0.109	85.6	87.2	65.0-131			1.85	20
1,1-Dichloroethene	0.125	0.121	0.120	96.8	96.0	65.0-131			0.830	20
cis-1,2-Dichloroethene	0.125	0.112	0.112	89.6	89.6	73.0-125			0.000	20
trans-1,2-Dichloroethene	0.125	0.119	0.121	95.2	96.8	71.0-125			1.67	20
1,2-Dichloropropane	0.125	0.122	0.126	97.6	101	74.0-125			3.23	20
1,1-Dichloropropene	0.125	0.120	0.122	96.0	97.6	73.0-125			1.65	20
1,3-Dichloropropane	0.125	0.119	0.121	95.2	96.8	80.0-125			1.67	20
cis-1,3-Dichloropropene	0.125	0.114	0.117	91.2	93.6	76.0-127			2.60	20
trans-1,3-Dichloropropene	0.125	0.111	0.114	88.8	91.2	73.0-127			2.67	20
2,2-Dichloropropane	0.125	0.108	0.106	86.4	84.8	59.0-135			1.87	20
Di-isopropyl ether	0.125	0.108	0.113	86.4	90.4	60.0-136			4.52	20
Ethylbenzene	0.125	0.122	0.120	97.6	96.0	74.0-126			1.65	20
Ethyl ether	0.125	0.110	0.112	88.0	89.6	64.0-137			1.80	20

QUALITY CONTROL SUMMARY

[L1431799-22,23,24](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731326-1 11/18/21 09:50 • (LCSD) R3731326-2 11/18/21 10:09

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Hexachloro-1,3-butadiene	0.125	0.0934	0.0919	74.7	73.5	57.0-150			1.62	20
2-Hexanone	0.625	0.626	0.617	100	98.7	54.0-147			1.45	20
Isopropylbenzene	0.125	0.126	0.123	101	98.4	72.0-127			2.41	20
p-Isopropyltoluene	0.125	0.117	0.120	93.6	96.0	72.0-133			2.53	20
2-Butanone (MEK)	0.625	0.584	0.615	93.4	98.4	30.0-160			5.17	24
Methylene Chloride	0.125	0.107	0.110	85.6	88.0	68.0-123			2.76	20
4-Methyl-2-pentanone (MIBK)	0.625	0.606	0.598	97.0	95.7	56.0-143			1.33	20
Methyl tert-butyl ether	0.125	0.115	0.118	92.0	94.4	66.0-132			2.58	20
Naphthalene	0.125	0.0761	0.0781	60.9	62.5	59.0-130			2.59	20
n-Propylbenzene	0.125	0.113	0.120	90.4	96.0	74.0-126			6.01	20
Styrene	0.125	0.124	0.125	99.2	100	72.0-127			0.803	20
1,1,2-Tetrachloroethane	0.125	0.127	0.129	102	103	74.0-129			1.56	20
1,1,2,2-Tetrachloroethane	0.125	0.104	0.109	83.2	87.2	68.0-128			4.69	20
Tetrachloroethene	0.125	0.121	0.126	96.8	101	70.0-136			4.05	20
Tetrahydrofuran	0.125	0.123	0.126	98.4	101	37.0-146			2.41	24
Toluene	0.125	0.120	0.119	96.0	95.2	75.0-121			0.837	20
1,1,2-Trichlorotrifluoroethane	0.125	0.125	0.127	100	102	61.0-139			1.59	20
1,2,4-Trichlorobenzene	0.125	0.0698	0.0769	55.8	61.5	62.0-137	J4	J4	9.68	20
1,1,1-Trichloroethane	0.125	0.115	0.118	92.0	94.4	69.0-126			2.58	20
1,1,2-Trichloroethane	0.125	0.120	0.115	96.0	92.0	78.0-123			4.26	20
Trichloroethene	0.125	0.126	0.130	101	104	76.0-126			3.12	20
Trichlorofluoromethane	0.125	0.112	0.114	89.6	91.2	61.0-142			1.77	20
1,2,3-Trichloropropane	0.125	0.109	0.114	87.2	91.2	67.0-129			4.48	20
1,2,3-Trimethylbenzene	0.125	0.119	0.116	95.2	92.8	74.0-124			2.55	20
1,2,4-Trimethylbenzene	0.125	0.115	0.120	92.0	96.0	70.0-126			4.26	20
1,3,5-Trimethylbenzene	0.125	0.116	0.121	92.8	96.8	73.0-127			4.22	20
Vinyl chloride	0.125	0.113	0.121	90.4	96.8	63.0-134			6.84	20
Xylenes, Total	0.375	0.372	0.359	99.2	95.7	72.0-127			3.56	20
Allyl chloride	0.625	0.580	0.597	92.8	95.5	70.0-131			2.89	20
(S) Toluene-d8			108	107	75.0-131					
(S) 4-Bromofluorobenzene			108	105	67.0-138					
(S) 1,2-Dichloroethane-d4			99.3	100	70.0-130					

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

WG1777156

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-24](#)

Method Blank (MB)

(MB) R3731582-3 11/19/21 10:11

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
1,2,3-Trichlorobenzene	U		0.183	0.313
(S) Toluene-d8	116			75.0-131
(S) 4-Bromofluorobenzene	102			67.0-138
(S) 1,2-Dichloroethane-d4	91.7			70.0-130

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731582-1 11/19/21 08:55 • (LCSD) R3731582-2 11/19/21 09:14

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
1,2,3-Trichlorobenzene	0.125	0.156	0.160	125	128	59.0-139			2.53	20
(S) Toluene-d8				114	113	75.0-131				
(S) 4-Bromofluorobenzene				103	103	67.0-138				
(S) 1,2-Dichloroethane-d4				93.1	94.3	70.0-130				

WG1775759

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-14,25](#)

Method Blank (MB)

(MB) R3731028-4 11/17/21 17:56

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l	1 Cp
Acetone	U		0.0113	0.0500	
Acrolein	U		0.00254	0.0500	
Acrylonitrile	U		0.000671	0.0100	
Benzene	U		0.0000941	0.00100	
Bromobenzene	U		0.000118	0.00100	
Bromodichloromethane	U		0.000136	0.00100	
Bromoform	U		0.000129	0.00100	
Bromomethane	U		0.000605	0.00500	
n-Butylbenzene	U		0.000157	0.00100	
sec-Butylbenzene	U		0.000125	0.00100	
tert-Butylbenzene	U		0.000127	0.00100	
Carbon tetrachloride	U		0.000128	0.00100	
Chlorobenzene	U		0.000116	0.00100	
Chlorodibromomethane	U		0.000140	0.00100	
Chloroethane	U		0.000192	0.00500	
2-Chloroethyl vinyl ether	U		0.000575	0.0500	
Chloroform	U		0.000111	0.00500	
Chloromethane	U		0.000960	0.00250	
2-Chlorotoluene	U		0.000106	0.00100	
4-Chlorotoluene	U		0.000114	0.00100	
1,2-Dibromo-3-Chloropropane	U		0.000276	0.00500	
1,2-Dibromoethane	U		0.000126	0.00100	
Dibromomethane	U		0.000122	0.00100	
1,2-Dichlorobenzene	U		0.000107	0.00100	
1,3-Dichlorobenzene	U		0.000110	0.00100	
1,4-Dichlorobenzene	U		0.000120	0.00100	
Dichlorodifluoromethane	U		0.000374	0.00500	
Dichlorofluoromethane	U		0.000130	0.00500	
1,1-Dichloroethane	U		0.000100	0.00100	
1,2-Dichloroethane	U		0.0000819	0.00100	
1,1-Dichloroethene	U		0.000188	0.00100	
cis-1,2-Dichloroethene	U		0.000126	0.00100	
trans-1,2-Dichloroethene	U		0.000149	0.00100	
1,2-Dichloropropane	U		0.000149	0.00100	
1,1-Dichloropropene	U		0.000142	0.00100	
1,3-Dichloropropane	U		0.000110	0.00100	
cis-1,3-Dichloropropene	U		0.000111	0.00100	
trans-1,3-Dichloropropene	U		0.000118	0.00100	
2,2-Dichloropropane	U		0.000161	0.00100	
Di-isopropyl ether	U		0.000105	0.00100	

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1431799

DATE/TIME:

11/19/21 16:24

PAGE:

79 of 87

WG1775759

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-14,25](#)

Method Blank (MB)

(MB) R3731028-4 11/17/21 17:56

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l	
Ethylbenzene	U		0.000137	0.00100	¹ Cp
Ethyl ether	U		0.000115	0.00100	² Tc
Hexachloro-1,3-butadiene	U		0.000337	0.00100	³ Ss
2-Hexanone	U		0.000787	0.0100	⁴ Cn
Isopropylbenzene	U		0.000105	0.00100	⁵ Sr
p-Isopropyltoluene	U		0.000120	0.00100	⁶ Qc
2-Butanone (MEK)	U		0.00119	0.0100	⁷ Gl
Methylene Chloride	U		0.000430	0.00500	⁸ Al
4-Methyl-2-pentanone (MIBK)	U		0.000478	0.0100	⁹ Sc
Methyl tert-butyl ether	U		0.000101	0.00100	
Naphthalene	U		0.00100	0.00500	
n-Propylbenzene	U		0.0000993	0.00100	
Styrene	U		0.000118	0.00100	
1,1,1,2-Tetrachloroethane	U		0.000147	0.00100	
1,1,2,2-Tetrachloroethane	U		0.000133	0.00100	
Tetrachloroethene	U		0.000300	0.00100	
Tetrahydrofuran	U		0.000929	0.00500	
Toluene	U		0.000278	0.00100	
1,1,2-Trichlorotrifluoroethane	U		0.000180	0.00100	
1,2,3-Trichlorobenzene	U		0.000230	0.00100	
1,2,4-Trichlorobenzene	U		0.000481	0.00100	
1,1,1-Trichloroethane	U		0.000149	0.00100	
1,1,2-Trichloroethane	U		0.000158	0.00100	
Trichloroethene	U		0.000190	0.00100	
Trichlorofluoromethane	U		0.000160	0.00500	
1,2,3-Trichloropropane	U		0.000237	0.00250	
1,2,3-Trimethylbenzene	U		0.000104	0.00100	
1,2,4-Trimethylbenzene	U		0.000322	0.00100	
1,3,5-Trimethylbenzene	U		0.000104	0.00100	
Vinyl chloride	U		0.000234	0.00100	
Xylenes, Total	U		0.000174	0.00300	
Allyl Chloride	U		0.000500	0.00500	
(S) Toluene-d8	111		80.0-120		
(S) 4-Bromofluorobenzene	97.6		77.0-126		
(S) 1,2-Dichloroethane-d4	122		70.0-130		

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1431799

DATE/TIME:

11/19/21 16:24

PAGE:

80 of 87

WG1775759

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1431799-14,25](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731028-1 11/17/21 16:29 • (LCSD) R3731028-2 11/17/21 16:51

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Allyl Chloride	0.0250	0.0230	0.0232	92.0	92.8	72.0-128			0.866	20
Acetone	0.0250	0.0267	0.0269	107	108	19.0-160			0.746	27
Acrolein	0.0250	0.0223	0.0213	89.2	85.2	30.0-160			4.59	26
Acrylonitrile	0.0250	0.0252	0.0249	101	99.6	55.0-149			1.20	20
Benzene	0.00500	0.00470	0.00473	94.0	94.6	70.0-123			0.636	20
Bromobenzene	0.00500	0.00473	0.00483	94.6	96.6	73.0-121			2.09	20
Bromodichloromethane	0.00500	0.00526	0.00529	105	106	75.0-120			0.569	20
Bromoform	0.00500	0.00420	0.00441	84.0	88.2	68.0-132			4.88	20
Bromomethane	0.00500	0.00457	0.00454	91.4	90.8	30.0-160			0.659	25
n-Butylbenzene	0.00500	0.00486	0.00486	97.2	97.2	73.0-125			0.000	20
sec-Butylbenzene	0.00500	0.00471	0.00474	94.2	94.8	75.0-125			0.635	20
tert-Butylbenzene	0.00500	0.00463	0.00473	92.6	94.6	76.0-124			2.14	20
Carbon tetrachloride	0.00500	0.00443	0.00459	88.6	91.8	68.0-126			3.55	20
Chlorobenzene	0.00500	0.00440	0.00470	88.0	94.0	80.0-121			6.59	20
Chlorodibromomethane	0.00500	0.00489	0.00510	97.8	102	77.0-125			4.20	20
Chloroethane	0.00500	0.00593	0.00652	119	130	47.0-150			9.48	20
2-Chloroethyl vinyl ether	0.0250	0.0246	0.0245	98.4	98.0	51.0-160			0.407	20
Chloroform	0.00500	0.00526	0.00540	105	108	73.0-120			2.63	20
Chloromethane	0.00500	0.00430	0.00452	86.0	90.4	41.0-142			4.99	20
2-Chlorotoluene	0.00500	0.00483	0.00488	96.6	97.6	76.0-123			1.03	20
4-Chlorotoluene	0.00500	0.00460	0.00482	92.0	96.4	75.0-122			4.67	20
1,2-Dibromo-3-Chloropropane	0.00500	0.00446	0.00459	89.2	91.8	58.0-134			2.87	20
1,2-Dibromoethane	0.00500	0.00472	0.00481	94.4	96.2	80.0-122			1.89	20
Dibromomethane	0.00500	0.00511	0.00501	102	100	80.0-120			1.98	20
1,2-Dichlorobenzene	0.00500	0.00482	0.00490	96.4	98.0	79.0-121			1.65	20
1,3-Dichlorobenzene	0.00500	0.00477	0.00482	95.4	96.4	79.0-120			1.04	20
1,4-Dichlorobenzene	0.00500	0.00463	0.00460	92.6	92.0	79.0-120			0.650	20
Dichlorodifluoromethane	0.00500	0.00479	0.00481	95.8	96.2	51.0-149			0.417	20
Dichlorofluoromethane	0.00500	0.00557	0.00553	111	111	65.0-133			0.721	20
1,1-Dichloroethane	0.00500	0.00490	0.00500	98.0	100	70.0-126			2.02	20
1,2-Dichloroethane	0.00500	0.00525	0.00524	105	105	70.0-128			0.191	20
1,1-Dichloroethene	0.00500	0.00460	0.00473	92.0	94.6	71.0-124			2.79	20
cis-1,2-Dichloroethene	0.00500	0.00543	0.00540	109	108	73.0-120			0.554	20
trans-1,2-Dichloroethene	0.00500	0.00475	0.00460	95.0	92.0	73.0-120			3.21	20
1,2-Dichloropropane	0.00500	0.00496	0.00506	99.2	101	77.0-125			2.00	20
1,1-Dichloropropene	0.00500	0.00467	0.00471	93.4	94.2	74.0-126			0.853	20
1,3-Dichloropropane	0.00500	0.00467	0.00462	93.4	92.4	80.0-120			1.08	20
cis-1,3-Dichloropropene	0.00500	0.00438	0.00442	87.6	88.4	80.0-123			0.909	20
trans-1,3-Dichloropropene	0.00500	0.00450	0.00455	90.0	91.0	78.0-124			1.10	20
2,2-Dichloropropane	0.00500	0.00470	0.00470	94.0	94.0	58.0-130			0.000	20

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1431799

DATE/TIME:

11/19/21 16:24

PAGE:

81 of 87

QUALITY CONTROL SUMMARY

L1431799-14,25

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731028-1 11/17/21 16:29 • (LCSD) R3731028-2 11/17/21 16:51

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Di-isopropyl ether	0.00500	0.00551	0.00535	110	107	58.0-138			2.95	20
Ethylbenzene	0.00500	0.00443	0.00459	88.6	91.8	79.0-123			3.55	20
Ethyl ether	0.00500	0.00518	0.00497	104	99.4	66.0-130			4.14	20
Hexachloro-1,3-butadiene	0.00500	0.00466	0.00496	93.2	99.2	54.0-138			6.24	20
2-Hexanone	0.0250	0.0246	0.0249	98.4	99.6	67.0-149			1.21	20
Isopropylbenzene	0.00500	0.00464	0.00476	92.8	95.2	76.0-127			2.55	20
p-Isopropyltoluene	0.00500	0.00456	0.00462	91.2	92.4	76.0-125			1.31	20
2-Butanone (MEK)	0.0250	0.0274	0.0270	110	108	44.0-160			1.47	20
Methylene Chloride	0.00500	0.00481	0.00503	96.2	101	67.0-120			4.47	20
4-Methyl-2-pentanone (MIBK)	0.0250	0.0255	0.0262	102	105	68.0-142			2.71	20
Methyl tert-butyl ether	0.00500	0.00527	0.00538	105	108	68.0-125			2.07	20
Naphthalene	0.00500	0.00463	0.00485	92.6	97.0	54.0-135			4.64	20
n-Propylbenzene	0.00500	0.00457	0.00465	91.4	93.0	77.0-124			1.74	20
Styrene	0.00500	0.00457	0.00451	91.4	90.2	73.0-130			1.32	20
1,1,1,2-Tetrachloroethane	0.00500	0.00450	0.00475	90.0	95.0	75.0-125			5.41	20
1,1,2,2-Tetrachloroethane	0.00500	0.00454	0.00463	90.8	92.6	65.0-130			1.96	20
Tetrachloroethene	0.00500	0.00465	0.00469	93.0	93.8	72.0-132			0.857	20
Tetrahydrofuran	0.00500	0.00581	0.00589	116	118	41.0-146			1.37	20
Toluene	0.00500	0.00458	0.00472	91.6	94.4	79.0-120			3.01	20
1,1,2-Trichlorotrifluoroethane	0.00500	0.00458	0.00479	91.6	95.8	69.0-132			4.48	20
1,2,3-Trichlorobenzene	0.00500	0.00494	0.00542	98.8	108	50.0-138			9.27	20
1,2,4-Trichlorobenzene	0.00500	0.00484	0.00477	96.8	95.4	57.0-137			1.46	20
1,1,1-Trichloroethane	0.00500	0.00534	0.00547	107	109	73.0-124			2.41	20
1,1,2-Trichloroethane	0.00500	0.00483	0.00494	96.6	98.8	80.0-120			2.25	20
Trichloroethene	0.00500	0.00510	0.00515	102	103	78.0-124			0.976	20
Trichlorofluoromethane	0.00500	0.00567	0.00571	113	114	59.0-147			0.703	20
1,2,3-Trichloropropane	0.00500	0.00534	0.00497	107	99.4	73.0-130			7.18	20
1,2,3-Trimethylbenzene	0.00500	0.00487	0.00490	97.4	98.0	77.0-120			0.614	20
1,2,4-Trimethylbenzene	0.00500	0.00474	0.00482	94.8	96.4	76.0-121			1.67	20
1,3,5-Trimethylbenzene	0.00500	0.00476	0.00494	95.2	98.8	76.0-122			3.71	20
Vinyl chloride	0.00500	0.00497	0.00497	99.4	99.4	67.0-131			0.000	20
Xylenes, Total	0.0150	0.0136	0.0142	90.7	94.7	79.0-123			4.32	20
(S) Toluene-d8				109	112	80.0-120				
(S) 4-Bromofluorobenzene				101	105	77.0-126				
(S) 1,2-Dichloroethane-d4				123	122	70.0-130				

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].	1 Cp
MDL	Method Detection Limit.	2 Tc
MDL (dry)	Method Detection Limit.	3 Ss
RDL	Reported Detection Limit.	4 Cn
RDL (dry)	Reported Detection Limit.	5 Sr
Rec.	Recovery.	6 Qc
RPD	Relative Percent Difference.	7 GI
SDG	Sample Delivery Group.	8 AI
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.	9 Sc
U	Not detected at the Reporting Limit (or MDL where applicable).	
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier	Description
C3	The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.
C4	The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Data is likely to show a low bias concerning the result.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Company Name/Address: UPRR - Golder Associates 2201 Double Creek Dr., Ste 4004 Round Rock, TX 78664			Billing Information: Kevin Peterburs 4823 N 119th Street Milwaukee, WI 53225			Pres Chk	Analysis / Container / Preservative						Chain of Custody <i>Golder 1-22</i> Pace Analytical					
Report to: Matthew Wilson			Email To: mjwilson@golder.com;Matthew_Wilson2@gold										12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubs/pas-standard-terms.pdf					
Project Description: Cudahy WI-Superior Health Linens			City/State Collected: <i>Cudahy, WI</i>			Please Circle: PT MT CT ET						SDG # <i>U431799</i>						
Phone: 262-212-4727		Client Project # 2812		Lab Project # UPRRGOLD-2812								Table						
Collected by (print): <i>Matthew Wilson</i>		Site/Facility ID # SUPPLEMENTARY		P.O. #								Acctnum: UPRRGOLD						
Collected by (signature): <i>M. Wilson</i>		Rush? (Lab MUST Be Notified) Same Day <input type="checkbox"/> Five Day <input type="checkbox"/> Next Day <input type="checkbox"/> 5 Day (Rad Only) <input type="checkbox"/> Two Day <input checked="" type="checkbox"/> 10 Day (Rad Only) <input type="checkbox"/> Three Day <input type="checkbox"/>		Quote #								Template: T199385						
Immediately Packed on Ice N <input type="checkbox"/> Y <input checked="" type="checkbox"/>				Date Results Needed		No. of Cntrs							Prelogin: P887219					
Sample ID		Comp/Grab	Matrix *	Depth	Date	Time		TS 4ozClr-NoPres	V8260/465 60ml/Amb/MeOH/Syr							PM: 134 - Mark W. Beasley		
<i>SD-2812-HA11(1-2)-151121</i>		Grab	SS	1-2ft	2021-11-15	0847	2	/	/							PB: <i>111110100d</i>		
<i>SD-2812-HA11 Dp-151121</i>		Grab	SS	1-2ft	2021-11-15	0847	2	/	/							Shipped Via: FedEX Priority		
<i>SD-2812-HA11(3-4)-151121</i>		Grab	SS	3-4ft	2021-11-15	0858	2	/	/							Remarks Sample # (lab only)		
<i>SD-2812-HA12(1-2)-151121</i>		Grab	SS	1-2ft	2021-11-15	0906	2	/	/							-01		
<i>SD-2812-HA12(3-4)-151121</i>		Grab	SS	3-4ft	2021-11-15	0915	2	/	/							-02		
<i>SD-2812-HA13(1-2)-151121</i>		Grab	SS	1-2ft	2021-11-15	0925	2	/	/							-03		
<i>SD-2812-HA13(3-4)-151121</i>		Grab	SS	3-4ft	2021-11-15		2	/	/							-04		
<i>SD-2812-HA14(1-2)-151121</i>		Grab	SS	1-2ft	2021-11-15	0950	2	/	/							-05		
<i>SD-2812-HA14(3-4)-151121</i>		Grab	SS	3-4ft	2021-11-15	1000	2	/	/							-06		
<i>SD-2812-HA15(1-2)-151121</i>		Grab	SS	1-2ft	2021-11-15	1005	2	/	/							<i>Not Collected/Med</i>		
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWATER DW - Drinking Water OT - Other _____		Remarks:						pH	Temp							Sample Receipt Checklist		
										Flow	Other							COC Seal Present/Intact: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N COC Signed/Accurate: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N Bottles arrive intact: <input type="checkbox"/> X <input checked="" type="checkbox"/> N Correct bottles used: <input type="checkbox"/> X <input checked="" type="checkbox"/> N Sufficient volume sent: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N If Applicable VOA Zero Headspace: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N Preservation Correct/Checked: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N RAD Screen <0.5 mR/hr: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N
Relinquished by : (Signature) <i>M. Wilson</i>		Date: <i>2021-11-15</i>	Time: <i>14:30</i>	Received by: (Signature)		Samples returned via: UPS <input type="checkbox"/> FedEx <input type="checkbox"/> Courier		Tracking # <i>5318 9959 8551 / 8540</i>	Trip Blank Received: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>2.4.52</i>	HCl MeOH TBR								
Relinquished by : (Signature)		Date:	Time:	Received by: (Signature)				Temp <i>17.8°C</i> <i>1.35±0.1.3</i>	Bottles Received: <i>50</i>	If preservation required by Login: Date/Time								
Relinquished by : (Signature)		Date:	Time:	Received for lab by: (Signature) <i>K. Phelan</i>		Date: <i>11/16/21</i>	Time: <i>1400</i>	Hold:		Condition: <i>NCF / OK</i>								

Company Name/Address: UPRR - Golder Associates 2201 Double Creek Dr., Ste 4004 Round Rock, TX 78664				Billing Information: Kevin Peterburs 4823 N 119th Street Milwaukee, WI 53225				Pres Chk	Analysis / Container / Preservative						Chain of Custody		
																Page <u>2</u> of <u>3</u>	
Report to: Matthew Wilson				Email To: mjwilson@golder.com;Matthew_Wilson2@gold										12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://Info.pacelabs.com/hubfs/pas-standard-terms.pdf			
Project Description: Cudahy WI-Superior Health Linens		City/State Collected: Cudahy, WI		Please Circle: PT MT CT ET								SDG # L1431799					
Phone: 262-212-4727		Client Project # 2812		Lab Project # UPRRGOLD-2812								Table #					
Collected by (print): Matthew Wilson		Site/Facility ID # SUPPLEMENTARY		P.O. #								Acctnum: UPRRGOLD					
Collected by (signature): 		Rush? (Lab MUST Be Notified) <input type="checkbox"/> Same Day <input type="checkbox"/> Five Day <input checked="" type="checkbox"/> Next Day <input type="checkbox"/> 5 Day (Rad Only) <input checked="" type="checkbox"/> Two Day <input type="checkbox"/> 10 Day (Rad Only) <input type="checkbox"/> Three Day		Quote #								Template: T199385					
Immediately Packed on Ice N <u>N</u> Y <u>✓</u>				Date Results Needed		No. of Cntrs							Prelogin: P887219				
Sample ID		Comp/Grab	Matrix *	Depth	Date	Time		TS 4ozClr-NoPres	V8260/465 60mlAmb/MeOH/Syr							PM: 134 - Mark W. Beasley	
SD-2812-HA15(3-u)-151121		Grab	SS	3-4 ft	2021-11-15	1029	2	✓	✓							PB: 11/11/21 JED	
SD-2812-HA16(1-2)-151121		Grab	SS	1-2 ft	2021-11-15	1045	2	✓	✓							Shipped Via: FedEX Priority	
SD-2812-HA16(3-u)-151121		Grab	SS	3-4 ft	2021-11-15	1052	2	✓	✓							Remarks Sample # (lab only)	
SD-2812-HA17(1-2)-151121		Grab	SS	1-2 ft	2021-11-15	1107	2	✓	✓								
SQ-2812-TB1-151121		Grab	SS	-	2021-11-15	0PM	1	✓	✓								
SQ-2812-MSMS8-151121		Grab	SS	-	2021-11-15	1300	4	✓	✓								
SQ-2812-HA20Dups-151121		Grab	SS	3-4 ft	2021-11-15	1300	2	✓	✓								
		SS															
		SS															
		SS															
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other _____		Remarks:												pH _____	Temp _____		
												Flow _____	Other _____	Sample Receipt Checklist			
Samples returned via: UPS FedEx Courier												COC Seal Present/Intact: <input checked="" type="checkbox"/> NP <input type="checkbox"/> N COC Signed/Accurate: <input checked="" type="checkbox"/> N Bottles arrive intact: <input checked="" type="checkbox"/> N Correct bottles used: <input checked="" type="checkbox"/> N Sufficient volume sent: <input checked="" type="checkbox"/> N If Applicable VOA Zero Headspace: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N Preservation Correct/Checked: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N RAD Screen < 0.5 mR/hr: <input checked="" type="checkbox"/> N					
Relinquished by : (Signature) 		Date: 2021-11-15	Time: 1430	Received by: (Signature)		Trip Blank Received: Yes / No		Temp: 27.81 °C		Bottles Received: 50	If preservation required by Login: Date/Time						
Relinquished by : (Signature)		Date:	Time:	Received by: (Signature)		HCl / MeOH TBR		1.3 to 1.3									
Relinquished by : (Signature)		Date:	Time:	Received for lab by: (Signature)		Date: 11/16/21	Time: 1400	Hold:		Condition: NCF / OK							

Company Name/Address:

UPRR - Golder Associates2201 Double Creek Dr., Ste 4004
Round Rock, TX 78664

Billing Information:

Kevin Peterburs
4823 N 119th Street
Milwaukee, WI 53225Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 3 of 3Report to:
Matthew WilsonEmail To:
mjwilson@golder.com; Matthew_Wilson2@gold12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>Project Description:
Cudahy WI-Superior Health LinensCity/State
Collected:

Cudahy, WI

Please Circle:
PT MT CT ET

Phone: 262-212-4727

Client Project #
2812Lab Project #
UPRRGOLD-2812

Collected by (print):

Matthew Wilson

Collected by (signature):

*MW*Immediately
Packed on Ice Y Site/Facility ID #
SUPPLEMENTARY

P.O. #

Rush? (Lab MUST Be Notified)
Same Day Five Day
Next Day 5 Day (Rad Only)
Two Day 10 Day (Rad Only)
Three Day

Date Results Needed

No.
of
CntrsTS 4ozClr-NoPres
V8260/465 60mlAmb/MeOH/SyrSDG # **U431799**

Table #

Acctnum: **UPRRGOLD**Template: **T199385**Prelogin: **P887219**

PM: 134 - Mark W. Beasley

PB: **1111121500**Shipped Via: **FedEX Priority**

Remarks Sample # (lab only)

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	TS 4ozClr-NoPres V8260/465 60mlAmb/MeOH/Syr	Remarks	Sample # (lab only)
SD-2812-HA17(3-4)-151121	Grab	SS	3-4ft	2021-11-15	1118	2	✓ ✓		-16
SD-2812-HA18(1-2)-151121	Grab	SS	1-2ft	2021-11-15	1131	2	✓ ✓		-17
SD-2812-HA18(3-4)-151121	Grab	SS	3-4ft	2021-11-15	1140	2	✓ ✓		-18
SD-2812-HA19(1-2)-151121	Grab	SS	1-2ft	2021-11-15	1230	2	✓ ✓		-19
SD-2812-HA19(3-4)-151121	Grab	SS	3-4ft	2021-11-15	1235	2	✓ ✓		-20
SD-2812-HA20(1-2)-151121	Grab	SS	1-2ft	2021-11-15	1250	2	✓ ✓		-21
SD-2812-HA20(3-4)-151121	Grab	SS	3-4ft	2021-11-15	1320	2	✓ ✓		-22
SD-2812-HA21(1-2)-151121	Grab	SS	1-2ft	2021-11-15	1322	2	✓ ✓		-23
SD-2812-HA21(3-4)-151121	Grab	SS	3-4ft	2021-11-15	1302	2	✓ ✓		-24
SD-2812-TB26-151121	—	—	—	2021-11-15	0800	1	✓		-25

* Matrix:

SS - Soil AIR - Air F - Filter

GW - Groundwater B - Bioassay

WW - WasteWater

DW - Drinking Water

OT - Other _____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Samples returned via:

UPS FedEx Courier

Tracking #

Sample Receipt Checklist	
COC Seal Present/Intact: <input checked="" type="checkbox"/>	NP <input checked="" type="checkbox"/>
COC Signed/Accurate: <input checked="" type="checkbox"/>	N <input type="checkbox"/>
Bottles arrive intact: <input checked="" type="checkbox"/>	N <input type="checkbox"/>
Correct bottles used: <input checked="" type="checkbox"/>	N <input type="checkbox"/>
Sufficient volume sent: <input checked="" type="checkbox"/>	If Applicable <input checked="" type="checkbox"/>
VOA Zero Headspace: <input checked="" type="checkbox"/>	Y <input type="checkbox"/>
Preservation Correct/Checked: <input checked="" type="checkbox"/>	Y <input type="checkbox"/>
RAD Screen <0.5 mR/hr: <input checked="" type="checkbox"/>	Y <input type="checkbox"/>

Relinquished by : (Signature)

Matthew Wilson

Date:

2021-11-15

Time:

14:30

Received by: (Signature)

Trip Blank Received: Yes / No

HCl / MeOH
TBR

Relinquished by : (Signature)

Date:

Time:

Received by: (Signature)

Temp: *17.8°C* Bottles Received: *50**2.5m-2.4*

If preservation required by Login: Date/Time

Relinquished by : (Signature)

Date:

Time:

Received for lab by: (Signature)

Date: *11/16/21* Time: *14:00*

Hold:

Condition: *NCF / OK*



ANALYTICAL REPORT

December 01, 2021

¹Cp

²Tc

³Ss

⁴Cn

⁵Tr

⁶Sr

⁷Qc

⁸Gl

⁹Al

¹⁰Sc

UPRR - Golder Associates

Sample Delivery Group: L1435520
Samples Received: 11/24/2021
Project Number: 2812
Description: Cudahy WI-Superior Health Linens
Site: SUPPLEMENTARY EXCAVATION LIMIT
Report To: Matthew Wilson
2201 Double Creek Dr., Ste 4004
Round Rock, TX 78664

Entire Report Reviewed By:

Mark W. Beasley
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National


12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1	 ¹ Cp
Tc: Table of Contents	2	 ² Tc
Ss: Sample Summary	3	 ³ Ss
Cn: Case Narrative	6	 ⁴ Cn
Tr: TRRP Summary	7	 ⁵ Tr
TRRP form R	8	 ⁶ Sr
TRRP form S	9	 ⁷ Qc
TRRP Exception Reports	10	 ⁸ Gl
Sr: Sample Results	11	 ⁹ Al
SO-2812-HA22(1-2)-231121 L1435520-01	11	 ¹⁰ Sc
SO-2812-HA22DUP-231121 L1435520-02	13	
SO-2812-HA22(3-4)-231121 L1435520-03	15	
SO-2812-HA23(1-2)-231121 L1435520-04	17	
SO-2812-HA23(3-4)-231121 L1435520-05	19	
SO-2812-HA24(1-2)-231121 L1435520-06	21	
SO-2812-HA24(3-4)-231121 L1435520-07	23	
SO-2812-HA25(1-2)-231121 L1435520-08	25	
SO-2812-HA25(3-4)-231121 L1435520-09	27	
SO-2812-HA26(1-2)-231121 L1435520-10	29	
SO-2812-HA26(3-4)-231121 L1435520-11	31	
SO-2812-HA27(1-2)-231121 L1435520-12	33	
SO-2812-HA27(3-4)-231121 L1435520-13	35	
SO-2812-HA28(1-2)-231121 L1435520-15	37	
SO-2812-HA28(3-4)-231121 L1435520-16	39	
Qc: Quality Control Summary	41	
Total Solids by Method 2540 G-2011	41	
Volatile Organic Compounds (GC/MS) by Method 8260D	43	
Gl: Glossary of Terms	53	
Al: Accreditations & Locations	55	
Sc: Sample Chain of Custody	56	


SAMPLE SUMMARY

				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 10:26	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780386	1	11/27/21 09:44	11/27/21 09:55	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1781634	1.02	11/23/21 10:26	11/30/21 14:54	BMB	Mt. Juliet, TN
SO-2812-HA22DUP-231121 L1435520-02 Solid				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 10:26	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780386	1	11/27/21 09:44	11/27/21 09:55	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1781634	1.09	11/23/21 10:26	11/30/21 15:13	BMB	Mt. Juliet, TN
SO-2812-HA22(3-4)-231121 L1435520-03 Solid				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 10:43	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780386	1	11/27/21 09:44	11/27/21 09:55	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1	11/23/21 10:43	11/28/21 14:16	JAH	Mt. Juliet, TN
SO-2812-HA23(1-2)-231121 L1435520-04 Solid				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 10:51	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780386	1	11/27/21 09:44	11/27/21 09:55	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1.4	11/23/21 10:51	11/28/21 14:35	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1781634	28	11/23/21 10:51	11/30/21 17:48	BMB	Mt. Juliet, TN
SO-2812-HA23(3-4)-231121 L1435520-05 Solid				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 10:58	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780386	1	11/27/21 09:44	11/27/21 09:55	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1.33	11/23/21 10:58	11/28/21 14:54	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1781634	26.6	11/23/21 10:58	11/30/21 18:07	BMB	Mt. Juliet, TN
SO-2812-HA24(1-2)-231121 L1435520-06 Solid				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 11:10	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780386	1	11/27/21 09:44	11/27/21 09:55	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1.1	11/23/21 11:10	11/28/21 15:12	JAH	Mt. Juliet, TN
SO-2812-HA24(3-4)-231121 L1435520-07 Solid				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 11:24	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780386	1	11/27/21 09:44	11/27/21 09:55	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1	11/23/21 11:24	11/28/21 15:31	JAH	Mt. Juliet, TN



SAMPLE SUMMARY

				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 11:28	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780386	1	11/27/21 09:44	11/27/21 09:55	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1.07	11/23/21 11:28	11/28/21 15:50	JAH	Mt. Juliet, TN
SO-2812-HA25(3-4)-231121 L1435520-09 Solid				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 11:35	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780386	1	11/27/21 09:44	11/27/21 09:55	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1	11/23/21 11:35	11/28/21 16:09	JAH	Mt. Juliet, TN
SO-2812-HA26(1-2)-231121 L1435520-10 Solid				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 11:50	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780386	1	11/27/21 09:44	11/27/21 09:55	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1	11/23/21 11:50	11/28/21 16:28	JAH	Mt. Juliet, TN
SO-2812-HA26(3-4)-231121 L1435520-11 Solid				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 11:50	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780387	1	11/27/21 09:28	11/27/21 09:41	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1	11/23/21 11:50	11/28/21 16:46	JAH	Mt. Juliet, TN
SO-2812-HA27(1-2)-231121 L1435520-12 Solid				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 12:06	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780387	1	11/27/21 09:28	11/27/21 09:41	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1	11/23/21 12:06	11/28/21 17:05	JAH	Mt. Juliet, TN
SO-2812-HA27(3-4)-231121 L1435520-13 Solid				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 12:15	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780387	1	11/27/21 09:28	11/27/21 09:41	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1	11/23/21 12:15	11/28/21 17:24	JAH	Mt. Juliet, TN
SO-2812-HA28(1-2)-231121 L1435520-15 Solid				Collected by	Collected date/time	Received date/time
				Brian Folta	11/23/21 12:23	11/24/21 13:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780387	1	11/27/21 09:28	11/27/21 09:41	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1.36	11/23/21 12:23	11/28/21 17:43	JAH	Mt. Juliet, TN



SAMPLE SUMMARY

SO-2812-HA28(3-4)-231121 L1435520-16 Solid Collected by Brian Folta Collected date/time 11/23/21 12:27 Received date/time 11/24/21 13:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1780387	1	11/27/21 09:28	11/27/21 09:41	CMK	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1780837	1	11/23/21 12:27	11/28/21 18:02	JAH	Mt. Juliet, TN

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Tr
- ⁶ Sr
- ⁷ Qc
- ⁸ Gl
- ⁹ Al
- ¹⁰ Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Mark W. Beasley
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Tr
- ⁶ Sr
- ⁷ Qc
- ⁸ Gl
- ⁹ Al
- ¹⁰ Sc

Laboratory Data Package Cover Page

This data package consists of this signature page, the laboratory review checklist, and the following reportable data as applicable:

R1 - Field chain-of-custody documentation;

R2 - Sample identification cross-reference;

R3 - Test reports (analytical data sheets) for each environmental sample that includes:

- a. Items consistent with NELAC Chapter 5,
- b. dilution factors,
- c. preparation methods,
- d. cleanup methods, and
- e. if required for the project, tentatively identified compounds (TICs).

R4 - Surrogate recovery data including:

- a. Calculated recovery (%R), and
- b. The laboratory's surrogate QC limits.

R5 - Test reports/summary forms for blank samples;

R6 - Test reports/summary forms for laboratory control samples (LCSs) including:

- a. LCS spiking amounts,
- b. Calculated %R for each analyte, and
- c. The laboratory's LCS QC limits.

R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:

- a. Samples associated with the MS/MSD clearly identified,
- b. MS/MSD spiking amounts,
- c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
- d. Calculated %Rs and relative percent differences (RPDs), and
- e. The laboratory's MS/MSD QC limits

R8 - Laboratory analytical duplicate (if applicable) recovery and precision:

- a. The amount of analyte measured in the duplicate,
- b. The calculated RPD, and
- c. The laboratory's QC limits for analytical duplicates.

R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.

R10 - Other problems or anomalies.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.



Mark W. Beasley
Project Manager

Laboratory Review Checklist: Reportable Data

Laboratory Name: Pace Analytical National			LRC Date: 12/01/2021 09:19				
Project Name: Cudahy WI-Superior Health Linens			Laboratory Job Number: L1435520-01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 15 and 16				
Reviewer Name: Mark W. Beasley			Prep Batch Number(s): WG1780387, WG1780386, WG1780837 and WG1781634				
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?		X			
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?	X				
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?	X				
		If required for the project, are TICs reported?				X	
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X			1
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?		X			2
		Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?		X			4
		Were MS/MSD RPDs within laboratory QC limits?		X			5
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?	X				
		Were analytical duplicates analyzed at the appropriate frequency?	X				
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package?	X				

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);

3. NA = Not applicable;

4. NR = Not reviewed;

5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Supporting Data

Laboratory Name: Pace Analytical National			LRC Date: 12/01/2021 09:19					
Project Name: Cudahy WI-Superior Health Linens			Laboratory Job Number: L1435520-01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 15 and 16					
Reviewer Name: Mark W. Beasley			Prep Batch Number(s): WG1780387, WG1780386, WG1780837 and WG1781634					
# ¹	A ²	Description						
S1	OI	Initial calibration (ICAL)						
Were response factors and/or relative response factors for each analyte within QC limits?						X		
Were percent RSDs or correlation coefficient criteria met?						X		
Was the number of standards recommended in the method used for all analytes?						X		
Were all points generated between the lowest and highest standard used to calculate the curve?						X		
Are ICAL data available for all instruments used?						X		
Has the initial calibration curve been verified using an appropriate second source standard?						X		
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB):						
Was the CCV analyzed at the method-required frequency?						X		
Were percent differences for each analyte within the method-required QC limits?						X		
Was the ICAL curve verified for each analyte?						X		
Was the absolute value of the analyte concentration in the inorganic CCB < MDL?							X	
S3	O	Mass spectral tuning						
Was the appropriate compound for the method used for tuning?						X		
Were ion abundance data within the method-required QC limits?						X		
S4	O	Internal standards (IS)						
Were IS area counts and retention times within the method-required QC limits?						X		
S5	OI	Raw data (NELAC Section 5.5.10)						
Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?						X		
Were data associated with manual integrations flagged on the raw data?						X		
S6	O	Dual column confirmation						
Did dual column confirmation results meet the method-required QC?							X	
S7	O	Tentatively identified compounds (TICs)						
If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?							X	
S8	I	Interference Check Sample (ICS) results						
Were percent recoveries within method QC limits?							X	
S9	I	Serial dilutions, post digestion spikes, and method of standard additions						
Were percent differences, recoveries, and the linearity within the QC limits specified in the method?							X	
S10	OI	Method detection limit (MDL) studies						
Was a MDL study performed for each reported analyte?						X		
Is the MDL either adjusted or supported by the analysis of DCSs?						X		
S11	OI	Proficiency test reports						
Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?						X		
S12	OI	Standards documentation						
Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?						X		
S13	OI	Compound/analyte identification procedures						
Are the procedures for compound/analyte identification documented?						X		
S14	OI	Demonstration of analyst competency (DOC)						
Was DOC conducted consistent with NELAC Chapter 5?						X		
Is documentation of the analyst's competency up-to-date and on file?						X		
S15	OI	Verification/validation documentation for methods (NELAC Chapter 5)						
Are all the methods used to generate the data documented, verified, and validated, where applicable?						X		
S16	OI	Laboratory standard operating procedures (SOPs)						
Are laboratory SOPs current and on file for each method performed						X		

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);
3. NA = Not applicable;
4. NR = Not reviewed;
5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Reports

Laboratory Name: Pace Analytical National		LRC Date: 12/01/2021 09:19
Project Name: Cudahy WI-Superior Health Linens		Laboratory Job Number: L1435520-01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 15 and 16
Reviewer Name: Mark W. Beasley		Prep Batch Number(s): WG1780387, WG1780386, WG1780837 and WG1781634
ER # ¹	Description	
1	8260D WG1781634 Toluene-d8 R3735529-5: Percent Recovery is outside of established control limits.	
2	8260D WG1780837 Hexachloro-1,3-butadiene: Percent Recovery is outside of established control limits.	
3	8260D WG1780837 Acetone, Acrylonitrile, Tetrahydrofuran: Relative Percent Difference is outside of established control limits. 8260D WG1781634 Bromomethane, Chloroethane, trans-1,3-Dichloropropene, 1,2,4-Trichlorobenzene, Vinyl chloride: Relative Percent Difference is outside of established control limits.	
4	8260D WG1781634 Acetone, sec-Butylbenzene, Toluene, Trichloroethene: Percent Recovery is outside of established control limits.	
5	8260D WG1781634 Acetone, Acrylonitrile, Benzene, Bromobenzene, Bromodichloromethane, Bromoform, Bromomethane, n-Butylbenzene, sec-Butylbenzene, tert-Butylbenzene, Carbon tetrachloride, Chlorobenzene, Chlorodibromomethane, Chloroethane, Chloroform, Chloromethane, 2-Chlorotoluene, 4-Chlorotoluene, 1,2-Dibromo-3-Chloropropane, 1,2-Dibromoethane, Dibromomethane, 1,2-Dichlorobenzene, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, Dichlorodifluoromethane, Dichlorofluoromethane, 1,1-Dichloroethane, 1,2-Dichloroethane, 1,1-Dichloroethene, cis-1,2-Dichloroethene, trans-1,2-Dichloroethene, 1,2-Dichloropropane, 1,1-Dichloropropene, 1,3-Dichloropropane, cis-1,3-Dichloropropene, trans-1,3-Dichloropropene, 2,2-Dichloropropane, Di-isopropyl ether, Ethylbenzene, Ethyl ether, Hexachloro-1,3-butadiene, 2-Hexanone, Isopropylbenzene, p-Isopropyltoluene, 2-Butanone (MEK), 4-Methyl-2-pentanone (MIBK), Methyl tert-butyl ether, Naphthalene, n-Propylbenzene, Styrene, 1,1,1,2-Tetrachloroethane, 1,1,2,2-Tetrachloroethane, Tetrachloroethene, Tetrahydrofuran, Toluene, 1,1,2-Trichlorotrifluoroethane, 1,2,3-Trichlorobenzene, 1,2,4-Trichlorobenzene, 1,1,1-Trichloroethane, 1,1,2-Trichloroethane, Trichlorofluoromethane, 1,2,3-Trichloropropane, 1,2,3-Trimethylbenzene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Vinyl chloride, Xylenes, Total, Allyl chloride: Relative Percent Difference is outside of established control limits.	
1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period. 2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable); 3. NA = Not applicable; 4. NR = Not reviewed; 5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).		

Total Solids by Method 2540 G-2011

Analyte	Result %	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	81.9		1	11/27/2021 09:55	WG1780386

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
Acetone	U	C3 J3 J6	1.14	1.25	1.56	1.02	11/30/2021 14:54	WG1781634
Acrylonitrile	U	J3	0.112	0.313	0.390	1.02	11/30/2021 14:54	WG1781634
Allyl chloride	U	J3	0.125	0.625	0.779	1.02	11/30/2021 14:54	WG1781634
Benzene	U	J3	0.0145	0.0250	0.0311	1.02	11/30/2021 14:54	WG1781634
Bromobenzene	U	J3	0.0280	0.313	0.390	1.02	11/30/2021 14:54	WG1781634
Bromodichloromethane	U	J3	0.0226	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Bromoform	U	C3 J3	0.0364	0.625	0.779	1.02	11/30/2021 14:54	WG1781634
Bromomethane	U	J3	0.0614	0.313	0.390	1.02	11/30/2021 14:54	WG1781634
n-Butylbenzene	U	J3	0.164	0.313	0.390	1.02	11/30/2021 14:54	WG1781634
sec-Butylbenzene	U	J3 J6	0.0897	0.313	0.390	1.02	11/30/2021 14:54	WG1781634
tert-Butylbenzene	U	J3	0.0607	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
Carbon tetrachloride	U	J3	0.0280	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
Chlorobenzene	U	J3	0.00654	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Chlorodibromomethane	U	J3	0.0191	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Chloroethane	U	J3	0.0529	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
Chloroform	U	J3	0.0321	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Chloromethane	U	J3	0.135	0.313	0.390	1.02	11/30/2021 14:54	WG1781634
2-Chlorotoluene	U	J3	0.0269	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
4-Chlorotoluene	U	J3	0.0140	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
1,2-Dibromo-3-Chloropropane	U	J3	0.121	0.625	0.779	1.02	11/30/2021 14:54	WG1781634
1,2-Dibromoethane	U	J3	0.0202	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Dibromomethane	U	J3	0.0234	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
1,2-Dichlorobenzene	U	J3	0.0132	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
1,3-Dichlorobenzene	U	J3	0.0187	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
1,4-Dichlorobenzene	U	J3	0.0218	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
Dichlorodifluoromethane	U	C3 J3	0.0501	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Dichlorofluoromethane	U	J3	0.0389	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
1,1-Dichloroethane	U	J3	0.0153	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
1,2-Dichloroethane	U	J3	0.0202	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
1,1-Dichloroethene	U	J3	0.0189	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
cis-1,2-Dichloroethene	U	J3	0.0229	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
trans-1,2-Dichloroethene	U	J3	0.0324	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
1,2-Dichloropropane	U	J3	0.0442	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
1,1-Dichloropropene	U	J3	0.0252	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
1,3-Dichloropropane	U	J3	0.0156	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
cis-1,3-Dichloropropene	U	J3	0.0236	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
trans-1,3-Dichloropropene	U	J3	0.0355	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
2,2-Dichloropropane	U	J3	0.0430	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Di-isopropyl ether	U	J3	0.0128	0.0250	0.0311	1.02	11/30/2021 14:54	WG1781634
Ethylbenzene	U	J3	0.0230	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Ethyl ether	U	J3	0.0277	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Hexachloro-1,3-butadiene	U	J3	0.187	0.625	0.779	1.02	11/30/2021 14:54	WG1781634
2-Hexanone	U	J3	0.105	0.625	0.779	1.02	11/30/2021 14:54	WG1781634
Isopropylbenzene	U	J3	0.0132	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
p-Isopropyltoluene	U	J3	0.0794	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
2-Butanone (MEK)	U	J3	1.98	2.50	3.11	1.02	11/30/2021 14:54	WG1781634
Methylene Chloride	U		0.207	0.625	0.779	1.02	11/30/2021 14:54	WG1781634
4-Methyl-2-pentanone (MIBK)	U	J3	0.0710	0.625	0.779	1.02	11/30/2021 14:54	WG1781634
Methyl tert-butyl ether	U	J3	0.0109	0.0250	0.0311	1.02	11/30/2021 14:54	WG1781634
Naphthalene	U	J3	0.152	0.313	0.390	1.02	11/30/2021 14:54	WG1781634

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U	J3	0.0296	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
Styrene	U	J3	0.00713	0.313	0.390	1.02	11/30/2021 14:54	WG1781634
1,1,2-Tetrachloroethane	U	J3	0.0295	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
1,1,2,2-Tetrachloroethane	U	J3	0.0216	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
1,1,2-Trichlorotrifluoroethane	U	J3	0.0235	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Tetrachloroethene	U	J3	0.0279	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Tetrahydrofuran	U	J3	0.110	0.313	0.390	1.02	11/30/2021 14:54	WG1781634
Toluene	U	J3 J5	0.0405	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
1,2,3-Trichlorobenzene	U	C4 J3	0.228	0.313	0.390	1.02	11/30/2021 14:54	WG1781634
1,2,4-Trichlorobenzene	U	C4 J3	0.137	0.313	0.390	1.02	11/30/2021 14:54	WG1781634
1,1,1-Trichloroethane	0.0383	J J3	0.0287	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
1,1,2-Trichloroethane	U	J3	0.0186	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Trichloroethene	0.497	J6	0.0182	0.0250	0.0311	1.02	11/30/2021 14:54	WG1781634
Trichlorofluoromethane	U	J3	0.0258	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
1,2,3-Trichloropropane	U	J3	0.0505	0.313	0.390	1.02	11/30/2021 14:54	WG1781634
1,2,4-Trimethylbenzene	U	J3	0.0492	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
1,2,3-Trimethylbenzene	U	J3	0.0492	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
1,3,5-Trimethylbenzene	U	J3	0.0623	0.125	0.156	1.02	11/30/2021 14:54	WG1781634
Vinyl chloride	U	J3	0.0361	0.0625	0.0779	1.02	11/30/2021 14:54	WG1781634
Xylenes, Total	0.0589	J J3	0.0274	0.163	0.203	1.02	11/30/2021 14:54	WG1781634
(S) Toluene-d8	90.9			75.0-131			11/30/2021 14:54	WG1781634
(S) 4-Bromofluorobenzene	76.1			67.0-138			11/30/2021 14:54	WG1781634
(S) 1,2-Dichloroethane-d4	87.2			70.0-130			11/30/2021 14:54	WG1781634

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	79.5		1	11/27/2021 09:55	WG1780386

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
Acetone	U	<u>C3</u>	1.25	1.25	1.71	1.09	11/30/2021 15:13	WG1781634
Acrylonitrile	U		0.124	0.313	0.429	1.09	11/30/2021 15:13	WG1781634
Allyl chloride	U		0.137	0.625	0.856	1.09	11/30/2021 15:13	WG1781634
Benzene	U		0.0160	0.0250	0.0343	1.09	11/30/2021 15:13	WG1781634
Bromobenzene	U		0.0308	0.313	0.429	1.09	11/30/2021 15:13	WG1781634
Bromodichloromethane	U		0.0248	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Bromoform	U	<u>C3</u>	0.0401	0.625	0.856	1.09	11/30/2021 15:13	WG1781634
Bromomethane	U	<u>J3</u>	0.0675	0.313	0.429	1.09	11/30/2021 15:13	WG1781634
n-Butylbenzene	U		0.180	0.313	0.429	1.09	11/30/2021 15:13	WG1781634
sec-Butylbenzene	U		0.0987	0.313	0.429	1.09	11/30/2021 15:13	WG1781634
tert-Butylbenzene	U		0.0668	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
Carbon tetrachloride	U		0.0308	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
Chlorobenzene	U		0.00719	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Chlorodibromomethane	U		0.0210	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Chloroethane	U	<u>J3</u>	0.0582	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
Chloroform	U		0.0353	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Chloromethane	U		0.149	0.313	0.429	1.09	11/30/2021 15:13	WG1781634
2-Chlorotoluene	U		0.0296	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
4-Chlorotoluene	U		0.0154	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
1,2-Dibromo-3-Chloropropane	U		0.134	0.625	0.856	1.09	11/30/2021 15:13	WG1781634
1,2-Dibromoethane	U		0.0222	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Dibromomethane	U		0.0257	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
1,2-Dichlorobenzene	U		0.0146	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
1,3-Dichlorobenzene	U		0.0206	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
1,4-Dichlorobenzene	U		0.0240	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
Dichlorodifluoromethane	U	<u>C3</u>	0.0552	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Dichlorofluoromethane	U		0.0428	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
1,1-Dichloroethane	U		0.0168	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
1,2-Dichloroethane	U		0.0222	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
1,1-Dichloroethene	U		0.0208	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
cis-1,2-Dichloroethene	0.0319	<u>J</u>	0.0251	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
trans-1,2-Dichloroethene	U		0.0356	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
1,2-Dichloropropane	U		0.0486	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
1,1-Dichloropropene	U		0.0277	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
1,3-Dichloropropene	U		0.0172	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
cis-1,3-Dichloropropene	U		0.0259	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
trans-1,3-Dichloropropene	U	<u>J3</u>	0.0391	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
2,2-Dichloropropane	U		0.0473	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Di-isopropyl ether	U		0.0140	0.0250	0.0343	1.09	11/30/2021 15:13	WG1781634
Ethylbenzene	U		0.0252	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Ethyl ether	U		0.0305	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Hexachloro-1,3-butadiene	U		0.206	0.625	0.856	1.09	11/30/2021 15:13	WG1781634
2-Hexanone	U		0.115	0.625	0.856	1.09	11/30/2021 15:13	WG1781634
Isopropylbenzene	U		0.0146	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
p-Isopropyltoluene	U		0.0874	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
2-Butanone (MEK)	U		2.18	2.50	3.43	1.09	11/30/2021 15:13	WG1781634
Methylene Chloride	U		0.227	0.625	0.856	1.09	11/30/2021 15:13	WG1781634
4-Methyl-2-pentanone (MIBK)	U		0.0781	0.625	0.856	1.09	11/30/2021 15:13	WG1781634
Methyl tert-butyl ether	U		0.0120	0.0250	0.0343	1.09	11/30/2021 15:13	WG1781634
Naphthalene	U		0.167	0.313	0.429	1.09	11/30/2021 15:13	WG1781634

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0325	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
Styrene	U		0.00784	0.313	0.429	1.09	11/30/2021 15:13	WG1781634
1,1,1,2-Tetrachloroethane	U		0.0325	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
1,1,2,2-Tetrachloroethane	U		0.0238	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
1,1,2-Trichlorotrifluoroethane	U		0.0258	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Tetrachloroethene	U		0.0307	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Tetrahydrofuran	U		0.121	0.313	0.429	1.09	11/30/2021 15:13	WG1781634
Toluene	0.0724	<u>J</u>	0.0445	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
1,2,3-Trichlorobenzene	U	<u>C4</u>	0.251	0.313	0.429	1.09	11/30/2021 15:13	WG1781634
1,2,4-Trichlorobenzene	U	<u>C4 J3</u>	0.151	0.313	0.429	1.09	11/30/2021 15:13	WG1781634
1,1,1-Trichloroethane	0.0360	<u>J</u>	0.0316	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
1,1,2-Trichloroethane	U		0.0205	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Trichloroethene	0.650		0.0200	0.0250	0.0343	1.09	11/30/2021 15:13	WG1781634
Trichlorofluoromethane	U		0.0283	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
1,2,3-Trichloropropane	U		0.0555	0.313	0.429	1.09	11/30/2021 15:13	WG1781634
1,2,4-Trimethylbenzene	0.0549	<u>J</u>	0.0541	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
1,2,3-Trimethylbenzene	U		0.0541	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
1,3,5-Trimethylbenzene	U		0.0685	0.125	0.171	1.09	11/30/2021 15:13	WG1781634
Vinyl chloride	U	<u>J3</u>	0.0397	0.0625	0.0856	1.09	11/30/2021 15:13	WG1781634
Xylenes, Total	0.105	<u>J</u>	0.0301	0.163	0.223	1.09	11/30/2021 15:13	WG1781634
(S) Toluene-d8	117			75.0-131			11/30/2021 15:13	WG1781634
(S) 4-Bromofluorobenzene	88.6			67.0-138			11/30/2021 15:13	WG1781634
(S) 1,2-Dichloroethane-d4	100			70.0-130			11/30/2021 15:13	WG1781634

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	85.5		1	11/27/2021 09:55	WG1780386

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.07	1.25	1.46	1	11/28/2021 14:16	WG1780837
Acrylonitrile	U	<u>J3</u>	0.106	0.313	0.366	1	11/28/2021 14:16	WG1780837
Allyl chloride	U		0.117	0.625	0.731	1	11/28/2021 14:16	WG1780837
Benzene	U		0.0137	0.0250	0.0292	1	11/28/2021 14:16	WG1780837
Bromobenzene	U		0.0263	0.313	0.366	1	11/28/2021 14:16	WG1780837
Bromodichloromethane	U		0.0212	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Bromoform	U		0.0342	0.625	0.731	1	11/28/2021 14:16	WG1780837
Bromomethane	U		0.0576	0.313	0.366	1	11/28/2021 14:16	WG1780837
n-Butylbenzene	U		0.153	0.313	0.366	1	11/28/2021 14:16	WG1780837
sec-Butylbenzene	U		0.0842	0.313	0.366	1	11/28/2021 14:16	WG1780837
tert-Butylbenzene	U		0.0570	0.125	0.146	1	11/28/2021 14:16	WG1780837
Carbon tetrachloride	U		0.0263	0.125	0.146	1	11/28/2021 14:16	WG1780837
Chlorobenzene	U		0.00614	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Chlorodibromomethane	U		0.0179	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Chloroethane	U		0.0497	0.125	0.146	1	11/28/2021 14:16	WG1780837
Chloroform	U		0.0301	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Chloromethane	U		0.127	0.313	0.366	1	11/28/2021 14:16	WG1780837
2-Chlorotoluene	U		0.0253	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
4-Chlorotoluene	U		0.0132	0.125	0.146	1	11/28/2021 14:16	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.114	0.625	0.731	1	11/28/2021 14:16	WG1780837
1,2-Dibromoethane	U		0.0189	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Dibromomethane	U		0.0219	0.125	0.146	1	11/28/2021 14:16	WG1780837
1,2-Dichlorobenzene	U		0.0124	0.125	0.146	1	11/28/2021 14:16	WG1780837
1,3-Dichlorobenzene	U		0.0175	0.125	0.146	1	11/28/2021 14:16	WG1780837
1,4-Dichlorobenzene	U		0.0205	0.125	0.146	1	11/28/2021 14:16	WG1780837
Dichlorodifluoromethane	U		0.0471	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Dichlorofluoromethane	U		0.0365	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
1,1-Dichloroethane	U		0.0144	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
1,2-Dichloroethane	U		0.0190	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
1,1-Dichloroethene	U		0.0177	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
cis-1,2-Dichloroethene	U		0.0215	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
trans-1,2-Dichloroethene	U		0.0304	0.125	0.146	1	11/28/2021 14:16	WG1780837
1,2-Dichloropropane	U		0.0415	0.125	0.146	1	11/28/2021 14:16	WG1780837
1,1-Dichloropropene	U		0.0236	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
1,3-Dichloropropane	U		0.0146	0.125	0.146	1	11/28/2021 14:16	WG1780837
cis-1,3-Dichloropropene	U		0.0221	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
trans-1,3-Dichloropropene	U		0.0333	0.125	0.146	1	11/28/2021 14:16	WG1780837
2,2-Dichloropropane	U		0.0403	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Di-isopropyl ether	U		0.0120	0.0250	0.0292	1	11/28/2021 14:16	WG1780837
Ethylbenzene	U		0.0215	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Ethyl ether	U		0.0260	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.175	0.625	0.731	1	11/28/2021 14:16	WG1780837
2-Hexanone	U		0.0982	0.625	0.731	1	11/28/2021 14:16	WG1780837
Isopropylbenzene	U		0.0124	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
p-Isopropyltoluene	U		0.0745	0.125	0.146	1	11/28/2021 14:16	WG1780837
2-Butanone (MEK)	U		1.86	2.50	2.92	1	11/28/2021 14:16	WG1780837
Methylene Chloride	U		0.194	0.625	0.731	1	11/28/2021 14:16	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.0666	0.625	0.731	1	11/28/2021 14:16	WG1780837
Methyl tert-butyl ether	U		0.0102	0.0250	0.0292	1	11/28/2021 14:16	WG1780837
Naphthalene	U		0.143	0.313	0.366	1	11/28/2021 14:16	WG1780837

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0278	0.125	0.146	1	11/28/2021 14:16	WG1780837
Styrene	U		0.00669	0.313	0.366	1	11/28/2021 14:16	WG1780837
1,1,1,2-Tetrachloroethane	U		0.0277	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0203	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0220	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Tetrachloroethene	U		0.0262	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Tetrahydrofuran	U	J3	0.103	0.313	0.366	1	11/28/2021 14:16	WG1780837
Toluene	U		0.0380	0.125	0.146	1	11/28/2021 14:16	WG1780837
1,2,3-Trichlorobenzene	U		0.214	0.313	0.366	1	11/28/2021 14:16	WG1780837
1,2,4-Trichlorobenzene	U		0.129	0.313	0.366	1	11/28/2021 14:16	WG1780837
1,1,1-Trichloroethane	U		0.0270	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
1,1,2-Trichloroethane	U		0.0175	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Trichloroethene	0.0975		0.0171	0.0250	0.0292	1	11/28/2021 14:16	WG1780837
Trichlorofluoromethane	U		0.0242	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
1,2,3-Trichloropropane	U		0.0474	0.313	0.366	1	11/28/2021 14:16	WG1780837
1,2,4-Trimethylbenzene	U		0.0462	0.125	0.146	1	11/28/2021 14:16	WG1780837
1,2,3-Trimethylbenzene	U		0.0462	0.125	0.146	1	11/28/2021 14:16	WG1780837
1,3,5-Trimethylbenzene	U		0.0585	0.125	0.146	1	11/28/2021 14:16	WG1780837
Vinyl chloride	U		0.0339	0.0625	0.0731	1	11/28/2021 14:16	WG1780837
Xylenes, Total	U		0.0257	0.163	0.191	1	11/28/2021 14:16	WG1780837
(S) Toluene-d8	100			75.0-131			11/28/2021 14:16	WG1780837
(S) 4-Bromofluorobenzene	98.3			67.0-138			11/28/2021 14:16	WG1780837
(S) 1,2-Dichloroethane-d4	114			70.0-130			11/28/2021 14:16	WG1780837

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	75.8		1	11/27/2021 09:55	WG1780386

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.69	1.25	2.31	1.4	11/28/2021 14:35	WG1780837
Acrylonitrile	U	<u>J3</u>	0.167	0.313	0.578	1.4	11/28/2021 14:35	WG1780837
Allyl chloride	U		0.185	0.625	1.15	1.4	11/28/2021 14:35	WG1780837
Benzene	0.0232	<u>J</u>	0.0216	0.0250	0.0462	1.4	11/28/2021 14:35	WG1780837
Bromobenzene	U		0.0416	0.313	0.578	1.4	11/28/2021 14:35	WG1780837
Bromodichloromethane	U		0.0335	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Bromoform	U		0.0540	0.625	1.15	1.4	11/28/2021 14:35	WG1780837
Bromomethane	U		0.0910	0.313	0.578	1.4	11/28/2021 14:35	WG1780837
n-Butylbenzene	U		0.242	0.313	0.578	1.4	11/28/2021 14:35	WG1780837
sec-Butylbenzene	U		0.133	0.313	0.578	1.4	11/28/2021 14:35	WG1780837
tert-Butylbenzene	U		0.0901	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
Carbon tetrachloride	U		0.0415	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
Chlorobenzene	U		0.00970	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Chlorodibromomethane	U		0.0283	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Chloroethane	U		0.0785	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
Chloroform	U		0.0476	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Chloromethane	U		0.201	0.313	0.578	1.4	11/28/2021 14:35	WG1780837
2-Chlorotoluene	U		0.0400	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
4-Chlorotoluene	U		0.0208	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.180	0.625	1.15	1.4	11/28/2021 14:35	WG1780837
1,2-Dibromoethane	U		0.0299	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Dibromomethane	U		0.0346	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
1,2-Dichlorobenzene	U		0.0196	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
1,3-Dichlorobenzene	U		0.0277	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
1,4-Dichlorobenzene	U		0.0323	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
Dichlorodifluoromethane	U		0.0744	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Dichlorofluoromethane	U		0.0577	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
1,1-Dichloroethane	U		0.0227	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
1,2-Dichloroethane	U		0.0300	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
1,1-Dichloroethene	U		0.0280	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
cis-1,2-Dichloroethene	0.0459	<u>J</u>	0.0339	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
trans-1,2-Dichloroethene	U		0.0480	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
1,2-Dichloropropane	U		0.0656	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
1,1-Dichloropropene	U		0.0374	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
1,3-Dichloropropene	U		0.0231	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
cis-1,3-Dichloropropene	U		0.0350	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
trans-1,3-Dichloropropene	U		0.0527	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
2,2-Dichloropropane	U		0.0637	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Di-isopropyl ether	U		0.0189	0.0250	0.0462	1.4	11/28/2021 14:35	WG1780837
Ethylbenzene	0.0347	<u>J</u>	0.0340	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Ethyl ether	U		0.0412	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.277	0.625	1.15	1.4	11/28/2021 14:35	WG1780837
2-Hexanone	U		0.155	0.625	1.15	1.4	11/28/2021 14:35	WG1780837
Isopropylbenzene	0.0245	<u>J</u>	0.0196	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
p-Isopropyltoluene	U		0.118	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
2-Butanone (MEK)	U		2.93	2.50	4.62	1.4	11/28/2021 14:35	WG1780837
Methylene Chloride	U		0.307	0.625	1.15	1.4	11/28/2021 14:35	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.105	0.625	1.15	1.4	11/28/2021 14:35	WG1780837
Methyl tert-butyl ether	U		0.0162	0.0250	0.0462	1.4	11/28/2021 14:35	WG1780837
Naphthalene	U		0.225	0.313	0.578	1.4	11/28/2021 14:35	WG1780837



Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0439	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
Styrene	U		0.0106	0.313	0.578	1.4	11/28/2021 14:35	WG1780837
1,1,1,2-Tetrachloroethane	U		0.0438	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0321	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0348	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Tetrachloroethene	U		0.0414	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Tetrahydrofuran	U	J3	0.163	0.313	0.578	1.4	11/28/2021 14:35	WG1780837
Toluene	0.121	J	0.0600	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
1,2,3-Trichlorobenzene	U		0.339	0.313	0.578	1.4	11/28/2021 14:35	WG1780837
1,2,4-Trichlorobenzene	U		0.203	0.313	0.578	1.4	11/28/2021 14:35	WG1780837
1,1,1-Trichloroethane	0.203		0.0426	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
1,1,2-Trichloroethane	U		0.0276	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Trichloroethene	21.4		0.539	0.0250	0.924	28	11/30/2021 17:48	WG1781634
Trichlorofluoromethane	U		0.0382	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
1,2,3-Trichloropropane	U		0.0748	0.313	0.578	1.4	11/28/2021 14:35	WG1780837
1,2,4-Trimethylbenzene	0.133	J	0.0730	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
1,2,3-Trimethylbenzene	0.0990	J	0.0730	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
1,3,5-Trimethylbenzene	U		0.0924	0.125	0.231	1.4	11/28/2021 14:35	WG1780837
Vinyl chloride	U		0.0536	0.0625	0.115	1.4	11/28/2021 14:35	WG1780837
Xylenes, Total	0.256	J	0.0406	0.163	0.301	1.4	11/28/2021 14:35	WG1780837
(S) Toluene-d8	99.5			75.0-131			11/28/2021 14:35	WG1780837
(S) Toluene-d8	130			75.0-131			11/30/2021 17:48	WG1781634
(S) 4-Bromofluorobenzene	98.0			67.0-138			11/28/2021 14:35	WG1780837
(S) 4-Bromofluorobenzene	101			67.0-138			11/30/2021 17:48	WG1781634
(S) 1,2-Dichloroethane-d4	116			70.0-130			11/28/2021 14:35	WG1780837
(S) 1,2-Dichloroethane-d4	104			70.0-130			11/30/2021 17:48	WG1781634



Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	72.6		1	11/27/2021 09:55	WG1780386

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.67	1.25	2.29	1.33	11/28/2021 14:54	WG1780837
Acrylonitrile	U	<u>J3</u>	0.165	0.313	0.573	1.33	11/28/2021 14:54	WG1780837
Allyl chloride	U		0.183	0.625	1.15	1.33	11/28/2021 14:54	WG1780837
Benzene	U		0.0214	0.0250	0.0459	1.33	11/28/2021 14:54	WG1780837
Bromobenzene	U		0.0412	0.313	0.573	1.33	11/28/2021 14:54	WG1780837
Bromodichloromethane	U		0.0332	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Bromoform	U		0.0536	0.625	1.15	1.33	11/28/2021 14:54	WG1780837
Bromomethane	U		0.0903	0.313	0.573	1.33	11/28/2021 14:54	WG1780837
n-Butylbenzene	U		0.241	0.313	0.573	1.33	11/28/2021 14:54	WG1780837
sec-Butylbenzene	U		0.132	0.313	0.573	1.33	11/28/2021 14:54	WG1780837
tert-Butylbenzene	U		0.0893	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
Carbon tetrachloride	U		0.0411	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
Chlorobenzene	U		0.00962	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Chlorodibromomethane	U		0.0280	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Chloroethane	U		0.0779	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
Chloroform	U		0.0472	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Chloromethane	U		0.199	0.313	0.573	1.33	11/28/2021 14:54	WG1780837
2-Chlorotoluene	U		0.0396	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
4-Chlorotoluene	U		0.0206	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.179	0.625	1.15	1.33	11/28/2021 14:54	WG1780837
1,2-Dibromoethane	U		0.0297	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Dibromomethane	U		0.0344	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
1,2-Dichlorobenzene	U		0.0195	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
1,3-Dichlorobenzene	U		0.0275	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
1,4-Dichlorobenzene	U		0.0321	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
Dichlorodifluoromethane	U		0.0738	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Dichlorofluoromethane	U		0.0573	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
1,1-Dichloroethane	U		0.0225	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
1,2-Dichloroethane	U		0.0297	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
1,1-Dichloroethene	U		0.0278	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
cis-1,2-Dichloroethene	0.0475	<u>J</u>	0.0336	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
trans-1,2-Dichloroethene	U		0.0476	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
1,2-Dichloropropane	U		0.0651	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
1,1-Dichloropropene	U		0.0371	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
1,3-Dichloropropene	U		0.0230	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
cis-1,3-Dichloropropene	U		0.0347	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
trans-1,3-Dichloropropene	U		0.0522	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
2,2-Dichloropropane	U		0.0632	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Di-isopropyl ether	U		0.0188	0.0250	0.0459	1.33	11/28/2021 14:54	WG1780837
Ethylbenzene	0.0413	<u>J</u>	0.0338	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Ethyl ether	U		0.0408	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.275	0.625	1.15	1.33	11/28/2021 14:54	WG1780837
2-Hexanone	U		0.154	0.625	1.15	1.33	11/28/2021 14:54	WG1780837
Isopropylbenzene	0.0305	<u>J</u>	0.0195	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
p-Isopropyltoluene	U		0.117	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
2-Butanone (MEK)	U		2.91	2.50	4.59	1.33	11/28/2021 14:54	WG1780837
Methylene Chloride	U		0.304	0.625	1.15	1.33	11/28/2021 14:54	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.104	0.625	1.15	1.33	11/28/2021 14:54	WG1780837
Methyl tert-butyl ether	U		0.0160	0.0250	0.0459	1.33	11/28/2021 14:54	WG1780837
Naphthalene	U		0.224	0.313	0.573	1.33	11/28/2021 14:54	WG1780837

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	0.0542	J	0.0435	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
Styrene	U		0.0105	0.313	0.573	1.33	11/28/2021 14:54	WG1780837
1,1,2-Tetrachloroethane	U		0.0434	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0318	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0345	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Tetrachloroethene	U		0.0411	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Tetrahydrofuran	U	J3	0.161	0.313	0.573	1.33	11/28/2021 14:54	WG1780837
Toluene	0.0925	J	0.0596	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
1,2,3-Trichlorobenzene	U		0.336	0.313	0.573	1.33	11/28/2021 14:54	WG1780837
1,2,4-Trichlorobenzene	U		0.202	0.313	0.573	1.33	11/28/2021 14:54	WG1780837
1,1,1-Trichloroethane	0.211		0.0423	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
1,1,2-Trichloroethane	U		0.0274	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Trichloroethene	12.5		0.535	0.0250	0.916	26.6	11/30/2021 18:07	WG1781634
Trichlorofluoromethane	U		0.0379	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
1,2,3-Trichloropropane	U		0.0742	0.313	0.573	1.33	11/28/2021 14:54	WG1780837
1,2,4-Trimethylbenzene	0.201	J	0.0724	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
1,2,3-Trimethylbenzene	0.134	J	0.0724	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
13,5-Trimethylbenzene	0.107	J	0.0916	0.125	0.229	1.33	11/28/2021 14:54	WG1780837
Vinyl chloride	U		0.0531	0.0625	0.115	1.33	11/28/2021 14:54	WG1780837
Xylenes, Total	0.372		0.0403	0.163	0.298	1.33	11/28/2021 14:54	WG1780837
(S) Toluene-d8	102			75.0-131			11/28/2021 14:54	WG1780837
(S) Toluene-d8	108			75.0-131			11/30/2021 18:07	WG1781634
(S) 4-Bromofluorobenzene	101			67.0-138			11/28/2021 14:54	WG1780837
(S) 4-Bromofluorobenzene	123			67.0-138			11/30/2021 18:07	WG1781634
(S) 1,2-Dichloroethane-d4	113			70.0-130			11/28/2021 14:54	WG1780837
(S) 1,2-Dichloroethane-d4	102			70.0-130			11/30/2021 18:07	WG1781634

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	85.2		1	11/27/2021 09:55	WG1780386

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.18	1.25	1.62	1.1	11/28/2021 15:12	WG1780837
Acrylonitrile	U	<u>J3</u>	0.116	0.313	0.404	1.1	11/28/2021 15:12	WG1780837
Allyl chloride	U		0.129	0.625	0.807	1.1	11/28/2021 15:12	WG1780837
Benzene	U		0.0151	0.0250	0.0323	1.1	11/28/2021 15:12	WG1780837
Bromobenzene	U		0.0290	0.313	0.404	1.1	11/28/2021 15:12	WG1780837
Bromodichloromethane	U		0.0234	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Bromoform	U		0.0378	0.625	0.807	1.1	11/28/2021 15:12	WG1780837
Bromomethane	U		0.0636	0.313	0.404	1.1	11/28/2021 15:12	WG1780837
n-Butylbenzene	U		0.169	0.313	0.404	1.1	11/28/2021 15:12	WG1780837
sec-Butylbenzene	U		0.0929	0.313	0.404	1.1	11/28/2021 15:12	WG1780837
tert-Butylbenzene	U		0.0629	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
Carbon tetrachloride	U		0.0290	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
Chlorobenzene	U		0.00678	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Chlorodibromomethane	U		0.0197	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Chloroethane	U		0.0549	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
Chloroform	U		0.0332	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Chloromethane	U		0.140	0.313	0.404	1.1	11/28/2021 15:12	WG1780837
2-Chlorotoluene	U		0.0279	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
4-Chlorotoluene	U		0.0145	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.126	0.625	0.807	1.1	11/28/2021 15:12	WG1780837
1,2-Dibromoethane	U		0.0209	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Dibromomethane	U		0.0242	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
1,2-Dichlorobenzene	U		0.0137	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
1,3-Dichlorobenzene	U		0.0194	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
1,4-Dichlorobenzene	U		0.0226	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
Dichlorodifluoromethane	U		0.0520	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Dichlorofluoromethane	U		0.0403	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
1,1-Dichloroethane	U		0.0158	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
1,2-Dichloroethane	U		0.0209	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
1,1-Dichloroethene	U		0.0196	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
cis-1,2-Dichloroethene	U		0.0237	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
trans-1,2-Dichloroethene	U		0.0336	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
1,2-Dichloropropane	U		0.0458	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
1,1-Dichloropropene	U		0.0261	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
1,3-Dichloropropane	U		0.0162	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
cis-1,3-Dichloropropene	U		0.0244	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
trans-1,3-Dichloropropene	U		0.0368	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
2,2-Dichloropropane	U		0.0445	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Di-isopropyl ether	U		0.0132	0.0250	0.0323	1.1	11/28/2021 15:12	WG1780837
Ethylbenzene	U		0.0238	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Ethyl ether	U		0.0288	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.194	0.625	0.807	1.1	11/28/2021 15:12	WG1780837
2-Hexanone	U		0.108	0.625	0.807	1.1	11/28/2021 15:12	WG1780837
Isopropylbenzene	U		0.0137	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
p-Isopropyltoluene	U		0.0823	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
2-Butanone (MEK)	U		2.05	2.50	3.23	1.1	11/28/2021 15:12	WG1780837
Methylene Chloride	U		0.214	0.625	0.807	1.1	11/28/2021 15:12	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.0736	0.625	0.807	1.1	11/28/2021 15:12	WG1780837
Methyl tert-butyl ether	U		0.0113	0.0250	0.0323	1.1	11/28/2021 15:12	WG1780837
Naphthalene	U		0.157	0.313	0.404	1.1	11/28/2021 15:12	WG1780837

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0307	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
Styrene	U		0.00739	0.313	0.404	1.1	11/28/2021 15:12	WG1780837
1,1,1,2-Tetrachloroethane	U		0.0306	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0224	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0243	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Tetrachloroethene	U		0.0289	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Tetrahydrofuran	U	J3	0.114	0.313	0.404	1.1	11/28/2021 15:12	WG1780837
Toluene	U		0.0420	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
1,2,3-Trichlorobenzene	U		0.237	0.313	0.404	1.1	11/28/2021 15:12	WG1780837
1,2,4-Trichlorobenzene	U		0.142	0.313	0.404	1.1	11/28/2021 15:12	WG1780837
1,1,1-Trichloroethane	U		0.0298	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
1,1,2-Trichloroethane	U		0.0193	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Trichloroethene	0.571		0.0188	0.0250	0.0323	1.1	11/28/2021 15:12	WG1780837
Trichlorofluoromethane	U		0.0267	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
1,2,3-Trichloropropane	U		0.0523	0.313	0.404	1.1	11/28/2021 15:12	WG1780837
1,2,4-Trimethylbenzene	U		0.0510	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
1,2,3-Trimethylbenzene	U		0.0510	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
1,3,5-Trimethylbenzene	U		0.0645	0.125	0.162	1.1	11/28/2021 15:12	WG1780837
Vinyl chloride	U		0.0374	0.0625	0.0807	1.1	11/28/2021 15:12	WG1780837
Xylenes, Total	0.0344	J	0.0284	0.163	0.210	1.1	11/28/2021 15:12	WG1780837
(S) Toluene-d8	98.3			75.0-131			11/28/2021 15:12	WG1780837
(S) 4-Bromofluorobenzene	97.2			67.0-138			11/28/2021 15:12	WG1780837
(S) 1,2-Dichloroethane-d4	112			70.0-130			11/28/2021 15:12	WG1780837

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	85.0		1	11/27/2021 09:55	WG1780386

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.07	1.25	1.47	1	11/28/2021 15:31	WG1780837
Acrylonitrile	U	<u>J3</u>	0.106	0.313	0.368	1	11/28/2021 15:31	WG1780837
Allyl chloride	U		0.118	0.625	0.735	1	11/28/2021 15:31	WG1780837
Benzene	U		0.0137	0.0250	0.0294	1	11/28/2021 15:31	WG1780837
Bromobenzene	U		0.0265	0.313	0.368	1	11/28/2021 15:31	WG1780837
Bromodichloromethane	U		0.0213	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Bromoform	U		0.0344	0.625	0.735	1	11/28/2021 15:31	WG1780837
Bromomethane	U		0.0579	0.313	0.368	1	11/28/2021 15:31	WG1780837
n-Butylbenzene	U		0.154	0.313	0.368	1	11/28/2021 15:31	WG1780837
sec-Butylbenzene	U		0.0847	0.313	0.368	1	11/28/2021 15:31	WG1780837
tert-Butylbenzene	U		0.0573	0.125	0.147	1	11/28/2021 15:31	WG1780837
Carbon tetrachloride	U		0.0264	0.125	0.147	1	11/28/2021 15:31	WG1780837
Chlorobenzene	U		0.00617	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Chlorodibromomethane	U		0.0180	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Chloroethane	U		0.0500	0.125	0.147	1	11/28/2021 15:31	WG1780837
Chloroform	U		0.0303	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Chloromethane	U		0.128	0.313	0.368	1	11/28/2021 15:31	WG1780837
2-Chlorotoluene	U		0.0254	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
4-Chlorotoluene	U		0.0132	0.125	0.147	1	11/28/2021 15:31	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.115	0.625	0.735	1	11/28/2021 15:31	WG1780837
1,2-Dibromoethane	U		0.0190	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Dibromomethane	U		0.0220	0.125	0.147	1	11/28/2021 15:31	WG1780837
1,2-Dichlorobenzene	U		0.0125	0.125	0.147	1	11/28/2021 15:31	WG1780837
1,3-Dichlorobenzene	U		0.0176	0.125	0.147	1	11/28/2021 15:31	WG1780837
1,4-Dichlorobenzene	U		0.0206	0.125	0.147	1	11/28/2021 15:31	WG1780837
Dichlorodifluoromethane	U		0.0473	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Dichlorofluoromethane	U		0.0367	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
1,1-Dichloroethane	U		0.0144	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
1,2-Dichloroethane	U		0.0191	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
1,1-Dichloroethene	U		0.0178	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
cis-1,2-Dichloroethene	U		0.0216	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
trans-1,2-Dichloroethene	U		0.0306	0.125	0.147	1	11/28/2021 15:31	WG1780837
1,2-Dichloropropane	U		0.0417	0.125	0.147	1	11/28/2021 15:31	WG1780837
1,1-Dichloropropene	U		0.0238	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
1,3-Dichloropropane	U		0.0147	0.125	0.147	1	11/28/2021 15:31	WG1780837
cis-1,3-Dichloropropene	U		0.0223	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
trans-1,3-Dichloropropene	U		0.0335	0.125	0.147	1	11/28/2021 15:31	WG1780837
2,2-Dichloropropane	U		0.0406	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Di-isopropyl ether	U		0.0121	0.0250	0.0294	1	11/28/2021 15:31	WG1780837
Ethylbenzene	U		0.0217	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Ethyl ether	U		0.0262	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.176	0.625	0.735	1	11/28/2021 15:31	WG1780837
2-Hexanone	U		0.0988	0.625	0.735	1	11/28/2021 15:31	WG1780837
Isopropylbenzene	U		0.0125	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
p-Isopropyltoluene	U		0.0750	0.125	0.147	1	11/28/2021 15:31	WG1780837
2-Butanone (MEK)	U		1.87	2.50	2.94	1	11/28/2021 15:31	WG1780837
Methylene Chloride	U		0.195	0.625	0.735	1	11/28/2021 15:31	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.0670	0.625	0.735	1	11/28/2021 15:31	WG1780837
Methyl tert-butyl ether	U		0.0103	0.0250	0.0294	1	11/28/2021 15:31	WG1780837
Naphthalene	U		0.143	0.313	0.368	1	11/28/2021 15:31	WG1780837

SO-2812-HA24(3-4)-231121

Collected date/time: 11/23/21 11:24

SAMPLE RESULTS - 07

L1435520

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0279	0.125	0.147	1	11/28/2021 15:31	WG1780837
Styrene	U		0.00673	0.313	0.368	1	11/28/2021 15:31	WG1780837
1,1,1,2-Tetrachloroethane	U		0.0279	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0204	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0222	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Tetrachloroethene	U		0.0263	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Tetrahydrofuran	U	J3	0.103	0.313	0.368	1	11/28/2021 15:31	WG1780837
Toluene	U		0.0382	0.125	0.147	1	11/28/2021 15:31	WG1780837
1,2,3-Trichlorobenzene	U		0.215	0.313	0.368	1	11/28/2021 15:31	WG1780837
1,2,4-Trichlorobenzene	U		0.129	0.313	0.368	1	11/28/2021 15:31	WG1780837
1,1,1-Trichloroethane	U		0.0271	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
1,1,2-Trichloroethane	U		0.0175	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Trichloroethene	0.138		0.0172	0.0250	0.0294	1	11/28/2021 15:31	WG1780837
Trichlorofluoromethane	U		0.0243	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
1,2,3-Trichloropropane	U		0.0476	0.313	0.368	1	11/28/2021 15:31	WG1780837
1,2,4-Trimethylbenzene	U		0.0464	0.125	0.147	1	11/28/2021 15:31	WG1780837
1,2,3-Trimethylbenzene	U		0.0464	0.125	0.147	1	11/28/2021 15:31	WG1780837
1,3,5-Trimethylbenzene	U		0.0588	0.125	0.147	1	11/28/2021 15:31	WG1780837
Vinyl chloride	U		0.0341	0.0625	0.0735	1	11/28/2021 15:31	WG1780837
Xylenes, Total	U		0.0259	0.163	0.192	1	11/28/2021 15:31	WG1780837
(S) Toluene-d8	101			75.0-131			11/28/2021 15:31	WG1780837
(S) 4-Bromofluorobenzene	98.6			67.0-138			11/28/2021 15:31	WG1780837
(S) 1,2-Dichloroethane-d4	113			70.0-130			11/28/2021 15:31	WG1780837

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	76.3		1	11/27/2021 09:55	WG1780386

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.28	1.25	1.76	1.07	11/28/2021 15:50	WG1780837
Acrylonitrile	U	<u>J3</u>	0.127	0.313	0.438	1.07	11/28/2021 15:50	WG1780837
Allyl chloride	U		0.140	0.625	0.877	1.07	11/28/2021 15:50	WG1780837
Benzene	U		0.0164	0.0250	0.0351	1.07	11/28/2021 15:50	WG1780837
Bromobenzene	U		0.0315	0.313	0.438	1.07	11/28/2021 15:50	WG1780837
Bromodichloromethane	U		0.0254	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Bromoform	U		0.0410	0.625	0.877	1.07	11/28/2021 15:50	WG1780837
Bromomethane	U		0.0690	0.313	0.438	1.07	11/28/2021 15:50	WG1780837
n-Butylbenzene	U		0.184	0.313	0.438	1.07	11/28/2021 15:50	WG1780837
sec-Butylbenzene	U		0.101	0.313	0.438	1.07	11/28/2021 15:50	WG1780837
tert-Butylbenzene	U		0.0683	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
Carbon tetrachloride	U		0.0315	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
Chlorobenzene	U		0.00736	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Chlorodibromomethane	U		0.0214	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Chloroethane	U		0.0596	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
Chloroform	U		0.0361	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Chloromethane	U		0.152	0.313	0.438	1.07	11/28/2021 15:50	WG1780837
2-Chlorotoluene	U		0.0303	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
4-Chlorotoluene	U		0.0158	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.137	0.625	0.877	1.07	11/28/2021 15:50	WG1780837
1,2-Dibromoethane	U		0.0227	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Dibromomethane	U		0.0263	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
1,2-Dichlorobenzene	U		0.0149	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
1,3-Dichlorobenzene	U		0.0210	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
1,4-Dichlorobenzene	U		0.0245	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
Dichlorodifluoromethane	U		0.0564	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Dichlorofluoromethane	U		0.0438	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
1,1-Dichloroethane	U		0.0172	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
1,2-Dichloroethane	U		0.0227	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
1,1-Dichloroethene	U		0.0212	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
cis-1,2-Dichloroethene	U		0.0257	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
trans-1,2-Dichloroethene	U		0.0365	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
1,2-Dichloropropane	U		0.0498	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
1,1-Dichloropropene	U		0.0284	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
1,3-Dichloropropane	U		0.0176	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
cis-1,3-Dichloropropene	U		0.0265	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
trans-1,3-Dichloropropene	U		0.0400	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
2,2-Dichloropropane	U		0.0484	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Di-isopropyl ether	U		0.0144	0.0250	0.0351	1.07	11/28/2021 15:50	WG1780837
Ethylbenzene	U		0.0258	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Ethyl ether	U		0.0312	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.210	0.625	0.877	1.07	11/28/2021 15:50	WG1780837
2-Hexanone	U		0.118	0.625	0.877	1.07	11/28/2021 15:50	WG1780837
Isopropylbenzene	U		0.0149	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
p-Isopropyltoluene	U		0.0894	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
2-Butanone (MEK)	U		2.23	2.50	3.51	1.07	11/28/2021 15:50	WG1780837
Methylene Chloride	U		0.233	0.625	0.877	1.07	11/28/2021 15:50	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.0799	0.625	0.877	1.07	11/28/2021 15:50	WG1780837
Methyl tert-butyl ether	U		0.0123	0.0250	0.0351	1.07	11/28/2021 15:50	WG1780837
Naphthalene	U		0.171	0.313	0.438	1.07	11/28/2021 15:50	WG1780837

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0333	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
Styrene	U		0.00803	0.313	0.438	1.07	11/28/2021 15:50	WG1780837
1,1,1,2-Tetrachloroethane	U		0.0332	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0244	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0264	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Tetrachloroethene	U		0.0314	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Tetrahydrofuran	U	J3	0.123	0.313	0.438	1.07	11/28/2021 15:50	WG1780837
Toluene	U		0.0456	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
1,2,3-Trichlorobenzene	U		0.257	0.313	0.438	1.07	11/28/2021 15:50	WG1780837
1,2,4-Trichlorobenzene	U		0.154	0.313	0.438	1.07	11/28/2021 15:50	WG1780837
1,1,1-Trichloroethane	0.0487	J	0.0323	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
1,1,2-Trichloroethane	U		0.0209	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Trichloroethene	0.499		0.0205	0.0250	0.0351	1.07	11/28/2021 15:50	WG1780837
Trichlorofluoromethane	U		0.0290	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
1,2,3-Trichloropropane	U		0.0568	0.313	0.438	1.07	11/28/2021 15:50	WG1780837
1,2,4-Trimethylbenzene	U		0.0554	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
1,2,3-Trimethylbenzene	U		0.0554	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
1,3,5-Trimethylbenzene	U		0.0701	0.125	0.176	1.07	11/28/2021 15:50	WG1780837
Vinyl chloride	U		0.0407	0.0625	0.0877	1.07	11/28/2021 15:50	WG1780837
Xylenes, Total	0.0489	J	0.0308	0.163	0.228	1.07	11/28/2021 15:50	WG1780837
(S) Toluene-d8	99.5			75.0-131			11/28/2021 15:50	WG1780837
(S) 4-Bromofluorobenzene	99.5			67.0-138			11/28/2021 15:50	WG1780837
(S) 1,2-Dichloroethane-d4	114			70.0-130			11/28/2021 15:50	WG1780837

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	84.1		1	11/27/2021 09:55	WG1780386

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.09	1.25	1.49	1	11/28/2021 16:09	WG1780837
Acrylonitrile	U	<u>J3</u>	0.107	0.313	0.372	1	11/28/2021 16:09	WG1780837
Allyl chloride	U		0.119	0.625	0.743	1	11/28/2021 16:09	WG1780837
Benzene	U		0.0139	0.0250	0.0297	1	11/28/2021 16:09	WG1780837
Bromobenzene	U		0.0268	0.313	0.372	1	11/28/2021 16:09	WG1780837
Bromodichloromethane	U		0.0216	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Bromoform	U		0.0348	0.625	0.743	1	11/28/2021 16:09	WG1780837
Bromomethane	U		0.0586	0.313	0.372	1	11/28/2021 16:09	WG1780837
n-Butylbenzene	U		0.156	0.313	0.372	1	11/28/2021 16:09	WG1780837
sec-Butylbenzene	U		0.0856	0.313	0.372	1	11/28/2021 16:09	WG1780837
tert-Butylbenzene	U		0.0580	0.125	0.149	1	11/28/2021 16:09	WG1780837
Carbon tetrachloride	U		0.0267	0.125	0.149	1	11/28/2021 16:09	WG1780837
Chlorobenzene	U		0.00625	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Chlorodibromomethane	U		0.0182	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Chloroethane	U		0.0506	0.125	0.149	1	11/28/2021 16:09	WG1780837
Chloroform	U		0.0306	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Chloromethane	U		0.129	0.313	0.372	1	11/28/2021 16:09	WG1780837
2-Chlorotoluene	U		0.0257	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
4-Chlorotoluene	U		0.0134	0.125	0.149	1	11/28/2021 16:09	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.116	0.625	0.743	1	11/28/2021 16:09	WG1780837
1,2-Dibromoethane	U		0.0193	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Dibromomethane	U		0.0223	0.125	0.149	1	11/28/2021 16:09	WG1780837
1,2-Dichlorobenzene	U		0.0126	0.125	0.149	1	11/28/2021 16:09	WG1780837
1,3-Dichlorobenzene	U		0.0178	0.125	0.149	1	11/28/2021 16:09	WG1780837
1,4-Dichlorobenzene	U		0.0208	0.125	0.149	1	11/28/2021 16:09	WG1780837
Dichlorodifluoromethane	U		0.0479	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Dichlorofluoromethane	U		0.0372	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
1,1-Dichloroethane	U		0.0146	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
1,2-Dichloroethane	U		0.0193	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
1,1-Dichloroethene	U		0.0180	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
cis-1,2-Dichloroethene	U		0.0218	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
trans-1,2-Dichloroethene	U		0.0309	0.125	0.149	1	11/28/2021 16:09	WG1780837
1,2-Dichloropropane	U		0.0422	0.125	0.149	1	11/28/2021 16:09	WG1780837
1,1-Dichloropropene	U		0.0241	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
1,3-Dichloropropane	U		0.0149	0.125	0.149	1	11/28/2021 16:09	WG1780837
cis-1,3-Dichloropropene	U		0.0225	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
trans-1,3-Dichloropropene	U		0.0339	0.125	0.149	1	11/28/2021 16:09	WG1780837
2,2-Dichloropropane	U		0.0410	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Di-isopropyl ether	U		0.0122	0.0250	0.0297	1	11/28/2021 16:09	WG1780837
Ethylbenzene	U		0.0219	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Ethyl ether	U		0.0265	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.178	0.625	0.743	1	11/28/2021 16:09	WG1780837
2-Hexanone	U		0.0999	0.625	0.743	1	11/28/2021 16:09	WG1780837
Isopropylbenzene	U		0.0126	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
p-Isopropyltoluene	U		0.0758	0.125	0.149	1	11/28/2021 16:09	WG1780837
2-Butanone (MEK)	U		1.89	2.50	2.97	1	11/28/2021 16:09	WG1780837
Methylene Chloride	U		0.197	0.625	0.743	1	11/28/2021 16:09	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.0678	0.625	0.743	1	11/28/2021 16:09	WG1780837
Methyl tert-butyl ether	U		0.0104	0.0250	0.0297	1	11/28/2021 16:09	WG1780837
Naphthalene	U		0.145	0.313	0.372	1	11/28/2021 16:09	WG1780837

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0283	0.125	0.149	1	11/28/2021 16:09	WG1780837
Styrene	U		0.00681	0.313	0.372	1	11/28/2021 16:09	WG1780837
1,1,1,2-Tetrachloroethane	U		0.0282	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0207	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0224	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Tetrachloroethene	U		0.0266	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Tetrahydrofuran	U	J3	0.105	0.313	0.372	1	11/28/2021 16:09	WG1780837
Toluene	U		0.0387	0.125	0.149	1	11/28/2021 16:09	WG1780837
1,2,3-Trichlorobenzene	U		0.218	0.313	0.372	1	11/28/2021 16:09	WG1780837
1,2,4-Trichlorobenzene	U		0.131	0.313	0.372	1	11/28/2021 16:09	WG1780837
1,1,1-Trichloroethane	U		0.0274	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
1,1,2-Trichloroethane	U		0.0178	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Trichloroethene	U		0.0174	0.0250	0.0297	1	11/28/2021 16:09	WG1780837
Trichlorofluoromethane	U		0.0246	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
1,2,3-Trichloropropane	U		0.0482	0.313	0.372	1	11/28/2021 16:09	WG1780837
1,2,4-Trimethylbenzene	U		0.0470	0.125	0.149	1	11/28/2021 16:09	WG1780837
1,2,3-Trimethylbenzene	U		0.0470	0.125	0.149	1	11/28/2021 16:09	WG1780837
1,3,5-Trimethylbenzene	U		0.0595	0.125	0.149	1	11/28/2021 16:09	WG1780837
Vinyl chloride	U		0.0345	0.0625	0.0743	1	11/28/2021 16:09	WG1780837
Xylenes, Total	U		0.0262	0.163	0.194	1	11/28/2021 16:09	WG1780837
(S) Toluene-d8	98.4			75.0-131			11/28/2021 16:09	WG1780837
(S) 4-Bromofluorobenzene	99.0			67.0-138			11/28/2021 16:09	WG1780837
(S) 1,2-Dichloroethane-d4	115			70.0-130			11/28/2021 16:09	WG1780837

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	80.8		1	11/27/2021 09:55	WG1780386

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.13	1.25	1.55	1	11/28/2021 16:28	WG1780837
Acrylonitrile	U	<u>J3</u>	0.112	0.313	0.387	1	11/28/2021 16:28	WG1780837
Allyl chloride	U		0.124	0.625	0.773	1	11/28/2021 16:28	WG1780837
Benzene	U		0.0144	0.0250	0.0309	1	11/28/2021 16:28	WG1780837
Bromobenzene	U		0.0278	0.313	0.387	1	11/28/2021 16:28	WG1780837
Bromodichloromethane	U		0.0224	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Bromoform	U		0.0362	0.625	0.773	1	11/28/2021 16:28	WG1780837
Bromomethane	U		0.0609	0.313	0.387	1	11/28/2021 16:28	WG1780837
n-Butylbenzene	U		0.162	0.313	0.387	1	11/28/2021 16:28	WG1780837
sec-Butylbenzene	U		0.0891	0.313	0.387	1	11/28/2021 16:28	WG1780837
tert-Butylbenzene	U		0.0603	0.125	0.155	1	11/28/2021 16:28	WG1780837
Carbon tetrachloride	U		0.0278	0.125	0.155	1	11/28/2021 16:28	WG1780837
Chlorobenzene	U		0.00650	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Chlorodibromomethane	U		0.0189	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Chloroethane	U		0.0526	0.125	0.155	1	11/28/2021 16:28	WG1780837
Chloroform	U		0.0319	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Chloromethane	U		0.135	0.313	0.387	1	11/28/2021 16:28	WG1780837
2-Chlorotoluene	U		0.0268	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
4-Chlorotoluene	U		0.0139	0.125	0.155	1	11/28/2021 16:28	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.121	0.625	0.773	1	11/28/2021 16:28	WG1780837
1,2-Dibromoethane	U		0.0200	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Dibromomethane	U		0.0232	0.125	0.155	1	11/28/2021 16:28	WG1780837
1,2-Dichlorobenzene	U		0.0131	0.125	0.155	1	11/28/2021 16:28	WG1780837
1,3-Dichlorobenzene	U		0.0186	0.125	0.155	1	11/28/2021 16:28	WG1780837
1,4-Dichlorobenzene	U		0.0217	0.125	0.155	1	11/28/2021 16:28	WG1780837
Dichlorodifluoromethane	U		0.0498	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Dichlorofluoromethane	U		0.0387	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
1,1-Dichloroethane	U		0.0152	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
1,2-Dichloroethane	U		0.0201	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
1,1-Dichloroethene	U		0.0187	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
cis-1,2-Dichloroethene	U		0.0227	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
trans-1,2-Dichloroethene	U		0.0322	0.125	0.155	1	11/28/2021 16:28	WG1780837
1,2-Dichloropropane	U		0.0439	0.125	0.155	1	11/28/2021 16:28	WG1780837
1,1-Dichloropropene	U		0.0250	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
1,3-Dichloropropane	U		0.0155	0.125	0.155	1	11/28/2021 16:28	WG1780837
cis-1,3-Dichloropropene	U		0.0234	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
trans-1,3-Dichloropropene	U		0.0353	0.125	0.155	1	11/28/2021 16:28	WG1780837
2,2-Dichloropropane	U		0.0427	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Di-isopropyl ether	U		0.0127	0.0250	0.0309	1	11/28/2021 16:28	WG1780837
Ethylbenzene	U		0.0228	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Ethyl ether	U		0.0276	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.186	0.625	0.773	1	11/28/2021 16:28	WG1780837
2-Hexanone	U		0.104	0.625	0.773	1	11/28/2021 16:28	WG1780837
Isopropylbenzene	U		0.0131	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
p-Isopropyltoluene	U		0.0789	0.125	0.155	1	11/28/2021 16:28	WG1780837
2-Butanone (MEK)	U		1.96	2.50	3.09	1	11/28/2021 16:28	WG1780837
Methylene Chloride	U		0.205	0.625	0.773	1	11/28/2021 16:28	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.0705	0.625	0.773	1	11/28/2021 16:28	WG1780837
Methyl tert-butyl ether	U		0.0108	0.0250	0.0309	1	11/28/2021 16:28	WG1780837
Naphthalene	U		0.151	0.313	0.387	1	11/28/2021 16:28	WG1780837

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0294	0.125	0.155	1	11/28/2021 16:28	WG1780837
Styrene	U		0.00708	0.313	0.387	1	11/28/2021 16:28	WG1780837
1,1,1,2-Tetrachloroethane	U		0.0293	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0215	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0233	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Tetrachloroethene	U		0.0277	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Tetrahydrofuran	U	J3	0.109	0.313	0.387	1	11/28/2021 16:28	WG1780837
Toluene	U		0.0402	0.125	0.155	1	11/28/2021 16:28	WG1780837
1,2,3-Trichlorobenzene	U		0.227	0.313	0.387	1	11/28/2021 16:28	WG1780837
1,2,4-Trichlorobenzene	U		0.136	0.313	0.387	1	11/28/2021 16:28	WG1780837
1,1,1-Trichloroethane	U		0.0286	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
1,1,2-Trichloroethane	U		0.0185	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Trichloroethene	U		0.0181	0.0250	0.0309	1	11/28/2021 16:28	WG1780837
Trichlorofluoromethane	U		0.0256	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
1,2,3-Trichloropropane	U		0.0501	0.313	0.387	1	11/28/2021 16:28	WG1780837
1,2,4-Trimethylbenzene	U		0.0489	0.125	0.155	1	11/28/2021 16:28	WG1780837
1,2,3-Trimethylbenzene	U		0.0489	0.125	0.155	1	11/28/2021 16:28	WG1780837
1,3,5-Trimethylbenzene	U		0.0619	0.125	0.155	1	11/28/2021 16:28	WG1780837
Vinyl chloride	U		0.0359	0.0625	0.0773	1	11/28/2021 16:28	WG1780837
Xylenes, Total	U		0.0272	0.163	0.202	1	11/28/2021 16:28	WG1780837
(S) Toluene-d8	102			75.0-131			11/28/2021 16:28	WG1780837
(S) 4-Bromofluorobenzene	98.9			67.0-138			11/28/2021 16:28	WG1780837
(S) 1,2-Dichloroethane-d4	114			70.0-130			11/28/2021 16:28	WG1780837

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	84.9		1	11/27/2021 09:41	WG1780387

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.08	1.25	1.47	1	11/28/2021 16:46	WG1780837
Acrylonitrile	U	<u>J3</u>	0.106	0.313	0.369	1	11/28/2021 16:46	WG1780837
Allyl chloride	U		0.118	0.625	0.736	1	11/28/2021 16:46	WG1780837
Benzene	U		0.0138	0.0250	0.0295	1	11/28/2021 16:46	WG1780837
Bromobenzene	U		0.0265	0.313	0.369	1	11/28/2021 16:46	WG1780837
Bromodichloromethane	U		0.0214	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Bromoform	U		0.0345	0.625	0.736	1	11/28/2021 16:46	WG1780837
Bromomethane	U		0.0580	0.313	0.369	1	11/28/2021 16:46	WG1780837
n-Butylbenzene	U		0.155	0.313	0.369	1	11/28/2021 16:46	WG1780837
sec-Butylbenzene	U		0.0848	0.313	0.369	1	11/28/2021 16:46	WG1780837
tert-Butylbenzene	U		0.0574	0.125	0.147	1	11/28/2021 16:46	WG1780837
Carbon tetrachloride	U		0.0264	0.125	0.147	1	11/28/2021 16:46	WG1780837
Chlorobenzene	U		0.00619	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Chlorodibromomethane	U		0.0180	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Chloroethane	U		0.0501	0.125	0.147	1	11/28/2021 16:46	WG1780837
Chloroform	U		0.0303	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Chloromethane	U		0.128	0.313	0.369	1	11/28/2021 16:46	WG1780837
2-Chlorotoluene	U		0.0255	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
4-Chlorotoluene	U		0.0133	0.125	0.147	1	11/28/2021 16:46	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.115	0.625	0.736	1	11/28/2021 16:46	WG1780837
1,2-Dibromoethane	U		0.0191	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Dibromomethane	U		0.0221	0.125	0.147	1	11/28/2021 16:46	WG1780837
1,2-Dichlorobenzene	U		0.0125	0.125	0.147	1	11/28/2021 16:46	WG1780837
1,3-Dichlorobenzene	U		0.0177	0.125	0.147	1	11/28/2021 16:46	WG1780837
1,4-Dichlorobenzene	U		0.0206	0.125	0.147	1	11/28/2021 16:46	WG1780837
Dichlorodifluoromethane	U		0.0474	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Dichlorofluoromethane	U		0.0368	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
1,1-Dichloroethane	U		0.0145	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
1,2-Dichloroethane	U		0.0191	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
1,1-Dichloroethene	U		0.0178	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
cis-1,2-Dichloroethene	U		0.0216	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
trans-1,2-Dichloroethene	U		0.0306	0.125	0.147	1	11/28/2021 16:46	WG1780837
1,2-Dichloropropane	U		0.0418	0.125	0.147	1	11/28/2021 16:46	WG1780837
1,1-Dichloropropene	U		0.0238	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
1,3-Dichloropropane	U		0.0148	0.125	0.147	1	11/28/2021 16:46	WG1780837
cis-1,3-Dichloropropene	U		0.0223	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
trans-1,3-Dichloropropene	U		0.0336	0.125	0.147	1	11/28/2021 16:46	WG1780837
2,2-Dichloropropane	U		0.0406	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Di-isopropyl ether	U		0.0121	0.0250	0.0295	1	11/28/2021 16:46	WG1780837
Ethylbenzene	U		0.0217	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Ethyl ether	U		0.0262	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.177	0.625	0.736	1	11/28/2021 16:46	WG1780837
2-Hexanone	U		0.0990	0.625	0.736	1	11/28/2021 16:46	WG1780837
Isopropylbenzene	U		0.0125	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
p-Isopropyltoluene	U		0.0751	0.125	0.147	1	11/28/2021 16:46	WG1780837
2-Butanone (MEK)	U		1.87	2.50	2.95	1	11/28/2021 16:46	WG1780837
Methylene Chloride	U		0.196	0.625	0.736	1	11/28/2021 16:46	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.0672	0.625	0.736	1	11/28/2021 16:46	WG1780837
Methyl tert-butyl ether	U		0.0103	0.0250	0.0295	1	11/28/2021 16:46	WG1780837
Naphthalene	U		0.144	0.313	0.369	1	11/28/2021 16:46	WG1780837

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0280	0.125	0.147	1	11/28/2021 16:46	WG1780837
Styrene	U		0.00674	0.313	0.369	1	11/28/2021 16:46	WG1780837
1,1,2-Tetrachloroethane	U		0.0279	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0205	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0222	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Tetrachloroethene	U		0.0264	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Tetrahydrofuran	U	J3	0.104	0.313	0.369	1	11/28/2021 16:46	WG1780837
Toluene	U		0.0383	0.125	0.147	1	11/28/2021 16:46	WG1780837
1,2,3-Trichlorobenzene	U		0.216	0.313	0.369	1	11/28/2021 16:46	WG1780837
1,2,4-Trichlorobenzene	U		0.130	0.313	0.369	1	11/28/2021 16:46	WG1780837
1,1,1-Trichloroethane	U		0.0272	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
1,1,2-Trichloroethane	U		0.0176	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Trichloroethene	U		0.0172	0.0250	0.0295	1	11/28/2021 16:46	WG1780837
Trichlorofluoromethane	U		0.0244	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
1,2,3-Trichloropropane	U		0.0477	0.313	0.369	1	11/28/2021 16:46	WG1780837
1,2,4-Trimethylbenzene	U		0.0465	0.125	0.147	1	11/28/2021 16:46	WG1780837
1,2,3-Trimethylbenzene	U		0.0465	0.125	0.147	1	11/28/2021 16:46	WG1780837
1,3,5-Trimethylbenzene	U		0.0589	0.125	0.147	1	11/28/2021 16:46	WG1780837
Vinyl chloride	U		0.0342	0.0625	0.0736	1	11/28/2021 16:46	WG1780837
Xylenes, Total	U		0.0259	0.163	0.192	1	11/28/2021 16:46	WG1780837
(S) Toluene-d8	100			75.0-131			11/28/2021 16:46	WG1780837
(S) 4-Bromofluorobenzene	97.9			67.0-138			11/28/2021 16:46	WG1780837
(S) 1,2-Dichloroethane-d4	109			70.0-130			11/28/2021 16:46	WG1780837

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	82.8		1	11/27/2021 09:41	WG1780387

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.10	1.25	1.51	1	11/28/2021 17:05	WG1780837
Acrylonitrile	U	<u>J3</u>	0.109	0.313	0.378	1	11/28/2021 17:05	WG1780837
Allyl chloride	U		0.121	0.625	0.755	1	11/28/2021 17:05	WG1780837
Benzene	U		0.0141	0.0250	0.0302	1	11/28/2021 17:05	WG1780837
Bromobenzene	U		0.0272	0.313	0.378	1	11/28/2021 17:05	WG1780837
Bromodichloromethane	U		0.0219	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Bromoform	U		0.0353	0.625	0.755	1	11/28/2021 17:05	WG1780837
Bromomethane	U		0.0595	0.313	0.378	1	11/28/2021 17:05	WG1780837
n-Butylbenzene	U		0.159	0.313	0.378	1	11/28/2021 17:05	WG1780837
sec-Butylbenzene	U		0.0870	0.313	0.378	1	11/28/2021 17:05	WG1780837
tert-Butylbenzene	U		0.0589	0.125	0.151	1	11/28/2021 17:05	WG1780837
Carbon tetrachloride	U		0.0271	0.125	0.151	1	11/28/2021 17:05	WG1780837
Chlorobenzene	U		0.00634	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Chlorodibromomethane	U		0.0185	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Chloroethane	U		0.0514	0.125	0.151	1	11/28/2021 17:05	WG1780837
Chloroform	U		0.0311	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Chloromethane	U		0.131	0.313	0.378	1	11/28/2021 17:05	WG1780837
2-Chlorotoluene	U		0.0261	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
4-Chlorotoluene	U		0.0136	0.125	0.151	1	11/28/2021 17:05	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.118	0.625	0.755	1	11/28/2021 17:05	WG1780837
1,2-Dibromoethane	U		0.0196	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Dibromomethane	U		0.0227	0.125	0.151	1	11/28/2021 17:05	WG1780837
1,2-Dichlorobenzene	U		0.0128	0.125	0.151	1	11/28/2021 17:05	WG1780837
1,3-Dichlorobenzene	U		0.0181	0.125	0.151	1	11/28/2021 17:05	WG1780837
1,4-Dichlorobenzene	U		0.0211	0.125	0.151	1	11/28/2021 17:05	WG1780837
Dichlorodifluoromethane	U		0.0486	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Dichlorofluoromethane	U		0.0378	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
1,1-Dichloroethane	U		0.0148	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
1,2-Dichloroethane	U		0.0196	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
1,1-Dichloroethene	U		0.0183	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
cis-1,2-Dichloroethene	U		0.0222	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
trans-1,2-Dichloroethene	U		0.0314	0.125	0.151	1	11/28/2021 17:05	WG1780837
1,2-Dichloropropane	U		0.0429	0.125	0.151	1	11/28/2021 17:05	WG1780837
1,1-Dichloropropene	U		0.0244	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
1,3-Dichloropropane	U		0.0151	0.125	0.151	1	11/28/2021 17:05	WG1780837
cis-1,3-Dichloropropene	U		0.0229	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
trans-1,3-Dichloropropene	U		0.0344	0.125	0.151	1	11/28/2021 17:05	WG1780837
2,2-Dichloropropane	U		0.0417	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Di-isopropyl ether	U		0.0124	0.0250	0.0302	1	11/28/2021 17:05	WG1780837
Ethylbenzene	U		0.0223	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Ethyl ether	U		0.0269	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.181	0.625	0.755	1	11/28/2021 17:05	WG1780837
2-Hexanone	U		0.101	0.625	0.755	1	11/28/2021 17:05	WG1780837
Isopropylbenzene	U		0.0128	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
p-Isopropyltoluene	U		0.0770	0.125	0.151	1	11/28/2021 17:05	WG1780837
2-Butanone (MEK)	U		1.92	2.50	3.02	1	11/28/2021 17:05	WG1780837
Methylene Chloride	U		0.201	0.625	0.755	1	11/28/2021 17:05	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.0689	0.625	0.755	1	11/28/2021 17:05	WG1780837
Methyl tert-butyl ether	U		0.0106	0.0250	0.0302	1	11/28/2021 17:05	WG1780837
Naphthalene	U		0.147	0.313	0.378	1	11/28/2021 17:05	WG1780837

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0287	0.125	0.151	1	11/28/2021 17:05	WG1780837
Styrene	U		0.00692	0.313	0.378	1	11/28/2021 17:05	WG1780837
1,1,1,2-Tetrachloroethane	U		0.0286	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0210	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0228	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Tetrachloroethene	U		0.0271	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Tetrahydrofuran	U	J3	0.106	0.313	0.378	1	11/28/2021 17:05	WG1780837
Toluene	U		0.0393	0.125	0.151	1	11/28/2021 17:05	WG1780837
1,2,3-Trichlorobenzene	U		0.221	0.313	0.378	1	11/28/2021 17:05	WG1780837
1,2,4-Trichlorobenzene	U		0.133	0.313	0.378	1	11/28/2021 17:05	WG1780837
1,1,1-Trichloroethane	U		0.0279	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
1,1,2-Trichloroethane	U		0.0180	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Trichloroethene	U		0.0176	0.0250	0.0302	1	11/28/2021 17:05	WG1780837
Trichlorofluoromethane	U		0.0250	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
1,2,3-Trichloropropane	U		0.0489	0.313	0.378	1	11/28/2021 17:05	WG1780837
1,2,4-Trimethylbenzene	U		0.0477	0.125	0.151	1	11/28/2021 17:05	WG1780837
1,2,3-Trimethylbenzene	U		0.0477	0.125	0.151	1	11/28/2021 17:05	WG1780837
1,3,5-Trimethylbenzene	U		0.0604	0.125	0.151	1	11/28/2021 17:05	WG1780837
Vinyl chloride	U		0.0350	0.0625	0.0755	1	11/28/2021 17:05	WG1780837
Xylenes, Total	U		0.0266	0.163	0.197	1	11/28/2021 17:05	WG1780837
(S) Toluene-d8	101			75.0-131			11/28/2021 17:05	WG1780837
(S) 4-Bromofluorobenzene	98.0			67.0-138			11/28/2021 17:05	WG1780837
(S) 1,2-Dichloroethane-d4	114			70.0-130			11/28/2021 17:05	WG1780837

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	78.4		1	11/27/2021 09:41	WG1780387

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.16	1.25	1.59	1	11/28/2021 17:24	WG1780837
Acrylonitrile	U	<u>J3</u>	0.115	0.313	0.399	1	11/28/2021 17:24	WG1780837
Allyl chloride	U		0.128	0.625	0.797	1	11/28/2021 17:24	WG1780837
Benzene	U		0.0149	0.0250	0.0319	1	11/28/2021 17:24	WG1780837
Bromobenzene	U		0.0287	0.313	0.399	1	11/28/2021 17:24	WG1780837
Bromodichloromethane	U		0.0231	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Bromoform	U		0.0373	0.625	0.797	1	11/28/2021 17:24	WG1780837
Bromomethane	U		0.0628	0.313	0.399	1	11/28/2021 17:24	WG1780837
n-Butylbenzene	U		0.167	0.313	0.399	1	11/28/2021 17:24	WG1780837
sec-Butylbenzene	U		0.0919	0.313	0.399	1	11/28/2021 17:24	WG1780837
tert-Butylbenzene	U		0.0622	0.125	0.159	1	11/28/2021 17:24	WG1780837
Carbon tetrachloride	U		0.0286	0.125	0.159	1	11/28/2021 17:24	WG1780837
Chlorobenzene	U		0.00670	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Chlorodibromomethane	U		0.0195	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Chloroethane	U		0.0542	0.125	0.159	1	11/28/2021 17:24	WG1780837
Chloroform	U		0.0329	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Chloromethane	U		0.139	0.313	0.399	1	11/28/2021 17:24	WG1780837
2-Chlorotoluene	U		0.0276	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
4-Chlorotoluene	U		0.0144	0.125	0.159	1	11/28/2021 17:24	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.124	0.625	0.797	1	11/28/2021 17:24	WG1780837
1,2-Dibromoethane	U		0.0207	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Dibromomethane	U		0.0239	0.125	0.159	1	11/28/2021 17:24	WG1780837
1,2-Dichlorobenzene	U		0.0136	0.125	0.159	1	11/28/2021 17:24	WG1780837
1,3-Dichlorobenzene	U		0.0191	0.125	0.159	1	11/28/2021 17:24	WG1780837
1,4-Dichlorobenzene	U		0.0223	0.125	0.159	1	11/28/2021 17:24	WG1780837
Dichlorodifluoromethane	U		0.0514	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Dichlorofluoromethane	U		0.0399	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
1,1-Dichloroethane	U		0.0157	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
1,2-Dichloroethane	U		0.0207	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
1,1-Dichloroethene	U		0.0193	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
cis-1,2-Dichloroethene	U		0.0234	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
trans-1,2-Dichloroethene	U		0.0332	0.125	0.159	1	11/28/2021 17:24	WG1780837
1,2-Dichloropropane	U		0.0453	0.125	0.159	1	11/28/2021 17:24	WG1780837
1,1-Dichloropropene	U		0.0258	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
1,3-Dichloropropane	U		0.0160	0.125	0.159	1	11/28/2021 17:24	WG1780837
cis-1,3-Dichloropropene	U		0.0241	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
trans-1,3-Dichloropropene	U		0.0364	0.125	0.159	1	11/28/2021 17:24	WG1780837
2,2-Dichloropropane	U		0.0440	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Di-isopropyl ether	U		0.0131	0.0250	0.0319	1	11/28/2021 17:24	WG1780837
Ethylbenzene	U		0.0235	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Ethyl ether	U		0.0284	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.191	0.625	0.797	1	11/28/2021 17:24	WG1780837
2-Hexanone	U		0.107	0.625	0.797	1	11/28/2021 17:24	WG1780837
Isopropylbenzene	U		0.0136	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
p-Isopropyltoluene	U		0.0813	0.125	0.159	1	11/28/2021 17:24	WG1780837
2-Butanone (MEK)	U		2.03	2.50	3.19	1	11/28/2021 17:24	WG1780837
Methylene Chloride	U		0.212	0.625	0.797	1	11/28/2021 17:24	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.0727	0.625	0.797	1	11/28/2021 17:24	WG1780837
Methyl tert-butyl ether	U		0.0112	0.0250	0.0319	1	11/28/2021 17:24	WG1780837
Naphthalene	U		0.156	0.313	0.399	1	11/28/2021 17:24	WG1780837

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0303	0.125	0.159	1	11/28/2021 17:24	WG1780837
Styrene	U		0.00730	0.313	0.399	1	11/28/2021 17:24	WG1780837
1,1,1,2-Tetrachloroethane	U		0.0302	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0222	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0241	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Tetrachloroethene	U		0.0286	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Tetrahydrofuran	U	J3	0.112	0.313	0.399	1	11/28/2021 17:24	WG1780837
Toluene	U		0.0415	0.125	0.159	1	11/28/2021 17:24	WG1780837
1,2,3-Trichlorobenzene	U		0.234	0.313	0.399	1	11/28/2021 17:24	WG1780837
1,2,4-Trichlorobenzene	U		0.140	0.313	0.399	1	11/28/2021 17:24	WG1780837
1,1,1-Trichloroethane	U		0.0294	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
1,1,2-Trichloroethane	U		0.0190	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Trichloroethene	U		0.0186	0.0250	0.0319	1	11/28/2021 17:24	WG1780837
Trichlorofluoromethane	U		0.0264	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
1,2,3-Trichloropropane	U		0.0517	0.313	0.399	1	11/28/2021 17:24	WG1780837
1,2,4-Trimethylbenzene	U		0.0504	0.125	0.159	1	11/28/2021 17:24	WG1780837
1,2,3-Trimethylbenzene	U		0.0504	0.125	0.159	1	11/28/2021 17:24	WG1780837
1,3,5-Trimethylbenzene	U		0.0638	0.125	0.159	1	11/28/2021 17:24	WG1780837
Vinyl chloride	U		0.0370	0.0625	0.0797	1	11/28/2021 17:24	WG1780837
Xylenes, Total	U		0.0281	0.163	0.208	1	11/28/2021 17:24	WG1780837
(S) Toluene-d8	101			75.0-131			11/28/2021 17:24	WG1780837
(S) 4-Bromofluorobenzene	99.3			67.0-138			11/28/2021 17:24	WG1780837
(S) 1,2-Dichloroethane-d4	110			70.0-130			11/28/2021 17:24	WG1780837

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	64.8		1	11/27/2021 09:41	WG1780387

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.92	1.25	2.62	1.36	11/28/2021 17:43	WG1780837
Acrylonitrile	U	<u>J3</u>	0.189	0.313	0.656	1.36	11/28/2021 17:43	WG1780837
Allyl chloride	U		0.210	0.625	1.31	1.36	11/28/2021 17:43	WG1780837
Benzene	U		0.0245	0.0250	0.0525	1.36	11/28/2021 17:43	WG1780837
Bromobenzene	U		0.0472	0.313	0.656	1.36	11/28/2021 17:43	WG1780837
Bromodichloromethane	U		0.0381	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Bromoform	U		0.0614	0.625	1.31	1.36	11/28/2021 17:43	WG1780837
Bromomethane	U		0.103	0.313	0.656	1.36	11/28/2021 17:43	WG1780837
n-Butylbenzene	U		0.276	0.313	0.656	1.36	11/28/2021 17:43	WG1780837
sec-Butylbenzene	U		0.151	0.313	0.656	1.36	11/28/2021 17:43	WG1780837
tert-Butylbenzene	U		0.102	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
Carbon tetrachloride	U		0.0471	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
Chlorobenzene	U		0.0110	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Chlorodibromomethane	U		0.0321	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Chloroethane	U		0.0892	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
Chloroform	U		0.0541	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Chloromethane	U		0.228	0.313	0.656	1.36	11/28/2021 17:43	WG1780837
2-Chlorotoluene	U		0.0454	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
4-Chlorotoluene	U		0.0236	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.205	0.625	1.31	1.36	11/28/2021 17:43	WG1780837
1,2-Dibromoethane	U		0.0340	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Dibromomethane	U		0.0394	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
1,2-Dichlorobenzene	U		0.0223	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
1,3-Dichlorobenzene	U		0.0315	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
1,4-Dichlorobenzene	U		0.0367	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
Dichlorodifluoromethane	U		0.0845	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Dichlorofluoromethane	U		0.0656	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
1,1-Dichloroethane	U		0.0258	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
1,2-Dichloroethane	U		0.0341	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
1,1-Dichloroethene	U		0.0318	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
cis-1,2-Dichloroethene	U		0.0385	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
trans-1,2-Dichloroethene	U		0.0546	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
1,2-Dichloropropane	U		0.0745	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
1,1-Dichloropropene	U		0.0425	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
1,3-Dichloropropene	U		0.0263	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
cis-1,3-Dichloropropene	U		0.0397	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
trans-1,3-Dichloropropene	U		0.0598	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
2,2-Dichloropropane	U		0.0724	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Di-isopropyl ether	U		0.0215	0.0250	0.0525	1.36	11/28/2021 17:43	WG1780837
Ethylbenzene	U		0.0387	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Ethyl ether	U		0.0468	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.315	0.625	1.31	1.36	11/28/2021 17:43	WG1780837
2-Hexanone	U		0.176	0.625	1.31	1.36	11/28/2021 17:43	WG1780837
Isopropylbenzene	U		0.0223	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
p-Isopropyltoluene	U		0.134	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
2-Butanone (MEK)	U		3.33	2.50	5.25	1.36	11/28/2021 17:43	WG1780837
Methylene Chloride	U		0.349	0.625	1.31	1.36	11/28/2021 17:43	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.120	0.625	1.31	1.36	11/28/2021 17:43	WG1780837
Methyl tert-butyl ether	U		0.0184	0.0250	0.0525	1.36	11/28/2021 17:43	WG1780837
Naphthalene	U		0.256	0.313	0.656	1.36	11/28/2021 17:43	WG1780837

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0499	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
Styrene	U		0.0120	0.313	0.656	1.36	11/28/2021 17:43	WG1780837
1,1,1,2-Tetrachloroethane	U		0.0498	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0365	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0396	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Tetrachloroethene	U		0.0470	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Tetrahydrofuran	U	J3	0.185	0.313	0.656	1.36	11/28/2021 17:43	WG1780837
Toluene	U		0.0682	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
1,2,3-Trichlorobenzene	U		0.385	0.313	0.656	1.36	11/28/2021 17:43	WG1780837
1,2,4-Trichlorobenzene	U		0.231	0.313	0.656	1.36	11/28/2021 17:43	WG1780837
1,1,1-Trichloroethane	U		0.0484	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
1,1,2-Trichloroethane	U		0.0313	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Trichloroethene	U		0.0307	0.0250	0.0525	1.36	11/28/2021 17:43	WG1780837
Trichlorofluoromethane	U		0.0434	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
1,2,3-Trichloropropane	U		0.0850	0.313	0.656	1.36	11/28/2021 17:43	WG1780837
1,2,4-Trimethylbenzene	U		0.0829	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
1,2,3-Trimethylbenzene	U		0.0829	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
1,3,5-Trimethylbenzene	U		0.105	0.125	0.262	1.36	11/28/2021 17:43	WG1780837
Vinyl chloride	U		0.0609	0.0625	0.131	1.36	11/28/2021 17:43	WG1780837
Xylenes, Total	0.122	J	0.0462	0.163	0.341	1.36	11/28/2021 17:43	WG1780837
(S) Toluene-d8	98.2			75.0-131			11/28/2021 17:43	WG1780837
(S) 4-Bromofluorobenzene	94.8			67.0-138			11/28/2021 17:43	WG1780837
(S) 1,2-Dichloroethane-d4	116			70.0-130			11/28/2021 17:43	WG1780837

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	83.5		1	11/27/2021 09:41	WG1780387

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Acetone	U	<u>J3</u>	1.09	1.25	1.50	1	11/28/2021 18:02	WG1780837
Acrylonitrile	U	<u>J3</u>	0.108	0.313	0.375	1	11/28/2021 18:02	WG1780837
Allyl chloride	U		0.120	0.625	0.749	1	11/28/2021 18:02	WG1780837
Benzene	U		0.0140	0.0250	0.0299	1	11/28/2021 18:02	WG1780837
Bromobenzene	U		0.0269	0.313	0.375	1	11/28/2021 18:02	WG1780837
Bromodichloromethane	U		0.0217	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Bromoform	U		0.0350	0.625	0.749	1	11/28/2021 18:02	WG1780837
Bromomethane	U		0.0590	0.313	0.375	1	11/28/2021 18:02	WG1780837
n-Butylbenzene	U		0.157	0.313	0.375	1	11/28/2021 18:02	WG1780837
sec-Butylbenzene	U		0.0862	0.313	0.375	1	11/28/2021 18:02	WG1780837
tert-Butylbenzene	U		0.0584	0.125	0.150	1	11/28/2021 18:02	WG1780837
Carbon tetrachloride	U		0.0269	0.125	0.150	1	11/28/2021 18:02	WG1780837
Chlorobenzene	U		0.00629	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Chlorodibromomethane	U		0.0183	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Chloroethane	U		0.0509	0.125	0.150	1	11/28/2021 18:02	WG1780837
Chloroform	U		0.0308	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Chloromethane	U		0.130	0.313	0.375	1	11/28/2021 18:02	WG1780837
2-Chlorotoluene	U		0.0259	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
4-Chlorotoluene	U		0.0135	0.125	0.150	1	11/28/2021 18:02	WG1780837
1,2-Dibromo-3-Chloropropane	U		0.117	0.625	0.749	1	11/28/2021 18:02	WG1780837
1,2-Dibromoethane	U		0.0194	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Dibromomethane	U		0.0225	0.125	0.150	1	11/28/2021 18:02	WG1780837
1,2-Dichlorobenzene	U		0.0127	0.125	0.150	1	11/28/2021 18:02	WG1780837
1,3-Dichlorobenzene	U		0.0180	0.125	0.150	1	11/28/2021 18:02	WG1780837
1,4-Dichlorobenzene	U		0.0210	0.125	0.150	1	11/28/2021 18:02	WG1780837
Dichlorodifluoromethane	U		0.0482	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Dichlorofluoromethane	U		0.0374	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
1,1-Dichloroethane	U		0.0147	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
1,2-Dichloroethane	U		0.0194	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
1,1-Dichloroethene	U		0.0181	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
cis-1,2-Dichloroethene	U		0.0220	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
trans-1,2-Dichloroethene	U		0.0311	0.125	0.150	1	11/28/2021 18:02	WG1780837
1,2-Dichloropropane	U		0.0425	0.125	0.150	1	11/28/2021 18:02	WG1780837
1,1-Dichloropropene	U		0.0242	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
1,3-Dichloropropane	U		0.0150	0.125	0.150	1	11/28/2021 18:02	WG1780837
cis-1,3-Dichloropropene	U		0.0227	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
trans-1,3-Dichloropropene	U		0.0341	0.125	0.150	1	11/28/2021 18:02	WG1780837
2,2-Dichloropropane	U		0.0413	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Di-isopropyl ether	U		0.0123	0.0250	0.0299	1	11/28/2021 18:02	WG1780837
Ethylbenzene	U		0.0221	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Ethyl ether	U		0.0267	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Hexachloro-1,3-butadiene	U	<u>J4</u>	0.180	0.625	0.749	1	11/28/2021 18:02	WG1780837
2-Hexanone	U		0.101	0.625	0.749	1	11/28/2021 18:02	WG1780837
Isopropylbenzene	U		0.0127	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
p-Isopropyltoluene	U		0.0764	0.125	0.150	1	11/28/2021 18:02	WG1780837
2-Butanone (MEK)	U		1.90	2.50	2.99	1	11/28/2021 18:02	WG1780837
Methylene Chloride	U		0.199	0.625	0.749	1	11/28/2021 18:02	WG1780837
4-Methyl-2-pentanone (MIBK)	U		0.0683	0.625	0.749	1	11/28/2021 18:02	WG1780837
Methyl tert-butyl ether	U		0.0105	0.0250	0.0299	1	11/28/2021 18:02	WG1780837
Naphthalene	U		0.146	0.313	0.375	1	11/28/2021 18:02	WG1780837

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result (dry) mg/kg	Qualifier	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	Batch
n-Propylbenzene	U		0.0284	0.125	0.150	1	11/28/2021 18:02	WG1780837
Styrene	U		0.00686	0.313	0.375	1	11/28/2021 18:02	WG1780837
1,1,1,2-Tetrachloroethane	U		0.0284	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
1,1,2,2-Tetrachloroethane	U	C3	0.0208	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
1,1,2-Trichlorotrifluoroethane	U		0.0226	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Tetrachloroethene	U		0.0268	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Tetrahydrofuran	U	J3	0.105	0.313	0.375	1	11/28/2021 18:02	WG1780837
Toluene	U		0.0389	0.125	0.150	1	11/28/2021 18:02	WG1780837
1,2,3-Trichlorobenzene	U		0.219	0.313	0.375	1	11/28/2021 18:02	WG1780837
1,2,4-Trichlorobenzene	U		0.132	0.313	0.375	1	11/28/2021 18:02	WG1780837
1,1,1-Trichloroethane	U		0.0276	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
1,1,2-Trichloroethane	U		0.0179	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Trichloroethene	U		0.0175	0.0250	0.0299	1	11/28/2021 18:02	WG1780837
Trichlorofluoromethane	U		0.0248	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
1,2,3-Trichloropropane	U		0.0485	0.313	0.375	1	11/28/2021 18:02	WG1780837
1,2,4-Trimethylbenzene	U		0.0473	0.125	0.150	1	11/28/2021 18:02	WG1780837
1,2,3-Trimethylbenzene	U		0.0473	0.125	0.150	1	11/28/2021 18:02	WG1780837
1,3,5-Trimethylbenzene	U		0.0599	0.125	0.150	1	11/28/2021 18:02	WG1780837
Vinyl chloride	U		0.0347	0.0625	0.0749	1	11/28/2021 18:02	WG1780837
Xylenes, Total	U		0.0264	0.163	0.195	1	11/28/2021 18:02	WG1780837
(S) Toluene-d8	105			75.0-131			11/28/2021 18:02	WG1780837
(S) 4-Bromofluorobenzene	108			67.0-138			11/28/2021 18:02	WG1780837
(S) 1,2-Dichloroethane-d4	113			70.0-130			11/28/2021 18:02	WG1780837

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

WG1780386

Total Solids by Method 2540 G-2011

QUALITY CONTROL SUMMARY

[L1435520-01,02,03,04,05,06,07,08,09,10](#)

Method Blank (MB)

(MB) R3734712-1 11/27/21 09:55

Analyte	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Total Solids	0.000			

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

L1435520-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1435520-01 11/27/21 09:55 • (DUP) R3734712-3 11/27/21 09:55

Analyte	Original Result %	DUP Result %	Dilution %	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Total Solids	81.9	81.4	1	0.646		10

Laboratory Control Sample (LCS)

(LCS) R3734712-2 11/27/21 09:55

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Total Solids	50.0	50.0	100	85.0-115	

⁷Qc⁸Gl⁹Al¹⁰Sc

WG1780387

Total Solids by Method 2540 G-2011

QUALITY CONTROL SUMMARY

[L1435520-11,12,13,15,16](#)

Method Blank (MB)

(MB) R3734711-1 11/27/21 09:41

Analyte	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Total Solids	0.00200			

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

L1435315-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1435315-01 11/27/21 09:41 • (DUP) R3734711-3 11/27/21 09:41

Analyte	Original Result %	DUP Result %	Dilution %	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Total Solids	80.6	79.0	1	2.04		10

Laboratory Control Sample (LCS)

(LCS) R3734711-2 11/27/21 09:41

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Total Solids	50.0	50.0	100	85.0-115	

WG1780837

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1435520-03,04,05,06,07,08,09,10,11,12,13,15,16](#)

Method Blank (MB)

(MB) R3735076-3 11/28/21 11:51

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Acetone	U		0.913	1.25	¹ Cp
Acrylonitrile	U		0.0903	0.313	² Tc
Benzene	U		0.0117	0.0250	³ Ss
Bromobenzene	U		0.0225	0.313	⁴ Cn
Bromodichloromethane	U		0.0181	0.0625	⁵ Tr
Bromoform	U		0.0293	0.625	⁶ Sr
Bromomethane	U		0.0493	0.313	⁷ Qc
n-Butylbenzene	U		0.131	0.313	⁸ Gl
sec-Butylbenzene	U		0.0720	0.313	⁹ Al
tert-Butylbenzene	U		0.0488	0.125	¹⁰ Sc
Carbon tetrachloride	U		0.0225	0.125	
Chlorobenzene	U		0.00525	0.0625	
Chlorodibromomethane	U		0.0153	0.0625	
Chloroethane	U		0.0425	0.125	
Chloroform	U		0.0258	0.0625	
Chloromethane	U		0.109	0.313	
2-Chlorotoluene	U		0.0216	0.0625	
4-Chlorotoluene	U		0.0113	0.125	
1,2-Dibromo-3-Chloropropane	U		0.0975	0.625	
1,2-Dibromoethane	U		0.0162	0.0625	
Dibromomethane	U		0.0188	0.125	
1,2-Dichlorobenzene	U		0.0106	0.125	
1,3-Dichlorobenzene	U		0.0150	0.125	
1,4-Dichlorobenzene	U		0.0175	0.125	
Dichlorodifluoromethane	U		0.0403	0.0625	
Dichlorofluoromethane	U		0.0313	0.0625	
1,1-Dichloroethane	U		0.0123	0.0625	
1,2-Dichloroethane	U		0.0162	0.0625	
1,1-Dichloroethene	U		0.0152	0.0625	
cis-1,2-Dichloroethene	U		0.0184	0.0625	
trans-1,2-Dichloroethene	U		0.0260	0.125	
1,2-Dichloropropane	U		0.0355	0.125	
1,1-Dichloropropene	U		0.0202	0.0625	
1,3-Dichloropropane	U		0.0125	0.125	
cis-1,3-Dichloropropene	U		0.0189	0.0625	
trans-1,3-Dichloropropene	U		0.0285	0.125	
2,2-Dichloropropane	U		0.0345	0.0625	
Di-isopropyl ether	U		0.0103	0.0250	
Ethylbenzene	U		0.0184	0.0625	
Ethyl ether	U		0.0223	0.0625	

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1435520

DATE/TIME:

12/01/21 09:19

PAGE:

43 of 57

WG1780837

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1435520-03,04,05,06,07,08,09,10,11,12,13,15,16](#)

Method Blank (MB)

(MB) R3735076-3 11/28/21 11:51

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Hexachloro-1,3-butadiene	U		0.150	0.625	¹ Cp
2-Hexanone	U		0.0840	0.625	² Tc
Isopropylbenzene	U		0.0106	0.0625	³ Ss
p-Isopropyltoluene	U		0.0638	0.125	⁴ Cn
2-Butanone (MEK)	U		1.59	2.50	⁵ Tr
Methylene Chloride	U		0.166	0.625	⁶ Sr
4-Methyl-2-pentanone (MIBK)	U		0.0570	0.625	⁷ Qc
Methyl tert-butyl ether	U		0.00875	0.0250	⁸ Gl
Naphthalene	U		0.122	0.313	⁹ Al
n-Propylbenzene	U		0.0238	0.125	¹⁰ Sc
Styrene	U		0.00573	0.313	
1,1,2-Tetrachloroethane	U		0.0237	0.0625	
1,1,2,2-Tetrachloroethane	U		0.0174	0.0625	
Tetrachloroethene	U		0.0224	0.0625	
Tetrahydrofuran	U		0.0880	0.313	
Toluene	U		0.0325	0.125	
1,1,2-Trichlorotrifluoroethane	U		0.0189	0.0625	
1,2,3-Trichlorobenzene	U		0.183	0.313	
1,2,4-Trichlorobenzene	U		0.110	0.313	
1,1,1-Trichloroethane	U		0.0231	0.0625	
1,1,2-Trichloroethane	U		0.0149	0.0625	
Trichloroethene	U		0.0146	0.0250	
Trichlorofluoromethane	U		0.0207	0.0625	
1,2,3-Trichloropropane	U		0.0405	0.313	
1,2,3-Trimethylbenzene	U		0.0395	0.125	
1,2,4-Trimethylbenzene	U		0.0395	0.125	
1,3,5-Trimethylbenzene	U		0.0500	0.125	
Vinyl chloride	U		0.0290	0.0625	
Xylenes, Total	U		0.0220	0.163	
Allyl Chloride	U		0.100	0.625	
(S) Toluene-d8	102		75.0-131		
(S) 4-Bromofluorobenzene	98.6		67.0-138		
(S) 1,2-Dichloroethane-d4	107		70.0-130		

QUALITY CONTROL SUMMARY

[L1435520-03,04,05,06,07,08,09,10,11,12,13,15,16](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3735076-1 11/28/21 10:35 • (LCSD) R3735076-2 11/28/21 10:54

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Acetone	0.625	0.508	0.711	81.3	114	30.0-160	J3		33.3	31
Acrylonitrile	0.625	0.528	0.716	84.5	115	45.0-153	J3		30.2	22
Benzene	0.125	0.116	0.120	92.8	96.0	70.0-123			3.39	20
Bromobenzene	0.125	0.125	0.132	100	106	73.0-121			5.45	20
Bromodichloromethane	0.125	0.120	0.126	96.0	101	73.0-121			4.88	20
Bromoform	0.125	0.113	0.121	90.4	96.8	64.0-132			6.84	20
Bromomethane	0.125	0.131	0.134	105	107	56.0-147			2.26	20
n-Butylbenzene	0.125	0.116	0.121	92.8	96.8	68.0-135			4.22	20
sec-Butylbenzene	0.125	0.117	0.120	93.6	96.0	74.0-130			2.53	20
tert-Butylbenzene	0.125	0.124	0.126	99.2	101	75.0-127			1.60	20
Carbon tetrachloride	0.125	0.135	0.144	108	115	66.0-128			6.45	20
Chlorobenzene	0.125	0.111	0.115	88.8	92.0	76.0-128			3.54	20
Chlorodibromomethane	0.125	0.107	0.113	85.6	90.4	74.0-127			5.45	20
Chloroethane	0.125	0.123	0.122	98.4	97.6	61.0-134			0.816	20
Chloroform	0.125	0.126	0.127	101	102	72.0-123			0.791	20
Chloromethane	0.125	0.127	0.130	102	104	51.0-138			2.33	20
2-Chlorotoluene	0.125	0.118	0.117	94.4	93.6	75.0-124			0.851	20
4-Chlorotoluene	0.125	0.112	0.117	89.6	93.6	75.0-124			4.37	20
1,2-Dibromo-3-Chloropropane	0.125	0.108	0.127	86.4	102	59.0-130			16.2	20
1,2-Dibromoethane	0.125	0.108	0.117	86.4	93.6	74.0-128			8.00	20
Dibromomethane	0.125	0.119	0.129	95.2	103	75.0-122			8.06	20
1,2-Dichlorobenzene	0.125	0.115	0.125	92.0	100	76.0-124			8.33	20
1,3-Dichlorobenzene	0.125	0.115	0.121	92.0	96.8	76.0-125			5.08	20
1,4-Dichlorobenzene	0.125	0.110	0.117	88.0	93.6	77.0-121			6.17	20
Dichlorodifluoromethane	0.125	0.134	0.139	107	111	43.0-156			3.66	20
Dichlorofluoromethane	0.125	0.135	0.138	108	110	65.0-137			2.20	20
1,1-Dichloroethane	0.125	0.124	0.127	99.2	102	70.0-127			2.39	20
1,2-Dichloroethane	0.125	0.131	0.138	105	110	65.0-131			5.20	20
1,1-Dichloroethene	0.125	0.128	0.131	102	105	65.0-131			2.32	20
cis-1,2-Dichloroethene	0.125	0.116	0.123	92.8	98.4	73.0-125			5.86	20
trans-1,2-Dichloroethene	0.125	0.119	0.121	95.2	96.8	71.0-125			1.67	20
1,2-Dichloropropane	0.125	0.118	0.122	94.4	97.6	74.0-125			3.33	20
1,1-Dichloropropene	0.125	0.131	0.133	105	106	73.0-125			1.52	20
1,3-Dichloropropane	0.125	0.112	0.116	89.6	92.8	80.0-125			3.51	20
cis-1,3-Dichloropropene	0.125	0.123	0.124	98.4	99.2	76.0-127			0.810	20
trans-1,3-Dichloropropene	0.125	0.124	0.127	99.2	102	73.0-127			2.39	20
2,2-Dichloropropane	0.125	0.116	0.115	92.8	92.0	59.0-135			0.866	20
Di-isopropyl ether	0.125	0.120	0.124	96.0	99.2	60.0-136			3.28	20
Ethylbenzene	0.125	0.106	0.108	84.8	86.4	74.0-126			1.87	20
Ethyl ether	0.125	0.117	0.123	93.6	98.4	64.0-137			5.00	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

QUALITY CONTROL SUMMARY

[L1435520-03,04,05,06,07,08,09,10,11,12,13,15,16](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3735076-1 11/28/21 10:35 • (LCSD) R3735076-2 11/28/21 10:54

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Hexachloro-1,3-butadiene	0.125	0.179	0.190	143	152	57.0-150	J4		5.96	20
2-Hexanone	0.625	0.554	0.620	88.6	99.2	54.0-147			11.2	20
Isopropylbenzene	0.125	0.114	0.116	91.2	92.8	72.0-127			1.74	20
p-Isopropyltoluene	0.125	0.111	0.117	88.8	93.6	72.0-133			5.26	20
2-Butanone (MEK)	0.625	0.554	0.693	88.6	111	30.0-160			22.3	24
Methylene Chloride	0.125	0.124	0.130	99.2	104	68.0-123			4.72	20
4-Methyl-2-pentanone (MIBK)	0.625	0.562	0.630	89.9	101	56.0-143			11.4	20
Methyl tert-butyl ether	0.125	0.125	0.141	100	113	66.0-132			12.0	20
Naphthalene	0.125	0.122	0.128	97.6	102	59.0-130			4.80	20
n-Propylbenzene	0.125	0.119	0.122	95.2	97.6	74.0-126			2.49	20
Styrene	0.125	0.106	0.111	84.8	88.8	72.0-127			4.61	20
1,1,2-Tetrachloroethane	0.125	0.108	0.114	86.4	91.2	74.0-129			5.41	20
1,1,2,2-Tetrachloroethane	0.125	0.0998	0.109	79.8	87.2	68.0-128			8.81	20
Tetrachloroethene	0.125	0.129	0.135	103	108	70.0-136			4.55	20
Tetrahydrofuran	0.125	0.114	0.148	91.2	118	37.0-146	J3		26.0	24
Toluene	0.125	0.111	0.115	88.8	92.0	75.0-121			3.54	20
1,1,2-Trichlorotrifluoroethane	0.125	0.127	0.133	102	106	61.0-139			4.62	20
1,2,3-Trichlorobenzene	0.125	0.143	0.144	114	115	59.0-139			0.697	20
1,2,4-Trichlorobenzene	0.125	0.142	0.149	114	119	62.0-137			4.81	20
1,1,1-Trichloroethane	0.125	0.132	0.140	106	112	69.0-126			5.88	20
1,1,2-Trichloroethane	0.125	0.112	0.113	89.6	90.4	78.0-123			0.889	20
Trichloroethene	0.125	0.129	0.129	103	103	76.0-126			0.000	20
Trichlorofluoromethane	0.125	0.138	0.143	110	114	61.0-142			3.56	20
1,2,3-Trichloropropane	0.125	0.113	0.122	90.4	97.6	67.0-129			7.66	20
1,2,3-Trimethylbenzene	0.125	0.116	0.120	92.8	96.0	74.0-124			3.39	20
1,2,4-Trimethylbenzene	0.125	0.114	0.116	91.2	92.8	70.0-126			1.74	20
1,3,5-Trimethylbenzene	0.125	0.118	0.121	94.4	96.8	73.0-127			2.51	20
Vinyl chloride	0.125	0.139	0.136	111	109	63.0-134			2.18	20
Xylenes, Total	0.375	0.328	0.334	87.5	89.1	72.0-127			1.81	20
Allyl chloride	0.625	0.547	0.575	87.5	92.0	70.0-131			4.99	20
(S) Toluene-d8				101	101	75.0-131				
(S) 4-Bromofluorobenzene				97.5	100	67.0-138				
(S) 1,2-Dichloroethane-d4				113	118	70.0-130				

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

WG1781634

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1435520-01,02,04,05](#)

Method Blank (MB)

(MB) R3735529-3 11/30/21 12:06

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Acetone	U		0.913	1.25	¹ Cp
Acrylonitrile	U		0.0903	0.313	² Tc
Benzene	U		0.0117	0.0250	³ Ss
Bromobenzene	U		0.0225	0.313	⁴ Cn
Bromodichloromethane	U		0.0181	0.0625	⁵ Tr
Bromoform	U		0.0293	0.625	⁶ Sr
Bromomethane	U		0.0493	0.313	⁷ Qc
n-Butylbenzene	U		0.131	0.313	⁸ Gl
sec-Butylbenzene	U		0.0720	0.313	⁹ Al
tert-Butylbenzene	U		0.0488	0.125	¹⁰ Sc
Carbon tetrachloride	U		0.0225	0.125	
Chlorobenzene	U		0.00525	0.0625	
Chlorodibromomethane	U		0.0153	0.0625	
Chloroethane	U		0.0425	0.125	
Chloroform	U		0.0258	0.0625	
Chloromethane	U		0.109	0.313	
2-Chlorotoluene	U		0.0216	0.0625	
4-Chlorotoluene	U		0.0113	0.125	
1,2-Dibromo-3-Chloropropane	U		0.0975	0.625	
1,2-Dibromoethane	U		0.0162	0.0625	
Dibromomethane	U		0.0188	0.125	
1,2-Dichlorobenzene	U		0.0106	0.125	
1,3-Dichlorobenzene	U		0.0150	0.125	
1,4-Dichlorobenzene	U		0.0175	0.125	
Dichlorodifluoromethane	U		0.0403	0.0625	
Dichlorofluoromethane	U		0.0313	0.0625	
1,1-Dichloroethane	U		0.0123	0.0625	
1,2-Dichloroethane	U		0.0162	0.0625	
1,1-Dichloroethene	U		0.0152	0.0625	
cis-1,2-Dichloroethene	U		0.0184	0.0625	
trans-1,2-Dichloroethene	U		0.0260	0.125	
1,2-Dichloropropane	U		0.0355	0.125	
1,1-Dichloropropene	U		0.0202	0.0625	
1,3-Dichloropropane	U		0.0125	0.125	
cis-1,3-Dichloropropene	U		0.0189	0.0625	
trans-1,3-Dichloropropene	U		0.0285	0.125	
2,2-Dichloropropane	U		0.0345	0.0625	
Di-isopropyl ether	U		0.0103	0.0250	
Ethylbenzene	U		0.0184	0.0625	
Ethyl ether	U		0.0223	0.0625	

ACCOUNT:

UPRR - Golder Associates

PROJECT:

2812

SDG:

L1435520

DATE/TIME:

12/01/21 09:19

PAGE:

47 of 57

WG1781634

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1435520-01,02,04,05](#)

Method Blank (MB)

(MB) R3735529-3 11/30/21 12:06

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	
Hexachloro-1,3-butadiene	U		0.150	0.625	¹ Cp
2-Hexanone	U		0.0840	0.625	² Tc
Isopropylbenzene	U		0.0106	0.0625	³ Ss
p-Isopropyltoluene	U		0.0638	0.125	⁴ Cn
2-Butanone (MEK)	U		1.59	2.50	⁵ Tr
Methylene Chloride	U		0.166	0.625	⁶ Sr
4-Methyl-2-pentanone (MIBK)	U		0.0570	0.625	⁷ Qc
Methyl tert-butyl ether	U		0.00875	0.0250	⁸ Gl
Naphthalene	U		0.122	0.313	⁹ Al
n-Propylbenzene	U		0.0238	0.125	¹⁰ Sc
Styrene	U		0.00573	0.313	
1,1,2-Tetrachloroethane	U		0.0237	0.0625	
1,1,2,2-Tetrachloroethane	U		0.0174	0.0625	
Tetrachloroethene	U		0.0224	0.0625	
Tetrahydrofuran	U		0.0880	0.313	
Toluene	U		0.0325	0.125	
1,1,2-Trichlorotrifluoroethane	U		0.0189	0.0625	
1,2,3-Trichlorobenzene	U		0.183	0.313	
1,2,4-Trichlorobenzene	U		0.110	0.313	
1,1,1-Trichloroethane	U		0.0231	0.0625	
1,1,2-Trichloroethane	U		0.0149	0.0625	
Trichloroethene	U		0.0146	0.0250	
Trichlorofluoromethane	U		0.0207	0.0625	
1,2,3-Trichloropropane	U		0.0405	0.313	
1,2,3-Trimethylbenzene	U		0.0395	0.125	
1,2,4-Trimethylbenzene	U		0.0395	0.125	
1,3,5-Trimethylbenzene	U		0.0500	0.125	
Vinyl chloride	U		0.0290	0.0625	
Xylenes, Total	U		0.0220	0.163	
Allyl Chloride	U		0.100	0.625	
(S) Toluene-d8	94.7		75.0-131		
(S) 4-Bromofluorobenzene	94.8		67.0-138		
(S) 1,2-Dichloroethane-d4	88.4		70.0-130		

QUALITY CONTROL SUMMARY

[L1435520-01,02,04,05](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3735529-1 11/30/21 10:50 • (LCSD) R3735529-2 11/30/21 11:09

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Acetone	0.625	0.441	0.541	70.6	86.6	30.0-160			20.4	31
Acrylonitrile	0.625	0.590	0.638	94.4	102	45.0-153			7.82	22
Benzene	0.125	0.112	0.118	89.6	94.4	70.0-123			5.22	20
Bromobenzene	0.125	0.123	0.112	98.4	89.6	73.0-121			9.36	20
Bromodichloromethane	0.125	0.106	0.116	84.8	92.8	73.0-121			9.01	20
Bromoform	0.125	0.0932	0.113	74.6	90.4	64.0-132			19.2	20
Bromomethane	0.125	0.128	0.169	102	135	56.0-147	J3		27.6	20
n-Butylbenzene	0.125	0.123	0.121	98.4	96.8	68.0-135			1.64	20
sec-Butylbenzene	0.125	0.125	0.127	100	102	74.0-130			1.59	20
tert-Butylbenzene	0.125	0.117	0.120	93.6	96.0	75.0-127			2.53	20
Carbon tetrachloride	0.125	0.115	0.113	92.0	90.4	66.0-128			1.75	20
Chlorobenzene	0.125	0.112	0.114	89.6	91.2	76.0-128			1.77	20
Chlorodibromomethane	0.125	0.134	0.123	107	98.4	74.0-127			8.56	20
Chloroethane	0.125	0.118	0.146	94.4	117	61.0-134	J3		21.2	20
Chloroform	0.125	0.101	0.109	80.8	87.2	72.0-123			7.62	20
Chloromethane	0.125	0.101	0.121	80.8	96.8	51.0-138			18.0	20
2-Chlorotoluene	0.125	0.123	0.110	98.4	88.0	75.0-124			11.2	20
4-Chlorotoluene	0.125	0.122	0.123	97.6	98.4	75.0-124			0.816	20
1,2-Dibromo-3-Chloropropane	0.125	0.115	0.125	92.0	100	59.0-130			8.33	20
1,2-Dibromoethane	0.125	0.128	0.131	102	105	74.0-128			2.32	20
Dibromomethane	0.125	0.114	0.122	91.2	97.6	75.0-122			6.78	20
1,2-Dichlorobenzene	0.125	0.113	0.120	90.4	96.0	76.0-124			6.01	20
1,3-Dichlorobenzene	0.125	0.117	0.115	93.6	92.0	76.0-125			1.72	20
1,4-Dichlorobenzene	0.125	0.112	0.113	89.6	90.4	77.0-121			0.889	20
Dichlorodifluoromethane	0.125	0.0992	0.121	79.4	96.8	43.0-156			19.8	20
Dichlorofluoromethane	0.125	0.112	0.125	89.6	100	65.0-137			11.0	20
1,1-Dichloroethane	0.125	0.112	0.110	89.6	88.0	70.0-127			1.80	20
1,2-Dichloroethane	0.125	0.0995	0.115	79.6	92.0	65.0-131			14.5	20
1,1-Dichloroethene	0.125	0.105	0.110	84.0	88.0	65.0-131			4.65	20
cis-1,2-Dichloroethene	0.125	0.102	0.104	81.6	83.2	73.0-125			1.94	20
trans-1,2-Dichloroethene	0.125	0.109	0.114	87.2	91.2	71.0-125			4.48	20
1,2-Dichloropropane	0.125	0.128	0.129	102	103	74.0-125			0.778	20
1,1-Dichloropropene	0.125	0.117	0.117	93.6	93.6	73.0-125			0.000	20
1,3-Dichloropropane	0.125	0.140	0.131	112	105	80.0-125			6.64	20
cis-1,3-Dichloropropene	0.125	0.121	0.128	96.8	102	76.0-127			5.62	20
trans-1,3-Dichloropropene	0.125	0.158	0.127	126	102	73.0-127	J3		21.8	20
2,2-Dichloropropane	0.125	0.111	0.112	88.8	89.6	59.0-135			0.897	20
Di-isopropyl ether	0.125	0.110	0.113	88.0	90.4	60.0-136			2.69	20
Ethylbenzene	0.125	0.114	0.113	91.2	90.4	74.0-126			0.881	20
Ethyl ether	0.125	0.109	0.117	87.2	93.6	64.0-137			7.08	20

QUALITY CONTROL SUMMARY

[L1435520-01,02,04,05](#)

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3735529-1 11/30/21 10:50 • (LCSD) R3735529-2 11/30/21 11:09

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Hexachloro-1,3-butadiene	0.125	0.120	0.135	96.0	108	57.0-150			11.8	20
2-Hexanone	0.625	0.679	0.660	109	106	54.0-147			2.84	20
Isopropylbenzene	0.125	0.100	0.114	80.0	91.2	72.0-127			13.1	20
p-Isopropyltoluene	0.125	0.119	0.119	95.2	95.2	72.0-133			0.000	20
2-Butanone (MEK)	0.625	0.686	0.653	110	104	30.0-160			4.93	24
Methylene Chloride	0.125	0.102	0.111	81.6	88.8	68.0-123			8.45	20
4-Methyl-2-pentanone (MIBK)	0.625	0.804	0.672	129	108	56.0-143			17.9	20
Methyl tert-butyl ether	0.125	0.116	0.122	92.8	97.6	66.0-132			5.04	20
Naphthalene	0.125	0.145	0.128	116	102	59.0-130			12.5	20
n-Propylbenzene	0.125	0.121	0.105	96.8	84.0	74.0-126			14.2	20
Styrene	0.125	0.100	0.115	80.0	92.0	72.0-127			14.0	20
1,1,2-Tetrachloroethane	0.125	0.113	0.122	90.4	97.6	74.0-129			7.66	20
1,1,2,2-Tetrachloroethane	0.125	0.118	0.105	94.4	84.0	68.0-128			11.7	20
Tetrachloroethene	0.125	0.142	0.121	114	96.8	70.0-136			16.0	20
Tetrahydrofuran	0.125	0.132	0.133	106	106	37.0-146			0.755	24
Toluene	0.125	0.130	0.127	104	102	75.0-121			2.33	20
1,1,2-Trichlorotrifluoroethane	0.125	0.114	0.118	91.2	94.4	61.0-139			3.45	20
1,2,3-Trichlorobenzene	0.125	0.116	0.0967	92.8	77.4	59.0-139			18.1	20
1,2,4-Trichlorobenzene	0.125	0.105	0.130	84.0	104	62.0-137	J3		21.3	20
1,1,1-Trichloroethane	0.125	0.105	0.111	84.0	88.8	69.0-126			5.56	20
1,1,2-Trichloroethane	0.125	0.147	0.128	118	102	78.0-123			13.8	20
Trichloroethene	0.125	0.110	0.121	88.0	96.8	76.0-126			9.52	20
Trichlorofluoromethane	0.125	0.105	0.120	84.0	96.0	61.0-142			13.3	20
1,2,3-Trichloropropane	0.125	0.123	0.114	98.4	91.2	67.0-129			7.59	20
1,2,3-Trimethylbenzene	0.125	0.120	0.119	96.0	95.2	74.0-124			0.837	20
1,2,4-Trimethylbenzene	0.125	0.124	0.126	99.2	101	70.0-126			1.60	20
1,3,5-Trimethylbenzene	0.125	0.124	0.104	99.2	83.2	73.0-127			17.5	20
Vinyl chloride	0.125	0.120	0.149	96.0	119	63.0-134	J3		21.6	20
Xylenes, Total	0.375	0.299	0.346	79.7	92.3	72.0-127			14.6	20
Allyl chloride	0.625	0.554	0.579	88.6	92.6	70.0-131			4.41	20
(S) Toluene-d8				117	115	75.0-131				
(S) 4-Bromofluorobenzene				86.5	100	67.0-138				
(S) 1,2-Dichloroethane-d4				91.3	102	70.0-130				

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

QUALITY CONTROL SUMMARY

L1435520-01,02,04,05

L1435520-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1435520-01 11/30/21 14:54 • (MS) R3735529-4 11/30/21 18:26 • (MSD) R3735529-5 11/30/21 18:44

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
Acetone	0.779	U	U	U	7.01	39.0	1.02	10.0-160	J6	J3	139	40
Acrylonitrile	0.779	U	0.209	0.600	26.8	77.0	1.02	10.0-160	J3	J3	96.7	40
Benzene	0.156	U	0.0714	0.162	45.7	104	1.02	10.0-149	J3	J3	77.8	37
Bromobenzene	0.156	U	0.0710	0.203	45.4	130	1.02	10.0-156	J3	J3	96.3	38
Bromodichloromethane	0.156	U	0.0614	0.183	39.3	117	1.02	10.0-143	J3	J3	99.6	37
Bromoform	0.156	U	0.0542	0.162	34.7	104	1.02	10.0-146	J3	J3	99.9	36
Bromomethane	0.156	U	0.108	0.221	69.1	141	1.02	10.0-149	J3	J3	68.7	38
n-Butylbenzene	0.156	U	U	U	45.5	95.3	1.02	10.0-160	J3	J3	70.8	40
sec-Butylbenzene	0.156	U	U	0.191	0.000	122	1.02	10.0-159	J6	J3	200	39
tert-Butylbenzene	0.156	U	0.0762	0.182	48.7	116	1.02	10.0-156	J3	J3	81.9	39
Carbon tetrachloride	0.156	U	0.0713	0.161	45.6	103	1.02	10.0-145	J3	J3	77.3	37
Chlorobenzene	0.156	U	0.0662	0.145	42.3	93.0	1.02	10.0-152	J3	J3	74.8	39
Chlorodibromomethane	0.156	U	0.0651	0.175	41.6	112	1.02	10.0-146	J3	J3	91.4	37
Chloroethane	0.156	U	0.0804	0.178	51.4	114	1.02	10.0-146	J3	J3	75.7	40
Chloroform	0.156	U	0.0631	0.155	40.4	99.2	1.02	10.0-146	J3	J3	84.3	37
Chloromethane	0.156	U	U	0.194	57.2	124	1.02	10.0-159	J3	J3	73.9	37
2-Chlorotoluene	0.156	U	0.0685	0.193	43.8	123	1.02	10.0-159	J3	J3	95.2	38
4-Chlorotoluene	0.156	U	0.0705	0.189	45.1	121	1.02	10.0-155	J3	J3	91.5	39
1,2-Dibromo-3-Chloropropane	0.156	U	U	U	27.6	62.5	1.02	10.0-151	J3	J3	77.5	39
1,2-Dibromoethane	0.156	U	0.0696	0.176	44.5	112	1.02	10.0-148	J3	J3	86.6	34
Dibromomethane	0.156	U	0.0589	0.172	37.7	110	1.02	10.0-147	J3	J3	98.1	35
1,2-Dichlorobenzene	0.156	U	0.0711	0.125	45.5	79.7	1.02	10.0-155	J3	J3	54.7	37
1,3-Dichlorobenzene	0.156	U	0.0642	0.149	41.1	95.3	1.02	10.0-153	J3	J3	79.5	38
1,4-Dichlorobenzene	0.156	U	0.0650	0.143	41.6	91.4	1.02	10.0-151	J3	J3	75.0	38
Dichlorodifluoromethane	0.156	U	0.0623	0.159	39.8	102	1.02	10.0-160	J3	J3	87.3	35
Dichlorofluoromethane	0.156	U	0.0904	0.197	57.8	126	1.02	10.0-160	J3	J3	74.0	34
1,1-Dichloroethane	0.156	U	0.0680	0.159	43.5	102	1.02	10.0-147	J3	J3	80.0	37
1,2-Dichloroethane	0.156	U	0.0569	0.137	36.4	87.5	1.02	10.0-148	J3	J3	82.5	35
1,1-Dichloroethene	0.156	U	0.0735	0.164	47.0	105	1.02	10.0-155	J3	J3	76.0	37
cis-1,2-Dichloroethene	0.156	U	0.0686	0.144	43.9	92.2	1.02	10.0-149	J3	J3	71.0	37
trans-1,2-Dichloroethene	0.156	U	0.0633	0.150	40.5	96.1	1.02	10.0-150	J3	J3	81.5	37
1,2-Dichloropropane	0.156	U	0.0739	0.206	47.3	132	1.02	10.0-148	J3	J3	94.6	37
1,1-Dichloropropene	0.156	U	0.0722	0.172	46.2	110	1.02	10.0-153	J3	J3	81.9	35
1,3-Dichloropropane	0.156	U	0.0739	0.186	47.3	119	1.02	10.0-154	J3	J3	86.1	35
cis-1,3-Dichloropropene	0.156	U	0.0745	0.197	47.7	126	1.02	10.0-151	J3	J3	90.1	37
trans-1,3-Dichloropropene	0.156	U	0.0756	0.191	48.4	122	1.02	10.0-148	J3	J3	86.4	37
2,2-Dichloropropane	0.156	U	0.0535	0.112	34.2	71.9	1.02	10.0-138	J3	J3	71.0	36
Di-isopropyl ether	0.156	U	0.0639	0.142	40.9	90.6	1.02	10.0-147	J3	J3	75.7	36
Ethylbenzene	0.156	U	0.0730	0.154	46.7	98.4	1.02	10.0-160	J3	J3	71.3	38

QUALITY CONTROL SUMMARY

L1435520-01,02,04,05

L1435520-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1435520-01 11/30/21 14:54 • (MS) R3735529-4 11/30/21 18:26 • (MSD) R3735529-5 11/30/21 18:44

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
Ethyl ether	0.156	U	0.0543	0.139	34.8	89.1	1.02	10.0-160	J3		87.7	31
Hexachloro-1,3-butadiene	0.156	U	U	0.192	53.9	123	1.02	10.0-160	J3		77.9	40
2-Hexanone	0.779	U	0.310	0.789	39.8	101	1.02	10.0-160	J3		87.1	36
Isopropylbenzene	0.156	U	0.0771	0.192	49.3	123	1.02	10.0-155	J3		85.3	38
p-Isopropyltoluene	0.156	U	0.0834	0.176	53.4	112	1.02	10.0-160	J3		71.3	40
2-Butanone (MEK)	0.779	U	U	U	43.3	80.3	1.02	10.0-160	J3		59.9	40
Methylene Chloride	0.156	U	U	U	43.9	54.6	1.02	10.0-141			21.7	37
4-Methyl-2-pentanone (MIBK)	0.779	U	0.316	0.817	40.6	105	1.02	10.0-160	J3		88.4	35
Methyl tert-butyl ether	0.156	U	0.0542	0.122	34.7	78.1	1.02	11.0-147	J3		77.0	35
Naphthalene	0.156	U	U	0.153	52.4	97.7	1.02	10.0-160	J3		60.3	36
n-Propylbenzene	0.156	U	0.0758	0.209	48.5	134	1.02	10.0-158	J3		93.4	38
Styrene	0.156	U	0.0635	0.194	40.6	124	1.02	10.0-160	J3		101	40
1,1,1,2-Tetrachloroethane	0.156	U	0.0634	0.142	40.5	90.6	1.02	10.0-149	J3		76.4	39
1,1,2,2-Tetrachloroethane	0.156	U	0.0646	0.181	41.3	116	1.02	10.0-160	J3		94.7	35
Tetrachloroethene	0.156	U	0.0701	0.170	44.8	109	1.02	10.0-156	J3		83.1	39
Tetrahydrofuran	0.156	U	U	U	25.7	63.7	1.02	10.0-158	J3		85.0	33
Toluene	0.156	U	0.0980	0.256	62.7	164	1.02	10.0-156	J3 J5		89.5	38
1,1,2-Trichlorotrifluoroethane	0.156	U	0.0603	0.131	38.6	83.6	1.02	10.0-160	J3		73.7	36
1,2,3-Trichlorobenzene	0.156	U	U	U	39.6	83.6	1.02	10.0-160	J3		71.4	40
1,2,4-Trichlorobenzene	0.156	U	U	0.137	38.3	87.5	1.02	10.0-160	J3		78.3	40
1,1,1-Trichloroethane	0.156	0.0383	0.0785	0.172	25.7	85.6	1.02	10.0-144	J3		74.7	35
1,1,2-Trichloroethane	0.156	U	0.0713	0.188	45.6	120	1.02	10.0-160	J3		90.0	35
Trichloroethene	0.156	0.497	0.332	0.420	0.000	0.000	1.02	10.0-156	J6	J6	23.4	38
Trichlorofluoromethane	0.156	U	0.0661	0.177	42.3	113	1.02	10.0-160	J3		91.3	40
1,2,3-Trichloropropane	0.156	U	0.0631	0.180	40.4	115	1.02	10.0-156	J3		95.9	35
1,2,3-Trimethylbenzene	0.156	U	0.0762	0.159	48.7	102	1.02	10.0-160	J3		70.3	36
1,2,4-Trimethylbenzene	0.156	U	0.0851	0.189	54.5	121	1.02	10.0-160	J3		75.9	36
1,3,5-Trimethylbenzene	0.156	U	0.0767	0.197	49.1	126	1.02	10.0-160	J3		87.8	38
Vinyl chloride	0.156	U	0.103	0.226	66.2	145	1.02	10.0-160	J3		74.4	37
Xylenes, Total	0.468	0.0589	0.216	0.530	33.6	101	1.02	10.0-160	J3		84.1	38
Allyl chloride	0.779	U	0.324	0.734	41.5	94.2	1.02	10.0-160	J3		77.6	30
(S) Toluene-d8					115	145		75.0-131		J1		
(S) 4-Bromofluorobenzene					121	131		67.0-138				
(S) 1,2-Dichloroethane-d4					92.6	102		70.0-130				

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].	1 Cp
MDL	Method Detection Limit.	2 Tc
MQL (dry)	Method Quantitation Limit.	3 Ss
MQL	Method Quantitation Limit.	4 Cn
RDL	Reported Detection Limit.	5 Tr
Rec.	Recovery.	6 Sr
RPD	Relative Percent Difference.	7 Qc
SDG	Sample Delivery Group.	8 Gl
SDL	Sample Detection Limit.	9 Al
SDL (dry)	Sample Detection Limit.	10 Sc
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.	
U	Not detected at the Sample Detection Limit.	
Unadj. MQL	Unadjusted Method Quantitation Limit.	
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier	Description
C3	The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.
C4	The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Data is likely to show a low bias concerning the result.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.
J3	The associated batch QC was outside the established quality control range for precision.

GLOSSARY OF TERMS

Qualifier	Description	
J4	The associated batch QC was outside the established quality control range for accuracy.	¹ Cp
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high.	² Tc
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.	³ Ss
		⁴ Cn
		⁵ Tr
		⁶ Sr
		⁷ Qc
		⁸ Gl
		⁹ Al
		¹⁰ Sc

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Tr
- ⁶ Sr
- ⁷ Qc
- ⁸ Gl
- ⁹ Al
- ¹⁰ Sc

Company Name/Address:

UPRR - Golder Associates2201 Double Creek Dr., Ste 4004
Round Rock, TX 78664Report to:
Matthew WilsonProject Description:
Cudahy WI-Superior Health LinensPhone: **262-212-4727**

Billing Information:

**Kevin Peterburs
4823 N 119th Street
Milwaukee, WI 53225**Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page **1** of **2**City/State
Collected: **Cudahy WI** Please Circle:
PT MT CT ETClient Project #
2812 Lab Project #
UPRRGOLD-2812Site/Facility ID #
SUPPLEMENTARY P.O. #Rush? (Lab MUST Be Notified)
Same Day Five Day
Next Day 5 Day (Rad Only)
Two Day 10 Day (Rad Only)
Three DayDate Results Needed
No. of Cntrs

Sample ID Comp/Grab Matrix * Depth Date Time

TS 4ozClr-NoPres
V8260/465 60mlAmb/MeOH/Syr12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>SDG # **1435520****J055**Acctnum: **UPRRGOLD**Template: **T199385**Prelogin: **P888791**

PM: 134 - Mark W. Beasley

PB: **11/19/21**Shipped Via: **FedEX Priority**

Remarks | Sample # [lab only]

X	SO-2812-H422(1-2)-231121	Grab	SS	1-2'	11-23-21	10:26	2	X	X										-01
X	SO-2812-H422 DUP-231121	Grab	SS	1-2'	11-23-21	10:26	2	X	X										-02
X	SO-2812-H422(3-4)-231121	Grab	SS	3-4'	11-23-21	10:43	2	X	X										-03
X	SO-2812-H423(1-2)-231121	Grab	SS	1-2'	11-23-21	10:51	2	X	X										-04
X	SO-2812-H423(3-4)-231121	Grab	SS	3-4'	11-23-21	10:58	2	X	X										-05
X	SO-2812-H424(1-2)-231121	Grab	SS	1-2'	11-23-21	11:10	2	X	X										-06
X	SO-2812-H424(3-4)-231121	Grab	SS	3-4'	11-23-21	11:24	2	X	X										-07
X	SO-2812-H425(1-2)-231121	Grab	SS	1-2'	11-23-21	11:28	2	X	X										-08
X	SO-2812-H425(3-4)-231121	Grab	SS	3-4'	11-23-21	11:35	2	X	X										-09
			SS																

* Matrix:

SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay

WW - WasteWater

DW - Drinking Water

OT - Other _____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist	
COC Seal Present/Intact:	NP <input checked="" type="checkbox"/> N <input type="checkbox"/>
COC Signed/Accurate:	<input checked="" type="checkbox"/> Y N
Bottles arrive intact:	<input checked="" type="checkbox"/> N
Correct bottles used:	<input checked="" type="checkbox"/> N
Sufficient volume sent:	<input checked="" type="checkbox"/> N
If Applicable	
VOA Zero Headspace:	<input checked="" type="checkbox"/> Y N
Preservation Correct/Checked:	<input checked="" type="checkbox"/> Y N
RAD Screen <0.5 mR/hr:	<input checked="" type="checkbox"/> N

Relinquished by : (Signature)

Date: **11/23/21** Time: **1445**

Received by: (Signature)

Trip Blank Received: Yes / No

ACI / MeOH
TBR

Relinquished by : (Signature)

Date: _____ Time: _____

Received by: (Signature)

Temp: **26** °C Bottles Received: **39**

Relinquished by : (Signature)

Date: _____ Time: _____

Received for lab by: (Signature)

Date: **11/24/21** Time: **1330**

If preservation required by Login: Date/Time

Hold: _____ Condition: NCF / **08**

Company Name/Address:

UPRR - Golder Associates2201 Double Creek Dr., Ste 4004
Round Rock, TX 78664

Billing Information:

Kevin Peterburs
4823 N 119th Street
Milwaukee, WI 53225Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 2 of 2

Report to:

Matthew Wilson

Project Description:

Cudahy WI-Superior Health Linens

City/State

Collected:

Cudahy / WI

Please Circle:

PT MT CT ET

Phone: 262-212-4727

Client Project #
2812Lab Project #
UPRRGOLD-2812

Collected by (print):

*Brian Foltz*Site/Facility ID #
SUPPLEMENTARY

P.O. #

Collected by (signature):

Brian Foltz

Rush? (Lab MUST Be Notified)

Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Date Results Needed

No.
of
CntrsImmediately
Packed on Ice N Y

Date Results Needed

No.
of
Cntrs

Sample ID

Comp/Grab

Matrix *

Depth

Date

Time

Cntrs

TS 4ozClr-NoPres
V8260/465 60mlAmb/MeOH/Svr

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # **1436520**

Table #

Acctnum: **UPRRGOLD**Template: **T199385**Prelogin: **P888791**

PM: 134 - Mark W. Beasley

PB: *CB 11/19/21*Shipped Via: **FedEX Priority**

Remarks | Sample # (lab only)

SO-2812-HA26(1-2)-231121	Grab	SS	1-2'	11-23-21	11:50	2	X	X					-10
SO-2812-HA26(3-4)-231121	Grab	SS	3-4'	11-23-21	11:50	2	X	X					-11
SO-2812-HA27(1-2)-231121	Grab	SS	1-2'	11-23-21	12:06	2	X	X					-12
SO-2812-HA27(3-4)-231121	Grab	SS	3-4'	11-23-21	12:15	2	X	X					-13
SO-2812-TB1-231121		SS											-14
SO-2812-MSMSD-231121	Grab	SS	1-2'	11-23-21	10:26	4	X	X					
SO-2812-HA28(1-2)-231121	Grab	SS	1-2'	11-23-21	12:23	2	X	X					-15
SO-2812-HA28(3-4)-231121	Grab	SS	3-4'	11-23-21	12:27	2	X	X					-16
		SS											
		SS											

* Matrix:

SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact: Y NCOC Signed/Accurate: Y NBottles arrive intact: Y NCorrect bottles used: Y NSufficient volume sent: Y N

If Applicable

VOA Zero Headspace: Y NPreservation Correct/Checked: Y NRAD Screen <0.5 mR/hr: Y N

DW - Drinking Water

OT - Other _____

Samples returned via:

UPS FedEx Courier _____

Tracking #

Relinquished by: (Signature)

Date: **11/23**Time: **1445**

Received by: (Signature)

Trip Blank Received: Yes No HCl / Meoh TBR

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Temp: **26** °C Bottles Received: **16**

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

Date: **11/24/21** Time: **1530** Hold:Condition: **NCF 100%**

If preservation required by Login: Date/Time

11/24



ANALYTICAL REPORT

December 20, 2021

¹Cp

²Tc

³Ss

⁴Cn

⁵Tr

⁶Sr

⁷Qc

⁸Gl

⁹Al

¹⁰Sc

UPRR - Golder Associates

Sample Delivery Group: L1441554
Samples Received: 12/13/2021
Project Number: 2812
Description: Cudahy WI-Superior Health Linens

Report To: Matthew Wilson
2201 Double Creek Dr., Ste 4004
Round Rock, TX 78664

Entire Report Reviewed By:

Mark W. Beasley
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	² Tc
Ss: Sample Summary	3	³ Ss
Cn: Case Narrative	4	⁴ Cn
Tr: TRRP Summary	5	⁵ Tr
TRRP form R	6	
TRRP form S	7	
TRRP Exception Reports	8	
Sr: Sample Results	9	⁶ Sr
SQ-2812-WC-20211210 L1441554-01	9	
Qc: Quality Control Summary	10	⁷ Qc
Volatile Organic Compounds (GC/MS) by Method 8260D	10	
Gl: Glossary of Terms	12	⁸ Gl
Al: Accreditations & Locations	13	⁹ Al
Sc: Sample Chain of Custody	14	¹⁰ Sc

SAMPLE SUMMARY

SQ-2812-WC-20211210 L1441554-01 Waste			Collected by Brian Folta	Collected date/time 12/10/21 10:30	Received date/time 12/13/21 10:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Preparation by Method 1311	WG1790969	1	12/17/21 15:44	12/17/21 15:44	TDW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG1791711	1	12/19/21 02:23	12/19/21 02:23	JHH	Mt. Juliet, TN

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Tr
- ⁶ Sr
- ⁷ Qc
- ⁸ Gl
- ⁹ Al
- ¹⁰ Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Mark W. Beasley
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Tr
- ⁶ Sr
- ⁷ Qc
- ⁸ Gl
- ⁹ Al
- ¹⁰ Sc

Laboratory Data Package Cover Page

This data package consists of this signature page, the laboratory review checklist, and the following reportable data as applicable:

R1 - Field chain-of-custody documentation;

R2 - Sample identification cross-reference;

R3 - Test reports (analytical data sheets) for each environmental sample that includes:

- a. Items consistent with NELAC Chapter 5,
- b. dilution factors,
- c. preparation methods,
- d. cleanup methods, and
- e. if required for the project, tentatively identified compounds (TICs).

R4 - Surrogate recovery data including:

- a. Calculated recovery (%R), and
- b. The laboratory's surrogate QC limits.

R5 - Test reports/summary forms for blank samples;

R6 - Test reports/summary forms for laboratory control samples (LCSs) including:

- a. LCS spiking amounts,
- b. Calculated %R for each analyte, and
- c. The laboratory's LCS QC limits.

R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:

- a. Samples associated with the MS/MSD clearly identified,
- b. MS/MSD spiking amounts,
- c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
- d. Calculated %Rs and relative percent differences (RPDs), and
- e. The laboratory's MS/MSD QC limits

R8 - Laboratory analytical duplicate (if applicable) recovery and precision:

- a. The amount of analyte measured in the duplicate,
- b. The calculated RPD, and
- c. The laboratory's QC limits for analytical duplicates.

R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.

R10 - Other problems or anomalies.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.



Mark W. Beasley
Project Manager

Laboratory Review Checklist: Reportable Data

Laboratory Name: Pace Analytical National			LRC Date: 12/20/2021 14:22				
Project Name: Cudahy WI-Superior Health Linens			Laboratory Job Number: L1441554-01				
Reviewer Name: Mark W. Beasley			Prep Batch Number(s): WG1791711 and WG1790969				
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?		X			
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?		X			
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?		X			
		If required for the project, are TICs reported?		X			
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?	X				
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?			X		
		Were analytical duplicates analyzed at the appropriate frequency?			X		
		Were RPDs or relative standard deviations within the laboratory QC limits?			X		
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package?	X				

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);

3. NA = Not applicable;

4. NR = Not reviewed;

5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Supporting Data

Laboratory Name: Pace Analytical National		LRC Date: 12/20/2021 14:22					
Project Name: Cudahy WI-Superior Health Linens		Laboratory Job Number: L1441554-01					
Reviewer Name: Mark W. Beasley		Prep Batch Number(s): WG1791711 and WG1790969					
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB):					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?				X	
S3	O	Mass spectral tuning					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS)					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC Section 5.5.10)					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?				X	
S7	O	Tentatively identified compounds (TICs)					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?				X	
S8	I	Interference Check Sample (ICS) results					
		Were percent recoveries within method QC limits?				X	
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?				X	
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chapter 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs)					
		Are laboratory SOPs current and on file for each method performed	X				

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);

3. NA = Not applicable;

4. NR = Not reviewed;

5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Reports

Laboratory Name: Pace Analytical National	LRC Date: 12/20/2021 14:22
Project Name: Cudahy WI-Superior Health Linens	Laboratory Job Number: L1441554-01
Reviewer Name: Mark W. Beasley	Prep Batch Number(s): WG1791711 and WG1790969
ER #¹	Description
<p>The Exception Report intentionally left blank, there are no exceptions applied to this SDG.</p> <p>1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period. 2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable); 3. NA = Not applicable; 4. NR = Not reviewed; 5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p>	

Preparation by Method 1311

Analyte	Result	<u>Qualifier</u>	Prep date / time	<u>Batch</u>
TCLP ZHE Extraction	-		12/17/2021 3:44:30 PM	WG1790969

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	<u>Qualifier</u>	MQL	Limit	Dilution	Analysis date / time	<u>Batch</u>
	mg/l		mg/l	mg/l			
Benzene	ND		0.0500	0.50	1	12/19/2021 02:23	WG1791711
Carbon tetrachloride	ND		0.0500	0.50	1	12/19/2021 02:23	WG1791711
Chlorobenzene	ND		0.0500	100	1	12/19/2021 02:23	WG1791711
Chloroform	ND		0.250	6	1	12/19/2021 02:23	WG1791711
1,2-Dichloroethane	ND		0.0500	0.50	1	12/19/2021 02:23	WG1791711
1,4-Dichlorobenzene	ND		0.0500	0.50	1	12/19/2021 02:23	WG1791711
1,1-Dichloroethene	ND		0.0500	0.70	1	12/19/2021 02:23	WG1791711
2-Butanone (MEK)	ND		0.500	200	1	12/19/2021 02:23	WG1791711
Tetrachloroethylene	ND		0.0500	0.70	1	12/19/2021 02:23	WG1791711
Trichloroethylene	ND		0.0500	0.50	1	12/19/2021 02:23	WG1791711
Vinyl chloride	ND		0.0500	0.20	1	12/19/2021 02:23	WG1791711
(S) Toluene-d8	104		80.0-120			12/19/2021 02:23	WG1791711
(S) 4-Bromofluorobenzene	103		77.0-126			12/19/2021 02:23	WG1791711
(S) 1,2-Dichloroethane-d4	101		70.0-130			12/19/2021 02:23	WG1791711

WG1791711

Volatile Organic Compounds (GC/MS) by Method 8260D

QUALITY CONTROL SUMMARY

[L1441554-01](#)

Method Blank (MB)

(MB) R3742426-3 12/19/21 01:26

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l	¹ Cp
Benzene	U		0.0150	0.0500	² Tc
Carbon tetrachloride	U		0.0150	0.0500	³ Ss
Chlorobenzene	U		0.0150	0.0500	⁴ Cn
Chloroform	U		0.0750	0.250	⁵ Tr
1,2-Dichloroethane	U		0.0150	0.0500	⁶ Sr
1,1-Dichloroethene	U		0.0150	0.0500	⁷ Qc
2-Butanone (MEK)	U		0.150	0.500	⁸ Gl
Tetrachloroethene	U		0.0150	0.0500	⁹ Al
Trichloroethene	U		0.0150	0.0500	¹⁰ Sc
Vinyl chloride	U		0.0150	0.0500	
1,4-Dichlorobenzene	U		0.0150	0.0500	
(S) Toluene-d8	102		80.0-120		
(S) 4-Bromofluorobenzene	98.7		77.0-126		
(S) 1,2-Dichloroethane-d4	103		70.0-130		

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3742426-1 12/18/21 23:05 • (LCSD) R3742426-2 12/18/21 23:25

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Benzene	0.250	0.257	0.267	103	107	70.0-123			3.82	20
Carbon tetrachloride	0.250	0.248	0.277	99.2	111	68.0-126			11.0	20
Chlorobenzene	0.250	0.229	0.235	91.6	94.0	80.0-121			2.59	20
Chloroform	0.250	0.284	0.290	114	116	73.0-120			2.09	20
1,2-Dichloroethane	0.250	0.262	0.269	105	108	70.0-128			2.64	20
1,1-Dichloroethene	0.250	0.290	0.307	116	123	71.0-124			5.70	20
2-Butanone (MEK)	1.25	1.57	1.56	126	125	44.0-160			0.639	20
Tetrachloroethene	0.250	0.237	0.254	94.8	102	72.0-132			6.92	20
Trichloroethene	0.250	0.258	0.275	103	110	78.0-124			6.38	20
Vinyl chloride	0.250	0.228	0.248	91.2	99.2	67.0-131			8.40	20
1,4-Dichlorobenzene	0.250	0.201	0.208	80.4	83.2	79.0-120			3.42	20
(S) Toluene-d8				103	101	80.0-120				
(S) 4-Bromofluorobenzene					101	103	77.0-126			
(S) 1,2-Dichloroethane-d4					102	102	70.0-130			

QUALITY CONTROL SUMMARY

L1441554-01

L1433624-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1433624-02 12/19/21 01:45 • (MS) R3742426-4 12/19/21 07:48 • (MSD) R3742426-5 12/19/21 08:07

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Benzene	0.250	ND	0.280	0.251	112	100	1	17.0-158			10.9	27
Carbon tetrachloride	0.250	ND	0.298	0.265	119	106	1	23.0-159			11.7	28
Chlorobenzene	0.250	ND	0.254	0.225	102	90.0	1	33.0-152			12.1	27
Chloroform	0.250	ND	0.322	0.281	129	112	1	29.0-154			13.6	28
1,2-Dichloroethane	0.250	ND	0.284	0.247	114	98.8	1	29.0-151			13.9	27
1,1-Dichloroethene	0.250	ND	0.326	0.285	130	114	1	11.0-160			13.4	29
2-Butanone (MEK)	1.25	ND	1.70	1.56	136	125	1	10.0-160			8.59	32
Tetrachloroethene	0.250	ND	0.256	0.230	102	92.0	1	10.0-160			10.7	27
Trichloroethene	0.250	ND	0.278	0.257	111	103	1	10.0-160			7.85	25
Vinyl chloride	0.250	ND	0.255	0.229	102	91.6	1	10.0-160			10.7	27
1,4-Dichlorobenzene	0.250	ND	0.227	0.204	90.8	81.6	1	35.0-142			10.7	27
(S) Toluene-d8					100	101		80.0-120				
(S) 4-Bromofluorobenzene					104	100		77.0-126				
(S) 1,2-Dichloroethane-d4					102	101		70.0-130				

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

L1441298-02 Original Sample (OS) • Matrix Spike (MS)

(OS) L1441298-02 12/19/21 03:39 • (MS) R3742426-6 12/19/21 08:26

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits	MS Qualifier
Benzene	0.250	ND	0.283	113	1	17.0-158	
Carbon tetrachloride	0.250	ND	0.295	118	1	23.0-159	
Chlorobenzene	0.250	ND	0.255	102	1	33.0-152	
Chloroform	0.250	ND	0.317	127	1	29.0-154	
1,2-Dichloroethane	0.250	ND	0.286	114	1	29.0-151	
1,1-Dichloroethene	0.250	ND	0.328	131	1	11.0-160	
2-Butanone (MEK)	1.25	ND	1.80	144	1	10.0-160	
Tetrachloroethene	0.250	ND	0.266	106	1	10.0-160	
Trichloroethene	0.250	ND	0.300	120	1	10.0-160	
Vinyl chloride	0.250	ND	0.245	98.0	1	10.0-160	
1,4-Dichlorobenzene	0.250	ND	0.229	91.6	1	35.0-142	
(S) Toluene-d8				102		80.0-120	
(S) 4-Bromofluorobenzene				101		77.0-126	
(S) 1,2-Dichloroethane-d4				102		70.0-130	

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.	¹ Cp
MQL	Method Quantitation Limit.	² Tc
ND	Not detected at the Method Quantitation Limit.	³ Ss
RDL	Reported Detection Limit.	⁴ Cn
Rec.	Recovery.	⁵ Tr
RPD	Relative Percent Difference.	⁶ Sr
SDG	Sample Delivery Group.	⁷ Qc
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.	⁸ Gl
U	Not detected at the Sample Detection Limit.	⁹ Al
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	¹⁰ Sc
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier Description

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Tr

⁶ Sr

⁷ Qc

⁸ Gl

⁹ Al

¹⁰ Sc

Company Name/Address:

UPRR - Golder Associates2201 Double Creek Dr., Ste 4004
Round Rock, TX 78664

Report to:

Matthew WilsonProject Description: *Cudahy WI-Superior Health Lungs*
Edgar WI-Denfeld Proposed Sale - Great Lakes Region City/State Collected:

Phone: 281-350-7197

Client Project #
1384 2812Lab Project #
UPRRGOLD-1384Please Circle:
PT MT CT ET

Collected by (print):

Brian Folta

Collected by (signature):

*Brian Folta*Immediately
Packed on Ice N Y X

Rush? (Lab MUST Be Notified)

Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #

Date Results Needed

No.
of
Cntrs

Sample ID

Comp/Grab

Matrix *

Depth

Date

Time

Cntrs

*SQ-2812-WL-20211210**Comp**SS**0.5'-1'**12/10/21**10:30**2*

Metals AS-4026/NoPb

TCLP/VOC

X

* Matrix:
 SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other _____

Remarks:

Samples returned via:
UPS FedEx Courier

Tracking #

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact: NP Y NCOC Signed/Accurate: Y NBottles arrive intact: Y NCorrect bottles used: Y NSufficient volume sent: Y N

If Applicable

VOA Zero Headspace: Y NPreservation Correct/Checked: Y NRAD Screen <0.5 mR/hr: Y N

Relinquished by : (Signature)

Brian Folta

Date:

12/10/21

Time:

10:30

Received by: (Signature)

Trip Blank Received: Yes / No

HCl / MeOH

TBR

TPA3

Relinquished by : (Signature)

Date:

Time:

Received by: (Signature)

Temp: *11.8±0.1°C* Bottles Received: *24/32*

Relinquished by : (Signature)

Date:

Time:


Received for lab by: (Signature)

Date: *12-13-21* Time: *1000*

If preservation required by Login: Date/Time

Hold: _____ Condition: NCF / OK

Chain of Custody Page 1 of 1


Pace Analytical

 12065 Lebanon Rd Mount Juliet, TN 37122
 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubs/pas-standard-terms.pdf>
SDG # *L1441554*

Table #

Acctnum: **UPRRGOLD**Template: **T196124**Prelogin: **P876086**PM: **134 - Mark W. Beasley**PB: *Cr 9/23/21*Shipped Via: **FedEX Priority**Remarks Sample # (lab only) *-01*