

**EXCAVATION REPORT
FORMER JERRY'S SERVICE (BRRTS 03-41-534110)
2477 NORTH HOLTON STREET
MILWAUKEE, WISCONSIN 53212**

PREPARED FOR:

RILEY NEUMANN
WISCONSIN DEPARTMENT OF NATURAL RESOURCES
2300 NORTH DOCTOR MARTIN LUTHER KING DRIVE
MILWAUKEE, WISCONSIN 53212

SUJIN LEE
P.O. BOX 511834
MILWAUKEE, WISCONSIN 53203

AUGUST 2019

SEYMOUR ENVIRONMENTAL SERVICES, INC.

P.O. Box 398, 2531 Dyreson Road, McFarland, Wisconsin 53558

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
1.1	Site and Consultant Information.....	1
1.2	Summary of Previous Environmental Activities.....	1
2.0	SOIL REMEDIATION	2
3.0	DISCUSSION OF RESULTS	3

FIGURES

1	Site Location
2	Assessment Sampling Data
3	Regional Water Table Contour Map
4	Remedial Excavation Details
5	Post-Remedial Cross-Section

TABLES

1	Summary of Tank Closure Analytical Data
2	Summary of Geoprobe Soil Analytical Data
2a	Summary of Geoprobe Groundwater Analytical Data
3	Summary of Soil Analytical Data from Remedial Excavation

APPENDICES

A	Laboratory Report
B	Soil Disposal Manifests

1.0 INTRODUCTION

In June 2016 soil remediation was conducted at the former Jerry's Service located at 2477 North Holton Street in Milwaukee, Wisconsin (Figure 1). Petroleum related contamination originating from three underground storage tanks previously was identified at the site. The soil contamination extended across the northeast quarter of the site. Removal of the accessible petroleum-impacted soil was determined to be the most appropriate remedial option.

During the week of June 16, 2019, a total of 696.13 tons of contaminated soil were removed from the site. Seymour Environmental Services, Inc. (Seymour) collected soil samples from the margins of the excavation for laboratory analysis. The samples show that residual contamination remains along the excavation sidewalls, but only low levels of contaminants remain at the base of the excavation. Details of the remedial excavation are discussed below along with a summary of the previous assessment activities.

1.1 Site and Consultant Information

Site Location: Former Jerry's Service
2477 North Holton Avenue
Milwaukee, Wisconsin 53203
Parcel #: 321-1334-1
SW ¼ of the SW ¼ of Section 16, Township 7 North, Range 22 East
WTM: X: 690537 Y: 290020

Owner/
Responsible Party: KP Ventures
P.O. Box 511834
Milwaukee, Wisconsin 53203
Contact: Ms. Sujin Lee (414) 745-8790

Consultant: Seymour Environmental Services, Inc.
2531 Dyreson Road
McFarland, Wisconsin 53558
Contact: Robyn Seymour (608) 838-9120

Excavator: DKS Construction Services, Inc.
2520 Wilson Street
Menomonie, Wisconsin 54751
Contact: Mark Schmitz (715) 235-2600

Landfill: Orchard Ridge RDF
W124 N9355 Boundary Road
Menomonee Falls, WI 53051
Brian Smith (262) 253-8620

Laboratory: Pace Analytical
1241 Bellevue Street, Suite 9
Green Bay, Wisconsin 54302
Contact: Dan Milewsky (920) 469-2436

1.2 Summary of Previous Environmental Activities

In November 2010 the fuel storage tank system was removed. The system consisted of three underground storage tanks, two 1,000-gallon leaded gasoline tanks and one 500-gallon waste oil tank, and associated gasoline dispensers. Soil samples were collected during the tank removal (Figure 2). Laboratory

analyses showed that each soil sample contained at least one compound in excess of the Wisconsin Department of Natural Resources (WDNR) soil standards (Table 1).

A Geoprobe™ investigation was conducted on June 22, 2017 to conduct soil and groundwater sampling. Nine borings were installed during the assessment. Three borings were installed near the dispensers and piping (B-1, B-2, and B-3). Two borings were installed near both the former gasoline UST bed (B-4, B-5) and the former waste oil UST (B-8 and B-9). The remaining two borings were installed between the two tanks systems (B-6) and along the east side of the property (B-7). Ten soil samples collected from the borings were selected for analysis of volatile organic compounds (VOCs) or petroleum volatile organic compounds (PVOCs) + naphthalene. Additionally, four shallow soil samples were analyzed for polynuclear aromatic hydrocarbons (PAHs). Groundwater samples were collected at 2 of the borings, B-5 and B-8. The sample from B-5 which is near the former gasoline UST bed was analyzed for VOCs and PAHs. The sample from B-8, near the former waste oil UST, was analyzed for PVOC and PAHs. Boring locations are shown on Figure 2.

Soil contamination was present above the WDNR standards in samples from 6 of the 9 borings. Limited petroleum impacts were identified in the soil near the dispenser area. No compounds exceeded the RCLs in the shallow soil samples collected in this area (B-1 and B-2). High levels of petroleum contamination were present in the soil samples collected from the borings near both of tank beds. Multiple compounds were identified at concentrations exceeding the RCLs in soil samples from the gasoline tank bed area (B-4 and B-5), waste oil tank bed area (B-8 and B-9) and along the gasoline piping (B-3). Petroleum contamination exceeding the RCLs also was identified at B-6 which is located midway between the two former tank beds. No contaminants were present above the standards from either the 4- or 7-foot sample collected from boring B-7 which is located near the street right-of-way to the east of the former waste oil tank. Soil analytical data is summarized in Table 2.

Groundwater samples were collected from two of the borings, B-5 and B-8. The water sample near the former gasoline tank bed (B-5) was collected at a depth of 9-12 feet. That sample contained benzene, ethylbenzene, total trimethylbenzenes and naphthalene present above the enforcement standard (ES). The groundwater sample from the waste oil tank area (B-8) was collected at a depth of 10-15 feet. Only benzene was present above the ES in the sample collected from B-8. During the drilling groundwater was not encountered at a consistent elevation. Because of this, we believe that the water samples collected may be representative of infiltrate that accumulated in the tank excavations rather than actual groundwater. The groundwater analytical results are summarized on Table 3.

Based on the high contaminant levels in the soils and the site layout excavation of the accessible soil contamination was selected for remediation. Published data indicate that the water table is present at a depth of approximately 30 feet (Figure 3). Removal of the highly impacted soils in the source area was believed to be the best approach to mitigate the potential for degradation of groundwater quality. A PECFA budget request for the remedial work was submitted to the WDNR. The costs to remove 675 tons of impacted soil was approved.

2.0 SOIL REMEDIATION

Seymour met DKS Excavating at the site on June 17, 2019 to begin the soil remediation. Additionally, GLS, a private utility locator, came to the site to locate any private utilities in the area of the proposed remedial excavation. The utility locator identified private water and sewer lines near the southern end of the proposed excavation. The utilities ran eastward from the building to North Holton Street.

Excavation work was started along the north side of the property near the former UST basin. The fill soils within the tank closure excavation were removed and stockpiled on the western portion of the driveway for reuse. Approximately 75-80 tons of clean gravel were removed from the tank closure excavation.

After the gravel fill was removed the remedial excavation was advanced downward to a depth of ~10 feet along the northern wall. The north wall of the excavation extended from the back of the Holton Street sidewalk westward to the dispenser canopy along East Wright Street. Deeper excavation was not possible in this area because of concern for the stability of the sidewalk.

The excavation was advanced to the south. The excavation was extended to the south as far as possible without undermining the water and sewer lines. The excavation was limited on all sides by structures or sidewalks. Soils were removed to a depth of ~10 feet along the east and west wall of the excavation. The excavation was extended deeper away from the sidewalls where stability of the sidewalk and adjacent structures were a concern. Along the north-south centerline of the excavation soils were removed to a depth of 12 feet near the former gasoline tank bed and was extended to 15 feet below grade near the former waste oil tank bed. While working near the southern end of the excavation we realized that we were approaching the approved tonnage for the remediation and a small amount of contamination remained at the base of the excavation. The WDNR was contacted and a change order for removal of the additional soil contamination volume was obtained. The area of the remedial excavation is shown on Figure 4.

The native shallow soil encountered during the excavation activities was silty clay from near the surface to a depth of around 10 feet. Soils became somewhat coarser deeper than 10 feet. Soils noted from 10 to 15 feet deep were sandy silt with clay. No obvious groundwater was present in the excavation. However, the backfill at the tank closure excavation was saturated with surface water so it was a little difficult to tell on the north side of the excavation.

Confirmation samples were collected at nine locations from the sidewalls and base of the excavation and submitted to Pace Analytical for analysis (Figure 4). Seven of the confirmation samples were analyzed for PVOCs + naphthalene. The remaining two samples, which were collected on sidewalls near the waste oil UST (#7 and #9), were analyzed for VOCs. The six sidewall samples were collected from a depth of 8 to 9 feet. The three base samples were collected along the north-south centerline of the excavation at depths ranging from 12 to 15 feet.

Petroleum-related compounds were detected in all of the confirmation samples from the remedial excavation. Seven of the samples contained contaminants at levels exceeding the groundwater pathway RCLs. Contaminant levels in all six of the sidewall samples exceeded the groundwater pathway RCLs. The levels of petroleum compounds in two of the three samples collected from the base of the excavation were below the RCLs. Only one compound, benzene, was present above the groundwater pathway RCL in the third sample collected from the base of the excavation. That sample (#5) was collected near the center of the excavation at a depth of 14 feet. Analytical data from the remedial excavation is summarized on Table 4 and the analytical report is included in Appendix A.

During the soil remediation 696.13 tons of contaminated soil were removed from the site. The contaminated soil was taken to Orchard Ridge Landfill for disposal. The landfill manifests are included in Appendix B.

3.0 DISCUSSION OF RESULTS

The remedial excavation was successful in removing nearly 700 tons of heavily contaminated soil which was present in the eastern half of the site near the former tank basins. Sidewall samples indicate that petroleum contamination remains around the perimeter of the excavation in the fine-grained, native soil. Soil samples collected from the base of the excavation at depths ranging from 12 to 15 feet indicate that contamination levels in the soil at the site decline rapidly with depth. Contaminant levels in the base samples were ~1% of the concentrations measured in the sidewall samples. This indicates that the contaminants did not migrate downward substantially into the underlying sandier soils. The vertical

distribution of the residual contamination is shown on a cross-section (Figure 5). Based on the fine-grained and dense soil texture noted in the soils from the surface to ~9 feet it is unlikely that the contamination has migrated laterally to neighboring properties, except to the adjacent street right-of-way. Additionally, preferential migration of the contaminants through the water and sewer lateral trench is not a significant concern since the contamination is deeper than the utilities in that area.

During the excavation no obvious groundwater was noted. This seems to confirm the belief that the water samples collected from the probes during the assessment are not actual groundwater but rather infiltrate that had accumulated in the coarse-grained fill materials in the tank excavations. The City of Milwaukee does not allow private water supply wells so there are no potential receptors for the groundwater.

We believe that the information collected at the site may be sufficient to meet the requirements for site closure. Closure at the site would require continuing obligations including; a GIS registry for residual soil on the site and in the right-of-way, maintenance of the existing building and pavement and gravel cover at the site as a cap to minimize infiltration. Additional investigation of the lateral extent of the contamination will be impeded by roads, utilities and structures.

Vapor

The vapor pathway was assessed using the screening criteria outlined in RR800; no vapor samples were collected. The vapor migration pathway screening indicated that vapor intrusion was not a substantial concern since:

- no odors have been reported in nearby buildings,
- no volatile petroleum compounds are present in soils within 5 feet of the building slabs,
- no free product was noted at the site,
- shallow groundwater is not present below the building which could off-gas contaminants, and
- no groundwater contamination exceeding NR140 PALs is present in contact with the building foundations


Once you have had a chance to review this data, we would like to discuss our next phase with you and if you believe that we should begin preparation of a closure request. Questions should be directed to Robyn Seymour or Mark Fryman at (608) 838-9120.

Sincerely,
Seymour Environmental Services, Inc.



Robyn Seymour

FIGURES



1 INCH = 2000 FEET
SCALE IS APPROXIMATE

FILE/PATH: D:\PROJECTS\KPVENUTES\
SiteLocation.cdr

DATE: 08/01/2019

PREPARED: MDF APPROVED:


SOURCE:
Milwaukee, WI 7.5' Quadrangle, 1958

**SEYMOUR
ENVIRONMENTAL
SERVICES, INC.**

SITE LOCATION
Former Jerry's Service
2477 N. Holton Street
Milwaukee, Wisconsin

FIGURE


1



LEGEND

1 ○ - Tank Closure Sample

B-7 ◆ - Geoprobe (July 2017)



FILE/PATH: D:\PROJECTS\SKPVENTURES\
Basemap-assessmentSamples.cdr

DATE: 08/01/2019



PREPARED: MDF APPROVED:

SOURCE:
Milwaukee County Mapping
Field Measurements

**SEYMOUR
ENVIRONMENTAL
SERVICES, INC.**

ASSESSMENT SAMPLING DATA
Former Jerry's Service
2477 N. Holton Street
Milwaukee, Wisconsin

FIGURE
2



1 INCH = 2 MILE
SCALE IS APPROXIMATE


FILE/PATH: D:\PROJECTS\SKPVENTURES\
WaterTable-regional.cdr
DATE: 08/01/2019
PREPARED: MDF APPROVED:
SOURCE: Groundwater Resources of Southeastern WI
Wisconsin Geologic and Natural History Survey
Technical Report #37, June 2002.

**SEYMOUR
ENVIRONMENTAL
SERVICES, INC.**

REGIONAL WATER-TABLE CONTOUR MAP
Former Jerry's Service
2477 N. Holton Street
Milwaukee, Wisconsin

FIGURE

3



LEGEND

- 1 ○ - Tank Closure Sample
- B-7 ◆ - Geoprobe (July 2017)
- #3 ■ - Excavation Sample (June 2019)

0 20' 40'

1 INCH = 20 FEET
SCALE IS APPROXIMATE

FILE/PATH: D:\PROJECTS\SKPVENTURES\
Basemap-excavation.cdr

DATE: 08/01/2019



PREPARED: MDF APPROVED:

SOURCE:
Milwaukee County Mapping
Field Measurements

**SEYMOUR
ENVIRONMENTAL
SERVICES, INC.**

REMEDIAL EXCAVATION DETAILS
Former Jerry's Service
2477 N. Holton Street
Milwaukee, Wisconsin

**FIGURE
4**



LEGEND

- 1 ○ - Tank Closure Sample
- B-7 ◆ - Geoprobe (July 2017)
- #3 ■ - Excavation Sample (June 2019)

0 20' 40'

1 INCH = 20 FEET
SCALE IS APPROXIMATE

FILE/PATH: D:\PROJECTS\KPKVENTURES\Basemap-PostremedialSection.cdr
 DATE: 08/06/2019
 PREPARED: MDF APPROVED:
 SOURCE: Milwaukee County Mapping Field Measurements

SEYMOUR ENVIRONMENTAL SERVICES, INC.

POST-REMEDIAL CROSS-SECTION
 Former Jerry's Service
 2477 N. Holton Street
 Milwaukee, Wisconsin

FIGURE 5

TABLES

TABLE 1
SUMMARY OF TANK CLOSURE ANALYTICAL DATA (November 18, 2010)
KP Ventures Property
2477 N. Holton Street- Milwaukee, Wisconsin

SAMPLE	Tank #1	Tank #1	Tank #2	Tank #2	Tank #3	Tank #3	Pipeline	Groundwater Pathway RCLs	Direct Contact RCL	
	North	South	North	South	North	South			Non-Indust	Indust.
Depth (ft)	6	6	8	8	8	8	2			
DRO	309	90.4	333	1400	259	482	44.5	ns	ns	ns
GRO	2670	969	384	1120	935	861	43.5	ns	ns	ns
PVOCs										
Benzene	<1000	<500	<250	<500	<500	<500	48.9	5.1	1600	7070
1,2 Dichloroethane	na	na	na	na	na	na	na	2.8	652	2870
Ethylbenzene	<u>42000</u>	<u>9060</u>	<u>5210</u>	<u>16800</u>	<u>13900</u>	<u>9420</u>	1530	1570	8020	35,400
Methyl-tert-butyl ether	<1000	<500	<250	<500	<500	<500	<25.0	27	63,800	282,000
Toluene	5440	1360	898	4550	2870	1210	353	1107	818,000	818,000
1,3,5 Trimethylbenzenes	48500	20700	9760	18700	15200	23500	1240	ns	182,000	182,000
1,2,4 Trimethylbenzenes	<u>142000</u>	57800	31100	60400	51100	66200	4980	ns	219,000	219,000
Total Trimethylbenzenes	190500	78500	40860	79100	66300	89700	6220	1379	ns	ns
Xylenes, -m, -p	182000	34100	18600	55200	46300	39400	4700	ns	ns	ns
Xylene, -o	50700	7460	5170	16900	12200	8710	1480	ns	ns	ns
Total Xylenes	232700	41560	23770	72100	58500	48110	6180	3940	260,000	260,000
Naphthalene	<u>27400</u>	<u>10200</u>	<u>9530</u>	<u>15600</u>	<u>12400</u>	<u>10600</u>	920	658.7	5520	24,100

- DRO and GRO values are listed in mg/kg
- PVOC values are listed in ug/kg
- na = not analyzed
- ns = no standard established

- Groundwater Pathway RCL = Residual Contaminant Level (exceedances bold)
- Direct Contact RCLs - Non-Industrial (exceedances underlined)
- Direct Contact RCLs Industrial
- Standards listed are Wisconsin Default values from R&R RCL Calculator

TABLE 2
SUMMARY OF GEOPROBE SOIL ANALYTICAL DATA (June 22, 2017)
Former Jerry's Service - 2477 North Holton Street - Milwaukee, WI

SAMPLE	B-1	B-2	B-3	B-4	B-5	B-6	B-7	B-7	B-8	B-9	Groundwater Pathway RCLs	Non-Industrial Direct Contact RCLs
Depth (ft)	2	3	3.5	7	7	5	4	7	7	4		
GRO	<3.0	<2.8	na	na	na	na	na	na	na	na	ns	ns
VOCs/PVOCs												
Benzene	<25.0	<25.0	<500	6030	89.2	540(J)	<25.0	<25.0	5450	<u>11600</u>	5.1	1600
1,2 Dichloroethane	na	na	<500	na	na	na	<25.0	na	na	<625	2.8	652
Ethylbenzene	<25.0	<25.0	1930	5380	2620	19600	<25.0	<25.0	1080	<u>80700</u>	1570	8020
Methyl-tert-butyl ether	<25.0	<25.0	<500	51.6(J)	44.9(J)	<250	<25.0	<25.0	47.0(J)	<625	27	63,800
Toluene	30.7(J)	<25.0	<500	1250	95.9	971	<25.0	<25.0	1510	251000	1107	818,000
1,3,5 Trimethylbenzene	<25.0	<25.0	37800	671	503	17500	<25.0	<25.0	105	43800	ns	182,000
1,2,4 Trimethylbenzene	<25.0	<25.0	153000	2870	8380	63500	<25.0	<25.0	402	151000	ns	219,000
Total Trimethylbenzenes	<50.0	<50.0	190800	3541	8883	81000	<50.0	<50.0	507	194800	1379	ns
Xylenes, -m, -p	<50.0	<50.0	8240	16100	4010	23100	<50.0	<50.0	3070	288000	ns	ns
Xylene, -o	<25.0	<25.0	1160	5890	119	3150	<25.0	<25.0	1110	105000	ns	ns
Total Xylenes	<75.0	<75.0	9400	21990	4129	26250	<75.0	<75.0	4180	<u>393000</u>	3940	260,000
Naphthalene	na	na	<u>9830</u>	1250	3200	9300	<40.0	65.8	103	<u>25000</u>	658.7	5520
n-Butylbenzene	na	na	<500	na	na	na	<25.0	na	na	14400	ns	108,000
s-Butylbenzene	na	na	933	na	na	na	<25.0	na	na	2380	ns	145,000
Chloroform	na	na	<929	na	na	na	<46.4	na	na	<u>1880</u>	3.3	454
Isopropylbenzene	na	na	<500	na	na	na	<25.0	na	na	5780	ns	268,000
p-Isopropyltoluene	na	na	1880	na	na	na	<25.0	na	na	1380	ns	162,000
n-Propylbenzene	na	na	1910	na	na	na	<25.0	na	na	28900	ns	264,000
PAHs												
Acenaphthene	<4.7	<4.4	<226	na	na	na	na	na	na	<4.5	ns	3,590,000
Acenaphthylene	<4.0	<3.7	<192	na	na	na	na	na	na	<3.8	ns	ns
Anthracene	<7.0	<6.5	<333	na	na	na	na	na	na	<6.6	196,744	17,900,000
Benzo(a)anthracene*	<3.9	<3.6	<185	na	na	na	na	na	na	<3.7	ns	1,140
Benzo(a)pyrene*	<3.1	<2.9	<146	na	na	na	na	na	na	<2.9	470	115
Benzo(b)fluoranthene*	<3.4	<3.2	<165	na	na	na	na	na	na	<3.3	480	1,150
Benzo(g,h,i)perylene	<2.5	<2.3	<118	na	na	na	na	na	na	<2.4	ns	ns
Benzo(k)fluoranthene*	<3.1	<2.8	<146	na	na	na	na	na	na	<2.9	ns	11,500
Dibenzo(a,h)anthracene*	<2.7	<2.5	<130	na	na	na	na	na	na	<2.6	ns	115
Chrysene*	<4.1	<3.8	<197	na	na	na	na	na	na	<3.9	145.1	115,000
Fluoranthene	<6.3	<5.9	<304	na	na	na	na	na	na	<6.1	88,818	2,390,000
Fluorene	<5.0	<4.7	<241	na	na	na	na	na	na	<4.8	14,815	2,390,000
Indeno(1,2,3-cd)pyrene*	<2.7	<2.5	<128	na	na	na	na	na	na	<2.6	ns	1,150
1-Methylnaphthalene	<4.9	<4.6	9330	na	na	na	na	na	na	218	ns	17,600
2-Methylnaphthalene	<6.1	<5.7	16900	na	na	na	na	na	na	470	ns	239,000
Naphthalene	<10.2	<9.6	<u>6380</u>	na	na	na	na	na	na	656	658.7	5,520
Phenanthrene	<14.2	<13.2	<679	na	na	na	na	na	na	<13.6	ns	ns
Pyrene	<5.5	<5.1	<263	na	na	na	na	na	na	<5.3	54,772	1,790,000
Total Cancer Risk*	6.0x10 ⁻⁸	5.5 x10 ⁻⁸	2.8 x10 ⁻⁶	--	--	--	--	--	--	5.6 x10 ⁻⁸	ns	5. x10 ⁻⁶

- VOCs and PAHs are reported in ug/kg
- GRO reported in mg/kg
- na = not analyzed
- ns = no standard established

- (J) = present below limit of quantitation
- Groundwater Pathway RCL (exceedances bold)
- Direct Contact Hazard RCL - non-industrial (exceedances underlined)
* = Large Cancerous PAH; -total risk used for direct contact hazard evaluation

TABLE 3
SUMMARY OF GEOPROBE GROUNDWATER ANALYTICAL DATA (06/22/2017)
Former Jerry's Service
2477 North Holton Street – Milwaukee, Wisconsin

Sample I.D.	B-5	B-8	NR140	
Depth Interval (ft)	9-12	10-15		
VOCs			ES	PAL
Benzene	774	23.8	5	0.5
1,2 Dichloroethane	<6.7	na	5	0.5
Ethylbenzene	1320	5.8	700	140
Methyl-tert-butyl ether	<7.0	1.9	60	12
Toluene	123	2.1	800	160
Total Trimethylbenzenes	1827	4.4	480	96
Total Xylenes	2055.3	15	2000	400
Naphthalene	452	na	100	10
n-Butylbenzene	32.6	na	ns	ns
s-Butylbenzene	<87.4	na	ns	ns
Chloroform	<100	na	6	0.6
Isopropylbenzene	66.6	na	ns	ns
p-Isopropyltoluene	<20.0	na	ns	ns
n-Propylbenzene	177	na	ns	ns
PAHs				
Acenaphthrene	0.24	<0.0056	ns	ns
Acenaphthylene	<0.19	<0.0046	ns	ns
Anthracene	<0.39	<0.0096	3000	600
Benzo(a)anthracene	<0.28	<0.0069	ns	ns
Benzo(a)pyrene	<0.39	<0.0097	0.2	0.02
Benzo(b)fluoranthene	<0.21	<0.0053	0.2	0.02
Benzo(g,h,i)perylene	<0.25	<0.0062	ns	ns
Benzo(k)fluoranthene	<0.28	<0.0069	ns	ns
Chrysene	<0.49	<0.012	0.2	0.02
Dibenzo(a,h)anthracene	<0.37	<0.0092	ns	ns
Fluoranthene	<0.40	<0.0098	400	80
Fluorene	<0.30	<0.0073	400	80
Indeno(1,2,3-cd)pyrene	<0.66	<0.016	ns	ns
1-Methylnaphthalene	60.3	0.16	ns	ns
2-Methylnaphthalene	117	0.23	ns	ns
Naphthalene	345	0.85	100	10
Phenanthrene	<0.52	0.014 (J)	ns	ns
Pyrene	<0.29	0.0071 (J)	250	50

- All data is listed in ug/l
- na = not analyzed
- ns = no standard established

- PAL = NR140 Preventative Action Limit (exceedances underlined)
- ES = NR140 Enforcement Standard (exceedances bold)
-(J) = present below limit of quantitation

TABLE 4
SUMMARY OF SOIL ANALYTICAL DATA FROM REMEDIAL EXCAVATION (June 17-18/2019)
Former Jerry's Tire - KP Ventures
2477 N. Holton Avenue - Milwaukee, WI

SAMPLE	#1	#2	#3	#4	#5	#6	#7	#8	#9	Groundwater Pathway RCLs	Non Industrial Direct Contact RCLs
Depth (ft)	12	8	8	6	14	8	9	15	8		
VOCs											
Benzene	<28.7	4190	21200	<125	250	25900	9940	<25.0	4180	5.1	1600
1,2 Dichloroethane	na	na	na	na	na	na	<50.0	na	<200	2.8	652
Ethylbenzene	78.7 J	16100	<100	3220	88.6	556	184	69.8	28600	1570	8020
Methyl-tert-butyl ether	<28.7	<200	<100	<125	<25.0	<100	<50.0	<25.0	<200	27	63,800
Toluene	61.5 J	50100	2310	<125	105	33200	12200	116	6110	1107	818,000
1,3,5 Trimethylbenzene	53.7 J	6480	<100	2770	31.6 J	<100	135 J	71.3	18900	ns	182,000
1,2,4 Trimethylbenzene	257	22200	<100	38800	140	360	626	188	93100	ns	219,000
Total Trimethylbenzenes	310.7	28680	<200	41570	171.6	360	761	259.3	112000	1379	ns
Xylenes, -m, -p	259	61400	<200	7430	227	983	514	238	74000	ns	ns
Xylene, -o	<28.7	23500	<100	573	36.9	634	200	497.3	15400	ns	ns
Total Xylenes	259	84900	<300	8003	263.9	1617	714	<75.0	89400	3940	260,000
Naphthalene	<46.0	2990	<160	7600	<40.0	592 J	150 J	<40.0	11200	658.7	5520
n-Butylbenzene	na	na	na	na	na	na	<50.0	na	11600	ns	108,000
s-Butylbenzene	na	na	na	na	na	na	<50.0	na	1910	ns	145,000
Chloroform	na	na	na	na	na	na	<92.9	na	<372	3.3	454
Isopropylbenzene	na	na	na	na	na	na	<50.0	na	3250	ns	268,000
p-Isopropyltoluene	na	na	na	na	na	na	<50.0	na	1180	ns	162,000
n-Propylbenzene	na	na	na	na	na	na	75.7 J	na	15500	ns	264,000

- Results are listed in ug/kg
- na = not analyzed
- ns = no standard established
- J = detected below laboratory limit of quantitation

- RCL = Residual Contaminant Level
- Groundwater Pathway RCL (exceedances bold)
- Direct Contact RCL non-industrial (exceedances underlined)
- Standards listed are default values from R&R RCL Calculator

APPENDIX A

LABORATORY REPORT

July 09, 2019

Robyn Seymour
Seymour Environmental Services, INC.
2531 Dyreson Road
Mc Farland, WI 53558

RE: Project: KP VENTURES
Pace Project No.: 40190146

Dear Robyn Seymour:

Enclosed are the analytical results for sample(s) received by the laboratory on June 26, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: KP VENTURES
Pace Project No.: 40190146

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: KP VENTURES
Pace Project No.: 40190146

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40190146001	#1	Solid	06/17/19 08:00	06/26/19 09:28
40190146002	#2	Solid	06/17/19 08:05	06/26/19 09:28
40190146003	#3	Solid	06/17/19 11:00	06/26/19 09:28
40190146004	#4	Solid	06/17/19 13:30	06/26/19 09:28
40190146005	#5	Solid	06/17/19 14:50	06/26/19 09:28
40190146006	#6	Solid	06/17/19 15:15	06/26/19 09:28
40190146007	#7	Solid	06/17/19 16:00	06/26/19 09:28
40190146008	#8	Solid	06/18/19 10:00	06/26/19 09:28
40190146009	#9	Solid	06/18/19 11:00	06/26/19 09:28
40190146010	TRIP BL	Solid	06/18/19 11:30	06/26/19 09:28

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: KP VENTURES

Pace Project No.: 40190146

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40190146001	#1	EPA 8260	MDS	12
		ASTM D2974-87	SKW	1
40190146002	#2	EPA 8260	MDS	12
		ASTM D2974-87	SKW	1
40190146003	#3	EPA 8260	MDS	12
		ASTM D2974-87	SKW	1
40190146004	#4	EPA 8260	MDS	12
		ASTM D2974-87	SKW	1
40190146005	#5	EPA 8260	MDS	12
		ASTM D2974-87	SKW	1
40190146006	#6	EPA 8260	MDS	12
		ASTM D2974-87	SKW	1
40190146007	#7	EPA 8260	MDS	64
		ASTM D2974-87	SKW	1
40190146008	#8	EPA 8260	MDS	12
		ASTM D2974-87	SKW	1
40190146009	#9	EPA 8260	MDS	64
		ASTM D2974-87	SKW	1
40190146010	TRIP BL	EPA 8260	MDS	12

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: KP VENTURES

Pace Project No.: 40190146

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40190146001	#1					
EPA 8260	Ethylbenzene	78.7J	ug/kg	81.0	06/28/19 14:56	
EPA 8260	Toluene	61.5J	ug/kg	81.0	06/28/19 14:56	
EPA 8260	1,2,4-Trimethylbenzene	257	ug/kg	81.0	06/28/19 14:56	
EPA 8260	1,3,5-Trimethylbenzene	53.7J	ug/kg	81.0	06/28/19 14:56	
EPA 8260	m&p-Xylene	259	ug/kg	162	06/28/19 14:56	
ASTM D2974-87	Percent Moisture	14.9	%	0.10	07/08/19 16:53	
40190146002	#2					
EPA 8260	Benzene	4190	ug/kg	547	07/01/19 14:14	
EPA 8260	Ethylbenzene	16100	ug/kg	547	07/01/19 14:14	
EPA 8260	Naphthalene	2990	ug/kg	2280	07/01/19 14:14	
EPA 8260	Toluene	50100	ug/kg	547	07/01/19 14:14	
EPA 8260	1,2,4-Trimethylbenzene	22200	ug/kg	547	07/01/19 14:14	
EPA 8260	1,3,5-Trimethylbenzene	6480	ug/kg	547	07/01/19 14:14	
EPA 8260	m&p-Xylene	61400	ug/kg	1090	07/01/19 14:14	
EPA 8260	o-Xylene	23500	ug/kg	547	07/01/19 14:14	
ASTM D2974-87	Percent Moisture	12.2	%	0.10	07/08/19 16:53	
40190146003	#3					
EPA 8260	Benzene	21200	ug/kg	275	06/28/19 20:23	
EPA 8260	Toluene	2310	ug/kg	275	06/28/19 20:23	
ASTM D2974-87	Percent Moisture	12.6	%	0.10	07/08/19 16:53	
40190146004	#4					
EPA 8260	Ethylbenzene	3220	ug/kg	358	06/28/19 20:46	
EPA 8260	Naphthalene	7600	ug/kg	1490	06/28/19 20:46	
EPA 8260	1,2,4-Trimethylbenzene	38800	ug/kg	358	06/28/19 20:46	
EPA 8260	1,3,5-Trimethylbenzene	2770	ug/kg	358	06/28/19 20:46	
EPA 8260	m&p-Xylene	7430	ug/kg	716	06/28/19 20:46	
EPA 8260	o-Xylene	573	ug/kg	358	06/28/19 20:46	
ASTM D2974-87	Percent Moisture	16.2	%	0.10	07/08/19 16:53	
40190146005	#5					
EPA 8260	Benzene	250	ug/kg	67.6	07/01/19 13:28	
EPA 8260	Ethylbenzene	88.6	ug/kg	67.6	07/01/19 13:28	
EPA 8260	Toluene	105	ug/kg	67.6	07/01/19 13:28	
EPA 8260	1,2,4-Trimethylbenzene	140	ug/kg	67.6	07/01/19 13:28	
EPA 8260	1,3,5-Trimethylbenzene	31.6J	ug/kg	67.6	07/01/19 13:28	
EPA 8260	m&p-Xylene	227	ug/kg	135	07/01/19 13:28	
EPA 8260	o-Xylene	36.9J	ug/kg	67.6	07/01/19 13:28	
ASTM D2974-87	Percent Moisture	11.2	%	0.10	07/08/19 16:53	
40190146006	#6					
EPA 8260	Benzene	25900	ug/kg	281	06/28/19 21:09	
EPA 8260	Ethylbenzene	556	ug/kg	281	06/28/19 21:09	
EPA 8260	Naphthalene	592J	ug/kg	1170	06/28/19 21:09	
EPA 8260	Toluene	33200	ug/kg	281	06/28/19 21:09	
EPA 8260	1,2,4-Trimethylbenzene	360	ug/kg	281	06/28/19 21:09	
EPA 8260	m&p-Xylene	983	ug/kg	561	06/28/19 21:09	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: KP VENTURES

Pace Project No.: 40190146

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40190146006	#6					
EPA 8260	o-Xylene	634	ug/kg	281	06/28/19 21:09	
ASTM D2974-87	Percent Moisture	14.5	%	0.10	07/08/19 16:53	
40190146007	#7					
EPA 8260	Benzene	9940	ug/kg	139	07/01/19 12:41	
EPA 8260	Ethylbenzene	184	ug/kg	139	07/01/19 12:41	
EPA 8260	Naphthalene	150J	ug/kg	577	07/01/19 13:51	
EPA 8260	n-Propylbenzene	75.7J	ug/kg	139	07/01/19 12:41	
EPA 8260	Toluene	12200	ug/kg	139	07/01/19 12:41	
EPA 8260	1,2,4-Trimethylbenzene	626	ug/kg	139	07/01/19 12:41	
EPA 8260	1,3,5-Trimethylbenzene	135J	ug/kg	139	07/01/19 12:41	
EPA 8260	m&p-Xylene	514	ug/kg	277	07/01/19 12:41	
EPA 8260	o-Xylene	200	ug/kg	139	07/01/19 12:41	
ASTM D2974-87	Percent Moisture	13.4	%	0.10	07/08/19 16:53	
40190146008	#8					
EPA 8260	Ethylbenzene	69.8J	ug/kg	70.4	06/28/19 18:28	
EPA 8260	Toluene	116	ug/kg	70.4	06/28/19 18:28	
EPA 8260	1,2,4-Trimethylbenzene	188	ug/kg	70.4	06/28/19 18:28	
EPA 8260	1,3,5-Trimethylbenzene	71.3	ug/kg	70.4	06/28/19 18:28	
EPA 8260	m&p-Xylene	238	ug/kg	141	06/28/19 18:28	
EPA 8260	o-Xylene	75.3	ug/kg	70.4	06/28/19 18:28	
ASTM D2974-87	Percent Moisture	14.8	%	0.10	07/08/19 16:53	
40190146009	#9					
EPA 8260	Benzene	4180	ug/kg	587	06/29/19 03:42	
EPA 8260	n-Butylbenzene	11600	ug/kg	587	06/29/19 03:42	
EPA 8260	sec-Butylbenzene	1910	ug/kg	587	06/29/19 03:42	
EPA 8260	Ethylbenzene	28600	ug/kg	587	06/29/19 03:42	
EPA 8260	Isopropylbenzene (Cumene)	3250	ug/kg	587	06/29/19 03:42	
EPA 8260	p-Isopropyltoluene	1180	ug/kg	587	06/29/19 03:42	
EPA 8260	Naphthalene	11200	ug/kg	2450	06/29/19 03:42	
EPA 8260	n-Propylbenzene	15500	ug/kg	587	06/29/19 03:42	
EPA 8260	Toluene	6110	ug/kg	587	06/29/19 03:42	
EPA 8260	1,2,4-Trimethylbenzene	93100	ug/kg	587	06/29/19 03:42	
EPA 8260	1,3,5-Trimethylbenzene	18900	ug/kg	587	06/29/19 03:42	
EPA 8260	m&p-Xylene	74000	ug/kg	1170	06/29/19 03:42	
EPA 8260	o-Xylene	15400	ug/kg	587	06/29/19 03:42	
ASTM D2974-87	Percent Moisture	18.3	%	0.10	07/08/19 16:53	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: KP VENTURES

Pace Project No.: 40190146

Sample: #1 Lab ID: **40190146001** Collected: 06/17/19 08:00 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<28.7	ug/kg	69.0	28.7	1	06/27/19 08:15	06/28/19 14:56	71-43-2	W
Ethylbenzene	78.7J	ug/kg	81.0	33.8	1	06/27/19 08:15	06/28/19 14:56	100-41-4	
Methyl-tert-butyl ether	<28.7	ug/kg	69.0	28.7	1	06/27/19 08:15	06/28/19 14:56	1634-04-4	W
Naphthalene	<46.0	ug/kg	287	46.0	1	06/27/19 08:15	06/28/19 14:56	91-20-3	W
Toluene	61.5J	ug/kg	81.0	33.8	1	06/27/19 08:15	06/28/19 14:56	108-88-3	
1,2,4-Trimethylbenzene	257	ug/kg	81.0	33.8	1	06/27/19 08:15	06/28/19 14:56	95-63-6	
1,3,5-Trimethylbenzene	53.7J	ug/kg	81.0	33.8	1	06/27/19 08:15	06/28/19 14:56	108-67-8	
m&p-Xylene	259	ug/kg	162	67.5	1	06/27/19 08:15	06/28/19 14:56	179601-23-1	
o-Xylene	<28.7	ug/kg	69.0	28.7	1	06/27/19 08:15	06/28/19 14:56	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	100	%	57-146		1	06/27/19 08:15	06/28/19 14:56	1868-53-7	
4-Bromofluorobenzene (S)	99	%	54-126		1	06/27/19 08:15	06/28/19 14:56	460-00-4	
Toluene-d8 (S)	97	%	64-134		1	06/27/19 08:15	06/28/19 14:56	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	14.9	%	0.10	0.10	1		07/08/19 16:53		

Sample: #2 Lab ID: **40190146002** Collected: 06/17/19 08:05 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	4190	ug/kg	547	228	8	06/27/19 08:15	07/01/19 14:14	71-43-2	
Ethylbenzene	16100	ug/kg	547	228	8	06/27/19 08:15	07/01/19 14:14	100-41-4	
Methyl-tert-butyl ether	<200	ug/kg	480	200	8	06/27/19 08:15	07/01/19 14:14	1634-04-4	W
Naphthalene	2990	ug/kg	2280	365	8	06/27/19 08:15	07/01/19 14:14	91-20-3	
Toluene	50100	ug/kg	547	228	8	06/27/19 08:15	07/01/19 14:14	108-88-3	
1,2,4-Trimethylbenzene	22200	ug/kg	547	228	8	06/27/19 08:15	07/01/19 14:14	95-63-6	
1,3,5-Trimethylbenzene	6480	ug/kg	547	228	8	06/27/19 08:15	07/01/19 14:14	108-67-8	
m&p-Xylene	61400	ug/kg	1090	456	8	06/27/19 08:15	07/01/19 14:14	179601-23-1	
o-Xylene	23500	ug/kg	547	228	8	06/27/19 08:15	07/01/19 14:14	95-47-6	
Surrogates									
Dibromofluoromethane (S)	112	%	57-146		8	06/27/19 08:15	07/01/19 14:14	1868-53-7	
4-Bromofluorobenzene (S)	119	%	54-126		8	06/27/19 08:15	07/01/19 14:14	460-00-4	
Toluene-d8 (S)	110	%	64-134		8	06/27/19 08:15	07/01/19 14:14	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	12.2	%	0.10	0.10	1		07/08/19 16:53		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: KP VENTURES

Pace Project No.: 40190146

Sample: #3 **Lab ID: 40190146003** Collected: 06/17/19 11:00 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Benzene	21200	ug/kg	275	114	4	06/27/19 08:15	06/28/19 20:23	71-43-2	
Ethylbenzene	<100	ug/kg	240	100	4	06/27/19 08:15	06/28/19 20:23	100-41-4	W
Methyl-tert-butyl ether	<100	ug/kg	240	100	4	06/27/19 08:15	06/28/19 20:23	1634-04-4	W
Naphthalene	<160	ug/kg	1000	160	4	06/27/19 08:15	06/28/19 20:23	91-20-3	W
Toluene	2310	ug/kg	275	114	4	06/27/19 08:15	06/28/19 20:23	108-88-3	
1,2,4-Trimethylbenzene	<100	ug/kg	240	100	4	06/27/19 08:15	06/28/19 20:23	95-63-6	W
1,3,5-Trimethylbenzene	<100	ug/kg	240	100	4	06/27/19 08:15	06/28/19 20:23	108-67-8	W
m&p-Xylene	<200	ug/kg	480	200	4	06/27/19 08:15	06/28/19 20:23	179601-23-1	W
o-Xylene	<100	ug/kg	240	100	4	06/27/19 08:15	06/28/19 20:23	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	112	%	57-146		4	06/27/19 08:15	06/28/19 20:23	1868-53-7	
4-Bromofluorobenzene (S)	101	%	54-126		4	06/27/19 08:15	06/28/19 20:23	460-00-4	
Toluene-d8 (S)	105	%	64-134		4	06/27/19 08:15	06/28/19 20:23	2037-26-5	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	12.6	%	0.10	0.10	1		07/08/19 16:53		

Sample: #4 **Lab ID: 40190146004** Collected: 06/17/19 13:30 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Benzene	<125	ug/kg	300	125	5	06/27/19 08:15	06/28/19 20:46	71-43-2	W
Ethylbenzene	3220	ug/kg	358	149	5	06/27/19 08:15	06/28/19 20:46	100-41-4	
Methyl-tert-butyl ether	<125	ug/kg	300	125	5	06/27/19 08:15	06/28/19 20:46	1634-04-4	W
Naphthalene	7600	ug/kg	1490	239	5	06/27/19 08:15	06/28/19 20:46	91-20-3	
Toluene	<125	ug/kg	300	125	5	06/27/19 08:15	06/28/19 20:46	108-88-3	W
1,2,4-Trimethylbenzene	38800	ug/kg	358	149	5	06/27/19 08:15	06/28/19 20:46	95-63-6	
1,3,5-Trimethylbenzene	2770	ug/kg	358	149	5	06/27/19 08:15	06/28/19 20:46	108-67-8	
m&p-Xylene	7430	ug/kg	716	298	5	06/27/19 08:15	06/28/19 20:46	179601-23-1	
o-Xylene	573	ug/kg	358	149	5	06/27/19 08:15	06/28/19 20:46	95-47-6	
Surrogates									
Dibromofluoromethane (S)	100	%	57-146		5	06/27/19 08:15	06/28/19 20:46	1868-53-7	
4-Bromofluorobenzene (S)	102	%	54-126		5	06/27/19 08:15	06/28/19 20:46	460-00-4	
Toluene-d8 (S)	99	%	64-134		5	06/27/19 08:15	06/28/19 20:46	2037-26-5	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	16.2	%	0.10	0.10	1		07/08/19 16:53		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: KP VENTURES
Pace Project No.: 40190146

Sample: #5 Lab ID: 40190146005 Collected: 06/17/19 14:50 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	250	ug/kg	67.6	28.2	1	06/27/19 08:15	07/01/19 13:28	71-43-2	
Ethylbenzene	88.6	ug/kg	67.6	28.2	1	06/27/19 08:15	07/01/19 13:28	100-41-4	
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	06/27/19 08:15	07/01/19 13:28	1634-04-4	W
Naphthalene	<40.0	ug/kg	250	40.0	1	06/27/19 08:15	07/01/19 13:28	91-20-3	W
Toluene	105	ug/kg	67.6	28.2	1	06/27/19 08:15	07/01/19 13:28	108-88-3	
1,2,4-Trimethylbenzene	140	ug/kg	67.6	28.2	1	06/27/19 08:15	07/01/19 13:28	95-63-6	
1,3,5-Trimethylbenzene	31.6J	ug/kg	67.6	28.2	1	06/27/19 08:15	07/01/19 13:28	108-67-8	
m&p-Xylene	227	ug/kg	135	56.3	1	06/27/19 08:15	07/01/19 13:28	179601-23-1	
o-Xylene	36.9J	ug/kg	67.6	28.2	1	06/27/19 08:15	07/01/19 13:28	95-47-6	
Surrogates									
Dibromofluoromethane (S)	115	%	57-146		1	06/27/19 08:15	07/01/19 13:28	1868-53-7	
4-Bromofluorobenzene (S)	113	%	54-126		1	06/27/19 08:15	07/01/19 13:28	460-00-4	
Toluene-d8 (S)	113	%	64-134		1	06/27/19 08:15	07/01/19 13:28	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	11.2	%	0.10	0.10	1		07/08/19 16:53		

Sample: #6 Lab ID: 40190146006 Collected: 06/17/19 15:15 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	25900	ug/kg	281	117	4	06/27/19 08:15	06/28/19 21:09	71-43-2	
Ethylbenzene	556	ug/kg	281	117	4	06/27/19 08:15	06/28/19 21:09	100-41-4	
Methyl-tert-butyl ether	<100	ug/kg	240	100	4	06/27/19 08:15	06/28/19 21:09	1634-04-4	W
Naphthalene	592J	ug/kg	1170	187	4	06/27/19 08:15	06/28/19 21:09	91-20-3	
Toluene	33200	ug/kg	281	117	4	06/27/19 08:15	06/28/19 21:09	108-88-3	
1,2,4-Trimethylbenzene	360	ug/kg	281	117	4	06/27/19 08:15	06/28/19 21:09	95-63-6	
1,3,5-Trimethylbenzene	<100	ug/kg	240	100	4	06/27/19 08:15	06/28/19 21:09	108-67-8	W
m&p-Xylene	983	ug/kg	561	234	4	06/27/19 08:15	06/28/19 21:09	179601-23-1	
o-Xylene	634	ug/kg	281	117	4	06/27/19 08:15	06/28/19 21:09	95-47-6	
Surrogates									
Dibromofluoromethane (S)	99	%	57-146		4	06/27/19 08:15	06/28/19 21:09	1868-53-7	
4-Bromofluorobenzene (S)	91	%	54-126		4	06/27/19 08:15	06/28/19 21:09	460-00-4	
Toluene-d8 (S)	93	%	64-134		4	06/27/19 08:15	06/28/19 21:09	2037-26-5	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Percent Moisture	14.5	%	0.10	0.10	1		07/08/19 16:53		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: KP VENTURES

Pace Project No.: 40190146

Sample: #7 Lab ID: 40190146007 Collected: 06/17/19 16:00 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Benzene	9940	ug/kg	139	57.7	2	06/27/19 11:45	07/01/19 12:41	71-43-2	
Bromobenzene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	108-86-1	W
Bromochloromethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	74-97-5	W
Bromodichloromethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	75-27-4	W
Bromoform	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	75-25-2	W
Bromomethane	<140	ug/kg	500	140	2	06/27/19 11:45	07/01/19 12:41	74-83-9	W
n-Butylbenzene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	104-51-8	W
sec-Butylbenzene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	135-98-8	W
tert-Butylbenzene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	98-06-6	W
Carbon tetrachloride	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	56-23-5	W
Chlorobenzene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	108-90-7	W
Chloroethane	<134	ug/kg	500	134	2	06/27/19 11:45	07/01/19 12:41	75-00-3	W
Chloroform	<92.9	ug/kg	500	92.9	2	06/27/19 11:45	07/01/19 12:41	67-66-3	W
Chloromethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	74-87-3	W
2-Chlorotoluene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	95-49-8	W
4-Chlorotoluene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	106-43-4	W
1,2-Dibromo-3-chloropropane	<182	ug/kg	500	182	2	06/27/19 11:45	07/01/19 12:41	96-12-8	W
Dibromochloromethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	124-48-1	W
1,2-Dibromoethane (EDB)	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	106-93-4	W
Dibromomethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	74-95-3	W
1,2-Dichlorobenzene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	95-50-1	W
1,3-Dichlorobenzene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	541-73-1	W
1,4-Dichlorobenzene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	106-46-7	W
Dichlorodifluoromethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	75-71-8	W
1,1-Dichloroethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	75-34-3	W
1,2-Dichloroethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	107-06-2	W
1,1-Dichloroethene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	75-35-4	W
cis-1,2-Dichloroethene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	156-59-2	W
trans-1,2-Dichloroethene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	156-60-5	W
1,2-Dichloropropane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	78-87-5	W
1,3-Dichloropropane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	142-28-9	W
2,2-Dichloropropane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	594-20-7	W
1,1-Dichloropropene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	563-58-6	W
cis-1,3-Dichloropropene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	10061-01-5	W
trans-1,3-Dichloropropene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	10061-02-6	W
Diisopropyl ether	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	108-20-3	W
Ethylbenzene	184	ug/kg	139	57.7	2	06/27/19 11:45	07/01/19 12:41	100-41-4	
Hexachloro-1,3-butadiene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	87-68-3	W
Isopropylbenzene (Cumene)	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	98-82-8	W
p-Isopropyltoluene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	99-87-6	W
Methylene Chloride	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	75-09-2	W
Methyl-tert-butyl ether	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	1634-04-4	W
Naphthalene	150J	ug/kg	577	92.5	2	06/27/19 11:45	07/01/19 13:51	91-20-3	
n-Propylbenzene	75.7J	ug/kg	139	57.7	2	06/27/19 11:45	07/01/19 12:41	103-65-1	
Styrene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	100-42-5	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: KP VENTURES

Pace Project No.: 40190146

Sample: #7 Lab ID: 40190146007 Collected: 06/17/19 16:00 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	630-20-6	W
1,1,2,2-Tetrachloroethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	79-34-5	W
Tetrachloroethene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	127-18-4	W
Toluene	12200	ug/kg	139	57.7	2	06/27/19 11:45	07/01/19 12:41	108-88-3	
1,2,3-Trichlorobenzene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	87-61-6	W
1,2,4-Trichlorobenzene	<95.1	ug/kg	500	95.1	2	06/27/19 11:45	07/01/19 12:41	120-82-1	W
1,1,1-Trichloroethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	71-55-6	W
1,1,2-Trichloroethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	79-00-5	W
Trichloroethene	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	79-01-6	W
Trichlorofluoromethane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	75-69-4	W
1,2,3-Trichloropropane	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	96-18-4	W
1,2,4-Trimethylbenzene	626	ug/kg	139	57.7	2	06/27/19 11:45	07/01/19 12:41	95-63-6	
1,3,5-Trimethylbenzene	135J	ug/kg	139	57.7	2	06/27/19 11:45	07/01/19 12:41	108-67-8	
Vinyl chloride	<50.0	ug/kg	120	50.0	2	06/27/19 11:45	07/01/19 12:41	75-01-4	W
m&p-Xylene	514	ug/kg	277	115	2	06/27/19 11:45	07/01/19 12:41	179601-23-1	
o-Xylene	200	ug/kg	139	57.7	2	06/27/19 11:45	07/01/19 12:41	95-47-6	
Surrogates									
Dibromofluoromethane (S)	96	%	57-146		2	06/27/19 11:45	07/01/19 12:41	1868-53-7	
Toluene-d8 (S)	89	%	64-134		2	06/27/19 11:45	07/01/19 12:41	2037-26-5	
4-Bromofluorobenzene (S)	89	%	54-126		2	06/27/19 11:45	07/01/19 12:41	460-00-4	

Percent Moisture Analytical Method: ASTM D2974-87

Percent Moisture 13.4 % 0.10 0.10 1 07/08/19 16:53

Sample: #8 Lab ID: 40190146008 Collected: 06/18/19 10:00 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	06/27/19 08:15	06/28/19 18:28	71-43-2	W
Ethylbenzene	69.8J	ug/kg	70.4	29.3	1	06/27/19 08:15	06/28/19 18:28	100-41-4	
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	06/27/19 08:15	06/28/19 18:28	1634-04-4	W
Naphthalene	<40.0	ug/kg	250	40.0	1	06/27/19 08:15	06/28/19 18:28	91-20-3	W
Toluene	116	ug/kg	70.4	29.3	1	06/27/19 08:15	06/28/19 18:28	108-88-3	
1,2,4-Trimethylbenzene	188	ug/kg	70.4	29.3	1	06/27/19 08:15	06/28/19 18:28	95-63-6	
1,3,5-Trimethylbenzene	71.3	ug/kg	70.4	29.3	1	06/27/19 08:15	06/28/19 18:28	108-67-8	
m&p-Xylene	238	ug/kg	141	58.7	1	06/27/19 08:15	06/28/19 18:28	179601-23-1	
o-Xylene	75.3	ug/kg	70.4	29.3	1	06/27/19 08:15	06/28/19 18:28	95-47-6	
Surrogates									
Dibromofluoromethane (S)	104	%	57-146		1	06/27/19 08:15	06/28/19 18:28	1868-53-7	
4-Bromofluorobenzene (S)	105	%	54-126		1	06/27/19 08:15	06/28/19 18:28	460-00-4	
Toluene-d8 (S)	104	%	64-134		1	06/27/19 08:15	06/28/19 18:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: KP VENTURES

Pace Project No.: 40190146

Sample: #8 Lab ID: 40190146008 Collected: 06/18/19 10:00 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	14.8	%	0.10	0.10	1		07/08/19 16:53		

Sample: #9 Lab ID: 40190146009 Collected: 06/18/19 11:00 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	4180	ug/kg	587	245	8	06/27/19 11:45	06/29/19 03:42	71-43-2	
Bromobenzene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	108-86-1	W
Bromochloromethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	74-97-5	W
Bromodichloromethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	75-27-4	W
Bromoform	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	75-25-2	W
Bromomethane	<559	ug/kg	2000	559	8	06/27/19 11:45	06/29/19 03:42	74-83-9	W
n-Butylbenzene	11600	ug/kg	587	245	8	06/27/19 11:45	06/29/19 03:42	104-51-8	
sec-Butylbenzene	1910	ug/kg	587	245	8	06/27/19 11:45	06/29/19 03:42	135-98-8	
tert-Butylbenzene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	98-06-6	W
Carbon tetrachloride	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	56-23-5	W
Chlorobenzene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	108-90-7	W
Chloroethane	<536	ug/kg	2000	536	8	06/27/19 11:45	06/29/19 03:42	75-00-3	W
Chloroform	<372	ug/kg	2000	372	8	06/27/19 11:45	06/29/19 03:42	67-66-3	W
Chloromethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	74-87-3	W
2-Chlorotoluene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	95-49-8	W
4-Chlorotoluene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	106-43-4	W
1,2-Dibromo-3-chloropropane	<730	ug/kg	2000	730	8	06/27/19 11:45	06/29/19 03:42	96-12-8	W
Dibromochloromethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	124-48-1	W
1,2-Dibromoethane (EDB)	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	106-93-4	W
Dibromomethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	74-95-3	W
1,2-Dichlorobenzene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	95-50-1	W
1,3-Dichlorobenzene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	541-73-1	W
1,4-Dichlorobenzene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	106-46-7	W
Dichlorodifluoromethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	75-71-8	W
1,1-Dichloroethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	75-34-3	W
1,2-Dichloroethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	107-06-2	W
1,1-Dichloroethene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	75-35-4	W
cis-1,2-Dichloroethene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	156-59-2	W
trans-1,2-Dichloroethene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	156-60-5	W
1,2-Dichloropropane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	78-87-5	W
1,3-Dichloropropane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	142-28-9	W
2,2-Dichloropropane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	594-20-7	W
1,1-Dichloropropene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	563-58-6	W
cis-1,3-Dichloropropene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	10061-01-5	W
trans-1,3-Dichloropropene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	10061-02-6	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: KP VENTURES
Pace Project No.: 40190146

Sample: #9 **Lab ID: 40190146009** Collected: 06/18/19 11:00 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Diisopropyl ether	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	108-20-3	W
Ethylbenzene	28600	ug/kg	587	245	8	06/27/19 11:45	06/29/19 03:42	100-41-4	
Hexachloro-1,3-butadiene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	87-68-3	W
Isopropylbenzene (Cumene)	3250	ug/kg	587	245	8	06/27/19 11:45	06/29/19 03:42	98-82-8	
p-Isopropyltoluene	1180	ug/kg	587	245	8	06/27/19 11:45	06/29/19 03:42	99-87-6	
Methylene Chloride	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	75-09-2	W
Methyl-tert-butyl ether	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	1634-04-4	W
Naphthalene	11200	ug/kg	2450	392	8	06/27/19 11:45	06/29/19 03:42	91-20-3	
n-Propylbenzene	15500	ug/kg	587	245	8	06/27/19 11:45	06/29/19 03:42	103-65-1	
Styrene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	100-42-5	W
1,1,1,2-Tetrachloroethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	630-20-6	W
1,1,2,2-Tetrachloroethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	79-34-5	W
Tetrachloroethene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	127-18-4	W
Toluene	6110	ug/kg	587	245	8	06/27/19 11:45	06/29/19 03:42	108-88-3	
1,2,3-Trichlorobenzene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	87-61-6	W
1,2,4-Trichlorobenzene	<380	ug/kg	2000	380	8	06/27/19 11:45	06/29/19 03:42	120-82-1	W
1,1,1-Trichloroethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	71-55-6	W
1,1,2-Trichloroethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	79-00-5	W
Trichloroethene	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	79-01-6	W
Trichlorofluoromethane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	75-69-4	W
1,2,3-Trichloropropane	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	96-18-4	W
1,2,4-Trimethylbenzene	93100	ug/kg	587	245	8	06/27/19 11:45	06/29/19 03:42	95-63-6	
1,3,5-Trimethylbenzene	18900	ug/kg	587	245	8	06/27/19 11:45	06/29/19 03:42	108-67-8	
Vinyl chloride	<200	ug/kg	480	200	8	06/27/19 11:45	06/29/19 03:42	75-01-4	W
m&p-Xylene	74000	ug/kg	1170	489	8	06/27/19 11:45	06/29/19 03:42	179601-23-1	
o-Xylene	15400	ug/kg	587	245	8	06/27/19 11:45	06/29/19 03:42	95-47-6	
Surrogates									
Dibromofluoromethane (S)	102	%	57-146		8	06/27/19 11:45	06/29/19 03:42	1868-53-7	
Toluene-d8 (S)	105	%	64-134		8	06/27/19 11:45	06/29/19 03:42	2037-26-5	
4-Bromofluorobenzene (S)	123	%	54-126		8	06/27/19 11:45	06/29/19 03:42	460-00-4	
Percent Moisture Analytical Method: ASTM D2974-87									
Percent Moisture	18.3	%	0.10	0.10	1		07/08/19 16:53		

Sample: TRIP BL **Lab ID: 40190146010** Collected: 06/18/19 11:30 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	06/27/19 08:15	06/28/19 18:04	71-43-2	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/27/19 08:15	06/28/19 18:04	100-41-4	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	06/27/19 08:15	06/28/19 18:04	1634-04-4	W

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: KP VENTURES
Pace Project No.: 40190146

Sample: TRIP BL **Lab ID: 40190146010** Collected: 06/18/19 11:30 Received: 06/26/19 09:28 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Short List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Naphthalene	<40.0	ug/kg	250	40.0	1	06/27/19 08:15	06/28/19 18:04	91-20-3	W
Toluene	<25.0	ug/kg	60.0	25.0	1	06/27/19 08:15	06/28/19 18:04	108-88-3	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/27/19 08:15	06/28/19 18:04	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/27/19 08:15	06/28/19 18:04	108-67-8	W
m&p-Xylene	<50.0	ug/kg	120	50.0	1	06/27/19 08:15	06/28/19 18:04	179601-23-1	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	06/27/19 08:15	06/28/19 18:04	95-47-6	W
Surrogates									
Dibromofluoromethane (S)	96	%	57-146		1	06/27/19 08:15	06/28/19 18:04	1868-53-7	
4-Bromofluorobenzene (S)	102	%	54-126		1	06/27/19 08:15	06/28/19 18:04	460-00-4	
Toluene-d8 (S)	91	%	64-134		1	06/27/19 08:15	06/28/19 18:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: KP VENTURES

Pace Project No.: 40190146

QC Batch: 325936

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Associated Lab Samples: 40190146007, 40190146009

METHOD BLANK: 1892417

Matrix: Solid

Associated Lab Samples: 40190146007, 40190146009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<13.7	50.0	06/28/19 17:41	
1,1,1-Trichloroethane	ug/kg	<14.4	50.0	06/28/19 17:41	
1,1,2,2-Tetrachloroethane	ug/kg	<17.5	50.0	06/28/19 17:41	
1,1,2-Trichloroethane	ug/kg	<20.2	50.0	06/28/19 17:41	
1,1-Dichloroethane	ug/kg	<17.6	50.0	06/28/19 17:41	
1,1-Dichloroethene	ug/kg	<17.6	50.0	06/28/19 17:41	
1,1-Dichloropropene	ug/kg	<14.0	50.0	06/28/19 17:41	
1,2,3-Trichlorobenzene	ug/kg	21.7J	50.0	06/28/19 17:41	
1,2,3-Trichloropropane	ug/kg	<22.3	50.0	06/28/19 17:41	
1,2,4-Trichlorobenzene	ug/kg	<47.6	250	06/28/19 17:41	
1,2,4-Trimethylbenzene	ug/kg	<12.2	50.0	06/28/19 17:41	
1,2-Dibromo-3-chloropropane	ug/kg	<91.2	250	06/28/19 17:41	
1,2-Dibromoethane (EDB)	ug/kg	<14.7	50.0	06/28/19 17:41	
1,2-Dichlorobenzene	ug/kg	<16.2	50.0	06/28/19 17:41	
1,2-Dichloroethane	ug/kg	<15.0	50.0	06/28/19 17:41	
1,2-Dichloropropane	ug/kg	<16.8	50.0	06/28/19 17:41	
1,3,5-Trimethylbenzene	ug/kg	<14.5	50.0	06/28/19 17:41	
1,3-Dichlorobenzene	ug/kg	<13.2	50.0	06/28/19 17:41	
1,3-Dichloropropane	ug/kg	<12.0	50.0	06/28/19 17:41	
1,4-Dichlorobenzene	ug/kg	<15.9	50.0	06/28/19 17:41	
2,2-Dichloropropane	ug/kg	<12.6	50.0	06/28/19 17:41	
2-Chlorotoluene	ug/kg	<15.8	50.0	06/28/19 17:41	
4-Chlorotoluene	ug/kg	<13.0	50.0	06/28/19 17:41	
Benzene	ug/kg	<9.2	20.0	06/28/19 17:41	
Bromobenzene	ug/kg	<20.6	50.0	06/28/19 17:41	
Bromochloromethane	ug/kg	<21.4	50.0	06/28/19 17:41	
Bromodichloromethane	ug/kg	<9.8	50.0	06/28/19 17:41	
Bromoform	ug/kg	<19.8	50.0	06/28/19 17:41	
Bromomethane	ug/kg	<69.9	250	06/28/19 17:41	
Carbon tetrachloride	ug/kg	<12.1	50.0	06/28/19 17:41	
Chlorobenzene	ug/kg	<14.8	50.0	06/28/19 17:41	
Chloroethane	ug/kg	<67.0	250	06/28/19 17:41	
Chloroform	ug/kg	<46.4	250	06/28/19 17:41	
Chloromethane	ug/kg	<20.4	50.0	06/28/19 17:41	
cis-1,2-Dichloroethene	ug/kg	<16.6	50.0	06/28/19 17:41	
cis-1,3-Dichloropropene	ug/kg	<16.6	50.0	06/28/19 17:41	
Dibromochloromethane	ug/kg	<17.9	50.0	06/28/19 17:41	
Dibromomethane	ug/kg	<19.3	50.0	06/28/19 17:41	
Dichlorodifluoromethane	ug/kg	<12.3	50.0	06/28/19 17:41	
Diisopropyl ether	ug/kg	<17.7	50.0	06/28/19 17:41	
Ethylbenzene	ug/kg	<12.4	50.0	06/28/19 17:41	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: KP VENTURES

Pace Project No.: 40190146

METHOD BLANK: 1892417

Matrix: Solid

Associated Lab Samples: 40190146007, 40190146009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/kg	52.7	50.0	06/28/19 17:41	
Isopropylbenzene (Cumene)	ug/kg	<12.6	50.0	06/28/19 17:41	
m&p-Xylene	ug/kg	<34.4	100	06/28/19 17:41	
Methyl-tert-butyl ether	ug/kg	<12.7	50.0	06/28/19 17:41	
Methylene Chloride	ug/kg	<16.2	50.0	06/28/19 17:41	
n-Butylbenzene	ug/kg	13.4J	50.0	06/28/19 17:41	
n-Propylbenzene	ug/kg	<11.6	50.0	06/28/19 17:41	
Naphthalene	ug/kg	<40.0	250	06/28/19 17:41	
o-Xylene	ug/kg	<14.0	50.0	06/28/19 17:41	
p-Isopropyltoluene	ug/kg	<12.0	50.0	06/28/19 17:41	
sec-Butylbenzene	ug/kg	<11.9	50.0	06/28/19 17:41	
Styrene	ug/kg	<9.0	50.0	06/28/19 17:41	
tert-Butylbenzene	ug/kg	<9.5	50.0	06/28/19 17:41	
Tetrachloroethene	ug/kg	<12.9	50.0	06/28/19 17:41	
Toluene	ug/kg	<11.2	50.0	06/28/19 17:41	
trans-1,2-Dichloroethene	ug/kg	<16.5	50.0	06/28/19 17:41	
trans-1,3-Dichloropropene	ug/kg	<14.4	50.0	06/28/19 17:41	
Trichloroethene	ug/kg	<23.6	50.0	06/28/19 17:41	
Trichlorofluoromethane	ug/kg	<24.7	50.0	06/28/19 17:41	
Vinyl chloride	ug/kg	<21.1	50.0	06/28/19 17:41	
4-Bromofluorobenzene (S)	%	111	54-126	06/28/19 17:41	
Dibromofluoromethane (S)	%	108	57-146	06/28/19 17:41	
Toluene-d8 (S)	%	108	64-134	06/28/19 17:41	

LABORATORY CONTROL SAMPLE: 1892418

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2280	91	70-132	
1,1,2,2-Tetrachloroethane	ug/kg	2500	3030	121	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2660	106	70-130	
1,1-Dichloroethane	ug/kg	2500	2390	95	70-130	
1,1-Dichloroethene	ug/kg	2500	2630	105	77-126	
1,2,4-Trichlorobenzene	ug/kg	2500	1640	66	66-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	1970	79	54-129	
1,2-Dibromoethane (EDB)	ug/kg	2500	2490	100	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2500	100	70-130	
1,2-Dichloroethane	ug/kg	2500	2740	110	70-134	
1,2-Dichloropropane	ug/kg	2500	2390	96	74-124	
1,3-Dichlorobenzene	ug/kg	2500	2480	99	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2510	100	70-130	
Benzene	ug/kg	2500	2640	106	70-130	
Bromodichloromethane	ug/kg	2500	2410	96	70-130	
Bromoform	ug/kg	2500	2590	103	47-115	
Bromomethane	ug/kg	2500	2870	115	64-165	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: KP VENTURES

Pace Project No.: 40190146

LABORATORY CONTROL SAMPLE: 1892418

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Carbon tetrachloride	ug/kg	2500	2030	81	70-131	
Chlorobenzene	ug/kg	2500	2580	103	70-130	
Chloroethane	ug/kg	2500	2840	114	28-197	
Chloroform	ug/kg	2500	2590	104	80-131	
Chloromethane	ug/kg	2500	1850	74	45-118	
cis-1,2-Dichloroethene	ug/kg	2500	2510	100	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2260	90	70-130	
Dibromochloromethane	ug/kg	2500	2410	96	70-130	
Dichlorodifluoromethane	ug/kg	2500	1470	59	38-108	
Ethylbenzene	ug/kg	2500	2440	97	82-122	
Isopropylbenzene (Cumene)	ug/kg	2500	2420	97	70-130	
m&p-Xylene	ug/kg	5000	4930	99	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2850	114	70-130	
Methylene Chloride	ug/kg	2500	3010	120	70-130	
o-Xylene	ug/kg	2500	2450	98	70-130	
Styrene	ug/kg	2500	2680	107	70-130	
Tetrachloroethene	ug/kg	2500	1990	80	70-130	
Toluene	ug/kg	2500	2480	99	80-121	
trans-1,2-Dichloroethene	ug/kg	2500	2620	105	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2320	93	70-130	
Trichloroethene	ug/kg	2500	2370	95	70-130	
Trichlorofluoromethane	ug/kg	2500	2700	108	81-141	
Vinyl chloride	ug/kg	2500	2060	83	68-121	
4-Bromofluorobenzene (S)	%			111	54-126	
Dibromofluoromethane (S)	%			108	57-146	
Toluene-d8 (S)	%			102	64-134	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1892419 1892420

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40189942001 Result	Spike Conc.	Spike Conc.	Result								
1,1,1-Trichloroethane	ug/kg	<25.0	1350	1350	1060	1160	78	86	64-132	9	20		
1,1,2,2-Tetrachloroethane	ug/kg	<25.0	1350	1350	1670	1710	124	127	70-132	2	20		
1,1,2-Trichloroethane	ug/kg	<25.0	1350	1350	1430	1450	106	107	70-130	1	20		
1,1-Dichloroethane	ug/kg	<25.0	1350	1350	1260	1260	93	94	70-130	0	20		
1,1-Dichloroethene	ug/kg	<25.0	1350	1350	1150	1270	86	95	65-126	10	21		
1,2,4-Trichlorobenzene	ug/kg	<47.6	1350	1350	1140	1060	85	79	66-139	7	20		
1,2-Dibromo-3-chloropropane	ug/kg	<91.2	1350	1350	1080	1240	80	92	47-146	13	23		
1,2-Dibromoethane (EDB)	ug/kg	<25.0	1350	1350	1370	1370	102	102	70-130	0	20		
1,2-Dichlorobenzene	ug/kg	<25.0	1350	1350	1380	1370	102	101	70-130	1	20		
1,2-Dichloroethane	ug/kg	<25.0	1350	1350	1450	1470	107	109	70-136	2	20		
1,2-Dichloropropane	ug/kg	<25.0	1350	1350	1230	1240	92	92	74-124	0	20		
1,3-Dichlorobenzene	ug/kg	<25.0	1350	1350	1340	1330	100	99	70-130	1	20		
1,4-Dichlorobenzene	ug/kg	<25.0	1350	1350	1420	1380	105	102	70-130	3	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: KP VENTURES

Pace Project No.: 40190146

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1892419 1892420												
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40189942001 Result	Spike Conc.	Spike Conc.	MS Result							
Benzene	ug/kg	<25.0	1350	1350	1350	1390	100	103	70-130	3	20	
Bromodichloromethane	ug/kg	<25.0	1350	1350	1290	1300	96	96	70-130	1	20	
Bromoform	ug/kg	<25.0	1350	1350	1320	1330	98	98	47-129	1	20	
Bromomethane	ug/kg	<69.9	1350	1350	1420	1420	105	105	41-180	0	20	
Carbon tetrachloride	ug/kg	<25.0	1350	1350	890	990	66	73	58-133	11	20	
Chlorobenzene	ug/kg	<25.0	1350	1350	1370	1360	102	101	70-130	1	20	
Chloroethane	ug/kg	<67.0	1350	1350	1470	1480	109	110	28-197	1	20	
Chloroform	ug/kg	<46.4	1350	1350	1340	1350	99	100	80-131	1	20	
Chloromethane	ug/kg	<25.0	1350	1350	914	963	68	71	26-118	5	20	
cis-1,2-Dichloroethene	ug/kg	<25.0	1350	1350	1300	1330	97	99	70-130	2	20	
cis-1,3-Dichloropropene	ug/kg	<25.0	1350	1350	1150	1150	85	85	70-130	0	20	
Dibromochloromethane	ug/kg	<25.0	1350	1350	1250	1320	93	98	67-130	5	20	
Dichlorodifluoromethane	ug/kg	<25.0	1350	1350	534	678	40	50	12-108	24	29	
Ethylbenzene	ug/kg	<25.0	1350	1350	1220	1250	91	93	80-122	2	20	
Isopropylbenzene (Cumene)	ug/kg	<25.0	1350	1350	1160	1210	86	90	70-130	4	20	
m&p-Xylene	ug/kg	<50.0	2700	2700	2470	2530	92	94	70-130	3	20	
Methyl-tert-butyl ether	ug/kg	<25.0	1350	1350	1550	1550	115	115	70-130	0	20	
Methylene Chloride	ug/kg	<25.0	1350	1350	1590	1610	118	119	70-130	1	20	
o-Xylene	ug/kg	<25.0	1350	1350	1240	1290	92	96	70-130	4	20	
Styrene	ug/kg	<25.0	1350	1350	1360	1370	101	102	70-130	1	20	
Tetrachloroethene	ug/kg	<25.0	1350	1350	969	999	72	74	70-130	3	20	
Toluene	ug/kg	<25.0	1350	1350	1270	1280	94	94	80-121	1	20	
trans-1,2-Dichloroethene	ug/kg	<25.0	1350	1350	1310	1380	97	102	70-130	5	20	
trans-1,3-Dichloropropene	ug/kg	<25.0	1350	1350	1170	1190	87	88	70-130	2	20	
Trichloroethene	ug/kg	364	1350	1350	1580	1620	90	93	70-130	2	20	
Trichlorofluoromethane	ug/kg	<25.0	1350	1350	1070	1270	79	94	60-141	17	26	
Vinyl chloride	ug/kg	<25.0	1350	1350	911	1030	68	76	46-121	12	20	
4-Bromofluorobenzene (S)	%						113	109	54-126			
Dibromofluoromethane (S)	%						109	110	57-146			
Toluene-d8 (S)	%						104	104	64-134			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: KP VENTURES

Pace Project No.: 40190146

QC Batch:	325914	Analysis Method:	EPA 8260
QC Batch Method:	EPA 5035/5030B	Analysis Description:	8260 MSV Med Level Short List
Associated Lab Samples:	40190146001, 40190146002, 40190146003, 40190146004, 40190146005, 40190146006, 40190146008, 40190146010		

METHOD BLANK:	1892278	Matrix:	Solid
Associated Lab Samples:	40190146001, 40190146002, 40190146003, 40190146004, 40190146005, 40190146006, 40190146008, 40190146010		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trimethylbenzene	ug/kg	<12.2	50.0	06/28/19 09:01	
1,3,5-Trimethylbenzene	ug/kg	<14.5	50.0	06/28/19 09:01	
Benzene	ug/kg	<9.2	20.0	06/28/19 09:01	
Ethylbenzene	ug/kg	<12.4	50.0	06/28/19 09:01	
m&p-Xylene	ug/kg	<34.4	100	06/28/19 09:01	
Methyl-tert-butyl ether	ug/kg	<12.7	50.0	06/28/19 09:01	
Naphthalene	ug/kg	<40.0	250	06/28/19 09:01	
o-Xylene	ug/kg	<14.0	50.0	06/28/19 09:01	
Toluene	ug/kg	<11.2	50.0	06/28/19 09:01	
4-Bromofluorobenzene (S)	%	95	54-126	06/28/19 09:01	
Dibromofluoromethane (S)	%	97	57-146	06/28/19 09:01	
Toluene-d8 (S)	%	96	64-134	06/28/19 09:01	

LABORATORY CONTROL SAMPLE: 1892279

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	2500	2600	104	70-130	
Ethylbenzene	ug/kg	2500	2490	100	82-122	
m&p-Xylene	ug/kg	5000	5000	100	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2880	115	70-130	
o-Xylene	ug/kg	2500	2530	101	70-130	
Toluene	ug/kg	2500	2500	100	80-121	
4-Bromofluorobenzene (S)	%			114	54-126	
Dibromofluoromethane (S)	%			109	57-146	
Toluene-d8 (S)	%			106	64-134	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: KP VENTURES

Pace Project No.: 40190146

QC Batch:	326818	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	40190146001, 40190146002, 40190146003, 40190146004, 40190146005, 40190146006, 40190146007, 40190146008, 40190146009		

SAMPLE DUPLICATE: 1897719

Parameter	Units	40190146001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	14.9	15.1	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: KP VENTURES
Pace Project No.: 40190146

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

W Non-detect results are reported on a wet weight basis.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: KP VENTURES

Pace Project No.: 40190146

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40190146007	#7	EPA 5035/5030B	325936	EPA 8260	325938
40190146009	#9	EPA 5035/5030B	325936	EPA 8260	325938
40190146001	#1	EPA 5035/5030B	325914	EPA 8260	325917
40190146002	#2	EPA 5035/5030B	325914	EPA 8260	325917
40190146003	#3	EPA 5035/5030B	325914	EPA 8260	325917
40190146004	#4	EPA 5035/5030B	325914	EPA 8260	325917
40190146005	#5	EPA 5035/5030B	325914	EPA 8260	325917
40190146006	#6	EPA 5035/5030B	325914	EPA 8260	325917
40190146008	#8	EPA 5035/5030B	325914	EPA 8260	325917
40190146010	TRIP BL	EPA 5035/5030B	325914	EPA 8260	325917
40190146001	#1	ASTM D2974-87	326818		
40190146002	#2	ASTM D2974-87	326818		
40190146003	#3	ASTM D2974-87	326818		
40190146004	#4	ASTM D2974-87	326818		
40190146005	#5	ASTM D2974-87	326818		
40190146006	#6	ASTM D2974-87	326818		
40190146007	#7	ASTM D2974-87	326818		
40190146008	#8	ASTM D2974-87	326818		
40190146009	#9	ASTM D2974-87	326818		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Preservation Receipt Form

Client Name: Seymour

Project # 40190146

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #/ID of preservation (if pH adjusted):

Pace Lab #	Glass						Plastic						Vials					Jars			General		VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)					
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3B	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	WGFU								WPFU	SP5T	ZPLC	GN	
001																																		2.5 / 5 / 10
002																																		2.5 / 5 / 10
003																																		2.5 / 5 / 10
004																																		2.5 / 5 / 10
005																																		2.5 / 5 / 10
006																																		2.5 / 5 / 10
007																																		2.5 / 5 / 10
008																																		2.5 / 5 / 10
009																																		2.5 / 5 / 10
010																																		2.5 / 5 / 10
011																																		2.5 / 5 / 10
012																																		2.5 / 5 / 10
013																																		2.5 / 5 / 10
014																																		2.5 / 5 / 10
015																																		2.5 / 5 / 10
016																																		2.5 / 5 / 10
017																																		2.5 / 5 / 10
018																																		2.5 / 5 / 10
019																																		2.5 / 5 / 10
020																																		2.5 / 5 / 10

Handwritten note: (10/11) 25


Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other:

Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	DG9A	40 mL amber ascorbic	JGFU	4 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP2N	500 mL plastic HNO3	DG9T	40 mL amber Na Thio	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH, Znact	VG9U	40 mL clear vial unpres	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3U	250 mL plastic unpres	VG9H	40 mL clear vial HCL		
AG5U	100 mL amber glass unpres	BP3B	250 mL plastic NaOH	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres	BP3S	250 mL plastic H2SO4			GN:	

Sample Condition Upon Receipt Form (SCUR)

Client Name: Seymour
Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____

Project #: _____
WO# : 40190146

 40190146

Tracking #: 660.067519
Custody Seal on Cooler/Box Present: yes no **Seals intact:** yes no
Custody Seal on Samples Present: yes no **Seals intact:** yes no
Packing Material: Bubble Wrap Bubble Bags None Other _____
Thermometer Used: SR - NA **Type of Ice:** Wet Blue Dry None Samples on ice, cooling process has begun
Cooler Temperature: Uncorr: 80 / Corr: _____
Temp Blank Present: yes no **Biological Tissue is Frozen:** yes no

Person examining contents:
 Date: 6/26/19
 Initials: AG

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3. <u>No time / Date</u> <u>6/26/19 AG</u>
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>Client wrote on WPFU caps. Info wearing off. 005 placed by time and # from client # 5. 006 WPFU 10 W South well, 007 10 East</u>
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <u>South well, 009 scribbled out. time & client # 9.</u> <u>6/26/19 AG</u>
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>890980108</u>		

Client Notification/ Resolution: _____
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: 002 Time valueless, 006 WPFU 10 South well, 009 label damaged
6/26/19 AG

Project Manager Review: AG for DM **Date:** 6/26/19
 Page 2 of 2

APPENDIX B

LANDFILL MANIFESTS



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of		Price 70			
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558			Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212			A. Manifest Number WMNA		8206608			
4. Generator's Phone (608) 225-9407						B. State Generator's ID 25.28					
5. Transporter 1 Company Name			6. US EPA ID Number			C. State Transporter's ID					
7. Transporter 2 Company Name			8. US EPA ID Number			D. Transporter's Phone					
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051			10. US EPA ID Number			E. State Transporter's ID					
						F. Transporter's Phone					
						G. State Facility ID					
						H. State Facility Phone		262-253-8620			
GENERATOR	11. Description of Waste Materials					12. Containers		13. Total	14. Unit	I. Misc. Comments	
						No.	Type	Quantity	Wt./Vol.		
	a. Contaminated soil										
	WM Profile # BIO131375WI										
	b.										
	WM Profile #										
c.											
WM Profile #											
d.											
WM Profile #											
J. Additional Descriptions for Materials Listed Above					K. Disposal Location						
BILL TO:					Cell		Level				
					Grid						
15. Special Handling Instructions and Additional Information											
Purchase Order # Orchard 4700003761			EMERGENCY CONTACT / PHONE NO.:			Robyn Seymour (608) 225-9407					
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.											
Printed Name <i>Robyn Seymour</i>				Signature "On behalf of" <i>K.P. Minnis</i>				Month	Day	Year	
								6	17	19	
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials										
	Printed Name <i>Chad Brandenstein</i>				Signature <i>[Signature]</i>				Month	Day	Year
									6	17	19
18. Transporter 2 Acknowledgement of Receipt of Materials											
Printed Name				Signature				Month	Day	Year	
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.										
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.										
	Printed Name <i>[Signature]</i>				Signature <i>[Signature]</i>				Month	Day	Year
								6	17	19	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST	1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of 48
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558	Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212	A. Manifest Number WMNA 8206609	
		B. State Generator's ID 27.63	
4. Generator's Phone (608) 225-9407			
5. Transporter 1 Company Name	6. US EPA ID Number	C. State Transporter's ID	
		D. Transporter's Phone	
7. Transporter 2 Company Name	8. US EPA ID Number	E. State Transporter's ID	
		F. Transporter's Phone	
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051	10. US EPA ID Number	G. State Facility ID	
		H. State Facility Phone 262-253-8620	
11. Description of Waste Materials	12. Containers		13. Total Quantity
	No.	Type	
	a. Contaminated soil		
	WM Profile # BIO131375WI		
	b.		
	WM Profile #		
c.			
WM Profile #			
d.			
WM Profile #			
J. Additional Descriptions for Materials Listed Above		K. Disposal Location	
BILL TO:		Cell	Level
		Grid	
15. Special Handling Instructions and Additional Information			
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407	
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.			
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>RP Seymour</i>	
		Month	Day
		6	17
		Year	
		19	
T R A N S P O R T E R	17. Transporter 1 Acknowledgement of Receipt of Materials		
	Printed Name <i>Dave Holderman</i>	Signature <i>[Signature]</i>	Month
		Day	Year
		6	17
		19	
F A C I L I T Y	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.		
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.		
Printed Name <i>[Signature]</i>		Signature <i>[Signature]</i>	
		Month	Day
		6	17
		Year	
		19	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of	67			
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558		Generator's Site Address (If different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA	8206606			
4. Generator's Phone (608) 225-9407				B. State Generator's ID 25-95				
5. Transporter 1 Company Name		6. US EPA ID Number		C. State Transporter's ID				
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone				
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051		10. US EPA ID Number		E. State Transporter's ID				
				F. Transporter's Phone				
				G. State Facility ID				
				H. State Facility Phone 262-253-8620				
GENERATOR	11. Description of Waste Materials		12. Containers		13. Total	14. Unit	I. Misc. Comments	
	a. Contaminated soil		No.	Type	Quantity	Wt./Vol.		
	WM Profile # BIO131375WI							
	b.							
	WM Profile #							
	c.							
WM Profile #								
d.								
WM Profile #								
J. Additional Descriptions for Materials Listed Above		K. Disposal Location						
BILL TO:		Cell		Level				
		Grid						
15. Special Handling Instructions and Additional Information								
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.:		Robyn Seymour (608) 225-9407				
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.								
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>KP Ventures</i>			Month	Day	Year	
					6	17	19	
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials							
	Printed Name <i>Sared Ansay</i>		Signature <i>[Signature]</i>			Month	Day	Year
						6	17	19
18. Transporter 2 Acknowledgement of Receipt of Materials								
Printed Name		Signature			Month	Day	Year	
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.							
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.							
	Printed Name <i>[Signature]</i>		Signature <i>[Signature]</i>			Month	Day	Year
					6	17	19	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1/COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of 65			
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558			Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212			A. Manifest Number WMNA 8206607			
4. Generator's Phone (608) 225-9407			B. State Generator's ID 2494						
5. Transporter 1 Company Name Price			6. US EPA ID Number		C. State Transporter's ID				
7. Transporter 2 Company Name			8. US EPA ID Number		D. Transporter's Phone				
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051			10. US EPA ID Number		E. State Transporter's ID				
					F. Transporter's Phone				
					G. State Facility ID				
					H. State Facility Phone 262-253-8620				
GENERATOR	11. Description of Waste Materials		12. Containers		13. Total	14. Unit	I. Misc. Comments		
	a. Contaminated soil		No.	Type	Quantity	Wt./Vol.			
	WM Profile # BIO131375WI								
	b.								
	WM Profile #								
c.									
WM Profile #									
d.									
WM Profile #									
J. Additional Descriptions for Materials Listed Above			K. Disposal Location						
BILL TO:			Cell		Level				
			Grid						
15. Special Handling Instructions and Additional Information									
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407							
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.									
Printed Name Robyn Seymour			Signature "On behalf of" KIP Ventures			Month	Day	Year	
						6	17	19	
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials								
	Printed Name Princeton Exps			Signature Princeton Exps			Month	Day	Year
							6	17	19
18. Transporter 2 Acknowledgement of Receipt of Materials									
Printed Name			Signature			Month	Day	Year	
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.								
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.								
	Printed Name [Signature]			Signature [Signature]			Month	Day	Year
						6	17	19	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST	1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of 22	
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558	Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212	A. Manifest Number WMNA	8206605	
		B. State Generator's ID 26.87		
4. Generator's Phone (608) 225-9407	5. Transporter 1 Company Name PAUL #23	6. US EPA ID Number	C. State Transporter's ID	
7. Transporter 2 Company Name	8. US EPA ID Number		D. Transporter's Phone	
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051	10. US EPA ID Number		E. State Transporter's ID	
			F. Transporter's Phone	
11. Description of Waste Materials	12. Containers	13. Total Quantity	14. Unit Wt./Vol.	1. Misc. Comments
a. Contaminated soil				
WM Profile # BIO131375WI				
b.				
WM Profile #				
c.				
WM Profile #				
d.				
WM Profile #				
J. Additional Descriptions for Materials Listed Above	K. Disposal Location			
BILL TO:	Cell		Level	
	Grid			
15. Special Handling Instructions and Additional Information				
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407		
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.				
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>KP Venturus</i>		Month Day Year <i>6 17 19</i>
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed Name <i>DENNIS Phillips</i>		Signature <i>Dennis Phillips</i>		Month Day Year <i>6 17 19</i>
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed Name		Signature		Month Day Year
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.				
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.				
Printed Name <i>JV</i>		Signature <i>JV</i>		Month Day Year <i>6 17 19</i>

GENERATOR
TRANSPORTER
FACILITY

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of	74
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558		Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA	8206604
4. Generator's Phone (608) 225-9407		B. State Generator's ID <i>2366</i>			
5. Transporter 1 Company Name		6. US EPA ID Number		C. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone	
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051		10. US EPA ID Number		E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility ID	
				H. State Facility Phone 262-253-8620	
GENERATOR	11. Description of Waste Materials		12. Containers		13. Total Quantity
	a. Contaminated soil		No.	Type	14. Unit Wt./Vol.
	WM Profile # BIO131375WI				I. Misc. Comments
	b.				
	WM Profile #				
c.					
WM Profile #					
d.					
WM Profile #					
J. Additional Descriptions for Materials Listed Above			K. Disposal Location		
BILL TO:			Cell	Level	
			Grid		
15. Special Handling Instructions and Additional Information					
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407			
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.					
Printed Name		Signature "On behalf of"			Month
					Day
					Year
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials				
	Printed Name	Signature			Month
	<i>Robyn Seymour</i>	<i>RP Venturis</i>			Day
					Year
					<i>6 17 19</i>
FACILITY	18. Transporter 2 Acknowledgement of Receipt of Materials				
	Printed Name	Signature			Month
	<i>JAMES DOANE #74</i>	<i>James Doane</i>			Day
					Year
					<i>6 17 19</i>
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.					
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.					
Printed Name		Signature			Month
<i>JJ</i>		<i>JJ</i>			Day
					Year
					<i>6 17 19</i>

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of		52			
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558		Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA		8206603			
4. Generator's Phone (608) 225-9407				B. State Generator's ID 30.47					
5. Transporter 1 Company Name		6. US EPA ID Number		C. State Transporter's ID					
				D. Transporter's Phone					
7. Transporter 2 Company Name		8. US EPA ID Number		E. State Transporter's ID					
				F. Transporter's Phone					
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051		10. US EPA ID Number		G. State Facility ID					
				H. State Facility Phone 262-253-8620					
GENERATOR	11. Description of Waste Materials		12. Containers		13. Total Quantity	14. Unit Wt./Vol.	1. Misc. Comments		
	a. Contaminated soil		No.	Type					
	WM Profile # BIO131375WI								
	b.								
	WM Profile #								
c.									
WM Profile #									
d.									
WM Profile #									
J. Additional Descriptions for Materials Listed Above		K. Disposal Location							
BILL TO:		Cell		Level					
		Grid							
15. Special Handling Instructions and Additional Information									
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.:		Robyn Seymour (608) 225-9407					
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.									
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>KP Venturus</i>				Month 6	Day 17	Year 19	
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials		Printed Name <i>Scotty Thuermer</i>		Signature <i>[Signature]</i>		Month 8	Day 17	Year 19
	18. Transporter 2 Acknowledgement of Receipt of Materials		Printed Name		Signature		Month	Day	Year
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.								
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.								
Printed Name <i>[Signature]</i>		Signature <i>[Signature]</i>				Month 6	Day 17	Year 19	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of		67		
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558			Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212			A. Manifest Number WMNA		8206599		
4. Generator's Phone (608) 225-9407			B. State Generator's ID 2791							
5. Transporter 1 Company Name			6. US EPA ID Number			C. State Transporter's ID				
7. Transporter 2 Company Name			8. US EPA ID Number			D. Transporter's Phone				
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051			10. US EPA ID Number			E. State Transporter's ID				
						F. Transporter's Phone				
						G. State Facility ID				
						H. State Facility Phone		262-253-8620		
GENERATOR	11. Description of Waste Materials			12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments		
	a. Contaminated soil			No.	Type					
	WM Profile # BIO131375WI									
	b.									
	WM Profile #									
	c.									
WM Profile #										
d.										
WM Profile #										
J. Additional Descriptions for Materials Listed Above			K. Disposal Location							
BILL TO:			Cell		Level					
			Grid							
15. Special Handling Instructions and Additional Information										
Purchase Order # Orchard 4700003761			EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407							
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.										
Printed Name <i>Robyn Seymour</i>			Signature "On behalf of" <i>KP Ventures</i>				Month	Day	Year	
							6	17	19	
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials			Printed Name <i>Jared Ansay</i>		Signature <i>[Signature]</i>		Month	Day	Year
								6	17	19
	18. Transporter 2 Acknowledgement of Receipt of Materials			Printed Name		Signature		Month	Day	Year
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.									
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.									
Printed Name <i>[Signature]</i>			Signature <i>[Signature]</i>				Month	Day	Year	
							6	17	19	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST	1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of					
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558		Generator's Site Address (If different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212						
4. Generator's Phone (608) 225-9407		A. Manifest Number WMNA						
5. Transporter 1 Company Name		B. State Generator's ID 8206601						
6. US EPA ID Number		<i>28.11.19</i>						
7. Transporter 2 Company Name								
8. US EPA ID Number								
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051		10. US EPA ID Number						
11. Description of Waste Materials		12. Containers		13. Total Quantity	14. Unit Wt./Vol.	15. Misc. Comments		
		a. Contaminated soil					No.	Type
		WM Profile # BIO131375WI						
		b.						
		WM Profile #						
c.								
WM Profile #								
d.								
WM Profile #								
16. Additional Descriptions for Materials Listed Above		K. Disposal Location						
BILL TO:		Cell		Level				
		Grid						
15. Special Handling Instructions and Additional Information								
Purchase Order # Orchard 470003761		EMERGENCY CONTACT / PHONE NO.:			Robyn Seymour (608) 225-9407			
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.								
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>KP Ventunes</i>			Month <i>6</i>	Day <i>17</i>	Year <i>19</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed Name <i>Chad Brandenstein</i>			Signature <i>Chad Brandenstein</i>			
					Month <i>6</i>	Day <i>17</i>	Year <i>19</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed Name			Signature			
					Month	Day	Year	
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.								
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.								
Printed Name <i>SV</i>		Signature			Month <i>6</i>	Day <i>17</i>	Year <i>19</i>	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY Blue- GENERATOR #2 COPY Yellow- GENERATOR #1 COPY
 Pink- FACILITY USE ONLY Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST	1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558	Generator's Site Address (If different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212	A. Manifest Number WMNA	46 8206600
		B. State Generator's ID <i>[Signature]</i>	
4. Generator's Phone (608) 225-9407	5. Transporter 1 Company Name <i>[Signature] Price</i>	6. US EPA ID Number	C. State Transporter's ID
7. Transporter 2 Company Name	8. US EPA ID Number		D. Transporter's Phone
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051	10. US EPA ID Number		E. State Transporter's ID
			F. Transporter's Phone
11. Description of Waste Materials		12. Containers	13. Total Quantity
		No.	Type
a. Contaminated soil			I. Misc. Comments
WM Profile # BIO131375WI			
b.			
WM Profile #			
c.			
WM Profile #			
d.			
WM Profile #			
J. Additional Descriptions for Materials Listed Above		K. Disposal Location	
BILL TO:		Cell	Level
		Grid	
15. Special Handling Instructions and Additional Information			
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407	
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.			
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>[Signature]</i>	
		Month	Day Year
		4	17 19
17. Transporter 1 Acknowledgement of Receipt of Materials			
Printed Name <i>Princeton Epps</i>		Signature <i>Princeton Epps</i>	
		Month	Day Year
		6	17 19
18. Transporter 2 Acknowledgement of Receipt of Materials			
Printed Name		Signature	
		Month	Day Year
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.			
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.			
Printed Name <i>[Signature]</i>		Signature <i>[Signature]</i>	
		Month	Day Year
		4	17 19

GENERATOR

TRANSPORTER

FACILITY

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST	1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of 48	
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558	Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA 8206602	
			B. State Generator's ID 2987	
4. Generator's Phone (608) 225-9407	5. Transporter 1 Company Name		6. US EPA ID Number	
7. Transporter 2 Company Name	8. US EPA ID Number		C. State Transporter's ID	
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051	10. US EPA ID Number		D. Transporter's Phone	
			E. State Transporter's ID	
11. Description of Waste Materials		12. Containers	13. Total Quantity	
				14. Unit Wt./Vol.
a. Contaminated soil	No.	Type		
WM Profile # BIO131375WI				
b.				
WM Profile #				
c.				
WM Profile #				
d.				
WM Profile #				
J. Additional Descriptions for Materials Listed Above		K. Disposal Location		
BILL TO:		Cell		Level
		Grid		
15. Special Handling Instructions and Additional Information				
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407		
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.				
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>K.P. Venturus</i>		Month Day Year <i>6 17 19</i>
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed Name <i>DAVE HOLTYERMAN</i>		Signature <i>[Signature]</i>		Month Day Year <i>6 17 19</i>
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed Name		Signature		Month Day Year
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility; that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.				
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.				
Printed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Month Day Year <i>6 17 19</i>

GENERATOR

TRANSPORTER

FACILITY

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY Blue- GENERATOR #2 COPY Yellow- GENERATOR #1 COPY
Pink- FACILITY USE ONLY Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

Stephenn

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of	74			
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558		Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA	8206597			
4. Generator's Phone (608) 225-9407				B. State Generator's ID <i>28.06</i>				
5. Transporter 1 Company Name		6. US EPA ID Number		C. State Transporter's ID				
				D. Transporter's Phone				
7. Transporter 2 Company Name		8. US EPA ID Number		E. State Transporter's ID				
				F. Transporter's Phone				
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051		10. US EPA ID Number		G. State Facility ID				
				H. State Facility Phone 262-253-8620				
GENERATOR	11. Description of Waste Materials		12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments	
	a. Contaminated soil		No.	Type				
	WM Profile # BIO131375WI							
	b.							
	WM Profile #							
	c.							
WM Profile #								
d.								
WM Profile #								
J. Additional Descriptions for Materials Listed Above		K. Disposal Location						
BILL TO:		Cell				Level		
		Grid						
15. Special Handling Instructions and Additional Information								
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.:			Robyn Seymour (608) 225-9407			
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.								
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>R. Seymour</i>			Month 6	Day 17	Year 19	
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials		Signature <i>James Doane</i>			Month 6	Day 17	Year 19
	Printed Name JAMES DOANE DK574							
	18. Transporter 2 Acknowledgement of Receipt of Materials		Signature			Month	Day	Year
Printed Name								
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.							
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.							
Printed Name <i>[Signature]</i>		Signature <i>[Signature]</i>			Month 6	Day 17	Year 19	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST	1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of 22
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558	Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA 8206598
			B. State Generator's ID 24.18
4. Generator's Phone (608) 225-9407			
5. Transporter 1 Company Name PRICE #22	6. US EPA ID Number		C. State Transporter's ID
			D. Transporter's Phone
7. Transporter 2 Company Name	8. US EPA ID Number		E. State Transporter's ID
			F. Transporter's Phone
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051	10. US EPA ID Number		G. State Facility ID
			H. State Facility Phone 262-253-8620
GENERATOR	11. Description of Waste Materials		12. Containers
	a. Contaminated soil		No. Type
	WM Profile # BIO131375WI		13. Total Quantity
	b.		14. Unit Wt./Vol.
	WM Profile #		I. Misc. Comments
c.			
WM Profile #			
d.			
WM Profile #			
J. Additional Descriptions for Materials Listed Above		K. Disposal Location	
BILL TO:		Cell	Level
		Grid	
15. Special Handling Instructions and Additional Information			
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407	
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.			
Printed Name Robyn Seymour		Signature "On behalf of" KP Mentus	Month Day Year 6 17 19
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature Dennis Phillips	Month Day Year 6 17 19
Printed Name DENNIS Phillips			
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature	Month Day Year
Printed Name			
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.		
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.		
Printed Name [Signature]		Signature [Signature]	Month Day Year 6 17 19

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of		52			
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558			Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212			A. Manifest Number WMNA		8206623			
4. Generator's Phone (608) 225-9407			B. State Generator's ID								
5. Transporter 1 Company Name			6. US EPA ID Number			C. State Transporter's ID					
7. Transporter 2 Company Name			8. US EPA ID Number			D. Transporter's Phone					
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051			10. US EPA ID Number			E. State Transporter's ID					
						F. Transporter's Phone					
						G. State Facility ID					
						H. State Facility Phone		262-253-8620			
GENERATOR	11. Description of Waste Materials				12. Containers		13. Total	14. Unit	I. Misc. Comments		
					No.	Type	Quantity	Wt./Vol.			
	a. Contaminated soil										
	WM Profile # BIO131375WI										
	b.										
	WM Profile #										
c.											
WM Profile #											
d.											
WM Profile #											
J. Additional Descriptions for Materials Listed Above				K. Disposal Location							
BILL TO:				Cell		Level					
				Grid							
15. Special Handling Instructions and Additional Information											
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.:				Robyn Seymour (608) 225-9407					
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.											
Printed Name <i>Robyn Seymour</i>				Signature "On behalf of" <i>Ki Williams</i>				Month	Day	Year	
								6	19	19	
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>				Month	Day	Year
	Printed Name <i>Scott J. [unclear]</i>								6	19	19
	18. Transporter 2 Acknowledgement of Receipt of Materials				Signature				Month	Day	Year
Printed Name											
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.										
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.										
Printed Name <i>[Signature]</i>				Signature <i>[Signature]</i>				Month	Day	Year	
								6	17	19	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of		65			
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558 4. Generator's Phone (608) 225-9407			Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212			A. Manifest Number WMNA		8206620			
5. Transporter 1 Company Name <i>Price</i>			6. US EPA ID Number			C. State Transporter's ID		D. Transporter's Phone			
7. Transporter 2 Company Name			8. US EPA ID Number			E. State Transporter's ID		F. Transporter's Phone			
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051			10. US EPA ID Number			G. State Facility ID		H. State Facility Phone 262-253-8620			
GENERATOR	11. Description of Waste Materials				12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments		
	a. Contaminated soil				No.	Type					
	WM Profile # BIO131375WI										
	b.										
	WM Profile #										
	c.										
WM Profile #											
d.											
WM Profile #											
J. Additional Descriptions for Materials Listed Above				K. Disposal Location							
BILL TO:				Cell		Level					
				Grid							
15. Special Handling Instructions and Additional Information											
Purchase Order # Orchard 4700003761				EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407							
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.											
Printed Name <i>Robyn Seymour</i>				Signature "On behalf of" <i>KP Venturis</i>				Month <i>6</i>	Day <i>17</i>	Year <i>19</i>	
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials										
	Printed Name <i>Princeton Epps</i>				Signature <i>Princeton Epps</i>				Month <i>6</i>	Day <i>17</i>	Year <i>19</i>
	18. Transporter 2 Acknowledgement of Receipt of Materials										
Printed Name				Signature				Month	Day	Year	
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.										
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.										
Printed Name <i>SB</i>				Signature <i>SB</i>				Month <i>6</i>	Day <i>17</i>	Year <i>19</i>	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST	1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of 48		
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558	Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212	A. Manifest Number WMNA	8206622		
		B. State Generator's ID			
4. Generator's Phone (608) 225-9407					
5. Transporter 1 Company Name	6. US EPA ID Number	C. State Transporter's ID			
		D. Transporter's Phone			
7. Transporter 2 Company Name	8. US EPA ID Number	E. State Transporter's ID			
		F. Transporter's Phone			
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051	10. US EPA ID Number	G. State Facility ID			
		H. State Facility Phone 262-253-8620			
11. Description of Waste Materials	12. Containers		13. Total Quantity		
	No.	Type		14. Unit Wt./Vol.	
	a. Contaminated soil				
	WM Profile # BIO131375WI				
	b.				
	WM Profile #				
c.					
WM Profile #					
d.					
WM Profile #					
J. Additional Descriptions for Materials Listed Above		K. Disposal Location			
BILL TO:		Cell	Level		
		Grid			
15. Special Handling Instructions and Additional Information					
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407			
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.					
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>[Signature]</i>			
		Month <i>6</i>	Day <i>10</i> Year <i>19</i>		
17. Transporter 1 Acknowledgement of Receipt of Materials					
				Printed Name <i>DAVE HUBERMAN</i>	
		Month <i>6</i>	Day <i>17</i> Year <i>19</i>		
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed Name		Signature			
		Month	Day Year		
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.					
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.					
Printed Name <i>SB</i>		Signature <i>SB</i>			
		Month <i>6</i>	Day <i>17</i> Year <i>19</i>		

GENERATOR

TRANSPORTER

FACILITY

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of		Price 70		
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558			Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212			A. Manifest Number WMNA		8206621		
4. Generator's Phone (608) 225-9407						B. State Generator's ID				
5. Transporter 1 Company Name			6. US EPA ID Number			C. State Transporter's ID				
						D. Transporter's Phone				
7. Transporter 2 Company Name			8. US EPA ID Number			E. State Transporter's ID				
						F. Transporter's Phone				
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051			10. US EPA ID Number			G. State Facility ID				
						H. State Facility Phone 262-253-8620				
11. Description of Waste Materials					12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments	
					No.	Type				
a. Contaminated soil										
					WM Profile # BIO131375WI					
b.										
					WM Profile #					
c.										
					WM Profile #					
d.										
					WM Profile #					
J. Additional Descriptions for Materials Listed Above					K. Disposal Location					
BILL TO:					Cell		Level			
					Grid					
15. Special Handling Instructions and Additional Information										
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.:			Robyn Seymour (608) 225-9407					
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.										
Printed Name <i>Robyn Seymour</i>				Signature "On behalf of" <i>Robyn Seymour</i>				Month 6	Day 12	Year 19
17. Transporter 1 Acknowledgement of Receipt of Materials										
Printed Name <i>Chad Brandenstein</i>				Signature <i>Chad Brandenstein</i>				Month 6	Day 17	Year 19
18. Transporter 2 Acknowledgement of Receipt of Materials										
Printed Name				Signature				Month	Day	Year
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.										
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.										
Printed Name <i>SB</i>				Signature <i>SB</i>				Month 6	Day 17	Year 19

GENERATOR

TRANSPORTER

FACILITY

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST	1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of 22
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558	Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA 8206618
			B. State Generator's ID
4. Generator's Phone (608) 225-9407	6. US EPA ID Number		C. State Transporter's ID
5. Transporter 1 Company Name <i>PRICE #22</i>	7. Transporter 2 Company Name		D. Transporter's Phone
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051	10. US EPA ID Number		E. State Transporter's ID
			F. Transporter's Phone
11. Description of Waste Materials	12. Containers		G. State Facility ID
	No.	Type	H. State Facility Phone 262-253-8620
a. Contaminated soil			I. Misc. Comments
WM Profile # BIO131375WI			
b.			
WM Profile #			
c.			
WM Profile #			
d.			
WM Profile #			
J. Additional Descriptions for Materials Listed Above	K. Disposal Location		
BILL TO:	Cell		Level
	Grid		
15. Special Handling Instructions and Additional Information			
Purchase Order # Orchard 4700003761	EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407		
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.			
Printed Name <i>Robyn Seymour</i>	Signature "On behalf of" <i>R Seymour</i>	Month <i>6</i>	Day <i>17</i>
17. Transporter 1 Acknowledgement of Receipt of Materials		Year <i>19</i>	
Printed Name <i>Dennis Phillips</i>	Signature <i>Dennis Phillips</i>	Month <i>6</i>	Day <i>17</i>
18. Transporter 2 Acknowledgement of Receipt of Materials		Year <i>19</i>	
Printed Name	Signature	Month	Day
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.			
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.			
Printed Name <i>SB</i>	Signature <i>SB</i>	Month <i>6</i>	Day <i>17</i>
		Year <i>19</i>	

GENERATOR

TRANSPORTER

FACILITY

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST	1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of 67			
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558	Generator's Site Address (If different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212	A. Manifest Number WMNA 8206619				
		B. State Generator's ID				
4. Generator's Phone (608) 225-9407	5. Transporter 1 Company Name					
6. US EPA ID Number	C. State Transporter's ID					
	D. Transporter's Phone					
7. Transporter 2 Company Name	8. US EPA ID Number					
	E. State Transporter's ID					
	F. Transporter's Phone					
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051	10. US EPA ID Number		G. State Facility ID			
			H. State Facility Phone 262-253-8620			
11. Description of Waste Materials a. Contaminated soil WM Profile # BIO131375WI b. WM Profile # c. WM Profile # d. WM Profile #	12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments	
	No.	Type				
J. Additional Descriptions for Materials Listed Above		K. Disposal Location				
BILL TO:		Cell		Level		
		Grid				
15. Special Handling Instructions and Additional Information						
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407				
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.						
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>[Signature]</i>		Month <i>6</i>	Day <i>17</i>	Year <i>19</i>
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed Name <i>Sarced Ansay</i>		Signature <i>[Signature]</i>		Month	Day	Year
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed Name		Signature		Month	Day	Year
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.						
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.						
Printed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Month <i>6</i>	Day <i>17</i>	Year <i>19</i>

GENERATOR

TRANSPORTER

FACILITY

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of	74					
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558		Generator's Site Address (If different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA	8206617					
4. Generator's Phone (608) 225-9407		B. State Generator's ID								
5. Transporter 1 Company Name		6. US EPA ID Number		C. State Transporter's ID	28					
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone						
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051		10. US EPA ID Number		E. State Transporter's ID	F. Transporter's Phone					
				G. State Facility ID	H. State Facility Phone 262-253-8620					
GENERATOR	11. Description of Waste Materials		12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments			
	a. Contaminated soil		No.	Type						
	WM Profile # BIO131375WI									
	b.									
	WM Profile #									
c.										
WM Profile #										
d.										
WM Profile #										
J. Additional Descriptions for Materials Listed Above		K. Disposal Location								
BILL TO:		Cell		Level						
		Grid								
15. Special Handling Instructions and Additional Information										
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407								
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.										
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>[Signature]</i>			Month 6	Day 17	Year 19			
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials		Printed Name <i>JAMES DOANE DKSA</i>			Signature <i>[Signature]</i>		Month 6	Day 17	Year 19
	18. Transporter 2 Acknowledgement of Receipt of Materials		Printed Name			Signature		Month	Day	Year
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.									
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.									
Printed Name <i>[Signature]</i>		Signature <i>[Signature]</i>			Month 6	Day 17	Year 19			

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of	52
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558		Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA	8206616
4. Generator's Phone (608) 225-9407				B. State Generator's ID <i>29.13</i>	
5. Transporter 1 Company Name		6. US EPA ID Number		C. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone	
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051		10. US EPA ID Number		E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility ID	
				H. State Facility Phone 262-253-8620	
GENERATOR	11. Description of Waste Materials		12. Containers		13. Total Quantity
	a. Contaminated soil		No.	Type	14. Unit Wt./Vol.
	WM Profile # BIO131375WI				I. Misc. Comments
	b.				
	WM Profile #				
	c.				
WM Profile #					
d.					
WM Profile #					
J. Additional Descriptions for Materials Listed Above		K. Disposal Location			
BILL TO:		Cell		Level	
		Grid			
15. Special Handling Instructions and Additional Information					
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407			
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.					
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>RP Seymour</i>		Month 6	Day 17
				Year 19	
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials				
	Printed Name <i>Scott Thompson</i>		Signature <i>[Signature]</i>		Month 6
					Day 17
				Year 19	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed Name		Signature		Month	Day
				Year	
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.					
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.					
Printed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Month 6	Day 17
				Year 19	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of	65	
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558		Generator's Site Address (If different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA	8206613	
4. Generator's Phone (608) 225-9407		B. State Generator's ID <i>247</i>				
5. Transporter 1 Company Name <i>Price</i>		6. US EPA ID Number		C. State Transporter's ID		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone		
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051		10. US EPA ID Number		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility ID		
				H. State Facility Phone 262-253-8620		
GENERATOR	11. Description of Waste Materials		12. Containers		13. Total Quantity	
	a. Contaminated soil		No.	Type	14. Unit Wt./Vol.	
	WM Profile # BIO131375WI				I. Misc. Comments	
	b.					
	WM Profile #					
	c.					
	WM Profile #					
d.						
WM Profile #						
J. Additional Descriptions for Materials Listed Above		K. Disposal Location				
BILL TO:		Cell		Level		
		Grid				
15. Special Handling Instructions and Additional Information						
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407				
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.						
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>R. Venturo</i>		Month <i>6</i>	Day <i>17</i>	
				Year <i>19</i>		
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials					
	Printed Name <i>Princeton GPS</i>		Signature <i>Princeton GPS</i>		Month <i>6</i>	
					Day <i>17</i>	
				Year <i>19</i>		
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed Name		Signature		Month	Day	
				Year		
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.					
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.					
	Printed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Month <i>6</i>	Day <i>17</i>
				Year <i>19</i>		

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY Blue- GENERATOR #2 COPY Yellow- GENERATOR #1 COPY
 Pink- FACILITY USE ONLY Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of		Price 70		
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558			Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212			A. Manifest Number WMNA		8206614		
4. Generator's Phone (608) 225-9407						B. State Generator's ID <i>2447</i>				
5. Transporter 1 Company Name			6. US EPA ID Number			C. State Transporter's ID				
7. Transporter 2 Company Name			8. US EPA ID Number			D. Transporter's Phone				
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051			10. US EPA ID Number			E. State Transporter's ID				
						F. Transporter's Phone				
						G. State Facility ID				
						H. State Facility Phone		262-253-8620		
11. Description of Waste Materials					12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments	
					No.	Type				
a. Contaminated soil WM Profile # BIO131375WI										
b. WM Profile #										
c. WM Profile #										
d. WM Profile #										
J. Additional Descriptions for Materials Listed Above					K. Disposal Location					
BILL TO:					Cell		Level			
					Grid					
15. Special Handling Instructions and Additional Information										
Purchase Order # Orchard 4700003761			EMERGENCY CONTACT / PHONE NO.:			Robyn Seymour (608) 225-9407				
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.										
Printed Name <i>Robyn Seymour</i>				Signature "On behalf of" <i>K.P. Williams</i>				Month <i>6</i>	Day <i>17</i>	Year <i>19</i>
17. Transporter 1 Acknowledgement of Receipt of Materials										
Printed Name <i>Chad Brandenstein</i>				Signature <i>[Signature]</i>				Month <i>6</i>	Day <i>17</i>	Year <i>19</i>
18. Transporter 2 Acknowledgement of Receipt of Materials										
Printed Name				Signature				Month	Day	Year
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.										
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.										
Printed Name <i>[Signature]</i>				Signature <i>[Signature]</i>				Month <i>6</i>	Day <i>17</i>	Year <i>19</i>

GENERATOR

TRANSPORTER

FACILITY

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY

6 17 19



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST	1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of 48
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558	Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA 8206615
			B. State Generator's ID 2750
4. Generator's Phone (608) 225-9407			
5. Transporter 1 Company Name	6. US EPA ID Number	C. State Transporter's ID	
		D. Transporter's Phone	
7. Transporter 2 Company Name	8. US EPA ID Number	E. State Transporter's ID	
		F. Transporter's Phone	
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051	10. US EPA ID Number	G. State Facility ID	
		H. State Facility Phone 262-253-8620	
11. Description of Waste Materials	12. Containers		13. Total Quantity
	No.	Type	14. Unit Wt./Vol.
a. Contaminated soil			
WM Profile # BIO131375WI			
b.			
WM Profile #			
c.			
WM Profile #			
d.			
WM Profile #			
J. Additional Descriptions for Materials Listed Above	K. Disposal Location		
BILL TO:	Cell		Level
	Grid		
15. Special Handling Instructions and Additional Information			
Purchase Order # Orchard 4700003761	EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407		
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.			
Printed Name <i>Robyn Seymour</i>	Signature "On behalf of" <i>RP Henderson</i>	Month <i>6</i>	Day <i>17</i>
		Year <i>19</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials			
Printed Name <i>DAVE HOLDERMAN</i>	Signature <i>[Signature]</i>	Month <i>6</i>	Day <i>17</i>
		Year <i>19</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials			
Printed Name	Signature	Month	Day
		Year	
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.			
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.			
Printed Name <i>[Signature]</i>	Signature <i>[Signature]</i>	Month <i>6</i>	Day <i>17</i>
		Year <i>19</i>	

GENERATOR

TRANSPORTER

FACILITY

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of	67	
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558		Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA	8206612	
4. Generator's Phone (608) 225-9407		B. State Generator's ID <i>18465</i>				
5. Transporter 1 Company Name		6. US EPA ID Number		C. State Transporter's ID		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone		
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051		10. US EPA ID Number		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility ID		
				H. State Facility Phone 262-253-8620		
11. Description of Waste Materials		12. Containers		13. Total Quantity	14. Unit Wt./Vol.	
		No.	Type			I. Misc. Comments
a. Contaminated soil						
WM Profile # BIO131375WI						
b.						
WM Profile #						
c.						
WM Profile #						
d.						
WM Profile #						
J. Additional Descriptions for Materials Listed Above		K. Disposal Location				
BILL TO:		Cell		Level		
		Grid				
15. Special Handling Instructions and Additional Information						
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407				
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.						
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>KP Ventures</i>			Month 6	Day 17
					Year 19	
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed Name <i>Sareed Ansary</i>		Signature <i>[Signature]</i>			Month 6	Day 17
					Year 19	
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed Name		Signature			Month	Day
					Year	
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.						
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.						
Printed Name <i>[Signature]</i>		Signature <i>[Signature]</i>			Month 6	Day 17
					Year 19	

GENERATOR

TRANSPORTER

FACILITY

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST	1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of 22			
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558	Generator's Site Address (If different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212	A. Manifest Number WMNA 8206611				
		B. State Generator's ID 22.34				
4. Generator's Phone (608) 225-9407	5. Transporter 1 Company Name PRICE #22	6. US EPA ID Number	C. State Transporter's ID			
			D. Transporter's Phone			
7. Transporter 2 Company Name	8. US EPA ID Number		E. State Transporter's ID			
			F. Transporter's Phone			
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051	10. US EPA ID Number		G. State Facility ID			
			H. State Facility Phone 262-253-8620			
11. Description of Waste Materials	12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments	
	a. Contaminated soil	No.	Type			
	WM Profile # BIO131375WI					
	b.					
	WM Profile #					
c.						
WM Profile #						
d.						
WM Profile #						
J. Additional Descriptions for Materials Listed Above	K. Disposal Location					
BILL TO:	Cell		Level			
	Grid					
15. Special Handling Instructions and Additional Information						
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407				
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.						
Printed Name Robyn Seymour		Signature "On behalf of" KP Minnie		Month 6	Day 17	Year 19
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed Name Dennis Phillips		Signature Dennis Phillips		Month 6	Day 17	Year 19
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed Name		Signature		Month	Day	Year
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.						
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.						
Printed Name [Signature]		Signature [Signature]		Month 6	Day 17	Year 19

GENERATOR

TRANSPORTER

FACILITY

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of	74
3. Generator's Mailing Address: Seymour Environmental Services, Inc. 2531 Dyreson Road McFarland WI 53558		Generator's Site Address (if different than mailing): Former Jerry's Tire 2477 North Holten Milwaukee WI 53212		A. Manifest Number WMNA	8206610
4. Generator's Phone (608) 225-9407		B. State Generator's ID <i>25.06</i>			
5. Transporter 1 Company Name		6. US EPA ID Number		C. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone	
9. Designated Facility Name and Site Address Orchard Ridge RDF W124 N9355 Boundary Road Menomonee Falls, WI 53051		10. US EPA ID Number		E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility ID	
				H. State Facility Phone 262-253-8620	
GENERATOR	11. Description of Waste Materials		12. Containers		13. Total Quantity
	a. Contaminated soil		No.	Type	14. Unit Wt./Vol.
	WM Profile # BIO131375WI				I. Misc. Comments
	b.				
	WM Profile #				
	c.				
WM Profile #					
d.					
WM Profile #					
J. Additional Descriptions for Materials Listed Above		K. Disposal Location			
BILL TO:		Cell		Level	
		Grid			
15. Special Handling Instructions and Additional Information					
Purchase Order # Orchard 4700003761		EMERGENCY CONTACT / PHONE NO.: Robyn Seymour (608) 225-9407			
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.					
Printed Name <i>Robyn Seymour</i>		Signature "On behalf of" <i>[Signature]</i>		Month 6	Day 17
				Year 19	
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials				
	Printed Name JAMES DOANE DKS#74		Signature <i>[Signature]</i>		Month 6
					Day 17
				Year 19	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed Name		Signature		Month	Day
				Year	
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.					
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.					
Printed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Month 6	Day 17
				Year 19	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY