



January 18, 2018

Charles and Eugenia Kowis
3540 S Canary Rd
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Charles and Eugenia:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on November 17, 2017 have indicated that, other than Lead at 23.7 ug/L, no contaminants have been detected in your potable water supply above Enforcement Standards.

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Donald Hanke, Beverly Hardy and Charlotte Behr
20745 W Coffee Rd.
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Donald, Beverly and Charlotte:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on December 1, 2017 have indicated that no contaminants have been detected in your potable water supply above Enforcement Standards.

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Joseph and Rebecca Sanfelippo
20770 W Coffee Rd.
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Joseph and Rebecca:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.


Analyses of groundwater samples collected from your well on December 1, 2017 have indicated that no contaminants have been detected in your potable water supply above Public Health Enforcement Standards. Manganese has exceeded the Public Welfare Enforcement Standard.

Wisconsin Administrative Code for Groundwater can be located at the following link:
http://docs.legis.wisconsin.gov/code/admin_code/nr/100/140.pdf

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,


Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Joel Rhyner
3540 S Woodland Ct.
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Joel:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on December 18, 2017 have indicated that no contaminants have been detected in your potable water supply above Enforcement Standards.

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Michael and Barba Christiansen
3551 S Woodland Ct.
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Michael and Barba:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on November 15, 2017 have indicated that no contaminants have been detected in your potable water supply above Enforcement Standards.

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Paul Heun and Peggy Rev Livi
3561 S. Woodland Ct.
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Paul and Peggy:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on November 14, 2017 have indicated that no contaminants have been detected in your potable water supply above Enforcement Standards.

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Catherine Holbrook
3600 S Canary Rd
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Catherine:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on December 14, 2017 have indicated that no contaminants have been detected in your potable water supply above Enforcement Standards.

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 12, 2018

Kimberly Werning
3620 S Canary Rd
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Kimberly:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on November 17, 2017 have indicated that no contaminants have been detected in your potable water supply above Enforcement Standards.

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Erick and Kelly Wyszowski
3630 S Canary Rd
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Erick and Kelly:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on November 17, 2017 have indicated that no contaminants have been detected in your potable water supply above Enforcement Standards.

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Brian and Christine Whitehaus
3640 S Canary Rd
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Brian and Christine:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on November 17, 2017 have indicated that no contaminants have been detected in your potable water supply above Enforcement Standards.

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Brian Meyer
3690 S. Racine Ave.
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Brian:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on November 17, 2017 have indicated that, other than Arsenic at 11.2 ug/L, no contaminants have been detected in your potable water supply above Enforcement Standards.

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Krish and Jayashree Narayanan
Sri Lakshmi Narasimha Temple I
3705 S. Swartz Rd.
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Krish and Jayashree:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on November 17, 2017 have indicated that no contaminants have been detected in your potable water supply above Public Health Enforcement Standards. Manganese has exceeded the Public Welfare Enforcement Standard.

Wisconsin Administrative Code for Groundwater can be located at the following link:
http://docs.legis.wisconsin.gov/code/admin_code/nr/100/140.pdf

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Luciano Sanchez
3720 S. Racine Ave.
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Luciano:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on November 13, 2017 have indicated that no contaminants have been detected in your potable water supply above Public Health Enforcement Standards. Manganese has exceeded the Public Welfare Enforcement Standard.

Wisconsin Administrative Code for Groundwater can be located at the following link:
http://docs.legis.wisconsin.gov/code/admin_code/nr/100/140.pdf

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Jeffery and Mary Ann Servi
3730 S. Racine Ave.
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Jeffery and Mary Ann:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on November 14, 2017 have indicated that, other than Chloride at 334 mg/L, no contaminants have been detected in your potable water supply above Enforcement Standards.

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report



January 18, 2018

Janet Schmidt
3770 S. Racine Ave.
New Berlin, WI 53146

Subject: Residential Well Water Sampling, Barrett Landfill, New Berlin, WI
DNR BRRTS No. 09-68-534609

Dear Janet:

The Wisconsin Department of Natural Resources (DNR) conducted site monitoring of environmental conditions as part of the routine operation and maintenance (O&M) of the Barrett Landfill located at 21001 W Coffee Road, New Berlin, Wisconsin.

Analyses of groundwater samples collected from your well on November 14, 2017 have indicated that no contaminants have been detected in your potable water supply above Enforcement Standards.

This sampling was conducted at no cost to you. Sample analyses included Arsenic, Chloride, Lead, Chromium, Manganese, Magnesium, and Nitrate Plus Nitrite.

Your assistance in this matter is greatly appreciated. Please contact Jason Lowery at jason.lowery@wisconsin.gov or by telephone at **(608) 267-7570** if you have any questions.

Sincerely,

A handwritten signature in black ink that reads 'Ashley A. Wagner'.

Ashley A. Wagner, P.G.
Senior Project Geologist
Tetra Tech, Inc.

Attached: Analytical Report