

RSV
ENGINEERING, INC.

Engineers • Land Surveyors • Environmental Scientists

DEPARTMENT OF
NATURAL RESOURCES
WAUKESHA SERVICE CENTER


MAR 28 AM 8:59

March 21, 2006

Mr. James Delwiche
Wisconsin Department of Natural Resources
141 NW Barstow Street, Room 180
Waukesha, Wisconsin 53188

268188910
02-68-535535

Re: Project Update
Klinke Cleaners
Fox Run Shopping Center
Waukesha, Wisconsin



DEPARTMENT OF
NATURAL RESOURCES
WAUKESHA SERVICE CENTER
2006 MAR 28 AM 8:59

Dear Mr. Delwiche:

As outlined in our Project Update and Change Order addressed to you and dated November 10, 2005, RSV Engineering, Inc. (RSV) has recently completed additional soil sampling, a piezometer installation and groundwater sampling at the Klinke Cleaners facility located in the Fox Run Shopping Center, Waukesha, Wisconsin (Site).

Soil

Soil borings B-16 through B-22 were advanced on November 30, 2005; soil samples were collected and analyzed for volatile organic compounds (VOCs). Soil boring locations are depicted on Figure 1 and analytical results are summarized in Table 1. Boring logs are included as Attachment A and soil sample laboratory reports are included as Attachment B.

Soil borings B-16 through B-18 extended in an easterly direction from B-13, roughly following the buried utility corridor. Laboratory analyses on the soil samples collected generally indicate a declining trend in tetrachloroethene (PCE) concentrations with distance from the source area. Soil borings B-19 through B-22 extended in a westerly direction from B-10, also along the utility corridor, and the lab analyses on those soil samples also indicated a declining trend in PCE concentrations with distance from the source area. RSV believes that the horizontal extent of significant PCE contamination to the east and west of the source area has been adequately defined.

Samples collected from a boring immediately north of the pavement (borings B-9 and B-12) yielded PCE concentrations at or slightly above 1 mg/kg. This area is likely impacted by occasional runoff from the pavement, which would likely infiltrate the ground surface quickly, and not be aerially extensive.

Groundwater

On November 29, 2005 a piezometer (MW-3P) was installed adjacent to MW-3, which is indicated by Drake Environmental, Inc. (Drake) as the well yielding the highest PCE

concentration. The piezometer and monitoring well locations are depicted on Figure 2. The boring and well construction logs are included as Attachment C.

Depth to groundwater measurements and groundwater elevations from measurements taken on January 10, 2006, are summarized in Table 2. Based on the depth to water data, RSV believes that wells MW-2, MW-3, MW-5 and MW-6 are in a perched groundwater zone, and wells MW-1 and MW-4 are in a deeper zone. Consequently, Figure 3 presents a plot of groundwater flow conditions based on water level data from wells MW-2, MW-3, MW-5 and MW-6. As the figure shows, groundwater in the area of groundwater impacts flows to the east-northeast.

Figure 4 shows the groundwater flow conditions at depth, utilizing groundwater elevation data from wells MW-1, MW-3P and MW-4. As the figure shows, groundwater at this depth flows in a northerly direction.

RSV collected groundwater samples from all site monitoring wells on January 10, 2005; groundwater samples were analyzed for VOCs. Analytical results are summarized in Table 3 and the analytical report is included as Attachment D.

Results of groundwater sampling conducted by Drake in March of 2005 indicated that the Site's highest PCE concentration (64,000 $\mu\text{g/L}$) occurred in the sample collected from well MW-3, providing the rationale for locating the piezometer adjacent to that well. Further, the PCE concentration in the well to the west, MW-5, were reported at a relatively low concentration of 28 $\mu\text{g/L}$.

Results of groundwater sampling conducted by RSV in January of 2006 indicated the presence of generally comparable concentrations in the two wells, but in reverse. The sample from well MW-3 yielded PCE concentrations of 130 $\mu\text{g/L}$ and 100 $\mu\text{g/L}$ for a standard and duplicate groundwater sample, respectively. In MW-5, a PCE concentration of 57,000 $\mu\text{g/L}$ was reported. Upon receiving these results, RSV re-verified Drake's mapping and reporting. We also checked the laboratory reports for Drake's work, and found the designations of wells on the lab sheets to be consistent with the summary in their report table. Based on this, RSV believes that our piezometer placement is appropriate based on their data. Consequently, we conclude that Drake may have mislabeled either their figure showing well placements, or the well designations on their samples containers.

Based on the groundwater flow conditions in the perched zone and at depth, and on groundwater quality data, it is not clear if MW-3P is providing an accurate indication of groundwater quality at depth. Figure 4 suggests that a source at or immediately north of the Klinke facility would be more likely to impact groundwater at MW-3 than at MW-5, suggesting that the placement of the piezometer is appropriate. However, shallow groundwater quality data indicates that the area of MW-5 has had greater impacts.

Conclusions and Recommendations

Lateral contaminant migration in the unsaturated zone occurs primarily when contaminants can migrate on an impermeable surface (e.g., pavement). Consequently, although the full northerly extent has not been defined, it is not likely that contaminants

have migrated much farther than the northernmost borings due to the absence of such a surface. RSV therefore believes that the impacts to soil have been adequately defined, and no further soil investigation is necessary.

The results at MW-5 indicate that the downgradient extent of groundwater impacts may not have been adequately defined. However, prior to mobilizing to expand the monitoring network, RSV recommends that a second round of groundwater sampling be conducted to verify the results of the data presented in this report. In the event that the new data are consistent, RSV will make recommendations for additional monitoring locations.

We look forward to your review and comments. If you have any questions about this report, or require any further information, please call.

Sincerely,

RSV ENGINEERING, INC.



Robert J. Nauta, P.G.
Principal Hydrogeologist

TABLE 1
SUMMARY OF SOIL ANALYSES
KLINKE CLEANERS
FOX RUN SHOPPING CENTER
WAUKESHA, WISCONSIN

PARAMETER	SAMPLE LOCATION AND DEPTH (FEET)						
	B-4 ¹ 0 - 2	B-4 ¹ 6 - 8	B-5 ² 4 - 6	B-5 ² 6 - 8	B-6 ² 4 - 6	B-7 ² 2 - 4	B-8 ² 2 - 4
Benzene	<25	<25	<3,100	<20,000	<25	<25	<25
Bromobenzene	<25	<25	<3,100	<20,000	<25	<25	<25
Bromochloromethane	NA	NA	<3,100	<20,000	<25	<25	<25
Bromodichloromethane	<25	<25	<3,100	<20,000	<25	<25	<25
Bromoform	NA	NA	<3,100	<20,000	<25	<25	<25
Bromomethane	NA	NA	<3,100	<20,000	<25	<25	<25
n-Butylbenzene	<25	<25	<3,100	<20,000	<25	<25	<25
sec-Butylbenzene	<25	<25	<3,100	<20,000	<25	<25	<25
tert-Butylbenzene	<25	<25	<3,100	<20,000	<25	<25	<25
Carbon tetrachloride	<25	<25	<3,100	<20,000	<25	<25	<25
Chlorobenzene	<25	<25	<3,100	<20,000	<25	<25	<25
Chloroethane	<25	<25	<3,100	<20,000	<25	<25	<25
Chloroform	<25	<25	<3,100	<20,000	<25	<25	<25
Chloromethane	<25	<25	<3,100	<20,000	<25	<25	<25
2-Chlorotoluene	<25	<25	<3,100	<20,000	<25	<25	<25
4-Chlorotoluene	<25	<25	<3,100	<20,000	<25	<25	<25
Dibromochloromethane	<25	<25	<3,100	<20,000	<25	<25	<25
1,2-Dibromo-3-chloropropane	<25	<25	<3,100	<20,000	<25	<25	<25
1,2-Dibromoethane	<25	<25	<3,100	<20,000	<25	<25	<25
1,2-Dichlorobenzene	<25	<25	<3,100	<20,000	<25	<25	<25
1,3-Dichlorobenzene	<25	<25	<3,100	<20,000	<25	<25	<25
1,4-Dichlorobenzene	<25	<25	<3,100	<20,000	<25	<25	<25
1,1-Dichloroethane	NA	NA	<3,100	<20,000	<25	<25	<25
1,2-Dichloroethane	NA	NA	<3,100	<20,000	<25	<25	<25
1,1-Dichloroethene	NA	NA	<3,100	<20,000	<25	<25	<25
cis-1,2-Dichloroethene	<25	<25	<3,100	<20,000	<25	<25	<25
trans-1,2-Dichloroethene	<25	<25	<3,100	<20,000	<25	<25	<25
1,2-Dichloropropane	<25	<25	<3,100	<20,000	<25	<25	<25
1,3-Dichloropropane	<25	<25	<3,100	<20,000	<25	<25	<25
2,2-Dichloropropane	<25	<25	<3,100	<20,000	<25	<25	<25
1,1-Dichloropropene	NA	NA	<3,100	<20,000	<25	<25	<25
trans-1,2-Dichloropropene	NA	NA	<3,100	<20,000	<25	<25	<25
Dibromomethane	NA	NA	<3,100	<20,000	<25	<25	<25
Dichlorodifluoromethane	NA	NA	<3,100	<20,000	<25	<25	<25
Di-isopropyl ether	<25	<25	<3,100	<20,000	<25	<25	<25
Ethylbenzene	<25	<25	<3,100	<20,000	<25	<25	<25
Hexachlorobutadiene	<25	<25	<3,100	<20,000	<25	<25	<25
Isopropylbenzene	<25	<25	<3,100	<20,000	<25	<25	<25
p-Isopropyltoluene	<25	<25	<3,100	<20,000	<25	<25	<25
Methylene chloride	<100	<100	<3,100	<20,000	<25	<25	<25
Methyl tert-butyl ether	<25	<25	<3,100	<20,000	<25	<25	<25
Naphthalene	<25	<25	<3,100	<20,000	<25	<25	<25
n-Propylbenzene	<25	<25	<3,100	<20,000	<25	<25	<25
Styrene	NA	NA	<3,100	<20,000	<25	<25	<25
1,1,1,1-Tetrachloroethane	<25	<25	<3,100	<20,000	<25	<25	<25
1,1,1,2-Tetrachloroethane	NA	NA	<3,100	<20,000	<25	<25	<25
Tetrachloroethene	34,300	20,500	870,000	5,100,000	2,400	860	1,300
Toluene	<25	<25	<3,100	<20,000	<25	<25	<25
1,2,3-Trichlorobenzene	<25	<25	<3,100	<20,000	<25	<25	<25
1,2,4-Trichlorobenzene	<25	<25	<3,100	<20,000	<25	<25	<25
1,1,1-Trichloroethane	<25	<25	<3,100	<20,000	<25	<25	<25
1,1,2-Trichloroethane	<25	<25	<3,100	<20,000	<25	<25	<25
Trichloroethene	<25	<25	<3,100	<20,000	<25	<25	<25
Trichlorofluoromethane	<25	<25	<3,100	<20,000	<25	<25	<25
1,2,4-Trimethylbenzene	<25	<25	<3,100	<20,000	<25	<25	<25
1,3,5-Trimethylbenzene	<25	<25	<3,100	<20,000	<25	<25	<25
1,2,3-Trichloropropane	NA	NA	<3,100	<20,000	<25	<25	<25
Vinyl chloride	<25	<25	<3,100	<20,000	<25	<25	<25
o Xylene	<25	<25	<3,100	<20,000	<25	<25	<25
m + p Xylenes	<25	<25	<6,200	<40,000	<50	<50	<50

TABLE 2
KLINKE CLEANERS
FOX RUN SHOPPING CENTER
WAUKESHA, WISCONSIN
GROUNDWATER ELEVATIONS

WELL	TOP OF CASING ¹	DEPTH TO WATER (FEET)	ELEVATION ¹
MW-1	101.39	24.60	76.79
MW-2	100.21	8.68	91.53
MW-3	99.66	8.16	91.50
MW-3P	100.44	32.03	68.41
MW-4	100.41	23.48	76.93
MW-5	99.78	9.20	90.58
MW-6	100.00	8.64	91.36

¹ Elevation in feet, set to a local datum (top of MW-6).

TABLE 3
KLINKE CLEANERS
FOX RUN SHOPPING CENTER
WAUKESHA, WISCONSIN
GROUNDWATER ANALYSES
Concentrations in µg/L

PARAMETER	PAL	ES	WELL						
			MW-1		MW-2		MW-3		
			Mar-05	Jan-06	Mar-05	Jan-06	Mar-05	Jan-06	Jan-06
Chloroform	0.6	6	<0.37	<0.23	<0.37	<0.23	<180 ¹	<2.3	<2.3
cis-1,2-Dichloroethene	7	70	<0.83	<0.18	2.8	<0.18	<420 ¹	[2.2]	[1.8]
Tetrachloroethene	0.5	5	1.8	1.9	0.99	0.70	64,000	130	100
Toluene	200	1,000	0.78	[0.23]	<0.67	[0.43]	<340	<2.1	<2.1
1,1,1-Trichloroethane	40	200	<0.90	[0.26]	<0.90	<0.21	<450 ¹	<2.1	<2.1
Trichloroethene	0.5	5	<0.48	<0.19	<0.48	<0.19	<480 ¹	<1.9	<1.9

PARAMETER	PAL	ES	WELL						
			MW-3P	MW-4		MW-5		MW-6	
			Jan-06	Mar-05	Jan-06	Mar-05	Jan-06	Mar-05	Jan-06
Chloroform	0.6	6	<0.23	<0.37	<0.23	<0.37	<1,200 ¹	0.49	1.5
cis-1,2-Dichloroethene	7	70	<0.18	<0.83	<0.18	<0.83	<900 ¹	<0.83	<0.18
Tetrachloroethene	0.5	5	3.7	1.3	1.4	28	57,000	4.7	18
Toluene	200	1,000	<0.21	<0.67	[0.25]	<0.67	<1,000	<0.67	[0.22]
1,1,1-Trichloroethane	40	200	<0.21	<0.90	<0.21	<0.90	<1,000 ¹	<0.90	<0.21
Trichloroethene	0.5	5	<0.19	<0.48	<0.19	0.69	<930 ¹	<0.48	[0.55]

[] Indicates compound detected above detection level but below level of quantification.


PAL - Preventive action limit.

ES - Enforcement standard.

¹ Detection level is higher than ES.

EDGE OF PAVEMENT

APROXIMATE EXTENT OF SOILS WITH PCE CONCENTRATIONS IN EXCESS OF 1 mg/kg




KLINKE CLEANERS

◆ BORING LOCATION WITH PCE CONCENTRATION IN mg/kg
1.7



NORTH

SCALE IN FEET



RSV
ENGINEERING, INC.

Engineers • Land Surveyors • Environmental Scientists
146 E. MILWAUKEE STREET JEFFERSON, WISCONSIN 53549 (920) 674-3411

KLINKE CLEANERS
FOX RUN - WAUKESHA, WISCONSIN
SOIL BORING LOCATIONS

FIGURE
1

DRAWN BY	PROJ. No.	DATE	FILE NAME
RN	05-529	14 FEB 06	SITE MAP

FENCE (ASSUMED PROPERTY BOUNDARY)

MW-6

MW-3 & 3P


MW-5

ASPHALT DRIVE

MW-2

MW-1

MW-4



NORTH

SCALE IN FEET
0 20 40 60 80

 **RSV**
ENGINEERING, INC.

Engineers • Land Surveyors • Environmental Scientists
146 E. MILWAUKEE STREET JEFFERSON, WISCONSIN 53549 (920) 674-3411

KLINKE CLEANERS
FOX RUN - WAUKESHA, WISCONSIN
WELL LOCATIONS

FIGURE
2

DRAWN BY

PROJ. No.

DATE


FILE NAME

RN

05-529

14 FEB 06


SITE MAP



◆ MONITOR WELL

— 91.2 — GROUNDWATER ELEVATION (FEET, LOCAL DATUM)

↖ GROUNDWATER FLOW DIRECTION





RSV
ENGINEERING, INC.
Engineers • Land Surveyors • Environmental Scientists
146 E. MILWAUKEE STREET JEFFERSON, WISCONSIN 53549 (920) 674-3411

KLINKE CLEANERS
FOX RUN - WAUKESHA, WISCONSIN
WATER TABLE - 10 JAN 06

FIGURE
3

DRAWN BY	PROJ. No.	DATE	FILE NAME
RN	05-529	14 FEB 06	WATER TABLE



<p>RSV ENGINEERING, INC.</p> <p>Engineers • Land Surveyors • Environmental Scientists 146 E. MILWAUKEE STREET JEFFERSON, WISCONSIN 53549 (920) 674-3411</p>	<p>KLINKE CLEANERS FOX RUN - WAUKESHA, WISCONSIN DEEP GROUNDWATER ELEVATIONS</p>		<p>FIGURE 4</p>
	<p>DRAWN BY RN</p>	<p>PROJ. No. 05-529</p>	<p>DATE 14 FEB 06</p>

SOIL BORING LOG INFORMATION

Form 4400-122

7-91

Route To:

- Solid Waste
- Wastewater
- Emergency Response

- Haz. Waste
- Underground Tanks
- Water Resources
- Other _____

Page 1 of 1

Facility / Project Name Klinke 05-529		License/Permit/Monitoring Number _____		Boring Number B16	
Boring Drilled By (Firm name and name of crew chief) Kitson Environmental Dusty		Date Drilling Started <u>11</u> / <u>30</u> / <u>05</u> M M / D D / Y Y	Date Drilling Completed <u>11</u> / <u>30</u> / <u>05</u> M M / D D / Y Y	Drilling Method PP/DP	
DNR Facility Well No. _____	WI Unique Well No. _____	Common Well Name _____	Final Static Water Level _____ Feet MSL	Surface Elevation _____ Feet MSL	Borehole Diameter 2.125 inches
Boring Location State Plane _____ N. _____ E S/C/N SE 1/4 of SE 1/4 of Section 8 T 6 N, R 19 E		Lat _____ Long _____	Local Grid Location (If Applicable) <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		

County Waukesha		DNR County Code 6 8	Civil Town / <u>City</u> / or Village Waukesha		
---------------------------	--	-------------------------------	--	--	--

Sample Number	Length Recovered (in)	Blow Counts (N)	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					ROD/Comments
									Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
37			1	0-5 asphalt	SW			7.2						
			2	5-12 SAND and gravel base	SP									
			3	12-37 fine SAND with gravel, moist, medium brown				6.7					sample	
37			4	0-9 as above	SP			4.4						
			5	9-15 silty fine SAND, saturated, medium brown	ML									
			6	15-37 fine SAND, moist, medium brown	SP			5.8						
			7											
			8	EOB 8'										
			9											
			10											
			11											
			12											
			13											
			14											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature <i>[Signature]</i>	Firm RSV Engineering, Inc., Jefferson, WI
------------------------------	--

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$4,000 for each violation. Fines not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats

Route To:

- Solid Waste
- Wastewater
- Emergency Response

- Haz. Waste
- Underground Tanks
- Water Resources
- Other _____

Facility / Project Name Klinke 05-529		License/Permit/Monitoring Number _____		Boring Number B17	
Boring Drilled By (Firm name and name of crew chief) Kitson Environmental Dusty		Date Drilling Started <u>11</u> / <u>30</u> / <u>05</u> MM / DD / YY		Date Drilling Completed <u>11</u> / <u>30</u> / <u>05</u> MM / DD / YY	
DNR Facility Well No. _____		WI Unique Well No. _____		Common Well Name _____	
Final Static Water Level _____ Feet MSL		Surface Elevation _____ Feet MSL		Borehole Diameter 2.125 inches	
Boring Location State Plane _____ N. _____ E S/C/N SE 1/4 of SE 1/4 of Section 8 T 6 N, R 19 E		Lat _____ Long _____		Local Grid Location (If Applicable) <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W	

County Waukesha	DNR County Code 6 8	Civil Town / City / or Village Waukesha
---------------------------	-------------------------------	---

Sample Number	Length Recovered (in)	Blow Counts (N)	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					ROD/Comments
									Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
31			1	0-4 asphalt	SW			4.6						
			2	4-16 SAND and gravel	SP									
35			3	16-31 fine SAND, moist, medium brown				2.9						sample
			4	0-8 as above	SP			2.8						
			5	8-23 silty fine SAND, saturated, medium brown	SM									
			6	23-35 fine SAND, moist, medium brown	ML			2.9						
			7											
			8	EOB 8'										
			9											
			10											
			11											
			12											
			13											
			14											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm **RSV Engineering, Inc., Jefferson, WI**

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$4,000 for each violation. Fines not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats

Route To:

- Solid Waste
- Wastewater
- Emergency Response

- Haz. Waste
- Underground Tanks
- Water Resources
- Other _____

Page 1 of 1

Facility / Project Name Klinke 05-529		License/Permit/Monitoring Number _____		Boring Number B18	
Boring Drilled By (Firm name and name of crew chief) Kitson Environmental Dusty		Date Drilling Started <u>11</u> / <u>30</u> / <u>05</u> M M / D D / Y Y		Date Drilling Completed <u>11</u> / <u>30</u> / <u>05</u> M M / D D / Y Y	
DNR Facility Well No. _____		WI Unique Well No. _____		Common Well Name _____	
Final Static Water Level _____ Feet MSL		Surface Elevation _____ Feet MSL		Borehole Diameter 2.125 inches	
Boring Location State Plane _____ N. _____ E S/C/N SE 1/4 of SE 1/4 of Section 8 T 6 N, R 19 E		Lat _____ Long _____		Local Grid Location (If Applicable) <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W	
County Waukesha		DNR County Code 6 8		Civil Town / City / or Village Waukesha	

Sample Number	Length Recovered (in)	Blow Counts (N)	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					ROD/Comments
									Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
34			1	0-4 asphalt	SW			2.6						
			2	4-20 SAND and gravel	SP									
44			3	20-34 fine SAND, little fine gravel, moist, medium brown				4.0						
			4	0-29 as above										
44			5	29-35 fine sandy SILT, saturated, medium brown	SP			3.2					sample	
			6	35-44 fine SAND, moist, medium brown	ML SP									
			7					2.8						
			8	EOB 8'										
			9											
			10											
			11											
			12											
			13											
			14											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Allen D. Bruff* Firm **RSV Engineering, Inc., Jefferson, WI**

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$4,000 for each violation. Fines not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats




Route To:

- Solid Waste
- Wastewater
- Emergency Response


- Haz. Waste
- Underground Tanks
- Water Resources
- Other _____

Page 1 of 1

Facility / Project Name Klinke 05-529		License/Permit/Monitoring Number _____		Boring Number B19	
Boring Drilled By (Firm name and name of crew chief) Kitson Environmental Dusty		Date Drilling Started <u>11</u> / <u>30</u> / <u>05</u> MM / DD / YY		Date Drilling Completed <u>11</u> / <u>30</u> / <u>05</u> MM / DD / YY	
DNR Facility Well No. _____		WI Unique Well No. _____		Common Well Name _____	
Final Static Water Level _____ Feet MSL		Surface Elevation _____ Feet MSL		Borehole Diameter 2.125 inches	
Boring Location State Plane _____ N. _____ E S/C/N SE 1/4 of SE 1/4 of Section 8 T 6 N, R 19 E		Lat _____ Long _____		Local Grid Location (If Applicable) <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W _____ Feet	
County Waukesha		DNR County Code 6 8		Civil Town / City / or Village Waukesha	

Sample Number	Length Recovered (in)	Blow Counts (N)	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					ROD/Comments
									Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
29			1	0-4 asphalt	CL			1.2						
			2	4-29 CLAY with fine to coarse sand, moist, medium brown note: stone chips from 15" to 17"				9.3						
34			4	0-24 fine SAND, moist, yellow grading to medium brown with depth	SP			50.9					sample	
			5	24-34 fine sandy SILT, saturated, medium brown	ML				15.5					
			8	EOB 8'										
			9											
			10											
			11											
			12											
			13											
			14											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm RSV Engineering, Inc., Jefferson, WI
---	--

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$4,000 for each violation. Fines not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats

Route To:

- Solid Waste
- Wastewater
- Emergency Response

- Haz. Waste
- Underground Tanks
- Water Resources
- Other _____

Page 1 of 1

Facility / Project Name Klinke 05-529		License/Permit/Monitoring Number _____		Boring Number B20	
Boring Drilled By (Firm name and name of crew chief) Kitson Environmental Dusty			Date Drilling Started <u>11</u> / <u>30</u> / <u>05</u> MM / DD / YY	Date Drilling Completed <u>11</u> / <u>30</u> / <u>05</u> MM / DD / YY	Drilling Method PP/DP
DNR Facility Well No. _____	WI Unique Well No. _____	Common Well Name _____		Final Static Water Level _____ Feet MSL	Surface Elevation _____ Feet MSL
Boring Location State Plane _____ N. _____ E S/C/N SE 1/4 of SE 1/4 of Section 8 T 6 N, R 19 E			Lat _____ Long _____	Local Grid Location (If Applicable) <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W _____ Feet	
County Waukesha		DNR County Code 6 8	Civil Town / <u>City</u> / or Village Waukesha		

Sample Number	Length Recovered (in)	Blow Counts (N)	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					ROD/Comments					
									Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200						
36			0-4	asphalt	SW			9.3											
			4-10	SAND and gravel	SC		11.0												sample
			10-36	clayey medium to coarse SAND with gravel, moist, medium brown															
35			0-17	fine SAND, moist, yellow/brown	SP			35.0						sample					
			17-35	fine sandy SILT, saturated, medium brown	ML		22.7												
			EOB 8'																
			8																
			9																
			10																
			11																
			12																
			13																
			14																

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Alta R. Shuff* Firm **RSV Engineering, Inc., Jefferson, WI**

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$4,000 for each violation. Fines not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats

Route To:

- Solid Waste
- Wastewater
- Emergency Response

- Haz. Waste
- Underground Tanks
- Water Resources
- Other _____

Page 1 of 1

Facility / Project Name Klinke 05-529		License/Permit/Monitoring Number _____		Boring Number B21	
Boring Drilled By (Firm name and name of crew chief) Kitson Environmental Dusty		Date Drilling Started <u>11</u> / <u>30</u> / <u>05</u> M M / D D / Y Y	Date Drilling Completed <u>11</u> / <u>30</u> / <u>05</u> M M / D D / Y Y	Drilling Method PP/DP	
DNR Facility Well No. _____	WI Unique Well No. _____	Common Well Name _____	Final Static Water Level _____ Feet MSL	Surface Elevation _____ Feet MSL	Borehole Diameter 2.125 inches
Boring Location State Plane _____ N. _____ E S/C/N SE 1/4 of SE 1/4 of Section 8 T 6 N, R 19 E		Lat _____ Long _____	Local Grid Location (If Applicable) <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W _____ Feet		
County Waukesha		DNR County Code 6 8	Civil Town / <u>City</u> / or Village Waukesha		

Sample Number	Length Recovered (in)	Blow Counts (N)	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					ROD/Comments
									Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
35			1	0-4 asphalt	SW			4.3						
			2	4-10 SAND and gravel	SC		6.8							
			3	10-27 clayey medium to coarse SAND with gravel, moist, medium brown	CL									
34			4	27-35 medium to coarse sandy CLAY, moist, medium brown				18.1					sample	
			5	0-11 silty fine SAND, moist, yellow/brown	SP									
			6	11-27 fine sandy SILT, moist, medium brown	ML		31.0							
7	27-34 silty fine SAND, moist grading to saturated with depth, yellow/brown	SP												
			8	EOB 8'										
			9											
			10											
			11											
			12											
			13											
			14											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm **RSV Engineering, Inc., Jefferson, WI**

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$4,000 for each violation. Fines not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats

Route To:

- Solid Waste
- Wastewater
- Emergency Response

- Haz. Waste
- Underground Tanks
- Water Resources
- Other _____

Page 1 of 1

Facility / Project Name Klinke 05-529		License/Permit/Monitoring Number _____		Boring Number B22	
Boring Drilled By (Firm name and name of crew chief) Kitson Environmental Dusty		Date Drilling Started <u>11</u> / <u>30</u> / <u>05</u> M M / D D / Y Y	Date Drilling Completed <u>11</u> / <u>30</u> / <u>05</u> M M / D D / Y Y	Drilling Method PP/DP	
DNR Facility Well No. _____	WI Unique Well No. _____	Common Well Name _____	Final Static Water Level _____ Feet MSL	Surface Elevation _____ Feet MSL	Borehole Diameter 2.125 inches
Boring Location State Plane _____ N. _____ E S/C/N SE 1/4 of SE 1/4 of Section 8 T 6 N, R 19 E		Lat _____ Long _____	Local Grid Location (If Applicable) <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W _____ Feet		
County Waukesha		DNR County Code 6 8	Civil Town / City / or Village Waukesha		

Sample Number	Length Recovered (in)	Blow Counts (N)	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					ROD/Comments
									Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
34			1	0-4 asphalt	SW			3.1						
			2	4-10 SAND and gravel	SC									
42			3	10-34 clayey medium to coarse SAND with gravel, moist, medium brown				6.5						
			4											
			5	0-28 silty fine SAND, moist, yellow/brown	SP									
6	28-36 fine sandy SILT, moist, light brown													
			7	36-42 as above, saturated	ML			9.0						
			8	EOB 8'										
			9											
			10											
			11											
			12											
			13											
			14											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature <i>[Signature]</i>	Firm RSV Engineering, Inc., Jefferson, WI
------------------------------	--

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$4,000 for each violation. Fines not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats



1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-469-8827

Analytical Report Number: 867042

Client: RSV ENGINEERING, INC.


Lab Contact: Eric Bullock

Project Name: KLINKE

Project Number: 05-529

Lab Sample Number	Field ID	Matrix	Collection Date
867042-001	B16, 2'-4'	SOIL	11/30/05 11:50
867042-002	B16, 4'-6'	SOIL	11/30/05 11:55
867042-003	B17, 2'- 4'	SOIL	11/30/05 12:00
867042-004	B18, 4'-6'	SOIL	11/30/05 12:20
867042-005	B19, 4'-6'	SOIL	11/30/05 14:55
867042-006	B20, 2'-4'	SOIL	11/30/05 15:10
867042-007	B20, 4'-6'	SOIL	11/30/05 15:21
867042-008	B21, 4'-6'	SOIL	11/30/05 15:25
867042-009	B22, 4'-6'	SOIL	11/30/05 15:38
867042-010	MEOH BLANK	METH	11/30/05

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.


Approval Signature

12/9/05
Date

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Matrix Type : SOIL

Project Name : KLINKE

Collection Date : 11/30/05

Project Number : 05-529

Report Date : 12/09/05

Field ID : B16, 2'-4'

Lab Sample Number : 867042-001

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	91.0				1	%		12/05/05	SM M2540G	SM M2540G

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Project Name : KLINKE

Project Number : 05-529

Field ID : B16, 2'-4'

Matrix Type : SOIL

Collection Date : 11/30/05

Report Date : 12/09/05

Lab Sample Number : 867042-001

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Tetrachloroethene	990	27	66		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	93	64	133		50	%		12/07/05	SW846 5030B	SW846 8260B
Toluene-d8	99	67	139		50	%		12/07/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	97	64	140		50	%		12/07/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Client : RSV ENGINEERING, INC.

Matrix Type : SOIL

Project Name : KLINKE

Collection Date : 11/30/05

Project Number : 05-529

Report Date : 12/09/05

Field ID : B16, 4'-6'

Lab Sample Number : 867042-002

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	90.0				1	%		12/05/05	SM M2540G	SM M2540G

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted

Client : RSV ENGINEERING, INC.

Matrix Type : SOIL

Project Name : KLINKE

Collection Date : 11/30/05

Project Number : 05-529

Report Date : 12/09/05

Field ID : B16, 4'-6'

Lab Sample Number : 867042-002

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Tetrachloroethene	490	28	67		50	ug/Kg	B	12/08/05	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	85	64	133		50	%		12/08/05	SW846 5030B	SW846 8260B
Toluene-d8	88	67	139		50	%		12/08/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	85	64	140		50	%		12/08/05	SW846 5030B	SW846 8260B

Client : RSV ENGINEERING, INC.

Project Name : KLINKE

Project Number : 05-529

Field ID : B17,2'- 4'

Matrix Type : SOIL

Collection Date : 11/30/05

Report Date : 12/09/05

Lab Sample Number : 867042-003

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	91.4				1	%		12/05/05	SM M2540G	SM M2540G

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Project Name : KLINKE
Project Number : 05-529
Field ID : B17,2'- 4'

Matrix Type : SOIL
Collection Date : 11/30/05
Report Date : 12/09/05
Lab Sample Number : 867042-003

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Tetrachloroethene	330	27	66		50	ug/Kg	B	12/08/05	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	92	64	133		50	%		12/08/05	SW846 5030B	SW846 8260B
Toluene-d8	95	67	139		50	%		12/08/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	91	64	140		50	%		12/08/05	SW846 5030B	SW846 8260B

Client : RSV ENGINEERING, INC.

Matrix Type : SOIL

Project Name : KLINKE

Collection Date : 11/30/05

Project Number : 05-529

Report Date : 12/09/05

Field ID : B18, 4'-6'

Lab Sample Number : 867042-004

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	94.2				1	%		12/05/05	SM M2540G	SM M2540G

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Matrix Type : SOIL

Project Name : KLINKE

Collection Date : 11/30/05

Project Number : 05-529

Report Date : 12/09/05

Field ID : B18, 4'-6'

Lab Sample Number : 867042-004

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Tetrachloroethene	76	27	64		50	ug/Kg	B	12/08/05	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	91	64	133		50	%		12/08/05	SW846 5030B	SW846 8260B
Toluene-d8	96	67	139		50	%		12/08/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	93	64	140		50	%		12/08/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Matrix Type : SOIL

Project Name : KLINKE

Collection Date : 11/30/05

Project Number : 05-529

Report Date : 12/09/05

Field ID : B19, 4'-6'

Lab Sample Number : 867042-005

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	88.5				1	%		12/05/05	SM M2540G	SM M2540G

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Matrix Type : SOIL

Project Name : KLINKE

Collection Date : 11/30/05

Project Number : 05-529

Report Date : 12/09/05

Field ID : B19, 4'-6'

Lab Sample Number : 867042-005

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Tetrachloroethene	1300	28	68		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	94	64	133		50	%		12/07/05	SW846 5030B	SW846 8260B
Toluene-d8	97	67	139		50	%		12/07/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	96	64	140		50	%		12/07/05	SW846 5030B	SW846 8260B

Client : RSV ENGINEERING, INC.

Project Name : KLINKE
Project Number : 05-529
Field ID : B20, 2'-4'

Matrix Type : SOIL
Collection Date : 11/30/05
Report Date : 12/09/05
Lab Sample Number : 867042-006

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	91.9				1	%		12/05/05	SM M2540G	SM M2540G

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Matrix Type : SOIL

Project Name : KLINKE

Collection Date : 11/30/05

Project Number : 05-529

Report Date : 12/09/05

Field ID : B20, 2'-4'

Lab Sample Number : 867042-006

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Tetrachloroethene	230	27	65		50	ug/Kg	B	12/08/05	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	87	64	133		50	%		12/08/05	SW846 5030B	SW846 8260B
Toluene-d8	91	67	139		50	%		12/08/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	87	64	140		50	%		12/08/05	SW846 5030B	SW846 8260B

Client : RSV ENGINEERING, INC.

Project Name : KLINKE

Project Number : 05-529

Field ID : B20, 4'-6'

Matrix Type : SOIL

Collection Date : 11/30/05

Report Date : 12/09/05

Lab Sample Number : 867042-007

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	89.5				1	%		12/05/05	SM M2540G	SM M2540G

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Project Name : KLINKE

Project Number : 05-529

Field ID : B20, 4'-6'

Matrix Type : SOIL

Collection Date : 11/30/05

Report Date : 12/09/05

Lab Sample Number : 867042-007

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Tetrachloroethene	1100	28	67		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		12/07/05	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	100	64	133		50	%		12/07/05	SW846 5030B	SW846 8260B
Toluene-d8	104	67	139		50	%		12/07/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	100	64	140		50	%		12/07/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Matrix Type : SOIL

Project Name : KLINKE

Collection Date : 11/30/05

Project Number : 05-529

Report Date : 12/09/05

Field ID : B21, 4'-6'

Lab Sample Number : 867042-008

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	89.4				1	%		12/05/05	SM M2540G	SM M2540G

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Fluorotrchloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Project Name : KLINKE

Project Number : 05-529

Field ID : B21, 4'-6'

Matrix Type : SOIL

Collection Date : 11/30/05

Report Date : 12/09/05

Lab Sample Number : 867042-008

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Tetrachloroethene	410	28	67		50	ug/Kg	B	12/08/05	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	89	64	133		50	%		12/08/05	SW846 5030B	SW846 8260B
Toluene-d8	91	67	139		50	%		12/08/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	87	64	140		50	%		12/08/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted

Client : RSV ENGINEERING, INC.

Project Name : KLINKE
Project Number : 05-529
Field ID : B22, 4'-6'

Matrix Type : SOIL
Collection Date : 11/30/05
Report Date : 12/09/05
Lab Sample Number : 867042-009

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	87.0				1	%		12/05/05	SM M2540G	SM M2540G

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Project Name : KLINKE

Project Number : 05-529

Field ID : B22, 4'-6'

Matrix Type : SOIL

Collection Date : 11/30/05

Report Date : 12/09/05

Lab Sample Number : 867042-009

VOLATILES

Prep Date: 12/05/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Tetrachloroethene	290	29	69		50	ug/Kg	B	12/08/05	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		12/08/05	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	87	64	133		50	%		12/08/05	SW846 5030B	SW846 8260B
Toluene-d8	90	67	139		50	%		12/08/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	86	64	140		50	%		12/08/05	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Matrix Type : METHANOL

Project Name : KLINKE

Collection Date : 11/30/05

Project Number : 05-529

Report Date : 12/09/05

Field ID : MEOH BLANK

Lab Sample Number : 867042-010

VOLATILES

Prep Date: 12/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/L	*	12/06/05	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
N-Butylbenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 867042

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : RSV ENGINEERING, INC.

Project Name : KLINKE

Project Number : 05-529

Field ID : MEOH BLANK

Matrix Type : METHANOL

Collection Date : 11/30/05

Report Date : 12/09/05

Lab Sample Number : 867042-010

VOLATILES

Prep Date: 12/06/05

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
n-Propylbenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/L	*	12/06/05	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/L		12/06/05	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	110	64	133		50	%		12/06/05	SW846 5030B	SW846 8260B
Toluene-d8	105	67	139		50	%		12/06/05	SW846 5030B	SW846 8260B
Dibromofluoromethane	102	64	140		50	%		12/06/05	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Lab Number	TestGroupID	Field ID	Comment
867042-002	8260+-S-ME	B16, 4'-6'	B - Analyte present in blank at 36.9 ug/L. Sample and blank were re-analyzed to confirm results.
867042-003	8260+-S-ME	B17, 2'- 4'	B - Analyte present in blank at 36.9 ug/L. Sample and blank were re-analyzed to confirm results.
867042-004	8260+-S-ME	B18, 4'-6'	B - Analyte present in blank at 36.9 ug/L. Sample and blank were re-analyzed to confirm results.
867042-006	8260+-S-ME	B20, 2'-4'	B - Analyte present in blank at 36.9 ug/L. Sample and blank were re-analyzed to confirm results.
867042-008	8260+-S-ME	B21, 4'-6'	B - Analyte present in blank at 36.9 ug/L. Sample and blank were re-analyzed to confirm results.
867042-009	8260+-S-ME	B22, 4'-6'	B - Analyte present in blank at 36.9 ug/L. Sample and blank were re-analyzed to confirm results.

Qualifier Codes

Flag	Applies To	Explanation
A	Inorganic	Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
B	Inorganic	The analyte has been detected between the method detection limit and the reporting limit.
B	Organic	Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
C	All	Elevated detection limit.
D	All	Analyte value from diluted analysis or surrogate result not applicable due to sample dilution.
E	Inorganic	Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed.
E	Organic	Analyte concentration exceeds calibration range.
F	Inorganic	Due to potential interferences for this analysis by Inductively Coupled Plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method.
F	Organic	Surrogate results outside control criteria.
G	All	The result is estimated because the concentration is less than the lowest calibration standard concentration utilized in the initial calibration. The method detection limit is less than the reporting limit specified for this project.
H	All	Preservation, extraction or analysis performed past holding time.
HF	Inorganic	This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time.
J	All	Concentration detected equal to or greater than the method detection limit but less than the reporting limit.
K	Inorganic	Sample received unpreserved. Sample was either preserved at the time of receipt or at the time of sample preparation.
K	Organic	Detection limit may be elevated due to the presence of an unrequested analyte.
L	All	Elevated detection limit due to low sample volume.
M	Organic	Sample pH was greater than 2
N	All	Spiked sample recovery not within control limits.
O	Organic	Sample received overweight.
P	Organic	The relative percent difference between the two columns for detected concentrations was greater than 40%.
Q	All	The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
S	Organic	The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
U	All	The analyte was not detected at or above the reporting limit.
V	All	Sample received with headspace.
W	All	A second aliquot of sample was analyzed from a container with headspace.
X	All	See Sample Narrative.
Z	Organics	This compound was separated in the check standard but it did not meet the resolution criteria as set forth in SW846.
&	All	Laboratory Control Spike recovery not within control limits.
*	All	Precision not within control limits.
+	Inorganic	The sample result is greater than four times the spike level: therefore, the percent recovery is not evaluated.
<	All	The analyte was not detected at or above the reporting limit.
1	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria.
2	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria.
3	Inorganic	BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion.
4	Inorganic	BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
5	Inorganic	BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
6	Inorganic	BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
7	Inorganic	BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.

Test Group Name	867042-010	867042-009	867042-008	867042-007	867042-006	867042-005	867042-004	867042-003	867042-002	867042-001
PERCENT SOLIDS	B	B	B	B	B	B	B	B	B	B
VOLATILES	G	G	G	G	G	G	G	G	G	G

Code	Facility	Address	WI Certification
B	Green Bay Lab (Bellevue St)	1241 Bellevue Street, Suite 9 Green Bay, WI 54302	405132750 / DATCP: 105-444
G	Green Bay Lab (Industrial Dr)	1795 Industrial Drive Green Bay, WI 54302	405132750



Sample Condition Upon Receipt

Client Name: RSV ENGINEERING Project # 867042

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used NA Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temperature ROE Biological Tissue is Frozen: Yes No

Temp should be above freezing to 6°C

Optional
Proj. Due Date
Proj. Name

Date and Initials of person examining contents: 12-2-05 GD
12/2/05

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>3 / MeOH</u>		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16. <u>IT IS A MeOH BLANK 12/2/05 GD</u>
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	<u>How Pace delivery</u>
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: SB 12/9/05 Date: _____

COPY

05-529



1241 Bellevue St., Suite 9
Green Bay, WI 54302
920-469-2436
FAX 920-469-8827

(Please Print Legibly)

Company Name: RSU Engineering

Branch or Location: Jefferson, WI

Project Contact: Bob Navta

Telephone: (920) 674-3411

Project Number: 05-529

Project Name: Klinke

Project State: WI

Sampled By (Print): AL KNOOP

CHAIN OF CUSTODY

A=None B=HCL C=H2SO4 D=HNO3 E=EnCore F=Methanol G=NaOH
 H = Sodium Bisulfate Solution I = Sodium Thiosulfate J = Other

FILTERED? (YES/NO) _____

PRESERVATION (CODE)* _____

Page _____ of _____

P.O. # _____ Quote # _____

Mail Report To: Bob Navta

Company: RSU

Address: 112 S. Main St.
Jefferson WI 53549

Invoice To: Same

Company: _____

Address: _____

Mail Invoice To: _____

Data Package Options - (please circle if requested)

Sample Results Only (no QC)

EPA Level II (Subject to Surcharge)

EPA Level III (Subject to Surcharge)

EPA Level IV (Subject to Surcharge)

Regulatory Program

UST
RCRA
SDWA
NPDES
CERCLA

Matrix Codes

W=Water
S=Soil
A=Air
C=Charcoal
B=Biota
Sl=Sludge

ANALYSES REQUESTED

TOTAL # OF BOTTLES SENT

LABORATORY ID (Lab Use Only)	FIELD ID	COLLECTION			MATRIX								CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)
		DATE	TIME											
001	B16, 2'-4'	11/06	11:50	S	X									130°F 1-4oz Poly
002	B16, 4'-6'		11:55	S	✓									
003	B17, 2'-4'		12:00	S	X									
004	B18, 4'-6'		12:20	S	X									
005	B19, 4'-6'		14:55	S	✓									
006	B20, 2'-4'		15:10	S	X									
007	B20, 4'-6'		15:21	S	X									
008	B21, 4'-6'		15:25	S	✓									
009	B22, 4'-6'		15:38	S	X									
010	* MeOH BLANK										X	1 MeOH MeOH NA/	PAGE BLANK Added To DOC	By LAB 12/2/05 GP

Rush Turnaround Time Requested (TAT) - Prelim
(Rush TAT subject to approval/surcharge)

Date Needed: _____

Transmit Prelim Rush Results by (circle):
 Phone Fax E-Mail

Phone #: _____

Fax #: _____

E-Mail Address: _____

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: <u>[Signature]</u>	Date/Time: <u>11/06/05 17:30</u>	Received By: _____	Date/Time: _____	En Chem Project No. <u>8167042</u>
Relinquished By: <u>[Signature]</u>	Date/Time: _____	Received By: <u>[Signature]</u>	Date/Time: <u>12/2/05 19:30</u>	Sample Receipt Temp. <u>RTI</u>
Relinquished By: _____	Date/Time: _____	Received By: _____	Date/Time: _____	Sample Receipt pH (Wet/Metals) <u>NA</u>
Relinquished By: _____	Date/Time: _____	Received By: _____	Date/Time: _____	Cooler Custody Seal Present / Not Present <u>Present</u>
Relinquished By: _____	Date/Time: _____	Received By: _____	Date/Time: _____	Intact / Not Intact

Route To:

- Solid Waste
- Wastewater
- Emergency Response

- Haz. Waste
- Underground Tanks
- Water Resources
- Other _____


Page 1 of 2

Facility / Project Name Klinke 05-529		License/Permit/Monitoring Number _____		Boring Number 3P	
Boring Drilled By (Firm name and name of crew chief) OnSite Environmental Tony Kapugi		Date Drilling Started <u>11</u> / <u>29</u> / <u>05</u> MM / DD / YY		Date Drilling Completed <u>11</u> / <u>29</u> / <u>05</u> MM / DD / YY	
DNR Facility Well No. _____		WI Unique Well No. _____		Common Well Name 3P	
Boring Location State Plane _____ N. _____ E S/C/N SE 1/4 of SE 1/4 of Section 8 T 6 N, R 19 E		Final Static Water Level _____ Feet MSL		Surface Elevation _____ Feet MSL	
County Waukesha		DNR County Code 6 8		Civil Town / City / or Village Waukesha, WI	

Sample Number	Length Recovered (in)	Blow Counts (N)	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					ROD/Comments
									Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
39			1	0-4 asphalt										
			2	4-22 SAND and gravel	SW									
			3	22-29 sandy CLAY, moist, medium brown	CL									
			4	29-39 medium to coarse SAND, moist, medium brown	SP									
38			5	0-29 fine SAND, moist to 16", saturated below 16", medium brown	SP									
			6	29-38 fine sandy SILT, saturated, medium brown	ML									
			7											
48			8	0-8 as above	ML									
			9	8-13 SAND with gravel, saturated, dark brown	SP									
			10	13-48 silty fine SAND, saturated, medium gray	SM									
			11											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature



Firm

RSV Engineering, Inc., Jefferson, WI

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$4,000 for each violation. Fines not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats

Facility/Project Name: Klinke Cleaners Local Grid Location of Well: _____ Well Name: 3P
 Facility License, Permit or Monitoring No.: _____ Local Grid Origin (estimated:) or Well Location: _____ Wis. Unique Well No.: _____ DNR Well ID No.: _____
 Facility ID: _____ St. Plane: _____ ft. N., _____ ft. E. S/C/N: _____ Date Well Installed: 11/23/2005
 Type of Well: _____ Well Code: PZ 1 12 Section Location of Waste/Source: _____ 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. _____ Well Installed By: Name (first, last) and Firm: A. Kapug OES
 Distance from Waste/Source: _____ ft. Ent. Stds. Apply Location of Well Relative to Waste/Source: u Upgradient s Sidegradient d Downgradient n Not Known Gov. Lot Number: _____

A. Protective pipe, top elevation _____ ft. MSL
 B. Well casing, top elevation _____ ft. MSL
 C. Land surface elevation _____ ft. MSL
 D. Surface seal, bottom _____ ft. MSL or 5 ft.

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis performed? Yes No
 14. Drilling method used: Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99
 16. Drilling additives used? Yes No
 Describe: _____
 17. Source of water (attach analysis, if required): _____

E. Bentonite seal, top _____ ft. MSL or 5 ft.
 F. Fine sand, top _____ ft. MSL or 29 ft.
 G. Filter pack, top _____ ft. MSL or 31 ft.
 H. Screen joint, top _____ ft. MSL or 33 ft.
 I. Well bottom _____ ft. MSL or 38.5 ft.
 J. Filter pack, bottom _____ ft. MSL or 38.5 ft.
 K. Borehole, bottom _____ ft. MSL or 39.5 ft.
 L. Borehole, diameter 8 in.
 M. O.D. well casing 2.38 in.
 N. I.D. well casing 2.08 in.

1. Cap and lock? Yes No
 2. Protective cover pipe:
 a. Inside diameter: 8 in.
 b. Length: 1 ft.
 c. Material: Steel 04
 Other
 d. Additional protection? Yes No
 If yes, describe: _____
 3. Surface seal: Bentonite 30
 Concrete 01
 Other
 4. Material between well casing and protective pipe: Bentonite 30
 Other
sand on Bend
 5. Annular space seal: a. Granular/Chipped Bentonite 33
 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry 35
 c. _____ Lbs/gal mud weight ... Bentonite slurry 31
 d. _____ % Bentonite ... Bentonite-cement grout 50
 e. 10 Ft³ volume added for any of the above
 f. How installed: Tremie 01
 Tremie pumped 02
 Gravity 08
 6. Bentonite seal: a. Bentonite granules 33
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite chips 32
 c. _____ Other
 7. Fine sand material: Manufacturer, product name & mesh size
 a. Sidley Ohio #4000
 b. Volume added .5 ft³
 8. Filter pack material: Manufacturer, product name & mesh size
 a. Sidley Ohio #5
 b. Volume added 1.75 ft³
 9. Well casing: Flush threaded PVC schedule 40 23
 Flush threaded PVC schedule 80 24
 Other
 10. Screen material: PVC
 a. Screen type: Factory cut 11
 Continuous slot 01
 Other
 b. Manufacturer Monoflex
 c. Slot size: 0.01 in.
 d. Slotted length: 12 ft. 5'
 11. Backfill material (below filter pack): None 14
 Other

I hereby certify that the information on this form is true and correct to the best of my knowledge.
 Signature: Andrew Kay Firm: OES

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

RECEIVED JAN 23 2006

Printed: 01/18/06 Code: S Page 1 of 2

Client: RSV Engineering Inc
 Attn: Bob Nauta
 112 South Main Street
 P O Box 298
 Jefferson, WI 53549 0298

NLS Project: 95498

NLS Customer: 83681

Fax: 920 674 3481 Phone: 920 674 3411

COPY

Project: Klinke Cleaners 05-529

05-529

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
MW-1 NLS ID: 395498								
Ref. Line 1 COC 83086 MW-1 Matrix: GW								
Collected: 01/10/06 10:20 Received: 01/12/06								
VOCs (water) by EPA 8260	see attached					01/16/06	SW846 8260	721026460
MW-2 NLS ID: 395499								
Ref. Line 2 COC 83086 MW-2 Matrix: GW								
Collected: 01/10/06 10:45 Received: 01/12/06								
VOCs (water) by EPA 8260	see attached					01/16/06	SW846 8260	721026460
MW-3 NLS ID: 395500								
Ref. Line 3 COC 83086 MW-3 Matrix: GW								
Collected: 01/10/06 11:15 Received: 01/12/06								
VOCs (water) by EPA 8260	see attached					01/16/06	SW846 8260	721026460
MW-4b NLS ID: 395501								
Ref. Line 4 COC 83086 MW-4b Matrix: GW								
Collected: 01/10/06 11:50 Received: 01/12/06								
VOCs (water) by EPA 8260	see attached					01/16/06	SW846 8260	721026460
MW-5 NLS ID: 395502								
Ref. Line 5 COC 83086 MW-5 Matrix: GW								
Collected: 01/10/06 12:20 Received: 01/12/06								
VOCs (water) by EPA 8260	see attached					01/16/06	SW846 8260	721026460
MW-6 NLS ID: 395503								
Ref. Line 6 COC 83086 MW-6 Matrix: GW								
Collected: 01/10/06 13:00 Received: 01/12/06								
VOCs (water) by EPA 8260	see attached					01/17/06	SW846 8260	721026460
P-3 NLS ID: 395504								
Ref. Line 7 COC 83086 P-3 Matrix: GW								
Collected: 01/10/06 13:55 Received: 01/12/06								
VOCs (water) by EPA 8260	see attached					01/17/06	SW846 8260	721026460
MW-3 Dup NLS ID: 395505								
Ref. Line 8 COC 83086 MW-3 Dup Matrix: GW								
Collected: 01/10/06 11:20 Received: 01/12/06								
VOCs (water) by EPA 8260	see attached					01/16/06	SW846 8260	721026460
Trip Blank NLS ID: 395506								
Ref. Line COC 83086 Trip Blank Matrix: TB								
Collected: 01/10/06 00:00 Received: 01/12/06								
VOCs (water) by EPA 8260	see attached					01/16/06	SW846 8260	721026460

NORTHERN LAKE SERVICE, INC.
Analytical Laboratory and Environmental Services
400 North Lake Avenue - Crandon, WI 54520
Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
WDATCP Laboratory Certification No. 105-330
EPA Laboratory ID No. WI00034

Printed: 01/18/06 Code: S Page 2 of 2

Client: RSV Engineering Inc
Attn: Bob Nauta
112 South Main Street
P O Box 298
Jefferson, WI 53549 0298

NLS Project: 95498

NLS Customer: 83681


Fax: 920 674 3481 Phone: 920 674 3411

Project: Klinke Cleaners 05-529

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected 1000 ug/L = 1 mg/L
DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB) / 10000

Reviewed by:



Authorized by:
R. T. Krueger
President

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 1 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395498

MW-1

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
Benzene	ND	ug/L	1	0.20	0.72
Bromobenzene	ND	ug/L	1	0.21	0.75
Bromochloromethane	ND	ug/L	1	0.26	0.91
Bromodichloromethane	ND	ug/L	1	0.20	0.70
Bromoform	ND	ug/L	1	0.12	0.42
Bromomethane	ND	ug/L	1	0.57	2.0
n-Butylbenzene	ND	ug/L	1	0.24	0.85
sec-Butylbenzene	ND	ug/L	1	0.22	0.79
tert-Butylbenzene	ND	ug/L	1	0.20	0.71
Carbon Tetrachloride	ND	ug/L	1	0.18	0.62
Chlorobenzene	ND	ug/L	1	0.23	0.80
Chloroethane	ND	ug/L	1	1.2	4.3
Chloroform	ND	ug/L	1	0.23	0.81
Chloromethane	ND	ug/L	1	0.20	0.71
2-Chlorotoluene	ND	ug/L	1	0.22	0.79
4-Chlorotoluene	ND	ug/L	1	0.21	0.74
Dibromochloromethane	ND	ug/L	1	0.20	0.71
1,2-Dibromo-3-Chloropropane	ND	ug/L	1	0.38	1.4
1,2-Dibromoethane	ND	ug/L	1	0.15	0.53
Dibromomethane	ND	ug/L	1	0.21	0.74
1,2-Dichlorobenzene	ND	ug/L	1	0.28	0.99
1,3-Dichlorobenzene	ND	ug/L	1	0.19	0.65
1,4-Dichlorobenzene	ND	ug/L	1	0.33	1.2
Dichlorodifluoromethane	ND	ug/L	1	0.16	0.56
1,1-Dichloroethane	ND	ug/L	1	0.17	0.62
1,2-Dichloroethane	ND	ug/L	1	0.16	0.58
1,1-Dichloroethene	ND	ug/L	1	0.20	0.72
cis-1,2-Dichloroethene	ND	ug/L	1	0.18	0.64
trans-1,2-Dichloroethene	ND	ug/L	1	0.18	0.62
1,2-Dichloropropane	ND	ug/L	1	0.26	0.92
1,3-Dichloropropane	ND	ug/L	1	0.16	0.58
2,2-Dichloropropane	ND	ug/L	1	0.19	0.68
1,1-Dichloropropene	ND	ug/L	1	0.22	0.79
cis-1,3-Dichloropropene	ND	ug/L	1	0.19	0.67
trans-1,3-Dichloropropene	ND	ug/L	1	0.18	0.64
Ethylbenzene	ND	ug/L	1	0.18	0.62
Hexachlorobutadiene	ND	ug/L	1	0.26	0.91
Isopropylbenzene	ND	ug/L	1	0.19	0.66
p-Isopropyltoluene	ND	ug/L	1	0.23	0.82
Methylene chloride	ND	ug/L	1	0.25	0.88
Naphthalene	ND	ug/L	1	0.37	1.3
n-Propylbenzene	ND	ug/L	1	0.22	0.78
ortho-Xylene	ND	ug/L	1	0.23	0.81
Styrene	ND	ug/L	1	0.18	0.65
1,1,1,2-Tetrachloroethane	ND	ug/L	1	0.21	0.74
1,1,2,2-Tetrachloroethane	ND	ug/L	1	0.19	0.68
Tetrachloroethene	1.9	ug/L	1	0.16	0.57
Toluene	[0.23]	ug/L	1	0.21	0.73

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 2 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395498

MW-1

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
1,2,3-Trichlorobenzene	ND	ug/L	1	0.32	1.1
1,2,4-Trichlorobenzene	ND	ug/L	1	0.21	0.74
1,1,1-Trichloroethane	[0.26]	ug/L	1	0.21	0.74
1,1,2-Trichloroethane	ND	ug/L	1	0.20	0.70
Trichloroethene	ND	ug/L	1	0.19	0.66
Trichlorofluoromethane	ND	ug/L	1	0.17	0.61
1,2,3-Trichloropropane	ND	ug/L	1	0.34	1.2
1,2,4-Trimethylbenzene	ND	ug/L	1	0.23	0.81
1,3,5-Trimethylbenzene	ND	ug/L	1	0.21	0.76
Vinyl chloride	ND	ug/L	1	0.20	0.70
meta,para-Xylene	ND	ug/L	1	0.37	1.3
MTBE	ND	ug/L	1	0.18	0.64
Isopropyl Ether	ND	ug/L	1	0.25	0.87
Dibromofluoromethane (SURR**)	112%				
Toluene-d8 (SURR**)	122%				
1-Bromo-4-Fluorobenzene (SURR**)	122%				

Matrix spike and matrix spike duplicate percent difference exceeded control limits for 1,1,1-Trichloroethane.

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 3 of 18

Customer: RSV Engineering Inc

NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title:

Template: SATW Printed: 01/18/2006 10:28

Sample: 395499

MW-2

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
Benzene	ND	ug/L	1	0.20	0.72
Bromobenzene	ND	ug/L	1	0.21	0.75
Bromochloromethane	ND	ug/L	1	0.26	0.91
Bromodichloromethane	ND	ug/L	1	0.20	0.70
Bromoform	ND	ug/L	1	0.12	0.42
Bromomethane	ND	ug/L	1	0.57	2.0
n-Butylbenzene	ND	ug/L	1	0.24	0.85
sec-Butylbenzene	ND	ug/L	1	0.22	0.79
tert-Butylbenzene	ND	ug/L	1	0.20	0.71
Carbon Tetrachloride	ND	ug/L	1	0.18	0.62
Chlorobenzene	ND	ug/L	1	0.23	0.80
Chloroethane	ND	ug/L	1	1.2	4.3
Chloroform	ND	ug/L	1	0.23	0.81
Chloromethane	ND	ug/L	1	0.20	0.71
2-Chlorotoluene	ND	ug/L	1	0.22	0.79
4-Chlorotoluene	ND	ug/L	1	0.21	0.74
Dibromochloromethane	ND	ug/L	1	0.20	0.71
1,2-Dibromo-3-Chloropropane	ND	ug/L	1	0.38	1.4
1,2-Dibromoethane	ND	ug/L	1	0.15	0.53
Dibromomethane	ND	ug/L	1	0.21	0.74
1,2-Dichlorobenzene	ND	ug/L	1	0.28	0.99
1,3-Dichlorobenzene	ND	ug/L	1	0.19	0.65
1,4-Dichlorobenzene	ND	ug/L	1	0.33	1.2
Dichlorodifluoromethane	ND	ug/L	1	0.16	0.56
1,1-Dichloroethane	ND	ug/L	1	0.17	0.62
1,2-Dichloroethane	ND	ug/L	1	0.16	0.58
1,1-Dichloroethene	ND	ug/L	1	0.20	0.72
cis-1,2-Dichloroethene	ND	ug/L	1	0.18	0.64
trans-1,2-Dichloroethene	ND	ug/L	1	0.18	0.62
1,2-Dichloropropane	ND	ug/L	1	0.26	0.92
1,3-Dichloropropane	ND	ug/L	1	0.16	0.58
2,2-Dichloropropane	ND	ug/L	1	0.19	0.68
1,1-Dichloropropene	ND	ug/L	1	0.22	0.79
cis-1,3-Dichloropropene	ND	ug/L	1	0.19	0.67
trans-1,3-Dichloropropene	ND	ug/L	1	0.18	0.64
Ethylbenzene	ND	ug/L	1	0.18	0.62
Hexachlorobutadiene	ND	ug/L	1	0.26	0.91
Isopropylbenzene	ND	ug/L	1	0.19	0.66
p-Isopropyltoluene	ND	ug/L	1	0.23	0.82
Methylene chloride	ND	ug/L	1	0.25	0.88
Naphthalene	ND	ug/L	1	0.37	1.3
n-Propylbenzene	ND	ug/L	1	0.22	0.78
ortho-Xylene	ND	ug/L	1	0.23	0.81
Styrene	ND	ug/L	1	0.18	0.65
1,1,1,2-Tetrachloroethane	ND	ug/L	1	0.21	0.74
1,1,2,2-Tetrachloroethane	ND	ug/L	1	0.19	0.68
Tetrachloroethene	0.70	ug/L	1	0.16	0.57
Toluene	[0.43]	ug/L	1	0.21	0.73

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 4 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395499

MW-2

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
1,2,3-Trichlorobenzene	ND	ug/L	1	0.32	1.1
1,2,4-Trichlorobenzene	ND	ug/L	1	0.21	0.74
1,1,1-Trichloroethane	ND	ug/L	1	0.21	0.74
1,1,2-Trichloroethane	ND	ug/L	1	0.20	0.70
Trichloroethene	ND	ug/L	1	0.19	0.66
Trichlorofluoromethane	ND	ug/L	1	0.17	0.61
1,2,3-Trichloropropane	ND	ug/L	1	0.34	1.2
1,2,4-Trimethylbenzene	ND	ug/L	1	0.23	0.81
1,3,5-Trimethylbenzene	ND	ug/L	1	0.21	0.76
Vinyl chloride	ND	ug/L	1	0.20	0.70
meta,para-Xylene	ND	ug/L	1	0.37	1.3
MTBE	ND	ug/L	1	0.18	0.64
Isopropyl Ether	ND	ug/L	1	0.25	0.87
Dibromofluoromethane (SURR**)	97%				
Toluene-d8 (SURR**)	105%				
1-Bromo-4-Fluorobenzene (SURR**)	106%				

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 5 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395500

MW-3

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
Benzene	ND	ug/L	10	2.0	7.2
Bromobenzene	ND	ug/L	10	2.1	7.5
Bromochloromethane	ND	ug/L	10	2.6	9.1
Bromodichloromethane	ND	ug/L	10	2.0	7.0
Bromoform	ND	ug/L	10	1.2	4.2
Bromomethane	ND	ug/L	10	5.7	20
n-Butylbenzene	ND	ug/L	10	2.4	8.5
sec-Butylbenzene	ND	ug/L	10	2.2	7.9
tert-Butylbenzene	ND	ug/L	10	2.0	7.1
Carbon Tetrachloride	ND	ug/L	10	1.8	6.2
Chlorobenzene	ND	ug/L	10	2.3	8.0
Chloroethane	ND	ug/L	10	12	43
Chloroform	ND	ug/L	10	2.3	8.1
Chloromethane	ND	ug/L	10	2.0	7.1
2-Chlorotoluene	ND	ug/L	10	2.2	7.9
4-Chlorotoluene	ND	ug/L	10	2.1	7.4
Dibromochloromethane	ND	ug/L	10	2.0	7.1
1,2-Dibromo-3-Chloropropane	ND	ug/L	10	3.8	14
1,2-Dibromoethane	ND	ug/L	10	1.5	5.3
Dibromomethane	ND	ug/L	10	2.1	7.4
1,2-Dichlorobenzene	ND	ug/L	10	2.8	9.9
1,3-Dichlorobenzene	ND	ug/L	10	1.9	6.5
1,4-Dichlorobenzene	ND	ug/L	10	3.3	12
Dichlorodifluoromethane	ND	ug/L	10	1.6	5.6
1,1-Dichloroethane	ND	ug/L	10	1.7	6.2
1,2-Dichloroethane	ND	ug/L	10	1.6	5.8
1,1-Dichloroethene	ND	ug/L	10	2.0	7.2
cis-1,2-Dichloroethene	[2,2]	ug/L	10	1.8	6.4
trans-1,2-Dichloroethene	ND	ug/L	10	1.8	6.2
1,2-Dichloropropane	ND	ug/L	10	2.6	9.2
1,3-Dichloropropane	ND	ug/L	10	1.6	5.8
2,2-Dichloropropane	ND	ug/L	10	1.9	6.8
1,1-Dichloropropene	ND	ug/L	10	2.2	7.9
cis-1,3-Dichloropropene	ND	ug/L	10	1.9	6.7
trans-1,3-Dichloropropene	ND	ug/L	10	1.8	6.4
Ethylbenzene	ND	ug/L	10	1.8	6.2
Hexachlorobutadiene	ND	ug/L	10	2.6	9.1
Isopropylbenzene	ND	ug/L	10	1.9	6.6
p-Isopropyltoluene	ND	ug/L	10	2.3	8.2
Methylene chloride	ND	ug/L	10	2.5	8.8
Naphthalene	ND	ug/L	10	3.7	13
n-Propylbenzene	ND	ug/L	10	2.2	7.8
ortho-Xylene	ND	ug/L	10	2.3	8.1
Styrene	ND	ug/L	10	1.8	6.5
1,1,1,2-Tetrachloroethane	ND	ug/L	10	2.1	7.4
1,1,2,2-Tetrachloroethane	ND	ug/L	10	1.9	6.8
Tetrachloroethene	130	ug/L	10	1.6	5.7
Toluene	ND	ug/L	10	2.1	7.3

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 6 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395500

MW-3

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
1,2,3-Trichlorobenzene	ND	ug/L	10	3.2	11
1,2,4-Trichlorobenzene	ND	ug/L	10	2.1	7.4
1,1,1-Trichloroethane	ND	ug/L	10	2.1	7.4
1,1,2-Trichloroethane	ND	ug/L	10	2.0	7.0
Trichloroethene	ND	ug/L	10	1.9	6.6
Trichlorofluoromethane	ND	ug/L	10	1.7	6.1
1,2,3-Trichloropropane	ND	ug/L	10	3.4	12
1,2,4-Trimethylbenzene	ND	ug/L	10	2.3	8.1
1,3,5-Trimethylbenzene	ND	ug/L	10	2.1	7.6
Vinyl chloride	ND	ug/L	10	2.0	7.0
meta,para-Xylene	ND	ug/L	10	3.7	13
MTBE	ND	ug/L	10	1.8	6.4
Isopropyl Ether	ND	ug/L	10	2.5	8.7
Dibromofluoromethane (SURR**)	105%				
Toluene-d8 (SURR**)	111%				
1-Bromo-4-Fluorobenzene (SURR**)	105%				

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 7 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395501

MW-4b

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
Benzene	ND	ug/L	1	0.20	0.72
Bromobenzene	ND	ug/L	1	0.21	0.75
Bromochloromethane	ND	ug/L	1	0.26	0.91
Bromodichloromethane	ND	ug/L	1	0.20	0.70
Bromoform	ND	ug/L	1	0.12	0.42
Bromomethane	ND	ug/L	1	0.57	2.0
n-Butylbenzene	ND	ug/L	1	0.24	0.85
sec-Butylbenzene	ND	ug/L	1	0.22	0.79
tert-Butylbenzene	ND	ug/L	1	0.20	0.71
Carbon Tetrachloride	ND	ug/L	1	0.18	0.62
Chlorobenzene	ND	ug/L	1	0.23	0.80
Chloroethane	ND	ug/L	1	1.2	4.3
Chloroform	ND	ug/L	1	0.23	0.81
Chloromethane	ND	ug/L	1	0.20	0.71
2-Chlorotoluene	ND	ug/L	1	0.22	0.79
4-Chlorotoluene	ND	ug/L	1	0.21	0.74
Dibromochloromethane	ND	ug/L	1	0.20	0.71
1,2-Dibromo-3-Chloropropane	ND	ug/L	1	0.38	1.4
1,2-Dibromoethane	ND	ug/L	1	0.15	0.53
Dibromomethane	ND	ug/L	1	0.21	0.74
1,2-Dichlorobenzene	ND	ug/L	1	0.28	0.99
1,3-Dichlorobenzene	ND	ug/L	1	0.19	0.65
1,4-Dichlorobenzene	ND	ug/L	1	0.33	1.2
Dichlorodifluoromethane	ND	ug/L	1	0.16	0.56
1,1-Dichloroethane	ND	ug/L	1	0.17	0.62
1,2-Dichloroethane	ND	ug/L	1	0.16	0.58
1,1-Dichloroethene	ND	ug/L	1	0.20	0.72
cis-1,2-Dichloroethene	ND	ug/L	1	0.18	0.64
trans-1,2-Dichloroethene	ND	ug/L	1	0.18	0.62
1,2-Dichloropropane	ND	ug/L	1	0.26	0.92
1,3-Dichloropropane	ND	ug/L	1	0.16	0.58
2,2-Dichloropropane	ND	ug/L	1	0.19	0.68
1,1-Dichloropropene	ND	ug/L	1	0.22	0.79
cis-1,3-Dichloropropene	ND	ug/L	1	0.19	0.67
trans-1,3-Dichloropropene	ND	ug/L	1	0.18	0.64
Ethylbenzene	ND	ug/L	1	0.18	0.62
Hexachlorobutadiene	ND	ug/L	1	0.26	0.91
Isopropylbenzene	ND	ug/L	1	0.19	0.66
p-Isopropyltoluene	ND	ug/L	1	0.23	0.82
Methylene chloride	ND	ug/L	1	0.25	0.88
Naphthalene	ND	ug/L	1	0.37	1.3
n-Propylbenzene	ND	ug/L	1	0.22	0.78
ortho-Xylene	ND	ug/L	1	0.23	0.81
Styrene	ND	ug/L	1	0.18	0.65
1,1,1,2-Tetrachloroethane	ND	ug/L	1	0.21	0.74
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1	0.19	0.68
Tetrachloroethene	1.4	ug/L	1	0.16	0.57
Toluene	[0.25]	ug/L	1	0.21	0.73

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 8 of 18

Customer: RSV Engineering Inc

NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title:

Template: SATW Printed: 01/18/2006 10:28

Sample: 395501

MW-4b

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
1,2,3-Trichlorobenzene	ND	ug/L	1	0.32	1.1
1,2,4-Trichlorobenzene	ND	ug/L	1	0.21	0.74
1,1,1-Trichloroethane	ND	ug/L	1	0.21	0.74
1,1,2-Trichloroethane	ND	ug/L	1	0.20	0.70
Trichloroethene	ND	ug/L	1	0.19	0.66
Trichlorofluoromethane	ND	ug/L	1	0.17	0.61
1,2,3-Trichloropropane	ND	ug/L	1	0.34	1.2
1,2,4-Trimethylbenzene	ND	ug/L	1	0.23	0.81
1,3,5-Trimethylbenzene	ND	ug/L	1	0.21	0.76
Vinyl chloride	ND	ug/L	1	0.20	0.70
meta,para-Xylene	ND	ug/L	1	0.37	1.3
MTBE	ND	ug/L	1	0.18	0.64
Isopropyl Ether	ND	ug/L	1	0.25	0.87
Dibromofluoromethane (SURR**)	87%				
Toluene-d8 (SURR**)	94%				
1-Bromo-4-Fluorobenzene (SURR**)	91%				

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 9 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395502

MW-5

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
Benzene	ND	ug/L	5000	1000	3600
Bromobenzene	ND	ug/L	5000	1100	3800
Bromochloromethane	ND	ug/L	5000	1300	4600
Bromodichloromethane	ND	ug/L	5000	980	3500
Bromoform	ND	ug/L	5000	610	2100
Bromomethane	ND	ug/L	5000	2900	10000
n-Butylbenzene	ND	ug/L	5000	1200	4300
sec-Butylbenzene	ND	ug/L	5000	1100	3900
tert-Butylbenzene	ND	ug/L	5000	1000	3500
Carbon Tetrachloride	ND	ug/L	5000	880	3100
Chlorobenzene	ND	ug/L	5000	1100	4000
Chloroethane	ND	ug/L	5000	6200	21000
Chloroform	ND	ug/L	5000	1200	4100
Chloromethane	ND	ug/L	5000	1000	3500
2-Chlorotoluene	ND	ug/L	5000	1100	4000
4-Chlorotoluene	ND	ug/L	5000	1000	3700
Dibromochloromethane	ND	ug/L	5000	1000	3500
1,2-Dibromo-3-Chloropropane	ND	ug/L	5000	1900	6800
1,2-Dibromoethane	ND	ug/L	5000	760	2700
Dibromomethane	ND	ug/L	5000	1000	3700
1,2-Dichlorobenzene	ND	ug/L	5000	1400	4900
1,3-Dichlorobenzene	ND	ug/L	5000	940	3300
1,4-Dichlorobenzene	ND	ug/L	5000	1700	5900
Dichlorodifluoromethane	ND	ug/L	5000	790	2800
1,1-Dichloroethane	ND	ug/L	5000	870	3100
1,2-Dichloroethane	ND	ug/L	5000	820	2900
1,1-Dichloroethene	ND	ug/L	5000	1000	3600
cis-1,2-Dichloroethene	ND	ug/L	5000	900	3200
trans-1,2-Dichloroethene	ND	ug/L	5000	880	3100
1,2-Dichloropropane	ND	ug/L	5000	1300	4600
1,3-Dichloropropane	ND	ug/L	5000	820	2900
2,2-Dichloropropane	ND	ug/L	5000	970	3400
1,1-Dichloropropene	ND	ug/L	5000	1100	3900
cis-1,3-Dichloropropene	ND	ug/L	5000	940	3300
trans-1,3-Dichloropropene	ND	ug/L	5000	910	3200
Ethylbenzene	ND	ug/L	5000	880	3100
Hexachlorobutadiene	ND	ug/L	5000	1300	4600
Isopropylbenzene	ND	ug/L	5000	930	3300
p-Isopropyltoluene	ND	ug/L	5000	1200	4100
Methylene chloride	ND	ug/L	5000	1200	4400
Naphthalene	ND	ug/L	5000	1800	6500
n-Propylbenzene	ND	ug/L	5000	1100	3900
ortho-Xylene	ND	ug/L	5000	1100	4000
Styrene	ND	ug/L	5000	920	3300
1,1,1,2-Tetrachloroethane	ND	ug/L	5000	1000	3700
1,1,1,2,2-Tetrachloroethane	ND	ug/L	5000	970	3400
Tetrachloroethene	57000	ug/L	5000	800	2800
Toluene	ND	ug/L	5000	1000	3700

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 10 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395502

MW-5

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
1,2,3-Trichlorobenzene	ND	ug/L	5000	1600	5600
1,2,4-Trichlorobenzene	ND	ug/L	5000	1100	3700
1,1,1-Trichloroethane	ND	ug/L	5000	1000	3700
1,1,2-Trichloroethane	ND	ug/L	5000	990	3500
Trichloroethene	ND	ug/L	5000	930	3300
Trichlorofluoromethane	ND	ug/L	5000	860	3000
1,2,3-Trichloropropane	ND	ug/L	5000	1700	6000
1,2,4-Trimethylbenzene	ND	ug/L	5000	1100	4000
1,3,5-Trimethylbenzene	ND	ug/L	5000	1100	3800
Vinyl chloride	ND	ug/L	5000	990	3500
meta,para-Xylene	ND	ug/L	5000	1800	6500
MTBE	ND	ug/L	5000	910	3200
Isopropyl Ether	ND	ug/L	5000	1200	4400
Dibromofluoromethane (SURR**)	95%				
Toluene-d8 (SURR**)	100%				
1-Bromo-4-Fluorobenzene (SURR**)	106%				

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 11 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395503

MW-6

Collected: 01/10/06

Analyzed: 01/17/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
Benzene	ND	ug/L	1	0.20	0.72
Bromobenzene	ND	ug/L	1	0.21	0.75
Bromochloromethane	ND	ug/L	1	0.26	0.91
Bromodichloromethane	ND	ug/L	1	0.20	0.70
Bromoform	ND	ug/L	1	0.12	0.42
Bromomethane	ND	ug/L	1	0.57	2.0
n-Butylbenzene	ND	ug/L	1	0.24	0.85
sec-Butylbenzene	ND	ug/L	1	0.22	0.79
tert-Butylbenzene	ND	ug/L	1	0.20	0.71
Carbon Tetrachloride	ND	ug/L	1	0.18	0.62
Chlorobenzene	ND	ug/L	1	0.23	0.80
Chloroethane	ND	ug/L	1	1.2	4.3
Chloroform	1.5	ug/L	1	0.23	0.81
Chloromethane	ND	ug/L	1	0.20	0.71
2-Chlorotoluene	ND	ug/L	1	0.22	0.79
4-Chlorotoluene	ND	ug/L	1	0.21	0.74
Dibromochloromethane	ND	ug/L	1	0.20	0.71
1,2-Dibromo-3-Chloropropane	ND	ug/L	1	0.38	1.4
1,2-Dibromoethane	ND	ug/L	1	0.15	0.53
Dibromomethane	ND	ug/L	1	0.21	0.74
1,2-Dichlorobenzene	ND	ug/L	1	0.28	0.99
1,3-Dichlorobenzene	ND	ug/L	1	0.19	0.65
1,4-Dichlorobenzene	ND	ug/L	1	0.33	1.2
Dichlorodifluoromethane	ND	ug/L	1	0.16	0.56
1,1-Dichloroethane	ND	ug/L	1	0.17	0.62
1,2-Dichloroethane	ND	ug/L	1	0.16	0.58
1,1-Dichloroethene	ND	ug/L	1	0.20	0.72
cis-1,2-Dichloroethene	ND	ug/L	1	0.18	0.64
trans-1,2-Dichloroethene	ND	ug/L	1	0.18	0.62
1,2-Dichloropropane	ND	ug/L	1	0.26	0.92
1,3-Dichloropropane	ND	ug/L	1	0.16	0.58
2,2-Dichloropropane	ND	ug/L	1	0.19	0.68
1,1-Dichloropropene	ND	ug/L	1	0.22	0.79
cis-1,3-Dichloropropene	ND	ug/L	1	0.19	0.67
trans-1,3-Dichloropropene	ND	ug/L	1	0.18	0.64
Ethylbenzene	ND	ug/L	1	0.18	0.62
Hexachlorobutadiene	ND	ug/L	1	0.26	0.91
Isopropylbenzene	ND	ug/L	1	0.19	0.66
p-Isopropyltoluene	ND	ug/L	1	0.23	0.82
Methylene chloride	ND	ug/L	1	0.25	0.88
Naphthalene	ND	ug/L	1	0.37	1.3
n-Propylbenzene	ND	ug/L	1	0.22	0.78
ortho-Xylene	ND	ug/L	1	0.23	0.81
Styrene	ND	ug/L	1	0.18	0.65
1,1,1,2-Tetrachloroethane	ND	ug/L	1	0.21	0.74
1,1,2,2-Tetrachloroethane	ND	ug/L	1	0.19	0.68
Tetrachloroethene	18	ug/L	1	0.16	0.57
Toluene	[0.22]	ug/L	1	0.21	0.73

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 12 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395503

MW-6

Collected: 01/10/06

Analyzed: 01/17/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
1,2,3-Trichlorobenzene	ND	ug/L	1	0.32	1.1
1,2,4-Trichlorobenzene	ND	ug/L	1	0.21	0.74
1,1,1-Trichloroethane	ND	ug/L	1	0.21	0.74
1,1,2-Trichloroethane	ND	ug/L	1	0.20	0.70
Trichloroethene	[0.55]	ug/L	1	0.19	0.66
Trichlorofluoromethane	ND	ug/L	1	0.17	0.61
1,2,3-Trichloropropane	ND	ug/L	1	0.34	1.2
1,2,4-Trimethylbenzene	ND	ug/L	1	0.23	0.81
1,3,5-Trimethylbenzene	ND	ug/L	1	0.21	0.76
Vinyl chloride	ND	ug/L	1	0.20	0.70
meta,para-Xylene	ND	ug/L	1	0.37	1.3
MTBE	ND	ug/L	1	0.18	0.64
Isopropyl Ether	ND	ug/L	1	0.25	0.87
Dibromofluoromethane (SURR**)	100%				
Toluene-d8 (SURR**)	104%				
1-Bromo-4-Fluorobenzene (SURR**)	102%				

Matrix Spike recovery for Tetrachloroethene was outside of in-house QC limits.

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 13 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395504

P-3

Collected: 01/10/06

Analyzed: 01/17/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
Benzene	ND	ug/L	1	0.20	0.72
Bromobenzene	ND	ug/L	1	0.21	0.75
Bromochloromethane	ND	ug/L	1	0.26	0.91
Bromodichloromethane	ND	ug/L	1	0.20	0.70
Bromoform	ND	ug/L	1	0.12	0.42
Bromomethane	ND	ug/L	1	0.57	2.0
n-Butylbenzene	ND	ug/L	1	0.24	0.85
sec-Butylbenzene	ND	ug/L	1	0.22	0.79
tert-Butylbenzene	ND	ug/L	1	0.20	0.71
Carbon Tetrachloride	ND	ug/L	1	0.18	0.62
Chlorobenzene	ND	ug/L	1	0.23	0.80
Chloroethane	ND	ug/L	1	1.2	4.3
Chloroform	ND	ug/L	1	0.23	0.81
Chloromethane	ND	ug/L	1	0.20	0.71
2-Chlorotoluene	ND	ug/L	1	0.22	0.79
4-Chlorotoluene	ND	ug/L	1	0.21	0.74
Dibromochloromethane	ND	ug/L	1	0.20	0.71
1,2-Dibromo-3-Chloropropane	ND	ug/L	1	0.38	1.4
1,2-Dibromoethane	ND	ug/L	1	0.15	0.53
Dibromomethane	ND	ug/L	1	0.21	0.74
1,2-Dichlorobenzene	ND	ug/L	1	0.28	0.99
1,3-Dichlorobenzene	ND	ug/L	1	0.19	0.65
1,4-Dichlorobenzene	ND	ug/L	1	0.33	1.2
Dichlorodifluoromethane	ND	ug/L	1	0.16	0.56
1,1-Dichloroethane	ND	ug/L	1	0.17	0.62
1,2-Dichloroethane	ND	ug/L	1	0.16	0.58
1,1-Dichloroethene	ND	ug/L	1	0.20	0.72
cis-1,2-Dichloroethene	ND	ug/L	1	0.18	0.64
trans-1,2-Dichloroethene	ND	ug/L	1	0.18	0.62
1,2-Dichloropropane	ND	ug/L	1	0.26	0.92
1,3-Dichloropropane	ND	ug/L	1	0.16	0.58
2,2-Dichloropropane	ND	ug/L	1	0.19	0.68
1,1-Dichloropropene	ND	ug/L	1	0.22	0.79
cis-1,3-Dichloropropene	ND	ug/L	1	0.19	0.67
trans-1,3-Dichloropropene	ND	ug/L	1	0.18	0.64
Ethylbenzene	ND	ug/L	1	0.18	0.62
Hexachlorobutadiene	ND	ug/L	1	0.26	0.91
Isopropylbenzene	ND	ug/L	1	0.19	0.66
p-Isopropyltoluene	ND	ug/L	1	0.23	0.82
Methylene chloride	ND	ug/L	1	0.25	0.88
Naphthalene	ND	ug/L	1	0.37	1.3
n-Propylbenzene	ND	ug/L	1	0.22	0.78
ortho-Xylene	ND	ug/L	1	0.23	0.81
Styrene	ND	ug/L	1	0.18	0.65
1,1,1,2-Tetrachloroethane	ND	ug/L	1	0.21	0.74
1,1,2,2-Tetrachloroethane	ND	ug/L	1	0.19	0.68
Tetrachloroethene	3.7	ug/L	1	0.16	0.57
Toluene	ND	ug/L	1	0.21	0.73

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 14 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395504

P-3

Collected: 01/10/06

Analyzed: 01/17/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
1,2,3-Trichlorobenzene	ND	ug/L	1	0.32	1.1
1,2,4-Trichlorobenzene	ND	ug/L	1	0.21	0.74
1,1,1-Trichloroethane	ND	ug/L	1	0.21	0.74
1,1,2-Trichloroethane	ND	ug/L	1	0.20	0.70
Trichloroethene	ND	ug/L	1	0.19	0.66
Trichlorofluoromethane	ND	ug/L	1	0.17	0.61
1,2,3-Trichloropropane	ND	ug/L	1	0.34	1.2
1,2,4-Trimethylbenzene	ND	ug/L	1	0.23	0.81
1,3,5-Trimethylbenzene	ND	ug/L	1	0.21	0.76
Vinyl chloride	ND	ug/L	1	0.20	0.70
meta-para-Xylene	ND	ug/L	1	0.37	1.3
MTBE	ND	ug/L	1	0.18	0.64
Isopropyl Ether	ND	ug/L	1	0.25	0.87
Dibromofluoromethane (SURR**)	90%				
Toluene-d8 (SURR**)	95%				
1-Bromo-4-Fluorobenzene (SURR**)	91%				

Matrix Spike recovery for Tetrachloroethene was outside of in-house QC limits.

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 15 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395505

MW-3 Dup

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
Benzene	ND	ug/L	10	2.0	7.2
Bromobenzene	ND	ug/L	10	2.1	7.5
Bromochloromethane	ND	ug/L	10	2.6	9.1
Bromodichloromethane	ND	ug/L	10	2.0	7.0
Bromoform	ND	ug/L	10	1.2	4.2
Bromomethane	ND	ug/L	10	5.7	20
n-Butylbenzene	ND	ug/L	10	2.4	8.5
sec-Butylbenzene	ND	ug/L	10	2.2	7.9
tert-Butylbenzene	ND	ug/L	10	2.0	7.1
Carbon Tetrachloride	ND	ug/L	10	1.8	6.2
Chlorobenzene	ND	ug/L	10	2.3	8.0
Chloroethane	ND	ug/L	10	12	43
Chloroform	ND	ug/L	10	2.3	8.1
Chloromethane	ND	ug/L	10	2.0	7.1
2-Chlorotoluene	ND	ug/L	10	2.2	7.9
4-Chlorotoluene	ND	ug/L	10	2.1	7.4
Dibromochloromethane	ND	ug/L	10	2.0	7.1
1,2-Dibromo-3-Chloropropane	ND	ug/L	10	3.8	14
1,2-Dibromoethane	ND	ug/L	10	1.5	5.3
Dibromomethane	ND	ug/L	10	2.1	7.4
1,2-Dichlorobenzene	ND	ug/L	10	2.8	9.9
1,3-Dichlorobenzene	ND	ug/L	10	1.9	6.5
1,4-Dichlorobenzene	ND	ug/L	10	3.3	12
Dichlorodifluoromethane	ND	ug/L	10	1.6	5.6
1,1-Dichloroethane	ND	ug/L	10	1.7	6.2
1,2-Dichloroethane	ND	ug/L	10	1.6	5.8
1,1-Dichloroethene	ND	ug/L	10	2.0	7.2
cis-1,2-Dichloroethene	[1.8]	ug/L	10	1.8	6.4
trans-1,2-Dichloroethene	ND	ug/L	10	1.8	6.2
1,2-Dichloropropane	ND	ug/L	10	2.6	9.2
1,3-Dichloropropane	ND	ug/L	10	1.6	5.8
2,2-Dichloropropane	ND	ug/L	10	1.9	6.8
1,1-Dichloropropene	ND	ug/L	10	2.2	7.9
cis-1,3-Dichloropropene	ND	ug/L	10	1.9	6.7
trans-1,3-Dichloropropene	ND	ug/L	10	1.8	6.4
Ethylbenzene	ND	ug/L	10	1.8	6.2
Hexachlorobutadiene	ND	ug/L	10	2.6	9.1
Isopropylbenzene	ND	ug/L	10	1.9	6.6
p-Isopropyltoluene	ND	ug/L	10	2.3	8.2
Methylene chloride	ND	ug/L	10	2.5	8.8
Naphthalene	ND	ug/L	10	3.7	13
n-Propylbenzene	ND	ug/L	10	2.2	7.8
ortho-Xylene	ND	ug/L	10	2.3	8.1
Styrene	ND	ug/L	10	1.8	6.5
1,1,1,2-Tetrachloroethane	ND	ug/L	10	2.1	7.4
1,1,1,2,2-Tetrachloroethane	ND	ug/L	10	1.9	6.8
Tetrachloroethene	100	ug/L	10	1.6	5.7
Toluene	ND	ug/L	10	2.1	7.3

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 16 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395505

MW-3 Dup

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
1,2,3-Trichlorobenzene	ND	ug/L	10	3.2	11
1,2,4-Trichlorobenzene	ND	ug/L	10	2.1	7.4
1,1,1-Trichloroethane	ND	ug/L	10	2.1	7.4
1,1,2-Trichloroethane	ND	ug/L	10	2.0	7.0
Trichloroethene	ND	ug/L	10	1.9	6.6
Trichlorofluoromethane	ND	ug/L	10	1.7	6.1
1,2,3-Trichloropropane	ND	ug/L	10	3.4	12
1,2,4-Trimethylbenzene	ND	ug/L	10	2.3	8.1
1,3,5-Trimethylbenzene	ND	ug/L	10	2.1	7.6
Vinyl chloride	ND	ug/L	10	2.0	7.0
meta,para-Xylene	ND	ug/L	10	3.7	13
MTBE	ND	ug/L	10	1.8	6.4
Isopropyl Ether	ND	ug/L	10	2.5	8.7
Dibromofluoromethane (SURR**)	103%				
Toluene-d8 (SURR**)	107%				
1-Bromo-4-Fluorobenzene (SURR**)	103%				

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 17 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395506

Trip Blank

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
Benzene	ND	ug/L	1	0.20	0.72
Bromobenzene	ND	ug/L	1	0.21	0.75
Bromochloromethane	ND	ug/L	1	0.26	0.91
Bromodichloromethane	ND	ug/L	1	0.20	0.70
Bromoform	ND	ug/L	1	0.12	0.42
Bromomethane	ND	ug/L	1	0.57	2.0
n-Butylbenzene	ND	ug/L	1	0.24	0.85
sec-Butylbenzene	ND	ug/L	1	0.22	0.79
tert-Butylbenzene	ND	ug/L	1	0.20	0.71
Carbon Tetrachloride	ND	ug/L	1	0.18	0.62
Chlorobenzene	ND	ug/L	1	0.23	0.80
Chloroethane	ND	ug/L	1	1.2	4.3
Chloroform	ND	ug/L	1	0.23	0.81
Chloromethane	ND	ug/L	1	0.20	0.71
2-Chlorotoluene	ND	ug/L	1	0.22	0.79
4-Chlorotoluene	ND	ug/L	1	0.21	0.74
Dibromochloromethane	ND	ug/L	1	0.20	0.71
1,2-Dibromo-3-Chloropropane	ND	ug/L	1	0.38	1.4
1,2-Dibromoethane	ND	ug/L	1	0.15	0.53
Dibromomethane	ND	ug/L	1	0.21	0.74
1,2-Dichlorobenzene	ND	ug/L	1	0.28	0.99
1,3-Dichlorobenzene	ND	ug/L	1	0.19	0.65
1,4-Dichlorobenzene	ND	ug/L	1	0.33	1.2
Dichlorodifluoromethane	ND	ug/L	1	0.16	0.56
1,1-Dichloroethane	ND	ug/L	1	0.17	0.62
1,2-Dichloroethane	ND	ug/L	1	0.16	0.58
1,1-Dichloroethene	ND	ug/L	1	0.20	0.72
cis-1,2-Dichloroethene	ND	ug/L	1	0.18	0.64
trans-1,2-Dichloroethene	ND	ug/L	1	0.18	0.62
1,2-Dichloropropane	ND	ug/L	1	0.26	0.92
1,3-Dichloropropane	ND	ug/L	1	0.16	0.58
2,2-Dichloropropane	ND	ug/L	1	0.19	0.68
1,1-Dichloropropene	ND	ug/L	1	0.22	0.79
cis-1,3-Dichloropropene	ND	ug/L	1	0.19	0.67
trans-1,3-Dichloropropene	ND	ug/L	1	0.18	0.64
Ethylbenzene	ND	ug/L	1	0.18	0.62
Hexachlorobutadiene	ND	ug/L	1	0.26	0.91
Isopropylbenzene	ND	ug/L	1	0.19	0.66
p-Isopropyltoluene	ND	ug/L	1	0.23	0.82
Methylene chloride	ND	ug/L	1	0.25	0.88
Naphthalene	ND	ug/L	1	0.37	1.3
n-Propylbenzene	ND	ug/L	1	0.22	0.78
ortho-Xylene	ND	ug/L	1	0.23	0.81
Styrene	ND	ug/L	1	0.18	0.65
1,1,1,2-Tetrachloroethane	ND	ug/L	1	0.21	0.74
1,1,2,2-Tetrachloroethane	ND	ug/L	1	0.19	0.68
Tetrachloroethene	ND	ug/L	1	0.16	0.57
Toluene	ND	ug/L	1	0.21	0.73

ANALYTICAL RESULTS: VOC's by EPA 8260 - Water - (Saturn 2000)

Page 18 of 18

Customer: RSV Engineering Inc NLS Project: 95498

Project Description: Klinke Cleaners 05-529

Project Title: Template: SATW Printed: 01/18/2006 10:28

Sample: 395506

Trip Blank

Collected: 01/10/06

Analyzed: 01/16/06 -

ANALYTE NAME	RESULT	UNITS	DIL	LOD	LOQ
1,2,3-Trichlorobenzene	ND	ug/L	1	0.32	1.1
1,2,4-Trichlorobenzene	ND	ug/L	1	0.21	0.74
1,1,1-Trichloroethane	ND	ug/L	1	0.21	0.74
1,1,2-Trichloroethane	ND	ug/L	1	0.20	0.70
Trichloroethene	ND	ug/L	1	0.19	0.66
Trichlorofluoromethane	ND	ug/L	1	0.17	0.61
1,2,3-Trichloropropane	ND	ug/L	1	0.34	1.2
1,2,4-Trimethylbenzene	ND	ug/L	1	0.23	0.81
1,3,5-Trimethylbenzene	ND	ug/L	1	0.21	0.76
Vinyl chloride	ND	ug/L	1	0.20	0.70
meta,para-Xylene	ND	ug/L	1	0.37	1.3
MTBE	ND	ug/L	1	0.18	0.64
Isopropyl Ether	ND	ug/L	1	0.25	0.87
Dibromofluoromethane (SURR**)	86%				
Toluene-d8 (SURR**)	87%				
1-Bromo-4-Fluorobenzene (SURR**)	95%				

** Surrogates are used to evaluate a method's Quality Control.

