

MAY 24, 2022

GROUNDWATER MONITORING REPORT

**FORMER KLINKE CLEANERS – FOX RUN
2346 WEST ST. PAUL AVENUE
WAUKESHA, WISCONSIN**

BRRTS #: 02-68-535535 / FID #: 268188910

ENDPOINT PROJECT NO. 525-008-005

PREPARED FOR:

Fox RUN 3, LLC
c/o: VJS DEVELOPMENT GROUP
W233N2847 ROUNDY CIRCLE WEST
PEWAUKEE, WI 53072

PREPARED BY:

Endpoint Solutions

6871 South Lover's Lane
Franklin, Wisconsin 53132
(414) 427-1200

GROUNDWATER MONITORING REPORT

FORMER KLINKE CLEANERS – FOX RUN
2346 WEST ST. PAUL AVENUE
WAUKESHA, WISCONSIN

BRRTS #: 02-68-535535 / FID #: 268188910

MAY 24, 2022



Prepared By:	 _____ Robert A. Cigale, P.G. Principal Geologist	May 24, 2022 _____ Date
Reviewed By:	 _____ Kirk L. Kapfhammer, P.G. Principal Geologist	May 24, 2022 _____ Date

TABLE OF CONTENTS

Certification	ii
1.0 General Information.....	1
1.1 Site Name and Address	1
1.2 Locational Information	1
1.3 Site Owner / Responsible Party	1
1.4 Environmental Consultant	1
1.5 Site Topography.....	2
2.0 Background.....	3
2.1 Site History.....	3
2.2 Redevelopment Plan	3
3.0 Monitoring Results	4
3.1 Groundwater Elevations and Flow Direction	4
3.2 Sampling Program	5
3.3 Analytical Results.....	5
3.4 Site Conditions.....	6
4.0 Conclusions.....	7
5.0 Recommendations	8

FIGURES

B.1.A	LOCATION MAP
B.1.B	DETAILED SITE MAP
B.1.C	PROPOSED SITE PLAN
B.3.B	GROUNDWATER PCE CONCENTRATIONS 2021
B.3.C	GROUNDWATER FLOW DIRECTION – 11/03/2021
B.3.D.1	PROPOSED REPLACEMENT WELL LOCATIONS

TABLES

A.1.A	GROUNDWATER VOC RESULTS
A.6	WATER LEVEL ELEVATIONS

APPENDICES

A	SANITARY SEWER TRENCH ABANDONMENT PHOTO-DOCUMENTATION
B	MONITORING WELL ABANDONMENT FORMS
C	LABORATORY ANALYTICAL RESULTS AND CHAIN-OF-CUSTODY FORMS

CERTIFICATION

HYDROGEOLOGIST

I, Robert A. Cigale, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.



Signature

332
P.G. number

May 24, 2022
Date



1.0 GENERAL INFORMATION

The purpose of this document is to summarize groundwater monitoring activities performed at the Former Klinke Cleaners – Fox Run site located at 2346 West St. Paul Avenue in the City of Waukesha, Waukesha County, Wisconsin (the “Site” or “subject property”) between September 20, 2020 and November 2021 since redevelopment of the Site has started. The location of the Site is depicted on **Figure B.1.a –Location Map**. The bounds of the subject property are depicted on **Figure B.1.b – Detailed Site Map**.

1.1 SITE NAME AND ADDRESS

Klinke Cleaners – Fox Run
2346 West St. Paul Avenue
Waukesha, Wisconsin

BRRTS #: 02-68-535535
FID #: 268188910

1.2 LOCATIONAL INFORMATION

The Former Klinke Cleaners site is located on a parcel identified with Tax Key WAKC1328999001 totaling approximately 11.6-acres. The Site is the former location of four (4) separate structures including: a commercial strip mall (2306 to 2350 West St. Paul Avenue) where Klinke Cleaners was formerly located in the 2346 West St. Paul Avenue tenant space (2346 tenant space), a Sentry grocery store (2304 West St. Paul Avenue), an occupied Chase Bank branch (2302 West St. Paul Avenue) and a vacant former Denny’s restaurant (2300 West St. Paul Avenue). As part of the redevelopment process, the strip mall, Denny’s restaurant and Sentry grocery store were demolished. An unimproved 1.7815-acre parcel adjoins the aforementioned parcel to the west. The Site is located in the Southeast ¼ of the Southeast ¼ of Section 8, Township 6 North, Range 19 East. WTM coordinates for the approximate center of the Site are 661,073 / 281,170.

1.3 SITE OWNER / RESPONSIBLE PARTY

Fox Run 3, LLC
c/o VJS Development Group
W233N2847 Roundy Circle West
Pewaukee, WI 53072
Contact: Ms. Bailey Copeland
Phone: 262-893-1720
Email: bcopeland@vjsdevelopment.com

1.4 ENVIRONMENTAL CONSULTANT

Endpoint Solutions Corp. (Endpoint)
6871 South Lovers Lane
Franklin, WI 53132
Contact: Mr. Robert Cigale
Phone: 414-858-1202
Email: bob@endpointcorporation.com

1.5 SITE TOPOGRAPHY

The Site is relatively flat and is situated at an elevation of approximately 802 feet above mean sea level (ft amsl). The surface topography in the vicinity of the Site slopes gently to the east. The nearest surface water body is the Fox River located approximately 500 feet to the east. Based upon groundwater flow data previously collected on the Site and topographic map interpretation, the direction of shallow groundwater flow beneath the subject property is primarily to the northeast.

2.0 BACKGROUND

2.1 SITE HISTORY

The original development on the subject property consisted of a farmstead in the southeast corner of the subject property near the intersection of Sunset Drive and St. Paul Avenue. The remainder of the subject property appeared to have been utilized as a cultivated field. Based on a review of historical aerial photographs, the agricultural use of the subject property was observed from prior to 1941 through circa 1970. By 1980, the farmstead had been removed and the Site was developed with three (3) structures consisting of the Fox Run Shopping Center along the north portion of the Site, the Sentry store in the southwest corner of the Site and the former Denny's restaurant in the eastern portion of the Site, with the majority of the remaining area paved for use as parking around the buildings.

In September 2004, Drake Environmental, Inc. (Drake) conducted a limited Phase II Environmental Assessment (EA) of the Klinke Cleaners site. Soil analytical results indicated elevated concentrations of tetrachloroethene (PCE) and groundwater analytical results indicated elevated concentrations of PCE, trichloroethene (TCE), toluene, cis-1,2-dichloroethene, isopropylbenzene and methyl tert-butyl ether (MTBE). Based on the results from the initial Phase II EA performed by Drake, additional assessment was recommended and the WDNR was notified of the contamination on October 29, 2004. The resulting open Wisconsin Department of Natural Resources (WDNR) Environmental Repair Program (ERP) case (BRRTS #: 02-68-535535) discussed herein is the only documented release on the Site. No other previously reported discharges have been noted on the subject property.

Following numerous iterations of investigative activities performed between 2004 and 2021, the extent of the contamination in the soil was delineated to the degree that the WDNR approved the proposed redevelopment plans for the Site, including the management of residually contaminated soils excavated as part of the proposed redevelopment in an onsite location (WDNR Letter – April 5, 2021). At the time the Soil Management Plan was approved, the WDNR requested that groundwater continued to be monitored through the construction phase to determine whether changes to the Site due to the proposed redevelopment affected the groundwater regime.

2.2 REDEVELOPMENT PLAN

The Site redevelopment will include three (3) 24-unit, two (2) story apartment buildings with a single level of underground parking in each. A depiction of the proposed redevelopment of the Site is shown on **Figure B.1.c**. Two (2) of the apartment buildings are located directly to the south of the delineated area of soil and groundwater contamination associated with the former dry-cleaning operation.

3.0 MONITORING RESULTS

Since redevelopment activities at the Site began in 2020, groundwater monitoring was performed during five (5) quarterly events on:

- September 10, 2020;
- January 28, 2021;
- April 23, 2021;
- July 27, 2021; and,
- November 4, 2021.

3.1 GROUNDWATER ELEVATIONS AND FLOW DIRECTION

Prior to Site redevelopment activities, a gravity sanitary sewer was located approximately seven (7) feet south of the Property line and is located beneath the groundwater table and was assumed to be installed in an open trench. This sanitary sewer conveyed sanitary wastes from the former Denny's restaurant, the existing Chase Bank branch and the former Sentry grocery store on the east side of the Fox Run Shopping Center, then westward along the north property line. This sanitary sewer was abandoned as part of the redevelopment to be replaced with a new sewer on the south side of the proposed residential developments. On August 26, 2020, Endpoint witnessed Veit excavate the sanitary sewer trench immediately west of Manhole MH4 and immediately east of Manhole MH2 to sever the sanitary sewer pipe and to remove any granular bedding and/or backfill within the pipe trench. Once the pipes were severed and the majority of the granular bedding materials were removed, the resulting excavations were backfilled with clean silty clay soils excavated from other portions of the Site. Photo-documentation of the sanitary sewer trench abandonment activities are included in **Appendix A**.

Prior to abandonment of the sanitary sewer trench, the groundwater flow direction across the Site was determined to be to the north. It was assumed the sanitary sewer trench was acting as a cutoff wall, artificially affecting the groundwater flow by providing a preferential pathway for the groundwater on the Site to flow north to the trench and then discharge via gravity to the west. Following the abandonment of the sanitary sewer trench, the groundwater flow direction across the Site developed a more linear southerly flow direction. Based on depth to water measurements collected during the November 2021 sampling event, the groundwater exhibits a uniform horizontal gradient of 0.0164 ft/ft to the south.

The historic depth to groundwater measurements and resulting elevations are summarized in **Table A.6**. The shallow groundwater surface as measured in November 2021 is depicted on **Figure B.3.c**.

3.2 SAMPLING PROGRAM

In general, the following monitoring wells and piezometer were sampled on a quarterly basis between September 2020 and November 2021:

- MW-2R;
- MW-5;
- P-5;
- MW-6;
- MW-7;
- MW-8;
- MW-9R;
- MW-11;
- MW-12;
- MW-13;
- MW-14; and,
- MW-15.

With the exception of monitoring wells MW-7 and MW-8, all of the monitoring wells listed above are located on the Site. Monitoring wells MW-7 and MW-8 are located on the adjoining Eaton property to the north of the Site.

Due to the locations of four (4) of the existing monitoring wells relative to the proposed redevelopment plan, monitoring wells MW-2R, MW-12, MW-14 and MW-15 were abandoned during the sampling period discussed herein. Monitoring well MW-15 was abandoned in July 2021 and monitoring wells MW-2R, MW-12 and MW-14 were abandoned in September 2021. As of the date of this report, none of the abandoned monitoring wells have been re-installed. Abandonment forms for these four (4) wells are included in **Appendix B**.

3.3 ANALYTICAL RESULTS

Following collection of depth to water measurements, each of the monitoring wells were purged as required by Wisconsin Administrative Code (Wis. Admin. Code) Chapter NR141 prior to sampling. Representative samples were collected, placed in laboratory-supplied, pre-preserved glassware and shipped on ice under standard chain-of-custody conditions to Synergy Environmental Lab (WI Certification No.: 445037560) in Appleton, Wisconsin for analysis for volatile organic compounds (VOCs) via USEPA Method 8260B.

- All of the samples collected during this reporting period from monitoring wells MW-2R, MW-7 and MW-9R and piezometer P-5 were free of any detectable VOC constituents.
- Samples collected from monitoring wells MW-5, MW-12 and MW-15 during this sampling period contained detectable concentrations of PCE only. The concentration trends over time at the MW-12 and MW-15 locations appear to be relatively stable, while the concentration trend observed in MW-5 appear to be increasing.
- Samples collected from monitoring wells MW-6, MW-8, MW-13 and MW-14 during this sampling period contained detectable concentrations of PCE and TCE. In general, the TCE concentrations over time exhibit either stable or decreasing trends. The concentrations of

PCE were stable and decreasing at MW-6 and MW-8, respectively and increasing at MW-13 and MW-14.

- PCE, TCE and vinyl chloride were detected in the samples collected during this sampling period from monitoring well MW-11. While the concentrations of TCE and vinyl chloride over time were stable and decreasing, respectively, the concentration of PCE appear to be increasing.

It should be noted at locations where the concentration of PCE appeared to be increasing over time (MW-5, MW-11, MW-13 and MW-14) the concentrations at the MW-11 and MW-13 locations increased from an estimated result between the limit of detection (LOD) and the limit of quantitation (LOQ) or non-detect, respectively to less than five micrograms per liter (5 µg/L).

At the MW-5 location, the concentration of PCE ranged between 4,300 µg/L to 5,900 µg/L between September 2020 and July 2021. In November 2021, the concentration of PCE increased to 9,500 µg/L. It should be noted the concentrations of PCE in MW-5 have historically been as high as 57,000 µg/L in January 2006 and were consistently above 10,000 µg/L from January 2006 through June 2013.

Monitoring well MW-14 is located within the former dry-cleaner tenant space. Between September 2020 to April 2021, the concentration of PCE increased from 2,460 µg/L to 16,700 µg/L, but then decreased to 11,000 µg/L during the July 2021 sampling event.

Laboratory analytical reports and chain-of-custody forms are attached in **Appendix C**.

3.4 SITE CONDITIONS

Redevelopment of the Site has proceeded since 2020. The 16-unit and 24-unit apartment buildings with an underground parking level have been constructed and are currently in the process of completing interior finishes. The final building design included raising the building elevations in order for the underground parking level to be above the static groundwater elevation. No groundwater was encountered during the excavation of the building pads. Site grading has been completed, including the construction of the screening berm along the north boundary of the Site where the potentially impacted soils excavated from the 16- and 24-unit buildings and underground parking access ramp were placed and covered. Concrete curbing and flatwork, along with asphalt pavement base course and binder course have been installed as well as the clean soil cap over the area of contamination.

4.0 CONCLUSIONS

Based on the results of the groundwater sampling activities performed at the Site over the past 18 months, we have reached the following conclusions:

- The permeable pipe bedding and backfill in the sanitary sewer trench on the north property line of the Site appears to have been acting as a horizontal drain; thereby controlling the groundwater flow on the Site. Sealing of the abandoned sanitary sewer trench as part of the redevelopment of the Site appears to have reversed the groundwater flow direction to the south.
- Groundwater samples collected from monitoring wells MW-7 and MW-9R and piezometer P-5 between September 2020 and November 2021 and groundwater samples collected from monitoring well MW-2R between September 2020 and July 2021 did not contain any detectable concentrations of any VOC constituents. Monitoring well MW-2R was abandoned in September 2021 during excavation activities associated with redevelopment of the Site.
- The primary contaminants of concern detected in the groundwater samples collected from the Site include: PCE; TCE; and, vinyl chloride. However, vinyl chloride was only detected in one (1) sample collected from monitoring well MW-11 during the January 2021 sampling event. Vinyl chloride was not detected in any of the subsequent samples collected from monitoring well MW-11 in April, July or November 2021.
- In general, the concentrations of TCE detected in the groundwater at the Site appear to be stable in the $\mu\text{g/L}$ range with many of the results being flagged as estimated concentrations between the LOD and LOQ. The concentration of TCE in the samples collected from monitoring well MW-14 showed a decreasing trend from 66 $\mu\text{g/L}$ in September 2020 to less than 47 $\mu\text{g/L}$ in July 2021 before monitoring well MW-14 was abandoned due to excavation activities associated with the redevelopment.

5.0 RECOMMENDATIONS

Based on the results of the groundwater sampling program, we recommend the following actions:

- Properly abandon monitoring wells MW-6, MW-7, MW-8, MW-9R, MW-11 and piezometer P-5.
- Not replacing abandoned monitoring wells MW-12 and MW-15.
- Replacing monitoring wells MW-2R and MW-14.
- Maintaining monitoring wells MW-5 and MW-13.
- Sampling monitoring wells MW-2R, MW-5, MW-13 and MW-14R on a quarterly basis for two (2) consecutive quarters to complete the evaluation of post-redevelopment groundwater contamination trends.

The locations of the monitoring wells to be abandoned and replaced are depicted on **Figure B.3.d.1**.

FIGURES

FIGURE B.1.A LOCATION MAP


FIGURE B.1.B DETAILED SITE MAP

FIGURE B.1.C – PROPOSED SITE PLAN


FIGURE B.3.B GROUNDWATER PCE CONCENTRATIONS 2021

FIGURE B.3.C GROUNDWATER FLOW DIRECTION – 11/03/2021

B.3.D.1 PROPOSED REPLACEMENT WELL LOCATIONS



SITE
LOCATION



LOCATION MAP

KLINKE CLEANERS - FOX RUN
2346 W. ST. PAUL AVENUE
WAUKESHA, WISCONSIN 53188

Endpoint Solutions

6871 S. Lovers Lane
Franklin, WI 53132


Phone: (414) 427-1200

Fax: (414) 427-1259


DRAWN BY: NWD DATE: 10/06/2020

REVIEWED BY: RAC PROJECT NO: 525-008-006


B.1.a



	SUBJECT PROPERTY
	SANITARY SEWER
	SANITARY SEWER MANHOLE
	MONITORING WELL LOCATION
(2304) -	ADDRESS ON W. ST. PAUL AVENUE



DETAILED SITE MAP		
KLINKE CLEANERS - FOX RUN 2346 W. ST. PAUL AVENUE WAUKESHA, WISCONSIN 53188		
Endpoint Solutions		
6871 S. Lovers Lane Franklin, WI 53132		
Phone: (414) 427-1200	DATE: 10/06/2020	Fax: (414) 427-1259
DRAWN BY: NWD	REVIEWED BY: RAC	PROJECT NO: 525-008-006
		B.1.b



P:\VIS - 525\008 - Fox Run\CAD\008-006\FIG B.1.c_525-008-006 Proposed Site Plan.dwg

SOURCE: PINNACLE ENGINEERING GROUP GRADING PLAN REVISED 11-18-20

UNPLATTED LANDS
 TKN WAKC 1328988
 OWNER: COOPER INDUSTRIES INC/RT E
 MCMLLEN & ASSOC INC C/O DUCHA
 2300 BADGER DR

LOT 1 CSM 4192
 TKN WAKC 1328001
 OWNER: BLM2
 ENTERPRISES LLC
 2440 W SUNSET DR



GRAPHICAL SCALE (FEET)
 0 1" = 20' 40'

REGIONAL STORM WATER POND
 2YR PEAK ELEV=25.86
 10YR PEAK ELEV=26.93
 100YR PEAK ELEV=29.00

NOTE: LOTS 1 THROUGH 5 CSM 12027 SHALL HOLD AN UNDIVIDED FRACTIONAL, NON-TRANSFERABLE INTEREST TO OUTLOT 6 & 7, WHERE STORMWATER MANAGEMENT PRACTICES ARE LOCATED PER CSM 12027.

PROPOSED SITE PLAN

KLINKE CLEANERS - FOX RUN
 2346 W. ST. PAUL AVENUE
 WAUKESHA, WISCONSIN 53188

Endpoint Solutions

6871 S. Lovers Lane
 Franklin, WI 53132

Phone: (414) 427-1200

Fax: (414) 427-1259

DRAWN BY: NWD

DATE: 04/16/2021


REVIEWED BY: RAC

PROJECT NO: 525-008-006

B.1.c

OUTLOT 6 CSM 12027

P:\VJS - 525\008 - Fox Run\CAD\008-006\FIG B.3.b_525-008-006 Groundwater PCE Concentrations 2021.dwg



MW-8
 1/28/21 - 3.9
 4/23/21 - 3.13
 7/27/21 - 2.18"J"
 11/4/21 - 1.25"J"

MW-7
 1/28/21 - <0.33
 4/23/21 - <0.54
 7/27/21 - <0.54
 11/4/21 - <0.54

MW-11
 1/28/21 - 1.1
 4/23/21 - 0.87"J"
 7/27/21 - 1.49"J"
 11/4/21 - 2.91

MW-6
 1/28/21 - 15
 4/23/21 - 15.4
 7/27/21 - 15.7
 11/4/21 - 17.6

MW-5
 1/8/21 - 5,400
 4/23/21 - 4,300
 7/27/21 - 5,900
 11/4/21 - 9,500

P-5
 1/18/21 - <0.33
 4/23/21 - <0.54
 7/27/21 - <0.54
 11/4/21 - <0.54

MW-9R
 1/28/21 - <0.33
 4/23/21 - <0.54
 7/27/21 - <0.54
 11/4/21 - <0.54

MW-12
 1/28/21 - 2.25
 4/23/21 - 1.48"J"
 7/27/21 - 7.4
 11/3/21 - ABANDONED

MW-13
 1/28/21 - 0.99"J"
 4/23/21 - <0.54
 7/27/21 - 1.7"J"
 11/4/21 - 5.0

MW-14
 1/28/21 - 7,400
 4/23/21 - 16,700
 7/27/21 - 11,000
 11/3/21 - ABANDONED

MW-15
 1/28/21 - 13.4
 4/23/21 - 13.7
 7/13/21 - ABANDONED

MW-2R
 1/28/21 - <0.33
 4/23/21 - <0.54
 7/27/21 - <0.54
 11/3/21 - ABANDONED

SUBJECT PROPERTY

APPROXIMATE LOCATION OF PROPOSED BUILDING (PER VJS MASTER PLAN REVISED 11/18/2020)

BUILDING PERIMETER AND DEMISING WALL

MONITORING WELL LOCATION

STORM SEWER

PREVENTIVE ACTION LIMIT (PAL) EXCEEDANCE

ENFORCEMENT STANDARD (ES) EXCEEDANCE

PCE = TETRACHLOROETHENE

"J" = RESULT BETWEEN LIMIT OF DETECTION (LOD) AND LIMIT OF QUANTITATION (LOQ); THEREFORE RECORDED RESULT IS ESTIMATED

NOTE: ALL SAMPLE LOCATIONS SHOWN ARE APPROXIMATE

GROUNDWATER PCE CONCENTRATIONS 2021

KLINKE CLEANERS - FOX RUN
 2346 W. ST. PAUL AVENUE
 WAUKESHA, WISCONSIN 53188

Endpoint Solutions


6871 S. Lovers Lane
 Franklin, WI 53132

Phone: (414) 427-1200 Fax: (414) 427-1259

DRAWN BY: MLP/NWD DATE: 01/06/2022
 REVIEWED BY: RAC PROJECT NO: 525-008-006

B.3.b

P:\VIS - 525\008 - Fox Run\CAD\008-006\FIG B.3.c_525-008-006 Groundwater TCE Isoconcentrations 2021.dwg



— SUBJECT PROPERTY

- - - BUILDING PERIMETER AND DEMISING WALL

⊕ MONITORING WELL LOCATION

➡ SHALLOW GROUNDWATER FLOW DIRECTION

— STM — STORM SEWER

■ PREVENTIVE ACTION LIMIT (PAL) EXCEEDANCE

■ ENFORCEMENT STANDARD (ES) EXCEEDANCE

TCE = TRICHLOROETHENE

"J" = RESULT BETWEEN LIMIT OF DETECTION (LOD) AND LIMIT OF QUANTITATION (LOQ); THEREFORE RECORDED RESULT IS ESTIMATED

NOTE: ALL SAMPLE LOCATIONS SHOWN ARE APPROXIMATE

GROUNDWATER TCE ISOCONCENTRATIONS 2021

KLINKE CLEANERS - FOX RUN
2346 W. ST. PAUL AVENUE
WAUKESHA, WISCONSIN 53188

Endpoint Solutions

6871 S. Lovers Lane
Franklin, WI 53132

Phone: (414) 427-1200 Fax: (414) 427-1259

DRAWN BY: MLP	DATE: 12/06/2021	B.3.c
REVIEWED BY: RAC	PROJECT NO: 525-008-006	

P:\VJS - 525\008 - Fox Run\CAD\008-006\Fig B.3.d.1_525-008-006 Proposed Replacement Well Locations.dwg



- SUBJECT PROPERTY
 - APPROXIMATE LOCATION OF PROPOSED BUILDING (PER VJS MASTER PLAN REVISED 11/18/2020)
 - BUILDING PERIMETER AND DEMISING WALL
 - MONITORING WELL LOCATION
 - PROPOSED REPLACEMENT MONITORING WELL LOCATIONS
 - MONITORING WELL LOCATION (TO BE ABANDONED)
- NOTE: ALL SAMPLE LOCATIONS ARE SHOWN APPROXIMATE**

PROPOSED REPLACEMENT WELL LOCATIONS

KLINKE CLEANERS - FOX RUN
2346 W. ST. PAUL AVENUE
WAUKESHA, WISCONSIN 53188

Endpoint Solutions

6871 S. Lovers Lane
Franklin, WI 53132

Phone: (414) 427-1200 Fax: (414) 427-1259

DRAWN BY: NWD	DATE: 05/17/2022	B.3.d.1
REVIEWED BY: RAC	PROJECT NO: 525-008-006	

TABLES

TABLE A.1.A – GROUNDWATER VOC RESULTS

TABLE A.6 – WATER ELEVATIONS

Table A.1.a - Groundwater VOC Results

Klinke Cleaners - Fox Run
2346 W. St. Paul Avenue
Waukesha, Wisconsin

VOC (µg/L)	NR 140 Table 1		MW-7												
	ES	PAL	11/3/08	9/2/09	11/10/10	3/31/11	6/28/11	3/7/12	6/12/12	4/17/20	9/10/20	1/28/21	4/23/21	7/27/21	11/4/21
Benzene	5	0.5	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.33	<0.33	<0.33	<0.38	<0.38	<0.38
Bromobenzene	-----	-----	<0.82	<0.82	<0.82	<0.82	<0.82	<0.82	<0.82	<0.26	<0.26	<0.26	<0.4	<0.4	<0.4
Bromochloromethane	-----	-----	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	NR	NR	NR	NR	NR	NR
Bromodichloromethane	0.6	0.06	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.33	<0.33	<0.33	<0.47	<0.47	<0.47
Bromoform	4.4	0.44	<0.94	<0.94	<0.94	<0.94	<0.94	<0.94	<0.94	<0.65	<0.65	<0.65	<0.46	<0.46	<0.46
Bromomethane	-----	-----	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	NR	NR	NR	NR	NR	NR
n-Butylbenzene	-----	-----	<0.93	<0.93	<0.93	<0.93	<0.93	<0.93	<0.93	<0.28	<0.28	<0.28	<0.46	<0.46	<0.46
sec-Butylbenzene	-----	-----	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.32	<0.32	<0.32	<0.31	<0.31	<0.31
tert-Butylbenzene	-----	-----	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.61	<0.61	<0.61	<0.45	<0.45	<0.45
Carbon Tetrachloride	5	0.5	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.31	<0.31	<0.31	<0.44	<0.44	<0.44
Chlorobenzene	100	20	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.39	<0.39	<0.39	<0.38	<0.38	<0.38
Chloroethane	400	80	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<1.1	<1.1	<1.1	<0.78	<0.78	<0.78
Chloroform	6	0.6	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<0.44	<0.44	<0.44	<0.4	<0.4	<0.4
Chloromethane	30	3	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.8	<0.8	<0.8	<0.84	<0.84	<0.84
2-Chlorotoluene	-----	-----	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.32	<0.32	<0.32	<0.36	<0.36	<0.36
4-Chlorotoluene	-----	-----	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.3	<0.3	<0.3	<0.4	<0.4	<0.4
1,2-Dibromo-3-chloropropane	0.2	0.02	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<0.82	<0.82	<0.82	<0.54	<0.54	<0.54
Dibromodichloromethane	-----	-----	<0.81	<0.81	<0.81	<0.81	<0.81	<0.81	<0.81	<0.23	<0.23	<0.23	<0.45	<0.45	<0.45
1,2-Dibromoethane (EDB)	0.05	0.005	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.24	<0.24	<0.24	<0.47	<0.47	<0.47
Dibromomethane	-----	-----	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60	NR	NR	NR	NR	NR	NR
1,2-Dichlorobenzene	600	60	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.32	<0.32	<0.32	<0.44	<0.44	<0.44
1,3-Dichlorobenzene	600	120	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.31	<0.31	<0.31	<0.38	<0.38	<0.38
1,4-Dichlorobenzene	75	15	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.36	<0.36	<0.36	<0.48	<0.48	<0.48
Dichlorodifluoromethane	1,000	200	<0.99	<0.99	<0.99	<0.99	<0.99	<0.99	<0.99	<0.45	<0.45	<0.45	<0.55	<0.55	<0.55
1,1-Dichloroethane	850	85	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.46	<0.46	<0.46	<0.48	<0.48	<0.48
1,2-Dichloroethane	5	0.5	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.39	<0.39	<0.39	<0.44	<0.44	<0.44
1,1-Dichloroethene	7	0.7	<0.57	<0.57	<0.57	<0.57	<0.57	<0.57	<0.57	<0.5	<0.5	<0.5	<0.55	<0.55	<0.55
cis-1,2-Dichloroethene	70	7	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39
trans-1,2-Dichloroethene	100	20	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.37	<0.37	<0.37	<0.6	<0.6	<0.6
1,2-Dichloropropane	5	0.5	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.38	<0.38	<0.38	<0.38	<0.38	<0.38
1,3-Dichloropropane	-----	-----	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.35	<0.35	<0.35	<0.4	<0.4	<0.4
2,2-Dichloropropane	-----	-----	<0.62	<0.62	<0.62	<0.62	<0.62	<0.62	<0.62	NR	NR	NR	NR	NR	NR
1,1-Dichloropropene	-----	-----	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	NR	NR	NR	NR	NR	NR
cis-1,3-Dichloropropene	-----	-----	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.36	<0.36	<0.36	<0.51	<0.51	<0.51
trans-1,3-Dichloropropene	-----	-----	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.3	<0.3	<0.3	<0.45	<0.45	<0.45
Di-isopropyl ether	-----	-----	<0.76	<0.76	<0.76	<0.76	<0.76	<0.76	<0.76	<0.34	<0.34	<0.34	<0.47	<0.47	<0.47
Ethylbenzene	700	140	<0.54	<0.54	<0.54	<0.54	<0.54	<0.54	<0.54	<0.32	<0.32	<0.32	<0.37	<0.37	<0.37
Hexachlorobutadiene	-----	-----	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.72	<0.72	<0.72	<0.75	<0.75	<0.75
Isopropylbenzene	-----	-----	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.32	<0.32	<0.32	<0.3	<0.3	<0.3
p-Isopropyltoluene	-----	-----	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.47	<0.47	<0.47	<0.43	<0.43	<0.43
Methylene Chloride	5	0.5	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<1.32	<1.32	<1.32	<0.89	<0.89	<0.89
Methyl-tert-butyl-ether (MTBE)	60	12	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.47	<0.47	<0.47	<0.46	<0.46	<0.46
Naphthalene	100	10	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<1.1	<1.1	<1.1	<1.4	<1.4	<1.4
n-Propylbenzene	-----	-----	<0.81	<0.81	<0.81	<0.81	<0.81	<0.81	<0.81	<0.33	<0.33	<0.33	<0.44	<0.44	<0.44
Styrene	-----	-----	<0.86	<0.86	<0.86	<0.86	<0.86	<0.86	<0.86	NR	NR	NR	NR	NR	NR
1,1,1,2-Tetrachloroethane	70	7	<0.92	<0.92	<0.92	<0.92	<0.92	<0.92	<0.92	<0.88	<0.88	<0.88	<0.76	<0.76	<0.76
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.37	<0.37	<0.37	<0.36	<0.36	<0.36
Tetrachloroethene (PCE)	5	0.5	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.33	<0.33	<0.33	<0.54	<0.54	<0.54
Toluene	800	160	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.26	<0.26	<0.26	<0.42	<0.42	<0.42
1,2,3-Trichlorobenzene	-----	-----	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<1	<1	<1	<0.66	<0.66	<0.66
1,2,4-Trichlorobenzene	70	14	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.44	<0.44	<0.44	<0.67	<0.67	<0.67
1,1,1-Trichloroethane	200	40	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<0.3	<0.3	<0.3	<0.41	<0.41	<0.41
1,1,2-Trichloroethane	5	0.5	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.36	<0.36	<0.36	<0.48	<0.48	<0.48
Trichloroethene (TCE)	5	0.5	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47
Trichlorofluoromethane	3,490	698	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.42	<0.42	<0.42	<0.49	<0.49	<0.49
1,2,3-Trichloropropane	-----	-----	<0.99	<0.99	<0.99	<0.99	<0.99	<0.99	<0.99	NR	NR	NR	NR	NR	NR
1,2,4-Trimethylbenzene	-----	-----	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.3	<0.3	<0.3	<0.35	<0.35	<0.35
1,3,5-Trimethylbenzene	480	96	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.32	<0.32	<0.32	<0.38	<0.38	<0.38
Vinyl Chloride	0.2	0.02	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.2	<0.2	<0.2	<0.17	<0.17	<0.17
m&p-Xylene	2,000	400	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.1	<1.1	<1.1	<0.77	<0.77	<0.77
o-Xylene	-----	-----	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.38	<0.38	<0.38	<0.44	<0.44	<0.44

- 1) VOC - Volatile organic compound
- 2) µg/L - micrograms per liter
- 3) NR 140 Table 1 - Wisconsin Administrative Code (WAC)
- 4) ES - WAC Table 1 Enforcement Standard
- 5) PAL - WAC Table 1 Preventive Action Limit
- 6) ----- - Standard not established
- 7) "J" - Indicates estimated result between the limit of detect
- 8) NR - Analyte result not reported

Table A.1.a - Groundwater VOC Results

Klinke Cleaners - Fox Run
2346 W. St. Paul Avenue
Waukesha, Wisconsin

VOC (µg/L)	NR 140 Table 1		MW-8												
	ES	PAL	11/3/08	9/2/09	11/10/10	3/31/11	6/28/11	3/7/12	6/12/12	4/17/20	9/10/20	1/28/21	4/23/21	7/27/21	11/4/21
Benzene	5	0.5	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.33	<0.33	<0.33	<0.38	<0.38	<0.38
Bromobenzene	-----	-----	<0.82	<0.82	<0.82	<0.82	<0.82	<0.82	<0.82	<0.26	<0.26	<0.26	<0.4	<0.4	<0.4
Bromochloromethane	-----	-----	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	NR	NR	NR	NR	NR	NR
Bromodichloromethane	0.6	0.06	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.33	<0.33	<0.33	<0.47	<0.47	<0.47
Bromoform	4.4	0.44	<0.94	<0.94	<0.94	<0.94	<0.94	<0.94	<0.94	<0.65	<0.65	<0.65	<0.46	<0.46	<0.46
Bromomethane	-----	-----	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	NR	NR	NR	NR	NR	NR
n-Butylbenzene	-----	-----	<0.93	<0.93	<0.93	<0.93	<0.93	<0.93	<0.93	<0.28	<0.28	<0.28	<0.46	<0.46	<0.46
sec-Butylbenzene	-----	-----	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.32	<0.32	<0.32	<0.31	<0.31	<0.31
tert-Butylbenzene	-----	-----	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.61	<0.61	<0.61	<0.45	<0.45	<0.45
Carbon Tetrachloride	5	0.5	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.31	<0.31	<0.31	<0.44	<0.44	<0.44
Chlorobenzene	100	20	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.39	<0.39	<0.39	<0.38	<0.38	<0.38
Chloroethane	400	80	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<1.1	<1.1	<1.1	<0.78	<0.78	<0.78
Chloroform	6	0.6	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<0.44	<0.44	<0.44	<0.4	<0.4	<0.4
Chloromethane	30	3	<0.24	0.44 *J	<0.24	<0.24	<0.24	<0.24	<0.24	<0.8	<0.8	<0.8	<0.84	<0.84	<0.84
2-Chlorotoluene	-----	-----	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.32	<0.32	<0.32	<0.36	<0.36	<0.36
4-Chlorotoluene	-----	-----	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.3	<0.3	<0.3	<0.4	<0.4	<0.4
1,2-Dibromo-3-chloropropane	0.2	0.02	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<0.82	<0.82	<0.82	<0.54	<0.54	<0.54
Dibromodichloromethane	-----	-----	<0.81	<0.81	<0.81	<0.81	<0.81	<0.81	<0.81	<0.23	<0.23	<0.23	<0.45	<0.45	<0.45
1,2-Dibromoethane (EDB)	0.05	0.005	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.24	<0.24	<0.24	<0.47	<0.47	<0.47
Dibromomethane	-----	-----	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60	NR	NR	NR	NR	NR	NR
1,2-Dichlorobenzene	600	60	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.32	<0.32	<0.32	<0.44	<0.44	<0.44
1,3-Dichlorobenzene	600	120	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.31	<0.31	<0.31	<0.38	<0.38	<0.38
1,4-Dichlorobenzene	75	15	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.36	<0.36	<0.36	<0.48	<0.48	<0.48
Dichlorodifluoromethane	1,000	200	<0.99	<0.99	<0.99	<0.99	<0.99	<0.99	<0.99	<0.45	<0.45	<0.45	<0.55	<0.55	<0.55
1,1-Dichloroethane	850	85	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.46	<0.46	<0.46	<0.48	<0.48	<0.48
1,2-Dichloroethane	5	0.5	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.39	<0.39	<0.39	<0.44	<0.44	<0.44
1,1-Dichloroethene	7	0.7	<0.57	<0.57	<0.57	<0.57	<0.57	<0.57	<0.57	<0.5	<0.5	<0.5	<0.55	<0.55	<0.55
cis-1,2-Dichloroethene	70	7	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.39	1.85	<0.39	<0.39	<0.39	<0.39
trans-1,2-Dichloroethene	100	20	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.37	<0.37	<0.37	<0.6	<0.6	<0.6
1,2-Dichloropropane	5	0.5	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.38	<0.38	<0.38	<0.38	<0.38	<0.38
1,3-Dichloropropane	-----	-----	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.35	<0.35	<0.35	<0.4	<0.4	<0.4
2,2-Dichloropropane	-----	-----	<0.62	<0.62	<0.62	<0.62	<0.62	<0.62	<0.62	NR	NR	NR	NR	NR	NR
1,1-Dichloropropene	-----	-----	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	NR	NR	NR	NR	NR	NR
cis-1,3-Dichloropropene	-----	-----	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.36	<0.36	<0.36	<0.51	<0.51	<0.51
trans-1,3-Dichloropropene	-----	-----	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.3	<0.3	<0.3	<0.45	<0.45	<0.45
Di-isopropyl ether	-----	-----	<0.76	<0.76	<0.76	<0.76	<0.76	<0.76	<0.76	<0.34	<0.34	<0.34	<0.47	<0.47	<0.47
Ethylbenzene	700	140	<0.54	<0.54	<0.54	<0.54	<0.54	<0.54	<0.54	<0.32	<0.32	<0.32	<0.37	<0.37	<0.37
Hexachlorobutadiene	-----	-----	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.72	<0.72	<0.72	<0.75	<0.75	<0.75
Isopropylbenzene	-----	-----	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.32	<0.32	<0.32	<0.3	<0.3	<0.3
p-Isopropyltoluene	-----	-----	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.47	<0.47	<0.47	<0.43	<0.43	<0.43
Methylene Chloride	5	0.5	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<1.32	<1.32	<1.32	<0.89	<0.89	<0.89
Methyl-tert-butyl-ether (MTBE)	60	12	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.47	<0.47	<0.47	<0.46	<0.46	<0.46
Naphthalene	100	10	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<1.1	<1.1	<1.1	<1.4	<1.4	<1.4
n-Propylbenzene	-----	-----	<0.81	<0.81	<0.81	<0.81	<0.81	<0.81	<0.81	<0.33	<0.33	<0.33	<0.44	<0.44	<0.44
Styrene	-----	-----	<0.86	<0.86	<0.86	<0.86	<0.86	<0.86	<0.86	NR	NR	NR	NR	NR	NR
1,1,1,2-Tetrachloroethane	70	7	<0.92	<0.92	<0.92	<0.92	<0.92	<0.92	<0.92	<0.88	<0.88	<0.88	<0.76	<0.76	<0.76
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.37	<0.37	<0.37	<0.36	<0.36	<0.36
Tetrachloroethene (PCE)	5	0.5	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.33	6.2	3.9	3.13	2.18 *J	1.25 *J
Toluene	800	160	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	0.41 *J	<0.26	<0.26	<0.42	<0.42	<0.42
1,2,3-Trichlorobenzene	-----	-----	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<1	<1	<1	<0.66	<0.66	<0.66
1,2,4-Trichlorobenzene	70	14	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.44	<0.44	<0.44	<0.67	<0.67	<0.67
1,1,1-Trichloroethane	200	40	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<0.3	<0.3	<0.3	<0.41	<0.41	<0.41
1,1,2-Trichloroethane	5	0.5	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.36	<0.36	<0.36	<0.48	<0.48	<0.48
Trichloroethene (TCE)	5	0.5	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.47	<0.47	<0.47	<0.47	<0.47	0.51 *J
Trichlorofluoromethane	3,490	698	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.79	<0.42	<0.42	<0.42	<0.49	<0.49	<0.49
1,2,3-Trichloropropane	-----	-----	<0.99	<0.99	<0.99	<0.99	<0.99	<0.99	<0.99	NR	NR	NR	NR	NR	NR
1,2,4-Trimethylbenzene	-----	-----	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.3	<0.3	<0.3	<0.35	<0.35	<0.35
1,3,5-Trimethylbenzene	480	96	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.32	<0.32	<0.32	<0.38	<0.38	<0.38
Vinyl Chloride	0.2	0.02	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.2	<0.2	<0.2	<0.17	<0.17	<0.17
m&p-Xylene	2,000	400	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.1	<1.1	<1.1	<0.77	<0.77	<0.77
o-Xylene	-----	-----	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.38	<0.38	<0.38	<0.44	<0.44	<0.44

- 1) VOC - Volatile organic compound
- 2) µg/L - micrograms per liter
- 3) NR 140 Table 1 - Wisconsin Administrative Code (WAC)
- 4) ES - WAC Table 1 Enforcement Standard
- 5) PAL - WAC Table 1 Preventive Action Limit
- 6) ----- - Standard not established
- 7) *J - Indicates estimated result between the limit of detect
- 8) NR - Analyte result not reported

Table A.1.a - Groundwater VOC Results

Klinke Cleaners - Fox Run
2346 W. St. Paul Avenue
Waukesha, Wisconsin

VOC (µg/L)	NR 140 Table 1		MW-9								MW-9R					MW-11				
	ES	PAL	9/2/09	11/10/10	3/31/11	6/28/11	3/7/12	6/12/12	12/12/19	9/10/20	1/28/21	4/23/21	7/27/21	11/4/21	12/12/19	9/10/20	1/28/21	4/23/21	7/27/21	11/4/21
Benzene	5	0.5	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.22	<0.33	<0.33	<0.38	<0.38	<0.38	<0.22	<0.33	<0.33	<0.38	<0.38	<0.38
Bromobenzene	-----	-----	<0.82	<0.82	<0.82	<0.82	<0.82	<0.82	<0.44	<0.26	<0.26	<0.4	<0.4	<0.4	<0.44	<0.26	<0.26	<0.4	<0.4	<0.4
Bromochloromethane	-----	-----	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bromodichloromethane	0.6	0.06	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.33	<0.33	<0.33	<0.47	<0.47	<0.47	<0.33	<0.33	<0.33	<0.47	<0.47	<0.47
Bromoform	4.4	0.44	<0.94	<0.94	<0.94	<0.94	<0.94	<0.94	<0.45	<0.65	<0.65	<0.46	<0.46	<0.46	<0.45	<0.65	<0.65	<0.46	<0.46	<0.46
Bromomethane	-----	-----	<0.91	<0.91	<0.91	<0.91	<0.91	<0.91	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
n-Butylbenzene	-----	-----	<0.93	<0.93	<0.93	<0.93	<0.93	<0.93	<0.71	<0.28	<0.28	<0.46	<0.46	<0.46	<0.71	<0.28	<0.28	<0.46	<0.46	<0.46
sec-Butylbenzene	-----	-----	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.79	<0.32	<0.32	<0.31	<0.31	<0.31	<0.79	<0.32	<0.32	<0.31	<0.31	<0.31
tert-Butylbenzene	-----	-----	<0.97	<0.9	<0.9	<0.9	<0.9	<0.9	<0.25	<0.61	<0.61	<0.45	<0.45	<0.45	<0.25	<0.61	<0.61	<0.45	<0.45	<0.45
Carbon Tetrachloride	5	0.5	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.31	<0.31	<0.31	<0.44	<0.44	<0.44	<0.31	<0.31	<0.31	<0.44	<0.44	<0.44
Chlorobenzene	100	20	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.26	<0.39	<0.39	<0.38	<0.38	<0.38	<0.26	<0.39	<0.39	<0.38	<0.38	<0.38
Chloroethane	400	80	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<0.61	<1.1	<1.1	<0.78	<0.78	<0.78	<0.61	<1.1	<1.1	<0.78	<0.78	<0.78
Chloroform	6	0.6	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<0.26	<0.44	<0.44	<0.4	<0.4	<0.4	<0.26	<0.44	<0.44	<0.4	<0.4	<0.4
Chloromethane	30	3	0.84 "J"	<0.24	<0.24	<0.24	<0.24	<0.24	<0.54	<0.8	<0.8	<0.84	<0.84	<0.84	<0.54	<0.8	<0.8	<0.84	<0.84	<0.84
2-Chlorotoluene	-----	-----	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.31	<0.32	<0.32	<0.36	<0.36	<0.36	<0.31	<0.32	<0.32	<0.36	<0.36	<0.36
4-Chlorotoluene	-----	-----	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<0.26	<0.3	<0.3	<0.4	<0.4	<0.4	<0.26	<0.3	<0.3	<0.4	<0.4	<0.4
1,2-Dibromo-3-chloropropane	0.2	0.02	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<2.96	<0.82	<0.82	<0.54	<0.54	<0.54	<2.96	<0.82	<0.82	<0.54	<0.54	<0.54
Dibromodichloromethane	-----	-----	<0.81	<0.81	<0.81	<0.81	<0.81	<0.81	<0.22	<0.23	<0.23	<0.45	<0.45	<0.45	<0.22	<0.23	<0.23	<0.45	<0.45	<0.45
1,2-Dibromoethane (EDB)	0.05	0.005	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.34	<0.24	<0.24	<0.47	<0.47	<0.47	<0.34	<0.24	<0.24	<0.47	<0.47	<0.47
Dibromomethane	-----	-----	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2-Dichlorobenzene	600	60	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.86	<0.32	<0.32	<0.44	<0.44	<0.44	<0.86	<0.32	<0.32	<0.44	<0.44	<0.44
1,3-Dichlorobenzene	600	120	<0.87	<0.87	<0.87	<0.87	<0.87	<0.87	<0.85	<0.31	<0.31	<0.38	<0.38	<0.38	<0.85	<0.31	<0.31	<0.38	<0.38	<0.38
1,4-Dichlorobenzene	75	15	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<0.7	<0.36	<0.36	<0.48	<0.48	<0.48	<0.7	<0.36	<0.36	<0.48	<0.48	<0.48
Dichlorodifluoromethane	1,000	200	<0.99	<0.99	<0.99	<0.99	<0.99	<0.99	<0.32	<0.45	<0.45	<0.55	<0.55	<0.55	<0.32	<0.45	<0.45	<0.55	<0.55	<0.55
1,1-Dichloroethane	850	85	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.36	<0.46	<0.46	<0.48	<0.48	<0.48	<0.36	<0.46	<0.46	<0.48	<0.48	<0.48
1,2-Dichloroethane	5	0.5	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.25	<0.39	<0.39	<0.44	<0.44	<0.44	<0.25	<0.39	<0.39	<0.44	<0.44	<0.44
1,1-Dichloroethene	7	0.7	<0.57	<0.57	<0.57	<0.57	<0.57	<0.57	<0.42	<0.5	<0.5	<0.55	<0.55	<0.55	<0.42	<0.5	<0.5	<0.55	<0.55	<0.55
cis-1,2-Dichloroethene	70	Z	<0.83	<0.83	<0.83	<0.83	<0.83	<0.83	<0.37	<0.39	<0.39	<0.39	<0.39	<0.39	<0.37	<0.39	12.8	0.43 "J"	23	4.6
trans-1,2-Dichloroethene	100	20	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<0.34	<0.37	<0.37	<0.6	<0.6	<0.6	<0.34	<0.37	<0.37	<0.6	0.86 "J"	<0.6
1,2-Dichloropropane	5	0.5	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<0.44	<0.38	<0.38	<0.38	<0.38	<0.38	<0.44	<0.38	<0.38	<0.38	<0.38	<0.38
1,3-Dichloropropane	-----	-----	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.4	<0.35	<0.35	<0.4	<0.4	<0.4	<0.3	<0.35	<0.35	<0.4	<0.4	<0.4
2,2-Dichloropropane	-----	-----	<0.62	<0.62	<0.62	<0.62	<0.62	<0.62	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,1-Dichloropropane	-----	-----	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
cis-1,3-Dichloropropene	-----	-----	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.26	<0.36	<0.36	<0.51	<0.51	<0.51	<0.26	<0.36	<0.36	<0.51	<0.51	<0.51
trans-1,3-Dichloropropene	-----	-----	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.32	<0.3	<0.3	<0.45	<0.45	<0.45	<0.32	<0.3	<0.3	<0.45	<0.45	<0.45
Diisopropyl ether	-----	-----	<0.76	<0.76	<0.76	<0.76	<0.76	<0.76	<0.21	<0.34	<0.34	<0.47	<0.47	<0.47	<0.21	<0.34	<0.34	<0.47	<0.47	<0.47
Ethylbenzene	700	140	<0.54	<0.54	<0.54	<0.54	<0.54	<0.54	<0.26	<0.32	<0.32	<0.37	<0.37	<0.37	<0.26	<0.32	<0.32	<0.37	<0.37	<0.37
Hexachlorobutadiene	-----	-----	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<1.34	<0.72	<0.72	<0.75	<0.75	<0.75	<1.34	<0.72	<0.72	<0.75	<0.75	<0.75
Isopropylbenzene	-----	-----	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.78	<0.32	<0.32	<0.3	<0.3	<0.3	<0.78	<0.32	<0.32	<0.3	<0.3	<0.3
p-Isopropyltoluene	-----	-----	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.24	<0.47	<0.47	<0.43	<0.43	<0.43	<0.24	<0.47	<0.47	<0.43	<0.43	<0.43
Methylene Chloride	5	0.5	<0.43	<0.43	<0.43	<0.43	<0.43	<0.43	<1.32	<1.32	<1.32	<0.89	<0.89	<0.89	<1.32	<1.32	<1.32	<0.89	<0.89	<0.89
Methyl-tert-butyl-ether (MTBE)	60	12	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<0.28	<0.47	<0.47	<0.46	<0.46	<0.46	<0.28	<0.47	<0.47	<0.46	<0.46	<0.46
Naphthalene	100	10	<0.89	<0.89	<0.89	<0.89	<0.89	<0.89	<2.1	<1.1	<1.1	<1.4	<1.4	<1.4	<2.1	<1.1	<1.1	<1.4	<1.4	<1.4
n-Propylbenzene	-----	-----	<0.81	<0.81	<0.81	<0.81	<0.81	<0.81	<0.61	<0.33	<0.33	<0.44	<0.44	<0.44	<0.61	<0.33	<0.33	<0.44	<0.44	<0.44
Styrene	-----	-----	<0.86	<0.85	<0.85	<0.85	<0.85	<0.85	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,1,1,2-Tetrachloroethane	70	Z	<0.92	<0.92	<0.92	<0.92	<0.92	<0.92	<0.35	<0.88	<0.88	<0.76	<0.76	<0.76	<0.35	<0.88	<0.88	<0.76	<0.76	<0.76
1,1,2,2-Tetrachloroethane	0.2	0.02	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.3	<0.37	<0.37	<0.36	<0.36	<0.36	<0.3	<0.37	<0.37	<0.36	<0.36	<0.36
Tetrachloroethene (PCE)	5	0.5	<0.45	<0.45	<0.45	<0.45	<0.45	<0.45	<0.38	<0.33	<0.33	<0.54	<0.54	<0.54	<0.38	0.94 "J"	1.1	0.87 "J"	1.49 "J"	2.91
Toluene	800	160	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.19	<0.26	<0.26	<0.42	<0.42	<0.42	<0.19	<0.26	<0.26	<0.42	<0.42	<0.42
1,2,3-Trichlorobenzene	-----	-----	<0.74	<0.74	<0.74	<0.74	<0.74	<0.74	<1.71	<1	<1	<0.66	<0.66	<0.66	<1.71	<1	<1	<0.66	<0.66	<0.66
1,2,4-Trichlorobenzene	70	14	<0.97	<0.97	<0.97	<0.97	<0.97	<0.97	<1.15	<0.44	<0.44	<0.67	<0.67	<0.67	<1.15	<0.44	<0.44	<0.67	<0.67	<0.67
1,1,1-Trichloroethane	200	40	<0.90	<0.90	<0.90	<0.90	<0.90	<0.90	<0.33	<0.3	<0.3	<0.41	<0.41	<0.41	<0.33	<0.3	<0.3	<0.41	<0.41	<0.41
1,1,2-Trichloroethane	5	0.5	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.36	<0.36	<0.48	<0.48	<0.48	<0.42	<0.36	<0.36	<0.48	<0.48	<0.48
Trichloroethene (TCE)	5	0.5	<0.48	<0.48	<0.48	<0.48	<0.48	<0.48	<0.3	<0.47	<0.47	<0.47	<0.47	<0.47	<0.3	<0.47	1.84	<0.47	0.58 "J"	0.53 "J"
Trichlor																				

**Table A.6
Water Level Elevations**

Klinke Cleaners - Fox Run
2346 West St. Paul Avenue
Waukesha, Wisconsin
BRRTS #: 02-68-535535

Well ID	Ground Surface Elevation	Top of Casing Elevation	Approximate Depth (ft bgs)	December 12, 2019			April 17, 2020			September 10, 2020			October 6, 2020			January 28, 2021			May 4, 2021			July 27, 2021			November 4, 2021			
				Depth to Water (feet bTOC)	Groundwater Elevation	Depth to Water (ft bgs)	Depth to Water (feet bTOC)	Groundwater Elevation	Depth to Water (ft bgs)	Depth to Water (feet bTOC)	Groundwater Elevation	Depth to Water (ft bgs)	Depth to Water (feet bTOC)	Groundwater Elevation	Depth to Water (ft bgs)	Depth to Water (feet bTOC)	Groundwater Elevation	Depth to Water (ft bgs)	Depth to Water (feet bTOC)	Groundwater Elevation	Depth to Water (ft bgs)	Depth to Water (feet bTOC)	Groundwater Elevation	Depth to Water (ft bgs)	Depth to Water (feet bTOC)	Groundwater Elevation	Depth to Water (ft bgs)	
MW-2R	811.39	814.59	15.00	12.01	802.58	8.81				12.88	801.71	9.68	13.35	801.24	10.15	13.45	801.14	10.25	12.96	801.63	9.76	13.51	801.08	10.31	Well abandoned on November 3, 2021			
MW-5	810.72	813.80	18.00	13.71	800.09	10.63				11.60	802.20	8.52	11.63	802.17	8.55	11.20	802.60	8.12	10.80	803.00	7.72	12.09	801.71	9.01	11.94	801.86	8.86	
P-5	811.09	813.42	35.00	24.59	788.83	22.26				25.41	788.01	23.08	25.55	787.87	23.22	25.94	787.48	23.61	25.39	788.03	23.06	25.36	788.06	23.03	25.57	787.85	23.24	
MW-6	811.17	814.32	18.00	12.17	802.15	9.02				12.32	802.00	9.17	12.27	802.05	9.12	12.19	802.13	9.04	12.08	802.24	8.93	12.60	801.72	9.45	12.81	801.51	9.66	
MW-7	810.12	809.78	13.00				9.43	800.35	9.77	7.80	801.98	8.14	7.01	802.77	7.35	6.46	803.32	6.80	6.86	802.92	7.20	7.50	802.28	7.84	7.52	802.26	7.86	
MW-8	810.91	810.57	13.00				8.11	802.46	8.45	7.80	802.77	8.14	8.11	802.46	8.45	7.45	803.12	7.79	7.24	803.33	7.58	7.83	802.74	8.17	8.22	802.35	8.56	
MW-9R	810.85	813.93	15.00	14.25	799.68	8.81				11.41	802.52	8.33	11.41	802.52	8.33	11.42	802.51	8.34	10.54	803.39	7.46	11.76	802.17	8.68	11.75	802.18	8.67	
MW-11	810.35	813.61	15.00	11.64	801.97	8.81				11.95	801.66	8.69	11.79	801.82	8.53	11.69	801.92	8.43	11.53	802.08	8.27	12.66	800.95	9.40	12.64	800.97	9.38	
MW-12	811.23	814.24	15.00	11.95	802.29	8.81				13.71	800.53	10.70	13.80	800.44	10.79	13.82	800.42	10.81	13.61	800.63	10.60	14.29	799.95	11.28	Well abandoned on November 3, 2021			
MW-13	811.36	814.39	14.50							14.02	800.37	10.99	13.96	800.43	10.93	14.01	800.38	10.98	13.82	800.57	10.79	13.78	800.61	10.75	14.50	799.89	11.47	
MW-14	812.18	815.41	15.00							14.02	801.39	10.79	14.09	801.32	10.86	14.13	801.28	10.90	13.97	801.44	10.74	14.50	800.91	11.27	Well abandoned on November 3, 2021			
MW-15	812.22	815.45	15.00							12.84	802.61	9.61	12.95	802.50	9.72	13.20	802.25	9.97	12.51	802.94	9.28	Well abandoned on July 13, 2021			Well abandoned on July 13, 2021			
GP-13	811.52	814.47	12.00							12.38	802.09	9.43	12.42	802.05	9.47													
GP-14	810.64	813.76	12.00							11.55	802.21	8.43	11.26	802.50	8.14													

ft bgs - feet below the ground surface
fTOC - feet below the top of casing
Elevations referenced to North American Vertical Datum of 1988 (NAVD88)

APPENDIX A

SANITARY SEWER TRENCH ABANDONMENT PHOTO-DOCUMENTATION



1. Six-inch (6") sanitary sewer pipe removed from west of MH 4 at the northeast corner of the Site.

2. Excavating sanitary sewer trench west of MH 4 at the northeast corner of the Site.



3. Excavating sanitary sewer trench west of MH 4 at the northeast corner of the Site.

SITE PHOTOGRAPHS	
2346 WEST ST. PAUL AVENUE	
WAUKESHA, WISCONSIN	
BRRTS No: 02-68-535535	Endpoint



4. Backfilling sanitary sewer trench with compacted clay west of MH 4 at the northeast corner of the Site.



5. Compacting clay within the sanitary sewer trench west of MH 4 at the northeast corner of the Site.



6. Compacted clay within the sanitary sewer trench west of MH 4 at the northeast corner of the Site.


SITE PHOTOGRAPHS	
2346 WEST ST. PAUL AVENUE	
WAUKESHA, WISCONSIN	
BRRTS No: 02-68-535535	Endpoint



7. Compacted clay within the sanitary sewer trench west of MH 4 at the northeast corner of the Site.



8. Excavating east of MH 2 between two (2) underground fiber optic and one (1) underground electric utility in the northwest corner of the Site.



9. Excavating east of MH 2 with one (1) underground fiber optic utility exposed in the northwest corner of the Site.

SITE PHOTOGRAPHS	
2346 WEST ST. PAUL AVENUE	
WAUKESHA, WISCONSIN	
BRRS No: 02-68-535535	Endpoint



10. Excavating east of MH 2 with two (2) underground fiber optic and one (1) underground electric utility exposed in the northwest corner of the Site.

11. Backfilling sanitary sewer trench east of MH 2 with compacted clay.



12. Backfilled sanitary sewer trench east of MH 2 with compacted clay.

SITE PHOTOGRAPHS	
2346 WEST ST. PAUL AVENUE	
WAUKESHA, WISCONSIN	
BRRTS No: 02-68-535535	Endpoint

APPENDIX B

MONITORING WELL ABANDONMENT FORMS (MW2R, MW-12, MW-14 MW-15)

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> Verification Only of Fill and Seal	Route to DNR Bureau:	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input type="checkbox"/> Remediation/Redevelopment
	<input type="checkbox"/> Waste Management	<input type="checkbox"/> Other: _____		

1. Well Location Information				2. Facility / Owner Information			
County		WI Unique Well # of Removed Well		Hicap #		Facility Name	
Latitude / Longitude (see instructions)				Format Code		Method Code	
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		Facility ID (FID or PWS)	
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002		License/Permit/Monitoring #	
_____ W		<input type="checkbox"/> OTH001				Original Well Owner	
¼ / ¼	¼	Section	Township	Range	<input type="checkbox"/> E	Present Well Owner	
or Gov't Lot #			N		<input type="checkbox"/> W	Mailing Address of Present Owner	
Well Street Address				City of Present Owner			
Well City, Village or Town				Well ZIP Code			
Subdivision Name				Lot #		State	ZIP Code

3. Filled & Sealed Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
Reason for Removal from Service		WI Unique Well # of Replacement Well		Pump and piping removed?	
<input type="checkbox"/> Monitoring Well		Original Construction Date (mm/dd/yyyy)		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed?	
<input type="checkbox"/> Borehole / Drillhole				<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type:				Liner(s) perforated?	
<input type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Other (specify): _____		<input type="checkbox"/> Dug		Screen removed?	
Formation Type:				<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		Casing left in place?	
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		Did sealing material rise to surface?	
Was well annular space grouted?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				Did material settle after 24 hours?	
If yes, to what depth (feet)?		Depth to Water (feet)		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
				If bentonite chips were used, were they hydrated with water from a known safe source?	
				<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
				Required Method of Placing Sealing Material	
				<input type="checkbox"/> Conductor Pipe-Gravity	
				<input type="checkbox"/> Conductor Pipe-Pumped	
				<input type="checkbox"/> Screened & Poured (Bentonite Chips)	
				<input type="checkbox"/> Other (Explain): _____	
				Sealing Materials	
				<input type="checkbox"/> Neat Cement Grout	
				<input type="checkbox"/> Concrete	
				<input type="checkbox"/> Sand-Cement (Concrete) Grout	
				<input type="checkbox"/> Bentonite Chips	
				For Monitoring Wells and Monitoring Well Boreholes Only:	
				<input type="checkbox"/> Bentonite Chips	
				<input type="checkbox"/> Bentonite - Cement Grout	
				<input type="checkbox"/> Granular Bentonite	
				<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface			

6. Comments	

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)	Date Received	Noted By
Street or Route			Telephone Number ()	Comments	
City	State	ZIP Code	Signature of Person Doing Work	Date Signed	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> Verification Only of Fill and Seal	Route to DNR Bureau:	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input type="checkbox"/> Remediation/Redevelopment
	<input type="checkbox"/> Waste Management	<input type="checkbox"/> Other: _____		

1. Well Location Information				2. Facility / Owner Information									
County		WI Unique Well # of Removed Well		Hicap #		Facility Name							
Latitude / Longitude (see instructions)				Format Code		Method Code		Facility ID (FID or PWS)					
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #							
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002									
_____ E				<input type="checkbox"/> OTH001									
_____ W						Original Well Owner							
1/4 / 1/4				Section		Township		Range		Present Well Owner			
or Gov't Lot #						N							
Well Street Address						Mailing Address of Present Owner							
Well City, Village or Town						Well ZIP Code							
Subdivision Name						Lot #		City of Present Owner		State		ZIP Code	

3. Filled & Sealed Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Borehole / Drillhole		Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Original Construction Date (mm/dd/yyyy)		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
If a Well Construction Report is available, please attach.		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type:		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Other (specify): _____		Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Formation Type:		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.)		Required Method of Placing Sealing Material			
Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
Lower Drillhole Diameter (in.)		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Casing Depth (ft.)		Sealing Materials			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete			
If yes, to what depth (feet)?		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips			
Depth to Water (feet)		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface			

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)	Date Received	Noted By
Street or Route			Telephone Number ()	Comments	
City	State	ZIP Code	Signature of Person Doing Work	Date Signed	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> Verification Only of Fill and Seal	Route to DNR Bureau:	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input type="checkbox"/> Remediation/Redevelopment
	<input type="checkbox"/> Waste Management	<input type="checkbox"/> Other: _____		

1. Well Location Information				2. Facility / Owner Information							
County		WI Unique Well # of Removed Well		Hicap #		Facility Name					
Latitude / Longitude (see instructions)				Format Code		Method Code		Facility ID (FID or PWS)			
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		License/Permit/Monitoring #					
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002							
_____ E		<input type="checkbox"/> OTH001				Original Well Owner					
1/4 / 1/4		Section		Township		Range		Present Well Owner			
or Gov't Lot #				N		<input type="checkbox"/> W		Mailing Address of Present Owner			
Well Street Address						City of Present Owner					
Well City, Village or Town						Well ZIP Code					
Subdivision Name						Lot #		State		ZIP Code	

3. Filled & Sealed Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Borehole / Drillhole		Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Original Construction Date (mm/dd/yyyy)		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
If a Well Construction Report is available, please attach.		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type:		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Other (specify): _____		Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Formation Type:		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.)		Required Method of Placing Sealing Material			
Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
Lower Drillhole Diameter (in.)		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Casing Depth (ft.)		Sealing Materials			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete			
If yes, to what depth (feet)?		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips			
Depth to Water (feet)		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface			

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)	Date Received	Noted By
Street or Route			Telephone Number ()	Comments	
City	State	ZIP Code	Signature of Person Doing Work	Date Signed	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

<input type="checkbox"/> Verification Only of Fill and Seal	Route to DNR Bureau:	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> Watershed/Wastewater	<input type="checkbox"/> Remediation/Redevelopment
	<input type="checkbox"/> Waste Management	<input type="checkbox"/> Other: _____		

1. Well Location Information				2. Facility / Owner Information			
County		WI Unique Well # of Removed Well		Hicap #		Facility Name	
Latitude / Longitude (see instructions)				Format Code		Method Code	
_____ N		<input type="checkbox"/> DD		<input type="checkbox"/> GPS008		Facility ID (FID or PWS)	
_____ W		<input type="checkbox"/> DDM		<input type="checkbox"/> SCR002		License/Permit/Monitoring #	
_____ W		<input type="checkbox"/> OTH001				Original Well Owner	
¼ / ¼	¼	Section	Township	Range	<input type="checkbox"/> E	Present Well Owner	
or Gov't Lot #			N		<input type="checkbox"/> W	Mailing Address of Present Owner	
Well Street Address				City of Present Owner			
Well City, Village or Town				Well ZIP Code			
Subdivision Name				Lot #		State	ZIP Code

3. Filled & Sealed Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Borehole / Drillhole		Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Original Construction Date (mm/dd/yyyy)		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
If a Well Construction Report is available, please attach.		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type:		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did sealing material rise to surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Other (specify): _____		Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Formation Type:		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.)		Required Method of Placing Sealing Material			
Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped			
Lower Drillhole Diameter (in.)		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Casing Depth (ft.)		Sealing Materials			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete			
If yes, to what depth (feet)?		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips			
Depth to Water (feet)		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used to Fill Well / Drillhole			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface			

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy)	Date Received	Noted By
Street or Route			Telephone Number ()	Comments	
City	State	ZIP Code	Signature of Person Doing Work	Date Signed	

APPENDIX C

LABORATORY ANALYTICAL RESULTS

CHAIN-OF-CUSTODY FORMS

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TRAVIS MANSER
ENDPOINT SOLUTIONS
6871 SOUTH LOVER'S LANE
FRANKLIN, WI 53132

Report Date 05-Feb-21

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038A
Sample ID MW-2R
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038A
Sample ID MW-2R
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/2/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/2/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		2/2/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/2/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/2/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/2/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038B
Sample ID MW-5
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 33	ug/l	33	100	100	8260B		2/2/2021	CJR	1
Bromobenzene	< 26	ug/l	26	84	100	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 33	ug/l	33	100	100	8260B		2/2/2021	CJR	1
Bromoform	< 65	ug/l	65	210	100	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 61	ug/l	61	190	100	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 32	ug/l	32	100	100	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 28	ug/l	28	89	100	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 31	ug/l	31	98	100	8260B		2/2/2021	CJR	1
Chlorobenzene	< 39	ug/l	39	120	100	8260B		2/2/2021	CJR	1
Chloroethane	< 110	ug/l	110	360	100	8260B		2/2/2021	CJR	1
Chloroform	< 44	ug/l	44	140	100	8260B		2/2/2021	CJR	1
Chloromethane	< 80	ug/l	80	250	100	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 32	ug/l	32	100	100	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 30	ug/l	30	96	100	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 82	ug/l	82	260	100	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 23	ug/l	23	74	100	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 36	ug/l	36	110	100	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 31	ug/l	31	98	100	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 32	ug/l	32	100	100	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 45	ug/l	45	140	100	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 39	ug/l	39	130	100	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 46	ug/l	46	150	100	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 50	ug/l	50	160	100	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	< 39	ug/l	39	120	100	8260B		2/2/2021	CJR	1
trans-1,2-Dichloroethene	< 37	ug/l	37	120	100	8260B		2/2/2021	CJR	1
1,2-Dichloropropane	< 38	ug/l	38	120	100	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 35	ug/l	35	110	100	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 30	ug/l	30	94	100	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 36	ug/l	36	110	100	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 34	ug/l	34	110	100	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 24	ug/l	24	75	100	8260B		2/2/2021	CJR	1
Ethylbenzene	< 32	ug/l	32	100	100	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 72	ug/l	72	230	100	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 32	ug/l	32	100	100	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 47	ug/l	47	150	100	8260B		2/2/2021	CJR	1
Methylene chloride	< 132	ug/l	132	421	100	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 47	ug/l	47	150	100	8260B		2/2/2021	CJR	1
Naphthalene	< 110	ug/l	110	360	100	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 33	ug/l	33	110	100	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 37	ug/l	37	120	100	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 88	ug/l	88	330	100	8260B		2/2/2021	CJR	1
Tetrachloroethene	5400	ug/l	33	100	100	8260B		2/2/2021	CJR	1
Toluene	< 26	ug/l	26	83	100	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 44	ug/l	44	140	100	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038B
Sample ID MW-5
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 100	ug/l	100	320	100	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 30	ug/l	30	95	100	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 36	ug/l	36	110	100	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	< 47	ug/l	47	150	100	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	< 42	ug/l	42	130	100	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 30	ug/l	30	96	100	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 32	ug/l	32	100	100	8260B		2/2/2021	CJR	1
Vinyl Chloride	< 20	ug/l	20	65	100	8260B		2/2/2021	CJR	1
m&p-Xylene	< 110	ug/l	110	330	100	8260B		2/2/2021	CJR	1
o-Xylene	< 38	ug/l	38	120	100	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			100	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			100	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			100	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	96	REC %			100	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038C
Sample ID MW-6
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	3.5	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/2/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/2/2021	CJR	1
Tetrachloroethene	15	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038C
Sample ID MW-6
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	1.01 "J"	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/2/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/2/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/2/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038D
Sample ID MW-7
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/2/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/2/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038D
Sample ID MW-7
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/2/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/2/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/2/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038E
Sample ID MW-8
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/2/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/2/2021	CJR	1
Tetrachloroethene	3.9	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038E
Sample ID MW-8
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/2/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/2/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/2/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038F
Sample ID MW-9
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/2/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/2/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038F
Sample ID MW-9
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/2/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/2/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/2/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
 Project #

Invoice # E39038

Lab Code 5039038G
 Sample ID MW-11
 Sample Matrix Water
 Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	12.8	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/2/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/2/2021	CJR	1
Tetrachloroethene	1.1	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038G
Sample ID MW-11
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	1.84	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/2/2021	CJR	1
Vinyl Chloride	1.01	ug/l	0.2	0.65	1	8260B		2/2/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/2/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038H
Sample ID MW-12
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/2/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/2/2021	CJR	1
Tetrachloroethene	2.25	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038H
Sample ID MW-12
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/2/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/2/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/2/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
 Project #

Invoice # E39038

Lab Code 5039038I
 Sample ID MW-13
 Sample Matrix Water
 Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		2/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/2/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/2/2021	CJR	1
Tetrachloroethene	0.99 "J"	ug/l	0.33		1	8260B		2/2/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038I
Sample ID MW-13
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	0.67 "J"	ug/l	0.42	1.3	1	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/2/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/2/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/2/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038J
Sample ID MW-14
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 6.6	ug/l	6.6	20	20	8260B		2/2/2021	CJR	1
Bromobenzene	< 5.2	ug/l	5.2	16.8	20	8260B		2/2/2021	CJR	1
Bromodichloromethane	< 6.6	ug/l	6.6	20	20	8260B		2/2/2021	CJR	1
Bromoform	< 13	ug/l	13	42	20	8260B		2/2/2021	CJR	1
tert-Butylbenzene	< 12.2	ug/l	12.2	38	20	8260B		2/2/2021	CJR	1
sec-Butylbenzene	< 6.4	ug/l	6.4	20	20	8260B		2/2/2021	CJR	1
n-Butylbenzene	< 5.6	ug/l	5.6	17.8	20	8260B		2/2/2021	CJR	1
Carbon Tetrachloride	< 6.2	ug/l	6.2	19.6	20	8260B		2/2/2021	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		2/2/2021	CJR	1
Chloroethane	< 22	ug/l	22	72	20	8260B		2/2/2021	CJR	1
Chloroform	< 8.8	ug/l	8.8	28	20	8260B		2/2/2021	CJR	1
Chloromethane	< 16	ug/l	16	50	20	8260B		2/2/2021	CJR	1
2-Chlorotoluene	< 6.4	ug/l	6.4	20	20	8260B		2/2/2021	CJR	1
4-Chlorotoluene	< 6	ug/l	6	19.2	20	8260B		2/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 16.4	ug/l	16.4	52	20	8260B		2/2/2021	CJR	1
Dibromochloromethane	< 4.6	ug/l	4.6	14.8	20	8260B		2/2/2021	CJR	1
1,4-Dichlorobenzene	< 7.2	ug/l	7.2	22	20	8260B		2/2/2021	CJR	1
1,3-Dichlorobenzene	< 6.2	ug/l	6.2	19.6	20	8260B		2/2/2021	CJR	1
1,2-Dichlorobenzene	< 6.4	ug/l	6.4	20	20	8260B		2/2/2021	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		2/2/2021	CJR	1
1,2-Dichloroethane	< 7.8	ug/l	7.8	26	20	8260B		2/2/2021	CJR	1
1,1-Dichloroethane	< 9.2	ug/l	9.2	30	20	8260B		2/2/2021	CJR	1
1,1-Dichloroethene	< 10	ug/l	10	32	20	8260B		2/2/2021	CJR	1
cis-1,2-Dichloroethene	< 7.8	ug/l	7.8	24	20	8260B		2/2/2021	CJR	1
trans-1,2-Dichloroethene	< 7.4	ug/l	7.4	24	20	8260B		2/2/2021	CJR	1
1,2-Dichloropropane	< 7.6	ug/l	7.6	24	20	8260B		2/2/2021	CJR	1
1,3-Dichloropropane	< 7	ug/l	7	22	20	8260B		2/2/2021	CJR	1
trans-1,3-Dichloropropene	< 6	ug/l	6	18.8	20	8260B		2/2/2021	CJR	1
cis-1,3-Dichloropropene	< 7.2	ug/l	7.2	22	20	8260B		2/2/2021	CJR	1
Di-isopropyl ether	< 6.8	ug/l	6.8	22	20	8260B		2/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 4.8	ug/l	4.8	15	20	8260B		2/2/2021	CJR	1
Ethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		2/2/2021	CJR	1
Hexachlorobutadiene	< 14.4	ug/l	14.4	46	20	8260B		2/2/2021	CJR	1
Isopropylbenzene	< 6.4	ug/l	6.4	20	20	8260B		2/2/2021	CJR	1
p-Isopropyltoluene	< 9.4	ug/l	9.4	30	20	8260B		2/2/2021	CJR	1
Methylene chloride	< 26.4	ug/l	26.4	84.2	20	8260B		2/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 9.4	ug/l	9.4	30	20	8260B		2/2/2021	CJR	1
Naphthalene	< 22	ug/l	22	72	20	8260B		2/2/2021	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	22	20	8260B		2/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 7.4	ug/l	7.4	24	20	8260B		2/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 17.6	ug/l	17.6	66	20	8260B		2/2/2021	CJR	1
Tetrachloroethene	7400	ug/l	33	100	100	8260B		2/4/2021	CJR	1
Toluene	< 5.2	ug/l	5.2	16.6	20	8260B		2/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 8.8	ug/l	8.8	28	20	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038J
Sample ID MW-14
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 20	ug/l	20	64	20	8260B		2/2/2021	CJR	1
1,1,1-Trichloroethane	< 6	ug/l	6	19	20	8260B		2/2/2021	CJR	1
1,1,2-Trichloroethane	< 7.2	ug/l	7.2	22	20	8260B		2/2/2021	CJR	1
Trichloroethene (TCE)	64	ug/l	9.4	30	20	8260B		2/2/2021	CJR	1
Trichlorofluoromethane	< 8.4	ug/l	8.4	26	20	8260B		2/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 6	ug/l	6	19.2	20	8260B		2/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 6.4	ug/l	6.4	20	20	8260B		2/2/2021	CJR	1
Vinyl Chloride	< 4	ug/l	4	13	20	8260B		2/2/2021	CJR	1
m&p-Xylene	< 22	ug/l	22	66	20	8260B		2/2/2021	CJR	1
o-Xylene	< 7.6	ug/l	7.6	24	20	8260B		2/2/2021	CJR	1
SUR - Toluene-d8	93	REC %			20	8260B		2/2/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			20	8260B		2/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			20	8260B		2/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			20	8260B		2/2/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038K
Sample ID MW-15
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/3/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/3/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/3/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/3/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/3/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/3/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/3/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/3/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/3/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/3/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/3/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/3/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/3/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/3/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/3/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/3/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/3/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/3/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/3/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/3/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/3/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/3/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/3/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		2/3/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/3/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/3/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/3/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/3/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/3/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/3/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/3/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/3/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/3/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/3/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/3/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/3/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/3/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/3/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/3/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/3/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/3/2021	CJR	1
Tetrachloroethene	13.4	ug/l	0.33		1	8260B		2/3/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/3/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/3/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038K
Sample ID MW-15
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/3/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/3/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/3/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/3/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/3/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/3/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/3/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/3/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/3/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/3/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		2/3/2021	CJR	1
SUR - 4-Bromofluorobenzene	26.6	REC %			1	8260B		2/3/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		2/3/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		2/3/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038L
Sample ID P-5
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		2/3/2021	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		2/3/2021	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		2/3/2021	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		2/3/2021	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		2/3/2021	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		2/3/2021	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		2/3/2021	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/3/2021	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		2/3/2021	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		2/3/2021	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		2/3/2021	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		2/3/2021	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		2/3/2021	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		2/3/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		2/3/2021	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		2/3/2021	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		2/3/2021	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		2/3/2021	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		2/3/2021	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		2/3/2021	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		2/3/2021	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		2/3/2021	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		2/3/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		2/3/2021	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		2/3/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		2/3/2021	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		2/3/2021	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		2/3/2021	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		2/3/2021	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		2/3/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		2/3/2021	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		2/3/2021	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		2/3/2021	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		2/3/2021	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		2/3/2021	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/3/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/3/2021	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		2/3/2021	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		2/3/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		2/3/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		2/3/2021	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		2/3/2021	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/3/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		2/3/2021	CJR	1

Project Name FOX RUN
Project #

Invoice # E39038

Lab Code 5039038L
Sample ID P-5
Sample Matrix Water
Sample Date 1/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		2/3/2021	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		2/3/2021	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		2/3/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		2/3/2021	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		2/3/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		2/3/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		2/3/2021	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/3/2021	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		2/3/2021	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		2/3/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		2/3/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		2/3/2021	CJR	1
SUR - 4-Bromofluorobenzene	25.6	REC %			1	8260B		2/3/2021	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		2/3/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

www.synergy-lab.net

1990 Prospect Ct. • Appleton, WI 54914

920-830-2455 • mrsynergy@wi.twcbc.com

Lab I.D. # _____
 QUOTE # : _____
 Project #: Fox Run
 Sampler: (signature) [Signature]

Project (Name / Location): Fox Run, Waubesa, WI

Reports To: Travis Manser
 Company: Endpoint Solutions
 Address: 6871 South Lovers Lane
 City State Zip: Franklin, WI
 Phone: 414-858-2265
 Email: _____

Invoice To: _____
 Company: _____
 Address: [Signature]
 City State Zip: _____
 Phone: _____
 Email: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
<u>S037088</u>	<u>MW-2R</u>	<u>1-28-21</u>	<u>10:00</u>	<u>N</u>	<u>3</u>	<u>H₂O</u>	<u>HCl</u>
<u>B</u>	<u>MW-5</u>		<u>10:45</u>				
<u>C</u>	<u>MW-6</u>		<u>11:00</u>				
<u>D</u>	<u>MW-7</u>		<u>9:15</u>				
<u>E</u>	<u>MW-8</u>		<u>9:30</u>				
<u>F</u>	<u>MW-9</u>		<u>10:15</u>				
<u>G</u>	<u>MW-11</u>		<u>10:30</u>				
<u>H</u>	<u>MW-12</u>		<u>11:15</u>				
<u>I</u>	<u>MW-13</u>		<u>11:30</u>				
<u>J</u>	<u>MW-14</u>		<u>11:45</u>				
<u>K</u>	<u>MW-15</u>		<u>12:00</u>				
<u>L</u>	<u>P-5</u>		<u>12:15</u>				

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

MW-5 & MW-14 will be high results

Sample Handling Request
 Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Analysis Requested	Other Analysis
DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 524.2)	
VOC (EPA 8260)	<input checked="" type="checkbox"/>
VOC AIR (TO - 15)	
8-RCRA METALS	
PID/ FID	

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: CS
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) [Signature] Time 1:30 Date 1-28-21
 Received By: (sign) _____ Time _____ Date: 1/29/21

Received in Laboratory By: [Signature] Time: 10:00 Date: 1/29/21

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TRAVIS MANSER
ENDPOINT SOLUTIONS
6871 SOUTH LOVER'S LANE
FRANKLIN, WI 53132

Report Date 30-Apr-21

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342A
Sample ID MW-2R
Sample Matrix Water
Sample Date 4/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/26/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		4/26/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		4/26/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		4/26/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		4/26/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		4/26/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		4/26/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		4/26/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		4/26/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		4/26/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		4/26/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		4/26/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		4/26/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		4/26/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		4/26/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		4/26/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		4/26/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		4/26/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		4/26/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		4/26/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		4/26/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		4/26/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		4/26/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		4/26/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		4/26/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342A
Sample ID MW-2R
Sample Matrix Water
Sample Date 4/23/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		4/26/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		4/26/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		4/26/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		4/26/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		4/26/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		4/26/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		4/26/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		4/26/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		4/26/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		4/26/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		4/26/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		4/26/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		4/26/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		4/26/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		4/26/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		4/26/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		4/26/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		4/26/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		4/26/2021	CJR	1
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		4/26/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		4/26/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		4/26/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		4/26/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		4/26/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		4/26/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/26/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		4/26/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		4/26/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		4/26/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		4/26/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		4/26/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		4/26/2021	CJR	1
SUR - 4-Bromofluorobenzene	128	REC %			1	8260B		4/26/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342B
Sample ID MW-5
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 19	ug/l	19	77.5	50	8260B		4/27/2021	CJR	1
Bromobenzene	< 20	ug/l	20	82.5	50	8260B		4/27/2021	CJR	1
Bromodichloromethane	< 23.5	ug/l	23.5	96.5	50	8260B		4/27/2021	CJR	1
Bromoform	< 23	ug/l	23	93.5	50	8260B		4/27/2021	CJR	1
tert-Butylbenzene	< 22.5	ug/l	22.5	92	50	8260B		4/27/2021	CJR	1
sec-Butylbenzene	< 15.5	ug/l	15.5	64	50	8260B		4/27/2021	CJR	1
n-Butylbenzene	< 23	ug/l	23	94	50	8260B		4/27/2021	CJR	1
Carbon Tetrachloride	< 22	ug/l	22	89.5	50	8260B		4/27/2021	CJR	1
Chlorobenzene	< 19	ug/l	19	76.5	50	8260B		4/27/2021	CJR	1
Chloroethane	< 39	ug/l	39	158	50	8260B		4/27/2021	CJR	1
Chloroform	< 20	ug/l	20	82	50	8260B		4/27/2021	CJR	1
Chloromethane	< 42	ug/l	42	171	50	8260B		4/27/2021	CJR	1
2-Chlorotoluene	< 18	ug/l	18	73.5	50	8260B		4/27/2021	CJR	1
4-Chlorotoluene	< 20	ug/l	20	81	50	8260B		4/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 27	ug/l	27	110	50	8260B		4/27/2021	CJR	1
Dibromochloromethane	< 22.5	ug/l	22.5	92.5	50	8260B		4/27/2021	CJR	1
1,4-Dichlorobenzene	< 24	ug/l	24	98.5	50	8260B		4/27/2021	CJR	1
1,3-Dichlorobenzene	< 19	ug/l	19	77	50	8260B		4/27/2021	CJR	1
1,2-Dichlorobenzene	< 22	ug/l	22	90.5	50	8260B		4/27/2021	CJR	1
Dichlorodifluoromethane	< 27.5	ug/l	27.5	112	50	8260B		4/27/2021	CJR	1
1,2-Dichloroethane	< 22	ug/l	22	90.5	50	8260B		4/27/2021	CJR	1
1,1-Dichloroethane	< 24	ug/l	24	97.5	50	8260B		4/27/2021	CJR	1
1,1-Dichloroethene	< 27.5	ug/l	27.5	112.5	50	8260B		4/27/2021	CJR	1
cis-1,2-Dichloroethene	< 19.5	ug/l	19.5	79.5	50	8260B		4/27/2021	CJR	1
trans-1,2-Dichloroethene	< 30	ug/l	30	123	50	8260B		4/27/2021	CJR	1
1,2-Dichloropropane	< 19	ug/l	19	77	50	8260B		4/27/2021	CJR	1
1,3-Dichloropropane	< 20	ug/l	20	82	50	8260B		4/27/2021	CJR	1
trans-1,3-Dichloropropene	< 22.5	ug/l	22.5	91	50	8260B		4/27/2021	CJR	1
cis-1,3-Dichloropropene	< 25.5	ug/l	25.5	103.5	50	8260B		4/27/2021	CJR	1
Di-isopropyl ether	< 23.5	ug/l	23.5	96.5	50	8260B		4/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 23.5	ug/l	23.5	95	50	8260B		4/27/2021	CJR	1
Ethylbenzene	< 18.5	ug/l	18.5	75.5	50	8260B		4/27/2021	CJR	1
Hexachlorobutadiene	< 37.5	ug/l	37.5	150	50	8260B		4/27/2021	CJR	1
Isopropylbenzene	< 15	ug/l	15	62	50	8260B		4/27/2021	CJR	1
p-Isopropyltoluene	< 21.5	ug/l	21.5	88	50	8260B		4/27/2021	CJR	1
Methylene chloride	< 44.5	ug/l	44.5	169	50	8260B		4/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/l	23	94	50	8260B		4/27/2021	CJR	1
Naphthalene	< 70	ug/l	70	283.5	50	8260B		4/27/2021	CJR	1
n-Propylbenzene	< 22	ug/l	22	89.5	50	8260B		4/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 18	ug/l	18	73	50	8260B		4/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 38	ug/l	38	155	50	8260B		4/27/2021	CJR	1
Tetrachloroethene	4300	ug/l	27	111	50	8260B		4/27/2021	CJR	1
Toluene	< 21	ug/l	21	85.5	50	8260B		4/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 33.5	ug/l	33.5	136.5	50	8260B		4/27/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342B
Sample ID MW-5
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 33	ug/l	33	141	50	8260B		4/27/2021	CJR	1
1,1,1-Trichloroethane	< 20.5	ug/l	20.5	84.5	50	8260B		4/27/2021	CJR	1
1,1,2-Trichloroethane	< 24	ug/l	24	98	50	8260B		4/27/2021	CJR	1
Trichloroethene (TCE)	< 23.5	ug/l	23.5	96	50	8260B		4/27/2021	CJR	1
Trichlorofluoromethane	< 24.5	ug/l	24.5	100.5	50	8260B		4/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 17.5	ug/l	17.5	70	50	8260B		4/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 19	ug/l	19	77.5	50	8260B		4/27/2021	CJR	1
Vinyl Chloride	< 8.5	ug/l	8.5	32.5	50	8260B		4/27/2021	CJR	1
m&p-Xylene	< 38.5	ug/l	38.5	157	50	8260B		4/27/2021	CJR	1
o-Xylene	< 22	ug/l	22	90	50	8260B		4/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			50	8260B		4/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	125	REC %			50	8260B		4/27/2021	CJR	1
SUR - Dibromofluoromethane	93	REC %			50	8260B		4/27/2021	CJR	1
SUR - Toluene-d8	102	REC %			50	8260B		4/27/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342C
 Sample ID MW-6
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		4/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		4/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		4/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		4/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		4/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		4/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		4/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		4/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		4/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		4/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		4/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		4/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		4/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		4/27/2021	CJR	1
cis-1,2-Dichloroethene	1.74	ug/l	0.39	1.59	1	8260B		4/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		4/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		4/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		4/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		4/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		4/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		4/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		4/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		4/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		4/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		4/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		4/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		4/27/2021	CJR	1
Tetrachloroethene	15.4	ug/l	0.54	2.22	1	8260B		4/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		4/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342C
Sample ID MW-6
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		4/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		4/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		4/27/2021	CJR	1
Trichloroethene (TCE)	0.80 "J"	ug/l	0.47	1.92	1	8260B		4/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		4/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		4/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		4/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		4/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		4/27/2021	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		4/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		4/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	123	REC %			1	8260B		4/27/2021	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342D
Sample ID MW-7
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		4/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		4/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		4/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		4/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		4/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		4/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		4/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		4/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		4/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		4/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		4/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		4/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		4/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		4/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		4/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		4/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		4/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		4/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		4/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		4/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		4/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		4/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		4/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		4/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		4/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		4/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		4/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		4/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		4/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342D
Sample ID MW-7
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		4/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		4/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		4/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		4/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		4/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		4/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		4/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		4/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		4/27/2021	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		4/27/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		4/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		4/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	126	REC %			1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342E
 Sample ID MW-8
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		4/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		4/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		4/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		4/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		4/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		4/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		4/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		4/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		4/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		4/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		4/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		4/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		4/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		4/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		4/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		4/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		4/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		4/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		4/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		4/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		4/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		4/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		4/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		4/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		4/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		4/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		4/27/2021	CJR	1
Tetrachloroethene	3.13	ug/l	0.54	2.22	1	8260B		4/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		4/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342E
Sample ID MW-8
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		4/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		4/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		4/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		4/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		4/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		4/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		4/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		4/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		4/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		4/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	126	REC %			1	8260B		4/27/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		4/27/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342F
 Sample ID MW-9R
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		4/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		4/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		4/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		4/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		4/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		4/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		4/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		4/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		4/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		4/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		4/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		4/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		4/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		4/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		4/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		4/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		4/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		4/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		4/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		4/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		4/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		4/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		4/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		4/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		4/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		4/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		4/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		4/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		4/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342F
Sample ID MW-9R
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		4/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		4/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		4/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		4/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		4/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		4/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		4/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		4/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		4/27/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		4/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		4/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	132	REC %			1	8260B		4/27/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342G
 Sample ID MW-11
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		4/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		4/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		4/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		4/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		4/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		4/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		4/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		4/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		4/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		4/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		4/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		4/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		4/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		4/27/2021	CJR	1
cis-1,2-Dichloroethene	0.43 "J"	ug/l	0.39	1.59	1	8260B		4/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		4/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		4/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		4/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		4/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		4/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		4/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		4/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		4/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		4/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		4/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		4/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		4/27/2021	CJR	1
Tetrachloroethene	0.87 "J"	ug/l	0.54	2.22	1	8260B		4/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		4/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342G
Sample ID MW-11
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		4/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		4/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		4/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		4/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		4/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		4/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		4/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		4/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		4/27/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		4/27/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		4/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		4/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	126	REC %			1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342H
 Sample ID MW-12
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		4/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		4/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		4/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		4/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		4/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		4/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		4/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		4/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		4/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		4/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		4/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		4/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		4/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		4/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		4/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		4/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		4/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		4/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		4/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		4/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		4/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		4/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		4/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		4/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		4/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		4/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		4/27/2021	CJR	1
Tetrachloroethene	1.48 "J"	ug/l	0.54	2.22	1	8260B		4/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		4/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342H
Sample ID MW-12
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		4/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		4/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		4/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		4/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		4/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		4/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		4/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		4/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		4/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		4/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	124	REC %			1	8260B		4/27/2021	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		4/27/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342I
 Sample ID MW-13
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		4/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		4/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		4/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		4/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		4/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		4/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		4/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		4/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		4/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		4/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		4/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		4/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		4/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		4/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		4/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		4/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		4/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		4/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		4/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		4/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		4/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		4/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		4/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		4/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		4/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		4/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		4/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		4/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		4/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342I
Sample ID MW-13
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		4/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		4/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		4/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		4/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		4/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		4/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		4/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		4/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		4/27/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		4/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		4/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	128	REC %			1	8260B		4/27/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342J
 Sample ID MW-14
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 38	ug/l	38	155	100	GRO95/8021		4/29/2021	CJR	1
Bromobenzene	< 40	ug/l	40	165	100	GRO95/8021		4/29/2021	CJR	1
Bromodichloromethane	< 47	ug/l	47	193	100	GRO95/8021		4/29/2021	CJR	1
Bromoform	< 46	ug/l	46	187	100	GRO95/8021		4/29/2021	CJR	1
tert-Butylbenzene	< 45	ug/l	45	184	100	GRO95/8021		4/29/2021	CJR	1
sec-Butylbenzene	< 31	ug/l	31	128	100	GRO95/8021		4/29/2021	CJR	1
n-Butylbenzene	< 46	ug/l	46	188	100	GRO95/8021		4/29/2021	CJR	1
Carbon Tetrachloride	< 44	ug/l	44	179	100	GRO95/8021		4/29/2021	CJR	1
Chlorobenzene	< 38	ug/l	38	153	100	GRO95/8021		4/29/2021	CJR	1
Chloroethane	< 78	ug/l	78	316	100	GRO95/8021		4/29/2021	CJR	1
Chloroform	< 40	ug/l	40	164	100	GRO95/8021		4/29/2021	CJR	1
Chloromethane	< 84	ug/l	84	342	100	GRO95/8021		4/29/2021	CJR	1
2-Chlorotoluene	< 36	ug/l	36	147	100	GRO95/8021		4/29/2021	CJR	1
4-Chlorotoluene	< 40	ug/l	40	162	100	GRO95/8021		4/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 54	ug/l	54	220	100	GRO95/8021		4/29/2021	CJR	1
Dibromochloromethane	< 45	ug/l	45	185	100	GRO95/8021		4/29/2021	CJR	1
1,4-Dichlorobenzene	< 48	ug/l	48	197	100	GRO95/8021		4/29/2021	CJR	1
1,3-Dichlorobenzene	< 38	ug/l	38	154	100	GRO95/8021		4/29/2021	CJR	1
1,2-Dichlorobenzene	< 44	ug/l	44	181	100	GRO95/8021		4/29/2021	CJR	1
Dichlorodifluoromethane	< 55	ug/l	55	224	100	GRO95/8021		4/29/2021	CJR	1
1,2-Dichloroethane	< 44	ug/l	44	181	100	GRO95/8021		4/29/2021	CJR	1
1,1-Dichloroethane	< 48	ug/l	48	195	100	GRO95/8021		4/29/2021	CJR	1
1,1-Dichloroethene	< 55	ug/l	55	225	100	GRO95/8021		4/29/2021	CJR	1
cis-1,2-Dichloroethene	< 39	ug/l	39	159	100	GRO95/8021		4/29/2021	CJR	1
trans-1,2-Dichloroethene	< 60	ug/l	60	246	100	GRO95/8021		4/29/2021	CJR	1
1,2-Dichloropropane	< 38	ug/l	38	154	100	GRO95/8021		4/29/2021	CJR	1
1,3-Dichloropropane	< 40	ug/l	40	164	100	GRO95/8021		4/29/2021	CJR	1
trans-1,3-Dichloropropene	< 45	ug/l	45	182	100	GRO95/8021		4/29/2021	CJR	1
cis-1,3-Dichloropropene	< 51	ug/l	51	207	100	GRO95/8021		4/29/2021	CJR	1
Di-isopropyl ether	< 47	ug/l	47	193	100	GRO95/8021		4/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 47	ug/l	47	190	100	GRO95/8021		4/29/2021	CJR	1
Ethylbenzene	< 37	ug/l	37	151	100	GRO95/8021		4/29/2021	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	300	100	GRO95/8021		4/29/2021	CJR	1
Isopropylbenzene	< 30	ug/l	30	124	100	GRO95/8021		4/29/2021	CJR	1
p-Isopropyltoluene	< 43	ug/l	43	176	100	GRO95/8021		4/29/2021	CJR	1
Methylene chloride	< 89	ug/l	89	338	100	GRO95/8021		4/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 46	ug/l	46	188	100	GRO95/8021		4/29/2021	CJR	1
Naphthalene	< 140	ug/l	140	567	100	GRO95/8021		4/29/2021	CJR	1
n-Propylbenzene	< 44	ug/l	44	179	100	GRO95/8021		4/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 36	ug/l	36	146	100	GRO95/8021		4/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 76	ug/l	76	310	100	GRO95/8021		4/29/2021	CJR	1
Tetrachloroethene	16700	ug/l	54	222	100	GRO95/8021		4/29/2021	CJR	1
Toluene	< 42	ug/l	42	171	100	GRO95/8021		4/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 67	ug/l	67	273	100	GRO95/8021		4/29/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342J
Sample ID MW-14
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 66	ug/l	66	282	100	GRO95/8021		4/29/2021	CJR	1
1,1,1-Trichloroethane	< 41	ug/l	41	169	100	GRO95/8021		4/29/2021	CJR	1
1,1,2-Trichloroethane	< 48	ug/l	48	196	100	GRO95/8021		4/29/2021	CJR	1
Trichloroethene (TCE)	< 47	ug/l	47	192	100	GRO95/8021		4/29/2021	CJR	1
Trichlorofluoromethane	< 49	ug/l	49	201	100	GRO95/8021		4/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 35	ug/l	35	140	100	GRO95/8021		4/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 38	ug/l	38	155	100	GRO95/8021		4/29/2021	CJR	1
Vinyl Chloride	< 17	ug/l	17	65	100	GRO95/8021		4/29/2021	CJR	1
m&p-Xylene	< 77	ug/l	77	314	100	GRO95/8021		4/29/2021	CJR	1
o-Xylene	< 44	ug/l	44	180	100	GRO95/8021		4/29/2021	CJR	1
SUR - Toluene-d8	100	REC %			100	GRO95/8021		4/29/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			100	GRO95/8021		4/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			100	GRO95/8021		4/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	120	REC %			100	GRO95/8021		4/29/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342K
 Sample ID MW-15
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		4/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		4/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		4/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		4/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		4/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		4/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		4/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		4/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		4/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		4/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		4/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		4/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		4/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		4/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		4/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		4/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		4/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		4/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		4/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		4/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		4/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		4/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		4/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		4/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		4/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		4/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		4/27/2021	CJR	1
Tetrachloroethene	13.7	ug/l	0.54	2.22	1	8260B		4/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		4/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342K
Sample ID MW-15
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		4/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		4/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		4/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		4/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		4/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		4/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		4/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		4/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		4/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		4/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	126	REC %			1	8260B		4/27/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		4/27/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342L
Sample ID P-5
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		4/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		4/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		4/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		4/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		4/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		4/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		4/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		4/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		4/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		4/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		4/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		4/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		4/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		4/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		4/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		4/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		4/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		4/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		4/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		4/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		4/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		4/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		4/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		4/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		4/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		4/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		4/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		4/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		4/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		4/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		4/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		4/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		4/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		4/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		4/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		4/27/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39342

Lab Code 5039342L
Sample ID P-5
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		4/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		4/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		4/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		4/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		4/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		4/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		4/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		4/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		4/27/2021	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		4/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		4/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	128	REC %			1	8260B		4/27/2021	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		4/27/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

CHAIN OF CUSTODY RECORD

Synergy

Environmental Lab, Inc.

www.synergy-lab.net

1990 Prospect Ct. • Appleton, WI 54914

920-830-2455 • mrsynergy@wi.twcbc.com

Chain # No 37758

Page 1 of 1

Sample Handling Request

Rush Analysis Date Required:

(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
 QUOTE #: 525-008-006:002
 Project #: *[Signature]*
 Sampler: (signature) *[Signature]*
 Project (Name / Location): Foy Run - Waukesha, WI

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5037342 A	MW-2R			N	3	GW	HL
B	MW-5						
C	MW-6						
D	MW-7						
E	MW-8						
F	MW-9R						
G	MW-11						
H	MW-12						
I	MW-13						
J	MW-14						
K	MW-15						
L	P-15						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Analysis Requested	Other Analysis
DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 524.2)	X
VOC (EPA 8260)	
VOC AIR (TO - 15)	
8-PCRA METALS	
PID/ FID	

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: *CS*
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By (Sign) *[Signature]* Time 1200 Date 4/23/21
 Received By (Sign) _____ Time _____ Date 4/24/21
 Received in Laboratory By: *[Signature]* Time: 13:00 Date: 4/24/21

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TIM PETRICK
ENDPOINT SOLUTIONS
6871 SOUTH LOVER'S LANE
FRANKLIN, WI 53132

Report Date 30-Jul-21

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733A
Sample ID MW-2R
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		7/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		7/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		7/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		7/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		7/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		7/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		7/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		7/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		7/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		7/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		7/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		7/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		7/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		7/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		7/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		7/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		7/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		7/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		7/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		7/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		7/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		7/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		7/28/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733A
Sample ID MW-2R
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		7/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		7/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		7/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		7/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		7/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		7/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		7/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		7/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		7/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		7/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		7/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		7/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		7/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		7/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		7/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		7/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		7/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		7/28/2021	CJR	1
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		7/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		7/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		7/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		7/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		7/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		7/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		7/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		7/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		7/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		7/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		7/28/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		7/28/2021	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		7/28/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733B
Sample ID MW-5
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 19	ug/l	19	77.5	50	8260B		7/29/2021	CJR	1
Bromobenzene	< 20	ug/l	20	82.5	50	8260B		7/29/2021	CJR	1
Bromodichloromethane	< 23.5	ug/l	23.5	96.5	50	8260B		7/29/2021	CJR	1
Bromoform	< 23	ug/l	23	93.5	50	8260B		7/29/2021	CJR	1
tert-Butylbenzene	< 22.5	ug/l	22.5	92	50	8260B		7/29/2021	CJR	1
sec-Butylbenzene	< 15.5	ug/l	15.5	64	50	8260B		7/29/2021	CJR	1
n-Butylbenzene	< 23	ug/l	23	94	50	8260B		7/29/2021	CJR	1
Carbon Tetrachloride	< 22	ug/l	22	89.5	50	8260B		7/29/2021	CJR	1
Chlorobenzene	< 19	ug/l	19	76.5	50	8260B		7/29/2021	CJR	1
Chloroethane	< 39	ug/l	39	158	50	8260B		7/29/2021	CJR	1
Chloroform	< 20	ug/l	20	82	50	8260B		7/29/2021	CJR	1
Chloromethane	< 42	ug/l	42	171	50	8260B		7/29/2021	CJR	1
2-Chlorotoluene	< 18	ug/l	18	73.5	50	8260B		7/29/2021	CJR	1
4-Chlorotoluene	< 20	ug/l	20	81	50	8260B		7/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 27	ug/l	27	110	50	8260B		7/29/2021	CJR	1
Dibromochloromethane	< 22.5	ug/l	22.5	92.5	50	8260B		7/29/2021	CJR	1
1,4-Dichlorobenzene	< 24	ug/l	24	98.5	50	8260B		7/29/2021	CJR	1
1,3-Dichlorobenzene	< 19	ug/l	19	77	50	8260B		7/29/2021	CJR	1
1,2-Dichlorobenzene	< 22	ug/l	22	90.5	50	8260B		7/29/2021	CJR	1
Dichlorodifluoromethane	< 27.5	ug/l	27.5	112	50	8260B		7/29/2021	CJR	1
1,2-Dichloroethane	< 22	ug/l	22	90.5	50	8260B		7/29/2021	CJR	1
1,1-Dichloroethane	< 24	ug/l	24	97.5	50	8260B		7/29/2021	CJR	1
1,1-Dichloroethene	< 27.5	ug/l	27.5	112.5	50	8260B		7/29/2021	CJR	1
cis-1,2-Dichloroethene	< 19.5	ug/l	19.5	79.5	50	8260B		7/29/2021	CJR	1
trans-1,2-Dichloroethene	< 30	ug/l	30	123	50	8260B		7/29/2021	CJR	1
1,2-Dichloropropane	< 19	ug/l	19	77	50	8260B		7/29/2021	CJR	1
1,3-Dichloropropane	< 20	ug/l	20	82	50	8260B		7/29/2021	CJR	1
trans-1,3-Dichloropropene	< 22.5	ug/l	22.5	91	50	8260B		7/29/2021	CJR	1
cis-1,3-Dichloropropene	< 25.5	ug/l	25.5	103.5	50	8260B		7/29/2021	CJR	1
Di-isopropyl ether	< 23.5	ug/l	23.5	96.5	50	8260B		7/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 23.5	ug/l	23.5	95	50	8260B		7/29/2021	CJR	1
Ethylbenzene	< 18.5	ug/l	18.5	75.5	50	8260B		7/29/2021	CJR	1
Hexachlorobutadiene	< 37.5	ug/l	37.5	150	50	8260B		7/29/2021	CJR	1
Isopropylbenzene	< 15	ug/l	15	62	50	8260B		7/29/2021	CJR	1
p-Isopropyltoluene	< 21.5	ug/l	21.5	88	50	8260B		7/29/2021	CJR	1
Methylene chloride	< 44.5	ug/l	44.5	169	50	8260B		7/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/l	23	94	50	8260B		7/29/2021	CJR	1
Naphthalene	< 70	ug/l	70	283.5	50	8260B		7/29/2021	CJR	1
n-Propylbenzene	< 22	ug/l	22	89.5	50	8260B		7/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 18	ug/l	18	73	50	8260B		7/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 38	ug/l	38	155	50	8260B		7/29/2021	CJR	1
Tetrachloroethene	5900	ug/l	27	111	50	8260B		7/29/2021	CJR	1
Toluene	< 21	ug/l	21	85.5	50	8260B		7/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 33.5	ug/l	33.5	136.5	50	8260B		7/29/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733B
Sample ID MW-5
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 33	ug/l	33	141	50	8260B		7/29/2021	CJR	1
1,1,1-Trichloroethane	< 20.5	ug/l	20.5	84.5	50	8260B		7/29/2021	CJR	1
1,1,2-Trichloroethane	< 24	ug/l	24	98	50	8260B		7/29/2021	CJR	1
Trichloroethene (TCE)	< 23.5	ug/l	23.5	96	50	8260B		7/29/2021	CJR	1
Trichlorofluoromethane	< 24.5	ug/l	24.5	100.5	50	8260B		7/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 17.5	ug/l	17.5	70	50	8260B		7/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 19	ug/l	19	77.5	50	8260B		7/29/2021	CJR	1
Vinyl Chloride	< 8.5	ug/l	8.5	32.5	50	8260B		7/29/2021	CJR	1
m&p-Xylene	< 38.5	ug/l	38.5	157	50	8260B		7/29/2021	CJR	1
o-Xylene	< 22	ug/l	22	90	50	8260B		7/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			50	8260B		7/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			50	8260B		7/29/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			50	8260B		7/29/2021	CJR	1
SUR - Toluene-d8	105	REC %			50	8260B		7/29/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733C
 Sample ID MW-6
 Sample Matrix Water
 Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		7/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		7/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		7/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		7/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		7/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		7/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		7/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		7/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		7/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		7/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		7/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		7/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		7/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		7/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		7/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		7/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		7/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		7/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		7/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		7/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		7/28/2021	CJR	1
cis-1,2-Dichloroethene	1.36 "J"	ug/l	0.39	1.59	1	8260B		7/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		7/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		7/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		7/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		7/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		7/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		7/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		7/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		7/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		7/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		7/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		7/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		7/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		7/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		7/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		7/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		7/28/2021	CJR	1
Tetrachloroethene	15.7	ug/l	0.54	2.22	1	8260B		7/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		7/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		7/28/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733C
Sample ID MW-6
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		7/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		7/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		7/28/2021	CJR	1
Trichloroethene (TCE)	1.04 "J"	ug/l	0.47	1.92	1	8260B		7/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		7/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		7/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		7/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		7/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		7/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		7/28/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		7/28/2021	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		7/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		7/28/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733D
 Sample ID MW-7
 Sample Matrix Water
 Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		7/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		7/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		7/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		7/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		7/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		7/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		7/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		7/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		7/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		7/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		7/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		7/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		7/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		7/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		7/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		7/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		7/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		7/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		7/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		7/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		7/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		7/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		7/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		7/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		7/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		7/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		7/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		7/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		7/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		7/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		7/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		7/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		7/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		7/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		7/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		7/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		7/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		7/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		7/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		7/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		7/28/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733D
Sample ID MW-7
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		7/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		7/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		7/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		7/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		7/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		7/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		7/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		7/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		7/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		7/28/2021	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		7/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	121	REC %			1	8260B		7/28/2021	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		7/28/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733E
 Sample ID MW-8
 Sample Matrix Water
 Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		7/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		7/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		7/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		7/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		7/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		7/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		7/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		7/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		7/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		7/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		7/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		7/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		7/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		7/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		7/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		7/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		7/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		7/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		7/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		7/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		7/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		7/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		7/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		7/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		7/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		7/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		7/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		7/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		7/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		7/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		7/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		7/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		7/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		7/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		7/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		7/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		7/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		7/28/2021	CJR	1
Tetrachloroethene	2.18 "J"	ug/l	0.54	2.22	1	8260B		7/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		7/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		7/28/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733E
Sample ID MW-8
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		7/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		7/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		7/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		7/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		7/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		7/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		7/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		7/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		7/28/2021	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		7/28/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		7/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		7/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		7/28/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733F
Sample ID MW-9R
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		7/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		7/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		7/29/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		7/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		7/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		7/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		7/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		7/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		7/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		7/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		7/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		7/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		7/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		7/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		7/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		7/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		7/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		7/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		7/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		7/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		7/29/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		7/29/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		7/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		7/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		7/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		7/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		7/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		7/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		7/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		7/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		7/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		7/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		7/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		7/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		7/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		7/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		7/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		7/29/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		7/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		7/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		7/29/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733F
Sample ID MW-9R
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		7/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		7/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		7/29/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		7/29/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		7/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		7/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		7/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		7/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		7/29/2021	CJR	1
SUR - Toluene-d8	83	REC %			1	8260B		7/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		7/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		7/29/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		7/29/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733G
 Sample ID MW-11
 Sample Matrix Water
 Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		7/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		7/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		7/29/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		7/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		7/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		7/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		7/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		7/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		7/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		7/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		7/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		7/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		7/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		7/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		7/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		7/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		7/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		7/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		7/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		7/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		7/29/2021	CJR	1
cis-1,2-Dichloroethene	23	ug/l	0.39	1.59	1	8260B		7/29/2021	CJR	1
trans-1,2-Dichloroethene	0.86 "J"	ug/l	0.6	2.46	1	8260B		7/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		7/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		7/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		7/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		7/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		7/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		7/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		7/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		7/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		7/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		7/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		7/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		7/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		7/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		7/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		7/29/2021	CJR	1
Tetrachloroethene	1.49 "J"	ug/l	0.54	2.22	1	8260B		7/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		7/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		7/29/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733G
Sample ID MW-11
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		7/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		7/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		7/29/2021	CJR	1
Trichloroethene (TCE)	0.58 "J"	ug/l	0.47	1.92	1	8260B		7/29/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		7/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		7/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		7/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		7/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		7/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		7/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		7/29/2021	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		7/29/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		7/29/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733H
 Sample ID MW-12
 Sample Matrix Water
 Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		7/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		7/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		7/29/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		7/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		7/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		7/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		7/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		7/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		7/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		7/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		7/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		7/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		7/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		7/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		7/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		7/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		7/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		7/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		7/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		7/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		7/29/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		7/29/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		7/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		7/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		7/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		7/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		7/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		7/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		7/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		7/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		7/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		7/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		7/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		7/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		7/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		7/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		7/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		7/29/2021	CJR	1
Tetrachloroethene	7.4	ug/l	0.54	2.22	1	8260B		7/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		7/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		7/29/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733H
Sample ID MW-12
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		7/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		7/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		7/29/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		7/29/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		7/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		7/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		7/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		7/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		7/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		7/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		7/29/2021	CJR	1
SUR - Dibromofluoromethane	85	REC %			1	8260B		7/29/2021	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		7/29/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733I
 Sample ID MW-13
 Sample Matrix Water
 Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		7/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		7/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		7/29/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		7/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		7/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		7/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		7/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		7/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		7/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		7/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		7/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		7/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		7/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		7/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		7/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		7/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		7/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		7/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		7/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		7/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		7/29/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		7/29/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		7/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		7/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		7/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		7/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		7/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		7/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		7/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		7/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		7/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		7/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		7/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		7/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		7/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		7/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		7/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		7/29/2021	CJR	1
Tetrachloroethene	1.7 "J"	ug/l	0.54	2.22	1	8260B		7/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		7/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		7/29/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733I
Sample ID MW-13
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		7/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		7/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		7/29/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		7/29/2021	CJR	1
Trichlorofluoromethane	2.1	ug/l	0.49	2.01	1	8260B		7/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		7/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		7/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		7/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		7/29/2021	CJR	1
SUR - Toluene-d8	92	REC %				1	8260B	7/29/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %				1	8260B	7/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				1	8260B	7/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %				1	8260B	7/29/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733J
 Sample ID MW-14
 Sample Matrix Water
 Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 38	ug/l	38	155	100	8260B		7/29/2021	CJR	1
Bromobenzene	< 40	ug/l	40	165	100	8260B		7/29/2021	CJR	1
Bromodichloromethane	< 47	ug/l	47	193	100	8260B		7/29/2021	CJR	1
Bromoform	< 46	ug/l	46	187	100	8260B		7/29/2021	CJR	1
tert-Butylbenzene	< 45	ug/l	45	184	100	8260B		7/29/2021	CJR	1
sec-Butylbenzene	< 31	ug/l	31	128	100	8260B		7/29/2021	CJR	1
n-Butylbenzene	< 46	ug/l	46	188	100	8260B		7/29/2021	CJR	1
Carbon Tetrachloride	< 44	ug/l	44	179	100	8260B		7/29/2021	CJR	1
Chlorobenzene	< 38	ug/l	38	153	100	8260B		7/29/2021	CJR	1
Chloroethane	< 78	ug/l	78	316	100	8260B		7/29/2021	CJR	1
Chloroform	< 40	ug/l	40	164	100	8260B		7/29/2021	CJR	1
Chloromethane	< 84	ug/l	84	342	100	8260B		7/29/2021	CJR	1
2-Chlorotoluene	< 36	ug/l	36	147	100	8260B		7/29/2021	CJR	1
4-Chlorotoluene	< 40	ug/l	40	162	100	8260B		7/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 54	ug/l	54	220	100	8260B		7/29/2021	CJR	1
Dibromochloromethane	< 45	ug/l	45	185	100	8260B		7/29/2021	CJR	1
1,4-Dichlorobenzene	< 48	ug/l	48	197	100	8260B		7/29/2021	CJR	1
1,3-Dichlorobenzene	< 38	ug/l	38	154	100	8260B		7/29/2021	CJR	1
1,2-Dichlorobenzene	< 44	ug/l	44	181	100	8260B		7/29/2021	CJR	1
Dichlorodifluoromethane	< 55	ug/l	55	224	100	8260B		7/29/2021	CJR	1
1,2-Dichloroethane	< 44	ug/l	44	181	100	8260B		7/29/2021	CJR	1
1,1-Dichloroethane	< 48	ug/l	48	195	100	8260B		7/29/2021	CJR	1
1,1-Dichloroethene	< 55	ug/l	55	225	100	8260B		7/29/2021	CJR	1
cis-1,2-Dichloroethene	< 39	ug/l	39	159	100	8260B		7/29/2021	CJR	1
trans-1,2-Dichloroethene	< 60	ug/l	60	246	100	8260B		7/29/2021	CJR	1
1,2-Dichloropropane	< 38	ug/l	38	154	100	8260B		7/29/2021	CJR	1
1,3-Dichloropropane	< 40	ug/l	40	164	100	8260B		7/29/2021	CJR	1
trans-1,3-Dichloropropene	< 45	ug/l	45	182	100	8260B		7/29/2021	CJR	1
cis-1,3-Dichloropropene	< 51	ug/l	51	207	100	8260B		7/29/2021	CJR	1
Di-isopropyl ether	< 47	ug/l	47	193	100	8260B		7/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 47	ug/l	47	190	100	8260B		7/29/2021	CJR	1
Ethylbenzene	< 37	ug/l	37	151	100	8260B		7/29/2021	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	300	100	8260B		7/29/2021	CJR	1
Isopropylbenzene	< 30	ug/l	30	124	100	8260B		7/29/2021	CJR	1
p-Isopropyltoluene	< 43	ug/l	43	176	100	8260B		7/29/2021	CJR	1
Methylene chloride	< 89	ug/l	89	338	100	8260B		7/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 46	ug/l	46	188	100	8260B		7/29/2021	CJR	1
Naphthalene	< 140	ug/l	140	567	100	8260B		7/29/2021	CJR	1
n-Propylbenzene	< 44	ug/l	44	179	100	8260B		7/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 36	ug/l	36	146	100	8260B		7/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 76	ug/l	76	310	100	8260B		7/29/2021	CJR	1
Tetrachloroethene	11000	ug/l	54	222	100	8260B		7/29/2021	CJR	1
Toluene	< 42	ug/l	42	171	100	8260B		7/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 67	ug/l	67	273	100	8260B		7/29/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733J
Sample ID MW-14
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 66	ug/l	66	282	100	8260B		7/29/2021	CJR	1
1,1,1-Trichloroethane	< 41	ug/l	41	169	100	8260B		7/29/2021	CJR	1
1,1,2-Trichloroethane	< 48	ug/l	48	196	100	8260B		7/29/2021	CJR	1
Trichloroethene (TCE)	< 47	ug/l	47	192	100	8260B		7/29/2021	CJR	1
Trichlorofluoromethane	< 49	ug/l	49	201	100	8260B		7/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 35	ug/l	35	140	100	8260B		7/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 38	ug/l	38	155	100	8260B		7/29/2021	CJR	1
Vinyl Chloride	< 17	ug/l	17	65	100	8260B		7/29/2021	CJR	1
m&p-Xylene	< 77	ug/l	77	314	100	8260B		7/29/2021	CJR	1
o-Xylene	< 44	ug/l	44	180	100	8260B		7/29/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			100	8260B		7/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			100	8260B		7/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			100	8260B		7/29/2021	CJR	1
SUR - Toluene-d8	104	REC %			100	8260B		7/29/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733K
 Sample ID P-5
 Sample Matrix Water
 Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/29/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		7/29/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		7/29/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		7/29/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		7/29/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		7/29/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		7/29/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		7/29/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		7/29/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		7/29/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		7/29/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		7/29/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		7/29/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		7/29/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		7/29/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		7/29/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		7/29/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		7/29/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		7/29/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		7/29/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		7/29/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		7/29/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		7/29/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		7/29/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		7/29/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		7/29/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		7/29/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		7/29/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		7/29/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		7/29/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		7/29/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		7/29/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		7/29/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		7/29/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		7/29/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		7/29/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		7/29/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		7/29/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		7/29/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		7/29/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		7/29/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		7/29/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		7/29/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		7/29/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E39733

Lab Code 5039733K
Sample ID P-5
Sample Matrix Water
Sample Date 7/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		7/29/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		7/29/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		7/29/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		7/29/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		7/29/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		7/29/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		7/29/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		7/29/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		7/29/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		7/29/2021	CJR	1
SUR - Toluene-d8	98	REC %				1	8260B	7/29/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %				1	8260B	7/29/2021	CJR	1
SUR - 4-Bromofluorobenzene	132	REC %				1	8260B	7/29/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %				1	8260B	7/29/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Chain # No 3822
 Page 1 of 1

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE # : _____
 Project #: 525-008-006:002
 Sampler: (signature) *Tim Patrick*
 Project (Name / Location): Fox Run - Waukesha, WI
 Reports To: *Tim Patrick*
 Company: *Endpoint Solutions*
 Address: *6871 S. Womers home*
 City State Zip: *Franklin WI*
 Phone: *414 458 1210*
 Email: _____

Invoice To:
 Company: _____
 Address: _____
 City State Zip: _____
 Phone: _____
 Email: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5039735A	MW-2R	7/27/21	830	N	3	GW	HCl
B	MW-5	21	430		1		
C	MW-6		410		1		
D	MW-7		745		2		
E	MW-8		750		3		
F	MW-9R		1000		3		
G	MW-11		825		2		
H	MW-12		1030		3		
I	MW-13		1015		3		
J	MW-14		900		↓		
K	P-5		10:0				

Analysis Requested	Other Analysis
DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 524.2)	
VOC (EPA 8260)	X
VOC AIR (TO - 15)	
8-PCPA METALS	
PID/ FID	

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: CS °C On Ice: X
 Temp. of Temp. Blank: _____ °C Yes X No
 Cooler seal intact upon receipt: X Yes X No

Relinquished By (signature) *Tim Patrick* Time 1200 Date 7/27/21
 Received By (signature) _____ Time _____ Date _____
 Time: 8:00 Date: 7/28/21
 Received in Laboratory By *Tim Patrick*

Synergy Environmental Lab, LLC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TIM PETRICK
ENDPOINT SOLUTIONS
6871 SOUTH LOVER'S LANE
FRANKLIN, WI 53132

Report Date 16-Nov-21

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162A
Sample ID MW-5
Sample Matrix Water
Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 19	ug/l	19	77.5	50	8260B		11/15/2021	CJR	1
Bromobenzene	< 20	ug/l	20	82.5	50	8260B		11/15/2021	CJR	1
Bromodichloromethane	< 23.5	ug/l	23.5	96.5	50	8260B		11/15/2021	CJR	1
Bromoform	< 23	ug/l	23	93.5	50	8260B		11/15/2021	CJR	1
tert-Butylbenzene	< 22.5	ug/l	22.5	92	50	8260B		11/15/2021	CJR	1
sec-Butylbenzene	< 15.5	ug/l	15.5	64	50	8260B		11/15/2021	CJR	1
n-Butylbenzene	< 23	ug/l	23	94	50	8260B		11/15/2021	CJR	1
Carbon Tetrachloride	< 22	ug/l	22	89.5	50	8260B		11/15/2021	CJR	1
Chlorobenzene	< 19	ug/l	19	76.5	50	8260B		11/15/2021	CJR	1
Chloroethane	< 39	ug/l	39	158	50	8260B		11/15/2021	CJR	1
Chloroform	< 20	ug/l	20	82	50	8260B		11/15/2021	CJR	1
Chloromethane	< 42	ug/l	42	171	50	8260B		11/15/2021	CJR	1
2-Chlorotoluene	< 18	ug/l	18	73.5	50	8260B		11/15/2021	CJR	1
4-Chlorotoluene	< 20	ug/l	20	81	50	8260B		11/15/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 27	ug/l	27	110	50	8260B		11/15/2021	CJR	1
Dibromochloromethane	< 22.5	ug/l	22.5	92.5	50	8260B		11/15/2021	CJR	1
1,4-Dichlorobenzene	< 24	ug/l	24	98.5	50	8260B		11/15/2021	CJR	1
1,3-Dichlorobenzene	< 19	ug/l	19	77	50	8260B		11/15/2021	CJR	1
1,2-Dichlorobenzene	< 22	ug/l	22	90.5	50	8260B		11/15/2021	CJR	1
Dichlorodifluoromethane	< 27.5	ug/l	27.5	112	50	8260B		11/15/2021	CJR	1
1,2-Dichloroethane	< 22	ug/l	22	90.5	50	8260B		11/15/2021	CJR	1
1,1-Dichloroethane	< 24	ug/l	24	97.5	50	8260B		11/15/2021	CJR	1
1,1-Dichloroethene	< 27.5	ug/l	27.5	112.5	50	8260B		11/15/2021	CJR	1
cis-1,2-Dichloroethene	< 19.5	ug/l	19.5	79.5	50	8260B		11/15/2021	CJR	1
trans-1,2-Dichloroethene	< 30	ug/l	30	123	50	8260B		11/15/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162A
Sample ID MW-5
Sample Matrix Water
Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 19	ug/l	19	77	50	8260B		11/15/2021	CJR	1
1,3-Dichloropropane	< 20	ug/l	20	82	50	8260B		11/15/2021	CJR	1
trans-1,3-Dichloropropene	< 22.5	ug/l	22.5	91	50	8260B		11/15/2021	CJR	1
cis-1,3-Dichloropropene	< 25.5	ug/l	25.5	103.5	50	8260B		11/15/2021	CJR	1
Di-isopropyl ether	< 23.5	ug/l	23.5	96.5	50	8260B		11/15/2021	CJR	1
EDB (1,2-Dibromoethane)	< 23.5	ug/l	23.5	95	50	8260B		11/15/2021	CJR	1
Ethylbenzene	< 18.5	ug/l	18.5	75.5	50	8260B		11/15/2021	CJR	1
Hexachlorobutadiene	< 37.5	ug/l	37.5	150	50	8260B		11/15/2021	CJR	1
Isopropylbenzene	< 15	ug/l	15	62	50	8260B		11/15/2021	CJR	1
p-Isopropyltoluene	< 21.5	ug/l	21.5	88	50	8260B		11/15/2021	CJR	1
Methylene chloride	< 44.5	ug/l	44.5	169	50	8260B		11/15/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/l	23	94	50	8260B		11/15/2021	CJR	1
Naphthalene	< 70	ug/l	70	283.5	50	8260B		11/15/2021	CJR	1
n-Propylbenzene	< 22	ug/l	22	89.5	50	8260B		11/15/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 18	ug/l	18	73	50	8260B		11/15/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 38	ug/l	38	155	50	8260B		11/15/2021	CJR	1
Tetrachloroethene	9500	ug/l	27	111	50	8260B		11/15/2021	CJR	1
Toluene	< 21	ug/l	21	85.5	50	8260B		11/15/2021	CJR	1
1,2,4-Trichlorobenzene	< 33.5	ug/l	33.5	136.5	50	8260B		11/15/2021	CJR	1
1,2,3-Trichlorobenzene	< 33	ug/l	33	141	50	8260B		11/15/2021	CJR	1
1,1,1-Trichloroethane	< 20.5	ug/l	20.5	84.5	50	8260B		11/15/2021	CJR	1
1,1,2-Trichloroethane	< 24	ug/l	24	98	50	8260B		11/15/2021	CJR	1
Trichloroethene (TCE)	< 23.5	ug/l	23.5	96	50	8260B		11/15/2021	CJR	1
Trichlorofluoromethane	< 24.5	ug/l	24.5	100.5	50	8260B		11/15/2021	CJR	1
1,2,4-Trimethylbenzene	< 17.5	ug/l	17.5	70	50	8260B		11/15/2021	CJR	1
1,3,5-Trimethylbenzene	< 19	ug/l	19	77.5	50	8260B		11/15/2021	CJR	1
Vinyl Chloride	< 8.5	ug/l	8.5	32.5	50	8260B		11/15/2021	CJR	1
m&p-Xylene	< 38.5	ug/l	38.5	157	50	8260B		11/15/2021	CJR	1
o-Xylene	< 22	ug/l	22	90	50	8260B		11/15/2021	CJR	1
SUR - Toluene-d8	103	REC %			50	8260B		11/15/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			50	8260B		11/15/2021	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			50	8260B		11/15/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			50	8260B		11/15/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162B
Sample ID MW-6
Sample Matrix Water
Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		11/15/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		11/15/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2021	CJR	1
Trichloroethene (TCE)	0.79 "J"	ug/l	0.47	1.92	1	8260B		11/15/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		11/15/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		11/15/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		11/15/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		11/15/2021	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		11/15/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		11/15/2021	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/15/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/15/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162C
Sample ID MW-7
Sample Matrix Water
Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		11/15/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		11/15/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		11/15/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		11/15/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		11/15/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		11/15/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		11/15/2021	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		11/15/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/15/2021	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		11/15/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		11/15/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162D
Sample ID MW-8
Sample Matrix Water
Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		11/15/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		11/15/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		11/15/2021	CJR	1
Trichloroethene (TCE)	0.51 "J"	ug/l	0.47	1.92	1	8260B		11/15/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		11/15/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		11/15/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		11/15/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		11/15/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		11/15/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		11/15/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/15/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		11/15/2021	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		11/15/2021	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		11/15/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162E
Sample ID MW-9R
Sample Matrix Water
Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		11/16/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		11/16/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		11/16/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		11/16/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		11/16/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		11/16/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		11/16/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		11/16/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		11/16/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		11/16/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		11/16/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		11/16/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		11/16/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		11/16/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		11/16/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		11/16/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		11/16/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		11/16/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		11/16/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		11/16/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		11/16/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		11/16/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		11/16/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		11/16/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		11/16/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		11/16/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		11/16/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		11/16/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		11/16/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		11/16/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		11/16/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		11/16/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		11/16/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		11/16/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		11/16/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		11/16/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		11/16/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		11/16/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162E
Sample ID MW-9R
Sample Matrix Water
Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		11/16/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		11/16/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		11/16/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		11/16/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		11/16/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		11/16/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		11/16/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		11/16/2021	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		11/16/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/16/2021	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		11/16/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/16/2021	CJR	1

Project Name FOX RUN
 Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162F
 Sample ID MW-11
 Sample Matrix Water
 Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		11/16/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		11/16/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		11/16/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		11/16/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		11/16/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		11/16/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		11/16/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		11/16/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		11/16/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		11/16/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		11/16/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		11/16/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		11/16/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		11/16/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		11/16/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		11/16/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		11/16/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		11/16/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		11/16/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2021	CJR	1
cis-1,2-Dichloroethene	4.6	ug/l	0.39	1.59	1	8260B		11/16/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		11/16/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		11/16/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		11/16/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		11/16/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		11/16/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		11/16/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		11/16/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		11/16/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		11/16/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		11/16/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		11/16/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		11/16/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		11/16/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		11/16/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		11/16/2021	CJR	1
Tetrachloroethene	2.91	ug/l	0.54	2.22	1	8260B		11/16/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		11/16/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		11/16/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162F
Sample ID MW-11
Sample Matrix Water
Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		11/16/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		11/16/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2021	CJR	1
Trichloroethene (TCE)	0.53 "J"	ug/l	0.47	1.92	1	8260B		11/16/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		11/16/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		11/16/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		11/16/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		11/16/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		11/16/2021	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		11/16/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		11/16/2021	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		11/16/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		11/16/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162G
Sample ID MW-13
Sample Matrix Water
Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		11/16/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		11/16/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		11/16/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		11/16/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		11/16/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		11/16/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		11/16/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		11/16/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		11/16/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		11/16/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		11/16/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		11/16/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		11/16/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		11/16/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		11/16/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		11/16/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		11/16/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		11/16/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		11/16/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		11/16/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		11/16/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		11/16/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		11/16/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		11/16/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		11/16/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		11/16/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		11/16/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		11/16/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		11/16/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		11/16/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		11/16/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		11/16/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		11/16/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		11/16/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		11/16/2021	CJR	1
Tetrachloroethene	5.0	ug/l	0.54	2.22	1	8260B		11/16/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		11/16/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		11/16/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162G
Sample ID MW-13
Sample Matrix Water
Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		11/16/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		11/16/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		11/16/2021	CJR	1
Trichlorofluoromethane	1.4 "J"	ug/l	0.49	2.01	1	8260B		11/16/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		11/16/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		11/16/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		11/16/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		11/16/2021	CJR	1
SUR - Toluene-d8	104	REC %				1	8260B	11/16/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %				1	8260B	11/16/2021	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %				1	8260B	11/16/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %				1	8260B	11/16/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162H
Sample ID P-5
Sample Matrix Water
Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		11/16/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		11/16/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		11/16/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		11/16/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		11/16/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		11/16/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		11/16/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		11/16/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		11/16/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		11/16/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		11/16/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		11/16/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		11/16/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		11/16/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		11/16/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		11/16/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		11/16/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		11/16/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		11/16/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		11/16/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		11/16/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		11/16/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		11/16/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		11/16/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		11/16/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		11/16/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		11/16/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		11/16/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		11/16/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		11/16/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		11/16/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		11/16/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		11/16/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		11/16/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		11/16/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		11/16/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		11/16/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		11/16/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		11/16/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		11/16/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		11/16/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		11/16/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		11/16/2021	CJR	1

Project Name FOX RUN
Project # 525-008-006:002

Invoice # E40162

Lab Code 5040162H
Sample ID P-5
Sample Matrix Water
Sample Date 11/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		11/16/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		11/16/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		11/16/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		11/16/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		11/16/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		11/16/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		11/16/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		11/16/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		11/16/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		11/16/2021	CJR	1
SUR - Toluene-d8	103	REC %				1	8260B	11/16/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %				1	8260B	11/16/2021	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %				1	8260B	11/16/2021	CJR	1
SUR - Dibromofluoromethane	100	REC %				1	8260B	11/16/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcabc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE # : _____
 Project #: S25-008-006:002
 Sampler: (signature) *Tim Patrick*
 Project (Name / Location): Fox Run - Waukesha, WI
 Reports To: *Tim Patrick*
 Company: *Endpoint Solutions*
 Address: 6871 S. Bokers Lane
 City State Zip: *Franklin WI*
 Phone: 414 858 1210
 Email: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5040162-A	MW-2B	11/12/12	1215	N	3	GW	Hcl
B	MW-5	11/12/12	1245				
C	MW-6	11/50	1150				
D	MW-7	11/56	1156				
E	MW-8	1215	1215				
F	MW-9R	1300	1300				
G	MW-12	11/12/12	1300				
H	P-5	11/12/12	1300				

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Analysis Requested	Other Analysis
DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 5242)	
VOC (EPA 8260)	X
VOC AIR (TO - 15)	
8-PCRA METALS	
PID/ FID	

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: CS
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) _____ Time _____ Date _____
 Received By: (sign) _____ Time _____ Date _____
 Received in Laboratory By: *Tim Patrick* Date: 11/6/12
 Time: 13:00

Endpoint Solutions

6871 South Lovers Lane
Franklin, Wisconsin 53132
Phone: 414-427-1200
Fax: 414-427-1259

www.endpointcorporation.com