

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

IW-1

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago		WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W		Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW SW	Section 11	Township 20 N	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W 17
Well Street Address 1077 Racine Street			
Well City, Village or Town Menasha		Well ZIP Code	
Subdivision Name		Lot #	
Reason for Removal from Service	WI Unique Well # of Replacement Well		

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 03/23/2007
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): Direct push	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 12.5	Casing Diameter (in.) 1.5
Lower Drillhole Diameter (in.) 2	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 4.55

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	12.5	1/4 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450		Telephone Number (414) 315-1579	Comments	
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Busy Bea's Dry Cleaners		License/Permit/Monitoring Number		Boring Number IW - 1	
Boring Drilled By: Name of crew chief (first, last) and Firm Tony Onsite Environmental		Date Drilling Started 3/23/2007		Date Drilling Completed 3/23/2007	
WI Unique Well No.		DNR Well ID No.		Common Well Name IW - 1	
		Final Static Water Level Feet MSL		Surface Elevation Feet MSL	
				Borehole Diameter 2.0 inches	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>		State Plane N, E S/C/N		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
SW 1/4 of SW 1/4 of Section 11, T 20 N, R 17 E		Lat _____"		Long _____"	
Facility ID 124506		County		County Code	
				Civil Town/City/ or Village Menasha	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 SS	0		0	Blind drilled through 6"± asphalt and 4"± Sand and Gravel				0							
2 SS	30 20		2	Brown SILTY CLAY (no odor) - Dry											
3 SS	30 20		6	Brown SILTY CLAY (no odor) - Moist				0							
4 SS	30 30		8	6"± layer Brown SILTY SAND and GRAVEL (no odor) - Wet Brown SILTY CLAY (no odor) - Moist to Wet at 10± feet				5							
5 SS	30 30		10					6							
6 SS	30 30		14					19							
7 SS	30 30		16	Brown SILTY CLAY (no odor) - Wet				1							
8 SS	30 20		18					0							
			20	Boring terminated at 20 feet bgs											
				NOTE: Set 1.5" diameter injection well screened from 5.5 - 12.5 feet											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Shaw Environmental & Infrastructure, Inc. 111 West Pleasant Street, Suite 105 Milwaukee, WI 53212-3939	Tel: 414-291-2350 Fax: 414-291-2385
-----------	---	--

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

IW-2

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W	Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW or Gov't Lot #	Section 11	Township 20 N
Well Street Address 1077 Racine Street	Range 17	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City, Village or Town Menasha	Well ZIP Code	
Subdivision Name	Lot #	

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

Reason for Removal from Service	WI Unique Well # of Replacement Well
---------------------------------	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 03/23/2007
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug
 Other (specify): **Direct push**

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 15	Casing Diameter (in.) 1.5
---	-------------------------------------

Lower Drillhole Diameter (in.) 2	Casing Depth (ft.)
--	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 5.03
-------------------------------	--------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	15	1/4 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450	Telephone Number (414) 315-1579	Comments		
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Busy Bea's Dry Cleaners			License/Permit/Monitoring Number		Boring Number IW - 2		
Boring Drilled By: Name of crew chief (first, last) and Firm Tony Onsite Environmental			Date Drilling Started 3/23/2007		Date Drilling Completed 3/23/2007		
WI Unique Well No.		DNR Well ID No.	Common Well Name IW - 2		Final Static Water Level Feet MSL		
					Surface Elevation Feet MSL		
					Borehole Diameter 2.0 inches		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			State Plane N, E S/C/N		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
SW 1/4 of SW 1/4 of Section 11, T 20 N, R 17 E			Lat _____ "		Long _____ "		
Facility ID 124506		County		County Code		Civil Town/City/ or Village Menasha	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1 SS	0 0		0	Blind drilled through 6"± asphalt and 6"± Gravel and Sand										
2 SS	30 30		2	Brown SILTY CLAY (no odor) - Moist				15						
3 SS	30 30		4					62						
4 SS	30 30		8	Brown SILTY CLAY (no odor) - Moist to Wet				76						
5 SS	30 30		12					46						
6 SS	30 30		14					14						
				Boring terminated at 15 feet bgs										
				NOTE: Set 1.5" diameter injection well screened from 5 - 15 feet										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Shaw Environmental & Infrastructure, Inc. 111 West Pleasant Street, Suite 105 Milwaukee, WI 53212-3939	Tel: 414-291-2350 Fax: 414-291-2385
-----------	---	--

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

IW-3

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W	Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW or Gov't Lot #	Section 11	Township 20 N
Well Street Address 1077 Racine Street	Range 17	Original Well Owner Cinda Corporation
Well City, Village or Town Menasha	Well ZIP Code	Present Well Owner Cinda Corporation
Subdivision Name	Lot #	Mailing Address of Present Owner W8918 Great Oaks Lane
Reason for Removal from Service	WI Unique Well # of Replacement Well	City of Present Owner Hortonville
		State WI
		ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
03/23/2007

If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): **Direct push**

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) Casing Diameter (in.)
15 **1.5**

Lower Drillhole Diameter (in.) Casing Depth (ft.)
2

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)
5.20

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	15	1/4 bag	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	DNR Use Only	
Street or Route 8725 Rosehill Road, Suite 450	Telephone Number (414) 315-1579	Date Received	Noted By	
City Lenexa	State KS	ZIP Code 66215	Comments	
Signature of Person Doing Work 			Date Signed 12/21/2017	

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
Liner(s) removed? Yes No N/A
Liner(s) perforated? Yes No N/A
Screen removed? Yes No N/A
Casing left in place? Yes No N/A
Was casing cut off below surface? Yes No N/A
Did sealing material rise to surface? Yes No N/A
Did material settle after 24 hours? Yes No N/A
If yes, was hole retopped? Yes No N/A
If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Busy Bea's Dry Cleaners		License/Permit/Monitoring Number		Boring Number IW - 3	
Boring Drilled By: Name of crew chief (first, last) and Firm Tony Onsite Environmental		Date Drilling Started 3/23/2007		Date Drilling Completed 3/23/2007	
WI Unique Well No.		DNR Well ID No.		Common Well Name IW - 3	
		Final Static Water Level Feet MSL		Surface Elevation Feet MSL	
				Borehole Diameter 2.0 inches	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>		State Plane N, E S/C/N		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
SW 1/4 of SW 1/4 of Section 11, T 20 N, R 17 E		Lat _____"		Long _____"	
Facility ID 124506		County		County Code	
				Civil Town/City/ or Village Menasha	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 SS	0 0			Blind drilled through 6"± asphalt and 6"± Gravel and Sand				15							
2 SS	30 30		2	Brown SILTY CLAY (no odor) - Moist											
3 SS	30 30		4	Brown SILTY CLAY (no odor) - Moist to Wet at tip/bottom				81							
4 SS	30 30		6	Brown SILTY CLAY (no odor) - Wet				80							
5 SS	30 30		8					61							
6 SS	30 30		10					74							
7 SS	30 30		12					32							
			14												
				Boring terminated at 15 feet bgs											
				NOTE: Set 1.5" diameter injection well screened from 5 - 15 feet											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Shaw Environmental & Infrastructure, Inc. 111 West Pleasant Street, Suite 105 Milwaukee, WI 53212-3939	Tel: 414-291-2350 Fax: 414-291-2385
-----------	---	--

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

IW-4

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago		WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W		Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW	Section 11	Township 20 N	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 1077 Racine Street		Well ZIP Code	
Well City, Village or Town Menasha		Well ZIP Code	
Subdivision Name		Lot #	
Reason for Removal from Service	WI Unique Well # of Replacement Well		

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 03/23/2007
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug
 Other (specify): **Direct push**

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 10	Casing Diameter (in.) 1.5
---	-------------------------------------

Lower Drillhole Diameter (in.) 2	Casing Depth (ft.)
--	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 5.20
-------------------------------	--------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	10	1/4 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450		Telephone Number (414) 315-1579	Comments	
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Busy Bea's Dry Cleaners		License/Permit/Monitoring Number		Boring Number IW - 4	
Boring Drilled By: Name of crew chief (first, last) and Firm Tony Onsite Environmental		Date Drilling Started 3/23/2007		Date Drilling Completed 3/23/2007	
WI Unique Well No.		DNR Well ID No.		Common Well Name IW - 4	
		Final Static Water Level Feet MSL		Surface Elevation Feet MSL	
				Borehole Diameter 2.0 inches	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>		State Plane N, E S/C/N		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
SW 1/4 of SW 1/4 of Section 11, T 20 N, R 17 E		Lat _____"		Long _____"	
Facility ID 124506		County		County Code	
				Civil Town/City/ or Village Menasha	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1 SS	0		0	Blind drilled through 6"± asphalt and 6"± Sand and Gravel Brown SILTY CLAY (no odor) - Moist to Wet at 5½± feet				3						
2 SS	0-30		2											
3 SS	30-30		4						12					
4 SS	30-30		8						25					
5 SS	30-30		10						14					
6 SS	30-30		14						4					
				Boring terminated at 15 feet bgs										
				NOTE: Set 1.5" diameter injection well screened from 5 - 10 feet										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Shaw Environmental & Infrastructure, Inc. 111 West Pleasant Street, Suite 105 Milwaukee, WI 53212-3939	Tel: 414-291-2350 Fax: 414-291-2385
-----------	---	--

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

MW-101

Route to DNR Bureau:

Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Winnebago WI Unique Well # of Removed Well: _____ Hicap #: _____

Facility Name: Busy Beas Cleaners

Latitude / Longitude (see instructions):
44.2192453 N Format Code: DD Method Code: GPS008
-88.4437519 W DDM SCR002 OTH001

Facility ID (FID or PWS): 471042660
License/Permit/Monitoring #: _____

1/4 1/4 SW 1/4 SW Section: 11 Township: 20 N Range: 17 E W

Original Well Owner: Cinda Corporation

Well Street Address: 1077 Racine Street

Present Well Owner: Cinda Corporation

Well City, Village or Town: Menasha Well ZIP Code: _____

Mailing Address of Present Owner: W8918 Great Oaks Lane

Subdivision Name: _____ Lot #: _____

City of Present Owner: Hortonville State: WI ZIP Code: 54944

Reason for Removal from Service: _____ WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

4. Pump, Liner, Screen, Casing & Sealing Material

Monitoring Well Original Construction Date (mm/dd/yyyy): Unknown
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach.

Pump and piping removed? Yes No N/A
Liner(s) removed? Yes No N/A
Liner(s) perforated? Yes No N/A
Screen removed? Yes No N/A
Casing left in place? Yes No N/A

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Was casing cut off below surface? Yes No N/A
Did sealing material rise to surface? Yes No N/A
Did material settle after 24 hours? Yes No N/A
If yes, was hole retopped? Yes No N/A
If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Formation Type:
 Unconsolidated Formation Bedrock

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Total Well Depth From Ground Surface (ft.): 13.5 Casing Diameter (in.): 2

Sealing Materials:
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

Lower Drillhole Diameter (in.): 6.75 Casing Depth (ft.): _____

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): 7.44


5. Material Used to Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	13.5	1/3 bag	

3/8" Bentonite Chips

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: <u>Jared Schmidt</u>	License #: _____	Date of Filling & Sealing or Verification (mm/dd/yyyy): <u>12/19/2017</u>	Date Received: _____	Noted By: _____
Street or Route: <u>8725 Rosehill Road, Suite 450</u>	Telephone Number: <u>(414) 315-1579</u>	Comments: _____		
City: <u>Lenexa</u>	State: <u>KS</u>	ZIP Code: <u>66215</u>	Signature of Person Doing Work: 	Date Signed: <u>12/21/2017</u>

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

MW-102

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago		WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W		Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW	Section 11	Township 20 N	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 1077 Racine Street		Well ZIP Code	
Well City, Village or Town Menasha		Well ZIP Code	
Subdivision Name		Lot #	
Reason for Removal from Service	WI Unique Well # of Replacement Well		

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) Unknown
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 12.9	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.) 6.75	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 6.02


4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	12.9	1/3 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450		Telephone Number (414) 315-1579	Comments	
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

MW-103

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago		WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W		Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW	Section 11	Township 20 N	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 1077 Racine Street			
Well City, Village or Town Menasha		Well ZIP Code	
Subdivision Name		Lot #	
Reason for Removal from Service	WI Unique Well # of Replacement Well		

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) Unknown
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 12.86	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.) 6.75	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 2.94


4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	12.86	1/3 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450		Telephone Number (414) 315-1579	Comments	
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

MW-105

Route to DNR Bureau:

Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Winnebago WI Unique Well # of Removed Well: _____ Hicap #: _____

Facility Name: Busy Beas Cleaners

Latitude / Longitude (see instructions):
44.2192453 N Format Code: DD Method Code: GPS008
-88.4437519 W DDM SCR002 OTH001

Facility ID (FID or PWS): 471042660
License/Permit/Monitoring #: _____

1/4 1/4 SW 1/4 SW Section: 11 Township: 20 N Range: 17 E W

Original Well Owner: Cinda Corporation

Well Street Address: 1077 Racine Street

Present Well Owner: Cinda Corporation

Well City, Village or Town: Menasha Well ZIP Code: _____

Mailing Address of Present Owner: W8918 Great Oaks Lane

Subdivision Name: _____ Lot #: _____

City of Present Owner: Hortonville State: WI ZIP Code: 54944

Reason for Removal from Service: _____ WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

4. Pump, Liner, Screen, Casing & Sealing Material

Monitoring Well Original Construction Date (mm/dd/yyyy): Unknown
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach.

Pump and piping removed? Yes No N/A
Liner(s) removed? Yes No N/A
Liner(s) perforated? Yes No N/A
Screen removed? Yes No N/A
Casing left in place? Yes No N/A

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Was casing cut off below surface? Yes No N/A
Did sealing material rise to surface? Yes No N/A
Did material settle after 24 hours? Yes No N/A
If yes, was hole retopped? Yes No N/A
If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Formation Type:
 Unconsolidated Formation Bedrock

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Total Well Depth From Ground Surface (ft.): 13.01 Casing Diameter (in.): 2

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

Lower Drillhole Diameter (in.): 6.75 Casing Depth (ft.): _____

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet): 2.42

5. Material Used to Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	13.01	1/2 bag	

3/8" Bentonite Chips

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: <u>Jared Schmidt</u>	License #: _____	Date of Filling & Sealing or Verification (mm/dd/yyyy): <u>12/19/2017</u>	Date Received: _____	Noted By: _____
Street or Route: <u>8725 Rosehill Road, Suite 450</u>	Telephone Number: <u>(414) 315-1579</u>	Comments: _____		
City: <u>Lenexa</u>	State: <u>KS</u>	ZIP Code: <u>66215</u>	Signature of Person Doing Work: 	Date Signed: <u>12/21/2017</u>

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

MW-106

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Winnebago WI Unique Well # of Removed Well: _____ Hicap #: _____

Facility Name: Busy Beas Cleaners

Latitude / Longitude (see instructions):
44.2192453 N Format Code: DD Method Code: GPS008
-88.4437519 W DDM SCR002 OTH001

Facility ID (FID or PWS): 471042660

1/4 1/4 SW 1/4 SW Section: 11 Township: 20 N Range: 17 E W

License/Permit/Monitoring #: _____

Well Street Address: 1077 Racine Street

Original Well Owner: Cinda Corporation

Well City, Village or Town: Menasha Well ZIP Code: _____

Present Well Owner: Cinda Corporation

Subdivision Name: _____ Lot #: _____

Mailing Address of Present Owner: W8918 Great Oaks Lane

Reason for Removal from Service: _____ WI Unique Well # of Replacement Well: _____

City of Present Owner: Hortonville State: WI ZIP Code: 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

4. Pump, Liner, Screen, Casing & Sealing Material

Monitoring Well Original Construction Date (mm/dd/yyyy): Unknown
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach.

- Pump and piping removed? Yes No N/A
Liner(s) removed? Yes No N/A
Liner(s) perforated? Yes No N/A
Screen removed? Yes No N/A
Casing left in place? Yes No N/A

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

- Was casing cut off below surface? Yes No N/A
Did sealing material rise to surface? Yes No N/A
Did material settle after 24 hours? Yes No N/A
If yes, was hole retopped? Yes No N/A
If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Formation Type:
 Unconsolidated Formation Bedrock

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Total Well Depth From Ground Surface (ft.): 13.01 Casing Diameter (in.): 2

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

Lower Drillhole Diameter (in.): 6.75 Casing Depth (ft.): _____

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

Was well annular space grouted? Yes No Unknown


If yes, to what depth (feet)? Depth to Water (feet): 4.18

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>3/8" Bentonite Chips</u>	<u>Surface</u>	<u>13.01</u>	<u>1/2 bag</u>	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: <u>Jared Schmidt</u>	License #: _____	Date of Filling & Sealing or Verification (mm/dd/yyyy): <u>12/19/2017</u>	Date Received: _____	Noted By: _____
Street or Route: <u>8725 Rosehill Road, Suite 450</u>	Telephone Number: <u>(414) 315-1579</u>	Comments: _____		
City: <u>Lenexa</u>	State: <u>KS</u>	ZIP Code: <u>66215</u>	Signature of Person Doing Work: 	Date Signed: <u>12/21/2017</u>

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

Verification Only of Fill and Seal

MW-107

1. Well Location Information **2. Facility / Owner Information**

County Winnebago		WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W		Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW	Section 11	Township 20 N	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 1077 Racine Street		Well ZIP Code	
Well City, Village or Town Menasha		Well ZIP Code	
Subdivision Name		Lot #	
Reason for Removal from Service	WI Unique Well # of Replacement Well		

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) Unknown
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 12.93	Casing Diameter (in.) 2
--	-----------------------------------

Lower Drillhole Diameter (in.) 6.75	Casing Depth (ft.)
---	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 4.18
-------------------------------	--------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	12.93	1/2 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450		Telephone Number (414) 315-1579	Comments	
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

MW-110

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W	Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW or Gov't Lot #	Section 11	Township 20 N
Well Street Address 1077 Racine Street	Range 17	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City, Village or Town Menasha	Well ZIP Code	
Subdivision Name	Lot #	

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

Reason for Removal from Service	WI Unique Well # of Replacement Well
---------------------------------	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) Unknown
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	

Construction Type:

Drilled Driven (Sandpoint) Dug

Other (specify): _____

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 14.02	Casing Diameter (in.) 2
--	-----------------------------------

Lower Drillhole Diameter (in.) 6.75	Casing Depth (ft.)
---	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 3.39
-------------------------------	--------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped

Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete

Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout

Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	14.02	1/2 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450	Telephone Number (414) 315-1579	Comments		
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

MW-4

Route to DNR Bureau:

Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago		WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W		Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW	Section 11	Township 20 N	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 1077 Racine Street			
Well City, Village or Town Menasha		Well ZIP Code	
Subdivision Name		Lot #	
Reason for Removal from Service	WI Unique Well # of Replacement Well		

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 01/11/2010
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 14.5	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.) 6.75	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 4.63


4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	14.5	1/3 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450		Telephone Number (414) 315-1579	Comments	
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

PZ-104

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago		WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W		Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW	Section 11	Township 20 N	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W 17
Well Street Address 1077 Racine Street			
Well City, Village or Town Menasha		Well ZIP Code	
Subdivision Name		Lot #	
Reason for Removal from Service	WI Unique Well # of Replacement Well		

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) Unknown
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 29.79	Casing Diameter (in.) 2
--	-----------------------------------

Lower Drillhole Diameter (in.) 6.75	Casing Depth (ft.)
---	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 25.60
-------------------------------	---------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	29.79	3/4 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450		Telephone Number (414) 315-1579	Comments	
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

PZ-108

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W	Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW or Gov't Lot #	Section 11	Township 20 N
Well Street Address 1077 Racine Street	Range 17	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City, Village or Town Menasha	Well ZIP Code	
Subdivision Name	Lot #	

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

Reason for Removal from Service	WI Unique Well # of Replacement Well
---------------------------------	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) Unknown
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 29.76	Casing Diameter (in.) 2
--	-----------------------------------

Lower Drillhole Diameter (in.) 6.75	Casing Depth (ft.)
---	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 24.42
-------------------------------	---------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	29.76	3/4 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450	Telephone Number (414) 315-1579	Comments		
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

PZ-109

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago		WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W		Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW or Gov't Lot #	1/4 SW	Section 11	Township 20 N
Well Street Address 1077 Racine Street		Range 17	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City, Village or Town Menasha		Well ZIP Code	
Subdivision Name		Lot #	

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

Reason for Removal from Service	WI Unique Well # of Replacement Well
---------------------------------	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) Unknown
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 26.59	Casing Diameter (in.) 2
--	-----------------------------------

Lower Drillhole Diameter (in.) 6.75	Casing Depth (ft.)
---	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 24.09
-------------------------------	---------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	26.59	3/4 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450		Telephone Number (414) 315-1579	Comments	
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

PZ-111

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago		WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W		Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW	Section 11	Township 20 N	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 1077 Racine Street		Well ZIP Code	
Well City, Village or Town Menasha		Well ZIP Code	
Subdivision Name		Lot #	
Reason for Removal from Service	WI Unique Well # of Replacement Well		

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) Unknown
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 34.84	Casing Diameter (in.) 2
--	-----------------------------------

Lower Drillhole Diameter (in.) 6.75	Casing Depth (ft.)
---	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 26.15
-------------------------------	---------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	34.84	1 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450		Telephone Number (414) 315-1579	Comments	
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

PZ-112

Route to DNR Bureau:

- Drinking Water
- Watershed/Wastewater
- Remediation/Redevelopment
- Waste Management
- Other: _____

1. Well Location Information

County: Winnebago WI Unique Well # of Removed Well: _____ Hicap #: _____

Latitude / Longitude (see instructions): 44.2192453 N -88.4437519 W
 Format Code: DD DDM
 Method Code: GPS008 SCR002 OTH001

1/4 1/4 SW 1/4 SW Section: 11 Township: 20 N Range: 17 E W
 or Gov't Lot #

Well Street Address: 1077 Racine Street

Well City, Village or Town: Menasha Well ZIP Code: _____

Subdivision Name: _____ Lot #: _____

Reason for Removal from Service: _____ WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole
 Original Construction Date (mm/dd/yyyy): 01/06/2010
 If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 32.99 Casing Diameter (in.): 2

Lower Drillhole Diameter (in.): 6.75 Casing Depth (ft.): _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet): _____

5. Material Used to Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	<u>32.99</u>		

6. Comments

Well was destroyed when Racine Street was moved to the west.

7. Supervision of Work

Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <u>Jared Schmidt</u>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <u>12/19/2017</u>	Date Received	Noted By
Street or Route <u>8725 Rosehill Road, Suite 450</u>		Telephone Number <u>(414) 315-1579</u>	Comments	
City <u>Lenexa</u>	State <u>KS</u>	ZIP Code <u>66215</u>	Signature of Person Doing Work 	Date Signed <u>12/21/2017</u>

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

PZ-113

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W	Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW or Gov't Lot #	Section 11	Township 20 N
Well Street Address 1077 Racine Street	Range 17	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City, Village or Town Menasha	Well ZIP Code	
Subdivision Name	Lot #	

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 01/11/2010
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 31.94	Casing Diameter (in.) 2
--	-----------------------------------

Lower Drillhole Diameter (in.) 6.75	Casing Depth (ft.)
---	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 22.12
-------------------------------	---------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____


Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	31.94	1 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450	Telephone Number (414) 315-1579	Comments		
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

PZ-114

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W	Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW or Gov't Lot #	Section 11	Township 20 N
Well Street Address 1077 Racine Street	Range 17	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City, Village or Town Menasha	Well ZIP Code	
Subdivision Name	Lot #	

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

Reason for Removal from Service	WI Unique Well # of Replacement Well
---------------------------------	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 01/05/2010
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	

Construction Type:

Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 51.71	Casing Diameter (in.) 2
--	-----------------------------------

Lower Drillhole Diameter (in.) 6.75	Casing Depth (ft.)
---	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 27.02
-------------------------------	---------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	51.71	1.5 bags	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450	Telephone Number (414) 315-1579	Comments		
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

PZ-115

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W	Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW or Gov't Lot #	Section 11	Township 20 N
Well Street Address 1077 Racine Street	Range 17	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City, Village or Town Menasha	Well ZIP Code	
Subdivision Name	Lot #	
Reason for Removal from Service	WI Unique Well # of Replacement Well	

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 01/12/2010
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 26.0	Casing Diameter (in.) 2
---	-----------------------------------

Lower Drillhole Diameter (in.) 6.75	Casing Depth (ft.)
---	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 25.65
-------------------------------	---------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	26.0	3/4 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450	Telephone Number (414) 315-1579	Comments		
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

Verification Only of Fill and Seal

TW-14

1. Well Location Information **2. Facility / Owner Information**

County Winnebago		WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W		Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW	Section 11	Township 20 N	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 1077 Racine Street		Well ZIP Code	
Well City, Village or Town Menasha		Well ZIP Code	
Subdivision Name		Lot #	
Reason for Removal from Service	WI Unique Well # of Replacement Well		

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) Unknown
<input type="checkbox"/> Water Well 1" temp well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): unknown	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 14	Casing Diameter (in.) 1
Lower Drillhole Diameter (in.) unknown	Casing Depth (ft.)
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 5.10

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	14	1/8 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450		Telephone Number (414) 315-1579	Comments	
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

TW-5

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W	Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW or Gov't Lot #	Section 11	Township 20 N
Well Street Address 1077 Racine Street	Range 17	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City, Village or Town Menasha	Well ZIP Code	
Subdivision Name	Lot #	

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

Reason for Removal from Service	WI Unique Well # of Replacement Well
---------------------------------	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) Unknown
<input type="checkbox"/> Water Well 1" temp well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug
 Other (specify): **unknown**

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 14.43	Casing Diameter (in.) 1
--	-----------------------------------

Lower Drillhole Diameter (in.) unknown	Casing Depth (ft.)
--	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 5.20
-------------------------------	--------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	14.43	1/8 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450	Telephone Number (414) 315-1579	Comments		
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

TW-8

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Winnebago	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) 44.2192453 N -88.4437519 W	Format Code <input checked="" type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input checked="" type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 1/4 SW 1/4 SW or Gov't Lot #	Section 11	Township 20 N
Well Street Address 1077 Racine Street	Range 17	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City, Village or Town Menasha	Well ZIP Code	
Subdivision Name	Lot #	
Reason for Removal from Service	WI Unique Well # of Replacement Well	

Facility Name Busy Beas Cleaners		
Facility ID (FID or PWS) 471042660		
License/Permit/Monitoring #		
Original Well Owner Cinda Corporation		
Present Well Owner Cinda Corporation		
Mailing Address of Present Owner W8918 Great Oaks Lane		
City of Present Owner Hortonville	State WI	ZIP Code 54944

3. Filled & Sealed Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) Unknown
<input type="checkbox"/> Water Well 1" temp well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug
 Other (specify): **unknown**

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 14.63	Casing Diameter (in.) 1
--	-----------------------------------

Lower Drillhole Diameter (in.) unknown	Casing Depth (ft.)
--	--------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 2.82
-------------------------------	--------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:


Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8" Bentonite Chips	Surface	14.63	1/8 bag	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing Jared Schmidt	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 12/19/2017	Date Received	Noted By
Street or Route 8725 Rosehill Road, Suite 450	Telephone Number (414) 315-1579	Comments		
City Lenexa	State KS	ZIP Code 66215	Signature of Person Doing Work 	Date Signed 12/21/2017