RECEIVED

State of Wisconsin DEPARTMENT OF NATURAL RESOURCES AUG 2 6 2019 Green Bay WI 54313-6727

Tony Evers, Governor Preston D. Cole, Secretary

We are no longer Try Access via relayThe property Telephone 608-266-2621 Toll Free 1-888-936-7463 TY Access via relay - 711



August 19, 2019

DANIEL SCHUELLER N962 KNEPPRATH ROAD CEDAR GROVE, WI 53013-1119

New Owner: Ryandwill 1038 Green Acres Dr. Sheboygan Falls, Wi 53085

Subject:

Notice of Completion of Environmental Work at

Adell Auto Body Shop, 610 Wisconsin Avenue, Village of Adell, WI

DNR BRRTS Activity #: 03-60-537761

DNR FID: 460008560

Dear Mr. Schueller:

The Department of Natural Resources (DNR) recently approved the completion of the environmental work done at the Adell Auto Body Shop site. This letter describes how that approval affects your property; you are not required to take any action.

State law directs parties responsible for environmental contamination to take actions to restore the environment and minimize harmful effects. The law allows some contamination to remain in soil and groundwater if it does not pose a threat to public health, safety, welfare or to the environment.

On July 14, 2017, you received information from the consultant, Jason Powell of METCO, about the contamination at Adell Auto Body Shop. Contaminants remain in groundwater beneath your property at 620 Wisconsin St. Over time, this contamination will clean up on its own. You are not responsible for cleaning up the contamination that has migrated beneath your property (Wis. Stat. § 292.13).

Please note that your drinking water is not affected by the contamination. Your drinking water is provided by the municipal water supply system, which is routinely tested to ensure the water meets federal and state drinking water standards.

If you construct or reconstruct a well on your property in the future, prior approval is required by Wis. Admin. § NR 812, to help ensure a safe well (use DNR form 3300-254 located at dnr.wi.gov and search "3300-254"). Local ordinances may also apply.

Groundwater on your property is very shallow. If excavation is conducted and dewatering is necessary, a discharge permit may be required. More information is available at dnr.wi.gov and search "wastewater permits". Excavated materials may need to be handled in accordance with applicable solid waste rules.

Additional information about this case is available in the DNR's Bureau for Remediation and Redevelopment Tracking System (BRRTS) on the Web (BOTW) at dnr.wi.gov and search "BOTW". Enter 03-60-537761 in the activity number field in the initial screen, then click on search. Scroll down and click on the CO Packet link for information about the completion of the environmental work.

August 19, 2019 Mr. Daniel Schueller Notice of Completion of Environmental Work Adell Auto Body Shop - BRRTS # 03-60-537761

If you cannot access the BOTW website, or have additional concerns or questions regarding this case, you may contact Tom Verstegen, the DNR project manager, at (920) 424-0025 or Thomas. Verstegen@wisconsin.gov.

Please don't hesitate to contact me at (920) 662-5120, or the DNR project manager if you have questions.

Sincerely,
Refame of Chronest

Roxanne N. Chronert

Team Supervisor, Northeast Region

Remediation and Redevelopment Program

cc: Roderick Deckert (Responsible Party), 610 Wisconsin Street, Adell, WI 53001

Ron Anderson, METCO - (rona@metcohq.com)