



Recd 8/5/08

Tel: 608-838-9120
Fax: 608-838-9121
www.seymourenvironmental.com

August 5, 2008

Ms. Linda Hanefeld
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Madison, Wisconsin 53711

**Re: Investigation Update (02-22-543001)
Former Highway Cleaners
1509 Elm Street - Boscobel, Wisconsin**

Dear Ms. Hanefeld:

Seymour Environmental Services, Inc. (Seymour) is pleased to present this investigation update for the investigation at the former Highway Cleaners in Boscobel.

RECENT ENVIRONMENTAL ACTIVITIES

On April 2, 2008 groundwater level data and samples were collected from the wells at the site. The water level data generally is consistent with earlier data. That data shows that the water table is present at a depth of approximately 30 feet below grade and groundwater flow is toward the west northwest. Water level data is compiled in Table 1 and a water-table contour map is attached (Figure 1). Water level data from the well nests (MW-1/PZ-1 and MW-4/PZ-4) were used to evaluate the vertical gradient. The data indicate that no substantial vertical gradient exists at the site. Thus, groundwater flow within the aquifer is primarily horizontal and dissolved contaminants are not likely to be transported downward within the aquifer.

Groundwater analytical data from April 2008 generally are consistent with previous data. Groundwater from all of the water-table monitoring wells contained PCE at levels that exceed the NR140 groundwater quality standards. No contaminants were present in the groundwater at PZ-1 and PZ-4 which are screened deeper within the aquifer. The data show that PCE is present in the groundwater over a large area around the site. The most severe PCE contamination is present near the intersection of Dwight and Elm Streets. Additionally, the only wells where TCE was detected, MW-3 and MW-4, are located in the same area. Groundwater analytical data appear to indicate that the PCE in the groundwater contamination to the north of the site is not migrating from the east since only low levels of PCE were present at MW-5. A map showing the general distribution of PCE in groundwater was constructed using data from April 2008 (Figure 2). Groundwater analytical data is compiled in Table 2.

To evaluate the variation in contaminant levels over time a plot was constructed showing the PCE levels in the groundwater collected from the monitoring wells. The plot shows that the contaminant concentrations at the site generally are stable (Figure 3). However, the PCE level at MW-3 has shown a statistically significant increase. This likely reflects the continued migration of the PCE downgradient from the source area combined with downward dispersion of the contaminants within the aquifer.


CONCLUSIONS AND RECOMMENDATIONS

The data collected to date indicates that PCE contamination in groundwater is present across a large area to the northwest of the subject parcel. The contaminant plume appears to be unusually elongated perpendicular to the groundwater flow. This distribution seems to indicate that PCE may have migrated along the utility corridors beneath Elm Street (STH 61).

Because the existing groundwater monitoring network does not adequately characterize the extent of the contamination we recommend that additional groundwater samples are collected. We feel that conducting additional geoprobe borings before placing monitoring wells might be a more economical way to define the downgradient extent of the plume.

Please call me at 608-838-9120 once you have had a chance to review this update to discuss future investigation.

Sincerely,
Seymour Environmental Services, Inc.



Robyn Seymour, P.G.
Hydrogeologist

Enc. Tables (2)
Figures (2)
Analytical Reports (2)

TABLE 1
 SUMMARY OF WELL DETAILS AND GROUNDWATER LEVEL DATA
 Mound City Bank Property - 1509 Elm Street - Boscobel, Wisconsin

WELL CONSTRUCTION INFORMATION

WELL	Date Installed	TOC Elevation	Well Depth	Screen Length	Top of Screen Elevation	Base of Screen Elevation
MW-1	10/10/05	993.99	38.41	15	970.58	955.58
MW-2	10/11/05	994.52	38.45	15	971.07	956.07
MW-3	10/11/05	994.76	39.45	15	970.31	955.31
MW-4	10/12/05	994.83	39.42	15	970.41	955.41
PZ-1	10/10/05	994.09	58.70	5	940.39	935.39
MW-5	9/11/07	994.78	39.85	15	969.93	954.93
MW-6	9/11/07	993.68	39.51	15	969.17	954.17
PZ-4	9/10/07	994.51	59.80	5	939.71	934.71

WATER LEVEL DATA

WELL	10/19/05		01/25/06		10/3/07		04/02/08	
	Depth	Elevation	Depth	Elevation	Depth	Elevation	Depth	Elevation
MW-1	30.34	963.65	30.52	963.47	28.31	965.68	28.53	965.46
MW-2	30.70	963.82	30.92	963.60	28.69	965.83	28.92	965.60
MW-3	31.21	963.55	31.39	963.37	29.26	965.50	29.45	965.31
MW-4	31.49	963.34	31.63	963.20	29.56	965.27	29.74	965.09
PZ-1	30.41	963.68	30.61	963.48	28.43	965.66	28.64	965.45
MW-5	--	--	--	--	29.17	965.61	29.38	965.40
MW-6	--	--	--	--	28.47	965.21	28.62	965.06
PZ-4	--	--	--	--	* 32.46	* 962.05	29.40	965.11

VERTICAL GRADIENT DATA

MW1/PZ1	0.001381	0.000462	-0.00088	-0.00001
MW4/PZ4	na	na	* -0.13921	0.00002

- All data is listed in feet or feet above mean sea level

- Vertical gradient values listed in ft/ft. Positive value indicates upward gradient.

* Data from PZ-4 collected on 10/03/07 may be erroneous because of poor well development

TABLE 2 (page 1 of 2)
 SUMMARY OF GROUNDWATER CHEMISTRY
 Mound City Bank Property - 1509 Elm Street - Boscobel, Wisconsin

WELL	Date	Select VOCs							Toluene
		Tetrachloroethene	Trichloroethene	cis 1,2 dichloroethene	trans 1,2 dichloroethene	Vinyl chloride			
MW-1	10/19/05	25	<0.20	<0.50	<0.50	<0.20	<0.20	<0.20	
	1/25/06	18	<0.20	<0.50	<0.50	<0.20	<0.20	<0.20	
	10/3/07	23	<0.48	<0.83	<0.89	<0.18	<0.67		
	4/2/08	39.2	<0.48	<0.83	<0.89	<0.18	<0.67		
MW-2	10/19/05	10	<0.20	<0.50	<0.50	<0.20	<0.20		
	1/25/06	15	<0.20	<0.50	<0.50	<0.20	<0.20		
	10/3/07	9.8	<0.48	<0.83	<0.89	<0.18	<0.67		
	4/2/08	27.3	<0.48	<0.83	<0.89	<0.18	<0.67		
MW-3	10/19/05	13	<0.20	<0.50	<0.50	<0.20	<0.20		
	1/25/06	5.8	<0.20	<0.50	<0.50	<0.20	<0.20		
	10/3/07	77	1.2	1.6	<0.89	<0.18	<0.67		
	4/2/08	82.6	1.2	1.5	<0.89	<0.18	<0.67		
MW-4	10/19/05	210	1.9	3.4	<2.5	<1.0	<1.0		
	1/25/06	34	0.39	0.89	<0.50	<0.20	<0.20		
	10/3/07	110	2.0	4.1	<0.89	<0.18	<0.67		
	4/2/08	236	4.4	7.6	<0.89	<0.18	<0.67		
MW-5	10/3/07	6.2	<0.48	<0.83	<0.89	<0.18	<0.67		
	4/2/08	0.66	<0.48	<0.83	<0.89	<0.18	<0.67		
MW-6	10/3/07	51	<0.48	<0.83	<0.89	<0.18	<0.67		
	4/2/08	24.1	<0.48	<0.83	<0.89	<0.18	<0.67		
NR140 PAL		0.5	0.5	7	20	0.02	200		
NR140 ES		5	5	70	100	0.2	1000		

- All concentrations are listed in ug/l
 - NR140 PAL = Preventative action level (bold)
 * Sample could not be analyzed because of high sediment levels
 - NR140 ES = Enforcement standard (shaded)

TABLE 2 (page 2 of 2)

SUMMARY OF GROUNDWATER CHEMISTRY

Mound City Bank Property - 1509 Elm Street - Boscobel, Wisconsin


WELL	Date	Select VOCs						
		Tetrachloroethene	Trichloroethene	cis 1,2 dichloroethene	trans 1,2 dichloroethene	Vinyl chloride	Toluene	
PZ-1	10/19/05	<0.50	<0.20	<0.50	<0.50	<0.20	<0.20	
	1/25/06	<0.50	<0.20	<0.50	<0.50	<0.20	<0.20	
	10/3/07	<0.45	<0.48	<0.83	<0.89	<0.18	<0.67	
	4/2/08	<0.45	<0.48	<0.83	<0.89	<0.18	<0.67	
PZ-4	10/3/07*	na	na	na	na	na	na	
	4/2/08	<0.45	<0.48	<0.83	<0.89	<0.18	<0.67	
NR140 PAL	0.5	0.5	7	20	0.02	200		
NR140 ES	5	5	70	100	0.2	1000		

- All concentrations are listed in ug/l

* Sample could not be analyzed because of high sediment levels

- NR140 PAL = Preventative action level (bold)


- NR140 ES = Enforcement standard (shaded)



**SEYMOUR
ENVIRONMENTAL
SERVICES, INC.**

GROUNDWATER TABLE CONTOUR (Apr. 08)
Mound City Bank Property
1509 Elm Street
Boscobel, Wisconsin

FIGURE
1



SEYMOUR
ENVIRONMENTAL
SERVICES, INC.

PCE IN SHALLOW GROUNDWATER (Apr. 08)
Mound City Bank Property
1509 Elm Street
Boscobel, Wisconsin

FIGURE

2



Pace Analytical Services, Inc.
1241 Bellevue Street
Green Bay, WI 54302
(920)469-2436

April 09, 2008

Robyn Seymour
Seymour Environmental Services, INC.
2531 Dyreson Road
Mc Farland, WI 53558

RE: Project: MOUND CITY BANK
Pace Project No.: 402279

Dear Robyn Seymour:

Enclosed are the analytical results for sample(s) received by the laboratory on April 04, 2008. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Brian Basten

brian.basten@pacelabs.com
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

Page 1 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



CERTIFICATIONS

Project: MOUND CITY BANK
Pace Project No.: 402279

Green Bay Certification IDs

Florida (NELAP) Certification #: E87948
Illinois Certification #: 200050
California Certification #: 06246CA
New York Certification #: 11888
North Dakota Certification #: R-150
North Carolina Certification #: 503

Minnesota Certification #: 055-999-334
South Carolina Certification #: 83006001
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
Kentucky Certification #: 82
Louisiana Certification #: 04168

Green Bay Volatiles Certification IDs

Florida (NELAP) Certification #: E87951
California Certification #: 06247CA
Illinois Certification #: 200051
New York Certification #: 11887
North Dakota Certification #: R-200
North Carolina Certification #: 503

Minnesota Certification #: 055-999-334
South Carolina Certification #: 83006001
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
Kentucky Certification #: 83
Louisiana Certification #: 04169

REPORT OF LABORATORY ANALYSIS

Page 2 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: MOUND CITY BANK
Pace Project No.: 402279

Lab ID	Sample ID	Matrix	Date Collected	Date Received
402279001	MW-1	Water	04/02/08 14:50	04/04/08 10:45
402279002	MW-2	Water	04/02/08 12:40	04/04/08 10:45
402279003	MW-3	Water	04/02/08 13:10	04/04/08 10:45
402279004	MW-4	Water	04/02/08 14:25	04/04/08 10:45
402279005	MW-5	Water	04/02/08 13:35	04/04/08 10:45
402279006	MW-6	Water	04/02/08 13:50	04/04/08 10:45
402279007	PZ-1	Water	04/02/08 12:55	04/04/08 10:45
402279008	PZ-4	Water	04/02/08 14:15	04/04/08 10:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: MOUND CITY BANK
Pace Project No.: 402279

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
402279001	MW-1	EPA 8260	SMT	64	PASI-G
402279002	MW-2	EPA 8260	SMT	64	PASI-G
402279003	MW-3	EPA 8260	SMT	64	PASI-G
402279004	MW-4	EPA 8260	SMT	64	PASI-G
402279005	MW-5	EPA 8260	SMT	64	PASI-G
402279006	MW-6	EPA 8260	SMT	64	PASI-G
402279007	PZ-1	EPA 8260	SMT	64	PASI-G
402279008	PZ-4	EPA 8260	SMT	64	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



PROJECT NARRATIVE

Project: MOUND CITY BANK
Pace Project No.: 402279

Method: EPA 8260
Description: 8260 MSV
Client: SEYMOUR ENVIRONMENTAL SERVICES, INC.
Date: April 09, 2008

General Information:
8 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:
The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):
All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:
All criteria were within method requirements with any exceptions noted below.

Internal Standards:
All internal standards were within QC limits with any exceptions noted below.

Surrogates:
All surrogates were within QC limits with any exceptions noted below.

Method Blank:
All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:
All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:
All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:
All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:
This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

ANALYTICAL RESULTS

Project: MOUND CITY BANK

Pace Project No.: 402279

Sample: MW-1 Lab ID: 402279001 Collected: 04/02/08 14:50 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		04/08/08 10:35	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		04/08/08 10:35	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		04/08/08 10:35	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		04/08/08 10:35	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		04/08/08 10:35	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		04/08/08 10:35	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		04/08/08 10:35	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		04/08/08 10:35	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 10:35	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		04/08/08 10:35	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		04/08/08 10:35	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		04/08/08 10:35	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		04/08/08 10:35	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		04/08/08 10:35	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		04/08/08 10:35	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		04/08/08 10:35	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		04/08/08 10:35	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		04/08/08 10:35	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		04/08/08 10:35	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		04/08/08 10:35	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 10:35	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		04/08/08 10:35	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		04/08/08 10:35	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		04/08/08 10:35	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		04/08/08 10:35	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		04/08/08 10:35	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		04/08/08 10:35	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		04/08/08 10:35	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		04/08/08 10:35	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		04/08/08 10:35	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		04/08/08 10:35	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		04/08/08 10:35	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		04/08/08 10:35	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 10:35	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 10:35	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		04/08/08 10:35	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		04/08/08 10:35	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		04/08/08 10:35	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		04/08/08 10:35	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		04/08/08 10:35	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		04/08/08 10:35	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		04/08/08 10:35	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		04/08/08 10:35	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		04/08/08 10:35	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		04/08/08 10:35	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		04/08/08 10:35	630-20-6	

Date: 04/09/2008 02:15 PM

REPORT OF LABORATORY ANALYSIS

Page 6 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 402279

Sample: MW-1 Lab ID: 402279001 Collected: 04/02/08 14:50 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		04/08/08 10:35	79-34-5	
Tetrachloroethene	39.2	ug/L	1.0	0.45	1		04/08/08 10:35	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		04/08/08 10:35	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		04/08/08 10:35	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 10:35	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		04/08/08 10:35	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		04/08/08 10:35	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		04/08/08 10:35	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		04/08/08 10:35	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		04/08/08 10:35	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 10:35	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 10:35	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		04/08/08 10:35	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		04/08/08 10:35	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		04/08/08 10:35	95-47-6	
4-Bromofluorobenzene (S)	80 %		64-132		1		04/08/08 10:35	460-00-4	
Dibromofluoromethane (S)	94 %		68-122		1		04/08/08 10:35	1868-53-7	
Toluene-d8 (S)	80 %		73-127		1		04/08/08 10:35	2037-26-5	

Sample: MW-2 Lab ID: 402279002 Collected: 04/02/08 12:40 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		04/08/08 10:59	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		04/08/08 10:59	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		04/08/08 10:59	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		04/08/08 10:59	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		04/08/08 10:59	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		04/08/08 10:59	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		04/08/08 10:59	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		04/08/08 10:59	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 10:59	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		04/08/08 10:59	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		04/08/08 10:59	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		04/08/08 10:59	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		04/08/08 10:59	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		04/08/08 10:59	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		04/08/08 10:59	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		04/08/08 10:59	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		04/08/08 10:59	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		04/08/08 10:59	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		04/08/08 10:59	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		04/08/08 10:59	74-95-3	

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 402279

Sample: MW-2 Lab ID: 402279002 Collected: 04/02/08 12:40 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Analytical Method: EPA 8260									
8260 MSV									
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 10:59	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		04/08/08 10:59	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		04/08/08 10:59	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		04/08/08 10:59	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		04/08/08 10:59	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		04/08/08 10:59	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		04/08/08 10:59	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		04/08/08 10:59	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		04/08/08 10:59	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		04/08/08 10:59	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		04/08/08 10:59	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		04/08/08 10:59	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		04/08/08 10:59	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 10:59	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 10:59	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		04/08/08 10:59	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		04/08/08 10:59	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		04/08/08 10:59	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		04/08/08 10:59	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		04/08/08 10:59	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		04/08/08 10:59	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		04/08/08 10:59	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		04/08/08 10:59	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		04/08/08 10:59	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		04/08/08 10:59	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		04/08/08 10:59	630-20-6	
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		04/08/08 10:59	79-34-5	
Tetrachloroethene	27.3	ug/L	1.0	0.45	1		04/08/08 10:59	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		04/08/08 10:59	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		04/08/08 10:59	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 10:59	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		04/08/08 10:59	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		04/08/08 10:59	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		04/08/08 10:59	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		04/08/08 10:59	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		04/08/08 10:59	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 10:59	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 10:59	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		04/08/08 10:59	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		04/08/08 10:59	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		04/08/08 10:59	95-47-6	
4-Bromofluorobenzene (S)	82	%	64-132		1		04/08/08 10:59	460-00-4	
Dibromofluoromethane (S)	92	%	68-122		1		04/08/08 10:59	1868-53-7	
Toluene-d8 (S)	87	%	73-127		1		04/08/08 10:59	2037-26-5	

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 402279

Sample: MW-3 Lab ID: 402279003 Collected: 04/02/08 13:10 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		04/08/08 11:22	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		04/08/08 11:22	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		04/08/08 11:22	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		04/08/08 11:22	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		04/08/08 11:22	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		04/08/08 11:22	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		04/08/08 11:22	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		04/08/08 11:22	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 11:22	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		04/08/08 11:22	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		04/08/08 11:22	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		04/08/08 11:22	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		04/08/08 11:22	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		04/08/08 11:22	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		04/08/08 11:22	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		04/08/08 11:22	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		04/08/08 11:22	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		04/08/08 11:22	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		04/08/08 11:22	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		04/08/08 11:22	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 11:22	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		04/08/08 11:22	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		04/08/08 11:22	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		04/08/08 11:22	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		04/08/08 11:22	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		04/08/08 11:22	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		04/08/08 11:22	75-35-4	
cis-1,2-Dichloroethene	1.5	ug/L	1.0	0.83	1		04/08/08 11:22	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		04/08/08 11:22	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		04/08/08 11:22	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		04/08/08 11:22	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		04/08/08 11:22	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		04/08/08 11:22	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 11:22	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 11:22	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		04/08/08 11:22	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		04/08/08 11:22	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		04/08/08 11:22	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		04/08/08 11:22	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		04/08/08 11:22	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		04/08/08 11:22	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		04/08/08 11:22	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		04/08/08 11:22	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		04/08/08 11:22	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		04/08/08 11:22	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		04/08/08 11:22	630-20-6	



ANALYTICAL RESULTS

Project: MOUND CITY BANK
 Pace Project No.: 402279

Sample: MW-3 Lab ID: 402279003 Collected: 04/02/08 13:10 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		04/08/08 11:22	79-34-5	
Tetrachloroethene	82.6	ug/L	1.0	0.45	1		04/08/08 11:22	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		04/08/08 11:22	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		04/08/08 11:22	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 11:22	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		04/08/08 11:22	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		04/08/08 11:22	79-00-5	
Trichloroethene	1.2	ug/L	1.0	0.48	1		04/08/08 11:22	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		04/08/08 11:22	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		04/08/08 11:22	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 11:22	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 11:22	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		04/08/08 11:22	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		04/08/08 11:22	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		04/08/08 11:22	95-47-6	
4-Bromofluorobenzene (S)	82	%	64-132		1		04/08/08 11:22	460-00-4	
Dibromofluoromethane (S)	94	%	68-122		1		04/08/08 11:22	1868-53-7	
Toluene-d8 (S)	87	%	73-127		1		04/08/08 11:22	2037-26-5	

Sample: MW-4 Lab ID: 402279004 Collected: 04/02/08 14:25 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		04/08/08 11:46	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		04/08/08 11:46	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		04/08/08 11:46	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		04/08/08 11:46	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		04/08/08 11:46	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		04/08/08 11:46	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		04/08/08 11:46	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		04/08/08 11:46	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 11:46	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		04/08/08 11:46	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		04/08/08 11:46	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		04/08/08 11:46	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		04/08/08 11:46	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		04/08/08 11:46	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		04/08/08 11:46	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		04/08/08 11:46	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		04/08/08 11:46	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		04/08/08 11:46	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		04/08/08 11:46	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		04/08/08 11:46	74-95-3	

Date: 04/09/2008 02:15 PM

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..





ANALYTICAL RESULTS

Project: MOUND CITY BANK

Pace Project No.: 402279

Sample: MW-4 Lab ID: 402279004 Collected: 04/02/08 14:25 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Analytical Method: EPA 8260									
8260 MSV									
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 11:46	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		04/08/08 11:46	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		04/08/08 11:46	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		04/08/08 11:46	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		04/08/08 11:46	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		04/08/08 11:46	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		04/08/08 11:46	75-35-4	
cis-1,2-Dichloroethene	7.6	ug/L	1.0	0.83	1		04/08/08 11:46	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		04/08/08 11:46	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		04/08/08 11:46	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		04/08/08 11:46	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		04/08/08 11:46	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		04/08/08 11:46	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 11:46	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 11:46	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		04/08/08 11:46	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		04/08/08 11:46	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		04/08/08 11:46	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		04/08/08 11:46	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		04/08/08 11:46	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		04/08/08 11:46	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		04/08/08 11:46	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		04/08/08 11:46	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		04/08/08 11:46	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		04/08/08 11:46	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		04/08/08 11:46	630-20-6	
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		04/08/08 11:46	79-34-5	
Tetrachloroethene	236	ug/L	1.0	0.45	1		04/08/08 11:46	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		04/08/08 11:46	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		04/08/08 11:46	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 11:46	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		04/08/08 11:46	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		04/08/08 11:46	79-00-5	
Trichloroethene	4.4	ug/L	1.0	0.48	1		04/08/08 11:46	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		04/08/08 11:46	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		04/08/08 11:46	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 11:46	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 11:46	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		04/08/08 11:46	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		04/08/08 11:46	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		04/08/08 11:46	95-47-6	
4-Bromofluorobenzene (S)	82	%	64-132		1		04/08/08 11:46	460-00-4	
Dibromofluoromethane (S)	94	%	68-122		1		04/08/08 11:46	1868-53-7	
Toluene-d8 (S)	82	%	73-127		1		04/08/08 11:46	2037-26-5	



ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 402279

Sample: MW-5 Lab ID: 402279005 Collected: 04/02/08 13:35 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		04/08/08 14:53	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		04/08/08 14:53	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		04/08/08 14:53	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		04/08/08 14:53	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		04/08/08 14:53	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		04/08/08 14:53	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		04/08/08 14:53	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		04/08/08 14:53	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 14:53	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		04/08/08 14:53	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		04/08/08 14:53	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		04/08/08 14:53	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		04/08/08 14:53	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		04/08/08 14:53	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		04/08/08 14:53	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		04/08/08 14:53	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		04/08/08 14:53	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		04/08/08 14:53	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		04/08/08 14:53	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		04/08/08 14:53	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 14:53	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		04/08/08 14:53	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		04/08/08 14:53	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		04/08/08 14:53	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		04/08/08 14:53	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		04/08/08 14:53	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		04/08/08 14:53	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		04/08/08 14:53	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		04/08/08 14:53	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		04/08/08 14:53	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		04/08/08 14:53	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		04/08/08 14:53	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		04/08/08 14:53	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 14:53	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 14:53	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		04/08/08 14:53	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		04/08/08 14:53	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		04/08/08 14:53	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		04/08/08 14:53	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		04/08/08 14:53	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		04/08/08 14:53	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		04/08/08 14:53	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		04/08/08 14:53	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		04/08/08 14:53	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		04/08/08 14:53	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		04/08/08 14:53	630-20-6	

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 402279

Sample: MW-5 Lab ID: 402279005 Collected: 04/02/08 13:35 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		04/08/08 14:53	79-34-5	
Tetrachloroethene	0.66J	ug/L	1.0	0.45	1		04/08/08 14:53	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		04/08/08 14:53	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		04/08/08 14:53	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 14:53	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		04/08/08 14:53	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		04/08/08 14:53	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		04/08/08 14:53	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		04/08/08 14:53	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		04/08/08 14:53	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 14:53	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 14:53	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		04/08/08 14:53	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		04/08/08 14:53	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		04/08/08 14:53	95-47-6	
4-Bromofluorobenzene (S)	83 %		64-132		1		04/08/08 14:53	460-00-4	
Dibromofluoromethane (S)	95 %		68-122		1		04/08/08 14:53	1868-53-7	
Toluene-d8 (S)	88 %		73-127		1		04/08/08 14:53	2037-26-5	

Sample: MW-6 Lab ID: 402279006 Collected: 04/02/08 13:50 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		04/08/08 12:32	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		04/08/08 12:32	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		04/08/08 12:32	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		04/08/08 12:32	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		04/08/08 12:32	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		04/08/08 12:32	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		04/08/08 12:32	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		04/08/08 12:32	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 12:32	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		04/08/08 12:32	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		04/08/08 12:32	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		04/08/08 12:32	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		04/08/08 12:32	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		04/08/08 12:32	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		04/08/08 12:32	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		04/08/08 12:32	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		04/08/08 12:32	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		04/08/08 12:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		04/08/08 12:32	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		04/08/08 12:32	74-95-3	

Date: 04/09/2008 02:15 PM

REPORT OF LABORATORY ANALYSIS

Page 13 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 402279

Sample: MW-6 Lab ID: 402279006 Collected: 04/02/08 13:50 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 12:32	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		04/08/08 12:32	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		04/08/08 12:32	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		04/08/08 12:32	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		04/08/08 12:32	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		04/08/08 12:32	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		04/08/08 12:32	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		04/08/08 12:32	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		04/08/08 12:32	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		04/08/08 12:32	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		04/08/08 12:32	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		04/08/08 12:32	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		04/08/08 12:32	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 12:32	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 12:32	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		04/08/08 12:32	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		04/08/08 12:32	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		04/08/08 12:32	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		04/08/08 12:32	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		04/08/08 12:32	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		04/08/08 12:32	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		04/08/08 12:32	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		04/08/08 12:32	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		04/08/08 12:32	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		04/08/08 12:32	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		04/08/08 12:32	630-20-6	
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		04/08/08 12:32	79-34-5	
Tetrachloroethene	24.1	ug/L	1.0	0.45	1		04/08/08 12:32	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		04/08/08 12:32	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		04/08/08 12:32	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 12:32	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		04/08/08 12:32	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		04/08/08 12:32	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		04/08/08 12:32	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		04/08/08 12:32	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		04/08/08 12:32	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 12:32	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 12:32	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		04/08/08 12:32	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		04/08/08 12:32	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		04/08/08 12:32	95-47-6	
4-Bromofluorobenzene (S)	80 %		64-132		1		04/08/08 12:32	460-00-4	
Dibromofluoromethane (S)	96 %		68-122		1		04/08/08 12:32	1868-53-7	
Toluene-d8 (S)	77 %		73-127		1		04/08/08 12:32	2037-26-5	

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 402279

Sample: PZ-1 Lab ID: 402279007 Collected: 04/02/08 12:55 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		04/08/08 12:56	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		04/08/08 12:56	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		04/08/08 12:56	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		04/08/08 12:56	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		04/08/08 12:56	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		04/08/08 12:56	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		04/08/08 12:56	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		04/08/08 12:56	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 12:56	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		04/08/08 12:56	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		04/08/08 12:56	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		04/08/08 12:56	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		04/08/08 12:56	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		04/08/08 12:56	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		04/08/08 12:56	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		04/08/08 12:56	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		04/08/08 12:56	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		04/08/08 12:56	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		04/08/08 12:56	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		04/08/08 12:56	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 12:56	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		04/08/08 12:56	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		04/08/08 12:56	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		04/08/08 12:56	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		04/08/08 12:56	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		04/08/08 12:56	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		04/08/08 12:56	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		04/08/08 12:56	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		04/08/08 12:56	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		04/08/08 12:56	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		04/08/08 12:56	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		04/08/08 12:56	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		04/08/08 12:56	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 12:56	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 12:56	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		04/08/08 12:56	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		04/08/08 12:56	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		04/08/08 12:56	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		04/08/08 12:56	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		04/08/08 12:56	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		04/08/08 12:56	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		04/08/08 12:56	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		04/08/08 12:56	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		04/08/08 12:56	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		04/08/08 12:56	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		04/08/08 12:56	630-20-6	

Date: 04/09/2008 02:15 PM

REPORT OF LABORATORY ANALYSIS

Page 15 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 402279

Sample: PZ-1 Lab ID: 402279007 Collected: 04/02/08 12:55 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		04/08/08 12:56	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		04/08/08 12:56	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		04/08/08 12:56	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		04/08/08 12:56	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 12:56	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		04/08/08 12:56	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		04/08/08 12:56	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		04/08/08 12:56	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		04/08/08 12:56	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		04/08/08 12:56	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 12:56	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 12:56	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		04/08/08 12:56	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		04/08/08 12:56	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		04/08/08 12:56	95-47-6	
4-Bromofluorobenzene (S)	83 %		64-132		1		04/08/08 12:56	460-00-4	
Dibromofluoromethane (S)	94 %		68-122		1		04/08/08 12:56	1868-53-7	
Toluene-d8 (S)	88 %		73-127		1		04/08/08 12:56	2037-26-5	

Sample: PZ-4 Lab ID: 402279008 Collected: 04/02/08 14:15 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		04/08/08 13:19	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		04/08/08 13:19	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		04/08/08 13:19	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		04/08/08 13:19	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		04/08/08 13:19	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		04/08/08 13:19	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		04/08/08 13:19	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		04/08/08 13:19	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 13:19	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		04/08/08 13:19	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		04/08/08 13:19	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		04/08/08 13:19	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		04/08/08 13:19	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		04/08/08 13:19	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		04/08/08 13:19	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		04/08/08 13:19	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		04/08/08 13:19	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		04/08/08 13:19	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		04/08/08 13:19	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		04/08/08 13:19	74-95-3	

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 402279

Sample: PZ-4 Lab ID: 402279008 Collected: 04/02/08 14:15 Received: 04/04/08 10:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 13:19	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		04/08/08 13:19	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		04/08/08 13:19	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		04/08/08 13:19	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		04/08/08 13:19	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		04/08/08 13:19	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		04/08/08 13:19	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		04/08/08 13:19	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		04/08/08 13:19	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		04/08/08 13:19	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		04/08/08 13:19	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		04/08/08 13:19	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		04/08/08 13:19	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 13:19	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		04/08/08 13:19	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		04/08/08 13:19	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		04/08/08 13:19	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		04/08/08 13:19	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		04/08/08 13:19	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		04/08/08 13:19	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		04/08/08 13:19	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		04/08/08 13:19	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		04/08/08 13:19	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		04/08/08 13:19	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		04/08/08 13:19	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		04/08/08 13:19	630-20-6	
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		04/08/08 13:19	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		04/08/08 13:19	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		04/08/08 13:19	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		04/08/08 13:19	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 13:19	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		04/08/08 13:19	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		04/08/08 13:19	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		04/08/08 13:19	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		04/08/08 13:19	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		04/08/08 13:19	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		04/08/08 13:19	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		04/08/08 13:19	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		04/08/08 13:19	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		04/08/08 13:19	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		04/08/08 13:19	95-47-6	
4-Bromofluorobenzene (S)	82 %		64-132		1		04/08/08 13:19	460-00-4	
Dibromofluoromethane (S)	94 %		68-122		1		04/08/08 13:19	1868-53-7	
Toluene-d8 (S)	84 %		73-127		1		04/08/08 13:19	2037-26-5	

QUALITY CONTROL DATA

Project: MOUND CITY BANK
Pace Project No.: 402279

QC Batch: MSV/1354 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 402279001, 402279002, 402279003, 402279004, 402279005, 402279006, 402279007, 402279008

METHOD BLANK: 13725

Associated Lab Samples: 402279001, 402279002, 402279003, 402279004, 402279005, 402279006, 402279007, 402279008

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.92	1.0	
1,1,1-Trichloroethane	ug/L	<0.90	1.0	
1,1,2,2-Tetrachloroethane	ug/L	<0.20	0.67	
1,1,2-Trichloroethane	ug/L	<0.42	1.4	
1,1-Dichloroethane	ug/L	<0.75	1.0	
1,1-Dichloroethene	ug/L	<0.57	1.0	
1,1-Dichloropropene	ug/L	<0.75	1.0	
1,2,3-Trichlorobenzene	ug/L	<0.74	1.0	
1,2,3-Trichloropropane	ug/L	<0.99	1.0	
1,2,4-Trichlorobenzene	ug/L	<0.97	1.0	
1,2,4-Trimethylbenzene	ug/L	<0.97	1.0	
1,2-Dibromo-3-chloropropane	ug/L	<0.87	2.9	
1,2-Dibromoethane (EDB)	ug/L	<0.56	1.9	
1,2-Dichlorobenzene	ug/L	<0.83	1.0	
1,2-Dichloroethane	ug/L	<0.36	1.0	
1,2-Dichloropropane	ug/L	<0.46	1.0	
1,3,5-Trimethylbenzene	ug/L	<0.83	1.0	
1,3-Dichlorobenzene	ug/L	<0.87	1.0	
1,3-Dichloropropane	ug/L	<0.61	2.0	
1,4-Dichlorobenzene	ug/L	<0.95	1.0	
2,2-Dichloropropane	ug/L	<0.62	1.0	
2-Chlorotoluene	ug/L	<0.85	1.0	
4-Chlorotoluene	ug/L	<0.74	1.0	
Benzene	ug/L	<0.41	1.0	
Bromobenzene	ug/L	<0.82	1.0	
Bromochloromethane	ug/L	<0.97	1.0	
Bromodichloromethane	ug/L	<0.56	1.9	
Bromoform	ug/L	<0.94	3.1	
Bromomethane	ug/L	<0.91	3.0	
Carbon tetrachloride	ug/L	<0.49	1.0	
Chlorobenzene	ug/L	<0.41	1.0	
Chloroethane	ug/L	<0.97	1.0	
Chloroform	ug/L	<0.37	1.2	
Chloromethane	ug/L	<0.24	0.80	
cis-1,2-Dichloroethene	ug/L	<0.83	1.0	
cis-1,3-Dichloropropene	ug/L	<0.19	0.63	
Dibromochloromethane	ug/L	<0.81	1.0	
Dibromomethane	ug/L	<0.60	1.0	
Dichlorodifluoromethane	ug/L	<0.99	1.0	
Diisopropyl ether	ug/L	<0.76	1.0	
Ethylbenzene	ug/L	<0.54	1.0	
Hexachloro-1,3-butadiene	ug/L	<0.67	1.0	
Isopropylbenzene (Cumene)	ug/L	<0.59	1.0	

Date: 04/09/2008 02:15 PM

REPORT OF LABORATORY ANALYSIS

Page 18 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: MOUND CITY BANK
Pace Project No.: 402279

METHOD BLANK: 13725

Associated Lab Samples: 402279001, 402279002, 402279003, 402279004, 402279005, 402279006, 402279007, 402279008

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
m&p-Xylene	ug/L	<1.8	2.0	
Methyl-tert-butyl ether	ug/L	<0.61	2.0	
Methylene Chloride	ug/L	<0.43	1.4	
n-Butylbenzene	ug/L	<0.93	1.0	
n-Propylbenzene	ug/L	<0.81	1.0	
Naphthalene	ug/L	<0.74	5.0	
o-Xylene	ug/L	<0.83	1.0	
p-Isopropyltoluene	ug/L	<0.67	1.0	
sec-Butylbenzene	ug/L	<0.89	1.0	
Styrene	ug/L	<0.86	1.0	
tert-Butylbenzene	ug/L	<0.97	1.0	
Tetrachloroethene	ug/L	<0.45	1.0	
Toluene	ug/L	<0.67	1.0	
trans-1,2-Dichloroethene	ug/L	<0.89	1.0	
trans-1,3-Dichloropropene	ug/L	<0.19	0.63	
Trichloroethene	ug/L	<0.48	1.0	
Trichlorofluoromethane	ug/L	<0.79	1.0	
Vinyl chloride	ug/L	<0.18	0.60	
4-Bromofluorobenzene (S)	%	85	64-132	
Dibromofluoromethane (S)	%	90	68-122	
Toluene-d8 (S)	%	94	73-127	

LABORATORY CONTROL SAMPLE & LCSD: 13726

13727

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	54.6	54.0	109	108	75-128	1	20	
1,1,2,2-Tetrachloroethane	ug/L	50	47.6	46.1	95	92	67-125	3	20	
1,1,2-Trichloroethane	ug/L	50	51.2	52.3	102	105	75-125	2	20	
1,1-Dichloroethane	ug/L	50	56.7	54.3	113	109	71-130	4	20	
1,1-Dichloroethene	ug/L	50	56.2	56.5	112	113	75-125	.6	20	
1,2-Dichloroethane	ug/L	50	55.9	53.9	112	108	71-132	4	20	
1,2-Dichloropropane	ug/L	50	52.9	53.1	106	106	73-125	.2	20	
Benzene	ug/L	50	54.0	52.0	108	104	75-125	4	20	
Bromodichloromethane	ug/L	50	50.4	51.1	101	102	75-125	1	20	
Bromoform	ug/L	50	49.8	49.3	100	99	75-125	.8	20	
Bromomethane	ug/L	50	47.4	48.4	95	97	66-125	2	20	
Carbon tetrachloride	ug/L	50	58.0	55.9	116	112	75-125	4	20	
Chlorobenzene	ug/L	50	52.4	53.6	105	107	75-125	2	20	
Chloroethane	ug/L	50	51.8	48.6	104	97	72-126	6	20	
Chloroform	ug/L	50	54.1	52.0	108	104	75-125	4	20	
Chloromethane	ug/L	50	50.2	48.7	100	97	46-143	3	20	
cis-1,2-Dichloroethene	ug/L	50	53.2	52.4	106	105	75-125	2	20	
cis-1,3-Dichloropropene	ug/L	50	53.3	53.5	107	107	75-125	.4	20	
Dibromochloromethane	ug/L	50	50.0	50.9	100	102	75-125	2	20	
Ethylbenzene	ug/L	50	55.0	56.6	110	113	75-125	3	20	

Date: 04/09/2008 02:15 PM

REPORT OF LABORATORY ANALYSIS

Page 19 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: MOUND CITY BANK
Pace Project No.: 402279

LABORATORY CONTROL SAMPLE & LCSD: 13726		13727								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
m&p-Xylene	ug/L	100	114	115	114	115	75-125	1	20	
Methylene Chloride	ug/L	50	55.8	54.5	112	109	75-125	2	20	
o-Xylene	ug/L	50	55.9	57.5	112	115	75-125	3	20	
Styrene	ug/L	50	49.3	49.8	99	100	75-125	1	20	
Tetrachloroethene	ug/L	50	52.0	53.4	104	107	75-130	3	20	
Toluene	ug/L	50	54.6	55.6	109	111	75-125	2	20	
trans-1,2-Dichloroethene	ug/L	50	53.6	53.8	107	108	75-125	.5	20	
trans-1,3-Dichloropropene	ug/L	50	52.5	52.8	105	106	75-125	.7	20	
Trichloroethene	ug/L	50	55.6	55.9	111	112	75-125	.5	20	
Vinyl chloride	ug/L	50	56.0	54.3	112	109	65-130	3	20	
4-Bromofluorobenzene (S)	%				86	88	64-132			
Dibromofluoromethane (S)	%				92	91	68-122			
Toluene-d8 (S)	%				92	93	73-127			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 13910			13911									
Parameter	Units	402243001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.90	50	50	53.8	54.5	108	109	70-130	1	30	
1,1,2,2-Tetrachloroethane	ug/L	<0.20	50	50	48.3	47.5	97	95	70-130	2	30	
1,1,2-Trichloroethane	ug/L	<0.42	50	50	51.8	52.0	104	104	70-130	.3	30	
1,1-Dichloroethane	ug/L	<0.75	50	50	54.8	54.6	110	109	70-130	.5	30	
1,1-Dichloroethene	ug/L	<0.57	50	50	51.1	51.0	102	102	70-135	.2	30	
1,2-Dichloroethane	ug/L	<0.36	50	50	53.5	54.2	107	108	70-130	1	30	
1,2-Dichloropropane	ug/L	<0.46	50	50	52.0	51.4	104	103	70-130	1	30	
Benzene	ug/L	<0.41	50	50	52.8	52.4	106	105	70-130	.7	30	
Bromodichloromethane	ug/L	<0.56	50	50	49.1	49.0	98	98	70-130	.2	30	
Bromoform	ug/L	<0.94	50	50	48.9	48.1	98	96	70-130	2	30	
Bromomethane	ug/L	<0.91	50	50	47.8	49.8	96	100	63-147	4	30	
Carbon tetrachloride	ug/L	<0.49	50	50	55.5	54.1	111	108	70-131	3	30	
Chlorobenzene	ug/L	<0.41	50	50	51.4	50.1	103	100	70-130	3	30	
Chloroethane	ug/L	<0.97	50	50	49.5	48.7	99	97	67-138	2	30	
Chloroform	ug/L	<0.37	50	50	53.3	52.0	107	104	70-130	3	30	
Chloromethane	ug/L	<0.24	50	50	46.7	48.3	93	97	43-150	3	30	
cis-1,2-Dichloroethene	ug/L	<0.83	50	50	53.1	53.7	106	107	70-130	1	30	
cis-1,3-Dichloropropene	ug/L	<0.19	50	50	52.2	51.7	104	103	70-130	1	30	
Dibromochloromethane	ug/L	<0.81	50	50	48.2	48.7	96	97	70-130	1	30	
Ethylbenzene	ug/L	<0.54	50	50	51.1	50.0	102	100	70-136	2	30	
m&p-Xylene	ug/L	<1.8	100	100	92.6	84.1	92	84	70-137	10	30	
Methylene Chloride	ug/L	<0.43	50	50	54.3	54.0	109	108	70-130	.5	30	
o-Xylene	ug/L	<0.83	50	50	47.9	44.4	96	89	70-130	8	30	
Styrene	ug/L	<0.86	50	50	16.9	10.4	34	21	70-130	47	30	
Tetrachloroethene	ug/L	<0.45	50	50	49.6	49.4	99	99	70-130	.3	30	
Toluene	ug/L	<0.67	50	50	52.0	50.1	103	99	70-130	4	30	
trans-1,2-Dichloroethene	ug/L	<0.89	50	50	51.5	51.2	103	102	70-130	.6	30	
trans-1,3-Dichloropropene	ug/L	<0.19	50	50	51.8	50.8	104	102	70-130	2	30	
Trichloroethene	ug/L	<0.48	50	50	53.3	52.5	107	105	70-130	2	30	

Date: 04/09/2008 02:15 PM

REPORT OF LABORATORY ANALYSIS

Page 20 of 22

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: MOUND CITY BANK
Pace Project No.: 402279

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 13910		13911		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Max RPD	Qual
		402243001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result										
Vinyl chloride	ug/L	<0.18	50	50	51.1	52.2	102	104	62-138	2	30				
4-Bromofluorobenzene (S)	%							88	87	64-132					
Dibromofluoromethane (S)	%							92	91	68-122					
Toluene-d8 (S)	%							91	89	73-127					

QUALIFIERS

Project: MOUND CITY BANK
Pace Project No.: 402279

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay



Sample Condition Upon Receipt

Client Name: SEYMOUR ENV

Project # 402279

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used NA Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temperature 201 Biological Tissue is Frozen: Yes No

Date and Initials of person examining contents: 4-4-08

Temp should be above freezing to 6°C

		Comments:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>U</u>		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
		Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: _____

Date: 4-4-08

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

(Please Print Clearly)



UPPER MIDWEST REGION
MN: 612-607-1700 WI: 920-469-2436

COC No. 012757

CHAIN OF CUSTODY

Preservation Codes:
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

Company Name: *Southern Environmental*
 Branch/Location: *W/ Madison WI*
 Project Contact: *Kelly Simon*
 Phone: *(608) 839-7120*
 Project Number:
 Project Name: *West City Bank*
 Project State: *WISCONSIN*
 Sampled By (Print): *Mark Feltner*
 Sampled By (Sign): *Mark Feltner*
 PO #:
 Regulatory Program:


Data Package Options (billable)
 EPA Level III
 EPA Level IV
 On your sample (billable)
 NOT needed on your sample
 Matrix Codes:
 A = Air W = Water
 B = Bioa DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 SI = Sludge WP = Wipe

PAGE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Analyses Requested	Y/N	Pick Letter	FILTERED? (YES/NO)	PRESERVATION (CODE)*
		DATE	TIME						
001	<i>100</i>	<i>11/20</i>	<i>10:00</i>	<i>GW</i>	<i>VOCS</i>	<i>X</i>			
002	<i>100</i>	<i>11/20</i>	<i>10:00</i>	<i>GW</i>		<i>X</i>			
003	<i>100</i>	<i>11/20</i>	<i>10:00</i>	<i>GW</i>		<i>X</i>			
004	<i>100</i>	<i>11/20</i>	<i>10:00</i>	<i>GW</i>		<i>X</i>			
005	<i>100</i>	<i>11/20</i>	<i>10:00</i>	<i>GW</i>		<i>X</i>			
006	<i>100</i>	<i>11/20</i>	<i>10:00</i>	<i>GW</i>		<i>X</i>			
007	<i>100</i>	<i>11/20</i>	<i>10:00</i>	<i>GW</i>		<i>X</i>			
008	<i>100</i>	<i>11/20</i>	<i>10:00</i>	<i>GW</i>		<i>X</i>			

Relinquished By: *Mark Feltner* Date/Time: *11/20/08 9:40 AM*
 Received By: *Michelle Simon* Date/Time: *11/20/08 9:40 AM*
 Relinquished By: *Michelle Simon* Date/Time: *11/20/08 9:40 AM*
 Received By: *Michelle Simon* Date/Time: *11/20/08 9:40 AM*
 Relinquished By: *Michelle Simon* Date/Time: *11/20/08 9:40 AM*
 Received By: *Michelle Simon* Date/Time: *11/20/08 9:40 AM*
 Relinquished By: *Michelle Simon* Date/Time: *11/20/08 9:40 AM*
 Received By: *Michelle Simon* Date/Time: *11/20/08 9:40 AM*

Quote #: *100279*
 Mail To Contact: *Kelly Simon*
 Mail To Company: *Southern Environmental*
 Mail To Address: *254 Jefferson Ave
 Madison WI 53704*
 Invoice To Contact:
 Invoice To Company: *Southern Environmental*
 Invoice To Address:
 Invoice To Phone:
 CLIENT COMMENTS: *8 samples*
 LAB COMMENTS (Lab Use Only):
 Profile #

PAGE Project No. *100279*
 Receipt Temp = *12.5* °C
 Sample Receipt pH *OK / Adjusted*
 Cooler Custody Seal *Present / Not Present*
 Intact / Not Intact



1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-469-8827

Analytical Report Number: 889316

Client: SEYMOUR ENVIRONMENTAL SERVICES, INC.

Lab Contact: Brian Basten

Project Name: MOUND CITY BANK

Project Number: 10328.01

Lab Sample Number	Field ID	Matrix	Collection Date
889316-001	PZ-1	WATER	10/03/07 11:30
889316-002	MW-3	WATER	10/03/07 11:50
889316-003	MW-2	WATER	10/03/07 12:10
889316-005	MW-5	WATER	10/03/07 13:00
889316-006	MW-6	WATER	10/03/07 13:25
889316-007	MW-1	WATER	10/03/07 14:30
889316-008	MW-4	WATER	10/03/07 14:25


I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.

Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..




Approval Signature

10-10-07
Date

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : MOUND CITY BANK
Project Number : 10328.01
Field ID : PZ-1

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/10/07
Lab Sample Number : 889316-001

VOLATILES

							Prep Date/Time: 10/09/07 2:39 AM	Anl By: JJB		
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : MOUND CITY BANK
Project Number : 10328.01
Field ID : PZ-1

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/10/07
Lab Sample Number : 889316-001

VOLATILES

Prep Date/Time: 10/09/07 2:39 AM Anl By: JJB

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/09/07 2:39 AM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	69	64	132		1	%		10/09/07	SW846 5030B	SW846 8260B
Toluene-d8	85	73	127		1	%		10/09/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	99	68	122		1	%		10/09/07	SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : MOUND CITY BANK
Project Number : 10328.01
Field ID : MW-3

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/10/07
Lab Sample Number : 889316-002

VOLATILES

Prep Date/Time: 10/09/07 3:02 AM Anl By: JJB

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	1.6	0.83	2.8		1	ug/L	Q	10/09/07 3:02 AM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : MOUND CITY BANK
Project Number : 10328.01
Field ID : MW-3

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/10/07
Lab Sample Number : 889316-002

VOLATILES

							Prep Date/Time: 10/09/07 3:02 AM		Anl By: JJB	
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Tetrachloroethene	77	0.45	1.5		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Trichloroethene	1.2	0.48	1.6		1	ug/L	Q	10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/09/07 3:02 AM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	71	64	132		1	%		10/09/07	SW846 5030B	SW846 8260B
Toluene-d8	79	73	127		1	%		10/09/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	101	68	122		1	%		10/09/07	SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Matrix Type : WATER

Project Name : MOUND CITY BANK

Collection Date : 10/03/07

Project Number : 10328.01

Report Date : 10/10/07

Field ID : MW-2

Lab Sample Number : 889316-003

VOLATILES

Prep Date/Time: 10/08/07 9:11 PM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L	&	10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L	&	10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L	&N	10/08/07 9:11 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : MOUND CITY BANK
Project Number : 10328.01
Field ID : MW-2

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/10/07
Lab Sample Number : 889316-003

VOLATILES							Prep Date/Time: 10/08/07 9:11 PM		Anl By: TLT	
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	9.8	0.45	1.5		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/08/07 9:11 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	98	64	132		1	%		10/08/07	SW846 5030B	SW846 8260B
Toluene-d8	113	73	127		1	%		10/08/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	112	68	122		1	%		10/08/07	SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Matrix Type : WATER

Project Name : MOUND CITY BANK

Collection Date : 10/03/07

Project Number : 10328.01

Report Date : 10/10/07

Field ID : MW-5

Lab Sample Number : 889316-005

VOLATILES

Prep Date/Time: 10/08/07 9:56 PM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L	&	10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L	&	10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L	&	10/08/07 9:56 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : MOUND CITY BANK
Project Number : 10328.01
Field ID : MW-5

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/10/07
Lab Sample Number : 889316-005

VOLATILES

							Prep Date/Time: 10/08/07 9:56 PM		Anl By: TLT	
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	6.2	0.45	1.5		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/08/07 9:56 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	99	64	132		1	%		10/08/07	SW846 5030B	SW846 8260B
Toluene-d8	116	73	127		1	%		10/08/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	114	68	122		1	%		10/08/07	SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Project Name : MOUND CITY BANK

Project Number : 10328.01

Field ID : MW-6

Matrix Type : WATER

Collection Date : 10/03/07

Report Date : 10/10/07

Lab Sample Number : 889316-006

VOLATILES

Prep Date/Time: 10/08/07 10:19 PM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L	&	10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L	&	10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L	&	10/08/07 10:19 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/08/07 10:19 PM	SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : MOUND CITY BANK
Project Number : 10328.01
Field ID : MW-6

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/10/07
Lab Sample Number : 889316-006

VOLATILES

							Prep Date/Time: 10/08/07 10:19 PM Anl By: TLT			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	51	0.45	1.5		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L	10/08/07	10:19 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	99	64	132		1	%	10/08/07		SW846 5030B	SW846 8260B
Toluene-d8	116	73	127		1	%	10/08/07		SW846 5030B	SW846 8260B
Dibromofluoromethane	115	68	122		1	%	10/08/07		SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Matrix Type : WATER

Project Name : MOUND CITY BANK

Collection Date : 10/03/07

Project Number : 10328.01

Report Date : 10/10/07

Field ID : MW-1

Lab Sample Number : 889316-007

VOLATILES

Prep Date/Time: 10/08/07 10:42 PM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L	&	10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L	&	10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L	&	10/08/07 10:42 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/08/07 10:42 PM	SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Project Name : MOUND CITY BANK

Project Number : 10328.01

Field ID : MW-1

Matrix Type : WATER

Collection Date : 10/03/07

Report Date : 10/10/07

Lab Sample Number : 889316-007

VOLATILES

Prep Date/Time: 10/08/07 10:42 PM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	23	0.45	1.5		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L	10/08/07	10:42 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	99	64	132		1	%	10/08/07		SW846 5030B	SW846 8260B
Toluene-d8	118	73	127		1	%	10/08/07		SW846 5030B	SW846 8260B
Dibromofluoromethane	115	68	122		1	%	10/08/07		SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Project Name : MOUND CITY BANK

Project Number : 10328.01

Field ID : MW-4

Matrix Type : WATER

Collection Date : 10/03/07

Report Date : 10/10/07

Lab Sample Number : 889316-008

VOLATILES

Prep Date/Time: 10/08/07 11:04 PM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L	&	10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L	&	10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Chloromethane	0.35	0.24	0.80		1	ug/L	Q&	10/08/07 11:04 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	4.1	0.83	2.8		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : MOUND CITY BANK
Project Number : 10328.01
Field ID : MW-4

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/10/07
Lab Sample Number : 889316-008

VOLATILES

Prep Date/Time: 10/08/07 11:04 PM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	110	0.45	1.5		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Trichloroethene	2.0	0.48	1.6		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/08/07 11:04 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	98	64	132		1	%		10/08/07	SW846 5030B	SW846 8260B
Toluene-d8	118	73	127		1	%		10/08/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	116	68	122		1	%		10/08/07	SW846 5030B	SW846 8260B

Qualifier Codes

Flag	Applies To	Explanation
A	Inorganic	Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
B	Inorganic	The analyte has been detected between the method detection limit and the reporting limit.
B	Organic	Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
C	All	Elevated detection limit.
D	All	Analyte value from diluted analysis or surrogate result not applicable due to sample dilution.
E	Inorganic	Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed.
E	Organic	Analyte concentration exceeds calibration range.
F	Inorganic	Due to potential interferences for this analysis by Inductively Coupled Plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method.
F	Organic	Surrogate results outside control criteria.
G	All	The result is estimated because the concentration is less than the lowest calibration standard concentration utilized in the initial calibration. The method detection limit is less than the reporting limit specified for this project.
H	All	Preservation, extraction or analysis performed past holding time.
HF	Inorganic	This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time.
J	All	Concentration detected equal to or greater than the method detection limit but less than the reporting limit.
K	Organic	Detection limit may be elevated due to the presence of an unrequested analyte.
L	All	Elevated detection limit due to low sample volume.
M	Organic	Sample pH was greater than 2
N	All	Spiked sample recovery not within control limits.
O	Organic	Sample received overweight.
P	Organic	The relative percent difference between the two columns for detected concentrations was greater than 40%.
Q	All	The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
S	Organic	The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
U	All	The analyte was not detected at or above the reporting limit.
V	All	Sample received with headspace.
W	All	A second aliquot of sample was analyzed from a container with headspace.
X	All	See Sample Narrative.
Z	Organics	This compound was separated in the CCV standard but it did not meet the resolution criteria as set forth in SW846.
&	All	Laboratory Control Spike recovery not within control limits.
*	All	Precision not within control limits.
+	Inorganic	The sample result is greater than four times the spike level; therefore, the percent recovery is not evaluated.
<	All	The analyte was not detected at or above the reporting limit.
1	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria.
2	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria.
3	Inorganic	BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion.
4	Inorganic	BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
5	Inorganic	BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
6	Inorganic	BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
7	Inorganic	BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
8	Inorganic	Sample was received unpreserved. Sample was preserved either at the time of receipt or at the time of sample preparation.
9	Inorganic	Sample was received with insufficient preservation. Acid was added either at the time of receipt or at the time of sample preparation.

Test Group Name	889316-001	889316-002	889316-003	889316-005	889316-006	889316-007	889316-008
VOLATILES	G	G	G	G	G	G	G

Code	WI Certification
G	405132750

QC Summary

Batch: 889316
Lab Section: VOA
QC Batch Number: 25453
Prep Method: SW846 5030B
Analytical Method: SW846 8260B

Client Sample ID Lab Sample ID MB ID
PZ-1 889316-001 MB

Client Sample ID
MW-3

QC Type	Client Sample ID	Lab Sample ID
MB	vog2306-93MB	vog2306-93MB
LCS	vog2306-93LCS	vog2306-93LCS
LCSD	vog2306-93LCSD	vog2306-93LCSD
MS	889262-001MS	889262-001MS
MSD	889262-001MSD	889262-001MSD

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery %	LCS/ RPD %	LCS/LCSD Control Limits			Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery %	MSD Spiked Conc	MSD Recovery %	MS/MSD RPD %	MS/MSD Control Limits		
					LCL %	UCL %	RPD %								LCL %	UCL %	RPD %
1,1,1,2-Tetrachloroethane	< 0.92	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,1-Dichloropropene	< 0.75	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,2,3-Trichlorobenzene	< 0.74	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,2,3-Trichloropropene	< 0.99	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,2,4-Trichlorobenzene	< 0.97	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,2,4-Trimethylbenzene	< 0.97	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,2-Dibromo-3-chloropropan	< 0.87	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,2-Dibromoethane	< 0.56	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,2-Dichlorobenzene	< 0.83	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,3,5-Trimethylbenzene	< 0.83	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,3-Dichlorobenzene	< 0.87	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,3-Dichloropropene	< 0.61	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,4-Dichlorobenzene	< 0.95	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2,2-Dichloropropene	< 0.62	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-Chloroluene	< 0.85	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-Chloroluene	< 0.74	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Bromobenzene	< 0.82	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Bromochloromethane	< 0.97	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Dibromomethane	< 0.6	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Dichlorodifluoromethane	< 0.99	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Diisopropyl Ether	< 0.76	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Fluorotrifluoromethane	< 0.79	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 10/10/2007

QC Batch Number: 25453

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery %	LCS Recovery % C	LCS/MSD LCL %	LCS/MSD UCL %	Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery %	MSD Spiked Conc	MSD Recovery %	MS/MSD RPD %	MS/MSD Control Limits			
														LCL %	UCL %	RPD %	
Hexachlorobutadiene	< 0.67	0	---	---	---	---	889262-001	< 0.9	50.0	51.5	103	---	---	---	---	---	---
Isopropylbenzene	< 0.59	0	---	---	---	---	889262-001	< 0.2	50.0	54.2	108	---	---	---	---	---	---
Methyl-tert-butyl-ether	< 0.61	0	---	---	---	---	889262-001	< 0.42	50.0	50.2	100	---	---	---	---	---	---
Naphthalene	< 0.74	0	---	---	---	---	889262-001	< 0.75	50.0	54.1	108	---	---	---	---	---	---
n-Butylbenzene	< 0.93	0	---	---	---	---	889262-001	< 0.57	50.0	50.2	100	---	---	---	---	---	---
n-Propylbenzene	< 0.81	0	---	---	---	---	889262-001	< 0.36	50.0	48.9	98	---	---	---	---	---	---
p-Isopropyltoluene	< 0.67	0	---	---	---	---	889262-001	< 0.46	50.0	48.9	98	---	---	---	---	---	---
s-Butylbenzene	< 0.89	0	---	---	---	---	889262-001	< 0.94	50.0	45.2	90	---	---	---	---	---	---
t-Butylbenzene	< 0.97	0	---	---	---	---	889262-001	< 0.91	50.0	46.6	93	---	---	---	---	---	---
1,1,1-Trichloroethane	< 0.9	50.0	51.6	103	2.2	75	889262-001	< 0.9	50.0	51.5	103	---	---	---	---	---	---
1,1,2,2-Tetrachloroethane	< 0.2	50.0	52.9	106	2.9	67	889262-001	< 0.2	50.0	54.2	108	---	---	---	---	---	---
1,1,2-Trichloroethane	< 0.42	50.0	49	98	2.2	75	889262-001	< 0.42	50.0	50.2	100	---	---	---	---	---	---
1,1-Dichloroethane	< 0.75	50.0	55.1	110	1.3	71	889262-001	< 0.75	50.0	54.1	108	---	---	---	---	---	---
1,1-Dichloroethane	< 0.57	50.0	49.1	98	3.7	75	889262-001	< 0.57	50.0	48.9	98	---	---	---	---	---	---
1,2-Dichloroethane	< 0.36	50.0	50.3	101	1.7	71	889262-001	< 0.36	50.0	50.2	100	---	---	---	---	---	---
1,2-Dichloropropane	< 0.46	50.0	49.8	100	0.3	73	889262-001	< 0.46	50.0	48.9	98	---	---	---	---	---	---
Benzene	< 0.41	50.0	54.4	109	2.0	75	889262-001	< 0.41	50.0	53.7	107	---	---	---	---	---	---
Bromodichloromethane	< 0.56	50.0	46.9	94	0.6	75	889262-001	2.76	50.0	49	93	---	---	---	---	---	---
Bromoforn	< 0.94	50.0	47.1	94	2.0	75	889262-001	< 0.94	50.0	45.2	90	---	---	---	---	---	---
Bromomethane	< 0.91	50.0	46.5	93	6.9	66	889262-001	< 0.91	50.0	46.6	93	---	---	---	---	---	---
Carbon Tetrachloride	< 0.49	50.0	52.9	106	4.5	75	889262-001	< 0.49	50.0	52.5	105	---	---	---	---	---	---
Chlorobenzene	< 0.41	50.0	51.5	103	0.1	75	889262-001	< 0.41	50.0	51.6	103	---	---	---	---	---	---
Chlorodifluoromethane	< 0.81	50.0	46.1	92	1.3	75	889262-001	1.72	50.0	47.7	92	---	---	---	---	---	---
Chloroethane	< 0.97	50.0	48.6	97	1.2	72	889262-001	0.97	50.0	48.6	97	---	---	---	---	---	---
Chloroform	< 0.37	50.0	51.2	102	3.1	75	889262-001	3.49	50.0	54.8	103	---	---	---	---	---	---
Chloromethane	< 0.24	50.0	50.3	101	1.6	46	889262-001	0.24	50.0	48.2	96	---	---	---	---	---	---
cis-1,2-Dichloroethane	< 0.83	50.0	50.4	101	3.7	75	889262-001	< 0.83	50.0	51.1	102	---	---	---	---	---	---
cis-1,3-Dichloropropene	< 0.19	50.0	47	94	0.6	75	889262-001	< 0.19	50.0	44.3	89	---	---	---	---	---	---
Ethylbenzene	< 0.54	50.0	52.3	105	0.3	75	889262-001	< 0.54	50.0	52.3	105	---	---	---	---	---	---
Methylene Chloride	< 0.43	50.0	47.5	95	5.4	75	889262-001	< 0.43	50.0	48.4	97	---	---	---	---	---	---
Styrene	< 0.86	50.0	53	106	0.2	75	889262-001	< 0.86	50.0	49	98	---	---	---	---	---	---
Tetrachloroethane	< 0.45	50.0	51.4	103	2.8	75	889262-001	< 0.45	50.0	52.1	104	---	---	---	---	---	---

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 10/10/2007

QC Batch Number: 25453

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery %	LCS/ RPD %	LCS/LCSD Control Limits			Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery %	MSD Spiked Conc	MSD Recovery %	MS/ MSD RPD %	MS/MSD Control Limits		
					LCL %	UCL %	RPD %								LCL %	UCL %	RPD %
Toluene	<	50.0	107	1.7	75	125	20	889262-001	<	50.0	107	50.0	107	0.5	70	130	30
trans-1,2-Dichloroethane	<	50.0	109	1.3	75	125	20	889262-001	<	50.0	107	50.0	107	0.7	70	130	30
trans-1,3-Dichloropropene	<	50.0	96	0.9	75	125	20	889262-001	<	50.0	93	50.0	94	0.7	70	130	30
Trichloroethane	<	50.0	106	1.3	75	125	20	889262-001	<	50.0	104	50.0	103	0.5	70	130	30
Vinyl Chloride	<	50.0	93	3.1	65	130	20	889262-001	<	50.0	89	50.0	87	2.3	62	138	30
Xylene, m + p	<	100.0	108	1.2	75	125	20	889262-001	<	100.0	107	100.0	106	1.1	70	137	30
Xylene, o	<	50.0	108	0.4	75	125	20	889262-001	<	50.0	107	50.0	107	0.6	70	130	30
4-Bromofluorobenzene	71%	---	79	---	64	132	---	889262-001	72%	---	80	---	---	---	64	132	---
Toluene-d8	86%	---	91	---	73	127	---	889262-001	86%	---	91	---	---	---	73	127	---
Dibromofluoromethane	95%	---	90	---	68	122	---	889262-001	94%	---	91	---	---	---	68	122	---

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 10/10/2007

QC Batch Number: 25453

QC Summary

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Batch: 889316
Lab Section: VOA
QC Batch Number: 25455
Prep Method: SW846 5030B
Analytical Method: SW846 8260B

Client Sample ID Lab Sample ID MB ID
MW-2 889316-003 MB
MW-6 889316-006 MB
MW-4 889316-008 MB

Client Sample ID Lab Sample ID MB ID
MW-5 889316-005 MB
MW-1 889316-007 MB

QC Type Client Sample ID Lab Sample ID
MB v0g2306-94MB
LCS v0g2306-94LCS
LCSD v0g2306-94LCSD
MS MW-2MS
MSD MW-2MSD

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery % C	LCSD Spiked Conc	LCSD Recovery % C	LCS/LCSD RPD % C	LCS/LCSD Control Limits			Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery % C	MSD Spiked Conc	MSD Recovery % C	MS/MSD Control Limits		
							LCL %	UCL %	RPD %							LCL %	UCL %	RPD %
1,1,1,2-Tetrachloroethane	< 0.92	0
1,1-Dichloropropane	< 0.75	0
1,2,3-Trichlorobenzene	< 0.74	0
1,2,3-Trichloropropane	< 0.99	0
1,2,4-Trichlorobenzene	< 0.97	0
1,2,4-Trimethylbenzene	< 0.97	0
1,2-Dibromo-3-chloropropan	< 0.87	0
1,2-Dibromoethane	< 0.56	0
1,2-Dichlorobenzene	< 0.83	0
1,3,5-Trimethylbenzene	< 0.83	0
1,3-Dichlorobenzene	< 0.87	0
1,3-Dichloropropane	< 0.61	0
1,4-Dichlorobenzene	< 0.95	0
2,2-Dichloropropane	< 0.62	0
2-Chlorotoluene	< 0.85	0
4-Chlorotoluene	< 0.74	0
Bromobenzene	< 0.82	0
Bromochloromethane	< 0.97	0
Dibromomethane	< 0.6	0
Dichlorodifluoromethane	< 0.99	0
Diisopropyl Ether	< 0.76	0
Fluorochloromethane	< 0.79	0

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 10/10/2007

QC Batch Number: 25455

QC Summary

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery %	LCS Spiked Conc	LCS Recovery %	LCS/MSD RPD %	LCS/LCSD Control Limits				Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery %	MSD Spiked Conc	MSD Recovery %	MS/MSD RPD %	MS/MSD Control Limits					
							LCL %	UCL %	RPD %	LCL %								UCL %	RPD %				
Hexachlorobutadiene	< 0.67	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Isopropylbenzene	< 0.59	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Methyl-tert-butyl-ether	< 0.61	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Naphthalene	< 0.74	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
n-Butylbenzene	< 0.93	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
n-Propylbenzene	< 0.81	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
p-Isopropyltoluene	< 0.67	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
s-Butylbenzene	< 0.89	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
t-Butylbenzene	< 0.97	0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
1,1,1-Trichloroethane	< 0.9	50.0	49.1	98	50.0	49.3	99	0.4	75	128	20	889316-003	< 0.9	50.0	49.1	98	50.0	48.8	98	0.6	70	130	30
1,1,2,2-Tetrachloroethane	< 0.2	50.0	53.6	107	50.0	57.1	114	6.3	67	125	20	889316-003	< 0.2	50.0	56.6	113	50.0	56.2	112	0.6	70	130	30
1,1,2-Trichloroethane	< 0.42	50.0	56.7	113	50.0	58.6	117	3.4	75	125	20	889316-003	< 0.42	50.0	55.1	110	50.0	57.1	114	3.5	70	130	30
1,1-Dichloroethane	< 0.75	50.0	61.4	123	50.0	64.7	129	5.2	71	130	20	889316-003	< 0.75	50.0	64.2	128	50.0	62.2	124	3.1	70	130	30
1,1-Dichloroethane	< 0.57	50.0	53.7	107	50.0	54.6	109	1.5	75	125	20	889316-003	< 0.57	50.0	56	112	50.0	54.5	109	2.8	70	135	30
1,2-Dichloroethane	< 0.36	50.0	52	104	50.0	51.6	103	0.8	71	132	20	889316-003	< 0.36	50.0	52.6	105	50.0	50.7	101	3.6	70	130	30
1,2-Dichloropropane	< 0.46	50.0	62	124	50.0	64	128	3.2	73	125	20	889316-003	< 0.46	50.0	63.7	127	50.0	63.2	126	0.7	70	130	30
Benzene	< 0.41	50.0	61	122	50.0	62	124	1.5	75	125	20	889316-003	< 0.41	50.0	62.8	126	50.0	60.6	121	3.5	70	130	30
Bromodichloromethane	< 0.56	50.0	46.2	92	50.0	47	94	1.6	75	125	20	889316-003	< 0.56	50.0	46.9	94	50.0	46.7	93	0.4	70	130	30
Bromoforn	< 0.94	50.0	45.7	91	50.0	47.1	94	2.9	75	125	20	889316-003	< 0.94	50.0	47.3	95	50.0	49.4	99	4.4	70	130	30
Bromomethane	< 0.91	50.0	65.1	130	50.0	64.3	129	1.2	66	125	20	889316-003	< 0.91	50.0	70.1	140	50.0	65.2	130	7.2	63	147	30
Carbon Tetrachloride	< 0.49	50.0	45	90	50.0	44.2	88	1.7	75	125	20	889316-003	< 0.49	50.0	46.8	94	50.0	46	92	1.7	70	131	30
Chlorobenzene	< 0.41	50.0	52.4	105	50.0	52.7	105	0.5	75	125	20	889316-003	< 0.41	50.0	52.8	106	50.0	53.1	106	0.5	70	130	30
Chlorodibromomethane	< 0.81	50.0	43.3	87	50.0	43.5	87	0.5	75	125	20	889316-003	< 0.81	50.0	43.8	88	50.0	43.3	87	1.1	70	130	30
Chloroethane	< 0.97	50.0	60.7	121	50.0	60	120	1.1	72	126	20	889316-003	< 0.97	50.0	62.9	126	50.0	59.5	119	5.6	67	138	30
Chloroforn	< 0.37	50.0	52.7	105	50.0	55	110	4.4	75	125	20	889316-003	< 0.37	50.0	55.1	110	50.0	52.9	106	4.2	70	130	30
Chloromethane	< 0.24	50.0	71.7	143	50.0	72.4	145	1.0	46	143	20	889316-003	< 0.24	50.0	77	154	50.0	72.1	144	6.6	43	150	30
cis-1,2-Dichloroethane	< 0.83	50.0	57.2	114	50.0	58.4	117	2.1	75	125	20	889316-003	< 0.83	50.0	60.5	121	50.0	59.2	118	2.1	70	130	30
cis-1,3-Dichloropropene	< 0.19	50.0	55	110	50.0	55.8	112	1.4	75	125	20	889316-003	< 0.19	50.0	56.6	113	50.0	55.3	111	2.3	70	130	30
Ethylbenzene	< 0.54	50.0	54.4	109	50.0	55	110	1.0	75	125	20	889316-003	< 0.54	50.0	53.8	108	50.0	54.3	109	0.8	70	136	30
Methylene Chloride	< 0.43	50.0	55.1	110	50.0	55.3	111	0.3	75	125	20	889316-003	< 0.43	50.0	56	112	50.0	54.3	109	3.1	70	130	30
Styrene	< 0.86	50.0	55.9	112	50.0	56.2	112	0.5	75	125	20	889316-003	< 0.86	50.0	54.2	108	50.0	51.5	103	5.2	70	130	30
Tetrachloroethane	< 0.45	50.0	51	102	50.0	50.6	101	0.9	75	130	20	889316-003	9.84	50.0	57	94	50.0	58	96	1.7	70	130	30

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 10/10/2007

QC Batch Number: 25455

QC Summary

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery % C	LCS/MSD Spiked Conc	LCS/MSD Recovery % C	LCS/LCS/MSD Control Limits			Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery % C	MSD Spiked Conc	MSD Recovery % C	MS/MSD Control Limits					
						LCL %	UCL %	RPD %							LCL %	UCL %	RPD %			
Toluene	<	50.0	111	50.0	113	75	125	20	889316-003	<	50.0	55.8	112	50.0	55.6	111	0.4	70	130	30
trans-1,2-Dichloroethene	<	50.0	98	50.0	104	75	125	20	889316-003	<	50.0	51.5	103	50.0	50	100	3.1	70	130	30
trans-1,3-Dichloropropene	<	50.0	106	50.0	108	75	125	20	889316-003	<	50.0	54.7	109	50.0	54	108	1.4	70	130	30
Trichloroethene	<	50.0	104	50.0	108	75	125	20	889316-003	<	50.0	52.1	104	50.0	51.7	103	0.8	70	130	30
Vinyl Chloride	<	50.0	125	50.0	130	65	130	20	889316-003	<	50.0	67.4	135	50.0	63.4	127	6.0	62	138	30
Xylene, m + p	<	100.0	115	100.0	119	75	125	20	889316-003	<	100.0	117.1	117	100.0	116.1	116	0.8	70	137	30
Xylene, o	<	50.0	122	50.0	121	75	125	20	889316-003	<	50.0	59.6	119	50.0	59.2	118	0.6	70	130	30
4-Bromofluorobenzene	100%	---	107	---	106	64	132	---	889316-003	98%	---	105	---	---	108	---	---	64	132	---
Toluene-d8	119%	---	116	---	116	73	127	---	889316-003	113%	---	114	---	---	117	---	---	73	127	---
Dibromofluoromethane	111%	---	112	---	113	68	122	---	889316-003	112%	---	114	---	---	112	---	---	68	122	---

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 10/10/2007

QC Batch Number: 25455



Sample Condition Upon Receipt

Client Name: Seymour Env Project # 889316

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used _____ Type of Ice: Blue None Samples on ice, cooling process has begun

Cooler Temperature ROT Biological Tissue is Frozen: Yes No

Temp should be above freezing to 6°C

Date and Initials of person examining contents: 10-5-07
LC/OS/MS

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>GW</u>		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
		Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [Signature] Date: 10-5-07

(Please Print Clearly)

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of



CHAIN OF CUSTODY

A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

COC No. 012752

Company Name: *Seppora Environmental*
 Branch/Location: *McFarland, WI*
 Project Contact: *Robyn Seaman*
 Phone: *708 938 9120*
 Project Number: *10268.01*
 Project Name: *Mound Old Bank*
 Project State: *IL*
 Sampled By (Print): *Mark R. Seaman*
 Sampled By (Sign): *Mark R. Seaman*
 PO #: _____
 Regulatory Program: _____

PAGE LAB #	CLIENT FIELD ID	DATE	COLLECTION TIME	MATRIX	Analyses Requested	Y/N	Filtered? (YES/NO)	PRESERVATION (CODE)*	Pick Letter
001	P2-1	10/6/02	11:50	GW	VOG	X			
002	MW-3	11/30	6:00	GW		X			
003	MW-2	12/02	6:00	GW		X			
004	DE-9	12/02	6:00	GW		X			
005	MW-5	12/20	6:00	GW		X			
006	MW-6	12/25	6:00	GW		X			
007	MW-1	12/30	6:00	GW		X			
008	MW-9	12/30	6:00	GW		X			

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Relinquished By: _____ Date/Time: _____
 Relinquished By: _____ Date/Time: _____
 Relinquished By: _____ Date/Time: _____
 Relinquished By: _____ Date/Time: _____

Received By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

PACE Project No. *089316*
 Receipt Temp = _____ °C
 Sample Receipt pH _____
 Cooler Custody Seal Present / Not Present
 Intact / Not Intact