



Environmental Services, Inc.

Tel: 608-838-9120

May 24, 2016

BRRTS: 02-22-543001

Mr. Jeff Ackerman
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Madison, Wisconsin 53711

**Re: Investigation Update
Former Highway Cleaners
1509 Elm Street - Boscobel, Wisconsin**

Dear Mr. Ackerman:

Seymour Environmental Services, Inc. (Seymour) recently completed the groundwater monitoring and supplemental vapor intrusion assessment work. These activities were included in the most recently approved DERF budget. Additionally, a brief summary of previous findings and recommendations for additional work are included in this letter.

RECENT ENVIRONMENTAL ACTIVITIES

Groundwater Assessment

On November 22, 2014 groundwater monitoring was conducted at the eight existing monitoring wells associated with the site. The monitoring wells at the site had not been sampled since April 2008. Monitoring consisted of water level measurement and groundwater sampling. Groundwater samples were analyzed for volatile organic compounds (VOCs). The objective of the sampling was to determine the site conditions prior to expanding the groundwater monitoring network.

Groundwater level data from November 2014 generally were consistent with previously collected information. The water table was present at a depth of approximately 29 feet below grade. Contouring of the water level data indicated that the water table in the area slopes toward the west-northwest. The horizontal gradient of the water table is 0.0018 ft/ft.

CVOCs were present in groundwater samples collected from all six of the water table monitoring wells. No VOCs were detected in the samples collected from the two piezometers. Only two CVOCs were detected in the November 2014 sampling, PCE and TCE. PCE was present in the groundwater at all of the water-table monitoring wells. The PCE levels ranged from 0.96 ug/l (MW-5) to 55.2 ug/l (MW-3). TCE was detected in two of the wells, MW-3 (0.53 ug/l) and MW-4 (0.43 ug/l). A contour map was constructed showing the distribution of PCE in the groundwater based on the November 2014 groundwater monitoring and data from the May 2013 geoprobe assessment (Figure 1). Table 1 summarizes the groundwater monitoring data.

Vapor Intrusion Assessment

A second round of vapor sampling was conducted at the site in early February 2015. This work was conducted to collect a sub-slab sample while the ground was frozen and to supplement the previous vapor sampling. The previous sampling was conducted in July 2014 and identified high CVOC levels in sub-slab vapors at the subject property. In February 2015 samples were collected at three buildings; the subject property, NAPA Auto immediately to the north, and the Staskal residence located at the southeast corner of the intersection of Elm and Dwight Streets. The property to the south refused access. Sampling locations are shown on Figure 2.

On January 29, 2015 sub-slab vapor probes were installed at the NAPA Auto building. Two sub-slab probes were installed through the floor slab. One of the sub-slab probes (SS-1) was installed in a service garage along the south side of the building nearest to the subject parcel. The second probe (SS-2) was installed in a utility room adjacent to the sanitary sewer lateral servicing the building.

To install the sub-slab probes a 1.25" hole was drilled through the concrete floor and advanced to a depth of approximately 12-14 inches. A stainless steel sampling tip attached to a length of 1/4 OD Teflon tubing was placed in the hole. The area around the probe was filled with clean filtered sand (#30) to ~1 inch below the concrete floor slab. Granular bentonite was placed above the sand and extended upward to the just below the base of the floor. The bentonite was hydrated to provide a seal. The remaining borehole was sealed with hydraulic cement.

Vapor sampling was conducted at the site on February 3-4, 2015. The vapor samples were collected using a 6-liter Summa canister provided by the Wisconsin State Laboratory of Hygiene. The sub-slab samples were collected over 30 minutes. The indoor air samples and the crawl space sample at the Staskal residence were collected during a 24-hour period. The vapor sample was analyzed for CVOCs.

Prior to collecting the sub-slab vapor samples care was taken to ensure representative samples were obtained. A vacuum test was performed to ensure that the sampling lines did not leak. After the vacuum test was passed the area within the containment well was filled with bentonite slurry. A small amount of air was pumped into the ground through the sampling probe to look for leakage in the seal. No air bubbles were noted. Subsequently, 250 ml of vapor was pumped out of the sampling probe to purge the area around the point and the vapor was screened with a PID for organic vapors before collecting the vapor sample.

Results of the vapor sampling indicate that vapor intrusion potential is an issue at the building on the subject parcel. Data from the nearby properties where sampling was conducted indicate limited vapor intrusion potential. The results from the three properties are discussed below; analytical results are compiled in Table 2.

Elevated levels of CVOCs were detected in the sub-slab vapors at both sampling points at the Carriage House. Only PCE was detected in the vapor samples collected in February 2015. The PCE level in the vapors beneath the southeast corner of the building (SS-1) was 15,000 ppbv, which is above the WDNR sub-slab screening level of 900 ppbv for non-residential properties. This is the same concentration of PCE as the July 2014 sampling. The PCE level in the vapors beneath the central part of the building (SS-2) was 32 ppbv and is similar to the level present in July 2014 (87 ppbv). The sub-slab vapor levels at SS-2 did not exceed the WDNR sub-slab screening level for non-residential buildings. Low levels of PCE were detected in the February 2015 indoor air sample collected at the Carriage House (1.7 ppbv). The PCE concentration present is below the indoor air action level for non-residential properties of 27 ppbv. The indoor vapor data from February generally is consistent with previously collected information. An indoor vapor sample collected in July 2014 contained 2.9 ppbv PCE and 0.16 ppbv TCE.

The only CVOC compound present at the NAPA Auto Parts Store was PCE. The sub-slab vapor sample collected in the utility room near the sanitary sewer outfall (SS-2) contained 5.1 ppbv PCE. No CVOCs were detected in the sub-slab vapor sample collected along the south side of the building (SS-1). Low levels of PCE and tans 1,2 DCE were detected in the indoor air sample collected at the NAPA store. Both compounds were present at less than 1 ppbv and below the indoor air standard. CVOC levels in the indoor air during the February 2015 sampling were similar to levels present during the July 2014 vapor assessment work.

At the Staskal residence a single vapor sample was collected. That building is constructed with a perimeter foundation and the "floor" of the crawlspace is soil. Since no slab is present to attenuate vapor migration the air quality within the crawlspace is representative of the vapor levels emanating from the ground. The sampler was placed in the crawlspace approximately 1 foot from the main sanitary sewer riser. No CVOCs were detected in the vapor sample collected from the crawlspace.

Monitoring Well Installation and Sampling

Between June 16 and 18, 2015 additional monitoring wells were installed around of the site. The majority of these wells were located to the northwest (downgradient). Four of the wells were constructed as water-table monitoring wells and two were constructed as piezometers screened at similar elevations as the existing piezometers (~628 ft msl). Drilling was performed by Badger State Drilling; Seymour personnel were on site to coordinate the drilling activities. Each of the wells was developed after completion of the construction; development was accomplished by surging and pumping the wells. Development water was taken to the Boscobel Waste Water Treatment Plant. Well construction forms are attached.

On July 26 and November 4, 2015 groundwater monitoring was conducted at the site... During the monitoring events water level data and groundwater samples were collected from all of the wells at the site. Additionally, the top of casing for the new wells was surveyed. Groundwater samples collected during the monitoring were analyzed for VOCs. Data from the two monitoring events is fairly consistent (Table 3). Data collected during the monitoring are depicted on Figures 3 and 4 and results are discussed below.

Water level data from the 2015 monitoring generally is consistent with historic information. The water-table is present at a depth of approximately 30 feet below grade. Water level data indicates that groundwater flow is toward the west-northwest. A low horizontal water-table gradient was noted at the site consistent with the sandy sediments in the aquifer. Average horizontal gradients were 0.0018 ft/ft (July 16) and 0.0022 ft/ft (Nov. 16).

Water level data from the piezometer nests was used to evaluate the vertical hydraulic gradient at the site. Measured vertical gradients ranged from 0.00659 ft/ft downward (MW-11/PZ-11) to 0.02464 ft/ft upward (MW-4/PZ-4). Generally, upward vertical gradients were observed at the well nests closer to the source property and downward vertical gradients were noted in the downgradient well nests. Water level and well construction data are summarized in Table 3.

Groundwater analytical data indicate that dry cleaning related chemicals are present in the groundwater to the north and west of the site. PCE was detected in groundwater samples collected from 11 of the 15 wells; TCE was only detected in the groundwater at one well, MW-4. Within the 11 water table monitoring wells PCE exceeded the NR140 ES in 5 wells; MW-1, MW-3, MW-4, MW-6 and MW-10. The location of these wells extends from the subject parcel (MW-1) toward the northwest approximately 600 feet (MW-10). The highest PCE levels were detected at MW-4 which is located ~350 feet north-northwest of the site near the intersection of Elm and Dwight Streets. Limited PCE contamination was noted in the groundwater samples collected from piezometers which are screened ~20 feet below the water table. No dry cleaning related chemicals were detected in the samples from the piezometers nearest to the source site, PZ-1 and PZ-4. PCE was present in the groundwater samples from the piezometers located further downgradient (PZ-10 and PZ-11) at concentrations below the NR140 ES.

DISCUSSION

It appears that groundwater containing CVOCs in excess of NR140 ESs originates at the subject parcel and extends to the west-northwest. The highest PCE levels noted are 300 feet north-northwest of the subject parcel near the intersection of Elm and Dwight Streets. This may indicate multiple release areas resulting from migration through the sanitary sewers, or possibly a second release site and comingling of the plumes. Data collected during 2015 shows that the limits of dry cleaning chemicals exceeding NR140 ESs in the groundwater have been determined in all directions except to the northwest. The downgradient well in this direction (MW-10) contains approximately 20 ug/l PCE. Groundwater samples collected from near the water table as several geoprosbes northwest of MW-10 indicate that the dry cleaning chemicals do not extend to the area along Hill Drive north of Vista Place. Data from the piezometers indicates that the groundwater contamination does not extend significantly (<20 feet) into the aquifer across the sampling area.

Graphs were constructed showing the variation in PCE levels in groundwater over time at select site wells. The graphs indicate that the PCE levels in the groundwater are fairly stable. Regression analysis of the data show very weak decreasing trends, however, correlation coefficients for the regressions are quite poor.

Mr. Jeff Ackerman
WDNR -R&R
May 24, 2016
Page 5

Vapor analytical data show that PCE is present above sub-slab action levels in the vapors beneath the southeast corner of the building slab at the subject parcel. Vapor intrusion does not appear to be a concern in the nearby buildings to the north based on the recent sampling results. No assessment of vapor intrusion has been completed at the building immediately south of the subject parcel (Brown's Gun Shop) because access was denied by the owner.

RECOMMENDATIONS

Based on the data collected to date and the remaining question regarding the severity of the contamination we recommend that the following actions be considered.

- Install one additional monitoring well to the northwest of MW-10 so that the extent of the contamination exceeding the NR140 Enforcement Standard is delimited.
- Install a sub-slab depressurization system at the building on the site to alleviate the accumulation of hazardous vapors below, and potentially inside, the building.
- The contaminated soil around and under the building should be treated or removed. Soil vapor extraction (SVE) is probably the most effective way to remove the PCE from the soil.

Please call me at 608-838-9120 if you have any questions or would like additional information.

Sincerely,
Seymour Environmental Services, Inc.

Robyn Seymour

Robyn Seymour, P.G.
Hydrogeologist

Enc. Tables (3)
 Figures (4)

TABLES - 1 - Summary of Groundwater Monitoring Data
 2 - Summary of Vapor Analytical Data
 3 - Summary of Well Construction Details and 2015 Monitoring Data

FIGURES - 1 - Groundwater Monitoring Data (Nov. 2014)
 2 - Vapor Sampling Results (Feb. 2015)
 3 - Groundwater Monitoring Data (July 2015)
 4 - Groundwater Monitoring Data (Nov. 2015)

ATTACHMENTS

- A - Well Construction Documentation
- B - Laboratory Analytical Reports
- C - Trend Graphs

TABLE 1 (page 1 of 2)
 SUMMARY OF GROUNDWATER MONITORING DATA
 Mound City Bank Property - 1509 Elm Street - Boscobel, Wisconsin

WELL	Date	Groundwater		Select VOCs					
		Depth	Elevation	Tetrachloroethene	Trichloroethene	cis 1,2 dichloroethene	trans 1,2 dichloroethene	Vinyl chloride	Toluene
MW-1	10/19/05	30.34	654.15	25	<0.20	<0.50	<0.50	<0.20	<0.20
	1/25/06	30.52	653.97	18	<0.20	<0.50	<0.50	<0.20	<0.20
	10/3/07	28.31	656.18	23	<0.48	<0.83	<0.89	<0.18	<0.67
	4/2/08	28.53	655.96	39.2	<0.48	<0.83	<0.89	<0.18	<0.67
	11/22/14	28.56	655.93	4.2	<0.33	<0.26	<0.26	<0.18	<0.50
	7/26/15	29.48	655.01	13.6	<0.33	<0.26	<0.26	<0.18	<0.50
	11/4/15	29.95	654.54	23.7	<0.33	<0.26	<0.26	<0.18	<0.50
MW-2	10/19/05	30.70	654.32	10	<0.20	<0.50	<0.50	<0.20	<0.20
	1/25/06	30.92	654.10	15	<0.20	<0.50	<0.50	<0.20	<0.20
	10/3/07	28.69	656.33	9.8	<0.48	<0.83	<0.89	<0.18	<0.67
	4/2/08	28.92	656.10	27.3	<0.48	<0.83	<0.89	<0.18	<0.67
	11/22/14	28.91	656.11	2.9	<0.33	<0.26	<0.26	<0.18	<0.50
	7/26/15	29.84	655.18	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
	11/4/15	30.31	654.71	1.8	<0.33	<0.26	<0.26	<0.18	<0.50
MW-3	10/19/05	31.21	654.05	13	<0.20	<0.50	<0.50	<0.20	<0.20
	1/25/06	31.39	653.87	5.8	<0.20	<0.50	<0.50	<0.20	<0.20
	10/3/07	29.26	656.00	77	1.2	1.6	<0.89	<0.18	<0.67
	4/2/08	29.45	655.81	82.6	1.2	1.5	<0.89	<0.18	<0.67
	11/22/14	29.51	655.75	55.2	0.53	<0.26	<0.26	<0.18	<0.50
	7/26/15	30.35	654.91	8.4	<0.33	<0.26	<0.26	<0.18	<0.50
	11/4/15	30.83	654.43	2.8	<0.33	<0.26	<0.26	<0.18	<0.50
MW-4	10/19/05	31.49	653.84	210	1.9	3.4	<2.5	<1.0	<1.0
	1/25/06	31.63	653.70	34	0.39	0.89	<0.50	<0.20	<0.20
	10/3/07	29.56	655.77	110	2.0	4.1	<0.89	<0.18	<0.67
	4/2/08	29.74	655.59	236	4.4	7.6	<0.89	<0.18	<0.67
	11/22/14	29.82	655.51	45.2	0.43	<0.26	<0.26	<0.18	<0.50
	7/26/15	30.64	654.69	66.4	0.48 (J)	<0.26	<0.26	<0.18	<0.50
	11/4/15	31.18	654.15	277	1.6	<0.26	<0.26	<0.18	<0.50
MW-5	10/3/07	29.17	656.11	6.2	<0.48	<0.83	<0.89	<0.18	<0.67
	4/2/08	29.38	655.90	0.66	<0.48	<0.83	<0.89	<0.18	<0.67
	11/22/14	29.45	655.83	0.96	<0.33	<0.26	<0.26	<0.18	<0.50
	7/26/15	30.28	655.00	3.6	<0.33	<0.26	<0.26	<0.18	<0.50
	11/4/15	30.74	654.54	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
NR140 PAL		--	--	0.5	0.5	7	20	0.02	200
NR140 ES		--	--	5	5	70	100	0.2	1000

- All concentrations are listed in ug/l

* Sample could not be analyzed because of high sediment levels

- NR140 PAL = Preventative action level (bold)

- NR140 ES = Enforcement standard (shaded)

TABLE 1 (page 2 of 2)
 SUMMARY OF GROUNDWATER MONITORING DATA
 Mound City Bank Property - 1509 Elm Street - Boscobel, Wisconsin

WELL	Date	Groundwater		Select VOCs					
		Depth	Elevation	Tetrachloroethene	Trichloroethene	cis 1,2 dichloroethene	trans 1,2 dichloroethene	Vinyl chloride	Toluene
MW-6	10/3/07	28.47	655.71	51	<0.48	<0.83	<0.89	<0.18	<0.67
	4/2/08	28.62	655.56	24.1	<0.48	<0.83	<0.89	<0.18	<0.67
	11/22/14	28.71	655.47	44.5	<0.33	<0.26	<0.26	<0.18	<0.50
	7/26/15	29.54	654.64	18.8	<0.33	<0.26	<0.26	<0.18	<0.50
	11/4/15	30.04	654.14	20.3	<0.33	<0.26	<0.26	<0.18	<0.50
MW-7	7/26/15	32.42	653.94	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
MW-7	11/4/15	32.90	653.46	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
MW-8	7/26/15	31.79	655.14	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
MW-8	11/4/15	32.29	654.64	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
MW-9	7/26/15	30.60	654.97	3.3	<0.33	<0.26	<0.26	<0.18	<0.50
MW-9	11/4/15	31.07	654.50	3.0	<0.33	<0.26	<0.26	<0.18	<0.50
MW-10	7/26/15	31.89	653.71	24.3	<0.33	<0.26	<0.26	<0.18	<0.50
MW-10	11/4/15	32.37	653.23	18.4	<0.33	<0.26	<0.26	<0.18	<0.50
MW-11	7/26/15	33.34	653.48	2.6	<0.33	<0.26	<0.26	<0.18	<0.50
MW-11	11/4/15	33.87	652.95	4.7	<0.33	<0.26	<0.26	<0.18	<0.50
PZ-1	10/19/05	30.41	654.18	<0.50	<0.20	<0.50	<0.50	<0.20	<0.20
	1/25/06	30.61	653.98	<0.50	<0.20	<0.50	<0.50	<0.20	<0.20
	10/3/07	28.43	656.16	<0.45	<0.48	<0.83	<0.89	<0.18	<0.67
	4/2/08	28.64	655.95	<0.45	<0.48	<0.83	<0.89	<0.18	<0.67
	11/22/14	28.63	655.96	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
	7/26/15	29.56	655.03	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
	11/4/15	30.04	654.55	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
PZ-4	10/3/07*	32.46	652.55	na	na	na	na	na	na
	4/2/08	29.40	655.61	<0.45	na	<0.83	<0.89	<0.18	<0.67
	11/22/14	29.50	655.51	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
	7/26/15	30.00	655.01	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
	11/4/15	30.31	654.70	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
PZ-10	7/26/15	32.14	653.73	2.5	<0.33	<0.26	<0.26	<0.18	<0.50
PZ-10	11/4/15	32.65	653.22	0.51 (J)	<0.33	<0.26	<0.26	<0.18	<0.50
PZ-11	7/26/15	33.31	653.40	0.84 (J)	<0.33	<0.26	<0.26	<0.18	<0.50
PZ-11	11/4/15	33.78	652.93	<0.50	<0.33	<0.26	<0.26	<0.18	<0.50
NR140 PAL	--	--	0.5	0.5	7	20	0.02	200	
NR140 ES	--	--	5	5	70	100	0.2	1000	

- All concentrations are listed in ug/l

* Sample could not be analyzed because of high sediment levels

- NR140 PAL = Preventative action level (bold)

- NR140 ES = Enforcement standard (shaded)

TABLE 2
SUMMARY OF VAPOR ANALYTICAL DATA
Mound City Bank Property - 1509 Elm Street - Boscobel, Wisconsin

FIELD SAMPLING DATA (February 2015)

Location	Sample	Line Vacuum (inches Hg)		PID Reading	Startup			Completion		
		Initial	5 min.		Date	Time	Vacuum	Date	Time	Vacuum
Carraig House	SS-1	20.0	20.0	6.2	2/3/2015	13:20	25	2/3/2015	13:52	0
	SS-2	20.5	20.5	0	2/3/2015	13:36	25	2/3/2015	14:10	0
	Indoor	--	--	0	2/3/2015	13:24	27	2/4/2015	13:30	0
NAPA	SS-1	20.0	20.0	0	2/3/2015	11:39	28	2/3/2015	12:21	0
	SS-2	19.0	19.0	0	2/3/2015	12:11	25.5	2/3/2015	12:52	0
	Indoor	--	--	0	2/3/2015	12:16	28	2/4/2015	12:26	0
Staskal	Crawlspace	--	--	0	2/3/2015	12:43	28	2/4/2015	12:58	0

ANALYTICAL RESULTS

Location	Sample	Date	Tetrachloroethene (vppb)	Trichloroethene (vppb)	cis 1,2 dichloroethene (vppb)	trans 1,2 dichloroethene (vppb)	Vinyl chloride (vppb)
Carraigé House	SS-1	7/7/2014	15000	<130	<130	<130	<130
		2/3/2015	15000	<260	<260	<260	<260
	SS-2	7/7/2014	87	3.1	<2.1	<2.1	<2.1
		2/3/2015	32	<2.1	<2.1	<2.1	<2.1
	Indoor	7/7/2014	2.9	0.16	<0.085	<0.085	<0.085
		2/3/2015	1.7	<0.085	<0.085	<0.085	<0.085
	SS-1	2/3/2015	<0.085	<0.085	<0.085	<0.085	<0.085
NAPA	SS-2	2/3/2015	5.1	<0.085	<0.085	<0.085	<0.085
	Indoor	7/7/2014	1.8	0.19	0.22	3.0	<0.085
		2/3/2015	0.49	<0.085	<0.085	0.47	<0.085
	Indoor Air Standard		27	1.6	ne	ne	11
Non-Residential	Subslab Standard (33x)		900	53	ne	ne	366
	Crawl Space	2/3/2015	<0.085	<0.085	<0.085	<0.085	<0.085
Staskal	Indoor Air Standard		6.2	0.39	ne	ne	0.65
	Subslab Standard (33x)		206	13	ne	ne	21

- Analytical results and standards listed in vppb

- Detected values shown in bold

- ne = no standards established

- Underlined values exceed applicable indoor air standard

- Shaded Values exceed applicable sub-slab screening level

TABLE 3 (page 1 of 2)
SUMMARY OF WELL DETAILS AND 2015 MONITORING DATA
Mound City Bank Property - 1509 Elm Street - Boscobel, Wisconsin

WELL CONSTRUCTION INFORMATION


WELL	Date Installed	TOC Elevation	Well Depth	Screen Length	Top of Screen Elevation	Base of Screen Elevation
MW-1	10/10/2005	684.49	38.41	15	661.08	646.08
MW-2	10/11/2005	685.02	38.45	15	661.57	646.57
MW-3	10/11/2005	685.26	39.45	15	660.81	645.81
MW-4	10/12/2005	685.33	39.42	15	660.91	645.91
PZ-1	10/10/2005	684.59	58.70	5	630.89	625.89
MW-5	9/11/2007	685.28	39.85	15	660.43	645.43
MW-6	9/11/2007	684.18	39.51	15	659.67	644.67
PZ-4	9/10/2007	685.01	59.80	5	630.21	625.21
MW-7	6/16/2015	686.36	38.77	15	662.59	647.59
MW-8	6/16/2025	686.93	38.10	15	663.83	648.83
MW-9	6/17/2015	685.57	37.45	15	663.12	648.12
MW-10	6/17/2015	685.60	37.80	15	662.80	647.80
PZ-10	6/17/2015	685.87	58.35	5	632.52	627.52
MW-11	6/18/2015	686.82	38.40	15	663.42	648.42
PZ-11	6/18/2015	686.71	50.40	5	641.31	636.31

- All data is listed in feet or feet above mean sea level

TABLE 3 (page 1 of 2)
SUMMARY OF WELL DETAILS AND 2015 MONITORING DATA
Mound City Bank Property - 1509 Elm Street - Boscobel, Wisconsin

GROUNDWATER MONITORING DATA - 2015

Well	MW-1		PZ-1		MW-2		MW-3		MW-4		PZ-4		MW-5		MW-6		NR140	
Date	7/26/15	11/4/15	7/26/15	11/4/15	7/26/15	11/4/15	7/26/15	11/4/15	7/26/15	11/4/15	7/26/15	11/4/15	7/26/15	11/4/15	7/26/15	11/4/15	PAL	ES
GW Depth	29.48	29.95	29.56	30.04	29.84	30.31	30.35	30.83	30.64	31.18	30.00	30.31	30.28	30.74	29.54	30.04	--	--
GW Elevation	655.01	654.54	655.03	654.55	655.18	654.71	654.91	654.43	654.69	654.15	655.01	654.70	655.00	654.54	654.64	654.14	--	--
Tetrachloroethene	13.6	23.7	<0.50	<0.50	<0.50	1.8	8.4	2.8	66.4	277	<0.50	<0.50	3.6	<0.50	18.8	20.3	0.5	5
Trichloroethene	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	0.48(J)	1.6	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	0.5	5
cis 1,2 dichloroethene	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	7	70
trans 1,2 dichloroethene	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	20	100
Vinyl chloride	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	0.02	0.2
Toluene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	200	1000
Methylene Chloride	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	0.5	5
Well	MW-7		MW-8		MW-9		MW-10		PZ-10		MW-11		PZ-11		NR140			
Date	7/26/15	11/4/15	7/26/15	11/4/15	7/26/15	11/4/15	7/26/15	11/4/15	7/26/15	11/4/15	7/26/15	11/4/15	7/26/15	11/4/15	7/26/15	11/4/15	PAL	ES
GW Depth	32.42	32.90	31.79	32.29	30.60	31.07	31.89	32.37	32.14	32.65	33.34	33.87	33.31	33.78	--	--		
GW Elevation	653.94	653.46	655.14	654.64	654.97	654.50	653.71	653.23	653.73	653.22	653.48	652.95	653.40	652.93	--	--		
Tetrachloroethene	<0.50	<0.50	<0.50	<0.50	3.3	3.0	24.3	18.4	2.5	0.51(J)	2.6	4.7	0.84(J)	<0.50	0.5	5		
Trichloroethene	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	0.5	5
cis 1,2 dichloroethene	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	7	70
trans 1,2 dichloroethene	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	20	100
Vinyl chloride	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	0.02	0.2
Toluene	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	200	1000
Methylene Chloride	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	0.5	5
Vertical Gradients																		
Well Nest	7/26/15			7/26/15			Well Nest			7/26/15			7/26/15			7/26/15		
MW1/PZ1	0.00090			0.00046			MW10/PZ10			0.00096			-0.00049					
MW4/PZ4	0.01417			0.02464			MW11/PZ11			-0.00659			-0.00168					



LEGEND

- GP-12 ♦ - Geoprobe (May 2013)
- MW-1 ⬤ - Monitoring Well

0 200' 400'

1 INCH = 200 FEET
SCALE IS APPROXIMATE

FILE/PATH: D:\PROJECTS\OUND CITY\REPORT\UPDATE2014\Fig4-gwprobes.cdr

DATE: 07/22/2014

PREPARED: MDF

APPROVED:

SOURCE:


GRANT COUNTY PUBLIC MAPPING /
FIELD MEASUREMENTS

SEYMOUR
ENVIRONMENTAL
SERVICES, INC.

GROUNDWATER MONITORING DATA (Nov. 2014)
Mound City Bank Property
1509 Elm Street
Boscobel, Wisconsin

FIGURE

1





SEYMOUR
ENVIRONMENTAL
SERVICES, INC.

VAPOR SAMPLING DATA (Feb. 2015)
Mound City Bank Property
1509 Elm Street
Boscobel, Wisconsin

FIGURE

2





FIGURE



4

ATTACHMENT A
WELL CONSTRUCTION DOCUMENTATION

Facility/Project Name MOUND CITY BANK PROPERTY	Local Grid Location of Well ft. E S. ft. E W.	Well Name MW-7
Facility License, Permit or Monitoring Number	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N, _____ ft. E.	WIS. Unique Well Number DNR Well Number _____
Type of Well Water Table Observation Well <input type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed 06/16/15 m m d d y y
Distance Well Is From Waste/Source Boundary ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) BADGER STATE DRILLING CO. Kevin Duerst
Is Well A Point of Enforcement Std. Application? <input type="checkbox"/> Yes <input type="checkbox"/> No		
A. Protective pipe, top elevation FLUSH ft. MSL	1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No	
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: 8.0 in. b. Length: 10 ft. c. Material: Steel <input type="checkbox"/> 04 Other <input type="checkbox"/>	
C. Land surface elevation _____ ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, describe: _____	
D. Surface seal, bottom _____ ft. MSL or _____ ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>	
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Annular space seal <input type="checkbox"/> Other <input type="checkbox"/>	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 e. 5.9 Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08	
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>	
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	7. Fine sand material: Manufacturer, product name & mesh size a. RED FLINT #15	
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	b. Volume added .3 ft ³	
Describe _____		
17. Source of water (attach analysis):	8. Filter pack material: Manufacturer, product name and mesh size a. OHIO #5	
E. Bentonite seal, top _____ ft. MSL or 15 ft.	b. Volume added 5.14 ft ³	
F. Fine sand, top _____ ft. MSL or 21 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>	
G. Filter pack, top _____ ft. MSL or 22 ft.	10. Screen material: SCH 40 PVC a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>	
H. Screen joint, top _____ ft. MSL or 24 ft.	b. Manufacturer Monoflex c. Slot size: 0.010 in. d. Slotted length: 15.0 ft.	
I. Well bottom _____ ft. MSL or 39 ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input type="checkbox"/>	
J. Filter pack, bottom _____ ft. MSL or 39 ft.		
K. Borehole, bottom _____ ft. MSL or 39 ft.		
L. Borehole, diameter .85 in.		
M. O.D. well casing 2.38 in.		
N. I.D. well casing 2.0 in.		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

Badger State Drilling, Inc.

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch.144, Wis Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Facility/Project Name <i>MOUNT CITY BANK PROPERTY</i>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input checked="" type="checkbox"/> S. ft. <input type="checkbox"/> E. <input checked="" type="checkbox"/> W.	Well Name MW-8
Facility License, Permit or Monitoring Number	Wis. Unique Well Number DNR Well Number	
Type of Well Water Table Observation Well <input type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E.	Date Well Installed <i>06/16/15</i> m m d d y y
Distance Well Is From Waste/Source Boundary ft.	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E. <input checked="" type="checkbox"/> W.	Well Installed By: (Person's Name and Firm) <i>BADGER STATE DRILLING, LLC</i> <i>Kevin Duerst</i>
Is Well A Point of Enforcement Std. Application? <input type="checkbox"/> Yes <input type="checkbox"/> No	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	
A. Protective pipe, top elevation FLUSH ft. MSL	1. Cap and lock? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: 8.0 in. b. Length: 12 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/>	
C. Land surface elevation _____ ft. MSL	d. Additional protection? If yes, describe: <input type="checkbox"/> Yes <input type="checkbox"/> No	
D. Surface seal, bottom _____ ft. MSL or _____ ft.	3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/>	
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 3.0 Annular space seal <input type="checkbox"/> Other <input type="checkbox"/>	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular Bentonite <input type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> \$5.0 e. 5.6 Ft ³ volume added for any of the above	
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8	
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/>	
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7. Fine sand material: Manufacturer, product name & mesh size a. RED FLINT #15	
Describe _____	b. Volume added .3 ft ³	
17. Source of water (attach analysis):	8. Filter pack material: Manufacturer, product name and mesh size a. ONION #5	
E. Bentonite seal, top _____ ft. MSL or 1.5 ft.	b. Volume added 5.44 ft ³	
F. Fine sand, top _____ ft. MSL or 20 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/>	
G. Filter pack, top _____ ft. MSL or 21 ft.	10. Screen material: SCH 40 PVC a. Screen type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/>	
H. Screen joint, top _____ ft. MSL or 23 ft.	b. Manufacturer MONOFLEX c. Slot size: 0.010 in. d. Slotted length: 15.0 ft.	
I. Well bottom _____ ft. MSL or 38 ft.	11. Backfill material (below filter pack): CUTTINGS None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/>	
J. Filter pack, bottom _____ ft. MSL or 38 ft.		
K. Borehole, bottom _____ ft. MSL or 39 ft.		
L. Borehole, diameter .85 in.		
M. O.D. well casing .238 in.		
N. I.D. well casing .20 in.		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Mark Kirsch*

Firm

Badger State Drilling, Inc.

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Facility/Project Name MOUNT CITY BANK PROPERTY	Local Grid Location of Well ft. <input type="checkbox"/> N <input checked="" type="checkbox"/> S ft. <input type="checkbox"/> E <input checked="" type="checkbox"/> W	Well Name MW-9
Facility License, Permit or Monitoring Number	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N, _____ ft. E.	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E <input checked="" type="checkbox"/> W	Date Well Installed 06/17/15 m m d d y y
Distance Well Is From Waste/Source Boundary ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) BADGER STATE DRILLING CO. <i>Kevin Duerst</i>
Is Well A Point of Enforcement Std. Application? <input type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation FLUSH ft. MSL	1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: 8.0 in. b. Length: 10 ft. c. Material: Steel <input type="checkbox"/> 04 Other <input type="checkbox"/>
C. Land surface elevation _____ ft. MSL	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
D. Surface seal, bottom _____ ft. MSL or _____ ft.	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Annular space seal <input type="checkbox"/> Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	5. Annular space seal: a. Granular Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> \$50 e. 5.44 Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	7. Fine sand material: Manufacturer, product name & mesh size a. RED FINE #15
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99	b. Volume added .3 ft ³
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	8. Filter pack material: Manufacturer, product name and mesh size a. CHICAGO #5
17. Source of water (attach analysis):	b. Volume added .5.6 ft ³
E. Bentonite seal, top _____ ft. MSL or 1.5' ft.	9. Well casing: Flush threaded PVC schedule 40 <input type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
F. Fine sand, top _____ ft. MSL or 19.5' ft.	10. Screen material: SCH 40 PVC a. Screen type: Factory cut <input type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
G. Filter pack, top _____ ft. MSL or 20.5' ft.	b. Manufacturer MANOFLEX c. Slot size: 0.010 in. d. Slotted length: 150 ft.
H. Screen joint, top _____ ft. MSL or 22.5' ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 14 CUTTINGS Other <input type="checkbox"/>
I. Well bottom _____ ft. MSL or 37.5' ft.	
J. Filter pack, bottom _____ ft. MSL or 37.5' ft.	
K. Borehole, bottom _____ ft. MSL or 39' ft.	
L. Borehole, diameter .85 in.	
M. O.D. well casing .238 in.	
N. I.D. well casing .20 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm **Badger State Drilling, Inc.**

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Facility/Project Name MONROE CITY BANK PROPERTY	Local Grid Location of Well ft. <input type="checkbox"/> N. <input checked="" type="checkbox"/> S. ft. <input type="checkbox"/> E. <input checked="" type="checkbox"/> W.	Well Name MW-10
Facility License, Permit or Monitoring Number	Wis. Unique Well Number DNR Well Number	
Type of Well Water Table Observation Well <input type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E.	Date Well Installed 06/17/15 m m d d y y
Distance Well Is From Waste/Source Boundary ft.	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E. <input checked="" type="checkbox"/> W.	Well Installed By: (Person's Name and Firm) BADGER STATE DRILLING, INC. Kevin Duerst
Is Well A Point of Enforcement Std. Application? <input type="checkbox"/> Yes <input type="checkbox"/> No	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	

A. Protective pipe, top elevation FLUSH ft. MSL	1. Cap and lock? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: 8.0 in. b. Length: 12 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> Other
C. Land surface elevation _____ ft. MSL	d. Additional protection? If yes, describe: _____
D. Surface seal, bottom _____ ft. MSL or _____ ft.	3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/> Other
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 3.0 Annular space seal <input type="checkbox"/> Other <input type="checkbox"/> Other
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular Bentonite <input type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 5.0 e. 5.6 Ft ³ volume added for any of the above
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input type="checkbox"/> 9.9	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/> Other
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7. Fine sand material: Manufacturer, product name & mesh size a. RED FLINT #15 <input type="checkbox"/> 1.1 b. Volume added .3 ft ³ <input type="checkbox"/> 0.1
Describe _____	8. Filter pack material: Manufacturer, product name and mesh size a. OLIO #5 <input type="checkbox"/> 1.1 b. Volume added 5.44 ft ³ <input type="checkbox"/> 0.8
17. Source of water (attach analysis):	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> Other
E. Bentonite seal, top _____ ft. MSL or 15' ft.	10. Screen material: SCH 40 PVC <input type="checkbox"/> 1.1 a. Screen type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> Other
F. Fine sand, top _____ ft. MSL or 30' ft.	b. Manufacturer Monoflex <input type="checkbox"/> 0.010 in. c. Slot size: 15.0 ft. <input type="checkbox"/> 0.010 in.
G. Filter pack, top _____ ft. MSL or 31' ft.	
H. Screen joint, top _____ ft. MSL or 23' ft.	
I. Well bottom _____ ft. MSL or 38' ft.	
J. Filter pack, bottom _____ ft. MSL or 38' ft.	
K. Borehole, bottom _____ ft. MSL or 39' ft.	
L. Borehole, diameter .85 in.	
M. O.D. well casing 2.38 in.	
N. I.D. well casing 2.0 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Mark D. Duerst*

Firm *Badger State Drilling, Inc.*

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch.144, Wis Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Facility/Project Name <i>MOUNT CITY BANK PROPERTY</i>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input checked="" type="checkbox"/> S. ft. <input type="checkbox"/> E. <input checked="" type="checkbox"/> W.	Well Name <i>MW-11</i>																		
Facility License, Permit or Monitoring Number	Wis. Unique Well Number DNR Well Number																			
Type of Well Water Table Observation Well <input type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Date Well Installed <i>06/18/15</i> m m d d y																			
Distance Well Is From Waste/Source Boundary ft.	Section Location of Waste/Source 1/4 of <input type="checkbox"/> 1/4 of Sec. <input type="checkbox"/> T. <input type="checkbox"/> N. R. <input type="checkbox"/> E. <input checked="" type="checkbox"/> W.																			
Is Well A Point of Enforcement Std. Application? <input type="checkbox"/> Yes <input type="checkbox"/> No	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known																			
<p>A. Protective pipe, top elevation <i>FLUSH</i> ft. MSL</p> <p>B. Well casing, top elevation <i>-3</i> ft. MSL</p> <p>C. Land surface elevation <i>-</i> ft. MSL</p> <p>D. Surface seal, bottom <i>-</i> ft. MSL or <i>-</i> ft.</p> <p>12. USCS classification of soil near screen:</p> <table border="0"> <tr><td>GP <input type="checkbox"/></td><td>GM <input type="checkbox"/></td><td>GC <input type="checkbox"/></td><td>GW <input type="checkbox"/></td><td>SW <input type="checkbox"/></td><td>SP <input type="checkbox"/></td></tr> <tr><td>SM <input type="checkbox"/></td><td>SC <input type="checkbox"/></td><td>ML <input type="checkbox"/></td><td>MH <input type="checkbox"/></td><td>CL <input type="checkbox"/></td><td>CH <input type="checkbox"/></td></tr> <tr><td colspan="6">Bedrock <input type="checkbox"/></td></tr> </table> <p>13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis):</p>			GP <input type="checkbox"/>	GM <input type="checkbox"/>	GC <input type="checkbox"/>	GW <input type="checkbox"/>	SW <input type="checkbox"/>	SP <input type="checkbox"/>	SM <input type="checkbox"/>	SC <input type="checkbox"/>	ML <input type="checkbox"/>	MH <input type="checkbox"/>	CL <input type="checkbox"/>	CH <input type="checkbox"/>	Bedrock <input type="checkbox"/>					
GP <input type="checkbox"/>	GM <input type="checkbox"/>	GC <input type="checkbox"/>	GW <input type="checkbox"/>	SW <input type="checkbox"/>	SP <input type="checkbox"/>															
SM <input type="checkbox"/>	SC <input type="checkbox"/>	ML <input type="checkbox"/>	MH <input type="checkbox"/>	CL <input type="checkbox"/>	CH <input type="checkbox"/>															
Bedrock <input type="checkbox"/>																				
E. Bentonite seal, top <i>-</i> ft. MSL or <i>1.5'</i> ft.	<p>1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Protective cover pipe:</p> <p>a. Inside diameter: <i>8.0</i> in. b. Length: <i>10</i> ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/></p> <p>d. Additional protection? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, describe: _____</p> <p>3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/></p> <p>4. Material between well casing and protective pipe:</p> <p>Bentonite <input type="checkbox"/> 3.0 Annular space seal <input type="checkbox"/> Other <input type="checkbox"/></p> <p>5. Annular space seal:</p> <p>a. Granular Bentonite <input type="checkbox"/> 3.3 b. Lbs/gal mud weight . . . Bentonite-sand slurry <input type="checkbox"/> 3.5 c. Lbs/gal mud weight . . . Bentonite slurry <input type="checkbox"/> 3.1 d. % Bentonite . . . Bentonite-cement grout <input type="checkbox"/> \$5.0 e. <i>7.4</i> Ft³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8</p> <p>6. Bentonite seal:</p> <p>a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 3.2 c. Other <input type="checkbox"/></p> <p>7. Fine sand material: Manufacturer, product name & mesh size a. <i>RED FLINT #15</i></p> <p>8. Filter pack material: Manufacturer, product name and mesh size a. <i>OL10 #5</i> b. Volume added <i>.3</i> ft³</p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/></p> <p>10. Screen material: <i>SCH 40 PVC</i></p> <p>a. Screen type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/></p> <p>b. Manufacturer <i>MONOFLEX</i> c. Slot size: <i>0.010</i> in. d. Slotted length: <i>10.0</i> ft.</p> <p>11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input type="checkbox"/></p>																			
<p>I hereby certify that the information on this form is true and correct to the best of my knowledge.</p> <p>Signature <i>Mark Hansen</i> Firm <i>Badger State Drilling, Inc.</i></p> <p>Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.</p>																				

Facility/Project Name <i>MOUNT CITY BANK PROPERTY</i>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <i>PZ-3</i>
Facility License, Permit or Monitoring Number	Grid Origin Location Lat. _____ Long. _____ or St. Plane ft. N. _____ ft. E. _____	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed mm dd yy
Distance Well Is From Waste/Source Boundary ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) <i>BADGER STATE DRILLING CO.</i> <i>Kevin Duerst</i>
Is Well A Point of Enforcement Std. Application? <input type="checkbox"/> Yes <input type="checkbox"/> No		
A. Protective pipe, top elevation <i>FLUSH</i> ft. MSL	1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No	
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: <i>8.0</i> in. b. Length: <i>10</i> ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> 	
C. Land surface elevation _____ ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, describe: _____	
D. Surface seal, bottom _____ ft. MSL or _____ ft.	3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/> 	
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Annular space seal <input type="checkbox"/> Other <input type="checkbox"/> 	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No	5. Annular space seal: a. Granular Bentonite <input type="checkbox"/> b. <i>11</i> Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> c. <i>11</i> Lbs/gal mud weight Bentonite slurry <input checked="" type="checkbox"/> 3.1 d. <i>11</i> % Bentonite Bentonite-cement grout <input type="checkbox"/> e. <i>24</i> Ft ³ volume added for any of the above <input type="checkbox"/> f. How installed: Tremie <input checked="" type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8	
14. Drilling method used: Rotary <input checked="" type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> c. _____ Other <input type="checkbox"/> 	
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input checked="" type="checkbox"/> 0.3 None <input type="checkbox"/> 9.9	7. Fine sand material: Manufacturer, product name & mesh size a. <i>RED FLINT #15</i>	
16. Drilling additives used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Describe _____	b. Volume added _____ ft ³	
17. Source of water (attach analysis):	8. Filter pack material: Manufacturer, product name and mesh size a. <i>0410 #5</i> , 3 b. Volume added <i>3.02</i> ft ³	
E. Bentonite seal, top _____ ft. MSL or <i>44'</i> ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> 	
F. Fine sand, top _____ ft. MSL or <i>52'</i> ft.	10. Screen material: <i>SCH 40 PVC</i> a. Screen type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> 	
G. Filter pack, top _____ ft. MSL or <i>53'</i> ft.	b. Manufacturer <i>Monoflex</i> <input type="checkbox"/> c. Slot size: <i>0.010</i> in. d. Slotted length: <i>54</i> ft.	
H. Screen joint, top _____ ft. MSL or <i>55'</i> ft.		
I. Well bottom _____ ft. MSL or <i>60'</i> ft.		
J. Filter pack, bottom _____ ft. MSL or <i>60'</i> ft.		
K. Borehole, bottom _____ ft. MSL or <i>63'</i> ft.		
L. Borehole, diameter <i>8.5</i> in.		
M. O.D. well casing <i>2.38</i> in.		
N. I.D. well casing <i>2.0</i> in.		
11. Backfill material (below filter pack): <i>CUTTINGS</i> None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/> 		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Mark Harrel*


Firm *Badger State Drilling, Inc.*

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch.144, Wis Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Facility/Project Name MOUNT CITY BANK PROPERTY	Local Grid Location of Well ft. <input type="checkbox"/> N. <input checked="" type="checkbox"/> S. ft. <input type="checkbox"/> E. <input checked="" type="checkbox"/> W.	Well Name PZ-4
Facility License, Permit or Monitoring Number	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E.	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E. <input checked="" type="checkbox"/> W.	Date Well Installed 06/18/15 m m d d y y
Distance Well Is From Waste/Source Boundary ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) BADGER STATE DRILLING CO. Kevin Duerst
Is Well A Point of Enforcement Std. Application? <input type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation FLUSH ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: 3.0 in. b. Length: 10 ft. c. Material: Steel <input type="checkbox"/> 0.4 Other <input type="checkbox"/>
C. Land surface elevation _____ ft. MSL	d. Additional protection? If yes, describe: _____
D. Surface seal, bottom _____ ft. MSL or _____ ft.	3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 3.0 Annular space seal <input type="checkbox"/> Other <input type="checkbox"/>
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular Bentonite <input type="checkbox"/> b. 11 Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> c. _____ Lbs/gal mud weight Bentonite slurry <input checked="" type="checkbox"/> 3.1 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> \$5.00 e. 2.4 Ft ³ volume added for any of the above <input type="checkbox"/> f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> c. _____ Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input checked="" type="checkbox"/> 0.3 None <input type="checkbox"/> 9.9	7. Fine sand material: Manufacturer, product name & mesh size a. RED FLINT #15
16. Drilling additives used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Describe _____	b. Volume added .3 ft ³
17. Source of water (attach analysis): _____	8. Filter pack material: Manufacturer, product name and mesh size a. 0.110 #5
E. Bentonite seal, top _____ ft. MSL or 44' ft.	b. Volume added 3.02 ft ³
F. Fine sand, top _____ ft. MSL or 52' ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/>
G. Filter pack, top _____ ft. MSL or 53' ft.	10. Screen material: SCH 40 PVC a. Screen type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/>
H. Screen joint, top _____ ft. MSL or 55' ft.	b. Manufacturer MONOFLEX
I. Well bottom _____ ft. MSL or 60' ft.	c. Slot size: 0.010 in.
J. Filter pack, bottom _____ ft. MSL or 63' ft.	d. Slotted length: 5.5 ft.
K. Borehole, bottom _____ ft. MSL or 63' ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input type="checkbox"/>
L. Borehole, diameter .85 in.	
M. O.D. well casing 2.38 in.	
N. I.D. well casing 2.0 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **Badger State Drilling, Inc.**

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

ATTACHMENT B
LABORATORY ANALYTICAL REPORTS

December 04, 2014

Robyn Seymour
Seymour Environmental Services, INC.
2531 Dyreson Road
Mc Farland, WI 53558

RE: Project: MOUND CITY BANK
Pace Project No.: 40107603

Dear Robyn Seymour:

Enclosed are the analytical results for sample(s) received by the laboratory on November 26, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334

New York Certification #: 11888
North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
US Dept of Agriculture #: S-76505
Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: MOUND CITY BANK
Pace Project No.: 40107603

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40107603001	MW-5	Water	11/22/14 13:10	11/26/14 09:05
40107603002	MW-6	Water	11/22/14 13:30	11/26/14 09:05
40107603003	PZ-4	Water	11/22/14 13:55	11/26/14 09:05
40107603004	MW-4	Water	11/22/14 14:00	11/26/14 09:05
40107603005	MW-3	Water	11/22/14 14:30	11/26/14 09:05
40107603006	PZ-1	Water	11/22/14 15:00	11/26/14 09:05
40107603007	MW-1	Water	11/22/14 15:05	11/26/14 09:05
40107603008	MW-2	Water	11/22/14 15:15	11/26/14 09:05

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: MOUND CITY BANK
Pace Project No.: 40107603

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40107603001	MW-5	EPA 8260	HNW	64	PASI-G
40107603002	MW-6	EPA 8260	HNW	64	PASI-G
40107603003	PZ-4	EPA 8260	HNW	64	PASI-G
40107603004	MW-4	EPA 8260	HNW	64	PASI-G
40107603005	MW-3	EPA 8260	HNW	64	PASI-G
40107603006	PZ-1	EPA 8260	HNW	64	PASI-G
40107603007	MW-1	EPA 8260	HNW	64	PASI-G
40107603008	MW-2	EPA 8260	HNW	64	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: MOUND CITY BANK
Pace Project No.: 40107603

Method: EPA 8260
Description: 8260 MSV
Client: SEYMORE ENVIRONMENTAL SERVICES, INC.
Date: December 04, 2014

General Information:

8 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Sample: MW-5	Lab ID: 40107603001	Collected: 11/22/14 13:10	Received: 11/26/14 09:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	71-43-2	
Bromobenzene	<0.23 ug/L	1.0	0.23	1			12/03/14 20:14	108-86-1	
Bromochloromethane	<0.34 ug/L	1.0	0.34	1			12/03/14 20:14	74-97-5	
Bromodichloromethane	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	75-27-4	
Bromoform	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	75-25-2	
Bromomethane	<2.4 ug/L	5.0	2.4	1			12/03/14 20:14	74-83-9	
n-Butylbenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	104-51-8	
sec-Butylbenzene	<2.2 ug/L	5.0	2.2	1			12/03/14 20:14	135-98-8	
tert-Butylbenzene	<0.18 ug/L	1.0	0.18	1			12/03/14 20:14	98-06-6	
Carbon tetrachloride	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	56-23-5	
Chlorobenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	108-90-7	
Chloroethane	<0.37 ug/L	1.0	0.37	1			12/03/14 20:14	75-00-3	
Chloroform	<2.5 ug/L	5.0	2.5	1			12/03/14 20:14	67-66-3	
Chloromethane	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	74-87-3	
2-Chlorotoluene	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	95-49-8	
4-Chlorotoluene	<0.21 ug/L	1.0	0.21	1			12/03/14 20:14	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L	5.0	2.2	1			12/03/14 20:14	96-12-8	
Dibromochloromethane	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L	1.0	0.16	1			12/03/14 20:14	106-93-4	
Dibromomethane	<0.43 ug/L	1.0	0.43	1			12/03/14 20:14	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L	1.0	0.20	1			12/03/14 20:14	75-71-8	
1,1-Dichloroethane	<0.24 ug/L	1.0	0.24	1			12/03/14 20:14	75-34-3	
1,2-Dichloroethane	<0.17 ug/L	1.0	0.17	1			12/03/14 20:14	107-06-2	
1,1-Dichloroethene	<0.41 ug/L	1.0	0.41	1			12/03/14 20:14	75-35-4	
cis-1,2-Dichloroethene	<0.26 ug/L	1.0	0.26	1			12/03/14 20:14	156-59-2	
trans-1,2-Dichloroethene	<0.26 ug/L	1.0	0.26	1			12/03/14 20:14	156-60-5	
1,2-Dichloropropane	<0.23 ug/L	1.0	0.23	1			12/03/14 20:14	78-87-5	
1,3-Dichloropropane	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	142-28-9	
2,2-Dichloropropane	<0.48 ug/L	1.0	0.48	1			12/03/14 20:14	594-20-7	
1,1-Dichloropropene	<0.44 ug/L	1.0	0.44	1			12/03/14 20:14	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L	1.0	0.23	1			12/03/14 20:14	10061-02-6	
Diisopropyl ether	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	108-20-3	
Ethylbenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L	5.0	2.1	1			12/03/14 20:14	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L	1.0	0.14	1			12/03/14 20:14	98-82-8	
p-Isopropyltoluene	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	99-87-6	
Methylene Chloride	<0.23 ug/L	1.0	0.23	1			12/03/14 20:14	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L	1.0	0.17	1			12/03/14 20:14	1634-04-4	
Naphthalene	<2.5 ug/L	5.0	2.5	1			12/03/14 20:14	91-20-3	
n-Propylbenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	103-65-1	
Styrene	<0.50 ug/L	1.0	0.50	1			12/03/14 20:14	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L	1.0	0.18	1			12/03/14 20:14	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Sample: MW-5	Lab ID: 40107603001	Collected: 11/22/14 13:10	Received: 11/26/14 09:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		12/03/14 20:14	79-34-5	
Tetrachloroethene	0.96J ug/L		1.0	0.50	1		12/03/14 20:14	127-18-4	
Toluene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:14	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		12/03/14 20:14	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		12/03/14 20:14	120-82-1	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		12/03/14 20:14	71-55-6	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		12/03/14 20:14	79-00-5	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		12/03/14 20:14	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		12/03/14 20:14	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		12/03/14 20:14	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:14	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:14	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		12/03/14 20:14	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		12/03/14 20:14	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:14	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	93 %		59-130		1		12/03/14 20:14	460-00-4	
Dibromofluoromethane (S)	102 %		70-130		1		12/03/14 20:14	1868-53-7	
Toluene-d8 (S)	99 %		70-130		1		12/03/14 20:14	2037-26-5	
Sample: MW-6	Lab ID: 40107603002	Collected: 11/22/14 13:30	Received: 11/26/14 09:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		12/03/14 20:37	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		12/03/14 20:37	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		12/03/14 20:37	74-83-9	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	104-51-8	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		12/03/14 20:37	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		12/03/14 20:37	98-06-6	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		12/03/14 20:37	75-00-3	
Chloroform	<2.5 ug/L		5.0	2.5	1		12/03/14 20:37	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	74-87-3	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		12/03/14 20:37	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		12/03/14 20:37	96-12-8	
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		12/03/14 20:37	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Sample: MW-6 Lab ID: 40107603002 Collected: 11/22/14 13:30 Received: 11/26/14 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43 ug/L		1.0	0.43	1		12/03/14 20:37	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		12/03/14 20:37	75-71-8	
1,1-Dichloroethane	<0.24 ug/L		1.0	0.24	1		12/03/14 20:37	75-34-3	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		12/03/14 20:37	107-06-2	
1,1-Dichloroethene	<0.41 ug/L		1.0	0.41	1		12/03/14 20:37	75-35-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/03/14 20:37	156-59-2	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/03/14 20:37	156-60-5	
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		12/03/14 20:37	78-87-5	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	142-28-9	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		12/03/14 20:37	594-20-7	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		12/03/14 20:37	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		12/03/14 20:37	10061-02-6	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		12/03/14 20:37	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		12/03/14 20:37	98-82-8	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	99-87-6	
Methylene Chloride	<0.23 ug/L		1.0	0.23	1		12/03/14 20:37	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		12/03/14 20:37	1634-04-4	
Naphthalene	<2.5 ug/L		5.0	2.5	1		12/03/14 20:37	91-20-3	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	103-65-1	
Styrene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		12/03/14 20:37	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		12/03/14 20:37	79-34-5	
Tetrachloroethene	44.5 ug/L		1.0	0.50	1		12/03/14 20:37	127-18-4	
Toluene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		12/03/14 20:37	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		12/03/14 20:37	120-82-1	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	71-55-6	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		12/03/14 20:37	79-00-5	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		12/03/14 20:37	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		12/03/14 20:37	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		12/03/14 20:37	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		12/03/14 20:37	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		12/03/14 20:37	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92 %		59-130		1		12/03/14 20:37	460-00-4	
Dibromofluoromethane (S)	103 %		70-130		1		12/03/14 20:37	1868-53-7	
Toluene-d8 (S)	97 %		70-130		1		12/03/14 20:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Sample: PZ-4	Lab ID: 40107603003	Collected: 11/22/14 13:55	Received: 11/26/14 09:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	71-43-2	
Bromobenzene	<0.23 ug/L	1.0	0.23	1			12/03/14 21:01	108-86-1	
Bromochloromethane	<0.34 ug/L	1.0	0.34	1			12/03/14 21:01	74-97-5	
Bromodichloromethane	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	75-27-4	
Bromoform	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	75-25-2	
Bromomethane	<2.4 ug/L	5.0	2.4	1			12/03/14 21:01	74-83-9	
n-Butylbenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	104-51-8	
sec-Butylbenzene	<2.2 ug/L	5.0	2.2	1			12/03/14 21:01	135-98-8	
tert-Butylbenzene	<0.18 ug/L	1.0	0.18	1			12/03/14 21:01	98-06-6	
Carbon tetrachloride	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	56-23-5	
Chlorobenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	108-90-7	
Chloroethane	<0.37 ug/L	1.0	0.37	1			12/03/14 21:01	75-00-3	
Chloroform	<2.5 ug/L	5.0	2.5	1			12/03/14 21:01	67-66-3	
Chloromethane	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	74-87-3	
2-Chlorotoluene	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	95-49-8	
4-Chlorotoluene	<0.21 ug/L	1.0	0.21	1			12/03/14 21:01	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L	5.0	2.2	1			12/03/14 21:01	96-12-8	
Dibromochloromethane	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L	1.0	0.16	1			12/03/14 21:01	106-93-4	
Dibromomethane	<0.43 ug/L	1.0	0.43	1			12/03/14 21:01	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L	1.0	0.20	1			12/03/14 21:01	75-71-8	
1,1-Dichloroethane	<0.24 ug/L	1.0	0.24	1			12/03/14 21:01	75-34-3	
1,2-Dichloroethane	<0.17 ug/L	1.0	0.17	1			12/03/14 21:01	107-06-2	
1,1-Dichloroethene	<0.41 ug/L	1.0	0.41	1			12/03/14 21:01	75-35-4	
cis-1,2-Dichloroethene	<0.26 ug/L	1.0	0.26	1			12/03/14 21:01	156-59-2	
trans-1,2-Dichloroethene	<0.26 ug/L	1.0	0.26	1			12/03/14 21:01	156-60-5	
1,2-Dichloropropane	<0.23 ug/L	1.0	0.23	1			12/03/14 21:01	78-87-5	
1,3-Dichloropropane	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	142-28-9	
2,2-Dichloropropane	<0.48 ug/L	1.0	0.48	1			12/03/14 21:01	594-20-7	
1,1-Dichloropropene	<0.44 ug/L	1.0	0.44	1			12/03/14 21:01	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L	1.0	0.23	1			12/03/14 21:01	10061-02-6	
Diisopropyl ether	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	108-20-3	
Ethylbenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L	5.0	2.1	1			12/03/14 21:01	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L	1.0	0.14	1			12/03/14 21:01	98-82-8	
p-Isopropyltoluene	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	99-87-6	
Methylene Chloride	<0.23 ug/L	1.0	0.23	1			12/03/14 21:01	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L	1.0	0.17	1			12/03/14 21:01	1634-04-4	
Naphthalene	<2.5 ug/L	5.0	2.5	1			12/03/14 21:01	91-20-3	
n-Propylbenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	103-65-1	
Styrene	<0.50 ug/L	1.0	0.50	1			12/03/14 21:01	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L	1.0	0.18	1			12/03/14 21:01	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Sample: PZ-4	Lab ID: 40107603003	Collected: 11/22/14 13:55	Received: 11/26/14 09:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		12/03/14 21:01	79-34-5	
Tetrachloroethene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:01	127-18-4	
Toluene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:01	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		12/03/14 21:01	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		12/03/14 21:01	120-82-1	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:01	71-55-6	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		12/03/14 21:01	79-00-5	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		12/03/14 21:01	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		12/03/14 21:01	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:01	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:01	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:01	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		12/03/14 21:01	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		12/03/14 21:01	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:01	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92 %		59-130		1		12/03/14 21:01	460-00-4	
Dibromofluoromethane (S)	102 %		70-130		1		12/03/14 21:01	1868-53-7	
Toluene-d8 (S)	100 %		70-130		1		12/03/14 21:01	2037-26-5	
Sample: MW-4	Lab ID: 40107603004	Collected: 11/22/14 14:00	Received: 11/26/14 09:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		12/04/14 09:00	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		12/04/14 09:00	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		12/04/14 09:00	74-83-9	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	104-51-8	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		12/04/14 09:00	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		12/04/14 09:00	98-06-6	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		12/04/14 09:00	75-00-3	
Chloroform	<2.5 ug/L		5.0	2.5	1		12/04/14 09:00	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	74-87-3	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		12/04/14 09:00	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		12/04/14 09:00	96-12-8	
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		12/04/14 09:00	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Sample: MW-4 Lab ID: 40107603004 Collected: 11/22/14 14:00 Received: 11/26/14 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43 ug/L		1.0	0.43	1		12/04/14 09:00	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		12/04/14 09:00	75-71-8	
1,1-Dichloroethane	<0.24 ug/L		1.0	0.24	1		12/04/14 09:00	75-34-3	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		12/04/14 09:00	107-06-2	
1,1-Dichloroethene	<0.41 ug/L		1.0	0.41	1		12/04/14 09:00	75-35-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/04/14 09:00	156-59-2	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/04/14 09:00	156-60-5	
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		12/04/14 09:00	78-87-5	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	142-28-9	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		12/04/14 09:00	594-20-7	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		12/04/14 09:00	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		12/04/14 09:00	10061-02-6	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		12/04/14 09:00	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		12/04/14 09:00	98-82-8	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	99-87-6	
Methylene Chloride	<0.23 ug/L		1.0	0.23	1		12/04/14 09:00	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		12/04/14 09:00	1634-04-4	
Naphthalene	<2.5 ug/L		5.0	2.5	1		12/04/14 09:00	91-20-3	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	103-65-1	
Styrene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		12/04/14 09:00	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		12/04/14 09:00	79-34-5	
Tetrachloroethene	45.2 ug/L		1.0	0.50	1		12/04/14 09:00	127-18-4	
Toluene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		12/04/14 09:00	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		12/04/14 09:00	120-82-1	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	71-55-6	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		12/04/14 09:00	79-00-5	
Trichloroethene	0.43J ug/L		1.0	0.33	1		12/04/14 09:00	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		12/04/14 09:00	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		12/04/14 09:00	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		12/04/14 09:00	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		12/04/14 09:00	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	93 %		59-130		1		12/04/14 09:00	460-00-4	
Dibromofluoromethane (S)	103 %		70-130		1		12/04/14 09:00	1868-53-7	
Toluene-d8 (S)	99 %		70-130		1		12/04/14 09:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Sample: MW-3 **Lab ID: 40107603005** Collected: 11/22/14 14:30 Received: 11/26/14 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		12/03/14 21:24	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		12/03/14 21:24	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		12/03/14 21:24	74-83-9	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	104-51-8	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		12/03/14 21:24	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		12/03/14 21:24	98-06-6	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		12/03/14 21:24	75-00-3	
Chloroform	<2.5 ug/L		5.0	2.5	1		12/03/14 21:24	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	74-87-3	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		12/03/14 21:24	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		12/03/14 21:24	96-12-8	
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		12/03/14 21:24	106-93-4	
Dibromomethane	<0.43 ug/L		1.0	0.43	1		12/03/14 21:24	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		12/03/14 21:24	75-71-8	
1,1-Dichloroethane	<0.24 ug/L		1.0	0.24	1		12/03/14 21:24	75-34-3	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		12/03/14 21:24	107-06-2	
1,1-Dichloroethene	<0.41 ug/L		1.0	0.41	1		12/03/14 21:24	75-35-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/03/14 21:24	156-59-2	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/03/14 21:24	156-60-5	
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		12/03/14 21:24	78-87-5	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	142-28-9	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		12/03/14 21:24	594-20-7	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		12/03/14 21:24	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		12/03/14 21:24	10061-02-6	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		12/03/14 21:24	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		12/03/14 21:24	98-82-8	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	99-87-6	
Methylene Chloride	0.48J ug/L		1.0	0.23	1		12/03/14 21:24	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		12/03/14 21:24	1634-04-4	
Naphthalene	<2.5 ug/L		5.0	2.5	1		12/03/14 21:24	91-20-3	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	103-65-1	
Styrene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		12/03/14 21:24	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Sample: MW-3	Lab ID: 40107603005	Collected: 11/22/14 14:30	Received: 11/26/14 09:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		12/03/14 21:24	79-34-5	
Tetrachloroethene	55.2 ug/L		1.0	0.50	1		12/03/14 21:24	127-18-4	
Toluene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		12/03/14 21:24	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		12/03/14 21:24	120-82-1	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	71-55-6	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		12/03/14 21:24	79-00-5	
Trichloroethene	0.53J ug/L		1.0	0.33	1		12/03/14 21:24	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		12/03/14 21:24	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		12/03/14 21:24	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		12/03/14 21:24	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:24	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94 %		59-130		1		12/03/14 21:24	460-00-4	
Dibromofluoromethane (S)	104 %		70-130		1		12/03/14 21:24	1868-53-7	
Toluene-d8 (S)	99 %		70-130		1		12/03/14 21:24	2037-26-5	

Sample: PZ-1	Lab ID: 40107603006	Collected: 11/22/14 15:00	Received: 11/26/14 09:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		12/03/14 21:47	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		12/03/14 21:47	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		12/03/14 21:47	74-83-9	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	104-51-8	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		12/03/14 21:47	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		12/03/14 21:47	98-06-6	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		12/03/14 21:47	75-00-3	
Chloroform	<2.5 ug/L		5.0	2.5	1		12/03/14 21:47	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	74-87-3	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		12/03/14 21:47	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		12/03/14 21:47	96-12-8	
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		12/03/14 21:47	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Sample: PZ-1 Lab ID: 40107603006 Collected: 11/22/14 15:00 Received: 11/26/14 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43 ug/L		1.0	0.43	1		12/03/14 21:47	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		12/03/14 21:47	75-71-8	
1,1-Dichloroethane	<0.24 ug/L		1.0	0.24	1		12/03/14 21:47	75-34-3	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		12/03/14 21:47	107-06-2	
1,1-Dichloroethene	<0.41 ug/L		1.0	0.41	1		12/03/14 21:47	75-35-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/03/14 21:47	156-59-2	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/03/14 21:47	156-60-5	
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		12/03/14 21:47	78-87-5	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	142-28-9	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		12/03/14 21:47	594-20-7	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		12/03/14 21:47	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		12/03/14 21:47	10061-02-6	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		12/03/14 21:47	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		12/03/14 21:47	98-82-8	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	99-87-6	
Methylene Chloride	<0.23 ug/L		1.0	0.23	1		12/03/14 21:47	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		12/03/14 21:47	1634-04-4	
Naphthalene	<2.5 ug/L		5.0	2.5	1		12/03/14 21:47	91-20-3	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	103-65-1	
Styrene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		12/03/14 21:47	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		12/03/14 21:47	79-34-5	
Tetrachloroethene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	127-18-4	
Toluene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		12/03/14 21:47	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		12/03/14 21:47	120-82-1	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	71-55-6	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		12/03/14 21:47	79-00-5	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		12/03/14 21:47	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		12/03/14 21:47	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		12/03/14 21:47	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		12/03/14 21:47	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		12/03/14 21:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	93 %		59-130		1		12/03/14 21:47	460-00-4	
Dibromofluoromethane (S)	103 %		70-130		1		12/03/14 21:47	1868-53-7	
Toluene-d8 (S)	100 %		70-130		1		12/03/14 21:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Sample: MW-1	Lab ID: 40107603007	Collected: 11/22/14 15:05	Received: 11/26/14 09:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	71-43-2	
Bromobenzene	<0.23 ug/L	1.0	0.23	1			12/03/14 22:10	108-86-1	
Bromochloromethane	<0.34 ug/L	1.0	0.34	1			12/03/14 22:10	74-97-5	
Bromodichloromethane	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	75-27-4	
Bromoform	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	75-25-2	
Bromomethane	<2.4 ug/L	5.0	2.4	1			12/03/14 22:10	74-83-9	
n-Butylbenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	104-51-8	
sec-Butylbenzene	<2.2 ug/L	5.0	2.2	1			12/03/14 22:10	135-98-8	
tert-Butylbenzene	<0.18 ug/L	1.0	0.18	1			12/03/14 22:10	98-06-6	
Carbon tetrachloride	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	56-23-5	
Chlorobenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	108-90-7	
Chloroethane	<0.37 ug/L	1.0	0.37	1			12/03/14 22:10	75-00-3	
Chloroform	<2.5 ug/L	5.0	2.5	1			12/03/14 22:10	67-66-3	
Chloromethane	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	74-87-3	
2-Chlorotoluene	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	95-49-8	
4-Chlorotoluene	<0.21 ug/L	1.0	0.21	1			12/03/14 22:10	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L	5.0	2.2	1			12/03/14 22:10	96-12-8	
Dibromochloromethane	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L	1.0	0.16	1			12/03/14 22:10	106-93-4	
Dibromomethane	<0.43 ug/L	1.0	0.43	1			12/03/14 22:10	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L	1.0	0.20	1			12/03/14 22:10	75-71-8	
1,1-Dichloroethane	<0.24 ug/L	1.0	0.24	1			12/03/14 22:10	75-34-3	
1,2-Dichloroethane	<0.17 ug/L	1.0	0.17	1			12/03/14 22:10	107-06-2	
1,1-Dichloroethene	<0.41 ug/L	1.0	0.41	1			12/03/14 22:10	75-35-4	
cis-1,2-Dichloroethene	<0.26 ug/L	1.0	0.26	1			12/03/14 22:10	156-59-2	
trans-1,2-Dichloroethene	<0.26 ug/L	1.0	0.26	1			12/03/14 22:10	156-60-5	
1,2-Dichloropropane	<0.23 ug/L	1.0	0.23	1			12/03/14 22:10	78-87-5	
1,3-Dichloropropane	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	142-28-9	
2,2-Dichloropropane	<0.48 ug/L	1.0	0.48	1			12/03/14 22:10	594-20-7	
1,1-Dichloropropene	<0.44 ug/L	1.0	0.44	1			12/03/14 22:10	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L	1.0	0.23	1			12/03/14 22:10	10061-02-6	
Diisopropyl ether	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	108-20-3	
Ethylbenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L	5.0	2.1	1			12/03/14 22:10	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L	1.0	0.14	1			12/03/14 22:10	98-82-8	
p-Isopropyltoluene	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	99-87-6	
Methylene Chloride	<0.23 ug/L	1.0	0.23	1			12/03/14 22:10	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L	1.0	0.17	1			12/03/14 22:10	1634-04-4	
Naphthalene	<2.5 ug/L	5.0	2.5	1			12/03/14 22:10	91-20-3	
n-Propylbenzene	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	103-65-1	
Styrene	<0.50 ug/L	1.0	0.50	1			12/03/14 22:10	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L	1.0	0.18	1			12/03/14 22:10	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Sample: MW-1	Lab ID: 40107603007	Collected: 11/22/14 15:05	Received: 11/26/14 09:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		12/03/14 22:10	79-34-5	
Tetrachloroethene	4.2 ug/L		1.0	0.50	1		12/03/14 22:10	127-18-4	
Toluene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:10	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		12/03/14 22:10	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		12/03/14 22:10	120-82-1	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		12/03/14 22:10	71-55-6	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		12/03/14 22:10	79-00-5	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		12/03/14 22:10	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		12/03/14 22:10	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		12/03/14 22:10	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:10	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:10	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		12/03/14 22:10	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		12/03/14 22:10	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:10	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	93 %		59-130		1		12/03/14 22:10	460-00-4	
Dibromofluoromethane (S)	104 %		70-130		1		12/03/14 22:10	1868-53-7	
Toluene-d8 (S)	99 %		70-130		1		12/03/14 22:10	2037-26-5	
Sample: MW-2	Lab ID: 40107603008	Collected: 11/22/14 15:15	Received: 11/26/14 09:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		12/03/14 22:33	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		12/03/14 22:33	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		12/03/14 22:33	74-83-9	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	104-51-8	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		12/03/14 22:33	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		12/03/14 22:33	98-06-6	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		12/03/14 22:33	75-00-3	
Chloroform	<2.5 ug/L		5.0	2.5	1		12/03/14 22:33	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	74-87-3	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		12/03/14 22:33	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		12/03/14 22:33	96-12-8	
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		12/03/14 22:33	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: MOUND CITY BANK
Pace Project No.: 40107603

Sample: MW-2 Lab ID: 40107603008 Collected: 11/22/14 15:15 Received: 11/26/14 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43 ug/L		1.0	0.43	1		12/03/14 22:33	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		12/03/14 22:33	75-71-8	
1,1-Dichloroethane	<0.24 ug/L		1.0	0.24	1		12/03/14 22:33	75-34-3	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		12/03/14 22:33	107-06-2	
1,1-Dichloroethene	<0.41 ug/L		1.0	0.41	1		12/03/14 22:33	75-35-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/03/14 22:33	156-59-2	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/03/14 22:33	156-60-5	
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		12/03/14 22:33	78-87-5	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	142-28-9	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		12/03/14 22:33	594-20-7	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		12/03/14 22:33	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		12/03/14 22:33	10061-02-6	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		12/03/14 22:33	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		12/03/14 22:33	98-82-8	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	99-87-6	
Methylene Chloride	<0.23 ug/L		1.0	0.23	1		12/03/14 22:33	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		12/03/14 22:33	1634-04-4	
Naphthalene	<2.5 ug/L		5.0	2.5	1		12/03/14 22:33	91-20-3	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	103-65-1	
Styrene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		12/03/14 22:33	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		12/03/14 22:33	79-34-5	
Tetrachloroethene	2.9 ug/L		1.0	0.50	1		12/03/14 22:33	127-18-4	
Toluene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		12/03/14 22:33	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		12/03/14 22:33	120-82-1	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	71-55-6	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		12/03/14 22:33	79-00-5	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		12/03/14 22:33	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		12/03/14 22:33	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		12/03/14 22:33	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		12/03/14 22:33	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		12/03/14 22:33	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94 %		59-130		1		12/03/14 22:33	460-00-4	
Dibromofluoromethane (S)	103 %		70-130		1		12/03/14 22:33	1868-53-7	
Toluene-d8 (S)	100 %		70-130		1		12/03/14 22:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: MOUND CITY BANK

Pace Project No.: 40107603

QC Batch: MSV/26690 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Associated Lab Samples: 40107603001, 40107603002, 40107603003, 40107603004, 40107603005, 40107603006, 40107603007,
40107603008

METHOD BLANK: 1089373

Matrix: Water

Associated Lab Samples: 40107603001, 40107603002, 40107603003, 40107603004, 40107603005, 40107603006, 40107603007,
40107603008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	12/03/14 17:09	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	12/03/14 17:09	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	12/03/14 17:09	
1,1,2-Trichloroethane	ug/L	<0.16	1.0	12/03/14 17:09	
1,1-Dichloroethane	ug/L	<0.24	1.0	12/03/14 17:09	
1,1-Dichloroethene	ug/L	<0.41	1.0	12/03/14 17:09	
1,1-Dichloropropene	ug/L	<0.44	1.0	12/03/14 17:09	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	12/03/14 17:09	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	12/03/14 17:09	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	12/03/14 17:09	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	12/03/14 17:09	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	12/03/14 17:09	
1,2-Dibromoethane (EDB)	ug/L	<0.16	1.0	12/03/14 17:09	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	12/03/14 17:09	
1,2-Dichloroethane	ug/L	<0.17	1.0	12/03/14 17:09	
1,2-Dichloropropene	ug/L	<0.23	1.0	12/03/14 17:09	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	12/03/14 17:09	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	12/03/14 17:09	
1,3-Dichloropropene	ug/L	<0.50	1.0	12/03/14 17:09	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	12/03/14 17:09	
2,2-Dichloropropane	ug/L	<0.48	1.0	12/03/14 17:09	
2-Chlorotoluene	ug/L	<0.50	1.0	12/03/14 17:09	
4-Chlorotoluene	ug/L	<0.21	1.0	12/03/14 17:09	
Benzene	ug/L	<0.50	1.0	12/03/14 17:09	
Bromobenzene	ug/L	<0.23	1.0	12/03/14 17:09	
Bromochloromethane	ug/L	<0.34	1.0	12/03/14 17:09	
Bromodichloromethane	ug/L	<0.50	1.0	12/03/14 17:09	
Bromoform	ug/L	<0.50	1.0	12/03/14 17:09	
Bromomethane	ug/L	<2.4	5.0	12/03/14 17:09	
Carbon tetrachloride	ug/L	<0.50	1.0	12/03/14 17:09	
Chlorobenzene	ug/L	<0.50	1.0	12/03/14 17:09	
Chloroethane	ug/L	<0.37	1.0	12/03/14 17:09	
Chloroform	ug/L	<2.5	5.0	12/03/14 17:09	
Chloromethane	ug/L	<0.50	1.0	12/03/14 17:09	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	12/03/14 17:09	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	12/03/14 17:09	
Dibromochloromethane	ug/L	<0.50	1.0	12/03/14 17:09	
Dibromomethane	ug/L	<0.43	1.0	12/03/14 17:09	
Dichlorodifluoromethane	ug/L	<0.20	1.0	12/03/14 17:09	
Diisopropyl ether	ug/L	<0.50	1.0	12/03/14 17:09	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: MOUND CITY BANK
Pace Project No.: 40107603

METHOD BLANK: 1089373 Matrix: Water
Associated Lab Samples: 40107603001, 40107603002, 40107603003, 40107603004, 40107603005, 40107603006, 40107603007,
40107603008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.50	1.0	12/03/14 17:09	
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	12/03/14 17:09	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	12/03/14 17:09	
m&p-Xylene	ug/L	<1.0	2.0	12/03/14 17:09	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	12/03/14 17:09	
Methylene Chloride	ug/L	<0.23	1.0	12/03/14 17:09	
n-Butylbenzene	ug/L	<0.50	1.0	12/03/14 17:09	
n-Propylbenzene	ug/L	<0.50	1.0	12/03/14 17:09	
Naphthalene	ug/L	<2.5	5.0	12/03/14 17:09	
o-Xylene	ug/L	<0.50	1.0	12/03/14 17:09	
p-Isopropyltoluene	ug/L	<0.50	1.0	12/03/14 17:09	
sec-Butylbenzene	ug/L	<2.2	5.0	12/03/14 17:09	
Styrene	ug/L	<0.50	1.0	12/03/14 17:09	
tert-Butylbenzene	ug/L	<0.18	1.0	12/03/14 17:09	
Tetrachloroethene	ug/L	<0.50	1.0	12/03/14 17:09	
Toluene	ug/L	<0.50	1.0	12/03/14 17:09	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	12/03/14 17:09	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	12/03/14 17:09	
Trichloroethene	ug/L	<0.33	1.0	12/03/14 17:09	
Trichlorofluoromethane	ug/L	<0.17	1.0	12/03/14 17:09	
Vinyl chloride	ug/L	<0.18	1.0	12/03/14 17:09	
4-Bromofluorobenzene (S)	%	94	59-130	12/03/14 17:09	
Dibromofluoromethane (S)	%	102	70-130	12/03/14 17:09	
Toluene-d8 (S)	%	99	70-130	12/03/14 17:09	

LABORATORY CONTROL SAMPLE & LCSD: 1089374		1089375								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.3	50.6	97	101	70-130	5	20	
1,1,2,2-Tetrachloroethane	ug/L	50	44.8	45.0	90	90	70-130	0	20	
1,1,2-Trichloroethane	ug/L	50	49.5	52.1	99	104	70-130	5	20	
1,1-Dichloroethane	ug/L	50	53.6	56.3	107	113	70-130	5	20	
1,1-Dichloroethene	ug/L	50	61.6	62.6	123	125	70-132	2	20	
1,2,4-Trichlorobenzene	ug/L	50	47.0	49.0	94	98	70-130	4	20	
1,2-Dibromo-3-chloropropane	ug/L	50	38.2	40.6	76	81	50-150	6	20	
1,2-Dibromoethane (EDB)	ug/L	50	46.0	49.4	92	99	70-130	7	20	
1,2-Dichlorobenzene	ug/L	50	49.3	50.9	99	102	70-130	3	20	
1,2-Dichloroethane	ug/L	50	50.2	52.2	100	104	70-130	4	20	
1,2-Dichloropropane	ug/L	50	51.8	54.5	104	109	70-130	5	20	
1,3-Dichlorobenzene	ug/L	50	47.3	49.6	95	99	70-130	5	20	
1,4-Dichlorobenzene	ug/L	50	49.3	50.9	99	102	70-130	3	20	
Benzene	ug/L	50	50.7	52.7	101	105	70-130	4	20	
Bromodichloromethane	ug/L	50	50.4	51.7	101	103	70-130	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: MOUND CITY BANK

Pace Project No.: 40107603

LABORATORY CONTROL SAMPLE & LCSD: 1089374

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Bromoform	ug/L	50	45.4	45.9	91	92	70-130	1	20	
Bromomethane	ug/L	50	59.9	64.9	120	130	34-157	8	20	
Carbon tetrachloride	ug/L	50	51.7	54.4	103	109	70-132	5	20	
Chlorobenzene	ug/L	50	50.6	53.0	101	106	70-130	5	20	
Chloroethane	ug/L	50	62.3	64.3	125	129	60-143	3	20	
Chloroform	ug/L	50	48.8	50.8	98	102	70-130	4	20	
Chloromethane	ug/L	50	70.6	72.3	141	145	43-148	2	20	
cis-1,2-Dichloroethene	ug/L	50	51.3	53.4	103	107	51-133	4	20	
cis-1,3-Dichloropropene	ug/L	50	44.3	46.8	89	94	70-130	5	20	
Dibromochloromethane	ug/L	50	49.3	52.1	99	104	70-130	6	20	
Dichlorodifluoromethane	ug/L	50	59.6	60.2	119	120	10-174	1	20	
Ethylbenzene	ug/L	50	52.0	55.4	104	111	70-130	6	20	
Isopropylbenzene (Cumene)	ug/L	50	49.9	53.2	100	106	70-136	6	20	
m&p-Xylene	ug/L	100	99.8	106	100	106	70-131	6	20	
Methyl-tert-butyl ether	ug/L	50	43.2	44.6	86	89	54-139	3	20	
Methylene Chloride	ug/L	50	57.4	59.8	115	120	70-130	4	20	
o-Xylene	ug/L	50	49.8	52.5	100	105	70-130	5	20	
Styrene	ug/L	50	47.9	51.0	96	102	70-130	6	20	
Tetrachloroethene	ug/L	50	53.2	57.1	106	114	70-130	7	20	
Toluene	ug/L	50	50.9	54.4	102	109	70-130	7	20	
trans-1,2-Dichloroethene	ug/L	50	56.3	58.7	113	117	70-130	4	20	
trans-1,3-Dichloropropene	ug/L	50	42.6	45.2	85	90	70-130	6	20	
Trichloroethene	ug/L	50	52.8	55.2	106	110	70-130	5	20	
Trichlorofluoromethane	ug/L	50	64.6	67.0	129	134	50-150	4	20	
Vinyl chloride	ug/L	50	67.2	69.3	134	139	59-157	3	20	
4-Bromofluorobenzene (S)	%				95	98	59-130			
Dibromofluoromethane (S)	%				100	101	70-130			
Toluene-d8 (S)	%				100	102	70-130			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1089985

Parameter	Units	MS		MSD		MS Result	MSD Result	% Rec % Rec	MSD % Rec Limits	% Rec RPD	Max RPD	Qual
		40107592005 Result	Spike Conc.	Spike Conc.	MS Result							
1,1,1-Trichloroethane	ug/L	<0.50	50	50	49.9	52.3	100	105	70-130	5	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	44.6	46.8	89	94	70-130	5	20	
1,1,2-Trichloroethane	ug/L	<0.16	50	50	50.0	53.1	100	106	70-130	6	20	
1,1-Dichloroethane	ug/L	1.1	50	50	55.9	57.5	110	113	70-130	3	20	
1,1-Dichloroethene	ug/L	<0.41	50	50	61.3	64.6	123	129	70-138	5	20	
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	48.4	51.1	95	101	70-130	6	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	39.9	41.6	80	83	50-150	4	20	
1,2-Dibromoethane (EDB)	ug/L	<0.16	50	50	47.0	49.8	94	100	70-130	6	20	
1,2-Dichlorobenzene	ug/L	<0.50	50	50	50.2	53.3	99	106	70-130	6	20	
1,2-Dichloroethane	ug/L	<0.17	50	50	50.7	52.6	101	105	70-130	4	20	
1,2-Dichloropropane	ug/L	<0.23	50	50	53.3	55.7	107	111	70-130	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: MOUND CITY BANK
Pace Project No.: 40107603

Parameter	Units	40107592005		MS		MSD		1089986				
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max		
										RPD	RPD	Qual
1,3-Dichlorobenzene	ug/L	<0.50	50	50	48.5	51.3	96	102	70-130	6	20	
1,4-Dichlorobenzene	ug/L	5.3	50	50	54.0	57.8	98	105	70-130	7	20	
Benzene	ug/L	<0.50	50	50	52.1	53.4	104	106	70-130	2	20	
Bromodichloromethane	ug/L	<0.50	50	50	51.5	53.0	103	106	70-130	3	20	
Bromoform	ug/L	<0.50	50	50	44.5	46.7	89	93	70-130	5	20	
Bromomethane	ug/L	<2.4	50	50	64.6	66.4	129	133	34-159	3	20	
Carbon tetrachloride	ug/L	<0.50	50	50	53.1	55.7	106	111	70-132	5	20	
Chlorobenzene	ug/L	1.2	50	50	53.3	55.4	104	108	70-130	4	20	
Chloroethane	ug/L	<0.37	50	50	63.3	65.0	127	130	60-143	3	20	
Chloroform	ug/L	<2.5	50	50	49.7	51.2	99	102	70-130	3	20	
Chloromethane	ug/L	<0.50	50	50	69.4	71.7	139	143	43-149	3	20	
cis-1,2-Dichloroethene	ug/L	2.8	50	50	55.1	57.9	105	110	48-137	5	33	
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	45.7	48.2	91	96	70-130	5	20	
Dibromochloromethane	ug/L	<0.50	50	50	50.3	53.3	101	107	70-130	6	20	
Dichlorodifluoromethane	ug/L	<0.20	50	50	58.9	59.2	118	118	10-174	0	20	
Ethylbenzene	ug/L	<0.50	50	50	53.5	56.3	107	112	70-130	5	20	
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	51.9	54.2	104	108	70-136	4	20	
m&p-Xylene	ug/L	<1.0	100	100	104	107	103	107	70-135	3	20	
Methyl-tert-butyl ether	ug/L	0.36J	50	50	43.8	46.0	87	91	54-139	5	20	
Methylene Chloride	ug/L	<0.23	50	50	59.0	60.8	118	122	70-133	3	20	
o-Xylene	ug/L	<0.50	50	50	51.4	53.6	103	107	70-130	4	20	
Styrene	ug/L	<0.50	50	50	49.2	51.8	98	104	70-130	5	20	
Tetrachloroethene	ug/L	<0.50	50	50	55.2	56.9	109	113	70-130	3	20	
Toluene	ug/L	<0.50	50	50	52.2	55.8	104	111	70-130	7	20	
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	57.6	59.0	115	118	70-130	2	20	
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	44.4	47.1	89	94	70-130	6	20	
Trichloroethene	ug/L	2.1	50	50	56.5	59.3	109	114	70-130	5	20	
Trichlorofluoromethane	ug/L	<0.17	50	50	65.4	67.7	131	135	50-150	3	20	
Vinyl chloride	ug/L	<0.18	50	50	67.9	71.4	136	143	59-158	5	20	
4-Bromofluorobenzene (S)	%						96	96	59-130			
Dibromofluoromethane (S)	%						100	100	70-130			
Toluene-d8 (S)	%						101	101	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: MOUND CITY BANK
Pace Project No.: 40107603

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

LOD - Limit of Detection.

LOQ - Limit of Quantitation.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MOUND CITY BANK
 Pace Project No.: 40107603

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40107603001	MW-5	EPA 8260	MSV/26690		
40107603002	MW-6	EPA 8260	MSV/26690		
40107603003	PZ-4	EPA 8260	MSV/26690		
40107603004	MW-4	EPA 8260	MSV/26690		
40107603005	MW-3	EPA 8260	MSV/26690		
40107603006	PZ-1	EPA 8260	MSV/26690		
40107603007	MW-1	EPA 8260	MSV/26690		
40107603008	MW-2	EPA 8260	MSV/26690		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

(Please Print Clearly)

Company Name: **Seymore Enviro**
 Branch/Location: **McFarland**
 Project Contact: **Zebryn Seymour**
 Phone: **608-838-9120**
 Project Number: **102**
 Project State: **WI**
 Sampled By (Print): **Derek R. Seymour**
 Sampled By (Sign): **Derek R. Seymour**
 PO#:

Derek R. Seymour

Derek R. Seymour

Derek R. Seymour
www.pacealabs.com

40107603

UPPER MIDWEST REGION
MN: 612-607-1700 WI: 920-469-2436

CHAIN OF CUSTODY

*Preservation Codes

A=None B=HCl C=H₂SO₄ E=D₂O Water F=Methanol G=NaOH

H=Sodium Bisulfate Solution

I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO)	Y/N	<input checked="" type="checkbox"/>	<input type="checkbox"/>
PICK LETTER	B	<input type="checkbox"/>	<input type="checkbox"/>

Analyses Requested	VOCs

Invoice To Address:

Invoice To Contact:

Invoice To Company:

Data Package Options

(billable)

MS/MSD

Matrix Codes



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504001

Report To:

SEYMORE ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Invoice To:

SEYMORE ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Customer ID: 13810

Field #: NAPA SS-1

ID#:

Project No:

Sample Location:

Collection End: 2/3/2015 12:21:00 PM

Sample Description:

Collection Start: 02/03/15 11:39

Sample Type: SB-SUB SLAB

Collected By: MDF/MRS

Waterbody:

Date Received: 2/5/2015

Point or Outfall:

Date Reported: 2/17/2015

Sample Depth:

Sample Reason:

Program Code:

Region Code:

County:

Sample Comments

MOUND CITY BANIZ/ HIGHWAY CLEMENS.

OC-Volatiles

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 02/10/15	Analysis Date 02/10/15				
Vinyl chloride	EPA TO-15	ND	ppbv	0.085	0.28
trans-1,2-Dichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
cis-1,2-Dichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
Trichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
Tetrachloroethene	EPA TO-15	ND	ppbv	0.085	0.28

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

*Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.edu/nelap/>



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504001

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: Tracy Hanke, Lab Manager, 608-224-6270

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: David Webb, Lab Manager, 608-224-6200

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504002

Report To:

SEYMOUR ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Invoice To:

SEYMOUR ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Customer ID: 13810

Field #: NAPA SS-2

ID#:

Project No:

Sample Location:

Collection End: 2/3/2015 12:52:00 PM

Sample Description:

Collection Start: 02/03/15 1211

Sample Type: SB-SUB SLAB

Collected By: MDF/MRS

Waterbody:

Date Received: 2/5/2015

Point or Outfall:

Date Reported: 2/17/2015

Sample Depth:

Sample Reason:

Program Code:

Region Code:

County:

Sample Comments

MOUND CITY BANIZ/ HIGHWAY CLEMENS.

OC-Volatiles

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 02/10/15	Analysis Date 02/10/15				
Vinyl chloride	EPA TO-15	ND	ppbv	0.085	0.28
trans-1,2-Dichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
cis-1,2-Dichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
Trichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
Tetrachloroethene	EPA TO-15	5.1	ppbv	0.085	0.28

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

*Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.edu/nelap/>



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504002

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: Tracy Hanke, Lab Manager, 608-224-6270

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: David Webb, Lab Manager, 608-224-6200

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504003

Report To:

SEYMORE ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Invoice To:

SEYMORE ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Customer ID: 13810

Field #: NAPA INDOOR

ID#:

Project No:

Sample Location:

Collection End: 2/4/2015 12:26:00 PM

Sample Description:

Collection Start: 02/04/15 1216

Sample Type: AI-INDOOR AIR

Collected By: MDF/MRS

Waterbody:

Date Received: 2/5/2015

Point or Outfall:

Date Reported: 2/17/2015

Sample Depth:

Sample Reason:

Program Code:

Region Code:

County:

Sample Comments

MOUND CITY BANIZ/ HIGHWAY CLEMENS

OC-Volatiles

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 02/10/15	Analysis Date 02/10/15				
Vinyl chloride	EPA TO-15	ND	ppbv	0.085	0.28
trans-1,2-Dichloroethene	EPA TO-15	0.47	ppbv	0.085	0.28
cis-1,2-Dichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
Trichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
Tetrachloroethene	EPA TO-15	0.49	ppbv	0.085	0.28

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

*Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.edu/nelap/>



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504003

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: Tracy Hanke, Lab Manager, 608-224-6270

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: David Webb, Lab Manager, 608-224-6200

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504004

Report To:

SEYMORE ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Invoice To:

SEYMORE ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Customer ID: 13810

Field #: DWIGHT

ID#:

Project No:

Sample Location:

Collection End: 2/4/2015 12:58:00 PM

Sample Description:

Collection Start: 02/03/15 1243

Sample Type: AI-INDOOR AIR

Collected By: MDF/MRS

Waterbody:

Date Received: 2/5/2015

Point or Outfall:

Date Reported: 2/17/2015

Sample Depth:

Sample Reason:

Program Code:

Region Code:

County:

Sample Comments

MOUND CITY BANIZ/ HIGHWAY CLEMENS

OC-Volatiles

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 02/10/15	Analysis Date 02/10/15				
Vinyl chloride	EPA TO-15	ND	ppbv	0.085	0.28
trans-1,2-Dichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
cis-1,2-Dichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
Trichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
Tetrachloroethene	EPA TO-15	ND	ppbv	0.085	0.28

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

*Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.edu/nelap/>



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504004

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: Tracy Hanke, Lab Manager, 608-224-6270

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: David Webb, Lab Manager, 608-224-6200

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504005

Report To:

SEYMOUR ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Invoice To:

SEYMOUR ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Customer ID: 13810

Field #: CARRIAGE HOUSE SS-1

ID#:

Project No:

Sample Location:

Collection End: 2/3/2015 1:52:00 PM

Sample Description:

Collection Start: 02/03/15 1320

Sample Type: SB-SUB SLAB

Collected By: MDF/MRS

Waterbody:

Date Received: 2/5/2015

Point or Outfall:

Date Reported: 2/17/2015

Sample Depth:

Sample Reason:

Program Code:

Region Code:

County:

Sample Comments

MOUND CITY BANIZ/ HIGHWAY CLEMENS

OC-Volatiles

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 02/11/15	Analysis Date 02/11/15				
Vinyl chloride	EPA TO-15	ND	ppbv	260	840
trans-1,2-Dichloroethene	EPA TO-15	ND	ppbv	260	840
cis-1,2-Dichloroethene	EPA TO-15	ND	ppbv	260	840
Trichloroethene	EPA TO-15	ND	ppbv	260	840
Tetrachloroethene	EPA TO-15	15000	ppbv	260	840

The internal standard QC limit is exceeded.



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504005

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

*Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.edu/nelap/>

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: Tracy Hanke, Lab Manager, 608-224-6270

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: David Webb, Lab Manager, 608-224-6200

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504006

Report To:

SEYMOUR ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Invoice To:

SEYMOUR ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Customer ID: 13810

Field #: CARRIAGE HOUSE INDOOR

ID#:

Project No:

Sample Location:

Collection End: 2/4/2015 3:30:00 PM

Sample Description:

Collection Start: 02/03/15 1524

Sample Type: AI-INDOOR AIR

Collected By: MDF/MRS

Waterbody:

Date Received: 2/5/2015

Point or Outfall:

Date Reported: 2/17/2015

Sample Depth:

Sample Reason:

Program Code:

Region Code:

County:

Sample Comments

MOUND CITY BANIZ/ HIGHWAY CLEMENS

OC-Volatiles

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 02/10/15	Analysis Date 02/10/15				
Vinyl chloride	EPA TO-15	ND	ppbv	0.085	0.28
trans-1,2-Dichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
cis-1,2-Dichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
Trichloroethene	EPA TO-15	ND	ppbv	0.085	0.28
Tetrachloroethene	EPA TO-15	1.7	ppbv	0.085	0.28

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

*Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.edu/nelap/>



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504006

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: Tracy Hanke, Lab Manager, 608-224-6270

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: David Webb, Lab Manager, 608-224-6200

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504007

Report To:

SEYMOUR ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Invoice To:

SEYMOUR ENV SERVICES
2531 DYRESON RD
P.O. BOX 398
MCFARLAND, WI 53558

Customer ID: 13810

Field #: CARRIAGE HOUSE SS-2

ID#:

Project No:

Sample Location:

Collection End: 2/3/2015 2:10:00 PM

Sample Description:

Collection Start: 02/03/15 1336

Sample Type: SB-SUB SLAB

Collected By: MDF/MRS

Waterbody:

Date Received: 2/5/2015

Point or Outfall:

Date Reported: 2/17/2015

Sample Depth:

Sample Reason:

Program Code:

Region Code:

County:

Sample Comments

MOUND CITY BANIZ/ HIGHWAY CLEMENS

OC-Volatiles

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 02/10/15	Analysis Date 02/10/15				
Vinyl chloride	EPA TO-15	ND	ppbv	2.1	7.0
trans-1,2-Dichloroethene	EPA TO-15	ND	ppbv	2.1	7.0
cis-1,2-Dichloroethene	EPA TO-15	ND	ppbv	2.1	7.0
Trichloroethene	EPA TO-15	ND	ppbv	2.1	7.0
Tetrachloroethene	EPA TO-15	32	ppbv	2.1	7.0

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

*Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.edu/nelap/>



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Charles D. Brokopp, Dr.P.H., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007

WI DATCP ID: 105-415

WSLH Sample: 178504007

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: Tracy Hanke, Lab Manager, 608-224-6270

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: David Webb, Lab Manager, 608-224-6200

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

July 31, 2015

Robyn Seymour
Seymour Environmental Services, INC.
2531 Dyreson Road
Mc Farland, WI 53558

RE: Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Dear Robyn Seymour:

Enclosed are the analytical results for sample(s) received by the laboratory on July 29, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334

North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
US Dept of Agriculture #: S-76505
Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 10328.01 MOUND CITY BANK
 Pace Project No.: 40118831

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40118831001	MW-8	Water	07/26/15 10:00	07/29/15 08:00
40118831002	MW-7	Water	07/26/15 10:20	07/29/15 08:00
40118831003	MW-11	Water	07/26/15 10:35	07/29/15 08:00
40118831004	PZ-11	Water	07/26/15 10:40	07/29/15 08:00
40118831005	MW-9	Water	07/26/15 11:05	07/29/15 08:00
40118831006	MW-10	Water	07/26/15 11:20	07/29/15 08:00
40118831007	PZ-10	Water	07/26/15 11:25	07/29/15 08:00
40118831008	MW-5	Water	07/26/15 12:00	07/29/15 08:00
40118831009	MW-6	Water	07/26/15 12:15	07/29/15 08:00
40118831010	MW-2	Water	07/26/15 12:30	07/29/15 08:00
40118831011	MW-1	Water	07/26/15 12:45	07/29/15 08:00
40118831012	PZ-1	Water	07/26/15 12:50	07/29/15 08:00
40118831013	MW-3	Water	07/26/15 13:10	07/29/15 08:00
40118831014	PZ-4	Water	07/26/15 13:20	07/29/15 08:00
40118831015	MW-4	Water	07/26/15 13:30	07/29/15 08:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40118831001	MW-8	EPA 8260	HNW	64	PASI-G
40118831002	MW-7	EPA 8260	HNW	64	PASI-G
40118831003	MW-11	EPA 8260	HNW	64	PASI-G
40118831004	PZ-11	EPA 8260	HNW	64	PASI-G
40118831005	MW-9	EPA 8260	HNW	64	PASI-G
40118831006	MW-10	EPA 8260	HNW	64	PASI-G
40118831007	PZ-10	EPA 8260	HNW	64	PASI-G
40118831008	MW-5	EPA 8260	HNW	64	PASI-G
40118831009	MW-6	EPA 8260	HNW	64	PASI-G
40118831010	MW-2	EPA 8260	HNW	64	PASI-G
40118831011	MW-1	EPA 8260	HNW	64	PASI-G
40118831012	PZ-1	EPA 8260	HNW	64	PASI-G
40118831013	MW-3	EPA 8260	HNW	64	PASI-G
40118831014	PZ-4	EPA 8260	HNW	64	PASI-G
40118831015	MW-4	EPA 8260	HNW	64	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

Method: EPA 8260

Description: 8260 MSV

Client: SEYMORE ENVIRONMENTAL SERVICES, INC.

Date: July 31, 2015

General Information:

15 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: MW-8	Lab ID: 40118831001	Collected: 07/26/15 10:00	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 10:17	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 10:17	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 10:17	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 10:17	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 10:17	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 10:17	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 10:17	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 10:17	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 10:17	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 10:17	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 10:17	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 10:17	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 10:17	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 10:17	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 10:17	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 10:17	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 10:17	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 10:17	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 10:17	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 10:17	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 10:17	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 10:17	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 10:17	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 10:17	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 10:17	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 10:17	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 10:17	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

Sample: MW-8	Lab ID: 40118831001	Collected: 07/26/15 10:00	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 10:17	79-34-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 10:17	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 10:17	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 10:17	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 10:17	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 10:17	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 10:17	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 10:17	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:17	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		07/30/15 10:17	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		07/30/15 10:17	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		07/30/15 10:17	2037-26-5	
Sample: MW-7	Lab ID: 40118831002	Collected: 07/26/15 10:20	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 10:39	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 10:39	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 10:39	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 10:39	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 10:39	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 10:39	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 10:39	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 10:39	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 10:39	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 10:39	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: MW-7	Lab ID: 40118831002	Collected: 07/26/15 10:20	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 10:39	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 10:39	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 10:39	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 10:39	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 10:39	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 10:39	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 10:39	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 10:39	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 10:39	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 10:39	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 10:39	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 10:39	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 10:39	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 10:39	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 10:39	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 10:39	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 10:39	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 10:39	79-34-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 10:39	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 10:39	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 10:39	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 10:39	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 10:39	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 10:39	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 10:39	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 10:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		07/30/15 10:39	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		07/30/15 10:39	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		07/30/15 10:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: MW-11	Lab ID: 40118831003	Collected: 07/26/15 10:35	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 11:02	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 11:02	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 11:02	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 11:02	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 11:02	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 11:02	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 11:02	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 11:02	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 11:02	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 11:02	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 11:02	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 11:02	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 11:02	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 11:02	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 11:02	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 11:02	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 11:02	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 11:02	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 11:02	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 11:02	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 11:02	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 11:02	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 11:02	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 11:02	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 11:02	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 11:02	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 11:02	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

Sample: MW-11	Lab ID: 40118831003	Collected: 07/26/15 10:35	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 11:02	79-34-5	
Tetrachloroethene	2.6	ug/L	1.0	0.50	1		07/30/15 11:02	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 11:02	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 11:02	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 11:02	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 11:02	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 11:02	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 11:02	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 11:02	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:02	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		07/30/15 11:02	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		07/30/15 11:02	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		07/30/15 11:02	2037-26-5	
 Sample: PZ-11	 Lab ID: 40118831004	 Collected: 07/26/15 10:40	 Received: 07/29/15 08:00	 Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 11:24	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 11:24	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 11:24	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 11:24	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 11:24	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 11:24	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 11:24	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 11:24	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 11:24	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 11:24	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: PZ-11	Lab ID: 40118831004	Collected: 07/26/15 10:40	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 11:24	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 11:24	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 11:24	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 11:24	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 11:24	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 11:24	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 11:24	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 11:24	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 11:24	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 11:24	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 11:24	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 11:24	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 11:24	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 11:24	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 11:24	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 11:24	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 11:24	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 11:24	79-34-5	
Tetrachloroethene	0.84J	ug/L	1.0	0.50	1		07/30/15 11:24	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 11:24	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 11:24	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 11:24	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 11:24	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 11:24	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 11:24	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 11:24	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:24	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		07/30/15 11:24	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		07/30/15 11:24	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		07/30/15 11:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: MW-9	Lab ID: 40118831005	Collected: 07/26/15 11:05	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 11:46	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 11:46	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 11:46	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 11:46	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 11:46	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 11:46	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 11:46	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 11:46	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 11:46	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 11:46	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 11:46	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 11:46	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 11:46	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 11:46	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 11:46	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 11:46	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 11:46	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 11:46	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 11:46	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 11:46	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 11:46	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 11:46	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 11:46	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 11:46	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 11:46	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 11:46	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 11:46	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

Sample: MW-9	Lab ID: 40118831005	Collected: 07/26/15 11:05	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 11:46	79-34-5	
Tetrachloroethene	3.3	ug/L	1.0	0.50	1		07/30/15 11:46	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 11:46	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 11:46	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 11:46	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 11:46	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 11:46	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 11:46	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 11:46	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 11:46	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		07/30/15 11:46	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		07/30/15 11:46	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		07/30/15 11:46	2037-26-5	
<hr/>									
Sample: MW-10	Lab ID: 40118831006	Collected: 07/26/15 11:20	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 12:09	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 12:09	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 12:09	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 12:09	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 12:09	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 12:09	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 12:09	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 12:09	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 12:09	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 12:09	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: MW-10	Lab ID: 40118831006	Collected: 07/26/15 11:20	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 12:09	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 12:09	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 12:09	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 12:09	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 12:09	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 12:09	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 12:09	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 12:09	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 12:09	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 12:09	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 12:09	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 12:09	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 12:09	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 12:09	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 12:09	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 12:09	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 12:09	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 12:09	79-34-5	
Tetrachloroethene	24.3	ug/L	1.0	0.50	1		07/30/15 12:09	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 12:09	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 12:09	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 12:09	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 12:09	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 12:09	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 12:09	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 12:09	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:09	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		07/30/15 12:09	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		07/30/15 12:09	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		07/30/15 12:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

Sample: PZ-10 **Lab ID: 40118831007** Collected: 07/26/15 11:25 Received: 07/29/15 08:00 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 12:31	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 12:31	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 12:31	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 12:31	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 12:31	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 12:31	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 12:31	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 12:31	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 12:31	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 12:31	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 12:31	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 12:31	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 12:31	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 12:31	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 12:31	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 12:31	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 12:31	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 12:31	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 12:31	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 12:31	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 12:31	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 12:31	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 12:31	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 12:31	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 12:31	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 12:31	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 12:31	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

Sample: PZ-10	Lab ID: 40118831007	Collected: 07/26/15 11:25	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 12:31	79-34-5	
Tetrachloroethene	2.5	ug/L	1.0	0.50	1		07/30/15 12:31	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 12:31	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 12:31	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 12:31	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 12:31	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 12:31	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 12:31	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 12:31	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:31	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		07/30/15 12:31	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		07/30/15 12:31	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		07/30/15 12:31	2037-26-5	
Sample: MW-5	Lab ID: 40118831008	Collected: 07/26/15 12:00	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 12:53	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 12:53	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 12:53	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 12:53	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 12:53	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 12:53	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 12:53	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 12:53	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 12:53	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 12:53	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: MW-5	Lab ID: 40118831008	Collected: 07/26/15 12:00	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 12:53	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 12:53	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 12:53	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 12:53	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 12:53	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 12:53	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 12:53	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 12:53	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 12:53	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 12:53	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 12:53	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 12:53	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 12:53	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 12:53	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 12:53	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 12:53	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 12:53	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 12:53	79-34-5	
Tetrachloroethene	3.6	ug/L	1.0	0.50	1		07/30/15 12:53	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 12:53	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 12:53	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 12:53	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 12:53	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 12:53	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 12:53	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 12:53	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 12:53	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		07/30/15 12:53	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		07/30/15 12:53	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		07/30/15 12:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: MW-6	Lab ID: 40118831009	Collected: 07/26/15 12:15	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 13:16	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 13:16	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 13:16	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 13:16	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 13:16	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 13:16	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 13:16	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 13:16	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 13:16	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 13:16	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 13:16	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 13:16	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 13:16	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 13:16	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 13:16	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 13:16	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 13:16	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 13:16	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 13:16	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 13:16	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 13:16	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 13:16	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 13:16	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 13:16	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 13:16	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 13:16	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 13:16	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

Sample: MW-6	Lab ID: 40118831009	Collected: 07/26/15 12:15	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 13:16	79-34-5	
Tetrachloroethene	18.8	ug/L	1.0	0.50	1		07/30/15 13:16	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 13:16	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 13:16	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 13:16	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 13:16	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 13:16	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 13:16	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 13:16	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:16	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		07/30/15 13:16	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		07/30/15 13:16	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		07/30/15 13:16	2037-26-5	
Sample: MW-2	Lab ID: 40118831010	Collected: 07/26/15 12:30	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 13:38	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 13:38	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 13:38	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 13:38	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 13:38	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 13:38	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 13:38	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 13:38	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 13:38	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 13:38	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: MW-2	Lab ID: 40118831010	Collected: 07/26/15 12:30	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 13:38	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 13:38	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 13:38	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 13:38	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 13:38	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 13:38	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 13:38	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 13:38	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 13:38	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 13:38	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 13:38	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 13:38	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 13:38	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 13:38	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 13:38	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 13:38	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 13:38	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 13:38	79-34-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 13:38	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 13:38	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 13:38	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 13:38	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 13:38	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 13:38	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 13:38	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 13:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		07/30/15 13:38	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		07/30/15 13:38	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		07/30/15 13:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: MW-1	Lab ID: 40118831011	Collected: 07/26/15 12:45	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 14:01	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 14:01	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 14:01	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 14:01	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 14:01	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 14:01	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 14:01	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 14:01	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 14:01	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 14:01	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 14:01	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 14:01	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 14:01	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 14:01	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 14:01	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 14:01	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 14:01	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 14:01	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 14:01	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 14:01	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 14:01	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 14:01	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 14:01	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 14:01	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 14:01	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 14:01	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 14:01	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

Sample: MW-1	Lab ID: 40118831011	Collected: 07/26/15 12:45	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 14:01	79-34-5	
Tetrachloroethene	13.6	ug/L	1.0	0.50	1		07/30/15 14:01	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 14:01	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 14:01	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 14:01	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 14:01	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 14:01	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 14:01	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 14:01	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:01	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		07/30/15 14:01	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		07/30/15 14:01	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		07/30/15 14:01	2037-26-5	
 Sample: PZ-1	 Lab ID: 40118831012	 Collected: 07/26/15 12:50	 Received: 07/29/15 08:00	 Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 14:23	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 14:23	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 14:23	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 14:23	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 14:23	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 14:23	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 14:23	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 14:23	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 14:23	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 14:23	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: PZ-1	Lab ID: 40118831012	Collected: 07/26/15 12:50	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 14:23	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 14:23	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 14:23	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 14:23	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 14:23	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 14:23	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 14:23	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 14:23	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 14:23	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 14:23	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 14:23	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 14:23	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 14:23	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 14:23	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 14:23	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 14:23	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 14:23	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 14:23	79-34-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 14:23	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 14:23	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 14:23	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 14:23	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 14:23	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 14:23	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 14:23	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:23	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		07/30/15 14:23	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		07/30/15 14:23	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		07/30/15 14:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: MW-3	Lab ID: 40118831013	Collected: 07/26/15 13:10	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 14:46	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 14:46	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 14:46	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 14:46	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 14:46	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 14:46	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 14:46	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 14:46	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 14:46	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 14:46	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 14:46	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 14:46	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 14:46	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 14:46	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 14:46	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 14:46	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 14:46	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 14:46	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 14:46	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 14:46	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 14:46	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 14:46	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 14:46	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 14:46	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 14:46	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 14:46	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 14:46	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

Sample: MW-3	Lab ID: 40118831013	Collected: 07/26/15 13:10	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 14:46	79-34-5	
Tetrachloroethene	8.4	ug/L	1.0	0.50	1		07/30/15 14:46	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 14:46	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 14:46	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 14:46	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 14:46	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 14:46	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 14:46	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 14:46	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 14:46	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		07/30/15 14:46	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		07/30/15 14:46	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		07/30/15 14:46	2037-26-5	
 Sample: PZ-4	 Lab ID: 40118831014	 Collected: 07/26/15 13:20	 Received: 07/29/15 08:00	 Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 15:08	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 15:08	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 15:08	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 15:08	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 15:08	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 15:08	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 15:08	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 15:08	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 15:08	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 15:08	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: PZ-4	Lab ID: 40118831014	Collected: 07/26/15 13:20	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 15:08	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 15:08	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 15:08	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 15:08	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 15:08	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 15:08	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 15:08	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 15:08	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 15:08	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 15:08	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 15:08	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 15:08	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 15:08	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 15:08	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 15:08	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 15:08	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 15:08	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 15:08	79-34-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 15:08	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 15:08	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 15:08	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		07/30/15 15:08	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 15:08	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 15:08	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 15:08	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:08	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		07/30/15 15:08	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		07/30/15 15:08	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		07/30/15 15:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: MW-4	Lab ID: 40118831015	Collected: 07/26/15 13:30	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		07/30/15 15:30	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		07/30/15 15:30	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		07/30/15 15:30	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 15:30	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		07/30/15 15:30	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		07/30/15 15:30	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		07/30/15 15:30	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		07/30/15 15:30	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		07/30/15 15:30	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		07/30/15 15:30	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		07/30/15 15:30	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		07/30/15 15:30	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		07/30/15 15:30	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		07/30/15 15:30	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		07/30/15 15:30	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 15:30	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		07/30/15 15:30	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		07/30/15 15:30	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		07/30/15 15:30	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		07/30/15 15:30	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		07/30/15 15:30	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		07/30/15 15:30	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		07/30/15 15:30	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		07/30/15 15:30	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		07/30/15 15:30	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		07/30/15 15:30	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		07/30/15 15:30	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

Sample: MW-4	Lab ID: 40118831015	Collected: 07/26/15 13:30	Received: 07/29/15 08:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		07/30/15 15:30	79-34-5	
Tetrachloroethene	66.4	ug/L	1.0	0.50	1		07/30/15 15:30	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		07/30/15 15:30	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		07/30/15 15:30	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		07/30/15 15:30	79-00-5	
Trichloroethene	0.48J	ug/L	1.0	0.33	1		07/30/15 15:30	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		07/30/15 15:30	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		07/30/15 15:30	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		07/30/15 15:30	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		07/30/15 15:30	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		07/30/15 15:30	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		07/30/15 15:30	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		07/30/15 15:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

QC Batch: MSV/29624

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 40118831001, 40118831002, 40118831003, 40118831004, 40118831005, 40118831006, 40118831007, 40118831008, 40118831009, 40118831010, 40118831011, 40118831012, 40118831013, 40118831014, 40118831015

METHOD BLANK: 1199963

Matrix: Water

Associated Lab Samples: 40118831001, 40118831002, 40118831003, 40118831004, 40118831005, 40118831006, 40118831007, 40118831008, 40118831009, 40118831010, 40118831011, 40118831012, 40118831013, 40118831014, 40118831015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	07/30/15 07:40	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	07/30/15 07:40	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	07/30/15 07:40	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	07/30/15 07:40	
1,1-Dichloroethane	ug/L	<0.24	1.0	07/30/15 07:40	
1,1-Dichloroethene	ug/L	<0.41	1.0	07/30/15 07:40	
1,1-Dichloropropene	ug/L	<0.44	1.0	07/30/15 07:40	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	07/30/15 07:40	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	07/30/15 07:40	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	07/30/15 07:40	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	07/30/15 07:40	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	07/30/15 07:40	
1,2-Dibromoethane (EDB)	ug/L	<0.18	1.0	07/30/15 07:40	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	07/30/15 07:40	
1,2-Dichloroethane	ug/L	<0.17	1.0	07/30/15 07:40	
1,2-Dichloropropane	ug/L	<0.23	1.0	07/30/15 07:40	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	07/30/15 07:40	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	07/30/15 07:40	
1,3-Dichloropropane	ug/L	<0.50	1.0	07/30/15 07:40	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	07/30/15 07:40	
2,2-Dichloropropane	ug/L	<0.48	1.0	07/30/15 07:40	
2-Chlorotoluene	ug/L	<0.50	1.0	07/30/15 07:40	
4-Chlorotoluene	ug/L	<0.21	1.0	07/30/15 07:40	
Benzene	ug/L	<0.50	1.0	07/30/15 07:40	
Bromobenzene	ug/L	<0.23	1.0	07/30/15 07:40	
Bromochloromethane	ug/L	<0.34	1.0	07/30/15 07:40	
Bromodichloromethane	ug/L	<0.50	1.0	07/30/15 07:40	
Bromoform	ug/L	<0.50	1.0	07/30/15 07:40	
Bromomethane	ug/L	<2.4	5.0	07/30/15 07:40	
Carbon tetrachloride	ug/L	<0.50	1.0	07/30/15 07:40	
Chlorobenzene	ug/L	<0.50	1.0	07/30/15 07:40	
Chloroethane	ug/L	<0.37	1.0	07/30/15 07:40	
Chloroform	ug/L	<2.5	5.0	07/30/15 07:40	
Chloromethane	ug/L	<0.50	1.0	07/30/15 07:40	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	07/30/15 07:40	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	07/30/15 07:40	
Dibromochloromethane	ug/L	<0.50	1.0	07/30/15 07:40	
Dibromomethane	ug/L	<0.43	1.0	07/30/15 07:40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

METHOD BLANK: 1199963

Matrix: Water

Associated Lab Samples: 40118831001, 40118831002, 40118831003, 40118831004, 40118831005, 40118831006, 40118831007,
40118831008, 40118831009, 40118831010, 40118831011, 40118831012, 40118831013, 40118831014,
40118831015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dichlorodifluoromethane	ug/L	<0.22	1.0	07/30/15 07:40	
Diisopropyl ether	ug/L	<0.50	1.0	07/30/15 07:40	
Ethylbenzene	ug/L	<0.50	1.0	07/30/15 07:40	
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	07/30/15 07:40	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	07/30/15 07:40	
m&p-Xylene	ug/L	<1.0	2.0	07/30/15 07:40	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	07/30/15 07:40	
Methylene Chloride	ug/L	<0.23	1.0	07/30/15 07:40	
n-Butylbenzene	ug/L	<0.50	1.0	07/30/15 07:40	
n-Propylbenzene	ug/L	<0.50	1.0	07/30/15 07:40	
Naphthalene	ug/L	<2.5	5.0	07/30/15 07:40	
o-Xylene	ug/L	<0.50	1.0	07/30/15 07:40	
p-Isopropyltoluene	ug/L	<0.50	1.0	07/30/15 07:40	
sec-Butylbenzene	ug/L	<2.2	5.0	07/30/15 07:40	
Styrene	ug/L	<0.50	1.0	07/30/15 07:40	
tert-Butylbenzene	ug/L	<0.18	1.0	07/30/15 07:40	
Tetrachloroethene	ug/L	<0.50	1.0	07/30/15 07:40	
Toluene	ug/L	<0.50	1.0	07/30/15 07:40	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	07/30/15 07:40	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	07/30/15 07:40	
Trichloroethene	ug/L	<0.33	1.0	07/30/15 07:40	
Trichlorofluoromethane	ug/L	<0.18	1.0	07/30/15 07:40	
Vinyl chloride	ug/L	<0.18	1.0	07/30/15 07:40	
4-Bromofluorobenzene (S)	%	95	70-130	07/30/15 07:40	
Dibromofluoromethane (S)	%	99	70-130	07/30/15 07:40	
Toluene-d8 (S)	%	99	70-130	07/30/15 07:40	

LABORATORY CONTROL SAMPLE & LCSD: 1199964

1199965

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.7	54.3	105	109	70-130	3	20	
1,1,2,2-Tetrachloroethane	ug/L	50	50.3	50.7	101	101	70-130	1	20	
1,1,2-Trichloroethane	ug/L	50	50.9	52.5	102	105	70-130	3	20	
1,1-Dichloroethane	ug/L	50	53.8	51.9	108	104	70-130	4	20	
1,1-Dichloroethene	ug/L	50	49.3	50.7	99	101	70-130	3	20	
1,2,4-Trichlorobenzene	ug/L	50	48.7	50.6	97	101	70-130	4	20	
1,2-Dibromo-3-chloropropane	ug/L	50	46.9	49.7	94	99	50-150	6	20	
1,2-Dibromoethane (EDB)	ug/L	50	50.6	52.8	101	106	70-130	4	20	
1,2-Dichlorobenzene	ug/L	50	50.9	52.9	102	106	70-130	4	20	
1,2-Dichloroethane	ug/L	50	50.5	52.4	101	105	70-131	4	20	
1,2-Dichloropropane	ug/L	50	53.3	56.0	107	112	70-130	5	20	
1,3-Dichlorobenzene	ug/L	50	50.9	52.6	102	105	70-130	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

LABORATORY CONTROL SAMPLE & LCSD:		1199964 1199965									
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
1,4-Dichlorobenzene	ug/L	50	49.0	50.8	98	102	70-130	4	20		
Benzene	ug/L	50	52.6	54.7	105	109	70-130	4	20		
Bromodichloromethane	ug/L	50	51.7	53.9	103	108	70-130	4	20		
Bromoform	ug/L	50	45.2	46.0	90	92	68-130	2	20		
Bromomethane	ug/L	50	27.8	34.1	56	68	38-137	20	20		
Carbon tetrachloride	ug/L	50	52.6	53.7	105	107	70-130	2	20		
Chlorobenzene	ug/L	50	51.8	53.0	104	106	70-130	2	20		
Chloroethane	ug/L	50	45.4	48.3	91	97	70-136	6	20		
Chloroform	ug/L	50	49.6	51.3	99	103	70-130	3	20		
Chloromethane	ug/L	50	33.4	34.2	67	68	48-144	3	20		
cis-1,2-Dichloroethene	ug/L	50	60.7	52.6	121	105	70-130	14	20		
cis-1,3-Dichloropropene	ug/L	50	47.0	49.0	94	98	70-130	4	20		
Dibromochloromethane	ug/L	50	46.5	48.4	93	97	70-130	4	20		
Dichlorodifluoromethane	ug/L	50	25.0	25.6	50	51	33-157	2	20		
Ethylbenzene	ug/L	50	53.2	54.8	106	110	70-132	3	20		
Isopropylbenzene (Cumene)	ug/L	50	53.9	55.4	108	111	70-130	3	20		
m&p-Xylene	ug/L	100	107	111	107	111	70-131	4	20		
Methyl-tert-butyl ether	ug/L	50	51.2	50.9	102	102	48-141	1	20		
Methylene Chloride	ug/L	50	48.7	50.8	97	102	70-130	4	20		
o-Xylene	ug/L	50	53.5	55.1	107	110	70-131	3	20		
Styrene	ug/L	50	53.9	55.1	108	110	70-130	2	20		
Tetrachloroethene	ug/L	50	49.7	50.5	99	101	70-130	2	20		
Toluene	ug/L	50	53.6	55.1	107	110	70-130	3	20		
trans-1,2-Dichloroethene	ug/L	50	53.0	51.8	106	104	70-130	2	20		
trans-1,3-Dichloropropene	ug/L	50	44.8	45.5	90	91	70-130	2	20		
Trichloroethene	ug/L	50	52.4	54.2	105	108	70-130	3	20		
Trichlorofluoromethane	ug/L	50	47.6	49.5	95	99	50-150	4	20		
Vinyl chloride	ug/L	50	40.3	41.6	81	83	65-142	3	20		
4-Bromofluorobenzene (S)	%				98	99	70-130				
Dibromofluoromethane (S)	%				101	101	70-130				
Toluene-d8 (S)	%				100	100	70-130				

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		1199984 1199985										
Parameter	Units	40118824001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.50	50	50	55.0	54.0	110	108	70-130	2	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	50.7	51.0	101	102	70-130	1	20	
1,1,2-Trichloroethane	ug/L	<0.20	50	50	52.9	52.5	106	105	70-130	1	20	
1,1-Dichloroethane	ug/L	<0.24	50	50	53.1	51.6	106	103	70-134	3	20	
1,1-Dichloroethene	ug/L	<0.41	50	50	52.4	51.0	105	102	70-139	3	20	
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	50.6	49.8	101	100	70-130	2	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	47.7	48.6	95	97	50-150	2	20	
1,2-Dibromoethane (EDB)	ug/L	<0.18	50	50	52.5	52.6	105	105	70-130	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

Parameter	Units	40118824001		MSD		1199984		1199985		Max		
		MS	Spike	Spike	MS	MSD	MS	MSD	% Rec	% Rec	RPD	RPD
		Result	Conc.	Conc.	Result	Result	% Rec	% Rec	Limits	Qual		
1,2-Dichlorobenzene	ug/L	<0.50	50	50	52.7	52.1	105	104	70-130	1	20	
1,2-Dichloroethane	ug/L	<0.17	50	50	52.6	52.1	105	104	70-132	1	20	
1,2-Dichloropropane	ug/L	<0.23	50	50	56.0	55.3	112	111	70-130	1	20	
1,3-Dichlorobenzene	ug/L	<0.50	50	50	52.6	51.9	105	104	70-130	1	20	
1,4-Dichlorobenzene	ug/L	<0.50	50	50	51.2	49.9	102	100	70-130	3	20	
Benzene	ug/L	<0.50	50	50	55.0	53.8	110	107	70-130	2	20	
Bromodichloromethane	ug/L	<0.50	50	50	53.1	54.0	106	108	70-132	2	20	
Bromoform	ug/L	<0.50	50	50	46.7	46.0	93	92	68-130	1	20	
Bromomethane	ug/L	<2.4	50	50	38.1	37.5	76	75	38-141	2	20	
Carbon tetrachloride	ug/L	<0.50	50	50	55.2	54.2	110	108	70-130	2	20	
Chlorobenzene	ug/L	<0.50	50	50	53.6	52.4	107	105	70-130	2	20	
Chloroethane	ug/L	<0.37	50	50	47.7	47.5	95	95	66-152	0	20	
Chloroform	ug/L	<2.5	50	50	52.1	50.8	104	102	70-130	3	20	
Chloromethane	ug/L	<0.50	50	50	34.8	34.7	70	69	44-151	0	20	
cis-1,2-Dichloroethene	ug/L	95.6	50	50	134	130	76	70	70-130	2	20	
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	49.0	48.5	98	97	70-130	1	20	
Dibromochloromethane	ug/L	<0.50	50	50	48.6	48.4	97	97	70-130	0	20	
Dichlorodifluoromethane	ug/L	<0.22	50	50	25.7	24.9	51	50	29-160	3	20	
Ethylbenzene	ug/L	<0.50	50	50	55.4	54.3	111	109	70-132	2	20	
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	56.1	55.1	112	110	70-130	2	20	
m&p-Xylene	ug/L	<1.0	100	100	111	108	111	108	70-131	3	20	
Methyl-tert-butyl ether	ug/L	<0.17	50	50	50.0	50.6	100	101	48-143	1	20	
Methylene Chloride	ug/L	<0.23	50	50	52.5	49.3	105	99	70-130	6	20	
o-Xylene	ug/L	<0.50	50	50	56.0	54.8	112	110	70-131	2	20	
Styrene	ug/L	<0.50	50	50	56.0	55.0	112	110	70-130	2	20	
Tetrachloroethene	ug/L	7.3	50	50	58.8	57.4	103	100	70-130	2	20	
Toluene	ug/L	<0.50	50	50	55.5	54.7	111	109	70-130	1	20	
trans-1,2-Dichloroethene	ug/L	1.5	50	50	52.7	51.3	102	100	70-132	3	20	
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	47.0	45.6	94	91	70-130	3	20	
Trichloroethene	ug/L	3.5	50	50	58.0	57.6	109	108	70-130	1	20	
Trichlorofluoromethane	ug/L	<0.18	50	50	49.8	49.3	100	99	50-153	1	20	
Vinyl chloride	ug/L	1.4	50	50	43.7	42.8	85	83	60-155	2	20	
4-Bromofluorobenzene (S)	%						98	98	70-130			
Dibromofluoromethane (S)	%						102	100	70-130			
Toluene-d8 (S)	%						102	100	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40118831

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40118831

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40118831001	MW-8	EPA 8260	MSV/29624		
40118831002	MW-7	EPA 8260	MSV/29624		
40118831003	MW-11	EPA 8260	MSV/29624		
40118831004	PZ-11	EPA 8260	MSV/29624		
40118831005	MW-9	EPA 8260	MSV/29624		
40118831006	MW-10	EPA 8260	MSV/29624		
40118831007	PZ-10	EPA 8260	MSV/29624		
40118831008	MW-5	EPA 8260	MSV/29624		
40118831009	MW-6	EPA 8260	MSV/29624		
40118831010	MW-2	EPA 8260	MSV/29624		
40118831011	MW-1	EPA 8260	MSV/29624		
40118831012	PZ-1	EPA 8260	MSV/29624		
40118831013	MW-3	EPA 8260	MSV/29624		
40118831014	PZ-4	EPA 8260	MSV/29624		
40118831015	MW-4	EPA 8260	MSV/29624		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Company Name:	Seymore Enviro
Branch/Location:	McFarland
Project Contact:	Roslyn Seymour
Phone:	608-838-9120
Project Number:	10328.01
Project State:	WI
Sampled By (Print):	MICHAEL SEYMORE
Sampled By (Sign):	<i>Mike R Seymour</i>
PO#:	

Michael R Seymour
Pace Analytical®

www.pacealabs.com

CHAIN OF CUSTODY

Preservation Codes	
A=None	B=HCl
H=Sodium Bisulfate Solution	C=H2SO4
D=HNO3	E=DI Water
I=Sodium Thiosulfate	F=Methanol
J=Other	G=NaOH

FILTERED? (YES/NO)

Y/N
X

Pick
Letter
X

Analyses Requested

November 18, 2015

Robyn Seymour
Seymour Environmental Services, INC.
2531 Dyreson Road
Mc Farland, WI 53558

RE: Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Dear Robyn Seymour:

Enclosed are the analytical results for sample(s) received by the laboratory on November 06, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
Virginia VELAP ID: 460263

North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
US Dept of Agriculture #: S-76505
Virginia VELAP ID: 460263
Virginia VELAP Certification ID: 460263
Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40124230001	MW-8	Water	11/04/15 10:00	11/06/15 08:05
40124230002	MW-2	Water	11/04/15 10:25	11/06/15 08:05
40124230003	PZ-1	Water	11/04/15 10:40	11/06/15 08:05
40124230004	MW-1	Water	11/04/15 10:55	11/06/15 08:05
40124230005	MW-3	Water	11/04/15 11:20	11/06/15 08:05
40124230006	MW-5	Water	11/04/15 11:45	11/06/15 08:05
40124230007	MW-7	Water	11/04/15 13:00	11/06/15 08:05
40124230008	PZ-10	Water	11/04/15 13:55	11/06/15 08:05
40124230009	MW-10	Water	11/04/15 14:00	11/06/15 08:05
40124230010	MW-9	Water	11/04/15 12:10	11/06/15 08:05
40124230011	PZ-11	Water	11/04/15 13:30	11/06/15 08:05
40124230012	MW-11	Water	11/04/15 13:40	11/06/15 08:05
40124230013	MW-6	Water	11/04/15 14:15	11/06/15 08:05
40124230014	PZ-4	Water	11/04/15 14:50	11/06/15 08:05
40124230015	MW-4	Water	11/04/15 14:30	11/06/15 08:05

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40124230001	MW-8	EPA 8260	HNW	64	PASI-G
40124230002	MW-2	EPA 8260	HNW	64	PASI-G
40124230003	PZ-1	EPA 8260	HNW	64	PASI-G
40124230004	MW-1	EPA 8260	HNW	64	PASI-G
40124230005	MW-3	EPA 8260	HNW	64	PASI-G
40124230006	MW-5	EPA 8260	HNW	64	PASI-G
40124230007	MW-7	EPA 8260	HNW	64	PASI-G
40124230008	PZ-10	EPA 8260	HNW	64	PASI-G
40124230009	MW-10	EPA 8260	HNW	64	PASI-G
40124230010	MW-9	EPA 8260	HNW	64	PASI-G
40124230011	PZ-11	EPA 8260	HNW	64	PASI-G
40124230012	MW-11	EPA 8260	LAP	64	PASI-G
40124230013	MW-6	EPA 8260	LAP	64	PASI-G
40124230014	PZ-4	EPA 8260	LAP	64	PASI-G
40124230015	MW-4	EPA 8260	LAP	64	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Method: EPA 8260
Description: 8260 MSV
Client: SEYMORE ENVIRONMENTAL SERVICES, INC.
Date: November 18, 2015

General Information:

15 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: MSV/31214

L0: Analyte recovery in the laboratory control sample (LCS) was outside QC limits.

- LCS (Lab ID: 1256706)
- Isopropylbenzene (Cumene)

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: MSV/31137

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40124230008

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MSD (Lab ID: 1254735)
- 1,1,1-Trichloroethane

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

Sample: MW-8	Lab ID: 40124230001	Collected: 11/04/15 10:00	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/09/15 09:04	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/09/15 09:04	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/09/15 09:04	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 09:04	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/09/15 09:04	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/09/15 09:04	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/09/15 09:04	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/09/15 09:04	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/09/15 09:04	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/09/15 09:04	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/09/15 09:04	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/09/15 09:04	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/09/15 09:04	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/09/15 09:04	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/09/15 09:04	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 09:04	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 09:04	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/09/15 09:04	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/09/15 09:04	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/09/15 09:04	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/09/15 09:04	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/09/15 09:04	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/09/15 09:04	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/09/15 09:04	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/09/15 09:04	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/09/15 09:04	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/09/15 09:04	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

Sample: MW-8	Lab ID: 40124230001	Collected: 11/04/15 10:00	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/09/15 09:04	79-34-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/09/15 09:04	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 09:04	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/09/15 09:04	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/09/15 09:04	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/09/15 09:04	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/09/15 09:04	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/09/15 09:04	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:04	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	87	%	70-130		1		11/09/15 09:04	460-00-4	
Dibromofluoromethane (S)	115	%	70-130		1		11/09/15 09:04	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/09/15 09:04	2037-26-5	
Sample: MW-2	Lab ID: 40124230002	Collected: 11/04/15 10:25	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/09/15 09:26	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/09/15 09:26	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/09/15 09:26	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 09:26	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/09/15 09:26	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/09/15 09:26	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/09/15 09:26	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/09/15 09:26	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/09/15 09:26	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/09/15 09:26	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: MW-2	Lab ID: 40124230002	Collected: 11/04/15 10:25	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/09/15 09:26	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/09/15 09:26	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/09/15 09:26	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/09/15 09:26	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/09/15 09:26	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 09:26	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 09:26	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/09/15 09:26	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/09/15 09:26	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/09/15 09:26	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/09/15 09:26	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/09/15 09:26	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/09/15 09:26	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/09/15 09:26	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/09/15 09:26	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/09/15 09:26	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/09/15 09:26	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/09/15 09:26	79-34-5	
Tetrachloroethene	1.8	ug/L	1.0	0.50	1		11/09/15 09:26	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/09/15 09:26	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 09:26	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/09/15 09:26	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/09/15 09:26	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/09/15 09:26	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/09/15 09:26	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/09/15 09:26	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:26	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	85	%	70-130		1		11/09/15 09:26	460-00-4	
Dibromofluoromethane (S)	113	%	70-130		1		11/09/15 09:26	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/09/15 09:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: PZ-1	Lab ID: 40124230003	Collected: 11/04/15 10:40	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/09/15 09:49	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/09/15 09:49	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/09/15 09:49	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 09:49	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/09/15 09:49	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/09/15 09:49	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/09/15 09:49	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/09/15 09:49	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/09/15 09:49	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/09/15 09:49	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/09/15 09:49	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/09/15 09:49	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/09/15 09:49	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/09/15 09:49	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/09/15 09:49	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 09:49	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 09:49	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/09/15 09:49	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/09/15 09:49	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/09/15 09:49	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/09/15 09:49	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/09/15 09:49	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/09/15 09:49	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/09/15 09:49	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/09/15 09:49	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/09/15 09:49	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/09/15 09:49	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: PZ-1	Lab ID: 40124230003	Collected: 11/04/15 10:40	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/09/15 09:49	79-34-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/09/15 09:49	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 09:49	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/09/15 09:49	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/09/15 09:49	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/09/15 09:49	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/09/15 09:49	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/09/15 09:49	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/09/15 09:49	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/09/15 09:49	460-00-4	
Dibromofluoromethane (S)	121	%	70-130		1		11/09/15 09:49	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		11/09/15 09:49	2037-26-5	
Sample: MW-1	Lab ID: 40124230004	Collected: 11/04/15 10:55	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/09/15 10:11	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/09/15 10:11	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/09/15 10:11	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 10:11	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/09/15 10:11	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/09/15 10:11	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/09/15 10:11	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/09/15 10:11	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/09/15 10:11	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/09/15 10:11	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: MW-1	Lab ID: 40124230004	Collected: 11/04/15 10:55	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/09/15 10:11	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/09/15 10:11	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/09/15 10:11	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/09/15 10:11	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/09/15 10:11	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 10:11	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 10:11	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/09/15 10:11	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/09/15 10:11	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/09/15 10:11	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/09/15 10:11	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/09/15 10:11	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/09/15 10:11	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/09/15 10:11	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/09/15 10:11	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/09/15 10:11	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/09/15 10:11	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/09/15 10:11	79-34-5	
Tetrachloroethene	23.7	ug/L	1.0	0.50	1		11/09/15 10:11	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/09/15 10:11	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 10:11	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/09/15 10:11	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/09/15 10:11	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/09/15 10:11	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/09/15 10:11	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/09/15 10:11	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:11	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	87	%	70-130		1		11/09/15 10:11	460-00-4	
Dibromofluoromethane (S)	112	%	70-130		1		11/09/15 10:11	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/09/15 10:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: MW-3	Lab ID: 40124230005	Collected: 11/04/15 11:20	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/09/15 10:33	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/09/15 10:33	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/09/15 10:33	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 10:33	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/09/15 10:33	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/09/15 10:33	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/09/15 10:33	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/09/15 10:33	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/09/15 10:33	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/09/15 10:33	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/09/15 10:33	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/09/15 10:33	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/09/15 10:33	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/09/15 10:33	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/09/15 10:33	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 10:33	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 10:33	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/09/15 10:33	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/09/15 10:33	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/09/15 10:33	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/09/15 10:33	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/09/15 10:33	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/09/15 10:33	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/09/15 10:33	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/09/15 10:33	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/09/15 10:33	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/09/15 10:33	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

Sample: MW-3	Lab ID: 40124230005	Collected: 11/04/15 11:20	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/09/15 10:33	79-34-5	
Tetrachloroethene	2.8	ug/L	1.0	0.50	1		11/09/15 10:33	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/09/15 10:33	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 10:33	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/09/15 10:33	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/09/15 10:33	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/09/15 10:33	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/09/15 10:33	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/09/15 10:33	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:33	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	86	%	70-130		1		11/09/15 10:33	460-00-4	
Dibromofluoromethane (S)	111	%	70-130		1		11/09/15 10:33	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/09/15 10:33	2037-26-5	
Sample: MW-5	Lab ID: 40124230006	Collected: 11/04/15 11:45	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/09/15 10:56	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/09/15 10:56	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/09/15 10:56	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 10:56	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/09/15 10:56	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/09/15 10:56	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/09/15 10:56	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/09/15 10:56	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/09/15 10:56	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/09/15 10:56	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: MW-5	Lab ID: 40124230006	Collected: 11/04/15 11:45	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/09/15 10:56	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/09/15 10:56	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/09/15 10:56	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/09/15 10:56	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/09/15 10:56	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 10:56	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 10:56	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/09/15 10:56	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/09/15 10:56	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/09/15 10:56	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/09/15 10:56	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/09/15 10:56	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/09/15 10:56	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/09/15 10:56	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/09/15 10:56	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/09/15 10:56	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/09/15 10:56	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/09/15 10:56	79-34-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/09/15 10:56	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 10:56	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/09/15 10:56	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/09/15 10:56	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/09/15 10:56	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/09/15 10:56	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/09/15 10:56	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/09/15 10:56	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	86	%	70-130		1		11/09/15 10:56	460-00-4	
Dibromofluoromethane (S)	109	%	70-130		1		11/09/15 10:56	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/09/15 10:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: MW-7	Lab ID: 40124230007	Collected: 11/04/15 13:00	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/09/15 11:18	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/09/15 11:18	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/09/15 11:18	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 11:18	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/09/15 11:18	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/09/15 11:18	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/09/15 11:18	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/09/15 11:18	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/09/15 11:18	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/09/15 11:18	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/09/15 11:18	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/09/15 11:18	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/09/15 11:18	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/09/15 11:18	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/09/15 11:18	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 11:18	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 11:18	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/09/15 11:18	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/09/15 11:18	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/09/15 11:18	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/09/15 11:18	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/09/15 11:18	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/09/15 11:18	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/09/15 11:18	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/09/15 11:18	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/09/15 11:18	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/09/15 11:18	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

Sample: MW-7	Lab ID: 40124230007	Collected: 11/04/15 13:00	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/09/15 11:18	79-34-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/09/15 11:18	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 11:18	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/09/15 11:18	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/09/15 11:18	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/09/15 11:18	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/09/15 11:18	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/09/15 11:18	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/09/15 11:18	460-00-4	
Dibromofluoromethane (S)	111	%	70-130		1		11/09/15 11:18	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		11/09/15 11:18	2037-26-5	
Sample: PZ-10	Lab ID: 40124230008	Collected: 11/04/15 13:55	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/09/15 08:41	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/09/15 08:41	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/09/15 08:41	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 08:41	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/09/15 08:41	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/09/15 08:41	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/09/15 08:41	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/09/15 08:41	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/09/15 08:41	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/09/15 08:41	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: PZ-10	Lab ID: 40124230008	Collected: 11/04/15 13:55	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/09/15 08:41	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/09/15 08:41	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/09/15 08:41	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/09/15 08:41	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/09/15 08:41	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 08:41	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 08:41	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/09/15 08:41	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/09/15 08:41	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/09/15 08:41	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/09/15 08:41	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/09/15 08:41	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/09/15 08:41	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/09/15 08:41	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/09/15 08:41	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/09/15 08:41	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/09/15 08:41	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/09/15 08:41	79-34-5	
Tetrachloroethene	0.51J	ug/L	1.0	0.50	1		11/09/15 08:41	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/09/15 08:41	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 08:41	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	71-55-6	M1
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/09/15 08:41	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/09/15 08:41	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/09/15 08:41	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/09/15 08:41	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/09/15 08:41	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/09/15 08:41	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	86	%	70-130		1		11/09/15 08:41	460-00-4	
Dibromofluoromethane (S)	111	%	70-130		1		11/09/15 08:41	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		11/09/15 08:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: MW-10	Lab ID: 40124230009	Collected: 11/04/15 14:00	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/09/15 11:40	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/09/15 11:40	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/09/15 11:40	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 11:40	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/09/15 11:40	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/09/15 11:40	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/09/15 11:40	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/09/15 11:40	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/09/15 11:40	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/09/15 11:40	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/09/15 11:40	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/09/15 11:40	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/09/15 11:40	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/09/15 11:40	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/09/15 11:40	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 11:40	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 11:40	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/09/15 11:40	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/09/15 11:40	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/09/15 11:40	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/09/15 11:40	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/09/15 11:40	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/09/15 11:40	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/09/15 11:40	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/09/15 11:40	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/09/15 11:40	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/09/15 11:40	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

Sample: MW-10	Lab ID: 40124230009	Collected: 11/04/15 14:00	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/09/15 11:40	79-34-5	
Tetrachloroethene	18.4	ug/L	1.0	0.50	1		11/09/15 11:40	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/09/15 11:40	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 11:40	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/09/15 11:40	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/09/15 11:40	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/09/15 11:40	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/09/15 11:40	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/09/15 11:40	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/09/15 11:40	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	86	%	70-130		1		11/09/15 11:40	460-00-4	
Dibromofluoromethane (S)	112	%	70-130		1		11/09/15 11:40	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/09/15 11:40	2037-26-5	
Sample: MW-9	Lab ID: 40124230010	Collected: 11/04/15 12:10	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/09/15 12:09	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/09/15 12:09	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/09/15 12:09	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 12:09	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/09/15 12:09	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/09/15 12:09	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/09/15 12:09	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/09/15 12:09	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/09/15 12:09	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/09/15 12:09	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: MW-9	Lab ID: 40124230010	Collected: 11/04/15 12:10	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/09/15 12:09	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/09/15 12:09	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/09/15 12:09	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/09/15 12:09	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/09/15 12:09	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 12:09	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 12:09	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/09/15 12:09	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/09/15 12:09	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/09/15 12:09	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/09/15 12:09	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/09/15 12:09	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/09/15 12:09	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/09/15 12:09	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/09/15 12:09	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/09/15 12:09	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/09/15 12:09	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/09/15 12:09	79-34-5	
Tetrachloroethene	3.0	ug/L	1.0	0.50	1		11/09/15 12:09	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/09/15 12:09	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 12:09	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/09/15 12:09	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/09/15 12:09	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/09/15 12:09	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/09/15 12:09	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/09/15 12:09	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/09/15 12:09	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	87	%	70-130		1		11/09/15 12:09	460-00-4	
Dibromofluoromethane (S)	111	%	70-130		1		11/09/15 12:09	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		11/09/15 12:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: PZ-11	Lab ID: 40124230011	Collected: 11/04/15 13:30	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/09/15 14:01	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/09/15 14:01	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/09/15 14:01	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 14:01	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/09/15 14:01	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/09/15 14:01	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/09/15 14:01	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/09/15 14:01	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/09/15 14:01	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/09/15 14:01	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/09/15 14:01	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/09/15 14:01	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/09/15 14:01	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/09/15 14:01	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/09/15 14:01	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 14:01	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/09/15 14:01	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/09/15 14:01	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/09/15 14:01	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/09/15 14:01	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/09/15 14:01	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/09/15 14:01	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/09/15 14:01	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/09/15 14:01	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/09/15 14:01	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/09/15 14:01	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/09/15 14:01	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

Sample: PZ-11	Lab ID: 40124230011	Collected: 11/04/15 13:30	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/09/15 14:01	79-34-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/09/15 14:01	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/09/15 14:01	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/09/15 14:01	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/09/15 14:01	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/09/15 14:01	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/09/15 14:01	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/09/15 14:01	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/09/15 14:01	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	87	%	70-130		1		11/09/15 14:01	460-00-4	
Dibromofluoromethane (S)	110	%	70-130		1		11/09/15 14:01	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		11/09/15 14:01	2037-26-5	
Sample: MW-11	Lab ID: 40124230012	Collected: 11/04/15 13:40	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/13/15 16:29	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/13/15 16:29	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/13/15 16:29	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/13/15 16:29	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/13/15 16:29	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/13/15 16:29	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/13/15 16:29	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/13/15 16:29	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/13/15 16:29	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/13/15 16:29	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: MW-11	Lab ID: 40124230012	Collected: 11/04/15 13:40	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/13/15 16:29	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/13/15 16:29	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/13/15 16:29	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/13/15 16:29	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/13/15 16:29	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/13/15 16:29	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/13/15 16:29	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/13/15 16:29	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/13/15 16:29	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/13/15 16:29	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/13/15 16:29	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/13/15 16:29	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/13/15 16:29	98-82-8	L3
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/13/15 16:29	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/13/15 16:29	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/13/15 16:29	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/13/15 16:29	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/13/15 16:29	79-34-5	
Tetrachloroethene	4.7	ug/L	1.0	0.50	1		11/13/15 16:29	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/13/15 16:29	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/13/15 16:29	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/13/15 16:29	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/13/15 16:29	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/13/15 16:29	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/13/15 16:29	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/13/15 16:29	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:29	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/13/15 16:29	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		11/13/15 16:29	1868-53-7	
Toluene-d8 (S)	85	%	70-130		1		11/13/15 16:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

Sample: MW-6	Lab ID: 40124230013	Collected: 11/04/15 14:15	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/13/15 16:52	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/13/15 16:52	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/13/15 16:52	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/13/15 16:52	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/13/15 16:52	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/13/15 16:52	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/13/15 16:52	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/13/15 16:52	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/13/15 16:52	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/13/15 16:52	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/13/15 16:52	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/13/15 16:52	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/13/15 16:52	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/13/15 16:52	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/13/15 16:52	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/13/15 16:52	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/13/15 16:52	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/13/15 16:52	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/13/15 16:52	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/13/15 16:52	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/13/15 16:52	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/13/15 16:52	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/13/15 16:52	98-82-8	L3
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/13/15 16:52	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/13/15 16:52	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/13/15 16:52	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/13/15 16:52	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: MW-6	Lab ID: 40124230013	Collected: 11/04/15 14:15	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/13/15 16:52	79-34-5	
Tetrachloroethene	20.3	ug/L	1.0	0.50	1		11/13/15 16:52	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/13/15 16:52	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/13/15 16:52	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/13/15 16:52	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/13/15 16:52	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/13/15 16:52	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/13/15 16:52	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/13/15 16:52	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/13/15 16:52	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/13/15 16:52	460-00-4	
Dibromofluoromethane (S)	114	%	70-130		1		11/13/15 16:52	1868-53-7	
Toluene-d8 (S)	73	%	70-130		1		11/13/15 16:52	2037-26-5	
Sample: PZ-4	Lab ID: 40124230014	Collected: 11/04/15 14:50	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/13/15 17:15	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/13/15 17:15	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/13/15 17:15	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/13/15 17:15	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/13/15 17:15	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/13/15 17:15	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/13/15 17:15	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/13/15 17:15	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/13/15 17:15	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/13/15 17:15	106-93-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: PZ-4	Lab ID: 40124230014	Collected: 11/04/15 14:50	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/13/15 17:15	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/13/15 17:15	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/13/15 17:15	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/13/15 17:15	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/13/15 17:15	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/13/15 17:15	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/13/15 17:15	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/13/15 17:15	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/13/15 17:15	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/13/15 17:15	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/13/15 17:15	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/13/15 17:15	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/13/15 17:15	98-82-8	L3
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/13/15 17:15	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/13/15 17:15	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/13/15 17:15	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/13/15 17:15	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/13/15 17:15	79-34-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/13/15 17:15	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/13/15 17:15	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/13/15 17:15	79-00-5	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/13/15 17:15	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/13/15 17:15	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/13/15 17:15	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/13/15 17:15	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	85	%	70-130		1		11/13/15 17:15	460-00-4	
Dibromofluoromethane (S)	108	%	70-130		1		11/13/15 17:15	1868-53-7	
Toluene-d8 (S)	88	%	70-130		1		11/13/15 17:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: MW-4	Lab ID: 40124230015	Collected: 11/04/15 14:30	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/13/15 17:37	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/13/15 17:37	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/13/15 17:37	74-83-9	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	104-51-8	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/13/15 17:37	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/13/15 17:37	98-06-6	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/13/15 17:37	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/13/15 17:37	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	74-87-3	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/13/15 17:37	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/13/15 17:37	96-12-8	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/13/15 17:37	106-93-4	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/13/15 17:37	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	106-46-7	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/13/15 17:37	75-71-8	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/13/15 17:37	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/13/15 17:37	107-06-2	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/13/15 17:37	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/13/15 17:37	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/13/15 17:37	156-60-5	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/13/15 17:37	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	142-28-9	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/13/15 17:37	594-20-7	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/13/15 17:37	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	10061-01-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/13/15 17:37	10061-02-6	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/13/15 17:37	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/13/15 17:37	98-82-8	L3
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	99-87-6	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/13/15 17:37	75-09-2	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/13/15 17:37	1634-04-4	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/13/15 17:37	91-20-3	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	103-65-1	
Styrene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/13/15 17:37	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 10328.01 MOUND CITY BANK
Pace Project No.: 40124230

Sample: MW-4	Lab ID: 40124230015	Collected: 11/04/15 14:30	Received: 11/06/15 08:05	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/13/15 17:37	79-34-5	
Tetrachloroethene	277	ug/L	1.0	0.50	1		11/13/15 17:37	127-18-4	
Toluene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	108-88-3	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/13/15 17:37	87-61-6	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/13/15 17:37	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/13/15 17:37	79-00-5	
Trichloroethene	1.6	ug/L	1.0	0.33	1		11/13/15 17:37	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/13/15 17:37	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	96-18-4	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	108-67-8	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/13/15 17:37	75-01-4	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/13/15 17:37	179601-23-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/13/15 17:37	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		11/13/15 17:37	460-00-4	
Dibromofluoromethane (S)	111	%	70-130		1		11/13/15 17:37	1868-53-7	
Toluene-d8 (S)	81	%	70-130		1		11/13/15 17:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

QC Batch:	MSV/31137	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	40124230001, 40124230002, 40124230003, 40124230004, 40124230005, 40124230006, 40124230007, 40124230008, 40124230009, 40124230010, 40124230011		

METHOD BLANK: 1254702 Matrix: Water

Associated Lab Samples: 40124230001, 40124230002, 40124230003, 40124230004, 40124230005, 40124230006, 40124230007,
40124230008, 40124230009, 40124230010, 40124230011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	11/09/15 06:50	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	11/09/15 06:50	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	11/09/15 06:50	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	11/09/15 06:50	
1,1-Dichloroethane	ug/L	<0.24	1.0	11/09/15 06:50	
1,1-Dichloroethene	ug/L	<0.41	1.0	11/09/15 06:50	
1,1-Dichloropropene	ug/L	<0.44	1.0	11/09/15 06:50	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	11/09/15 06:50	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	11/09/15 06:50	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	11/09/15 06:50	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	11/09/15 06:50	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	11/09/15 06:50	
1,2-Dibromoethane (EDB)	ug/L	<0.18	1.0	11/09/15 06:50	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	11/09/15 06:50	
1,2-Dichloroethane	ug/L	<0.17	1.0	11/09/15 06:50	
1,2-Dichloropropane	ug/L	<0.23	1.0	11/09/15 06:50	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	11/09/15 06:50	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	11/09/15 06:50	
1,3-Dichloropropane	ug/L	<0.50	1.0	11/09/15 06:50	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	11/09/15 06:50	
2,2-Dichloropropane	ug/L	<0.48	1.0	11/09/15 06:50	
2-Chlorotoluene	ug/L	<0.50	1.0	11/09/15 06:50	
4-Chlorotoluene	ug/L	<0.21	1.0	11/09/15 06:50	
Benzene	ug/L	<0.50	1.0	11/09/15 06:50	
Bromobenzene	ug/L	<0.23	1.0	11/09/15 06:50	
Bromochloromethane	ug/L	<0.34	1.0	11/09/15 06:50	
Bromodichloromethane	ug/L	<0.50	1.0	11/09/15 06:50	
Bromoform	ug/L	<0.50	1.0	11/09/15 06:50	
Bromomethane	ug/L	<2.4	5.0	11/09/15 06:50	
Carbon tetrachloride	ug/L	<0.50	1.0	11/09/15 06:50	
Chlorobenzene	ug/L	<0.50	1.0	11/09/15 06:50	
Chloroethane	ug/L	<0.37	1.0	11/09/15 06:50	
Chloroform	ug/L	<2.5	5.0	11/09/15 06:50	
Chloromethane	ug/L	<0.50	1.0	11/09/15 06:50	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	11/09/15 06:50	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	11/09/15 06:50	
Dibromochloromethane	ug/L	<0.50	1.0	11/09/15 06:50	
Dibromomethane	ug/L	<0.43	1.0	11/09/15 06:50	
Dichlorodifluoromethane	ug/L	<0.22	1.0	11/09/15 06:50	
Diisopropyl ether	ug/L	<0.50	1.0	11/09/15 06:50	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

METHOD BLANK: 1254702

Matrix: Water

Associated Lab Samples: 40124230001, 40124230002, 40124230003, 40124230004, 40124230005, 40124230006, 40124230007,
40124230008, 40124230009, 40124230010, 40124230011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.50	1.0	11/09/15 06:50	
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	11/09/15 06:50	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	11/09/15 06:50	
m&p-Xylene	ug/L	<1.0	2.0	11/09/15 06:50	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	11/09/15 06:50	
Methylene Chloride	ug/L	<0.23	1.0	11/09/15 06:50	
n-Butylbenzene	ug/L	<0.50	1.0	11/09/15 06:50	
n-Propylbenzene	ug/L	<0.50	1.0	11/09/15 06:50	
Naphthalene	ug/L	<2.5	5.0	11/09/15 06:50	
o-Xylene	ug/L	<0.50	1.0	11/09/15 06:50	
p-Isopropyltoluene	ug/L	<0.50	1.0	11/09/15 06:50	
sec-Butylbenzene	ug/L	<2.2	5.0	11/09/15 06:50	
Styrene	ug/L	<0.50	1.0	11/09/15 06:50	
tert-Butylbenzene	ug/L	<0.18	1.0	11/09/15 06:50	
Tetrachloroethene	ug/L	<0.50	1.0	11/09/15 06:50	
Toluene	ug/L	<0.50	1.0	11/09/15 06:50	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	11/09/15 06:50	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	11/09/15 06:50	
Trichloroethene	ug/L	<0.33	1.0	11/09/15 06:50	
Trichlorofluoromethane	ug/L	<0.18	1.0	11/09/15 06:50	
Vinyl chloride	ug/L	<0.18	1.0	11/09/15 06:50	
4-Bromofluorobenzene (S)	%	87	70-130	11/09/15 06:50	
Dibromofluoromethane (S)	%	113	70-130	11/09/15 06:50	
Toluene-d8 (S)	%	101	70-130	11/09/15 06:50	

LABORATORY CONTROL SAMPLE: 1254703

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	65.0	130	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	54.3	109	70-130	
1,1,2-Trichloroethane	ug/L	50	59.0	118	70-130	
1,1-Dichloroethane	ug/L	50	62.0	124	70-130	
1,1-Dichloroethene	ug/L	50	56.1	112	70-130	
1,2,4-Trichlorobenzene	ug/L	50	49.2	98	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	49.4	99	50-150	
1,2-Dibromoethane (EDB)	ug/L	50	57.4	115	70-130	
1,2-Dichlorobenzene	ug/L	50	52.1	104	70-130	
1,2-Dichloroethane	ug/L	50	56.8	114	70-131	
1,2-Dichloropropane	ug/L	50	57.4	115	70-130	
1,3-Dichlorobenzene	ug/L	50	49.7	99	70-130	
1,4-Dichlorobenzene	ug/L	50	51.8	104	70-130	
Benzene	ug/L	50	53.9	108	70-130	
Bromodichloromethane	ug/L	50	58.7	117	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

LABORATORY CONTROL SAMPLE: 1254703

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	59.4	119	68-130	
Bromomethane	ug/L	50	50.0	100	38-137	
Carbon tetrachloride	ug/L	50	61.5	123	70-130	
Chlorobenzene	ug/L	50	57.5	115	70-130	
Chloroethane	ug/L	50	47.2	94	70-136	
Chloroform	ug/L	50	63.4	127	70-130	
Chloromethane	ug/L	50	50.7	101	48-144	
cis-1,2-Dichloroethene	ug/L	50	54.6	109	70-130	
cis-1,3-Dichloropropene	ug/L	50	46.8	94	70-130	
Dibromochloromethane	ug/L	50	59.2	118	70-130	
Dichlorodifluoromethane	ug/L	50	37.8	76	33-157	
Ethylbenzene	ug/L	50	58.7	117	70-132	
Isopropylbenzene (Cumene)	ug/L	50	59.4	119	70-130	
m&p-Xylene	ug/L	100	123	123	70-131	
Methyl-tert-butyl ether	ug/L	50	54.1	108	48-141	
Methylene Chloride	ug/L	50	57.3	115	70-130	
o-Xylene	ug/L	50	58.0	116	70-131	
Styrene	ug/L	50	56.7	113	70-130	
Tetrachloroethene	ug/L	50	55.8	112	70-130	
Toluene	ug/L	50	58.3	117	70-130	
trans-1,2-Dichloroethene	ug/L	50	56.7	113	70-130	
trans-1,3-Dichloropropene	ug/L	50	49.3	99	70-130	
Trichloroethene	ug/L	50	56.0	112	70-130	
Trichlorofluoromethane	ug/L	50	64.0	128	50-150	
Vinyl chloride	ug/L	50	61.5	123	65-142	
4-Bromofluorobenzene (S)	%			108	70-130	
Dibromofluoromethane (S)	%			116	70-130	
Toluene-d8 (S)	%			105	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1254734 1254735

Parameter	Units	MS		MSD		MS Result	MS % Rec	MSD Result	MSD % Rec	% Rec Limits	Max	
		40124230008 Result	Spike Conc.	Spike Conc.	MS Result						RPD	RPD
1,1,1-Trichloroethane	ug/L	<0.50	50	50	63.6	66.7	127	133	70-130	5	20	M1
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	53.2	56.1	106	112	70-130	5	20	
1,1,2-Trichloroethane	ug/L	<0.20	50	50	57.1	60.8	114	122	70-130	6	20	
1,1-Dichloroethane	ug/L	<0.24	50	50	60.9	64.2	122	128	70-134	5	20	
1,1-Dichloroethene	ug/L	<0.41	50	50	54.4	57.5	109	115	70-139	6	20	
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	46.6	48.9	93	98	70-130	5	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	48.7	50.5	97	101	50-150	4	20	
1,2-Dibromoethane (EDB)	ug/L	<0.18	50	50	55.9	59.6	112	119	70-130	6	20	
1,2-Dichlorobenzene	ug/L	<0.50	50	50	49.1	51.6	98	103	70-130	5	20	
1,2-Dichloroethane	ug/L	<0.17	50	50	54.9	58.1	110	116	70-132	6	20	
1,2-Dichloropropane	ug/L	<0.23	50	50	54.8	57.9	110	116	70-130	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

Parameter	Units	40124230008		MS		MSD		1254735					
		Result	Conc.	Spike	Conc.	MS	MSD	MS	% Rec	MSD	% Rec	% Rec	Max
										Limits	RPD	RPD	Qual
1,3-Dichlorobenzene	ug/L	<0.50	50	50	47.2	49.7	94	99	70-130	5	20		
1,4-Dichlorobenzene	ug/L	<0.50	50	50	49.4	52.5	99	105	70-130	6	20		
Benzene	ug/L	<0.50	50	50	52.3	55.2	105	110	70-130	5	20		
Bromodichloromethane	ug/L	<0.50	50	50	56.2	59.8	112	120	70-132	6	20		
Bromoform	ug/L	<0.50	50	50	57.4	60.8	115	122	68-130	6	20		
Bromomethane	ug/L	<2.4	50	50	48.2	52.5	96	105	38-141	8	20		
Carbon tetrachloride	ug/L	<0.50	50	50	59.4	62.5	119	125	70-130	5	20		
Chlorobenzene	ug/L	<0.50	50	50	55.0	58.3	110	117	70-130	6	20		
Chloroethane	ug/L	<0.37	50	50	45.8	47.9	92	96	66-152	5	20		
Chloroform	ug/L	<2.5	50	50	61.3	64.4	123	129	70-130	5	20		
Chloromethane	ug/L	<0.50	50	50	47.2	52.7	94	105	44-151	11	20		
cis-1,2-Dichloroethene	ug/L	<0.26	50	50	53.3	56.1	107	112	70-130	5	20		
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	45.1	47.8	90	96	70-130	6	20		
Dibromochloromethane	ug/L	<0.50	50	50	57.8	60.0	116	120	70-130	4	20		
Dichlorodifluoromethane	ug/L	<0.22	50	50	36.0	37.8	72	76	29-160	5	20		
Ethylbenzene	ug/L	<0.50	50	50	56.8	59.5	114	119	70-132	5	20		
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	56.9	59.8	114	120	70-130	5	20		
m&p-Xylene	ug/L	<1.0	100	100	117	124	117	124	70-131	6	20		
Methyl-tert-butyl ether	ug/L	<0.17	50	50	53.1	55.6	106	111	48-143	4	20		
Methylene Chloride	ug/L	<0.23	50	50	56.0	58.5	112	117	70-130	4	20		
o-Xylene	ug/L	<0.50	50	50	55.2	58.6	110	117	70-131	6	20		
Styrene	ug/L	<0.50	50	50	54.3	56.9	109	114	70-130	5	20		
Tetrachloroethene	ug/L	0.51J	50	50	53.5	56.8	106	113	70-130	6	20		
Toluene	ug/L	<0.50	50	50	56.2	59.3	112	119	70-130	5	20		
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	55.0	57.5	110	115	70-132	4	20		
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	47.6	50.4	95	101	70-130	6	20		
Trichloroethene	ug/L	<0.33	50	50	53.7	56.6	107	113	70-130	5	20		
Trichlorofluoromethane	ug/L	<0.18	50	50	62.8	65.2	126	130	50-153	4	20		
Vinyl chloride	ug/L	<0.18	50	50	59.6	63.4	119	127	60-155	6	20		
4-Bromofluorobenzene (S)	%							108	107	70-130			
Dibromofluoromethane (S)	%							117	117	70-130			
Toluene-d8 (S)	%							104	105	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

QC Batch:	MSV/31214	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	40124230012, 40124230013, 40124230014, 40124230015		

METHOD BLANK: 1256705 Matrix: Water

Associated Lab Samples: 40124230012, 40124230013, 40124230014, 40124230015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	11/13/15 10:28	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	11/13/15 10:28	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	11/13/15 10:28	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	11/13/15 10:28	
1,1-Dichloroethane	ug/L	<0.24	1.0	11/13/15 10:28	
1,1-Dichloroethene	ug/L	<0.41	1.0	11/13/15 10:28	
1,1-Dichloropropene	ug/L	<0.44	1.0	11/13/15 10:28	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	11/13/15 10:28	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	11/13/15 10:28	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	11/13/15 10:28	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	11/13/15 10:28	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	11/13/15 10:28	
1,2-Dibromoethane (EDB)	ug/L	<0.18	1.0	11/13/15 10:28	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	11/13/15 10:28	
1,2-Dichloroethane	ug/L	<0.17	1.0	11/13/15 10:28	
1,2-Dichloropropane	ug/L	<0.23	1.0	11/13/15 10:28	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	11/13/15 10:28	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	11/13/15 10:28	
1,3-Dichloropropane	ug/L	<0.50	1.0	11/13/15 10:28	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	11/13/15 10:28	
2,2-Dichloropropane	ug/L	<0.48	1.0	11/13/15 10:28	
2-Chlorotoluene	ug/L	<0.50	1.0	11/13/15 10:28	
4-Chlorotoluene	ug/L	<0.21	1.0	11/13/15 10:28	
Benzene	ug/L	<0.50	1.0	11/13/15 10:28	
Bromobenzene	ug/L	<0.23	1.0	11/13/15 10:28	
Bromochloromethane	ug/L	<0.34	1.0	11/13/15 10:28	
Bromodichloromethane	ug/L	<0.50	1.0	11/13/15 10:28	
Bromoform	ug/L	<0.50	1.0	11/13/15 10:28	
Bromomethane	ug/L	<2.4	5.0	11/13/15 10:28	
Carbon tetrachloride	ug/L	<0.50	1.0	11/13/15 10:28	
Chlorobenzene	ug/L	<0.50	1.0	11/13/15 10:28	
Chloroethane	ug/L	<0.37	1.0	11/13/15 10:28	
Chloroform	ug/L	<2.5	5.0	11/13/15 10:28	
Chloromethane	ug/L	<0.50	1.0	11/13/15 10:28	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	11/13/15 10:28	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	11/13/15 10:28	
Dibromochloromethane	ug/L	<0.50	1.0	11/13/15 10:28	
Dibromomethane	ug/L	<0.43	1.0	11/13/15 10:28	
Dichlorodifluoromethane	ug/L	<0.22	1.0	11/13/15 10:28	
Diisopropyl ether	ug/L	<0.50	1.0	11/13/15 10:28	
Ethylbenzene	ug/L	<0.50	1.0	11/13/15 10:28	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

METHOD BLANK: 1256705

Matrix: Water

Associated Lab Samples: 40124230012, 40124230013, 40124230014, 40124230015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	11/13/15 10:28	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	11/13/15 10:28	
m&p-Xylene	ug/L	<1.0	2.0	11/13/15 10:28	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	11/13/15 10:28	
Methylene Chloride	ug/L	<0.23	1.0	11/13/15 10:28	
n-Butylbenzene	ug/L	<0.50	1.0	11/13/15 10:28	
n-Propylbenzene	ug/L	<0.50	1.0	11/13/15 10:28	
Naphthalene	ug/L	<2.5	5.0	11/13/15 10:28	
o-Xylene	ug/L	<0.50	1.0	11/13/15 10:28	
p-Isopropyltoluene	ug/L	<0.50	1.0	11/13/15 10:28	
sec-Butylbenzene	ug/L	<2.2	5.0	11/13/15 10:28	
Styrene	ug/L	<0.50	1.0	11/13/15 10:28	
tert-Butylbenzene	ug/L	<0.18	1.0	11/13/15 10:28	
Tetrachloroethene	ug/L	<0.50	1.0	11/13/15 10:28	
Toluene	ug/L	<0.50	1.0	11/13/15 10:28	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	11/13/15 10:28	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	11/13/15 10:28	
Trichloroethene	ug/L	<0.33	1.0	11/13/15 10:28	
Trichlorofluoromethane	ug/L	<0.18	1.0	11/13/15 10:28	
Vinyl chloride	ug/L	<0.18	1.0	11/13/15 10:28	
4-Bromofluorobenzene (S)	%	90	70-130	11/13/15 10:28	
Dibromofluoromethane (S)	%	107	70-130	11/13/15 10:28	
Toluene-d8 (S)	%	94	70-130	11/13/15 10:28	

LABORATORY CONTROL SAMPLE: 1256706

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	50.5	101	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	54.4	109	70-130	
1,1,2-Trichloroethane	ug/L	50	52.7	105	70-130	
1,1-Dichloroethane	ug/L	50	48.5	97	70-130	
1,1-Dichloroethene	ug/L	50	45.2	90	70-130	
1,2,4-Trichlorobenzene	ug/L	50	52.4	105	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	51.9	104	50-150	
1,2-Dibromoethane (EDB)	ug/L	50	53.6	107	70-130	
1,2-Dichlorobenzene	ug/L	50	54.3	109	70-130	
1,2-Dichloroethane	ug/L	50	52.1	104	70-131	
1,2-Dichloropropane	ug/L	50	56.0	112	70-130	
1,3-Dichlorobenzene	ug/L	50	53.5	107	70-130	
1,4-Dichlorobenzene	ug/L	50	52.6	105	70-130	
Benzene	ug/L	50	50.3	101	70-130	
Bromodichloromethane	ug/L	50	52.9	106	70-130	
Bromoform	ug/L	50	49.9	100	68-130	
Bromomethane	ug/L	50	32.4	65	38-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

LABORATORY CONTROL SAMPLE: 1256706

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Carbon tetrachloride	ug/L	50	52.3	105	70-130	
Chlorobenzene	ug/L	50	56.0	112	70-130	
Chloroethane	ug/L	50	36.1	72	70-136	
Chloroform	ug/L	50	53.2	106	70-130	
Chloromethane	ug/L	50	36.5	73	48-144	
cis-1,2-Dichloroethene	ug/L	50	44.5	89	70-130	
cis-1,3-Dichloropropene	ug/L	50	47.6	95	70-130	
Dibromochloromethane	ug/L	50	49.3	99	70-130	
Dichlorodifluoromethane	ug/L	50	26.0	52	33-157	
Ethylbenzene	ug/L	50	62.0	124	70-132	
Isopropylbenzene (Cumene)	ug/L	50	67.0	134	70-130 L0	
m&p-Xylene	ug/L	100	129	129	70-131	
Methyl-tert-butyl ether	ug/L	50	48.3	97	48-141	
Methylene Chloride	ug/L	50	52.6	105	70-130	
o-Xylene	ug/L	50	62.2	124	70-131	
Styrene	ug/L	50	64.3	129	70-130	
Tetrachloroethene	ug/L	50	58.0	116	70-130	
Toluene	ug/L	50	55.0	110	70-130	
trans-1,2-Dichloroethene	ug/L	50	48.6	97	70-130	
trans-1,3-Dichloropropene	ug/L	50	47.1	94	70-130	
Trichloroethene	ug/L	50	58.0	116	70-130	
Trichlorofluoromethane	ug/L	50	48.0	96	50-150	
Vinyl chloride	ug/L	50	40.9	82	65-142	
4-Bromofluorobenzene (S)	%			110	70-130	
Dibromofluoromethane (S)	%			96	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1258604 1258605

Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	RPD	RPD	Max Qual
		40124518003 Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	% Rec	MSD % Rec					
1,1,1-Trichloroethane	ug/L	<0.50	50	50	46.1	50.2	92	100	70-130	9	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	51.9	55.1	104	110	70-130	6	20		
1,1,2-Trichloroethane	ug/L	<0.20	50	50	48.7	50.0	97	100	70-130	3	20		
1,1-Dichloroethane	ug/L	<0.24	50	50	43.9	47.4	88	95	70-134	8	20		
1,1-Dichloroethene	ug/L	<0.41	50	50	42.0	44.3	84	89	70-139	5	20		
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	54.4	51.8	109	104	70-130	5	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	48.1	50.7	96	101	50-150	5	20		
1,2-Dibromoethane (EDB)	ug/L	<0.18	50	50	47.5	50.6	95	101	70-130	6	20		
1,2-Dichlorobenzene	ug/L	<0.50	50	50	52.3	51.9	105	104	70-130	1	20		
1,2-Dichloroethane	ug/L	<0.17	50	50	46.9	51.8	94	104	70-132	10	20		
1,2-Dichloropropene	ug/L	<0.23	50	50	52.0	54.1	104	108	70-130	4	20		
1,3-Dichlorobenzene	ug/L	<0.50	50	50	52.3	51.6	105	103	70-130	2	20		
1,4-Dichlorobenzene	ug/L	<0.50	50	50	50.7	50.2	101	100	70-130	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

Parameter	Units	40124518003		MS		MSD		1258605				
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Max RPD	Max Qual
Benzene	ug/L	<0.50	50	50	46.2	48.8	92	98	70-130	6	20	
Bromodichloromethane	ug/L	<0.50	50	50	47.6	49.8	95	100	70-132	5	20	
Bromoform	ug/L	<0.50	50	50	44.9	45.0	90	90	68-130	0	20	
Bromomethane	ug/L	<2.4	50	50	35.7	38.3	71	77	38-141	7	20	
Carbon tetrachloride	ug/L	<0.50	50	50	46.4	51.2	93	102	70-130	10	20	
Chlorobenzene	ug/L	<0.50	50	50	52.5	52.3	105	105	70-130	0	20	
Chloroethane	ug/L	<0.37	50	50	37.0	36.7	74	73	66-152	1	20	
Chloroform	ug/L	<2.5	50	50	47.9	51.6	96	103	70-130	7	20	
Chloromethane	ug/L	<0.50	50	50	36.9	36.4	74	73	44-151	1	20	
cis-1,2-Dichloroethene	ug/L	<0.26	50	50	42.8	43.1	86	86	70-130	1	20	
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	43.4	44.6	87	89	70-130	3	20	
Dibromochloromethane	ug/L	<0.50	50	50	44.0	45.0	88	90	70-130	2	20	
Dichlorodifluoromethane	ug/L	<0.22	50	50	26.3	26.2	53	52	29-160	0	20	
Ethylbenzene	ug/L	<0.50	50	50	57.8	57.0	116	114	70-132	1	20	
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	62.3	61.4	125	123	70-130	1	20	
m&p-Xylene	ug/L	<1.0	100	100	121	117	121	117	70-131	3	20	
Methyl-tert-butyl ether	ug/L	<0.17	50	50	43.9	48.6	88	97	48-143	10	20	
Methylene Chloride	ug/L	<0.23	50	50	52.5	51.6	105	103	70-130	2	20	
o-Xylene	ug/L	<0.50	50	50	58.3	56.5	117	113	70-131	3	20	
Styrene	ug/L	<0.50	50	50	57.0	55.1	114	110	70-130	3	20	
Tetrachloroethene	ug/L	<0.50	50	50	52.3	54.4	105	109	70-130	4	20	
Toluene	ug/L	<0.50	50	50	51.9	51.6	104	103	70-130	1	20	
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	44.8	49.2	90	98	70-132	9	20	
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	41.9	43.8	84	88	70-130	5	20	
Trichloroethene	ug/L	3.5	50	50	57.7	58.6	108	110	70-130	2	20	
Trichlorofluoromethane	ug/L	<0.18	50	50	43.6	47.2	87	94	50-153	8	20	
Vinyl chloride	ug/L	<0.18	50	50	42.0	39.5	84	79	60-155	6	20	
4-Bromofluorobenzene (S)	%						108	105	70-130			
Dibromofluoromethane (S)	%							94	100	70-130		
Toluene-d8 (S)	%							99	97	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

ANALYTE QUALIFIERS

L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 10328.01 MOUND CITY BANK

Pace Project No.: 40124230

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40124230001	MW-8	EPA 8260	MSV/31137		
40124230002	MW-2	EPA 8260	MSV/31137		
40124230003	PZ-1	EPA 8260	MSV/31137		
40124230004	MW-1	EPA 8260	MSV/31137		
40124230005	MW-3	EPA 8260	MSV/31137		
40124230006	MW-5	EPA 8260	MSV/31137		
40124230007	MW-7	EPA 8260	MSV/31137		
40124230008	PZ-10	EPA 8260	MSV/31137		
40124230009	MW-10	EPA 8260	MSV/31137		
40124230010	MW-9	EPA 8260	MSV/31137		
40124230011	PZ-11	EPA 8260	MSV/31137		
40124230012	MW-11	EPA 8260	MSV/31214		
40124230013	MW-6	EPA 8260	MSV/31214		
40124230014	PZ-4	EPA 8260	MSV/31214		
40124230015	MW-4	EPA 8260	MSV/31214		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Company Name:	Seymour Enviro, Inc.
Branch/Location:	McFarland
Project Contact:	Robyn Seymour
Phone:	608-832-9120
Project Number:	10328.01
Project Name:	Mound City Bank
Project State:	WI
Sampled By (Print):	Mark R. Seymour
Sampled By (Sign):	
PO#:	


www.paceabs.com

CHAIN OF CUSTODY

A=Non	B=HCl	C=H ₂ SO ₄	D=HNO ₃	E=D Water	F=Methanol	G=NaOH
H=Sodium Bisulfate Solution	I=Sodium Thiosulfate	J=Other				

PRESERVATION (CODE)*	V/N	Pick Letter
	IV	B

Data Package Options	MS/MSD	Matrix Codes
<input type="checkbox"/> EPA Level III	<input type="checkbox"/> On your sample	A = Air B = Biota C = Charcoal O = Oil S = Soil
<input type="checkbox"/> EPA Level IV	<input type="checkbox"/> NOT needed on your sample	W = Water DW = Drinking Water GW = Ground Water SW = Surface Water WW = Waste Water WP = Wipe SI = Sludge
Analyses Requested		
VOC's		

Quote #:	
Mail To Company:	Robyn Seymour
Mail To Address:	2531 Dryden Rd McFarland, WI 53558
Invoice To Contact:	
Invoice To Company:	
Invoice To Address:	
CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)
	3-HmVB
Profile #:	

PACE LAB #	CLIENT FIELD ID	COLLECTION DATE	TIME	MATRIX
001	MW-8	11/4/05	10:40 AM	X
002	MW-2		10:25	X
003	P2-1		10:40	X
004	MW-1		10:55	X
005	MW-3		11:20	X
006	MW-5		11:45	X
007	MW-7		13:00	X
008	P2-10		13:55	X
009	MW-10		14:00	X
010	MW-9		12:40	X
011	P2-11		13:30	X
012	MW-11		13:40	X
013	MW-6		14:15	X
Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)				
Date Needed:	Date/Time:	Received By:	Date/Time:	PACE Project No.
Transmit Prelim Rush Results by (complete what you want):	Mark R. Seymour 11/5/05	Received By:	Date/Time:	40124230
Email #1:	Robyn.H.Seymour@enviroinc.com	Received By:	Date/Time:	Received Temp = RT°C
Email #2:		Sample Receipt pH		
Telephone:		OK / Adjusted		
Fax:		Present / Not Present		Cooler Custody Seal
Samples on HOLD are subject to special pricing and release of liability				

(Please Print Clearly)

(Please Print Clearly)

WWW.PACELABS.COM

Race

CHAIN OF CUSTODY

*Preservation Codes						
A=None	B=HCl	C=H ₂ SO ₄	D=HNO ₃	E=DI Water	F=Methanol	G=NaOH
H=	Sodium Bisulfite Solution	I=Sodium Thiosulfate	J=Other			

Quote #:	
Mail To Contact:	Reb34w Seymour
Mail To Company:	Seymor Enviro
Mail To Address:	7531 Dueber Rd

Project State:	<i>We</i>	FILTERED? (YES/NO)	<i>N</i>
Sampled By (Print):	<i>Marcia R. Seymour</i>	PRESERVATION (CODE)	<i>B</i>

PAGE LAB #	CLIENT FIELD ID	(Untitled) Your sample	<input type="checkbox"/> EPA Level IV <input type="checkbox"/> NOT needed on	C = Chloroform O = Oil S = Soil SI = Sludge	GW = Ground Water OW = Surface Water WW = Waste Water WP = Pipe
			COLLECTION	MATRIX	
Analysis					
VOC					

		DATE	TIME	
D14	Pr-4	11/4/15	14:50	600
D15	M/W-4	11:30	1000	X

1996-1997

A 10x10 grid of squares. The bottom row of squares is shaded with a solid gray color, while the other nine rows are white. The grid lines are thin and black.

A 10x10 grid of squares. The bottom-left square is shaded with a grey color, while all other squares are white. This creates a visual effect similar to a cursor or a selected item in a digital interface.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

卷之三

(Rush TAT subject to approval/surcharge)	
Date Needed:	1/15/15 2pm
Transmit Prelim Rush Results by (complete what you want):	Reinforced By: <u>None Required</u>
	Date/Time: <u>1/15/15 0805</u>
	Retrieved By: <u>None</u>

Email #1:	Relinquished By:	Date/Time:	Received By:
Email #2:	Relinquished By:	Date/Time:	Received By:
Telephone:	Relinquished By:	Date/Time:	Received By:

Fax:	
Samples on HOLD are subject to special pricing and release of liability	Relinquished By: _____ Date/Time: _____
	Received By: _____


UPPER MIDWEST REGION

Page 2 of 2

ATTACHMENT C
TREND GRAPHS


MW-1
Former Highway Cleaner

◆ PCE
◊ GW Elev



MW-2
Former Highway Cleaner

PCE
GW Elev



MW-3
Former Highway Cleaners

PCE
GW Elev

