



ENVIRONMENTAL CONSULTATION & REMEDIATION

KPRG and Associates, Inc.

ADDITIONAL SITE INVESTIGATION ADDENDUM NO. 1

November 29, 2007

Mr. James C. Delwiche, P.G.
Wisconsin Department of Natural Resources
141 NW Barstow Street, Room 180
Waukesha, WI 53188

VIA FEDERAL EXPRESS

KPRG Project No. 13905

Re: Additional Site Investigation Addendum
S74 W16834 Janesville Road, Muskego, WI 53150
FID# 268077480, BRRTS# 02-68-543070

Dear Mr. Delwiche:

This Additional Site Investigation Addendum is written by KPRG and Associates, Inc. (KPRG) on behalf of Jill's Dry Cleaners. On February 14, 2007, KPRG submitted the Site Investigation (SI) Report for the above referenced Jill's Dry Cleaner site in Muskego, Wisconsin. On June 27, 2007, the Wisconsin Department of Natural Resources (WDNR) issued a SI report review letter consisting of three comments. Each item is discussed separately below.

WDNR Comment 1: Although changes in water table levels can influence soil sample results, additional soil samples north of the source area will have to be collected in order to determine the degree and extent of soil contamination in both the lateral and vertical directions. Specifically, samples should be collected north of samples HA-4 and HA-5 and beneath samples HA-1, HA-2 and HA-3. Samples should be analyzed for the chlorinated compounds previously detected.

Response to WDNR Comment 1: To address this item, additional soil borings were advanced to collect soil samples in the requested areas. Soil borings GP-5, GP-6, GP-7, HA-1A and HA-2A were advanced at approximate locations shown on Figure 1. Borings GP-5 through GP-7 were advanced using a track mounted geoprobe which utilizes a hydraulically driven, direct push sampling technique. Borings HA-1A and HA-2A were located on the interior of the building and were advanced by coring through the concrete floor followed by using portable geoprobe hand-tools which utilize a hand held electric impact hammer. Soil sample cores from all borings were obtained on a continuous basis, screened in the field for total volatile organic vapors using a photoionization detector (PID) and visually logged using the Unified Soil Classification System (USCS). Copies

of soil boring logs and associated field screening measurements are provided in Attachment 1. Upon completion, all borings were abandoned with granular bentonite to the surface and hydrated. The borings were then capped with material similar to the surrounding area (i.e. concrete, asphalt).

Based on the results of the field screening, a total of six soil samples were collected and analyzed for volatile organic compounds (VOCs). One soil sample was collected from each boring and two soil samples from GP-6. Samples were placed on ice and transported under chain-of-custody to Pace Analytical laboratory for analysis of VOCs using Method 8260B.

The VOC soil data are summarized in Table 1, along with all previously generated soils data. All other VOCs not included in the table were not detected in any of the samples. Full analytical data packages from the most recent sampling are provided in Attachment 2. Soil Screening Residual Contaminant Levels (SSRCLs) were calculated during the initial site investigation.

A review of the data in Table 1 indicates that tetrachloroethene (PCE) was detected in soil at concentrations above the ingestion and soil-to-groundwater pathway calculated SSRCLs in samples HA-1A (9-10), HA-2A (6-8), GP-6 (6-7) and GP-7 (7-8). It is noted that all of these samples were collected within saturated soil. The soil-to-groundwater and ingestion pathways were also exceeded for trichloroethene (TCE; a degradation compound of PCE) in samples GP-6 (6-7) and GP-7 (7-8), also collected from within saturated soil. There were no exceedances for any compound in sample GP-5 (3-4) collected above the water table. Shallow, unsaturated soil samples from locations GP-6 and GP-7 (hand auger sample HA-3 adjacent to GP-7) did not exceed direct contact SSRCLs.

A review of the soil data from the source area beneath the dry cleaning machine (location HA-1) indicates increasing concentrations with depth. The deepest sample was collected from the 9 to 10 foot depth interval at which point the geoprobe hand tools encountered refusal. Using larger equipment was precluded due to the areal and overhead constraints in the vicinity of the dry cleaning machine. The noted concentration distribution beneath the source zone is not uncommon at dry cleaner facilities due to the specific gravity of PCE. Well cluster MW-1/MW-1D, which is immediately down gradient of the source area, is properly positioned to monitor the migration of at depth impacts within the saturated zone.

The expanded data set completes the horizontal and vertical definition of soil impacts. There are impacts noted in off-site soils within the saturated zone, however, the overlying unsaturated soils generally shown non-detect concentrations of VOCs. This suggests that impacts associated at depth in the source area beneath the facility are migrating via groundwater and sorbing onto the aquifer matrix as the plume migrates down gradient. As discussed below in the response to WDNR Comment 2, the lateral and vertical definition of groundwater impacts has been sufficiently defined with the existing monitoring well network.

WDNR Comment 2: The Department concurs that the pond just north of the site may be acting as the local discharge point for near surface groundwater; however, additional groundwater investigation will be necessary north of the source area. Due to the levels of tetrachloroethene (PCE) detected in well MW-1D, the Department will require an additional groundwater monitoring well be installed northeast of the property line and south of the tennis courts in order to determine the degree and extent of the groundwater impacts. The Department previously recommended a multi-level well be installed that would be screened at the water table in addition to multiple five foot intervals starting at thirty five foot depth. While the multi-level well would provide data from various levels, the Department would accept a single screened piezometer in the thirty five to forty foot depth interval.

Response to WDNR Comment 2: To address item 2, one additional deep groundwater monitoring well was drilled and constructed down gradient of existing deep well MW-1D. MW-6D was clustered adjacent to existing down gradient shallow well MW-6 as agreed to by WDNR. It was drilled using the hollow stem auger drilling method and extended to approximately 40 feet bgs. The vertical soil profile was sampled on a continuous basis from the end of boring at MW-6, logged and screened in the field for total volatile organic vapors using a PID. The completed boring log is included in Attachment 1. Once the target depth was reached, the well was constructed of 2-inch, inner-diameter PVC (schedule 40) casing with 5-feet of 0.010 factory slot screen. Well construction continued by placing a 10/20 gradation of silica sand filter pack to approximately one foot above the top of the screen followed by approximately one foot of fine sand (100 sieve). A bentonite pellet seal was placed and hydrated atop the filter sand. The remainder of the annulus was filled with granular bentonite. Surface completion was a flush mount well vault anchored with concrete. A copy of the well construction summary is also included in Attachment 1. All drill cuttings were containerized in labeled 55-gallon drums and temporarily staged on the north end of the property for subsequent proper disposal. The monitoring well was developed using the purge and bail method. Purging continued until a minimum of five casing volumes of water were removed or until field parameters of pH, specific conductance and temperature showed stable conditions and relatively turbid free groundwater. Purge water was also containerized in labeled 55-gallon drums for subsequent proper disposal. The monitoring well was surveyed in by a Wisconsin licensed surveyor.

Following completion of MW-6D, a complete round of groundwater samples was collected from all monitoring wells. Water level elevations were measured using an electronic water level probe. Initial groundwater field measurements of dissolved oxygen (DO) and oxidation-reduction potential (ORP) were obtained down-well. Three casing volumes of water were purged from each well using a dedicated PVC bailer at which point field parameter measurements of pH, specific conductivity and temperature were initiated. Purging continued until stable conditions were documented. If the well bailed dry before three casing volumes could be purged, the well was allowed to recover at which point field parameter measurements were initiated. Post purging groundwater measurements of DO and ORP were obtained down-well and continued until conditions

stabilized. Groundwater samples were collected for analysis with dedicated bottom filling bailers. The water was transferred directly into laboratory prepared containers, preserved and placed on ice. One duplicate was collected for quality assurance/quality control purposes. All samples were transported under a completed COC and delivered to Pace Analytical Services, Inc. for VOC analysis.

Water level measurements are summarized on Table 2. Figure 2 provides an updated groundwater table map. A review of the figure indicates that the flow conditions are consistent with previous interpretations provided in the Site Investigation Report. Well cluster MW-6/MW-6D is properly located as a down gradient sentinel location between the dry cleaning facility and the pond. Water level data is also consistent with previous interpretations that the pond is the local discharge point for near surface groundwater.

Table 3 provides a summary of the most recent round of groundwater monitoring data along with the previous four quarters of sampling. Based on a review of Table 3, the following observations are made relative to NR 140 Preventative Action Limit (PAL) and Enforcement Standard (ES) exceedances which are generally consistent with previous monitoring data:

- The PAL and ES for PCE and TCE were exceeded in the groundwater samples from wells MW-1 and MW-1D.
- The PAL and ES for cis-1,2-DCE was exceeded in the groundwater sample from well location MW-1.
- The PAL and ES were exceeded for vinyl chloride (VC) in the groundwater samples at well location MW-2.
- The PAL was exceeded for PCE in the groundwater samples at well locations MW-3 and MW-4.
- The PAL was exceeded for cis-1,2-DCE in groundwater sample at wells MW-2 and MW-6.

There were no detections of any compound in wells MW-5 and MW-6D.

WDNR Comment 3: The Department concurs with the recommendations in the report that call for another year of quarterly groundwater monitoring in addition to installing a foundation venting system for the building to address vapor intrusion pathways.

Response to WDNR Comment 3: The items discussed in this comment do not pertain to site investigation issues. These are issues involved with site remedy and will be implemented upon completion of the site investigation process.

In conclusion, KPRG believes that the additional site investigation work has provided sufficient data to complete site investigation characterization activities and allow for proper consideration of remedial options for this site. If there are any questions, please contact me at 262-781-0475.

Sincerely,
KPRG and Associates, Inc.




Patrick Allenstein
Project Geologist



Richard R. Gnat, P.G.
Principal

cc: Ms. Jill Fitzgerald, Jill's Dry Cleaners
Donald P. Gallo, Esq., Reinhart Boerner Van Deuren, SC

FIGURES



LEGEND

- ⊠ LOCATION OF DRY CLEANING MACHINE
- B-1 BENCHMARK ENVIRONMENTAL BORING WITH PCE SOIL CONCENTRATIONS IN mg/kg
- HA-1 HAND AUGER BORING
- GP-2 GEOPROBE BORING - Red indicates added
- MW-4 MONITORING WELL LOCATION
Red indicates new added well.
- OVERHEAD ELECTRIC
- SANITARY SEWER
- GAS
- COMMUNICATIONS

ENVIRONMENTAL CONSULTATION & REMEDIATION

K P R G

KPRG and Associates, Inc.

SITE LAYOUT MAP


JILL'S DRY CLEANERS
MUSKEGO, WISCONSIN

Scale: SEE BARSCALE | Date: November 19, 2007







14665 West Libon Road, Suite 28 Brookfield, Wisconsin 53005 Telephone 262-781-0475 Facsimile 262-781-0478
414 Plaza Drive, Suite 106 Westmont, Illinois 60559 Telephone 630-325-1300 Facsimile 630-325-1593

KPRG Project No. 13905

FIGURE 1



LEGEND

-  LOCATION OF DRY CLEANING MACHINE
-  MONITORING WELL LOCATION
-  OVERHEAD ELECTRIC
-  SANITARY SEWER
-  GAS
-  COMMUNICATIONS

ENVIRONMENTAL CONSULTATION & REMEDIATION

GROUNDWATER CONTOUR MAP (10/19/07)

K P R G

KPRG and Associates, Inc.

JILL'S DRY CLEANERS
MUSKEGO, WISCONSIN

Scale: SEE BARSCALE | Date: October 22, 2007

14665 West Lisbon Road, Suite 2B Brookfield, Wisconsin 53005 Telephone 262-781-0475 Facsimile 262-781-0478
414 Plaza Drive, Suite 106 Westmont, Illinois 60559 Telephone 630-325-1300 Facsimile 630-325-1593

KPRG Project No. 13905

FIGURE 2

TABLES

Table 1. Summary of Soil Sample Analytical Results - Jills Dry Cleaners, Muskego, WI

All values in ug/kg unless otherwise noted.

Sample ID and Depth Parameter	SSRCLs		HA-1 (3.5-4.5)	HA-1A (9-10)*	HA-2 (1.5-3)	HA-2A (6-8)*	HA-3 (0.5-1.5)	HA-4 (0.5-1.5)	HA-5 (0.5-1.5)
	Ingestion	Soil-GW							
cis-1,2-Dichloroethene	156,000	77	< 310	< 5,000	< 25	< 25	< 25	870	32 Q
Tetrachloroethene	1,230	20	120,000	2,000,000	7,100	5,400	160	4,400	1,300
Trichloroethene	160	20	700	< 5,000	< 25	< 25	< 25	920	320
Total Organic Carbon (mg/kg)	NS	NS	NA	NA	NA	NA	NA	NA	NA

Table 1. (cont.) Summary of Soil Sample Analytical Results - Jills Dry Cleaners, Muskego, WI

Sample ID and Depth Parameter	SSRCLs		MW-1 (2-4)	MW-2 (1-3)	MW-3 (1-3)	MW-3 (7-8)*	MW-4 (1-2.5)	MW-4 (6-8)*
	Ingestion	Soil-GW						
cis-1,2-Dichloroethene	156,000	77	75	< 25	< 25	< 25	< 25	< 25
Tetrachloroethene	1,230	20	23,000	< 25	< 25	< 25	< 25	< 25
Trichloroethene	160	20	580	< 25	< 25	< 25	< 25	< 25
Total Organic Carbon (mg/kg)	NS	NS	NA	21,000	4,400	NA	7,800	NA

Table 1. (cont.) Summary of Soil Sample Analytical Results - Jills Dry Cleaners, Muskego, WI

Sample ID and Depth Parameter	SSRCLs		GP-1 (1-3)	GP-2 (1-3)	GP-3 (1-3)	GP-3 (6-8)*	GP-4 (1-3)	GP-5 (3-4)	GP-6 (1-1.5 HA)	GP-6 (6-7)*	GP-7 (7-8)*
	Ingestion	Soil-GW									
cis-1,2-Dichloroethene	156,000	77	< 25	< 25	< 25	< 25	< 25	32	< 25	< 250	< 250
Tetrachloroethene	1,230	20	< 25	< 25	< 25	< 25	< 25	< 25	< 25	42,000	53,000
Trichloroethene	160	20	< 25	< 25	< 25	< 25	< 25	< 25	< 25	660	480
Total Organic Carbon (mg/kg)	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA

SSRCL - Soil Screening Residual Contaminant Level
Soil-GW - Soil-to-Groundwater

Note: GP-7 is located adjacent to location HA-3.

* - Indicates saturated soil sample.

NS - No Standard
NA - Not Analyzed

Bold - Exceeds Soil to Groundwater SSRCL

Bold - Exceeds Ingestion SSRCL

Table 2. Groundwater and Top of Casing Elevations for Monitoring Wells
Jill's Dry Cleaners, Muskego, WI

WELL	GROUND ELEVATION	TOC ELEVATION	4/5/2006		6/28/2006		9/27/2006		1/2/2007		10/3/2007		10/19/2007	
			Depth to Groundwater	Groundwater Elevation	Depth to Groundwater	Groundwater Elevation	Depth to Groundwater	Groundwater Elevation	Depth to Groundwater	Groundwater Elevation	Depth to Groundwater	Groundwater Elevation	Depth to Groundwater	Groundwater Elevation
MW-1	808.69	808.29	2.88	805.41	4.20	804.09	4.33	803.96	3.75	804.54	3.75	804.54	2.80	805.49
MW-1D	808.77	808.44	14.66	793.78	7.57	800.87	8.10	800.34	6.54	801.90	6.78	801.66	7.95	800.49
MW-2	805.90	805.53	0.38	805.15	1.96	803.57	2.23	803.30	1.33	804.20	1.22	804.31	0.42	805.11
MW-3	806.38	805.99	0.10	805.89	1.95	804.04	1.48	804.51	1.25	804.74	1.61	804.38	0.30	805.69
MW-4	808.46	808.08	2.44	805.64	3.80	804.28	4.17	803.91	3.46	804.62	3.44	804.64	2.60	805.48
MW-5	804.67	804.13	nm	nm	4.48	799.65	3.13	801.00	5.83	798.30	1.94	802.19	0.89	803.24
MW-6	805.35	805.08	nm	nm	9.68	795.40	3.29	801.79	3.21	801.87	3.31	801.77	0.93	804.15
MW-6D	805.29	804.73	nm	nm	nm	nm	nm	nm	nm	nm	9.95	794.78	4.58	800.15

All Elevations are in feet above Mean Sea Level.
Depth to Groundwater are in feet from Top of Casing.
nm - Not Measured, this well was not yet installed.

Table 3. Ground Water Monitoring Analytical Results - Jill's Dry Cleaners, Muskego, WI

All values in µg/l unless otherwise noted.

WELL ID.	WDNR NR 140 Standards	MW-1					MW-1D					MW-2					MW-3							
		PARAMETER	DATE	PAL	ES	04/05/06	06/28/06	09/27/06	01/02/07	10/3/2007	04/05/06	06/28/06	09/27/06	01/02/07	10/3/2007	04/05/06	06/28/06	09/27/06	01/02/07	10/3/2007	04/05/06	06/28/06	09/27/06	01/02/07
		cis-1,2-Dichloroethene	7	70	74 Q	61 Q	49	78 Q	71	9.0 Q	< 4.1	2.8 Q	5.6	4.0	38	13	25	16	24	< 0.83	< 0.83	< 0.83	2.1 Q	< 1.0
		trans-1,2-Dichloroethene	20	100	< 38	< 22	< 8.9	< 44	< 25	< 4.4	< 4.4	< 2.2	< 0.89	< 1.0	1.9 Q	< 0.89	1.5 Q	1.2 Q	1.0	< 0.89	< 0.89	< 0.89	< 0.89	< 1.0
		Tetrachloroethene	0.5	5.0	3,700	1,800	810	3,300	3,300	540	300	310	130	180	0.75 Q	0.75 Q	< 0.45	< 0.45	< 1.0	29	1.3 Q	< 0.45	18	0.69
		Trichloroethene	0.5	5.0	95	49	35	98	120	14	12	15	7.8	11	1.4 Q	< 0.48	0.59 Q	< 0.48	< 1.0	4.4	< 0.48	< 0.48	4.6	< 1.0
		Vinyl Chloride	0.02	0.2	< 7.2	< 4.5	< 1.8	< 9.0	< 25.0	< 0.9	< 0.9	< 0.45	< 0.18	< 1.0	1.9	0.50Q	1.4	0.68	1.0	< 0.18	< 0.18	< 0.18	< 0.18	< 1.0
		Ethane	NE	NE	< 10	NA	< 10	NA	NA	< 10	NA	< 10	NA	NA	< 10	NA	< 10	NA	NA	< 10	NA	< 10	NA	NA
		Ethene	NE	NE	< 10	NA	< 10	NA	NA	< 10	NA	< 10	NA	NA	< 10	NA	< 10	NA	NA	< 10	NA	< 10	NA	NA
		Methane	NE	NE	< 10	NA	< 10	NA	NA	< 10	NA	< 10	NA	NA	< 10	NA	< 10	NA	NA	< 10	NA	< 10	NA	NA
		Nitrogen, Nitrate (mg/l)	2	10	3.4 H	NA	0.42	NA	NA	0.24 QH	NA	< 0.088	NA	NA	0.85 H	NA	< 0.088	NA	NA	1.3 H	NA	0.12 Q	NA	NA
		Nitrogen, Nitrite (mg/l)	0.2	1.0	NA	NA	< 0.04	NA	NA	NA	NA	< 0.04	NA	NA	NA	NA	< 0.04	NA	NA	NA	NA	< 0.04	NA	NA
		Sulfide (mg/l)	NE	NE	< 2.5	NA	NA	NA	NA	< 2.5	NA	NA	NA	NA	< 2.5	NA	NA	NA	NA	< 2.5	NA	NA	NA	NA
		Sulfate (mg/l)	125 *	250 *	71	NA	86	NA	NA	19	NA	22	NA	NA	54	NA	79	NA	NA	67	NA	170	NA	NA
		TOC (mg/l)	NE	NE	2.5 Q	NA	2.0 QX	NA	NA	< 0.80	NA	560	NA	NA	< 0.80	NA	3.2	NA	NA	1.1 Q	NA	2.1 Q	NA	NA
		Dissolved Oxygen (mg/l)	NE	NE	5.5	0.51	1.64	0.44	1.4	4.14	0.63	2.65	1.89	2.3	3.83	1.11	0.22	0.07	1.5	6.01	0.48	0.30	0.45	2.0
		Oxidation-Reduction Potential (mv)	NE	NE	208	083	052	011	-030	175	-008	010	002	-052	194	002	014	001	-035	229	-027	-027	008	-064

WELL ID.	WDNR NR 140 Standards	MW-4					MW-5					MW-6					MW-6D							
		PARAMETER	DATE	PAL	ES	04/05/06	06/28/06	09/27/06	01/02/07	10/3/2007	04/05/06	06/28/06	09/27/06	01/02/07	10/3/2007	04/05/06	06/28/06	09/27/06	01/02/07	10/3/2007	10/03/07			
		cis-1,2-Dichloroethene	7	70	< 0.83	< 0.83	< 0.83	< 0.83	< 1.0	NS	< 0.83	< 0.83	< 0.83	< 1.0	NS	5.2	7.2	11	9.0	< 1.0				
		trans-1,2-Dichloroethene	20	100	< 0.89	< 0.89	< 0.89	< 0.89	< 1.0	NS	< 0.89	< 0.89	< 0.89	< 1.0	NS	< 0.89	< 0.89	1.2 Q	1.0	< 1.0				
		Tetrachloroethene	0.5	5.0	1.9	0.52 Q	0.59 Q	1.9	0.82	NS	< 0.45	< 0.45	< 0.45	< 1.0	NS	< 0.45	< 0.45	< 0.45	< 1.0	< 1.0				
		Trichloroethene	0.5	5.0	< 0.48	< 0.48	< 0.48	< 0.48	< 1.0	NS	< 0.48	< 0.48	< 0.48	< 1.0	NS	< 0.48	< 0.48	< 0.48	< 1.0	< 1.0				
		Vinyl Chloride	0.02	0.2	< 0.18	< 0.18	< 0.18	< 0.18	< 1.0	NS	< 0.18	< 0.18	< 0.18	< 1.0	NS	< 0.18	< 0.18	< 0.18	< 1.0	< 1.0				
		Ethane	NE	NE	< 10	NA	< 10	NA	NA	NS	NA	< 10	NA	NA	NS	NA	< 10	NA	NA	NA	NA	NA	NA	NA
		Ethene	NE	NE	< 10	NA	< 10	NA	NA	NS	NA	< 10	NA	NA	NS	NA	< 10	NA	NA	NA	NA	NA	NA	NA
		Methane	NE	NE	< 10	NA	< 10	NA	NA	NS	NA	47	NA	NA	NS	NA	190	NA	NA	NA	NA	NA	NA	NA
		Nitrogen, Nitrate (mg/l)	2	10	23 H	NA	12	NA	NA	NS	NA	< 0.088	NA	NA	NS	NA	< 0.088	NA	NA	NA	NA	NA	NA	NA
		Nitrogen, Nitrite (mg/l)	0.2	1.0	NA	NA	< 0.04	NA	NA	NS	NA	< 0.04	NA	NA	NS	NA	< 0.04	NA	NA	NA	NA	NA	NA	NA
		Sulfide (mg/l)	NE	NE	< 2.5	NA	NA	NA	NA	NS	NA	NA	NA	NA	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA
		Sulfate (mg/l)	125 *	250 *	48	NA	94	NA	NA	NS	NA	140	NA	NA	NS	NA	160	NA	NA	NA	NA	NA	NA	NA
		TOC (mg/l)	NE	NE	1.0 Q	NA	3.0	NA	NA	NS	NA	2.2 Q	NA	NA	NS	NA	2.8	NA	NA	NA	NA	NA	NA	NA
		Dissolved Oxygen (mg/l)	NE	NE	4.22	0.8	0.42	0.63	4.0	NS	3.95	0.3	0.22	2.8	NS	4.31	0.6	0.22	1.4	3.6				
		Oxidation-Reduction Potential	NE	NE	147	016	058	001	-030	NS	001	-034	-051	-054	NS	058	-018	-004	-123	-024				

PAL - Preventative Action Limit
 ES - Enforcement Standard
 TOC - Total Organic Carbon
 NE - Not Established
 NA - Not Analyzed
 NS - Not Sampled
 //e/c/a - Exceeds Preventative Action Limit
 Bold - Exceeds Enforcement Standard
 a - Indicates the value is a Public Welfare Groundwater Quality Standard

Lab Notes: Q - Analyte detected between limit of detection and limit of quantification. The result is qualified due to the uncertainty of analyte concentrations within this range.
 X - Unable to achieve 10% RPD on consecutive samples. An average of 5 injections was reported.
 H - Analytals performed past hold time.

ATTACHMENT 1


Boring Logs, Well Construction Summary and Abandonment Forms

Route To: Watershed/Wastewater Waste Management
Remediation/Revelopment Other

Facility/Project Name JILLS DRY CLEANERS		License/Permit/Monitoring Number	Boring Number GP-5
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: ADAM Last Name: SWEET Firm: MORaine ENVIRONMENTAL		Date Drilling Started 09/26/2007	Date Drilling Completed 09/26/2007
Drilling Method GEOPROBE		Final Static Water Level Feet MSL	Surface Elevation Feet MSL
WI Unique Well No.	DNR Well ID No.	Well Name	Borehole Diameter 2 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E		Lat _____ "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W
SW 1/4 of NW 1/4 of Section 10, T 5 N, R 20 E		Long _____ "	Feet _____ Feet _____
Facility ID 268577480	County WAUKESHA	County Code	Civil Town/City/ or Village MUSKEGO

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
5			2	GRASS, DK BR + BR CLAYEY TOP SOIL				0						
			4	BLACK SILTY CLAY, TR SAND + GRV.				0						
5			6	GRAY SILT, SOME RUST MOTTLING, LITTLE CLAY, MOIST, WET @ 3.5'				0						
			8	GRAY CLAY, BROWN MOTTLING, SOME SILT, MOIST.				0						
			10	BROWN CLAY, SILTY, LITTLE GRV, SL. MOIST.				0						
			12					0						
			14					0						
			16					0						
			18					0						
			20					0						
				EOB @ 10'										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm KPRG AND ASSOCIATES, INC.
---	--


This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Revelopment Other

Facility/Project Name JILLS DRY CLEANERS		License/Permit/Monitoring Number		Boring Number GP-6	
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: ADAM Last Name: SWEET Firm: MORaine ENVIRONMENTAL		Date Drilling Started 09/26/2007 m m d d y y y y	Date Drilling Completed 09/26/2007 m m d d y y y y	Drilling Method GEOPROBE	
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 2 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/>		State Plane _____ N, _____ E		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
SW 1/4 of NW 1/4 of Section 10, T 5 N, R 20 E		Lat _____		Long _____	
Facility ID 268577480	County Waukesha	County Code	Civil Town/City/ or Village MUSKEGO		

Sample Number and Type	Length Air. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
5			2	GRASS, BR CLAYEY TOP SOIL, SL MOIST				0						
			4	BROWN CLAY, SILTY, LT SAND+GRAV BROWN SILTY SAND, CLAY POCKETS, LITTLE GRAVEL, SL MOIST.				0						
5			6	GRAY+BROWN MOTT SILTY CLAY, SL MOIST.				7.1						
			8	BROWN CLAY, LT SAND+SILT, OCC. GRAY STRINGER, TR GRV., SL MOIST.				7.8						
			10	- BROWN ONLY				13.1						
			12	GRAY CLAY, TR SAND+SILT				12.3						
			14	EOBO 10'				6.5						
			16					0						

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **KPRG AND ASSOCIATES, INC.**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.


Route To: Watershed/Wastewater Waste Management
Remediation/Revelopment Other

Page 1 of 1

Facility/Project Name JILLS DRY CLEANERS		License/Permit/Monitoring Number		Boring Number GP-7	
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: ADAM Last Name: SWEET Firm: MORaine ENVIRONMENTAL		Date Drilling Started 09/26/2007 m m d d y y y y	Date Drilling Completed 09/26/2007 m m d d y y y y	Drilling Method GEOPROBE	
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level ____ Feet MSL	Surface Elevation ____ Feet MSL	Borehole Diameter 2 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>		State Plane _____ N, _____ E		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
SW 1/4 of NW 1/4 of Section 10, T 5 N, R 20 E		Lat _____ Long _____			
Facility ID 268577480	County WAUKESHA	County Code	Civil Town/City/ or Village MUSKEGO		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
4			2	GRASS-BROWN CLAYEY TOP SOIL				0						
			4	LT BROWN FSAND-SILT-CLAY MIX, WET.				0.2						
			4	LT BR CLAY, GRAY MOTTLING+STRINGERS				8						
5			6	BROWN CLAY, SOME SILT, TR GRAY, SOME GRAY MOTTLING, MOD STIFF				12						
			8	BROWN CLAY, SOME SILT, TR GRAY, SOME GRAY MOTTLING, MOD STIFF				15						
			8	GRAY CLAY, SOME BR, TR GRAY, MOIST				20						
			8					8						
			10					0						
			10	EOBO 10'										
			12											
			14											
			16											
			18											
			20											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm KPRG AND ASSOCIATES, INC.
---	--


This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Revelopment Other

Facility/Project Name JILLS DRY CLEANERS			License/Permi/Monitoring Number		Boring Number HA-1A
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: ADAM Last Name: SWEET Firm: MORaine ENVIRONMENTAL			Date Drilling Started 09/26/2007 m m d d y y y y	Date Drilling Completed 09/26/2007 m m d d y y y y	Drilling Method GEOPROBE
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borhole Diameter 2 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane _____ N, _____ E			Local Grid Location Lat _____ Long _____ Feet <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W		
SW 1/4 of NW 1/4 of Section 10 , T 5 N, R 20 E					
Facility ID 268577480		County WALKESHA	County Code	Civil Town/City/ or Village MUSKEGO	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1/1			0	CONCRETE, 12"				0						
2			2	BR GRAVEL BASE ROCK, LT BR SAND				121						
2			4	BROWN SILTY CLAY, SOME GRAV+SAND				109						
2			6	BLACK CLAY, SOME SAND+SILT				37						
2			8	GRAY CLAY, SOME MED SAND				25						
2			10	BR+GR FSAND-SILT-CLAY MIX, V. MOIST				119						
2			12	BROWN+GRAY SILTY CLAY, TR SAND				566						
			14	+ GRAV., MOIST.				932						
			16	SAND SEAM @ 8', WET.										
			18											
			20											
				EOB @ 10'										

I hereby certify that the information on this form is true and correct to the best of my knowledge.


Signature  Firm **KPRG AND ASSOCIATES, INC.**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Revelopment Other

Facility/Project Name JILLS DRY CLEANERS		License/Permit/Monitoring Number	Boring Number HA-2A	
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: ADAM Last Name: SWEET Firm: MORaine ENVIRONMENTAL		Date Drilling Started 09/26/2007 m m d d y y y y	Date Drilling Completed 09/26/2007 m m d d y y y y	Drilling Method GEOPROBE
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level ____ Feet MSL	Surface Elevation ____ Feet MSL
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E		Lat _____ " _____ "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
SW 1/4 of NW 1/4 of Section 10 , T 5 N, R 20 E		Long _____ " _____ "	Feet _____ Feet _____	
Facility ID 268577480	County WAUKESHA	County Code	Civil Town/City/ or Village MUSKEGO	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1/1			0	CONCRETE, ~10", LT BROWN SAND + GRAVEL				0						
2			2	BROWN SILTY CLAY, LITTLE SAND + GRAVEL				0						
2			4	BLACK CLAY, SOME SILT + FSAND, SOFT, SOME ORGANICS.				0						
2			6	GRAY TO BROWN SILTY CLAY				0.4						
2			8	BROWN CLAY, GRAY MOTTLING, LT SILT + MED SAND, MOIST.				1.3						
2			10					0						
			10	E0B010'										
			12											
			14											
			16											
			18											
			20											

I hereby certify that the information on this form is true and correct to the best of my knowledge.
Signature  Firm **KPRG AND ASSOCIATES, INC.**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.


Route To: Watershed/Wastewater Waste Management
Remediation/Revelopment Other

Page 1 of 2

Facility/Project Name JILLS DRY CLEANERS		License/Permit/Monitoring Number		Boring Number MW-6D	
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: ADAM Last Name: SWEET Firm: MORaine ENVIRONMENTAL		Date Drilling Started 09/26/2007 m m d d y y y y	Date Drilling Completed 09/26/2007 m m d d y y y y	Drilling Method GEOPROBE/HSA	
WI Unique Well No.	DNR Well ID No.	Well Name MW-6D		Final Static Water Level ____ Feet MSL	Surface Elevation ____ Feet MSL
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>		Local Grid Location		Borehole Diameter 2/8 inches	
State Plane _____ N, _____ E		Lat _____ " _____ "		<input type="checkbox"/> N <input type="checkbox"/> E	
SW 1/4 of NW 1/4 of Section 10, T 5 N, R 20 E		Long _____ " _____ "		<input type="checkbox"/> Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W	
Facility ID 268577480	County WAUKESHA	County Code	Civil Town/City/ or Village MUSKEGO		

Sample Number and Type	Length Au. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
			2	BORING BLIND DRILLED TO 14' - DEPTH OF MW-6. PLEASE SEE LOG FOR SOIL DESCRIPTIONS.											
			4												
			6												
			8												
			10												
			12												
			14												
			16		GRAY CLAY, LITTLE SILT, MOD SOFT, MOIST. (TILL)				0						
			18						0						
			20						0						

I hereby certify that the information on this form is true and correct to the best of my knowledge.


Signature 	Firm KPRG AND ASSOCIATES, INC.
---	--

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Facility/Project Name JILLS DRY CLEANER	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW-6D
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. " Long. " or "	Wis. Unique Well No. DNR Well ID No.
Facility ID 268077480	St. Plane ft. N. ft. E. S/C/N	Date Well Installed 09/26/2007 m m d d y y y y
Type of Well Well Code MW/1	Section Location of Waste/Source SW 1/4 of NW 1/4 of Sec. 10 T. 5 N. R. 26 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm ADAM SWEET MORaine ENVIRONMENTAL
Distance from Waste/Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known
		Gov. Lot Number

A. Protective pipe, top elevation ----- ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation ----- ft. MSL	2. Protective cover pipe: a. Inside diameter: 8 in.
C. Land surface elevation ----- ft. MSL	b. Length: ----- 1 ft.
D. Surface seal, bottom ----- ft. MSL or ----- 1 ft.	c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	d. Additional protection? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, describe: _____
13. Sieve analysis performed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
17. Source of water (attach analysis, if required): _____	7. Fine sand material: Manufacturer, product name & mesh size a. FILTER SAND
E. Bentonite seal, top ----- ft. MSL or ----- 1 ft.	b. Volume added ----- ft ³
F. Fine sand, top ----- ft. MSL or ----- 33 ft.	8. Filter pack material: Manufacturer, product name & mesh size a. FILTER SAND #5
G. Filter pack, top ----- ft. MSL or ----- 34 ft.	b. Volume added ----- ft ³
H. Screen joint, top ----- ft. MSL or ----- 35 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
I. Well bottom ----- ft. MSL or ----- 40 ft.	10. Screen material: PVC
J. Filter pack, bottom ----- ft. MSL or ----- 40 ft.	a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
K. Borehole, bottom ----- ft. MSL or ----- 40 ft.	b. Manufacturer _____
L. Borehole, diameter ----- 8 in.	c. Slot size: 0.010 in.
M. O.D. well casing ----- 2 in.	d. Slotted length: ----- 5 ft.
N. I.D. well casing ----- 2 in.	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/>

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **KPRG AND ASSOCIATES, INC.**

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
 Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information			2. Facility / Owner Information		
WI Unique Well No.	DNR Well ID No.	County	Facility Name		
_____	_____	WAUKESHA	JILLS DRY CLEANERS		
Common Well Name		Gov't Lot # (if applicable)	Facility ID	License/Permit/Monitoring No	City, Village or Town
GP-5		_____	268077480	_____	_____

1/4	1/4	Section	Township	Range	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Street Address of Well
SW	NW	10	5 N	20		574 W 16834 JANESVILLE ROAD

Grid Location		Local Grid Origin		Present Well Owner		Original Well Owner	
Feet	<input type="checkbox"/> N <input type="checkbox"/> S	Feet	<input type="checkbox"/> E <input type="checkbox"/> W	<input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location		Street Address or Route of Owner	
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC		City	State	ZIP Code	
_____ N _____ W		_____ N _____ W		MUSKEGO	WI	53150	

Reason For Abandonment	WI Unique Well No. of Replacement Well	4. Pump, Liner, Screen, Casing & Sealing Material
SOIL BORING	_____	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

3. Well / Drillhole / Borehole Information		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	09-26-2007	Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.	Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

Construction Type:		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify):	_____	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Formation Type:		If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	Required Method of Placing Sealing Material

Total Well Depth From Groundsurface (ft.)	Casing Diameter (in.)	<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
10	_____	<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____

Lower Drillhole Diameter (in.)	Casing Depth (ft.)	Sealing Materials	
2	_____	<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
If yes, to what depth (feet)?		<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips

Depth to Water (feet)	For Monitoring Wells and Monitoring Well Boreholes Only:	
_____	<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
_____	<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
CHIPPED BENTONITE	Surface	10		

6. Comments

7. Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Sealing Work	Date of Abandonment	Date Received	Noted By
PATRICK ALLENSTEIN	09-26-2007		
Street or Route	Telephone Number	Comments	
	()		
City	State	ZIP Code	Date Signed
			09-27-2007

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

WI Unique Well No. _____			DNR Well ID No. _____		County WAUKESHA		Facility Name JILLS DRY CLEANERS				
Common Well Name GP-6			Gov't Lot # (if applicable) _____			Facility ID 268077480		License/Permit/Monitoring No _____		City, Village or Town _____	
1/4	1/4	Section	Township		Range	<input checked="" type="checkbox"/> E	Street Address of Well 574 W16834 JANESVILLE ROAD				
SW	NW	10	5 N		20	<input type="checkbox"/> W					
Grid Location			<input type="checkbox"/> Local Grid Origin		Present Well Owner _____						Original Well Owner _____
Feet	<input type="checkbox"/> N	Feet	<input type="checkbox"/> E	Street Address or Route of Owner _____							
<input type="checkbox"/> S	<input type="checkbox"/> W	<input type="checkbox"/> (estimated) OR		<input type="checkbox"/> Well Location							
Latitude: DEG MIN SEC			Longitude: DEG MIN SEC		City MUSKEGO		State WI	ZIP Code 53150			

Reason For Abandonment **SOIL BORING** WI Unique Well No. of Replacement Well _____

3. Well / Drillhole / Borehole Information

Monitoring Well Water Well Borehole / Drillhole

Original Construction Date **09-26-2007**

If a Well Construction Report is available, please attach. _____

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): **GEOPROBE**

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.) **10** Casing Diameter (in.) _____

Lower Drillhole Diameter (in.) **2** Casing Depth (ft.) _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole retopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips


For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	10		
CHIPPED BENTONITE			

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Sealing Work PATRICK ALLENSTEIN		Date of Abandonment 09-26-2007		Date Received _____	Noted By _____
Street or Route _____		Telephone Number _____		Comments _____	
City _____	State _____	ZIP Code _____	Signature of Person Doing Work 		Date Signed 09-27-2007

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information

WI Unique Well No. _____ DNR Well ID No. _____ County WAUKESHA

Common Well Name GP-7 Gov't Lot # (if applicable) _____

1/4 SW 1/4 NW Section 10 Township 5 N Range 20 E W

Grid Location
 Feet N S E W Local Grid Origin (estimated) OR Well Location

Latitude: DEG MIN SEC _____ Longitude: DEG MIN SEC _____

2. Facility / Owner Information

Facility Name JILLS DRY CLEANERS

Facility ID 268077480 License/Permit/Monitoring No. _____ City, Village or Town _____

Street Address of Well 574 W16834 JANESVILLE ROAD

Present Well Owner _____ Original Well Owner _____

Street Address or Route of Owner _____

City MUSKEGO State WI ZIP Code 53150

Reason For Abandonment SOIL BORING WI Unique Well No. of Replacement Well _____

3. Well / Drillhole / Borehole Information

Monitoring Well Water Well Borehole / Drillhole

Original Construction Date 09-26-2007

If a Well Construction Report is available, please attach. _____

Construction Type:
 Drilled Driven (Sandpoint) Dug Other (specify): GEOPROBE

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.) 10 Casing Diameter (in.) _____

Lower Drillhole Diameter (in.) 2 Casing Depth (ft.) _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole retopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	10		
<u>CHIPPED BENTONITE</u>			

6. Comments

7. Supervision of Work

Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Sealing Work <u>PATRICK ALLENSTEIN</u>	Date of Abandonment <u>09-26-2007</u>	Date Received	Noted By
Street or Route	Telephone Number ()	Comments	
City	State	ZIP Code	Date Signed <u>09-27-2007</u>
Signature of Person Doing Work <u>[Signature]</u>			

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information

WI Unique Well No. _____ DNR Well ID No. _____ County WAUKESHA

Common Well Name HA-1A Gov't Lot # (if applicable) _____

1/4 SW 1/4 NW Section 10 Township 5 N Range 20 E W

Grid Location
 Feet N S E W Local Grid Origin (estimated) OR Well Location

Latitude: DEG MIN SEC _____ Longitude: DEG MIN SEC _____

2. Facility / Owner Information

Facility Name JILLS DRY CLEANERS

Facility ID 268077480 License/Permit/Monitoring No. _____ City, Village or Town _____

Present Well Owner _____ Original Well Owner _____

Street Address or Route of Owner _____

City MUSKEGO State WI ZIP Code 53150

Reason For Abandonment

SOIL BORING WI Unique Well No. of Replacement Well _____

3. Well / Drillhole / Borehole Information

Monitoring Well Water Well Borehole / Drillhole

Original Construction Date 09-26-2007

If a Well Construction Report is available, please attach. _____

Construction Type:
 Drilled Driven (Sandpoint) Dug Other (specify): GEOPROBE

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.) 10 Casing Diameter (in.) _____

Lower Drillhole Diameter (in.) 2 Casing Depth (ft.) _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole retopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wl.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>CONCRETE</u>	<u>Surface</u>	<u>0.5</u>		
<u>CHIPPED BENTONITE</u>	<u>0.5</u>	<u>10</u>		

6. Comments

7. Supervision of Work

Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Sealing Work <u>PATRICK ALLENSTEIN</u>	Date of Abandonment <u>09-26-2007</u>	Date Received	Noted By
Street or Route	Telephone Number ()	Comments	
City	State	ZIP Code	Date Signed <u>09-27-2007</u>
Signature of Person Doing Work <u>[Signature]</u>			

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

WI Unique Well No. _____		DNR Well ID No. _____		County WAUKESHA		Facility Name JILLS DRY CLEANERS	
Common Well Name HA-2A				Gov't Lot # (if applicable) _____		Facility ID 268077480	
1/4 SW		1/4 NW		Section 10		Township 5 N 20 E	
Grid Location				Local Grid Origin <input type="checkbox"/>			
Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W				(estimated) OR <input type="checkbox"/> Well Location			
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC		City MUSKEGO		State WI	
ZIP Code 53150		Reason For Abandonment SOIL BORING		WI Unique Well No. of Replacement Well _____		4. Pump, Liner, Screen, Casing & Sealing Material	

Street Address of Well: **574 W16834 JANESVILLE ROAD**

Present Well Owner: _____ Original Well Owner: _____

Street Address or Route of Owner: _____

3. Well / Drillhole / Borehole Information

Monitoring Well Water Well Borehole / Drillhole

Original Construction Date: **09-26-2007**

If a Well Construction Report is available, please attach. _____

Construction Type:

Drilled Driven (Sandpoint) Dug

Other (specify): **GEOPROBE**

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.): **10**

Casing Diameter (in.): _____

Lower Drillhole Diameter (in.): **2**

Casing Depth (ft.): _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____

Depth to Water (feet) _____

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole retopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped

Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)

Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "

Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout

Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
CONCRETE	Surface	0.5		
CHIPPED BENTONITE	0.5	10		

6. Comments

7. Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Sealing Work PATRICK ALLENSTEIN		Date of Abandonment 09-26-2007	Date Received
Street or Route		Telephone Number ()	Noted By
City		State	Comments
ZIP Code		Signature of Person Doing Work <i>[Signature]</i>	Date Signed 09-27-2007

ATTACHMENT 2

Analytical Data Package



1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-469-8827

Analytical Report Number: 889142

Client: KPRG AND ASSOCIATES, INC.

Lab Contact: Laurie Woelfel

Project Name: JILLS DRY CLEANERS

Project Number: 13905

Lab Sample Number	Field ID	Matrix	Collection Date
889142-001	GP-5 (3-4)	SOIL	09/27/07 08:40
889142-002	GP-6 (6-7)	SOIL	09/27/07 09:00
889142-003	GP-7 (7-8)	SOIL	09/27/07 09:40
889142-004	HA-1A (9-10)	SOIL	09/27/07 13:50
889142-005	HA-2A (6-8)	SOIL	09/27/07 14:30

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.

Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.



Laurie Woelfel
Approval Signature

10/5/07
Date

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889142

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANERS
Project Number : 13905
Field ID : GP-5 (3-4)

Matrix Type : SOIL
Collection Date : 09/27/07
Report Date : 10/04/07
Lab Sample Number : 889142-001

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	83.5				1	%		10/03/07	SM M2540G	SM M2540G
								Prep Date/Time:	Anl By: kloch	

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Prep Date/Time: 10/03/07 2:40 PM Anl By: TLT										
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	32	30	72		50	ug/Kg	Q	10/03/07 4:19 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889142

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANERS
Project Number : 13905
Field ID : GP-5 (3-4)

Matrix Type : SOIL
Collection Date : 09/27/07
Report Date : 10/04/07
Lab Sample Number : 889142-001

VOLATILES

Prep Date/Time: 10/03/07 2:40 PM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 50	50	120		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		10/03/07 4:19 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	98	64	133		50	%		10/03/07	SW846 5030B	SW846 8260B
Toluene-d8	104	67	139		50	%		10/03/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	100	64	140		50	%		10/03/07	SW846 5030B	SW846 8260B

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANERS
Project Number : 13905
Field ID : GP-6 (6-7)

Matrix Type : SOIL
Collection Date : 09/27/07
Report Date : 10/04/07
Lab Sample Number : 889142-002

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	85.6				1	%		10/03/07	SM M2540G	SM M2540G
								Prep Date/Time:	Anl By: kloch	

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Prep Date/Time: 10/03/07 2:40 PM Anl By: TLT										
1,1,1,2-Tetrachloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	1000	290	700		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 820	820	2000		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 440	440	1100		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	430	290	700		500	ug/Kg	Q	10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Benzene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Bromoform	< 260	260	620		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Bromomethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Chloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Chloroform	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Chloromethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 260	260	630		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANERS
Project Number : 13905
Field ID : GP-6 (6-7)

Matrix Type : SOIL
Collection Date : 09/27/07
Report Date : 10/04/07
Lab Sample Number : 889142-002

VOLATILES

Prep Date/Time: 10/03/07 2:40 PM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Naphthalene	570	290	700		500	ug/Kg	Q	10/03/07 8:16 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 400	400	970		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
n-Propylbenzene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Styrene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	42000	290	700		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Toluene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Trichloroethene	660	290	700		500	ug/Kg	Q	10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 500	500	1200		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Xylene, o	< 250	250	600		500	ug/Kg		10/03/07 8:16 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	94	64	133		500	%		10/03/07	SW846 5030B	SW846 8260B
Toluene-d8	105	67	139		500	%		10/03/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	96	64	140		500	%		10/03/07	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889142

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANERS
Project Number : 13905
Field ID : GP-7 (7-8)

Matrix Type : SOIL
Collection Date : 09/27/07
Report Date : 10/04/07
Lab Sample Number : 889142-003

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	86.0				1	%		10/03/07	SM M2540G	SM M2540G
								Prep Date/Time:	Anl By: kloch	

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Prep Date/Time: 10/03/07 2:40 PM Anl By: TLT										
1,1,1,2-Tetrachloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 820	820	2000		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 440	440	1100		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Benzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Bromoform	< 260	260	620		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Bromomethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Chloroethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Chloroform	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Chloromethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 260	260	630		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889142

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANERS
Project Number : 13905
Field ID : GP-7 (7-8)

Matrix Type : SOIL
Collection Date : 09/27/07
Report Date : 10/04/07
Lab Sample Number : 889142-003

VOLATILES							Prep Date/Time: 10/03/07 2:40 PM Anl By: TLT			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Naphthalene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 400	400	970		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
n-Propylbenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Styrene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	53000	290	700		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Toluene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Trichloroethene	480	290	700		500	ug/Kg	Q	10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 500	500	1200		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Xylene, o	< 250	250	600		500	ug/Kg		10/03/07 8:39 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	105	64	133		500	%		10/03/07	SW846 5030B	SW846 8260B
Toluene-d8	114	67	139		500	%		10/03/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	98	64	140		500	%		10/03/07	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889142

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.

Matrix Type : SOIL

Project Name : JILLS DRY CLEANERS

Collection Date : 09/27/07

Project Number : 13905

Report Date : 10/04/07

Field ID : HA-1A (9-10)

Lab Sample Number : 889142-004

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	84.5				1	%		10/03/07	SM M2540G	SM M2540G
								Prep Date/Time:	Anl By: kloch	

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Prep Date/Time: 10/03/07 2:40 PM Anl By: TLT										
1,1,1,2-Tetrachloroethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 16000	16000	40000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 8900	8900	21000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Benzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Bromoform	< 5200	5200	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Bromomethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Chloroethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Chloroform	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Chloromethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 5300	5300	13000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889142

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANERS
Project Number : 13905
Field ID : HA-1A (9-10)

Matrix Type : SOIL
Collection Date : 09/27/07
Report Date : 10/04/07
Lab Sample Number : 889142-004

VOLATILES

Prep Date/Time: 10/03/07 2:40 PM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Naphthalene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 8100	8100	19000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
n-Propylbenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Styrene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	2.0E+6	5900	14000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Toluene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 10000	10000	24000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Xylene, o	< 5000	5000	12000		10000	ug/Kg		10/03/07 9:03 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	0	64	133		10000	%	D	10/03/07	SW846 5030B	SW846 8260B
Toluene-d8	0	67	139		10000	%	D	10/03/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	0	64	140		10000	%	D	10/03/07	SW846 5030B	SW846 8260B

Pace Analytical Services, Inc.

Analytical Report Number: 889142

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILL'S DRY CLEANERS
Project Number : 13905
Field ID : HA-2A (6-8)

Matrix Type : SOIL
Collection Date : 09/27/07
Report Date : 10/04/07
Lab Sample Number : 889142-005

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	87.6				1	%		10/03/07	SM M2540G	SM M2540G
								Prep Date/Time:	Anl By: kloch	

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Prep Date/Time: 10/03/07 2:40 PM Anl By: TLT										
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889142

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILL'S DRY CLEANERS
Project Number : 13905
Field ID : HA-2A (6-8)

Matrix Type : SOIL
Collection Date : 09/27/07
Report Date : 10/04/07
Lab Sample Number : 889142-005

VOLATILES

Prep Date/Time: 10/03/07 2:40 PM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	5400	29	69		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 50	50	120		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		10/03/07 4:42 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	92	64	133		50	%		10/03/07	SW846 5030B	SW846 8260B
Toluene-d8	99	67	139		50	%		10/03/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	94	64	140		50	%		10/03/07	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Lab Number	TestGroupID	Field ID	Comment
889142-	8260+-S-ME	All Samples	Inadequate sample volume received to perform the method required MS/MSD.

Qualifier Codes

Flag	Applies To	Explanation
A	Inorganic	Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
B	Inorganic	The analyte has been detected between the method detection limit and the reporting limit.
B	Organic	Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
C	All	Elevated detection limit.
D	All	Analyte value from diluted analysis or surrogate result not applicable due to sample dilution.
E	Inorganic	Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed.
E	Organic	Analyte concentration exceeds calibration range.
F	Inorganic	Due to potential interferences for this analysis by Inductively Coupled Plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method.
F	Organic	Surrogate results outside control criteria.
G	All	The result is estimated because the concentration is less than the lowest calibration standard concentration utilized in the initial calibration. The method detection limit is less than the reporting limit specified for this project.
H	All	Preservation, extraction or analysis performed past holding time.
HF	Inorganic	This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time.
J	All	Concentration detected equal to or greater than the method detection limit but less than the reporting limit.
K	Organic	Detection limit may be elevated due to the presence of an unrequested analyte.
L	All	Elevated detection limit due to low sample volume.
M	Organic	Sample pH was greater than 2
N	All	Spiked sample recovery not within control limits.
O	Organic	Sample received overweight.
P	Organic	The relative percent difference between the two columns for detected concentrations was greater than 40%.
Q	All	The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
S	Organic	The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
U	All	The analyte was not detected at or above the reporting limit.
V	All	Sample received with headspace.
W	All	A second aliquot of sample was analyzed from a container with headspace.
X	All	See Sample Narrative.
Z	Organics	This compound was separated in the CCV standard but it did not meet the resolution criteria as set forth in SW846.
&	All	Laboratory Control Spike recovery not within control limits.
*	All	Precision not within control limits.
+	Inorganic	The sample result is greater than four times the spike level: therefore, the percent recovery is not evaluated.
<	All	The analyte was not detected at or above the reporting limit.
1	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria.
2	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria.
3	Inorganic	BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion.
4	Inorganic	BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
5	Inorganic	BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
6	Inorganic	BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
7	Inorganic	BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
8	Inorganic	Sample was received unpreserved. Sample was preserved either at the time of receipt or at the time of sample preparation.
9	Inorganic	Sample was received with insufficient preservation. Acid was added either at the time of receipt or at the time of sample preparation.

Test Group Name	889142-001	889142-002	889142-003	889142-004	889142-005
PERCENT SOLIDS	B	B	B	B	B
VOLATILES	G	G	G	G	G

Code	WI Certification
B	405132750 / DATCP: 105-444
G	405132750




Sample Condition Upon Receipt

Client Name: KPRG + ASSOCIATES

Project # 889142

Courier: [] Fed Ex [] UPS [] USPS [] Client [x] Commercial [] Pace Other
Tracking #: _____



Custody Seal on Cooler/Box Present: [] yes [x] no Seals intact: [] yes [] no

Packing Material: [] Bubble Wrap [x] Bubble Bags [] None [] Other

Thermometer Used N/A Type of Ice: (Wet) Blue None [] Samples on ice, cooling process has begun

Cooler Temperature ReI Temp should be above freezing to 6°C

Biological Tissue is Frozen: Yes No

Date and Initials of person examining contents: WJL/GJK 10-2-07

Comments:

Table with 16 rows of checkboxes and text for Chain of Custody, Sample Labels, and Trip Blank checks.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: _____

LKW

Date: 10/3/07

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)

(Please Print Clearly)

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436



COC No. 022138

Company Name: **KPRG AND ASSOCIATES**
 Branch/Location: **BROOKFIELD, WI**
 Project Contact: **RICH GNAT**
 Phone: **262-781-0475**
 Project Number: **13905**
 Project Name: **JILLS DRY CLEANERS**
 Project State: **WI**
 Sampled By (Print): **PATRICK ALLENSTEIN**
 Sampled By (Sign): *[Signature]*

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested
	F	VOC

Quote #:
 Mail To Contact: **RICH GNAT**
 Mail To Company: **KPRG AND ASSOCIATES**
 Mail To Address: **14665 W. LISBON RD, STE 2B
BROOKFIELD, WI 53005**
 Invoice To Contact:
 Invoice To Company:
 Invoice To Address:
 Invoice To Phone:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	GP-5 (3-4)	9/27/07	840	S
002	GP-6 (6-7)		900	
003	GP-7 (7-8)		940	
004	HA-1A (9-10)		1350	
005	HA-2A (6-8)		1430	

CLIENT COMMENTS | **LAB COMMENTS (Lab Use Only)** | Profile #

1-4oz Pkg, 1-40ml

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:
 Transmit Prelim Rush Results by (complete what you want):
 Email #1:
 Email #2:
 Telephone:
 Fax:
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: <i>[Signature]</i> Date/Time: 10/1/07 0900	Received By: <i>[Signature]</i> Date/Time: 10/1/07 0900
Relinquished By: <i>[Signature]</i> Date/Time: 10/1/07 1005	Received By: <i>[Signature]</i> Date/Time: 10/2/07 955
Relinquished By: <i>[Signature]</i> Date/Time: 10/2/07 955	Received By: <i>[Signature]</i> Date/Time: 10/2/07 955
Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____

PACE Project No. **889142**
 Receipt Temp = *[Signature]* °C
 Sample Receipt pH **OK / Adjusted**
 Cooler Custody Seal **Present / Not Present**
 Intact / Not Intact



1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-469-8827

Analytical Report Number: 889349

Client: KPRG AND ASSOCIATES, INC.

Lab Contact: Laurie Woelfel

Project Name: JILLS DRY CLEANER

Project Number: 73905

Lab Sample Number	Field ID	Matrix	Collection Date
889349-001	MW-1	WATER	10/03/07 16:05
889349-002	MW-1D	WATER	10/03/07 15:15
889349-003	MW-2	WATER	10/03/07 13:30
889349-004	MW-3	WATER	10/03/07 14:10
889349-005	MW-4	WATER	10/03/07 12:15
889349-006	MW-5	WATER	10/03/07 11:30
889349-007	MW-6	WATER	10/03/07 10:40
889349-008	MW-6D	WATER	10/03/07 10:00
889349-009	DUPLICATE	WATER	10/03/07
889349-010	TRIP BLANK	WATER	10/03/07

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.

Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.



Laurie Woelfel

10/3/07

Approval Signature

Date

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-1

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-001

VOLATILES							Prep Date/Time: 10/11/07 10:11 AM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 23	23	77		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 22	22	75		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 5.0	5.0	17		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 10	10	35		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 19	19	62		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 14	14	47		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 19	19	62		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 18	18	62		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	82		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 24	24	81		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 24	24	81		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 22	22	72		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 14	14	47		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 21	21	69		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 9.0	9.0	30		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 12	12	38		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 21	21	69		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 22	22	72		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 15	15	51		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 24	24	79		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 16	16	52		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 21	21	71		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 18	18	62		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Benzene	< 10	10	34		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Bromobenzene	< 20	20	68		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Bromochloromethane	< 24	24	81		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 14	14	47		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Bromoform	< 24	24	78		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Bromomethane	< 23	23	76		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 12	12	41		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Chlorobenzene	< 10	10	34		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 20	20	68		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Chloroethane	< 24	24	81		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Chloroform	< 9.2	9.2	31		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Chloromethane	< 6.0	6.0	20		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	71	21	69		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 4.8	4.8	16		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Dibromomethane	< 15	15	50		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	82		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 19	19	63		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Ethylbenzene	< 14	14	45		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 20	20	66		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 17	17	56		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 15	15	49		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Methylene Chloride	< 11	11	36		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 15	15	51		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Naphthalene	< 18	18	62		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 23	23	78		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-1

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-001

VOLATILES

Prep Date/Time: 10/11/07 10:11 AM Anl By: JJB

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 20	20	68		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 17	17	56		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 22	22	74		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Styrene	< 22	22	72		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 24	24	81		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Tetrachloroethene	3300	11	38		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Toluene	< 17	17	56		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 22	22	74		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 4.8	4.8	16		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Trichloroethene	120	12	40		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 4.5	4.5	15		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Xylene, m + p	< 45	45	150		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Xylene, o	< 21	21	69		25	ug/L		10/11/07 10:11 AM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	68	64	132		25	%		10/11/07	SW846 5030B	SW846 8260B
Toluene-d8	83	73	127		25	%		10/11/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	93	68	122		25	%		10/11/07	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-1D

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-002

VOLATILES

Prep Date/Time: 10/11/07 12:53 AM Anl By: JJB

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	4.6	0.83	2.8		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-1D

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-002

VOLATILES							Prep Date/Time: 10/11/07 12:53 AM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Tetrachloroethene	180	0.45	1.5		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Trichloroethene	11	0.48	1.6		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/11/07 12:53 AM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	69	64	132		1	%		10/11/07	SW846 5030B	SW846 8260B
Toluene-d8	77	73	127		1	%		10/11/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	93	68	122		1	%		10/11/07	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-2

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-003

VOLATILES

							Prep Date/Time: 10/11/07 8:37 AM	Anl By: JJB		
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	24	0.83	2.8		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-2

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-003

VOLATILES

Prep Date/Time: 10/11/07 8:37 AM Anl By: JJB

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	1.7	0.89	3.0		1	ug/L	Q	10/11/07 8:37 AM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Vinyl Chloride	1.4	0.18	0.60		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/11/07 8:37 AM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	69	64	132		1	%		10/11/07	SW846 5030B	SW846 8260B
Toluene-d8	80	73	127		1	%		10/11/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	90	68	122		1	%		10/11/07	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-3

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-004

VOLATILES							Prep Date/Time: 10/11/07 9:01 AM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-3

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-004

VOLATILES

Prep Date/Time: 10/11/07 9:01 AM Anl By: JJB

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Tetrachloroethene	0.69	0.45	1.5		1	ug/L	Q	10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/11/07 9:01 AM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	69	64	132		1	%		10/11/07	SW846 5030B	SW846 8260B
Toluene-d8	82	73	127		1	%		10/11/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	93	68	122		1	%		10/11/07	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-4

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-005

VOLATILES							Prep Date/Time: 10/11/07 9:24 AM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-4

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-005

VOLATILES

							Prep Date/Time: 10/11/07 9:24 AM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Tetrachloroethene	0.82	0.45	1.5		1	ug/L	Q	10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/11/07 9:24 AM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	68	64	132		1	%		10/11/07	SW846 5030B	SW846 8260B
Toluene-d8	83	73	127		1	%		10/11/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	93	88	122		1	%		10/11/07	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-5

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-006

VOLATILES							Prep Date/Time: 10/11/07 2:27 AM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-5

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-006

VOLATILES

Prep Date/Time: 10/11/07 2:27 AM Anl By: JJB

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/11/07 2:27 AM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	70	64	132		1	%		10/11/07	SW846 5030B	SW846 8260B
Toluene-d8	85	73	127		1	%		10/11/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	96	68	122		1	%		10/11/07	SW846 5030B	SW846 8260B

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-6

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-007

VOLATILES							Prep Date/Time: 10/11/07 2:50 AM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	9.8	0.83	2.8		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-6

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-007

VOLATILES							Prep Date/Time: 10/11/07 2:50 AM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	1.0	0.89	3.0		1	ug/L	Q	10/11/07 2:50 AM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/11/07 2:50 AM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	70	64	132		1	%		10/11/07	SW846 5030B	SW846 8260B
Toluene-d8	83	73	127		1	%		10/11/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	92	68	122		1	%		10/11/07	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-6D

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-008

VOLATILES							Prep Date/Time: 10/11/07 3:13 AM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : MW-6D

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-008

VOLATILES

Prep Date/Time: 10/11/07 3:13 AM Anl By: JJB

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/11/07 3:13 AM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	69	64	132		1	%		10/11/07	SW846 5030B	SW846 8260B
Toluene-d8	80	73	127		1	%		10/11/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	94	68	122		1	%		10/11/07	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : DUPLICATE

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-009

VOLATILES

Prep Date/Time: 10/11/07 3:37 AM Anl By: JJB

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	4.5	0.83	2.8		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : DUPLICATE

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-009

VOLATILES							Prep Date/Time: 10/11/07 3:37 AM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Tetrachloroethene	170	0.45	1.5		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Trichloroethene	11	0.48	1.6		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/11/07 3:37 AM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	66	64	132		1	%		10/11/07	SW846 5030B	SW846 8260B
Toluene-d8	77	73	127		1	%		10/11/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	96	68	122		1	%		10/11/07	SW846 5030B	SW846 8260B

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : TRIP BLANK

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-010

VOLATILES

							Prep Date/Time: 10/11/07 8:40 AM	Anl By: TLT		
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Dilsopropyl Ether	< 0.76	0.76	2.5		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889349

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILLS DRY CLEANER
Project Number : 73905
Field ID : TRIP BLANK

Matrix Type : WATER
Collection Date : 10/03/07
Report Date : 10/15/07
Lab Sample Number : 889349-010

VOLATILES

Prep Date/Time: 10/11/07 8:40 AM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		10/11/07 8:40 AM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	93	64	132		1	%		10/11/07	SW846 5030B	SW846 8260B
Toluene-d8	100	73	127		1	%		10/11/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	97	68	122		1	%		10/11/07	SW846 5030B	SW846 8260B

Qualifier Codes

Flag	Applies To	Explanation
A	Inorganic	Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
B	Inorganic	The analyte has been detected between the method detection limit and the reporting limit.
B	Organic	Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
C	All	Elevated detection limit.
D	All	Analyte value from diluted analysis or surrogate result not applicable due to sample dilution.
E	Inorganic	Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed.
E	Organic	Analyte concentration exceeds calibration range.
F	Inorganic	Due to potential interferences for this analysis by Inductively Coupled Plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method.
F	Organic	Surrogate results outside control criteria.
G	All	The result is estimated because the concentration is less than the lowest calibration standard concentration utilized in the initial calibration. The method detection limit is less than the reporting limit specified for this project.
H	All	Preservation, extraction or analysis performed past holding time.
HF	Inorganic	This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time.
J	All	Concentration detected equal to or greater than the method detection limit but less than the reporting limit.
K	Organic	Detection limit may be elevated due to the presence of an unrequested analyte.
L	All	Elevated detection limit due to low sample volume.
M	Organic	Sample pH was greater than 2
N	All	Spiked sample recovery not within control limits.
O	Organic	Sample received overweight.
P	Organic	The relative percent difference between the two columns for detected concentrations was greater than 40%.
Q	All	The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
S	Organic	The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
U	All	The analyte was not detected at or above the reporting limit.
V	All	Sample received with headspace.
W	All	A second aliquot of sample was analyzed from a container with headspace.
X	All	See Sample Narrative.
Z	Organics	This compound was separated in the CCV standard but it did not meet the resolution criteria as set forth in SW846.
&	All	Laboratory Control Spike recovery not within control limits.
*	All	Precision not within control limits.
+	Inorganic	The sample result is greater than four times the spike level; therefore, the percent recovery is not evaluated.
<	All	The analyte was not detected at or above the reporting limit.
1	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria.
2	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria.
3	Inorganic	BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion.
4	Inorganic	BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
5	Inorganic	BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
6	Inorganic	BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
7	Inorganic	BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
8	Inorganic	Sample was received unpreserved. Sample was preserved either at the time of receipt or at the time of sample preparation.
9	Inorganic	Sample was received with insufficient preservation. Acid was added either at the time of receipt or at the time of sample preparation.

Test Group Name	889349-001	889349-002	889349-003	889349-004	889349-005	889349-006	889349-007	889349-008	889349-009	889349-010
VOLATILES	G	G	G	G	G	G	G	G	G	G

Code	WI Certification
G	405132750

QC Summary

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery			LCS Spiked Conc	LCS Recovery			LCS/LCSD RPD % C	LCS/LCSD Control Limits			Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery			MSD Spiked Conc	MSD Recovery			MS/MSD RPD % C	MS/MSD Control Limits			
			Conc	%	C		Conc	%	C		LCL %	UCL %	RPD %				Conc	%	C		Conc	%	C		LCL %	UCL %	RPD %	
Diisopropyl Ether	< 0.76	0	---	---		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Fluorotrichloromethane	< 0.79	0	---	---		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Hexachlorobutadiene	< 0.67	0	---	---		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Isopropylbenzene	< 0.59	0	---	---		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Methyl-tert-butyl-ether	< 0.61	0	---	---		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Naphthalene	< 0.74	0	---	---		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
n-Butylbenzene	< 0.93	0	---	---		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
n-Propylbenzene	< 0.81	0	---	---		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
p-Isopropyltoluene	< 0.67	0	---	---		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
s-Butylbenzene	< 0.89	0	---	---		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
t-Butylbenzene	< 0.97	0	---	---		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,1,1-Trichloroethane	< 0.9	50.0	48.4	97		50.0	49.1	98	1.3	75	128	20	889328-014	< 0.9	50.0	51.5	103	50.0	49.3	99	4.3	70	130	30				
1,1,2,2-Tetrachloroethane	< 0.2	50.0	51.3	103		50.0	54.3	109	5.8	67	125	20	889328-014	< 0.2	50.0	51.5	103	50.0	53.6	107	4.0	70	130	30				
1,1,2-Trichloroethane	< 0.42	50.0	47.3	95		50.0	49.3	99	4.1	75	125	20	889328-014	< 0.42	50.0	49.8	100	50.0	49.6	99	0.4	70	130	30				
1,1-Dichloroethane	< 0.75	50.0	50.8	102		50.0	53.3	107	4.9	71	130	20	889328-014	< 0.75	50.0	56.3	113	50.0	54.6	109	3.0	70	130	30				
1,1-Dichloroethane	< 0.57	50.0	47.4	95		50.0	48.2	96	1.6	75	125	20	889328-014	< 0.57	50.0	49.9	100	50.0	47.6	95	4.6	70	135	30				
1,2-Dichloroethane	< 0.36	50.0	46.5	93		50.0	46.8	94	0.7	71	132	20	889328-014	< 0.36	50.0	48.8	98	50.0	48.3	97	1.1	70	130	30				
1,2-Dichloropropane	< 0.46	50.0	48	96		50.0	48.7	97	1.4	73	125	20	889328-014	< 0.46	50.0	49.8	100	50.0	49.8	100	0.1	70	130	30				
Benzene	< 0.41	50.0	51.4	103		50.0	52.2	104	1.5	75	125	20	889328-014	< 0.41	50.0	55.1	110	50.0	53.1	106	3.7	70	130	30				
Bromodichloromethane	< 0.56	50.0	44	88		50.0	45.5	91	3.5	75	125	20	889328-014	< 0.56	50.0	44.8	90	50.0	45	90	0.4	70	130	30				
Bromoform	< 0.94	50.0	45.1	90		50.0	46.8	94	3.7	75	125	20	889328-014	< 0.94	50.0	43.3	87	50.0	43.7	87	0.9	70	130	30				
Bromomethane	< 0.91	50.0	41.9	84		50.0	45.8	92	8.9	66	125	20	889328-014	< 0.91	50.0	42.5	85	50.0	46.4	93	8.8	63	147	30				
Carbon Tetrachloride	< 0.49	50.0	49.3	99		50.0	50.8	102	3.1	75	125	20	889328-014	< 0.49	50.0	53.1	106	50.0	51	102	4.1	70	131	30				
Chlorobenzene	< 0.41	50.0	50.1	100		50.0	51.7	103	3.3	75	125	20	889328-014	< 0.41	50.0	52.2	104	50.0	51.7	103	0.9	70	130	30				
Chlorodibromomethane	< 0.81	50.0	45.4	91		50.0	45.6	91	0.5	75	125	20	889328-014	< 0.81	50.0	44.2	88	50.0	44.6	89	0.9	70	130	30				
Chloroethane	< 0.97	50.0	45.3	91		50.0	47.1	94	3.9	72	126	20	889328-014	< 0.97	50.0	47.9	96	50.0	47.2	94	1.5	67	138	30				
Chloroform	< 0.37	50.0	48.3	97		50.0	48.8	98	1.0	75	125	20	889328-014	< 0.37	50.0	51.7	103	50.0	50	100	3.4	70	130	30				
Chloromethane	< 0.24	50.0	48.9	98		50.0	52.3	105	6.8	46	143	20	889328-014	< 0.24	50.0	37.3	75	50.0	49.4	99	28.0	43	150	30				
cis-1,2-Dichloroethane	< 0.83	50.0	47.9	96		50.0	49.2	98	2.8	75	125	20	889328-014	< 0.83	50.0	50.5	101	50.0	50.8	102	0.6	70	130	30				
cis-1,3-Dichloropropene	< 0.19	50.0	43.8	88		50.0	46.2	92	5.3	75	125	20	889328-014	< 0.19	50.0	41.9	84	50.0	42.2	84	0.7	70	130	30				
Ethylbenzene	< 0.54	50.0	50	100		50.0	51.8	104	3.5	75	125	20	889328-014	< 0.54	50.0	50.6	101	50.0	49.8	100	1.6	70	136	30				
Methylene Chloride	< 0.43	50.0	45.4	91		50.0	47.8	96	5.1	75	125	20	889328-014	< 0.43	50.0	50.3	101	50.0	48.7	97	3.4	70	130	30				

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 10/15/2007

QC Batch Number: 25481

QC Summary

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery			LCS Spiked Conc	LCS Recovery			LCS/LCSD RPD % C	LCS/LCSD Control Limits			Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery			MSD Spiked Conc	MSD Recovery			MS/MSD RPD % C	MS/MSD Control Limits		
			Conc	%	C		Conc	%	C		LCL	UCL	RPD				Conc	%	C		Conc	%	C		LCL	UCL	RPD
											%	%	%													%	%
Styrene	< 0.86	50.0	51.1	102		50.0	52.7	105	3.0	75	125	20	889328-014	< 0.86	50.0	36.9	74		50.0	35.2	70		4.8		70	130	30
Tetrachloroethene	< 0.45	50.0	51.6	103		50.0	52.9	106	2.5	75	130	20	889328-014	< 0.45	50.0	52.2	104		50.0	52.3	105		0.3		70	130	30
Toluene	< 0.67	50.0	52.6	105		50.0	54	108	2.7	75	125	20	889328-014	< 0.67	50.0	52.7	105		50.0	51.6	103		2.1		70	130	30
trans-1,2-Dichloroethene	< 0.89	50.0	47.3	95		50.0	45.8	92	3.4	75	125	20	889328-014	< 0.89	50.0	47	94		50.0	52.2	104		10.5		70	130	30
trans-1,3-Dichloropropene	< 0.19	50.0	45.4	91		50.0	47.1	94	3.7	75	125	20	889328-014	< 0.19	50.0	43.4	87		50.0	43.7	87		0.6		70	130	30
Trichloroethene	< 0.48	50.0	50.2	100		50.0	51.8	104	3.0	75	125	20	889328-014	< 0.48	50.0	52.6	105		50.0	52.7	105		0.2		70	130	30
Vinyl Chloride	< 0.18	50.0	45.1	90		50.0	46	92	1.9	65	130	20	889328-014	< 0.18	50.0	47	94		50.0	45.2	90		3.9		62	138	30
Xylene, m + p	< 1.8	100	105.8	106		100	107.5	108	1.6	75	125	20	889328-014	< 1.8	100	96.8	97		100	94.1	94		2.8		70	137	30
Xylene, o	< 0.83	50.0	52.1	104		50.0	53.6	107	2.8	75	125	20	889328-014	< 0.83	50.0	49.8	100		50.0	46.9	94		5.9		70	130	30
4-Bromofluorobenzene	72%	---	---	79		---	---	79	---	64	132	---	889328-014	72%	---	---	79		---	---	78		---		64	132	---
Toluene-d8	88%	---	---	91		---	---	91	---	73	127	---	889328-014	82%	---	---	88		---	---	86		---		73	127	---
Dibromofluoromethane	89%	---	---	89		---	---	88	---	68	122	---	889328-014	88%	---	---	90		---	---	88		---		68	122	---

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 10/15/2007

QC Batch Number: 25481

QC Summary

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery			LCS Spiked Conc	LCS Recovery			LCS/LCSD RPD % C	LCS/LCSD Control Limits			Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery			MSD Spiked Conc	MSD Recovery			MS/MSD RPD % C	MS/MSD Control Limits		
			Conc	%	C		Conc	%	C		LCL	UCL	RPD				Conc	%	C		Conc	%	C		LCL	UCL	RPD
Toluene	< 0.67	50.0	50.4	101		50.0	50.4	101		0.2	75	125	20	889371-001	< 0.67	50.0	51.1	102		50.0	49.5	99		3.2	70	130	30
trans-1,2-Dichloroethene	< 0.89	50.0	48.5	97		50.0	50.4	101		3.8	75	125	20	889371-001	< 0.89	50.0	54.6	109		50.0	48.7	97		11.4	70	130	30
trans-1,3-Dichloropropene	< 0.19	50.0	48.4	97		50.0	47.7	95		1.5	75	125	20	889371-001	< 0.19	50.0	49.1	98		50.0	48.5	97		1.1	70	130	30
Trichloroethene	< 0.48	50.0	48.6	97		50.0	49	98		0.7	75	125	20	889371-001	< 0.48	50.0	51.1	102		50.0	50.5	101		1.2	70	130	30
Vinyl Chloride	< 0.18	50.0	46.9	94		50.0	49.1	98		4.6	65	130	20	889371-001	< 0.18	50.0	47.3	95		50.0	47.3	95		0.1	62	138	30
Xylene, m + p	< 1.8	100.0	100.1	100		100.0	100.2	100		0.1	75	125	20	889371-001	< 1.8	100.0	100.8	101		100.0	99.7	100		1.1	70	137	30
Xylene, o	< 0.83	50.0	50.7	101		50.0	51.2	102		0.9	75	125	20	889371-001	< 0.83	50.0	51.5	103		50.0	49.6	99		3.7	70	130	30
4-Bromofluorobenzene	92%	--	--	94		--	--	93		--	64	132	--	889371-001	94%	--	--	91		--	--	93		--	64	132	--
Toluene-d8	102%	--	--	101		--	--	100		--	73	127	--	889371-001	102%	--	--	101		--	--	101		--	73	127	--
Dibromofluoromethane	98%	--	--	94		--	--	95		--	68	122	--	889371-001	99%	--	--	96		--	--	96		--	68	122	--

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 10/15/2007

QC Batch Number: 25482



Sample Condition Upon Receipt


889 349
889348 u 10/5/07

Client Name: KPRG & ASSOC.

Project # 889348 u 10/5/07

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Tracking #: _____



Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used NA

Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temperature ROI

Biological Tissue Is Frozen: Yes No

Date and Initials of person examining contents: 10/5/07 AB

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: UW Date: 10/8/07

(Please Print Clearly)

Company Name: **KPRG AND ASSOCIATES**
 Branch/Location: **BROOKFIELD, WI**
 Project Contact: **RICHARD GNAT**
 Phone: **262-781-0475**
 Project Number: **13905**
 Project Name: **JILLS DRY CLEANER**
 Project State: **WI**
 Sampled By (Print): **PATRICK ALLENSTEIN**
 Sampled By (Sign): *[Signature]*
 PO #:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

COC No. **030644**

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N																		
Pick Letter	B																		
Analyses Requested	YOC																		

Quote #: **RICHARD GNAT**
 Mail To Contact: **RICHARD GNAT**
 Mail To Company: **KPRG AND ASSOCIATES**
 Mail To Address: **14605 W. LISBON RD, STE 28
 BROOKFIELD, WI 53005**
 Invoice To Contact:
 Invoice To Company:
 Invoice To Address:
 Invoice To Phone:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	Pick Letter	Analyses Requested
		DATE	TIME				
001	MW-1	10/3/07	1605	GW	X		
002	MW-1D		1515				
003	MW-2		1330				
004	MW-3		1410				
005	MW-4		1215				
006	MW-5		1130				
007	MW-6		1040				
008	MW-6D		1000				
009	DUPLICATE						
010	TB * Added to COC by lab 10/5/07 AB						

CLIENT COMMENTS
 3 ~~2~~ ^{AB} 40 MIB
 2-40M/TB

LAB COMMENTS (Lab Use Only)


Profile #

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:
 Transmit Prelim Rush Results by (complete what you want):
 Email #1:
 Email #2:
 Telephone:
 Fax:

Relinquished By: *[Signature]* Date/Time: 10/4/07 1225
 Relinquished By: *[Signature]* Date/Time: 10/4/07 1535
 Relinquished By: *[Signature]* Date/Time: 10/5/07 1940
 Relinquished By: _____ Date/Time: _____

Received By: *[Signature]* Date/Time: 10/4/07 1228
 Received By: *[Signature]* Date/Time: _____
 Received By: *[Signature]* Date/Time: 10/5/07 0940
 Received By: _____ Date/Time: _____

PACE Project No. **AB 8893489**
 Receipt Temp = **RO1** °C
 Sample Receipt pH **OK / Adjusted NA**
 Cooler Custody Seal Present / Not Present **Present**
 Intact / Not Intact



1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-469-8827

Analytical Report Number: 889941

Client: KPRG AND ASSOCIATES, INC.

Lab Contact: Laurie Woelfel

Project Name: JILL'S DRY CLEANER

Project Number: 13905

Lab Sample Number	Field ID	Matrix	Collection Date
889941-001	GP-6 (1-1.5' HA)	SOIL	10/18/07 16:30

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..



Laurie Woelfel
Approval Signature

11/2/07
Date

**Pace Analytical
Services, Inc.**

Analytical Report Number: 889941

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILL'S DRY CLEANER
Project Number : 13905
Field ID : GP-6 (1-1.5' HA)

Matrix Type : SOIL
Collection Date : 10/18/07
Report Date : 10/23/07
Lab Sample Number : 889941-001

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	81.6				1	%		10/23/07	SM M2540G	SM M2540G
								Prep Date/Time:	Anl By: kloch	

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Prep Date/Time: 10/22/07 1:35 PM Anl By: TLT										
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Client : KPRG AND ASSOCIATES, INC.
Project Name : JILL'S DRY CLEANER
Project Number : 13905
Field ID : GP-6 (1-1.5' HA)

Matrix Type : SOIL
Collection Date : 10/18/07
Report Date : 10/23/07
Lab Sample Number : 889941-001

VOLATILES							Prep Date/Time: 10/22/07 1:35 PM Anl By: TLT			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 50	50	120		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		10/22/07 1:32 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	117	64	133		50	%		10/22/07	SW846 5030B	SW846 8260B
Toluene-d8	119	67	139		50	%		10/22/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	115	64	140		50	%		10/22/07	SW846 5030B	SW846 8260B

Lab Number	TestGroupID	Field ID	Comment
889941-	8260+-S-ME	All Samples	Inadequate sample volume received to perform the method required MS/MSD.

Qualifier Codes

Flag	Applies To	Explanation
A	Inorganic	Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
B	Inorganic	The analyte has been detected between the method detection limit and the reporting limit.
B	Organic	Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
C	All	Elevated detection limit.
D	All	Analyte value from diluted analysis or surrogate result not applicable due to sample dilution.
E	Inorganic	Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed.
E	Organic	Analyte concentration exceeds calibration range.
F	Inorganic	Due to potential interferences for this analysis by Inductively Coupled Plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method.
F	Organic	Surrogate results outside control criteria.
G	All	The result is estimated because the concentration is less than the lowest calibration standard concentration utilized in the initial calibration. The method detection limit is less than the reporting limit specified for this project.
H	All	Preservation, extraction or analysis performed past holding time.
HF	Inorganic	This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time.
J	All	Concentration detected equal to or greater than the method detection limit but less than the reporting limit.
K	Organic	Detection limit may be elevated due to the presence of an unrequested analyte.
L	All	Elevated detection limit due to low sample volume.
M	Organic	Sample pH was greater than 2
N	All	Spiked sample recovery not within control limits.
O	Organic	Sample received overweight.
P	Organic	The relative percent difference between the two columns for detected concentrations was greater than 40%.
Q	All	The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
S	Organic	The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
U	All	The analyte was not detected at or above the reporting limit.
V	All	Sample received with headspace.
W	All	A second aliquot of sample was analyzed from a container with headspace.
X	All	See Sample Narrative.
Z	Organics	This compound was separated in the CCV standard but it did not meet the resolution criteria as set forth in SW846.
&	All	Laboratory Control Spike recovery not within control limits.
*	All	Precision not within control limits.
+	Inorganic	The sample result is greater than four times the spike level; therefore, the percent recovery is not evaluated.
<	All	The analyte was not detected at or above the reporting limit.
1	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria.
2	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria.
3	Inorganic	BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion.
4	Inorganic	BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
5	Inorganic	BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
6	Inorganic	BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
7	Inorganic	BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
8	Inorganic	Sample was received unpreserved. Sample was preserved either at the time of receipt or at the time of sample preparation.
9	Inorganic	Sample was received with insufficient preservation. Acid was added either at the time of receipt or at the time of sample preparation.

889941-001

Test Group Name

PERCENT SOLIDS

B

VOLATILES

G

Code	WI Certification
B	405132750 / DATCP: 105-444
G	405132750



Sample Condition Upon Receipt

Client Name: KPRC Project # 889941

Courier: Fed Ex UPS USPS Client Commercial Pace Other

Tracking #: Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used N/A Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temperature RCI Biological Tissue is Frozen: Yes No

Date and Initials of person examining contents: 10/19/07 AG 11/10/19/7

Table with 16 rows of checklist items (Chain of Custody Present, Short Hold Time Analysis, etc.) and checkboxes for Yes, No, N/A.

Client Notification/ Resolution: Person Contacted: Date/Time: Comments/ Resolution:

Project Manager Review: Date:

Table 1. Summary of Soil Sample Analytical Results - Jills Dry Cleaners, Muskego, WI
All values in ug/kg unless otherwise noted.

Sample ID and Depth Parameter	SSRCLs		HA-1 (3.5-4.5)	HA-1A (9-10)*	HA-2 (1.5-3)	HA-2A (6-8)*	HA-3 (0.5-1.5)	HA-4 (0.5-1.5)	HA-5 (0.5-1.5)
	Ingestion	Soil-GW							
cis-1,2-Dichloroethene	156,000	77	< 310	< 5,000	< 25	< 25	< 25	870	32 Q
Tetrachloroethene	1,230	20	<u>120,000</u>	<u>2,000,000</u>	<u>7,100</u>	<u>5,400</u>	160	<u>4,400</u>	<u>1,300</u>
Trichloroethene	160	20	<u>700</u>	< 5,000	< 25	< 25	< 25	<u>920</u>	<u>320</u>
Total Organic Carbon (mg/kg)	NS	NS	NA	NA	NA	NA	NA	NA	NA

NEG

Table 1. (cont.) Summary of Soil Sample Analytical Results - Jills Dry Cleaners, Muskego, WI

Sample ID and Depth Parameter	SSRCLs		MW-1 (2-4)	MW-2 (1-3)	MW-3 (1-3)	MW-3 (7-8)*	MW-4 (1-2.5)	MW-4 (6-8)*
	Ingestion	Soil-GW						
cis-1,2-Dichloroethene	156,000	77	75	< 25	< 25	< 25	< 25	< 25
Tetrachloroethene	1,230	20	<u>23,000</u>	< 25	< 25	< 25	< 25	< 25
Trichloroethene	160	20	<u>580</u>	< 25	< 25	< 25	< 25	< 25
Total Organic Carbon (mg/kg)	NS	NS	NA	21,000	4,400	NA	7,800	NA

Table 1. (cont.) Summary of Soil Sample Analytical Results - Jills Dry Cleaners, Muskego, WI

Sample ID and Depth Parameter	SSRCLs		GP-1 (1-3)	GP-2 (1-3)	GP-3 (1-3)	GP-3 (6-8)*	GP-4 (1-3)	GP-5 (3-4)	GP-6 (1-1.5 HA)	GP-6 (6-7)*	GP-7 (7-8)*
	Ingestion	Soil-GW									
cis-1,2-Dichloroethene	156,000	77	< 25	< 25	< 25	< 25	< 25	32	< 25	< 250	< 250
Tetrachloroethene	1,230	20	< 25	< 25	< 25	< 25	< 25	< 25	< 25	<u>42,000</u>	<u>53,000</u>
Trichloroethene	160	20	< 25	< 25	< 25	< 25	< 25	< 25	< 25	<u>660</u>	<u>480</u>
Total Organic Carbon (mg/kg)	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA


SSRCL - Soil Screening Residual Contaminant Level
Soil-GW - Soil-to-Groundwater

Note: GP-7 is located adjacent to location HA-3.

* - Indicates saturated soil sample.

NS - No Standard
NA - Not Analyzed

Bold - Exceeds Soil to Groundwater SSRCL
Bold - Exceeds Ingestion SSRCL



LEGEND

- LOCATION OF DRY CLEANING MACHINE
- BENCHMARK ENVIRONMENTAL BORING WITH PCE SOIL CONCENTRATIONS IN mg/kg
- HAND AUGER BORING
- GEOPROBE BORING - Red indicates added
- MONITORING WELL LOCATION
Red indicates new added well.
- OVERHEAD ELECTRIC
- SANITARY SEWER
- GAS
- COMMUNICATIONS

ENVIRONMENTAL CONSULTATION & REMEDIATION

K P R G

KPRG and Associates, Inc.

14655 West Lisbon Road, Suite 2B Brookfield, Wisconsin 53005 Telephone 262-781-0475 Facsimile 262-781-0478
414 Plaza Drive, Suite 106 Westmont, Illinois 80559 Telephone 830-325-1300 Facsimile 830-325-1593


SITE LAYOUT MAP

JILL'S DRY CLEANERS
MUSKEGO, WISCONSIN

Scale: SEE BARSCALE | Date: November 19, 2007

KPRG Project No. 13905

FIGURE 1



LEGEND

- ☒ LOCATION OF DRY CLEANING MACHINE
- B-1 BENCHMARK ENVIRONMENTAL BORING WITH PCE SOIL CONCENTRATIONS IN mg/kg
- HA-1 HAND AUGER BORING
- GP-2 GEOPROBE BORING - Red indicates added
- MW-4 MONITORING WELL LOCATION
Red indicates new added well.
- OVERHEAD ELECTRIC
- SANITARY SEWER
- GAS
- COMMUNICATIONS

ENVIRONMENTAL CONSULTATION & REMEDIATION

K P R G

KPRG and Associates, Inc.

SITE LAYOUT MAP

JILL'S DRY CLEANERS
MUSKEGO, WISCONSIN


Scale: SEE BARSCALE | Date: November 19, 2007

KPRG Project No. 13905

FIGURE 1

14665 West Labor Road, Suite 28 Brookfield, Wisconsin 53005 Telephone 262-781-0475 Facsimile 262-781-0478

414 Plaza Drive, Suite 106 Westmont, Illinois 60559 Telephone 630-325-1300 Facsimile 630-325-1593



LEGEND

- LOCATION OF DRY CLEANING MACHINE
- BENCHMARK ENVIRONMENTAL BORING WITH PCE SOIL CONCENTRATIONS IN mg/kg
- HAND AUGER BORING
- GEOPROBE BORING - Red indicates added
- MONITORING WELL LOCATION
Red indicates new added well.
- OVERHEAD ELECTRIC
- SANITARY SEWER
- GAS
- COMMUNICATIONS

ENVIRONMENTAL CONSULTATION & REMEDIATION



14655 West Lisbon Road, Suite 2B Brookfield, Wisconsin 53005 Telephone 262-781-0475 Facsimile 262-781-0478
414 Plaza Drive, Suite 106 Westmont, Illinois 60559 Telephone 630-325-1300 Facsimile 630-325-1593

SITE LAYOUT MAP

JILL'S DRY CLEANERS
MUSKEGO, WISCONSIN

Scale: SEE BARSCALE | Date: November 19, 2007

KPRG Project No. 13905

FIGURE 1

KPRG and Associates, Inc.

SITE INVESTIGATION SCHEDULE

February 14, 2006

Ms. Jill Fitzgerald
Jill's Dry Cleaners, Inc.
P.O. Box 321
Muskego, WI 53150

2006 FEB 15 PM 2:13

DEPARTMENT OF
NATURAL RESOURCES
WISCONSIN SERVICE CENTER

VIA U.S. MAIL

KPRG Project No. 13905

Re: Site Investigation Field Schedule

Dear Ms. Fitzgerald:

Based on our discussions, KPRG has notified On-Site Environmental Services, Inc. (On-Site) of their selection as the drilling contractor for the site investigation field work to be performed. Based on discussions with On-Site, four to five days of drilling activities are anticipated. The first available four to five day block of time that On-Site currently has open is the week of March 27th 2006. I have, therefore, booked this timeframe for the drilling work. If their schedule loosens up to allow for a sooner start date, KPRG will shift its schedule around to accommodate any change.

I will keep you informed of any changes but for now the schedule is set to start the field work on the morning of March 27th. I will keep you updated as the date gets closer (we will be setting up drilling clearances and check for any required City of Muskego permits, etc.).

KPRG and Associates, Inc. appreciates the opportunity for providing our technical services to Jill's Dry Cleaners. If you have any questions, please do not hesitate to call me at 262-781-0475.

Sincerely,
KPRG and Associates, Inc.



Richard R. Gnat, P.G.
Principal

Cc: Jim Delwiche, WDNR Project Manager
Donald Gallo, Reinhart Boerner Van Deuren, SC